

TREK® TABLES

PRICE LIST

January 3, 2011 Updated October 3, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents Refer to KI Terms & Conditions document or visit ki.com.

Trek® Tables

General Information		
Product Color Options		
Fixed Leg		
Fixed Height		
Fixed Leg with Modesty Panel		1
Fixed Leg with PowerUp®		1
Pin Height Adjustable		1
Folding Leg		1
Folding Leg with Modesty Pane	el	1
Folding Leg with PowerUp®		1
Flip-Top		2
Flip-Top with Modesty Panel		2
Lightweight Folding Leg		2
Trek® Plus Tables		2
Storage and Accessories		3



Features

Fixed, folding bases Four edge styles Ganging Casters/glide option





Flip-Top Table, T Base





Rectangular Table, TT Base



Rectangular Table, Quick-Release Modesty Panel



Trek Plus Tables

Features				
Fixed, folding, flip-top bases	•			•
Eight edge styles	•	•	•	•
Modesty panel and wire management				•
Lightweight top option				•
Caster option	•	•	•	•

Round Table, X Base



edge: 1-1/2" radius corner (54B)



Laminate: 74P edge: Laminate: knife round vinyl bullnose square corner (74P)



edge; square corner



Laminate: 1"x 1-3/4" wood bullnose edge: .62" radius corner



Adjustable Glides

Ganging Device






Casters (black hub




Trek Plus Quarter Round Ganging




Plus-Laminate; 74P edge; square corner (74P)



Laminate; 3/8" x 1-1/4" wood band edge: square corner: corner joint is not mitered (34S)



Laminate; 3/8" x 1-3/4" wood band edge: square corner: corner joint is not mitered (36S)



Grommet location for tables 36" or smaller

graphics above.



Grommet location for tables 43" or deeper

SPECIFICATIONS

Trek Pedestal Table

This system employs heavy gauge tubular steel components in fixed, folding, or flip-top models. Trek includes T, TT and X base configurations. Fixed table column welded to 1/4" solid steel plate.

Bases

Built of 2-1/4", 14-gauge round tubular steel leg column with steel end cap and 16-gauge steel tapered legs elliptically swaged down to 1" diameter at end; highly durable, smooth powder-coated finish. Adjustable glides or casters are secured to the legs. Two casters in each set shall have wheel brakes (locking).

Trek Tables Plus Ganging Mechanism

Built of black high-strength nylon, userfriendly ganger with pegs draws tables together. No tools are required when joining tables. Ganger is self-storing under table top. Mounting screws are provided. Tops are predrilled for placement of ganging pegs. Two gangers per table.

CAUTION: Gangers are not retrofittable to earlier purchased tables.

Device

Trek Tables Folding Mechanism

Built of 11-gauge, black zinc finish steel, the folding mechanism easily releases and folds leg tightly to table bottom and securely locks with two polypropylene clips. When opened, legs engage into place for a tight, rigid fit between leg and mechanism. Built-in rubber bumpers keep tables separated to prevent marring when tables are stacked on edge.

Table Surfaces

1-1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Tops are pre-drilled.

A "standard" table consists of a standard laminate worksurface and a 1-1/4" vinyl bullnose edge for any KI table base. All Knife(KN) edge styles will use an M3 particle board compostion. The undersurface edge is sanded, stained and sealed. KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over

the top

Flip-Top

Standard flip-top table does not have a detachable top.

Folding Modesty Panels

.685" thick particleboard faced on both sides with laminate that matches table top. Modesty panels are 6-1/4" high by length of table. Mounting brackets are black and packed with the base. Table top and panel are pre-drilled. Lower edge of panel extends 8-1/4" from underside of table. The modesty panel is shipped k.d.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Powder-Coated Finish

Hybrid powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth continuous film. Finish is chemical-resistant. hard, tough and mar-resistant.

Trek Lightweight Table

Top is 5-ply construction consisting of .050" thick laminate, 5.2mm 3-ply plywood, .75" thick high-density particleboard frame with honeycomb core, 5.2mm 3-ply plywood and .040" HPL backer.

Quick-Release Modesty Panels

.685" thick particleboard faced on both sides with laminate that matches table top laminate. Lower edge of modesty panel extends 7-1/4" from underside of table. Panel is easily removed from the table without tools. It locks into two 11-gauge steel retaining brackets and is removed by pulling down on vinyl-coated stainless steel release levers. Modesty panel is shipped k.d.

Trek Table Truck

Black powder-coated finish. Two swivel and two rigid 6" diameter casters with heavy-duty roller bearings. Rectangular or square table storage. Truck measures 60" long by 30" wide by 55" high. Felt is standard on top edges. Six-table capacity.

Trek with PowerUp®

Tables are available with one or two power/data modules, PowerUp, centrally located 4-1/4" from the front edge of table top. PowerUp is a UL Listed, Relocatable Power Tap, which mounts flush into the table top. When flipped up, cover open, one (1) duplex receptacle and two (2) data ports are exposed. The underside of the table is provided with a hinged plastic channel (cord management trough) which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines.

The PowerUp module is 6-1/4" long by 3" wide by 2-1/2" high when opened. It is provided with a 9 ft. or 15ft.. 3-conductor cord and is rated 120V a/c, 15A. The cover snaps into the upright position to allow cords to be unplugged without the cover closing. The data ports are molded to accept AT&T "M" Series, RJ45 jacks. The module can be modified to accept various brand jacks.

Cords are further managed by the vertical leg wire manager which comes standard with PowerUp.

Under-Table Wire Management

Constructed of high quality black velcro. Harness is fastened to table bottom with screws. Shipped assembled. Wire management options HO, HW and WO) are only available on rectangle tables 96" and smaller (not available on any cantilever, flip-top or folding tables).

Leg Wireways

Scuff-resistant, high-impact rigid plastic. Two separate wire channels per leg. Fastened to legs with full length adhesive bond. Black only. One wireway per leg. Shipped assembled. Two leg wireways per top. Not available on 18" x 60" fixed base tables, 18" x 60" and 24" x 60" cantilevered base and folding tables.

Grommets

Plastic grommets are 3" diameter and recessed into table top. Cap is removable and has retractable slot cover. Two grommets per top. Grommets not available on 18" x 60" fixed base tables, 18" x 60" and 24" x 60" cantilevered base and folding tables. Grommet location for tables that are 36" deep and smaller will be on the corners of the

table. Grommet location for the tables 42" deep and larger will be the centerline of the table. See

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



						—	
Surface FinishLaminate		Cayenne	ECY	Light Tone	ELG	Chrome	СН
Belair	LBQ	Cherry Storm	ECX	Mardi Gras	EMG	Cool Grey	CG
Biltmore Cherry	LBT	Cocobala	ECC	Misty Brown	EMY	Cottonwood	CO
Black	LBK	Cool Grey	ECG	Nemo	ENE	Earthen Clay	EY
Brighton Walnut	LBW	Earthen Clay	EEY	Nordic	END	Espresso Metallic	EX
Canyon Zephyr	LCA	Everglade Shade	EEV	Poppy Red	EPR	Everglade Shade	EV
Castle Oak	LC0	Flannel	EFN	Purple Haze	EPH	Flannel	FN
Casual Linen	LCU	Florence Walnut	EFC	Rubber Ducky	ERK	Glitz Metallic	GZ
Cherry Storm	LCX	Friston Ash	EFH	Sand	ESA	Hazy Jade	HJ
Classic Linen	LCI	Frosty White	EFW	Sky Blue	ESK	Honey Bee	HY
Cloud Zephyr	LCL	Hazy Jade	EHJ	Surf's Up	ESP	Light Tone	LG
Cocobala	LCC	Honey Bee	EHY	Twilight Shadow	ETI	Mardi Gras	MG
Crisp Linen	LRI	Italian Silver Ash	EIT	Ultra Blue	EUB	Misty Brown	MY
Desert Zephyr	LDZ	Kensington Maple	EKM	Warm Grey	EWG	Nemo	NE
Dove Grey	LDG	Light Tone	ELG	Zesty Lime	EZL	Nordic	ND
Fired Steel	LIL	Mardi Gras	EMG			Poppy Red	PR
Flax Linen	LXF	Misty Brown	EMY	Edge Color for KN Edge		Purple Haze	PH
Florence Walnut	LFC	Monticello Maple	EMT	Belair	EBQ	Rubber Ducky	RK
Forged Steel	LOL	Multiplex	EMB	Biltmore Cherry	EBT	Sand	SA
v	LFH	Nemo	ENE	Black	EBL	Sky Blue	SK
Friston Ash	LFW	Nordic	END	Blue Grey	EGR	Starlight Silver Metallic	SX
Frosty White		Poppy Red	EPR	Brighton Walnut	EBW	Surf's Up	SP
Graphite Nebula	LGN	Purple Haze	EPH	Castle Oak	ECO	Twilight Shadow	TI
Grey	LGE	River Cherry	ERY	Cherry Storm	ECX	Ultra Blue	UB
High Rise	LHE	•		Cool Grey	ECG		
Hollyberry	LHY	Rubber Ducky	ERK	Everglade Shade	EEV	Warm Grey	WG
Irish Linen	LIH	Sand	ESA	Flannel	EFN	Zesty Lime	ZL
Island	LID	Sky Blue	ESK	Florence Walnut	EFC	Module Color	
Italian Silver Ash	LIT	Sterling Ash	EAZ	Friston Ash	EFH	Black module	MBL
Kensington Maple	LKM	Surf's Up	ESP	Frosty White	EFW	Blue Grey module	MGR
Lapis Blue	LLB	Twilight Shadow	ETI	Hazy Jade	EHJ	Cool Grey module	MCG
Markerboard White	LMK	Ultra Blue	EUB	Honey Bee	EHY	Flannel module	MFN
Misted Zephyr	LMR	Warm Grey	EWG	Italian Silver Ash	EIT	Misty Brown module	MMY
Monticello Maple	LMT	Windsor Mahogany	EWY	Kensington Maple	EKM	Sand module	MSA
Nickel Evolv	LNV	Zesty Lime	EZL	Light Tone	ELG	Warm Grey module	MWG
North Sea	LNA	Edge Color for 15W, 34S, and 36S Edge		Mardi Gras	EMG		
Ocean	LON	Biltmore Cherry on Maple (sample not available)	MBT	Misty Brown	EMY	Grommet Color	
Pearl Bisque	LPB	Brighton Walnut on Maple (sample not available)	MBW	Monticello Maple	EMT	Black grommet	GBL
Pearl Silver	LPS	Castle Oak	VOK	Nemo	ENE	Blue Grey grommet	GGR
Pressed Linen	LPR	Cherry Storm on Maple	MCX	Poppy Red	EPR	Cool Grey grommet	GCG
River Cherry	LRY	Cinnamon on Maple	MCN	Purple Haze	EPH	Flannel grommet	GFN
Rugged Linen	LRG	Cocoa on Maple	MCA	River Cherry	ERY	Misty Brown grommet	GMY
Satin Stainless	LSS	Florence Walnut on Maple	MFC	Rubber Ducky	ERK	Sand grommet	GSA
Shadow Zephyr	LSR	Kensington Maple on Maple	MMA	Sand	ESA	Warm Grey grommet	GWG
Silicon evolv	LSV	Monticello Maple on Maple	MMT	Sky Blue	ESK		
Sterling Ash	LAZ	River Cherry on Maple	MRY	Sterling Ash	EAZ		
Tailored Linen	LTL	Triver offerry off Maple	IVIIII	Surf's Up	ESP		
Titanium evolv	LTV	Edge Color for 54B Edge		Twilight Shadow	ETI		
White Nebula	LWL	Black	EBL				
White Sand	LWN	Blue Grey	EGR	Ultra Blue	EUB		
Windsor Mahogany	LWY	Cayenne	ECY	Warm Grey	EWG EZL		
Educ Color for 74D Educ		Cool Grey	ECG	Zesty Lime	EZL		
Edge Color for 74P Edge	EDO	Earthen Clay	EEY	Base Finish			
Belair	EBQ	Everglade Shade	EEV	Black	BL		
Biltmore Cherry	EBT	Flannel	EFN	Blue Grey	GR		
Black	EBL	Frosty White	EFW	Bronze Metallic	ZM		
Blue Grey	EGR	Hazy Jade	EHJ	Cayenne	CY		
Brighton Walnut	EBW	Honey Bee	EHY	Champagne Metallic	CM		
Castle Oak	ECO	· · ·	=	F	3		

Finish Cards
View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges
Hard Plastics

Plastics/Poly
Laminates
Edge Styles
Glass





									•				
				MODEL	NUMBER								
					E.			Approx.	1-1/4" Vinyl Bullnose	740.51	W W E I	1-3/4" Wood	
	MODEL	Features	AxBxCxD	Basic Model	Edge Edge Style Color	Surface Ba	ase nish Base	Packaged Weight	(54B)	74P Edge (74P)	Knife Edge (KN)	Bullnose (15W)	
	Square Tables, X Base		30 x 30"					55.0#	\$ 924	\$ 1015	\$ 1120	\$ 1405	
A B	oquato tubios, x buss		36 x 36"					69.0#	1037	1139	1250	1617	
A A			42 x 42"					86.0#	1370	1507	1658	2250	
K - M v B →		A Dase	42 X 42	100017				00.0₩	1370	1007	1030	2230	
TEY													
IIA	Square Tables, TT Base	TT Base	48 x 48"	TS4F				132.0#	\$ 1556	\$ 1712	\$ 1879	\$ 2432	
	oquato tubios, i i buos	11 Buoo	10 X 10	1011				102.0#	Ψ 1000	V 1712	Ψ 1010	Ψ 102	
A A													
<u>B</u> ⊥													
TFX													
	Round Tables, X Base	X Base	30" Diameter	TR25FX				48.0#	\$ 928	\$ 985	\$ 1041	\$ 1832	
	,		36" Diameter					59.0#	1031	1096	1180	2051	
A CONTRACTOR OF THE PROPERTY O			42" Diameter					73.0#	1194	1263	1366	2442	
			48" Diameter			1	□ 4GB	88.0#	1359	1441	1557	2886	
TFX		71 2400	To Diamoto.					00.0%	1000		1001	2000	
	Round Tables, TT Base	TT Base	60" Diameter	TR5F				148.0#	\$ 1958	\$ 2152	\$ 2367	\$ 4070	
	l								*	¥ 2.02	,	• 22.2	
- 1													
TFX													
<u> </u>	Trapezoid Tables, T Base		24 x 24 x 24 x 48"				□ 4GB	56.0#	\$ 975	\$ 1071	\$ 1180	\$ 2341	
	 24x24x24x48 = 21"D 30x30x30x60 = 26"D 		30 x 30 x 30 x 60"					71.0#	1040	1140	1257	2582	
D D	• 36x36x36x72 = 31"D	T Base	36 x 36 x 36 x 72"	TT36F				89.0#	1628	1790	1968	3637	
TFX	24x24x24x48 available with glides only												
	Rectangular Tables, X Base		24 x 30"					49.0#	\$ 928	\$ 1020	\$ 1123	\$ 1403	
A A			24 x 36"	1				54.0#	942	1040	1140	1488	
A A B		X Base	30 x 36"	T253FX				63.0#	1017	1121	1234	1603	
TFX													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- - **15W** 1-3/4" Wood bullnose
- **C**Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style

Select base finish.

Refer to the **Product Color Options** page in this

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - 74P edge

- Knife edge

Select base option.

4GB - 4 black glides

- 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

Θ

ß

0

(3

(3)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





						•					
		MODEL	NUMBER			(
MODEL	Features	Basic Model	Edge Edge Surface Base Style Color Finish Finish	Base	Pad	kaged	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	1-3/4" Wood Bullnose (15W)	
Rectangular Tables, T Base	T Base	18 x 48" T154F				60.0#	\$ 1012	\$ 1119	\$ 1232	\$ 1480	
	T Base	18 x 60" T155F				67.0#	1051	1155	1274	1654	
	T Base	18 x 72" T156F				75.0#	1128	1237	1366	1829	
₫ B	T Base	18 x 84" T157F				82.0#	1232	1351	1486	2163	
TFX	T Base	24 x 48" T24F				70.0#	1029	1130	1241	1652	
	T Base	24 x 60" T25F				80.0#	1079	1190	1310	1805	
	T Base	24 x 72" T26F				90.0#	1259	1385	1524	2077	
	T Base	24 x 84" T27F			1	00.0#	1320	1454	1602	2417	
	T Base	24 x 96" T28F			1	10.0#	1427	1573	1727	2460	
	T Base	30 x 48" T254F				80.0#	1063	1168	1286	1801	
	T Base	30 x 60" T255F				93.0#	1172	1287	1418	1961	
	T Base	30 x 72" T256F			1	05.0#	1296	1424	1571	2246	
	T Base	30 x 84' T257F			1	18.0#	1493	1643	1810	2637	
	T Base	30 x 96" T258F			1	30.0#	1597	1757	1935	2759	
	T Base	36 x 48" T34F				90.0#	1123	1235	1364	2094	
	T Base	36 x 60" T35F			1	05.0#	1346	1480	1628	2298	
	T Base	36 x 72" T36F			1	20.0#	1385	1524	1676	2610	
	T Base	36 x 84" T37F			1	35.0#	1661	1829	2015	2661	
	T Base	36 x 96" T38F			1	50.0#	1684	1855	2039	2726	
Rectangular Tables, 120° Base	120° Base	18 x 96" T158F				90.0#	\$ 1319	\$ 1453	\$ 1597	\$ 2326	

HOW TO ORDER

TFX

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - 74P edge

- Knife edge - 1-3/4" Wood bullnose

CSelect edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

B

Θ

0

(3

- 4 black casters w/black hub caps (2 locking) 4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





				MODE	L NUMBER				_					
				Basic	Edge Ed		ice Base		Approx. Packaged	1-1/4" Vinyl Bullnose	74P Edge	Knife Edge	1-3/4" Wood Bullnose	
MODEL		Features	AxBxC	Model	Style Co	olor Finis	n Finis	n Base	Weight	(54B)	(74P)	(KN)	(15W)	
Rectangular	Tables, TT Bases		42 x 60"	T355F					138.0#	\$ 1828	\$ 2013	\$ 2213	\$ 2787	
	n four TT bases have a two-	TT Base	42 x 72"	T356F					155.0#	1861	2048	2250	3036	
piece top		TT Base	42 x 84"	T357F					173.0#	1998	2198	2413	3251	
		TT Base	42 x 96"	T358F					190.0#	2311	2544	2796	3424	
TFX		Three TT Bases	42 x 120"	T350F					245.0#	2650	2917	3206	4757	
		TT Base	48 x 60"	T45F					152.0#	1926	2118	2329	2913	
		TT Base	48 x 72"	T46F					172.0#	1972	2172	2384	3317	
		TT Base	48 x 84"	T47F					192.0#	2077	2283	2514	3475	
		TT Base	48 x 96"	T48F					212.0#	2330	2563	2819	3588	
		Three TT Bases	48 x 120"	T410F					272.0#	2784	3062	3370	4980	
		Three TT Bases	48 x 144"	T412F					312.0#	3341	3677	4043	5259	
		Four TT Bases	60 x 192"	T516F					493.0#	7021	7716	8495	9718	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Knife edge **15W** - 1-3/4" Wood bullnose

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - 74P edge

CSelect edge color.

Select base finish.

price list.

Select base option. 4GB - 4 black glides

- 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps,

A B O D G

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107,

freight prepaid. Freight class 85.

Fixed Leg





MODEL NUMBER Approx. 1-1/4" Vinyl 1-3/4" Wood 74P Edge Edge Surface Base Packaged Bullnose Knife Edge Bullnose MODEL **Features** AxBxC Model Style Color Finish Finish Base Weight (54B) (74P) (KN) (15W) Racetrack Tables (Oval), T and TT Bases T Base 36 x 72" T036F 111.0# \$ 1723 \$ 1897 \$ 2085 \$ 3056 T07F 161.0# 2471 2715 3902 TT Base 42 x 84" 2244 TT Base 48 x 96" T048F 194.0# 2515 2765 3046 4001 Boat Shape Tables, TT Base \$ 5432 Four TT Bases 36 x 48 x 144" | T412B24 | 🗆 🗆 🗆 🗆 🗆 🗆 🗆 🗆 290.0# \$ 4492 \$ 4937 \$ 6364 · Tables with four TT bases have a two-T412BF3 Three TT Bases 36 x 48 x 144" 290.0# 4079 4486 4935 5789 4MW base option not available on 3 or 4 Four TT Bases 42 x 60 x 192" 453.0# 6007 6606 7267 10691 base options • If the 4CW or the 4CB base option is se-TFX lected, 3 base options will have 3 locking and 3 non-locking, 4 base options will have 4 locking and 4 non-locking casters • 4GB option, glides are provided for all bases Crescent Tables, T Base \$ 1455 \$ 1605 \$ 1764 \$ 2519 T Base 48 x 24 x 75-1/2" TC24F 78.0# 2065 2502 T Base 60 x 24 x 94" TC25F 93.0# 2276 3588 T Base 48 x 30 x 75-1/2" TC254F 84.0# 1470 1613 1776 2546 TC255F T Base 60 x 30 x 94" 104 0# 2105 2312 2545 3588 T Base 60 x 36 x 94" TC35F 2335 2567 3637 113.0# 2119 T Base 72 x 36 x 113" TC36F 136.0# 2206 2431 2674 3822 Half Round Tables, T Base T Base 30 x 60" TH255F 80.0# \$ 1391 \$ 1528 \$ 1683 \$ 2406 T Base TH36F 1702 1871 2058 2944 36 x 72" 101.0#

HOW TO ORDER

TFX

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.
- 54B 1-1/4" Vinyl bullnose 74P - 74P edge - Knife edge
 - 1-3/4" Wood bullnose
- Select edge color.

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this price list.

Select base option. - 4 black glides

(2 locking)

A

B

Θ

0

(3)

(3)

- 4 black casters w/black hub caps 4CB

2 black glides

Refer to the **Product Color Options** page in this

Select base finish.

4MB - 2 black casters w/black hub caps,

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





											•		
				MODEL N	IUMBER					(
	MODEL	Features	AxB	Basic Model	Edge Style	Surface Finish	Base Finish	Base	Approx. Packaged Weight		1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)
	Corner Table (Fixed Height)	T Base	24 x 48"	TCC2448F					81.0#		\$ 1615	\$ 1589	\$ 1726
	Corner surface with curved frontFixed height at 29"	T Base	30 x 54"	TCC3054F					103.0#		1857	1848	1968
	 T-base 												
	 Typical use: Primary surface, Recommended for 90° corner configuration 												
TFX													
	Dune Shape (Fixed Height)	V Base	28 x 46"						73.0#		\$ 1382	\$ 1477	\$ 1610
	Dune-shaped surfaceFixed height 29"	V Base	28 x 50"	TDU50F					82.0#		1724	1835	1985
	 V-base 												
	 Typical use: Primary surface, Recom- mended for 90° corner configuration 												
TEV	mended for 30 corner configuration												
117	Swash Shape (Fixed Height)	V Base	28 x 45"	TSW45F					62.0#		\$ 1269	\$ 1342	\$ 1441
	 Swash-shaped surface 	V Base	28 x 57"	TSW57F					74.0#		1322	1408	1518
	Fixed height at 29"V-base	V Base	28 x 63"	TSW63F					79.0#		1448	1541	1639
	 Typical use: Primary surface, Meeting 	V Base	28 x 69"	TSW69F					85.0#		1472	1566	1660
	table, Training table												
TFX													
	Ellipse Shape (Fixed Height)	V Base		TEL2745F					54.0#		\$ 1168	\$ 1243	\$ 1323
	Ellipse-shaped surfaceFixed height at 29"	V Base	36 x 58"	TEL3658F					80.0#		1355	1446	1579
	 V-base 												
•	 Typical use: Primary surface, Meeting table 												
TEV	ιαυιο												
IFA	Slate Shape (Fixed Height)	V Base	27 x 45"	TSL2745F					59.0#		\$ 1168	\$ 1243	\$ 1323
	 Slate-shaped surface 	V Base	36 x 58"	TSL3658F					90.0#		1355	1446	1579
	Fixed height at 29" Where	. 5000	00 / 00	.0200001					00.0				
,	V-baseTypical use: Primary surface, Meeting												
TFX	table, Training table												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides

Select base option.

B O

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

0

3

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg with Modesty Panel



Trek® Tables

Fixed Leg with Modesty Panel

									<u> </u>				
			M	ODEL N	UMBER								
	MODEL	Features A x B	Ba:	sic odel	Edge E Style (dge Surf	ace Base h Finisl	n Base	Approx. Packaged Weight	d Bull (54	,	74P Edge (74P)	Knife Edge (KN)
<u> </u>	Rectangular Tables, Fixed Leg, Modesty		60" T1	55F/M					80.0#	\$	1306	\$ 1437	\$ 1582
dj dj A	Panel, T Base	T Base 18 x 6	60" T1	55F/Q					80.0#		1306	1437	N/A
B	Modesty panels available with standard folding mechanism (M) or quick release	T Base 18 x 7	'2" T1	56F/M					88.0#		1446	1589	1750
	folding mechanism (M) or quick release mechanism (Q)	T Base 18 x 7	'2" T1	56F/Q		100 00			88.0#		1446	1589	N/A
TFXM	Modesty panel only available in black	T Base 18 x 8	34" T1	57F/M					98.0#		1550	1707	1876
	bullnose edge	T Base 18 x 8	34" T1	57F/Q					98.0#		1550	1707	N/A
		T Base 24 x 6	60" T2	5F/M		100 00			99.0#		1339	1475	1618
		T Base 24 x 6	60" T2	5F/Q					99.0#		1339	1475	N/A
		T Base 24 x 7	'2" T2	6F/M					104.0#		1577	1735	1906
		T Base 24 x 7	'2" T2	6F/Q					104.0#		1577	1735	N/A
		T Base 24 x 8	34" T2	7F/M		100 00			117.0#		1641	1807	1985
		T Base 24 x 8	34" T2	7F/Q					117.0#		1641	1807	N/A
		T Base 24 x 9	6" T2	8F/M					134.0#		1742	1921	2113
		T Base 24 x 9	6" T2	BF/Q					134.0#		1742	1921	N/A
		T Base 30 x 6	60" T2	55F/M					110.0#		1424	1571	1724
		T Base 30 x 6	60" T2	55F/Q					110.0#		1424	1571	N/A
		T Base 30 x 7	'2" T2	56F/M		100 00			125.0#		1615	1777	1955
		T Base 30 x 7	'2" T2	56F/Q		100 00			125.0#		1615	1777	N/A
		T Base 30 x 8	34" T2	57F/M					142.0#		1815	1994	2196
		T Base 30 x 8	34" T2	57F/Q					142.0#		1815	1994	N/A
		T Base 30 x 9	6" T2	58F/M		100 00			157.0#		1916	2112	2323
		T Base 30 x 9	6" T2	58F/Q					157.0#		1916	2112	N/A
A A	Rectangular Tables, Fixed Leg, Modesty Panel, 120° Base • Modesty panels available with standard	120° Base 18 x 9	96" T1	58F/M					106.0#	\$	1639	\$ 1803	\$ 1982
B	folding mechanism (M)												

HOW TO ORDER

TFXM

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Modesty panel only available in black

bullnose edge

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

- 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

(3)

 Θ

0

(3)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg with PowerUp®



Trek® Tables Fixed Leg with PowerUp®

				MODEL NU	UMBER												
				Basic	Edge	Edge	Surface	Base	Cord	Module	Appro Packa		1-1/4" Vinyl Bullnose	74P Edge	Knife Edge	1-3/4" Wood Bullnose	
	MODEL	Features	AxB	Model						Color	Weigh		(54B)	(74P)	(KN)	(15W)	
	Fixed Leg, Rectangular Tables with	T Base	24 x 60"	TD25F/1							83	.0#	\$ 1403	\$ 1542	\$ 1696	\$ 2123	
	PowerUp®	T Base	24 x 60"	TD25F/2							86	.0#	1520	1659	1813	2242	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TD26F/1							93	.0#	1577	1735	1906	2394	
	modules (2)	T Base	24 x 72"	TD26F/2							96	.0#	1692	1855	2024	2507	
~		T Base	30 x 60"	TD255F/1								.0#	1489	1640	1805	2280	
		T Base	30 x 60"	TD255F/2							99	.0#	1607	1755	1916	2398	
TUX		T Base	30 x 72"	TD256F/1							123	.0#	1615	1753	1928	2570	
		T Base	30 x 72"	TD256F/2							126	.0#	1728	1869	2042	2684	
	Fixed Leg, Quick Release Modesty Panel	I, T Base	24 x 60"	TD25FQ/1							102	.0#	\$ 1658	\$ 1824	N/A	N/A	
	Rectangular Tables w/PowerUp®	T Base	24 x 60"	TD25FQ/2							105		1776	1940	N/A	N/A	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TD26FQ/1							107		1894	2084	N/A	N/A	
	modulos (2)	T Base	24 x 72"	TD26FQ/2							110		2013	2200	N/A	N/A	
~		T Base	30 x 60"	TD255FQ/1							113		1741	1916	N/A	N/A	
		T Base	30 x 60"	TD255FQ/2							116		1861	2036	N/A	N/A	
TUXQ		T Base	30 x 72"	TD256FQ/1							129		1935	2124	N/A	N/A	
		T Base	30 x 72"	TD256FQ/2								.0#	2051	2243	N/A	N/A	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 54B 1-1/4" Vinyl bullnose

 74P 74P edge
 - Knife edge
- Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style

Select base finish.

price list.

- 74P edge

- 1-3/4" Wood bullnose

DSelect surface finish.

selections.

Refer to the **Product Color Options** page in this

Select base option.

4GB - 4 black glides - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

3 0 0 3 G G

Select cord length (feet). **15** - 15' cord length

- 9' cord length

Select module color.

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Pin Height Adjustable



								•				
			MODEL NUME	BER			Approx.	1-1/4" Vinyl				
	MODEL	Features D x W	Basic Model	Edge E Style (Edge Surfac Color Finish	e Base Finish Base	Packaged	Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)		
TPH	Round Table (Pin Height) Round surface Pin-height adjustable from 23"- 32" in 1 increments X-base Pin height not available in chrome Typical use: Quick collaboration, Mobile equipment carrier Non-swivel top		TR25PX TR3PX				40.0#	\$ 1049 1164	\$ 1151 1285	\$ 1210 1387		
TPH	Monitor Stand (Pin Height) Monitor stand with CPU holder Pin-height adjustable from 30"- 36" in 1 increments V-base Pin height not available in chrome Typical use: Position monitor above and detached from primary surface; Position CPU below and detached from primary surface, NOT RECOMMENDED IN CORNER APPLICATIONS Shelf is 8-3/4" wide and 19" deep and allows clearance of 18-1/2" to 27-1/2"	"	' TMS2526CPUP				58.0#	\$ 1686	\$ 1774	\$ 1852		
TPH	Monitor Stand (Pin Height) Monitor stand Pin-height adjustable from 30"- 36" in 1 increments V-base Pin height not available in chrome Typical use: Position monitor above and detached from primary surface, NOT RECOMMENDED IN CORNER APPLICATIONS	,	, TMS2526P				44.0#	\$ 1297	\$ 1376	\$ 1453		
			A	B	9 0	3 G)					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Pin Height Adjustable





										•			
				MODEL	IUMBER								
	MODEL		D x W	Basic Model		Surface Finish	Base Finish	Base	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	
	Corner Table (Pin Height)	T Base	24 x 48"	TCC2448P					84.0#	\$ 1486	\$ 1727	\$ 1861	
	Corner surface with curved frontPin-height adjustable from 23"- 32" in 1	" T Base	30 x 54"	TCC3054P					106.0#	1726	1982	2105	
	increments												
	• T-base												
	Pin height not available in chrome Timical year Primary aurifora Property												
TPH	 Typical use: Primary surface, Recommended for 90° corner configuration 												
<u> </u>	Square Table (Pin Height)	X Base	24 x 24"						35.0#	\$ 997	\$ 1060	\$ 1119	
	 Square surface Pin-height adjustable from 23"- 32" in 1 	" X Base	30 x 30"	TS25PX					50.0#	1085	1155	1233	
	IIICIEIIIEIIIS												
•	X-base												
TPH	Pin height not available in chromeTypical use: Primary surface, Meeting												
	table, Training table												
	 Non-swivel top 												
	Destangular Table (Din Hainht)	T Dees	24 x 36"	TOOD					53.0#	ф. 1107	ф 1000	\$ 1339	
	Rectangular Table (Pin Height) Rectangular surface	T Base								\$ 1187	\$ 1260		
	Pin-height adjustable from 23"- 32" in 1	T Base	24 x 42" 24 x 48"	T235P					58.0# 65.0#	1194	1272	1351	
	increments	T Base		T24P						1235	1313 1380	1397 1478	
•	T-basePin height not available in chrome	T Base T Base	24 x 54" 24 x 60"	T245P T25P					68.0# 75.0#	1297 1359	1445	1558	
TPH	 Typical use: Primary surface, Meeting 	T Base	30 x 36"	T253P					75.0# 62.0#	1311	1397	1494	
IFN	table, Training table	T Base	30 x 36	T253P					68.0#	1332	1418	1541	
		T Base	30 x 42 30 x 48"	T2535P					75.0#	1355	1418	1566	
		T Base	30 x 48 30 x 54"	T254P					75.0# 81.0#		1441	1599	
		T Base	30 x 54"	T2545P	1				81.0# 87.0#	1387 1418	1477	1639	
		Dase	30 X 00	1200P					07.0#	1410	1007	1039	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

B O

A

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

0

9 9

2 black glides

Additional Laminate Offering

FINISH INFORMATION

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



											•				
				MODEL	NUMBER										
	MODEL	Fasturas	s DxW	Basic Model	Edge Style	Edge		Base Finish	Base	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)		
	Dune Shape (Pin Height)	V Base	28 x 46"							76.0#	\$ 1523	\$ 1615	\$ 1742		
	Dune-shaped surface Pin-height adjustable from 23"- 32" in 1 increments V-base Pin height not available in chrome	V Rase	28 x 50"							85.0#	1861	1971	2122		
	Typical use: Primary surface, Recommended for 90° corner configuration														
	Swash Shape (Pin Height)	V Base	28 x 45"	TSW45P						65.0#	\$ 1407	\$ 1478	\$ 1579		
	 Swash-shaped surface Pin-height adjustable from 23"- 32" in 1 	,, V Base	28 x 57"	TSW57P						77.0#	1459	1541	1655		
	increments	V Base	28 x 63"	TSW63P						82.0#	1587	1679	1777		
1,	V-base	V Base	28 x 69"	TSW69P						88.0#	1607	1706	1794		
	 Pin height not available in chrome Typical use: Primary surface, Meeting table, Training table 														
	Swash Shape (Small) (Pin Height) Swash-shaped surface Pin-height adjustable from 23"- 32" in 1 increments X-base Pin height not available in chrome		21 x 29"	TSW29P						33.0#	\$ 1008	\$ 1121	\$ 1208		
	 Typical use: Quick collaboration, Mobile equipment carrier Non-swivel top 														
	Ellipse Shape (Pin Height)	V Base	27 x 45"							57.0#	\$ 1309	\$ 1379	\$ 1466		
	Ellipse-shaped surface Pin-height adjustable from 23"- 32" in 1 increments V-base Pin height not available in chrome	1" V Base	36 x 58"	TEL3658P						82.0#	1488	1587	1716		
	Typical use: Primary surface, Meeting table														
				A	3	•	O	(3	•						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Knife edge

CSelect edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Pin Height Adjustable



Trek® Tables

											•		
				MODEL N	IUMBER								
	MODEL	Features			Edge Style	Edge Color	Surface Finish	Base Finish	Base	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)
	Slate Shape (Pin Height) • Slate-shaped surface	V Base	27 x 45"							62.0#	\$ 1309	\$ 1379	\$ 1466
	Pin-height adjustable from 23"- 32" in	1" V Base	36 x 58"	TSL3658P						92.0#	1488	1587	1716
	increments • V-base												
TPH	 Pin height not available in chrome 												
	 Typical use: Primary surface, Meeting table, Training table 												
		V D	05 00"	TOLOGOOD						00.0"	Φ 4004	4.000	A474
	 Asymmetrical Slate Shape (Pin Height) Pin-height adjustable from 23"- 32" in 	X Base 1"	25 X 26	TSL2526P						36.0#	\$ 1034	\$ 1092	\$ 1154
	increment • X-base												
	 Pin height not available in chrome 												
& 	 Typical use: Quick collaboration, Mobile equipment carrier 	9											
TPH	Non-swivel top												
	Slate Shape (Pin Height)	X Base	21 x 26"	TSL2126P						32.0#	\$ 975	\$ 1063	\$ 1121
	Small slate-shaped surfacePin-height adjustable from 23"- 32" in	1"											
	increments	'											
	X-basePin height not available in chrome												
8	Typical use: Quick collaboration, Mobile	е											
TPH	equipment carrierNon-swivel top												
				A	B	•	0	(3	(3)				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Folding Leg



				MODEL	NUMBER							
	MODEL	Features	A x B		Edge Edge Style Cold	Finish	Base	Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	1-3/4" Wood Bullnose (15W)
	Square Tables, TT Base	TT Base	60 x 60"	TS5ST				167.0#	\$ 2841	\$ 3123	\$ 3435	\$ 4673
TFD TFD TFD	Round Tables, TT Base	TT Base, Short Fold	60" Diameter	TR5ST				140.0#	\$ 2639	\$ 2898	\$ 3190	\$ 4793
TFD	Rectangular Tables, T Base	T Base	18 x 60"	T155ST					\$ 1532	\$ 1684	\$ 1855	\$ 2124
the things of the second secon		T Base	18 x 72" 18 x 84"	T156ST T157ST				76.0# 83.0#	1577 1762	1735 1938	1906 2131	2218 2591
TFD		T Base, Short Fold T Base T Base	24 x 48" 24 x 60" 24 x 72"	T24ST T25ST T26ST				71.0# 81.0# 91.0#	1509 1542 1762	1659 1696 1938	1825 1870 2131	2442 2476 2632
		T Base T Base	24 x 84" 24 x 96"	T27ST T28ST				101.0# 111.0#	1928 2019	2119 2223	2335 2445	3213 3302
		T Base, Short Fold T Base	30 x 48" 30 x 60"	T254ST T255ST				81.0# 94.0#	1628 1658	1790 1824	1968 2010	2467 2514
		T Base T Base	30 x 72" 30 x 84"	T256ST T257ST				106.0# 119.0#	1789 2065	1965 2276	2164 2502	2678 3231
		T Base T Base T Base	30 x 96" 36 x 60" 36 x 72"	T258ST T35ST T36ST				131.0# 106.0# 121.0#	2110 1897 2001	2319 2085 2201	2548 2296 2422	3329 2802 2948
		T Base T Base	36 x 84" 36 x 96"	T37ST T38ST				136.0# 151.0#	2294 2326	2520 2520 2558	2422 2776 2816	3410 3508

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 74P edge
- **15W** 1-3/4" Wood bullnose

DSelect surface finish.

price list.

Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this price list.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge

- Knife edge

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

Select base finish.

Select base option. 4GB - 4 black glides

- 4 black casters w/black hub caps

(2 locking) 4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



							▼					
			MODEL	NUMBER								
MODEL	Features	AxB	Basic Model	Edge Edge Style Color	Surface Finish	Base Finish Base	Approx. Packaged Weight	1-1/ Bulli (54E		74P Edge (74P)	Knife Edge (KN)	1-3/4" Wood Bullnose (15W)
Rectangular Tables, TT Bases	TT Base	42 x 72"	T356ST				145.0#	\$:	2614	\$ 2874	\$ 3161	\$ 3980
i i A	TT Base	42 x 84"	T357ST				163.0#	:	2828	3112	3424	4410
B B	TT Base	42 x 96"	T358ST				180.0#	:	2895	3187	3503	4520
	TT Base	48 x 72"	T46ST				162.0#	:	2695	2962	3260	4141
TFD	TT Base	48 x 84"	T47ST				182.0#		2865	3156	3468	4547
	TT Base	48 x 96"	T48ST				202.0#		2924	3216	3537	4775
	TT Base	48 x 108"	T49ST				222.0#		2957	3257	3583	5197
Racetrack Tables (Oval), T or TT Base	T Base	36 x 72"	T036ST				112.0#			\$ 2350	\$ 2583	\$ 3460
	TT Base	48 x 96"	T048ST				185.0#	;	3158	3474	3823	5274
TFD												
C Crescent Tables, T Base	T Base, Short Fold	48 x 24 x 75-1/2"	TC24ST				79.0#	\$	1339	\$ 1475	\$ 1618	\$ 2779
	T Base, Short Fold	60 x 24 x 94"	TC25ST				94.0#		1949	2140	2356	3557
	T Base, Short Fold	48 x 30 x 75-1/2"	TC254ST				85.0#		1351	1486	1637	2779
* * * *	T Base	60 x 30 x 94"	TC255ST				105.0#		1961	2161	2375	3574
TFD	T Base	60 x 36 x 94"	TC35ST				114.0#		1985	2187	2406	3600
	T Base	72 x 36 x 113"	TC36ST				137.0#	:	2105	2312	2545	5274
Half Round Tables, T Base	T Base, Short Fold	30 x 60"	TH255ST				81.0#	\$	1926	\$ 2118	\$ 2329	\$ 3741
d d la	T Base, Short Fold	36 x 72"	TH36ST				102.0#	:	2223	2445	2692	4443
* / 1 B												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - Knife edge

15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this

selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

A Select basic model.

Edge color offerings are based on edge style

Select base option.

4GB - 4 black glides

- 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

B 0 D B D

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Folding Leg with Modesty Panel



Trek® Tables

Folding Leg with Modesty Panel

				MODEL N	JMBER								
	MODEL	Features	AxB	Basic Model	Edge Style	Edge Surface Color Finish		Base	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	
_	Rectangular Tables, Folding Leg, Modes		18 x 60"						87.0#	\$ 1780	\$ 1959	\$ 2154	
	ty Panel, T Base	T Base	18 x 72"						100.0#	1894	2084	2294	
	Modesty panels available with standard		18 x 84"	T157ST/M		000 000			112.0#	2079	2287	2518	
Ū.	folding mechanism (M) or quick release mechanism (Q)	T Base	24 x 60"	T25ST/M					106.0#	1798	1980	2178	
TFDM	 Modesty panel only available in black 	T Base	24 x 60"	T25ST/Q					106.0#	1798	1980	N/A	
	bullnose edge	T Base	24 x 72"	T26ST/M					113.0#	2079	2287	2518	
		T Base	24 x 72"	T26ST/Q					113.0#	2079	2287	N/A	
		T Base	24 x 84"						138.0#	2244	2471	2715	
		T Base	24 x 84"						138.0#	2244	2471	N/A	
		T Base	24 x 96"						155.0#	2338	2571	2827	
		T Base	24 x 96"						155.0#	2338	2571	N/A	
		T Base	30 x 60"						125.0#	1911	2103	2311	
		T Base	30 x 60"						125.0#	1911	2103	N/A	
		T Base	30 x 72"						137.0#	2106	2313	2546	
		T Base	30 x 72"						137.0#	2106	2313	N/A	
		T Base	30 x 84"						150.0#	2383	2622	2888	
		T Base	30 x 84"						150.0#	2383	2622	N/A	
		T Base T Base	30 x 96" 30 x 96"			000 000			162.0# 162.0#	2431	2674 2674	2944 N/A	
		i Dase	30 X 90						102.0#	2431	2014	IV/A	
				A	$oldsymbol{\Theta}$	Θ Θ	ⅎ	(3)					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides 4CB - 4 black casters w/black hub caps

Select base option.

2 black glides

(2 locking)

4MB - 2 black casters w/black hub caps,

- Knife edge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Folding Leg with PowerUp®



Trek® Tables Folding Leg with PowerUp®

				MODEL NU	MBER									
	MODEL	Features	A x B	Basic Model	Edge Ed Style Co	lge Surf	face Base	Cord Mo (feet) Col	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	1-3/4" Wood Bullnose (15W)	
	Folding Leg, Rectangular Tables with	T Base	24 x 60"	TD25ST/1					85.0#	\$ 1912	\$ 2105	\$ 2312	\$ 2848	
	PowerUp®	T Base	24 x 60"	TD25ST/2					87.0#	2027	2219	2431	2958	
	Available with one module (1) or two Available (2)	T Base	24 x 72"	TD26ST/1					95.0#	2131	2344	2578	3001	
	modules (2)	T Base	24 x 72"	TD26ST/2					95.0#	2245	2458	2694	3119	
		T Base	30 x 60"	TD255ST/1					97.0#	2027	2231	2454	2883	
		T Base	30 x 60"	TD255ST/2					100.0#	2144	2346	2571	2999	
TUD		T Base	30 x 72"	TD256ST/1					125.0#	2154	2372	2610	3049	
		T Base	30 x 72"	TD256ST/2					128.0#	2272	2485	2721	3163	
	Folding Leg, Quick Release Modesty	T Base	24 x 60"	TD25STQ/1					108.0#	\$ 2172	\$ 2384	N/A	N/A	
	Panel, Rectangular Tables w/PowerUp®	T Base	24 x 60"	TD25STQ/2					108.0#	2284	2503	N/A	N/A	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TD26STQ/1					116.0#	2446	2694	N/A	N/A	
	modules (2)	T Base	24 x 72"	TD26STQ/2					120.0#	2559	2811	N/A	N/A	
~		T Base	30 x 60"	TD255STQ/1					129.0#	2280	2513	N/A	N/A	
		T Base	30 x 60"	TD255STQ/2					132.0#	2398	2623	N/A	N/A	
TUDQ		T Base	30 x 72"	TD256STQ/1					140.0#	2477	2722	N/A	N/A	
		T Base	30 x 72"	TD256STQ/2					142.0#	2591	2843	N/A	N/A	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- - 74P edge
 - Knife edge - 1-3/4" Wood bullnose
- **C**Select edge color.

selections.

①Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

price list.

Select base option.

4GB - 4 black glides 4CB

(2 locking) 4MB - 2 black casters w/black hub caps, 2 black glides

- 4 black casters w/black hub caps

3 0 D 3 G

GSelect cord length (feet).

15 - 15' cord length

- 9' cord length

Select module color. Refer to the Product Color Options page in this price list.

Contact KI.

Additional Stains

finish for that color/pattern.

charge and additional leadtime.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering,

To specify additional laminates, use these designa-

tors followed by the supplier's color/pattern code:

Kl's standard finish is the supplier's recommended

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-

Formica - LF/supplier's color pattern code

Nevamar - LN/supplier's color pattern code

Wilsonart - LW/supplier's color pattern code

are available with two weeks extended leadtime.

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



							•			
				MODEL	NUMBER					
				Basic	Edge Curfose Bose	Approx. Packaged	1-1/4" Vinyl Bullnose	74P Edge	1-3/4" Wood Bullnose	
	MODEL	Features	AxBxCxD		Edge Edge Surface Base Style Color Finish Finish Base	Weight	(54B)	(74P)	(15W)	
	Square Tables, X Base	X Base	30 x 30"	TS25FT		57.0#	\$ 1236	\$ 1365	\$ 1688	
A	 Will ship standard with the connecting bar (allowing for one hand flipping) 	X Base	36 x 36"	TS3FT		71.0#	1243	1368	1921	
B B										
TFP										
	Round Tables, X Bases	X Base	30" Diameter			50.0#	\$ 1243	\$ 1368	\$ 2144	
A A	 Will ship standard with the connecting bar (allowing for one hand flipping) 	X Base	36" Diameter	TR3FT		61.0#	1249	1374	2372	
	bar (anowing for one hand inpping)									
<u>.</u>										
TFP	Postovenia Tables T Pass	T.D	0.4 40"	TOAFT		70.0//	A 4500	Φ 4057	Φ 0470	
	Rectangular Tables, T Base • Will ship standard with the connecting	T Base	24 x 48" 24 x 60"			76.0#	\$ 1503 1521	\$ 1657 1671	\$ 2172 2432	
ф ф A	bar (allowing for one hand flipping)	T Base	24 x 72"	T26FT		86.0# 96.0#	1733	1905	2609	
B		T Base	30 x 48"			86.0#	1574	1728	2329	
TFP		T Base	30 x 60"			98.0#	1632	1793	2491	
		T Base	30 x 72"			111.0#	1763	1939	2649	
		T Base	36 x 48"			96.0#	1872	2059	2477	
		T Base	36 x 60"			111.0#	1884	2072	2775	
		T Base	36 x 72"	T36FT		126.0#	1974	2174	2918	
	Racetrack Tables (Oval), T Base	T Base	36 x 72"	T036FT		116.0#	\$ 2110	\$ 2319	\$ 3433	
	 Will ship standard with the connecting bar (allowing for one hand flipping) 									
B	bar (anowing for one fiand inpping)									
TFP										
	Trapezoid Tables, T Base	T Base	24 x 24 x 24 x 48"	TT24FT	□□□ □□□ □□ 4GB	62.0#	\$ 1639	\$ 1803	\$ 3036	
C d d A	 Will ship standard with the connecting bar (allowing for one hand flipping) 	T Base	30 x 30 x 30 x 60"	TT35FT		76.0#	1767	1947	3230	
	• 24x24x24x48 = 21"D	T Base	36 x 36 x 36 x 72"	TT36FT		94.0#	2223	2445	4207	
	 30x30x30x60 = 26"D 									
TFP	• 36x36x36x72 = 31"D									
	• 24x24x24x48 available with glides only									
				1						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

- 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish. Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides

- 4 black casters w/black hub caps

Select base option.

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

B D B

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Flip-Top with Modesty Panel



Trek® Tables

Flip-Top with Modesty Panel

				MODEL N	IUMBER								
				Basic	Edge	Edge	Surface	Raca		Approx. Packaged	1-1/4" Vinyl Bullnose	74P Edge	
	MODEL	Features	AxB	Model	Style	Edge Color			Base	Weight	(54B)	(74P)	
	Rectangular Tables, Flip Top, Modesty	T Base	24 x 60"	T25FT/M						101.0#	\$ 1776	\$ 1954	
d d A	Panel, T Base	T Base	24 x 60"	T25FT/Q						101.0#	1776	1954	
	 Modesty panels available with standard folding mechanism (M) or quick release 	T Base	24 x 72"	T26FT/M						112.0#	2051	2255	
_	mechanism (Q)	T Base	24 x 72"	T26FT/Q						112.0#	2051	2255	
TFPM	Modesty panel only available in black	T Base	30 x 60"	T255FT/M						115.0#	1884	2072	
	bullnose edge	T Base	30 x 60"	T255FT/Q						115.0#	1884	2072	
	 Will ship standard with the connecting bar (allowing for one hand flipping) 	T Base	30 x 72"	T256FT/M						130.0#	2083	2292	
	bar (anowing for one hand hipping)	T Base	30 x 72"	T256FT/Q						130.0#	2083	2292	
				A	ß	Θ	O	(3	(3)				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Surface finish offerings are based on edge style

Select base finish.

price list.

Select base option.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge

Select edge color.
Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

selections.

OSelect surface finish. Refer to the **Product Color Options** page in this

selections.

Refer to the **Product Color Options** page in this

4GB - 4 black glides 4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Trek® Tables Lightweight Folding Leg





MODEL Feature A x B Model Signature Model Model														
Rectangular Tables, T Base Rase Rase					MODEL	NUMBER				Annroy	1.1//" Vinyl			
No. Feature Feature					Basic	Edge Ed	ge Surface	Base		Packaged	Bullnose	74P Edge	Knife Edge	
T Base 18 x 72" 1156ST 0 0 0 0 0 50.0# 1707 1876 2061 T Base 18 x 84" 1157ST 0 0 0 0 0 0 54.0# 1888 2091 2300 T LF TLF TLF T Base 24 x 82" 125ST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IOM	DEL	Features	AxB		Style Co	lor Finish		Base		(54B)			
T Base	Rect	tangular Tables, T Base	T Base	18 x 60"	TL155ST					53.0#	\$ 1654	\$ 1816	\$ 1998	
TEF TRANS			T Base	18 x 72"	TL156ST					50.0#	1707	1876	2061	
TLF T Base 24 x 72" TL26ST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			T Base	18 x 84"	TL157ST					54.0#	1898	2091	2300	
T Base 24 x 84" TL27ST Image: Control of the contr	3 В		T Base	24 x 60"	TL25ST					50.0#	1666	1832	2017	
T Base 30 x 60" TL25ST IIII IIII 1789 1965 2164 T Base 30 x 72" TL256ST IIII IIII 1931 2121 2338 T Base 30 x 84" TL257ST IIII IIII 1931 2121 2338 T Base 36 x 60" TL35ST IIII IIII 1931 2121 2338 T Base 36 x 60" TL35ST IIII IIII 1931 2121 2338 T Base 36 x 60" TL35ST IIII IIII 1931 2121 2338 204 204 204 204 204 204 2250 2477 T Base 36 x 72" TL36ST IIII IIII 1931 2166 2383 2622 T Base 36 x 84" TL37ST IIII IIII 1931 2166 2383 2622 T Base 36 x 84" TL37ST IIII IIII 1931 2166 2383 2622 T Base 10 IIII 10 IIII 10 IIII 10 III	TLF		T Base	24 x 72"	TL26ST					56.0#	1898	2091	2300	
T Base 30 x 72" TL256ST Close the component of th			T Base	24 x 84"	TL27ST					61.0#	2079	2287	2518	
T Base 30 x 84" TL257ST COLOR COLOR 72.0# 2232 2455 2701 T Base 36 x 60" TL35ST COLOR COLOR 63.0# 2048 2250 2477 T Base 36 x 72" TL36ST COLOR COLOR 69.0# 2166 2383 2622 T Base 36 x 84" TL37ST COLOR COLOR 84.0# 2477 2722 2999			T Base	30 x 60"	TL255ST					54.0#	1789	1965	2164	
T Base 36 x 60" TL35ST □□□ □□□ □□□ □□□ □□□ 63.0# 2048 2250 2477 T Base 36 x 72" TL36ST □□□ □□□ □□□ □□□ □□□ 69.0# 2166 2383 2622 T Base 36 x 84" TL37ST □□□ □□□ □□□ □□□ □□□ 84.0# 2477 272 2999			T Base	30 x 72"	TL256ST					60.0#	1931	2121	2338	
T Base 36 x 72" TL36ST 00 00 00 00 00 00 00 00 00 00 00 00 00			T Base	30 x 84"						72.0#	2232	2455	2701	
T Base 36 x 84" TL37ST 000 000 000 000 84.0# 2477 2722 2999			T Base	36 x 60"	TL35ST					63.0#	2048	2250	2477	
			T Base	36 x 72"	TL36ST					69.0#	2166	2383	2622	
			T Base	36 x 84"	TL37ST					84.0#	2477	2722	2999	
					A	B	9 0	(3	(3					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

• Select surface finish. Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

Select base option. 4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Trek® Tables Lightweight Folding Leg



				MODEL NUN	IBER						_	(
	MODEL	Features	AxB	Basic Model	Edge Style		urface inish		Cord Base (feet)	Module Color	Approx Packaç Weigh	ged	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Knife Edge (KN)	
	Folding Leg, Lightweight, Rectangular	T Base	24 x 60"	TLD25ST/1							53.	0#	\$ 2039	\$ 2242	\$ 2466	
	Tables with PowerUp®	T Base	24 x 60"	TLD25ST/2							56.	0#	2153	2356	2582	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TLD26ST/1							59.	0#	2272	2494	2723	
	modules (2)	T Base	24 x 72"	TLD26ST/2							62.	0#	2384	2637	2846	
~		T Base	30 x 60"	TLD255ST/1							57.		2154	2372	2610	
		T Base	30 x 60"	TLD255ST/2							57.		2272	2485	2721	
TUL		T Base	30 x 72"	TLD256ST/1							64.	0#	2300	2528	2781	
		T Base	30 x 72"	TLD256ST/2							66.	0#	2413	2643	2896	
	Folding Leg, LW, Rectangular w/Quick	T Base	24 x 60"	TLD25STQ/1							75.	0#	\$ 2467	\$ 2714	N/A	
	Release Modesty Panel and PowerUp®	T Base	24 x 60"	TLD25STQ/2							78.		2583	2828	N/A	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TLD26STQ/1							83.		2796	3080	N/A	
	modules (2)	T Base	24 x 72"	TLD26STQ/2							86.	0#	2915	3195	N/A	
~		T Base	30 x 60"	TLD255STQ/1							81.	0#	2588	2849	N/A	
		T Base	30 x 60"	TLD255STQ/2							84.	0#	2706	2959	N/A	
TULQ		T Base	30 x 72"	TLD256STQ/1							96.		2828	3112	N/A	
		T Base	30 x 72"	TLD256STQ/2							98.	0#	2947	3228	N/A	
				A	3	©	0	(3	6	•						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge KN - Knife edge

Select edge color.

Refer to the Product Color Options page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides 4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

GSelect cord length (feet).

Select base option.

15 - 15' cord length - 9' cord length

Select module color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



TREK PLUS TYPICALS TABLE COMPONENTS

Shape	Model Number	Dimensions A x B x C	Table Components
acetrack Typical	TPRT24	96" x 144" x 24"	2 Rectangles 24" x 48"
C			4 Cresents 48" x 24" x 751/2"
_1	TPRT30	96" x 144" x 30"	2 Rectangles 30" x 48"
			4 Cresents 48" x 30" x 751/2"
	TPRT36	120" x 180" x 36"	2 Rectangles 36" x 60"
В			4 Cresents 60" x 36" x 94"
ıarter Circle Typical	TPQC24	96" x 96" x 24"	4 Rectangles 24" x 48"
C			4 Quarter Rounds 24" x 24"
	TPQC30	108" x 108" x 30"	4 Rectangles 30" x 48"
			4 Quarter Rounds 30" x 30"
	TPQC36	144" x 144" x 36"	4 Rectangles 36" x 72"
В			4 Quarter Rounds 36" x 36"
val Typical	TP0V24	48" x 96" x 24"	2 Rectangles 24" x 48"
C			2 Half Rounds 24" x 48"
	TPOV30	60" x 120" x 30"	2 Rectangles 30" x 60"
В			2 Half Rounds 30" x 60"
	TPOV36	72" x 144" x 36"	2 Rectangles 36" x 72"
			2 Half Rounds 36" x 72"
oen Circle Typical	TPOC24	96" x 96" x 24"	4 Cresents 48" x 24" x 75 ¹ / ₂ "
C	TPOC30	120" x 120" x 30"	4 Cresents 60" x 30" x 94"
	TPOC36	144" x 144" x 36"	4 Cresents 72" x 36" x 113"
В			
rcle Typical	TPCT24	48" x 48" x 24"	2 Half Rounds 24" x 48"
	TPCT30	60" x 60" x 30"	2 Half Rounds 30" x 60"
_ C	TPCT36	72" x 72" x 36"	2 Half Rounds 36" x 72"
В			

TREK PLUS TYPICALS TABLE COMPONENTS

Shape	Model Number	Dimensions A x B x C	Table Components
Open Hexagon Typical	TP0H24	84" x 96" x 21"	6 Trapezoids 24" x 24" x 24" x 48"
[]	TPOH30	105" x 120" x 26 ¹ / ₄ "	6 Trapezoids 30" x 30" x 30" x 60"
	TP0H36	126" x 144" x 31 ¹ / ₂ "	6 Trapezoids 36" x 36" x 36" x 72"
A B			
Hexagon Typical	TPHT24	42" x 48" x 21"	2 Trapezoids 24" x 24" x 24" x 48"
	TPHT30	52 ¹ / ₂ " x 60" x 26 ¹ / ₄ "	2 Trapezoids 30" x 30" x 30" x 60"
A	TPHT36	63" x 72" x 31 ¹ / ₂ "	2 Trapezoids 36" x 36" x 36" x 72"
B Ones Best Shared Timical	TDODO4	7014441041	O Destauriles (14# v. 40#
Open Boat Shaped Typical	TP0B24	72" x 111" x 24"	2 Rectangles 24" x 48"
A B			2 Trapezoids 36" x 36" x 36" x 72"
Boat Shaped Typical	TPBT24	48" x 90" x 24"	2 Rectangles 24" x 48"
c			2 Trapezoids 24" x 24" x 24" x 48"
A	TPBT30	60" x 112 ¹ / ₂ " x 30"	2 Rectangles 30" x 60"
			2 Trapezoids 30" x 30" x 30" x 60"
В	TPBT36	72" x 135" x 36"	2 Rectangles 36" x 72"
			2 Trapezoids 36" x 36" x 36" x 72"



									▼				
				MODEL	IUMBER								
							_		Approx.		3/8" Wood	1-3/4" Woo	
	MODEL	Features	AxBxCxD	Basic Model	Edge Edge Style Color	Surface Finish	Base Finish	Base		P Edge 4P)	Band Edge (34S)	Band Edge (36S)	
	Rectangular Tables, T Base-Fixed	T Base	24 x 48"	TP24F					71.0# \$		\$ 1385	\$ 1584	
	nectangular labies, i base-i ixeu	T Base	24 x 60"	TP25F					81.0#	1284	φ 1303 1558	1763	
d d		T Base	30 x 48"	TP254F					81.0#	1249	1524	1713	
B		T Base	30 x 60"						94.0#	1391	1735	1955	
TDV				TP255F									
TPX		T Base	36 x 60"	TP35F					106.0#	1480	1935	2121	
	B	T Base	36 x 72"	TP36F					121.0#	1548	2139	2398	
	Rectangular Tables, T Base-Folding	T Base, Short Fold	24 x 48"	TP24ST						1803	\$ 2084	\$ 2352	
d d a		T Base	24 x 60"	TP25ST					82.0#	1904	2261	2433	
		T Base, Short Fold	30 x 48"	TP254ST					82.0#	1926	2357	2541	
		T Base	30 x 60"	TP255ST					95.0#	2019	2436	2709	
TPD		T Base	36 x 60"	TP35ST					107.0#	2116	2517	2984	
		T Base	36 x 72"	TP36ST						2174	2723	2995	
	Trapezoid Tables, T Base-Fixed	T Base				1 1		4GB		1053	\$ 1730	\$ 1848	
	24x24x24x48 = 21"D30x30x30x60 = 26"D	T Base	30 x 30 x 30 x 60"	TPT35F					71.0#	1182	1912	2162	
, <u>D</u>	• 36x36x36x72 = 31"D	T Base	36 x 36 x 36 x 72"	TPT36F					88.0#	1587	2367	2666	
TPX	24x24x24x48 available with glides only												
C	Crescent Tables, T Base-Fixed	T Base	48 x 24 x 75-1/2"	TPC24F					78.0# \$	1424	\$ 2436	\$ 3020	
		T Base	60 x 24 x 94"	TPC25F					94.0#	2028	3170	4310	
B		T Base	48 x 30 x 75-1/2"	TPC254F					85.0#	1443	2467	3054	
* (1		T Base	60 x 30 x 94"	TPC255F					104.0#	2028	3190	4338	
TPX		T Base	60 x 36 x 94"	TPC35F					113.0#	2062	3207	4371	
		T Base	72 x 36 x 113"	TPC36F					129.0#	2166	5506	7138	
C	Crescent Tables, T Base-Folding	T Base, Short Fold	48 x 24 x 75-1/2"	TPC24ST					79.0# \$	2094	\$ 3061	\$ 3645	
		T Base, Short Fold	60 x 24 x 94"	TPC25ST					95.0#	2694	3822	4935	
		T Base, Short Fold	48 x 30 x 75-1/2"	TPC254ST					86.0#	2118	3095	3671	
. 1 .		T Base	60 x 30 x 94"	TPC255ST					105.0#	2656	3790	4928	
TPD		T Base	60 x 36 x 94"	TPC35ST					114.0#	2681	3821	4951	
		T Base	72 x 36 x 113"	TPC36ST					138.0#	2789	6352	7733	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge

- 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

(3)

 Θ

0

9

2 black glides

Select base option.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



								▼				
				MODEL N	UMBER							
	MODEL	Features	AxBxC	Basic Model	Edge Edge Style Color	Surface Base Finish Finish	h Base	Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	1-3/4" Wood Band Edge (36S)	
	Quarter Round-No Base		24 x 24"	TPQ2				31.0#		\$ 879	\$ 1168	
	 To be used with Plus Tables only 		30 x 30"	TPQ25				40.0#	547	1052	1405	
A			36 x 36"	TPQ3				51.0#	686	1311	1639	
<u> </u>												
TPX												
	Half Round Table, T Base-Fixed	T Base	24 x 48"	TPH24F				62.0#	\$ 1055	\$ 1912	\$ 2507	
A		T Base	30 x 60"	TPH255F				80.0#	1367	2269	2820	
B I		T Base	36 x 72"	TPH36F				102.0#	1686	2946	3383	
•												
TPX												
ī	Half Round Table, T Base-Folding	T Base, Short Fold		TPH255ST				81.0#		\$ 2895	\$ 3451	
A		T Base, Short Fold	36 x 72"	TPH36ST				103.0#	2294	3529	3974	
В 1												
TPD	Deserved Tunical Fixed	T Door	00 × 144 × 04"	TDDT04F				4F4 O#	ф <u>пого</u>	ф 10F10	Ф 15050	
	Racetrack Typical-Fixed	T Base T Base	96 x 144 x 24" 96 x 144 x 30"	TPRT24F TPRT30F				451.0# 498.0#	8283	\$ 12518 12923	\$ 15250 15617	
-1		T Base	120 x 180 x 36"					498.0# 498.0#	11221	16700	21723	
		I Dase	120 X 100 X 30	11 111301				430.0#	11221	10700	21725	
В												
TPX												
	Racetrack Typical-Folding	T Base, Short Fold	96 x 144 x 24"	TPRT24ST				457.0#	\$ 11971	\$ 16409	\$ 19003	
		T Base, Short Fold		TPRT30ST				504.0#	12314	17089	19560	
A		T Base	120 x 180 x 36"	TPRT36ST				668.0#	14959	20302	25217	
В												
TPN												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge

- 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

selections.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option. 4GB - 4 black glides

- 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

B O

0

(3

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



								•	•				
				MODEL NU	JMBER								
				Dania	Edna Edna	Cuufaaa	2000	Appro Packa	OX.	74P Edge	3/8" Wood Band Edge	1-3/4" Wood	
	MODEL	Features		Basic Model	Edge Edge Style Color	Surface E Finish F	Base Finish Base	Weigi	ageu ht	(74P)	(34S)	Band Edge (36S)	
	Quarter Circle Typical-Fixed	T Base		TPQC24F				405		\$ 6531	\$ 9055	\$ 11074	
C		T Base	108 x 108 x 30"	TPQC30F				441	.0#	7201	10309	12462	
			144 x 144 x 36"	TPQC36F				683	3.0#	8926	13800	16140	
A													
B													
TPX													
ī de la la	Quarter Circle Typical-Folding	T Base, Short Fold		TPQC24ST						\$ 9031	\$ 11848	\$ 13523	
C		T Base, Short Fold		TPQC30ST				445		9900	13647	15340	
Α		T Base	144 x 144 x 36"	TPQC36ST				688	3.0#	11441	16140	18479	
В													
TPD													
T	Oval Typical-Fixed			TP0V24F						\$ 4466	\$ 6596	\$ 8187	
AC				TP0V30F				346		5504	8011	9559	
		T Base	72 x 144 x 36"	TPOV36F				443	3.0#	6433	10168	11563	
В													
TPX	Ovel Tunical Falding	T Door Chart Fold	C0 v 100 v 20"	TDOVOCT				250	0.4	ф 0100	¢ 10004	Ф 1107C	
	Oval Typical-Folding	T Base, Short Fold		TPOV30ST						\$ 8103	\$ 10664	\$ 11976	
A - I		T Base, Short Fold	12 X 144 X 30	TP0V36ST				447	.U#	8933	12503	13910	
B B													
TPD													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

34S - 3/8" Wood band edge

- 1-3/4" Wood band edge

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides

Select edge style.

74P - 74P edge

Select base option.

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



								—				
			MODEL N	IUMBER					(
MODEL	Features	AxBxC	Basic Model	Edge E	Edge Surfac Color Finish	e Base Finish	Page	Approx. Package	ed 7	74P Edge	3/8" Wood Band Edge	1-3/4" Wood Band Edge
Open Circle Typical-Fixed	T Base	96 x 96 x 24"	TPOC24F			_	_	Weight 312.0:		(74P) \$ 5707	(34S) \$ 9747	(36S) \$ 12177
To	T Base	120 x 120 x 30"	TPOC24F					416.0		8116	12752	17357
· I*	T Base							514.0		8665	22037	28560
	I base	144 X 144 X 30	TPUC30F					314.0	#	0000	22031	20000
												.
Open Circle Typical-Folding	T Base, Short Fold		TP0C24ST							\$ 8365	\$ 12240	\$ 14583
c	T Base T Base	120 x 120 x 30" 144 x 144 x 36"	TPOC30ST TPOC36ST					420.0 552.0		10624 11158	15078 25385	19706 30919
Circle Typical-Fixed	T Base	48 x 48 x 24"	TPCT24F					125.0		\$ 2118	\$ 3826	\$ 5015
	T Base	60 x 60 x 30"	TPCT30F					161.0		2723	4536	5648
	T Base	72 x 72 x 36"	TPCT36F					203.0	#	3339	5882	6769
Circle Typical-Folding	T Base, Short Fold	60 x 60 x 30"	TPCT30ST					162.0	# \$	\$ 4057	\$ 5790	\$ 6900
· ·	T Base	72 x 72 x 36"	TPCT36ST					205.0		4584	7049	7947
B												
			A	3	9 0	(3	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge - 1-3/4" Wood band edge

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



										▼
				MODEL	NUMBER	R				
										Anarry 2007 Wood 1 2007 Wood
				Basic	Edge Style	Edge	Surface	Base		Approx. 3/8" Wood 1-3/4" Wood Packaged 74P Edge Band Edge Band Edge
	MODEL	Features				Color	Finish	Finish	Base	Weight (74P) (34S) (36S)
	Open Hexagon Typical-Fixed	T Base	84 x 96 x 21"	TP0H24F					4GB	341.0# \$ 6327 \$ 10396 \$ 11084
c	 84x96x21 (model TPOH24F) available with glides only 	T Base	105 x 120 x 26-1/4	TPOH30F						427.0# 7101 11472 12955
A	with glides only	T Base	126 x 144 x 31-1/2"	TPOH36F						529.0# 9517 14203 15994
В										
TPX									-	
	Hexagon Typical-Fixed • 48x48x21 (model TPHT24F) available	T Base	48 x 48 x 21"	TPHT24F					4GB	114.0# \$ 2113
C	c with glides only	T Base	52-1/2 x 60 x 26-1/4"	TPHT30F						142.0# 2367 3826 4319
A	g,	T Base	60 x 72 x 31-1/2"	TPHT36F						177.0# 3171 4735 5332
В										
TDV										
TPX	0 0 10 17 15 1	T.D.	70 111 041	TDODO45	1000					040.0#
	Open Boat Shaped Typical-Fixed	T Base	72 x 111 x 24"	TP0B24F						318.0# \$ 5526
A										
В										
TPX										
IPA	Post Channel Typical Fixed	T Base	48 x 90 x 24"	TPBT24F					4GB	255.0# \$ 4460
	Boat Shaped Typical-Fixed • 48x90x24 (model TPBT24F) available	T Base	60 x 112-1/2 x 30"	TPBT30F					400	255.0# \$ 4460
A	with glides only	T Base	72 x 135 x 36"	TPBT36F						418.0# 6265 9017 10132
		i Dase	12 X 133 X 30	IPDISOF						410.0# 0200 9017 10132
В										
TPX										
ПА										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- 3/8" Wood band edge

Edge color offerings are based on edge style selections.

• Select surface finish.

Surface finish offerings are based on edge style

Select base finish.

Refer to the **Product Color Options** page in this

Select edge style.

74P - 74P edge

- 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this

selections.

price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

B O D B

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Trek® Tables Storage and Accessories

Trek® Tables Storage and Accessories

					▼
			MODEL NUMBER		
			INODEL NOMBER		
				Approx.	
			Basic	Packaged	Delivered
	MODEL	Features	Model	Weight	Pricing
	Table Truck		BTT		\$ 1777
	 Minimum table sizes are 48" rectangular 	r			* ***
1 1	or 48" round/square				
	 Maximum table sizes are 48" x 96" 				
	rectangular and 60" round/square				
	Six-table capacity; with short fold bases,	,			
	4-table capacityBlack finish only				
HRDPT	Table truck dimensions 5' long, 30" wide	e			
	and 4" high				
	 Used to store Folding Tables only 				
	Casters	Non-locking	46.5146.BL	1.0#	\$ 37
HRDPT	3" black casters with black hub	Locking	46.5147.BL	1.0#	41
HNDFI		LUCKING			
	Glides		10.3000.BLWH	1.0#	\$ 40
HRDPT					
	Under-Table Wire Management				
	 Constructed of easy-to-use, high quality 				
	 Constructed of easy-to-use, high quality black velcro 				
	 Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with 				
	 Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws 				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Lea Wireways				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Lea Wireways				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only SEE PRICING BELOW Grommets				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only SEE PRICING BELOW Grommets Plastic grommets are 3" diameter and				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only SEE PRICING BELOW Grommets Plastic grommets are 3" diameter and recessed into table top				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Souff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only SEE PRICING BELOW Grommets Plastic grommets are 3" diameter and recessed into table top Removable cap w/retractable slot cover				
	Constructed of easy-to-use, high quality black velcro Harness is fastened to table bottom with screws SEE PRICING BELOW Leg Wireways Scuff-resistant, high-impact rigid plastic Two separate wire channels per leg Fastened to legs with adhesive bond One wireway per leg; black only SEE PRICING BELOW Grommets Plastic grommets are 3" diameter and recessed into table top				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

OPTIONS

Accessory Options Under-Table Wire Management, Leg Wireways, and Grommets are Accessory Options. Add the following to the end of the model number:

Under-Table Wire Management and Leg Wireways selections are:

HO = Under-Table Wire Management; Upcharge WO = Leg Wireways; Upcharge is \$28 HW = Under-Table Wire Management and Leg

Wireways; Upcharge is \$97 Wire Management options HO, HW and WO are ONLY available on rectangular tables 96" and smaller (NOT available on any cantilever, flip-top or folding tables).

Grommet Selections are: Gxx=grommet with color designator; Upcharge

is \$27 Refer to Product Color Options page. Grommet option is available on rectangle tables 96" and smaller, except for all 18"x 60" and

24"x60" cantilevered fixed and folding tables (24"x60" tables with standard fixed bases are

No accessory options are available on PowerUp® tables or flip-top tables.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-00047 I/KI/PDF

