


Down-Roll (↓)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).


Fig. A



Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).


Fig. B



COM Fabrics

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Fig. C



Pattern	Capture Tiles & Volo	Choices Panels & All Systems Components	Fabric Screens	Freestanding Tackboards		TrendWall
				> 60"	< 60"	
Anchorage	↓	↓	↓	R	↓	•
Bird's Eye	↓	↓	↓	R	↓	•
Cameo	↓	↓	↓	R	↓	•
Cape Cod	↓	↓	↓	R	↓	↓
Chicago*	↓	•	48" - 72" R	•	•	•
Encore	↓	↓	↓	R	↓	↓
Era*	↓	•	48" - 72" R	•	•	•
Fine Point	↓	↓	↓	R	↓	↓
Framework	⌘	⌘	⌘	⌘	⌘	•
Frost	↓	↓	↓	R	↓	•
Glint	↓	↓	↓	R	↓	↓
Highbeams*	↓	•	48" - 72" R	•	•	•
Infinity*	↓	•	48" - 72" R	•	•	•
Intermix	↓	↓	↓	R	↓	↓
Jane*	↓	•	48" - 72" R	•	•	•
Kinect	↓	↓	↓	R	↓	↓
L2	↓	↓	↓	R	↓	↓
Marathon*	↓	•	48" - 72" R	•	•	•
Meander	↓	↓	↓	R	↓	↓
Metallation	↓	↓	↓	R	↓	↓
Millennium*	↓	•	48" - 72" R	•	•	•
Netiquette	↓	↓	↓	R	↓	↓
Odyssey*	↓	•	48" - 72" R	•	•	•
Pact	↓	↓	↓	R	↓	↓
Proverb	↓	↓	↓	R	↓	↓
Pursuit	↓	↓	↓	R	↓	↓
Rivet*	↓	•	48" - 72" R	•	•	•
Script	↓	↓	↓	R	↓	↓
Sprite	↓	↓	↓	R	↓	↓
Strata	↓	↓	↓	R	↓	↓
Tabby Weave	⌘	⌘	⌘	⌘	⌘	⌘
Tenor	↓	↓	↓	R	↓	↓
Tradition*	↓	•	48" - 72" R	•	•	•
Universe	↓	↓	↓	R	↓	↓

• Not Available

⌘ Non Directional - Pattern will be applied for best yield

↓ Down Roll - The height dimension of the tile or component is parallel to the warp of the fabric

R Railroaded - The height dimension of the tile or component is perpendicular to the warp of the fabric

* Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo

Surface Material Program

The Trendway Surface Material program includes a broad selection of coordinated fabric, laminate and trim finish options. Additionally, Trendway offers a Customer's Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

Standard Program

Trendway's Standard program of timeless fabrics and vinyls is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

Surface Trends

Trendway's Surface Trends program is an evolving collection of fabrics, and laminates, and are designated by the  symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

Terratex®

Terratex is a Duvaltex brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

3form®* Ecoresin™*

3form's Ecoresin™ is a non-toxic polyester resin (PETG) that incorporates 40% post-industrial recycled material. Because Ecoresin is GREENGUARD™ certified, is a class B surface material and has self-extinguishing flammability performance, it can be used in a wide variety of interior decorative glazing applications. For more information, go to www.3-form.com.

COM

Customer's Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. All COM applications are priced at Grade 1. For detailed information, see item #11 (COM) in the Pricing, Procedures and Policies section in the back of the price book or on Trenddealer.com.

Pre-Approved COM

Select from popular COM fabrics preapproved by Trendway. Customers are able to search the COM library on www.trenddealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Binder Cards

Standard and Surface Trends binder cards are available through Trendway fulfillment. www.trenddealer.com

Standard Program Samples

Samples of many fabrics and finishes are available through Trendway fulfillment. www.trenddealer.com

Surface Trends Samples

Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

Camira

www.camirafabrics.com
1-616-288-0655

Guilford Of Maine®

www.guilfordofmaine.com
1-800-544-0200

Momentum® Textiles

www.memosamples.com
1-800-366-6839

Nevamar

www.nevamar.com
1-800-638-4380

Pionite

www.pionite.com
1-800-746-6483

Wilsonart

www.wilsonart.com
1-800-746-6483

Surface Material Legend

 = 100% Recycled Content



= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

Panel Fabrics

Fine Point Grade 1

BN2	Balique
BN3	Fresco
BN4	Porcelain
BN5	Silvern
BN6	Sterling
BN7	Vintage

Intermix Grade 1

	Guilford of Maine
KDP	Butter Rum
KDN	Coconut
KDM	Foggy
KDK	Husky
KDU	Marsh
KDT	Neptune
KDJ	Rocket Ship
KDH	Seagull
KDV	Smoky Quartz
KDR	Swan

Meander Grade 1

	Momentum
B48	Agate Taupe
B49	Nightshadow
B4A	Overcast
B4B	Sandshell

Netiquette Grade 1

KK5	Analogue
KK3	Chipset
KK4	Dashboard
KK8	Gamma
KK7	Inkjet
KKC	Pixel
KKa	Refresh
KK6	Schema
KK9	Vector

Pursuit Grade 1

	Guilford of Maine
KDG	Cement
KDA	Dove
KDF	Elephant
KD8	Fern
KDC	Mist Grey
KDE	Lemon Zest
KD9	Whisper
KDD	White Linen

Universe Grade 1

	Momentum
B4G	Cosmic
B4H	Creme Brulee
B4J	Depth
B4K	Mica
B4M	Milkyway
B4N	Seneca
B4P	Wheat
B4R	Whitecap

Bird's Eye Grade 2

	Bird's Eye
AG5	Flight
AG7	Glide
AG4	Impression
AG3	Outlook
AG9	Panorama
AG0	Rock
AG1	Vista

Cape Cod Grade 2

	Guilford of Maine
BYN	Apricot
BYK	Buff
BYG	Cloud
BYP	Dune
BYJ	Key Lime
BYF	Linen
BYH	Seagull
BYM	Shale
BYR	Surf

L2 Grade 2

	Camira
KUH	Algebra
KUM	Cuboid
KUJ	Divide
KUK	Multiply
KU9	Positive
KUC	Radius
KUD	Rotation
KUA	Sigma
KUG	Symmetry
KUF	Tangent
KUE	Value
KU8	Vertex

Metallation Grade 2

SL5	18 Karat
SP8	Chrome
SM3	Dark Annealed
SJ3	Etched Bronze
SN1	Fired Titanium
SR4	Polished Pewter
BPP	Stainless
ST0	Stove Pipe
SQ6	Welded Steel
SS2	Wrought Iron

Pact Grade 2

	Momentum
BM5	Aloe
BM6	Azure
BM7	Calla
BM8	Coastal
BM9	Delft
BMA	Dove
BMC	Dragon
BMD	Eureka
BME	Fern
BMF	Harbor
BMG	Lily
BMH	Lime
BMJ	Midnight
BMK	Nectar
BMM	Patina
BMN	Putty
BMP	Roast
BMR	Roma
BMT	Rubine
BMU	Sketch
BMV	Tanzanite
BMW	Taupe
BMX	Toasty

Sprite Grade 2

	Guilford Of Maine
BU7	Butter
BU8	Harvest
BU9	Khaki
BUA	Kiwi
BUB	Linen
BUC	Powder
BUD	Sherbet
BUE	Sky
BUF	Snow

Strata Grade 2

	Guilford Of Maine
BYD	Cement
BYA	Cloud
BY9	Latte
BY6	Linen
BY8	Sand
BYE	Sea
BYC	Sky
BY7	Straw

Surface
MaterialsTrendWall
InformationTrendWall
Space
PlanningTrendWall
PanelsTrendWall
DoorsTrendWall
AccessoriesTrendWall
ConditionsTrendWall
Electrical
ComponentsTrendWall
Terms &
Policies

Tabby Weave Grade 2

404	Apricot Neutral
K96	Black
401	Blue Neutral
QN9	Blue Plum
QL2	Blue Spruce
QP5	Bone
QQ3	Cement Mix
400	Cherry Neutral
K97	Coin
175	Crystal Blue
QV0	Desert Sand
K98	Flannel
238	Grey Mix
QS0	Lake
QR1	Light Moss
K99	Medium Grey
423	Pumice
380	Quartz
390	Rose Quartz
QM0	Sienna
BV2	Silver Papier
QT8	Stream
150	Wedgewood

Tenor Grade 2

B0R	Bisque
B0T	Champagne
B0U	Chiffon
B0V	Desert View
B0W	Driftwood
B0X	Heatherglen
B0Y	Mysteria
B30	Rose Tan

Glint Grade 3

	Momentum
KG3	Barley
KG4	Caspian
KG5	Column
KG6	Gobi
KG7	Gypsum
KG8	Note
KG9	Opal
KGA	Pearl
KJ2	Pumice
KGC	Relic
KGD	Rune
KGE	Serene
KGF	Shale
KGG	Sisal
KGH	Turret
KGJ	Vera

Kinect Grade 3

	Momentum
KGK	Alloy
KGM	Ashen
KGN	Chiffon
KGP	Cove
KGR	Dew
KGT	Dove
KGU	Ivory
KGV	Mercury
KGW	Mushroom
KGX	Nickel
KGY	Numbus
KH0	Passion
KH1	Smoke
KH2	Tin
KH3	Vapor
KH4	Veil

Script Grade 3

	Momentum
KHK	Almond
KHM	Charcoal
KHN	Feldspar
KHP	Flint
KHR	Nectar
KHT	Patina
KHU	Pebble
KHV	Sand
KHW	Shadow
KHX	Slate
KHY	Sterling
KJ0	Taupe
KJ1	Zinc

Proverb Grade 3

	Momentum
KH5	Anchor
KH6	Armor
KH7	Basalt
KH8	Buff
KH9	Cinder
KHA	Crystal
KHC	Fog
KHD	Linen
KHE	Mist
KHF	Oyster
KHG	Rye
KHH	Steel
KHJ	Storm

High Pressure Laminates

Standard Program

Solid

Grade 1

583	Charcoal
J0C	Designer White
J9D	Graphite
520	Gray
573	Light Gray
J20	Sand
J04	Shadow
J08	Slate Grey
J11	Stucco

Pattern

J6B	Casual Linen
J6A	Classic Linen
J69	Crisp Linen
J9H	Earthen Twill
JM4	Evening Tigris
J9J	Graphite Twill
JL6	Green Tigris
JN2	Grey Tigris
JP9	Natural Tigris
J9F	Neutral Twill
J9G	Sarum Twill
551	Stipple Graphite
553	Stipple Gray
J09	White Tigris
J9E	White Twill

Woodgrain

J0G	Beigewood
J0D	Brazilwood
J0A	Chocolate Pear
J2A	Empire Mahogany
J98	Finnish Oak
J25	Fusion Maple
J99	Walnut
J1R	Wild Cherry

Wilsonart

Grade 2

J9C	Phantom Charcoal
J9B	Phantom Ecru
J9A	Phantom Pearl

Surface Trends Program

Pattern

Wilsonart

Grade 1

J33	Antique Brush
J15	Carbon Evolv
J1A	Canyon Zephyr
J1P	Cloud Nebula
J1D	Desert Zephyr
J32	Pewter Brush
J1C	Loden Zephyr
J1B	Misted Zephyr
J1N	Navy Legacy
J14	Nickel Evolv
J12	Silicon Evolv
J13	Titanium Evolv
J16	Tungsten Evolv
J1E	Twilight Zephyr
J17	Windswept Bronze
J18	Windswept Pewter

Wilsonart Extended Color Offering

Trendway offers an extensive selection of graded-in Wilsonart laminate colors under the Extended Color Program. Please note that lead times may be longer than our standard. To see the current offering, please consult the Wilsonart Extended Color Offering document. This can be found in the Graded In & Fabric Cards page of the Surface Materials section of Trenddealer.

Solid

Nevamar

Grade 1

J0F	Cordial Gray
-----	--------------

Pattern

Nevamar

Grade 1

J3V	Calm Distinction
J3W	Cool Chic
J3U	Easy Elegance
K15	Kopi Susu
K17	Regency Mahogany
JF1	Stipple Birch (Birch Matrix)
K16	Stipple Storm (Storm Gray Matrix)
J46	Stipple Straw
J40	VOUS Fawn
J43	VOUS Metal
J42	VOUS Serene
K18	Wrought Iron
K19	Yunnan

Woodgrain

Nevamar

Grade 1

JD5	Crown Cherry
J45	Illustrious Maple
J47	Legendary Teak
J48	Luminary Teak
J49	Recon Oak

Pattern

Pionite

Grade 1

J3H	Cavalcade South
J3M	Cubicle Papel
J3K	Gold Pannin
J3P	Groundswell
J3G	Negotiating in Geneva
J3N	Olive Serenity
J3R	Passin Thru
J3J	Travelin Light
J3E	Vanilla Fiber
J3F	Wheat Fiber

Woodgrain

Pionite

Grade 1

J3D	Appears Likatre
J3A	Leave Likatre
J39	Looks Likatre
J3C	Seems Likatre
J3T	Spice Walnut

Surface Materials	Standard Systems Finishes			
	Trendway standard paints include smooth and textured styles in our eight trim colors. If textured or premium finishes are specified, non-painted components will default to the coordinating standard smooth trim color. Non-painted components included, but are not limited to, base trim, window moldings, special angle conditions, etc.			
TrendWall Information	Systems Paints and Trim			
	K	Charcoal	TK	Textured Charcoal
TrendWall Space Planning	DW	Designer White	TDW	Textured Designer White
	G	Gray	TG	Textured Gray
TrendWall Panels	L	Light Gray	TL	Textured Light Gray
	Y	Sand	TY	Textured Sand
TrendWall Doors	J	Stucco	TJ	Textured Stucco
	Premium Systems Finishes			
TrendWall Accessories	Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price book to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).			
	Textured Metallic Paint			Anodized Aluminum
TrendWall Conditions	FK	Charcoal Frost	PA	Platinum (Smooth)
	FDW	Designer White Frost	FY	Sand Frost
TrendWall Components	FG	Gray Frost	FJ	Stucco Frost
	FL	Light Gray Frost		EC Satin Etch (Clear Wall and Volo only)
TrendWall Policies	Panel Vinyls			
	Woodgrain			
TrendWall Electrical	AS2	American Natural		
	AS3	Russian Maple		
TrendWall Terms & Policies	AS4	Sorrel Pear		
	Solid			
TrendWall Conditions	V52	Designer White	V53	Textured Platinum
	V39	Textured Charcoal	V48	Textured Sand
TrendWall Conditions	V38	Textured Gray	V49	Textured Stucco
	V51	Textured Light Gray		
TrendWall Conditions	Door Vinyls			
	Door edge color will be as indicated unless otherwise specified.			
TrendWall Conditions	Woodgrain		Door Edge Color	
	AS2	American Natural	Match panel trim color	
TrendWall Conditions	AS3	Russian Maple	Match panel trim color	
	AS4	Sorrel Pear	Match panel trim color	
TrendWall Conditions	Solid		Door Edge Color	
	V39	Textured Charcoal	Charcoal	
TrendWall Conditions	V38	Textured Gray	Gray	
	V51	Textured Light Gray	Light Gray	
TrendWall Conditions	V48	Textured Sand	Sand	
	V49	Textured Stucco	Stucco	

Note: Lite frame and louvers match panel trim color.

Glazing

Note: Due to the nature of the material and its manufacturing process, glass may exhibit minor imperfections. The presence of a limited amount of them is considered acceptable quality under industry standards. Trendway follows ASTM C1036 Q3 Industry Standards as a reference for all glass quality guidelines.

TrendWall

TrendWall can be specified with or without Trendway-supplied glazing. If specified to be supplied by Trendway, the glazing will be shipped separately in its own crating to be installed AFTER the panels have been installed.

Note: If glazing is to be supplied by Trendway, there is a crating upcharge for orders less than 10 pieces. Pricing is as follows:

- Eastern Region – \$364 list
- Southern Region – \$468 list
- Western Region (including all of Canada) – \$676 list

Trendway offers several glazing options for its glass panels, doors and transoms.

- GN – No Glazing, supplied in the field
- G1 – 3form Ecoresins™ – Available in several patterns and colors as shown in the table below. Please note that 3form Ecoresins cannot be used in Full Height, Single opening panels.
- G2 – Tempered Glass
- G3 – Safety Glass

TrendWall Swing Door & Panels – Glass Options**Safety Glass G2**

T03 ¼" Clear Tempered Glass

Safety Glass G3

T04 ¼" Frost Tempered Glass

T05 ¼" Clear Laminated Glass

Standard 3form Color Option G1

E01 Solo Supermatte Ecoresin

E02 Solo Aqua Supermatte Ecoresin

E03 Spider Ecoresin

TrendWall Sliding Door – Glass Options**Safety Glass G1Z**

T2A ¼" Clear Tempered Glass

Safety Glass G3Z

T2C ¼" Frost Tempered Glass

T2B ¼" Clear Laminated Glass

Standard 3form Color Option G5Z

T2E Solo Supermatte Ecoresin

T2F Solo Aqua Supermatte Ecoresin

T2G Spider Ecoresin

CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	J0C	XZH	E1	DW	V52
Graphite	J9D	XY4	E6		
Gray**	520		G	G	V38
Light Gray**	573	XZM	L	L	V51
Platinum**			PA	PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04	XY5	E7		
Slate Grey	J08	XZK	E2		
Stucco**	J11		J	J	V49

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Choices, Volo	Panel Vinyl TrendWall
American Natural					AS2
Beigewood	J0G	XZ8	W8	M4	
Brazilwood	J0D	XZE	WE	M5	
Chocolate Pear	J0A	XZ5	W4	M7	
Empire Mahogany	J2A	XZ3	W7	M8	
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XY0	E3		
Russian Maple					AS3
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

** Trendway standard trim paint color

TRENDWALL MOVEABLE WALLS

TrendWall panels are the first floor-to-ceiling panels to integrate fully with the open plan office. With the use of the TrendWall Straight Component Mounting Rails, Choices components can be mounted to ceiling height panels in the same manner as the open plan system. This compatibility offers the privacy of floor-to-ceiling panels with the flexibility of open plan components.

Panels are shipped complete. Base covers, floor plates and crown are shipped in 12' (3658) lengths which may be field trimmed for a clean, permanent appearance. When a corner or end condition is specified, Trendway includes all needed trim kits.

Electrical and communications needs can be channeled through wireways located between panels behind pilaster and at the base of each panel. When TrendWall POWERPAC® Electrical is specified, Trendway will plan and include the electrical components and the optional pilaster covers with switch or receptacle punch-outs.

PANEL TYPES

Vinyl Panels

Vinyl surfaced TrendWall panels have welded steel frames with vinyl laminated to gypsum surfaces. The core is filled with therma-fiber. The Vinyl Panel provides an attractive, easily maintained panel to meet any layout requirement.


Vinyl Panels are available in a wide range of solid colors and simulated wood grains.

Fabric Panels


Fabric Panels are made with the same construction as the Vinyl Panels. The surface is laminated with fabric. They are available in five fabric grades and a wide variety of colors.

Vinyl/Fabric Panels

Vinyl/Fabric Panels offer the advantages of the durability of vinyl on one side of the panel and aesthetics of fabric on the other. A typical application would be a shared wall between a storage room and an executive office, with the fabric side facing the office. These panels are available in the full range of vinyls and fabrics.



TrendWall Surface Material Legend



Trim and Paint Colors

- 1 Smooth Trim and Paint Colors
- 2 Textured Paint Colors

Fabric

- 3 TrendWall-Approved Fabric
 - Cape Cod
 - Fine Point
 - Glint
 - Intermix
 - Kinect
 - Meander
 - Metallation
 - Netiquette
 - Pact
 - Proverb
 - Pursuit
 - Script
 - Sprite
 - Strata
 - Tabby Weave
 - Tenor
 - Universe
 - Verse

Vinyl

- 4 Textured Vinyl
 - Textured Charcoal.....V39
 - Textured Designer White....V52
 - Textured Gray.....V38
 - Textured Light GrayV51
 - Textured Sand.....V48
 - Textured Stucco.....V49
- Smooth Vinyl
 - American NaturalAS2
 - Russian Maple.....AS3
 - Sorrel PearAS4

Laminates (HPL)

- 5 See current price list for complete listing

Glazing

- 6 Clear Tempered GlassT03
- Frosted Tempered Glass....T04
- Clear Laminated Glass.....T05
- 3form Ecoresin
 - Solo Supermatte.....E01
 - Solo Aqua Supermatte.....E02
 - SpiderE03

Glazed Panels —

Hi Lite, Full Lite, Full Lite to Door Height and Window Lite, and Sliding Window Lite

All Glazed Panels have steel frame construction and are available in vinyl or fabric surfaces. Panels are shipped without glass but include an extruded vinyl molding designed to accommodate glass thickness of 1/4" (6).

The Hi Lite Panel has an opening starting at the 6'8" (2032) or 7' (2134) door height and extending to the crown. The Full Lite Panel has an opening that extends from just above the base to the crown. The Full Lite to Door Height Panel has an opening that starts at just above the base but only extends to door height 6'8" (2032) and 7' (2134). The Window Lite Panel has a standard opening which starts at 42 1/2" (1067) above the floor and extends to door height. Optional sized openings are available and should be specified on the order form. You should contact your local glass supplier for the proper type of glass to be used for your application. Trendway recommends the purchase of safety glass.

Glazed Panel Options

Trendway offers four ways to add glazing to Glazed Panels and doors.

- GN – No Glazing, supplied in the field
- G1 – 3form Ecoresins™ – Available in several patterns and colors. Please note that 3form Ecoresins cannot be used in Full Height, Single opening panels.
- G2 – Tempered Glass
- G3 – Frost or Clear Laminated Glass

The maximum cut size for any 3form® material is 74" (1880), which means that Ecoresin™ can be used in all glazed applications, except for non-segmented full lite panels. See page 12 for glass sizes.

Door Sections

Door Sections are available in 4' (1219) and 3.5' (1041) widths with or without vinyl or fabric surfaced side panels. Standard doors are vinyl surfaced, 3' (914) by 6'8" (2032) or 7' (2134) by 1 3/4" (44)-thick hollow core. Door Panels are shipped with doors pre-hung in steel jambs with hinges. Six standard swing door styles are available: Flush, Flush with Standard Louver, Half Lite, Half Lite with Louver, Vision Lite, or solid core door with Full Lite (glass not included in any door). Optional doors and hardware may be specified by contacting Trendway Customer Care at 1-866-584-0201. Doors and Transoms are also available in special finishes.

*3form and Ecoresin are trademarks of 3form.

Wall Filler Panels

Wall Filler Panels are available to compensate for uneven wall conditions without shimming. A wall filler panel has a vinyl or fabric surface laminated to a core of foam and gypsum. The filler panel is placed at the end of a run of panels that abuts a fixed wall. Because one end of the panel can be easily field trimmed, it can compensate for inexact measurements or uneven wall conditions.

PANEL CONNECTIONS

The TrendWall Panel System has one-piece connectors that slide into slots in the panel's side rails. Connectors are designed to accommodate the laying-in of electrical and communications wiring while still allowing the removal of the panel without disturbing the wiring. All panels are shipped with the connectors required for attaching one panel to another.

Corner Connectors will be included for each corner condition that is specified in the panel layout. If the layout requires angles other than 180° or 90°, you can specify the angle required on the order form. Where special requirements are needed, you should send a copy of the layout along with your order, noting the areas requiring special conditions. There will be an extra charge for these special conditions.

Extended and Half-Extended Corner Connectors are required for use with Corner Component Mounting Rails.

Pilasters

Pilasters are available in Standard or Enhanced styles and are designed to snap into place between panels to conceal the panel connectors and wiring. Panels include two matching pilasters, one for each side of the panel. Standard punchouts are available. Optional factory modification to pilasters is available to accommodate switches, duplex receptacles and slots for component mounting. Pilasters are available in all vinyl finishes and all fabric colors.

Component Mounting Kits

Straight Component Mounting Kits are double-slotted rails which attach between TrendWall panels in a straight-line condition to accept **Trendway open plan systems components. Do not use with Cornice High Panels or Ceiling Filler Panels.** Each slotted rail contains 2 vertical rows of 9/16" (14) slots on 1" (25) centers up to a height of 84" (2134). These slots allow two component end panels to be hung side-by-side on the same bracket. You will need two mounting kits to hang one component.

However, you can hang two components side-by-side by using three mounting kits. Pilasters will be slit on site in the exact location where you wish to put the component.

Crown and Vinyl Base

Trendway provides the service of figuring the trim pieces and vinyl base required for all straight line or corner conditions that are indicated in the layout. These trim, Vinyl Base, and Crown are included in the price and are shipped with the panels. Crown and Vinyl Base are shipped in 6' (1829) or 12' (3658) lengths and must be trimmed at the site if necessary. Crown Corners are pre-formed.

ELECTRICAL COMPONENTS

Power Modules

Power Modules are available in three styles to bring power access to the area between the panels at varying heights. One end has a connector for attachment to Pass-Through Harnesses and the other end has a distribution block to accept Power Duplexes, one on each side.

Power Duplexes

The Power Duplex plugs into the distribution block on the Power Module to access the power circuit. Each Power Duplex is clearly marked for Circuit I, II, III or IVΔ access. Circuit IVΔ has an orange numeral and delta symbol (Δ) to indicate it accesses the dedicated circuit.

Top Feed

The CFTP Ceiling Feed supplies power from the ceiling to the distribution block on the Power Module.

Pass-Through Harnesses

Pass-Through Harnesses bring power from a feed point to a distribution point at a Power Module. Harnesses are available in lengths from 24" (610) to 141" (3581) in 3" (76) increments.

Electrical boxes for hardwire and switch patch:

- Appleton M1-250 (Orderable through Trendway #SITM1250)
- Bowers 1-MBS
- Raco 562
- Thomas & Betts GW-125-C
- or equivalent

With a knowledge of the TrendWall product offering, you can now begin to plan your space.

If you are working with an existing space, you must make an on-site inspection to determine the ceiling height. This is probably the most important step in the design phase. TrendWall panels have $\frac{3}{4}$ " (19) adjustment upward and $\frac{3}{4}$ " (19) adjustment downward.

Panels are available in three standard heights of 8' (2438), 9' (2743) and 10' (3048) for floor-to-ceiling applications. However, if your requirements call for a panel of 7'2" (2184) for cornice height installations, you can specify that size and use the 8' (2438) panel price.

The area into which the Crown is attached must be sound. When installing into a suspended ceiling, the Crown is screwed into the metal "T" frames with self-tapping screws.

There are many physical characteristics of a building that can be critical to the development of your space plan. Besides the ceiling height, there are windows, columns, doors, elevators, light fixtures, sprinklers and ductwork. Also, observe interior finishes and floor construction and record all of this data on your first trip to the job site to save on return trips.

Trendway will assist in developing your space planning, figuring the panel widths and types of hardware needed. All you need to do is determine the size of the office and the requirements of the individual in the space. Do this by surveying departments or individuals to find the equipment and amount of work area required. This will determine the filing, work surface storage and special equipment needs of each office. This information should be provided to Trendway; then Trendway can assist in developing the final space plan.


TrendWall Office Layout

When designing your layout, it is best to work in standard dimensions of even footage. An example is shown in the sample layout (Figure 2): 15' (4572) by 10' (3048).

An important consideration is the cost of the different panel types and sizes. The most cost-efficient size is the 4' (1219)-wide panel (see "Panel Pricing"). It takes less time to install 12 lineal feet of 4' (1219) panels than 12 lineal feet of 2' (610) panels. Also, for future changes, standard width panel modules will make modifications easier.

The first step is to measure the perimeter dimension of the space to be enclosed. Be sure to measure through door

Figure 2



sections and glazed panels. This represents the total footage of TrendWall panels required. The individual cost of the door is an added upcharge page 30.

Panel widths are based on center-to-center of the connection device so there is no addition of width in a straight line connection. TrendWall panels are $2\frac{3}{4}$ " (70) thick. Half this thickness $1\frac{3}{8}$ " (35) must be added to the length of the panel run for an outside dimension, or subtracted for an inside dimension when panels are joined in a 90° corner condition (Figure 3).

Once you have decided the amount of space and the components desired, Trendway will figure the widths of panels needed to achieve your office plan. Notice that we have used two 4' (1219)-wide panels to accommodate the Lateral Files side-to-side (Figure 2). 1' (305)-wide panels on either end of that wall make up the rest of the 10' (3048) width and center the components on the wall. Minimum width panel available is 6" (152).

Component Planning

TrendWall panels accommodate mounting of Trendway's Choices components. **Component mounting is intended only for floor-to-ceiling panels.**

Component Mounting Kits are used for Straight Panel conditions and attach between panels without adding to the panel run width. Component Mounting Kits contain two vertical rows of slots to 84" (2134) high. Two kits are required to hang one component. Two components can be hung side-by-side on three Mounting Kits (Figures 2 and 4).

Figure 3





Figure 4



Component Mounting Rail Load Capacities (Figure 5 and 6)

1. Hanging Work Surfaces — up to and including 48" (1219) wide: Up to 24" (610) deep maximum — 4.5 pounds (2kg) per linear inch (25), uniformly distributed.
2. Hanging Work Surfaces — over 48" (1219) up to and including 72" (1829) wide: Require three work surface supports up to 24" (610) deep — 4.5 pounds (2kg) per linear inch (25), uniformly distributed.
3. Greater than 24" (610)-deep work surface must be floor supported.

Figure 5





Figure 6



ELECTRICAL PLANNING

POWERPAC® Electrical

The TrendWall POWERPAC® 8 Wire Electrical System offers the power and flexibility of four circuits, one with a dedicated neutral and ground.

The TrendWall electrical system is routed through the base wireway and up or down through the connections between panels. Power is distributed from panel-to-panel or a run of panels by the use of Pass-Through Harnesses. Pass-Through Harnesses are available in lengths of 24" (610) to 141" (3581) in 3" (76) increments. Power Modules are plugged into the Pass-Through Harnesses to provide power to the plug-in duplex receptacles. The SITCFTP Ceiling Feed supplies power from the ceiling or floor to the distribution block on the Power Module.

Power Modules are available in two heights; 14" (356) on-center from the floor for standard height and 32" (813) on-center from the floor for work height access above a work surface. An optional work height adapter is available to extend power from a standard height module to work height. Power Modules attach between panels in standard width Straight Connections only. They will not attach in extended conditions.

Hardwire Option

TrendWall Panels can be hardwired, if required, by routing conduit through the base wireways and run either up or down through the connections between panels. Electrical outlets and switches are mounted in junction boxes attached to the conduit.


Switches and receptacles are accessed through punch-outs in the pilasters. Pilasters are available with a switch punch-out located 45" (1143) on-center from the floor. If switches are to be back-to-back on a pilaster, one must be specified with a punch-out located at least 5³/₈" (137) above or below the other punch-out. The same would be required for a receptacle punch-out. Receptacle punch-outs are located 12" (305) on-center above the floor for Hardwire, and 18" (457) for modular. Electrical boxes are not included, however, Trendway recommends the use of one of the following: Appleton M1-250 (orderable through Trendway catalog #SITMI250), Bowers 1-MBS, Raco 690, Steel City GW-125-C or equivalent. Electrical conduit and hardware must be supplied and installed by a local electrician.

Planning Summary

These steps outline the planning process:

1. Measure the ceiling height throughout the space to be sure of ordering the correct panel height.
2. Measure area to be enclosed by TrendWall, including door and glazed panels.
3. Plan components, doors, and optional panels to meet requirements of each office.
4. Develop elevations of each office, showing placement of components, doors, etc.
5. Develop an electrical layout to show the placement of electrical switches, receptacles, etc.
6. Trendway will figure widths of panels, hardware needed and POWERPAC electrical components. Plans will be returned to you for your review, to be signed and returned.

Figure 7



Glazed Panel Glass Sizes

The following chart lists the glass size for standard size panels. To calculate glass sizes for panel sizes not listed, simply take the glass size for the next largest panel and SUBTRACT the panel size difference (in inches) from the glass size.

Examples:


1. For a WPGF4808 specified at a ceiling height of 95" the glass size to order is:
 - a. $82.75" - 1" = 81.75"$
 - b. $43.625"$

2. For a WPGF4208 specified at a ceiling height of 95" the glass size to order is:


- a. $82.75" - 1" = 81.75"$
- b. $43.625" - 6" = 37.625"$ (43.625 from the chart for a 48"-wide panel - 6" as $48" - 42" = 6"$)

3. For a WPGD4209 specified at a ceiling height of 104.5" and a door height of 7' the glass size to order is:


- a. 74.25" (For a DOOR LITE, the glass height is always 74.25, regardless of panel height)
- b. $43.625" - 6" = 37.625"$




Glazed Full Lite



Glazed Full Lite to Door Height



Glazed Window Lite



Glazed Hi Lite

Glass Sizes for Glazed Panels

Full Lite

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	82 ³ / ₄ " (2102)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
9' (2743)	94 ³ / ₄ " (2407)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
10' (3048)	106 ³ / ₄ " (2711)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Full Lite To Door Height — 6'8" (2032) Door

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	70 ¹ / ₄ " (1784)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Full Lite To Door Height — 7' (2134) Door

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	74 ¹ / ₄ " (1886)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Window Lite — 42" (1067) Glass Line To 6'8" (2032) Door Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	37" (940)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Window Lite — 42" (1067) Glass Line To 7' (2134) Door Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	41" (1041)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Hi Lite — 6'8" (2032) Door Height To Full Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	10 ³ / ₄ " (273)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
9' (2743)	22 ³ / ₄ " (578)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
10' (3048)	34 ³ / ₄ " (883)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Hi Lite — 7' (2134) Door Height To Full Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	6 ³ / ₄ " (171)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
9' (2743)	18 ³ / ₄ " (476)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)
10' (3048)	30 ³ / ₄ " (781)	7 ⁵ / ₈ " (194)	19 ⁵ / ₈ " (499)	31 ⁵ / ₈ " (803)	43 ⁵ / ₈ " (1108)

Solid Panels

TrendWall Solid Panels are constructed using a welded steel frame with a theta-fiber core and 3/8" (10) gypsum wall-board skins that can be laminated with a wide variety of vinyls or fabrics.

Solid Panels can be ordered in heights ranging from 7' (2134) to 10' (3048) in 1/4" (6) increments.

The inside and outside skins can be in one of the following combinations:

- Vinyl/Vinyl
- Vinyl/Fabric
- Fabric/Fabric

Note: When mixing fabrics and vinyls on a single panel, the panel is priced at the highest grade surface material selected.


Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.
Example: 3'6" = 42".


Note: This panel is not to be used when mounting accessories (eg. monitors, paintings, etc.)

Solid Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	7' (2134)	\$ 98	\$127	\$134	\$ 143	\$ 148	\$ 154	\$ 159	\$ 161	\$ 171	\$ 179
12" (305)	to	197	257	273	284	295	306	316	324	342	359
18" (457)	8' (2438)	294	383	406	425	442	457	474	486	512	537
24" (610)		391	510	541	566	587	609	631	645	679	714
30" (762)		489	641	676	709	741	775	807	808	851	894
36" (914)		589	770	815	852	884	917	950	970	1022	1075
42" (1067)		685	895	948	991	1035	1079	1122	1131	1191	1252
48" (1219)		783	1023	1083	1134	1178	1221	1265	1293	1362	1431
6" (152)	8 1/4" (2445)	\$ 112	\$142	\$149	\$ 158	\$ 163	\$ 169	\$ 174	\$ 176	\$ 186	\$ 194
12" (305)	to	226	286	302	313	324	335	345	353	371	388
18" (457)	9' (2743)	337	426	449	468	485	500	517	529	555	580
24" (610)		448	568	599	624	645	667	689	703	737	772
30" (762)		563	714	749	782	814	848	880	881	924	967
36" (914)		674	855	900	937	969	1002	1035	1055	1107	1160
42" (1067)		785	995	1048	1091	1135	1179	1222	1231	1291	1352
48" (1219)		898	1137	1197	1248	1292	1335	1379	1407	1476	1545
6" (152)	9 1/4" (2750)	\$127	\$ 156	\$ 163	\$ 172	\$ 177	\$ 183	\$ 188	\$ 190	\$ 200	\$ 208
12" (305)	to	254	314	330	341	352	363	373	381	399	416
18" (457)	10' (3048)	381	470	493	512	529	544	561	573	599	624
24" (610)		506	626	657	682	703	725	747	761	795	830
30" (762)		633	784	819	852	884	918	950	951	994	1037
36" (914)		759	940	985	1022	1054	1087	1120	1140	1192	1245
42" (1067)		886	1096	1149	1192	1236	1280	1323	1332	1392	1453
48" (1219)		1013	1253	1313	1364	1408	1451	1495	1523	1592	1661



P0 Shown



P2 Shown

Solid Panel Options

Aluminum Louvers can be added to any Solid Panel 36" (914) or greater by selecting option P1 or P2.

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Color Side 1	Surface Color Side 2	Trim Color	Panel Options
\$ 184 371 554 736 928 1108 1296 1475	\$ 189 381 569 758 960 1141 1340 1519	\$ 195 392 586 780 993 1173 1383 1563	WPS0608 WPS1208 WPS1808 WPS2408 WPS3008 WPS3608 WPS4208 WPS4808	Specify in 1/8" Increments	Specify in 1/4" Increments	See Surface Materials Page 2		Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5	P0 No Cost No Opening P1 + \$ Aluminum Louver Top P2 + \$540 Aluminum Louver Bottom
\$ 199 400 597 794 1001 1193 1396 1589	\$ 204 410 612 816 1033 1226 1440 1633	\$ 210 421 629 838 1066 1258 1483 1677	WPS0609 WPS1209 WPS1809 WPS2409 WPS3009 WPS3609 WPS4209 WPS4809						
\$ 213 428 641 852 1071 1278 1497 1705	\$ 218 438 656 874 1103 1311 1541 1749	\$ 224 449 673 896 1136 1343 1584 1793	WPS0610 WPS1210 WPS1810 WPS2410 WPS3010 WPS3610 WPS4210 WPS4810						
Build your complete Part Number here:			-----						

Sample Part Number:

WPS1209	.12.375	.102.5	.KR4	.KR4	.TY	.P0
---------	---------	--------	------	------	-----	-----

Total Cost \$388 =

\$388	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----	---	-----

Solid Panels for Accessory Mounting

TrendWall Solid Panels are constructed using a welded steel frame with a theta-fiber core and 3/8" (10) gypsum wall-board skins that can be laminated with a wide variety of vinyls or fabrics.

Solid Panels for Accessory Mounting can be ordered in heights ranging from 7' (2134) to 10' (3048) in 1/4" (6) increments.

The inside and outside skins can be in one of the following combinations:

- Vinyl/Vinyl
- Vinyl/Fabric
- Fabric/Fabric


Note: When mixing fabrics and vinyls on a single panel, the panel is priced at the highest grade surface material selected.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.


Example: 7'6 1/2" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.

Example: 3'6" = 42".



P0 Shown



P2 Shown

Solid Panels for Accessory Mounting

Dimensions Width Height		List Price									
		Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	7' (2134)	\$ 132	\$162	\$169	\$ 178	\$ 183	\$ 189	\$ 194	\$ 196	\$ 206	\$ 214
12" (305)	to	267	327	343	354	365	376	386	394	412	429
18" (457)	8' (2438)	397	486	509	528	545	560	577	589	615	640
24" (610)		527	647	678	703	724	746	768	782	816	851
30" (762)		660	812	847	880	912	946	978	979	1022	1065
36" (914)		795	975	1020	1057	1089	1122	1155	1175	1227	1280
42" (1067)		924	1134	1187	1230	1274	1318	1361	1370	1430	1491
48" (1219)		1057	1297	1357	1408	1452	1495	1539	1567	1636	1705
6" (152)	8 1/4" (2445)	\$ 152	\$182	\$189	\$ 198	\$ 203	\$ 209	\$ 214	\$ 216	\$ 226	\$ 234
12" (305)	to	305	364	380	391	402	413	423	431	449	466
18" (457)	9' (2743)	456	545	568	587	604	619	636	648	674	699
24" (610)		605	725	756	781	802	824	846	860	894	929
30" (762)		759	910	945	978	1010	1044	1076	1077	1120	1163
36" (914)		910	1091	1136	1173	1205	1238	1271	1291	1343	1396
42" (1067)		1061	1271	1324	1367	1411	1455	1498	1507	1567	1628
48" (1219)		1212	1451	1511	1562	1606	1649	1693	1721	1790	1859
6" (152)	9 1/4" (2750)	\$ 170	\$200	\$207	\$ 216	\$ 221	\$ 227	\$ 232	\$ 234	\$ 244	\$ 252
12" (305)	to	344	404	420	431	442	453	463	471	489	506
18" (457)	10' (3048)	513	603	626	645	662	677	694	706	732	757
24" (610)		683	802	833	858	879	901	923	937	971	1006
30" (762)		854	1005	1040	1073	1105	1139	1171	1172	1215	1258
36" (914)		1026	1206	1251	1288	1320	1353	1386	1406	1458	1511
42" (1067)		1197	1407	1460	1503	1547	1591	1634	1643	1703	1764
48" (1219)		1368	1608	1668	1719	1763	1806	1850	1878	1947	2016

Solid Panel Options

Aluminum Louvers can be added to any Solid Panel 36" (914) or greater by selecting option P1 or P2.

Accessory Mounting – Wood Block Option Location

The **AV** option includes 2 - 10" wood blocks mounted 26" and 65" from the bottom.

The **CH** option includes 2 - 10" wood blocks mounted 46 ½" and 56 ½" from the bottom.

The **2CH** option includes 2 - 10" wood blocks mounted 56 ½" and 69" from the bottom.

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Side 1	Color Side 2	Trim Color	Panel Options	Wood Block Location
\$ 219	\$ 224	\$ 230	WPSWB0608	Specify in '1/8" Increments	Specify in '1/4" Increments	See Surface Materials Page 2		Standard Finishes No Cost	P0 No Cost No Opening	No Cost AV
441	451	462	WPSWB1208							
657	672	689	WPSWB1808							
873	895	917	WPSWB2408							
1099	1131	1164	WPSWB3008							
1313	1346	1378	WPSWB3608							
1535	1579	1622	WPSWB4208							
1749	1793	1837	WPSWB4808							
\$ 239	\$ 244	\$ 250	WPSWB0609							
478	488	499	WPSWB1209							
716	731	748	WPSWB1809							
951	973	995	WPSWB2409							
1197	1229	1262	WPSWB3009							
1429	1462	1494	WPSWB3609							
1672	1716	1759	WPSWB4209							
1903	1947	1991	WPSWB4809							
\$ 257	\$ 262	\$ 268	WPSWB0610					See Surface Materials Page 5	P1 + \$540 Aluminum Louver Top	CH Component Height
518	528	539	WPSWB1210							
774	789	806	WPSWB1810							
1028	1050	1072	WPSWB2410							
1292	1324	1357	WPSWB3010							
1544	1577	1609	WPSWB3610							
1808	1852	1895	WPSWB4210							
2060	2104	2148	WPSWB4810							
Build your complete Part Number here:			-----							

</										



Filler Panels

TrendWall Filler Panels are designed to be easily field cut on one end to allow for wall run-out. Filler Panels are placed at the end of a TrendWall Panel run that abuts a fixed wall using a wall channel. Filler Panels have one steel side rail and a vinyl or fabric surface laminated to a core of gypsum and Styrofoam. They are available in both Filler Panel and Ceiling Filler Panel styles.

Filler Panels are available in heights ranging from 7' (2134) to 10' (3048) and are intended to be used next to Solid or Glazed Panels.

Note: One wall channel should be ordered for every Filler Panel.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6½" = 90.5".



Filler Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	7' (2134)	\$ 98	\$127	\$134	\$143	\$148	\$154	\$ 159	\$ 161	\$ 171	\$ 179
12" (305)	to	197	257	273	284	295	306	316	324	342	359
18" (457)	8' (2438)	294	383	406	425	442	457	474	486	512	537
24" (610)		391	510	541	566	587	609	631	645	679	714
30" (762)		489	641	676	709	741	775	807	808	851	894
36" (914)		589	770	815	852	884	917	950	970	1022	1075
42" (1067)		685	895	948	991	1035	1079	1122	1131	1191	1252
48" (1219)		783	1023	1083	1134	1178	1221	1265	1293	1362	1431
6" (152)	8 1/4" (2445)	\$ 112	\$142	\$149	\$ 158	\$ 163	\$ 169	\$ 174	\$ 176	\$ 186	\$ 194
12" (305)	to	226	286	302	313	324	335	345	353	371	388
18" (457)	9' (2743)	337	426	449	468	485	500	517	529	555	580
24" (610)		448	568	599	624	645	667	689	703	737	772
30" (762)		563	714	749	782	814	848	880	881	924	967
36" (914)		674	855	900	937	969	1002	1035	1055	1107	1160
42" (1067)		785	995	1048	1091	1135	1179	1222	1231	1291	1352
48" (1219)		898	1137	1197	1248	1292	1335	1379	1407	1476	1545
6" (152)	9 1/4" (2750)	\$127	\$ 156	\$ 163	\$ 172	\$ 177	\$ 183	\$ 188	\$ 190	\$ 200	\$ 208
12" (305)	to	254	314	330	341	352	363	373	381	399	416
18" (457)	10' (3048)	381	470	493	512	529	544	561	573	599	624
24" (610)		506	626	657	682	714	747	779	761	795	830
30" (762)		633	784	819	852	884	918	950	951	994	1037
36" (914)		759	940	985	1022	1054	1087	1120	1140	1192	1245
42" (1067)		886	1096	1149	1192	1236	1280	1323	1332	1392	1453
48" (1219)		1013	1253	1313	1364	1408	1451	1495	1523	1592	1661

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Height	Surface Color Side 1 Side 2	Trim Color
\$ 184 371 554 736 928 1108 1296 1475	\$ 189 381 569 758 960 1141 1340 1519	\$ 195 392 586 780 993 1173 1383 1563	WPF0608 WPF1208 WPF1808 WPF2408 WPF3008 WPF3608 WPF4208 WPF4808	Specify in 1/4" Increments	See Surface Materials Page 2	Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
\$ 199 400 597 794 1001 1193 1396 1589	\$ 204 410 612 816 1033 1226 1440 1633	\$ 210 421 629 838 1066 1258 1483 1677	WPF0609 WPF1209 WPF1809 WPF2409 WPF3009 WPF3609 WPF4209 WPF4809			
\$ 213 428 641 862 1071 1278 1497 1705	\$ 218 438 656 896 1103 1311 1541 1749	\$ 224 449 673 928 1136 1343 1584 1793	WPF0610 WPF1210 WPF1810 WPF2410 WPF3010 WPF3610 WPF4210 WPF4810			
Build your complete Part Number here:			-----	---	---	--

Sample
Part Number:

WPF1210	.102.5	.KR4	.KR4	.FY
---------	--------	------	------	-----

Total Cost \$449 =

\$416	+	N/C	+	N/C	+	N/C	+	\$33
-------	---	-----	---	-----	---	-----	---	------

Glazed Panels

TrendWall Glazed Panels are constructed using the same welded frame and core materials as the TrendWall Solid Panels, but also include a framed opening that accommodates 1/4" (6) thick glass.

TrendWall Glazed Panels are available in a variety of opening styles:

- Full Lite - A Full Lite opening begins at 9 1/4" (235) from the floor and ends 3 1/2" (89) from the ceiling.

Full Lite Glazed panels have the ability to become multi-segmented by simply

selecting the base panel style and specifying the number of segments in the Glazed Segment option string.



S1 - 1 Opening **S2** - 2 Opening
S3 - 3 Opening **S4** - 4 Opening
S5 - 5 Opening

Example: To obtain a Full Lite panel with two segments, choose catalog number WPGF and add option S2.

Note: Full Lite panels are segmented at the specified door height. If a different glass line is desired, use a Segmented Variable Glazed Panel.

Full Lite Glazed Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl COM	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
12" (305)	7' (2134)	\$232	\$292	\$305	\$312	\$317	\$322	\$328	\$328	\$347	\$365
24" (610)	to	465	587	610	624	641	657	674	659	696	731
36" (914)	8' (2438)	698	880	915	937	954	969	986	988	1044	1096
48" (1219)		930	1174	1218	1248	1270	1292	1314	1319	1393	1461
12" (305)	8 1/4" (2445)	\$243	\$311	\$322	\$330	\$336	\$342	\$347	\$372	\$389	\$407
24" (610)	to	485	622	642	659	675	691	708	741	775	811
36" (914)	9' (2743)	727	931	961	988	1010	1032	1054	1112	1164	1216
48" (1219)		969	1244	1282	1316	1349	1382	1414	1481	1550	1620
12" (305)	9 1/4" (2750)	\$258	\$325	\$340	\$345	\$351	\$357	\$362	\$398	\$413	\$432
24" (610)	to	518	652	683	692	708	724	741	799	829	865
36" (914)	10' (3048)	776	977	1022	1037	1059	1081	1103	1197	1242	1298
48" (1219)		1034	1302	1363	1381	1414	1447	1479	1597	1655	1731



Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.
Example: 3'6" = 42".

Glazing Options

Basic Glazed Panels DO NOT come with any glass or glass alternative from Trendway. There are, however, numerous ways to glaze TrendWall Glaze Panels, including a factory direct option. These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All ¹/₄" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74¹/₄" (1886).

Note: All graded in glazing alternatives (G1, G2 and G3) are shipped from Trendway, but need to be field installed.

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Side 1	Color Side 2	Glazed Segments	Door Height	Glazing Options	Glazing Color	Trim Color
\$ 370 748 1113 1483	\$ 377 765 1130 1505	\$ 382 780 1146 1527	WPGF1208 WPGF2408 WPGF3608 WPGF4808	Specify Panel Width in ¹ / ₈ " Increments	Specify Ceiling Height in ¹ / ₄ " Increments	See Surface Materials Page 2		S1 No Cost 1 Opening S2 + \$46 12" (305)* + \$89 24" (610)* + \$135 36" (914)* + \$179 48" (1219)* S3 + \$89 12" (305)* + \$179 24" (610)* + \$270 36" (914)* + \$361 48" (1219)* S4 + \$135 12" (305)* + \$270 24" (610)* + \$406 36" (914)* + \$540 48" (1219)* S5 + \$179 12" (305)* + \$361 24" (610)* + \$540 36" (914)* + \$720 48" (1219)* *Panel Width	6'8" (2032) Door 7' (2134) Door	GN No Cost No Glass G1 and G3 + \$436 12" (305)- Wide Panel + \$872 24" (610)- Wide Panel + \$1308 36" (914)- Wide Panel + \$1744 48" (1219)- Wide Panel G2 + \$311 12" (305)- Wide Panel + \$436 24" (610)- Wide Panel + \$466 36" (914)- Wide Panel + \$561 48" (1219)- Wide Panel	Specify only if G1, G2 or G3 is selected See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
\$ 413 827 1238 1652	\$ 418 843 1259 1686	\$ 423 859 1281 1718	WPGF1209 WPGF2409 WPGF3609 WPGF4809									
\$ 437 882 1320 1763	\$ 442 898 1342 1796	\$ 448 914 1364 1829	WPGF1210 WPGF2410 WPGF3610 WPGF4810									
Build your complete Part Number here:			-----	----	---	---	---	--	--	--	---	--

Sample
Part Number:

WPGF3609	.36.375	.102.5	.KR4	.KR4	.S2	.7H	.GN	N/A	.FY
----------	---------	--------	------	------	-----	-----	-----	-----	-----

Total Cost \$1384 =

\$1216	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/A	+	\$33
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------

Continued

TrendWall Glazed Panels are available in a variety of opening styles:

- Door Height - A Door Height opening begins at 9 1/4" (235) from the floor and ends 3 1/2" (89) from the ceiling.

Door Height Glazed panels have the ability to become multi-segmented by simply selecting the base panel style and specifying the number of segments in the Glazed Segment option string.





S1 - 1 Opening **S2** - 2 Opening

S3 - 3 Opening **S4** - 4 Opening

Example: To obtain a Door Height panel with two segments, choose catalog number WPGD and add option S2.

Door Height Glazed Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
12" (305)	7'2" (2184)	\$232	\$292	\$ 305	\$ 312	\$ 317	\$ 322	\$ 328	\$ 328	\$ 347	\$ 365
24" (610)	to	465	587	610	624	641	657	674	659	696	731
36" (914)	8' (2438)	698	880	915	937	954	969	986	988	1044	1096
48" (1219)		930	1174	1218	1248	1270	1292	1314	1319	1393	1461
12" (305)	8 ¹¹ / ₄ " (2445)	\$243	\$ 311	\$ 322	\$ 330	\$ 336	\$ 342	\$ 347	\$ 372	\$ 389	\$ 407
24" (610)	to	485	622	642	659	675	691	708	741	775	811
36" (914)	9' (2743)	727	931	961	988	1010	1032	1054	1112	1164	1216
48" (1219)		969	1244	1282	1316	1349	1382	1414	1481	1550	1620
12" (305)	9 ¹¹ / ₄ " (2750)	\$258	\$ 325	\$ 340	\$ 345	\$ 351	\$ 357	\$ 362	\$ 398	\$ 413	\$ 432
24" (610)	to	518	652	683	692	708	724	741	799	829	865
36" (914)	10' (3048)	776	977	1022	1037	1059	1081	1103	1197	1242	1298
48" (1219)		1034	1302	1363	1381	1414	1447	1479	1597	1655	1731



Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.
Example: 3'6" = 42".

Glazing Options

Basic Glazed Panels DO NOT come with any glass or glass alternative from Trendway. There are, however, numerous ways to glaze TrendWall Glaze Panels, including a factory direct option. These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All 1/4" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74 1/4" (1886).

Note: All graded in glazing alternatives (G1, G2 and G3) are shipped from Trendway, but need to be field installed.

Fabric			Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Color		Glazed Segments	Door Height	Glazing Options	Glazing Color	Trim Color	Panel Options
Fabric 4	Fabric 5	Fabric 6				Side 1	Side 2						
\$ 370	\$ 377	\$ 382	WPGD1208	Specify Panel Width in 1/8" Increments	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		S1 No Cost 1 Opening	6H 6'8" (2032) Door	GN No Cost No Glass	Specify only if G1, G2 or G3 is selected	Standard Finishes No Cost	P0 No Cost No Opening
748	765	780	WPGD2408										
1113	1130	1146	WPGD3608										
1483	1505	1527	WPGD4808										
\$ 413	\$ 418	\$ 423	WPGD1209									Premium Finishes + \$33	P1 + \$540 Aluminum Louver Top
827	843	859	WPGD2409										
1238	1259	1281	WPGD3609										
1652	1686	1718	WPGD4809										
\$ 437	\$ 442	\$ 448	WPGD1210										
882	898	914	WPGD2410										
1320	1342	1364	WPGD3610										
1763	1796	1829	WPGD4810										
Build your complete Part Number here:			-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sample Part Number:

WPGD1209	.12.375	.102.5	.BN2	.BN2	.S4	.7H	.G2	.T03	.K	.P0
\$372	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$725 =

Continued

TrendWall Glazed Panels are available in a variety of opening styles:

- Window Lite - A Window Lite opening begins at 42 1/2" (1080) from the floor and ends at the door height (80" [2032] or 84" [2134]).
- Hi Lite - A Hi Lite opening begins at the door height (80" [2032] or 84" [2134]) and ends 31 1/2" (89) from the ceiling.

Glazed Panel Option:

P2 - Aluminum Louver Bottom. Aluminum Louvers can be added to any Solid Panel 36" (914) or greater.

Window Lite Glazed Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
12" (305)	7'2" (2184)	\$232	\$292	\$305	\$312	\$317	\$322	\$328	\$328	\$347	\$365
24" (610)	to	465	587	610	624	641	657	674	659	696	731
36" (914)	8' (2438)	698	880	915	937	954	969	986	988	1044	1096
48" (1219)		930	1174	1218	1248	1270	1292	1314	1319	1393	1461
12" (305)	8 1/4" (2445)	\$243	\$311	\$322	\$330	\$336	\$342	\$347	\$372	\$389	\$407
24" (610)	to	485	622	642	659	675	691	708	741	775	811
36" (914)	9' (2743)	727	931	961	988	1010	1032	1054	1112	1164	1216
48" (1219)		969	1244	1282	1316	1349	1382	1414	1481	1550	1620
12" (305)	9 1/4" (2750)	\$258	\$325	\$340	\$345	\$351	\$357	\$362	\$398	\$413	\$432
24" (610)	to	518	652	683	692	708	724	741	799	829	865
36" (914)	10' (3048)	776	977	1022	1037	1059	1081	1103	1197	1242	1298
48" (1219)		1034	1302	1363	1381	1414	1447	1479	1597	1655	1731

Hi Lite Glazed Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
12" (305)	7'8" (2337)	\$232	\$292	\$305	\$312	\$317	\$322	\$328	\$328	\$347	\$365
24" (610)	to	465	587	610	624	641	657	674	659	696	731
36" (914)	8' (2438)	698	880	915	937	954	969	986	988	1044	1096
48" (1219)		930	1174	1218	1248	1270	1292	1314	1319	1393	1461
12" (305)	8 1/4" (2445)	\$243	\$311	\$322	\$330	\$336	\$342	\$347	\$372	\$389	\$407
24" (610)	to	485	622	642	659	675	691	708	741	775	811
36" (914)	9' (2743)	727	931	961	988	1010	1032	1054	1112	1164	1216
48" (1219)		969	1244	1282	1316	1349	1382	1414	1481	1550	1620
12" (305)	9 1/4" (2750)	\$258	\$325	\$340	\$345	\$351	\$357	\$362	\$398	\$413	\$432
24" (610)	to	518	652	683	692	708	724	741	799	829	865
36" (914)	10' (3048)	776	977	1022	1037	1059	1081	1103	1197	1242	1298
48" (1219)		1034	1302	1363	1381	1414	1447	1479	1597	1655	1731

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.

Example: 3'6" = 42".

Glazing Options

Basic Glazed Panels DO NOT come with any glass or glass alternative from Trendway. There are, however, numerous ways to glaze TrendWall Glaze Panels, including a factory direct option. These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All 1/4" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74¹/₄" (1886).

Note: All graded in glazing alternatives (G1, G2 and G3) are shipped from Trendway, but need to be field installed.

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Side 1	Color Side 2	Door Height	Glazing Options	Glazing Color	Trim Color	Panel Options												
\$ 370 748 1113 1483	\$ 377 765 1130 1505	\$ 382 780 1146 1527	WPGW1208 WPGW2408 WPGW3608 WPGW4808	Specify Ceiling Width in 1/8" Increments	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		6H 6'8" (2032) Door	GN No Cost No Glass G1 & G3 +\$280 G2 + \$75 12" (305)- Wide Panel G1 & G3 +\$560 G2 + \$150 24" (610)- Wide Panel G1 & G3 +\$840 G2 + \$225 36" (914)- Wide Panel G1 & G3 +\$1120 G2 + \$300 48" (1219)- Wide Panel	Specify only if G1, G2 or G3 is selected See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5	P0 No Cost No Opening P2 + \$540 Aluminum Louver Bottom												
\$ 413 827 1238 1652	\$ 418 843 1259 1686	\$ 423 859 1281 1718	WPGW1209 WPGW2409 WPGW3609 WPGW4809																					
\$ 437 882 1320 1763	\$ 442 898 1342 1796	\$ 448 914 1364 1829	WPGW1210 WPGW2410 WPGW3610 WPGW4810																					
Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number														Panel Options							
\$ 370 748 1113 1483	\$ 377 765 1130 1505	\$ 382 780 1146 1527	WPGH1208 WPGH2408 WPGH3608 WPGH4808														P0 No Cost No Opening P2 + \$540 Aluminum Louver Bottom							
\$ 413 827 1238 1652	\$ 418 843 1259 1686	\$ 423 859 1281 1718	WPGH1209 WPGH2409 WPGH3609 WPGH4809																					
\$ 437 882 1320 1763	\$ 442 898 1342 1796	\$ 448 914 1364 1829	WPGH1210 WPGH2410 WPGH3610 WPGH4810																					
Build your complete Part Number here:			_____					_____	_____				_____	_____	_____	_____	_____	_____	_____					
Sample Part Number:			WPGH3609					.36.375	.102.5				.AQ0	.AQ0	.7H	.G1	.E02	.FY	.P0					
Total Cost \$1452 =			\$1216					+	N/C				+	N/C	+	N/C	+	\$203	+	N/C	+	\$33	+	N/C

Sliding Window Lite Glazed Panels

Sliding Window Lite Glazed Panels feature a framed opening with an installed track to accommodate by-pass glass windows that are field installed. Panels can be ordered with optional shelf.

The Window Lite opening begins at 42 1/2" (1080) from the floor and ends at the door height (80" [2032] or 84" [2134]).

Glazing Options

Glazed Panels can be specified with or without glass. These options are:


- GN (No glass). If this option is chosen, no glass will be supplied. All 1/4" (6) material will need to be field installed.
- G1Z – Clear Tempered Glass Glazing Alternative
- G3Z – Frost and Clear Laminated Glass Glazing Alternative

Note: G1Z glazing options are not available in cut sizes over 74 1/4" (1886)


Note: All graded in glazing alternatives (G1Z and G3Z) are shipped from Trendway, but need to be field installed.

Sliding Window Lite Glazed Panels

Dimensions Width Height		List Price Fabric Grade									
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
36" (914)	7'2" (2184)	\$1021	\$1203	\$1238	\$1260	\$1277	\$1292	\$1309	\$1311	\$1367	\$1419
42" (1067)	to	1137	1350	1390	1416	1435	1454	1473	1477	1542	1602
48" (1219)	8' (2438)	1253	1497	1541	1571	1593	1615	1637	1642	1716	1784
36" (914)	8 1/4" (2445)	\$1050	\$1254	\$1284	\$1311	\$1333	\$1355	\$1377	\$1435	\$1487	\$1539
42" (1067)	to	1171	1411	1445	1475	1503	1530	1557	1620	1680	1741
48" (1219)	9' (2743)	1292	1567	1605	1639	1672	1705	1737	1804	1873	1943
36" (914)	9 1/4" (2750)	\$1099	\$1300	\$1345	\$1360	\$1382	\$1404	\$1426	\$1520	\$1565	\$1621
24" (1067)	to	1228	1463	1516	1532	1560	1587	1614	1720	1772	1838
48" (1219)	10' (3048)	1357	1625	1686	1704	1737	1770	1802	1920	1978	2054



Shown without Shelf



Shown with Shelf

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Shelf Option	Shelf Color	Panel Dimension Height	Surface Color Side 1	Surface Color Side 2	Door Height	Glazing Options	Glazing Color	Trim Color
\$1436 1621 1806	\$1453 1641 1828	\$1469 1660 1850	WPGSW3608 WPGSW4208 WPGSW4808	WO No Cost No Shelf	No Cost Standard Solid High Pressure Laminate Only	Specify Ceiling Height in '1/4" Increments	See Surface Materials Page 2		No Cost 6H 6'8" Door	GN No Cost No Glass	Specify only if G1Z or G3Z is selected	Standard Finishes No Cost
\$1561 1768 1975	\$1582 1796 2009	\$1604 1823 2041	WPGSW3609 WPGSW4209 WPGSW4809	WS Shelf 36" Shelf + \$369	See Surface Material Page 4				7H 7' Door	G1Z 36" (914)- Wide Panel + \$225	See Surface Materials Page 5	Premium Finishes + \$33
\$1643 1864 2085	\$1665 1892 2119	\$1687 1920 2152	WPGSW3610 WPGSW4210 WPGSW4810	42" Shelf + \$375 48" Shelf + \$380						42" (914)- Wide Panel + \$262 48" (1219)- Wide Panel + \$300 G3Z 36" (914)- Wide Panel + \$840 42" (914)- Wide Panel + \$980 48" (1219)- Wide Panel + \$1120		See Surface Materials Page 5
Build your complete Part Number here:			_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

Sample
Part Number:

WPGSW3608	.WS	.573	36.375	.KR4	.KR4	.7H	.G1Z	.T2A	.L
-----------	-----	------	--------	------	------	-----	------	------	----

Total Cost \$2013 =

\$1419	+	\$369	+	N/C	+	N/C	+	N/C	+	N/C	+	\$225	+	N/C	+	N/C
--------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-------	---	-----	---	-----

Continued

TrendWall Glazed Panels for Accessory Mounting are available in a variety of opening styles:

- Hi Lite - A Hi Lite opening begins at the door height (80" [2032] or 84" [2134]) and ends 3 1/2" (89) from the ceiling.

Glazed Panel Options

In addition to aluminum louvers, additional panel options are available in Glazed Panels. They are:

- P2** - Aluminum Louver Bottom. Aluminum Louvers can be added to any Solid Panel 36" (914) or greater.


Accessory Mounting – Wood Block Option Location

The **AV** option includes 2 - 10" wood blocks mounted 26" and 65" from the bottom.

The **CH** option includes 2 - 10" wood blocks mounted 46 1/2" and 56 1/2" from the bottom.

The **2CH** option includes 2 - 10" wood blocks mounted 56 1/2" and 69" from the bottom.

Hi Lite Glazed Panels for Accessory Mounting



Dimensions Width Height		List Price										
		Fabric Grade										
		Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3	
12" (305)	7'8" (2337)	\$312	\$372	\$385	\$392	\$397	\$402	\$408	\$408	\$427	\$445	
24" (610)	to	628	750	773	787	804	820	837	822	859	894	
36" (914)	8' (2438)	942	1124	1159	1181	1198	1213	1230	1232	1288	1340	
48" (1219)		1254	1498	1542	1572	1594	1616	1638	1643	1717	1785	
12" (305)	8 1/4" (2445)	\$329	\$397	\$408	\$416	\$422	\$428	\$433	\$458	\$475	\$493	
24" (610)	to	654	791	811	828	844	860	877	910	944	980	
36" (914)	9' (2743)	982	1186	1216	1243	1265	1287	1309	1367	1419	1471	
48" (1219)		1309	1584	1622	1656	1689	1722	1754	1821	1890	1960	
12" (305)	9 1/4" (2750)	\$348	\$415	\$430	\$435	\$441	\$447	\$452	\$488	\$503	\$522	
24" (610)	to	699	833	864	873	889	905	922	980	1010	1046	
36" (914)	10' (3048)	1047	1248	1293	1308	1330	1352	1374	1468	1513	1569	
48" (1219)		1396	1664	1725	1743	1776	1809	1841	1959	2017	2093	

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.

Example: 3'6" = 42".

Glazing Options

Basic Glazed Panels DO NOT come with any glass or glass alternative from Trendway. There are, however, numerous ways to glaze TrendWall Glaze Panels, including a factory direct option. These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All ¹/₄" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74¹/₄" (1886).

Note: All graded in glazing alternatives (G1, G2 and G3) are shipped from Trendway, but need to be field installed.


Fabric			Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Color		Door Height	Glazing Options	Glazing Color	Trim Color	Panel Options	Wood Block Location										
Fabric 4	Fabric 5	Fabric 6				Side 1	Side 2																
\$ 450 911 1357 1807	\$ 457 928 1374 1829	\$ 462 943 1390 1851	WPGHWP1208 WPGHWP2408 WPGHWP3608 WPGHWP4808	Specify Ceiling Width in '1/8" Increments	Specify Ceiling Height in '1/4" Increments	See Surface Materials Page 2	6H 6'8" (2032) Door	GN No Cost No Glass	Specify only if G1, G2 or G3 is selected	Standard Finishes No Cost	P0 No Cost No Opening	No Cost AV											
\$ 499 996 1493 1992	\$ 504 1012 1514 2026	\$ 509 1028 1536 2058	WPGHWP1209 WPGHWP2409 WPGHWP3609 WPGHWP4809										CH Component Height										
\$ 527 1063 1591 2125	\$ 532 1079 1613 2158	\$ 538 1095 1635 2191	WPGHWP1210 WPGHWP2410 WPGHWP3610 WPGHWP4810											2CH Dual Overhead Height									
Build your complete Part Number here:			_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____										
Sample Part Number:			WPGHWP3609	.36.375	.102.5	.KR4	.KR4	.7H	.G1	.E02	.FY	.P0	.CH										
Total Cost \$1707 =			\$1471	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$203	+	N/C	+	\$33	+	N/C	+	N/C

Specifying TrendWall® Variable Glass Panels with Custom Segments

TrendWall Variable Glass Panels with Custom Segments allow specifiers to select a different height, placement and glazing material for each individual segment in a panel. This is especially useful for designs requiring a segment of non-transparent material to provide a degree of privacy, or to create a special sill height.


Customers can choose up to 5 segments per panel. Different catalog numbers apply according to the number of segments desired. Segments are specified as S1, S2, S3, S4, S5 as required, with the lowest segment in the panel always A1, the next lowest A2, etc. up to A5. Panel Widths are available from 12" - 48" in 1/8" increments (same as Glazed Panels).

There are three basic categories of Variable Glass Panels with Custom Segments: Full Height, Door Height with Top Glass and Door Height with Top Solid.



In order to specify these panels, you will need to determine the following:

1. Panel type from the 3 options above
2. Ceiling height
3. Panel width
4. The Sill height (minimum 9.25")
5. Glass Size Pricing Category for each section (8 categories, 1A - 1H, depending on the size)
6. The position (height) of each glass line, measured from above the finished floor level



Catalog numbers for variable glass panels with custom segments will begin with one of the following: WPGV__, WPGVF__, WPGVD__, and end with S1, S2, S3, S4 or S5.

To easily determine the Glass Size Pricing category, use the Variable Panel Worksheet, located in the Products/Specifications - Training section of Trenddealer, under the Architectural Products category. This easy-to-use tool will generate the category for each segment to simplify final specification. [Click here to see it now.](#)

Ceiling Stacker Panels

TrendWall Ceiling Stacker Panels are constructed using a welded steel frame with a thermafiber core and 3/8" (10) gypsum wall-board skins that can be laminated with a wide variety of vinyls or fabrics. Ceiling Stacker Panels are used in conjunction with other panels to reach ceiling heights greater than 10' (3048).


Ceiling Stacker Panels may not be used with component mounting.

Ceiling Braces must be used at every door section and every 8' (2438).

Note: When mixing fabrics and vinyls on a single panel, the panel is priced at the highest grade surface material selected.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".

Specify actual panel width in inches using a decimal to represent fractions in one eighth inch increments.
Example: 3'6" = 42".



Ceiling Stacker Panels

Dimensions		List Price									
		Fabric Grade									
Width	Height	Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	1' (305)-2' (610)	\$ 35	\$ 53	\$ 62	\$ 66	\$ 72	\$ 78	\$ 83	\$ 77	\$ 83	\$ 88
12" (305)	1' (305)-2' (610)	70	101	124	134	145	156	167	154	164	177
18" (457)	1' (305)-2' (610)	107	155	188	202	213	223	235	232	247	266
24" (610)	1' (305)-2' (610)	141	203	249	268	290	311	333	309	327	352
30" (762)	1' (305)-2' (610)	176	255	311	335	357	379	400	384	410	441
36" (914)	1' (305)-2' (610)	211	305	373	404	436	470	502	462	493	529
42" (1067)	1' (305)-2' (610)	246	356	433	469	503	535	568	538	573	617
48" (1219)	1' (305)-2' (610)	281	406	495	536	579	623	667	616	655	705
6" (152)	2' 1/4" (686)-3' (914)	\$ 42	\$ 60	\$ 69	\$ 73	\$ 79	\$ 85	\$ 90	\$ 84	\$ 90	\$ 95
12" (305)	2' 1/4" (686)-3' (914)	84	114	137	147	158	169	180	167	177	190
18" (457)	2' 1/4" (686)-3' (914)	125	173	206	220	231	241	253	250	265	284
24" (610)	2' 1/4" (686)-3' (914)	167	229	275	294	316	337	359	335	353	378
30" (762)	2' 1/4" (686)-3' (914)	209	288	344	368	390	412	433	417	443	474
36" (914)	2' 1/4" (686)-3' (914)	251	344	412	443	475	509	541	501	532	568
42" (1067)	2' 1/4" (686)-3' (914)	293	403	480	516	550	582	615	585	620	664
48" (1219)	2' 1/4" (686)-3' (914)	334	459	548	589	632	676	720	669	708	758
6" (152)	3' 1/4" (991)-4' (1219)	\$ 51	\$ 69	\$ 78	\$ 82	\$ 88	\$ 94	\$ 99	\$ 93	\$ 99	\$ 104
12" (305)	3' 1/4" (991)-4' (1219)	101	131	154	164	175	186	197	184	194	207
18" (457)	3' 1/4" (991)-4' (1219)	153	202	235	249	260	270	282	279	294	313
24" (610)	3' 1/4" (991)-4' (1219)	204	266	312	331	353	374	396	372	390	415
30" (762)	3' 1/4" (991)-4' (1219)	255	334	390	414	436	458	479	463	489	520
36" (914)	3' 1/4" (991)-4' (1219)	305	398	466	497	529	563	595	555	586	622
42" (1067)	3' 1/4" (991)-4' (1219)	357	467	544	580	614	646	679	649	684	728
48" (1219)	3' 1/4" (991)-4' (1219)	408	533	622	663	706	750	794	743	782	832

Fabric			Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Color		Trim Color
Fabric 4	Fabric 5	Fabric 6				Side 1	Side 2	
\$ 94	\$ 99	\$ 105	WPC0602	Specify in 1/8" Increments	Specify in 1/4" Increments	See Surface Materials Page 2		Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
187	199	209	WPC1202					
288	310	332	WPC1802					
374	396	418	WPC2402					
473	507	539	WPC3002					
562	595	628	WPC3602					
661	704	748	WPC4202					
749	792	836	WPC4802					
\$ 101	\$ 106	\$ 112	WPC0603					
200	212	222	WPC1203					
306	328	350	WPC1803					
400	422	444	WPC2403					
506	540	572	WPC3003					
601	634	667	WPC3603					
708	751	795	WPC4203					
802	845	889	WPC4803					
\$ 110	\$ 115	\$ 121	WPC0604					
217	229	239	WPC1204					
335	357	379	WPC1804					
437	459	481	WPC2404					
552	586	618	WPC3004					
655	688	721	WPC3604					
772	815	859	WPC4204					
876	919	963	WPC4804					
Build your complete Part Number here:			-----	---	---	---	---	--

Sample
Part Number:

WPC1204	.12.375	.102.5	.KR4	.KR4	.FY
---------	---------	--------	------	------	-----

Total Cost \$240 =

\$207	+	N/C	+	N/C	+	N/C	+	\$33
-------	---	-----	---	-----	---	-----	---	------



Ceiling Stacker Filler Panels

Ceiling Stacker Filler Panels are available in heights ranging from 1' (305) to 4' (1219) and are intended to be used next to Ceiling Panels.

Ceiling Stacker Filler Panels may not be used with component mounting.

Ceiling braces must be used at every door section and every 8' (2438).

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".



Ceiling Stacker Filler Panels

Dimensions		List Price									
		Fabric Grade									
Width	Height	Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	1' (305)-2' (610)	\$ 35	\$ 53	\$ 62	\$ 66	\$ 72	\$ 78	\$ 83	\$ 77	\$ 83	\$ 88
12" (305)	1' (305)-2' (610)	70	101	124	134	145	156	167	154	164	177
18" (457)	1' (305)-2' (610)	107	155	188	202	213	223	235	232	247	266
24" (610)	1' (305)-2' (610)	141	203	249	268	290	311	333	309	327	352
30" (762)	1' (305)-2' (610)	176	255	311	335	357	379	400	384	410	441
36" (914)	1' (305)-2' (610)	211	305	373	404	436	470	502	462	493	529
42" (1067)	1' (305)-2' (610)	246	356	433	469	503	535	568	538	573	617
48" (1219)	1' (305)-2' (610)	281	406	495	536	579	623	667	616	655	705
6" (152)	2' 1/4" (610)-3' (914)	\$ 42	\$ 60	\$ 69	\$ 73	\$ 79	\$ 85	\$ 90	\$ 84	\$ 90	\$ 95
12" (305)	2' 1/4" (610)-3' (914)	84	114	137	147	158	169	180	167	177	190
18" (457)	2' 1/4" (610)-3' (914)	125	173	206	220	231	241	253	250	265	284
24" (610)	2' 1/4" (610)-3' (914)	167	229	275	294	316	337	359	335	353	378
30" (762)	2' 1/4" (610)-3' (914)	209	288	344	368	390	412	433	417	443	474
36" (914)	2' 1/4" (610)-3' (914)	251	344	412	443	475	509	541	501	532	568
42" (1067)	2' 1/4" (610)-3' (914)	293	403	480	516	550	582	615	585	620	664
48" (1219)	2' 1/4" (610)-3' (914)	334	459	548	589	632	676	720	669	708	758
6" (152)	3' 1/4" (991)-4' (1219)	\$ 51	\$ 69	\$ 78	\$ 82	\$ 88	\$ 94	\$ 99	\$ 93	\$ 99	\$ 104
12" (305)	3' 1/4" (991)-4' (1219)	101	131	154	164	175	186	197	184	194	207
18" (457)	3' 1/4" (991)-4' (1219)	153	202	235	249	260	270	282	279	294	313
24" (610)	3' 1/4" (991)-4' (1219)	204	266	312	331	353	374	396	372	390	415
30" (762)	3' 1/4" (991)-4' (1219)	255	334	390	414	436	458	479	463	489	520
36" (914)	3' 1/4" (991)-4' (1219)	305	398	466	497	529	563	595	555	586	622
42" (1067)	3' 1/4" (991)-4' (1219)	357	467	544	580	614	646	679	649	684	728
48" (1219)	3' 1/4" (991)-4' (1219)	408	533	622	663	706	750	794	743	782	832

Fabric Fabric 4	Fabric Fabric 5	Fabric Fabric 6	Catalog Number	Panel Dimension Height	Surface Color Side 1	Side 2	Trim Color
\$ 94	\$ 99	\$ 105	WPCF0602	Specify in 1/4" Increments	See Surface Materials Page 2		Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
187	199	209	WPCF1202				
288	310	332	WPCF1802				
374	396	418	WPCF2402				
473	507	539	WPCF3002				
562	595	628	WPCF3602				
661	704	748	WPCF4202				
749	792	836	WPCF4802				
\$ 101	\$ 106	\$ 112	WPCF0603				
200	212	222	WPCF1203				
306	328	350	WPCF1803				
400	422	444	WPCF2403				
506	540	572	WPCF3003				
601	634	667	WPCF3603				
708	751	795	WPCF4203				
802	845	889	WPCF4803				
\$ 110	\$ 115	\$ 121	WPCF0604				
217	229	239	WPCF1204				
335	357	379	WPCF1804				
437	459	481	WPCF2404				
552	586	618	WPCF3004				
655	688	721	WPCF3604				
772	815	859	WPCF4204				
876	919	963	WPCF4804				
Build your complete Part Number here:			-----	---	---	---	--

Sample Part Number:	WPCF1204		.102.5		.AG0		.AG0		.FY	
Total Cost \$227 =	\$194	+	N/C	+	N/C	+	N/C	+	\$33	

Glazed Ceiling Stacker Panels


TrendWall Glazed Ceiling Stacker Panels are constructed using the same welded steel frame and core materials as the TrendWall Solid Ceiling Stacker Panels, but also include a framed opening that accommodates 1/4" (6)-thick glass. Glazed Ceiling Stacker Panels are used in conjunction with other panels to reach ceiling heights greater than 10' (3048).

Glazed Ceiling Stacker Panels may not be used with component mounting.

Ceiling Braces must be used at every door section and every 8' (2438).

Note: When mixing fabrics and vinyls on a single panel, the panel is priced at the highest grade surface material selected.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".



Glazed Ceiling Stacker Panels

		List Price									
		Fabric Grade									
Width	Dimensions Height	Vinyl/ Vinyl (COM)	Vinyl Fabric 1	Vinyl Fabric 2	Vinyl Fabric 3	Vinyl Fabric 4	Vinyl Fabric 5	Vinyl Fabric 6	Fabric Fabric 1	Fabric Fabric 2	Fabric Fabric 3
6" (152)	1' (305)-2' (610)	\$ 40	\$ 57	\$ 66	\$ 70	\$ 76	\$ 82	\$ 87	\$ 81	\$ 87	\$ 92
12" (305)	1' (305)-2' (610)	80	109	132	142	153	164	175	162	172	185
18" (457)	1' (305)-2' (610)	119	165	198	212	223	233	245	242	257	276
24" (610)	1' (305)-2' (610)	159	218	264	283	305	326	348	324	342	367
30" (762)	1' (305)-2' (610)	199	274	330	354	376	398	419	403	429	460
36" (914)	1' (305)-2' (610)	239	328	396	427	459	493	525	485	516	552
42" (1067)	1' (305)-2' (610)	279	384	461	497	531	563	596	566	601	645
48" (1219)	1' (305)-2' (610)	318	437	526	567	610	654	698	647	686	736
6" (152)	2' 1/4" (610)-3' (914)	\$ 49	\$ 66	\$ 75	\$ 79	\$ 85	\$ 91	\$ 96	\$ 90	\$ 96	\$ 101
12" (305)	2' 1/4" (610)-3' (914)	96	125	148	158	169	180	191	178	188	201
18" (457)	2' 1/4" (610)-3' (914)	146	192	225	239	250	260	272	269	284	303
24" (610)	2' 1/4" (610)-3' (914)	194	253	299	318	340	361	383	359	377	402
30" (762)	2' 1/4" (610)-3' (914)	243	318	374	398	420	442	463	447	473	504
36" (914)	2' 1/4" (610)-3' (914)	290	379	447	478	510	544	576	536	567	603
42" (1067)	2' 1/4" (610)-3' (914)	340	445	522	558	592	624	657	627	662	706
48" (1219)	2' 1/4" (610)-3' (914)	389	508	597	638	681	725	769	718	757	807
6" (152)	3' 1/4" (991)-4' (1219)	\$ 57	\$ 74	\$ 83	\$ 87	\$ 93	\$ 99	\$ 104	\$ 98	\$ 104	\$ 109
12" (305)	3' 1/4" (991)-4' (1219)	114	143	166	176	187	198	209	196	206	219
18" (457)	3' 1/4" (991)-4' (1219)	172	218	251	265	276	286	298	295	310	329
24" (610)	3' 1/4" (991)-4' (1219)	228	287	333	352	374	395	417	393	411	436
30" (762)	3' 1/4" (991)-4' (1219)	286	361	417	441	463	485	506	490	516	547
36" (914)	3' 1/4" (991)-4' (1219)	343	432	500	531	563	597	629	589	620	656
42" (1067)	3' 1/4" (991)-4' (1219)	399	504	581	617	651	683	716	686	721	765
48" (1219)	3' 1/4" (991)-4' (1219)	457	576	665	706	749	793	837	786	825	875

Glazing Options

Basic Glazed Panels DO NOT come with any glass or glass alternative from Trendway. There are, however, numerous ways to glaze TrendWall Glazed Ceiling Stacker Panels, including a factory direct option. These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All 1/4" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74 1/4" (1886).

Note: All graded in glazing alternatives (G1, G2 and G3) are shipped from Trendway, but need to be field installed.

Fabric			Catalog Number	Panel Dimension Width	Panel Dimension Height	Surface Color		Glazing Options	Glazing Color	Trim Color
Fabric 4	Fabric 5	Fabric 6				Side 1	Side 2			
\$ 98	\$ 103	\$ 109	WPCG0602	Specify in 1/8" Increments	Specify in 1/4" Increments	See Surface Materials Page 2		GN No Cost No Glass G1 and G3 + \$132* Glazing G2 + \$62* Glazing *Upcharge Per Foot of Width	Specify only if G1, G2 or G3 is selected See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
195	207	217	WPCG1202							
298	320	342	WPCG1802							
389	411	433	WPCG2402							
492	526	558	WPCG3002							
585	618	651	WPCG3602							
689	732	776	WPCG4202							
780	823	867	WPCG4802							
\$ 107	\$ 112	\$ 118	WPCG0603							
211	223	233	WPCG1203							
325	347	369	WPCG1803							
424	446	468	WPCG2403							
536	570	602	WPCG3003							
636	669	702	WPCG3603							
750	793	837	WPCG4203							
851	894	938	WPCG4803							
\$ 115	\$ 120	\$ 126	WPCG0604							
229	241	251	WPCG1204							
351	373	395	WPCG1804							
458	480	502	WPCG2404							
579	613	645	WPCG3004							
689	722	755	WPCG3604							
809	852	896	WPCG4204							
919	962	1006	WPCG4804							
Build your complete Part Number here:			-----	---	---	---	---	--	--	---

Sample Part Number:

WPCG1204	.12.375	.102.5	.AG0	.AG0	.GN	---	.FY			
\$206	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33

Door Sections

TrendWall Door Sections are available in two styles: Standard Door Sections and Minimum Door Sections. Standard sections have an 8" (203) side panel and are nominally 48" (1219)-wide, while minimum sections omit the side panel and are nominally 40" (1016)-wide.

Both Door Sections can come with a factory pre-hung door, or less door for applications in which doors will be purchased locally. In either case, the door height must be specified; 6'8" (2032) or 7' (2134). The transom in door


sections can come solid, glazed or with painted metal louver.

Note: Glazed transoms are NOT available in ANY fabrics.


Note: Glazed and Louvered transoms are only available in ceiling heights greater than 8'4" (2515).

TrendWall Swing Doors can be ordered with a Lever Passage Set (non-locking) or a Lever Lock Set.

The included door is available in four styles: Flush, Window Lite, Full Lite and Vision.




Nominal Door Height	Actual Door Width	Clear Opening
6' 8" or 7' 0"	35 ⁷ / ₈ "	35"



Door Sections – Right-Hand Swing

Dimensions Width Height		List Price Fabric Grade			Catalog Number	Panel Dimensions	Panel Surface Color		
		Vinyl/ Vinyl (COM)	Vinyl Fabric	Fabric Fabric			Side 1	Side 2	
40" (1016)	7' (2134) to 8' (2438)	\$509	\$746	\$ 982	WDSR4008	Specify Ceiling Height in '1/4" Increments	See Surface Materials Page 2		
40" (1016)	8 ^{11/4"} (2445) to 9' (2743)	610	859	1108	WDSR4009				
40" (1016)	9 ^{11/4"} (2750) to 10' (3048)	692	967	1239	WDSR4010				
48" (1219)	7' (2134) to 8' (2438)	\$610	\$859	\$ 1108	WDSR4808				
48" (1219)	8 ^{11/4"} (2445) to 9' (2743)	727	1013	1299	WDSR4809				
48" (1219)	9 ^{11/4"} (2750) to 10' (3048)	821	1132	1442	WDSR4810				




Door Sections – Left-Hand Swing

Dimensions Width Height		List Price Fabric Grade			Catalog Number	Panel Dimensions	Panel Surface Color		
		Vinyl/ Vinyl (COM)	Vinyl Fabric	Fabric Fabric			Side 1	Side 2	
40" (1016)	7' (2134) to 8' (2438)	\$509	\$746	\$ 982	WDSL4008				
40" (1016)	8 ¹ / ₄ " (2445) to 9' (2743)	610	859	1108	WDSL4009				
40" (1016)	9 ¹ / ₄ " (2750) to 10' (3048)	692	967	1239	WDSL4010				
48" (1219)	7' (2134) to 8' (2438)	\$610	\$859	\$ 1108	WDSL4808				
48" (1219)	8 ¹ / ₄ " (2445) to 9' (2743)	727	1013	1299	WDSL4809				
48" (1219)	9 ¹ / ₄ " (2750) to 10' (3048)	821	1132	1442	WDSL4810				

Build your complete Part Number here:

---	---	---	---	---
-----	-----	-----	-----	-----



Sample Part Number:

WDSR4808	.108.25	.AG0	.AG0
----------	---------	------	------

Total Cost \$2924 =

\$1108	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7' 6 1/2" = 90.5".

Glazing Options

Door Sections ship with glass or glass alternative installed.

These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All 1/4" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.

- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative
- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74 1/4" (1886).

Door Size	Style	Lite Size (1/4" thick)
3' x 6'8" x 1 3/4" (914 x 2032 x 44)	Full	24" x 66" (610 x 1676)
	Window	26" x 34" (660 x 864)
	Vision	4" x 34" (102 x 864)
3' x 7' x 1 3/4" (914 x 2134 x 44)	Full	24" x 70" (610 x 1778)
	Window	26" x 38" (660 x 965)
	Vision	4" x 38" (102 x 965)

														TrendWall Space Planning	TrendWall Panels	TrendWall Doors	TrendWall Accessories	TrendWall Conditions	TrendWall Electrical Components	TrendWall Terms & Policies		
	Transom Opening	Transom Glazing	Glazing Color	Door Height	Door Lite	Door Type	Surface Color	Door Glazing	Glazing Color	Door Louver	Door Hard- ware	Key Set	Trim Color	Base Color								
	TN No Cost No Opening	Select Only if TG Selected	Specify only if G1, G2 or G3 is selected	6H 6'8" (2032) Door	ND No Cost No Door	HC No Cost Hollow Core	Vinyl No Cost	GN No Cost No Glass	Specify only if G1, G2 or G3 is selected	NL No Cost No Louver	NH No Cost No Hardware	Specify only if LL selected	Stan- dard Finishes No Cost	Stan- dard Finishes Only								
	TG + \$354 Glass	GN No Cost No Glass	See Surface Materials Page 5	7H 7' (2134) Door	FD + \$965 Flush Door	SC + \$233 Solid Core	HPL Grade 1 + \$378	G1 and G3 + \$93 Vision	See Surface Materials Page 5	DL + \$464 Louver	LP + \$186 Lever Passage	RK No Cost Random	Premium Finishes + \$33	See Surface Materials Page 5								
	TL + \$471 Transom Louver	G1 and G3 + \$311			WL + \$1140 Window Lite		Grade 2 + \$596	G2 + \$498 Window			LL + \$332 Lever Lockset											
		G2 + \$124			VL + \$1140 Vision Lite		Grade 3 + \$814	G2 + \$75 Vision	See Surface Materials Page 5													
					FL + \$1458 Full Lite			G2 + \$149 Window														
								Full + \$261 Full														
	--	--	---	--	--	--	---	--	---	--	--	--	-	-								
	<u>.TG</u>	<u>.G1</u>	<u>.E02</u>	<u>.7H</u>	<u>.FD</u>	<u>.HC</u>	<u>.AS2</u>	<u>.GN</u>	---	<u>.NL</u>	<u>.LP</u>	<u>.RK</u>	<u>.Y</u>	<u>.Y</u>								
	\$354	+	\$311	+	N/C	+	N/C	+	N/C	+	N/C	+	\$186	+	N/C	+	N/C	+	N/C	+	N/C	+

Sliding Door Sections

Sliding Door Sections are available as a space saving alternative to standard swing doors. TrendWall Door Sections are available in two styles: Standard Door Sections and Minimum Door Sections. Standard sections have an 8" (203) side panel and are nominally 48" (1219) wide, while minimum sections omit the side panel and are nominally 40" (1016) wide.

The doors can be specified as either LH or RH. The hand is determined by the direction the door slides to open. A RH door will open to the users right when

facing an exterior mounted door.

Sliding Doors come with an ADA compliant, satin chrome (BMHA 626, US28 finish).

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.

Example: $7'6\frac{1}{2}" = 90.5"$


Nominal Door Section	Actual Door Width	Clear Opening
42"	41"	32 $\frac{1}{4}"$
48"	41"	32 $\frac{1}{4}"$

Glazing Options

Door Sections ship with glass or glass alternative installed.

These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All $\frac{1}{4}"$ (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.



48" Left-Hand Shown

Sliding Door Sections – Right-Hand

Dimensions Width Height		List Price Fabric Grade			Catalog Number
		Vinyl/ Vinyl (COM)	Fabric Vinyl	Fabric Fabric	
42" (1067)	7'2" (2184) to 8' (2438)	\$ 757	\$ 1053	\$1247	WDSLR4208
42" (1067)	8' ¹ / ₄ " (2445) to 9' (2743)	848	1161	1366	WDSLR4209
42" (1067)	9' ¹ / ₄ " (2750) to 10' (3048)	927	1266	1478	WDSLR4210
48" (1219)	7'2" (2184) to 8' (2438)	\$ 946	\$1316	\$1559	WDSLR4808
48" (1219)	8' ¹ / ₄ " (2445) to 9' (2743)	1061	1452	1709	WDSLR4809
48" (1219)	9' ¹ / ₄ " (2750) to 10' (3048)	1158	1582	1848	WDSLR4810

Sliding Door Sections – Left-Hand

Dimensions Width Height		List Price Fabric Grade			Catalog Number
		Vinyl/ Vinyl (COM)	Fabric Vinyl	Fabric Fabric	
42" (1067)	7'2" (2184) to 8' (2438)	\$ 757	\$ 1053	\$1247	WDSLL4208
42" (1067)	8' ¹¹ / ₄ " (2445) to 9' (2743)	848	1161	1366	WDSLL4209
42" (1067)	9' ¹¹ / ₄ " (2750) to 10' (3048)	927	1266	1478	WDSLL4210
48" (1219)	7'2" (2184) to 8' (2438)	\$946	\$1316	\$1559	WDSLL4808
48" (1219)	8' ¹¹ / ₄ " (2445) to 9' (2743)	1061	1452	1709	WDSLL4809
48" (1219)	9' ¹¹ / ₄ " (2750) to 10' (3048)	1158	1582	1848	WDSLL4810

Build your complete
Part Number here:

Sample
Part Number:


WDSLR4808

Total
Cost \$4629 =


\$1559

- G1Z – Clear Tempered Glass
- G3Z – Frost and Clear Laminated Glass
- G5Z – 3form Ecoresin

Note: G5Z glazing options are not available in cut sizes over 74 1/4" (1886).




Flush




Full Lite

Right-Hand Slide



Left-Hand Slide



Panel Dimensions	Panel Surface Color Side 1 Side 2		Door Height	Door Lite	Surface Color	Door Glazing	Glazing Color	Door Hardware	Key Set	Trim Color	Base Color					
Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		6H 6'8" (2032) Door	FD + \$2263 Flush Door	Vinyl No Cost	GN No Cost No Glass	Specify only if G1Z, G3Z or G5Z is selected See Surface Materials Page 5	18N + \$546 18" Post Pull Non-Locking	RK No Cost Random	Standard Finishes No Cost	Standard Finishes Only See Surface Materials Page 5					
			7H 7' (2134) Door	FL + \$2585 Full Lite	HPL Grade 1 + \$378	G1Z + \$261 Full Lite		18L + \$983 18" Post Pull Locking		Premium Finishes + \$33						
					Grade 2 + \$596	G3Z and G5Z + \$746 Full Lite				See Surface Materials Page 5						
					Grade 3 + \$814											
					See Surface Materials Page 5											
---	---	---	--	--	---	---	---	---	--	-	-					
.108.25 ---	.AG0 ---	.AG0 ---	.7H --	.FD --	.AS2 ---	.G1Z ---	.T2A ---	.18N ---	.RK --	.Y -	.Y -					
N/C	+	N/C	+	N/C	+	\$2263	+	N/C	+	\$546	+	N/C	+	N/C	+	N/C

Double Door Sections

Double Door Sections create a 71" (1829) opening by using one active door (the door with lever set) and one passive inactive door (the door with no lever set).

Double Door Sections have the same factory options as Standard Doors, however, these doors require field assembly. Door panels, headers, jambs and hardware are all sent separately.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".


Door Sections ship with glass or glass alternative installed.

These options are:

- GN (No glass). If this option is chosen, no glass will be supplied. All ¹/₄" (6) material will need to be field installed. Trendway will supply a detailed glass schedule to facilitate this process.
- G1 – 3form Ecoresin Glazing Alternative
- G2 – Clear Tempered Glass Glazing Alternative

- G3 – Frost and Clear Laminated Glass Glazing Alternative

Note: G1 glazing options are not available in cut sizes over 74¹/₄" (1886).




Double Door Sections – Right-Hand Swing

Dimensions		List Price Fabric Grade			Catalog Number	Panel Dimensions	
Width	Height	Vinyl/ Vinyl (COM)	Vinyl Fabric	Fabric Fabric			
72" (1829)	7' (2134) to 8' (2438)	\$1494	\$1896	\$2290	WDDSR7208	Specify Ceiling Height in ¹ / ₄ " Increments	
72" (1829)	8 ¹ / ₄ " (2445) to 9' (2743)	1660	2096	2530	WDDSR7209		
72" (1829)	9 ¹ / ₄ " (2750) to 10' (3048)	1798	2264	2731	WDDSR7210		
84" (2134)	7' (2134) to 8' (2438)	\$1723	\$2189	\$2656	WDDSR8408		
84" (2134)	8 ¹ / ₄ " (2445) to 9' (2743)	1913	2411	2908	WDDSR8409		
84" (2134)	9 ¹ / ₄ " (2750) to 10' (3048)	2079	2626	3173	WDDSR8410		


Double Door Sections – Left-Hand Swing

Dimensions		List Price Fabric Grade			Catalog Number		
Width	Height	Vinyl/ Vinyl (COM)	Vinyl Fabric	Fabric Fabric			
72" (1829)	7' (2134) to 8' (2438)	\$1494	\$1896	\$2290	WDDSL7208		
72" (1829)	8 ¹ / ₄ " (2445) to 9' (2743)	1660	2096	2530	WDDSL7209		
72" (1829)	9 ¹ / ₄ " (2750) to 10' (3048)	1798	2264	2731	WDDSL7210		
84" (2134)	7' (2134) to 8' (2438)	\$1723	\$2189	\$2656	WDDSL8408		
84" (2134)	8 ¹ / ₄ " (2445) to 9' (2743)	1913	2411	2908	WDDSL8409		
84" (2134)	9 ¹ / ₄ " (2750) to 10' (3048)	2079	2626	3173	WDDSL8410		


Build your
complete Part
Number here:




Flush



Window Lite



Vision Lite




Full Lite

Sample
Part Number:

WDDSR8409 .108.25

Total
Cost \$5646 =

\$2908 + N/C +



Nominal Door Size	Actual Door Width	Clear Opening
36" x 8'	35 7/8"	71"
36" x 9'	35 7/8"	71"
36" x 10'	35 7/8"	71"


																TrendWall Space Planning	TrendWall Panels	TrendWall Doors	TrendWall Accessories	TrendWall Conditions	TrendWall Electrical Components	TrendWall Terms & Policies
Panel Surface Color Side 1 Side 2		Transom Opening	Transom Glazing	Glazing Color	Door Height	Door Lite	Door Type	Surface Color	Door Glazing	Glazing Color	Door Louver	Door Hard- ware	Key Set	Trim Color	Base Color							
See Surface Materials Page 2		TN No Cost No Opening	Select Only if TG Selected GN No Cost No Glass	Specify only if G1, G2 or G3 is selected See Surface Materials Page 5	6H 6'8" (2032) Door	ND No Cost No Door	HC No Cost Hollow Core	Vinyl No Cost	GN No Cost No Glass	Specify only if G1, G2 or G3 is selected See Surface Materials Page 5	NL No Cost No Louver	NH No Cost No Hardware	RK No Cost Random	Stan- dard Finishes No Cost	Stan- dard Finishes Only See Surface Materials Page 5							
		TG + \$708 Glass	G1 and G3 + \$622		7H 7' (2134) Door	FD + \$1930 Flush Door	SC + \$466 Solid Core	HPL Grade 1 + \$756	G1 and G3 + \$186 Vision		DL + \$928 Louver	LP + \$186 Lever Passage			Prem- ium Finishes + \$33							
	TL + \$942 Transom Louver		G2 + \$248		WL + \$2280 Window Lite	VL + \$2280 Vision Lite		Grade 2 + \$974	G2 + \$150 Vision			LL + \$332 Lever Lockset			See Surface Materials Page 5							
					FL + \$2916 Full Lite			Grade 3 + \$1193	G2 + \$150 Vision + \$298 Window + \$522 Full													
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-							
.AG0	.AG0	.TN	.G1	.E02	.7H	.FD	.HC	.AS2	.GN	---	.NL	.LP	.RK	.Y	.Y							
N/C	N/C	N/C	\$622	N/C	N/C	\$1930	N/C	N/C	N/C	N/C	N/C	\$186	N/C	N/C	N/C							

Bi-Fold Door Sections

Bi-Fold Door Sections can create a variety of storage areas within TrendWall installations. Bi-Fold sections come in only the flush door style with solid transoms. Like Double Door Sections, Bi-Fold Door Sections requires field assembly.

Note: The actual bi-fold door opening is 12" (305) less than the nominal door section.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6¹/₂" = 90.5".



Bi-Fold Door Sections

Dimensions		Vinyl/Vinyl (COM)	List Price	Fabric Fabric
Width	Height		Fabric Grade Vinyl Fabric	
48" (1219)	7'2" (2184)	\$1949	\$2282	\$2585
60" (1524)	to	2535	2949	3327
72" (1829)	8' (2438)	3116	3618	4069
48" (1219)	8 ¹ / ₄ " (2445)	\$2064	\$2417	\$2738
60" (1524)	to	2678	3119	3520
72" (1829)	9' (2743)	3285	3813	4295
48" (1219)	9 ¹ / ₄ " (2750)	\$2162	\$2541	\$2879
60" (1524)	to	2796	3272	3692
72" (1829)	10' (3048)	3431	4001	4505

	Catalog Number	Panel Dimensions	Panel Surface Color		Door Height	Surface Color	Trim Color	Base Color
			Side 1	Side 2				
	WBDS4808 WBDS6008 WBDS7208	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		6H 6'8" (2032) Door	Vinyl No Cost	Standard Finishes No Cost	Standard Finishes Only
	WBDS4809 WBDS6009 WBDS7209				7H 7' (2134) Door	HPL Grade 1 + \$378 Grade 2 + \$596 Grade 3 + \$814	Premium Finishes + \$33	See Surface Materials Page 5
	WBDS4810 WBDS6010 WBDS7210					See Surface Materials Page 5		
Build your complete Part Number here:	-----	---	---	---	--	---	-	-

Sample
Part Number:

WBDS6009	.102.5	.AG0	.AG0	.7H	.AS2	.Y	.Y
----------	--------	------	------	-----	------	----	----

Total Cost \$3520 =

\$3520	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

Door Hardware — When Ordered Separately

Prices for standard hardware when ordered separately.


Satin Chrome Lever Passage Set			
Description	List Price	Catalog Number	
Meets Handicapped ADA Requirements	\$186	SITLEVER238P	
Satin Chrome Lever Lockset			
Description	List Price	Catalog Number	Key Set
Meets Handicapped ADA Requirements	\$383	SITLEVER238L	RK No Cost Random
Door Hardware — When Ordered Separately			
Description	List Price	Catalog Number	
Standard Hinges, US26D Satin Chrome (Set of 3 Hinges)	\$65	THINGEC	
Door Jamb Anchor Kit, Price Per Pair 1 Pair Needed Per Door	\$35	DJAKIT	
Dome Door Stop	\$20	SITSTOP	
Door Closer	\$358	TDCLOSES	
Door Closer with Hold-Open Feature	\$412	TDCLOSEH	
Strike Plate	\$24	SITSPLATE	
Split Hinge	\$26	SITSH	
Build your complete Part Number here:		-----	--

Sample Part Number	TDCLOSEH -----	--
Total Cost \$412 =	\$412	+ N/C

Door Jamb					
Description	List Price	Catalog Number	Panel Dimension	Door Height	Trim Color
Hinge - Right Side	\$155	SITTDJHR	Specify in 1/4" Increments from 7'2" to 10'	6H 6'8" (2032) Door	Standard Finishes No Cost
Hinge - Left Side	155	SITTDJHL			
Strike - Right Side	\$155	SITTDJSR		7H 7' (2134) Door	Premium Finishes + \$33
Strike - Left Side	155	SITTDJSL			See Surface Materials Page 5
Blank Plate					
	List Price	Catalog Number			
Hinge/Strike Blank Plate	\$17	SITBP			
Aluminum Louver Only					
Dimensions	List Price	Catalog Number			Trim Color
27" (686) x 11" (279)	\$567	SITLOUVER			Standard Finishes No Cost Premium Finishes + \$226 See Surface Materials Page 5
Build your complete Part Number here:		_____	__	__	__
Sample Part Number		SITBP _____	__	__	.FY __
Total Cost \$50 =		\$17	+	N/C	+
				N/C	+
					\$33

TrendWall Doors

To aid in reconfigurations, TrendWall Doors may be purchased separately from Door Sections.



TrendWall Swing Doors

Dimensions Width	List Price	Catalog Number	Door Height	Door Lite	Door Type	Door Surface Color	Door Glazing	Glazing Color	Door Louver	Door Hardware	Key Set	Trim Color
Left-Hand 36" (914)	\$519	SITDR36L	6H 6'8" (2032) Door	FD No Cost Flush Door	HC No Cost Hollow Core	See Surface Materials Page 5	GN No Cost No Glass	See Surface Materials Page 5	NL No Cost No Louver	NH No Cost No Hardware	RK No Cost Random	Standard Smooth Finishes Only No Cost
Right-Hand 36" (914)	\$519	SITDR36R	7H 7' (2134) Door	WL + \$175 Window Lite VL + \$175 Vision Lite FL + \$318 Full Lite	SC + \$233 Solid Core		G1and G3 + \$93 Vision + \$498 Window + \$746 Full G2 + \$75 Vision + \$149 Window + \$261 Full		DL + \$464 Louver	LP + \$186 Lever Passage LL + \$332 Lever Lockset		(Trim color not available on Flush Door).
Build your complete Part Number here:		---	--	--	--	---	--	---	--	--	--	-

Sample Part Number:

SITDR36R	.H7	.WL	.HC	.AS2	.G1	.E02	.NL	.LP	.RK	.Y
----------	-----	-----	-----	------	-----	------	-----	-----	-----	----

Total Cost \$1378 =

\$519	+	N/C	+	\$175	+	N/C	+	N/C	+	\$498	+	N/C	+	N/C	+	\$186	+	N/C	+	N/C
-------	---	-----	---	-------	---	-----	---	-----	---	-------	---	-----	---	-----	---	-------	---	-----	---	-----

Crown, Base and Miscellaneous Ceiling Components

Ceiling brace to be used with cornice height walls. Includes ceiling bezel.

Refer to Figure 1, page 6.

Caddy Clips may be used to attach the Crown to the ceiling grid. Use one every 2' (610) of Crown.

Caution: There will be a loss of 1/2" (13) to 5/8" (16) ceiling height adjustment when using Caddy Clips.

Ceiling Grid Blocks

Ceiling Grid Blocks are finished stucco color. Specify either 3/8" (19)-high x 7/8" (22)-wide or 1/4" (16)-high x 7/8" (22)-wide. Special sizes available upon request.

Miscellaneous Connectors — When Ordered Separately

Individual items that are included with the panel price are available when ordered separately.

Refer to Figure 1, page 7.

Crown Filler Block

The Crown Filler Block is used to create a false soffit below the ceiling grid. This allows up to an additional 12" of panel height for instances where panels are shorter than the actual ceiling height.

For example: TrendWall was ordered at 108", but the actual drop ceiling was installed at 112". Crown Filler Block (TCFB) can be used at a specified height of 4.375" to make up the gap. Note: Remember to add .375" for the reveal gap in the TrendWall Crown.

Floor Plate

Carpet Grippers are supplied as standard with Floor Plate.

Crown, Base and Miscellaneous Components

Description	List Price	Catalog Number		Trim Color
Straight Crown - 12' (3658)-Length	\$118	TCS		Standard Finishes No Cost Premium Finishes + \$33 See Surface Materials Page 5
Crown Corner	\$49	TCC		
Crown End Cap	\$35	TCE		
Ceiling Brace - Round Ceiling Brace - Square	\$118 \$118	TCBRACERD TCBRACESQ		
Crown Filler Block - 8' (203)-Length	\$321	TCFB	Panel Dimension*	No Cost Standard Smooth Finish Only See Surface Materials Page 5
Floor Plate - 12' (3658)-Length	\$77	TFP		
Straight Base Trim - 12' (3658)-Length	\$54	TSB		
Corner Base Trim	\$58	TCB		
Base End Trim	\$5	ETBASEND		

Miscellaneous Connectors

Description	List Price	Catalog Number		Trim Color
Freestanding Stabilizing Block (3/4" x 2 3/4" x 96" Unfinished)	\$190	WB-10552		
Crown Connector Plate Crown Alignment Plate	\$5 \$20	TCCPLATE TCAPLATE		
Ceiling Grid Block-1" Grid 2 3/4" (70) x 3/8" (10)	\$5	TWGBLOCK38		
Ceiling Grid Block-1" Grid 2 3/4" (70) x 1/4" (6)	\$5	TWGBLOCK14		
Ceiling Grid Block-9/16" Grid 2 3/4" (70) x 3/8" (10)	\$5	TWGBLOCKS38		
Ceiling Grid Block-9/16" Grid 2 3/4" (70) x 1/4" (6)	\$5	TWGBLOCKS14		
Caddy Clips, Flush Grid 1/2" (13)	\$6	TCHOOK5		
Caddy Clips, Recessed Grid 1 1/2" (38)	\$6	TCHOOK15		
Crown Foam Tape	\$39	SITW215		
Panel Leveling Bolt	\$5	SITLB		
Straight Panel Connector	\$5	TSCONNECTOR		
Corner Panel Connector	\$5	TCCONNECTOR		
Extended Corner Connector	\$18	TWCC1		
Half Extended Corner Connector	\$18	TWCCH		
Positioning Tape (50' [15240] Roll)	\$30	TDFTAPE		
TrendWall Carpet Gripper Kit	\$49	TCGRIP		
Leveling Bolt Bracket	\$60	SITLBB		
Stabilizing Bracket	\$24	SITSB		

Build your complete Part Number here:

Sample Part Number:

Total Cost \$321 =

***Panel Dimension for TCFB**

Specify in 1/4" Increments

TCFB	.3.25	.Y
\$321	+	N/C
	+	N/C

Sound Packing

Sound packing may be added to panel runs to enhance the overall STC performance of the wall. It includes loose mineral fiber pieces to pack inside of base, crown, wall channels and pilaster cavities. Sound packing for ceiling fillers requires 50% (1/2) of the lineal footage of ceiling fillers.

Note: Sound control results will vary based on grade of ceiling, floor coverings, draperies, duct work, etc.

Note: Sound Packing is shipped separate from TrendWall panels and requires additional installation time.

Laminated Gypsum

Individual sheets of vinyl laminated or fabric covered gypsum. Will be shipped on pallets only.

MATERIAL

PIECES PER PALLET

3/8" (10) Gypsum

25

Cut Fabric or Vinyl

Fabric and Vinyl are available by the yard. Fabric width is 66" (1676); Vinyl width is 62" (1575).

Sound Packing

Description	List Price	Catalog Number	
Sound Packing, by lineal foot	\$24	SP	
Sound Packing Ceiling Filler, by lineal foot	9	SPCF	

Vinyl Laminated Square-Edged Gypsum

Description	List Price	Catalog Number	
4' (1219) x 10' (3048), 3/8" (10)-thick	\$210	TVIDGYP38	

Fabric Covered Square-Edged Gypsum

Description	List Price						Catalog Number	
	1	2	3	4	5	6		
4' (1219) x 10' (3048), 3/8" (10)-thick	\$408	\$461	\$490	\$498	\$508	\$516	TFABGYP38	

Fabric and Vinyl Material Only

Description	List Price	Catalog Number	Fabric Color
Grade 1 Fabric, by Yard	\$73	SISFLYG1	See Surface Materials Page 2
Grade 2 Fabric, by Yard	\$77	SISFLYG2	
Grade 3 Fabric, by Yard	\$86	SISFLYG3	
Grade 4 Fabric, by Yard	\$95	SISFLYG4	
Grade 5 Fabric, by Yard	\$109	SISFLYG5	
Grade 6 Fabric, by Yard	\$123	SISFLYG6	
Vinyl, Solid Colors, by Yard	\$18	SISVIDYD	
Vinyl, Wood-Grained, by Yard	\$28	SISWGVYD	

Touch Up Paint/Vinyl Repair Kit

Description	List Price	Catalog Number	Trim Color
Brush Touch Up Paint	\$4	BTU	No Cost Standard or Premium Finishes
Touch Up Spray Can	\$48	STU	
Solid Vinyl Repair Kit	\$184	SITVRK	Vinyl Color
			No Cost Solid Vinyl See Surface Materials Page 5

Sample Part Number:

SPCF

Total Cost \$9 =

\$9



Glass Molding			
Description	List Price	Catalog Number	Trim Color
Male Glass Molding Female Glass Molding	\$54 54	TGMMOLD TGFMOLD	No Cost Standard Smooth Finishes Only See Surface Materials Page 5
Misc Accessories			
Description	List Price	Catalog Number	Trim Color
Choices Component Rail Only Punch out Covers (Contrada power data covers) Picture Hanger	\$185 23 29	SITCMR SIARC PH	No Cost Standard Smooth Finishes Only See Surface Materials Page 5
Sliding Glass Window Shelf and Track			
Description	List Price	Catalog Number	Surface Color
High-Pressure Laminated Shelf, 12" (305)-deep x 36" (915)-long	\$387	SITSGS36	High-Pressure Laminate No Cost
High-Pressure Laminated Shelf, 12" (305)-deep x 42" (1067)-long	394	SITSGS42	Available in Standard Solid High-Pressure Laminate only.
High-Pressure Laminated Shelf, 12" (305)-deep x 48" (1219)-long	399	SITSGS48	
Build your complete Part Number here:		_____	__
Sample Part Number		SITSGS36	.520
Total Cost \$387 =		\$387	+ N/C

CONDITIONS

TrendWall Conditions are the connector kits that join individual panels together. These conditions include all necessary trim pieces and hardware to trim out and connect a TrendWall installation. Conditions may be specified in one of two possible styles: Standard and Enhanced. Standard pilasters are designed to fit flush within the panel run and highlight the panel's side rail, while Enhanced pilasters mount over the panel connection and cover the side rails to give a more monolithic aesthetic.

Straight Conditions


These conditions include two straight pilasters and panel connectors and are used to make an inline panel connection. Straight Conditions are available in both standard and enhanced versions. They can also be ordered with Choices Component Mounting Kits and/or electrical punch-outs to accommodate either hardwire or modular power.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".

Note: Punch-out for Side 1 can not be the same as Side 2 for switch height only.

Punch-Out Description

C0	Switch Height w/ Box
C1	45" Switch Height
C2A	18" Standard Height
C3	32" Work Height
C4	6" Data Height
C5A	18" Standard & 32" Work Height
C6A	18" Standard & 6" Data Height
C7	6" Data & 32" Work Height
C8	Special Punch Out Location
AV	72" AV Height
AVC5A	72" AV, 18" Standard & 32" Work Height
AVC6A	72" AV, 6" Data & 18" Standard Height



Standard Straight Conditions

Dimensions Height	Paint/Vinyl	List Price Fabric Grade						Catalog Number	Component Panel Dimensions	Surface Color		Punch-out		Mounting	
		1	2	3	4	5	6			Side 1	Side 2	Side 1	Side 2	Side 1	Side 2
4' (1219)	\$ 104	\$ 110	\$ 123	\$ 131	\$ 139	\$ 146	\$ 150	WCSS04	Specify Ceiling Height in 1/4" Increments	Select Paint, Vinyl or Fabric See Surface Materials Page 2 Note: Paint is available on Standard Straight Conditions only.		CN No Cost No Punch-out	CN No Cost No Punch-out	NK1 No Cost No Kit	NK2 No Cost No Kit
8' (2438)	156	163	176	184	192	199	203	WCSS08				C0 + \$17	C0 + \$17	CH1 + \$176 Choices	CH2 + \$176 Choices
9' (2743)	160	166	179	187	195	202	206	WCSS09				C1 + \$17	C1 + \$17		
10' (3048)	163	169	182	190	198	205	209	WCSS10				C2A + \$17	C2A + \$17		
												C3 + \$17	C3 + \$17		
												C4 + \$17	C4 + \$17		
												C5A + \$34	C5A + \$34		
												C6A + \$34	C6A + \$34		
												C7 + \$34	C7 + \$34		
												C8 + \$17	C8 + \$17		
												AV + \$17	AV + \$17		
												AVC5A + \$51	AVC5A + \$51	No Component Kits	
												AVC6A + \$51	AVC6A + \$51		
												(See Description Above)	(See Description Above)		

Enhanced Straight Conditions

Dimensions Height	Paint/Vinyl	List Price Fabric Grade						Catalog Number	Component Panel Dimensions	Surface Color	Side 1	Side 2	Punch-out	Side 1	Side 2
		1	2	3	4	5	6								
4' (1219)	\$129	\$135	\$147	\$153	\$160	\$167	\$172	WCES04							
8' (2438)	201	207	219	225	232	239	244	WCES08							
9' (2743)	203	210	223	232	244	250	254	WCES09							
10' (3048)	206	214	229	241	256	263	267	WCES10							

Build your complete Part Number here:

---	---	---	---	---	---	---	---
-----	-----	-----	-----	-----	-----	-----	-----

Sample Part Number:

WCES10	.120	.AG0	.AG0	.C1	.C2A	N/A	N/A
--------	------	------	------	-----	------	-----	-----

Total Cost \$263 =

\$229	+	N/C	+	N/C	+	N/C	+	\$17	+	\$17	+	N/A	+	N/A
-------	---	-----	---	-----	---	-----	---	------	---	------	---	-----	---	-----

CORNER CONDITIONS

Corner Conditions include one outside corner pilaster cover, panel connectors, one crown corner and one base cover. Extended Corner Conditions are used to create 90° corner in panel runs. Corner Conditions are used to create 90° corner in panel runs. Corner Conditions are available in both Standard and Enhanced versions.

Note: Corner Conditions maintain centerline dimensioning (see Page 5).



Enhanced Extended Corner Conditions

Extended Corner Conditions include one outside corner pilaster cover, one

inside corner pilaster, panel connectors, one crown corner and one base cover. Extended Corner Conditions are used to create 90° corner in panel runs. Extended Corner Conditions are available in the Enhanced version only.

Note: Extended Conditions allow for inside room dimensioning (rather than center line dimensioning). Using Extended Conditions allow for module sized freestanding furniture to fit within TrendWall layouts without increasing panel sizes. Please refer to pages 4 and 5 of the planning sections for typical layouts.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments. Example: 7'6 1/2" = 90.5".



Standard Corner Conditions

Dimensions Height		List Price Fabric Grade							Catalog Number	Panel Dimensions	Specify Ceiling Height in 1/4" Increments	Surface Color Side 3		Trim Color	Base Color
		Vinyl	1	2	3	4	5	6				Select Paint, Vinyl or Fabric	Standard Finishes No Cost	Standard Finishes Only	
4' (1219)		\$ 112	\$ 116	\$ 121	\$ 125	\$131	\$137	\$141	WCSC04			See Surface Materials Page 2	Premium Finishes + \$16	See Surface Materials Page 5	
8' (2438)		174	177	182	186	192	198	202	WCSC08						
9' (2743)		175	179	184	188	194	200	204	WCSC09						
10' (3048)		180	183	188	192	198	204	208	WCSC10						
Enhanced Corner Conditions															
Dimensions Height		List Price Fabric Grade							Catalog Number						
		Vinyl	1	2	3	4	5	6							
4' (1219)		\$168	\$171	\$176	\$180	\$186	\$192	\$196	WCEC04						
8' (2438)		260	264	269	273	279	285	289	WCEC08						
9' (2743)		261	265	270	274	280	286	290	WCEC09						
10' (3048)		263	266	271	275	281	287	291	WCEC10						
Enhanced Extended Corner Conditions															
Dimensions Height		List Price Fabric Grade							Catalog Number						
		Vinyl	1	2	3	4	5	6							
4' (1219)		\$175	\$179	\$184	\$188	\$194	\$200	\$204	WCECX04						
8' (2438)		269	272	277	281	287	293	297	WCECX08						
9' (2743)		270	273	278	282	288	294	298	WCECX09						
10' (3048)		271	274	279	283	289	295	299	WCECX10						
Build your complete Part Number here:									-----	----	---	---	-	-	

Sample
Part Number:

WCEC10	.96.75	---	.AG0	.Y	.Y
--------	--------	-----	------	----	----


Total Cost \$271 =

\$271	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----	---	-----

Angled Conditions

The TrendWall system allows specification of a standard 90 degree 2-way condition, plus virtually any angle within 72 degrees of a straight in-line condition, as shown in the drawing. As with standard 90 degree 2-way conditions, the Standard Angle Condition (WCSAXX) comes with a mating crown corner (24" leg length). The service items (SITWCSAXX) do not include the mating crown corner. 30, 45 and 60 degree angled conditions

do not require a drawing to be submitted; however, when specifying angled conditions other than 30, 45 or 60, a detailed scale drawing must be submitted.



Standard Angle Conditions

Dimensions Height	List Price Fabric Grade						Catalog Number	Panel Dimensions	Surface Color		Trim Color	Angle
	Vinyl	1	2	3	4	5	6		Side 2	Side 3		
Crown Corner Included								Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		Standard Smooth Trim Only	Specify Angle
4' (1219)	\$608	\$614	\$627	\$635	\$643	\$650	\$654					
8' (2438)	656	663	676	684	692	699	703					
9' (2743)	686	692	705	713	721	728	732					
10' (3048)	715	721	734	742	750	757	761					
Crown Corner Not Included												
4' (1219)	\$361	\$368	\$381	\$389	\$397	\$404	\$408	SITWCSA04				
8' (2438)	554	561	574	582	590	597	601	SITWCSA08				
9' (2743)	579	585	598	606	614	621	625	SITWCSA09				
10' (3048)	617	624	637	645	653	660	664	SITWCSA10				
Build your complete Part Number here:								----	---	---	---	--

Sample Part Number:

WCSA10	.96.75	.AG0	.AG0	.P	.45
--------	--------	------	------	----	-----

Total Cost \$715 =

\$715	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----	---	-----

Angle Wood Blocks

Angle Wood Blocks are available for attaching panels to a fixed wall at an angle other than a 90°. Detailed scaled drawings must be submitted when ordering.

Angle Wood Blocks				
Dimensions Height	List Price	Catalog Number	Trim Color	Angle
4' (1219)	\$213	WCASB04	Standard Smooth Trim Only See Surface Materials Page 5	Specify Angle
8' (2438)	329	WCASB08		
9' (2743)	339	WCASB09		
10' (3048)	348	WCASB10		
Build your complete Part Number here:		-----	-	--

Sample
Part Number:

WCASB10	.Y	--
---------	----	----

Total Cost \$348 =

\$348	+	N/C	+	N/C
-------	---	-----	---	-----

3-WAY CONDITIONS

3-Way Conditions, commonly called "T" conditions, are used to create a 3-way panel connection in panel runs. They can be ordered with Choices component mounting kits to integrate Choices panel hung components. They can also be ordered with electrical punch-outs to accommodate either hardwire or modular power. Punch-Outs are available on the outside face only.

Standard 3-Way Conditions

Standard 3-Way Conditions include one standard straight pilaster cover and panel connectors.

Enhanced 3-Way Conditions



Enhanced 3-Way Conditions include one enhanced straight pilaster cover and panel connectors.

Note: 3-Way Conditions maintain centerline dimensioning.

Punch-Out Description


- C0 Switch Height w/ Box
- C1 45" Switch Height
- C2A 18" Standard Height
- C3 32" Work Height
- C4 6" Data Height
- C5A 18" Standard & 32" Work Height
- C6A 18" Standard & 6" Data Height
- C7 6" Data & 32" Work Height
- C8 Special Punch Out Location
- AV 72" AV Height
- AVC5A 72" AV, 18" Standard & 32" Work Height
- AVC6A 72" AV, 6" Data & 18" Standard Height

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments. Example: 7'6 1/2" = 90.5".



Standard 3-Way Conditions

Dimensions Height	Paint/Vinyl	List Price Fabric Grade						Catalog Number	Panel Dimensions	Surface Color Side 3	Punch-out Side 3	Component Mounting Side 3
4' (1219)	\$61	\$64	\$69	\$73	\$79	\$85	\$89	WCS304	Specify Ceiling Height in 1/4" Increments	Select Paint, Vinyl or Fabric	CN No Cost No Punch-out	NK3 No Cost No Kit
8' (2438)	93	97	102	106	112	118	122	WCS308				
9' (2743)	97	100	105	109	115	121	125	WCS309				
10' (3048)	98	101	106	110	116	122	126	WCS310				
										Note: Paint is available on Standard 3-Way Conditions only.	C0 + \$17	CH3 + \$176 Choices
											C1 + \$17	
											C2A + \$17	
											C3 + \$17	
											C4 + \$17	
											C5A + \$34	No Component Kits
											C6A + \$34	
											C7 + \$34	
											C8 + \$17	
											AV + \$17	
											AVC5A + \$51	
											AVC6A + \$51	



Enhanced 3-Way Conditions

Dimensions Height	Paint/Vinyl	List Price Fabric Grade						Catalog Number
4' (1219)	\$78	\$80	\$84	\$86	\$94	\$100	\$104	WCE304
8' (2438)	119	121	125	127	135	141	145	WCE308
9' (2743)	120	123	128	132	138	144	148	WCE309
10' (3048)	121	127	133	143	146	152	157	WCE310

Build your complete Part Number here:

---	---	---	---	---
-----	-----	-----	-----	-----

Sample Part Number:

WCE310	.105	.AS2	.CN	--
--------	------	------	-----	----

Total Cost \$121 =

\$121	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

Standard Half Extended 3-Way Conditions


Half Extended 3-Way Conditions include one outside straight pilaster cover, two inside corner pilasters and panel connectors.

Note: Half Extended 3-Way Conditions create inside dimensioning in one direction.

Enhanced Half Extended 3-Way Conditions

Half Extended 3-Way Conditions include one outside enhanced straight pilaster cover, two inside corner pilasters and panel connectors.

Note: Half Extended 3-Way Conditions create inside dimensioning in one direction.




Top View

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments. Example: 7'6 1/2" = 90.5".

Punch-Out Description

C0	Switch Height w/ Box
C1	45" Switch Height
C2A	18" Standard Height
C3	32" Work Height
C4	6" Data Height
C5A	18" Standard & 32" Work Height
C6A	18" Standard & 6" Data Height
C7	6" Data & 32" Work Height
C8	Special Punch Out Location
AV	72" AV Height
AVC5A	72" AV, 18" Standard & 32" Work Height
AVC6A	72" AV, 6" Data & 18" Standard Height



Standard Half Extended 3-Way Conditions

Dimensions Height	Paint/Vinyl	List Price Fabric Grade						Catalog Number	Panel Dimensions	Surface Color			Punch-out Side 3	Component Mounting Side 3
		1	2	3	4	5	6			Side 1	Side 2	Side 3		
4' (1219)	\$213	\$219	\$232	\$240	\$248	\$255	\$259	WCS3H04	Specify Ceiling Height in 1/4" Increments	Select Paint, Vinyl or Fabric See Surface Materials Page 2 Note: Paint is available on Standard Half Extended 3-Way Conditions only.			CN No Cost No Punch-out	NK3 No Cost No Kit
8' (2438)	322	329	342	350	358	365	369	WCS3H08					C0 + \$17	CH3 +\$176 Choices
9' (2743)	328	337	354	372	384	390	395	WCS3H09					C1 + \$17	
10' (3048)	331	349	363	383	402	409	413	WCS3H10					C2A + \$17	

Enhanced Half Extended 3-Way Conditions

Dimensions Height	Vinyl	List Price Fabric Grade						Catalog Number	Panel Dimensions	Surface Color			Punch-out Side 3	Component Mounting Side 3
		1	2	3	4	5	6			Side 1	Side 2	Side 3		
4' (1219)	\$228	\$234	\$247	\$255	\$263	\$270	\$274	WCE3H04	Specify Ceiling Height in 1/4" Increments	Select Paint, Vinyl or Fabric See Surface Materials Page 2 Note: Paint is available on Standard Half Extended 3-Way Conditions only.			C3 + \$17	No Component Kits
8' (2438)	349	355	368	376	384	391	395	WCE3H08					C4 + \$17	
9' (2743)	354	363	380	398	410	416	421	WCE3H09					C5A + \$34	
10' (3048)	358	376	390	410	429	436	440	WCE3H10					C6A + \$34	
													C7 + \$34	
													C8 + \$17	
													AV + \$17	
													AVC5A + \$51	
													AVC6A + \$51	

Sample Part Number:

WCE3H10	.120	.AG0	.AG0	.AG0	.C1	--
---------	------	------	------	------	-----	----

Total Cost \$407 =

\$390	+	N/C	+	N/C	+	N/C	+	N/C	+	\$17	+	N/C
-------	---	-----	---	-----	---	-----	---	-----	---	------	---	-----


Enhanced Full Extended 3-Way Conditions

Enhanced Full Extended 3-Way Conditions include one enhanced straight pilaster cover, two enhanced inside corner pilasters and panel connectors.

Note: Extended 3-Way Conditions create inside dimensioning in both directions.


Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.

Example: 7'6 1/2" = 90.5".



Top View

Enhanced Full Extended 3-Way Conditions



Dimensions Height	List Price Fabric Grade							Catalog Number	Panel Dimensions	Surface Color		
	Vinyl	1	2	3	4	5	6			Side 1	Side 2	Side 3
4' (1219)	\$230	\$238	\$257	\$275	\$290	\$297	\$301	WCE3X04	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2		
8' (2438)	354	362	381	399	414	421	425	WCE3X08				
9' (2743)	358	366	385	403	418	425	429	WCE3X09				
10' (3048)	360	369	388	406	421	428	432	WCE3X10				
Build your complete Part Number here:								----	---	---	---	---

Sample
Part Number:


WCE3X10	.105	.AG0	.AG0	.AG0
---------	------	------	------	------

Total Cost \$388 =

\$388	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

4-Way Conditions

4-Way Conditions include one steel pilaster, one wall channel and panel connectors. 4-Way Conditions are specified with Trim color only, as only the painted wall channel is seen.





Finished End Kits

Finished End Kits are used to create an end of run that does not abut an existing building element. They can be used in pairs to create archways. One kit includes a painted finished end, one crown cap and two vinyl door base ends.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".

Wall Channels

Wall Channels are used with a filler panel at the end of a panel run to create a clean finish against an existing building wall.



4-Way Conditions

Dimensions Height	List Price	Catalog Number	Panel Dimensions	Trim Color
4' (1219)	\$ 109	WCS404	Specify Ceiling Height in 1/4" Increments	Standard Finishes No Cost Premium Finishes + \$16 See Surface Materials Page 5
8' (2438)	215	WCS408		
9' (2743)	231	WCS409		
10' (3048)	245	WCS410		

Finished End Kits

Dimensions Height	List Price	Catalog Number	Base Color
4' (1219)	\$ 101	FEK04	Standard Smooth Finishes Only See Surface Materials Page 5
10' (3048)	156	FEK10	

Wall Channel

Dimensions Height	List Price	Catalog Number
4' (1219)	\$ 74	TWC04
8' (2438)	138	TWC08
9' (2743)	145	TWC09
10' (3048)	152	TWC10
Build your complete Part Number here:		_____

Sample Part Number:

TWC10	---	.Y	-
-------	-----	----	---

Total Cost \$152 =

\$152	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----

Component Mounting Kits

To aid in reconfigurations, TrendWall Component Mounting Kits may be purchased separately from condition kits.

This special conversion assembly allows standard TrendWall panels to accept Trendway's Choices open plan components. The Component Mounting Kit fits in any straight line panel intersection with slotting to 84" (2134) high.

Each slotted bracket contains two vertical rows of slots that are spaced every 1" (25) (on center). Two kits are required to hang

one component. Two components can be hung side-by-side on three mounting kits.

The base price includes one slotted cover only. The Component Mounting Kit includes mounting rail, hardware and a slotted pilaster.


Straight Enhanced Pilasters are not recommended for use with Component Mounting Kit.

Only CHOICES Component Mounting Kits are available.

Note: Cannot be used in panel runs consisting of Ceiling Filler Panels.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.

Example: 7'6 1/2" = 90.5".



Choices

Component Mounting Slotted Cover (Optional Kit)

Dimensions Height	List Price		Catalog Number	Actual Ceiling Height	Surface Color	Component Mounting
	Vinyl	Fabric				
8' (2438)	\$40	\$66	SITPS08CMK	Specify in 1/4" Increments	See Surface Materials Page 2	NK1 No Cost No Kit CH1 + \$176 Choices
9' (2743)	40	66	SITPS09CMK			
10' (3048)	40	66	SITPS10CMK			
Build your complete Part Number here:			-----	---	-----	-

Sample Part Number:

SITPS08CMK	.108.25	.AS2	.NK1			
\$66	+	N/C	+	N/C	+	N/C

Total Cost \$66 =

Standard Pilasters

Standard Pilasters leave the vertical painted frames of the panels showing on each side of the Pilaster. Standard Pilasters are available for Straight or Outside Corner Conditions.

Enhanced Pilasters

Enhanced Pilasters are designed to cover the panel's metal frame to give a continuous look to the panel run. Enhanced Pilasters are available as Straight, Outside Corner, and Inside Corner configurations.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.

Example: 7'6 1/2" = 90.5".


Note: Punch-out for Side 1 can not be the same as Side 2 for switch height only.

Punch-Out Description

C0	Switch Height w/ Box
C1	45" Switch Height
C2A	18" Standard Height
C3	32" Work Height
C4	6" Data Height
C5A	18" Standard & 32" Work Height
C6A	18" Standard & 6" Data Height
C7	6" Data & 32" Work Height
C8	Special Punch Out Location
AV	72" AV Height
AVC5A	72" AV, 18" Standard & 32" Work Height
AVC6A	72" AV, 6" Data & 18" Standard Height

**Standard Straight Pilasters**

Dimensions Height	List Price		Catalog Number	Panel Dimensions	Surface Color	Punch-out
	Paint/Vinyl	Fabric				
4' (1219)	\$39	\$48	SITPS04	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2 Note: Paint is available on Standard Straight Pilasters only.	CN No Cost
8' (2438)	65	74	SITPS08			C0 + \$17
9' (2743)	71	80	SITPS09			C1 + \$17
10' (3048)	76	85	SITPS10			C2A + \$17
						C3 + \$17
						C4 + \$17
						C5A + \$34
						C6A + \$34
						C7 + \$34
						C8 + \$17

**Enhanced Straight Pilasters**

Dimensions Height	List Price		Catalog Number			
	Vinyl	Fabric				
4' (1219)	\$53	\$62	SITEPS04			AV + \$17
8' (2438)	87	96	SITEPS08			AVC5A + \$51
9' (2743)	89	98	SITEPS09			AVC6A + \$51
10' (3048)	97	106	SITEPS10			

Build your complete Part Number here:

Sample Part Number:

SITPS10	.102.25	.AG0	.C1
---------	---------	------	-----

Total Cost \$102 =


\$85	+	N/C	+	N/C	+	\$17
------	---	-----	---	-----	---	------

Enhanced Extended Straight Pilasters

Extended Straight Pilasters are available for use with the Extended Corner Connectors, used with Corner Component Mounting Rails.

Note: Extended pilasters can be used ONLY with extended conditions and are only available in the Enhanced style.

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".



Enhanced Extended Straight Pilaster


Dimensions Height	List Price		Catalog Number	Panel Dimensions	Surface Color
	Vinyl	Fabric			
4' (1219)	\$121	\$130	SITE3WAY04	Specify Ceiling Height in 1/4" Increments	See Surface Materials Page 2
8' (2438)	203	212	SITE3WAY08		
9' (2743)	208	217	SITE3WAY09		
10' (3048)	212	221	SITE3WAY10		
Build your complete Part Number here:			_____	---	--

Sample
Part Number:

SITE3WAY10	.96.5	.AG0
\$221	+	N/C
		+
		N/C


Total Cost \$221 =

Specify actual ceiling height in inches using a decimal to represent fractions in one quarter inch increments.
Example: 7'6 1/2" = 90.5".




Standard Corner Pilasters

Dimensions Height	List Price		Catalog Number
	Paint/Vinyl	Fabric	
4' (1219)	\$81	\$90	SITPC04
8' (2438)	132	141	SITPC08
9' (2743)	135	144	SITPC09
10' (3048)	139	148	SITPC10




Enhanced Corner Pilasters

Dimensions Height	List Price		Catalog Number
	Vinyl	Fabric	
4' (1219)	\$ 114	\$123	SITEPC04
8' (2438)	191	200	SITEPC08
9' (2743)	195	204	SITEPC09
10' (3048)	200	209	SITEPC10



Extended Corner Pilasters

Dimensions Height	List Price		Catalog Number
	Vinyl	Fabric	
4' (1219)	\$ 114	\$123	SITEXPC04
8' (2438)	191	200	SITEXPC08
9' (2743)	195	204	SITEXPC09
10' (3048)	200	209	SITEXPC10



Insided Corner Pilasters

Dimensions Height	List Price		Catalog Number
	Vinyl	Fabric	
4' (1219)	\$ 76	\$ 85	SITEPIC04
8' (2438)	124	133	SITEPIC08
9' (2743)	130	139	SITEPIC09
10' (3048)	137	146	SITEPIC10

Build your complete Part Number here:

---	---	---
-----	-----	-----

Sample Part Number:

SITEXPC10	.96	.AG0
---	---	---

Total Cost \$209 =

\$209	+	N/C	+	N/C
-------	---	-----	---	-----

Vertical Hardware Box

The Vertical Hardware Box is a custom size and comes with 2 mounting brackets. UL Listed.

Hardware Box

The Hardware Box is an Appleton M1250. It is 2½" deep x 3¾" high x 1⅓/16" wide with ½" and ¾" knock outs. UL Listed.

Ceiling Feed

The Ceiling Feed supplies power from the ceiling to the distribution block on the Power Module. Length is 12' (3658) of conduit with 13' (3962) of wire.


Power Modules

Power Modules are available in three styles to bring power access to the area between the panels at varying heights. One end has a connector for attachment to Power Harnesses and the other end has a distribution block to accept a Power Duplex, both sides

back to back.


Power Duplexes

The TrendWall Power Duplex plugs into the distribution block on the Power Module to access the power circuit. Each Power Duplex is clearly marked for Circuit I, II, III or IVΔ access. Circuit IVΔ has an orange numeral and delta symbol(Δ) to indicate it accesses the dedicated circuit. Packaged in boxes of six of the same duplex.




Vertical Hardware

Depth	Height	Width	List Price	Catalog Number	
1 ⅓"	6 ½"	2"	\$131	TWVEB	




Hardware Box

Depth	Height	Width	List Price	Catalog Number	
2 ½"	3 ¾"	1 ⅓/16"	\$29	SITM1250	




Ceiling Feed

Description	List Price	Catalog Number	
4-Circuit, 10 Feet	\$135	SITCFTP	
4-Circuit, 12 Feet	\$165	SITCFTP144	



Power Modules

Description	List Price	Catalog Number	
Standard Height	\$111	SHPMADA	
Work Height	\$140	WHPM	
Work Height Adder	\$111	WHPMADA	



Package Contains 6 Duplex Plugs

Power Duplexes

Description	Depth	List Price	Catalog Number	Trim Color
Circuit I	1 5/16"	\$156	TWD1	Standard Smooth Finishes Only No Cost
Circuit II	1 5/16"	\$156	TWD2	
Circuit III	1 5/16"	\$156	TWD3	
Circuit IVΔ	1 5/16"	\$175	TWD4	

Single Power Duplexes

Description	Depth	List Price	Catalog Number	See Surface Materials Page 5
Circuit I	1 5/16"	\$36	SITD1	
Circuit II	1 5/16"	\$36	SITD2	
Circuit III	1 5/16"	\$36	SITD3	
Circuit IVΔ	1 5/16"	\$39	SITD4	

Build your complete Part Number here:

Sample Part Number:

Total Cost \$156 =

TWD1 .Y


\$156 + N/C

Pass-Through Harness

Pass-Through Harnesses bring power from a feed point to a distribution point at a Power Module. Harnesses are available in lengths from 24" (610) to 141" (3581) in 3" (76) increments and 16" (406) Male/Male Harness for connecting Power at 3- and 4-way panel intersections.

For Hardwire Installations

Electrical boxes are not included, however, Trendway recommends the use of one of the following: Appleton M1-250, Bowers 1-MBS, Raco 562, Thomas & Betts GW-125-C or equivalent.



Pass-Through Harness

Dimensions Length	List Price	Catalog Number
24" (610)	\$ 116	THARN24
27" (686)	116	THARN27
30" (762)	116	THARN30
33" (838)	116	THARN33
36" (914)	116	THARN36
39" (991)	116	THARN39
42" (1067)	138	THARN42
45" (1143)	138	THARN45
48" (1219)	138	THARN48
51" (1295)	138	THARN51
54" (1372)	138	THARN54
57" (1448)	138	THARN57
60" (1524)	158	THARN60
63" (1600)	158	THARN63
66" (1676)	158	THARN66
69" (1753)	158	THARN69
72" (1829)	158	THARN72
75" (1905)	158	THARN75
78" (1981)	180	THARN78
81" (2057)	180	THARN81
84" (2134)	180	THARN84
87" (2210)	180	THARN87
90" (2286)	180	THARN90
93" (2362)	180	THARN93
96" (2438)	201	THARN96
99" (2515)	201	THARN99
102" (2591)	201	THARN102
105" (2667)	201	THARN105
108" (2743)	201	THARN108
111" (2819)	201	THARN111
114" (2896)	223	THARN114
117" (2972)	223	THARN117
120" (3048)	223	THARN120
123" (3124)	223	THARN123
126" (3200)	223	THARN126
129" (3277)	223	THARN129
132" (3353)	237	THARN132
135" (3429)	237	THARN135
138" (3505)	237	THARN138
141" (3581)	237	THARN141
Build your complete Part Number here:		-----

Sample Part Number:	THARN42 -----
Total Cost \$138 =	\$138

Surface Materials

TrendWall Information

TrendWall Space Planning

TrendWall Panels

TrendWall Doors

TrendWall Accessories

TrendWall Conditions

TrendWall Electrical Components

TrendWall Terms & Policies

Male/Male Harness

One is required at each 4-way condition.

End Block

The new TrendWall Electrical End Block (TEEB) provides necessary connectors at the end of a TrendWall Modular Electrical run. One is required at the end of a run.


For Hardwire Installations

Electrical boxes are not included, however, Trendway recommends the use of one of the following: Appleton M1-250, Bowers 1-MBS, Raco 690, Steel City GW-125-C or equivalent.



Male/Male Harness

Dimensions Length	List Price	Catalog Number
16" (406)	\$104	TCHMM



End Block

	List Price	Catalog Number
Female/ Female Male/ Male	\$37 21	SITTEEB SITEBMM

SITTEEB Shown

Build your complete
Part Number here:

Sample
Part Number:

SITTEEB

Total Cost \$37 =

\$37

1. Prices

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement prices effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices shown include standard Trendway specified freight cost on all orders.

PRICING DETAILS

a. Non-Listed Panel Sizes

Component pricing is given for discrete panel sizes. Off module sizes are figured from the next largest panel. Example: The cost of a 40" (1016) solid panel, 96" (2438) tall in standard vinyl is \$525.

b. Unfinished Panels and COM

No credit is provided for Customer's Own Material.

COM fabric or vinyl pricing see page 12. Customer supplies material. Approval subject to prior testing.

Contact Customer Care for unfinished panel pricing.

c. Trim Colors

All trim parts, steel or vinyl, can be specified in all standard Systems finishes.

Premium System finishes are offered at a modest upcharge on painted parts only. Please refer to a specific item in your price book to determine finish availability and the amount of upcharge.

d. Cartoning

The prices do not include cartoning. If cartoning is required, please add \$10.00 to list price per lineal footage of product required.

Trendway will package product as required for LTL shipment. Cartoning as referenced here is typically for panels going into storage for a period of time, and client asks for this additional protection.

2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trenddealer.com, or in writing. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date to dealer. Orders can also be confirmed on-line at www.trenddealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

4. Lead Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

5. Buyer's Credit

If, in the judgement of Trendway, the financial condition of Buyer at any time does not justify the terms specified, Trendway may at any time by notice to Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

6. Order Changes

To change an order, the customer must call Trendway Customer Care 1-800-893-8115 for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

7. Cancellation

All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or**

full purchase price. Customer shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes which Trendway Corporation, Trendway Corporation subcontractors or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

10. Past Due Accounts

Past Due Accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past due balances.

11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM fabric.
2. Check first with www.trenddealer.com/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a **COM Order Submission Form** (available from a Trendway

4. If the material requested is not in the COM Library, customer must submit a **COM Test Request** on-line at www.trenddealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Fabric sample should include fabric name, pattern number and color, manufacturer, direction fabric should be applied, and Control # from the COM Request Form automated e-mail response.

5. Ship COM samples to:

U.S. Mail Shipment and
UPS, FedEx Shipment:
Trendway Corporation
13467 Quincy Street
Holland, MI 49424
Attn: COM Request

6. You will be notified within five (5) working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

TrendWall	4 yards
Volo	4 yards

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials may not qualify for UL Listing or meet fire codes.

11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trenddealer.com for product availability, individual product guidelines and lead-times. Set up fees and lead-times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trenddealer.com).

- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for \$200 color matching fee per customer, per color. See Custom Color Request form for details.

12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale,

including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Federal Express, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of \$85.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased

equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Shipping Note:

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

19. Shortage on Order

Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with

Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

21. Trendway Field Technical and Installation Support:

On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day on-Site, \$1,800.00

Field Installation Assistance: 3 Days on-site, \$2,500.00

Field Installation Assistance: 5 Days on-site, \$3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trenddealer.com, in the Price List section.

Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		•Pneumatic Cylinders •Mechanisms •Magnus Olesen
5 Year	•Drawer Slides •Systems Textiles •Finishes •Electronic Ballasts •Height-Adjustable Table Mechanical Components	•System Textiles •Finishes	
3 Year	•Veneer •Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	•Surface Trend Fabrics •Height-Adjustable Table Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product •Access Flooring Solutions	•Non-Standard Product
Not Covered	•Light Bulbs •Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation
13467 Quincy St., Holland MI 49422-9016
www.trendway.com 09.12

BTU	Touch Up Paint	52	SITSGS36	Sliding Glass Window Shelf and Track.....	53	Surface Materials	
DJAKIT	Door Hardware - When Ordered Separately.....	48	SITSGS48	Sliding Glass Window Shelf and Track.....	53		TrendWall Information
ETBASEND	Crown, Base & Misc. Components	51	SITSH	Door Hardware - When Ordered Separately	48		
FEK04	Finished End Kits	61	SITSPLATE	Door Hardware - When Ordered Separately	48	TrendWall Space Planning	
FEK10	Finished End Kits	61	SITSTOP	Door Hardware - When Ordered Separately	48		
PH	Picture Hanger	53	SITTDJHL	Door Jamb	49		
SHPMADA	Power Modules	66	SITTDJHR	Door Jamb	49	TrendWall Panels	
SIARC	Punch Out Covers.....	53	SITTDJSL	Door Jamb	49		
SISFLYG1	Fabric & Vinyl Material Only	52	SITTDJSR	Door Jamb	49		
SISFLYG2	Fabric & Vinyl Material Only	52	SITTEEB	End Block	68	TrendWall Doors	
SISFLYG3	Fabric & Vinyl Material Only	52	SITVRK	Solid Vinyl Repair Kit	52		
SISFLYG4	Fabric & Vinyl Material Only	52	SITW215	Crown Foam Tape	51		
SISFLYG5	Fabric & Vinyl Material Only	52	SITWCSA04	Standard Angle Conditions.....	56	TrendWall Accessories	
SISFLYG6	Fabric & Vinyl Material Only	52	SITWCSA08	Standard Angle Conditions.....	56		
SISVIDYD	Fabric & Vinyl Material Only	52	SITWCSA09	Standard Angle Conditions.....	56		
SISWGVYD	Fabric & Vinyl Material Only	52	SITWCSA10	Standard Angle Conditions.....	56	TrendWall Conditions	
SITBP	Blank Plate	49	SP	Sound Packing	52		
SITD1	Single Power Duplexes.....	66, 84	SPCF	Sound Packing	52		
SITD2	Single Power Duplexes.....	66, 84	STU	Touch Up Paint	52	TrendWall Electrical Components	
SITD3	Single Power Duplexes.....	66, 84	TCAPLATE	Miscellaneous Connectors	51		
SITD4	Single Power Duplexes.....	66, 84	TCB	Crown, Base & Misc. Components	51		
SITDR36L	TrendWall Door.....	50	TCBRACERD	Ceiling Brace - Round.....	51	Terms, Policies & Index	
SITDR36R	TrendWall Door.....	50	TCBRACESQ	Ceiling Brace - Square.....	51		
SITE3WAY04	Enhanced Extended Straight Pilasters	64	TCC	Crown, Base & Misc. Components	51		
SITE3WAY08	Enhanced Extended Straight Pilasters	64	TCCCONNECTOR	Miscellaneous Connectors	51		
SITE3WAY09	Enhanced Extended Straight Pilasters	64	TCCPLATE	Miscellaneous Connectors	51		
SITE3WAY10	Enhanced Extended Straight Pilasters	64	TCE	Crown, Base & Misc. Components	51		
SITEBMM	End Block	68	TCFB	Crown, Base & Misc. Components	51		
SITEPC04	Enhanced Corner Pilaster	65	TCGRIP	Miscellaneous Connectors	51		
SITEPC08	Enhanced Corner Pilaster	65	TCHMM	Male/Male Harness	68		
SITEPC09	Enhanced Corner Pilaster	65	TCHOOK15	Miscellaneous Connectors	51		
SITEPC10	Enhanced Corner Pilaster	65	TCHOOK5	Miscellaneous Connectors	51		
SITEPIC04	Inside Corner Pilaster	65	TCS	Crown, Base & Misc. Components	51		
SITEPIC08	Inside Corner Pilaster	65	TDCLOSEH	Door Hardware - When Ordered Separately	48		
SITEPIC09	Inside Corner Pilaster	65	TDCLOSES	Door Hardware - When Ordered Separately	48		
SITEPIC10	Inside Corner Pilaster	65	TDFTAPE	Miscellaneous Connectors	51		
SITEPS04	Enhanced Straight Pilasters	63	TFABGYP38	Fabric Covered Square-edged Gypsum.....	52		
SITEPS08	Enhanced Straight Pilasters	63	TFP	Crown, Base & Misc. Components	51		
SITEPS09	Enhanced Straight Pilasters	63	TGFMOLD	Glass Molding.....	53		
SITEPS10	Enhanced Straight Pilasters	63	TGMMOLD	Glass Molding.....	53		
SITEXPC04	Extended Corner Pilaster.....	65	THARN102	Pass-Through Harness.....	67		
SITEXPC08	Extended Corner Pilaster.....	65	THARN105	Pass-Through Harness.....	67		
SITEXPC09	Extended Corner Pilaster.....	65	THARN108	Pass-Through Harness.....	67		
SITEXPC10	Extended Corner Pilaster.....	65	THARN111	Pass-Through Harness.....	67		
SITLBB	Leveling Bolt Bracket	51	THARN114	Pass-Through Harness.....	67		
SITLEVER238L	Satin Chrome Lever Lockset.....	48	THARN117	Pass-Through Harness.....	67		
SITLEVER238P	Satin Chrome Lever Passage Set.....	48	THARN120	Pass-Through Harness.....	67		
SITLOUVER	Aluminum Louver Only	49	THARN123	Pass-Through Harness.....	67		
SITM1250	Hardwire Box.....	66	THARN126	Pass-Through Harness.....	67		
SITM1250K	Hardwire Box Kit	81	THARN129	Pass-Through Harness.....	67		
SITPBM	End Block	68	THARN132	Pass-Through Harness.....	67		
SITPC04	Standard Corner Pilaster	65	THARN135	Pass-Through Harness.....	67		
SITPC08	Standard Corner Pilaster	65	THARN138	Pass-Through Harness.....	67		
SITPC09	Standard Corner Pilaster	65	THARN141	Pass-Through Harness.....	67		
SITPC10	Standard Corner Pilaster	65	THARN24	Pass-Through Harness.....	67		
SITPS04	Standard Straight Pilasters.....	63	THARN27	Pass-Through Harness.....	67		
SITPS08	Standard Straight Pilasters.....	63	THARN30	Pass-Through Harness.....	67		
SITPS08CMK	Component Mounting Slotted Cover.....	62	THARN33	Pass-Through Harness.....	67		
SITPS09	Standard Straight Pilasters.....	63	THARN36	Pass-Through Harness.....	67		
SITPS09CMK	Component Mounting Slotted Cover.....	62	THARN39	Pass-Through Harness.....	67		
SITPS10	Standard Straight Pilasters.....	62	THARN42	Pass-Through Harness.....	67		
SITPS10CMK	Component Mounting Slotted Cover.....	62	THARN45	Pass-Through Harness.....	67		
SITSB	Stabilizing Bracket.....	51	THARN48	Pass-Through Harness.....	67		

TrendWall	Surface Materials	THARN51	Pass-Through Harness.....	67	WCEC10	Enhanced Corner Conditions.....	55
		THARN54	Pass-Through Harness.....	67	WCECX04	Enhanced Extended Corner Conditions.....	55
TrendWall	Information	THARN57	Pass-Through Harness.....	67	WCECX08	Enhanced Extended Corner Conditions.....	55
		THARN60	Pass-Through Harness.....	67	WCECX09	Enhanced Extended Corner Conditions.....	55
TrendWall	Space Planning	THARN63	Pass-Through Harness.....	67	WCECX10	Enhanced Extended Corner Conditions.....	55
		THARN66	Pass-Through Harness.....	67	WCES04	Enhanced Straight Conditions.....	54
TrendWall	Panels	THARN69	Pass-Through Harness.....	67	WCES08	Enhanced Straight Conditions.....	54
		THARN72	Pass-Through Harness.....	67	WCES09	Enhanced Straight Conditions.....	54
TrendWall	Doors	THARN75	Pass-Through Harness.....	67	WCES10	Enhanced Straight Conditions.....	54
		THARN78	Pass-Through Harness.....	67	WCS304	Standard 3-Way Conditions.....	58
TrendWall	Accessories	THARN81	Pass-Through Harness.....	67	WCS308	Standard 3-Way Conditions.....	58
		THARN84	Pass-Through Harness.....	67	WCS309	Standard 3-Way Conditions.....	58
TrendWall	Electrical Components	THARN87	Pass-Through Harness.....	67	WCS310	Standard 3-Way Conditions.....	58
		THARN90	Pass-Through Harness.....	67	WCS3H04	Standard Half Extended 3-Way Conditions.....	59
TrendWall	Terms, Policies & Index	THARN93	Pass-Through Harness.....	67	WCS3H08	Standard Half Extended 3-Way Conditions.....	59
		THARN96	Pass-Through Harness.....	67	WCS3H09	Standard Half Extended 3-Way Conditions.....	59
TrendWall	Electrical Components	THARN99	Pass-Through Harness.....	67	WCS3H10	Standard Half Extended 3-Way Conditions.....	59
		THINGEC	Door Hardware - When Ordered Separately.....	48	WCS404	4-Way Conditions.....	61
TrendWall	Electrical Components	TSB	Crown, Base & Misc. Components.....	51	WCS408	4-Way Conditions.....	61
		TSCONNECTOR	Straight Panel Connector.....	51	WCS409	4-Way Conditions.....	61
TrendWall	Electrical Components	TVIDGYP38	Vinyl Laminated Square-edged Gypsum.....	52	WCS410	4-Way Conditions.....	61
		TWC04	Wall Channel.....	61	WCSA04	Standard Angle Conditions.....	56
TrendWall	Electrical Components	TWC08	Wall Channel.....	61	WCSA08	Standard Angle Conditions.....	56
		TWC09	Wall Channel.....	61	WCSA09	Standard Angle Conditions.....	56
TrendWall	Electrical Components	TWC10	Wall Channel.....	61	WCSA10	Standard Angle Conditions.....	56
		TWCC1	Extended Corner Connector.....	51	WCSC04	Standard Corner Conditions.....	55
TrendWall	Electrical Components	TWCCH	Half Extended Corner Connector.....	51	WCSC08	Standard Corner Conditions.....	55
		TWD1	Power Duplexes.....	66, 84	WCSC09	Standard Corner Conditions.....	55
TrendWall	Electrical Components	TWD2	Power Duplexes.....	66, 84	WCSC10	Standard Corner Conditions.....	55
		TWD3	Power Duplexes.....	66, 84	WCSS04	Standard Straight Conditions.....	54
TrendWall	Electrical Components	TWD4	Power Duplexes.....	66, 84	WCSS08	Standard Straight Conditions.....	54
		TWGBLOCK14	Miscellaneous Connectors.....	51	WCSS09	Standard Straight Conditions.....	54
TrendWall	Electrical Components	TWGBLOCK38	Miscellaneous Connectors.....	51	WCSS10	Standard Straight Conditions.....	54
		TWVEB	Vertical Hardwire.....	66	WDDSL7208	Double Door Sections - Left-Hand Swing.....	44
TrendWall	Electrical Components	WB-10552	Miscellaneous Connectors.....	51	WDDSL7209	Double Door Sections - Left-Hand Swing.....	44
		WBDS4808	Bi-Fold Door Sections.....	46	WDDSL7210	Double Door Sections - Left-Hand Swing.....	44
TrendWall	Electrical Components	WBDS4809	Bi-Fold Door Sections.....	46	WDDSL8408	Double Door Sections - Left-Hand Swing.....	44
		WBDS4810	Bi-Fold Door Sections.....	46	WDDSL8409	Double Door Sections - Left-Hand Swing.....	44
TrendWall	Electrical Components	WBDS6008	Bi-Fold Door Sections.....	46	WDDSL8410	Double Door Sections - Left-Hand Swing.....	44
		WBDS6009	Bi-Fold Door Sections.....	46	WDDSR7208	Double Door Sections - Right-Hand Swing.....	44
TrendWall	Electrical Components	WBDS6010	Bi-Fold Door Sections.....	46	WDDSR7209	Double Door Sections - Right-Hand Swing.....	44
		WBDS7208	Bi-Fold Door Sections.....	46	WDDSR7210	Double Door Sections - Right-Hand Swing.....	44
TrendWall	Electrical Components	WBDS7209	Bi-Fold Door Sections.....	46	WDDSR8408	Double Door Sections - Right-Hand Swing.....	44
		WBDS7210	Bi-Fold Door Sections.....	46	WDDSR8409	Double Door Sections - Right-Hand Swing.....	44
TrendWall	Electrical Components	WCASB04	Angle Wood Blocks.....	57	WDDSR8410	Double Door Sections - Right-Hand Swing.....	44
		WCASB08	Angle Wood Blocks.....	57	WDSL4008	Door Sections - Left-Hand Swing.....	40
TrendWall	Electrical Components	WCASB09	Angle Wood Blocks.....	57	WDSL4009	Door Sections - Left-Hand Swing.....	40
		WCASB10	Angle Wood Blocks.....	57	WDSL4010	Door Sections - Left-Hand Swing.....	40
TrendWall	Electrical Components	WCE304	Enhanced 3-Way Conditions.....	58	WDSL4808	Door Sections - Left-Hand Swing.....	40
		WCE308	Enhanced 3-Way Conditions.....	58	WDSL4809	Door Sections - Left-Hand Swing.....	40
TrendWall	Electrical Components	WCE309	Enhanced 3-Way Conditions.....	58	WDSL4810	Door Sections - Left-Hand Swing.....	40
		WCE310	Enhanced 3-Way Conditions.....	58	WDSLL4208	Sliding Door Sections - Left-Hand Swing.....	42
TrendWall	Electrical Components	WCE3H04	Enhanced Half Extended 3-Way Conditions.....	59	WDSLL4209	Sliding Door Sections - Left-Hand Swing.....	42
		WCE3H08	Enhanced Half Extended 3-Way Conditions.....	59	WDSLL4210	Sliding Door Sections - Left-Hand Swing.....	42
TrendWall	Electrical Components	WCE3H09	Enhanced Half Extended 3-Way Conditions.....	59	WDSLL4808	Sliding Door Sections - Left-Hand Swing.....	42
		WCE3H10	Enhanced Half Extended 3-Way Conditions.....	59	WDSLL4809	Sliding Door Sections - Left-Hand Swing.....	42
TrendWall	Electrical Components	WCE3X04	Enhanced Full Extended 3-Way Conditions.....	60	WDSLL4810	Sliding Door Sections - Left-Hand Swing.....	42
		WCE3X08	Enhanced Full Extended 3-Way Conditions.....	60	WDSLR4208	Sliding Door Sections -Right-Hand Swing.....	42
TrendWall	Electrical Components	WCE3X09	Enhanced Full Extended 3-Way Conditions.....	60	WDSLR4209	Sliding Door Sections -Right-Hand Swing.....	42
		WCE3X10	Enhanced Full Extended 3-Way Conditions.....	60	WDSLR4210	Sliding Door Sections -Right-Hand Swing.....	42
TrendWall	Electrical Components	WCEC04	Enhanced Corner Conditions.....	55	WDSLR4808	Sliding Door Sections -Right-Hand Swing.....	42
		WCEC08	Enhanced Corner Conditions.....	55	WDSLR4809	Sliding Door Sections -Right-Hand Swing.....	42
TrendWall	Electrical Components	WCEC09	Enhanced Corner Conditions.....	55	WDSLR4810	Sliding Door Sections -Right-Hand Swing.....	42

WDSR4008	Door Sections - Right-Hand Swing.....	40	WPCG1803	Glazed Ceiling Stacker Panels.....	38	Surface Materials
WDSR4009	Door Sections - Right-Hand Swing.....	40	WPCG1804	Glazed Ceiling Stacker Panels.....	38	
WDSR4010	Door Sections - Right-Hand Swing.....	40	WPCG2402	Glazed Ceiling Stacker Panels.....	38	
WDSR4808	Door Sections - Right-Hand Swing.....	40	WPCG2403	Glazed Ceiling Stacker Panels.....	38	
WDSR4809	Door Sections - Right-Hand Swing.....	40	WPCG2404	Glazed Ceiling Stacker Panels.....	38	
WDSR4810	Door Sections - Right-Hand Swing.....	40	WPCG3002	Glazed Ceiling Stacker Panels.....	38	TrendWall Information
WHPM	Power Modules.....	64	WPCG3003	Glazed Ceiling Stacker Panels.....	38	
WHPMADA	Power Modules.....	64	WPCG3004	Glazed Ceiling Stacker Panels.....	38	
WPC0602	Ceiling Stacker Panels.....	34	WPCG3602	Glazed Ceiling Stacker Panels.....	38	
WPC0603	Ceiling Stacker Panels.....	34	WPCG3603	Glazed Ceiling Stacker Panels.....	38	
WPC0604	Ceiling Stacker Panels.....	34	WPCG3604	Glazed Ceiling Stacker Panels.....	38	TrendWall Space Planning
WPC1202	Ceiling Stacker Panels.....	34	WPCG4202	Glazed Ceiling Stacker Panels.....	38	
WPC1203	Ceiling Stacker Panels.....	34	WPCG4203	Glazed Ceiling Stacker Panels.....	38	
WPC1204	Ceiling Stacker Panels.....	34	WPCG4204	Glazed Ceiling Stacker Panels.....	38	
WPC1802	Ceiling Stacker Panels.....	34	WPCG4802	Glazed Ceiling Stacker Panels.....	38	
WPC1803	Ceiling Stacker Panels.....	34	WPCG4803	Glazed Ceiling Stacker Panels.....	38	TrendWall Panels
WPC1804	Ceiling Stacker Panels.....	34	WPCG4804	Glazed Ceiling Stacker Panels.....	38	
WPC2402	Ceiling Stacker Panels.....	34	WPF0608	Filler Panel.....	20	
WPC2403	Ceiling Stacker Panels.....	34	WPF0609	Filler Panel.....	20	
WPC2404	Ceiling Stacker Panels.....	34	WPF0610	Filler Panel.....	20	
WPC3002	Ceiling Stacker Panels.....	34	WPF1208	Filler Panel.....	20	TrendWall Doors
WPC3003	Ceiling Stacker Panels.....	34	WPF1209	Filler Panel.....	20	
WPC3004	Ceiling Stacker Panels.....	34	WPF1210	Filler Panel.....	20	
WPC3602	Ceiling Stacker Panels.....	34	WPF1808	Filler Panel.....	20	
WPC3603	Ceiling Stacker Panels.....	34	WPF1809	Filler Panel.....	20	
WPC3604	Ceiling Stacker Panels.....	34	WPF1810	Filler Panel.....	20	TrendWall Accessories
WPC4202	Ceiling Stacker Panels.....	34	WPF2408	Filler Panel.....	20	
WPC4203	Ceiling Stacker Panels.....	34	WPF2409	Filler Panel.....	20	
WPC4204	Ceiling Stacker Panels.....	34	WPF2410	Filler Panel.....	20	
WPC4802	Ceiling Stacker Panels.....	34	WPF3008	Filler Panel.....	20	
WPC4803	Ceiling Stacker Panels.....	34	WPF3009	Filler Panel.....	20	TrendWall Conditions
WPC4804	Ceiling Stacker Panels.....	34	WPF3010	Filler Panel.....	20	
WPCF0602	Ceiling Stacker Filler Panel.....	36	WPF3608	Filler Panel.....	20	
WPCF0603	Ceiling Stacker Filler Panel.....	36	WPF3609	Filler Panel.....	20	
WPCF0604	Ceiling Stacker Filler Panel.....	36	WPF3610	Filler Panel.....	20	
WPCF1202	Ceiling Stacker Filler Panel.....	36	WPF4208	Filler Panel.....	20	TrendWall Electrical Components
WPCF1203	Ceiling Stacker Filler Panel.....	36	WPF4209	Filler Panel.....	20	
WPCF1204	Ceiling Stacker Filler Panel.....	36	WPF4210	Filler Panel.....	20	
WPCF1802	Ceiling Stacker Filler Panel.....	36	WPF4808	Filler Panel.....	20	
WPCF1803	Ceiling Stacker Filler Panel.....	36	WPF4809	Filler Panel.....	20	
WPCF1804	Ceiling Stacker Filler Panel.....	36	WPF4810	Filler Panel.....	20	Terms, Policies & Index
WPCF2402	Ceiling Stacker Filler Panel.....	36	WPGD1208	Door Height Glazed Panel.....	24	
WPCF2403	Ceiling Stacker Filler Panel.....	36	WPGD1209	Door Height Glazed Panel.....	24	
WPCF2404	Ceiling Stacker Filler Panel.....	36	WPGD1210	Door Height Glazed Panel.....	24	
WPCF3002	Ceiling Stacker Filler Panel.....	36	WPGD2408	Door Height Glazed Panel.....	24	
WPCF3003	Ceiling Stacker Filler Panel.....	36	WPGD2409	Door Height Glazed Panel.....	24	
WPCF3004	Ceiling Stacker Filler Panel.....	36	WPGD2410	Door Height Glazed Panel.....	24	
WPCF3602	Ceiling Stacker Filler Panel.....	36	WPGD3608	Door Height Glazed Panel.....	24	
WPCF3603	Ceiling Stacker Filler Panel.....	36	WPGD3609	Door Height Glazed Panel.....	24	
WPCF3604	Ceiling Stacker Filler Panel.....	36	WPGD3610	Door Height Glazed Panel.....	24	
WPCF4202	Ceiling Stacker Filler Panel.....	36	WPGD4808	Door Height Glazed Panel.....	24	
WPCF4203	Ceiling Stacker Filler Panel.....	36	WPGD4809	Door Height Glazed Panel.....	24	
WPCF4204	Ceiling Stacker Filler Panel.....	36	WPGD4810	Door Height Glazed Panel.....	24	
WPCF4802	Ceiling Stacker Filler Panel.....	36	WPGF1208	Full Lite Glazed Panel.....	22	
WPCF4803	Ceiling Stacker Filler Panel.....	36	WPGF1209	Full Lite Glazed Panel.....	22	
WPCF4804	Ceiling Stacker Filler Panel.....	36	WPGF1210	Full Lite Glazed Panel.....	22	
WPCG0602	Glazed Ceiling Stacker Panels.....	38	WPGF2408	Full Lite Glazed Panel.....	22	
WPCG0603	Glazed Ceiling Stacker Panels.....	38	WPGF2409	Full Lite Glazed Panel.....	22	
WPCG0604	Glazed Ceiling Stacker Panels.....	38	WPGF2410	Full Lite Glazed Panel.....	22	
WPCG1202	Glazed Ceiling Stacker Panels.....	38	WPGF3608	Full Lite Glazed Panel.....	22	
WPCG1203	Glazed Ceiling Stacker Panels.....	38	WPGF3609	Full Lite Glazed Panel.....	22	
WPCG1204	Glazed Ceiling Stacker Panels.....	38	WPGF3610	Full Lite Glazed Panel.....	22	
WPCG1802	Glazed Ceiling Stacker Panels.....	38	WPGF4808	Full Lite Glazed Panel.....	22	

Terms, Policies & Index	TrendWall Electrical Components	TrendWall Conditions	TrendWall Accessories	TrendWall Doors	TrendWall Panels	TrendWall Space Planning	TrendWall Information	Surfface Materials	WPGF4809	Full Lite Glazed Panel.....	22	WPS3609	Solid Panels	16
									WPGF4810	Full Lite Glazed Panel.....	22	WPS3610	Solid Panels	16
									WPGH1208	Hi Lite Glazed Panel	26	WPS4208	Solid Panels	16
									WPGH1209	Hi Lite Glazed Panel	26	WPS4209	Solid Panels	16
									WPGH1210	Hi Lite Glazed Panel	26	WPS4210	Solid Panels	16
									WPGH2408	Hi Lite Glazed Panel	26	WPS4808	Solid Panels	16
									WPGH2409	Hi Lite Glazed Panel	26	WPS4809	Solid Panels	16
									WPGH2410	Hi Lite Glazed Panel	26	WPS4810	Solid Panels	16
									WPGH3608	Hi Lite Glazed Panel	26	WPSWB0608	Solid Panels for Accessory Mounting	18
									WPGH3609	Hi Lite Glazed Panel	26	WPSWB0609	Solid Panels for Accessory Mounting	18
									WPGH3610	Hi Lite Glazed Panel	26	WPSWB0610	Solid Panels for Accessory Mounting	18
									WPGH4808	Hi Lite Glazed Panel	26	WPSWB1208	Solid Panels for Accessory Mounting	18
									WPGH4809	Hi Lite Glazed Panel	26	WPSWB1209	Solid Panels for Accessory Mounting	18
									WPGH4810	Hi Lite Glazed Panel	26	WPSWB1210	Solid Panels for Accessory Mounting	18
									WPGHWB1208	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB1808	Solid Panels for Accessory Mounting	18
									WPGHWB1209	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB1809	Solid Panels for Accessory Mounting	18
									WPGHWB1210	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB1810	Solid Panels for Accessory Mounting	18
									WPGHWB2408	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB2408	Solid Panels for Accessory Mounting	18
									WPGHWB2409	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB2409	Solid Panels for Accessory Mounting	18
									WPGHWB2410	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB2410	Solid Panels for Accessory Mounting	18
									WPGHWB3608	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3008	Solid Panels for Accessory Mounting	18
									WPGHWB3609	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3009	Solid Panels for Accessory Mounting	18
									WPGHWB3610	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3010	Solid Panels for Accessory Mounting	18
									WPGHWB4808	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3608	Solid Panels for Accessory Mounting	18
									WPGHWB4809	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3609	Solid Panels for Accessory Mounting	18
									WPGHWB4810	Hi Lite Glazed Pnl for Accessory Mounting	30	WPSWB3610	Solid Panels for Accessory Mounting	18
									WPGSW3608	Sliding Window Lite Glazed Panels	28	WPSWB4208	Solid Panels for Accessory Mounting	18
									WPGSW3609	Sliding Window Lite Glazed Panels	28	WPSWB4209	Solid Panels for Accessory Mounting	18
									WPGSW3610	Sliding Window Lite Glazed Panels	28	WPSWB4210	Solid Panels for Accessory Mounting	18
									WPGSW4208	Sliding Window Lite Glazed Panels	28	WPSWB4808	Solid Panels for Accessory Mounting	18
									WPGSW4209	Sliding Window Lite Glazed Panels	28	WPSWB4809	Solid Panels for Accessory Mounting	18
									WPGSW4210	Sliding Window Lite Glazed Panels	28	WPSWB4810	Solid Panels for Accessory Mounting	18
									WPGSW4808	Sliding Window Lite Glazed Panels	28			
									WPGSW4809	Sliding Window Lite Glazed Panels	28			
									WPGSW4810	Sliding Window Lite Glazed Panels	28			
									WPGW1208	Window Lite Glazed Panel	26			
									WPGW1209	Window Lite Glazed Panel	26			
									WPGW1210	Window Lite Glazed Panel	26			
									WPGW2408	Window Lite Glazed Panel	26			
									WPGW2409	Window Lite Glazed Panel	26			
									WPGW2410	Window Lite Glazed Panel	26			
									WPGW3608	Window Lite Glazed Panel	26			
									WPGW3609	Window Lite Glazed Panel	26			
									WPGW3610	Window Lite Glazed Panel	26			
									WPGW4808	Window Lite Glazed Panel	26			
									WPGW4809	Window Lite Glazed Panel	26			
									WPGW4810	Window Lite Glazed Panel	26			
									WPS0608	Solid Panels	16			
									WPS0609	Solid Panels	16			
									WPS0610	Solid Panels	16			
									WPS1208	Solid Panels	16			
									WPS1209	Solid Panels	16			
									WPS1210	Solid Panels	16			
									WPS1808	Solid Panels	16			
									WPS1809	Solid Panels	16			
									WPS1810	Solid Panels	16			
									WPS2408	Solid Panels	16			
									WPS2409	Solid Panels	16			
									WPS2410	Solid Panels	16			
									WPS3008	Solid Panels	16			
									WPS3009	Solid Panels	16			
									WPS3010	Solid Panels	16			
									WPS3608	Solid Panels	16			