# >CHOICES®

System



Price List

Pricing Effective April 2017

For Canadian pricing, please visit Trendealer.com to see the current conversion rate being used.



#### Choices®

Choices is a fully featured product line that includes Systems and Desking Furniture, Tables and Filing and Storage. This price list includes detailed product information and pricing for these products.

Trendway product catalogs are available in the following design software: CAP, Data One, Giza, Midnight-Oil, and Project Matrix. The Systems price list is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

#### **Ordering Information**

The most efficient way to enter an order is through Trendway On-Line Order Entry on www.trendealer.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TA3666B represents a **T**ackable **A**coustical **P**anel that is **36"** (914)-wide and **66"** (1676)-high.

Order specification examples are shown throughout the price list at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

#### Placing an Order

To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

- 1. A complete "sold to" address with correct Zip code.
- 2. A complete "ship to" address with correct Zip code.

- A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
- 4. A signature or name of person authorizing the purchase order.
- 5. A contact name and phone number at your company.
- 6. An actual calendar date for the requested delivery date (not ASAP).
- 7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

(Refer to your price list for ordering options.)

- Special products referenced by their control numbers as well as their descriptions.
- 9. Line items that include price per unit, as well as extended totals.
- 10. A total dollar amount for the purchase order.
- 11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

#### **Lead-Times**

The majority of Choices products are shipped within Trendway's standard lead time. Extended lead-time items in the catalog are designated by shading. Trendway Express lead-times are available on select products. Products and their options available for specification on Express are indicated with an  $\Theta$  in front of the catalog number. Note that all chosen options for a product must also be available in the Express program to qualify.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

### Product Questions, Quotes & Order Placement On-Line

www.trendealer.com Hours: 24 Hours, 7 Days a Week

#### Sequence Information

The table below shows a sample of the price list format's sequence of information which will assist when placing an order and checking an order acknowledgement.

Sample Part Number:

TA4884B	.H	.050	.050	.K	.K
	_			_	_

#### **Customer Care Representative**

Hours: Monday-Friday

7:30 am to 5:30 pm EST

Phone: 1-800-893-8115 Fax: 1-800-893-8121

e-mail: customercare@trendway.com

#### **Trendway Custom Solutions**

Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of this Price List.

#### **Express**

#### 1. Trendway Express Orders

Using Trendway Express
Trendway Express is Trendway's
special quick shipment program.
The program was devised to help
customers meet immediate office
furnishing needs. Complete orders
entered electronically will ship
within an average of 3 working
days.

Trendway Express is a selected offering. Featured are the more frequently requested fabrics and finishes from Trendway's selection — enough to address most commonly encountered work situations in today's office.

Because Trendway Express lead times are so condensed, no COM or special orders can be accepted.

- The Maximum Order
  Trendway Express orders are limited to a maximum of \$75,000 retail list price (total combination of Systems and Storage products) for 3-day shipment. Due to the special nature of this offering, no deviations or substitutions of products found will be accepted. Shipments are subject to product availability. Orders containing any non-Trendway Express offerings will be scheduled for normal lead times.
- Changing or Canceling an Order. Trendway Express orders are often processed the day after order entry. Therefore, your Trendway Express order may be changed or canceled only on the same day that it is placed.

#### 2. Transportation

All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact the Trendway Customer Care Department at 1-800-893-8115.

#### 3. Prices

Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.


### Choices | Panels | Components | Desking | Filing + Storage | Tables | Statement of Line

#### **Panels**

#### **TA Series**

Tackable Acoustical Panel or Vinyl Covered













Doors


Vinyl Door




Sliding Door













#### **Dimension Availability for Panels and Doors**

		TA Seri			Doors	
	Fabric Co.	Viny Co.	Half and E	Viny.	Sliding	, /
Width						
12"	Х	Х	Х			
18"	Х	Х	Х			
24"	Х	Х	Х			
30"	Х	Х	Х			
36"	Х	Х	Х	Х	Х	
42"	Х	Х	Х	Х		
48"	Х	Х	Х			
60"	Х		Х			
Height						
30"	Х		Х			
36"	Х		Х			
42"	Х	Х	Х			
48"	Х	Х	Х			
54"	Х	Х	Х			
62"	Х	Х	Х			
66"	Х	Х	Х		Х	
78"	Х		Х			
84"	Х	Х	Х	Х		


XX See pricing charts for exceptions

#### Components

#### Work Surface Shapes


















D-Shaped Peninsula











Peninsula Modesty

Exterior Quarter Curved



Counter Caps Radiused Right Angle

Corner Section

\*Handed Work Surfaces are available as a mirror image.

← → Denotes direction of wood grain laminate.


#### **Work Surface Supports and End Panels**








Quarter Curved\*





Flipper Door Storage













#### Laminate Overhead Storage





Flipper Door Unit







Half-Height Single-Full-Height Dual-Sliding Door



Half-Height Dual-



Half-End Shelf















#### Task Lights















#### **Accessories**

Monitor Arms



Keyboard Trays



Drawers





Marker Board



Slatwall

Slatwall Accessories







Accessory Tray

Binder Holder

Phone Base







#### **Desks**

Standard Desk configurations with full and half modesty







Extended Corner Desk\* configurations with full and half modesty

Extended Top Desk configurations with full and half modesty





Corner Desk configurations

Cockpit Corner Desk configurations with full and half modesty

Bowed Top Desk configurations with full and half modesty







Extended Cockpit Corner Desk\* configurations











P-shape Peninsula Desk\* configurations



Extended D-Shaped Peninsula Desk\* configurations









Peninsula Returns

Standard Bridges







Freestanding Right Angle Counter Caps



Freestanding Flipper and Cabinet Units with Tackboard







Freestanding Corner Shelf Units with Tackboard



Screens with Tackboard



Cabinet Unit with Tackboard





<sup>\*</sup>Handed Work Surfaces are available as a mirror image.

<sup>←</sup> Denotes direction of wood grain laminate.

#### Filing + Storage

Floor Supported Pedestals


Mobile Pedestals

3/4 Mobile Pedestals

Laterals













File Centers







Lateral with Storage Cabinet



Double Door Storage Unit




















Bookcases








#### **Tables**

#### **Training Tables**

Rectangular Training Tables



- T-Base with C-Base with • Fixed Top • Fixed Top
- Flip Top
- Folding Legs





• Fixed Top





- Fixed Top
- Flip Top





- T-Base with
- Flip Top



Height Adjustable Tables

- Crank
- Pneumatic
- Single Stage Electric
- Dual Stage Electric




- Single Stage Electric
- Dual Stage Electric



- Single Stage Electric • Dual Stage Electric


Collaborative and Café

#### Collaborative















D/W 24" 30" 36" 42" 48" 54" 60"

#### Café













Note: See the Tables price book for the complete tables offering.


#### **Standard Fabrics**

All Trendway standard directional panel fabrics are applied Down-roll on Choices Panels, Contrada Tiles, and all Systems Components.

#### Down-Roll (♣)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A



#### **COM Fabrics**

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

#### Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C

6



#### **Standard Application Direction**

Pattern	Choices Panels	Contrada Tiles	TrendWall	All Systems Components
Anchorage	1	1	N/A	<b>+</b>
Backdrop	1	1	1	1
Bird's Eye	1	1	N/A	1
Cameo	1	<b>+</b>	1	1
Cape Cod	1	+	1	1
Encore	1	<b>†</b>	1	<b>†</b>
Fine Point	<b>†</b>	<b>†</b>	<b>†</b>	<b>†</b>
Framework	<b>†</b>	<b>†</b>	N/A	<b>†</b>
Frost	1	<b>†</b>	N/A	1
Glint	+	+	1	1
Kinect	1	+	1	1
Intermix	1	<b>†</b>	1	1
Meander	<u> </u>	<u>†</u>	<u>†</u>	ţ
Metallation	<u> </u>	<b>†</b>	<u> </u>	<u> </u>
Netiquette	1	+	<b>†</b>	<b>†</b>
Pact	<u>†</u>	+	<u>†</u>	1
Proverb	1	1	1	1
Pursuit	<b>†</b>	<b>†</b>	<b>†</b>	<b>†</b>
Script	<u> </u>	<u>†</u>	<u>†</u>	<u>†</u>
Sprite	<b>†</b>	<b>†</b>	ţ	<b>†</b>
Strata	+	+	+	+
Tabby Weave	€\$		♦₽	\$
Tenor	<b>+</b>	1	<b>†</b>	+
Universe	+	1	+	+
Verse	1	1	1	1

= Non Directional Pattern will be applied for best yield

= Down-roll

#### **Surface Material Program**

The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

#### **Standard Program**

Trendway's Standard Program of timeless fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

#### **Surface Trends**

Trendway's Surface Trends Program is an evolving collection of fabrics, vinyls, and laminates, and are designated by symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

#### **Express**

Express fabrics and finishes are available in a three-day lead time. Surface Materials available for specification on Express are indicated with a @ in front of the 3-digit code.

#### Terratex®

Terratex is a Duvaltex brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information, see COM in the Pricing, Procedures and Policies section in the back of the price list.

#### **Pre-Approved COM**

Select from popular COM fabrics pre-approved by Trendway. Customers = 100% Recycled Content are able to search the COM library on www.trendealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

#### **HOW TO ORDER SAMPLES**

#### **Binder Cards**

Standard and Surface Trends binder cards are available through Trendway fulfillment. www.trendealer.com

#### **Standard Program Samples**

Samples of fabrics and finishes are available through Trendway fulfillment. www.trendealer.com

#### **Surface Trends Samples**

Surface Trends samples must be ordered directly through the supplier.

Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

#### Guilford Of Maine®

www.quilfordofmaine.com 1-800-544-0200

#### Momentum® Textiles

www.memosamples.com 1-800-366-6839

#### Nevamar

www.nevamar.com 1-800-638-4380

#### **Pionite**

www.pionite.com 1-800-746-6483

#### Wilsonart®

www.wilsonart.com 1-800-433-3222

Please note: Colors on printed sample cards are as accurate as offset printing allows. Please refer to the actual sample before ordering.

#### **Surface Material Legend**





= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

Panel Fab		Crada 0	Notionati		Crada	Camaa	Gra
ramewo /alue Fab		Grade 0	Netiquette  Victor	<del>)</del>	Grade 1	Cameo Mome	
9 B4V	Sandy Pebble		KK3	Chipset		KOV	Almond
<b>9</b> B4X	Gray Blue		KK4	Dashboard		KOW	Coffee
<b>9</b> B4Y	Eucalyptus		KK5	Analog		KOX	Fawn
BJ7	Dove Gray		KK6	Schema		K0X K0Y	Ivory
KJX	Grotto		KK7	Inkjet		K10	Linen
KJY	Fresco		KK8	Gamma		K10 K11	Metal
KK0			KK9	Vector			Mist
KK1	Capri		KKA	Refresh		K12 K13	Parchment
	Cappuccino		KKC	Pixel			
KK2	Espresso		Dumanit		Cuada 4	K14	Smoke
na Dain	4	Crade 4	Pursuit	and of Mains	Grade 1	K15	Stone
ne Poin		Grade 1	-1111	ord of Maine		K16	Twig
Victor			KD8	Fern			
BN2	Balique		KD9	Whisper		Cape Cod	d Scrae
BN3	Fresco		KDA	Dove			ord of Maine
BN4	Porcelain		KDC	Mist Grey		BYF	Linen
BN5	Silvern		KDD KDE	White Linen		BYG	Cloud
BN6	Sterling		KDE KDF	Lemon Zest		BYH	Seagull
BN7	Vintage		KDF KDG	Elephant Cement		BYJ	Key Lime
			NDG	Cement		BYK	Buff
ost		Grade 1	Universe		Crada 1	BYM	Shale
AH2	Whiteout				Grade 1	BYN	Apricot
AH3	Dew		Mome			BYP	Dune
AH4	Icing		<b>9</b> B4G	Cosmic			
AH5	Flurries		<b>9</b> B4H	Creme Brulee		BYR	Surf
AH6	Crystals		<b>9</b> B4J	Depth		Encore	Gra
AH7	Snowcap		<b>9</b> B4K	Mica		Mome	
AH8	Sleet		<b>9</b> B4M	Milkyway		K00	Cocoa
AH9	Glaze		<b>@</b> B4N	Seneca		K00	
AJ0	Blizzard		<b>9</b> B4P	Wheat			Graphite
AJ1	Arctic		<b>9</b> B4R	Whitecap		K02	Honey
AJ2	Wintry					K03	Putty
AJ3	Glacier		<b>Backdrop</b>		Grade 2		
AJ4	Chilled		Mome	ntum		Metallatio	on 🔷 Gra
AJ4 AJ5	Black Ice		K0G	Barley		SL5	18 Karat
AJS	DIACK ICE		K0H	Bone		SR4	Polished Pewter
			KOJ	Bonsai		SQ6	Welded Steel
ermix		Grade 1	KOK	Cement		SJ3	Etched Bronze
	ord of Maine		KOM	Charcoal		SP8	Chrome
KDH	Seagull		KON	Jute		SM3	Dark Annealed
KDJ	Rocket Ship		K0P	Khaki			
KDK	Husky		K0R	Mica		SS2	Wrought Iron
KDM	Foggy		KOT	Mocha		SN1	Fired Titanium
KDN	Coconut					ST0	Stove Pipe
	Butter Rum		KOU	Rain		BPP	Stainless
KDP							
KDR	Swan		Bird's Eye		Grade 2		
KDT	Neptune		AG0	Rock	Grade 2		
KDU	Marsh		AG0 AG1	Vista			
KDV	Smoky Quartz		<b>a</b> G1				
				Outlook			
			AG4	Impression			
ander		Grade 1	<b>9</b> AG5	Flight			
Mome			AG7	Glide			
348	Agate Taupe		AG9	Panorama			
349	Nightshadow						
34A	Overcast						
R/IR	Sandshall						

Sandshell

**9** B4B



BYE

Sea

Glint		Grade 3 Script		Grade 3
Mom	entum	<b>₩</b> Mo	omentum	
KG3	Barley	KHK	Almond	
KG4	Caspian	KHM	Charcoal	
KG5	Column	KHN	Feldspar	
KG6	Gobi	KHP	Flint	
KG7	Gypsum	KHR	Nectar	
KG8	Note	KHT	Patina	
KG9	Opal	KHU	Pebble	
KGA	Pearl	KHV	Sand	
KJ2	Pumice	KHW	Shadow	
KGC	Relic	KHX	Slate	
KGD	Rune	KHY	Sterling	
KGE	Serene	KJ0	Taupe	
KGF	Shale	KJ1	Zinc	
KGG	Sisal			
KGH	Turret			
KGJ	Vera			

	Grade 3
ım	
Alloy	
Ashen	
Chiffon	
Cove	
Dew	
Dove	
Ivory	
Mercury	
Mushroom	
Nickel	
Numbus	
Passion	
Smoke	
Tin	
Vapor	
Veil	
	Alloy Ashen Chiffon Cove Dew Dove Ivory Mercury Mushroom Nickel Numbus Passion Smoke Tin Vapor

Proverb		Grade 3
Momer	ntum	
KH5	Anchor	
KH6	Armor	
KH7	Basalt	
KH8	Buff	
KH9	Cinder	
KHA	Crystal	
KHC	Fog	
KHD	Linen	
KHE	Mist	
KHF	Oyster	
KHG	Rye	
KHH	Steel	
KHJ	Storm	

#### Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our five trim colors

Systems	Paints and Trim
<b>9</b> G	Gray
TG	Textured Gray
<b>@</b> J	Stucco
TJ	Textured Stucco
ΘK	Charcoal
O TK	Textured Charcoal
<b>9</b> P	Pebble
P	Textured Pebble
ΘY	Sand
O TY	Textured Sand
<b>9</b> L	Light Gray
O TL	Textured Light Gray
OW	Designer White
<b>@</b> TDW	Textured Designer White

נוו מווט נכאננ	inca styles in our live tillingolors	··
Glazed Pa	anels	Panel Viny
Plexiglas	s	V38
01	Clear	V39
02	Bronze Tinted	V41
E3A	*Frosted	V48
*Tempere	V49	
03	Clear	V51
04	Bronze Tinted	V52
05	Frosted	V53
Ecoresin The color	Note: Panel Choices VP and Doors.	

#### with (or without) patterns.

\*Standard 3form Color Options E01 Solo Supermatte Ecoresin E02 Solo Aqua Supermatte Ecoresin E03 Spider Ecoresin

\*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Panel Viny	ls
V38	Textured Gray
V39	Textured Charcoal
V41	Textured Pebble
V48	Textured Sand
V49	Textured Stucco
V51	Textured Light Gray
V52	Designer White
V53	Textured Platinum
	vinyls only available on
Choices VP	Panels, TrendWall, Volo

#### Premium Systems Finishes

Light Gray Frost

Designer White Frost

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

Texture	ed Metallic Paint	Smooth	Metallic Paint	Wood '	Veneer		
<b>⊕</b> FG <b>⊕</b> FJ	Gray Frost Stucco Frost	<b>9</b> PA	Platinum	M1 M2	Fonthill Pear Fusion Maple	_	Brazilwood Chocolate Pear
<b>9</b> FK	Charcoal Frost			M3			Empire Mahogany
P	Pebble Frost			M4	Beigewood	M9	Wild Cherry
FY	Sand Frost			N . =			
(P) FL	Light Gray Frost			Note: E	xtended lead time	es ap	ply to wood veneers.

Edge Detail

**9** FDW

Luge D	Ctan
Vinyl E	dge Band
<b>9</b> G	Gray
<b>@</b> J	Stucco
ΘK	Charcoal
<b>⊕</b> ∟	Light Gray
<b>9</b> P	Pebble
ΘY	Sand
<b>9</b> E1	Designer White
E2	Slate Grey
PA	Platinum

<b>Wood Grain</b>	Vinyl Edge Band
<b>9</b> W1	Crown Cherry
<b>9</b> W3	Fonthill Pear
<b>9</b> W4	Chocolate Pear
<b>9</b> W5	Fusion Maple
<b>9</b> W6	Wild Cherry
<b>@</b> W7	Empire Mahogany
W8	Beigewood
W9	New Age Oak
WE	Brazilwood
WO	Cannella Rustik
WA	Carmelo Mist
WR	Drift Loud
WT	White Zebrine

Note: Wood Grain Vinyl Edge Band only available on Choices Systems and Choices Desking and Tables products.

Fabric patterns noted with **9** are available in Trendway's Express program.

High Press	sure Laminates				
Standard P					
Solid		Pattern		Wood Gr	ain
Wilsonart	Grade 1	551	Stipple Graphite	<b>9</b> J28	Fonthill Pear
<b>9</b> 520	Gray	553	Stipple Gray	<b>@</b> J25	Fusion Maple
<b>9</b> 573	Light Gray	JL6	Green Tigris	J0G	Beigewood
<b>9</b> 583	Charcoal	JM4	Evening Tigris	J1J	New Age Oak
<b>@</b> J11	Stucco	<b>9</b> JN2	Grey Tigris	J1M	Brighton Walnut 38
<b>9</b> J20	Sand	<b>@</b> J09	White Tigris	<b>9</b> J2A	Empire Mahogany 38
J08	Slate Grey	<b>9</b> JP9	Natural Tigris	<pre> 9 JOA </pre>	Chocolate Pear
<b>9</b> JOC	Designer White		<u> </u>	J0D	Brazilwood
				<b>9</b> J1R	Wild Cherry
Wood Grai		_			
Stevens I					
Artika Fin					
JA1	Cannella Rustik				
JA2	Carmelo Mist				
JA3	Drift Loud				
JA4	White Zebrine				

# Su	face Trends Prograr	n					
Solid	<u>_</u>		Solid			Pattern	
Wil	sonart	Grade 1	Nevama	ar	Grade 1	Pionit	e Grade 1
J04	Shadow		JOF	Cordial Gray		J3E	Vanilla Fiber
						J3F	Wheat Fiber
Pattern			Pattern			J3G	Negotiating in Geneva
7007	sonart	Grade 1	Nevama		Grade 1	J3H	Cavalcade South
J12	Silicon Evolv		J3U	Easy Elegance		J3J	Travelin Light
J13	Titanium Evolv		J3V	Calm Distinction	ſ	J3K	Gold Pannin
J14	Nickel Evolv		J3W	Cool Chic		J3M	Cubicle Papel
J15	Carbon Evolv		J40	VOUS Fawn		J3N	Olive Serenity
J16	Tungsten Evolv		J42	VOUS Serene		J3P	Groundswell
J17	Windswept Bro		J43	VOUS Metal		J3R	Passin Thru
J18	Windswept Pev	vter	J44	VOUS Tempest			
J32	Pewter Brush		J46	Stipple Straw			
J33	Antique Brush		JF1	Stipple Birch			
<b>9</b> J1A	Canyon Zephyr	•	K15	Kopi Susu		Wood Gr	
<b>9</b> J1B	Misted Zephyr		K16	Stipple Storm (S	Storm Gray	Pionit	
<b>9</b> J1C	Loden Zephyr			Matrix)		J3T	Spice Walnut
<b>9</b> J1D	Desert Zephyr		K17	Regency Maho	gany	J39	Looks Likatre
J1E	Twilight Zephyr		K18	Wrought Iron		J3A	Leave Likatre
<b>9</b> J1N	Navy Legacy		K19	Yunnan		J3C	Seems Likatre
J1P	Cloud Nebula					J3D	Appears Likatre
			Wood Grain			J1X	Honey Maple
	Nevamar Grade 1						
			J45	Illustrious Maple			
			J47	Legendary Teal	K		
			J48	Luminary Teak			
			J49	Recon Oak			
			JD5	Crown Cherry			

#### Wilsonart Extended Colors Program

Trendway has graded in a large selection of Wilsonart colors in Grade 1 and Grade 2 HPL Laminates. Extended lead times may apply. See the Surface Materials section of Trendealer for the current selection.

#### **Choices Keying Order Form**

This form can be used as a worksheet or an order form to determine what key alike Choices Core/Key Sets are needed for key-alike Choices filing and storage, Choices locks on Choices and Contrada flipper units and for additional Choices Lock Keys, Core Keys and Master Keys\*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on Trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

#### **Choices Core/Key Set**

The Choices Core/Key Set is needed when the Key Alike Option 'T' is selected, or if a lock needs to be changed out in an existing unit. The Core/Key Set provides the ability to pick the key number for a single storage piece, each individual office or group of offices. Choices Core/Key Sets includes a lock core and 2 lock keys. Additional lock keys are available.

### Choices Core Installation/Removal Key

Pack Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Pack lock cores.

#### \*Choices Master Key

Choices Master Key is used to open any Choices style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

Trendway Corporation 13467 Quincy St. Holland MI 49424 Phone: (800) 893-8115 Fax: (800) 893-8121 www.trendway.com					Choices Keying Order Form
Customer P	O. Number			Tre	ndway Order Number
Ship To add	fress if different	from P.O.			111
Choices		Set - LCAK	(Choices	Lock Con	es are Black in color)
Otty	List Price \$9	Key Number M101-M200	Floor	Office	Key—Alike Special Tagging Instructions
		WITOT-MEGO	FIOOI	Onice	
2	\$18	0	3	5	John's Offce
6	\$54	0	2		Offices 201, 252
				R	
	+			H	
-					
	+				
				J. S	
				1	
A marcon	1.00				
Oty.	List	Lock Key(s) Key Number	-LKS		Key-Alike Special Tagging Instructions
Giy.	Price \$4	M101-M200	Floor	Office	The special condition in the second conditions
1	\$4	M101		15	
	-				
	1				A. S. C.
Addition	al Choices	Core Install	ation/F	Remov	al Key(s) - CRK
	List				
Oty.	Price \$4				
Oty.	\$12				

Trendway Corporation 13467 Quincy St. Holland MI 49424 Phone: (800) 893-8115 Fax: (800) 893-8121 www.trendway.com

## Choices Keying Order Form

nip To add	ress if different	from P,O,		_	
sel se					
	T	1	Choices	Lock Con	es are Black in color)
Qty.	List Price \$9	Key Number M101-M200	Floor	Office	Key—Alike Special Tagging Instructions
	1 1100 40	W1101-JW200	11001	Onice	
	1				
			100	P == =	
		-			+
		+			
	1				
dditions	l Choices I	_ock Key(s)	IKS		
Qty.	List	Key Number	LICO		Key—Alike Special Tagging Instructions
G.J.	Price \$4	M101-M200	Floor	Office	
		-			
				2 2	
				1000	
حديد أفائله لما	-I Chaine	Cara Install	-4:/D		al Kayla) CDK
	List	Core install	ation/F	emov	al Key(s) - CRK
Qty.	Price \$4				
	1				

order. Requests for Master keys must be made on the end-user's letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24 hours of receipt.

#### **Choices Core/Key Set**

The Choices Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Choices filing units in order for these units to lock. This set can also be ordered to replace an existing Choices Core/Key Set. The set includes a Choices lock core and 2 lock keys.

### Choices Core Installation/Removal Kev

Choices Core Installation/Removal Key is needed to install or remove Choices Cores in Choices filing units.

#### **Choices Keys**

Replacement Choices Keys are available for order.

Choices Core/ Key Sets	+		+
	List Price	Catalog Number	Key Number
	\$9	LCAK	M101-M200
Choices Core Installation/Re	moval Key		
	List Price \$4	Catalog Number CRK	
Choices Lock Keys			
	List Price	Catalog Number	Key Number
	\$4	LKS	M101-M200
	Choices Core Installation/Re	Choices Core Installation/Removal Key  List Price \$9  Choices Lock Keys  List Price \$4	Choices Core Installation/Removal Key  List Price Number  Choices Core Installation/Removal Key  List Price Number  \$4 CRK  Choices Lock Keys  List Price Number  Choices Lock Keys

Sample Part Number:

Build your complete Part Number here:

Total Cost \$4

LKS 	M102
\$4 <b>-</b>	N/C

This form can be used as a worksheet or an order form to determine what key alike Pack Core/Key Sets are needed for key-alike Pack filing and storage, Pack locks on Choices and Contrada flipper units and for additional Pack Lock Keys, Core Keys and Master Keys\*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on Trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

#### Pack Core/Key Set

The Pack Core/Key Set is needed when the Key Alike Option 'T' is selected, or if a lock needs to be changed out in an existing unit. The Core/Key Set provides the ability to pick the key number for a single storage piece, each individual office or group of offices. Pack Core/Key Sets includes a lock core and 2 lock keys. Additional lock keys are available.

#### Pack Core Installation/Removal Key

Pack Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Pack lock cores.

#### \*Pack Master Key

Pack Master Key is used to open any Pack style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

endway Co					Pack Keying Order Form
	ey St. Holland MI ) 893-8115 Fax: ay.com				rack Reyling Order Form
ustomer P	O. Number			Tren	dway Order Number
nip To add	ress if different f	rom P.O.			
ack Co		PLCAK (P	ack Lock	Coresare	
Oty	List Price \$14	Key Number S101-S200	Floor	Office	Key—Allke Special Tagging Instructions
		3101-3200	FIOO	Cilide	
2	\$28	0	3	5	John's Office
6	\$84	.0	2	1	Offices 201, 252
				1	
				ji i	
				h Ed	
ditions	l Dook Look	k Kaula\ D	ive		
Oty.	List	Key(s) - P	LNS	7	Key-Allke Special Tagging Instructions
	Price \$8	S101-S200	Floor	Office	
1	\$8	5101			
				1	
ddition	al Pack Cor	re Installatio	n/Rem	oval K	ey(s) - CRK
Oty	List Price \$4				7(7)
3	\$12				

1-800-893-8121 Orders are shipped within 24 hours of receipt.

Trendway Corporation 13467 Quincy St. Holland MI 49424 Phone: (800) 893-8115 Fax: (800) 893-8121 www.trendway.com

### Pack Keying Order Form

	P.O. Number_									
hip To add	dress it differer	nt from P.O								
		- PLCAK (Pa	ack Lock	Cores are	Silver in	color)	ecial Taggin	a Instruction	0	
Qty.	List Price \$14	Key Number S101-S200	Floor	Office	Key-	-Alike Spe	eciai raggin	ginstruction	5	
	Ιου ψ. τ	0101-0200	1 1001	Omoc						
		k Key(s) - P	LKS		Kov	Alika Sna	ecial Taggin	a Instruction	c	
Qty.	List Price \$8	Key Number S101-S200	Floor	Office	rtcy	Allike Ope	zoiai Taggini	y mondon	3	
	1 1100 40	0.0.0200	. 1001	000						
ddition	al Pack Co	re Installatio	n/Pam	oval K	ovis) .	CPK				
Qty.	List		II/IXCII	iovai i	cy(3)	OIXIX				
<u> </u>	Price \$4									
								· · · · · · · · · · · · · · · · · · ·		

Pack Master Keys are used to open any Pack style lock. Master keys are sent separately from the product order. Requests for Master keys must be made on the end-user's letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24 hours of receipt.

#### Pack Core/Key Set

The Pack Core/Key Set must be ordered when the Key-Alike lock option is chosen to replace the "disposable" core that ships with Pack filing units in order for these units to lock. This set can also be ordered to replace an existing Pack Core/Key Set. The set includes a Pack lock core and 2 lock keys.

#### Pack Core Installation/Removal Key

The Pack Core Installation/Removal Key is needed to install or remove Pack Cores in Pack filing units or in Pack Locks for Choices and Contrada Flipper Units (PKCHFLA and PKCTAFLA).

#### Pack Keys

Replacement Pack keys are available for order.

	Pack Core/ Key Sets						
88		List Price	Catalog Number	Key Number			
		\$14	PLCAK	S101-S200			
	Pack Core Installation/Removal Key						
		List Price	Catalog Number				
		\$4	CRK				
	Pack Lock Keys						
		List Price	Catalog Number	Key Number			
500		\$8	PLKS	\$101-\$200			
	Build your c Part Number	omplete r here:		_			

Sample

Part Number:

Total Cost \$8 =

N/C

**PLKS** 

\$8


#### **Pack Locks for Choices Flipper Units**

A Pack Lock is used to replace the entire lock assembly on a Choices Flipper Unit. This will allow the lock core and bezel to have a silver color to match the Pack Filing and Storage lock.

There are two lock options to choose from, **randomly keyed** (option "R") or **key-alike** (option "T"). When the randomly keyed option "R" is chosen, the lock will be assembled with a randomly numbered core and key.

When the key-alike option "T" is chosen, the lock will be assembled with a plastic "disposable" core.

The "disposable" core must be field replaced with a Pack Core/Key Set in order for the filing unit to lock. The Core/ Key Set (PLCAK) must be ordered separately or by using the Keying Order Form.




Key-Alike

#### Pack Lock for FSU, VFSU, FD, FRF, FRFF, FRFV, CU, CUF, LOCSFDU, LOCSDHD Flipper Units, and FDC Flipper Door **Conversion Kits**

	List Price	Catalog Number	Lock	Door Type
isposable ´ Core	\$30	PKCHFLA	R No Cost Random	PF No Cost Painted or Fabric Doo
)			Deduct - \$14 Key-Alike  *Note: Be sure to	VF No Cost Veneer Doo
			order Core/ Key Sets (PLCAK) separately	
	Build your complete			
	Part Number here:		_	

Sample Part Number:

Total Cost \$30 =



### **Choices Panels**

Panel Overview	22
Panel Layout Planning	24
Tackable Acoustical Panels (TA)	26
Hard Surface Vinyl-Covered Panels - TA Series	28
Half Open & Half Glazed Panels - TA Series	30
Full Open & Full Glazed Panels - TA Series	30
Compatibility Kits	32
Door Sections	34
Filler Panels	36
Wood Top Caps	37
Wood End Caps	39
3-Way, 90° & Change of Height Covers	41
Wall Starter Rail & Panel Accessories	43

Tackable Acoustical (TA) Series Panels feature a rigid welded steel frame construction, base raceway capability and a fabric covered, multi-layer fiberglass core for sound control. Other panels in the TA Series include Half Open and Half Glazed Panels (HGP), and Full Open and Full Glazed Panels (FGP), which feature an aluminum frame construction.

#### Standard Features

All Trendway Panels include the following trim, hinge and base raceway components

- 1 removable top cap available in powder-coated metal or wood veneer.
- 2 leveling glides to compensate for uneven flooring; glides have a total adjustment range of 2" (51).
- floor gripper fits under leveling glide to prevent panel slippage on carpet or hard flooring.
- 2 panel side rails factory-attached, accepts panel hinges and have slots on 1" (25) increments to hold work surface and component brackets.

- multi polymer panel hinges to create all angled, two-, three-, and four-way panel connections. No other connectors needed.
- base-mounted channel interior is divided by a septum; open space on either side of septum can be used to route power and/or communication cables.

Each panel order automatically includes enough trim pieces to finish the panel base at all two-way, three-way, and end conditions.

Trendway panels are shipped with the side rails, top cap, base channel, and leveling glides pre-assembled. When panels arrive, they are ready for installation.

Options include pre-powered electrical, 3-Way and 90° Covers to enclose the openings at panel connections, and Wood Veneer Top and End Caps.

The Trendway color program offers a variety of fabrics for the panel surface. Glazed panels can be specified in clear Plexiglass or tempered glass. Panel components are color-matched in one of Trendway's trim colors.

Enhanced Premium or standard Textured versions of our trim colors can be applied to all painted parts. When these finishes are specified all resin,

composite or plastic components (plastic hinge, slot cover etc.) will be matched to the basic trim color in the standard smooth finish.

Panels can be specified with wood top caps. For a complete woodedging system, wood end caps and retrofit items are available and can be easily installed on any Trendway panel.

#### **Dimensions**

TA Panels are 2" (51)-thick. Wood veneer top caps are 3/4" (19)-tall, powder-coated metal top caps are 3/8" (10)-tall. All dimensions listed are nominal unless otherwise noted.

#### **Special Products**

Please contact Trendway Custom Solutions for product availability and pricing on non-standard products.

#### **Ordering Information**

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TA4862B represents a Tackable Acoustical Panel, 48" (1219)-wide by 62" (1575)-high.

The acknowledgement you will receive from Trendway will follow the sequence of information outlined below.


Trendway strongly encourages you to follow the same steps so that checking your order against the acknowledgement will be the easiest possible.

When ordering panels, list the following:

- 1. Quantity (combine identical items and specify total quantity unless using special marking or tagging)
- 2. Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
- 3. For ease of reading, place a period between each option number (CCND84B.150.J.J).

	Catalog Number	Surface Color	Trim Color	Top Cap
	CCND84B	.150 	.J -	.J _
· =	\$144 <b>-</b>	N/C ■	N/C ◀	► N/C

#### **TA Panel Components**



Part Number:

Total Cost \$144


Sample

#### **Loaded Panel Runs**

A Loaded Panel Run is defined as having panel hung components with two or more panels connected in a straight line.

The maximum length of a Loaded Panel Run before a return panel is used is 8' (2438) if there are two or more panel connections within the run (Fig. A).


Fig. A



A panel run can extend up to 10' (3048) before a return panel is required if the run has only one panel connection.

Example: Two 60" (1524)-wide TA Panels (Fig. B).

Fig. B




#### **Non-Loaded Panel Runs**

A Non-Loaded Panel Run is defined as having no panel hung components, regardless of size or weight.

The maximum length of a Non-Loaded Panel Run is 16' (4877) with a maximum of 3 panel connections (Fig. C).

Fig. C



### Panel Runs Using a Building's Structural Element

An Adjustable Wall Starter Rail (AWSR) can be used to connect a Panel Run to a building's structural element. The Panel Run maximum lengths still apply as shown in Fig. A, B and C.

When securing the Adjustable Wall Starter Rail, the installer takes full responsibility to ensure that the rail is securely fastened to a sound structural element along the full height of the panel. (Fig. D and E).

Fig. D

#### Non-Loaded Panel Run





Fig. E Loaded Panel Run



#### **Return Panels**

A return panel is a single panel mounted at right angles to a panel run.

The minimum return panel width to be used in any configuration is 24" (610) (Fig. C). See Work Surface Support Planning in the Panel Hung Components section for additional support considerations.

Loaded panel runs must conclude with return panels at each end (Fig. F) and on each side that is loaded (Fig. G).

Fig. F
Panel Run Loaded One Side






Fig. G
Panel Run Loaded Both Sides



Non-loaded panel runs must have 24" (610)-wide or wider return panels on at least three ends of the panel run (Fig. H).

Fig. H Non-Loaded Panel Run




When used with loaded or non-loaded runs, return panels shall have a minimum height as shown in Table 1 and Fig. I.

Table 1


<b>A</b> -Panel Run Height	<b>B</b> -Return Panel Min. Height	C-Max. Change in Height
84" (2134)	62" (1575)	22" (559)
78" (1981)	54" (1372)	24" (610)
66" (1676)	48" (1219)	18" (457)
62" (1575) Or Lower	30" (762)	32" (813)

Fig. I



Work Surface End Panels (ENP) may be substituted for return panels on 62" high or lower loaded or non-loaded panel runs (see Fig. J).


Fig. J



Note: When certain planning conditions are met, it is possible to use 30" (762)- high return panels with panels up to 66" (1676)-high panel runs. See "How to Plan for Lower Height Return Panels" on the following page.

#### **Loading Return Panels**

In order to use overhead storage components on a Return Panel, the Return Panel must be attached to the work surface.




#### **Overhead Storage Support**

When overhead storage units are installed side-by-side, it is recommended that the units be secured together. For metal units, the Flipper Shelf Clip (FSCL) should be used for this purpose. For laminate units, secure the units through the end panels with the laminate overhead Flipper/Shelf Clip (LOSCL). Installing these supports helps to ensure a uniform profile in the workstation.


#### How to Plan for Lower Height Return **Panels**

Lower panels (30" [762]-high return panels or Work Surface End Panels) may be substituted for return panels if all of the following criteria are met (Fig. K):

- Any loaded panels in the run may not exceed 66" (1676) in height.
- Any panel adjacent to the 30" (762)high return panel or Work Surface End Panel must be at least 36' (914)-wide. This adjacent panel cannot have overhead storage components.
- All other panels in the run may not exceed 48" (1219)-wide.
- All other panels in the run may only have one row of overhead storage components.
- All other planning guidelines for loaded and non-loaded panel runs apply.
- When using 30" (762)-high return panels, the panel width and work surface width must match, and a work surface bracket must be used to support the front corner of the work surface (see "Work Surface Support Planning" in the Choices Components section for additional information on work surface supports).
- The combination of panels on the side with overhead storage must equal 48" (1219)-wide or wider.



Note: In all applications 30" 9762)-deep work surfaces require a 30" 9762)-wide panel and a Work Surface Bracket to support the front corner of the work surface (Fig.L).



Note: It is advised that an end panel instead of a cantilever be used if a return panel is wider than the length of the work surface. In this instance a work support bracket cannot be used and an end panel would provide more than adequate support.

#### Floor Supported Elements

In some cases Floor Supported Elements may be used in place of return panels.


Floor Supported Elements include:

- Panel Mounted Peninsula Work Surfaces
- Choices Floor Supported Pedestals and File Centers that are attached to the underside of a work surface.
- **End Panels**

Floor Supported Elements may replace return panels if all of the following criteria are met:

- All criteria for using Lower Height return panels is met.
- At least half of the support elements must be return panels.
- When using a panel mounted Peninsula Work Surface as a Floor Supported Element, the combination of return panels on the other end of the run must equal 48" (1219)-wide or wider (Fig. M).

When using Choices Pedestals and File Centers or Intrinsic Pedestals and 2-High laterals as a Floor Supported Element, a Work Surface Bracket must be used to support the back of the work surface and the filing unit must be attached to the underside of the work surface.



The Tackable Acoustical Panel is surfaced with fabric and provides a tackable surface for information display needs. The TA Panel has a multi-layer core for maximum sound control. All TA Panels feature a base raceway for power and data capability. TA Panels using Trendway's Standard Fabrics are Class A fire rated.

TA Panels acoustical rating is .75 NRC and 10 STC.

#### **Electrical**

There are three baseline electrical options:

- S Standard Base, which accepts PowerPac Electrical components (specified separately).
- P1 Powered Base, which has Powerpac Blocks factory installed in the base raceway.\*
- H Hardwire Base, for use in the city of Chicago which has a factory installed base raceway that is designed specifically for field installed hardwiring.\*
- \* The Powered Base (P1) and the Hardwire Base (H) are only available with TA Series Panels 24" (610)-wide and wider. Panels narrower than 24" (610) accept pass through power only.

Note: When ordering the Powered Base (P1) Electrical option, PowerPac Duplexes, Harnesses, and Base Feeds must be specified separately. When ordering the Hardwire Base, all electrical components must be supplied and installed by a certified electrician, and no PowerPac components should be specified.

#### **Fabric**

For fabric orientation, refer to the table located in the Fabric Planning section.

**Note:** When specifying different fabric grades on opposite sides of a panel, use price of higher fabric grade. For COM use Grade 1 for fabric pricing.

#### Tackable Acoustical Panels – (TA)

Tackable Acous	licai	Ган	ICI3 -	- (17	<u>,                                     </u>								
Dimensions Width Height	0	1		List Pr bric G 3		5	6	Catalog Number	Electrical	Surface Side 1	Color Side 2	Trim Color	Top Cap
12" (305) 30" (762) 18" (457) 30" (762) 24" (610) 30" (762) 30" (762) 30" (762) 36" (914) 30" (762) 42" (1067) 30" (762) 48" (1219) 30" (762) 60" (1524) 30" (762)	\$331 : 349 380 436 456 501 548 609 \$352 : 374 401 454 484 530 575 629 \$367 : 389 415 468 498 545 590 643	\$332 354 386 438 481 523 567 623 \$354 377 406 458 503 540 585 641	\$355 385 416 469 515 559 660 \$383 407 442 495 545 588 633 693 \$398 422 456 509 603 648 707	\$373 405 436 497 541 590 644 699 \$404 427 463 518 570 615 660 722 \$419 442 477 532 584 630 675 736	\$410 443 474 542 588 645 702 760 \$440 466 508 566 623 675 721 793 \$455 481 522 580 637 637 690 736 807	\$449 481 512 590 636 699 768 823 \$480 493 554 619 677 734 783 871	\$519 564 600 688 689 754 922 887 \$560 508 602 674 732 794 846 950 \$578 614 687 750 809	TA1230B TA1830B TA2430B TA3030B TA3630B TA4230B TA4830B TA6030B  TA1236B TA1836B TA2436B TA3036B TA4236B TA4236B TA4236B TA4236B TA4236B TA4236B TA4242B @TA2442B @TA2442B @TA3642B TA46042B	P1 + \$109 Powered Base (Not available on 12" [305] and 18" [457]- wide panels)  H + \$89 Hardwire Base (Not available on 12" [305] and 18" [457]- wide panels)	FAB COI (See S	BRIC LOR Surface erials	Standard Finishes No Cost  Premium Finishes + \$35  See Surface Materials Page 11	Will match trim color unless wood is selected.  WOOD VENEER 12" (305) + \$107  18" (457) + \$118  24" (610) + \$129  30" (762) + \$139  36" (914) + \$148  42" (1067) + \$158  48" (1219) + \$173  60" (1524) + \$191  (See Surface Materials
													Materials Page 11)



Shaded items require an extended Lead Time.

Onotes item is available on Express

Terms, Policies
& Index Filing & Storage

### Tackable Acoustical Panels - (TA) continued

	- 7 (OO GO				ist Pri	ce								
Dimen Width	nsions Height	0	1	Fal 2	bric Gr 3	ade 4	5	6	Catalog Number	Electrical	Surface 0 Side 1	Color Side 2	Trim Color	Top Cap
12" (305)	48" (1219)	\$399	\$401	\$430	\$451	\$489	\$529	\$621	TA1248B	Θ	e		Э	Will
18" (457)	48" (1219)	1.	422	459	482	526	572		TA1848B	S	FABR	IC.	Standard	match
24" (610)	48" (1219)	452	456	493	516	564	618	668	<b>©</b> TA2448B	No Cost	COLO		Finishes	trim color unless
30" (762)	48" (1219)	500	504	549	573	624	677	731	TA3048B	Standard	(See Su		No Cost	wood is
36" (914)	48" (1219)	521	548	594	621	676	738	800	TA3648B	Base	Materi			selected.
42" (1067)	48" (1219)	574	594	638	666	727	789	852	TA4248B	е	Page	8)	<b>O</b> Dromium	
48" (1219)	48" (1219)		632	679	711	773	835	898	TA4848B	P1			Premium Finishes	
60" (1524)	48" (1219)		691	743	774	845	923	1002	TA6048B	+ \$109			+ \$35	WOOD VENEER
12" (305)	54" (1372)	\$412	\$415	\$450	\$473	\$518	\$563	\$660	TA1254B	Powered Base			See	
18" (457)	54" (1372)		443	480	503	551	600	655	TA1854B	(Not avail-			Surface	12" (305) <b>+ \$107</b>
24" (610)	54" (1372)	475	480	517	544	594	645		TA2454B	able on			Materials	τ ψ107
30" (762)	54" (1372)	524	529	574	599	651	704	760	TA3054B	12" [305]			Page 11	18" (457)
36" (914)	54" (1372)	550	587	634	661	724	792	862	TA3654B	and 18"				+ \$118
42" (1067)	54" (1372)	597	626	674	706	769	837	907	TA4254B	[457]- wide panels)				
48" (1219)	54" (1372)	647	668	726	756	826	896	967	TA4854B	parioloj				24" (610)
60" (1524)	54" (1372)	721	739	794	830	901	980	1058	TA6054B	H + \$89				+ \$129
12" (305)	62" (1575)	\$431	\$434	\$469	\$491	\$536	\$581	\$684	TA1262B	Powered				30" (762)
18" (457)	62" (1575)	449	453	490	513	560	609	664	TA1862B	Base				+ \$139
24" (610)	62" (1575)		503	542	570	614	659		<b>@</b> TA2462B	(Not avail-				36" (914)
30" (762)	62" (1575)		557	603	632	692	752		TA3062B	able on				+ \$148
36" (914)	62" (1575)		627	671	699	770	849		<b>@</b> TA3662B	12" [305] and 18"				
42" (1067)	62" (1575)		658	710	738	808	886		TA4262B	[457]- wide				42"
48" (1219)	62" (1575)		700	760	791	861			<b>@</b> TA4862B	panels)				(1067)
60" (1524)	62" (1575)		789	849	885		1038		TA6062B	F =				+ \$158
12" (305)	66" (1676)	\$444	\$448	\$484	\$507	\$555	\$605	\$702	TA1266B					48" (1219)
18" (457)	66" (1676)	480	484	521	544	592	646	698	TA1866B					+ \$173
24" (610)	66" (1676)	503	522	564	590	643	699	756	<b>@</b> TA2466B					
30" (762)	66" (1676)	572	579	625	654	714	775	836	TA3066B					60"
36" (914)	66" (1676)	586	645	702	730	804	889	972	<b>@</b> TA3666B					(1524)
42" (1067)	66" (1676)	632	682	741	770	846	930	1013	TA4266B					+ \$191
48" (1219)	66" (1676)	675	716	774	804	879	963	1046	<b>@</b> TA4866B					
60" (1524)	66" (1676)	796	821	883	923	1000	1082	1165	TA6066B					
12" (305)	78" (1981)	\$500	\$503	\$530	\$587	\$640	\$697	\$813	TA1278B					
18" (457)	78" (1981)		529	559	616	671	725		TA1878B					
24" (610)	78" (1981)		586	616	686	750	815		TA2478B					
30" (762)	78" (1981)		641	675	746	810		939	TA3078B					
36" (914)	78" (1981)		718	755	835		1023		TA3678B					
42" (1067)	78" (1981)		765	802	890		1076		TA4278B					
48" (1219)	78" (1981)		818	856	951		1138		TA4878B					
60" (1524)	78" (1981)	875	897	937	1036	1128	1223	1321	TA6078B					
12" (305)	84" (2134)					\$657			TA1284B					
18" (457)	84" (2134)			578	635	690			TA1884B					
24" (610)	84" (2134)		598	628	698	761	826	896	TA2484B					
30" (762)	84" (2134)		658	692	763	828		961	TA3084B					
36" (914)	84" (2134)		726	763	843	939	1045	1149	TA3684B					
42" (1067)	84" (2134)	756	777	814	902	996	1102	1207	TA4284B					
48" (1219)	84" (2134)		824	861	956		1157		TA4884B					
60" (1524)	84" (2134)	898	920	960	1059	1155	1261	1365	TA6084B					
					Build	your o	omple	ete						
						Numbe				_			_	_

Sample Part Number:

• notes item is available on Express
Total Cost \$104

	TA6084B	. <u>H</u> _	.AGO	.AGO	.K _	.K _
49 =	\$960 <b>-</b>	\$89	N/C	► N/C ■	P N/C ■	N/C

Shaded items require an extended Lead Time.

The Hard Surface Vinyl-Covered Panel has a multi-layer non-tackable core that is surfaced with a durable, abrasionresistant vinyl. All TA Series Panels feature a base raceway for power and data capability.

#### **Electrical**

There are three baseline electrical options:

- S Standard Base, which accepts PowerPac Electrical components (specified separately).
- P1 Powered Base, which has Powerpac Blocks factory installed in the base raceway.\*
- H Hardwire Base, for use in the city of Chicago which has a factory installed base raceway that is designed specifically for field installed hardwiring.7
- \* The Powered Base (P1) and the Hardwire Base (H) are only available with TA Series Panels 24" (610)-wide and wider. Panels narrower than 24"

#### (610) accept pass through power only.

**Note:** When ordering the Powered Base (P1) Electrical option, PowerPac Duplexes, Harnesses, and Base Feeds must be specified separately. When ordering the Hardwire Base, all electrical components must be supplied and installed by a certified electrician, and no PowerPac components should be specified.

Hard Surface Vinyl-Covered Panel





Hard Surface Vinyl-Covered Panels – TA Series	Hard Surface	Vinyl-Covered	Panels -	<b>TA Series</b>
---	--------------	---------------	----------	------------------

Width	Dimensions Height	List Price	Catalog Number	Electrical	Surface Color Side 1   Side 2	Trim Color	Top Cap
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)		\$409 444 460 488 555 594 668	VP1242B VP1842B VP2442B VP3042B VP3642B VP4242B VP4842B	S No Cost Standard Base  P1 + \$109 Powered Base	VINYL COLOR (See Surface Materials Page 11)	Standard Finishes No Cost Premium Finishes + \$35	Will match trim color unless wood is selected.
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 12" (305) 18" (457)	54" (1219) 54" (1372) 54" (1372) 54" (1372) 54" (1372) 54" (1372) 54" (1372)	\$421 460 480 532 594 631 705 \$438 475 519 577 631 668 740 \$460 519	VP1248B VP1848B VP2448B VP3048B VP3648B VP4248B VP4848B VP1854B VP1854B VP2454B VP3054B VP3054B VP3654B VP4254B VP4254B VP4254B VP4854B VP4854B	(Not available on 12" [305] and 18" [457]-wide panels)  H + \$89 Hardwire Base (Not available on 12" [305] and 18" [457]-wide panels)		See Surface Materials Page 11	WOOD VENEER 12" (305) + \$107 18" (457) + \$118 24" (610) + \$129 30" (762) + \$139 36" (914) + \$148 42" (1067) + \$158
16 (437) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	62" (1575) 62" (1575) 62" (1575) 62" (1575) 62" (1575) 62" (1575) 66" (1676) 66" (1676) 66" (1676) 66" (1676) 66" (1676)	\$15 555 623 668 705 779 \$475 532 594 668 705 740 815	VP2462B VP2462B VP3062B VP462B VP4862B VP1866B VP1866B VP2466B VP3066B VP3666B VP4266B VP4866B				48" (1219) + \$173 (See Surface Materials Page 11)
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	84" (2134)	\$548 577 631 711 740 779 853	VP1284B VP1884B VP2484B VP3084B VP3684B VP4284B VP4884B				
		d your complete Number here:		_		_	_

Sample Part Number:	VP4884B	'H¯	.V52	.V52 	.K _	.K
Total Cost \$942 =	\$853	\$89	■ N/C ■	N/C	N/C	N/C

Shaded items require an extended Lead Time.

### Tackable Half Open and Half Glazed Panels – TA Series

Tackable Half Open and Half Glazed TA Panels have a multi-layer tackable core on the lower half of the panel that is surfaced with fabric. Half Glazed TA Panels have a single pane of plexiglass or tempered glass centered in the top portion of the panel. All TA Panels feature a base raceway for power and data capability.

#### **Electrical**

There are three baseline electrical options:

- S Standard Base, which accepts PowerPac Electrical components (specified separately).
- P1 Powered Base, which has Powerpac Blocks factory installed in the base raceway.\*
- H Hardwire Base, for use in the city of Chicago which has a factory installed base raceway that is designed specifically for field installed hardwiring.\*
- \* The Powered Base (P1) and the Hardwire Base (H) are only available with TA Series Panels 24" (610)-wide and wider. Panels narrower than 24" (610) accept pass through power only.


**Note:** When ordering the Powered Base (P1) Electrical option, PowerPac Duplexes, Harnesses, and Base Feeds must be specified separately. When ordering the Hardwire Base, all electrical components must be supplied and installed by a certified electrician, and no PowerPac components should be specified.

#### **Fabric**

For fabric orientation, refer to the table located in the Fabric Planning section.

**Note:** When specifying different fabric grades on opposite sides of a panel, use price of higher fabric grade. For COM use Grade 1 for fabric pricing.

Half Glazed Panel with 66" Glass Line



**Important:** The Tackable Half Open Half Glazed HGPST Panel provides significant improvements over the earlier HGP panel, including lower cost, tackability, added glass lines, added 18" panel width, and a more consistent aesthetic. However, if a customer specifically requires the original HGP panel, it remains available through the Choices Service Parts catalog.

•			List P	Price								Surf Co	ace		
Dimensions Width Height	0/1	2	Fabric 6	Grade 4	5	6	Catalog Number	Elec- trical	Glass Line	Open or	Glazed	Side 1		Trim Color	Top Cap
	\$ 519 564 607 645 688 772 792 876 \$ 563 692 735 821 844 922 \$ 610 657 703 740 784 873 899 969 \$ 661 708 755 795 838 927 955 1020 \$ 708 766 824 866 910 940 940 941 1147 \$ 763 823 882 994 1020 1203 \$ 763 823 823 826 926	\$ 602 649 694 737 762 853 873 958 \$ 646 693 740 784 809 902 925 1004 \$ 694 742 789 826 866 954 985 1055 \$ 744 791 838 879 922 1013 1039 1104 \$ 792 851 910 952 992 1021 1050 1233 \$ 847 907 966 1008	\$ 626 \$ 670 713 754 796 879 899 986 1 \$ 670 \$ 714 759 801 843 928 951 1 1032 1 \$ 775 821 862 910 994 1 1028 1 1103 1 \$ 776 \$ 823 870 915 964 1 1053 1 1082 1 1150 1 \$ 827 \$ 884 942 988 1 1036 1 1093 1 1281 1 \$ 885 \$ 945 1004 1 1102 1 1160 1 1343 1 \$ 885 \$ 945 1004 1 11052 1 1 1 1052 1 1 1 1052 1 1 1 1052 1 1 1 1052 1 1 1 1052 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 655 9 743 787 853 937 957 1050 699 9 743 789 834 908 1096 1096 1096 1096 1086 1132 1232 1086 1145 1186 1145 1186	5 695 7400 783 835 919 1003 1023 1119 784 829 886 1052 1075 1165 819 881 941 1007 1081 1188 1248 1376 \$864\$ 911 958 1247 1302 1421 \$917 1255 1313 1554 \$917 1375 1395 1433 1616 \$987\$ 1063 1139 11375 1395 1433 1616 \$987\$ 1063 1139 11375 1395 1433 1616	\$ 841 831 825 864 982 1066 1086 1191 \$ 885 871 911 1029 1115 1083 1173 1291 1364 1518 1046 1093 1140 1137 1227 1351 1419 1565 \$ 974 1050 1126 1227 1351 1419 1565 \$ 974 1050 1126 1227 1351 1419 1565 11267 1127 1575 1758 1758			1	Open or  00 No Cost Open Frame  Glazed (01-04) 12" (305) + \$72 18" (457) + \$107 24" (610) + \$215 42" (1067) + \$250 48" (1219) + \$284 60" (1524) + \$139  FROSTED (E3A) 42-54" High 12" (305) + \$161 22" (305) + \$161 24" (610) + \$214 30" (762) + \$179 36" (914) + \$250 48" (1219) + \$284 60" (1524) + \$329  FROSTED (E3A) 42-54" High 12" (305) + \$161 24" (610) + \$214 30" (762) + \$281 36" (914) + \$370 42" (1067) + \$465 48" (1219) + \$524 60" (1524) + \$524 60" (1524) + \$597 3-FORM (E01-E03) 42-54" High 12" (305) + \$252 18" (457) + \$346 24" (610) + \$441 30" (762) + \$597 36" (914) + \$754 42" (1067) + \$459 48" (1219) + \$597 36" (914) + \$754 42" (1067) + \$480 42" (1067) + \$481 42" (1067) + \$481 42" (1067) + \$481 42" (1067) + \$481 42" (1067) + \$481 42" (1067) + \$162 60" (1524) + \$1285	Frosted Tempered (05) + \$252 18" (457) + \$252 24" (610) + \$441 30" (762) + \$597 36" (914) + \$754 42" (1067) + \$1062 60" (1524) + \$1285 FROSTED (E3A) 62-84" High 12" (305) + \$132 18" (457) + \$241 24" (610) + \$350 30" (762) + \$478 36" (914) + \$634 42" (1067) + \$926 3-FORM (E01-E03) 62-84" High 12" (305) + \$132 18" (457) + \$478 36" (914) + \$634 42" (1067) + \$728 48" (1219) + \$836 3-FORM (E01-E03) 62-84" High 12" (305) + \$341 18" (457) + \$612 18" (457) + \$612 18" (		RIC OR ee ace		
42" (1067) 84" (2134) 48" (1219) 84" (2134) 60" (1524) 84" (2134)	994 1020	1078 1109	1124 1 1160 1 1343 1	1252 1290	1395 1433 1616 r com	1539 1575 1758 plete	HGPST4284B HGPST4884B HGPST6084B				· <b>-</b> _			_	_
				ample art Nu			HGPST6054B	.н	.42	.E3	A	.BY9	.BY9	.Y	.I

### Full Open and Full Glazed Panels – TA Series

Glazed Panels have a single pane of plexiglass or tempered glass centered in the panel. All TA Panels feature a base raceway for power and data capability. Full Open and Full Glazed Panels are Class A fire rated with tempered glass.

#### **Electrical**


There are three baseline electrical options:

- S Standard Base, which accepts PowerPac Electrical components (specified separately).
- P1 Powered Base, which has Powerpac Blocks factory installed in the base raceway.\*
- H Hardwire Base, for use in the city of Chicago which has a factory installed base raceway that is designed specifically for field installed hardwiring.\*


\* The Powered Base (P1) and the Hardwire Base (H) are only available with TA Series Panels 24" (610)-wide and wider. Panels narrower than 24" (610) accept pass through power only.

**Note:** When ordering the Powered Base (P1) Electrical option, PowerPac Duplexes, Harnesses, and Base Feeds must be specified separately. When ordering the Hardwire Base, all electrical components must be supplied and installed by a certified electrician, and no PowerPac components should be specified.

Full Open Panel



Full Glazed Panel



Choices Components

Terms, Policies
& Index Filing & Storage

#### Full Open and Full Glazed Panels – TA Series


Dimensions	List	Catalog		Open or	Trim	Тор
Width Height	Price	Number	Electrical	Glazed	Color	Cap
12" (305) 42" (1067) 24" (610) 42" (1067) 30" (762) 42" (1067) 36" (914) 42" (1067) 42" (1067) 42" (1067) 48" (1219) 42" (1067) 60" (1524) 42" (1067)	\$546 581 589 624 636 693 721	FGP1242B FGP2442B FGP3042B FGP3642B FGP4242B FGP4842B FGP6042B	S No Cost Standard Base P1 + \$109 Powered	00 No Cost Open Frame GLAZED (01-04) 12" (305) + \$86 24" (610) + \$179	Standard Finishes No Cost Premium Finishes + \$35	Will match trim color unless wood is selected.
12" (305) 48" (1219) 24" (610) 48" (1219) 30" (762) 48" (1219) 36" (914) 48" (1219) 42" (1067) 48" (1219) 48" (1219) 48" (1219) 60" (1524) 48" (1219)	\$554 592 599 634 648 698 733	FGP1248B FGP2448B FGP3048B FGP3648B FGP4248B FGP4848B FGP6048B	Base (Not available on 12" [305]- wide panels)  H + \$89 Hardwire	30" (762) + \$215 36" (914) + \$256 42" (1067) + \$301 48" (1219) + \$344 60" (1524)	See Surface Materials Page 11	VENEER 12" (305) + \$107 24" (610) + \$129 30" (762) + \$139
12" (305) 54" (1372) 24" (610) 54" (1372) 30" (762) 54" (1372) 36" (914) 54" (1372) 42" (1067) 54" (1372) 48" (1219) 54" (1372) 60" (1524) 54" (1372)	\$566 601 614 646 661 703 744	FGP1254B FGP2454B FGP3054B FGP3654B FGP4254B FGP4854B FGP6054B	Base (Not avail- able on 12" [305]- wide panels)	+ \$386 FROSTED (E3A) 12" (305) + \$205 24" (610) + \$478 30" (762) + \$694		36" (914) + \$148 42" (1067) + \$158 48" (1219) + \$173
12" (305) 62" (1575) 24" (610) 62" (1575) 30" (762) 62" (1575) 36" (914) 62" (1575) 42" (1067) 62" (1575) 48" (1219) 62" (1575) 60" (1524) 62" (1575)	\$575 610 626 656 674 708 756	FGP1262B FGP2462B FGP3062B FGP3662B FGP4262B FGP4862B FGP6062B		36" (914) + \$913 42" (1067) + \$1076 48" (1219) + \$1241 60" (1524) + \$1580		60" (1524) + \$191 (See Surface Materials Page 11)
12" (305) 66" (1676) 24" (610) 66" (1676) 30" (762) 66" (1676) 36" (914) 66" (1676) 42" (1067) 66" (1676) 48" (1219) 66" (1676) 60" (1524) 66" (1676)	\$586 619 640 668 688 713 765	FGP1266B FGP2466B FGP3066B FGP3666B FGP4266B FGP4866B FGP6066B		3-FORM (E01-E03) 12" (305) + \$683 24" (610) + \$1256 30" (762) + \$1530 36" (914) + \$1810 42" (1067) + \$2092 48" (1219) + \$2734 60" (1524) + \$3373		

Shaded items require an extended Lead Time.

Full Open and Full Glazed Panels -	TΑ	<b>Series</b>	continued
------------------------------------	----	---------------	-----------

Dimen: Width	sions Height	List Price	Catalog Number	Electrical	Open or Glazed	Trim Color	Top Cap
12" (305) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	78" (1981) 78" (1981) 78" (1981) 78" (1981) 78" (1981) 78" (1981) 78" (1981) 78" (1981)	\$654 688 702 735 751 782 858	FGP1278B FGP2478B FGP3078B FGP3678B FGP4278B FGP4878B FGP6078B	S No Cost Standard Base P1 + \$109 Powered	00 No Cost Open Frame GLAZED (01-04) 12" (305) + \$86 24" (610)	Standard Finishes No Cost Premium Finishes + \$35	Will match trim color unless wood is selected.
12" (305) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	84" (2134) 84" (2134) 84" (2134) 84" (2134) 84" (2134) 84" (2134)	\$654 688 702 735 751 782	FGP1284B FGP2484B FGP3084B FGP3684B FGP4284B FGP4884B	Powered Base (Not available on 12" [305]- wide panels)  H + \$89 Hardwire Base (Not available on 12" [305]- wide panels)	+ \$179 30" (762) + \$215 36" (914) + \$256 42" (1067) + \$301 48" (1219) + \$344 60" (1524) + \$386  FROSTED (E3A) 12" (305) + \$205 24" (610) + \$478 30" (762) + \$694 36" (914) + \$913 42" (1067) + \$1076 48" (1219) + \$1241 60" (1524) + \$1580  3-FORM (E01-E03) 12" (305) + \$683 24" (610) + \$1256 30" (762) + \$1530 36" (914) + \$1810 42" (1067) + \$1810 42" (1067) + \$2734 60" (1524) + \$1830	See Surface Materials Page 11	VENEER 12" (305) + \$107 24" (610) + \$129 30" (762) + \$139 36" (914) + \$148 42" (1067) + \$158 48" (1219) + \$173 60" (1524) + \$191  (See Surface Materials Page 11)
		Build your complete Part Number here:		-		_	_

Sample Part Number:



Shaded items require an extended Lead Time.

The Compatibility kits assure a clean connection from the Original Choices panel to the new Enhanced panel. Selection of the kit depends on the finished look you desire.


#### The Original Choices Panel to **Enhanced Panel Compatibility Kit**


utilizes the new base trim detail for a cleaner finished look, especially in corner and 3-way conditions. The Original installed panel must be taken down to change out the glide housing. The Kit includes one new Enhanced style glide housing and two base covers.

Choices Components

Terms, Policies
& Index Filing & Storage


### Choices Original to Enhanced TA Panel Compatibility Kit






Sample Part Number:

Total Cost \$94 =






Dimensions	List	Catalog	Trim
Panel Width	Price	Number	Color
12" (305)	\$69	TABACK12	Standard Smooth Finish Only  (See Surface Materials Page 11)
18" (457)	77	TABACK18	
24" (610)	81	TABACK24	
30" (762)	83	TABACK30	
36" (914)	86	TABACK36	
42" (1067)	89	TABACK42	
48" (1219)	94	TABACK48	
60" (1524)	101	TABACK60	
Build your complete Part Number here:			-

Sample Part Number:

Total Cost \$94 =



**Note:** A 42" (1067)-wide door frame/36" (914)-wide door (VDSR42A or VDSL42A) is required to meet the 32" (813) ADA clearance requirements.

Price includes door, F10 Satin Chrome Orb. Passage Set, top cap, side rails, threshold, leveling glides, hinges and one floor gripper.

# **Lock Option:**

The F10 Satin Chrome Orb Passage Set is standard with a vinyl door section. Optional passage and lock set include the Orb. Satin Chrome Lockset (OL), the Lever Satin Chrome Passage Set (LN), and the Lever Satin Chrome Lockset (LL).

**Note:** Doors can only be used with 84" (2134)-high panels.

The hinge side of the door must be 18" (457) or closer to a panel system corner condition.

Specify LN and LL Locksets for ADA compliance.

# Door Width Frame Height Frame Width

Choices Electrical

Terms, Policies Choices & Index Filing & Storage


Left-Swing Shown (VDSL)

# **Vinyl Door Sections**

Fran Width	me Height	Do Width	or Height	List Price	Catalog Number	Door Vinyl Color	Frame Trim Color	Top Cap	Lock Option
<b>Left-Swing</b> 36" (914) 42" (1067)	84" (2134) 84" (2134)	36" (914) 30" (762) 36" (914)	80" (2032) 80" (2032) 80" (2032) 80" (2032)	2135	VDSR36B VDSR42B* VDSL36B VDSL42B*	See Surface Materials Page 11	Standard Finishes No Cost Premium Finishes + \$35 See Surface Materials Page 11	Will match trim color unless wood is selected.  WOOD VENEER 36" (914) + \$148 42" (1067) + \$158     (See Surface Materials Page 11)	ON No Cost F10 Passage Set OL + \$50 F51 Lockset LN + \$179 S10D ADA Passage LL + \$333 S51D ADA Lockset
Build your con Part Number h				•		_	_	_	

Sample Part Number:

Total Cost \$2626 =



Shaded items require an extended Lead Time.


The Sliding Door attaches to a Choices Panel that is 42" (1067) wide and covers a 36" (914) wide opening. An Integral door stop, allows the door to close against a panel, corner condition or structural wall. The pull option on the door matches the Pack storage. The handle is on the outside of the door and

a steel insert serves as the handle inside the office.

The Sliding Door does not lock.

# **Choices Sliding Door Jamb**

The Sliding Door Jamb is an optional part that provides a channel for the edge of a closed door to slide into, providing a more finished, door-like appearance and functionality. It attaches to the side of an adjacent panel. Specify a right hand jamb for a right hand door, or left hand jamb for a left hand door.



# Choices System Sliding Door

Dimensions Width Height	List Price	Catalog Number	Pull Style	Trim Color
Right-Hand 38 <sup>1</sup> / <sub>2</sub> " (978) 66" (1676) <b>Left-Hand</b> 38 <sup>1</sup> / <sub>2</sub> " (978) 66" (1676)	\$1697 \$1697	CHSSDRH CHSSDLH	No Cost L Classic	Standard Finish No Cost Premium Finish
			AZ Designer MM Mod2	


Right-Hand Shown

# **Choices Sliding Door Jamb**

Description		List Price	Catalog Number		Trim Color
Right-Hand Left-Hand		\$249 \$249	CHSSDRHDJ CHSSDLHDJ		Standard Finish No Cost Premium Finish +\$18 See Surface Materials Page 11
	Build your Part Numb			_	

Sample Part Number:

Total Cost \$1697 =



Filler Panels, designed to be used with all Choices Panels, are used when conditions will not accommodate a standard-width panel or to compensate for uneven wall conditions. The panel has a vinyl or fabric surface laminated to a wood frame and a foam core. One end of the panel can be cut vertically to desired panel width; the other end is fitted with a standard side rail for hinged attachment to adjacent panels. The Filler Panel can be cut down to a minimum of 4" (102)-wide. Filler Panel has a base channel for cable management and power pass through, but

cannot accept power duplexes. Includes wall channel for mounting Filler Panel to an existing structure.

Note: Adjustable Wall Starter Rail not required.


## **Fabric**

For fabric orientation, refer to the table located in the Fabric Planning section.

Note: When specifying different fabric grades on opposite sides of a panel, use price of the higher fabric grade. For COM and Vinyl, use Grade 1 fabric pricing.

### **Choices Frameless Screen**

The Frameless Screen can be mounted to the top of any Choices TA Panel. Extruded aluminum mounting hardware is included to support the screen. Mounting hardware color will match the top cap trim color. The screen is available in two heights. Screen height will line up with a standard panel height; for example, a 36"-high panel with a 12" screen will line up with a 48"-high standard panel.



# Choices Frameless Screen - TA Series


P | 1-800-893-8115

Nominal Width	Dimensions Actual Width	Height	List Price	Catalog Number	Insert Material	Trim Color
24" (457) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524) 24" (457) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	22 3/s" (568) 28 3/s" (721) 34 3/s" (873) 40 3/s" (1026) 46 3/s" (1178) 58 3/s" (1483) 22 3/s" (568) 28 3/s" (721) 34 3/s" (873) 40 3/s" (1026) 46 3/s" (1178) 58 3/s" (1483)	6" (152) 12" (305)	\$228 \$246 \$270 \$312 \$331 \$361 \$283 \$312 \$343 \$443 \$463 \$463 \$487	TAFGS246 TAFGS306 TAFGS366 TAFGS426 TAFGS486 TAFGS606 TAFGS2412 TAFGS3012 TAFGS3612 TAFGS4212 TAFGS4812 TAFGS4812	Tempered Glass (03,04) No Cost Frosted Tempered Glass (05) + \$102	Standard Finishes No Cost Premium Finishes + \$12 See Surface Materials Page 11
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$714 =

F | 1-800-893-8121



Shaded items require an extended Lead Time.

Note: Retrofit Wood Top Caps are fieldinstalled.

Note: For Panels purchased prior to July 2001, contact your Customer Care Representative for correct top cap.

# **Wood Top Caps – TA Series**

The Wood Top Cap replaces the powdercoated metal top cap on TA Series Panels and Vinyl Door Sections.

Note: All panels come standard with a top cap as specified, either powdercoated metal or wood veneer.

Note: May be used with TA Series

Panels only.



# Wood Top Caps - Retrofit (For TA Series Panels including TA, VP, HGP, FGP, Door Sections and Filler Panels)

Dimensions Width		List Price	Catalog Number	Wood Veneer
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1534)		\$ 107 118 129 139 148 158 173 191	TCW12 TCW18 TCW24 TCW30 TCW36 TCW42 TCW48 TCW60	See Surface Materials Page 11
Door Section Top Caps (VDS) 36" (914) 42" (1067)		\$148 158	TCW36 TCW42	
	Build your co			_

Shaded items require an

Sample TCW12 .R Part Number: Total Cost \$107 = \$107 N/C Note: For Panels purchased prior to July 2001, contact your Customer Care Representative for correct top cap.

**Three-Way Wood Top Caps** 

The Three-Way Wood Top Cap finishes the top opening in a straight three-way panel configuration.

Note: May be used with all Choices Panels.

**Corner Wood Top Caps** 

The Corner Wood Top Cap finishes the top opening in 90° outside corner panel configuration.

Note: May be used with all Choices Panels.

# **Four-Way Wood Top Cap**

The Four-Way Wood Top Cap encloses the center opening where four Choices panels attach to each other at 90 degrees.

# Three-Way Wood Top Caps – Retrofit

Dimens Width	ions Depth	List Price	Catalog Number	Wood Veneer
2" (51)	2" (51)	\$104	SCCWB	See
				Surface Materials Page 11



# Corner Wood Top Caps - Retrofit

Dimensions Width	Depth	List Price	Catalog Number
2" (51)	2" (51)	\$104	CCCWB



# **Four-Way Wood Top Cap**

Dimens Width	ions Depth		List Price	Catalog Number
2" (51)	2" (51)		\$99	FCCWB
		Build your of Part Number		

Sample

**CCCWB** .R Part Number: Total Cost \$104 = \$104 N/C


Shaded items require an extended Lead Time.

**Note:** Full Height Wood End Caps may be used with all Choices Panels.

# Wood End Caps - Variable Height


The Variable Height Wood End Cap finishes the end of a taller panel in wood when it is connected to a shorter panel. The Wood End Cap attaches to the existing side rail.

**Note:** Variable Height Wood End Caps may be used with all Choices Panels.



# **Full Height Wood End Caps**

Dime Depth	nsions Height	List Price	Catalog Number	Wood Veneer
<sup>5</sup> /e" (16)	30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372)	\$148 158 158 173 186	ECW30B ECW36B ECW42B ECW48B ECW54B	See Surface Materials Page 11
	62" (1575) 66" (1676) 78" (1981) 84" (2134)	198 209 238 238	ECW62B ECW66B ECW78B ECW84B	



# **Variable Height Wood End Caps**

Dime Depth	nsions Height	List Pric		Catalog Number
<sup>5</sup> /8" (16)		\$ 88	0	ECVH4
7° (16)	4" (102)			ECVH4
	6" (152)	94		
	8" (203)	100		ECVH8
	12" (305)	107	7	ECVH12
	14" (356)	112	2	ECVH14
	18" (457)	118	8	ECVH18
	20" (508)	12:	2	ECVH20
	22" (559)	129	5	ECVH22
	24" (610)	129	-	ECVH24
	30" (762)	139		ECVH30
		-		ECVH32
	32" (813)	14		
	36" (914)	148	-	ECVH36
	42" (1067)	158	8	ECVH42
		Build your comple Part Number here:		

Sample Part Number:

Total Cost \$158 =

	ECW42B	.A_
=	\$158 <b>•</b>	N/C

Shaded items require an extended Lead Time.

# **Three-Way Cover**

The Three-Way Cover encloses the opening in a straight three-way panel configuration and can conceal wires routed vertically. The cover can be surfaced in either vinyl or fabric. Price includes the cover as well as the required metal top cap and plastic base insert. This three way cover can be used with any Choices TA Series panel combination.

# 90 Degree Cover


The 90 Degree Cover encloses the opening in a 90 degree outside corner panel configuration and can conceal wires routed vertically. The cover can be surfaced in either vinyl or fabric. Price includes the cover as well as the required metal top cap and plastic base insert. This ninety degree cover can be used with any Choices TA Series panel combination.

For fabric orientation, refer to the table located in the Fabric Planning section.

Note: For COM pricing, use Vinyl pricing.

# **Four-Way Top Cap**

The Four-Way Top Cap encloses the center opening where four Choices panels attach to each other at 90 degrees. The metal top cap is available in all finish options.



# Three-Way Covers - Vinyl or Fabric (For TA Series Panels)

Panel Height	l Vinyl	List Price Fabric <b>©</b> 0-3	e c Grade 4-6	Catalog Number
30" (762)	\$50	\$67	\$79	CCTW30B
36" (914)	55	74	88	CCTW36B
42" (1067)	61	84	101	<b>@</b> CCTW42B
48" (1219)	63	90	109	<b>@</b> CCTW48B
54" (1372)	66	99	119	CCTW54B
62" (1575)	69	107	130	<b>@</b> CCTW62B
66" (1676)	75	117	143	<b>@</b> CCTW66B
78" (1981)	84	126	155	CCTW78B
84" (2134)	87	137	169	CCTW84B

Color Cap Will match trim color Standard unless **Finishes** wood is No Cost selected.

Тор

Premium **Finishes** + \$5 See Surface

Materials

Page 11

Trim

Surface

Color

VINYL

or O

FABRIC COLOR

(See

Surface

Materials Page 8)

WOOD **VENEER** 

+ \$99

(See Surface


Materials

Page 11)

# 90° Covers - Vinyl or Fabric (For TA Series Panels)

Panel Height	Vinyl	List Price Fabric <b>©</b> 0-3	e Grade   4-6	Catalog Number
30" (762)	\$53	\$68	\$80	CCND30B
36" (914)	59	79	92	CCND36B
42" (1067)	62	86	103	<b>@</b> CCND42B
48" (1219)	67	94	113	<b>@</b> CCND48B
54" (1372)	72	102	123	CCND54B
62" (1575)	75	111	134	<b>@</b> CCND62B
66" (1676)	82	124	149	@CCND66B
78" (1981)	87	131	160	CCND78B
84" (2134)	93	144	175	CCND84B

**Build your complete** Part Number here:



# Four-Way Top Cap

Dimen Width	sions Depth		List Price	Catalog Number	Trim Color
2" (51)	2" (51)		\$29	СНS4WTC	Standard Finishes No Cost  Premium Finishes + \$5 See Surface Materials Page 11
		Build your co	•		

Part Number here:

Sample Part Number:

Total Cost \$93 =

CCND84B .V52 J. J. N/C N/C \$93 N/C

notes item is available on Express


Shaded items require an extended Lead Time.


The Change of Height Covers may be used on the TA Series panels as an aesthetic finishing piece.

# **Change of Height Two-Way Covers**

The Change of Height Covers may be used on the TA Series panels as an aesthetic finishing piece.


Note: Determine height required by subtracting the height of the shorter panel from the height of the taller panel.





# **Change of Height Covers**

Dimensions	List	Catalog	Trim	Top
Height	Price	Number	Color	Cap
4" (102) 6" (152) 8" (203) 12" (305) 14" (356)	\$37 37 37 46 46	CHC4B CHC6B CHC8B CHC12B CHC14B	Standard Finishes No Cost Premium Finishes	Will match trim color unless wood is selected.
18" (457)	46	CHC18B	+ \$9  See Surface Materials Page 11	WOOD
20" (508)	51	CHC20B		VENEER
22" (559)	51	CHC22B		+ \$104
24" (610)	51	CHC24B		(See
30" (762)	63	CHC30B		Surface
32" (813)	63	CHC32B		Materials
36" (914)	63	CHC36B		Page 11)



# **Change of Height Two-Way Covers**

Dimensions Height	List Price	Catalog Number
4" (102) 6" (152) 8" (203) 12" (305) 14" (356) 18" (457) 20" (508) 22" (559) 24" (610) 30" (762) 32" (813) 36" (914)	\$35 35 35 41 41 41 48 48 48 60 60 60	CHT4B CHT6B CHT12B CHT14B CHT14B CHT20B CHT22B CHT24B CHT30B CHT36B
	uild your complete art Number here:	

Sample Part Number:

Total Cost \$164 = \$60 N/C

.J

CHT32B

Shaded items require an extended Lead Time.

.F

\$104

The Adjustable Wall Starter Rail attaches panels to structural walls. This starter rail is adjustable to compensate for uneven walls. No panel hinge is needed to connect this piece to the Choices Panel.

**Note:** It is the responsibility of the dealer or installer to obtain the correct type of fastener for specific, existing wall conditions.

**Note:** For TrendWall applications, see the Architectural Walls price list.

Actual Dimension		Fits Panel Height	List Price	Catalog Number	Trim Color
<sup>7</sup> /10" (18) 2" (51)	317/s" (810) 377/s" (962) 437/s" (1115) 497/s" (1267) 577/s" (1470) 617/s" (1572) 737/s" (1876) 797/s" (2029)	54" (1372) 62" (1575) 66" (1676) 78" (1981)	\$ 121 133 147 158 174 177 181 181	AWSR36 @AWSR42 @AWSR54 @AWSR62 @AWSR66 AWSR78 AWSR84	G Standard Finishes No Cost Premium Finishes + \$18 See Surface Materials Page 11
		Build your c	•		_

Sample Part Number:



AWSR54

Onotes item is available on Express

.J

Slot Covers easily insert into side rails for maximum visual and acoustical privacy. Slot Covers come in 250' (76 meters) rolls and are available for field installation only.

# **Panel Hinges**

Panel Hinges attach one panel to another in any configuration. Hinges are 20<sup>5</sup>/s" (524)-long (three fit a 66" [1676] panel per side) and are easily field trimmed. Packaged in boxes of 50.

**Note:** The required quantity of hinges is included in each panel order; order Panel Hinges (H20) only when additional hinges are required for re-configuration.

# Hinge/Glide Tool

The Hinge/Glide Tool is used to install Panel Hinges and Slot Covers. Use it also to adjust glides on panels, end panels, and pedestals.

Available in Black only.

	$\mathbf{C}$
ള്	2
<b>-</b>	ਨੁੱ
S	Ř

Choices Electrical

Choices omponents

Choices Desking

Filing & Storage

erms, Policie & Index

# **Square Slot Covers**

	List Price	Catalog Number	Trim Color
	\$147	ssc	Standard
Note: Available in 250 lineal feet (76 meters) length, boxed.			Smooth Finish Only
			See
			Surface Materials
			Page 11

# Package Contains 50

# Panel Hinges (For Re-configurations Only)

Dimensions Height	List Price	Catalog Number
205/8" (524)	\$106	<b>9</b> H20

# Hinge/Glide Tool

	List Price	Catalog Number	
	\$7	<b>Ө</b> нт	
Build your co	omplete		
Fait Number	nere.		_

Sample Part Number:

mber:	SSC	. <b>J</b> _

Total Cost \$147 =

\$147	+	N/C	

Onotes item is available on Express

Choices Filing & Storage

# **Choices Electrical**

Electrical & Communications Planning	48
Electrical Specification Guide	51
Electrical & Data Components	55

# **ELECTRICAL AND COMMUNICATIONS PLANNING**

# **Power and Data Features and** Capabilities

Choices offers base capability for accessing power and data in workstations. Choices Panels allow the distribution of power and data cables horizontally for access at baseline in TA Panels. Power can be distributed at the base using PowerPac® components. Hardwire raceway capabilities are also available at baseline only. Certain PowerPac Electrical components may be specified as factory installed in Choices Panels to simplify electrical planning and installation. PowerPac Electrical components can also be specified separately for field installation in nonpowered panels.

The PowerPac Electrical System offers the power and flexibility of an 8-wire, four circuit system. PowerPac components are simple to specify and install. Each component is complete and sized for the panel where it will be used. PowerPac Blocks snap into place, with no tools required. As of August 2004, PowerPac Blocks are designed to be interchangeable between Choices and Contrada Panel systems.


the requirements of the National Electrical Code and has not been approved for use in the City of the Chicago. For those cities and outlying areas required to abide by the Chicago Electrical Code, we offer an optional Hardwire Base raceway for use in TA Series Panels 24" (610) to 60" (1524)-wide. Follow the National Electrical Code (NEC) or other local, state or national codes.

Note: For Choices Panels manufactured before August 1990, contact Trendway Customer Care for assistance in specifying compatible PowerPac Electrical components.

# **Power and Data Locations**

 The maximum number of power and/or data ports that can be used with a 30" (762) and wider TA Series Panel is 2 ports per panel side at baseline.

Note: 12" (305) and 18" (457) panels have pass through capability only; 24" (610) panels include 1 port per side at baseline.



Note: Panel run Returns not shown.

# **Distributing Power**

- PowerPac Harnesses are used to route power through the panels.
- The PowerPac Electrical System is built to PowerPac Blocks attach to the base using the Panel's Base Tee.
  - The Hardwire Base is a factory installed baseline raceway option that accepts field-installed electrical hardwiring and is approved for use in the City of Chicago and outlying areas requiring hardwiring. The Hardwire Base Raceway consists of two additional steel raceways and two end caps that are added to each panel.

All electrical routing must be hardwired within the panel raceway by a certified electrician. The electrician provides all hardwired electrical components needed. For additional information on Chicago code projects, please contact a Trendway Customer Care Representative.

Note: When specifying the Hardwire Base option, no PowerPac components should be specified.

# **Distributing Data**

- Data cables can be routed through TA Panels at the baseline.
- Communication Modules snap into an open duplex location.

Cable Capacity for Trendway Choices Panels					
Cable Type	CAT 5E .220 (³/16"dia.)	CAT 6 .250 (¹/₄" dia.)	25 Pair .375 (³/8" dia.)		
Base without electrical (TA)	50	44	20		
Base with electrical (TA)	16	8	4		
90 degree corner pass thru	40	21	16		
Tele-com power pole without copower feed	eiling 42	31	16		
Tele-com power pole with one of power feed	ceiling 36	23	14		

# **POWERPAC ELECTRICAL AND DATA** COMPONENTS

Components used in designing and specifying the modular electrical system are PowerPac Blocks, Harnesses, Base Feeds, Ceiling Feeds, Duplexes and Tele-Com Power Pole. All Choices PowerPac Electrical components are UL and CUL Listed/CSA Certified.


The following information provides a description of each PowerPac component:

# PowerPac® Blocks

PowerPac Blocks may be ordered for field installation or as a factory installed option in a pre-powered panel produced after August 2004.

- PowerPac Blocks provide power access on both sides for up to two snap in Power Duplexes per side.
- 24" (610) PowerPac Block (PPB24) is a single distribution block to accommodate up to two power duplexes (maximum one per side). 24" (610) Blocks may be factory installed or may be used in 24" (610)-wide panels, or may be used for field installation in 24" (610) to 60" (1524)-wide panels to fill a single duplex location.
- 30" (762), 36" (914), 42" (1067), 48" (1219) and 60" (1524) PowerPac Blocks (PPB30-PPB60) have two distribution blocks to accommodate up to four power duplexes (maximum two per side).
- PowerPac Blocks have four end ports (two per end) where up to four PowerPac Harnesses can be plugged in.

Note: PowerPac Blocks manufactured after August 2004 are designed to be interchangeable between the Choices baseline and beltway electrical systems, and Contrada electrical systems if manufactured after August 2004. If PowerPac Blocks are required for installation in the baseline of Choices Panels manufactured prior to August 2004, please contact Customer Care for assistance.




### **PowerPac Harnesses**

Harnesses distribute power horizontally from one panel to another and/or distribute power vertically from the panel base to the beltway. There are two different types of PowerPac Harnesses, the Block-to-Block Harness and the Extension Harness:

• Choices PowerPac Block-to-Block Harness (PBH) is used to connect PowerPac Blocks to one another. It has a swivel at one end to distribute power around 90° bends. PBH18 Harnesses and longer will span 3-way and 4-way conditions.



 PowerPac Extension Harness (PPH) is used to extend between a PowerPac Block and the Block-to-Block Harness. PPH24 Harnesses and longer will span 3-way and 4-way conditions.



PBH18-PBH90

Note: PowerPac Harnesses do not accept PowerPac Power Duplexes (PD Series), Base Feed Hardwire (BFH) or Base Feed Plugs (BFP).


# **Base Feeds**

The Base Feed installs into a PowerPac Block to feed power from the building's electrical system. These are four different types of Base Feeds: Hardwired, Plug, New York City and End Mount.


• Hardwired Base Feed (BFH) installs into one duplex location in a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit base feed to the building's electrical system. Can be used in right- or left-hand installation requirement.



• Base Feed Plug (BFP) installs into one duplex location in a Power Block. It includes 2' (610) and 20-amp plug for powering Circuit I only. Can be used in right- or left-hand installation requirement.



installs into the end of a Power Block. It includes 11/21 (457) of flexible conduit for hardwiring the standard 4-Circuit base feed to the building's electrical system as required by New York City.



**BFHNY** 

• End-Mount Base Feed (EBFH)

installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit base feed to the building's electrical system.




Ceiling Feed

The Ceiling Feed (CFTP) supplies power from the ceiling to the PowerPac system. The feed is channeled through the Tele-Com Power Pole. It has 13' (3962) of wire and 12' (3658) of flexible conduit.



**Tele-Com Power Pole** 

The Tele-Com Power Pole (TCP) is used to channel PowerPac electrical components and communication cables by attaching to all panel side rails at end conditions and two-, threeand four-way 90° corner conditions.



TCP120-TCP144

Female/Female

PPB36-PPB60 36" to 60" width

# **Power Duplexes**

The Power Duplex plugs into PowerPac Blocks for access to the circuit. There are nine different duplexes that are used to create three different 4-Circuit options (See PowerPac Electrical Circuit Planning section). Each Power Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, III, IV. Power Duplexes need to be specified separately to match electrical circuit plan.




PD1-PD4A

# **USB Duplex**

The USB duplex plugs into a PowerPac Block for access to the circuit. Each duplex provides 2 amps, one amp per port of charging power. Each USB Duplex is marked to distinguish its specific circuit. Circuits are marked with the following symbols: I, II, III, or IV. USB Duplexes need to be specified separately to match the electrical circuit plan.

# **Communication Modules**

The Communication Module snaps into an open duplex location in the base and at the beltway providing access to communication distribution.




CM553, CM553BW, CM554

# Baseline and Beltway Electrical and **Communication Module Locations**

For pre-powered Choices Panels, PowerPac Blocks will be installed in the baseline and/or the upper level of the beltway. Field installed PowerPac Blocks and Communication Modules may be installed in the baseline and/or both levels of the beltway.

Step 1 Understand Number of Available Power Duplex Locations per Panel Type.

TA Series Panels - Fig. A



# Step 2 Specify Panels with Pre-Powered Electrical Option


TA Panels - P1 Option

When the Powered Base Option P1 is specified on TA Choices Panels, Power Blocks will be factory installed in baseline locations (Fig. A).


Eg: TA3662A.**P1**.O5O.O5O.G.G.SA

# Step 3 Connect Powered Panels

When two powered 24" wide Choices panels are connected together with no 2-way, 3-way or 4-way intersection between, the PBH *needs* to be a **PBH15**. For all other standard panel-to-panel electrical connections specify the **PBH18** PowerPac Block to Block Harness at the base and/or beltline.



For all standard 180° Extended, 2-way 90°, 3-way, and 4-way panel electrical connections, specify the **PBH18**.



Step 4
Specify Base Feed, Power Duplexes
and Communication Modules to
Complete Electrical Installation


Available components are described in the PowerPac Electrical and Data Components section.

# ADVANCED ELECTRICAL PLANNING GUIDELINES

This section builds upon the steps described previously in Specifying PowerPac Electrical, for more complex applications.

# Passing Electrical Through a Non-Powered Panel

Use the following illustration and table to determine the correct PowerPac Block-to-Block Harness to connect two powered panels separated by a non-powered panel.




Pass-Thru Panel Width	PBH Length
12"	PBH30
18"	PBH36
24"	PBH42
30"	PBH48
36"	PBH54
42"	PBH60
48"	PBH66
60"	PBH78

PBH Length = Pass-Thru Panel Width + 18"

# Passing Electrical Through Multiple Non-Powered Panels

Use PowerPac Block-to-Block Harnesses PBH in combination with Extension Harnesses PPH to pass through multiple panels. PBH and PPH lengths are determined by application.



To determine total harness length needed, add the pass-thru panel widths together and add 18". When the total harness length needed exceeds the longest PowerPac Block-to-Block Harness length available (PBH90 equalling 90" long), use one PBH in combination with one or more PowerPac Extension Harness (PPH) to equal the total harness length needed.

# Total Harness Length = A +B +18" = PBH length + PPH length


 $(eg:48" + \bar{4}8" + 18" = 114" = PBH90 + PH24)$ 

Note: When connecting PowerPac Extension Harnesses (PPH) to Block-to-Block Harnesses (PBH), the connection must be made in the baseline or beltway locations due to space requirements.

# **Integrating Communication Modules** with Baseline and/or Beltway **Electrical**

- Order PPB24 Single Power Block
- Order PBH Harness to connect to the next panel's Power Block

Use the following illustration and table to determine the correct PowerPac Blockto-Block Harness length when bypassing a Communication Module.




Panel Width	PBH Length
30"	PBH24
36"	PBH30
42"	PBH36
48"	PBH42
60"	PBH54

PBH Length = Panel Width - 6"

# **Integrating Communication Modules** with Baseline and/or Beltway **Electrical for More Complex Applications**

To determine PowerPac Block-to-Block Harness lengths for more complex applications, use the diagram and formula below.



PBH Length = A + B - 30" (eg: 48" + 36" - 30" = 54" = PBH54)

# Compatability of Electrical **Components with Panels Produced** Prior to and After August 1, 2004


Choices Panels and PowerPac Electrical Components manufactured after August 1, 2004 are compatible with Panels produced prior to that date. Compatability is as follows:

- As of 8/1/04, Choices PowerPac Blocks have been modified and can only be used in Choices Panels manufactured beginning 8/1/04
- Electrical components produced prior to that date (including PP4 and PP2 PowerPac Blocks) can be used in Choices Panels manufactured after 8/1/04
- PowerPac Blocks are now common in both baseline and beltway locations
- PowerPac Blocks are common in both Choices and Contrada Systems

The following illustrations and tables show how to combine panels with old and new electrical. For additional electrical connection conditions. refer to www.trendealer.com or contact a Trendway Customer Care Representative.

# **Connecting to Pre-August 2004 Choices Panels Standard Baseline** Connections

Standard Block-to-Block connections in the baseline can be made using the PBH18 Harness. PP4 and PP2's can also connect directly to PPB's in a new panel.




PBH Length = Pre-Aug. '04 Panel Width

The PowerPac Electrical System is an 8-wire, four circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). There are three - four circuit options which include:


- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

# Fig. 1 Installing to Buildings Power Source

208/120V 3-Phase Building Supply



# 240/120V Single-Phase Building Supply



# **Options for PowerPac Four Circuit System**

Fig. 2 Three General Circuits, One Dedicated




Fig. 3 Three Isolated Circuits, One Dedicated





Fig. 4 Two General Circuits, Two Isolated



The PPB24 is a single Block the PPB30 is a set of two Blocks, and the PPB36-PPB60 is a set of two Blocks connected with a harness.

UL and CUL Listed/CSA Certified.

Note: Order Power Duplexes separately.

# Choices PowerPac Block-to-Block Harness


Choices PowerPac Block-to-Block
Harnesses connect PowerPac Blocks
to one another and may also be used
in conjunction with PowerPac Extension
Harnesses when extra length is required.
The Choices PowerPac Block-to-Block
Harness distributes power horizontally
from one Choices panel to another and/
or distributes power vertically from the
baseline to the beltway. The Choices
PowerPac Block-to-Block Harness has a
swivel at one end to allow for 90° corner

installation. The Harness will span 3-way & 4-way conditions.

UL and CUL Listed/CSA Certified.

Note: Choices PowerPac Block-to-Block Harness does not accept Power Duplexes, Base Feed Hardwire (BFH) or Base Feed Plugs (BFP).

**PowerPac Extension Harnesses** 



# PowerPac® Blocks

Dimensi	ons	Fits Panel	List	Catalog
Width	Height	Width	Price	Number
24" (610)	21/2" (64)	24" (610)	\$109	@PPB24
30" (762)	21/2" (64)	30" (762)	109	<b>Ө</b> РРВ30
36" (914)	21/2" (64)	36" (914)	109	<b>Ө</b> РРВ36
42" (1067)	21/2" (64)	42" (1067)	109	<b>Ө</b> РРВ42
48" (1219)	21/2" (64)	48" (1219)	109	<b>@</b> РРВ48
60" (1524)	21/2" (64)	60" (1524)	109	<b>Ө</b> РРВ60
nale				



Choices Components

# **Choices PowerPac Block-to-Block Harness**

Dimensions Length	List Price	Catalog Number
15" (381)	\$79	<b>Ө</b> РВН15
18" (457)	86	<b>@</b> PBH18
21" (533)	94	<b>@</b> PBH21
24" (610)	96	<b>@</b> РВН24
27" (686)	100	<b>9</b> РВН27
30" (762)	104	<b>Ф</b> РВН30
33" (838)	107	<b>Ф</b> РВН33
36" (914)	109	<b>Ф</b> РВН36
39" (991)	111	<b>Ф</b> РВН39
42" (1067)	113	<b>9</b> РВН42
45" (1143)	118	<b>©</b> РВН45
48" (1219)	122	<b>@</b> РВН48
51" (1295)	124	<b>@</b> РВН51
54" (1372)	127	<b>@</b> РВН54
57" (1448)	132	<b>@</b> РВН57
60" (1524)	135	<b>Ө</b> РВН60
63" (1600)	137	<b>Ө</b> РВН63
66" (1676)	139	<b>Ф</b> РВН66
72" (1829)	142	<b>9</b> РВН72
78" (1981)	146	<b>9</b> РВН78
90" (2286)	148	<b>Ө</b> РВН90
Build your con Part Number h		
Sample Part Nun	nber:	PBH42

Total Cost \$113

9 notes item is available on Express

\$113

UL and CUL Listed/CSA Certified.

Note: PowerPac Extension Harness does not accept Power Duplexes, Base Feed Hardwire (BFH) or Base Feed Plugs (BFP).

# **Power Duplexes**

The Power Duplex plugs into PowerPac Blocks for access to the circuit. Power Duplex is clearly marked for Circuit I, II, III, IV $\Delta$ , I $\Delta$ , II $\Delta$ , III $\Delta$ ,  $\Delta$ III $\Delta$  or IV access. See PowerPac Electrical Components and PowerPac Electrical Circuit Planning for guidelines on specifying PowerPac Duplexes. Packaged in boxes of six of the same duplex.

UL and CUL Listed/CSA Certified.

Note: Order PowerPac Blocks separately.

# **USB Duplexes**

The USB duplex plugs into a PowerPac Block for access to power circuits. These duplexes provide a place to charge devices via a USB charger. Each Power Duplex is marked to indiciate Circuit I, II, III, or IV.

These are available for order in quantities of one, or a box of six of the same circuit. USB duplexes are UL Listed and CUL Listed. They must be installed in PowerPac Blocks only.




PowerPac Extension Ha	arness		
Nominal Length	List Price	Catalog Number	
12" (305)	\$ 78	<b>Ө</b> РРН12	
18" (457)	78	<b>@</b> PPH18	
20" (508)	78	@PPH20	
24" (610)	78	<b>@</b> PPH24	
30" (762)	78	<b>Ө</b> РРН30	
36" (914)	87	<b>Ө</b> РРН36	
42" (1067)	87	<b>Ө</b> РРН42	
48" (1219)	87	<b>Ө</b> РРН48	
60" (1524)	87	<b>Ө</b> РРН60	
72" (1829)	139	<b>Ө</b> РРН72	
84" (2134)	150	<b>Ө</b> РРН84	
96" (2438)	165	<b>Ө</b> РРН96	
108" (2743)	177	<b>@</b> PPH108	
120" (3048)	188	<b>@</b> PPH120	
132" (3353)	203	<b>@</b> PPH132	
144" (3658)	214	<b>@</b> PPH144	

# **Power Duplexes**



Description	List Price	Catalog Number	Trim Color
Circuit I Circuit II Circuit III Circuit IV Circuit IV Circuit II Circuit III Circuit III Circuit IIII Circuit IIII Circuit IV Package contains 6 Power Duplexes.	\$154 154 154 173 186 186 186 186	OPD1 OPD2 OPD3 OPD4 PD1A PD2A PD3A PD3B PD4A	Standard Smooth Finish Only See Surface Materials Page 11

# **Choices USB Duplexes**



Description	1		List Price	Catalog Number	Trim Color
Circuit I	Individual		\$ 151	CSUSBD11	Standard
Circuit II	Individual		151	CSUSBD12	Smooth
Circuit III	Individual		151	CSUSBD13	Finish
Circuit IV	Individual		151	CSUSBD14	Only
Circuit I	Box of 6		\$ 863	CSUSBD61	See
Circuit II	Box of 6		863	CSUSBD62	Surface
Circuit III	Box of 6		863	CSUSBD63	Materials
Circuit IV	Box of 6		863	CSUSBD64	Page 11
		Build your o	complete		

Build your complete	
Part Number here:	 _

Sample Part Number:	PPH24	<b>N/A</b> _
Total Cost \$78 =	\$78 <b>-</b>	N/C

Onotes item is available on Express

55

# **Base Feeds**

The Base Feed plugs into a PowerPac Block to feed power from the building's electrical system. The BFH Hardwired Base Feed has 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system. The BFP Base Feed Plug has a 2<sup>i</sup> (610) cord and 20-amp plug for powering Circuit I only. Either feed accommodates right or left-hand installation requirement.

Note: Some cities may require base feeds to have a metallic seal tight conduit. Consult an electrical inspector in your area for code requirments. If a metallic seal tight conduit is required, contact Trendway's Custom Solution Team.

UL and CUL Listed/CSA Certified.

Note: Order PowerPac Blocks separately. Available in Black only.

# **New York and San Francisco Base** Feed

The BFHNY New York City and BFHSF San Francisco Base Feed plugs into the end of a PowerPac Block to feed power from the building's electrical system. New York has 1 1/2'(457) and San Francisco has 6' (1829) of flexible conduit for hardwiring the standard fourcircuit system.

PowerPac Block Port Cover

UL and CUL Listed/CSA Certified.

Note: Order PowerPac Blocks separately.

Available in Black only.

# **End-Mount Base Feed**

The End-Mount Base Feed plugs into the end of a PowerPac Block to feed power from the building's electrical system. It has 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system.

UL and CUL Listed/CSA Certified.

Note: Order PowerPac Blocks separately. Available in Black only.

List

**Price** 

Catalog


Number


**PPBC** 

Ś	U,
×	<u>a</u>
<u>چ</u>	~
2	ā
$\dot{\sim}$	Ω










# **Base Feeds**


Description	Cord Length	List Price	Catalog Number
4-Circuit, Hardwired 20-Amp Plug, Circuit I	6' (1829) 2' (610)	\$181 153	9вгн 9вгр
Note: 4-Circuit Hardwired and 20-amp	Plug Base Feeds use one		

Power Duplex location in a PowerPac Block.



# Base Feeds - New York and San Francisco

Description	Cord Length	List Price	Catalog Number
4-Circuit, for use in New York City	11/2' (457)	\$196	<b>@</b> BFHNY
4-Circuit, for use in San Francisco	6' (1829)	\$229	<b>@</b> BFHSF



# **End-Mount Base Feed**

Cord Length	List Price	Catalog Number
6' (1829)	\$181	<b>@</b> ЕВFН
,	·	

**Build your complete** Part Number here:

> Sample Part Number:

**EBFH** 

\$181

Onotes item is available on Express

Note: To connect PowerPac system to ceiling power, order CFTP Ceiling Feed for Tele-Com Power Pole separately.

Note: Cable capacity of 40 category 5e

cables with CFTP electrical; 52 category 5e cables without electrical.

# **Ceiling Feed**

The Ceiling Feed supplies power from the ceiling to the PowerPac system. The feed is channeled through the Tele-Com Power Pole. Ceiling Feeds are available in two lengths: the CFTP which has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended and is intended for use with the 10' (3048) Tele-Com Power Pole TCP120, and the CFTP144 which has 15' (4572) of wire and 14' (4267) of flexible conduit when fully extended and is intended for

use with the 12' (3658) Power Pole TCP144. Ceiling Feeds include junction box and attachment hardware.


# **Tele-Com Power Pole Divider**

The Tele-Com Power Pole Divider allows a Power Pole to be divided vertically into two separate channels for power and data cables.

The steel divider consists of two (2) 60" parts for a total 10' of vertical division. If used with a 12' Power Pole, a 2' section of the Pole will remain undivided.



# Choices lectrical



# **Tele-Com Power Pole**

Width	Depth	Pole Height	List Price	Catalog Number	Trim Color
2" (51)	2" (51)	10' (3048) 12' (3658)	\$335 364	<b>@</b> ТСР120В <b>@</b> ТСР144В	Standard Smooth Finish Only
					See Surface Materials Page 11

# **Ceiling Feed for Tele-Com Power Poles**

		B
	0	A
61		
900		
Male		

Wire	Conduit	Use with	List	Catalog	
Length	Length	Power Pole	Price	Number	
13' (3692)	12' (3658)	TCP120	\$135	<b>@</b> CFTP	
15' (4572)	14' (4267)	TCP144	165	CFTP144	

# **Tele-Com Power Pole Divider**



Length	List Price	Catalog Number	
60" (1524)	\$180	TCPDIV	
	Build your complete Part Number here:		_

Sam	ple
Part	Number:

	CFTP 	N/A
=	\$135 <b>-</b>	N/C

Part N

Total Cost \$135 = \$135

notes item is available on Express

Note: Verify your configuration with your building telecommunication contractor.

Note: All modules can be installed back to back.

Note: The RJ11 Jacks are rated category 3. The RJ45 Jacks are rated category 5e.

# **Electrical Contact Covers**

The electrical contact cover is a protective piece used to help in installation or reconfiguration of electrical hardware. It is constructed of black plastic. This cover goes over the contact points of a live Base Feed Harness (BFH/ CBFH) or the inside contacts (where the duplex snaps in) of a Power Block (PPB) to avoid any unwanted power transfers. Packaged in quantities of 20.

	Communication Modules		
CM552	Description	List Price	Catalog Number
OM222 OM222	One RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Facepla Two RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Facepla Two RJ45, Cat. 5e, 110 Terminal, One Blue Jack, One White		<b>@</b> СМ552 <b>@</b> СМ553
CM553, CM553	Jack, Black Faceplate One RJ11, Cat. 3, One RJ45, Cat. 5e, 110 Terminal Three RJ45, Cat. 5e, 110 Terminal, One Black Jack, One Blue	107 107	CM553BW <b>G</b> CM554
	Jack, One White Jack, Black Faceplate Four RJ45, Cat. 6, One Black Jack, One White Jack,	135	CM555
CM555	One Green Jack, One Gray Jack  Note: Communication Modules require an open duplex location  110 Terminal	301 n.	CM6666
	Electrical Contact Covers		I
	Description	List Price	Catalog Number

Packaged contains 20 covers

Sample Part Number:

**Build your complete** Part Number here:

CM553

ECC20

Total Cost \$107 =

\$ 66

\$107

notes item is available on Express

# **Choices Components**

Product Details & Planning Guidelines	60
Components Overview	
Work Surface Support Planning	
Back Edge Grommets	
Component Capacities	
LED Systems Lighting	
Work Surfaces	64
Counter Caps	89
Work Surface Supports	91
Electrical & Data Components	93
Keyboards & CPU Holder	92
Drawers	94
Flipper Doors	96
Shelves	101
Shelf Dividers & Clips	103
Lights & Wire Channel	110
Tackboards & Marker Boards	114
Dual Wall Mount, Handy Hooks & Touch-Up Paint	119

The Choices System has a 29" (737)-high nominal work surface height. Work Surface Support Legs, End Panels, and under work surface storage components are designed to provide height adjustment around this 29" (737) nominal work surface height. These components do not support positioning of work surfaces at other heights. However, some work surfaces can be positioned at other heights by using Work Surface Supports and/or Brackets. See Work Surface Support Planning for proper application.

# Standard Features and Finishes

Choices Work Surfaces and Counter Caps have high-pressure laminate surfaces, and are available with either vinyl or wood edge. Wood-trimmed products aesthetically match panels with wood top caps. Other Components are available in Trendway trim colors unless otherwise noted. See individual component descriptions for trim color options.

Choices Work Surfaces manufactured as of August 2004 have a <sup>5</sup>/<sub>8</sub>" (16) gap between the back edge of the work surface and the panel face, designed

for enhanced cable. Factory-installed back edge grommets are available as an option on most Work Surfaces.

Beginning August 2004, work surface supports must be specified separately to ensure proper work surface support for each application. See Work Surface Support Planning on the following page for further details.

# **Specifications**

All dimensions listed are nominal unless otherwise noted.

# Work Surface Compatibility Between Choices Panels and Contrada System Frames

Choices and Contrada Work Surfaces manufactured beginning August 2004 are pre-drilled to fit either Choices or Contrada Systems. Choices Work Surfaces, when used on Contrada System Frames will require Contrada supports and will have a 3/6" (10) cable management gap between the back edge of the work surface and the panel face.

**Note:** Specify Contrada Work Surface Supports for use with Choices Work Surfaces on Contrada Frames. See the Contrada Components section of this price list for other compatible Choices Components including Flipper Door and Shelf Units. If using Contrada Work Surface on Choices Panels specify Choices Work Surface Supports.

Catalog

**Back Edge** 

# **Special Products**

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on nonstandard products.

# **Ordering Information**

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description and size. For example, SCC2414 represents a **S**traight **C**ounter **C**ap, **24**" (610)-wide by **14**" (356)-deep.

The acknowledgment you receive from Trendway will follow the sequence of information outlined below. Trendway strongly encourages you to follow the same steps so that checking your order against the acknowledgment will be the easiest possible way.

# When ordering Work Surfaces, list the following:

- 1. Quantity (combine same products)
- Complete Part Number ( see Sample Part Number at the bottom of each page for correct order sequence)
- For ease of reading, place a period between each option number (DWS3072.GY.Y.JP9.Y.Y)

Laminate Trim

Edge

**Back Edge** 

Grommet


surface and the panel face, designed		Number	Grommet	Color	Color	Color	Color
Work Surface Edging Detail	Sample Part Number:	DWS3072	.GY	. <b>Y</b>	.JP9	. <u>Y</u>	.Y _
1 1/4" (32)	Total Cost \$875 =	\$857	\$18	N/C 🛨	N/C 🛨	N/C 🖶	N/C
Flipper Door Unit  Accent Strip (Optional)		arter Back tional)				optional frommet _ Radiuse Counter	
Task Light Tackboard						5/8" Gap Shared	•
	work awer Exte Work Work Work Work Work	angular k Surface ended Corner k Surface t-Hand)		Choice	etal (	Radiused Conference Work Surf	

These support planning guidelines should be followed carefully to ensure proper work surface support. The following examples illustrate typical applications of Trendway work surface support methods. If you have further questions, please contact Trendway Customer Care with questions regarding planning guidelines.

# **Work Surface Supports**


Work Surface Supports are field installed for left, right, left shared or right shared applications. The shared supports can be used at the meeting point of two adjacent work surfaces. As a rule, left supports are hung from a panel's left side rail and right supports are hung from a panel's right side rail.

With the exception of the Extended Conference Work Surface either a left-hand or right-hand shared support may be used at any meeting point of two work surfaces.




# **Work Surface Brackets**

Work Surface Brackets are used to provide support at the end of the work surface when it is next to return panels that are the same depth as the work surface. When using a 30" (762)-deep work surface with return panels, the return panel width must match the work surface width, and a Work Surface Bracket must be used to support the front corner of the work surface. A Work Surface Bracket must be specified to support the back corner of all corner work surfaces. Work Surface Brackets are available in left or right hand versions, or in pairs (Fig. B).




## Work Surface Support Legs

Work surface support legs are used to support the end of Peninsula Work Surfaces, Corner Transaction Work Surfaces, and Extended Conference Radiused Work Surfaces. There are two work surface support leg styles: the 4" (102) diameter, 29" (737) adjustable-height center Support Column, available in trim color and the 29" (737)-high by 2" (51) diameter Straight Legs with height adjustable glides available in trim color with a black cover at the base. The Support Column provides a 4" (102) height adjustment and the Straight Legs provide a 33/4" (95) height adjustment.




# Flush Support Plates

Flush Support Plates are used to connect a work surface that extends from an adjacent work surface up to 72" (1829)-long at the same level. A Peninsula Work Surface at a 90° angle to a panel-hung work surface is one example of its use.



# Planning Work Surfaces with Reinforcement Bars

Work Surfaces with Reinforcement Bars extend your planning options. They provide the strength and rigidity needed for applications where the top will be unsupported for a span of more than 48". These Work Surfaces can be used as Rectangular Peninsulas supported by the Trig/Capture U Leg. They can also be combined with U legs to create stand-alone desks or tables. Those are the only applications where the Reinforcement Bars are required. These Work Surfaces match the top thickness of all Trendway systems surfaces (Fig. E).



### **Work Surface End Panels**


Work Surface End Panels attach to panel side rails and the work surface to provide maximum support and stability at 29" (737)-height.

# Work Surface End Panels must match the depth of the work surface

(Fig. F).

# **Work Surface Support P Legs**

Work Surface Support P Legs attach to panel side rails and the work surface to provide support and stability at 26" (660) or 29" (737)-high. The 19" (483)-deep legs are used on 24" (610) work surfaces and the 29" (737)-deep legs are used on 30" (762)-deep work surfaces. (Fig. F).



# Determining Work Surface Support Requirements

- Order 1 Shared Work Surface Support (WSSLS or WSSRS) at each location where two work surfaces meet in place of two individual work surface supports (Fig. A).
- Order 1 additional Work Surface Support (WSSL or WSSR) on work surfaces that span more than 60" (1524) to provide necessary work surface support.
- Order 1 Work Surface Bracket (WSBKR or WSBKL) when using a Choices Floor Supported Pedestal or File Center as a floor supported element. See Panel Planning section for details.

• Order 1 Work Surface Bracket

Brackets (WSBKP) per end when

work surface ends are adjacent to

• Order 1 End Panel (ENP) (Fig. H)

in place of a return panel where permitted (see Panel Layout Planning in

the Choices Panels section for more

Shared

Work Surface

Support

Support

(Included)

Work Surface **Bracket** 

return panels (Fig. B).

information).

Work Surface

Bracket

Fig. H

(WSBKR or WSBKL) for each Corner Work Surface specified (Fig. G). • Order 1 pair of Work Surface


# **Component Capacities**

Trendway Corporation will not, under any circumstances, guarantee or assume responsibility for loading performance beyond the basic individual component capacities given below.

### **Work Surfaces:**

1.5 lbs. (.675kg) uniformly distributed per linear inch of permimeter of the work surface.

Maximum distributed load =  $(A+B+C+D) \times 1.5 lbs.$ 



200 lbs. (90kg) maximum concentrated load per work surface.

# **Counter Caps:**

2.8 lbs. (1.26kg) per linear inch, uniformly distributed.

# Flipper Door Unit:

A. Inside — 165 lbs. uniformly distributed.


B. Top — 120 lbs. uniformly distributed.

# **Storage Shelves:**

2.8 lbs. (1.26kg) per linear inch of usable space.

# **Components Glide Adjustment** Ranges:

End Panels — 1" (25) Support Columns — 4" (102) (Work surface height range 273/4" [705] - 313/4" [806]) Straight Legs — 33/4" (95) (Work surface height range 27<sup>3</sup>/<sub>4</sub>" [705] - 31<sup>1</sup>/<sub>2</sub>" [800])



# **WARNING:**

Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to our product or if the capacities referenced are exceeded.

Check panel stability after installation is complete and hanging furniture components are loaded. Add support legs or supporting panels or both to insure stability.

Note: Back Edge Grommets are not needed in most TA Panel applications because the 5/8" (16) gap and flex of the panel face allow electrical cord plug caps to pass between the panel and the work surface. (Exception: when an

"L" shape configuration is created with two panel-hung work surfaces, the 5/8" gap will not be present in the entire configuration.) Back Edge Grommets are recommended when work surfaces are hung from the following panels:


- Half Open and Half Glazed Panels - TA Series
- All Contrada Frame and Tile Applications

Back Edge Grommet color can be specified in any trim finish color.


Standard Back Edge Grommet locations are pictured below. Other grommet configurations may be available as a special order. Contact Trendway Custom Solutions for more information.

# Standard Back Edge Grommet Location


Back Edge Grommet Detail




Peninsula Work Surfaces (DWS, PWS, APWS, DAPWS)




Extended Peninsula Work Surfaces (EDWS, FWS)




Corner Work Surfaces (CWS, CPWS)









Extended Corner Work Surfaces (ECWS, ECPWS)




Rectangular Work Surfaces (RTWS)





Radiused Conference Work Surface (RCWS)



Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

Additional work surface sizes are available in the electronic catalog in 1" width

increments for all standard depths.

All supports for the Rectangular Work Surface must be ordered separately. Rectangular Work Surfaces 66" (1676) and 72" (1829)-wide require an additional intermediate support along the width of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions to lower work station costs. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

**Note:** These work surfaces are not sized for use on Lateral Files or other storage units. Lateral File Tops are available in the Filing and Storage price list. For other non-standard sizes, consult Trendway Custom Solutions.

# **Corner Wedge Work Surface**

The Corner Wedge Work Surface, creates a straight edge in the corner where two rectangle work surfaces meet. It has a high pressure laminate top and a vinyl edge along all three sides.

The Corner Wedge Work Surface comes with the supporting flat brackets and is predrilled.

### **Rectangular Work Surfaces List Price** Back Edge **Laminate Grade** Back Edge Grommet .aminate Dimensions Catalog Edge Width Color Depth 2 Number Grommet Color Color ⊜ \$239 **ORTWS2424** a 24" (610) 24" (610) \$188 \$199 GN See See See 30" (762) 232 292 RTWS2430 215 No Cost Surface Surface Surface 36" (914) 242 **@**RTWS2436 266 356 No Materials Materials Materials 42" (1067) 266 290 380 RTWS2442 Grommet Systems Page 12 Page 11 48" (1219) 290 314 404 **ORTWS2448** Paint 54" (1372) 322 346 436 RTWS2454 and Trim GY Color 60" (1524) 353 377 467 @RTWS2460 + 18 Page 11 66" (1676) 381 405 495 RTWS2466 Work 72" (1829) 467 491 581 **9**RTWS2472 Surfaces 78" (1981) 490 514 604 RTWS2478 up to 54" (1372)- One 517 541 631 RTWS2484 84" (2134) Grommet 96" (2438) 560 584 674 RTWS2496 30" (762) 24" (610) \$203 \$220 \$280 RTWS3024 + \$24 30" (762) 237 254 RTWS3030 314 60" (1524) 36" (914) 277 301 391 RTWS3036 to 96" Note: Rectangular Work 42" (1067) 312 336 426 RTWS3042 (2438)-Two Surfaces can not be used as 48" (1219) 342 366 456 RTWS3048 Grommets a floor supported element. 380 418 RTWS3054 54" (1372) 559 60" (1524) 412 450 591 RTWS3060 66" (1676) 434 472 613 RTWS3066 72" (1829) 505 543 684 RTWS3072 78" (1981) 566 604 745 RTWS3078 84" (2134) 591 629 770 RTWS3084 96" (2438) 621 659 800 RTWS3096 **Corner Wedge Work Surface** List Price Catalog **Dimensions Laminate Grade** Depth Width Number CWWS1712 17" (432) 12" (305) \$190 \$201 \$241 **Build your complete** Part Number here: Sample .JP9 RTWS3072 .GY Y. Y. Part Number: \$505 N/C N/C Onotes item is available on Express Total Cost \$529 = \$24 N/C


Choices Filing & Storage Surfaces are nominal 11/4" (32) thick. All supports for the Rectangular Work Surface with Reinforcement Bars (U-Legs, Flush Support Plates, Shared Work Surface Supports) must be ordered separately.


Note: To create a Floor-supported Rectangular Peninsula a Trig or Capture U-Leg must be attached to the work surface. Floor-supported Rectangular Peninsulas that attach

to a panel require Shared Work Surface Supports (WSSLS or WSSRS) for installation. Floor-supported Rectangular Peninsulas that attach perpendicularly to another work surface require the installation of two Flush Support Plates. For additional information on Floor Supported Elements see the Panel Planning section.

# **Rectangular Work Surfaces with Reinforcement Bars**

	Dimensions		La	List Price Laminate Grade			Laminate	Edge	
	Depth	Width	1	2	3	Catalog Number	Color	Color	
	24" (610)	54" (1372)	\$551	\$574	\$660	RWTHS2454	See	See	
		60" (1524)	580	603	689	RWTHS2460	Surface	Surface	ĺ
		66" (1676)	607	630	716	RWTHS2466	Materials	Materials	İ
_		72" (1829)	690	713	799	RWTHS2472	Page 12	Page 11	ĺ
	30" (762)	54" (1372)	\$606	\$642	\$777	RWTHS3054			ı
	$\supset$	60" (1524)	636	672	807	RWTHS3060			İ
/		66" (1676)	657	693	828	RWTHS3066			ĺ
		72" (1829)	726	762	897	RWTHS3072			ĺ
-									ŀ
									Ĺ





# **Arc Transition Work Surfaces**

The Arc Transition Work Surface provides a gradually arcing front edge, transitioning from 24" (610)-deep on one side to 30" (762)-deep on the other. The work surface has a high-pressure laminate top with a vinyl edge, and is available in Right-Hand or Left-Hand versions. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/4" (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. The grommet location is in the center of any width work surface.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

All supports for the Arc Transition Work Surface must be ordered separately. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

### Arc Transition Work Surfaces – Right-Hand **Back List Price** Edge Back **Dimensions** Laminate Grade Catalog Edge Grommet Laminate Edge Depth 1 Width Depth 2 Number Color Color 2 Grommet Color ATWSR242430 See See 24" (610) 24" (610) 30" (762) \$317 \$334 \$394 See No Cost Surface Surface Surface 30" (762) 30" (762) 331 355 445 ATWSR243030 Materials Materials Materials 30" (762) 362 386 476 ATWSR243630 36" (914) Grommet Page 11 Systems Page 12 42" (1067) 30" (762) 391 415 505 ATWSR244230 Paint ATWSR244830 GY 30" (762) 442 532 48" (1219) 418 and Trim 30" (762) 54" (1372) 452 490 631 ATWSR245430 + \$18 Color Page 11 602 ATWSR246030 60" (1524) 30" (762) 488 512 Grommet 66" (1676) 30" (762) 525 574 760 ATWSR246630 72" (1829) 30" (762) 614 800 ATWSR247230 565 D1 D2 Arc Transition Work Surfaces - Left-Hand **List Price** Catalog **Dimensions Laminate Grade** Depth 1 Width Depth 2 2 Number 30" (762) 24" (610) 24" (610) \$334 \$394 ATWSL302424 \$317 24" (610) 30" (762) 355 445 ATWSL303024 331 36" (914) 24" (610) 362 386 476 ATWSL303624 42" (1067) 24" (610) 391 415 505 ATWSL304224 48" (1219) 24" (610) 418 442 532 ATWSL304824 54" (1372) 24" (610) 452 490 631 ATWSL305424 60" (1524) 24" (610) 488 512 602 ATWSL306024 66" (1676) 24" (610) 525 574 760 ATWSL306624 72" (1829) 24" (610) 565 614 800 ATWSL307224 **Build your complete** Part Number here: D2 D1

Choices Filing & Storage

Sample

Part Number:

Total Cost \$506 =

ATWSR246030

\$488

.GY

\$18

Y.

N/C •

JP9


N/C + N/C


Y.


The Corner Work Surface has a highpressure laminate top with a vinyl edge, and is available with either Curved or Straight front edge. Work surfaces are nominal 1<sup>1</sup>/<sub>4</sub>" (32) thick and when installed provide a <sup>5</sup>/<sub>8</sub>" (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

All supports for the Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. A **Shared Work Surface Support is** recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.









24" (610)-Deep with Straight Front




# Corner Work Surfaces - Curved and Straight

Dimensions Front		List Price Laminate Grade			Catalog Front		Back Edge	Back Edge Grommet	Laminate	Edge		
Depth	Width	Width	1	2	3	Number	Option	Grommet	Color	Color	Color	
24" (610)	36" (914) 42" (1067) 48" (1219)	17" (432) 25 <sup>1</sup> / <sub>2</sub> " (648) 34" (864)	\$479 517 546	\$503 541 570	\$593 631 660	<ul><li><b>9</b>CWS2436</li><li>CWS2442</li><li><b>9</b>CWS2448</li></ul>	S GN No Cost Straight No Gromm C + \$36 Curved GY + \$24 Two	GN No Cost	<b>©</b> See Surface Materials	See Surface Materials Page 12	See Surface Materials Page 11	
30" (762)	36" (914) 42" (1067) 48" (1219)	81/2" (216) 17" (432) 25'/2" (648)	\$497 531 560	\$546 580 609	\$732 766 795	CWS3036 CWS3042 CWS3048		GY + \$24	Systems Paint and Trim Color Page 11			
Build your complete Part Number here:							_		_		_	

SamplePart Number:

Total Cost \$584 =



The Cockpit Corner Work Surface creates a wrap-around effect, which provides deeper access into the corner work surface. The front opening is  $28^{1/2^{11}}$  (724)-wide, accommodating most chairs or a keyboard tray. The Cockpit Corner Work Surface has a high-pressure laminate top. Work surfaces are nominal  $1^{1/4^{11}}$  (32) thick and when installed provide a  $5^{1/8}$  (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. For

additional information, see Back Edge Grommets in the Choices Components Planning section.


All supports for the Cockpit Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See

page 91 to order work surface supports.

### **Cockpit Corner Work Surface List Price Back Edge** Dimensions Back Edge Grommet Laminate Laminate Grade Catalog Edge Grommet Color Color Depth Width Number Color 2 See See See \$623 \$647 \$737 CPWS2448 24" (610) 48" (1219) Surface Surface Surface No Cost Materials Materials Materials Systems Page 12 Page 11 Grommet Paint and Trim Color Note: GY Page 11 Wood + \$24 Grain Vinyl Two Edge Not Grommets Available (724)**Build your complete** Part Number here:

Sample Part Number:






The Extended Cockpit Corner Work Surface creates a wrap-around effect which provides deeper access into the corner work surface. The front opening is 28½" (724)-wide, accommodating most chairs or a keyboard tray. The Extended Cockpit Corner Work Surface has a high-pressure laminate top, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 1½" (32) thick and when installed provide a 5½" (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

All supports for the Extended Cockpit Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work surfaces 66" (1676) and longer require an additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.






# Extended Cockpit Corner Work Surfaces - Right-Hand

Depth	Dimensions Width 1	Width 2		List Price minate G 2		Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
24" (610)	48" (1219)	60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 90" (2286) 96" (2438)	\$765 798 820 861 875 899 919	\$803 847 869 910 924 948 968	\$944 1033 1055 1096 1110 1134 1154	ECPWSR244860 ECPWSR244866 ECPWSR244872 ECPWSR244878 ECPWSR244884 ECPWSR244890 ECPWSR244896	GN No Cost No Grommet  GY + \$24 60" (1524) and 66" (1676) Work Surface-Two Grommets + \$29 72" (1981) and wider- Three Grommets	See Surface Materials Systems Paint and Trim Color Page 11	See Surface Materials Page 12	See Surface Materials Page 11 Note: Wood Grain Vinyl Edge Not Available
				our com umber he				_		_

Sample Part Number:






The Extended Cockpit Corner Work Surface creates a wrap-around effect which provides deeper access into the corner work surface. The front opening is 281/2" (724)-wide, accommodating most chairs or a keyboard tray. The Extended Cockpit Corner Work Surface has a high-pressure laminate top, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

All supports for the Extended Cockpit Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work surfaces 66" (1676) and longer require an additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.






# Extended Cockpit Corner Work Surfaces – Left-Hand

Dimensions Depth Width 1 Width 2			List Price Laminate Grade 1 2 3			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
24" (610)	60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 90" (2286) 96" (2438)	48" (1219)	\$765 798 820 861 875 899 919	\$803 847 869 910 924 948 968	\$944 1033 1055 1096 1110 1134 1154	ECPWSL246048 ECPWSL246648 ECPWSL247248 ECPWSL247848 ECPWSL248448 ECPWSL249048 ECPWSL249648	GN No Cost No Grommet  GY + \$24 60" (1524) and 66" (1676) Work Surface-Two Grommets + \$29 72" (1981) and wider- Three Grommets	See Surface Materials Systems Paint and Trim Color Page 11	See Surface Materials Page 12	See Surface Materials Page 11 Note: Wood Grain Vinyl Edge Not Available
Build your complete Part Number here:								_		_

Sample Part Number:

Total Cost \$948 =



Choices Filing & Storage

Extended Corner Work Surfaces -**Curved and Straight Right-Hand** 


The Extended Corner Work Surface has a high-pressure laminate top with a vinyl edge, and is available in either a Curved or Straight version. Work surfaces are nominal  $1^{1}/4^{"}$  (32) thick and when installed provide a  $^{5}/8^{"}$  (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

All supports for the Extended Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work surfaces 66" (1676) and longer require an additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at

all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.



	Dimension	ns	Frant		List Pr		Catalan	Frant	Book Edge	Back Edge	l aminata	Edma
Depth	Width 1	Width 2	Front Width	Lam 1	inate (	arade 3	Catalog Number	Front Option	Back Edge Grommet	Grommet Color	Laminate Color	Edge Color
24" (610)	36" (914)	60" (1524)	17" (432)	\$636		\$815	ECWSR243660	S	GN No Coot	See Surface	See Surface	See Surface
	36" (914)	66" (1676)	17" (432)	662	711	897	ECWSR243666	No Cost Straight	No Cost	Materials	Materials	Materials
	36" (914)	72" (1829)	17" (432)	685	734	920	ECWSR243672	Straight	Grommet	Systems	Page 12	Page 11
	36" (914)	78" (1981)	17" (432)	728	777	963	ECWSR243678	С		Paint and		Ŭ
	36" (914)	84" (2134)	17" (432)	734	783	969	ECWSR243684	+ \$36	GY	Trim Color		
	36" (914)	90" (2286)	17" (432)	764	813	999	ECWSR243690	Curved	<b>+ \$24</b> 60" (1524)	Page 11		
	36" (914)	96" (2438)	17" (432)	784	833	1019	ECWSR243696	_	Work			
24" (610)	42" (1067)	60" (1524)	251/2" (648)	\$645	\$683	\$824	ECWSR244260		Surface- Two			
	42" (1067)	66" (1676)	251/2" (648)	673	722	908	ECWSR244266		Grommets			
	42" (1067)	72" (1829)	251/2" (648)	695	744	930	ECWSR244272		***			
	42" (1067)	78" (1981)	251/2" (648)	737	786	972	ECWSR244278		+ <b>\$29</b> 66" (1676)			
	42" (1067)	84" (2134)	251/2" (648)	747	796	982	ECWSR244284		and wider-			
	42" (1067)	90" (2286)	251/2" (648)	769		1004	ECWSR244290		Three			
	42" (1067)	96" (2438)	251/2" (648)	788	837	1023	ECWSR244296	_	Grommets			
24" (610)	48" (1219)	60" (1524)	34" (864)	\$648	\$686	\$827	ECWSR244860					
	48" (1219)	66" (1676)	34" (864)	677	726	912	ECWSR244866					
	48" (1219)	72" (1829)	34" (864)	702	751	937	ECWSR244872					
	48" (1219)	78" (1981)	34" (864)	738	787	973	ECWSR244878					
	48" (1219)	84" (2134)	34" (864)	750	799	985	ECWSR244884					
	48" (1219)	90" (2286)	34" (864)	773	822	1008	ECWSR244890					
	48" (1219)	96" (2438)	34" (864)	798	847	1033	ECWSR244896					
30" (762)	36" (914)	60" (1524)	81/2" (216)	\$668	\$706	\$847	ECWSR303660					
` ,	36" (914)	66" (1676)	8¹/²" (216)	702	740	881	ECWSR303666					
	36" (914)	72" (1829)	81/2" (216)	737	786	972	ECWSR303672					
	36" (914)	84" (2134)	81/2" (216)	801	850	1036	ECWSR303684					
	36" (914)	96" (2438)	81/2" (216)	866	915	1101	ECWSR303696					
30" (762)	42" (1067)	60" (1524)	17" (432)	\$673	\$711	\$852	ECWSR304260					
( - 7	42" (1067)	66" (1676)	17" (432)	706	755	941	ECWSR304266					
	42" (1067)	72" (1829)	17" (432)	742	791	977	ECWSR304272					
	42" (1067)	84" (2134)	17" (432)	806	855	1041	ECWSR304284					
	42" (1067)	96" (2438)	17" (432)	873	922	1108	ECWSR304296					
30" (762)	48" (1219)	60" (1524)	251/2" (648)	\$677	\$715	\$856	ECWSR304860					
( <del>-</del> )	48" (1219)	66" (1676)	25 <sup>1</sup> / <sub>2</sub> " (648)	710	759	945	ECWSR304866					
	48" (1219)	72" (1829)	251/2" (648)	749	798	984	ECWSR304872					
	48" (1219)	84" (2134)	251/2" (648)	810	859	1045	ECWSR304884					
	48" (1219)	96" (2438)	251/2" (648)	877	926	1112	ECWSR304896					
				d your								
				Numbe						_		_

Sample Part Number:

Total Cost \$827 =




edge for cable management.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

All supports for the Extended Corner Work Surface must be ordered separately. A Work Surface Bracket is required to support the back corner of the work surface. Work surfaces 66" (1676) and longer require an additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work

surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.



Extended Corner \	Nork Surfaces –	Curved and	Straight Left-Hand

	Dimensio	ons	Frant		List Pric		Catalan	Frant	Baak Edma	Back Edge	Lawinata	Fdaa
Depth	Width 1	Width 2	Front Width	1	inate G	3 3	Catalog Number	Front Option	Back Edge Grommet	Color	Laminate Color	Edge Color
24" (610)	60" (1524)	36" (914)	17" (432)	\$636	\$674	\$815	ECWSL246036	S	GN	See	See Surface	See Surface
	66" (1676)	36" (914)	17" (432)	662	711	897	ECWSL246636	No Cost	No Cost No	Surface Materials	Materials	Materials
	72" (1829)	36" (914)	17" (432)	685	734	920	ECWSL247236	Straight	Grommet	Systems	Page 12	Page 11
	78" (1981)	36" (914)	17" (432)	728	777	963	ECWSL247836			Paint and		
	84" (2134)	36" (914)	17" (432)	734	783	969	ECWSL248436	C	GY	Trim Color		
	90" (2286)	36" (914)	17" (432)	764	813	999	ECWSL249036	+ \$36 Curved	<b>+ \$24</b> 60" (1524)	Page 11		
	96" (2438)	36" (914)	17" (432)	784	833	1019	ECWSL249636	Curveu	Work			
24" (610)	60" (1524)	42" (1067)	251/2" (648)	\$645	\$683	\$824	ECWSL246042		Surface- Two			
	66" (1676)	42" (1067)	251/2" (648)	673	722	908	ECWSL246642		Grommets			
	72" (1829)	42" (1067)	251/2" (648)	695	744	930	ECWSL247242		. 600			
	78" (1981)	42" (1067)	251/2" (648)	737	786	972	ECWSL247842		<b>+ \$29</b> 66" (1676)			
	84" (2134)	42" (1067)	251/2" (648)	747	796	982	ECWSL248442		and wider-			
	90" (2286)	42" (1067)	251/2" (648)	769	818	1004	ECWSL249042		Three			
	96" (2438)	42" (1067)	251/2" (648)	788	837	1023	ECWSL249642		Grommets			
24" (610)	60" (1524)	48" (1219)	34" (864)	\$648	\$686	\$827	ECWSL246048					
	66" (1676)	48" (1219)	34" (864)	677	726	912	ECWSL246648					
	72" (1829)	48" (1219)	34" (864)	702	751	937	ECWSL247248					
	78" (1981)	48" (1219)	34" (864)	738	787	973	ECWSL247848					
	84" (2134)	48" (1219)	34" (864)	750	799	985	ECWSL248448					
	90" (2286)	48" (1219)	34" (864)	773	822	1008	ECWSL249048					
	96" (2438)	48" (1219)	34" (864)	798	847	1033	ECWSL249648					
30" (762)	60" (1524)	36" (914)	81/2" (216)	\$668	\$706	\$847	ECWSL306036					
, ,	66" (1676)	36" (914)	8 <sup>1</sup> / <sub>2</sub> " (216)	702	740	881	ECWSL306636					
	72" (1829)	36" (914)	81/2" (216)	737	786	972	ECWSL307236					
	84" (2134)	36" (914)	81/2" (216)	801	850	1036	ECWSL308436					
	96" (2438)	36" (914)	81/2" (216)	866	915	1101	ECWSL309636					
30" (762)	60" (1524)	42" (1067)	17" (432)	\$673	\$711	\$852	ECWSL306042					
, ,	66" (1676)	42" (1067)	17" (432)	706	755	941	ECWSL306642					
	72" (1829)	42" (1067)	17" (432)	742	791	977	ECWSL307242					
	84" (2134)	42" (1067)	17" (432)	806	855	1041	ECWSL308442					
	96" (2438)	42" (1067)	17" (432)	873	922	1108	ECWSL309642					
30" (762)	60" (1524)	48" (1219)	251/2" (648)	\$677	\$715	\$856	ECWSL306048					
00 (102)	66" (1676)	48" (1219)	25 <sup>1</sup> / <sub>2</sub> " (648)	710	759	945	ECWSL306648					
	72" (1829)	48" (1219)	25 <sup>1</sup> / <sub>2</sub> " (648)	749	798	984	ECWSL307248					
	84" (2134)	48" (1219)	25 <sup>1</sup> / <sub>2</sub> " (648)	810	859	1045	ECWSL308448					
	96" (2438)	48" (1219)	25 <sup>1</sup> / <sub>2</sub> " (648)	877	926	1112	ECWSL309648					
Build your complete												
			Pai	rt Num	ber he	re:		_		_		_

Sample Part Number:

Total Cost \$827 =



Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available.


Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.


The D-Shaped Peninsula Work Surface includes a center Support Column. All other support hardware must be ordered separately. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.


Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 24.

# **D-Shaped Peninsula Work Surfaces**

Dimensions Depth Length		List Price Laminate Grade 1 2 3			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
30" (762)	60" (1524) 66" (1676) 72" (1829)	\$725 791 857	\$749 829 895	970	DWS3060 DWS3066 DWS3072	GN No Cost No Grommet	See Surface Materials Page 11	See Surface Materials Page 12	Stand- ard Finishes No	See Surface Materials Page 11
36" (914)	60" (1524) 66" (1676) 72" (1829)	\$764 915 1065	964		DWS3660 DWS3666 DWS3672	GY + \$18 One Grommet			Premium Finishes +\$35	
									See Surface	







Sample Part Number:



Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available. Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.

The P-Shaped Peninsula Work
Surface includes a center Support
Column. All other support hardware
must be ordered separately. A Shared
Work Surface Support is recommended
at all work surface junctions. For
additional information, see Work
Surface Support Planning in the
Choices Components Planning
section. See page 91 to order work
surface supports.

**Note:** If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 24.

\$924

\$18

N/C

N/C

N/C

Total Cost \$942 =

N/C


ment.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available.

Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.

The Extended D-Shaped Peninsula Work Surface includes a center Support Column. All other support hardware must be ordered separately. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

**Note:** If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 24.



# Extended D-Shaped Peninsula Work Surfaces - Right-Hand

Depth	Dimensions Width	Length	Lan	List Pric ninate G 2		Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
24" (610)	48" (1219)	60" (1524) 72" (1829)	1 '	\$1008 1155	\$1149 1341	EDWSR244860 EDWSR244872	GN No Cost	Materials	See Surface Materials	Standard Finishes No Cost	See Surface Materials
30" (762)	48" (1219)	72" (1829)	\$1117	\$1166	\$1352	EDWSR304872	Grommet  GY +\$18 One Grommet	Systems Paint and Trim Color Page 11	Page 12	Premium Finishes +\$35 See Surface Materials Page 11	Page 11
	Build your complete Part Number here:						_		_	_	

Sample Part Number:

Total Cost \$988 =




The Extended D-Shaped Peninsula Work Surface has a high-pressure laminate top with a vinyl edge, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable management.


Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available.

Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.

The Extended D-Shaped Peninsula Work Surface includes a center Support Column. All other support hardware must be ordered separately. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

**Note:** If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 25.





# Extended D-Shaped Peninsula Work Surfaces - Left-Hand

Depth	Dimensions Depth Width Length		List Price Laminate Grade 1 2 3		Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color	
60" (1524) 72" (1829)	48" (1219)	24" (610)	\$970 1106	\$1008 1155	\$1149 1341	EDWSL604824 EDWSL724824	GN No Cost	See Surface Materials	See Surface Materials	Standard Finishes No Cost	See Surface Materials
72" (1829)	48" (1219)	30" (762)	\$1117	\$1166	\$1352	EDWSL724830	Grommet  GY + \$18 One Grommet	Systems Paint and Trim Color Page 11	Page 12	Premium Finishes +\$35 See Surface Materials Page 11	Page 11
	Build your complete Part Number here:							_		_	_

Sample Part Number:

Total Cost \$988 =

EDWSR604824	.GY	. <b>Y</b> _	.J20 	. <u>Y</u>	. <b>Y</b> _
\$970 <b>-</b>	\$18	N/C	N/C	N/C	N/C

The Arc Peninsula Work Surface has a high-pressure laminate top with a vinyl edge, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable manage-

The Arc Peninsula Work Surface is available with either a 4" (102) diameter height adjustable Support Column or dual 2" (51) diameter height adjustable Straight Legs. Both support options are

available in trim colors. Straight Legs include black, 7<sup>1</sup>/<sub>2</sub>" (191) tall glide covers.


Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available.

Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.

All other support hardware must be ordered separately. A Shared Work

Surface Support is recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 24.




# Arc Peninsula Work Surfaces – Right-Hand

Depth 1	Dimens Length	sions Depth 2		List Pric ninate ( 2		Catalog Number	Support Option	Back Edge Grommet	Back Edge Grommet Color		Trim Color	Edge Color
30" (762) 30" (762) 36" (914)	48" (1219) 60" (1524) 72" (1829)	24" (610) 24" (610) 30" (762)	\$693 764 \$1106	\$717 802 \$1155	\$807 943 \$1341	APWSR304824 APWSR306024 APWSR367230	SLEG No Cost Support Column	GN No Cost No Grommet	See Surface Materials Systems Paint	See Surface Materials Page 12	Standard Finishes No Cost (Textured NOT avail-	See Surface Materials Page 11
APWSR368	, , , , , , ,		1149 t.			APWSR368430*	STLG +\$162 Straight Legs with Glides	GY +\$18 One Grommet	and Trim Color Page 11		able with STLG)  Premium Finishes +\$35 (NOT available with STLG)  See Surface Materials	
	Build your complete Part Number here:							_		Page 11	_	

Sample Part Number:

Total Cost \$1329 =



The Arc Peninsula Work Surface is available with either a 4" (102) diameter height adjustable Support Column or dual 2" (51) diameter height adjustable

Straight Legs. Both support options are available in trim colors. Straight Legs include black, 71/2" (191) tall glide covers.


Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are available.

Additional work surface sizes are available in the electronic catalog in 1" length increments for all standard depths.

All other support hardware must be ordered separately. A Shared Work

Surface Support is recommended at all work surface junctions. For additional information, see Work **Surface Support Planning in the Choices Components Planning** section. See page 91 to order work surface supports.

Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 24.



#### Arc Peninsula Work Surfaces - Left-Hand

Depth 1 Le	Dimens ength	sions Depth 2		List Price Laminate Grade 1 2 3		Catalog Number	Support Option		Back Edge Grommet Color		Trim Color	Edge Color
` '		30" (762) 30" (762)	\$693 764	\$717 802	\$807 943	APWSL246030	SLEG No Cost Support	GN No Cost	See Surface Materials	See Surface Materials	Standard Finishes No Cost	See Surface Materials
		36" (914) 36" (914)	\$1106 1149		\$1341 1384	APWSL307236 APWSL308436*	Column	Grommet System Paint at Trim Co	Systems Paint and Trim Color	Page 12	(Textured NOT avail- able with STLG)	Page 11
30" (762) 84" (2134) 36" (914)  *Note: The 84" (2134)-long APWSL308436 must be mounted directly to a panel for proper support.				1149 1196 1364			+ \$162 Straight Legs with Glides	+ \$18 One Grommet	Page 11		Premium Finishes +\$35 (NOT available with STLG)  See Surface Materials Page 11	
Build your complete Part Number here:										<del></del>		

Sample Part APWSL308436 .STLG .GY Y. .J20 Number: Total Cost \$1329 = \$1149 \$162 \$18 N/C N/C + N/C

Y.

N/C

Y.


The Flared Peninsula Work Surface includes dual 2" (51) diameter height adjustable Straight Legs. Available in trim colors. Straight Legs include black, 7<sup>1</sup>/<sub>2</sub>" (191) tall glide covers.

Back Edge Grommets are available for use in certain applications. For additional information, see Back Edge Grommets in the Choices Components Planning section. Peninsula Modesties are avail-

The Flared Peninsula Work Surface includes two Straight Legs. All other support hardware must be ordered separately. A Shared Work Surface Support is recommended at all work surface junctions. For additional information, see Work Surface **Support Planning in the Choices** 

#### Components Planning section. See page 91 to order work surface supports.

Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (WSSLS or WSSRS). For additional information on Floor Supported Elements, see Panel Planning section page 25.




# Flared Peninsula Work Surfaces - Right-Hand

Depth 1	Dime Length	nsions Depth 2	Depth 3		List Pric ninate G 2	-	Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
24" (610) 24" (610)	60" (1524) 72" (1829)	30" (762) 30" (762)	48" (1219) 48" (1219)	\$1193 1324	\$1231 1373	\$1372 1559	FWSR24366030 FWSR24367230	GN No Cost	See Surface Materials	See Surface Materials	Standard Smooth Finish	See Surface Materials
24" (610)	72" (1829) Peninsul	. ,	54" (1372)		\$1401	\$1626	FWSR24367236	Grommet  GY + \$18  One Grommet	Systems Paint and Trim Color Page 11	Page 12	only  See Surface Materials Page 11	Page 11
Depth 1	Dime Length	nsions Depth 2	Depth 3	ı	List Pric ninate G 2		Catalog Number					
30" (762) 30" (762)	60" (1524) 72" (1829)	24" (610) 24" (610	- ( - /	1 '	\$1231 1373		FWSL30603624 FWSL30723624					
36" (914)	72" (1829)	24" (610	54" (1372)	\$1340	\$1401	\$1626	FWSL36723624					
					ır compl ıber here				_		_	_

Sample Part Number:

Total Cost \$1358 =



82

The Corner Transaction Work Surface has a high-pressure laminate top with a vinyl edge, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/4" (16) gap along the back edge for cable management.

Actual

The Corner Transaction Work Surface includes a center support column. All other support hardware must be ordered separately. A Work Surface Bracket is required to support the back corner of the work surface. The Right-Hand Corner Transaction Work Surface (CTWSR) requires one right hand shared Work Surface Support (WSSRS) and one right hand Work Surface Bracket (WSBKR). The Left-Hand Corner Transaction Work Surface (CTWSL) requires one left hand shared Work Surface Support (WSSLS) and one left hand Work

**List Price** 

Laminate Grade

Catalog

Corner Transaction Work Surfaces - Right-Hand

**Dimensions** 

Surface Bracket (WSBKL). For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

Laminate

Trim

Edge

#### Length 1 Width Number Color Depth Length 2 Color Color See Standard 233/8" (594) 24" (610) 42" (1067) 53" (1346) \$758 \$807 **CTWSR2442** \$993 Surface Surface Finishes 54" (1372) 671/2" (1715) 1046 1107 1332 **CTWSR2454** Materials Materials No Cost Page 11 Page 12 293/8" (746) 30" (762) 54" (1372) 68" (1727) \$1090 \$1151 \$1376 **CTWSR3054** Premium **Finishes** +\$35 See Surface Materials Ď Page 11 ĺ2 (102) Corner Transaction Work Surfaces - Left-Hand **Dimensions List Price** Actual **Laminate Grade** Catalog Width Length 1 Length 2 Number Depth 2 233/8" (594) 24" (610) 42" (1067) 53" (1346) \$807 \$993 CTWSL2442 \$758 54" (1372) 671/2" (1715) 1046 1107 1332 CTWSL2454 293/8" (746) 30" (762) 54" (1372) 68" (1727) \$1090 \$1151 \$1376 CTWSL3054 L1 (102)**Build your complete** Part Number here:

Sample

Part Number:

Total Cost \$1046 =

CTWSR2454

\$1046

.JP9


Y.

Y.

♣ N/C ♣ N/C

	Trendway. >
	-
es  s	
Choices Panels	
0-	
<u>a</u> 0	
Choices Electrical	
호쁣	
ıts	
oner oner	
Choices Components	
Ö	
ces	
Choices Desking	
Choices Filing & Storage	
s Ste	
ည် gi	
Terms, Policies & Index	
, Inde	
erm &	
F	

The Peninsula Modesty is a half-height opaque black mesh fabric panel designed to attach on the underside surface of Peninsula, Corner Transaction or Return Work Surfaces. The modesty panel includes a mesh pocket for cable management and attachment hardware.



Peninsula Modest	У
------------------	---

Fits Peninsula, Corner Transaction or Return	Act		List	Catalog
Work Surface Width	Width	Height	Price	Number
42" (1067), 48" (1219) 54" (1372), 60" (1524)	30" (762) 38" (965)	12" (305) 12" (305)	\$152 180	PDM48 PDM60
66" (1676)	44" (1118)	12" (305)	199	PDM66
72" (1829)	50" (1270)	12" (305)	211	PDM72

Build your complete	
Part Number here:	

Sample Part Number:

PDM72

Total Cost \$211 =

\$211

The Quarter Curved Work Surface has a high-pressure laminate top with a vinyl edge, and is available in either a Right-Hand or Left-Hand version. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable management.


All supports for the Quarter Curved Work Surface must be ordered separately. A Work Surface Bracket is required to support the back corner of the work surface. The Right-Hand Quarter Curved Work Surface (QWSR) requires one right hand shared Work Surface Support (WSSRS) and one right hand Work Surface Bracket (WSBKR). The Left-Hand Quarter Curved Work Surface (QWSL) requires one left hand shared Work Surface Support (WSSLS) and one left hand Work Surface Bracket (WSBKL). For additional information, see Work

Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.



**Quarter Curved Work Surface – Right-Hand** 

Dimer Actual Depth	nsions Width		ist Price ninate G 2		Catalog Number	Laminate Color	Edge Color
23 <sup>3</sup> / <sub>8</sub> " (594)	24" (610)	\$285	\$309	\$399	QWSR24	See Surface Materials Page 12	See Surface Materials Page 11






### **Quarter Curved Work Surface – Left-Hand**

Dime Actual Depth	nsions Width		ist Price ninate G 2		Catalog Number
23³/8" (594)	24" (610)	\$285	\$309	\$399	QWSL24
			our com		

Sample Part Number:





The Exterior Quarter Curved Work Surface has a high-pressure laminate top with a vinyl edge. Work surfaces are nominal 11/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable management.

Note: The Exterior Quarter Curved Work Surface is not for use on Contrada System.

All supports for the Exterior Quarter **Curved Work Surface must be** ordered separately. Two shared Work Surfaces Supports, one right hand (WSSRS) and one left hand (WSSLS) are required to support the Exterior **Quarter Curved Work Surface. For** additional information, see Work Surface Support Planning in the **Choices Components Planning** section. See page 91 to order work surface supports.





## **Exterior Quarter Curved Work Surfaces**

Dimens Depth 1	sions Depth 2	La 1	List Price minate Gra 2	ide 3	Catalog Number	Laminate Color	Edge Color
24" (610)	24" (610)	\$285	\$309	\$399	EQWS24	See Surface Materials Page 12	See Surface Materials Page 11
			uild your co art Number				_

Sample Part Number:

Total Cost \$285 =



at the end of two adjacent work stations.

Must be attached to two 24" (610)-deep

Rectangular Work Surfaces of the same

The Radiused Conference Work Surface has a high-pressure laminate top with a

vinyl edge. Work surfaces are nominal

Note: A back edge grommet is available

and is recommended when a full height

wood end cap is specified in the

11/4" (32) thick.


**Radiused Conference Work Surface** location of the radiused conference The Radiused Conference Work Surface provides a shared conferencing surface

work surface, or when additional pass through capability is desired. For additional information, see back edge grommets in the Choices Components planning section.

The Radiused Conference Work Surface includes a center Support Column. All other support hardware must be ordered separately. Two shared Work Surfaces Supports, one right hand (WSSRS) and one left hand (WSSLS) are required to support the Radiused Conference Work Surface.

For additional information, see Work Surface Support Planning in the Choices Components Planning section. See page 91 to order work surface supports.

#### **Radiused Conference Work Surface List Price Back** Back Edge Dimension Catalog Grommet Laminate Trim Edge Laminate Grade Edge Width Number Color Color Color Color Height Depth Grommet See See 29" (737) 25" (635) 50" (1270) \$601 \$625 \$715 **RCWS2450** GN Stan-See Surface Surface No Cost dard Surface Materials Materials Smooth Materials Systems Page 12 Grommet Finish Page 11 Paint and Only GΥ TrimColor See + \$18 Page 11 Surface One Materials Grommet Page 11 (102)



P | 1-800-893-8115 F | 1-800-893-8121

**Build your complete** Part Number here:

Counter Caps are 1'/4" (32) thick and have high-pressure laminate tops with either vinyl or wood edging. Price includes counter cap, support brackets, and mounting screws. Support brackets adjust to fit metal and wood top caps.

#### **Straight Counter Caps**

The Straight Counter Cap can be used individually or in combination with Radiused Counter Caps, Right Angle Counter Caps and Bowed Counter Caps.

Additional work surface sizes are available in the electronic catalog in 1" width increments for all standard depths.

#### **Bowed Counter Caps**

The Bowed Counter Cap is 14" (356)-deep at the ends and 16" (406)-deep at the center, creating a curve on the approach side of the surface. Bowed Counter Caps can be combined with Straight, Radiused and Right Angle Counter Caps to make functional and attractive transaction configurations.

Note: The curve geometry of Bowed Counter Caps varies based on the length of the counter cap selected.

### **Right Angle Counter Caps**

The Right Angle Counter Cap provides a continuous surface to extend around 90° panel configurations.



## **Straight Counter Caps**

Dimensions Width			L L	List Price aminate Gr 2	-	Catalog Number	Laminate Color	Trim Color	Edge Color
wiatn	Depth		<u> </u>		ა	Number	Color	Color	Color
18" (457)	14" (356)	\$3.	24	\$335	\$375	SCC1814	Θ	<b>(</b>	Θ
24" (610)	14" (356)	3	35	346	386	<b>@</b> SCC2414	See	Standard	See
30" (762)	14" (356)	3	46	357	397	SCC3014	Surface	Smooth	Surface
36" (914)	14" (356)	3	64	381	441	<b>@</b> SCC3614	Materials	Finish	Materials
42" (1067)	14" (356)	3	74	391	451	SCC4214	Page 12	only	Page 11
48" (1219)	14" (356)	3	80	397	457	<b>@</b> SCC4814		See	
54" (1372)	14" (356)	3	93	410	470	SCC5414		Surface	
60" (1524)	14" (356)	4	.09	426	486	SCC6014		Materials	
66" (1676)	14" (356)	4	22	446	536	SCC6614		Page 11	
72" (1829)	14" (356)	4	42	466	556	<b>@</b> SCC7214			



## **Bowed Counter Caps**

	Dimensions Depth	Depth	La	List Price minate Gr	ade	Catalog
Width	at Ends	at Center	1	2	3	Number
24" (610)	14" (356)	16" (406)	\$381	\$398	\$458	BWCC2414
30" (762)	14" (356)	16" (406)	393	410	470	BWCC3014
36" (914)	14" (356)	16" (406)	410	434	524	BWCC3614
42" (1067)	14" (356)	16" (406)	419	443	533	BWCC4214
48" (1219)	14" (356)	16" (406)	426	450	540	BWCC4814
54" (1372)	14" (356)	16" (406)	440	464	554	BWCC5414
60" (1524)	14" (356)	16" (406)	452	476	566	BWCC6014
66" (1676)	14" (356)	16" (406)	473	497	587	BWCC6614
72" (1829)	14" (356)	16" (406)	487	511	601	BWCC7214

### **Right Angle Counter Caps**

	D	Dimensions			List Price			
	Fits Panel	Act		La	minate Gi		Catalog	
	Width	Depth	Width	1	2	3	Number	
	36" (914)	14" (356)	44" (1118)	\$720	\$758	\$899	RACC3614	
	42" (1067)	14" (356)	50" (1270)	734	795	1020	RACC4214	
	48" (1219)	14" (356)	56" (1422)	772	833	1058	RACC4814	
_		. ,						
	_							
	<b>\</b>	• ——		Bu	ild your c	omnlete		
					rt Numbo	•		

Sample Part Number:

Total Cost \$364 =



Onotes item is available on Express

April 2017

Note: Wood Edge is not available.

#### **Corner Section Top**

The Corner Section Top is designed for Panel Hung applications and is used with two Straight or Radiused Counter Caps to form a Corner Counter Cap. A corner counter cap attaches to two panels at a right angle. Order the straight or radiused counter caps 6" (162) less than the panel widths.

#### **Radiused Counter Caps Dimensions List Price Laminate Grade** Edge Color Fits Panel Catalog Laminate Actual Trim Width Depth Width Number Color Color See Standard See 18" (457) 14" (356) 24" (610) \$353 \$393 **RCC1814** \$342 Surface Smooth Finish Surface 24" (610) 30" (762) 356 367 407 **RCC2414** Materials Materials 30" (762) RCC3014 36" (914) 369 386 446 Page 12 only Page 11 36" (914) 42" (1067) 380 397 457 RCC3614 See 42" (1067) 48" (1219) 386 RCC4214 410 500 Surface 48" (1219) 54" (1372) 408 425 485 **RCC4814** Materials 54" (1372) 440 530 RCC5414 60" (1524) 416 Page 11 60" (1524) 66" (1676) 422 446 536 RCC6014 66" (1676) 72" (1829) 440 464 554 RCC6614 72" (1829) 78" (1981) 452 476 566 **RCC7214 Corner Section Tops List Price** Dimension Laminate Grade Catalog Depth Number 14" (356) \$278 \$318 CST14 \$267 **Build your complete** Part Number here:

Total Cost \$452 =



**Note:** Work Surface Supports are ordered separately for all work surfaces.

**Note:** Requirements for which support to use are given in the description section for each work surface.

#### **Work Surface Brackets**

Work Surface Brackets are used to support the back corner of all Corner Work Surfaces, and to support the end of a work surface that meets a return panel of equal width. Also used to connect back edge of work surface to panel when work surface is supported by Choices pedestal. As a rule, left supports are hung from a panel's left side rail and right supports


are hung from a panel's right side

**Note:** Requirements for which support to use are given in the description section for each work surface.

Standard finish is Charcoal.
Please contact a Customer Care
Representative if other trim colors
are required.


#### **Flush Support Plates**

Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.




## **Work Surface Supports**

Description	Dimensions	List	Catalog	Trim
	Depth Height	Price	Number	Color
Right-Hand Left-Hand Right-Hand Shared Left-Hand Shared	19 <sup>5</sup> /s" (498) 8 <sup>1</sup> /s" (210) 19 <sup>5</sup> /s" (498) 8 <sup>1</sup> /s" (210) 19 <sup>5</sup> /s" (498) 8 <sup>1</sup> /s" (210) 19 <sup>5</sup> /s" (498) 8 <sup>1</sup> /s" (210)	\$62 62 88 88	Owssr Owssl Owssrs Owssls	Standard Smooth Finish only See Surface Materials Page 11



### **Work Surface Brackets**

Description	List Price	Catalog Number	
Right-Hand	\$14	ØWSBKR	
Left-Hand	14	ØWSBKL	
Pair	25	ØWSBKP	



## Flush Support Plates

Dimensions Length	Width		List Price	Catalog Number	
73/8" (187)	2" (51)		\$50	<b>@</b> SICSP	
Includes Two	Support Plates				
		nlete			

Build your complete	l
Part Number here:	l

Sample Part Number:

Total Cost \$62 =

_WSSR_		. <u>Y</u>
\$62	4	N/C

Trim color refers to the bracketry which attaches the end panel to the systems panel.

Note: To determine where Work Surface End Panels may be used, refer to Work

Surface Support Planning page in the Choices Components Planning section.

#### **Contrada to Choices End Panels**

The Contrada to Choices End Panel allows Contrada Work Surfaces to hang on Choices panels. The Contrada to Choices End Panel is non-handed. It can be used in either left- or right- handed applications. Price includes end panel, leveling glides, and attachment hardware.

Trim color refers to the bracketry which attaches the end panel to the systems panel.


Note: To determine how End Panels may be used, refer to Work Surface


Support Planning page in the Choices Components Planning sec-

#### **Work Surface Support P-Legs**

The Work Surface Support P-Leg replaces cantilever and end panel support. Price includes support leg, leveling glide and attachment hardware.









# **Choices Work Surface End Panels**

Dimens Depth	sions Height	ı	List Price Control 1		Catalog Number	Trim Color	Laminate Color	Edge Color
24" (610) 30" (762)	29" (737) 29" (737)	\$276 303	\$293 320	\$353 380	@ENP2429 ENP3029	© Standard Smooth Finish only	See Surface Materials Page 12	See Surface Materials Page 11
						See Surface Materials Page 11		



#### **Contrada to Choices End Panels**

Dimens	sions	1	ist Price inate G	Catalog	
Depth	Height	1	2	3	Number
24" (610) 30" (762)	29" (737) 29" (737)	\$276 303	\$293 320	\$353 380	<b>@ENPC2429</b> ENPC3029



### **Work Surface Support P Legs**

Dimensions Depth Height		List Price	Catalog Number	Trim Color	
<b>Right-Hand</b> 19" (483) 29" (737)	27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705)	\$301 328	WSSL19R WSSL29R	Standard Finish No Cost Premium	
<b>Left-Hand</b> 19" (483) 29" (737)	27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705)	\$301 328	WSSL19L WSSL29L	Finish + \$35 See Surface Materials Page 11	
		d your complete Number here:			

Sample Part Number

Total Cost \$303 =

F | 1-800-893-8121

ENP3029	. <u>Y</u> _	.J20	. <u>Y</u>
\$303	N/C ■	N/C	N/C

Onotes item is available on Express

Available in Black only.

Horiz	Horizontal Wire Manager						
Depth	Dimensions Length	Height	List Price	Catalog Number			
3" (76)	30" (762)	2" (51)	\$35	<b>©</b> HWM30			
			List Price	Catalog Number			
			List Price	Catalog Number			
			7.1	_			
		Bu Pa	uild your complete art Number here:				

Sample Part Number:

Total Cost \$35 =

HWM30 \$35

The Pencil Drawer mounts beneath any work surface except certain Corner Work Surfaces\*. The plastic drawer includes a built-in pencil tray and dividers, nylon slides and attachment hardware. Drawer is non-locking and offered in black only.

\*Note: The Pencil Drawer will fit on Choices Panel Hung Corner Work Surfaces and Freestanding Corner Desks with front widths greater than 22" (559).

#### **Center Drawer**

The Center Drawer mounts beneath any work surface except certain Corner Work Surfaces\*. The drawer includes a built-in pencil tray and dividers, full-extension ball-bearing slides, and attachment hardware. Drawer is nonlocking, painted metal and available in black only.

\*Note: The Center Drawer will fit on Choices Panel Hung Corner Work Surfaces and Freestanding Corner Desks with front widths greater than 22" (559).

epth	Dimensions Width	Height	List Price	Catalog Number


161/8" (410) 211/2" (546) 2" (51)

\$50

**OPDR** 

**Center Drawer** 

**Pencil Drawer** 



Depth	Dimensions Width	Height	List Price	Catalog Number
18" (457)	201/2" (521)	15/8" (41)	\$238	<b>@</b> CDW

**Build your complete** Part Number here:

Choices Filing & Storage

Sample Part Number:

CDW

Total Cost \$238 =

\$238

notes item is available on Express

The Flipper Door Storage Unit is available with either a painted or fabric-covered locking door that stores over the top. The Flipper Door is 15" (381)-deep, and accommodates standard and A4 117/16" x 12<sup>5</sup>/<sub>8</sub>" (291 x 321) size binders. The maximum storage height inside the unit is 131/4". Units include a steel door with lock, cover and shelf, and color-matched resin end supports with brackets for mounting to Choices Panels. The shelf is designed with a 5/8" (16) gap along the back to allow cable passage. Optional

factory installed accessories include the Accent Strip and Quarterback.

The Quarterback is a 11/2" (38)-high back


Note: For fabric orientation, refer to the table located in the Fabric Planning


**Note:** Resin or composite end supports or end panels, accent strips and quarterbacks are not available in textured or premium trim finishes. If textured or premium trim finish is specified, these components will match the standard smooth trim color. For example, if Pebble Frost (FP) is specified these

components will be Pebble (P) in trim finish.

#### **Lock Option**

Locks and lock colors can be selected to match any storage offering. Select "CH" for a black Choices lock or "PK" if a silver Pack lock is required. If "RDM" is selected, the unit will ship with a lock and core in place. If "KA" is selected, the unit will ship without a lock or core at a reduced price, and the core/key set must be ordered separately and field installed: LCAK (Choices) or PLCAK (Pack).






# Flipper Door Storage Units — Painted or Fabric Front

Dimensions Height Width 16 <sup>1</sup> /s" (410) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	486 513 496 523 515 544 536 566	2 3 3 \$522 \$53 3 532 54 3 546 55 4 568 58 6 594 61	Grade 4 6 \$557 7 567 9 588 6 615 3 641	596 620 646 672	625 651 677	Front Type  GPF Painted  Note: Painted front will match trim color  GPF Fabric	Front Fabric	Trim Color  Standard Finishes No Cost  Premium Finishes + \$35  See Surface Materials Page 11	No Accent Strip <b>Q</b> AY	Specify only if Accent Strip is Selected  K Charcoal or	Quarter- back  QN No Cost No Quarter-back	Lock Type	PRDM NO Cost Random  Random  *KA - \$14 Key-Alike  *Note: Be sure to order Core/ Key sets (PLCAK) (LCAK) separately
			ld your t Numb										

Sample Part Number:



notes item is available on Express

Terms, Policies Choices & Index Filing & Storage

The Steel Flipper Door is constructed entirely of steel. The slow close mechanism prevents the door from slamming shut and creates a gradual closing action. The flipper unit accommodates standard and A4 – 11 7/16" (291) x 12 5/8" (321) size binders. The unit includes an over the top storing door with lock, shelf, quarterback and a grommet on both ends. Loading capacity has been tested to meet or exceed ANSI/BIFMA

standards for panel-mounted enclosed storage components.

**Note:** Shelf dividers are ordered separately.


**Note:** Slow close flipper height dimension is not the same as the height of Choices FSU and FD flipper doors or the full end shelf.

#### **Lock Option**

Locks and lock colors can be selected to match any storage offering. Select "CH" for a black Choices lock or "PK" if a silver Pack lock is required. If "RDM" is selected, the unit will ship with a lock and core in place. If "KA" is selected, the unit will ship without a lock or core at a reduced price, and the core/ key set must be ordered separately and field installed: LCAK (Choices), PLCAK (Pack)



hoices






# **Choices Slow Close Steel Flipper Door**

Depth	Dimensions Height	Width	List Price	Catalog Number	Trim Color	Lock Type	Lock
14'/2" (368) 14'/2" (368) 14'/2" (368) 14'/2" (368) 14'/2" (368) 14'/2" (368)	143/4" (375) 143/4" (375) 143/4" (375) 143/4" (375) 143/4" (375) 143/4" (375)	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$642 671 688 728 780 953	CHSSCFU24 CHSSCFU30 CHSSCFU36 CHSSCFU42 CHSSCFU48 CHSSCFU60	Standard Finish No Cost Premium Finish + \$35 See Surface Materials Page	CH Choices PK Pack	*KA - \$14 Key-Alike *Note: Be sure to order Core/ Key sets (PLCAK) (LCAK) separately (1 per unit)
		Build your co		_			

Sample Part Number:

Total Cost \$642 =




Note: Selected trim color will be applied to top pan, shelf, end supports, and Quarterback if applicable.


The Quarterback is a 11/2" (38)-high back stop.

Note: Resin or composite end supports or end panels, accent strips and quarterbacks are not available in textured or premium trim finishes. If textured or premium trim finish is specified, these components will match the standard smooth trim color. For example, if Pebble Frost (FP) is specified these components will be Pebble (P) in trim finish.

#### **Lock Option**

Locks and lock colors can be selected to match any storage offering. Select "CH" for a black Choices lock or "PK" if a silver Pack lock is required. If "RDM" is selected, the unit will ship with a lock and core in place. If "KA" is selected, the unit will ship without a lock or core at a reduced price, and the core/key set must be ordered separately and field installed: LCAK (Choices) or PLCAK (Pack).





Veneer Flipper Door Storage Unit										
Dimensions Height Width	List Price	Catalog Number	Door Front Veneer Color	Trim Color	Accent Strip	Accent Strip Color	Quarter- Back	Lock Type	Lock	
16'/s" (410 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	1286	VFSU24 VFSU30 VFSU36 VFSU42 VFSU48 VFSU60	See Surface Materials Page 11	Standard Finishes No Cost Premium Finishes + \$35 See Surface Materials Page 11	No Cost No	Specify Only if Accent Strip is Selected  K Charcoal or matching trim color in standard smooth finish	QN No Cost No Quarter- back QY + \$24 Quarter- back Will match trim color in standard smooth finish	CH Choices PK Pack	RDM No Cost Random *KA - \$14 Key-Alike *Note: Be sure to order Core/ Key sets (PLCAK) (LCAK) separately (1 per unit)	
Build your complete Part Number here:			_	_		_				


Choices Panels

Terms, Policies Choices & Index Filing & Storage

98

Sample Part Number:

Total Cost \$1497 =




Note: Flipper Door Conversion Kits (FDC) are not compatible with the RS or CCR series shelves.

Note: For fabric orientation, refer to the table located in the Fabric Planning section.

#### **Lock Option**

Locks and lock colors can be selected to match any storage offering. Select "CH" for a black Choices lock or "PK" if a silver Pack lock is required. If "RDM" is selected, the unit will ship with a lock and core in place. If "KA" is selected, the unit will ship without a lock or core at a reduced price, and the core/key set must be ordered separately and field installed: LCAK (Choices) or PLCAK (Pack).






# Flipper Door Conversion Kits — Painted or Fabric Front (To Convert FES or CFES to FSU or CFSU)

Dimensions Width	Painted	0/1	2	F 3	List Price abric Gra 4		6	Catalog Number	Front Type	Front Fabric	Trim Color	Lock Type	Lock
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$323 330 335 342 362 410	\$349 355 361 368 386 434	\$373 377 382 392 410 465	\$389 392 398 413 430 491	\$407 412 427 442 458 519	\$426 432 459 473 490 550	\$457 464 490 504 521 583	FDC24 FDC30 FDC36 FDC42 FDC48 FDC60	PF Painted  Note: Painted front will match trim color FF Fabric	See Surface Materials Page 8	Standard Finishes No Cost Premium Finishes + \$35 See Surface Materials Page 11	CH Choices PK Pack	RDM No Cost Random  *KA - \$14  Key-Alike  *Note: Be sure to order Core/ Key sets (PLCAK) (LCAK) separately (1 per unit)
Build your complete Part Number here:											_		

Part Number:




The Quarterback is a 1<sup>1</sup>/2" (38)-high back stop.

**Note:** For fabric orientation, refer to the table located in the Fabric Planning section.

**Note:** Resin or composite end supports or end panels, accent strips and quarterbacks are not available in textured or premium trim finishes. If textured or premium trim finish is specified, these components will match the standard smooth trim color. For example, if Pebble Frost (FP) is specified these components will be Pebble (P) in trim finish.

#### **Lock Option**

Locks and lock colors can be selected to match any storage offering. Select "CH" for a black Choices lock or "PK" if a silver Pack lock is required. If "RDM" is selected, the unit will ship with a lock and core in place. If "KA" is selected, the unit will ship without a lock or core at a reduced price, and the core/key set must be ordered separately and field installed: LCAK (Choices) or PLCAK (Pack).





# Flipper Doors — Painted or Fabric Front

List Price								Accent						
Dimensions		Fabric (	Grade			Catalog	Front	Front	Trim	Accent		Quarter-	Lock	
Height Width	Painted 0/1	2 3	4	5	6	Number	Туре	Fabric	Color	Strip	Color	back	Type	Lock
161/s" (410) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	572 603 586 616 604 638 629 657	642 664 663 690 687 715	657 688 714 741	\$684 687 717 752 777 861	\$716 721 748 790 825 906	FD30 <b>@</b> FD36 FD42 <b>@</b> FD48	PF Painted  Note: Painted front will match trim color  FF Fabric	See Surface Materials Page 8	Standard Finishes No Cost  Premium Finishes + \$35  See Surface Materials Page 11	No Accent Strip <b>Q</b> AY	Specify only if Accent Strip is Selected  K Charcoal or matching trim color in standard smooth finish	QY	GHCHoices GPKPack	(a) RDM
			l your ( Numbe	•					_		_			

Part Number:

Sample

Onotes item is available on Express

Terms, Policies Choices & Index Filing & Storage

#### **Full End Shelves**

Full End Shelves include a steel shelf and color matched full height resin end supports with brackets for mounting to Choices Panels. The 15" (381)-deep shelf is designed with a 5/8" (16) gap along the back to allow cable passage, and the end supports are 161/8" (410)-high. Optional factory installed accessories include the Accent Strip and Quarterback.

Note: Resin or composite end supports or end panels, accent strips and


quarterbacks are not available in extured or premium trim finishes. If textured or premium trim finish is specified, these components will match the standard smooth trim color. For example, if Pebble Frost (FP) is specified these components will be Pebble (P) in trim finish.

#### **Accent Strip**

The Accent Strip is available separately for field installation on an existing Flipper Door, Half End Shelf, or Full End Shelf. The Accent Strip is available in either Charcoal or the matching selected trim color in a standard smooth finish. Attachment hardware included.


#### Quarterback

The Quarterback is a 11/2" (38)-high back stop that is available separately for field installation on an existing Flipper Door, Half End Shelf, or Full End Shelf. The Quarterback is available in standard smooth trim colors. Attachment hardware included.




#### Half End Shelves

Dimensions Depth Height	Width	List Price	Catalog Number	Trim Color	Accent Strip	Accent Strip Color	Quarter- back
15" (81) 7'/s" (181)	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$187 199 205 213 215 234	HES24 HES30 HES36 HES42 HES48 HES60	Standard Finishes No Cost  Premium	AN No Cost No Accent Strip	Specify for Accent Strip Only <b>©</b> <b>K</b> Charcoal	QN No Cost No Quarter- back
Full End Shelv	es			Finishes + \$35	AY + \$27	or matching	<b>9</b>




						Accent	trim	QY
Depth	Dimensions Height	Width	List Price	Catalog Number	See Surface Materials	Strip	color in standard smooth	+ \$24 Quarter- back
15" (81)	16¹/e" (410)	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$177 186 196 201 206 218	@FES24 FES30 @FES36 FES42 @FES48 FES60	Page 11		finish	Will match trim color in standard smooth finish
			1			1	I	



### **Accent Strip**

Dimensions	Width	List Price	Catalog Number	Trim Color	N/A	N/A	N/A
	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$37 41 46 48 51 55	AS24 AS30 AS36 AS42 AS48 AS60	Standard Smooth Finish only See Surface Materials			



### Quarterback

Dimensions Width	List Price	Catalog Number		N/A	N/A	N/A
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$29 31 35 37 41 46	QB24 QB30 QB36 QB42 QB48 QB60				
Build your comp Part Number her			_		_	

HES60

Sample Part Number:

Total Cost \$261 =	\$234 • N/C • \$27 •	► N/C - N/C

.AY

.K

Page 11

Onotes item is available on Express

.QN

#### **Full End Corner Shelves**

Full End Corner Shelves hang in a corner created by a 90° panel configuration. The Corner Shelf includes 15" (381)-deep steel shelves designed with a 5/8" (16) gap along the back to allow cable passage. Color matched full height resin end supports are 161/8" (410)-high. End supports include brackets for mounting to Choices Panels. Optional factory installed accessories include the Accent Strip and Quarterback. Note: The Full End Corner Shelf supporting hardware requires an additional 2" (51) of clearance underneath thus a 16" (406)-high tackboard is recommended.

Note: Listed are the maximum light sizes that will fit in the Short Pans and Full Pans of each unit. Any smaller sizes of the same type of light will also fit into the pans.

	Maximum Ligh	ull Pan per Unit	
Light Type	36" Corner	42" Corner	48" Corner
Slim Task Light	TLS24/TLS30	TLS30/TLS42	TLS30/TLS42

#### **Accent Strip for Corner Shelves**


The Accent Strip for Corner Shelves is available separately for field installation on an existing corner self. Includes two Accent Strips, attachment hardware. and is available in either Charcoal or the matching selected trim color in a standard smooth finish.

#### **Quarterback for Corner Shelves**

The Quarterback for Corner Shelves is a 11/2" (38)-high back stop that is available separately for field installation on an existing corner shelf. Includes two Quarterbacks, attachment hardware, and is available in standard smooth trim colors.

#### Steel Shelves

	nensions Height	Width	List Price	Catalog Number	Trim Color	N/A	N/A	N/A
121/4" (311) 8	,	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 60" (1524)	\$168 177 182 196 199 210	STS30 STS36 STS42 STS48 STS60	Standard Finishes No Cost Premium Finishes			



#### **Full End Corner Shelves**

Depth	Dimensions Height	Width	List Price	Catalog Number	*See Note Below
15" (381)	16 <sup>1</sup> /8" (410)	36" (914) 42" (1067) 48" (1219)	\$373 389 401	@FCS36 FCS42 @FCS48	See Surface Materials Page 11

Accent See Note

Strip

@ AY

+ \$52

Accent

Strip

+ \$23

Surface

Materials

Accent		Strip	Quarter-		
Strip		Color	back		
	O AN No Cost No	Specify for Accent Strip Only			

trim color

in standard

smooth

finish


Charcoal + \$41

trim color

in standard


smooth finish

Note: The Full End Corner Shelf supporting hardware requires an additional 2" (51) of clearance underneath, thus a 16" (406)-high tackboard is recommended on a 66" (1676)-high panel.



# **Accent Strip for Corner Shelves**

Dimensions Width	List Price	Catalog Number	Trim Color	N/A	N/A	N/A
36" (914) 42" (1067 48" (1219	) 69	150513	Office			
			See			




\*Note: Resin or composite end supports or end panels, accent strips and quarterbacks are not available in textured or premium trim finishes. If textured or premium trim finish is specified, these components will match the standard smooth trim color. For example, if Pebble Frost (FP) is specified these components will be Pebble (P) in trim finish.

# **Quarterback for Corner Shelves**

			D 44			
Dimensions Width	List Price	Catalog Number	Page 11	N/A	N/A	N/A
36" (914) 42" (1067) 48" (1219)	\$58 60 62	QBCS36 QBCS42 QBCS48				
Build your comp Part Number he			_		_	

Sample Part Number:

@ notes item is Total Cost \$441 = available on Express



Shelf/File Dividers are freestanding dividers that magnetically attach to a shelf or drawer bottom. Includes three dividers. Available in all standard smooth trim colors.


#### Flipper/Shelf Clip

Flipper/Shelf Clips connect to the underside of two adjacent flipper doors or shelf units. Clips are recommended for heavy loading conditions to reduce panel run deflection. Includes six clips per box. Available in all standard smooth trim colors.

# H W

## **Shelf/File Dividers**

Dimensions Depth Height Width	List Price	Catalog Number	Trim Color
8" (203) 7'/2" (191) 4" (102) Note: 3 dividers per box.	\$96	<b>@</b> SFDIV	Standard Smooth     Finish only
			See Surface Materials Page 11



# Flipper/Shelf Clips

Depth	Dimensions Height	Width	List Price	Catalog Number	
1 <sup>1</sup> / <sub>4</sub> " (32) Note: 6 d	1 <sup>1</sup> / <sub>4</sub> " (32)	11/2" (38)	\$71	@FSCL	
		Build your co Part Number			_

**Total Cost \$96** 

	SFDIV		. <u>Y</u>
=	\$96	+	N/C

Onotes item is available on Express

103

The Systems Laminate Overhead Assembly Tool makes assembling laminate overhead products much easier. The tool fits into a power driver chuck and provides a guide for driving the cam pins into laminate surfaces. This tool will save you time during the installation process, and reduce laminate surface chipping.


#### Laminate Overhead Flipper/Shelf Clip

The Laminate Overhead Flipper/Shelf Clip connects two adjacent Laminate Overhead storage pieces. The clips are recommended to reduce panel run deflection, and keep the gaps between units uniform. Includes six clips per



# **Laminate Overhead Assembly Tool**

Dimensions	List	Catalog
Length	Price	Number
3" (152)	\$30	LAMOHPT



## Laminate Overhead Flipper/Shelf Clip

Dimensions Height Width	List Price	Catalog Number
3" (152) 3/4" (19)	\$71	LOSCL
Note: 6 clips per box		
Build v	our complete	

Build your complete Part Number here:

Sample Part Number:

**LAMOHPT** 

Total Cost \$30 =

\$30

The Half-End Shelf consists of a high pressure laminate shelf and end panel with matching vinyl edge. The end supports are 8" high. The unit includes brackets for mounting to Choices Panels. Optional factory installed accessories include a grommet for cord management and a Quarterback.


**Note:** The trim color option refers to the mounting brackets for a half- and full-end shelf.

Note: The Quarterback will match the trim color. It provides a 1 1/2" backstop to protect the fabric behind the half- and full-end shelf.

Sample Part Number:

Part Number here:

Total Cost \$237 =



# Cubby

The Full-End Cubby is comprised of a high pressure laminate with matching vinyl edge. The unit is 16 1/8" high and allows for 13 1/2" of vertical storage space. The cubby includes brackets for mounting to Choices Panels. Units that are 48" and 60" wide will have a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

#### **Choices Laminate Overhead Half-End** Cubby


The Half-End Cubby is comprised of a high pressure laminate with matching vinyl edge. The unit is 8" high and allows for 5 1/2" of vertical storage space. The cubby includes brackets for mounting to Choices Panels. Units that are 48" and 60" wide will have a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

**Note:** The trim color option refers to the mounting brackets for a halfand full-end cubby.

Note: The Quarterback will match the trim color. It provides a 1 1/2" backstop to protect the fabric behind the half- and full-end shelf.

30" (762)   322   346   370   36" (914)   346   370   369   393   48" (1219)   472   496   60" (1524)   519   557	e Catalog	NA No Grain Direction	GN No Cost No Grommet  GS + \$17 Grommet 24" - 42" Unit  GS + \$23 Grommet 48" - 60" Unit	High- Pressure Laminate Color  Edge band will match laminate  See Surface Materials Page 12	QN No Cost No Quarter- back QY + \$17 Quarter- back Quarter- back Will match trim color	Standar Smooth Finish Oi See Surface Material Page 1
Depth         Dimensions Height         Width         List Price Laminate Graft           15" (381)         8" (203)         24" (610)         \$287         \$304         \$30" (762)         310         334         358         36" (914)         334         358         42" (1067)         352         376         48" (1219)         459         483	e Catalog	-				
Depth         Dimensions Height         Width         Laminate Grade           15" (381)         8" (203)         24" (610)         \$287         \$304         \$30" (762)         310         334         358         36" (914)         334         358         42" (1067)         352         376         48" (1219)         459         483	rade Catalog					
30" (762) 310 334 36" (914) 334 358 42" (1067) 352 376 48" (1219) 459 483	3 Number					
	\$364 LOCSHOC24 424 LOCSHOC36 448 LOCSHOC36 466 LOCSHOC42 573 LOCSHOC46 685 LOCSHOC66					

Total Cost \$315 =



The Choices Flipper Door Unit is comprised of a high pressure laminate with matching vinyl edge. The flipper door will accommodate standard and A4 (11 7/16" x 12 5/8") size binders. The unit has a full width locking door and stores over the top with a pull. To avoid the door from closing abruptly a slow close mechanism is available as an option. Units that are 36" to 60" wide will include a center spacer when a lock is specified. Units that are 48" and 60" wide will always include a center divider. Optional factory installed

accessories include a grommet for cord management and a Quarterback.

**Note**: Quarterback option required on 60" wide units and all locking units.

#### Choices Laminate Overhead Dual-Hinged Doors

The Dual-Hinged Door is comprised of a high pressure laminate with matching vinyl edge. Each unit has two locking hinged doors that open up. The unit is 16 1/8" high and will accommodate standard and A4 (11 7/16" x 12 5/8") size binders. Units that are 36" to 60" wide will include a center spacer when a lock is specified. Units that are 48"

and 60" wide will always include a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

**Note:** The trim color option refers to the mounting brackets for a flipper and dual-hinged doors.


**Note:** The Quarterback will match the trim color. It provides a 1 ½" backstop to protect the fabric behind the half- and full-end shelf.

**Note**: Quarterback option required on 60" wide units and all locking units.

#### **Choices Laminate Overhead Flipper Door Unit List Price** Door **Dimensions** Laminate Grade Catalog Grain Grommet Pull Laminate Slow Lock Lock Quarter-Trim Depth Heiaht Width 2 Number Direction In Shelf Style Color Close Type Option back Color Specify LOCSFDU24 NA High-SCN NL QN Stan-24" (610) 15" (381) 16 <sup>1</sup>/<sub>8</sub>" (410) \$512 \$536 \$626 Only if No Cost No Grain Pressure No No Cost dard 30" (762) 548 572 662 LOCSFDU30 Lock Direction Cost Applied Laminate Cost Cost Smooth LOCSFDU36 36" (914) 586 616 730 Type is No Slow Close Color No No Finish 42" (1067) 626 656 770 LOCSFDU42 DGH Selected Quarter-Grommet Lock Only 48" (1219) 710 748 889 LOCSFDU48 Horizonta back Classic LOCSFDU60 Grain GS SCY PΚ Edge band See 60" (1524) 776 837 1062 **RDM** + **\$29** Pack E + \$238 QY + \$17 will match Surface Slow Close No DGV + \$24 Grommet Stream-Matlaminate Cost Vertical 24" - 42" Quarterline erials Pack Random Unit Grain back Page ΑZ See GS Designer Surface Quarter-KΑ + \$23 Materials back - \$14 Will Grommet MM Page 12 Pack 48" - 60" match Mod2 Unit Key Alike Note: Be sure **Choices Laminate Overhead Dual** to order Core/ **Hinged Doors** Key Sets (PLCAK) **List Price** Catalog **Dimensions** Laminate Grade Depth Width Number Height 2 3 1 24" (610) LOCSDHD24 15" (381) 16 1/8" (410) \$459 \$483 \$573 30" (762) 496 520 610 LOCSDHD30 36" (914) LOCSDHD36 537 567 681 42" (1067) 567 597 711 LOCSDHD42 LOCSDHD48 48" (1219) 656 694 835 721 770 956 LOCSDHD60 60" (1524) **Build your complete** Part Number here:

Sample Part Number:

Total Cost \$536 =



The Full-Height Single-slider is comprised of a high pressure laminate with matching vinyl edge. The high pressure laminate door has a pull and travels in an aluminum track. Each unit has a center divider so if the door is open or closed there will always be one cubby open and one closed. The unit is 16 1/8" high and can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders. This unit does not lock. All units will have a center divider. Optional factory installed

accessories include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 60" wide units.

#### **Choices Laminate Overhead Half-Height Single-Sliding Door**

The Half-Height Single-slider is comprised of a high pressure laminate with matching vinyl edge. The high pressure laminate door has a knob pull and travels in an aluminum track. Each unit has a center divider so if the door is open or closed there will always be one cubby open and one closed. This unit

does not lock. All units will have a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

Note: The trim color option refers to the mounting brackets for a fullor half-height single-sliding door.

Note: The Quarterback will match the trim color. It provides a 1 ½" backstop to protect the fabric behind the half- and full-end shelf.

Quarter-

back

Will

match

trim color

back

See

Surface

Materials

Page 12

Note: Quarterback option required on 60" wide units.

# Choices Laminate Overhead Full-Height Single-Sliding Door

	Dimensions		L	List Price aminate Gr	ade	Catalog		Grommet	Pull	Laminate	Quarter-	
Depth	Height	Width	1	2	3	Number	Direction	In Shelf	Style	Color	back	Color
15" (381)	16 <sup>1/8</sup> " (410)	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	\$596 656 716 786 853	\$620 680 746 816 883	\$710 770 860 930 997	LOCSFSS24 LOCSFSS30 LOCSFSS36 LOCSFSS42 LOCSFSS48	NA No Grain Direction  DGH Horizontal	GN No Cost No Grommet	No Cost Applied L Classic	High- Pressure Laminate Color	QN No Cost No Quarter- back	Standard Smooth Finish Only See Surface
		60" (1524)	965	1003	1144	LOCSFSS60	Grain  DGV  Vertical	GS + \$17 Grommet 24" - 42"	E Stream- line	Edge band will match laminate	QY + \$24 Quarter-	Materials Page 11

Unit

GS

Unit


+ \$23 Grommet

48" - 60"

ΑZ Designer

MM

Mod2




Choices Laminate Overhead Half-Height Single-Sliding Door

Depth	Dimensions Height	Width	1	List Price ∟aminate Gra 2	de 3	Catalog Number
15" (381)	8" (203)	24" (610)	\$512	\$529	\$589	LOCSHSS24
		30" (762)	572	596	686	LOCSHSS30
		36" (914)	626	650	740	LOCSHSS36
		42" (1067)	680	704	794	LOCSHSS42
		48" (1219)	739	763	853	LOCSHSS48
		60" (1524)	853	891	1032	LOCSHSS60
	8					
			Bu	ild vour com	plete	

Sample Part Number:

Part Number here:

Total Cost \$620 =



15" (381) 16 <sup>1</sup>/<sub>8</sub>" (410)

#### **Choices Laminate Overhead Full-Height Dual-Sliding Door**

The Full-Height Dual-slider is comprised of a high pressure laminate with matching vinyl edge. The two acrylic doors run back to back in an aluminum track. The unit is 16 1/8" high and will accommodate standard and A4 (11 7/16" x 12 5/8") size binders. This unit does not lock. All units will have a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 60" wide units.

#### **Choices Laminate Overhead Half-Height Dual-Sliding Door**

The Half-Height Dual-slider is comprised of a high pressure laminate with matching vinyl edge. The two acrylic doors run back to back in an aluminum track. The half-height unit comes standard with a knob pull. This unit does not lock. All units will have a center divider. Optional factory installed accessories include a grommet for cord management and a Quarterback.

Pull

Style

Cost

GN

No

Glass

Type

Plexi-

**Frosted** 

**Note:** The trim color option refers to the mounting brackets for a full- or half-height dual-sliding door.

Note: Quarterback option required on 60" wide units.

Note: The Quarterback will match the trim color. It provides a 1 1/2" backstop to protect the fabric behind the half- and full-end shelf.

Laminate

Color

High-

Pressure

Quarter-

back

QN

No

Cost

back

QY

+ \$24

Quarterback

Quarter-

back

match trim color

No Quarter-

Trim

Color

Standard

Smooth

Finish Only

See

Surface

Materials

Page 11

#### Choices Laminate Overhead Full-Height Dual-Sliding Door **List Price** Back Catalog **Dimensions** Laminate Grade Grain Grommet Height Width Direction In Shelf Depth 1 2 3 Number

\$512

577

36" (914)	645	675	789	LOCSFDS36	Direction	Cost No	Applied	glass No	Laminate Color
42" (1067) 48" (1219)	710 824	740 854	854 968	LOCSFDS42 LOCSFDS48	Horizontal		<b>L</b> Classic	Cost	
60" (1524)	947	996	1182	LOCSFDS60	Grain  DGV  Vertical Grain	GS + \$17 Grommet 24" - 42" Unit	E Streamline	3 form + \$119 24" - 36" Unit	Edge band will match laminate
						<b>GS</b> + \$23 Grommet 48" - 60" Unit	Designer  MM  Mod2	+ \$358 42" - 60" Unit	See Surface Materials Page 12

LOCSFDS24 NA

LOCSFDS30 No Grain

\$536 \$ 626

691

601

#### Choices Laminate Overhead Half-Height **Dual-Sliding Door**


24" (610)

30" (762)

	<u> </u>											
Depth	Dimension Height	s Width	Lar 1	List Pr ninate ( 2		Catalog Number						
15" (381)	8" (203)	24" (610)	\$430	\$447	\$507	LOCSHDS24						
		30" (762)	488	512	602							
		36" (914)	548	572		LOCSHDS36						
		42" (1067)	596	620		LOCSHDS42						
		48" (1219)	685	709		LOCSHDS48						
		60" (1524)	805	829	919	LOCSHDS60						
	0											
				ır com								
		Pai	rt Num	ber he	re:		 	_		 	-	

Sample Part Number:


Total Cost \$536 =



The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to panel side rails with self-adhesive backing. Packaged in boxes of three.

Sample Part Number:


Total Cost \$25 =



notes item is available on Express

Note: For fabric orientation, refer to the table located in the Fabric Planning section.

**Note:** When mounting underneath a Panel Hung Flipper or Shelf, use 20" (508)-high Tackboards on a 66" (1676)high panel.



#### **Tackboards**

Depth	Dimensions Width	Height	0/1	2		t Price ic Grad		6	Catalog Number	Fabric Color
1" (25)	24" (610)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$ 118 198 209 235 303	\$141 222 234 262 332	\$158 238 249 283 358	\$178 257 270 316 390	\$199 279 292 351 427	\$223 306 317 389 463	TB2408 TB2416 @TB2420 TB2432 TB2448	See Surface Materials Page 8
1" (25)	30" (762)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$ 122 201 215 245 323	\$144 225 240 272 352	\$158 241 255 295 381	\$180 264 283 337 439	\$202 290 315 382 505	\$225 317 346 428 571	TB3008 TB3016 TB3020 TB3032 TB3048	
1" (25)	36" (914)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$124 206 228 261 340	\$146 231 252 287 369	\$160 246 268 309 395	\$182 269 296 355 453	\$204 295 328 407 519	\$226 322 359 457 584	TB3608 @TB3616 @TB3620 TB3632 TB3648	
1" (25)	42" (1067)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$125 208 234 275 367	\$147 233 258 302 395	\$161 248 274 323 422	\$183 271 302 376 480	\$205 297 334 433 546	\$229 324 365 492 611	TB4208 TB4216 TB4220 TB4232 TB4248	
1" (25)	48" (1219)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$129 211 243 290 387	\$151 236 268 317 416	\$165 251 283 340 445	\$186 274 312 399 503	\$208 300 345 465 569	\$230 327 377 530 635	TB4808 @TB4816 @TB4820 TB4832 TB4848	
1" (25)	60" (1524)	8" (203) 16" (406) 20" (508) 32" (813) 48" (1219)	\$145 237 277 333 436	\$168 262 302 359 464	\$181 277 317 381 491	\$201 300 352 454 563	\$222 326 392 533 642	\$242 353 432 614 723	TB6008 TB6016 TB6020 TB6032 TB6048	
						ur con nber h				

Sample Part Number:

TB2408 .AG0 Total Cost \$141 = N/C \$141

notes item is available on Express

Note: It is the responsibility of the dealer or installer to obtain the correct type of fastener for specific, existing wall conditions.

Ordering quantities: One component requires two wall mounts; 2 components mounted side-to-side require 3 wall

mounts; 3 components mounted side-toside require 4 wall mounts.

Note: For safe use, Dual Wall Mount must extend to the floor.

#### **Touch-Up Paint**

The Touch-Up Paint covers nicks and scratches on metal parts and components.

#### **Handy Hooks**

The Handy Hook attaches to the top of a panel with metal top cap to provide hanging storage for individual garments. Will not fit on panel with wood top cap. The molded plastic construction supports up to 25 (11kg) pounds. Packaged in boxes of twelve. Only available in standard smooth finishes.

o	$\mathbf{\Omega}$
ŭ	ᆽ
2	풁.
<u>ה</u>	ès:
	S

	Dual Wall Mounts								
	Dimensions Depth Width Height	List Price	Catalog Number	Trim Color					
	11/16" (17) 19/16" (40) 49 <sup>7</sup> /6" (1267 67 <sup>7</sup> /6" (172 <sup>4</sup> 85 <sup>7</sup> /6" (2181	4) 118	@DWM48 @DWM66 @DWM84	Standard Smooth Finish Only					
				See Surface Materials Page 11					
	Touch-Up Paint	,							
	Size	List Price	Catalog Number	Trim Color					
	4 <sup>1</sup> / <sub>2</sub> oz. (128g)	\$48	<b>Ө</b> ЅТU	See Surface Materials Page 11					
	Handy Hooks		•						
		List Price	Catalog Number	Trim Color					
	Note: Will not work with wood top cap. Package Contains 12 Hooks	\$59	<b>9</b> нн	Standard     Smooth     Finish Only					
				See Surface Materials Page 11					
		ild your complete rt Number here:		_					

notes item is available on Express

Sample

Part Number:

Total Cost \$97 =

DWM48

\$97

.A

N/C

Trendway. 🗲		
•		

Choices Panels

Choices Choices
Components Electrical

Choices Desking

Terms, Policies Choices & Index Filing & Storage

### Terms, Policies & Index

Terms & Policies	190
Index	196

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

#### 2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

#### 3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at www.trendealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

#### 4. Lead Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

#### 5. Buyer's Credit

If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

#### 6. Order Changes

To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

#### 7. Cancellation

All cancellations must be approved by Trendway Corporation. Orders in production cannot be cancelled without incurring substantial or full purchase price. Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

#### 8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

#### 9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

#### 10. Past-Due Accounts

Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of pastdue balances.

#### 11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

- 1. Select the COM material.
- 2. Check first with www.trendealer. com/ COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
- 3. If the material is pre-approved in the COM Library, customer must submit a COM Guideline Form (available on www.trendealer.com or from Trendway Customer Care Representative).
- 4. If the material requested is not in the COM Library, customer must submit a COM Request Form online at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form response.
- 5. Ship COM samples to:
  - U.S. Mail Shipment and **Customer Care** Trendway Corporation P.O. Box 9016 Holland, MI 49422-9016
- 6. You will be notified within five working days by Trendway, whether your COM has been approved or disapproved for application.

#### TEST YARDAGE REQUIREMENTS

Choices panels 11/2 yd. Flipper doors<sup>2</sup>/<sub>3</sub> vd. Contrada tiles1 vd.

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

#### 11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer. com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for \$200 color matching fee per customer, per color. See Custom Color Request form for details.

#### 12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

#### 13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or

delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

#### 14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

#### 15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

#### 16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 3:00 pm on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your

assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.

- Lift gate service will have an additional charge of \$85.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

#### **Shipping Note:**

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

#### 17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

hotwoon 9:00 am

P | 1-800-893-8115 F | 1-800-893-8121

#### 18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care. Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

#### 19. Shortage on Order

Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

#### 21. Post-Delivery Assistance

Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

#### 22. Returned Goods

As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. To receive authorization to return goods, please contact Trendway's Customer Care Department.

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, Express products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will

be inspected for damage upon return. No credit will be issued for goods which are damaged. As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.

#### 23. Key-Alike Option

The key-alike option is available on all orders. To order key-alike items within a workstation, follow these steps:

- Fill out a key-alike form and submit it with your purchase order. If keyalike orders are placed with your PO or within 30 days of receipt of your order, they will be sent at no charge.
- After 30 days of your PO regardless of your installation date, the cost of key-alike requests will be \$3.00 net per core and key, if the quantity exceeds 10.

Note: Credit will not be issued for return of unused cores and key's.

Key-Alike forms are available on www. trendealer.com or through Trendway Customer Care.

#### 24. Special Marking or Tagging

Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.** 

### 25. Trendway Field Technical and Installation Support:

On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day on-Site, \$1,800.00

Field Installation Assistance: 3 Days on-site, \$3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendealer.com, in the Price List section.

### Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		Pneumatic Cylinders  Mechanisms  Magnus Olesen
5 Year	Drawer Slides     Systems Textiles     Finishes     Electronic Ballasts     Height-Adjustable Table     Mechanical Components	•System Textiles •Finishes	
3 Year	Veneer     Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	Surface Trend Fabrics     Height-Adjustable Table     Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product •TrendWall® Flooring Solutions	•Non-Standard Product
Not Covered	•Light Bulbs •Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties. Trendway Corporation 13467 Quincy St., Holland MI 49422-9016 www.trendway.com 09.12

Trendway.

Catalog No.	Description	Page	Catalog No.	Description	Page
CD306042	Extended Corner Desks – Left	•	CHT20B	Change of Height Two-Way Covers	U
CD306642	Extended Corner Desks – Left		CHT22B	Change of Height Two-Way Covers	
CD307242	Extended Corner Desks – Left		CHT24B	Change of Height Two-Way Covers	
CD306048	Extended Corner Desks – Left		CHT30B	Change of Height Two-Way Covers	
CD306648	Extended Corner Desks – Left		CHT32B	Change of Height Two-Way Covers	
CD307248	Extended Corner Desks – Left		CHT36B	Change of Height Two-Way Covers	
CD243660	Extended Corner Desks – Right		CLEGBKTPR	C-Leg Cantilever Bracket Pair	
CD243666	Extended Corner Desks – Right		CLS36	Corner Low Screens	
CD243672	Extended Corner Desks – Right		CLS42	Corner Low Screens	
CD244260	Extended Corner Desks – Right		CLS48	Corner Low Screens	
CD244266	Extended Corner Desks – Right		CM552	Communication Modules	
CD244200 CD244272			CM553	Communication Modules	
_	Extended Corner Desks – Right				
CD244860	Extended Corner Desks – Right		CM553BW	Communication Modules	
CD244866	Extended Corner Desks – Right		CM554	Communication Modules	
CD244872	Extended Corner Desks – Right		CM555	Communication Modules	
CD303660	Extended Corner Desks – Right		CM6666	Communication Modules	
CD303666	Extended Corner Desks – Right		CPCD2448	Cockpit Corner Desks	
CD303672	Extended Corner Desks – Right		CPUH	CPU Holder	
CD304260	Extended Corner Desks – Right		CPWS2448	Cockpit Corner Work Surface	
CD304266	Extended Corner Desks – Right		CRK	Core Installation/Removal Key	
CD304272	Extended Corner Desks – Right		CST14	Corner Section Tops	
CD304860	Extended Corner Desks – Right		CSUSBD11	USB Duplexes	
CD304866	Extended Corner Desks – Right		CSUSBD12	USB Duplexes	
CD304872	Extended Corner Desks – Right	136	CSUSBD13	USB Duplexes	
CDW	Center Drawer		CSUSBD14	USB Duplexes	55
CFTP	Ceiling Feed forTele-Com Power Pole	57	CSUSBD61	USB Duplexes	55
CFTP144	Ceiling Feed forTele-Com Power Pole	57	CSUSBD62	USB Duplexes	55
CHC4B	Change of Height Covers	43	CSUSBD63	USB Duplexes	55
CHC6B	Change of Height Covers	43	CSUSBD64	USB Duplexes	55
CHC8B	Change of Height Covers	43	CTWSL2442	Corner Transaction Work Surface-Left	83
CHC12B	Change of Height Covers	43	CTWSL2454	Corner Transaction Work Surface-Left	83
CHC14B	Change of Height Covers	43	CTWSL3054	Corner Transaction Work Surface-Left	83
CHC18B	Change of Height Covers	43	CTWSR2442	Corner Transaction Work Surface-Right	83
CHC20B	Change of Height Covers	43	CTWSR2454	Corner Transaction Work Surface-Right	83
CHC22B	Change of Height Covers	43	CTWSR3054	Corner Transaction Work Surface-Right	83
CHC24B	Change of Height Covers	43	CU30	Cabinet Units - Painted Front	155
CHC30B	Change of Height Covers	43	CU36	Cabinet Units - Painted Front	155
CHC32B	Change of Height Covers	43	CU42	Cabinet Units - Painted Front	155
CHC36B	Change of Height Covers	43	CU48	Cabinet Units - Painted Front	155
CHS4WTC	Four-Way Top Cap	42	CU60	Cabinet Units - Painted Front	155
CHSSCFU24	Choices Slow Close Steel Flipper Door			Cabinet Units - Painted Front	
CHSSCFU30	Choices Slow Close Steel Flipper Door		CU72	Cabinet Units - Painted Front	
CHSSCFU36	Choices Slow Close Steel Flipper Door		CUF30	Cabinet Units - Fabric Front	
CHSSCFU42	Choices Slow Close Steel Flipper Door		CUF36	Cabinet Units - Fabric Front	
CHSSCFU48	Choices Slow Close Steel Flipper Door		CUF42	Cabinet Units - Fabric Front	
CHSSCFU60	Choices Slow Close Steel Flipper Door		CUF48	Cabinet Units - Fabric Front	
CHSSDLH	Choices System Sliding Door – Left-Hand		CUF60	Cabinet Units - Fabric Front	
CHSSDRH	Choices System Sliding Door – Right-Hand		CUF66	Cabinet Units - Fabric Front	
CHSSDLHDJ	Choices Sliding Door Jamb – Left-Hand		CUF72	Cabinet Units - Fabric Front	
CHSSDRHDJ	Choices Sliding Door Jamb – Right-Hand		CUFF30	Cabinet Units - Fabric Front	
CHSSW24	Choices Slatwall		CUFF36	Cabinet Units - Fabric Front	
CHSSW30	Choices Slatwall		CUFF42	Cabinet Units - Fabric Front	
CHSSW36	Choices Slatwall		CUFF48	Cabinet Units - Fabric Front	
CHSSW42	Choices Slatwall		CUFF60	Cabinet Units - Fabric Front	
CHSSW48	Choices Slatwall			Cabinet Units - Fabric Front	
	Choices Slatwall Kit		CUFF66	Cabinet Units - Fabric Front	
CHSSW36KIT			CUFF72		
CHSSW48KIT	Choices Slatwall Kit		CUPF30	Cabinet Units - Painted Front	
CHT4B	Change of Height Two-Way Covers		CUPF36	Cabinet Units - Painted Front	
CHT6B	Change of Height Two-Way Covers		CUPF42	Cabinet Units - Painted Front	
CHT8B	Change of Height Two-Way Covers		CUPF48	Cabinet Units - Painted Front	
CHT12B	Change of Height Two-Way Covers		CUPF60	Cabinet Units - Painted Front	
CHT14B	Change of Height Two-Way Covers		CUPF66	Cabinet Units - Painted Front	
CHT18B	Change of Height Two-Way Covers	43	CUPF72	Cabinet Units - Painted Front	168

Catalog No.	· · · · · · · · · · · · · · · · · · ·	Catalog No.	Description	Page
=0.4404 000000	Curved and Straight - Left-Hand	ECWSR244878	Extended Corner Work Surfaces —	
ECWSL306636	Extended Corner Work Surfaces —	=0.4.00	Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR244884	Extended Corner Work Surfaces —	
ECWSL307236	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR244890	Extended Corner Work Surfaces —	
ECWSL308436	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR244896	Extended Corner Work Surfaces	
ECWSL309636	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR303660	Extended Corner Work Surfaces —	
ECWSL306042	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR303666	Extended Corner Work Surfaces —	
ECWSL306642	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR303672	Extended Corner Work Surfaces —	
ECWSL307242	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
201102007212	Curved and Straight - Left-Hand75	FCWSR303684	Extended Corner Work Surfaces —	
ECWSL308442	Extended Corner Work Surfaces —	LOWO(303004	Curved and Straight - Right-Hand	72
LCV/3L300442	Curved and Straight - Left-Hand75	ECMCDanagog	Extended Corner Work Surfaces —	13
EC/MCI 200042	3	ECW3R303090		70
ECWSL309642	Extended Corner Work Surfaces —	E014/0D004000	Curved and Straight - Right-Hand	13
=0.4404 000040	Curved and Straight - Left-Hand	ECWSR304260	Extended Corner Work Surfaces —	
ECWSL306048	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR304266	Extended Corner Work Surfaces —	
ECWSL306648	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR304272	Extended Corner Work Surfaces —	
ECWSL307248	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR304284	Extended Corner Work Surfaces —	
ECWSL308448	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand75	ECWSR304296	Extended Corner Work Surfaces —	
ECWSL309648	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Left-Hand	ECWSR304860	Extended Corner Work Surfaces —	
ECWSR243660	Extended Corner Work Surfaces —	2011011001000	Curved and Straight - Right-Hand	73
2011011240000	Curved and Straight - Right-Hand73	EC///SB30/866	Extended Corner Work Surfaces —	
ECWSR243666	Extended Corner Work Surfaces —	LCVV31\304000	Curved and Straight - Right-Hand	72
ECW3R243000	Curved and Straight - Right-Hand73	FCWCD204072	Extended Corner Work Surfaces —	13
ECWCD040070		ECW3R304072		70
ECWSR243672	Extended Corner Work Surfaces —	FOW/OD004004	Curved and Straight - Right-Hand	13
=0.11000.10000	Curved and Straight - Right-Hand73	ECWSR304884	Extended Corner Work Surfaces —	
ECWSR243678	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	73
	Curved and Straight - Right-Hand73	ECWSR304896	Extended Corner Work Surfaces —	
ECWSR243684	Extended Corner Work Surfaces —		Curved and Straight - Right-Hand	
	Curved and Straight - Right-Hand73		Extended Top Desks	
ECWSR243690	Extended Corner Work Surfaces —	ED3066	Extended Top Desks	131
	Curved and Straight - Right-Hand73	ED3072	Extended Top Desks	131
ECWSR243696	Extended Corner Work Surfaces —	ED3660	Extended Top Desks	131
	Curved and Straight - Right-Hand73	ED3666	Extended Top Desks	
ECWSR244260	Extended Corner Work Surfaces —	ED3672	Extended Top Desks	
	Curved and Straight - Right-Hand73	EDDL604824	Extended D-Shaped Peninsula	
ECWSR244266	Extended Corner Work Surfaces —		Desks — Left-Hand	144
2011011241200	Curved and Straight - Right-Hand73	EDDL724824	Extended D-Shaped Peninsula	
ECWSR244272	Extended Corner Work Surfaces —	LDDL124024	Desks — Left-Hand	1//
LCVV31\244212		EDDI 724920		144
FCWCD044070	Curved and Straight - Right-Hand	EDDL/24030	Extended D-Shaped Peninsula	111
ECWSR244278	Extended Corner Work Surfaces —	EDDD044000	Desks — Left-Hand	144
=0.11000.11001	Curved and Straight - Right-Hand	EDDR244860	Extended D-Shaped Peninsula	
ECWSR244284	Extended Corner Work Surfaces —		Desks — Right-Hand	144
	Curved and Straight - Right-Hand73	EDDR244872	Extended D-Shaped Peninsula	
ECWSR244290	Extended Corner Work Surfaces —		Desks — Right-Hand	144
	Curved and Straight - Right-Hand73	EDDR304872	Extended D-Shaped Peninsula	
ECWSR244296	Extended Corner Work Surfaces —		Desks — Right-Hand	144
	Curved and Straight - Right-Hand73	EDWSL604824	Extended D-Shaped Peninsula	
ECWSR244860	Extended Corner Work Surfaces —		Work Surfaces - Left-Hand	79
	Curved and Straight - Right-Hand73	EDWSL724824	Extended D-Shaped Peninsula	
ECWSR244866	Extended Corner Work Surfaces —		Work Surfaces - Left-Hand	79
	Curved and Straight - Right-Hand73	EDWSI 724830	Extended D-Shaped Peninsula	
ECWSR244872	Extended Corner Work Surfaces —		Work Surfaces - Left-Hand	70
2011011277012	Curved and Straight - Right-Hand		TOTA DUTINOSS LOR FIGHTALIA	
	Out vod and Ottaignt - Mignit I land			

# Trendway. >

Catalog No.	Description	Page	Catalog No.	Description	Page
EDWSR244860	Extended D-Shaped Peninsula		FES36	Full End Shelves	
	Work Surfaces - Right-Hand	78		Full End Shelves	
EDWSR244872	•		FES48	Full End Shelves	
	Work Surfaces - Right-Hand	78		Full End Shelves	-
EDWSR304872	Extended D-Shaped Peninsula		FGP1242B	Full Open and Full Glazed Panels	
	Work Surfaces - Right-Hand			Full Open and Full Glazed Panels	
ENP2429	Choices Work Surface End Panels			Full Open and Full Glazed Panels	
ENP3029	Choices Work Surface End Panels	92	FGP1262B	Full Open and Full Glazed Panels	
ENPC2429	Contrada to Choices End Panels	92	FGP1266B	Full Open and Full Glazed Panels	
ENPC3029	Contrada to Choices End Panels	_		Full Open and Full Glazed Panels	
EQWS24	Exterior Quarter Curved Work Surface	87	FGP1284B	Full Open and Full Glazed Panels	32
FAPABCK12	Choices Original to Enhanced FAP Panel		FGP2442B	Full Open and Full Glazed Panels	32
	Compatibility Kit	54	FGP2448B	Full Open and Full Glazed Panels	32
FAPABCK18	Choices Original to Enhanced FAP Panel		FGP2454B	Full Open and Full Glazed Panels	32
	Compatibility Kit	54	FGP2462B	Full Open and Full Glazed Panels	32
FAPABCK24	Choices Original to Enhanced FAP Panel		FGP2466B	Full Open and Full Glazed Panels	
	Compatibility Kit	54	FGP2478B	Full Open and Full Glazed Panels	32
FAPABCK30	Choices Original to Enhanced FAP Panel		FGP2484B	Full Open and Full Glazed Panels	
	Compatibility Kit	54	FGP3042B	Full Open and Full Glazed Panels	
FAPABCK36	Choices Original to Enhanced FAP Panel		FGP3048B	Full Open and Full Glazed Panels	
	Compatibility Kit	54		Full Open and Full Glazed Panels	
FAPABCK42	Choices Original to Enhanced FAP Panel		FGP3062B	Full Open and Full Glazed Panels	
17117IBOINAZ	Compatibility Kit	54		Full Open and Full Glazed Panels	
FAPABCK48	Choices Original to Enhanced FAP Panel		FGP3078B	Full Open and Full Glazed Panels	
1 Al ABORTO	Compatibility Kit	54		Full Open and Full Glazed Panels	
FAPBACK12	Choices Enhanced to Original FAP Panel	54	FGP3642B	Full Open and Full Glazed Panels	
FAFBACK12	Compatibility Kit	55		Full Open and Full Glazed Panels	
EADD ACK 10		33			
FAPBACK18	Choices Enhanced to Original FAP Panel		FGP3654B	Full Open and Full Glazed Panels	
EADD ACKOA	Compatibility Kit	55		Full Open and Full Glazed Panels	
FAPBACK24	Choices Enhanced to Original FAP Panel		FGP3666B	Full Open and Full Glazed Panels	
EADD AGIGO	Compatibility Kit	55		Full Open and Full Glazed Panels	
FAPBACK30	Choices Enhanced to Original FAP Panel		FGP3684B	Full Open and Full Glazed Panels	
	Compatibility Kit	55		Full Open and Full Glazed Panels	
FAPBACK36	Choices Enhanced to Original FAP Panel		FGP4248B	Full Open and Full Glazed Panels	
	Compatibility Kit	55		Full Open and Full Glazed Panels	
FAPBACK42	Choices Enhanced to Original FAP Panel		FGP4262B	Full Open and Full Glazed Panels	
	Compatibility Kit	55		Full Open and Full Glazed Panels	
FAPBACK48	Choices Enhanced to Original FAP Panel		FGP4278B	Full Open and Full Glazed Panels	
	Compatibility Kit			Full Open and Full Glazed Panels	
FCCWB	Four-Way Wood Top Cap		FGP4842B	Full Open and Full Glazed Panels	
FCS36	Full End Corner Shelves		FGP4848B	Full Open and Full Glazed Panels	
FCS42	Full End Corner Shelves	102	FGP4854B	Full Open and Full Glazed Panels	
FCS48	Full End Corner Shelves	102	FGP4862B	Full Open and Full Glazed Panels	
FD24	Flipper Doors - Painted or Fabric Fronts	100	FGP4866B	Full Open and Full Glazed Panels	
FD30	Flipper Doors - Painted or Fabric Fronts	100	FGP4878B	Full Open and Full Glazed Panels	32
FD36	Flipper Doors - Painted or Fabric Fronts	100	FGP4884B	Full Open and Full Glazed Panels	32
FD42	Flipper Doors - Painted or Fabric Fronts	100	FGP6042B	Full Open and Full Glazed Panels	32
FD48	Flipper Doors - Painted or Fabric Fronts	100	FGP6048B	Full Open and Full Glazed Panels	32
FD60	Flipper Doors - Painted or Fabric Fronts	100	FGP6054B	Full Open and Full Glazed Panels	32
FDC24	Flipper Door Conversion Kits - Painted		FGP6062B	Full Open and Full Glazed Panels	32
	or Fabric Front	99, 157	FGP6066B	Full Open and Full Glazed Panels	32
FDC30	Flipper Door Conversion Kits - Painted		FGP6078B	Full Open and Full Glazed Panels	
	or Fabric Front	99, 157	FP42B	Filler Panels —Vinyl or Fabric	
FDC36	Flipper Door Conversion Kits - Painted	•	FP48B	Filler Panels —Vinyl or Fabric	
	or Fabric Front	99. 157	FP54B	Filler Panels —Vinyl or Fabric	
FDC42	Flipper Door Conversion Kits - Painted	,	FP62B	Filler Panels —Vinyl or Fabric	
. 20 .2	or Fabric Front	.99. 157	FP66B	Filler Panels —Vinyl or Fabric	
FDC48	Flipper Door Conversion Kits - Painted	, 101	FP84B	Filler Panels —Vinyl or Fabric	
. = 5 15	or Fabric Front	99 157	FRCS36	Freestanding Corner Shelf Unit	
FDC60	Flipper Door Conversion Kits - Painted	, 101	FRCS42	Freestanding Corner Shelf Unit	
. 5000	or Fabric Front	99 157	FRCS48	Freestanding Corner Shelf Unit	
FES24	Full End Shelves	-	FRF30	Freestanding Corner Shell Onl	
FES30	Full End Shelves		FRF36		
FESSU	Full LITU STIEIVES	101	FKF30	Freestanding Flipper Unit - Painted Front	153

Choices Choices Choices Desking Components Electrical

Catalog No	Description	Daga	Catalog No.	Description	Page
Catalog No. FRF42	<b>Description</b> Freestanding Flipper Unit - Painted Front	_	HES24	Half End Shelves	•
FRF48	Freestanding Flipper Unit - Painted Front		HES30	Half End Shelves	
FRF60	Freestanding Flipper Unit - Painted Front		HES36	Half End Shelves	101
FRF66	Freestanding Flipper Unit - Painted Front	153	HES42	Half End Shelves	
FRF72	Freestanding Flipper Unit - Painted Front	153	HES48	Half End Shelves	101
FRFF30	Freestanding Flipper Unit - Fabric Front	153	HES60	Half End Shelves	101
FRFF36	Freestanding Flipper Unit - Fabric Front	153	HGPST1242B	Tackable Half Open & Half Glazed Panels	30
FRFF42	Freestanding Flipper Unit - Fabric Front		HGPST1248B	Tackable Half Open & Half Glazed Panels	
FRFF48	Freestanding Flipper Unit - Fabric Front		HGPST1254B	Tackable Half Open & Half Glazed Panels	
FRFF60	Freestanding Flipper Unit - Fabric Front		HGPST1262B	Tackable Half Open & Half Glazed Panels	
FRFF66	Freestanding Flipper Unit - Fabric Front		HGPST1266B	Tackable Half Open & Half Glazed Panels	
FRFF72	Freestanding Flipper Unit - Fabric Front		HGPST1278B	Tackable Half Open & Half Glazed Panels	
FRFV30	Freestanding Flipper Unit - Veneer Front		HGPST1284B	Tackable Half Open & Half Glazed Panels	
FRFV36 FRFV42	Freestanding Flipper Unit - Veneer Front Freestanding Flipper Unit - Veneer Front		HGPST1842B HGPST1848B	Tackable Half Open & Half Glazed Panels  Tackable Half Open & Half Glazed Panels	
FRFV42 FRFV48	Freestanding Flipper Unit - Veneer Front		HGPST1854B	Tackable Half Open & Half Glazed Panels	
FRFV60	Freestanding Flipper Unit - Veneer Front		HGPST1862B	Tackable Half Open & Half Glazed Panels	
FRFV66	Freestanding Flipper Unit - Veneer Front		HGPST1866B	Tackable Half Open & Half Glazed Panels	
FRFV72	Freestanding Flipper Unit - Veneer Front		HGPST1878B	Tackable Half Open & Half Glazed Panels	
FRS30	Freestanding Shelf Unit		HGPST1884B	Tackable Half Open & Half Glazed Panels	
FRS36	Freestanding Shelf Unit		HGPST2442B	Tackable Half Open & Half Glazed Panels	
FRS42	Freestanding Shelf Unit	156	HGPST2448B	Tackable Half Open & Half Glazed Panels	30
FRS48	Freestanding Shelf Unit	156	HGPST2454B	Tackable Half Open & Half Glazed Panels	30
FRS60	Freestanding Shelf Unit	156	HGPST2462B	Tackable Half Open & Half Glazed Panels	30
FSCL	Flipper/Shelf Clips	103	HGPST2466B	Tackable Half Open & Half Glazed Panels	30
FSFC30E	Floor-Supported File Centers	180	HGPST2478B	Tackable Half Open & Half Glazed Panels	30
FSFC36E	Floor-Supported File Centers	180	HGPST2484B	Tackable Half Open & Half Glazed Panels	30
FSLF230E	Two-Drawer Lateral Files		HGPST3042B	Tackable Half Open & Half Glazed Panels	
FSLF236E	Two-Drawer Lateral Files		HGPST3048B	Tackable Half Open & Half Glazed Panels	
FSLF242E	Two-Drawer Lateral Files		HGPST3054B	Tackable Half Open & Half Glazed Panels	
FSLF330E	Three-Drawer Lateral Files		HGPST3062B	Tackable Half Open & Half Glazed Panels	
FSLF336E	Three-Drawer Lateral Files		HGPST3066B	Tackable Half Open & Half Glazed Panels	
FSLF342E FSLF430E	Three-Drawer Lateral Files Four-Drawer Lateral Files		HGPST3078B HGPST3084B	Tackable Half Open & Half Glazed Panels  Tackable Half Open & Half Glazed Panels	
FSLF436E	Four-Drawer Lateral Files		HGPST3642B	Tackable Half Open & Half Glazed Panels	
FSLF442E	Four-Drawer Lateral Files		HGPST3648B	Tackable Half Open & Half Glazed Panels	
FSLF530E	Five-Drawer Lateral Files		HGPST3654B	Tackable Half Open & Half Glazed Panels	
FSLF536E	Five-Drawer Lateral Files	_	HGPST3662B	Tackable Half Open & Half Glazed Panels	
FSLF542E	Five-Drawer Lateral Files		HGPST3666B	Tackable Half Open & Half Glazed Panels	
FSP1212E	Floor-Supported Pedestals	183	HGPST3678B	Tackable Half Open & Half Glazed Panels	30
FSP6612E	Floor-Supported Pedestals	183	HGPST3684B	Tackable Half Open & Half Glazed Panels	30
FSPD1212E	Floor-Supported Pedestals	183	HGPST4242B	Tackable Half Open & Half Glazed Panels	30
FSPD6612E	Floor-Supported Pedestals		HGPST4248B	Tackable Half Open & Half Glazed Panels	
FSTK	Freestanding Traverse Kit	182		Tackable Half Open & Half Glazed Panels	
FSU24	Flipper Door Storage Units - Painted or		HGPST4262B	Tackable Half Open & Half Glazed Panels	
F01 100	Fabric Front	96		Tackable Half Open & Half Glazed Panels	
FSU30	Flipper Door Storage Units - Painted or	00	HGPST4278B	Tackable Half Open & Half Glazed Panels	
ECI 136	Fabric Front	96		Tackable Half Open & Half Glazed Panels  Tackable Half Open & Half Glazed Panels	
FSU36	Flipper Door Storage Units - Painted or Fabric Front	06	HGPST4842B	Tackable Half Open & Half Glazed Panels	
FSU42	Flipper Door Storage Units - Painted or	90	HGPST4854B	Tackable Half Open & Half Glazed Panels	
10042	Fabric Front	96		Tackable Half Open & Half Glazed Panels	
FSU48	Flipper Door Storage Units - Painted or	50	HGPST4866B	Tackable Half Open & Half Glazed Panels	
10010	Fabric Front	96		Tackable Half Open & Half Glazed Panels	
FSU60	Flipper Door Storage Units - Painted or		HGPST4884B	Tackable Half Open & Half Glazed Panels	
	Fabric Front	96		Tackable Half Open & Half Glazed Panels	
FWSL30603624	Flared Peninsula Work Surfaces - Left-Hand		HGPST6048B	Tackable Half Open & Half Glazed Panels	
FWSL30723624	Flared Peninsula Work Surfaces - Left-Hand	82	HGPST6054B	Tackable Half Open & Half Glazed Panels	
FWSL36723624	Flared Peninsula Work Surfaces - Left-Hand	82	HGPST6062B	Tackable Half Open & Half Glazed Panels	30
FWSR24366030	Flared Peninsula Work Surfaces - Right-Hand	82	HGPST6066B	Tackable Half Open & Half Glazed Panels	30
	Flared Peninsula Work Surfaces - Right-Hand		HGPST6078B	Tackable Half Open & Half Glazed Panels	
	Flared Peninsula Work Surfaces – Right-Hand			Tackable Half Open & Half Glazed Panels	
H20	Panel Hinges	45	HH	Handy Hooks	119

## Trendway. >

	Catalog No.	Description	Page	Catalog No.	Description	Page
	HPPT	Pencil Tray		LOCSFDS42	Choices Laminate Overhead Full-Height	
	HT	Hinge/Glide Tool			Dual-Sliding Door	109
	HWM30	Horizontal Wire manager9		LOCSFDS48	Choices Laminate Overhead Full-Height	
	LAMOHPT	Laminate Overhead Assembly Tool	104		Dual-Sliding Door	109
	LCAK	Choices Core/Key Sets	15			
	LEDLTCRFS	LumaTouch Desk Lamp - Circle	112	LOCSFDS60	Choices Laminate Overhead Full-Height	
	LEDLTCRCP	LumaTouch Desk Lamp - Circle	112		Dual-Sliding Door	109
	LEDLTCRSW	LumaTouch Desk Lamp - Circle	112	LOCSFDU24	Choices Laminate Overhead Flipper Door Unit	107
	LEDLTEGFS	LumaTouch Desk Lamp - Elongated	112	LOCSFDU30	Choices Laminate Overhead Flipper Door Unit	107
	LEDLTEGCP	LumaTouch Desk Lamp - Elongated	112	LOCSFDU36	Choices Laminate Overhead Flipper Door Unit	
	LEDLTEGSW	LumaTouch Desk Lamp - Elongated	112	LOCSFDU42	Choices Laminate Overhead Flipper Door Unit	107
	LEDORIFS	ORI Desk Lamp	112	LOCSFDU48	Choices Laminate Overhead Flipper Door Unit	107
	LEDORICP	ORI Desk Lamp	112	LOCSFDU60	Choices Laminate Overhead Flipper Door Unit	107
	LEDPTL	LED Personal Task Light	110	LOCSFES24	Choices Laminate Overhead Full-End Shelf	105
	LEDTL17	LED Task Light Complete	111	LOCSFES30	Choices Laminate Overhead Full-End Shelf	105
	LEDTL31	LED Task Light Complete	111	LOCSFES36	Choices Laminate Overhead Full-End Shelf	105
	LEDTL44	LED Task Light Complete	111	LOCSFES42	Choices Laminate Overhead Full-End Shelf	105
	LEDTL17DCJC	LED Task Light - Daisy Chain with		LOCSFES48	Choices Laminate Overhead Full-End Shelf	105
		Jumper Cord	111	LOCSFES60	Choices Laminate Overhead Full-End Shelf	105
	LEDTL31DCJC	LED Task Light - Daisy Chain with		LOCSFOC24	Choices Laminate Overhead Full-End Cubby	106
		Jumper Cord	111	LOCSFOC30	Choices Laminate Overhead Full-End Cubby	106
	LEDTL44DCJC	LED Task Light - Daisy Chain with		LOCSFOC36	Choices Laminate Overhead Full-End Cubby	106
2		Jumper Cord	111	LOCSFOC42	Choices Laminate Overhead Full-End Cubby	106
)	LEDTL17DCMP	LED Task Light - Daisy Chain with		LOCSFOC48	Choices Laminate Overhead Full-End Cubby	106
3		Main Power	111	LOCSFOC60	Choices Laminate Overhead Full-End Cubby	106
	LEDTL31DCMP	LED Task Light - Daisy Chain with		LOCSFSS24	Choices Laminate Overhead Full-Height	
		Main Power	111		Single-Sliding Door	108
	LEDTL44DCMP	LED Task Light - Daisy Chain with		LOCSFSS30	Choices Laminate Overhead Full-Height	
		Main Power	111		Single-Sliding Door	108
	LFDE	Lateral File Dividers	182	LOCSFSS36	Choices Laminate Overhead Full-Height	
	LFS530	Lateral File with Storage Cabinet	177		Single-Sliding Door	108
1	LFS536	Lateral File with Storage Cabinet	177	LOCSFSS42	Choices Laminate Overhead Full-Height	
,	LFS542	Lateral File with Storage Cabinet	177		Single-Sliding Door	108
	LFT1830E	Lateral File Tops	181	LOCSFSS48	Choices Laminate Overhead Full-Height	
	LFT1836E	Lateral File Tops	181		Single-Sliding Door	108
2	LFT1842E	Lateral File Tops	181	LOCSFSS60	Choices Laminate Overhead Full-Height	
	LFT1860E	Lateral File Tops	181		Single-Sliding Door	108
6	LFT1866E	Lateral File Tops	181	LOCSHDS24	Choices Laminate Overhead Half-Height	
	LFT1872E	Lateral File Tops	181		Dual-Sliding Door	109
n	LFT1878E	Lateral File Tops	181	LOCSHDS30	Choices Laminate Overhead Half-Height	
	LFT1884E	Lateral File Tops	181		Dual-Sliding Door	109
)	LFT3630E	Lateral File Tops	181	LOCSHDS36	Choices Laminate Overhead Half-Height	
)	LFT3636E	Lateral File Tops	181		Dual-Sliding Door	109
,	LFT3642E	Lateral File Tops	181	LOCSHDS42	Choices Laminate Overhead Half-Height	
'n	LFT3660E	Lateral File Tops	181		Dual-Sliding Door	109
5	LFT3666E	Lateral File Tops	181	LOCSHDS48	Choices Laminate Overhead Half-Height	
,	LFT3672E	Lateral File Tops	181		Dual-Sliding Door	109
5	LFT3678E	Lateral File Tops	181	LOCSHDS60	Choices Laminate Overhead Half-Height	
ח	LFT3684E	Lateral File Tops	181		Dual-Sliding Door	109
	LH	Label Holders	182	LOCSHES24	Choices Laminate Overhead Half-End Shelf	105
_	LKS	Choices Lock Keys	15	LOCSHES30	Choices Laminate Overhead Half-End Shelf	105
	LOCSDHD24	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHES36	Choices Laminate Overhead Half-End Shelf	105
•	LOCSDHD30	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHES42	Choices Laminate Overhead Half-End Shelf	105
	LOCSDHD36	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHES48	Choices Laminate Overhead Half-End Shelf	105
	LOCSDHD42	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHES60	Choices Laminate Overhead Half-End Shelf	105
	LOCSDHD48	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHOC24	Choices Laminate Overhead Half-End Cubby	106
	LOCSDHD60	Choices Laminate Overhead Dual Hinged Doors	s 107	LOCSHOC30	Choices Laminate Overhead Half-End Cubby	106
	LOCSFDS24	Choices Laminate Overhead Full-Height		LOCSHOC36	Choices Laminate Overhead Half-End Cubby	106
		Dual-Sliding Door	109	LOCSHOC42	Choices Laminate Overhead Half-End Cubby	106
	LOCSFDS30	Choices Laminate Overhead Full-Height		LOCSHOC48	Choices Laminate Overhead Half-End Cubby	106
		Dual-Sliding Door	109	LOCSHOC60	Choices Laminate Overhead Half-End Cubby	106
	LOCSFDS36	Choices Laminate Overhead Full-Height		LOCSHSS24	Choices Laminate Overhead Half-Height	
		Dual-Sliding Door	109		Single-Sliding Door	108

Terms, Policies Choices Choices Choices & Index Filing & Storage Desking Components Electrical

Catalog No.	Description	Page	Catalog No.	Description	Pag	је
LOCSHSS30	Choices Laminate Overhead Half-Height		PD3066	Peninsula Desks	14	12
	Single-Sliding Door	108	PD3072	Peninsula Desks	14	12
LOCSHSS36	Choices Laminate Overhead Half-Height		PD3660	Peninsula Desks	14	12
	Single-Sliding Door	108	PD3666	Peninsula Desks	14	12
LOCSHSS42	Choices Laminate Overhead Half-Height		PD3672	Peninsula Desks	14	12
	Single-Sliding Door	108	PDM48	Peninsula Modesty8	5, 14	17
LOCSHSS48	Choices Laminate Overhead Half-Height		PDM60	Peninsula Modesty8	5, 14	17
	Single-Sliding Door	108	PDM66	Peninsula Modesty8	5, 14	17
LOCSHSS60	Choices Laminate Overhead Half-Height		PDM72	Peninsula Modesty8	5, 14	17
	Single-Sliding Door	108	PDR	Pencil Drawer	9	<b>)</b> 5
LOSCL	Laminate Overhead Flipper/Shelf Clip	104	PFCT2436	Post-Formed Corner Desk Top	16	34
LS30	Low Screens	160	PFCT2442	Post-Formed Corner Desk Top	16	34
LS36	Low Screens	160	PFCT2448	Post-Formed Corner Desk Top	16	34
LS42	Low Screens	160	PFCT3036	Post-Formed Corner Desk Top	16	34
LS48	Low Screens	160	PFCT3042	Post-Formed Corner Desk Top	16	34
LS60	Low Screens	160	PFCT3048	Post-Formed Corner Desk Top	16	34
LS66	Low Screens	160	PFCT244230	Post-Formed Dual Depth Desk Top	16	34
LS72	Low Screens	160	PFCT304224	Post-Formed Dual Depth Desk Top	16	34
MARMDUAL	Dual Monitor Arm	93, 159	PFWT2424	Post-Formed Rectangular Desk Top	16	3
MARMSNGL	Single Monitor Arm	93, 159	PFWT2430	Post-Formed Rectangular Desk Top	16	3
MB3030	Marker Boards	115	PFWT2436	Post-Formed Rectangular Desk Top	16	3
MB3630	Marker Boards	115	PFWT2442	Post-Formed Rectangular Desk Top	16	33
MB4230	Marker Boards	115	PFWT2448	Post-Formed Rectangular Desk Top	16	33
MB4830	Marker Boards	115	PFWT2460	Post-Formed Rectangular Desk Top	16	3
MB6030	Marker Boards	115	PFWT2466	Post-Formed Rectangular Desk Top	16	33
MP1212E	Mobile Pedestals	183	PFWT2472	Post-Formed Rectangular Desk Top	16	3
MP612E	3/4 Mobile Pedestals	184	PFWT3024	Post-Formed Rectangular Desk Top	16	3
MP6612E	Mobile Pedestals	183	PFWT3030	Post-Formed Rectangular Desk Top	16	3
MPCTK	Mobile Pedestal Cushion Top Kit	184	PFWT3036	Post-Formed Rectangular Desk Top	16	3
MSRAK	Modesty Side Rail Attachment Kit	151	PFWT3042	Post-Formed Rectangular Desk Top	16	3
PBH15	Choices PowerPac Block-to-Block Harness	54	PFWT3048	Post-Formed Rectangular Desk Top	16	3
PBH18	Choices PowerPac Block-to-Block Harness	54	PFWT3060	Post-Formed Rectangular Desk Top	16	3
PBH21	Choices PowerPac Block-to-Block Harness	54	PFWT3066	Post-Formed Rectangular Desk Top	16	3
PBH24	Choices PowerPac Block-to-Block Harness	54	PFWT3072	Post-Formed Rectangular Desk Top	16	3
PBH27	Choices PowerPac Block-to-Block Harness	54	PKCHFLA	Pack Lock for Flipper Units, and Flipper Door		
PBH30	Choices PowerPac Block-to-Block Harness	54		Conversion Kits	2	21
PBH33	Choices PowerPac Block-to-Block Harness	54	PKCTAFLA	Pack Lock for Contrada Overhead Storage Units		
PBH36	Choices PowerPac Block-to-Block Harness	54	PLCAK	Pack Core/Key Sets	2	20
PBH39	Choices PowerPac Block-to-Block Harness		PLF306612	Pedestal Lateral File Center		
PBH42	Choices PowerPac Block-to-Block Harness	54	PLKS	Pack Lock Keys	2	20
PBH45	Choices PowerPac Block-to-Block Harness	54	PMAT	Accessory Trays	11	7
PBH48	Choices PowerPac Block-to-Block Harness	_	PMBH	Binder Holders	11	7
PBH51	Choices PowerPac Block-to-Block Harness	54	PMCDH	CD Holders	11	8
PBH54	Choices PowerPac Block-to-Block Harness	54	PMFT	Folder Trays	11	8
PBH57	Choices PowerPac Block-to-Block Harness	54	PMPB	Phone Bases	11	8
PBH60	Choices PowerPac Block-to-Block Harness	54	PMPH	Pen Holders	11	7
PBH63	Choices PowerPac Block-to-Block Harness	54	PMPT	Paper Trays		
PBH66	Choices PowerPac Block-to-Block Harness	54	PMRCDR	Paper Management Rail CD Rack		
PBH72	Choices PowerPac Block-to-Block Harness	54	PPB24	PowerPac Blocks		
PBH78	Choices PowerPac Block-to-Block Harness	54	PPB30	PowerPac Blocks	5	54
PBH90	Choices PowerPac Block-to-Block Harness	54	PPB36	PowerPac Blocks	5	54
PCD6	Pedestal Divider/Conversion Kit	185	PPB42	PowerPac Blocks	5	54
PCD12	Pedestal Divider/Conversion Kit		PPB48	PowerPac Blocks	5	54
PD1	Power Duplexes	55	PPB60	PowerPac Blocks	_	
PD1A	Power Duplexes	55	PPBC	PowerPac Block Port Cover		
PD2	Power Duplexes		PPH12	PowerPac Extension Harness		
PD2A	Power Duplexes	55	PPH18	PowerPac Extension Harness		
PD3	Power Duplexes	55	PPH20	PowerPac Extension Harness		
PD3A	Power Duplexes		PPH24	PowerPac Extension Harness		
PD3B	Power Duplexes	55	PPH30	PowerPac Extension Harness		-
PD4	Power Duplexes	55	PPH36	PowerPac Extension Harness		
PD4A	Power Duplexes		PPH42	PowerPac Extension Harness		
PD3060	Peninsula Desks	142	PPH48	PowerPac Extension Harness	5	55

Catalog No.	Description	Page	Catalog No.	Description	Page
SD2466	Standard Desks	129	STWL64661212	Storage Tower with Wardrobe - Left-Hand	174
SD2472	Standard Desks	129	STWR521212	Storage Tower with Wardrobe - Right-Hand	174
SD3048	Standard Desks	129	STWR526612	Storage Tower with Wardrobe - Right-Hand	174
SD3060	Standard Desks	129	STWR64121212	Storage Tower with Wardrobe - Right-Hand	174
SD3066	Standard Desks	129	STWR64661212	Storage Tower with Wardrobe - Right-Hand	174
SD3072	Standard Desks	129	TA1230B	Tackable Acoustical Panel	
SFDIV	Shelf/File Dividers103, 1	59, 187	TA1242B	Tackable Acoustical Panel	26
SICCHM34	Half Modesty for Corner Desks	-	TA1248B	Tackable Acoustical Panel	26
SICCHM40	Half Modesty for Corner Desks		TA1254B	Tackable Acoustical Panel	
SICCHM46	Half Modesty for Corner Desks		TA1262B	Tackable Acoustical Panel	26
SICCLEGF	C-Leg Full		TA1266B	Tackable Acoustical Panel	
SICCLEGS	C-Leg Short		TA1284B	Tackable Acoustical Panel	26
SICCPOST	Corner Post		TA1830B	Tackable Acoustical Panel	26
SICHM30	Half Modesty for Rectangle Desks		TA1842B	Tackable Acoustical Panel	
SICHM36	Half Modesty for Rectangle Desks		TA1848B	Tackable Acoustical Panel	
SICHM42	Half Modesty for Rectangle Desks		TA1854B	Tackable Acoustical Panel	
SICHM48	Half Modesty for Rectangle Desks		TA1862B	Tackable Acoustical Panel	
SICHM60	Half Modesty for Rectangle Desks		TA1866B	Tackable Acoustical Panel	
SICHM66	Half Modesty for Rectangle Desks		TA1884B	Tackable Acoustical Panel	26
SICHM72	Half Modesty for Rectangle Desks		TA2430B	Tackable Acoustical Panel	
SICSP	Flush Support Plate91, 1		TA2442B	Tackable Acoustical Panel	
SR2436	Standard Returns		TA2448B	Tackable Acoustical Panel	
SR2442	Standard Returns		TA2454B	Tackable Acoustical Panel	
SR2448	Standard Returns		TA2462B	Tackable Acoustical Panel	
SR2460	Standard Returns	_	TA2466B	Tackable Acoustical Panel	
SR2466	Standard Returns		TA2484B	Tackable Acoustical Panel	
SR2472	Standard Returns		TA3030B	Tackable Acoustical Panel	
SR3036	Standard Returns		TA3042B	Tackable Acoustical Panel	
SR3042	Standard Returns		TA3048B	Tackable Acoustical Panel	
SR3048	Standard Returns		TA3054B	Tackable Acoustical Panel	
SR3060	Standard Returns		TA3062B	Tackable Acoustical Panel	
SR3066	Standard Returns		TA3066B	Tackable Acoustical Panel	
SR3072	Standard Returns		TA3078B	Tackable Acoustical Panel	
SS30E2	Storage Shelves		TA3084B	Tackable Acoustical Panel	
SS36E2	Storage Shelves		TA3630B	Tackable Acoustical Panel	
SS42E2	Storage Shelves		TA3642B	Tackable Acoustical Panel	
SSC	Square Slot Covers		TA3648B	Tackable Acoustical Panel	
STS24	Steel Shelves		TA3654B	Tackable Acoustical Panel	
STS30	Steel Shelves		TA3662B	Tackable Acoustical Panel	
STS36	Steel Shelves		TA3666B	Tackable Acoustical Panel	26
STS42	Steel Shelves	102	TA3678B	Tackable Acoustical Panel	26
STS48	Steel Shelves		TA3684B	Tackable Acoustical Panel	
STS60	Steel Shelves		TA4230B	Tackable Acoustical Panel	
STU	Touch-Up Paint		TA4242B	Tackable Acoustical Panel	
STWBL521212	Storage Tower with Wardrobe and		TA4248B	Tackable Acoustical Panel	
	Bookcase - Left-Hand	173	TA4254B	Tackable Acoustical Panel	
STWBL526612	Storage Tower with Wardrobe and		TA4262B	Tackable Acoustical Panel	
	Bookcase - Left-Hand	173	TA4266B	Tackable Acoustical Panel	
STWBL641212	Storage Tower with Wardrobe and		TA4278B	Tackable Acoustical Panel	
	Bookcase - Left-Hand	173		Tackable Acoustical Panel	
STWBL646612	Storage Tower with Wardrobe and		TA4230B	Tackable Acoustical Panel	
	Bookcase - Left-Hand	173		Tackable Acoustical Panel	
STWBR521212	Storage Tower with Wardrobe and		TA4848B	Tackable Acoustical Panel	
- · · - · -	Bookcase - Right-Hand	173	TA4854B	Tackable Acoustical Panel	
STWBR526612	Storage Tower with Wardrobe and	-	TA4862B	Tackable Acoustical Panel	
	Bookcase - Right-Hand	173		Tackable Acoustical Panel	
STWBR641212	Storage Tower with Wardrobe and		TA4878B	Tackable Acoustical Panel	
	Bookcase - Right-Hand	173		Tackable Acoustical Panel	
STWBR646612	Storage Tower with Wardrobe and		TA6030B	Tackable Acoustical Panel	
	Bookcase - Right-Hand	173	TA6042B	Tackable Acoustical Panel	
STWL521212	Storage Tower with Wardrobe - Left-Hand		TA6048B	Tackable Acoustical Panel	
STWL526612	Storage Tower with Wardrobe - Left-Hand		TA6054B	Tackable Acoustical Panel	
STWL64121212	Storage Tower with Wardrobe - Left-Hand		TA6062B	Tackable Acoustical Panel	
_	• • • • • • • • • • • • • • • • • • • •				

## Trendway. >

	Catalog No.	Description	Page	Catalog No.	Description	Page
	TA6066B	Tackable Acoustical Panel	26	TB4216	Tackboards	114
	TA6078B	Tackable Acoustical Panel	26	TB4220	Tackboards	114
	TA6084B	Tackable Acoustical Panel	26	TB4232	Tackboards	114
	TAABCK12	Choices Original to Enhanced TA Panel		TB4248	Tackboards	114
		Compatibility Kit	34	TB4808	Tackboards	114
	TAABCK18	Choices Original to Enhanced TA Panel		TB4816	Tackboards	
		Compatibility Kit	34	TB4820	Tackboards	
	TAABCK24	Choices Original to Enhanced TA Panel		TB4832	Tackboards	
		Compatibility Kit	34		Tackboards	
	TAABCK30	Choices Original to Enhanced TA Panel		TB3008	Tackboards	
	.,	Compatibility Kit	34		Tackboards	
	TAABCK36	Choices Original to Enhanced TA Panel		TB6020	Tackboards	
	.,	Compatibility Kit	34		Tackboards	
	TAABCK42	Choices Original to Enhanced TA Panel		TB6048	Tackboards	
	.,	Compatibility Kit	34		Tele-Com Power Pole	
	TAABCK48	Choices Original to Enhanced TA Panel		TCP144B	Tele-Com Power Pole	
	1701201110	Compatibility Kit	34	-	Tel-com Power Pole Divider	
	TAABCK60	Choices Original to Enhanced TA Panel		TCW12	Wood Top Caps - Retrofit	
	1701201100	Compatibility Kit	34		Wood Top Caps - Retrofit	
	TABACK12	Choices Enhanced to Original TA Panel		TCW24	Wood Top Caps - Retrofit	
	II IDI WILL	Compatibility Kit	35	_	Wood Top Caps - Retrofit	
	TABACK18	Choices Enhanced to Original TA Panel		TCW36	Wood Top Caps - Retrofit	
S	17 ID NOICIO	Compatibility Kit	35		Wood Top Caps - Retrofit	
<b>Choices</b> Panels	TABACK24	Choices Enhanced to Original TA Panel		TCW48	Wood Top Caps - Retrofit	
ho an	TABACINE	Compatibility Kit	35		Wood Top Caps - Retrofit	
ᄗᄟ	TABACK30	Choices Enhanced to Original TA Panel		TLS24	Slim-Profile Task Light	
	TABAONSO	Compatibility Kit	35	_	Slim-Profile Task Light	
_	TABACK36	Choices Enhanced to Original TA Panel		TLS42	Slim-Profile Task Light	
Choices Electrical	TABACKSO	Compatibility Kit	35	_	Slim-Profile Task Light	
ĘŚ	TABACK42	Choices Enhanced to Original TA Panel		VDSL36B	Vinyl Door Sections	
ec p	TABAON	Compatibility Kit	35		Vinyl Door Sections	
$\circ$	TABACK48	Choices Enhanced to Original TA Panel		VDSR36B	Vinyl Door Sections	
	TABACK40	Compatibility Kit	35		Vinyl Door Sections	
Choices Components	TABACK60	Choices Enhanced to Original TA Panel		VFSU24	Veneer Flipper Door Storage Unit	
Choices	TABACKOO	Compatibility Kit	35		Veneer Flipper Door Storage Unit	
ig g	TAFGS246	Choices Frameless Screen			Veneer Flipper Door Storage Unit	
5 2	TAFGS306	Choices Frameless Screen			Veneer Flipper Door Storage Unit	
ပို	TAFGS366	Choices Frameless Screen			Veneer Flipper Door Storage Unit	
	TAFGS426	Choices Frameless Screen			Veneer Flipper Door Storage Unit	
νD	TAFGS486	Choices Frameless Screen		VP1242B	Hard Surface Vinyl-Covered Panels	
Choices Desking	TAFGS606	Choices Frameless Screen		VP1842B	Hard Surface Vinyl-Covered Panels	
ioi S <mark>k</mark>	TAFGS2412	Choices Frameless Screen		VP2442B	Hard Surface Vinyl-Covered Panels	
င်ငံ	TAFGS3012	Choices Frameless Screen		VP3042B	Hard Surface Vinyl-Covered Panels	
	TAFGS3612	Choices Frameless Screen		VP3642B	Hard Surface Vinyl-Covered Panels	
ge	TAFGS4212	Choices Frameless Screen		VP4242B	Hard Surface Vinyl-Covered Panels	
ō	TAFGS4812	Choices Frameless Screen		VP4842B	Hard Surface Vinyl-Covered Panels	
Choices g & Stor	TAFGS6012	Choices Frameless Screen		VP1248B	Hard Surface Vinyl-Covered Panels	
<u>ه</u> 5	TB2408	Tackboards		VP1848B	Hard Surface Vinyl-Covered Panels	
ည်စ	TB2416	Tackboards		VP2448B	Hard Surface Vinyl-Covered Panels	
Filing	TB2420	Tackboards		VP3048B	Hard Surface Vinyl-Covered Panels	
证	■ TB2432	Tackboards		VP3648B	Hard Surface Vinyl-Covered Panels	
es	TB2448	Tackboards		VP4248B	Hard Surface Vinyl-Covered Panels	
Policies Idex	TB3008	Tackboards		VP4848B	Hard Surface Vinyl-Covered Panels	
Poli ndex	TB3016	Tackboards		VP1254B	Hard Surface Vinyl-Covered Panels	
	TB3020	Tackboards		VP1854B	Hard Surface Vinyl-Covered Panels	
erms, & Ir	TB3032	Tackboards		VP2454B	Hard Surface Viryl Covered Panels	
er	TB3048	Tackboards		VP3054B	Hard Surface Vinyl-Covered Panels	
	TB3608	Tackboards		VP3654B	Hard Surface Viryl Covered Panels	
	TB3616	Tackboards		VP4254B	Hard Surface Vinyl-Covered Panels	
	TB3620	Tackboards		VP4854B	Hard Surface Vinyl-Covered Panels	
	TB3632	Tackboards		VP1262B	Hard Surface Viryl Covered Panels	
	TB3648	Tackboards		VP1862B	Hard Surface Viryl Covered Panels	
	TB4208	Tackboards			Hard Surface Vinyl-Covered Panels	
	. 5 . 200		117	1020	a.a Ganado vinyi Goverda i ando	20

Catalog No.	Description	Page
VP3062B	Hard Surface Vinyl-Covered Panels	28
VP3662B	Hard Surface Vinyl-Covered Panels	28
VP4262B	Hard Surface Vinyl-Covered Panels	28
VP4862B	Hard Surface Vinyl-Covered Panels	28
VP1266B	Hard Surface Vinyl-Covered Panels	28
VP1866B	Hard Surface Vinyl-Covered Panels	28
VP2466B	Hard Surface Vinyl-Covered Panels	28
VP3066B	Hard Surface Vinyl-Covered Panels	28
VP3666B	Hard Surface Vinyl-Covered Panels	28
VP4266B	Hard Surface Vinyl-Covered Panels	28
VP4866B	Hard Surface Vinyl-Covered Panels	28
VP1284B	Hard Surface Vinyl-Covered Panels	28
VP1884B	Hard Surface Vinyl-Covered Panels	28
VP2484B	Hard Surface Vinyl-Covered Panels	28
VP3084B	Hard Surface Vinyl-Covered Panels	28
VP3684B	Hard Surface Vinyl-Covered Panels	28
VP4284B	Hard Surface Vinyl-Covered Panels	28
VP4884B	Hard Surface Vinyl-Covered Panels	28
VWC3	Vertical Wire Channel	113
WRB36E	Wardrobe Bars (For Five-High Double Door	
	Storage Unit)	179
WR536E	Wardrobe Unit	178
WSBKL	Work Surface Brackets – Left-Hand	
WSBKP	Work Surface Brackets – Pair	91
WSBKR	Work Surface Brackets - Right-Hand	91
WSSL19L	Work Surface Support P-Leg – Left-Hand	
WSSL19R	Work Surface Support P-Leg - Right-Hand	92
WSSL29L	Work Surface Support P-Leg – Left-Hand	92
WSSL29R	Work Surface Support P-Leg - Right-Hand	92
WSSL	Work Surface Supports – Left-Hand	
WSSR	Work Surface Supports - Right-Hand	
WSSLS	Work Surface Supports – Left-Hand Shared	
WSSRS	Work Surface Supports - Right-Hand Shared.	91

Trendway. >		

**Choices**Panels

Choices Choices Components Electrical

Choices Desking

Terms, Policies
& Index Filing & Storage