Trig Desking

PRICE LIST | FEBRUARY 2018

Trendway

Trig Desking
Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

Ordering Information
The most efficient way to enter an order is through Trendway On-Line Order Entry on www.trendealer.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order
To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.
2. A complete "ship to" address with correct Zip code.
3. A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

   (Refer to your price list for ordering options.)
8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times
The majority of Trig Desking products are shipped within Trendway's standard lead time. Trendway Express lead-times are available on select products. Products and their options available for specification on Express are indicated with an Ⓔ in front of the catalog number. Note that all chosen options for a product must also be available in the Express program to qualify.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

Product Questions, Quotes & Order Placement On-Line
www.trendealer.com
Hours: 24 Hours, 7 Days a Week

Customer Care Representative
Hours: Monday–Friday
7:30 am–5:30 pm EST
Phone: 1-800-893-8115
Fax: 1-800-893-8121
e-mail: customercare@trendway.com

Trendway Custom Solutions
Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.

1. **Trendway Express Orders**
   - Trendway Express is Trendway's special quick shipment program. The Program was devised to help customers meet immediate office furnishing needs. Complete orders entered electronically will ship within an average of 3 working days.

     Express is a selected offering that features more frequently requested Trendway products, options, and finishes — enough to address most commonly encountered work situations in today's office.

     Because Express lead times are so short, no COM or special orders can be accepted.
   - **The Maximum Order**
     Trig Express orders are limited to a maximum of $30,000 retail list price for 3-day shipment. Due to the special nature of this offering, no deviations or substitutions of products will be accepted. Shipments are subject to product availability. Orders containing any non-Express products will be scheduled for normal lead times.
   - **Changing or Canceling an Order**
     Express orders are often processed the day after order entry. Therefore, your Express order may be changed or canceled only on the same day that it is placed.
2. **Transportation**
   All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.
3. **Prices**
   Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.

Sequence Information
The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

	Catalog Number	Top Color
Sample Part Number:	TRGRECD2048	.XZ3

Trig | Desks | Work Surfaces | Screens & Modesties | Tables | Filing + Storage | Statement of Line

Desks

D W*	D1 W* D2	D1 W D2	D1 W* D2 D3	D1 W* D2 D3
20" x 36"	24" x 54" x 20"	30" x 94" x 24"	30" x 54" x 42" x 24"	42" x 54" x 20" x 24"
20" x 72"	24" x 72" x 20"		30" x 72" x 42" x 24"	42" x 72" x 20" x 24"
24" x 36"	30" x 54" x 20"		30" x 54" x 48" x 24"	48" x 54" x 20" x 24"
24" x 72"	30" x 72" x 20"		30" x 72" x 48" x 24"	48" x 72" x 20" x 24"
30" x 36"	30" x 54" x 24"			
30" x 72"	30" x 72" x 24"			

Right-Hand

**widths in increments of 6"*

⟷ Denotes direction of wood grain

Work Surfaces

D W*	D1 W* D2	D1 W* D2 D3	D1 W* D2 D3
20" x 48"	24" x 54" x 20"	30" x 54" x 42" x 24"	42" x 54" x 20" x 24"
20" x 84"	24" x 84" x 20"	30" x 84" x 42" x 24"	42" x 84" x 20" x 24"
24" x 48"	30" x 54" x 20"	30" x 54" x 48" x 24"	48" x 54" x 20" x 24"
24" x 84"	30" x 84" x 20"	30" x 84" x 48" x 24"	48" x 84" x 20" x 24"
30" x 48"	30" x 54" x 24"		
30" x 84"	30" x 84" x 24"		

Right-Hand

**widths in increments of 6"*

Work Surface Support Legs

	Shared	Side to Side
W	W	W
20"	40"	20"
24"	48"	24"
30"	60"	30"
		48"
		60"

Supports surfaces that are next to each other – no need for separate legs on each surface.

Screens & Modesties

Desk Top Screens

W H
16" x 8"
20" x 8"
26" x 8"
38" x 8"
44" x 8"
16" x 13"
20" x 13"
26" x 13"
38" x 13"
44" x 13"

Surface Mount Screens

W* H
24" x 13"
84" x 13"
24" x 19"
84" x 19"

**widths in increments of 6"*

Back Edge Mount Screens

W* H
24" x 13"
72" x 13"
24" x 19"
72" x 19"

**widths in increments of 6"*

Modesty

W* H
24" x 14"
72" x 14"

**widths in increments of 6"*

Screen/Modesty Combination

W* H
24" x 28"
72" x 28"

**widths in increments of 6"*

Fabric Mounted Screens

W H
18" x 13"
71 7/8" x 13"
18" x 19"
71 7/8" x 19"
23 3/4" x 28"
71 3/4" x 28"

**widths in increments of 6"*

Filing & Storage

Credenzas

D W H	D W H	D W H		D W H	D W H	D W H	D W H
20" x 75" x 26 3/4"	20" x 60" x 26 3/4"	20" x 45" x 26 3/4"		20" x 30" x 26 3/4"	20" x 45" x 26 3/4"	20" x 30" x 26 3/4" 20" x 36" x 26 3/4"	20" x 60" x 26 3/4"

D W H	D W H	D W H	D W H	D W H	D W H	D W H
20" x 30" x 26 3/4"	20" x 75" x 26 3/4	20" x 60" x 26 3/4"	20" x 45" x 26 3/4"	20" x 45" x 26 3/4"	20" x 45" x 26 3/4"	20" x 45" x 26 3/4"

Filing & Storage Continued

Bench-Height Storage

D W H
20" x 75" x 21"

D W H
20" x 60" x 21"

D W H
20" x 45" x 21"

D W H
20" x 45" x 21"

D W H
20" x 30" x 21"

D W H
20" x 30" x 21"
20" x 36" x 21"

Freestanding Storage

D W H
20" x 30" x 26¾"

D W H
20" x 15½" x 26¾"

D W H
20" x 30" x 26¾"

Under Desk Support Storage

D W H
20" x 30" x 27¾"
24" x 30" x 27¾"
30" x 30" x 27¾"

D W H
20" x 15½" x 27¾"
24" x 15½" x 27¾"
30" x 15½" x 27¾"

D W H
20" x 30" x 27¾"
24" x 30" x 27¾"
30" x 30" x 27¾"

Stack Storage - Open Shelf*

D W H*
14" x 30" x 27¼"

D W H*
14" x 30" x 39¼"

**To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas.*

Stack Storage - Paper Management

D W* H
14" x 30" x 5"
14" x 45" x 5"
14" x 60" x 5"
14" x 75" x 5"

**To match Credenza Storage widths*

Trig to Panel Bracket

Will allow Trig Work Surface Legs and Storage Units to directly connect to Choices and Contrada Panels.

Overhead - Single and Dual Sliding Door

D W* H
14" x 48" x 15½"
14" x 72" x 15½"

D W* H
14" x 48" x 15½"
14" x 72" x 15½"

Overhead - Open Shelf

D W* H
14" x 48" x 15½"
14" x 84" x 15½"

Overhead - Hinged Doors**

D W* H
14" x 60" x 15½"
14" x 84" x 15½"

**Widths in 6" increments.*

***The same door size is used for all units. Overheads 66" and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit.*

Combination Storage

D W H
20" x 30" x 53¾"

D W H
20" x 30" x 53¾"

D W H
20" x 45" x 53¾"

D W H
20" x 45" x 53¾"

D W H
20" x 15½" x 47¾"
24" x 15½" x 47¾"
30" x 15½" x 47¾"

D W H
20" x 15½" x 47¾"
24" x 15½" x 47¾"
30" x 15½" x 47¾"

Tower Storage

D W H
20" x 30" x 65¾"

D W H
20" x 15" x 65¾"

D W H
20" x 30" x 53¾"

D W H
20" x 15" x 53¾"

Filing & Storage Continued

Door Style Options

Laminate Door

Framed Door Insert (Plexiglass)

Wardrobe Storage

D W H
24" x 24" x 66"

D W H
24" x 24" x 66"

D W H
20" x 15" x 53¾"
20" x 15" x 65¾"

Benching Electrical

Power Raceway

Power Grommets

2 Power

1 Power 1 USB

1 Power a Open Data

Accessories

Monitor Arms

Lighting

Tables

D W H
36" x 72" x 28¾"
42" x 72" x 28¾"
48" x 72" x 28¾"
48" x 96" x 28¾"
48" x 120" x 28¾"
48" x 144" x 28¾"

D/W H
36" x 28¾"
42" x 28¾"
48" x 28¾"

Note: *See the Tables Price Book for the complete Tables offering.*

Down-Roll (⬇)
Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A

Railroad
Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B

COM Fabrics
COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Fig. C

Pattern	Capture Tiles & Volo	Choices Panels & All Systems Components	Fabric Screens	Freestanding Tackboards		TrendWall
				> 60"	< 60"	
Anchorage	⬇	⬇	⬇	R	⬇	•
Bird's Eye	⬇	⬇	⬇	R	⬇	•
Cameo	⬇	⬇	⬇	R	⬇	•
Cape Cod	⬇	⬇	⬇	R	⬇	⬇
Chicago*	⬇	•	48" - 72" R	•	•	•
Encore	⬇	⬇	⬇	R	⬇	⬇
Era*	⬇	•	48" - 72" R	•	•	•
Fine Point	⬇	⬇	⬇	R	⬇	⬇
Framework	✥	✥	✥	✥	✥	•
Frost	⬇	⬇	⬇	R	⬇	•
Glint	⬇	⬇	⬇	R	⬇	⬇
Highbeams*	⬇	•	48" - 72" R	•	•	•
Infinity*	⬇	•	48" - 72" R	•	•	•
Intermix	⬇	⬇	⬇	R	⬇	⬇
Jane*	⬇	•	48" - 72" R	•	•	•
Kinect	⬇	⬇	⬇	R	⬇	⬇
L2	⬇	⬇	⬇	R	⬇	⬇
Marathon*	⬇	•	48" - 72" R	•	•	•
Meander	⬇	⬇	⬇	R	⬇	⬇
Metallation	⬇	⬇	⬇	R	⬇	⬇
Millennium*	⬇	•	48" - 72" R	•	•	•
Netiquette	⬇	⬇	⬇	R	⬇	⬇
Odyssey*	⬇	•	48" - 72" R	•	•	•
Pact	⬇	⬇	⬇	R	⬇	⬇
Proverb	⬇	⬇	⬇	R	⬇	⬇
Pursuit	⬇	⬇	⬇	R	⬇	⬇
Rivet*	⬇	•	48" - 72" R	•	•	•
Script	⬇	⬇	⬇	R	⬇	⬇
Sprite	⬇	⬇	⬇	R	⬇	⬇
Strata	⬇	⬇	⬇	R	⬇	⬇
Tabby Weave	✥	✥	✥	✥	✥	✥
Tenor	⬇	⬇	⬇	R	⬇	⬇
Tradition*	⬇	•	48" - 72" R	•	•	•
Universe	⬇	⬇	⬇	R	⬇	⬇

- • Not Available
- ✥ Non Directional - Pattern will be applied for best yield
- ⬇ Down Roll - The height dimension of the tile or component is parallel to the warp of the fabric
- R Railroaded - The height dimension of the tile or component is perpendicular to the warp of the fabric
- * Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo

Surface Material Program
The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

Standard Program
Trendway's Standard Program of timeless fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

Surface Trends
Trendway's Surface Trends Program is an evolving collection of fabrics, vinyls, and laminates, and are designated by symbol. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass Cal.117 and are listed as part of the UL recognized component program.

Express
Express fabrics and finishes are available in a three-day lead time. Surface Materials available for specification on Express are indicated with a Ⓔ in front of the 3-digit code.

Terratex®
Terratex is a True Textiles brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

COM
Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information, see item #11, COM, in the Pricing, Procedures and Policies section in the back of the price list or on Trendealer.com.

Pre-Approved COM
Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on www.trendealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Binder Cards
Standard and Surface Trends binder cards are available through Trendway fulfillment. www.trendealer.com

Standard Program Samples
Samples of fabrics and finishes are available through Trendway fulfillment. www.trendealer.com

Surface Trends Samples
Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

Camira
www.camirafabrics.com
1-616-288-0655

Guilford Of Maine®
www.guilfordofmaine.com
1-800-544-0200

Mayer
www.mayerfabrics.com
1-800-428-4415

Momentum® Textiles
www.memosamples.com
1-800-366-6839

Nevamar
www.nevamar.com
1-800-638-4380

Pionite
www.pionite.com
1-800-746-6483

Wilsonart®
www.wilsonart.com
1-800-433-3222

Surface Material Legend

= 100% Recycled Content

Terratex brand is a registered trademark of True Textiles. Refer to your binder card to identify Terratex 100% recycled fabrics, or for a complete list www.trendealer.com.

= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

Panel Fabrics

Framework — Grade 0

Value Fabric

ⓔ KK0	Capri
ⓔ KK1	Cappuccino
ⓔ BJ7	Dove Gray
ⓔ KK2	Espresso
ⓔ B4Y	Eucalyptus
ⓔ KJY	Fresco
ⓔ B4X	Gray Blue
ⓔ KJX	Grotto
ⓔ B4V	Sandy Pebble

Fine Point — Grade 1

BN2	Balique
BN3	Fresco
BN4	Porcelain
BN5	Silvern
BN6	Sterling
BN7	Vintage

Frost — Grade 1

ⓔ AJ1	Arctic
ⓔ AJ5	Black Ice
ⓔ AJ0	Blizzard
ⓔ AJ4	Chilled
ⓔ AH6	Crystals
ⓔ AH3	Dew
AH5	Flurries
AJ3	Glacier
AH9	Glaze
ⓔ AH4	Icing
ⓔ AH8	Sleet
ⓔ AH7	Snowcap
AH2	Whiteout
AJ2	Wintry

Intermix — Grade 1

Guilford of Maine

KDP	Butter Rum
KDN	Coconut
KDM	Foggy
KDK	Husky
KDT	Neptune
KDU	Marsh
KDJ	Rocket Ship
KDH	Seagull
KDR	Swan
KDV	Smoky Quartz

Meander — Grade 1

Momentum

ⓔ B48	Agate Taupe
ⓔ B49	Nightshadow
ⓔ B4A	Overcast
ⓔ B4B	Sandshell

Netiquette — Grade 1

KK5	Analog
KK3	Chipset
KK4	Dashboard
KK8	Gamma
KK7	Inkjet
KKC	Pixel
KKA	Refresh
KK6	Schema
KK9	Vector

Pursuit — Grade 1

Guilford of Maine

KDG	Cement
KDA	Dove
KD8	Fern
KDF	Elephant
KDE	Lemon Zest
KDC	Mist Grey
KD9	Whisper
KDD	White Linen

Universe — Grade 1

Momentum

ⓔ B4G	Cosmic
ⓔ B4H	Creme Brulee
ⓔ B4J	Depth
ⓔ B4K	Mica
ⓔ B4M	Milkyway
ⓔ B4N	Seneca
ⓔ B4P	Wheat
ⓔ B4R	Whitecap

Bird's Eye — Grade 2

ⓔ AG5	Flight
AG7	Glide
AG4	Impression
ⓔ AG3	Outlook
AG9	Panorama
AG0	Rock
AG6	Soar
AH1	Storm
AG1	Vista

Cameo — Grade 2

Momentum

K0V	Almond
K0W	Coffee
K0X	Fawn
K0Y	Ivory
K10	Linen
K11	Metal
K12	Mist
K13	Parchment
K14	Smoke
K15	Stone
K16	Twig

Cape Cod — Grade 2

Guilford of Maine

BYN	Apricot
BYK	Buff
BYG	Cloud
BYP	Dune
BYJ	Key Lime
BYF	Linen
BYH	Seagull
BYM	Shale
BYR	Surf

Encore — Grade 2

Momentum

K00	Cocoa
K01	Graphite
K02	Honey
K03	Putty

L2 — Grade 2

Camira

KUH	Algebra
KUM	Cuboid
KUJ	Divide
KUK	Multiply
KU9	Positive
KUC	Radius
KUD	Rotation
KUA	Sigma
KUG	Symmetry
KUF	Tangent
KUE	Value
KU8	Vertex

Metallation — Grade 2

SL5	18 Karat
SP8	Chrome
SM3	Dark Annealed
SJ3	Etched Bronze
SN1	Fired Titanium
SR4	Polished Pewter
ST0	Stove Pipe
BPP	Stainless
SQ6	Welded Steel
SS2	Wrought Iron

Pact — Grade 2

Momentum

BM5	Aloe
BM6	Azure
BM7	Calla
BM8	Coastal
BM9	Delft
BMA	Dove
BMC	Dragon
BMD	Eureka
BME	Fern
BMF	Harbor
BMG	Lily
BMH	Lime
BMJ	Midnight
BMK	Nectar
BMM	Patina
BMN	Putty
BMP	Roast
BMR	Roma
BMT	Rubine
BMU	Sketch
BMV	Tanzanite
BMW	Taupe
BMX	Toasty

Sprite — Grade 2

Guilford Of Maine

BU7	Butter
BU8	Harvest
BU9	Khaki
BUA	Kiwi
BUB	Linen
BUC	Powder
BUD	Sherbet
BUE	Sky
BUF	Snow

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Panel Fabrics

Strata — Grade 2
Guilford Of Maine

BYD	Cement
BYA	Cloud
BY9	Latte
BY6	Linen
BY8	Sand
BYE	Sea
BYC	Sky
BY7	Straw

Tabby Weave — Grade 2

e 404	Apricot Neutral
e K96	Black
e 401	Blue Neutral
e QN9	Blue Plum
e QL2	Blue Spruce
e QP5	Bone
e QQ3	Cement Mix
e 400	Cherry Neutral
e K97	Coin
e 175	Crystal Blue
e QV0	Desert Sand
e K98	Flannel
e 238	Grey Mix
e QR1	Light Moss
e QS0	Lake
e K99	Medium Grey
e 423	Pumice
e 380	Quartz
e 390	Rose Quartz
e QM0	Sienna
e BV2	Silver Papier
e QT8	Stream
e 150	Wedgewood

Tenor — Grade 2
Momentum

B0R	Bisque
B0T	Champagne
B0U	Chiffon
B0V	Desert View
B0W	Driftwood
B0X	Heatherglen
B0Y	Mysteria
B30	Rose Tan

Anchorage — Grade 3
Guilford Of Maine

e BF4	Aubergine
e BF7	Amber
e AR1	Angora
e AR0	Asteroid
e AQ8	Birch
e BF9	Cobalt
e BFK	Coffee Bean
e AQ4	Cumin
e AQ7	Deep Water
e AQ3	Eucalyptus
e AR3	Fossil
e BF3	Geranium
e BF8	Goldenrod
e BFM	Graphite
e AQ9	Goose
e BFF	Green Apple
e AQ2	Green Olive
e AR2	Henna
e BFA	Lapis
e BXN	Magenta
e BFD	Midnight
e BF5	Mulberry
e GEB	Onyx
e BFH	Pine Needle
e BF6	Poppy
e BF2	Pumpkin
e AQ6	Quarry Blue
e BFN	Red Delicious
e BFE	Sea
e AQ5	Slate
e B9P	Straw
e BF1	Sunshine
e BFC	Thistle
e AQ1	Vanilla
e BXP	Waterfall
e BFG	Willow
e BFJ	Wolf

Glint — Grade 3
Momentum

KG3	Barley
KG4	Caspian
KG5	Column
KG6	Gobi
KG7	Gypsum
KG8	Note
KG9	Opal
KGA	Pearl
KJ2	Pumice
KGC	Relic
KGD	Rune
KGE	Serene
KGF	Shale
KGG	Sisal
KGH	Turret
KGJ	Vera

Kinect — Grade 3
Momentum

KGK	Alloy
KGM	Ashen
KGN	Chiffon
KGP	Cove
KGR	Dew
KGT	Dove
KGU	Ivory
KGV	Mercury
KGW	Mushroom
KGX	Nickel
KGY	Numbus
KH0	Passion
KH1	Smoke
KH2	Tin
KH3	Vapor
KH4	Veil

Proverb — Grade 3
Momentum

KH5	Anchor
KH6	Armor
KH7	Basalt
KH8	Buff
KH9	Cinder
KHA	Crystal
KHC	Fog
KHD	Linen
KHE	Mist
KHF	Oyster
KHG	Rye
KHH	Steel
KHJ	Storm

Script — Grade 3
Momentum

KHK	Almond
KHM	Charcoal
KHN	Feldspar
KHP	Flint
KHR	Nectar
KHT	Patina
KHU	Pebble
KHV	Sand
KHW	Shadow
KHX	Slate
KHY	Sterling
KJ0	Taupe
KJ1	Zinc

Fabric patterns noted with e are available in Trendway's Express program.

Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trim	
ⓔ K	Charcoal
ⓔ DW	Designer White
ⓔ G	Gray
ⓔ L	Light Gray
ⓔ Y	Sand
ⓔ J	Stucco
ⓔ TK	Textured Charcoal
ⓔ TDW	Textured Designer White
ⓔ TG	Textured Gray
ⓔ TL	Textured Light Gray
ⓔ TY	Textured Sand
ⓔ TJ	Textured Stucco

Framed Door Insert

Plexiglass

02	Bronze Tinted
01	Clear
E3A*	Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*Standard 3form Color Options	
E02	Solo Aqua Supermatte Ecoresin
E01	Solo Supermatte Ecoresin
E03	Spider Ecoresin

***Note:** These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

Textured Metallic Paint	
ⓔ FK	Charcoal Frost
ⓔ FDW	Designer White Frost
ⓔ FG	Gray Frost
ⓔ FL	Light Gray Frost
ⓔ FY	Sand Frost
ⓔ FJ	Stucco Frost

Smooth Metallic Paint	
PA	Platinum

Thermofused Laminates

Standard Program

Solid	Grade 1
ⓔ XZ4	Black

Woodgrain	Grade 1
ⓔ XZ5	Chocolate Pear
ⓔ XZ3	Empire Mahogany
ⓔ XZ2	Fusion Maple
ⓔ XZ1	Wild Cherry

Woodgrain	Grade 2
XY2	Phantom Charcoal
XY1	Phantom Ecru
XY0	Phantom Pearl

***Extended Program**

***Note:** Lead times may be extended. Call Customer Care for specific availability.

XZ8	Beigewood	XY4	Graphite
XZE	Brazilwood	XZM	Light Gray
XZH	Designer White	XY5	Shadow
XZY	Finnish Oak	XZK	Slate Gray
XY3	Gray	XZZ	Walnut

Shaded items require an extended Lead Time.

Fabric patterns noted with ⓔ are available in Trendway's Express program.

CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	J0C	XZH	E1	DW	V52
Graphite	J9D	XY4	E6		
Gray**	520		G	G	V38
Light Gray**	573	XZM	L	L	V51
Platinum**			PA	PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04	XY5	E7		
Slate Grey	J08	XZK	E2		
Stucco **	J11		J	J	V49

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Choices, Volo	Panel Vinyl TrendWall
American Natural					AS2
Beigewood	J0G	XZ8	W8	M4	
Brazilwood	J0D	XZE	WE	M5	
Chocolate Pear	J0A	XZ5	W4	M7	
Empire Mahogany	J2A	XZ3	W7	M8	
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XY0	E3		
Russian Maple					AS3
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

** Trendway standard trim paint color

Seating Fabrics

Chicago — Grade A
Camira

KR4	Adler
KR5	Aqua
KR6	Architecture
KR7	Balaban
KR8	Blues
KR9	Brookfield
KRA	Cloud
KRC	Grant
KRD	Hancock
KRE	Illinois
KRF	Jazz
KRG	Marina
KRH	Millennium
KRJ	Navy
KRK	Pizza
KRM	Tower
KRN	Willis
KRP	Wrigley

Dillon — Polyurethane — Grade A
Culp Contract

KPE	Apple Green
KPF	Balsa
KPG	Black
KPH	Buff
KPJ	Chili
KPK	Cordovan
KPM	Fiesta
KPN	Grape
KPP	Graphite
KPR	Java
KPT	Lipstick
KPU	Luggage
KPV	Ocean
KPW	Sage
KPX	Snow
KPY	Steel
KR0	Stratus
KR1	Straw
KR2	Thunder
KR3	Williamsburg

Era — Grade A
Camira

KRR	Aeon
KRT	Calendar
KRU	Chapter
KRV	Cycle
KRW	Event
KRX	Everlasting
KRY	Forecast
KT0	Forward
KT1	Futurist
KT2	Generation
KT3	History
KT4	Lifetime
KT5	Perennial
KT6	Period
KT7	Phase
KT8	Present
KT9	Prime
KTA	Span
KTC	Stage
KTD	Timelapse

Gravity — Grade A
Camira

KTE	Almond
KTF	Botanic
KTG	Brook
KTH	Dove
KTJ	Gooseberry
KTK	Gravel
KTM	Ice
KTN	Mustard
KTP	Nutmeg
KTR	Rose
KTT	Slate
KTU	Tigerlilly

Haven — Grade A
Camira

KTV	Anchor
KTW	Beach
KTX	Dunes
KTY	Fountain
KU0	Harbor
KU1	Holland
KU2	Lakeside
KU3	Pier
KU4	Port
KU5	Rail Road
KU6	River
KU7	Spring Lake

Highbeams — Grade A
Guilford of Maine

ⓔ BBR	Barley
ⓔ BC4	Bayberry
ⓔ BC2	Black
ⓔ BC1	Buttercup
ⓔ BBU	Expresso
ⓔ BBP	Gold Rush
ⓔ BBY	Grape
ⓔ BC5	Kiwi
ⓔ BBV	Maroon
ⓔ BC3	Navy
ⓔ BPU	Rust
ⓔ BBX	Slate
ⓔ BBW	Tangerine

Hue — Grade A
Momentum

AK2	Annato
B54	Aspen
AJ8	Black
BB4	Char
BB5	Chipotle
AK7	Cocoa
B55	Currant
AJ9	Dandelion
AK4	Eggplant
B56	Fern
AK1	Frothe
AK8	Golden
K7E	Grape
K7F	Grass
BUG	Hibiscus
B57	Indigo
K7G	Juniper
GHK	Latte
BB6	Laurel
AK6	Night

Hue Cont. — Grade A
Momentum

AK3	Pacific
BB7	Paprika
BUH	Quarry
K7H	Saffron
K7J	Salsa
BUJ	Seaport
BUK	Shade
AK5	Sky
K7K	Smoke
BUM	Stem
K7M	Tropic

Jane — Grade A
Guilford of Maine

BR7	Blueberry
BR8	Chive
BR9	Fuchsia
BRA	Gold
BRC	Grape
BRD	Guacamole
BRE	Jet
BRF	Lapis
BRG	Lichen
BRH	Natural
BRJ	Persimmon
BRK	Pomegranate
BRM	Ruby
BRN	Rust
BRP	Steel
BRR	Ultramarine

Manhattan — Grade A
Camira

KUN	Astor
KUP	Broadway
KUR	Bronx
KUT	Capital
KUU	Houston
KUV	Jackson
KUW	Leroy
KUX	Macys
KUY	Monroe
KV0	Park
KV1	Penn
KV2	Rubin
KV3	Saks
KV4	Soho
KV5	Staten
KV6	Taxi
KV7	Varick
KV8	Watts

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Open House — Grade A
Guilford of Maine

ⓔ B5F	Amber
ⓔ BE1	Angora
ⓔ BEH	Asteroid
ⓔ A69	Aubergine
ⓔ B5A	Coffee Bean
ⓔ BE4	Cobalt
ⓔ A71	Cumin
ⓔ A72	Deep Water
ⓔ A76	Fossil
ⓔ BE3	Geranium
ⓔ BEG	Goose
ⓔ A75	Goldenrod
ⓔ BE9	Graphite
ⓔ BE7	Green Apple
ⓔ B5B	Green Olive
ⓔ B5C	Henna
ⓔ BE5	Lapis
ⓔ BXR	Magenta
ⓔ A67	Midnight
ⓔ A70	Mulberry
ⓔ A64	Onyx
ⓔ A66	Pine Needle
ⓔ B5D	Poppy
ⓔ A65	Pumpkin
ⓔ BEE	Quarry Blue
ⓔ A63	Red Delicious
ⓔ B5E	Straw
ⓔ A74	Thistle
ⓔ BXT	Waterfall
ⓔ A68	Willow
ⓔ BE8	Wolf

Perk — Grade A
Momentum

Note: Not available on Live/ Live II Chairs

B22	Auburn
B23	Cabana
B24	Cedar
B25	Crimson
B26	Dijon
B27	Ebony
B28	Flint
B29	Patriot
B2A	Pewter
B2B	Regal
B2C	Sesame
B2D	Walnut

Rivet — Grade A
Camira

KV9	Abraid
KVA	Alloy
KVC	Burnish
KVD	Cast
KVE	Charcoal
KVF	Chromoly
KVG	Copper
KVH	Crucible
KVJ	Deep Clay
KVK	Deep Sea
KVM	Ferrous
KVN	Forge
KVP	Fuse
KVR	Galvanise
KVT	Grey Brindle
KVU	Hammer

Rivet Cont. — Grade A
Camira

KVV	Hemlock
KVW	Lagoon
KVX	Molten
KVY	Olive
KW0	Otter
KW1	Prime
KW2	Quench
KW3	Resin
KW4	Solder
KW5	Spark
KW6	Tensile
KW7	Tungsten
KW8	Twig
KW9	Verdigris
KWA	Vitreous
KWC	Wire
KWD	Woodrose

Sketch — Grade A
Guilford of Maine

ⓔ KA6	Berry
ⓔ KA7	Brass
ⓔ KA8	Buttercup
ⓔ KA9	Carrot
ⓔ KAA	Cocoa
ⓔ KAC	Flamingo
ⓔ KAD	Flannel
ⓔ KAE	Grass
ⓔ KAF	Khaki
ⓔ KAG	Kiwi
ⓔ KAH	Lagoon
ⓔ KAJ	Merlot
ⓔ KAK	Navy
ⓔ KAM	Sage
ⓔ KAN	Teal

Ticker — Grade A
Guilford of Maine

KDW	Caribbean
KDX	Cinnamon
KDY	Cobalt
KE0	Espresso
KE1	Fairway
KE2	Flint
KE3	Ginger
KE4	Grain
KE5	Grape
KE6	Lavender
KE7	Meadow
KE8	Midnight
KE9	Orchid
KEA	Raspberry
KEC	Raven
KED	Terracotta

Canter Polyurethane — Grade B
Momentum

KKD	Adobe
BVK	Alfalfa
BVM	Ancho
BVN	Ballad
BVP	Baltic
BVR	Basalt
KKE	Blush Grey
BVT	Bordeaux
BVU	Brazen
BVV	Chestnut
KKF	Citrus
BVW	Cordovan
BVX	Earth
KKG	Espresso
KKH	Folkstone Grey
KKJ	Graphite
BVY	Ink
BW1	Iron
KKX	Kiwi Green
BW2	Lucid
BW3	Maize
BW4	Mica
BW5	Night
BW6	Nimbus
BW7	Onyx
KKM	Pine
KKN	Polar Blue
BW8	Pyrite
BW9	Quarry
KKP	Red
KKW	Rose Wood
BWA	Sable
BWC	Saddle
BWD	Safari
BWE	Sand
KKR	Sand Dollar
BWF	Storm
BWG	Sumac
KKT	Summer White
BWH	Tango
BWJ	Tawny
KKU	Teal Green
BWK	Thatch
BWM	Toasty
BWN	Tusk
KKV	Twilight
BWP	Verdite
BWR	Willow

Fuse — Grade B
Momentum

BNF	Azurean
BNG	Carmine
BNH	Cress
BNJ	Ginger
BNK	Iris
BNM	Lunar
BNN	Malted
BNE	Morel
BNP	Pepper
BNR	Pimento
BNT	Pristine
BNU	Saffron
BNV	Walnut

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

George — Grade B
Guilford of Maine

K9A	Antler
K9C	Aquamarine
K9D	Bamboo
K9E	Ebony
K9F	Flannel
K9G	Gold
K9H	Ground
K9J	Harvest
K9K	Honey Mustard
K9M	Hudson
K9N	Ivy
K9P	Lawn
K9R	Liberty
K9T	Marine
K9U	Mercury
K9V	Ocean
K9W	Plum
K9X	Poppy
K9Y	Purple
KA0	Raspberry
KA1	Root Beer
KA2	Suede
KA3	Uniform Blue
KA4	Vermillion
KA5	Wheat

Punchline — Grade B
Guilford of Maine

BDT	Angora
BTE	Azure
BTF	Cherry
BTG	Cobalt
BTH	Copper
BTJ	Eucalyptus
BTK	Graphite
BTM	Linen
BTN	Mist
BTP	Nugget
BTR	Peacock
BTT	Pepper
BTU	Spring
BTV	Straw
BTW	Tangerine
BTX	Vanilla
BTY	Willow

Sockhop — Grade B
Guilford of Maine

ⓔ BEK	Blue Moon
ⓔ A95	Bronze
ⓔ A87	Cobalt
ⓔ A93	Custard
ⓔ A97	Garnet
ⓔ A86	Graphite
ⓔ A89	Pine
ⓔ A92	Platinum
ⓔ A96	Pumpkin
ⓔ A91	Silver Lining
ⓔ A88	Twilight

Current — Grade C
Momentum

K7P	Birch
K7R	Cadet
K7T	Eclipse
K7U	Espresso
K7V	Moss
K7W	Pecan
K7X	Plum

Habit — Grade C
Momentum

K7Y	Aspen
K80	Blueprint
K81	Dune
K82	Kindle
K83	Pier
K84	Salt
K85	Tailor

Infinity — Grade C
Momentum

K3F	Aluminum
K3G	Aster
K3H	Atoll
K3J	Barley
K3K	Berry
K3M	Beyond
K3N	Capri
K3P	Dove
K3R	Eclipse
K3T	Graphite
K3U	Gull
K3V	Hyacinth
K3W	Java
K3X	Lemongrass
K3Y	Links
K40	Macintosh
K41	Maize
K42	Papaya
K43	Pewter
K44	Pumice
K45	Radiant
K46	Rinse
K47	Russet
K48	Sable
K49	Stucco
K4A	Terrain
K4C	Tyrian
K4D	Umber
K4E	Vanilla
K4F	Vine

Knack — Grade C
Momentum

BUR	Berry
BNW	Brisk
BUT	Carbon
BUU	Dark Roast
BUV	Filament
BNX	Fresco
BUW	Glaze
BNY	Reed
BP0	Sax
BP1	Teak
BUX	Wave
BP2	Zest
BP3	Zing

Marathon — Grade C
Momentum

K4G	Alert
K4H	Arbor
K4J	Caravel
K4K	Chili
K4M	Clay
K4N	Clove
K4P	Curry
K4R	Cyan
K4T	Deep
K4U	Flax
K4V	Fluorite
K4W	Foliage
K4X	Herb
K4Y	Lantern
K50	Marigold
K51	Noir
K52	Oats
K53	Oz
K54	Pinot
K55	Pollen
K56	Rain
K57	Ridge
K58	Sprite
K59	Storm
K5A	Sunset
K5C	Tint
K5D	Toile
K5E	Violet
K5F	Vivacious
K5G	Wren

Millennium — Grade C
Momentum

K5H	Aglow
K5J	Amber
K5K	Anchor
K5M	Cascade
K5N	Cavern
K5P	Cerise
K5R	Clean
K5T	Coastal
K5U	Copper
K5V	Crisp
K5W	Electric
K5X	Geode
K5Y	Ush
K60	Mocha
K61	Monument
K62	Nector
K63	Onyx
K64	Orchid
K65	Peridot
K66	Plateau
K67	Pool
K68	Pyrite
K69	Safari
K6A	Sapphire
K6C	Spark
K6D	Steel
K6E	Tanzanite
K6F	Thrill
K6G	Voyage
K6H	Zinc

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Odyssey — Grade C
Momentum

K1D	Alloy
K1E	Amp
K1F	Breeze
K1G	Captain
K1H	Carbon
K1J	Cedar
K1K	Craft
K1M	Cruise
K1N	Duon
K1P	Eggplant
K1R	Emerald
K1T	Fossil
K1U	Ink
K1V	Inlet
K1W	Iris
K1X	Kiss
K1Y	Linen
K20	Lively
K21	Maritime
K22	Nettle
K23	Oliver
K24	Opaque
K25	Primary
K26	Roast
K27	Rue
K28	Sangria
K29	Skim
K2A	Smith
K2C	Tinge
K2D	Western

Skip — Grade C
Momentum

KJ3	Alloy
KJ4	Captain
KJ5	Chalk
KJ6	Clementine
KJ7	Cobalt
KJ8	Deep
KJ9	Elm
KJA	Flax
KJC	Flint
KJD	Fuchsia
KJE	Keylime
KJF	Mushroom
KJG	Nickel
KJH	Onyx
KJJ	Pewter
KJK	Pool
KJM	Ruby
KJN	Saffron
KJP	Sparrow
KJR	Sprite
KJT	Straw
KJU	Terrain
KJV	Vanilla
KJW	Yacht

Syntax — Grade C
Momentum

K8N	Asphalt
K8P	Camel
K8R	Carmine
K8T	Cocoa
K8U	Flare
K8V	Hudson
K8W	Mahogany
K8X	Nectar
K8Y	Pewter
K90	Plant
K91	Shale
K92	Steel
K93	Tiger Eye
K94	Turquoise
K95	Violet

Tradition — Grade C
Momentum

K2E	Ash
K2F	Branch
K2G	Class
K2H	Distant
K2J	Flirt
K2K	Frond
K2M	Grain
K2N	Hedge
K2P	Hidden
K2R	Isle
K2T	Jazz
K2U	Kelly
K2V	Latte
K2W	Malbec
K2X	Miller
K2Y	Mist
K30	Peel
K31	Plated
K32	Regal
K33	Sly
K34	Soar
K35	Soy
K36	Spiced
K37	Sprout
K38	Sterling
K39	Sun
K3A	Tango
K3C	Theater
K3D	Wash
K3E	Weld

Via — Grade C
Momentum

K86	Cayenne
K87	Cornsilk
K88	Fieldspar
K89	Galaxy
K8A	Khaki
K8C	Pristine
K8D	Slate

Beeline — Grade D
Momentum

KM0	Canvas
KM1	Cork
KM3	Eclipse
KM5	Forge
KM7	Geyser
KMG	Portobello
KMR	Walnut

Bravo II Polyurethane — Grade D
Momentum

BWT	Alfalfa
BWU	Bark
BWV	Barn
BWW	Black
BWX	Brick
BWY	Cinder
BX0	Clay
BX1	Copper
BX2	Driftwood
BX3	Dusk
BX4	Graystone
BX5	Hematite
BX6	Iron
BX7	Marina
BX8	Mica
BXA	Night
BXC	Outback
BXD	Patina
BXE	Ranch
BXF	Saddle
BXG	Slate
BXH	Sunset
BXJ	Tumbleweed
BXK	Twilight
BXM	Willow

Cosmopolitan — Grade D
Guilford of Maine

BPD	Amber
BPE	Cornsilk
BPF	Crimson
BPG	Earthen
BPH	Everglade
BPJ	Ivory
BPK	Shadow
BPM	Spring
BPN	Stream

Free — Grade D
Momentum

K8E	Cocoa
K8F	Evening
K8G	Graphite
K8H	Oasis
K8J	Orbit
K8K	Pearl
K8M	Platinum

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Boom II — Grade E
Momentum

KEH	Black Ice
KEJ	Butterscotch
KEK	Cloud
KEM	Foliage
KEN	Frothe
KEP	Heather
KER	Honeycomb
KET	Klein
KEU	Living
KEV	Mirror
KEW	Mushroom
KEX	Mystic
KEY	Pewter
KF0	Poppy
KF1	Sapphire
KF2	Slate
KF3	Spruce
KF4	Stout
KF5	Toucan
KF6	Wall Street
KF7	Zeal

Cover Cloth — Grade E
Momentum

KF8	Antique
KF9	Bouquet
KFA	Coffee
KFC	Cyan
KFD	Delft
KFE	Electric
KFF	Flame
KFG	Fuchsia
KFH	Graphite
KFJ	Heirloom
KFK	Hickory
KFM	Indigo
KFN	Jet
KFP	Navel
KFR	Oat
KFT	Platinum
KFU	Savor
KFV	Shire
KFW	Sorrel
KFX	Taiga
KFY	Taupe
KG0	Vesper
KG1	Vessel
KG2	Zest

Brisa — Grade G
Ultrafabrics

K6J	Apple Green
K6K	Ash
K79	Aztek
K6M	Bark
K6N	Birch
K6P	Black Onyx
K6R	Blossom
K6T	Cambridge Blue
K6U	Celery
K6V	Desert Clay
K6W	New Sand
K6X	Night Navy
K6Y	Pompeian Red
K70	Salsa
K71	Shiitake

Brisa Cont. — Grade G
Ultrafabrics

K72	Sterling Blue
K73	Truffle
K74	White

Brisa Cont. — Grade G
Ultrafabrics

K75	Buckskin
K77	Iron
K76	Moccasin
K78	Steerhide

Silica — Grade I
Momentum

KMU	Alloy
KMV	Appletini
KN2	Burnished
KN7	Cumulus
KNE	Gallant
KP0	Nero
KP3	Quartz

Silica Leather — Grade I
Momentum

L51	Almond
L56	Dove
L57	Driftwood
L59	Earthen
L60	Eclipse
L63	Ink
L73	Shadow

Leather — Grade Leather

L42	Black
L4A	Blue
L4M	Blueberry
L4P	Bone
L4E	Bright White
L4G	Burgundy
L45	Charcoal
L4K	Dark Brown
L4F	Doe
L4B	Expresso
L4N	Hunter
L4J	Light Gray
L4H	Parchment
L50	Saddle
L25	Teal

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Trig Keying Order Form
This form can be used as a worksheet or an order form to determine what key-alike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices and Contrada flipper units and for additional Trig Lock Keys, Core Keys and Master Keys*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

Trig Core/Key Set
Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers** may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

Trig Core Installation/Removal Key
Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Trig lock cores.

***Trig Master Key**
Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

Trendway

Trendway Corporation
13467 Quincy St. Holland MI 49424
Phone: (800) 893-8115 Fax: (800) 893-8121
www.trendway.com

Trig Keying Order Form

Customer P.O. Number 12345 Trendway Order Number _____

Ship to address if different from P.O. _____

Trig Core/Key Set – TLCK

Qty.	List Price $13	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	
2	$26	S101	3	5	John's Office
6	$78	S101	2		Offices 201, 252

Sample

Additional Trig Lock Key(s) – TKEY

Qty.	List Price $8	Key Number S101 - S200	
1	$8	S101	

Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price $4	One core removal key is included at no charge for every 50 lock sets ordered.
3	$12	

Trig Master Key(s)
Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trendway

Trendway Corporation
13467 Quincy St. Holland MI 49424
Phone: (800) 968-5344 Fax: (616) 399-0668
www.trendway.com

Trig Keying Order Form

Customer P.O. Number _____ Trendway Order Number _____

Ship to address if different from P.O. _____

Trig Core/Key Set – TLCK

Qty.	List Price $13	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	

Additional Trig Lock Key(s) – TKEY

Qty.	List Price $8	Key Number S101 - S200	

Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price $4	One core removal key is included at no charge for every 50 lock sets ordered.

Trig Master Key(s)

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trig Core/Key Set
The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.

Trig Core Installation/Removal Key
The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.

Trig Lock Key
Replacement Trig Keys are available for order.

Trig Core/Key Set

	List Price	Catalog Number	Key Number
	$14	TLCK	S101 - S200

Trig Core Installation/Removal Key

	List Price	Catalog Number	
	$4	TCK	

Trig Lock Key

	List Price	Catalog Number	Key Number
	$8	TKEY	S101 - S200

Sample Part Number:	TKEY	. S112
Total Cost $8 =	$8 +	N/C

Trig Desking

Typical Workstations	*20*
Overview & Ordering Information	*21*
Desks	*23*
Work Surfaces	*33*
Work Surface Support Legs	*39*
Work Surface Support Accessories	*40*
Screens	*41*
Modesty	*42*
Conference Tables	*44*
Credenzas	*45*
Freestanding Units	*49*
Bench-Height Storage	*51*
Combination Storage	*52*
Marker Board & Tackboard	*55*
Storage Towers	*56*
Under Desk Storage	*60*

Typical – 7'x7' "L" Shape Workstation — List Price $5,501

Quantity	Catalog Number
1	TRGRECS2484
1	TRGULEG24
1	TRGCOS30
1	TRG612LAT20
1	TRGUDPED24
1	TRGTSSDR66

Typical – 6'x8' "L" Shape Workstation — List Price $6,250

Quantity	Catalog Number
1	TRGWEGDL307224
1	TRGCOS30
1	TRG612LAT20
2	TRGTS66OS66

Typical – 8' x 7' "U" Shape Workstation — List Price $6,003

Quantity	Catalog Number
1	TRGEPSR487230
1	TRGESSL487220
1	TRGULEG30
1	TRGUDLAT20
1	SICSP
1	TRG612PED20
1	TRGTSSDL66

Typical – Desk Workstation — List Price $4,367

Quantity	Catalog Number
1	TRGRECD2472
1	TRGRECS2072
1	TRGUDPED20
1	TRGUDDD20
1	TRGMOD60

Typical – Mirrored 17' x 9' (8.5' x 9' per station) Workstation — List Price $8,118

Quantity	Catalog Number
1	TRGANGDL309424
1	TRGANGDR249430
2	TRGRECS2078
2	TRGWSBRKTS
2	TRGUDPED20
1	TRGCS6612OSR20
1	TRGCS6612OSL20

Typical – 10' x 10' (5' x 5' per station) Benching Workstation — List Price $12,126

Quantity	Catalog Number
4	TRGRECD2060
2	TRGBMSM4828
2	TRGCLATOSR45
2	TRGCLATOSL45

Typical – 6.5' x 16' "L" (6.5' x 8' per station) Shape Workstation — List Price $11,079

Quantity	Catalog Number
2	TRGRECS2478
1	TRGULEG48
2	TRGUDPED24
2	TRGBF2LAT60
1	TRGTSSDR54
1	TRGTSSDL54
1	TRGTMS7813

Typical – 8' x 15' (4' x 7.5' per station) 4 Pack Workstation — List Price $12,494

Quantity	Catalog Number
2	TRGEPSL307248
2	TRGEPSR487230
4	TRGWSBRKTS
2	TRGCS6612OSR30
2	TRGCS6612OSL30
2	TRGTMS7213

Trig Desking Overview
Trig Desking is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, conference tables, and bench height, underdesk, combination and tower storage.

Ordering Information
For ease in specifying, Trendway's catalog numbering system uses meaningfull characters to convey description, surface type, and size. For example, TRGC2DDCS75 is a Trig Credenza unit with 2 Double Doors, Center Shelves, 75" (1905) wide.

By following the Sample Part Number Example below, you create a Part Number for each product. This Part Number will match your acknowledgement and packaging slip.

When ordering filing and storage units, list the following:

1. Quantity (combine same products)
2. Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
3. For ease of reading, place a period between each option number (TRGCOS30.XZ1.XZ1.XZ4.G)

Trig Key Option
Trig Desking filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 9 for more information). When the randomly keyed option "R" is chosen the Trig Desking filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Trig Desking storage unit will ship with a "disposable" core in place of the core/key and the specified Trig Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing and storage unit to lock. The Core/Key set (TLCK) must be ordered separately or by using the Trig Keying order form.

	Catalog Number		Unit/ Shelf Color		Top Color		Top Edge Color		Leg Trim Color
Sample Part Number:	TRGCOS30		.XZ1		.XZ1		.XZ4		.G
Total Cost $1013 =	$1013	+	N/C	+	N/C	+	N/C	+	N/C

STANDARD FEATURES

Edgebanding
Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

Wire Management
Grommets are available in black or silver. (Optional)

Drawers
All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

Doors
Storage doors have 95 degree hinges and shock absorbent bumpers.

Leveling Glides
Desks and Table allow up to 1" height adjustment.

Pedestals, Laterals, Credenza, Storage Cabinets and Towers allow up to 1⁵/₈" height adjustment, and are adjustable from inside the storage unit.

Pull Style Options
Trig filing and storage units have four 128mm center applied pull options (Classic, Streamline, and Designer), and one 256mm center pull (Modern). These are all plated nickel finish.

Classic
(Satin nickel)

Streamline
(Brushed nickel)

Designer
(Lacquered satin nickel)

Mod2
(Satin nickel)

Modern
(Satin nickel)

Dimensions
All dimensions listed are nominal unless otherwise noted.

Certification
All components of the Trig Desking offering meet or exceed ANSI/BIFMA performance standards unless noted.

Special Products and Finishes
Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

SPECIFICATIONS

Load Capacities
All Trig Laminate storage units meet or exceed the following BIFMA load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit trendealer.com

Desks:
5 lbs. (2.3kg) per linear inch, uniformly distributed.

Pedestal:
6" (152) Pedestal Drawer — 20 lbs. (9kg)
12" (305) Pedestal Drawer — 40 lbs. (18kg)
Top — 90 lbs. (41kg)

Laterals:
Drawer — approx. 2.6 lbs. (1.17kg) per linear inch
Top — approx. 4.6 lbs. (2.1kg) per linear inch

Storage Towers:
6" (152) Pedestal Drawer — 20 lbs. (9kg)
12" (305) Pedestal Drawer — 40 lbs. (18kg)
Top — 140 lbs. (64kg)
Unit Shelf — 60 lbs. (27kg)
Unit Bottom — 90 lbs. (41kg)

Double-Door Storage Units:
Shelf — 100 lbs. (45kg)
Top — 160 lbs. (73kg)
Bottom of Cabinet — 160 lbs. (73kg)

Tables:
36" (914) - 60" (1524) — 200 lbs. (276kg)
72"(1829) and longer — 400 lbs. (552kg)

Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a TRGTSDD66 = load capacity for bottom + 3 shelves + unit top
= 160 lbs. + 100 lbs. x 3 +160 lbs.
= 620 lbs. maximum load

Eg: Maximum load capacity for a TRG612LAT20 = load capacity for drawer x 2 drawers + unit top
= 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./linear in. x 36"
= approx. 352 lbs. maximum load (for actual load capacities for each size Trig Laminate Lateral File contact Trendway Customer Care or visit trendealer.com).

Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Laminate Lateral Files Specifications
Trig Laminate Lateral Files are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.

For use with Trig Laminate Lateral Files

Letter Size Filing

30" - Wide & File Center

1 Pair Trig Laminate Front-to-Back Filing Bars

Legal Size Filing

30" - Wide & File Center

1 Trig Laminate Front-to-Back Filing Bars

Lateral Files
CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.

To avoid tipping, always load bottom drawers before loading top drawer.

Trig offers pre-configured desks with support legs on both ends. Work surfaces with various support options may also be specified.

Specifing Work Surfaces with Support Options

Trig work surfaces are ordered by selecting a work surface shape and then ordering supports separately for the left and right. Storage units can be used as support on both ends of the Rectangle & Wedge work surfaces, but only one end of the Blade, Primary and Secondary work surfaces.

Work Surface With No Supports

Rectangle

Wedge
Left-Hand

Wedge
Right-Hand

Work Surfaces With One Support

Blade
Left-Hand

Primary
Left-Hand

Secondary
Left-Hand

Blade
Right-Hand

Primary
Right-Hand

Secondary
Right-Hand

Work Surface Support Options

Left-Hand Under Desk
Support Storage

Work Surface
Support Leg

Shared Work Surface Support Leg

- Under desk support storage includes a 1" riser to attach the work surface to the storage unit
- Support leg depth must match the work surface depth

- Shared support legs are utilized when two work surfaces of equal depth are paired together
- Support leg depth must match the work surface depth

Left-Hand Combination
Storage

Work Surface Support Leg

Left-Hand Pedestal Shelf
Combination Storage

Work Surface Support Leg

- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

Under Desk Storage Depth for Rectangle, Blade & Secondary Work Surfaces

Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	24"
30"	30"	30"

Under Desk Storage Depth for Wedge Work Surfaces

Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	20"
30"	30"	24"

Under Desk Storage Depth for Primary Work Surfaces

Surface Depth	Leg Depth	Storage Depth
30"	30"	24"

Primary & Secondary Work Surfaces

Primary and Secondary work surfaces are available in 42" and 48" depths.

Primary & Secondary 48"-deep work surfaces can be paired together to create a U-shaped work station. This U-shaped configuration is not recommended for 42"-deep work surfaces as it creates a narrow opening. However, they can be paired with rectangular work surfaces to create L-shaped work stations.

Surface Mount Screen

Surface mount screens are used when two work surfaces are positioned back-to-back and no gap exists between them. The base of each post spans seam between two surfaces and mounts on top with two screws. Screens are available in 13" and 19" heights, and lengths that span from 24" to 84" in 6" increments. Screen lengths of 48" and less are a single screen and two vertical posts. Screen lengths greater than 48" are two screens and three posts (center post is shared) see chart below:

Application	Number of Screens	Number of Posts
24" Span	(1) 24"	2
30" Span	(1) 30"	2
36" Span	(1) 36"	2
42" Span	(1) 42"	2
48" Span	(1) 48"	2
54" Span	(1) 24" + (1) 30"	3
60" Span	(2) 30"	3
66" Span	(1) 30" + (1) 36"	3
72" Span	(2) 36"	3
78" Span	(1) 36" + (1) 42"	3
84" Span	(2) 42"	3

(Total length of each screen is .25" shorter then nominal length)

Desk Top Screen

Desk Top Screens are used in benching or multiple-workstation configurations, where surfaces are positioned adjacent to each other end to end. Screens are available in 8" and 13" heights in each of the following widths: 16", 20", 26", 38" & 44". Screen length selected should be 4" shorter then the depth of the adjacent surfaces.

Screen / Modesty Combination

The Screen / Modesty Combinations are mounted 1" off the back edge of the work surface to provide clearance for cord pass-through. The size needed will depend on the right and left hand support options selected. For work surfaces with legs on both ends, subtract 12" from the width of the top. For work surfaces where underdesk storage or surface support brackets are used with Combination Storage, the screen/modesty width required can be determined by subtracting 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work suface with 30"-wide underdesk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your screen or screen / modesty combination width.

Modesty

The Modesty will be mounted 2" from the back edge of the work surface, and will be sized to limit physical interference with legs or storage support units. The size needed will depend on the right- and left-hand support options selected. For work surfaces with legs on both ends, the modesty width required can be determined by subtracting 12" from the width of the top. For work surfaces where under desk storage or work surface support brackets are used with Combination Storage, subtract 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work suface with 30"- wide under desk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your modesty width.

Using Support Leg and Storage to Panel Brackets

These brackets are designed to provide stability to panel layouts that otherwise would require return panels. When using these brackets, the panel layout rules for Loaded and Non-loaded panel runs must be followed to ensure a safe installation.

Non-Loaded Panel Runs

A Non-Loaded panel run is defined as having no panel hung components regardless of size or weight. The maximum length of a Non-Loaded panel run is 192" with a maximum of 66" high panels. Two Panel bracket connections, one on each end of the run, are required when used in place of a return panel (with the exception of Parallel-mounted Trig Desk). The Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of Non-loaded panel run. Storage units can be side-mounted or back-mounted (Fig. 1).

Fig. 1

For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 2):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit.

Fig. 2

For a parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. IF the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig 3).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 4).

Fig. 3

Fig. 4

Loaded Panel Runs

A Loaded panel run is defined as having panel hung components with two or more panels connected in a straight line. The maximum length of a loaded panel run with one panel connection before a panel bracket is needed is 120", and with 2 panel connections is 96". The maximum panel height depends on whether there is a overhead storage on the adjacent panel. Maximum height with no overhead storage on adjacent panel is 66", and with overhead storage on the adjacent panel is 62". "Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of a loaded panel run. Storage units can be side-mounted or back-mounted (Fig 5).

Fig. 5

For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 6):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit

Fig. 6

For parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. If the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig. 7).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 8).

Fig. 7

Fig. 8

Grommets

Grommets are optional on all work surfaces. They can be specified in Black or Silver.

Multiple Grommets or a single Power Grommet can be specified for Rectangle and Wedge Surfaces. If the Power Grommet option is selected the Surface will ship with a factory cut opening to house the unit, but the Grommet must be ordered separately.

The following drawings show standard Grommet locations.

Code	Position
GY	Single Grommet, centered left to right, 4” from the back of the table top.
GY2	Pair of Grommets, 14” to the center from each end, and 4” from the back of the table top
PNDR	One cutout for the Power Grommet 14” from the right edge of the top, and 4 3/8” in from the back edge.
PNDL	One cutout for the Power Grommet 14” from the left edge of the top, and 4 3/8” in from the back edge.

Grommet Dimensions

Power Grommet Locations

Rectangle Work Surfaces

Right- & Left-Hand Wedge Work Surfaces

Standard Grommet Locations

Rectangle Work Surfaces

Right- & Left-Hand Wedge Work Surfaces

Right- & Left-Hand Primary Work Surfaces

Right- & Left-Hand Secondary Work Surfaces

Right- & Left-Hand Blade Work Surfaces

Rectangular Desks
Trig Rectangular desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Power Grommets are ordered separately, see page 84 for details.

Note: For36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be used.

Trig Rectangular Desk

Dimensions Depth	Dimensions Width	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	36" (914)	$802	$816	**TRGRECD2036**	**NN** No Power	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost**
	42" (1067)	807	821	**TRGRECD2042**		**GN** No Grommet				
	48" (1372)	812	826	**TRGRECD2048**			**GS** Silver			**Premium Finish + $33**
	54" (1372)	908	922	**TRGRECD2054**	**PNDR** Power Right	**GY** One Grommet				
	60" (1524)	912	926	**TRGRECD2060**						
	66" (1676)	933	947	**TRGRECD2066**						
	72" (1829)	973	987	**TRGRECD2072**						
24" (610)	36" (914)	$841	$855	**TRGRECD2436**	**PNDL** Power Left	**GY2** Two Grommets (Not available with PNDR or PNDL)				
	42" (1067)	846	860	**TRGRECD2442**						
	48" (1219)	851	865	**TRGRECD2448**						
	54" (1372)	933	947	**TRGRECD2454**						
	60" (1524)	938	952	**TRGRECD2460**						
	66" (1676)	947	961	**TRGRECD2466**						
	72" (1829)	973	987	**TRGRECD2472**						
30" (762)	36" (914)	$923	$937	**TRGRECD3036**						
	42" (1067)	928	942	**TRGRECD3042**						
	48" (1219)	933	947	**TRGRECD3048**						
	54" (1372)	984	1011	**TRGRECD3054**						
	60" (1524)	993	1020	**TRGRECD3060**						
	66" (1676)	1013	1040	**TRGRECD3066**						
	72" (1829)	1038	1065	**TRGRECD3072**						
Build your complete Part Number here:				_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGRECD2048** _ _ _ _ _ _ _ _	**.NN** _ _	**.GN** _ _	**N/A** _ _	**.XZ4** _ _ _	**.XZ2** _ _ _	**.K** _
Total Cost $812 =	$812 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Wedge Desks
Trig Wedge desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Trig Wedge Desk – Right-Hand

Dimensions Depth1	Width	Depth2	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	24" (610)	$953	$967	**TRGWEGDR205424**	**NN** No Power	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost**
	60" (1524)		973	987	**TRGWEGDR206024**		**GN** No Grommet				
	66" (1676)		993	1007	**TRGWEGDR206624**			**GS** Silver			
	72" (1829)		1009	1023	**TRGWEGDR207224**	**PNDR** Power Right	**GY** 1 Grommet				**Premium Finish + $33**
20" (508)	54" (1372)	30" (762)	$959	$986	**TRGWEGDR205430**						
	60" (1524)		984	1011	**TRGWEGDR206030**	**PNDL** Power Left	**GY2** 2 Grommets (Not available if PNDR or PNDL selected)				
	66" (1676)		1005	1032	**TRGWEGDR206630**						
	72" (1829)		1019	1046	**TRGWEGDR207230**						
24" (610)	54" (1372)	30" (762)	$959	$986	**TRGWEGDR245430**						
	60" (1524)		984	1011	**TRGWEGDR246030**						
	66" (1676)		1005	1032	**TRGWEGDR246630**						
	72" (1829)		1019	1046	**TRGWEGDR247230**						
Build your complete Part Number here:					_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGWEGDR205424**	**.NN**	**.GY**	**.GB**	**.XZ2**	**.XZ4**	**.K**
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_

Total Cost $953 =	$953	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Wedge Desks
Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Wedge Desk – Left-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	54" (1372)	20" (508)	$953	$967	**TRGWEGDL245420**	**NN** No Power	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost**
	60" (1524)		973	987	**TRGWEGDL246020**		**GN** No Grommet				
	66" (1676)		993	1007	**TRGWEGDL246620**			**GS** Silver			**Premium Finish + $33**
	72" (1829)		1009	1023	**TRGWEGDL247220**	**PNDR** Power Right	**GY** 1 Grommet				
30" (762)	54" (1372)	20" (508)	$959	$986	**TRGWEGDL305420**						
	60" (1524)		984	1011	**TRGWEGDL306020**	**PNDL** Power Left	**GY2** 2 Grommets (Not available if PNDR or PNDL selected)				
	66" (1676)		1005	1032	**TRGWEGDL306620**						
	72" (1829)		1019	1046	**TRGWEGDL307220**						
30" (762)	54" (1372)	24" (610)	$959	$986	**TRGWEGDL305424**						
	60" (1524)		984	1011	**TRGWEGDL306024**						
	66" (1676)		1005	1032	**TRGWEGDL306624**						
	72" (1829)		1019	1046	**TRGWEGDL307224**						
				Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGWEGDL245420** _ _ _ _ _ _ _ _ _ _	**.NN** _ _	**.GN** _ _	**N/A** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $953 =	$953 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Blade Desks
Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Blade Desk – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	94" (2388)	30" (914)	$1328	$1392	**TRGANGDR249430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $33**

Trig Blade Desk – Left-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number
30" (914)	94" (2388)	24" (610)	$1328	$1392	**TRGANGDL309424**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGANGDR249430**	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
Total Cost $1328 =	$1328 +	N/C +	N/C +	N/C +	N/C +	N/C

Primary Desks
Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Right-Hand

Left-Hand

Trig Primary Desk – Right-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
42" (1067)	54" (1372)	30" (762)	24" (610)	$1299	$1345	**TRGEPDR425430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $33**
	60" (1524)	30" (762)		1299	1345	**TRGEPDR426030**					
	66" (1676)	30" (762)		1308	1354	**TRGEPDR426630**					
	72" (1829)	30" (762)		1308	1354	**TRGEPDR427230**					
48" (1219)	54" (1372)	30" (762)	24" (610)	$1308	$1354	**TRGEPDR485430**					
	60" (1524)	30" (762)		1308	1354	**TRGEPDR486030**					
	66" (1676)	30" (762)		1319	1365	**TRGEPDR486630**					
	72" (1829)	30" (762)		1319	1365	**TRGEPDR487230**					

Trig Primary Desk – Left-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
30" (762)	54" (1372)	42" (1067)	24" (610)	$1299	$1345	**TRGEPDL305442**
30" (762)	60" (1524)			1299	1345	**TRGEPDL306042**
30" (762)	66" (1676)			1308	1354	**TRGEPDL306642**
30" (762)	72" (1829)			1308	1354	**TRGEPDL307242**
30" (762)	54" (1372)	48" (1219)	24" (610)	$1308	$1354	**TRGEPDL305448**
30" (762)	60" (1524)			1308	1354	**TRGEPDL306048**
30" (762)	66" (1676)			1319	1365	**TRGEPDL306648**
30" (762)	72" (1829)			1319	1365	**TRGEPDL307248**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	**TRGEPDR425430** _ _ _ _ _ _ _ _ _ _	**.GN** _ _	**N/A** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $1299 =	$1299 +	N/C +	N/C +	N/C +	N/C +	N/C

Secondary Desks
Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Right-Hand

Left-Hand

Trig Secondary Desk – Right-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	42" (1067)	24" (610)	$1288	$1334	**TRGESDR205442**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost** **Pre-mium Finish + $33**
	60" (1524)			1288	1334	**TRGESDR206042**					
	66" (1676)			1299	1345	**TRGESDR206642**					
	72" (1829)			1299	1345	**TRGESDR207242**					
20" (508)	54" (1372)	48" (1219)	24" (610)	$1299	$1345	**TRGESDR205448**					
	60" (1524)			1299	1345	**TRGESDR206048**					
	66" (1676)			1308	1354	**TRGESDR206648**					
	72" (1829)			1308	1354	**TRGESDR207248**					

Trig Secondary Desk – Left-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
42" (1067)	54" (1372)	20" (508)	24" (610)	$1288	$1334	**TRGESDL425420**
	60" (1524)			1288	1334	**TRGESDL426020**
	66" (1676)			1299	1345	**TRGESDL426620**
	72" (1829)			1299	1345	**TRGESDL427220**
48" (1219)	54" (1372)	20" (508)	24" (610)	$1299	$1345	**TRGESDL485420**
	60" (1524)			1299	1345	**TRGESDL486020**
	66" (1676)			1308	1354	**TRGESDL486620**
	72" (1829)			1308	1354	**TRGESDL487220**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	**TRGESDL425420** _ _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GB** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $1288 =	$1288 +	N/C +	N/C +	N/C +	N/C +	N/C

Rectangular Work Surface
Trig Rectangular Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required under one end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately, see page 84 for details.

Note: For 36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be used.

Trig Rectangular Work Surface

Dimensions Depth	Dimensions Width	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color
20" (508)	24" (610)	$163	$177	**TRGRECS2024**	**NN** No Power **PNDR** Power Right (Not available on 24" and 30" wide) **PNDL** Power Left (Not available on 24" and 30" wide)	**No Cost** **GN** No Grommet **GY** 1 Grommet **GY2** 2 Grommets (Not available if PNDR or PNDL selected)	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	30" (762)	168	182	**TRGRECS2030**					
	36" (914)	173	187	**TRGRECS2036**					
	42" (1067)	179	193	**TRGRECS2042**					
	48" (1219)	184	198	**TRGRECS2048**					
	54" (1372)	279	293	**TRGRECS2054**					
	60" (1524)	284	298	**TRGRECS2060**					
	66" (1676)	305	319	**TRGRECS2066**					
	72" (1829)	344	358	**TRGRECS2072**					
	78" (1981)	365	392	**TRGRECS2078**					
	84" (2134)	390	417	**TRGRECS2084**					
24" (610)	24" (610)	$202	$216	**TRGRECS2424**					
	30" (762)	207	221	**TRGRECS2430**					
	36" (914)	212	226	**TRGRECS2436**					
	42" (1067)	217	231	**TRGRECS2442**					
	48" (1219)	223	237	**TRGRECS2448**					
	54" (1372)	305	319	**TRGRECS2454**					
	60" (1524)	310	324	**TRGRECS2460**					
	66" (1676)	319	333	**TRGRECS2466**					
	72" (1829)	344	358	**TRGRECS2472**					
	78" (1981)	390	417	**TRGRECS2478**					
	84" (2134)	406	433	**TRGRECS2484**					
30" (762)	24" (610)	$263	$277	**TRGRECS3024**					
	30" (762)	268	282	**TRGRECS3030**					
	36" (914)	273	287	**TRGRECS3036**					
	42" (1067)	278	292	**TRGRECS3042**					
	48" (1219)	284	298	**TRGRECS3048**					
	54" (1372)	335	362	**TRGRECS3054**					
	60" (1524)	344	371	**TRGRECS3060**					
	66" (1676)	365	392	**TRGRECS3066**					
	72" (1829)	390	417	**TRGRECS3072**					
	78" (1981)	445	472	**TRGRECS3078**					
	84" (2134)	473	500	**TRGRECS3084**					
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	**TRGRECS2048** _ _ _ _ _ _ _ _ _	**.NN** _ _	**.GN** _ _	**N/A** _ _	**.XZ4** _ _ _	**.XZ2** _ _ _
Total Cost $184 =	$184 +	N/C +	N/C +	N/C +	N/C +	N/C

Wedge Work Surface
Trig Wedge Work Surfaces are constructed of 1”-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Supports must be specified separately. Additional accessories include field-installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Note: For 78” and 84” wide work surfaces, support is required on under end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately, see page 84 for details.

Trig Wedge Work Surface – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color
20" (508)	54" (1372)	24" (610)	$323	$337	**TRGWEGSR205424**	**NN** No Power	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	60" (1524)		344	358	**TRGWEGSR206024**		**GN** No Grommet			
	66" (1676)		365	379	**TRGWEGSR206624**					
	72" (1829)		381	395	**TRGWEGSR207224**	**PNDR** Power Right		**GS** Silver		
	78" (1981)		432	459	**TRGWEGSR207824**		**GY** 1 Grommet			
	84" (2134)		466	493	**TRGWEGSR208424**					
20" (508)	54" (1372)	30" (762)	$323	$350	**TRGWEGSR205430**					
	60" (1524)		344	371	**TRGWEGSR206030**	**PNDL** Power Left	**GY2** 2 Grommets (Not available if PNDR or PNDL selected)			
	66" (1676)		365	392	**TRGWEGSR206630**					
	72" (1829)		381	408	**TRGWEGSR207230**					
	78" (1981)		432	459	**TRGWEGSR207830**					
	84" (2134)		466	493	**TRGWEGSR208430**					
24" (610)	54" (1372)	30" (762)	$323	$350	**TRGWEGSR245430**					
	60" (1524)		344	371	**TRGWEGSR246030**					
	66" (1676)		365	392	**TRGWEGSR246630**					
	72" (1829)		381	408	**TRGWEGSR247230**					
	78" (1981)		432	459	**TRGWEGSR247830**					
	84" (2134)		466	493	**TRGWEGSR248430**					
			Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	TRGWEGSR205424	.NN	.GN	N/A	.XZ2	.XZ4
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _

Total Cost $323 =	$323	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Wedge Work Surface
Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Wedge Work Surface – Left-Hand

Dimensions Depth1	Width 1	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Power Option	Grommet	Grommet Color	Top Color	Top Edge Color
24" (610)	54" (1372)	20" (508)	$323	$337	**TRGWEGSL245420**	**NN** No Power	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	60" (1524)		344	358	**TRGWEGSL246020**		**GN** No Grommet	**GS** Silver		
	66" (1676)		365	379	**TRGWEGSL246620**					
	72" (1829)		381	395	**TRGWEGSL247220**	**PNDR** Power Right	**GY** 1 Grom-met			
	78" (1981)		432	459	**TRGWEGSL247820**					
	84" (2134)		466	493	**TRGWEGSL248420**					
30" (762)	54" (1372)	20" (508)	$323	$350	**TRGWEGSL305420**	**PNDL** Power Left	**GY2** 2 Grom-mets (Not available if PNDR or PNDL selected)			
	60" (1524)		344	371	**TRGWEGSL306020**					
	66" (1676)		365	392	**TRGWEGSL306620**					
	72" (1829)		381	408	**TRGWEGSL307220**					
	78" (1981)		432	459	**TRGWEGSL307820**					
	84" (2134)		466	493	**TRGWEGSL308420**					
30" (762)	54" (1372)	24" (610)	$323	$350	**TRGWEGSL305424**					
	60" (1524)		344	371	**TRGWEGSL306024**					
	66" (1676)		365	392	**TRGWEGSL306624**					
	72" (1829)		381	408	**TRGWEGSL307224**					
	78" (1981)		432	459	**TRGWEGSL307824**					
	84" (2134)		466	493	**TRGWEGSL308424**					
				Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	**TRGWEGSL245420** _ _ _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GS** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _
Total Cost $323 =	$323 +	N/C +	N/C +	N/C +	N/C

Blade Work Surface
Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Trig Blade Work Surface – Right-Hand

Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	94" (2388)	30" (914)	$1013	$1077	**TRGANGSR249430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost** **Pre-mium Finish + $**

Trig Blade Work Surface – Left-Hand

Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
30" (914)	94" (2388)	24" (610)	$1013	$1077	**TRGANGSL309424**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**TRGANGSR249430**	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
Total Cost $1013 =	$1013 +	N/C +	N/C +	N/C +	N/C +	N/C

Primary Work Surface
Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Primary Work Surface – Right-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
42" (1067)	54" (1372)	30" (762)	24" (610)	$973	$1019	**TRGEPSR425430**	**No Cost GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	**Stan-dard Finish No Cost Pre-mium Finish + $**
	60" (1524)	30" (762)		973	1019	**TRGEPSR426030**					
	66" (1676)	30" (762)		984	1030	**TRGEPSR426630**					
	72" (1829)	30" (762)		984	1030	**TRGEPSR427230**					
	78" (1981)	30" (762)		1126	1190	**TRGEPSR427830**					
	84" (2134)	30" (762)		1140	1204	**TRGEPSR428430**					
48" (1219)	54" (1372)	30" (762)	24" (610)	$984	$1030	**TRGEPSR485430**					
	60" (1524)	30" (762)		984	1030	**TRGEPSR486030**					
	66" (1676)	30" (762)		993	1039	**TRGEPSR486630**					
	72" (1829)	30" (762)		993	1039	**TRGEPSR487230**					
	78" (1981)	30" (762)		1136	1200	**TRGEPSR487830**					
	84" (2134)	30" (762)		1151	1215	**TRGEPSR488430**					

Trig Primary Work Surface – Left-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
30" (762)	54" (1372)	42" (1067)	24" (610)	$973	$1019	**TRGEPSL305442**
30" (762)	60" (1524)			973	1019	**TRGEPSL306042**
30" (762)	66" (1676)			984	1030	**TRGEPSL306642**
30" (762)	72" (1829)			984	1030	**TRGEPSL307242**
30" (762)	78" (1981)			1126	1190	**TRGEPSL307842**
30" (762)	84" (2134)			1140	1204	**TRGEPSL308442**
30" (762)	54" (1372)	48" (1219)	24" (610)	$984	$1030	**TRGEPSL305448**
30" (762)	60" (1524)			984	1030	**TRGEPSL306048**
30" (762)	66" (1676)			993	1039	**TRGEPSL306648**
30" (762)	72" (1829)			993	1039	**TRGEPSL307248**
30" (762)	78" (1981)			1136	1200	**TRGEPSL307848**
30" (762)	84" (2134)			1151	1215	**TRGEPSL308448**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	**TRGEPSR425430**	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
Total Cost $973 =	$973 +	N/C +	N/C +	N/C +	N/C +	N/C

Secondary Work Surface
Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Secondary Work Surface – Right-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	42" (1067)	24" (610)	$973	$1019	**TRGESSR205442**	**No Cost GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost Pre-mium Finish + $**
	60" (1524)			973	1019	**TRGESSR206042**					
	66" (1676)			984	1030	**TRGESSR206642**					
	72" (1829)			984	1030	**TRGESSR207242**					
	78" (1981)			1126	1190	**TRGESSR207842**					
	84" (2134)			1140	1204	**TRGESSR208442**					
20" (508)	54" (1372)	48" (1219)	24" (610)	$984	$1030	**TRGESSR205448**					
	60" (1524)			984	1030	**TRGESSR206048**					
	66" (1676)			993	1039	**TRGESSR206648**					
	72" (1829)			993	1039	**TRGESSR207248**					
	78" (1981)			1136	1200	**TRGESSR207848**					
	84" (2134)			1151	1215	**TRGESSR208448**					

Trig Secondary Work Surface – Left-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
42" (1067)	54" (1372)	20" (508)	24" (610)	$973	$1019	**TRGESSL425420**
	60" (1524)			973	1019	**TRGESSL426020**
	66" (1676)			984	1030	**TRGESSL426620**
	72" (1829)			984	1030	**TRGESSL427220**
	78" (1981)			1126	1190	**TRGESSL427820**
	84" (2134)			1140	1204	**TRGESSL428420**
48" (1219)	54" (1372)	20" (508)	24" (610)	$984	$1030	**TRGESSL485420**
	60" (1524)			984	1030	**TRGESSL486020**
	66" (1676)			993	1039	**TRGESSL486620**
	72" (1829)			993	1039	**TRGESSL487220**
	78" (1981)			1136	1200	**TRGESSL487820**
	84" (2134)			1151	1215	**TRGESSL488420**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	**TRGESSL425420** _ _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GS** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $973 =	$973 +	N/C +	N/C +	N/C +	N/C +	N/C

Work Surface Support Legs
Trig Work Surface Support Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

Shared Work Surface Support Legs
Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together back-to-back and a single support is desired. Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.

Trig Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27 3/4" (705)	$315	**TRGULEG20**	**Standard Finish No Cost**
	24" (610)		315	**TRGULEG24**	
	30" (762)		323	**TRGULEG30**	**Premium Finish + $**
					(See Surface Materials Page 10)
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_

Trig Shared Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016)	27 3/4" (705)	$395	**TRGULEG40**	**Standard Finish No Cost**
	48" (1219)		415	**TRGULEG48**	
	60" (1524)		427	**TRGULEG60**	**Premium Finish + $**
					(See Surface Materials Page 10)
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_

Sample Part Number:	**TRGULEG20** _ _ _ _ _ _ _	**.Y** _
Total Cost $315 =	$315 +	N/C

Trig Work Surface Post Leg
The Work Surface Post Leg can be used for additional mid-span support along wider Trig work surfaces. Price includes post leg, leveling glide and attachment hardware.

Note: A pair of Work Surface Post Legs cannot be used to replace Trig Work Surface Support Legs as the main support on the end of a work surface.

Trig Bench Storage Work Surface Short Support
The Bench Storage Work Surface leg is used with Trig Bench Height Storage units to support the end of a work surface. 20" and 24" deep work surfaces use TRGBSWSL13 and 30" deep surfaces use TRGBSWSL19. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.

Side to Side Shared Work Surface Support Leg
Side to Side Shared Work Surface Support Legs are used when work surfaces of equal depth are positioned next to each other and a single support is desired. Legs are available for single depth applications (equal depth surfaces are side to side) and dual depth applications (equal depth surfaces are back to back).

In a layout with (4) equal depth work surfaces that are both front-to-back and side-to-side, a single Side to Side Shared Support Leg can be used centrally to support all (4) surfaces. Legs are available in all Trendway Standard and Premium Systems Trim Finishes.

All necessary attachment hardware is included.

Trig Work Surface Post Leg

Dimensions Leg Depth	Dimensions Height	List Price	Catalog Number	Trim Color
2" (51)	27¾" (705)	$87	TRGSPRTLEG	Standard Finishes No Cost Premium Finishes +$

Trig Bench Storage Work Surface Short Support

Dimensions Depth	Dimensions Height	List Price	Catalog Number	Trim Color
13" (330)	6½" (165)	$195	TRGBSWSL13	Standard Finishes No Cost
19" (483)		209	TRGBSWSL19	Premium Finishes +$

Side to Side Shared Work Surface Support Leg

Dimensions Depth	Dimensions Width	Dimensions Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27¾" (705)	$463	TRGULEGSS20	Standard Finish No Cost
	24" (610)		470	TRGULEGSS24	
	30" (762)		476	TRGULEGSS30	
	40" (1016)		589	TRGULEGSS40	Premium Finish + $
	48" (1219)		601	TRGULEGSS48	
	60" (1524)		626	TRGULEGSS60	
					(See Surface Materials Page 10)
			Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_

Sample Part Number:	TRGULEGSS20 _ _ _ _ _ _ _ _ _ _	.Y _
Total Cost $463 =	$463 +	N/C

Support Riser
Trig Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza.

Available in Black only.

Work Surface Support Brackets
Trig Work Surface Support Brackets are used with Combination Storage to support work surfaces instead of Work Surface Support Legs. All necessary attachment hardware included.

Available in Black only.

Flush Support Plates
Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.

Trig Support Riser

	Dimensions Height	List Price	Catalog Number
8" (203) x 13" (330)	1" (25)	$88	**TRGWSRISER**
		Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Trig Work Surface Support Brackets

Dimensions	List Price	Catalog Number
Includes Two Support Brackets	$56	**TRGWSBRKTS**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Flush Support Plates

Dimensions	List Price	Catalog Number
Includes 2 Connecting Plates	$50	**SICSP**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _

Sample Part Number: **TRGWSRISER** _ _ _ _ _ _ _ _

Total Cost $88 = $88

Surface Mount Screws
Trig Surface Mount Screens are used when two work surfaces are positioned back-to-back with no gap between them. Screen widths can span from 24" to 84", in 6" increments. Screen widths 24" - 48" are a single screen and two posts. Screen widths 54" - 84" are 2 screens and three posts (center post is shared). All necessary mounting hardware is included.

All Screens available in either Plexiglass or 3-Form Ecoresin.

Trig Surface Mount Screens

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	13" (330)	$719	**TRGTMS2413**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $42** 30" - 48" **+ $89** 54" - 84" **+ $179** 3-Form (E01-E03) 24" **+ $167** 30" - 48" **+ $358** 54" - 84" **+ $716**	**Standard Finish No Cost** **Premium Finish + $167** (See Surface Materials Page 10)
30" (762)		807	**TRGTMS3013**		
36" (914)		821	**TRGTMS3613**		
42" (1067)		836	**TRGTMS4213**		
48" (1219)		849	**TRGTMS4813**		
54" (1372)		1282	**TRGTMS5413**		
60" (1524)		1353	**TRGTMS6013**		
66" (1676)		1369	**TRGTMS6613**		
72" (1829)		1369	**TRGTMS7213**		
78" (1961)		1382	**TRGTMS7813**		
84" (2134)		1382	**TRGTMS8413**		
24" (610)	19" (483)	$777	**TRGTMS2419**		
30" (762)		879	**TRGTMS3019**		
36" (914)		885	**TRGTMS3619**		
42" (1067)		894	**TRGTMS4219**		
48" (1219)		908	**TRGTMS4819**		
54" (1372)		1353	**TRGTMS5419**		
60" (1524)		1469	**TRGTMS6019**		
66" (1676)		1497	**TRGTMS6619**		
72" (1829)		1497	**TRGTMS7219**		
78" (1961)		1512	**TRGTMS7819**		
84" (2134)		1512	**TRGTMS8419**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _ _	_

Sample Part Number:	**TRGTMS2413**		**.E3A**		**.G**
Total Cost $761 =	$719	+	$42	+	N/C

Desk Top Screens
Trig Desk Top Screens are intended to provide privacy between adjacent desks. Mostly used in benching applications. All Screens available in either plexiglass or 3-Form Ecoresin.

Back Edge Mount Screens
Trig Back Edge Mount Screens assemble to the back of a work surface with a 1" gap between it and another work surface. The gap allows for power cords to pass between them.

Note: See planning guide for proper size selection. All necessary mounting hardware is included.

Trig Desk Top Screen

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
16" (406)	8" (203)	$225	**TRGLDS168**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 16" - 20" **+ $36** 26" - 44" **+ $71** 3-Form (E01-E03) 16" - 20" **+ $108** 26" - 44" **+ $214**	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)
20" (508)		238	**TRGLDS208**		
26" (660)		250	**TRGLDS268**		
38" (965)		263	**TRGLDS388**		
44" (1118)		275	**TRGLDS448**		
16" (406)	13" (330)	$289	**TRGLDS1613**		
20" (508)		301	**TRGLDS2013**		
26" (660)		313	**TRGLDS2613**		
38" (965)		326	**TRGLDS3813**		
44" (1118)		338	**TRGLDS4413**		

Trig Back Edge Mount Screens

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	13" (330)	$551	**TRGBMS2413**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $36** 30" - 48" **+ $95** 54" - 72" **+ $119** 3-Form (E01-E03) 24" **+ $144** 30" - 48" **+ $383** 54" - 72" **+ $477**	
30" (762)		601	**TRGBMS3013**		
36" (914)		664	**TRGBMS3613**		
42" (1067)		708	**TRGBMS4213**		
48" (1219)		746	**TRGBMS4813**		
54" (1372)		789	**TRGBMS5413**		
60" (1524)		825	**TRGBMS6013**		
66" (1676)		870	**TRGBMS6613**		
72" (1829)		920	**TRGBMS7213**		
24" (610)	19" (483)	$595	**TRGBMS2419**		
30" (762)		664	**TRGBMS3019**		
36" (914)		719	**TRGBMS3619**		
42" (1067)		771	**TRGBMS4219**		
48" (1219)		809	**TRGBMS4819**		
54" (1372)		865	**TRGBMS5419**		
60" (1524)		927	**TRGBMS6019**		
66" (1676)		994	**TRGBMS6619**		
72" (1829)		1053	**TRGBMS7219**		

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _ _	_
Sample Part Number:	**TRGLDS168** _ _ _ _ _ _ _ _	**.E3A** _ _ _	**.G** _
Total Cost $261 =	$225 +	$36 +	N/C

Modesty
The Trig Modesty mounts 2" from the back edge of the work surface.

Note: See planning guide to proper size selection. All necessary mounting hardware is included.

Note: Modesty Only
If electrical components are to be used with a Modesty-Only configuration on a Rectangle, Wedge or Blade work surface, the optional grommet should be selected for cord pass-through.

Screen/Modesty Combination
The Trig Screen/Modesty Combination mounts to the underside back edge of a work surface. There is a 1" gap between the Screen/Modesty and the work surface, allowing power cords to pass between them.

See planning guide for proper size selection. All necessary mounting hardware is included. All Modesty and Screen Modesty Combinations available in either plexiglass or 3-Form Ecoresin.

Trig Modesty

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	14" (356)	$488	**TRGMOD24**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $36** 30" - 60" **+ $71** 66" - 72" **+ $95** 3-Form (E01-E03) 24" **+ $144** 30" - 60" **+ $287** 66" - 72" **+ $383**	**Standard Finish No Cost** **Premium Finish + $144** (See Surface Materials Page 10)
30" (762)		526	**TRGMOD30**		
36" (914)		564	**TRGMOD36**		
42" (1067)		615	**TRGMOD42**		
48" (1219)		677	**TRGMOD48**		
54" (1372)		727	**TRGMOD54**		
60" (1524)		789	**TRGMOD60**		
66" (1676)		840	**TRGMOD66**		
72" (1829)		889	**TRGMOD72**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _	_

Trig Screen/Modesty Combination

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	28" (711)	$651	**TRGBMSM2428**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $71** 30" - 60" **+ $179** 66" - 72" **+ $238** 3-Form (E01-E03) 24" **+ $287** 30" - 60" **+ $716** 66" - 72" **+ $834**	**Standard Finish No Cost** **Premium Finish + $287** (See Surface Materials Page 10)
30" (762)		739	**TRGBMSM3028**		
36" (914)		834	**TRGBMSM3628**		
42" (1067)		889	**TRGBMSM4228**		
48" (1219)		959	**TRGBMSM4828**		
54" (1372)		983	**TRGBMSM5428**		
60" (1524)		1038	**TRGBMSM6028**		
66" (1676)		1121	**TRGBMSM6628**		
72" (1829)		1201	**TRGBMSM7228**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _	_

Sample Part Number:	**TRGMOD24** _ _ _ _ _ _ _	**.E01** _ _ _	**.G** _
Total Cost $632 =	$488 +	$144 +	N/C

Trig Top Mounted Fabric Screen
The Trig Top Mounted Fabric Screens are mounted on top of a Trig Desk. The 18, 22 and 28 inch screens are designed to work as side screens. The larger widths are designed to mount to the front edge of a surface, or across the seam of two surfaces positioned back to back. The screen is fully tackable, fabric covered, and comes with all the hardware to attach it. The hardware has a small reveal at the very bottom of the screen and what the trim color is related to.

Trig Fabric Screen / Modesty Combination
The Trig Fabric Screen Modesty Combination mounts to the underside back edge of the desk top. The screen is fully tackable, fabric covered, and comes with all the hardware to attach it. It provides 13" of privacy above the surface and 14" below the surface. Match the screen width to the Trig desk width.

Note: The Fabric Screen/ Modesty Combination cannot be used in conjunction with the Trig Power Raceway.

Trig Top Mount Fabric Screen

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number	Fabric Color	Trim Color
18" (457)	13" (330)	$ 589	$	$	$	$	$	**TRGFTMS1813**	(See Surface Materials Page 7)	**Standard Smooth Finishes Only**
22" (559)		599						**TRGFTMS2213**		
28" (711)		635						**TRGFTMS2813**		
35 7/8" (911)		723						**TRGFTMS3613**		
41 7/8" (1064)		766						**TRGFTMS4213**		
47 7/8" (1216)		808						**TRGFTMS4813**		
53 7/8" (1368)		854						**TRGFTMS5413**		
59 7/8" (1521)		897						**TRGFTMS6013**		
65 7/8" (1673)		943						**TRGFTMS6613**		
71 7/8" (1826)		986						**TRGFTMS7213**		
18" (457)	19" (483)	$ 597	$	$	$	$	$	**TRGFTMS1819**		
22" (559)		608						**TRGFTMS2219**		
28" (711)		647						**TRGFTMS2819**		
35 7/8" (911)		738						**TRGFTMS3619**		
41 7/8" (1064)		782						**TRGFTMS4219**		
47 7/8" (1216)		827						**TRGFTMS4819**		
53 7/8" (1368)		876						**TRGFTMS5419**		
59 7/8" (1521)		921						**TRGFTMS6019**		
65 7/8" (1673)		970						**TRGFTMS6619**		
71 7/8" (1826)		1015						**TRGFTMS7219**		

Trig Fabric Screen/Modesty Combination

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number
23 3/4" (603)	28" (711)	$ 667	$	$	$	$	$	**TRGFSMC2428**
29 3/4" (756)		708						**TRGFSMC3028**
35 3/4" (908)		756						**TRGFSMC3628**
41 3/4" (1060)		805						**TRGFSMC4228**
47 3/4" (1213)		853						**TRGFSMC4828**
53 3/4" (1365)		978						**TRGFSMC5428**
59 3/4" (1518)		1026						**TRGFSMC6028**
65 3/4" (1670)		1079						**TRGFSMC6628**
71 3/4" (1822)		1127						**TRGFSMC7228**

	Catalog Number	Fabric Color	Trim Color
Build your complete Part Number here:	_ _ _ _	_ _ _	_

Sample Part Number:	**TRGFTMS1813** _ _ _ _ _ _ _	**.KK6** _ _ _	**.G** _
Total Cost $589 =	$589 +	N/C +	N/C

Credenzas
Trig Credenza come with a 1" Thermofused laminate top and 2" support legs with leveling glides. Credenzas are 20" deep and 26.75" high, Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Credenzas with Doors
Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

Trig Credenzas with Doors

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
Double Door and Single Door RH						**LD No Cost** Laminate Door **FD** Framed Door **3 Doors + $1073** **4 Doors + $1431**	**Plexiglass No Cost** **Frosted Plexiglass** (E3A) **3 Doors + $179** **4 Doors + $238** **3-Form** (E01-E03) **3 Doors + $358** **4 Doors + $477**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with framed door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** Trig Lock **+ $43** Trig Lock	**R No Cost** Trig Random **T - $28** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately (2 per unit)
20" (508)	30" (762)	26 3/4" (680)	$1565	$1629	**TRGCDDSDR45**										
Double Door and Single Door LH															
20" (508)	36" (914)	26 3/4" (680)	1565	1629	**TRGCDDSDL45**										
Right-Hand Shown															
2 Double Door															
20" (508)	30" (762)	26 3/4" (680)	$1972	$2058	**TRGC2DD60**										
2 Double Door w/ 2 Center Shelves															
20" (508)	72" (1829)	26 3/4" (680)	$2207	$2321	**TRGC2DDCS72**										
20" (508)	75" (1905)	26 3/4" (680)	$2266	$2380	**TRGC2DDCS75**										
Build your complete Part Number here:					_ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	TRGC2DDCS75	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
Total Cost $3950 =	$2266 +	$1431 +	$238 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$43 +	$-28

Credenzas with Doors continued

Trig Credenzas with Doors and Shelves

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
Double Door and Open Shelf RH															
20" (508)	60" (1524)	26 3/4" (680)	$1791	$1877	**TRGCDDOSR60**	**LD No Cost** Laminate Door **FD** Framed Door **+ $238**	**Plexiglass No Cost** **Frosted Plexiglass** (E3A) **+ $119** **3-Form** (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with framed door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately (2 per unit)
Double Door and Open Shelf LH															
20" (508)	60" (1524)	26 3/4" (680)	1791	1877	**TRGCDDOSL60**										

Right-Hand Shown

Build your complete Part Number here:	_ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	TRGCDDOSR60	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
Total Cost $2760 =	$1791	+ $716	+ $238	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $29	+ $-14

Credenzas with Laterals
Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

Trig Credenzas with Laterals

Dimensions Depth	Width	Height	Locks	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Option
12 Lat with Open Shelves							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $29** Trig Lock (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $14** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately.
20" (508)	30" (762)	26¾" (680)	1 Lock	$1315	$1361	**TRGCLATOS30**								
(612) Lateral and 2 Open Shelves RH														
20" (508)	45" (1143)	26¾" (680)	1 Lock	$1640	$1704	**TRGCLATOSR45**								
20" (508)	48" (1219)	26¾" (680)	1 Lock	1681	1745	**TRGCLATOSR48**								
20" (508)	60" (1524)	26¾" (680)	2 Locks	1848	1934	**TRGCLATOSR60**								
(612) Lateral and 2 Open Shelves LH														
20" (508)	45" (1143)	26¾" (680)	1 Lock	$1640	$1704	**TRGCLATOSL45**								
20" (508)	48" (1219)	26¾" (680)	1 Lock	1681	1745	**TRGCLATOSL48**								
20" (508)	60" (1524)	26¾" (680)	2 Locks	1848	1934	**TRGCLATOSL60**								
2 (612) Lateral														
20" (508)	60" (1524)	26¾" (680)	2 Locks	$2160	$2246	**TRGC2LAT60**								
2 (612) Lateral w/ 2 Center Shelves														
20" (508)	72" (1829)	26¾" (508)	2 Locks	$2431	$2545	**TRGC2LATCS72**								
20" (508)	75" (1905)	26¾" (508)	2 Locks	$2499	$2613	**TRGC2LATCS75**								
			Build your complete Part Number here:			_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Right-Hand Shown

Sample Part Number:	**TRGCLATOSR45**	**.MD**	**.ZX2**	**.XZ2**	**.XZ2**	**.XZ2**	**.K**	**.TRG**	**.R**
Total Cost $1669 =	$1640	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $29	+ N/C

Credenzas Continued

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

Trig Credenzas with Doors and Laterals

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option
(612) Lateral and Single Door RH			$1716	$1780	**TRGCLATSDR45**	**LD No Cost** Laminate Door **FD + $119** Framed Door	Plexi-glass (01, 02) **No Cost** **Frosted Plexi-glass** (E3A) **+$60** **3-Form** (E01-E03) **+ $119**	**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MD** Modern **MM** Mod2 When specifying a Modern Pull , the Framed Door (FD) will include coordinat-ing Mod2 pull.	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10) Specify for Lateral/ Laminate Door only	**Stan-dard Finish No Cost** **Pre-mium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $29** Trig Lock (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $14** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately.
20" (508)	45" (1143)	26 3/4" (680)													
(612) Lateral and Single Door LH			1716	1780	**TRGCLATSDL45**										
20" (508)	45" (1143)	26 3/4" (680)													
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	TRGCLATSDR45	.LD	N/A	.MD	.ZX2	.XZ4	.XZ4	.XZ2	.K	.TRG	.R
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _ _	_

Total Cost $1759 = $1716 + N/C + N/C + N/C + N/C + N/C + N/C + N/C + N/C + $43 + N/C

Open Storage Credenza
All Shelves are fixed.

The upper storage units are 10 1/2" high and the bottom storage units are 11 3/4" high.

Trig Credenzas – Open Storage

Depth	Dimensions Width	Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Open Storage 612						Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)
20" (508)	30" (762)	26 3/4" (680)	$ 1013	$1059	**TRGCOS30**				
20" (508)	36" (914)	26 3/4" (680)	$1095	$1141	**TRGCOS36**				
Open Storage 612									
20" (508)	45" (1143)	26 3/4" (680)	$1218	$1282	**TRGCOS45**				
			Build your complete Part Number here:		_ _ _ _ _ _ _	_	_	_	_

Sample Part Number:	**TRGCOS45** _ _ _ _ _ _ _	**.ZX2** _ _ _	**.XZ4** _ _ _	**.XZ4** _ _ _	**.Y** _
Total Cost $1218 =	$1218 +	N/C +	N/C +	N/C +	N/C

Freestanding Lateral
The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Freestanding Pedestal
The Trig Freestanding Pedestal includes full extension ball bearing slides, side-to-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Freestanding Lateral

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	26¾" (680)	$1268	$1314	**TRG612LAT20**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate Drawer Edge will match Drawer Color	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	36" (914)	26¾" (680)	$1460	$1506	**TRG612LAT2036**								

Trig Freestanding Pedestal

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
20" (508)	15½" (394)	26¾" (680)	$1032	$1032	**TRG612PED20**

Build your complete Part Number here:	_ _ _ _ _ _ _	_	_	_	_	_	_	_	_

Sample Part Number:	**TRG612LAT20** _ _ _ _ _ _ _ _	**.MD** _ _	**.ZX2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _	**.TRG** _ _ _	**.R** _
Total Cost $1297 =	$1268 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$29 +	N/C

Freestanding Double Door Storage
The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Trig Bookcase
The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.

Trig Freestanding Double Door Storage

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	26³/₄" (680)	$1126	$1172	**TRGDD20**	**LD No Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) **+ $119** 3-Form (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option.	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10) Specify only if LD selected	Thermofused Laminate Door Edge will match door color	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	36" (914)	26³/₄" (680)	1271	1335	**TRGDD2036**										

Build your complete Part Number here: _ _ _ _ _ _ | _ _ | _ _ | _ _ | _ _ _ | _ _ _ | _ _ _ | _ _ _ | _ | _ _ _ | _

Trig Bookcases

Dimensions Depth	Dimensions Width	Dimensions Height	List Price	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762)	26³/₄" (680)	$761	**TRGCBC30**	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)
	36" (914)		843	**TRGCBC36**				

Build your complete Part Number here: _ _ _ _ _ _ _ | _ _ _ | _ _ _ | _ _ _ | _

Sample Part Number: **TRGCBC30** _ _ _ _ _ _ | **.XZY** _ _ _ | **.XZY** _ _ _ | **.XZY** _ _ _ | **.K** _

Total Cost $761 = $761 + N/C + N/C + N/C + N/C

Bench-Height Storage
The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.

Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Bench-Height Storage

Dimensions Depth	Width	Height	Lock	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
(12) Lateral							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $29** Trig Lock (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $14** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	21" (533)	1 Lock	$1233	$1279	**TRGBFLAT30**								
20" (508)	36" (914)	21" (533)	1 Lock	1377	1423	**TRGBFLAT36**								
(12) Lateral w/ Open Shelf RH														
20" (508)	45" (1143)	21" (533)	1 Lock	$1496	$1560	**TRGBFLATOSR45**								
20" (508)	48" (1219)	21" (533)	1 Lock	1535	1599	**TRGBFLATOSR48**								
20" (508)	60" (1524)	21" (533)	2 Locks	1691	1755	**TRGBFLATOSR60**								
(12) Lateral w/ Open Shelf LH														
20" (508)	45" (1143)	21" (533)	1 Lock	$1496	$1560	**TRGBFLATOSL45**								
20" (508)	48" (1219)	21" (533)	1 Lock	1535	1599	**TRGBFLATOSL48**								
20" (508)	60" (1524)	21" (533)	2 Locks	1691	1755	**TRGBFLATOSL60**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Right-Hand Shown

Sample Part Number:	**TRGBFLATOSL60**	**.MD**	**.XZ3**	**.XZ3**	**.XZ3**	**.XZ4**	**.K**	**.TRG**	**.T**
	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Total Cost $1706 =	$1691	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $43	- $-28

Bench-Height Storage (continued)

Bench-Height Cushion
Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

Trig Bench-Height Storage (continued)

Dimensions Depth	Width	Height	Lock	1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
2 (12) Lateral			2 Locks	$1909	$1995	**TRGBF2LAT60**	**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Ran-dom **T** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	60" (1524)	21" (533)												
2 (12) Lateral w/ Center Shelf														
20" (508)	72" (1829)	21" (533)	2 Locks	$2059	$2173	**TRGBF2LATCS72**								
20" (508)	75" (1905)	21" (533)	2 Locks	2097	2211	**TRGBF2LATCS75**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Trig Bench-Height Cushion

Dimensions Width	Depth	Height	List Price Fabric Grade A	B	C	D	E	F	G	H	I	J	K	Catalog Number
15" (381)	20" (508)	1" (25)	$275	$287	$304	$323	$341	$359	$383	$407	$426	$443	$461	**TRGBC2015**
30" (762)			333	338	362	386	417	458	512	566	590	614	644	**TRGBC2030**
													Build your complete Part Number here:	_ _ _ _ _ _ _

Sample Part Number:	**TRGBF2LATCS75** _ _ _ _ _ _ _ _ _ _	**.MD** _ _	**.XZ3** _ _ _	**.XZ3** _ _ _	**.XZ3** _ _ _	**.XZ4** _ _ _	**.K** _	**.TRG** _ _ _	**.T** _
Total Cost $2112 =	$2097	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $43	+ $-28

Trig Bench-Height Bookcase
The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.

Shipped ready to assemble.

Trig Bench-Height Bookcase

Depth	Dimensions Width	Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (1219)	21" (533)	$701 783	$747 829	**TRGBFBC30** **TRGBFBC36**	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)
			Build your complete Part Number here:		_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _

Sample Part Number:	**TRGBFBC30** _ _ _ _ _ _	**.XZY** _ _ _	**.XZY** _ _ _	**.XZY** _ _ _	**.K** _
Total Cost $701 =	$701 +	N/C +	N/C +	N/C +	N/C

Combination Storage
The Trig Combination Storage unit combines the functionality of a lateral and pedestal with added storage of shelves. Units are intended to be placed at the aisle side of a workstation to provide storage and privacy.

The Laterals include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Available accessories include Marker Board or Tackboard for addition to the aisle side of the units.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Combination Storage

Dimensions Depth	Dimensions Width	Dimensions Height	Lock	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock Type	Lock Option	Work Surface Bracket
Aisle Side 6612 Lateral - User Side Open Shelves							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG** (One Lock) **+ $29** Trig Lock (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $14** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.	**BN No Cost** No Bracket **BY + $53** Two Brack-ets
20" (508)	30" (762)	53¾" (1365)	1 Lock	$1724	$1810	**TRGCSLATOS30**								
Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage RH														
20" (508)	45" (1143)	53¾" (1365)	2 Locks	$2881	$2995	**TRGCSOSR45**								
Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage LH														
20" (508)	45" (1143)	53¾" (1365)	2 Locks	2881	2995	**TRGCSOSL45**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _

Left-Hand Shown

Sample Part Number:	TRGCSOSR45	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN
	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _
Total Cost $2924 =	$2881	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $43	+ N/C	+ N/C

Combination Storage Continued

The Double Doors include hinged doors with optional locking. (Locking not available with aluminum doors) Unit comes with 2 shelves that adjust vertically in 2 1/2" increments.

Trig Combination Storage

Dimensions Depth Width Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option	Work Surface Bracket
Aisle Side Double Door - User Side Open Shelves 20" (508) 30" (762) 53¾" (1365) Aisle Side User Side	$1592	$1706	**TRGCSDDOS30**	**LD No Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) **+ $119** 3-Form (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Frame Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**No Cost** (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.	**BN No Cost** No Bracket **BY + $53** Two Brackets
Build your complete Part Number here:			_ _ _ _ _ _ _ _	_ _	_ _ _	_	_ _ _	_ _ _	_ _ _	_	_	_ _	_	_ _

Sample Part Number:	TRGCSDDOS30	.FD	.E3A	N/A	.XZ2	.XZ2	.XZ2	N/A	.XZ2	.NL	N/A	.BN
	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _	_ _ _	_ _	_ _	_ _

Total Cost $2427 =	$1592	+ $716	+ $119	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Pedestal Shelf Combination Storage
The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts. vertically in 2 1/2" increments.

Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Pedestal Shelf Combination Storage – Right-Hand

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option	Work Surface Bracket
6612 Ped and Open Shelves on Side						**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Ran-dom **T - $14** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately	**BN No Cost** No Bracket **BY + $53** Two Brack-ets
20" (508)	15½" (394)	47¾" (1213)	$ 1246	$ 1310	**TRGCS6612OSR20**								
24" (610)	15½" (394)	47¾" (1213)	1327	1391	**TRGCS6612OSR24**								
30" (762)	15½" (394)	47¾" (1213)	1390	1454	**TRGCS6612OSR30**								

Trig Pedestal Shelf Combination Storage – Left-Hand

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number
6612 Ped and Open Shelves on Side					
20" (508)	15½" (394)	47¾" (1213)	$1246	$1310	**TRGCS6612OSL20**
24" (610)	15½" (394)	47¾" (1213)	1327	1391	**TRGCS6612OSL24**
30" (762)	15½" (394)	47¾" (1213)	1390	1454	**TRGCS6612OSL30**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	

Sample Part Number:	**TRGCS6612OSR20**	**.MD**	**.XZ2**	**.XZ2**	**.XZ2**	**.XZ4**	**.TRG**	**.R**	**.BN**
Total Cost $1275 =	$1246	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $29	+ N/C	+ N/C

Marker Boards
The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.

Tackboards
The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment tabs.

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage
36	Aisle Side 45" Wide Combination Storage

Trig Marker Boards

Dimensions Width	Dimensions Height	List Price	Catalog Number
12" (305)	17" (432)	$188	**TRGMB1217**
16" (406)	17" (432)	225	**TRGMB1617**
20" (508)	17" (432)	281	**TRGMB2017**
24" (610)	17" (432)	326	**TRGMB2417**
36" (914)	17" (432)	413	**TRGMB3617**
		Build your complete Part Number here:	_ _ _ _ _ _ _ _

Trig Tackboards

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number	Fabric Color
12" (305)	17" (432)	$ 88	$	$	$	$	$	**TRGTB1217**	(See Surface Materials Page 7)
16" (406)	17" (432)	93						**TRGTB1617**	
20" (508)	17" (432)	100						**TRGTB2017**	
24" (610)	17" (432)	113						**TRGTB2417**	
36" (914)	17" (432)	125						**TRGTB3617**	
								Build your complete Part Number here:	_ _ _ _ _ _ _ _ _

Sample Part Number:	**TRGMB1217** _ _ _ _ _ _ _	**N/A** _
Total Cost $188 =	$188 +	N/C

Storage Tower with Double-Door
The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.

Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)

Units are intended for freestanding applications.

Units ship fully assembled.

Trig Storage Tower with Double-Door

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	53¾" (1365)	$1691	$1805	**TRGTSDD54**	**LD No Cost** Laminate Door **FD + $477** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **$238** **3-Form** (E01-E03) **+ $477**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**No Cost** (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	30" (762)	65¾" (1670)	1873	1987	**TRGTSDD66**										

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _ _	_

Sample Part Number:	**TRGTSDD54**	**.LD**	**N/A**	**.MD**	**.XZ2**	**.XZ2**	**.XZ2**	**.XZ4**	**N/A**	**.TRG**	**.R**
Total Cost $1720 =	$1691 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$29 +	N/C

Lateral, Double Door Storage Tower
The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included.

Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.

Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)

Units include leveling glides.

Units ship fully assembled.

Single lock can be specified for laterals.

Trig Lateral, Double-Door Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/ Door Color	Framed Door Trim Color	Lock Type	Lock Option
6612 Lateral and double-door storage (2 adjustable shelves)						**LD No Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $119** **3-Form** (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern When specifing a modern pull, the Framed Door (FD) will include coordinating Mod2 pull	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate Drawer/ Door Edge will match door/ drawer color Specify for Lateral/ Laminate door only	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG** (One Locks) **+ $29** Trig Lock (Two Locks) **+ $43** Trig Lock	**R No Cost** Trig Random **T** (One Lock) **- $14** (Two Locks) **- $28** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53¹/₄" (1365)	$2175	$2261	**TRGTS6612DD54**										
20" (508)	30" (762)	65³/₄" (1670)	2254	2368	**TRGTS6612DD66**										
1212 Lateral and double-door storage(2 adjustable shelves)															
20" (508)	30" (762)	53¹/₄" (1365)	$2085	$2199	**TRGTS1212DD54**										
20" (508)	30" (762)	65³/₄" (1670)	2128	2214	**TRGTS1212DD66**										
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_

Sample Part Number:	TRGTS6612DD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	N/C	.TRG	.R
Total Cost $2218 =	$2175	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $43	+ N/C

Lateral, Open Shelf Storage Tower
Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars.

Display Towers
Display Tower with Drawers and Open Shelves The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.

Display Tower with Open Shelves
Features includes three or four shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.

Trig Lateral, Open Shelf Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
6612 Lateral and 2 Open Shelves						**No Cost Applied** **L** Classic **E** Stream-line **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG** (One Lock) **+ $29**	**R No Cost** Pack Ran-dom **T -$14** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53 3/4" (1365)	$2002	$2088	**TRGTS6612OS54**							
20" (508)	30" (762)	65 3/4" (1670)	2097	2183	**TRGTS6612OS66**							
1212 Lateral and 2 Open Shelves												
20" (508)	30" (762)	53 3/4" (1365)	$1909	$1995	**TRGTS1212OS54**							
20" (508)	30" (762)	65 3/4" (1670)	1972	2058	**TRGTS1212OS66**							

Trig Display Towers

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number
Display Tower w/ (2) 6" Drawers and Open Shelves					
20" (508)	15" (381)	53 3/4" (1365)	$1296	$1360	**TRGTS66OS54**
20" (508)	15" (381)	65 3/4" (1670)	1475	1539	**TRGTS66OS66**
Display Tower with Open Shelves					
20" (508)	15" (381)	53 3/4" (1365)	$1093	$1157	**TRGTSOS54**
20" (508)	15" (381)	65 3/4" (1670)	1240	1304	**TRGTSOS66**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_

Sample Part Number:	**TRGTS6612OS54**	**.MD**	**.XZ2**	**.XZ2**	**.XZ2**	**.XZ2**	**N/L**	**N/A**
Total Cost $2002 =	$2002	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase

The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 ½" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.

Unit ships fully assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

Trig Wardrobe Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
Right Handed Units						**No Cost Applied** **L** Classic **E** Stream-line **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10) Door Edge will match door color	**NL** **No Cost** No Lock **TRG** (three Lock) **+ $61** Trig Lock	**R** **NoCost** Trig Random **T** (three Lock) **- $42** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
24" (610)	24" (610)	66" (1676)	$2090	$2204	**TRGWSTR661212**							
			2137	2251	**TRGWSTR666612**							
Left Handed Units												
24" (610)	24" (610)	66" (1676)	$2090	$2204	**TRGWSTL661212**							
			2137	2251	**TRGWSTL666612**							

Right-Hand

Left-Hand

Trig Wardrobe Storage Tower with Bookcase

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number							
Right Handed Units											**NL** **No Cost** No Lock **TRG** (two Lock) **+ $43** Trig Lock	**NoCost** Trig Random **T** (two Lock) **- $28** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
24" (610)	24" (610)	66" (1676)	$2185	$2299	**TRGBCSTR661212**							
			2233	2347	**TRGBCSTR666612**							
Left Handed Units												
24" (610)	24" (610)	66" (1676)	$2185	$2299	**TRGBCSTL661212**							
			2233	2347	**TRGBCSTL666612**							

Right-Hand

Left-Hand

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_
Sample Part Number:	**TRGWSTR661212**	**.MD**	**.XZ3**	**.XZ3**	**.XZ3**	**.XZ3**	**.TRG**	**.R**
Total Cost $2151 =	$2090 +	N/C +	N/C +	N/C +	N/C +	N/C +	$61 +	N/C

Display Towers Continue
Display Tower with Door features include a hinged door, with three or four shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)

Trig Display Tower with Door

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Display Tower with Door RH						**LD No Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $119** **3-Form** (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specified only if LD selected	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	15" (381)	53 3/4" (1365)	$1195	$1259	**TRGTSSDR54**										
20" (508)	15" (381)	65 3/4" (1670)	1352	1438	**TRGTSSDR66**										
Display Tower with Door LH															
20" (508)	15" (381)	53 3/4" (1365)	$ 1195	$ 1259	**TRGTSSDL54**										
20" (508)	15" (381)	65 3/4" (1670)	1352	1438	**TRGTSSDL66**										
Build your complete Part Number here:					_ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_	_	_ _	_

Right-Hand Shown

Sample Part Number:	TRGTSSDR54	.FD	.E3A	MM	.XZ2	.XZ2	.XZ2	N/A	.K	.NL	N/A
Total Cost $1791 =	$1195	+ $477	+ $119	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Trig Wardrobe Display Tower
The Wardrobe Display Tower features include a hinged locking door, one shelf , full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening tothe right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.

Units ship fully assembled.

Trig Wardrobe Display Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Right Handed						**LD No Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $119** **3-Form** (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match Door Color Specify only if LD Selected	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG** (one Lock) **+ $29** Trig Lock	**R No-Cost** Trig Random **T** (one Lock) **- $14** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
20" (508)	15" (381)	53¾" (1365)	$1080	$1144	**TRGTSWRR54**										
		65¾" (1670)	1232	1318	**TRGTSWRR66**										
Left Handed															
20" (508)	15" (381)	53¾" (1365)	$1080	$1144	**TRGTSWRL54**										
		65¾" (1670)	1232	1318	**TRGTSWRL66**										
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_	_	_	_	_	_ _	_ _

Right-Hand Shown

Sample Part Number:	**TRGTSWRR54**	**.FD**	**.E3A**	**.MM**	**.XZ2**	**.XZ2**	**.XZ2**	**N/A**	**.K**	**.NL**	**N/A**
	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_	_	_ _	_

Total Cost $1676 =	$1080	+ $477	+ $119	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Under Desk Lateral Support Storage
Trig Under Desk Lateral Support Storage is available in three depths. The Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front to back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Trig Under Desk Lateral Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Optional locking available for drawers.

Units are intended for work surface support applications.

Ships fully assembled except 2" support leg.

Under Desk Pedestal Support Storage
Trig Under Desk Pedestals include a 1" riser for mouting under the desk. Pedestals have full extension ball bearing slides, side-to-side and front to back filing bars and leveling glides.

Optional locking available for drawers.

Ships fully assembled except 2" support leg.

Trig Under Desk Lateral Support Storage

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Draw-er Color	Leg Trim Color	Lock Type	Lock Op-tion
20" (508)	30" (762)	27³/₄" (705)	$1284	$1330	**TRGUDLAT20**	**No Cost Applied** **L** Classic **E** Stream-line **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate Drawer Edge will match Drawer Color	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
24" (610)	30" (762)	27³/₄" (705)	1371	1435	**TRGUDLAT24**								
30" (762)	30" (762)	27³/₄" (705)	1429	1475	**TRGUDLAT30**								

Trig Under Desk Pedestal Support Storage

Dimension Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number
20" (508)	15½" (394)	27³/₄" (705)	$ 1064	$1091	**TRGUDPED20**
24" (610)	15½" (394)	27³/₄" (705)	1147	1174	**TRGUDPED24**
30" (762)	15½" (394)	27³/₄" (705)	1201	1247	**TRGUDPED30**

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	**TRGUDLAT20** _ _ _ _ _ _ _	**.MD** _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _	**.TRG** _ _ _	**.R** _
Total Cost $1313 =	$1284 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$29 +	N/C

Under Desk Double-Door Support Storage
Trig Under Desk Double-Door Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Features included hinged doors with optional locking. (Locking not available with aluminum doors) Units come with one shelf that adjusts vertically in 2 1/2" increments. Leveling glides are included in 2" support legs. Units are intended for under work surface support applications.

Ships fully assembled except 2" support leg.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Trig Under Desk Double-Door Support Storage

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Otion
20" (508)	30" (762)	27³/₄" (705)	$ 1197	$ 1243	**TRGUDDD20**	**LD Cost** Laminate Door **FD + $238** Framed Door	Plexiglass (01-02) **No Cost** **Frosted** Plexiglass (E3A) **+$119** **3-Form** (E01-E03) **+ $238**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $29** Trig Lock	**R No Cost** Trig Random **T - $14** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
24" (610)	30" (762)	27³/₄" (705)	1268	1332	**TRGUDDD24**										
30" (762)	30" (762)	27³/₄" (705)	1321	1385	**TRGUDDD30**										
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _	_	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	**TRGUDDD20**	**.LD**	**N/A**	**.MD**	**.XZ2**	**.XZ2**	**.XZ2**	**.XZ2**	**.K**	**.TRG**	**.R**
Total Cost $1226 =	$1197 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$29 +	N/C

Trig Stack Storage - Open Shelf
Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.

Trig Stack Storage - Paper Management Shelf
The Paper Management Shelf can be used above any Trig Credenza, Bench Height or Freestanding storage unit 30" or wider.

The Paper Management Shelf width does not need to match the width of the storage unit it stacks on. A narrower shelf can be placed anywhere along the width of the storage unit where paper management or open cubby storage is desired.

The 30" (762) & 45" (1143) wide shelf has a single opening and 60" (1524) & 75" (1905) have two openings with a center divider.

The Shelf ships ready to assemble.

Stack Storage – Open Shelf

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Gap Guard
14" (356)	30" (914)	27" (686)	$525	$552	**TRGSOS3027**	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**XN No Cost** No Gap Guard **XG + $50** Gap Guard
		39" (991)	656	702	**TRGSOS3039**				

Stack Storage – Paper Management Shelf

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
14" (356)	30" (914)	5" (127)	$230	$244	**TRGSPMS30**
	45" (1143)		283	297	**TRGSPMS45**
	60" (1524)		394	408	**TRGSPMS60**
	75" (1905)		512	539	**TRGSPMS75**

Build your complete Part Number here:	_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _

Sample Part Number:	**TRGSOS3027** _ _ _ _ _ _ _ _	**.XZ1** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.XN** _ _
Total Cost $525 =	$525 +	N/C +	N/C +	N/C +	N/C

Trig Overhead - Single Sliding Door

The Single Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

The thermofused laminate door travels in an aluminum track by means of a pull. Each unit has a center divider, so there is always one cubby open and one closed. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

Trig Overhead – Dual Sliding Doors

The Dual Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

The two frosted plexiglass doors have pulls and run back to back in an aluminum track. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Towers when mounted on top of a Trig work surface.

Trig Overhead - Single Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Door Grain Direction	Trim Color
14" (356)	48" (1219)	15½" (394)	$ 1051	$ 1097	**TRGOSS48**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2	**54L + $388** Legs to align with 54" high towers **66L + $417** Legs to align with 66" high towers	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	**NA** No Grain Direction **DGH** Horizontal Grain **DGV** Vertical Grain	Standard Finish **No Cost** Premium Finish **+ $** (See Surface Materials Page 10)
	54" (1372)		1148	1194	**TRGOSS54**								
	60" (1524)		1195	1241	**TRGOSS60**								
	66" (1676)		1299	1345	**TRGOSS66**								
			1339	1385	**TRGOSS72**								

Trig Overhead - Dual Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
14" (356)	48" (1219)	15½" (394)	$1339	$1366	**TRGODS48**
	54" (1372)		1442	1488	**TRGODS54**
	60" (1524)		1536	1582	**TRGODS60**
	66" (1676)		1654	1700	**TRGODS66**
	72" (1829)		1719	1765	**TRGODS72**

Build your complete Part Number here:	_ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGOSS48** _ _ _ _ _ _	**.MM** _ _	**.54L** _ _ _	**.ZX2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.DGV** _ _ _	**.PA** _ _
Total Cost $1439 =	$1051 +	N/C +	$388 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Trig Overheade – Hinged Doors
The Hinged Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Each unit includes 2 pairs of locking hinged doors. The same door size is used for all units. Overheads that are 66" (1676) and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

If a wood grain laminate is selected the grain will run vertically on the door front.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available that will align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Towers when mounted on top of Trig work surfaces.

Center Cubby Size Per Overhead

Unit Width	Center Cubby Width
66" (1676)	6" (152)
72" (1829)	12" (305)
78" (1981)	18" (457)
84" (2134)	24" (610)

Trig Overhead - Hinged Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Leg Trim Color	Lock Type	Lock Option
14" (356)	60" (1524)	15½" (394)	$939	$985	**TRGOHD60**	**54L + $388** Legs to align with 54" high towers **66L + $417** Legs to align with 66" high towers	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Standard Finish **No Cost** Premium Finish **+ $**	**NL No Cost** No Lock **TRG +$60** Trig Lock	**R No Cost** Trig Random **T -$28** Trig Key-Alike Note: Be sure to order core/ key sets (TLCK) separately.
	66" (1676)		1010	1074	**TRGOHD66**								
	72" (1829)		1036	1100	**TRGOHD72**								
	78" (1981)		1128	1192	**TRGOHD78**								
	84" (2134)		1154	1218	**TRGOHD84**								
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _	_

TRGOHD66 Shown

Sample Part Number:	TRGOHD60	.54L	.XZ2	.XZ2	.XZ2	.XZ4	.K	.NL	N/A
Total Cost $1327 =	$939 +	$388 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Trig Overhead - Open Shelf
The Open Shelf Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

Open Shelf Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

Trig Overhead - Open Shelf

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Suport Option	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
14" (356)	48" (1219)	15½" (394)	$406	$433	**TRGOOS48**	**54L + $388** Legs to align with 54" high towers **66L + $417** Legs to align with 66" high towers	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $** (See Surface Materials Page 10)
	54" (1372)		493	539	**TRGOOS54**					
	60" (1524)		629	675	**TRGOOS60**					
	66" (1676)		761	807	**TRGOOS66**					
	72" (1829)		813	859	**TRGOOS72**					
	78" (1981)		891	955	**TRGOOS78**					
	84" (2134)		917	981	**TRGOOS84**					
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _

Sample Part Number:	TRGOOS48	.54L	.XZ2	.XZ4	.XZ4	.DW
	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _
Total Cost $794 =	$406 +	$388 +	N/C +	N/C +	N/C +	N/C

Trig Storage to Panel Brackets
Storage to Panel Brackets are used to connect Trig Storage units to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to layouts that would otherwise require return panels.

For detailed application information regarding use of the Storage to Panel Bracket, refer to the *Trig Desking Planning Guide.*

Storage to Panel Brackets are available in Charcoal only.

All necessary hardware for assembling brackets to Trig storage is included.

Trig Support Leg to Panel Brackets
The Leg to Panel Bracket is used to connect Trig Support Legs to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to configurations that would otherwise require return panels.

Two different brackets are available for use with either Capture, Choices or Contrada. Their specific use depends on the orientation of the work surface relative to the panel.

Capture
TRGLCPTPB1 – Used when a work surface is parallel to a Capture panel

TRGLCPTPB2 – Used when a work surface is perpendicular to a Capture panel

TRGLCPTPB3 – Used when two work surface are parallel to a Capture panel, with a side to side shared leg between them

Choices
TRGLCSPB1 – Used when a work surface is parallel to a Choices panel

TRGLCSPB2 – Used when a work surface is perpendicular to a Choices panel

TRGLCSPB3 – Used when two work surface are parallel to a Choices panel, with a side to side shared leg between them

Contrada
TRGLCNPB1 – Used when a work surface is parallel to a Contrada panel

TRGLCNPB2 – Used when a work surface is perpendicular to a Contrada panel

TRGLCNPB3 – Used when two work surface are parallel to a Contrada panel, with a side to side shared leg between them

For detailed application information regarding use of the Support Leg to Panel Bracket, refer to the *Trig Desking Planning Guide.*

Support Leg to Panel Brackets are available in all Standard and Premium Systems Trim Finishes.

All necessary hardware for assembling brackets to Trig Support Legs is included.

Trig Storage to Panel Brackets

Description	List Price	Catalog Number
Storage to Capture Panel	$143	**TRGSCPTPB**
Storage to Choices Panel	131	**TRGSCSPB**
Storage to Contrada Panel	158	**TRGSCNPB**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Trig Support Leg to Panel Brackets

Description	Usage	List Price	Catalog Number	Trim Color
Support Leg to Capture Panel	Parallel	$146	**TRGLCPTPB1**	**Standard Finish No Cost**
	Perpendicular	146	**TRGLCPTPB2**	
Support Leg to Choices Panel	Parallel	133	**TRGLCSPB1**	
	Perpendicular	133	**TRGLCSPB2**	
Support Leg to Contrada Panel	Parallel	160	**TRGLCNPB1**	**Premium Finish + $**
	Perpendicular	160	**TRGLCNPB2**	
Side to Side Support Leg to Capture Panel	Parallel	$146	**TRGLCPTPB3**	(See Surface Materials Page 10)
Side to Side Support Leg to Choices Panel	Parallel	$133	**TRGLCSPB3**	
Side to Side Support Leg to Contrada Panel	Parallel	$160	**TRGLCNPB3**	
	Build your complete Part Number here:	_ _ _ _ _ _ _ _		_

Sample Part Number:	**TRGLCSPB1** _ _ _ _ _ _ _	**.Y** _

Total Cost $133 =	$133	+	N/C

Trig Benching Electrical

Benching Electrical Components 76

Benching Electrical Accessories 79

Components

Trig Power Raceway

The Trig Power Raceway consists of four parts - Raceway to Table Connector, Trig Raceway Shroud, Power Block Brackets, and the Power Block.

The Bracket and Blocks ship attached to the Raceway to Table Connector. The Raceway to Table Connector attaches to the underside of the desk. Once installed, the Shroud attach to it to form a complete raceway. The width of the Raceway is actual. Please refer to the chart below to specify the correct width Raceway for each desk configuration.

Specifying Raceway Widths

The support on both sides of the Trig Desk will play a part in the Raceway width needed. This chart shows how much room the support takes up. Add up the supports on both sides of the desk and subtract from the overall width of the desk.

Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

Support 1	Support 2	Surface Width Minus	Surface Width: 36	42	48	54	60	66	72	78	84
			Raceway Width								
Leg (6)	Leg (6)	12	24	30	36	42	48	54	60	N/A	N/A
Leg (6)	Bench Hgt Riser(18)	24			24	30	36	42	48	54	60
Leg (6)	Ped (18)*	24			24	30	36	42	48	54	60
Leg (6)	UD Support (30)*	36					24	30	36	42	48

* In order for a Raceway to span the full width, the depth of any Under Desk support used must be 4" shorter on a 24" deep surface, and 6" shorter on a 30" deep surface to allow sufficient clearance.

Trig Power Raceway Spanning Cover

The Trig Power Raceway Spanning Cover is used to enclose power and data cables when they span across to an adjacent Table's Raceway. There are three versions of the Cover to accommodate most configurations.

The TRGPRSC12SL is specified when a single U Leg is shared in the center of four adjacent Tops. There is a single notch opening to accommodate the U Leg.

The TRGPRSC12DL is specified when two U Legs are shared legs in the center of four adjacent Tops. There is a single notch opening large enough to accommodate two U Legs.

The TRGPRSC364R is specified when four risers are used, or a combination of four storage pieces that all must be at least 4" shorter than the depth of the Top. There is no opening. This version can be used to accommodate most configurations.

Power Block
Power Blocks ship complete with the Raceway.

- Power Blocks provide power access on both sides, accommodating up to two snap-in Power Duplexes per side.
- 24" (610) Raceways include only one Power Block, a single Distribution Block that accommodates up to two snap-in Power Duplexes (maximum one per side).
- 30" (762), 36" (914), 42" (1067), 48" (1219), 54" (1372) and 60" (1524) Raceways ship with two Distribution Blocks to accommodate up to four snap-in Power Duplexes (maximum two per side).

Trig Electrical Harness

Electrical Harnesses connect power horizontally from one adjacent Work Surface to another. The Harness attaches to a Block positioned 9” from the end of each Raceway, so when specifying the Harness length you will add 18” (9” + 9”) to the distance between adjacent raceways. The type of Support used will determine the length of Harness required (see table below).

Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

In the figure below, connection A supports include a Ped and a Leg (18” + 6”) + (18” for the distance inside the raceway), for a total of 42”. For connection B, the supports consist of a Leg and a Leg (6” +6”) + (18” for the distance inside the raceway) for a total of 30”.

NOTE: A Harness cannot be used if a full depth storage piece is located next to a Leg. This configuration does not allow sufficient clearance for the Harness to extend to the next table.

NOTE: If no full depth under desk storage is present and full-depth U legs are positioned diagonally from each other on facing Work Surfaces, you must add 6" to the length of a Harness in order to pass around the U Legs.

Trig Power Infeed

Trig End Mount Infeed
The Trig End Mount Infeed installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit Base Feed to the building's electrical system. It can be used on its own or housed by a Trig Floor Power Pole.

Trig Floor Power Pole
The Trig Floor Power Pole is used to channel electrical components and communication cables. It attaches to the side of a Trig U Leg.

Trig Ceiling Feed
The Trig Ceiling Feed supplies power from the ceiling to the Power Block. The Feed is housed by the Trig Ceiling Power Pole. It has 13' (3962) of wire and 12' (3658) of flexible conduit.

Trig Ceiling Power Pole
The Trig Ceiling Power Pole is used to house electrical components and communication cables accessed from the ceiling. It attaches to a Trig U Leg at the end of a run.

Trig Electrical Duplex
The Trig Electrical Duplex provides user access to power. It plugs into the Power Blocks that ship complete with the Raceway. There are nine different duplexes used to create three different 4-Circuit options (See Electrical Circuit Planning section). Each Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, III, IV. Duplexes must be specified separately to match the desired electrical circuit plan.

Communication Module
The Communication Module snaps into an open Duplex location in the Raceway to provide access to communication distribution.

CM552

CM553, CM553BW, CM554

CM555

The 8-Wire Trig Electrical Circuit Planning and Hardwiring to Building Electrical Source

The Trig Electrical System is an 8-Wire, 4-Circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). There are three - four circuit options which include:

- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

Fig. 1 Installing to Buildings Power Source

208/120V 3-Phase Building Supply

240/120V Single-Phase Building Supply

Options for PowerPac Four Circuit System

Fig. 2 Three General Circuits, One Dedicated

Fig. 3 Three Isolated Circuits, One Dedicated

Fig. 4 Two General Circuits, Two Isolated

Trig Power Raceway
The Trig Power Raceway provides a steel enclosure that houses and routes power and data in Trig Benching applications. Each Raceway 30" and wider has four openings per side, two for power duplexes and two for data. The 24" Power Raceway has one power and data opening per side. Raceways are specified to accommodate Trendway's standard 8 wire 4 circuit power system (P1) or a hardwire solution (H). The Power Raceway ships with an Electrical Block or 2 hardwire boxes included, and attachment brackets installed. Power Duplexes, Harnesses and Infeeds must be specified separately.

The unit ships with all attachment hardware included. The Raceway is available in all Trendway Standard and Premium Finishes.

Trig Power Raceway End Cover
The Trig Power Raceway End Cover provides a finished appearance at the end of a Trig Power Raceway.

Not to be used on the same side as an Infeed.

The unit ships with all attachment hardware included. The End Cover is available in all Trendway Standard and Premium Finishes.

Trig Power Raceway Spanning Covers
The Trig Power Raceway Spanning Cover is used to conceal power and data cables where they span to an adjacent Raceway. The Cover attaches two Trig Power Raceways to create a continuous steel enclosure beneath the surfaces.

The Spanning Cover is available in all Trendway Standard and Premium Finishes.

Trig Power Raceway

Dimensions Width	Depth	Height	List Price	Catalog Number	Power Option	Trim Color
24" (610)	2³/₄" (70)	5¹/₄" (133)	$329	**TRGPR24**	**No Cost**	**Standard Finish No Cost**
30" (762)			372	**TRGPR30**	**P1** 8 Wire 4 Circuit	
36" (914)			419	**TRGPR36**		**Premium Finishes +$33**
42" (1067)			437	**TRGPR42**		
48" (1219)			462	**TRGPR48**	**H** Hardwired	
54" (1372)			479	**TRGPR54**		
60" (1524)			518	**TRGPR60**		

Trig Power Raceway End Cover

Dimensions Width	Height	List Price	Catalog Number	Trim Color
2³/₄" (70)	5¹/₄" (133)	$50	**TRGPREC**	**Standard Finish No Cost**
				Premium Finishes +$6

TRGPRSC12SL

TRGPRSC12DL

TRGPRSC364R

Trig Power Raceway Spanning Cover

Description	Dimensions Width	Height	List Price	Catalog Number	Trim Color
Single Shared Leg	14¹/₄" (362)	5¹/₄" (133)	$117	**TRGPRSC12SL**	**Standard Finish No Cost**
Double "Single sided" Legs	14¹/₄" (362)	5¹/₄" (133)	117	**TRGPRSC12DL**	
4 Bench Height Risers	38¹/₄" (972)	5¹/₄" (133)	145	**TRGPRSC364R**	**Premium Finishes +$18**
			Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_ _

Sample Part Number:	**TRGPR24** _ _ _ _ _ _	**.P1** _ _	**.G** _ _
Total Cost $329 =	$329 +	N/C +	N/C

Trig Ceiling Power Pole
The Trig Ceiling Power Pole encloses and routes power and communication cables from the ceiling to the Trig Power Raceway. The Power Pole is 12' in height and will attach structurally into the ceiling and to the Trig U Leg at the end of a run. Pole capacity is 50 1/4" diameter cables with a ceiling feed.

Note: To connect the Trig electrical system to ceiling power, order the CFTP power feed.

Trig Floor Power Pole
The Trig Floor Power Pole has a 2 inch by 2 inch profile that attaches seamlessly to the side of a Trig U Leg. The Power Pole has a removable 4th side that allows for easy access to power and communication cables. The Pole is 26" high and attaches on the inside quarter of the leg. The Pole capacity is 31 1/4" diameter cables without an infeed, and 23 1/4" diameter cables with an infeed.

Note: To connect the Trig electrical system to building power, order the EBFH Infeed.

Trig Ceiling Power Pole

Dimensions Width	Dimensions Depth	Dimensions Height	List Price	Catalog Number	Trim Color
2 5/8" (67)	2 5/8" (67)	12' (3658)	$380	**TRGCPP144**	**Standard Finish No Cost** **Premium Finishes +$35** See Surface Material Page 10

Trig Floor Power Pole

Dimensions Width	Dimensions Depth	Dimensions Height	List Price	Catalog Number	Trim Color
2" (51)	2" (51)	26 5/8" (676)	$130	**TRGFPP27**	**Standard Finish No Cost** **Premium Finishes +$18** See Surface Material Page 10

Build your complete Part Number here: _ _ _ _ _ _ _ _ _ _

Sample Part Number: **TRGFPP27** _ _ _ _ _ _ **. G** _ _

Total Cost $130 = $130 + N/C

Trig Ceiling Feed
The Ceiling Feed supplies power from the ceiling to the Trig Raceway. The feed is channeled through the Trig Ceiling Power Pole. The CFTP which has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended. The Ceiling Feed includes junction box and attachment hardware.

Trig End Mount Feed
The End Mount Base Feed plugs into a Power Block to feed power from the building's electrical system. It provides 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system. UL and CUL Listed/CSA Certified.

Available in Black only.

Trig Benching Electrical Harness
Trig Electrical Harnesses connect Electrical Blocks, distributing power horizontally from one Trig unit to another. The Electrical Harness is UL Listed and CUL Listed/CSA Certified.

Trig Ceiling Feed

Wire Length	Conduit Length	List Price	Catalog Number
15' (67)	14" (4267)	$173	**CFTP144**

Trig End Mount Feed

Cord Length	List Price	Catalog Number
6' (1829)	$190	**EBFH**

Trig Benching Electrical Harness

Length	List Price	Catalog Number
30" (762)	$104	**TRGPBH30**
42" (762)	113	**TRGPBH42**
48" (762)	122	**TRGPBH48**
54" (762)	127	**TRGPBH54**
60" (762)	135	**TRGPBH60**
66" (762)	139	**TRGPBH66**
72" (762)	142	**TRGPBH72**
78" (762)	146	**TRGPBH78**
90" (762)	148	**TRGPBH90**

Build your complete Part Number here: _ _ _ _ _ _ _

Sample Part Number: **CFTP144** _ _ _ _ _

Total Cost $173 = $173

Trig Power Duplexes
The Power Duplex plugs into Electrical Blocks for access to the circuit. Power Duplex is clearly marked for Circuit I, II,III, IVΔ, IΔ, IIΔ, IIIΔ, ΔIIIΔ or IV access. See Power Electrical Components and Electrical Circuit Planning for guidelines on specifying Electrical Duplexes. Packaged in boxes of six of the same duplex. UL and CUL Listed/CSA Certified.

Communication Modules
The Communication Module snaps into an open duplex location in the baseline and at the beltway. It provides access to communication cables. Jacks are color coded as noted below. Includes icon tabs for easy identification of Data, Phone, Voice, and LAN (Local Area Network) lines.

Note: Verify your configuration with your building telecommunication contractor.

Note: All modules can be installed back to back.

Note: The RJ11 Jacks are rated category 3. The RJ45 Jacks are rated category 5e.

Trig Power Duplexes

Description		List Price	Catalog Number	Trim Color
15 AMP Recepticals				**Standard Finish No Cost**
Circuit I	Box of 6	$ 154	**TRGPD151**	
Circuit II	Box of 6	154	**TRGPD152**	
Circuit III	Box of 6	154	**TRGPD153**	See Surface Material Page 10
Circuit IV△	Box of 6	173	**TRGPD154**	
Circuit I△	Box of 6	$ 186	**TRGPD151A**	
Circuit II△	Box of 6	186	**TRGPD152A**	
Circuit III△	Box of 6	186	**TRGPD153A**	
Circuit △III△	Box of 6	186	**TRGPD153B**	
Circuit IV	Box of 6	186	**TRGPD154A**	

CM552

CM553, CM553BW, CM554

CM555

Communication Modules

Description	List Price	Catalog Number
One RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate	$ 82	**ⒺCM552**
Two RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate	112	**ⒺCM553**
Two RJ45, Cat. 5e, 110 Terminal, One Blue Jack, One White Jack, Black Faceplate	112	**CM553BW**
One RJ11, Cat. 3, One RJ45, Cat. 5e, 110 Terminal	112	**ⒺCM554**
Three RJ45, Cat. 5e, 110 Terminal, One Black Jack, One Blue Jack, One White Jack, Black Faceplate	142	**CM555**
Four RJ45, Cat. 6, One Black Jack, One White Jack, One Green Jack, One Gray Jack	316	**CM6666**

Note: Communication Modules require an open duplex location.

110 Terminal

Build your complete Part Number here: _ _ _ _ _

Sample Part Number: **TRGPD151** _ _ _ _ _ _ _

Total Cost $154 = $154

Trig Power Grommet
The Trig Power Grommet includes the Grommet and a 6' cord to plug into an adjacent standard 15 amp outlet. Grommets can be specified with two power outlets, one power outlet and one USB port, or one power outlet and one open data port. The Power Grommet fits a factory cut opening on Trig tops with the PNDR or PNDL option selected. It can also be purchased separately and field installed where desired. Available in Black or White.

2 Power

1 Power 1 USB

1 Power a Open Data

Trig Power Grommets

Description	List Price	Catalog Number
White Unit Color		
2 Power	$ 245	**TRGPND2PW**
1 Power 1 USB	345	**TRGPND1P1UW**
1 Power a Open Data	245	**TRGPND1P1DW**
Black Unit Color		
2 Power	$ 245	**TRGPND2PB**
1 Power 1 USB	345	**TRGPND1P1UB**
1 Power a Open Data	245	**TRGPND1P1DB**

Build your complete Part Number here: _ _ _ _ _ _ _ _ _ _ _

Sample Part Number: **TRGPND2PW**
_ _ _ _ _ _ _

Total Cost $245 = $245

Trig Electrical

Electrical Specification Guide 86

Electrical Components 87

Electrical Accessories 89

Trig Electrical Planning Guide

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems excepts up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.

All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

Electrical Harness Selection

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

Side By Side

For this layout, the harness length is calculated by the following equation:

(Half of Surface 1 width) + (Half of Surface 2 width) – 6" = Harness Length

If calculated harness length does not match an exact size, select next longer length.

Example: Surface (1) is 60" wide
Surface (2) is 66" wide

(30") + (33") –6" = 57" (57" is not a standard size so a 60" length is selected)

Back to Back (Surfaces of Equal Width)

In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	48"	54"	60"	66"	72"	78"	84"
Harness Length	18"	24"	24"	30"	30"	36"	36"

COMBINING LAYOUTS
Side by Side and Back to Back

In this layout, both side-by-side and back-to-back planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

(Half of Surface 1 width) + (Half of Surface 2 width) – 6" = Harness Length.

To connect these work surfaces back-to-back, refer to the corresponding chart above.

In this U-Shape layout where only 48” deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	54"	60"	66"	72"	78"	84"
Harness Length	60"	60"	66"	66"	66"	66"

L-Shape (Except Blade)

For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

Layout 1
Main Surface (1) = 20″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Main Surface (1) width	**54″**	**60″**	**66″**	**66″**	**72″**
48″	48″	48″	54″	54″	60″
54″	48″	48″	54″	54″	60″
60″	48″	48″	54″	54″	60″
66″	48″	54″	54″	54″	60″
72″	48″	54″	54″	60″	60″
78″	54″	54″	54″	60″	60″
84″	54″	54″	60″	60″	66″

Layout 2
Main Surface (1) = 24″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Main Surface (1) width	**48″**	**54″**	**60″**	**66″**	**72″**
48″	48″	48″	54″	54″	60″
54″	48″	48″	54″	54″	60″
60″	48″	48″	54″	54″	60″
66″	54″	54″	54″	54″	60″
72″	54″	54″	54″	60″	66″
78″	54″	60″	60″	60″	66″
84″	54″	60″	60″	60″	66″

Layout 3
Main Surface (1) = 30″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Work Surface (1) width	**48″**	**54″**	**60″**	**66″**	**72″**
48″	54″	60″	60″	66″	66″
54″	54″	60″	60″	66″	66″
60″	54″	60″	60″	66″	66″
66″	60″	60″	66″	66″	66″
72″	60″	60″	66″	66″	72″
78″	60″	66″	66″	66″	72″
84″	60″	66″	66″	72″	72″

Power Set
The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

Note: Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located.

UL and CUL Listed/CSA Certified

Trig Base Feed
The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

Electrical Harnesses
Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Trendway Customer Care for assistance.)

Trig Power Set

Width	List Price	Catalog Number
12" (305)	$158	**TRGDR12**

Trig Base Feed

Width	List Price	Catalog Number
6' (1829)	$124	**TRGPF**
12' (3658)	$187	**TRGPF12**

Trig Electrical Harness

Width	List Price	Catalog Number
18" (457)	$69	**TRGEH18**
24" (610)	71	**TRGEH24**
30" (762)	75	**TRGEH30**
36" (914)	79	**TRGEH36**
42" (1067)	85	**TRGEH42**
48" (1219)	92	**TRGEH48**
54" (1372)	98	**TRGEH54**
60" (1524)	102	**TRGEH60**
66" (1676)	107	**TRGEH66**
72" (1829)	113	**TRGEH72**
78" (1981)	119	**TRGEH78**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **TRGDR12** _ _ _ _ _ _

Total Cost $158 = $158

New York Base Feed
The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

H-Connector
The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)

Trig Base Feed New York

Width	List Price	Catalog Number
18" (457)	$118	**TRGPFNY**

Trig H-Connector

Width	List Price	Catalog Number
2" (51)	$25	**TRGHC**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **TRGPFNY** _ _ _ _ _ _

Total Cost $118 = $118

Horizontal Electrical Accessory
Horizontal Electrical Accessories provide power and data access, mounting to the back edge of a desk or work surface without a modesty panel.

The face plate is available in black or white. The outlet bezel and back of the unit is clear anodized aluminum. Includes a 6' power cord.

UL and CUL Listed.

Vertical Electrical Accessory
Vertical Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.

The face plate is available in black or white. The outlet bezel and back of the unit is clear anodized aluminum. Includes a 6' power cord.

UL and CUL Listed.

HEA2P2DB

HEA3P3DB

Horizontal Electrical Accessory

Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	$476	**HEA2P1UB**
two power outlets, one Ipod Dock	632	**HEA2P1PB**
two power outlets, two data openings	301	**HEA2P2DB**
three power outlets, one Extron Bracket	402	**HEA3P1EB**
three power outlets, three data openings	382	**HEA3P3DB**
White Face Plate		
two power outlets, one USB	$476	**HEA2P1UW**
two power outlets, one Ipod Dock	632	**HEA2P1PW**
two power outlets, two data openings	301	**HEA2P2DW**
three power outlets, one Extron Bracket	402	**HEA3P1EW**
three power outlets, three data openings	382	**HEA3P3DW**

VEA2P2DB

Vertical Electrical Accessory

Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	$ 476	**VEA2P1UB**
two power outlets, two data openings	301	**VEA2P2DB**
three power outlets, one Extron Bracket	402	**VEA3P1EB**
three power outlets, three data openings	382	**VEA3P3DB**
White Face Plate		
two power outlets, one USB	$ 476	**VEA2P1UW**
two power outlets, two data openings	301	**VEA2P2DW**
three power outlets, one Extron Bracket	402	**VEA3P1EW**
three power outlets, three data openings	382	**VEA3P3DW**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **HEA2P1UB**

Total Cost $476 = $476

Horizontal Sliding Electrical Accessory
The Horizontal Sliding Electrical Accessory provides 3 3/4" of sliding access to power and data. The body is anodized aluminum. The unit can be used on work surfaces that are 48" or 54' wide. It cannot be used on other work surface widths because they include a reinforcement bar which will obstruct the track.

UL and CUL Listed.

Ribbed Horizontal Electrical Accessory
Ribbed Horizontal Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.

The body is anodized aluminum.

Unit includes a 6' power cord.

UL and CUL Listed.

HSEA1P1D

HSEA2P2D

Horizontal Sliding Electrical Accessory

Description	List Price	Catalog Number
one power outlet, one data opening	$313	**HSEA1P1D**
two power outlets, two data openings	333	**HSEA2P2D**

RHEA1P1D

RHEA2P

RHEA2P2D

RHEA3P2D

RHEA4P

Ribbed Horizontal Electrical Accessory

Description	List Price	Catalog Number
one power outlet, one data opening	$313	**RHEA1P1D**
one power outlet, one Extron Bracket	338	**RHEA1P1E**
two power outlets	326	**RHEA2P**
two power outlets, one USB	507	**RHEA2P1U**
two power outlets, one data opening, one USB	521	**RHEA2P1D1U**
two power outlets, one Extron Bracket	357	**RHEA2P1E**
two power outlets, one Ipod Dock	664	**RHEA2P1P**
two power outlets, two data openings	333	**RHEA2P2D**
three power outlets, two data openings	357	**RHEA3P2D**
four power outlets	452	**RHEA4P**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **HSEA1P1D**

Total Cost $313 = $313

Trig Desking Accessories

Accessories 94

Monitor Arms 96

Task Light 98

Pedestal Pencil Tray
The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Trig Pedestal drawers.

Available in black only.

Laminate Pedestal Side-to-Side Filing Bars
Side-to-Side Filing Bars convert Trig 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.

Vertical Wire Manager
The Vertical Wire Manager is designed to economically route wires from the floor to the work surface in a freestanding application. It can extend up to 30". The wire manager includes 15 vertibra rings, 1 base mount, 1 work surface mount, an edge clip and mounting screws.

Constructed of durable plastic, available in aluminum-toned finish only.

Pedestal Pencil Tray

Dimensions Depth	Width	Height	Description	List Price	Catalog Number
5 1/2" (140)	13 3/8" (340)	1" (25)	Includes 1 pencil tray.	$17	ⓔHPPT

Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number
Includes 6 hanging bars. Requires 1 per drawer.	$65	ⓔZFPSSB

Vertical Wire Manager

	List Price	Catalog Number
	$174	TRGVWMAL

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: HPPT

Total Cost $17 = $17

ⓔ notes the item is available on Express

Vertical Wire Channel
The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

Horizontal Wire Manager
The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.

Grommet for Work Surface
The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.

Vertical Wire Channel

Length	Dimensions Width	Depth	List Price	Catalog Number	Trim Color
24" (610)	1/2" (13)	1/2" (13)	$26	ⓔVWC3	ⓔ Standard Smooth Finish Only See Surface Materials Page 5

Package Contains 3 Wire Channels

Horizontal Wire Manager

Depth	Dimensions Length	Height	List Price	Catalog Number	
3" (76)	30" (762)	2" (51)	$37	ⓔHWM30	

Grommet for Work Surface

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
15/16" (24)	2.8" (71)	2 3/8" (60)	$61	ⓔSIZGWS (Black)	
15/16" (24)	2.8" (71)	2 3/8" (60)	$61	ⓔSIGSGWS (Silver)	

Includes 6 grommets.

Build your complete Part Number here:	_ _ _ _ _	_

Sample Part Number:	VWC3 _ _ _ _	.Y _
Total Cost $26 =	$26 +	N/C

ⓔ notes the item is available on Express

Monitor Arm
The monitor arms can be affixed to the back edge of the work surfaces between the panel and work surface or can also be bolted through the surface, with a drilled hole or grommet. The height can be adjusted 13" vertically and has 26" of reach. The arm can be adjusted to accurately counterbalance the weight of the monitor. Finally the arm can swivel 360 degrees. All this leads to an ergonomically correct viewing angle.

Available in silver only.

Single Monitor Arm
The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 14 lbs.

Dual Monitor Arm
The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 20 lbs total. Measured diagonally, the maximum screen width for each monitor is 22".

Single Monitor Arm

	List Price	Catalog Number
	$413	**MARMSNGL**

Dual Monitor Arm – Desk Mount

	List Price	Catalog Number
	$545	**MARMDUAL**

Build your complete Part Number here: _ _ _ _ _ _ _ _ _

Sample Part Number: MARMSNGL

Total Cost $413 = $413

Freestanding Touch Up Markers
The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

Freestanding Touch Up Markers

Description	List Price	Catalog Number
Wild Cherry	$ 67	**ZFTUPXZ1**
Fusion Maple	67	**ZFTUPXZ2**
Empire Mahogany	67	**ZFTUPXZ3**
Black	67	**ZFTUPXZ4**
Chocolate Pear	67	**ZFTUPXZ5**
Kit (all 5 colors)	186	**ZFTUPKIT**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: ZFTUPXZ3

Total Cost $67 = $67

Luma Touch™ LED Desk Lamp
The Luma Touch LED personal task light is specified with either a Round or an Elongated lamp style. The Lamp can be selected with a Freestanding Base, Clamp Mount, or Slatwall Mount. The Slatwall Mount is compatible with Choices, Contrada and Capture. Its double-arm articulated design allows the user to position the light effortlessly for optimum illumination. The single control responds to the lightest touch to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The optional Occupancy Sensor turns the lamp on when a user approaches and shuts it off after 30 minutes of inactivity, conserving energy use. Available in three colors. ETL, TAA and BAA certified.

ORI LED Desk Lamp
The ORI LED Personal Task Light provides 390 Lumens of clear white light right where you need it. It offers a wide range of vertical and rotational adjustment so the user can direct the light where it's needed. The clean, simple and attractive design complements any interior. The single control responds to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The Lamp is available as a freestanding model or with a clamp mount. UL Listed. Available in a Brushed Nickel finish

LumaTouch LED Desk Lamp - Circle

Description	List Price	Catalog Number	Occupancy Sensor	Color
Freestanding	$ 572	**LEDLTCRFS**	**OSN** **No Cost** No Sensor	**BK** Black
Clamp Mount	572	**LEDLTCRCP**	**OSY** **+ $192** Sensor	**DW** White
Slatwall Mount	572	**LEDLTCRSW**		**PA** Platinum

LumaTouch LED Desk Lamp - Elongated

Description	List Price	Catalog Number
Freestanding	$ 572	**LEDLTEGFS**
Clamp Mount	572	**LEDLTEGCP**
Slatwall Mount	572	**LEDLTEGSW**

ORI LED Desk Lamp

Description	List Price	Catalog Number
Freestanding Base	$ 328	**LEDORIFS**
Clamp Mount	328	**LEDORICP**

Build your complete Part Number here:	_ _ _ _ _ _	_ _ _	_ _
Sample Part Number:	**LEDLTCRFS**	**.OSN**	**.BK**
Total Cost $572 =	$572 +	N/C +	N/C

Terms, Policies & Index

Terms & Policies 88

Warranty 91

Index 92

1. Prices
Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

2. Order Placement
Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

3. Confirmation
Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at www.trendealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

4. Lead-Times
Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

5. Buyer's Credit
If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

6. Order Changes
To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

7. Cancellation
All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

8. Terms of Sale
Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

9. Taxes
Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

10. Past-Due Accounts
Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

11. Customer's Own Material (COM)
The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with www.trendealer.com/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Trendway Customer Care Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM* test request on-line at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
5. Ship COM samples to:

   U.S. Mail and UPS, FedEx Shipment:
   Trendway Corporation
   13467 Quincy Street
   Holland, MI 49424
   Attn: COM Request
6. You will be notified within five working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

Choices panels	1 1/2	yards
Confer screens	1	yard
Flipper doors	2/3	yard
Intrinsic Freestanding	1	yard

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of

processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

11a. Custom Color
Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer.com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for $200 color matching fee per customer, per color. See Custom Color Request form for details.

12. Special Product
When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

13. Delays
Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

14. Postponement of Delivery
If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

15. Storage
When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

16. Transportation
All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Friday's will have an additional charge of $450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at $50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of $150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of $85.
- Inside delivery service starts at $50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at $50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Shipping Note:
Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

17. Product Ownership
Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

18. Damaged Materials
Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

19. Shortage on Order
Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance
Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

21. Post-Delivery Assistance
Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

22. Returned Goods
As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. **To receive authorization to return goods, please contact Trendway's Customer Care Department.**

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, Express products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.**

23. Special Marking or Tagging
Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

24. Trendway Field Technical and Installation Support:
On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day On-Site, $1,800.00

Field Installation Assistance: 3 Days On-Site, $2,500.00

Field Installation Assistance: 5 Days On-Site, $3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendway.com, in the Price list section.

Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		•Pneumatic Cylinders •Mechanisms •Magnus Olesen
5 Year	•Drawer Slides •Systems Textiles •Finishes •Electronic Ballasts •Height-Adjustable Table Mechanical Components	•System Textiles •Finishes	
3 Year	•Veneer •Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	•Surface Trend Fabrics •Height-Adjustable Table Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product •Access Flooring Solutions	•Non-Standard Product
Not Covered	•Light Bulbs •Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:
- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:
- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation
13467 Quincy St., Holland MI 49422-9016
www.trendway.com 09.12

Trendway

Catalog Number	Description	Page
CM552	Communication Modules	83
CM553	Communication Modules	83
CM553BW	Communication Modules	83
CM554	Communication Modules	83
CM555	Communication Modules	83
CM6666	Communication Modules	83
HEA2P1PB	Horizontal Electrical Accessory	79
HEA2P1PW	Horizontal Electrical Accessory	79
HEA2P1UB	Horizontal Electrical Accessory	79
HEA2P1UW	Horizontal Electrical Accessory	79
HEA2P2DB	Horizontal Electrical Accessory	79
HEA2P2DW	Horizontal Electrical Accessory	79
HEA3P1EB	Horizontal Electrical Accessory	79
HEA3P1EW	Horizontal Electrical Accessory	79
HEA3P3DB	Horizontal Electrical Accessory	79
HEA3PEDW	Horizontal Electrical Accessory	79
HPPT	Pedestal Pencil Tray	82
HSEA1P1D	Horizontal Sliding Electrical Accessory	80
HSEA2P2D	Horizontal Sliding Electrical Accessory	80
HWM30	Horizontal Wire Manager	83
LEDLTCRFS	Luma Touch LED Desk Lamp	86
LEDLTCRCP	Luma Touch LED Desk Lamp	86
LEDLTCRSW	Luma Touch LED Desk Lamp	86
LEDLTEGFS	Luma Touch LED Desk Lamp	86
LEDLTEGCP	Luma Touch LED Desk Lamp	86
LEDLTEGSW	Luma Touch LED Desk Lamp	86
LEDORIFS	ORI LED Desk Lamp	86
LEDORICP	ORI LED Desk Lamp	86
MARMSNGL	Monitor Arm - Desk Mount	84
MARMDUAL	Dual Monitor Arm	84
RHEA1P1D	Ribbed Horizontal Electrical Accessory	80
RHEA1P1E	Ribbed Horizontal Electrical Accessory	80
RHEA2P	Ribbed Horizontal Electrical Accessory	80
RHEA2P1D1U	Ribbed Horizontal Electrical Accessory	80
RHEA2P1E	Ribbed Horizontal Electrical Accessory	80
RHEA2P1P	Ribbed Horizontal Electrical Accessory	80
RHEA2P1U	Ribbed Horizontal Electrical Accessory	80
RHEA2P2D	Ribbed Horizontal Electrical Accessory	80
RHEA3P2D	Ribbed Horizontal Electrical Accessory	80
RHEA4P	Ribbed Horizontal Electrical Accessory	80
SICSP	Flush Support Plates	42
SIGSGWS	Grommet for Work Surface	83
SIZGWS	Grommet for Work Surface	83
TRG612LAT20	Trig Freestanding Lateral	51
TRG612LAT2036	Trig Freestanding Lateral	51
TRG612PED20	Trig Freestanding Pedestal	51
TRGANGDL309424	Trig Blade Desk - Left-Hand	31
TRGANGDR249430	Trig Blade Desk - Right-Hand	31
TRGANGSL309424	Trig Blade Work Surface - Left-Hand	37
TRGANGSR249430	Trig Blade Work Surface - Right-Hand	37
TRGBCSTR661212	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTR666612	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTL661212	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTL666612	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBF2LAT60	Trig Bench-Height Storage	54
TRGBF2LATCS72	Trig Bench-Height Storage	54
TRGBF2LATCS75	Trig Bench-Height Storage	54
TRGBFBC30	Trig Bench-Height Bookcase	55
TRGBFBC36	Trig Bench-Height Bookcase	55
TRGBFLAT30	Trig Bench-Height Storage	53
TRGBFLAT36	Trig Bench-Height Storage	53
TRGBFLATOSL45	Trig Bench-Height Storage	53
TRGBFLATOSL48	Trig Bench-Height Storage	53
TRGBFLATOSL60	Trig Bench-Height Storage	53
TRGBFLATOSR45	Trig Bench-Height Storage	53
TRGBFLATOSR48	Trig Bench-Height Storage	35
TRGBFLATOSR60	Trig Bench-Height Storage	53
TRGBMS2413	Trig Back Edge Mount Screens	44
TRGBMS2419	Trig Back Edge Mount Screens	44
TRGBMS3013	Trig Back Edge Mount Screens	44
TRGBMS3019	Trig Back Edge Mount Screens	44
TRGBMS3613	Trig Back Edge Mount Screens	44
TRGBMS3619	Trig Back Edge Mount Screens	44
TRGBMS4213	Trig Back Edge Mount Screens	44
TRGBMS4219	Trig Back Edge Mount Screens	44
TRGBMS4813	Trig Back Edge Mount Screens	44
TRGBMS4819	Trig Back Edge Mount Screens	44
TRGBMS5413	Trig Back Edge Mount Screens	44
TRGBMS5419	Trig Back Edge Mount Screens	44
TRGBMS6013	Trig Back Edge Mount Screens	44
TRGBMS6019	Trig Back Edge Mount Screens	44
TRGBMS6613	Trig Back Edge Mount Screens	44
TRGBMS6619	Trig Back Edge Mount Screens	44
TRGBMS7213	Trig Back Edge Mount Screens	44
TRGBMS7219	Trig Back Edge Mount Screens	44
TRGBMSM2428	Trig Screen/Modesty Combination	45
TRGBMSM3028	Trig Screen/Modesty Combination	45
TRGBMSM3628	Trig Screen/Modesty Combination	45
TRGBMSM4228	Trig Screen/Modesty Combination	45
TRGBMSM4828	Trig Screen/Modesty Combination	45
TRGBMSM5428	Trig Screen/Modesty Combination	45
TRGBMSM6028	Trig Screen/Modesty Combination	45
TRGBMSM6628	Trig Screen/Modesty Combination	45
TRGBMSM7228	Trig Screen/Modesty Combination	45
TRGBSWSL13	Bench Storage W/S Short Support	41
TRGBSWSL19	Bench Storage W/S Short Support	41
TRGC2DD60	Trig Credenzas with Doors	46
TRGC2DDCS72	Trig Credenzas with Doors	46
TRGC2DDCS75	Trig Credenzas with Doors	46
TRGC2LAT60	Trig Credenzas with Laterals	48
TRGC2LATCS72	Trig Credenza with Laterals	48
TRGC2LATCS75	Trig Credenzas with Laterals	48
TRGCBC30	Trig Bookcase	52
TRGCBC36	Trig Bookcase	52
TRGCDDOSR60	Trig Credenza w/ Doors & Shelves	47
TRGCDDOSL60	Trig Credenza w/ Doors & Shelves	47
TRGCDDSDL45	Trig Credenzas with Doors	46
TRGCDDSDR45	Trig Credenzas with Doors	46
TRGCLATOS30	Trig Credenzas with Laterals	48
TRGCLATOSL45	Trig Credenzas with Laterals	48
TRGCLATOSL48	Trig Credenza with Laterals	48
TRGCLATOSL60	Trig Credenza with Laterals	48
TRGCLATOSR48	Trig Credenza with Laterals	48
TRGCLATOSR60	Trig Credenza with Laterals	48
TRGCLATOSR45	Trig Credenzas with Laterals	48
TRGCLATSDL45	Trig Credenzas with Doors and Laterals	49
TRGCLATSDR45	Trig Credenzas with Doors and Laterals	49
TRGCOS30	Trig Credenzas - Open Storage	50
TRGCOS36	Trig Credenzas – Open Storage	50
TRGCOS45	Trig Credenzas - Open Storage	50
TRGCS6612OSL20	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSL24	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSL30	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSR20	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCS6612OSR24	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCS6612OSR30	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCSDDOS30	Trig Combination Storage	57
TRGCSLATOS30	Trig Combination Storage	56
TRGCSOSL45	Trig Combination Storage	56
TRGCSOSR45	Trig Combination Storage	56
TRGDD20	Trig Freestanding Double Door Storage	52
TRGDD2036	Trig Freestanding Double Door Storage	52
TRGDR12	Trig Power Set	77
TRGEH18	Trig Electrical Harness	77
TRGEH24	Trig Electrical Harness	77
TRGEH30	Trig Electrical Harness	77
TRGEH36	Trig Electrical Harness	77
TRGEH42	Trig Electrical Harness	77
TRGEH48	Trig Electrical Harness	77
TRGEH54	Trig Electrical Harness	77
TRGEH60	Trig Electrical Harness	77
TRGEH66	Trig Electrical Harness	77
TRGEH72	Trig Electrical Harness	77
TRGEPDL305442	Trig Primary Desk - Left-Hand	32
TRGEPDL305448	Trig Primary Desk - Left-Hand	32
TRGEPDL306042	Trig Primary Desk - Left-Hand	32
TRGEPDL306048	Trig Primary Desk - Left-Hand	32
TRGEPDL306642	Trig Primary Desk - Left-Hand	32
TRGEPDL306648	Trig Primary Desk - Left-Hand	32
TRGEPDL307242	Trig Primary Desk - Left-Hand	32
TRGEPDL307248	Trig Primary Desk - Left-Hand	32
TRGEPDL307842	Trig Primary Desk - Left-Hand	32

Catalog Number	Description	Page
TRGEPDL307848	Trig Primary Desk - Left-Hand	32
TRGEPDL308442	Trig Primary Desk - Left-Hand	32
TRGEPDL308448	Trig Primary Desk - Left-Hand	32
TRGEPDR425430	Trig Primary Desk - Right-Hand	32
TRGEPDR426030	Trig Primary Desk - Right-Hand	32
TRGEPDR426630	Trig Primary Desk - Right-Hand	32
TRGEPDR427230	Trig Primary Desk - Right-Hand	32
TRGEPDR427830	Trig Primary Desk - Right-Hand	32
TRGEPDR428430	Trig Primary Desk - Right-Hand	32
TRGEPDR485430	Trig Primary Desk - Right-Hand	32
TRGEPDR486030	Trig Primary Desk - Right-Hand	32
TRGEPDR486630	Trig Primary Desk - Right-Hand	32
TRGEPDR487230	Trig Primary Desk - Right-Hand	32
TRGEPDR487830	Trig Primary Desk - Right-Hand	32
TRGEPDR488430	Trig Primary Desk - Right-Hand	32
TRGEPSL305442	Trig Primary Work Surface - Left-Hand	38
TRGEPSL305448	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306042	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306048	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306642	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306648	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307242	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307248	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307842	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307848	Trig Primary Work Surface - Left-Hand	38
TRGEPSL308442	Trig Primary Work Surface - Left-Hand	38
TRGEPSL308448	Trig Primary Work Surface - Left-Hand	38
TRGEPSR425430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR426030	Trig Primary Work Surface - Right-Hand	38
TRGEPSR426630	Trig Primary Work Surface - Right-Hand	38
TRGEPSR427230	Trig Primary Work Surface - Right-Hand	38
TRGEPSR427830	Trig Primary Work Surface - Right-Hand	38
TRGEPSR428430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR485430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR486030	Trig Primary Work Surface - Right-Hand	38
TRGEPSR486630	Trig Primary Work Surface - Right-Hand	38
TRGEPSR487230	Trig Primary Work Surface - Right-Hand	38
TRGEPSR487830	Trig Primary Work Surface - Right-Hand	38
TRGEPSR488430	Trig Primary Work Surface - Right-Hand	38
TRGESDL425420	Trig Secondary Desk - Left-Hand	33
TRGESDL426020	Trig Secondary Desk - Left-Hand	33
TRGESDL426620	Trig Secondary Desk - Left-Hand	33
TRGESDL427220	Trig Secondary Desk - Left-Hand	33
TRGESDL427820	Trig Secondary Desk - Left-Hand	33
TRGESDL428420	Trig Secondary Desk - Left-Hand	33
TRGESDL485420	Trig Secondary Desk - Left-Hand	33
TRGESDL486020	Trig Secondary Desk - Left-Hand	33
TRGESDL486620	Trig Secondary Desk - Left-Hand	33
TRGESDL487220	Trig Secondary Desk - Left-Hand	33
TRGESDL487820	Trig Secondary Desk - Left-Hand	33
TRGESDL488420	Trig Secondary Desk - Left-Hand	33
TRGESDR205442	Trig Secondary Desk - Right-Hand	33
TRGESDR205448	Trig Secondary Desk - Right-Hand	33
TRGESDR206042	Trig Secondary Desk - Right-Hand	33
TRGESDR206048	Trig Secondary Desk - Right-Hand	33
TRGESDR206642	Trig Secondary Desk - Right-Hand	33
TRGESDR206648	Trig Secondary Desk - Right-Hand	33
TRGESDR207242	Trig Secondary Desk - Right-Hand	33
TRGESDR207248	Trig Secondary Desk - Right-Hand	33
TRGESDR207842	Trig Secondary Desk - Right-Hand	33
TRGESDR207848	Trig Secondary Desk - Right-Hand	33
TRGESDR208442	Trig Secondary Desk - Right-Hand	33
TRGESDR208448	Trig Secondary Desk - Right-Hand	33
TRGESSL425420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL426020	Trig Secondary Work Surface - Left-Hand	39
TRGESSL426620	Trig Secondary Work Surface - Left-Hand	39
TRGESSL427220	Trig Secondary Work Surface - Left-Hand	39
TRGESSL427820	Trig Secondary Work Surface - Left-Hand	39
TRGESSL428420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL485420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL486020	Trig Secondary Work Surface - Left-Hand	39
TRGESSL486620	Trig Secondary Work Surface - Left-Hand	39
TRGESSL487220	Trig Secondary Work Surface - Left-Hand	39
TRGESSL487820	Trig Secondary Work Surface - Left-Hand	39
TRGESSL488420	Trig Secondary Work Surface - Left-Hand	39
TRGESSR205442	Trig Secondary Work Surface - Right-Hand	39
TRGESSR205448	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206042	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206048	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206642	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206648	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207242	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207248	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207842	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207848	Trig Secondary Work Surface - Right-Hand	39
TRGESSR208442	Trig Secondary Work Surface - Right-Hand	39
TRGESSR208448	Trig Secondary Work Surface - Right-Hand	39
TRGHC	Trig H-Connector	78
TRGLCSPB1	Trig Support Leg to Panel Bracket	72
TRGLCSPB2	Trig Support Leg to Panel Bracket	72
TRGLCSPB3	Trig Support Leg to Panel Bracket	72
TRGLCNPB1	Trig Support Leg to Panel Bracket	72
TRGLCNPB2	Trig Support Leg to Panel Bracket	72
TRGLCNPB3	Trig Support Leg to Panel Bracket	72
TRGLDS1613	Trig Desk Top Screen	44
TRGLDS168	Trig Desk Top Screen	44
TRGLDS2013	Trig Desk Top Screen	44
TRGLDS208	Trig Desk Top Screen	44
TRGLDS2613	Trig Desk Top Screen	44
TRGLDS268	Trig Desk Top Screen	44
TRGLDS3813	Trig Desk Top Screen	44
TRGLDS388	Trig Desk Top Screen	44
TRGLDS4413	Trig Desk Top Screen	44
TRGLDS448	Trig Desk Top Screen	44
TRGMB1217	Trig Marker Boards	59
TRGMB1617	Trig Marker Boards	59
TRGMB2017	Trig Marker Boards	59
TRGMB2417	Trig Marker Boards	59
TRGMB3617	Trig Marker Boards	59
TRGMOD24	Trig Modesty	45
TRGMOD30	Trig Modesty	45
TRGMOD36	Trig Modesty	45
TRGMOD42	Trig Modesty	45
TRGMOD48	Trig Modesty	45
TRGMOD54	Trig Modesty	45
TRGMOD60	Trig Modesty	45
TRGMOD66	Trig Modesty	45
TRGMOD72	Trig Modesty	45
TRGODS48	Trig Overhead – Dual Sliding Door	69
TRGODS54	Trig Overhead – Dual Sliding Door	69
TRGODS60	Trig Overhead – Dual Sliding Door	69
TRGODS66	Trig Overhead – Dual Sliding Door	69
TRGODS72	Trig Overhead – Dual Sliding Door	69
TRGOHD60	Trig Overhead – Hinged Door	70
TRGOHD66	Trig Overhead – Hinged Door	70
TRGOHD72	Trig Overhead – Hinged Door	70
TRGOHD78	Trig Overhead – Hinged Door	70
TRGOHD84	Trig Overhead – Hinged Door	70
TRGOOS48	Trig Overhead – Open Shelf	71
TRGOOS54	Trig Overhead – Open Shelf	71
TRGOOS60	Trig Overhead – Open Shelf	71
TRGOOS66	Trig Overhead – Open Shelf	71
TRGOOS72	Trig Overhead – Open Shelf	71
TRGOOS84	Trig Overhead – Open Shelf	71
TRGOSS48	Trig Overhead – Single Sliding Door	69
TRGOSS54	Trig Overhead – Single Sliding Door	69
TRGOSS60	Trig Overhead – Single Sliding Door	69
TRGOSS66	Trig Overhead – Single Sliding Door	69
TRGOSS72	Trig Overhead – Single Sliding Door	69
TRGPBH30	Benching Electrical Harness	82
TRGPBH42	Benching Electrical Harness	82
TRGPBH48	Benching Electrical Harness	82
TRGPBH54	Benching Electrical Harness	82
TRGPBH60	Benching Electrical Harness	82
TRGPBH66	Benching Electrical Harness	82
TRGPBH72	Benching Electrical Harness	82
TRGPBH78	Benching Electrical Harness	82
TRGPBH90	Benching Electrical Harness	82
TRGPD151	Power Duplexes	83
TRGPD152	Power Duplexes	83
TRGPD153	Power Duplexes	83
TRGPD154	Power Duplexes	83

Catalog Number	Description	Page
TRGPD151A	Power Duplexes	83
TRGPD152A	Power Duplexes	83
TRGPD153A	Power Duplexes	83
TRGPD153B	Power Duplexes	83
TRGPD154A	Power Duplexes	83
TRGPF	Trig Base Feed	77
TRGPFNY	Trig Base Feed New York	78
TRGPND1P1DB	Power Grommets	84
TRGPND1P1DW	Power Grommets	84
TRGPND1P1UB	Power Grommets	84
TRGPND1P1UW	Power Grommets	84
TRGPND2PB	Power Grommets	84
TRGPND2PW	Power Grommets	84
TRGRECD2048	Trig Rectangular Desk	28
TRGRECD2054	Trig Rectangular Desk	28
TRGRECD2060	Trig Rectangular Desk	28
TRGRECD2066	Trig Rectangular Desk	28
TRGRECD2072	Trig Rectangular Desk	28
TRGRECD2078	Trig Rectangular Desk	28
TRGRECD2084	Trig Rectangular Desk	28
TRGRECD2448	Trig Rectangular Desk	28
TRGRECD2454	Trig Rectangular Desk	28
TRGRECD2460	Trig Rectangular Desk	28
TRGRECD2466	Trig Rectangular Desk	28
TRGRECD2472	Trig Rectangular Desk	28
TRGRECD2478	Trig Rectangular Desk	28
TRGRECD2484	Trig Rectangular Desk	28
TRGRECD3048	Trig Rectangular Desk	28
TRGRECD3054	Trig Rectangular Desk	28
TRGRECD3060	Trig Rectangular Desk	28
TRGRECD3066	Trig Rectangular Desk	28
TRGRECD3072	Trig Rectangular Desk	28
TRGRECD3078	Trig Rectangular Desk	28
TRGRECD3084	Trig Rectangular Desk	28
TRGRECS2048	Trig Rectangular Work Surface	34
TRGRECS2054	Trig Rectangular Work Surface	34
TRGRECS2060	Trig Rectangular Work Surface	34
TRGRECS2066	Trig Rectangular Work Surface	34
TRGRECS2072	Trig Rectangular Work Surface	34
TRGRECS2078	Trig Rectangular Work Surface	34
TRGRECS2084	Trig Rectangular Work Surface	34
TRGRECS2448	Trig Rectangular Work Surface	34
TRGRECS2454	Trig Rectangular Work Surface	34
TRGRECS2460	Trig Rectangular Work Surface	34
TRGRECS2466	Trig Rectangular Work Surface	34
TRGRECS2472	Trig Rectangular Work Surface	34
TRGRECS2478	Trig Rectangular Work Surface	34
TRGRECS2484	Trig Rectangular Work Surface	34
TRGRECS3048	Trig Rectangular Work Surface	34
TRGRECS3054	Trig Rectangular Work Surface	34
TRGRECS3060	Trig Rectangular Work Surface	34
TRGRECS3066	Trig Rectangular Work Surface	34
TRGRECS3072	Trig Rectangular Work Surface	34
TRGRECS3078	Trig Rectangular Work Surface	34
TRGRECS3084	Trig Rectangular Work Surface	34
TRGSCSPB	Trig Storage to Panel Bracket	72
TRGSCNPB	Trig Storage to Panel Bracket	72
TRGSOS3027	Stack Storage – Open Shelf	68
TRGSOS3039	Stack Storage – Open Shelf	68
TRGSPMS30	Stack Storage – Paper Management Shelf	68
TRGSPMS45	Stack Storage – Paper Management Shelf	68
TRGSPMS60	Stack Storage – Paper Management Shelf	68
TRGSPMS75	Stack Storage – Paper Management Shelf	68
TRGTB1217	Trig Tackboards	59
TRGTB1617	Trig Tackboards	59
TRGTB2017	Trig Tackboards	59
TRGTB2417	Trig Tackboards	59
TRGTB3617	Trig Tackboards	59
TRGTMS2413	Trig Surface Mount Screens	43
TRGTMS2419	Trig Surface Mount Screens	43
TRGTMS3013	Trig Surface Mount Screens	43
TRGTMS3019	Trig Surface Mount Screens	43
TRGTMS3613	Trig Surface Mount Screens	43
TRGTMS3619	Trig Surface Mount Screens	43
TRGTMS4213	Trig Surface Mount Screens	43
TRGTMS4219	Trig Surface Mount Screens	43
TRGTMS4813	Trig Surface Mount Screens	43
TRGTMS4819	Trig Surface Mount Screens	43
TRGTMS5413	Trig Surface Mount Screens	43
TRGTMS5419	Trig Surface Mount Screens	43
TRGTMS6013	Trig Surface Mount Screens	43
TRGTMS6019	Trig Surface Mount Screens	43
TRGTMS6613	Trig Surface Mount Screens	43
TRGTMS6619	Trig Surface Mount Screens	43
TRGTMS7213	Trig Surface Mount Screens	43
TRGTMS7219	Trig Surface Mount Screens	43
TRGTMS7813	Trig Surface Mount Screens	43
TRGTMS7819	Trig Surface Mount Screens	43
TRGTMS8413	Trig Surface Mount Screens	43
TRGTMS8419	Trig Surface Mount Screens	43
TRGTS1212DD54	Trig Lateral, Double-Door Storage Tower	61
TRGTS1212DD66	Trig Lateral, Double-Door Storage Tower	61
TRGTS1212OS54	Trig Lateral, Open Shelf Storage Tower	62
TRGTS1212OS66	Trig Lateral, Open Shelf Storage Tower	62
TRGTS6612DD54	Trig Lateral, Double-Door Storage Tower	61
TRGTS6612DD66	Trig Lateral, Double-Door Storage Tower	61
TRGTS6612OS54	Trig Lateral, Open Shelf Storage Tower	62
TRGTS6612OS66	Trig Lateral, Open Shelf Storage Tower	62
TRGTS66OS54	Trig Display Towers	62
TRGTS66OS66	Trig Display Towers	62
TRGTSDD54	Trig Storage Tower with Double-Door	60
TRGTSDD66	Trig Storage Tower with Double-Door	60
TRGTSOS54	Trig Display Towers	62
TRGTSOS66	Trig Display Towers	62
TRGTSSDL54	Trig Display Towers with Door	64
TRGTSSDL66	Trig Display Towers with Door	64
TRGTSSDR54	Trig Display Towers with Door	64
TRGTSSDR66	Trig Display Towers with Door	64
TRGTSWRR54	Trig Wardrobe Display Tower	65
TRGTSWRR66	Trig Wardrobe Display Tower	65
TRGTSWRL54	Trig Wardrobe Display Tower	65
TRGTSWRL66	Trig Wardrobe Display Tower	65
TRGUDDD20	Trig Under Desk Dbl-Door Support Storage	67
TRGUDDD24	Trig Under Desk Dbl-Door Support Storage	67
TRGUDDD30	Trig Under Desk Dbe-Door Support Storage	67
TRGUDLAT20	Trig Under Desk Lateral Support Storage	66
TRGUDLAT24	Trig Under Desk Lateral Support Storage	66
TRGUDLAT30	Trig Under Desk Lateral Support Storage	66
TRGUDPED20	Trig Under Desk Pedestal Support Storage	66
TRGUDPED24	Trig Under Desk Pedestal Support Storage	66
TRGUDPED30	Trig Under Desk Pedestal Support Storage	66
TRGULEG20	Trig Work Surface Support Legs	40
TRGULEG24	Trig Work Surface Support Legs	40
TRGULEG30	Trig Work Surface Support Legs	40
TRGULEG40	Trig Shared Work Surface Support Legs	40
TRGULEG48	Trig Shared Work Surface Support Legs	40
TRGULEG60	Trig Shared Work Surface Support Legs	40
TRGULEGSS20	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS24	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS30	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS40	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS48	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS60	Side to Side Shared Work Surface Support Leg	41
TRGVWMAL	Vertical Wire Manager	82
TRGWEGDL245420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL246020	Trig Wedge Desk - Left-Hand	30
TRGWEGDL246620	Trig Wedge Desk - Left-Hand	30
TRGWEGDL247220	Trig Wedge Desk - Left-Hand	30
TRGWEGDL247820	Trig Wedge Desk - Left-Hand	30
TRGWEGDL248420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL305420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL305424	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306020	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306024	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306620	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306624	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307220	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307224	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307820	Trig Wedge Desk - Left-Hand	30

Catalog Number	Description	Page
TRGWEGDL307824	Trig Wedge Desk - Left-Hand	30
TRGWEGDL308420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL308424	Trig Wedge Desk - Left-Hand	30
TRGWEGDR205424	Trig Wedge Desk - Right-Hand	29
TRGWEGDR205430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206024	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206030	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206624	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206630	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207224	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207230	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207824	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207830	Trig Wedge Desk - Right-Hand	29
TRGWEGDR208424	Trig Wedge Desk - Right-Hand	29
TRGWEGDR208430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR245430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR246030	Trig Wedge Desk - Right-Hand	29
TRGWEGDR246630	Trig Wedge Desk - Right-Hand	29
TRGWEGDR247230	Trig Wedge Desk - Right-Hand	29
TRGWEGDR247830	Trig Wedge Desk - Right-Hand	29
TRGWEGDR248430	Trig Wedge Desk - Right-Hand	29
TRGWEGSL205424	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL205430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206024	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206030	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206624	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206630	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207224	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207230	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207824	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207830	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL208424	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL208430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL245430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL246030	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL246630	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL247230	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL247830	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL248430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSR205424	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR205430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206024	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206030	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206624	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206630	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207224	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207230	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207824	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207830	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR208424	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR208430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR245430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR246030	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR246630	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR247230	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR247830	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR248430	Trig Wedge Work Surface - Right-Hand	35
TRGWSBRKTS	Trig Work Surface Support Brackets	42
TRGWSRISER	Trig Support Riser	42
TRGWSTR661212	Trig Wardrobe Storage Tower	63
TRGWSTR666612	Trig Wardrobe Storage Tower	63
TRGWSTL661212	Trig Wardrobe Storage Tower	63
TRGWSTL666612	Trig Wardrobe Storage Tower	63
VEA2P1UB	Vertical Electrical Accessory	79
VEA2P1UW	Vertical Electrical Accessory	79
VEA2P2DB	Vertical Electrical Accessory	79
VEA2P2DW	Vertical Electrical Accessory	79
VEA3P1EB	Vertical Electrical Accessory	79
VEA3P1EW	Vertical Electrical Accessory	79
VEA3P3DB	Vertical Electrical Accessory	79
VEA3P3DW	Vertical Electrical Accessory	79
VWC3	Vertical Wire Channel	83
ZFPSSB	Laminate Pedestal Side-to-Side Filing Bars	82
ZFTUPKIT	Freestanding Touch Up Markers	85

Catalog Number	Description	Page
ZFTUPXZ1	Freestanding Touch Up Markers	85
ZFTUPXZ2	Freestanding Touch Up Markers	85
ZFTUPXZ3	Freestanding Touch Up Markers	85
ZFTUPXZ4	Freestanding Touch Up Markers	85
ZFTUPXZ5	Freestanding Touch Up Markers	85