Confer Benching

PRICE LIST | FEBRUARY 2018

Trendway

Confer
Confer is a fully featured benching platform, providing customizable space division, power and data access with the option of fixed or height adjustable surfaces. This price list includes detailed product information and pricing for these products.
Trendway product catalogs are available in the following design software: CAP, Data One, Giza, Midnight-Oil, and Project Matrix. The Systems price list is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (**1219**)-width.

Ordering Information
The most efficient way to enter an order is through Trendway On-Line Order Entry on www.trendealer.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, CFR2END4829 represents a **C**on**f**e**r** Double Sided **End** Panel that is **48"** (1220)-wide and **29"** (736)-high.

Order specification examples are shown throughout the price list at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order
To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.
2. A complete "ship to" address with correct Zip code.
3. A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

   (Refer to your price list for ordering options.)
8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times
The majority of Confer products are shipped within Trendway's standard lead time. Extended lead-time items in the catalog are designated by shading. Trendway Express lead-times are available on select products. Products and their options available for specification on Express are indicated with an ⓔ in front of the catalog number. Note that all chosen options for a product must also be available in the Express program to qualify.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

Product Questions, Quotes & Order Placement On-Line
www.trendealer.com
Hours: 24 Hours, 7 Days a Week

Customer Care Representative
Hours: Monday-Friday
7:30 am to 5:30 pm EST
Phone: 1-800-893-8115
Fax: 1-800-893-8121
e-mail: customercare@trendway.com

Trendway Custom Solutions
Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of this Price List.

Sequence Information
The table below shows a sample of the price list format's sequence of information which will assist when placing an order and checking an order acknowledgement.

Sample Part Number:	**CFR2END4829**	**.GY**	**.K**	**.DGH**	**.JOD**
	_ _ _ _ _ _ _ _ _	_ _	_	_ _ _	_ _ _

Channels

Double Sided

Single Sided

Support Panels

End Panels

Double Sided

Single Sided

Mid Support Panels

Double Sided

Single Sided

Height Adjustable Tables

Express

Rectangle
- Single Stage Electric

D-Shape
- Single Stage Electric

4 Adjustability

Corner
- Crank
- Pneumatic
- Single Stage Electric
- Dual Stage Electric

Extended Corner
- Crank
- Single Stage Electric
- Dual Stage Electric

Work Surfaces

- Parallel
- Perpendicular

Screens

Top Mount

Side Screen

Back Edge Mount

Screen Modesty Combination

Down-Roll (⬇)
Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A

Railroad
Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B

COM Fabrics
COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Fig. C

Pattern	Capture Tiles & Volo	Choices Panels & All Systems Components	Fabric Screens	Freestanding Tackboards		TrendWall
				> 60"	< 60"	
Anchorage	⬇	⬇	⬇	R	⬇	•
Bird's Eye	⬇	⬇	⬇	R	⬇	•
Cameo	⬇	⬇	⬇	R	⬇	•
Cape Cod	⬇	⬇	⬇	R	⬇	⬇
Chicago*	⬇	•	48" - 72" R	•	•	•
Encore	⬇	⬇	⬇	R	⬇	⬇
Era*	⬇	•	48" - 72" R	•	•	•
Fine Point	⬇	⬇	⬇	R	⬇	⬇
Framework	✥	✥	✥	✥	✥	•
Frost	⬇	•	⬇	R	⬇	•
Glint	⬇	⬇	⬇	R	⬇	⬇
Highbeams*	⬇	•	48" - 72" R	•	•	•
Infinity*	⬇	•	48" - 72" R	•	•	•
Intermix	⬇	⬇	⬇	R	⬇	⬇
Jane*	⬇	•	48" - 72" R	•	•	•
Kinect	⬇	⬇	⬇	R	⬇	⬇
L2	⬇	⬇	⬇	R	⬇	⬇
Marathon*	⬇	•	48" - 72" R	•	•	•
Meander	⬇	⬇	⬇	R	⬇	⬇
Metallation	⬇	⬇	⬇	R	⬇	⬇
Millennium*	⬇	•	48" - 72" R	•	•	•
Netiquette	⬇	⬇	⬇	R	⬇	⬇
Odyssey*	⬇	•	48" - 72" R	•	•	•
Pact	⬇	⬇	⬇	R	⬇	⬇
Proverb	⬇	⬇	⬇	R	⬇	⬇
Pursuit	⬇	⬇	⬇	R	⬇	⬇
Rivet*	⬇	•	48" - 72" R	•	•	•
Script	⬇	⬇	⬇	R	⬇	⬇
Sprite	⬇	⬇	⬇	R	⬇	⬇
Strata	⬇	⬇	⬇	R	⬇	⬇
Tabby Weave	✥	✥	✥	✥	✥	✥
Tenor	⬇	⬇	⬇	R	⬇	⬇
Tradition*	⬇	•	48" - 72" R	•	•	•
Universe	⬇	⬇	⬇	R	⬇	⬇

- • Not Available
- ✥ Non Directional - Pattern will be applied for best yield
- ⬇ Down Roll - The height dimension of the tile or component is parallel to the warp of the fabric
- R Railroaded - The height dimension of the tile or component is perpendicular to the warp of the fabric
- * Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo

Surface Material Program
The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

Standard Program
Trendway's Standard Program of timeless fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

Surface Trends
Trendway's Surface Trends Program is an evolving collection of fabrics, vinyls, and laminates, and are designated by symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

Express
Express fabrics and finishes are available in a three-day lead time. Surface Materials available for specification on Express are indicated with a E in front of the 3-digit code.

Terratex®
Terratex is a Duvaltex brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

COM
Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information see item #11 (COM) in the Pricing, Procedures and Policies section in the back of the price list or on Trendealer.com.

Pre-Approved COM
Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on www.trendealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Binder Cards
Standard and Surface Trends binder cards are available through Trendway fulfillment. www.trendealer.com

Standard Program Samples
Samples of fabrics and finishes are available through Trendway fulfillment. www.trendealer.com

Surface Trends Samples
Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

Camira
www.camirafabrics.com
1-616-288-0655

Culp Contract
www.culpcontract.com
336-888-6274

Guilford Of Maine®
www.guilfordofmaine.com
1-800-544-0200

Momentum® Textiles
www.memosamples.com
1-800-366-6839

Nevamar
www.nevamar.com
1-800-638-4380

Pionite
www.pionite.com
1-800-746-6483

Ultrafabrics®
www.ultrafabricsinc.com
914-460-1730

Wilsonart®
www.wilsonart.com
1-800-433-3222

Surface Material Legend

= 100% Recycled Content

= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

Panel Fabrics

Framework — Grade 0

Value Fabric

ⓔ KK1	Cappuccino
ⓔ KK0	Capri
ⓔ BJ7	Dove Gray
ⓔ KK2	Espresso
ⓔ B4Y	Eucalyptus
ⓔ KJY	Fresco
ⓔ B4X	Gray Blue
ⓔ KJX	Grotto
ⓔ B4V	Sandy Pebble

Fine Point — Grade 1

BN2	Balique
BN3	Fresco
BN4	Porcelain
BN5	Silvern
BN6	Sterling
BN7	Vintage

Frost — Grade 1

ⓔ AJ1	Arctic
ⓔ AJ5	Black Ice
ⓔ AJ0	Blizzard
ⓔ AJ4	Chilled
ⓔ AH6	Crystals
ⓔ AH3	Dew
AH5	Flurries
AJ3	Glacier
AH9	Glaze
ⓔ AH4	Icing
ⓔ AH8	Sleet
ⓔ AH7	Snowcap
AH2	Whiteout
AJ2	Wintry

Intermix — Grade 1

Guilford of Maine

KDP	Butter Rum
KDN	Coconut
KDM	Foggy
KDK	Husky
KDU	Marsh
KDT	Neptune
KDJ	Rocket Ship
KDH	Seagull
KDV	Smoky Quartz
KDR	Swan

Meander — Grade 1

Momentum

ⓔ B48	Agate Taupe
ⓔ B49	Nightshadow
ⓔ B4A	Overcast
ⓔ B4B	Sandshell

Netiquette — Grade 1

KK5	Analog
KK3	Chipset
KK4	Dashboard
KK8	Gamma
KK7	Inkjet
KKC	Pixel
KKA	Refresh
KK6	Schema
KK9	Vector

Pursuit — Grade 1

Guilford of Maine

KDG	Cement
KDA	Dove
KDF	Elephant
KD8	Fern
KDE	Lemon Zest
KDC	Mist Grey
KD9	Whisper
KDD	White Linen

Universe — Grade 1

Momentum

ⓔ B4G	Cosmic
ⓔ B4H	Creme Brulee
ⓔ B4J	Depth
ⓔ B4K	Mica
ⓔ B4M	Milkyway
ⓔ B4N	Seneca
ⓔ B4P	Wheat
ⓔ B4R	Whitecap

Bird's Eye — Grade 2

ⓔ AG5	Flight
AG7	Glide
AG4	Impression
ⓔ AG3	Outlook
AG9	Panorama
AG0	Rock
AG1	Vista

Cameo — Grade 2

Momentum

K0V	Almond
K0W	Coffee
K0X	Fawn
K0Y	Ivory
K10	Linen
K11	Metal
K12	Mist
K13	Parchment
K14	Smoke
K15	Stone
K16	Twig

Cape Cod — Grade 2

Guilford of Maine

BYN	Apricot
BYK	Buff
BYG	Cloud
BYP	Dune
BYJ	Key Lime
BYF	Linen
BYH	Seagull
BYM	Shale
BYR	Surf

Encore — Grade 2

Momentum

K00	Cocoa
K01	Graphite
K02	Honey
K03	Putty

Era — Grade 2

Camira

KRR	Aeon
KRT	Calendar
KRU	Chapter
KRV	Cycle

Era Cont. — Grade 2

Camira

KRW	Event
KRX	Everlasting
KRY	Forecast
KT0	Forward
KT1	Futurist
KT2	Generation
KT3	History
KT4	Lifetime
KT5	Perennial
KT6	Period
KT7	Phase
KT8	Present
KT9	Prime
KTA	Span
KTC	Stage
KTD	Timelapse

L2 — Grade 2

Camira

KUH	Algebra
KUM	Cuboid
KUJ	Divide
KUK	Multiply
KU9	Positive
KUC	Radius
KUD	Rotation
KUA	Sigma
KUG	Symmetry
KUF	Tangent
KUE	Value
KU8	Vertex

Metallation — Grade 2

SL5	18 Karat
SP8	Chrome
SM3	Dark Annealed
SJ3	Etched Bronze
SN1	Fired Titanium
SR4	Polished Pewter
BPP	Stainless
ST0	Stove Pipe
SQ6	Welded Steel
SS2	Wrought Iron

Pact — Grade 2

Momentum

BM5	Aloe
BM6	Azure
BM7	Calla
BM8	Coastal
BM9	Delft
BMA	Dove
BMC	Dragon
BMD	Eureka
BME	Fern
BMF	Harbor
BMG	Lily
BMH	Lime
BMJ	Midnight
BMK	Nectar
BMM	Patina
BMN	Putty
BMP	Roast
BMR	Roma
BMT	Rubine
BMU	Sketch
BMV	Tanzanite
BMW	Taupe
BMX	Toasty

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Panel Fabrics

Rivet — Grade 2

Camira

KV9	Abraid
KVA	Alloy
KVC	Burnish
KVD	Cast
KVE	Charcoal
KVF	Chromoly
KVG	Copper
KVH	Crucible
KVJ	Deep Clay
KVK	Deep Sea
KVM	Ferrous
KVN	Forge
KVP	Fuse
KVR	Galvanise
KVT	Grey Brindle
KVU	Hammer
KVV	Hemlock
KVW	Lagoon
KVX	Molten
KVY	Olive
KW0	Otter
KW1	Prime
KW2	Quench
KW3	Resin
KW4	Solder
KW5	Spark
KW6	Tensile
KW7	Tungsten
KW8	Twig
KW9	Verdigris
KWA	Vitreous
KWC	Wire
KWD	Woodrose

Sprite — Grade 2

Guilford Of Maine

BU7	Butter
BU8	Harvest
BU9	Khaki
BUA	Kiwi
BUB	Linen
BUC	Powder
BUD	Sherbet
BUE	Sky
BUF	Snow

Strata — Grade 2

Guilford of Maine

BYD	Cement
BYA	Cloud
BY9	Latte
BY6	Linen
BY8	Sand
BYE	Sea
BYC	Sky
BY7	Straw

Tabby Weave — Grade 2

ⓔ 404	Apricot Neutral
ⓔ K96	Black
ⓔ 401	Blue Neutral
ⓔ QN9	Blue Plum
ⓔ QL2	Blue Spruce
ⓔ QP5	Bone
ⓔ QQ3	Cement Mix
ⓔ 400	Cherry Neutral
ⓔ BXW	Cobalt
ⓔ K97	Coin

Tabby Weave Cont. — Grade 2

ⓔ 175	Crystal Blue
ⓔ QV0	Desert Sand
ⓔ K98	Flannel
ⓔ 238	Grey Mix
ⓔ QR1	Light Moss
ⓔ QS0	Lake
ⓔ K99	Medium Grey
ⓔ 423	Pumice
ⓔ 380	Quartz
ⓔ BXU	Red
ⓔ 390	Rose Quartz
ⓔ QM0	Sienna
ⓔ BV2	Silver Papier
ⓔ QT8	Stream
ⓔ 150	Wedgewood

Tenor — Grade 2

Momentum

B0R	Bisque
B0T	Champagne
B0U	Chiffon
B0V	Desert View
B0W	Driftwood
B0X	Heatherglen
B0Y	Mysteria
B30	Rose Tan

Anchorage — Grade 3

Guilford Of Maine

ⓔ BF7	Amber
ⓔ AR1	Angora
ⓔ AR0	Asteroid
ⓔ BF4	Aubergine
ⓔ AQ8	Birch
ⓔ BF9	Cobalt
ⓔ BFK	Coffee Bean
ⓔ AQ4	Cumin
ⓔ AQ7	Deep Water
ⓔ AQ3	Eucalyptus
ⓔ AR3	Fossil
ⓔ BF3	Geranium
ⓔ BF8	Goldenrod
ⓔ AQ9	Goose
ⓔ BFM	Graphite
ⓔ BFF	Green Apple
ⓔ AQ2	Green Olive
ⓔ AR2	Henna
ⓔ BFA	Lapis
ⓔ BXN	Magenta
ⓔ BFD	Midnight
ⓔ BF5	Mulberry
ⓔ GEB	Onyx
ⓔ BFH	Pine Needle
ⓔ BF2	Pumpkin
ⓔ BF6	Poppy
ⓔ AQ6	Quarry Blue
ⓔ BFN	Red Delicious
ⓔ BFE	Sea
ⓔ AQ5	Slate
ⓔ B9P	Straw
ⓔ BF1	Sunshine
ⓔ BFC	Thistle
ⓔ AQ1	Vanilla
ⓔ BXP	Waterfall
ⓔ BFG	Willow
ⓔ BFJ	Wolf

Chicago — Grade 3

Camira

KR4	Adler
KR5	Aqua
KR6	Architecture
KR7	Balaban
KR8	Blues
KR9	Brookfield
KRA	Cloud
KRC	Grant
KRD	Hancock
KRE	Illinois
KRF	Jazz
KRG	Marina
KRH	Millennium
KRJ	Navy
KRK	Pizza
KRM	Tower
KRN	Willis
KRP	Wrigley

Glint — Grade 3

Momentum

KG3	Barley
KG4	Caspian
KG5	Column
KG6	Gobi
KG7	Gypsum
KG8	Note
KG9	Opal
KGA	Pearl
KJ2	Pumice
KGC	Relic
KGD	Rune
KGE	Serene
KGF	Shale
KGG	Sisal
KGH	Turret
KGJ	Vera

Kinect — Grade 3

Momentum

KGK	Alloy
KGM	Ashen
KGN	Chiffon
KGP	Cove
KGR	Dew
KGT	Dove
KGU	Ivory
KGV	Mercury
KGW	Mushroom
KGX	Nickel
KGY	Numbus
KH0	Passion
KH1	Smoke
KH2	Tin
KH3	Vapor
KH4	Veil

Proverb — Grade 3

Momentum

KH5	Anchor
KH6	Armor
KH7	Basalt
KH8	Buff
KH9	Cinder
KHA	Crystal
KHC	Fog
KHD	Linen
KHE	Mist
KHF	Oyster
KHG	Rye
KHH	Steel
KHJ	Storm

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Panel Fabrics

Script — Grade 3
Momentum

KHK	Almond	KHT	Patina	KHX	Slate
KHM	Charcoal	KHU	Pebble	KHY	Sterling
KHN	Feldspar	KHV	Sand	KJ0	Taupe
KHP	Flint	KHW	Shadow	KJ1	Zinc
KHR	Nectar				

Seating Fabrics – Available on Tiles Only

Highbeams — Grade 4
Guilford Of Maine

ⓔ BBR	Barley
ⓔ BC4	Bayberry
ⓔ BC2	Black
ⓔ BC1	Buttercup
ⓔ BBU	Expresso
ⓔ BBP	Gold Rush
ⓔ BBY	Grape
ⓔ BC5	Kiwi
ⓔ BBV	Maroon
ⓔ BC3	Navy
ⓔ BPU	Rust
ⓔ BBX	Slate
ⓔ BBW	Tangerine

Infinity — Grade 4
Momentum

K3F	Aluminum
K3G	Aster
K3H	Atoll
K3J	Barley
K3K	Berry
K3M	Beyond
K3N	Capri
K3P	Dove
K3R	Eclipse
K3T	Graphite
K3U	Gull
K3V	Hyacinth
K3W	Java
K3X	Lemongrass
K3Y	Links
K40	Macintosh
K41	Maize
K42	Papaya
K43	Pewter
K44	Pumice
K45	Radiant
K46	Rinse
K47	Russet
K48	Sable

Jane — Grade 4
Guilford Of Maine

BR7	Blueberry
BR8	Chive
BR9	Fuchsia
BRA	Gold
BRC	Grape
BRD	Guacamole
BRE	Jet
BRF	Lapis
BRG	Lichen
BRH	Natural
BRJ	Persimmon
BRK	Pomegranate

Jane — Grade 4
Guilford Of Maine

BRM	Ruby
BRN	Rust
BRP	Steel
BRR	Ultramarine

Marathon — Grade 4
Momentum

K4G	Alert
K4H	Arbor
K4J	Caravel
K4K	Chili
K4M	Clay
K4N	Clove
K4P	Curry
K4R	Cyan
K4T	Deep
K4U	Flax
K4V	Fluorite
K4W	Foliage
K4X	Herb
K4Y	Lantern
K50	Marigold
K51	Noir
K52	Oats
K53	Oz
K54	Pinot
K55	Pollen
K56	Rain
K57	Ridge
K58	Sprite
K59	Storm
K5A	Sunset
K5C	Tint
K5D	Toile
K5E	Violet
K5F	Vivacious
K5G	Wren

Millennium — Grade 4
Momentum

K5H	Aglow
K5J	Amber
K5K	Anchor
K5M	Cascade
K5N	Cavern
K5P	Cerise
K5R	Clean
K5T	Coastal
K5U	Copper
K5V	Crisp
K5W	Electric
K5X	Geode
K5Y	Ush
K60	Mocha
K61	Monument
K62	Nector
K63	Onyx
K64	Orchid
K65	Peridot

Millennium — Grade 4
Momentum

K66	Plateau
K67	Pool
K68	Pyrite
K69	Safari
K6A	Sapphire
K6C	Spark
K6D	Steel
K6E	Tanzanite
K6F	Thrill
K6G	Voyage
K6H	Zinc

Odyssey — Grade 4
Momentum

K1D	Alloy
K1E	Amp
K1F	Breeze
K1G	Captain
K1H	Carbon
K1J	Cedar
K1K	Craft
K1M	Cruise
K1N	Duon
K1P	Eggplant
K1R	Emerald
K1T	Fossil
K1U	Ink
K1V	Inlet
K1W	Iris
K1X	Kiss
K1Y	Linen
K20	Lively
K21	Maritime
K22	Nettle
K23	Oliver
K24	Opaque
K25	Primary
K26	Roast
K27	Rue
K28	Sangria
K29	Skim
K2A	Smith
K2C	Tinge
K2D	Western

Tradition — Grade 4
Momentum

K30	Peel
K31	Plated
K32	Regal
K33	Sly
K34	Soar
K35	Soy
K36	Spiced
K37	Sprout
K38	Sterling
K39	Sun
K3A	Tango
K3C	Theater
K3D	Wash
K3E	Weld

Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trim

ⓔ K	Charcoal
ⓔ DW	Designer White
ⓔ G	Gray
ⓔ L	Light Gray
ⓔ Y	Sand
ⓔ J	Stucco
ⓔ TK	Textured Charcoal
ⓔ TDW	Textured Designer White
ⓔ TG	Textured Gray
ⓔ TL	Textured Light Gray
ⓔ TY	Textured Sand
ⓔ TJ	Textured Stucco

Glazed Panels

Plexiglass

02	Bronze Tinted
01	Clear
E3A	*Frosted

***Tempered Glass**

04	Bronze Tinted
03	Clear
05	Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*Standard 3form Color Options

E02	Solo Aqua Supermatte Ecoresin
E01	Solo Supermatte Ecoresin
E03	Spider Ecoresin

*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

Textured Metallic Paint

ⓔ FK	Charcoal Frost
ⓔ FDW	Designer White Frost
ⓔ FG	Gray Frost
ⓔ FL	Light Gray Frost
ⓔ FY	Sand Frost
ⓔ FJ	Stucco Frost

Smooth Metallic Paint

ⓔ PA	Platinum

Edge Detail

Solid Vinyl Edge Band

ⓔ K	Charcoal
ⓔ E1	Designer White
E6	Graphite
ⓔ G	Gray
ⓔ L	Light Gray
ⓔ PA	Platinum
ⓔ Y	Sand
E7	Shadow
E2	Slate Grey
ⓔ J	Stucco

Patterned Vinyl Edge Band

E8	Casual Linen
E9	Classic Linen
EB	Crisp Linen
EG	Earthen Twill
EH	Graphite Twill
ED	Neutral Twill
EE	Sarum Twill
EJ	White Twill

Woodgrain Vinyl Edge Band

W8	Beigewood
WE	Brazilwood
ⓔ W4	Chocolate Pear
ⓔ W7	Empire Mahogany
WY	Finnish Oak
ⓔ W5	Fusion Maple
E5	Phantom Charcoal
E4	Phantom Ecru
E3	Phantom Pearl
WZ	Walnut
ⓔ W6	Wild Cherry

Fabric patterns noted with ⓔ are available in Trendway's Express program.

High Pressure Laminates – Channels, Support Panels & Work Surfaces

Standard Program

Solid

	Grade 1
ⓔ 583	Charcoal
ⓔ J0C	Designer White
J9D	Graphite
ⓔ 520	Gray
ⓔ 573	Light Gray
ⓔ J20	Sand
J04	Shadow
J08	Slate Grey
ⓔ J11	Stucco

Pattern

J6B	Casual Linen
J6A	Classic Linen
J69	Crisp Linen
J9H	Earthen Twill
JM4	Evening Tigris
J9J	Graphite Twill
JL6	Green Tigris
ⓔ JN2	Grey Tigris
ⓔ J09	White Tigris
ⓔ JP9	Natural Tigris
J9F	Neutral Twill
J9G	Sarum Twill
551	Stipple Graphite
553	Stipple Gray
J9E	White Twill

Woodgrain

J0G	Beigewood
J0D	Brazilwood
ⓔ J0A	Chocolate Pear
ⓔ J2A	Empire Mahogany
J98	Finnish Oak
ⓔ J25	Fusion Maple
J99	Walnut
ⓔ J1R	Wild Cherry

Wilsonart	Grade 2
J9A	Phantom Pearl
J9B	Phantom Ecru
J9C	Phantom Charcoal

Surface Trends Program – for Work Surfaces Only

Pattern

Wilsonart	Grade 1
J33	Antique Brush
ⓔ J1A	Canyon Zephyr
J15	Carbon Evolv
J1P	Cloud Nebula
ⓔ J1D	Desert Zephyr
ⓔ J1C	Loden Zephyr
ⓔ J1B	Misted Zephyr
ⓔ J1N	Navy Legacy
J14	Nickel Evolv
J32	Pewter Brush
J12	Silicon Evolv
J13	Titanium Evolv
J16	Tungsten Evolv
J1E	Twilight Zephyr
J17	Windswept Bronze
J18	Windswept Pewter

Solid

Nevamar	Grade 1
J0F	Cordial Gray

Pattern*

Nevamar	Grade 1
J3V	Calm Distinction
J3W	Cool Chic
J3U	Easy Elegance
K15	Kopi Susu
K17	Regency Mahogany
JF1	Stipple Birch
K16	Stipple Storm (Storm Gray Matrix)
J46	Stipple Straw
J40	VOUS Fawn
J43	VOUS Metal
J42	VOUS Serene
J44	VOUS Tempest
K18	Wrought Iron
K19	Yunnan

Woodgrain*

Nevamar	Grade 1
JD5	Crown Cherry
J45	Illustrious Maple
J47	Legendary Teak
J48	Luminary Teak
J49	Recon Oak

Pattern*

Pionite	Grade 1
J3H	Cavalcade South
J3M	Cubicle Papel
J3K	Gold Pannin
J3P	Groundswell
J3G	Negotiating in Geneva
J3N	Olive Serenity
J3R	Passin Thru
J3J	Travelin Light
J3E	Vanilla Fiber
J3F	Wheat Fiber

Woodgrain*

Pionite	Grade 1
J3D	Appears Likatre
J1X	Honey Maple
J3A	Leave Likatre
J39	Looks Likatre
J3C	Seems Likatre
J3T	Spice Walnut

*Note: Lead times may be extended. Call Customer Care for specific availability.

Wilsonart Extended Colors Program

Trendway has graded in a large selection of Wilsonart colors in Grade 1 and Grade 2 HPL Laminates. Extended lead times may apply. See the Surface Materials section of Trendealer for the current selection.

Thermofused Laminates – for Work Surfaces Only

Standard Program

Solid	Grade 1
XZ4	Black

Woodgrain*	Grade 2
XY2	Phantom Charcoal
XY1	Phantom Ecru
XY0	Phantom Pearl

Woodgrain	Grade 1
XZ5	Chocolate Pear
XZ3	Empire Mahogany
XZ2	Fusion Maple
XZ1	Wild Cherry

*Extended Program

*Note: Lead times may be extended. Call Customer Care for specific availability.

XZ8	Beigewood	XY4	Graphite
XZE	Brazilwood	XZM	Light Gray
XZH	Designer White	XY5	Shadow
XZY	Finnish Oak	XZK	Slate Gray
XY3	Gray	XZZ	Walnut

CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	J0C	XZH	E1	DW	V52
Graphite	J9D	XY4	E6		
Gray**	520		G	G	V38
Light Gray**	573	XZM	L	L	V51
Platinum**			PA	PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04	XY5	E7		
Slate Grey	J08	XZK	E2		
Stucco**	J11		J	J	V49

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Choices, Volo	Panel Vinyl TrendWall
American Natural					AS2
Beigewood	J0G	XZ8	W8	M4	
Brazilwood	J0D	XZE	WE	M5	
Chocolate Pear	J0A	XZ5	W4	M7	
Empire Mahogany	J2A	XZ3	W7	M8	
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XY0	E3		
Russian Maple					AS3
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

** Trendway standard trim paint color

Channels 13

Support Panels 14

Confer Channels
The Confer Channel is available in a single and double sided versions. Each comes standard with a wire management reveal on the top and flip-down door in the front to provide easy access to power and data. The channels are available in widths from 36" to 72". Each end of the channel must be attached to an End Panel or Mid Panel for support. Each End or Mid Panel in the run adds 1.125" to the overall width of the Confer chassis (see below).

Confer Channels have an opening at the bottom on each side for access to power and data from the floor or wall.

Note: If you are using the 4 Adjustability Dual Stage Height Adjustable Table, the Channel will prevent full adjustment to the normal lowest position.

Confer End and Mid Support Panels
End and Mid Panels support the Confer Channel. End Panels can be specified in nominal widths 11" wide (Single) up to 74" (Double), and heights from 22" up to 50". Single and Double Sided Panel versions match the Single and Double sided Channels. Mid Support Panels include an opening to allow power and data to pass from Channel to Channel. End Panels offer a grommet option to allow easy power and data access from a wall or other exterior source. A Single Sided Channel can attach and align with a Double Sided End or Mid Panel to allow Single and Double Sided Channels to be combined in one application.

Note: To match the width of the Mid or End Panel to that of the Table/Work Surface configuration, remember to anticipate a 2.125" addition to the total depth of the Tables/Work Surfaces to allow for the space required for power/data access and to permit the placement of Screens. This applies to both Single and Double Sided applications.

*Nominal 30" table/work surface

Confer Double Sided Channel
The Confer Double Sided Channel is constructed of HPL laminate. It allows concealed routing of power and data. The Channel ships assembled with an Electrical Block and 2 Communication Brackets installed. The unit edgeband will match the specified laminate color.

The Double Sided Channel must be attached to a Double Sided End or Mid Panels for proper support and function.

NOTE: Duplexes, Harnesses, Infeeds and Communication Modules must be ordered separately.

Confer Single Sided Channel
The Confer Single Sided Channel is constructed of HPL laminate and allows for concealed routing of power and data. The Channel ships with an Electrical Block and one Communication Bracket installed.

The unit edge color will match the specified laminate color.

The Single Sided Channel must be attached to a Single Sided End or Mid Panel for proper support and function. One side of a single sided Channel can be attached to a Double Sided Mid Panel if the Situation allows, as long as the other side is attached to a Single Sided End or Mid panel.

NOTE: Duplexes, Harnesses, Infeeds and Communication Modules must be ordered separately.

Confer Double Sided Channel

Dimensions			List Price Laminate Grades					
Width	Depth	Height	1	2	3	Catalog Number	Electrical Option	Laminate Color
36" (914)	18" (457)	6 3/8" (162)	$1039	$1088	$1274	**CFR2STRF36**	**No Cost**	See Surface Materials Page 9
42" (1067)			1070	1119	1305	**CFR2STRF42**	**P1** Power Blocks	
48" (1219)			1085	1134	1320	**CFR2STRF48**		
54" (1372)			1452	1552	1920	**CFR2STRF54**		
60" (1524)			1491	1591	1959	**CFR2STRF60**		
66" (1676)			1507	1607	1975	**CFR2STRF66**	**H** Hardwired	
72" (1829)			1521	1621	1989	**CFR2STRF72**		

Confer Single Sided Channel

Dimensions			List Price Laminate Grades			
Width	Depth	Height	1	2	3	Catalog Number
36" (914)	11 1/4" (286)	6 3/8" (162)	$ 900	$ 938	$1079	**CFRSSTRF36**
42" (1067)			930	968	1109	**CFRSSTRF42**
48" (1219)			945	983	1124	**CFRSSTRF48**
54" (1372)			1182	1259	1540	**CFRSSTRF54**
60" (1524)			1208	1285	1566	**CFRSSTRF60**
66" (1676)			1223	1300	1581	**CFRSSTRF66**
72" (1829)			1235	1312	1593	**CFRSSTRF72**

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_ _ _

Sample Part Number:	**CFR2STRF36** _ _ _ _ _ _ _	**.P1** _ _	**.520** _ _ _
Total Cost $1039 =	$1039 +	N/C +	N/C

Confer Double Sided End Panels
The Confer Double Sided End Panel is constructed of HPL laminate. They attach at either end of a Confer Double Sided Channel. An End Panel must be specified at an end of run condition to provide support and a finished appearance. An optional grommet is available to facilitate access to power from a building's electrical system. The End Panel edge color will match the specified laminate color.

Shown with Grommet (GY)

Confer Double Sided End Panel

Dimensions		List Price Laminate Grades							
Width	Height	1	2	3	Catalog Number	Grommet	Grommet Color	Grain Direction	Laminate Color
18 1/4" (457)	21 1/2" (546)	$127	$138	$178	**CFR2END18**	**No Cost GN** No Grommet **GY +$18** Grommet	See Surface Materials Systems Paint and Trim Color Page 8	**N/A** No Grain Direction **DGH** Horizontal Grain Direction **DGV** Vertical Grain Direction (Available on 18 1/4" and 50 1/8" wide only)	See Surface Materials Page 9
50 1/8" (1273)	29 1/4" (743)	$365	$403	$544	**CFR2END4829**				
50 1/8" (1273)	36" (914)	535	612	893	**CFR2END4836**				
50 1/8" (1273)	42" (1067)	538	615	896	**CFR2END4842**				
50 1/8" (1273)	50" (1270)	649	749	1117	**CFR2END4850**				
62 1/8" (1578)	29 1/4" (743)	$375	$413	$554	**CFR2END6029**				
62 1/8" (1578)	36" (914)	541	618	899	**CFR2END6036**				
62 1/8" (1578)	42" (1067)	550	627	908	**CFR2END6042**				
62 1/8" (1578)	50" (1270)	655	755	1123	**CFR2END6050**				
74 1/8" (1883)	29 1/4" (743)	$379	$417	$558	**CFR2END7229**				
74 1/8" (1883)	36" (914)	545	622	903	**CFR2END7236**				
74 1/8" (1883)	42" (1067)	555	632	913	**CFR2END7242**				
74 1/8" (1883)	50" (1270)	660	760	1128	**CFR2END7250**				
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**CFR2END18** _ _ _ _ _ _ _	**.GN** _ _	**N/A** _ _	**.DGV** _ _ _	**.J99** _ _ _
Total Cost $127 =	$127 +	N/C +	N/C +	N/C +	N/C

Confer Double Sided Mid Support Panel

The Confer Double Sided Mid Support Panel is constructed of HPL laminate. It connects and supports two adjacent Double Sided Channels. Mid Panels feature an opening to route power and data from one Channel to its adjacent Channel. The Panel edge color will match the specified laminate color.

Confer Double Sided Mid Support Panel

Dimensions		List Price Laminate Grades			Catalog Number	Grain Direction	Laminate Color
Width	Height	1	2	3			
18 1/4" (457)	21 1/2" (546)	$148	$159	$199	**CFR2MIDSP18**	**N/A** No Grain Direction	See Surface Materials Page 9
50 1/8" (1273)	29 1/4" (743)	$390	$428	$569	**CFR2MIDSP4829**	**DGH** Horizontal Grain Direction	
50 1/8" (1273)	36" (914)	556	633	914	**CFR2MIDSP4836**		
50 1/8" (1273)	42" (1067)	565	642	923	**CFR2MIDSP4842**		
50 1/8" (1273)	50" (1270)	669	769	1137	**CFR2MIDSP4850**		
62 1/8" (1578)	29 1/4" (743)	$397	$435	$576	**CFR2MIDSP6029**	**DGV** Vertical Grain Direction (Available on 18 1/4" and 50 1/8" wide only)	
62 1/8" (1578)	36" (914)	563	640	921	**CFR2MIDSP6036**		
62 1/8" (1578)	42" (1067)	570	647	928	**CFR2MIDSP6042**		
62 1/8" (1578)	50" (1270)	675	775	1143	**CFR2MIDSP6050**		
74 1/8" (1883)	29 1/4" (743)	$400	$438	$579	**CFR2MIDSP7229**		
74 1/8" (1883)	36" (914)	566	643	924	**CFR2MIDSP7236**		
74 1/8" (1883)	42" (1067)	568	645	926	**CFR2MIDSP7242**		
74 1/8" (1883)	50" (1270)	680	780	1148	**CFR2MIDSP7250**		
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _ _	_ _ _

Sample Part Number:	**CFR2MIDSP18** _ _ _ _ _ _ _ _	**.DGH** _ _ _	**.J99** _ _ _
Total Cost $148 =	$148 +	N/C +	N/C

Confer Single Sided End Panels
Confer Single Sided End Panels is constructed of HPL laminate and attach to the end of a Confer Single Sided Channel. The End Panel must be specified at the end of run condition to provide a finished end to the layout. An optional grommet is available to allow for power to come into the structure from a building's electrical system. The Panel edge color will match the specified laminate color.

Left Hand
Shown with Grommet (GY)

Confer Single Sided End Panel

Dimensions Width	Dimensions Height	List Price Laminate Grades 1	2	3	Catalog Number	Grommet	Grommet Color	Grain Direction	Laminate Color
Right Hand						**No Cost GN** No Grommet **GY $18** Grommet	See Surface Materials Systems Paint and Trim Color Page 8	**N/A** No Grain Direction **DGH** Horizontal Grain Direction **DGV** Vertical Grain Direction	See Surface Materials Page 9
11 1/2" (292)	21 1/2" (546)	$ 99	$110	$150	**CFRSSEND12R**				
27 1/2" (669)	29 1/4" (743)	$170	$187	$247	**CFRSSEND2429R**				
27 1/2" (669)	36" (914)	227	257	371	**CFRSSEND2436R**				
27 1/2" (669)	42" (1067)	240	270	384	**CFRSSEND2442R**				
27 1/2" (669)	50" (1270)	268	306	447	**CFRSSEND2450R**				
33 1/2" (851)	29 1/4" (743)	$218	$248	$362	**CFRSSEND3029R**				
33 1/2" (851)	36" (914)	302	351	537	**CFRSSEND3036R**				
33 1/2" (851)	42" (1067)	320	369	555	**CFRSSEND3042R**				
33 1/2" (851)	50" (1270)	365	414	600	**CFRSSEND3050R**				
39 1/2" (1003)	29 1/4" (743)	$225	$255	$369	**CFRSSEND3629R**				
39 1/2" (1003)	36" (914)	310	359	545	**CFRSSEND3636R**				
39 1/2" (1003)	42" (1067)	330	379	565	**CFRSSEND3642R**				
39 1/2" (1003)	50" (1270)	375	436	661	**CFRSSEND3650R**				
Left Hand									
11 1/2" (292)	21 1/2" (546)	$ 99	$110	$150	**CFRSSEND12L**				
27 1/2" (669)	29 1/4" (743)	$170	$187	$247	**CFRSSEND2429L**				
27 1/2" (669)	36" (914)	227	257	371	**CFRSSEND2436L**				
27 1/2" (669)	42" (1067)	240	270	384	**CFRSSEND2442L**				
27 1/2" (669)	50" (1270)	268	306	447	**CFRSSEND2450L**				
33 1/2" (851)	29 1/4" (743)	$218	$248	$362	**CFRSSEND3029L**				
33 1/2" (851)	36" (914)	302	351	537	**CFRSSEND3036L**				
33 1/2" (851)	42" (1067)	320	369	555	**CFRSSEND3042L**				
33 1/2" (851)	50" (1270)	365	414	600	**CFRSSEND3050L**				
39 1/2" (1003)	29 1/4" (743)	$225	$255	$369	**CFRSSEND3629L**				
39 1/2" (1003)	36" (914)	310	359	545	**CFRSSEND3636L**				
39 1/2" (1003)	42" (1067)	330	379	565	**CFRSSEND3642L**				
39 1/2" (1003)	50" (1270)	375	436	661	**CFRSSEND3650L**				
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _	_	_ _	_ _ _

Sample Part Number:	CFRSSEND12R	.GY	.G	N/A	.520
	_ _ _ _ _ _ _ _	_ _	_	_ _	_ _ _

Total Cost $117 =

$99	+	$18	+	N/C	+	N/C	+	N/C

Confer Single Sided Mid Support Panels

The Confer Single Sided Mid Support Panel is constructed of HPL laminate. It supports and connects two adjacent Single Sided Channels. The Mid Panels feature an opening to route power and data from one Channel to its adjacent Channel. The Panel edge color will match the specified laminate color.

Confer Single Sided Mid Support Panel

Dimensions		List Price Laminate Grades			Catalog Number	Grain Direction	Laminate Color
Width	Height	1	2	3			
11 1/2" (292)	21 1/2" (546)	$108	$119	$159	**CFRSSMIDSP12**	**N/A** No Grain Direction	See Surface Materials Page 9
27 1/2" (699)	29 1/4" (743)	$180	$197	$257	**CFRSSMIDSP2429**		
27 1/2" (699)	36" (914)	237	267	381	**CFRSSMIDSP2436**		
27 1/2" (699)	42" (1067)	255	285	399	**CFRSSMIDSP2442**	**DGH** Horizontal Grain Direction	
27 1/2" (699)	50" (1270)	278	316	457	**CFRSSMIDSP2450**		
33 1/2" (851)	29 1/4" (743)	$227	$257	$371	**CFRSSMIDSP3029**		
33 1/2" (851)	36" (914)	312	361	547	**CFRSSMIDSP3036**	**DGV** Vertical Grain Direction (Available on 18 1/4" and 50 1/8" wide only)	
33 1/2" (851)	42" (1067)	330	379	565	**CFRSSMIDSP3042**		
33 1/2" (851)	50" (1270)	375	424	610	**CFRSSMIDSP3050**		
39 1/2" (1003)	29 1/4" (743)	$235	$265	$379	**CFRSSMIDSP3629**		
39 1/2" (1003)	36" (914)	320	369	555	**CFRSSMIDSP3636**		
39 1/2" (1003)	42" (1067)	340	389	575	**CFRSSMIDSP3642**		
39 1/2" (1003)	50" (1270)	384	445	670	**CFRSSMIDSP3650**		
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _

Sample Part Number:	**CFRSSMIDSP12** _ _ _ _ _ _ _ _	**.DGH** _ _ _	**.J99** _ _ _
Total Cost $108 =	$108 +	N/C +	N/C

Confer Electrical Planning 20

8-Wire, 4-Circuit Planning & Specifying 21

Electrical & Data Components 22

Confer Power Infeed

Confer End Mount Infeed

The Confer End Mount Infeed installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit base feed to the building's electrical system. It can be used alone or be contained within a Confer Floor Power Pole. Infeeds enter the Channel via the underside openings on each end of the channel.

Male

Confer Floor Power Pole

The Confer Floor Power Pole conducts electrical components and communication cables from a floor access point into the underside of a Channel. It attaches to the lower inside surface of a Confer End Panel and on either side of a Mid Support Panel. On End Panels it can be used in conjunction with the grommet.

Confer Ceiling Infeed

The Confer Ceiling Infeed supplies power from the ceiling to a Power Block. The feed is channeled through the Confer Power Box. It has 13" (3962) of wire and 12" (3658) of flexible conduit.

Male

Confer Power Box

The Confer Power Box conducts electrical components and communication cables from the ceiling to the Confer Channel. Power Boxes are available single and double sided and for End and Mid support. The item ships complete with both Box and Power Pole for ceiling access. The Power Box replaces an End Panel or Mid Panel Support.

Confer Electrical Duplex

The Confer Electrical Duplex provides access to power. It plugs into Confer Blocks supplied with the Channel. Nine different Duplexes are used to create three different 4-Circuit options (See Electrical Circuit Planning section). Each Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, III, IV. Duplexes must be specified separately to match the electrical circuit plan.

PD1-PD4A

Communication Module

Communication Modules provide access to communication data. They snap into open duplex locations in the Raceway.

CM552

CM553, CM553BW, CM554

CM555

The 8-Wire Confer Electrical Circuit Planning and Hardwiring to Building Electrical Source

The Confer Electrical System is an 8-Wire, 4-Circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). The three four-circuit options which include:

- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

Fig. 1 Installing to Buildings Power Source

208/120V 3-Phase Building Supply

240/120V Single-Phase Building Supply

Options for PowerPac Four Circuit System

Fig. 2 Three General Circuits, One Dedicated

Fig. 3 Three Isolated Circuits, One Dedicated

Fig. 4 Two General Circuits, Two Isolated

Confer Electrical Harness
Confer Electrical Harnesses connect the Power Blocks from one Confer Channel to an adjacent Channel. The Harness has a swivel at one end and can extend a few extra inches to allow for easier installation. UL and CUL Listed/CSA Certified.

Note: Confer Electrical Harness does not accept Duplexes or Base Feeds.

Note: The 27" Harness will connect between Channels of all sizes when using the pre-installed Power Blocks. If a non-standard layout requires different sizing contact Trendway Customer Care.

Confer Electrical Duplexes
The Confer Electrical Duplex plugs into Confer Channel Power Blocks for access to power circuits. Each Power Duplex is marked to indicate Circuit I, II, III, IVΔ. Circuit IVr has an orange numeral and delta symbol (Δ) to indicate it accesses the dedicated and isolated circuits. Circuits, IΔ, IIΔ, IIIΔ, and ΔIIIΔ have an orange numeral and delta symbol (Δ) to indicate they access the isolated circuits.

Units come packaged in boxes of six of the same Duplex. Power Duplexes are UL and CUL Listed/CSA Certified. They must be installed in Trendway Electrical Blocks only.

Confer Electrical Harnesess

Dimensions Length	List Price	Catalog Number	
27" (686)	$105	**CFRPBH27**	

Confer Electrical Duplexes

Description	List Price	Catalog Number	Trim Color
15 Amp Receptacles			Standard Smooth Finishes Only See Surface Materials Page 8
Circuit I – Box of 6	$162	**CFRPD1**	
Circuit II – Box of 6	162	**CFRPD2**	
Circuit III – Box of 6	162	**CFRPD3**	
Circuit IVΔ – Box of 6	182	**CFRPD4**	
Circuit IΔ – Box of 6	195	**CFRPD1A**	
Circuit IIΔ – Box of 6	195	**CFRPD2A**	
Circuit IIIΔ – Box of 6	195	**CFRPD3A**	
Circuit ΔIIIΔ – Box of 6	195	**CFRPD3B**	
Circuit IV – Box of 6	195	**CFRPD4A**	
Build your complete Part Number here:		_ _ _ _ _ _ _	_ _ _

Sample Part Number: **CFRPBH27** _ _ _ _ _ _ _

Total Cost $105 = $105

Confer End Mount Infeed
The Confer End Mount Infeed is an End-Mount style that plugs into a Power Block to feed power from the building's electrical system. It has 6' (1829) of flexible, liquid-tight conduit for hardwiring the standard four-circuit system. UL and CUL Listed/CSA Certified.

Available in Black only.

Confer Ceiling Infeed
The Confer Ceiling Infeed supplies power from the ceiling to the Confer Channel through the power box. The feed has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended.

Confer Communication Bracket
Confer Communication Brackets are included with all Confer Channels. Two ship with a Double Sided Channel and one with a Single Sided Channel. These brackets provide a place to install a Communication module so data jacks can be easily accessed.

Communication Brackets may be ordered separately to meet specific needs.

Available in Black only.

Confer End Mount Infeed

Cord Length	List Price	Catalog Number
6' (1829)	$190	**EBFH**

Confer Ceiling Infeed

Wire Length	Conduit Length	List Price	Catalog Number
13' (3962)	12' (3658)	$173	**CFTP144**

Confer Communication Bracket

List Price	Catalog Number
$45	**CFRCMMB**

Build your complete Part Number here: _ _ _ _ _ _ _

Sample Part Number: CFRCMMB _ _ _ _ _ _

Total Cost $45 = $45

Confer Double Sided End Panel Power Box
The Confer Double Sided End Panel Power Box consists of a metal Power Pole, and laminate box. The laminate box attaches to the end of a Double Sided Channel. The Power Pole extends to the ceiling to route power and data to a Confer configuration at an end of a run. The box edge color will match the specified laminate color. The Power Pole assembly is available in all Trendway Standard and Premium Finishes.

The Double Sided End Panel Power Box will take the place of a Double Sided End Panel to provide support and a finished appearance at an end of run.

Confer Double Sided Mid Panel Power Box
The Confer Double Sided Mid Panel Power Box consists of a metal Power Pole, and laminate box. The Power Pole extends to the ceiling to route power and data between two Channels in a Confer configuration. The laminate box has openings on both sides to route power and data in both directions. The box edge color will match the specified laminate color. The Power Pole assembly is available in all Trendway Standard and Premium Finishes.

The Double Sided Mid Panel Power Box will take the place of a Double Sided Mid Panel to connect and support two adjacent Double Sided Channels.

Confer Double Sided End Panel Power Box

Dimensions			List Price Laminate Grades			Catalog Number	Grain Direction	Laminate Color	Trim Color
Height	Width	Depth	1	2	3				
21 1/2" (546)	6" (152)	18 1/4" (464)	$1140	$1189	$1375	**CFR2ENDPB21**	**NA** No Grain Direction **DGH** Horizontal Grain Direction **DGV** Vertical Grain Direction	See Surface Materials Page 9	**Standard Finishes No Cost** **Premium Finish +$35** (Trim color is for power pole only)

Confer Double Sided Mid Panel Power Box

Dimensions			List Price Laminate Grades			Catalog Number
Height	Width	Depth	1	2	3	
21 1/2" (546)	6" (152)	18 1/4" (464)	$1140	$1189	$1375	**CFR2MIDPB21**

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**CFR2ENDPB21** _ _ _ _ _ _ _ _	**.DGH** _ _ _	**.J99** _ _ _	**.G** _
Total Cost $1140 =	$1140 +	N/C +	N/C +	N/C

Confer Single Sided End Panel Power Box
The Confer Single Sided End Panel Power Box consists of a metal Power Pole, and laminate box. The Power Pole extends to the ceiling to route power and data to a Confer configuration. The laminate box will have openings on both sides so the power and data can be routed in both directions. The box edge color will match the specified laminate color. The Power Pole assembly is available in all Trendway Standard and Premium Finishes.

The Single Sided End Panel Power Box will take the place of a Single Sided End Panel

Confer Single Sided Mid Panel Power Box
The Confer Single Sided Mid Panel Power Box consists of a metal Power Pole, and laminate box. The laminate box attaches between two Single Sided Channels. It allows for power and data to be routed from the ceiling to the Confer configuration. The laminate box has openings on both sides to route power and data in both directions. The box edge color will match the specified laminate color. The Power Pole assembly is available in all Trendway Standard and Premium Finishes.

The Single Sided Mid Panel Power Box will take the place of a Single Sided Mid Panel to connect and support two adjacent Single Sided Channels.

Left Hand End Shown

Confer Single Sided End Panel Power Box

Dimensions			List Price Laminate Grades			Catalog Number	Grain Direction	Laminate Color	Trim Color
Height	Width	Depth	1	2	3				
Right Hand							**NA** No Grain Direction **DGH** Horizontal Grain Direction **DGV** Vertical Grain Direction	See Surface Materials Page 9	**Standard Finishes No Cost** **Premium Finish +$35** (Trim color is for power pole only)
21 1/2" (546)	6" (152)	11 1/2" (292)	$1080	$1118	$1259	**CFRSSENDPB21R**			
Left Hand									
21 1/2" (546)	6" (152)	11 1/2" (292)	$1080	$1118	$1259	**CFRSSENDPB21L**			

Confer Single Sided Mid Panel Power Box

Height	Width	Depth	1	2	3	Catalog Number
21 1/2" (546)	6" (152)	11 1/2" (292)	$1080	$1118	$1259	**CFRSSMIDPB21**

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**CFRSSENDPB21R** _ _ _ _ _ _ _ _ _ _	**N/A** _ _	**.520** _ _ _	**.G** _
Total Cost $1080 =	$1080 +	N/C +	N/C +	N/C

Confer Collapsible Vertical Wire Manager
The Confer Collapsible Vertical Wire Manager is constructed of durable plastic and ready to attach to the underside of a desk and inside the Confer Channel. This wire manager works perfectly with Height Adjustable Tables because it can flex to accommodate the full range of height adjustment. It has 3 settings to adjust cord concealment and flexibility. Available in 3 colors, Black, Designer White and Platinum.

Confer Floor Power Pole
The Confer Floor Power Pole conducts electrical components and communication cables from a floor or wall access point into the underside of a Channel. It attaches to the inside surface of a Confer End Panel and or on either side of a Mid Support Panel. On End Panels it can be used in conjunction with the grommet.

Confer Collapsible Vertical Wire Manager

Dimensions Height	List Price	Catalog Number	Color
32" (813)	$95	**CFRCVWM**	**BK** (Black) **DW** (Designer White) **PA** (Platinum)

Confer Floor Power Pole

Dimensions Width	Depth	Height	List Price	Catalog Number	Trim Color
2 5/8" (67)	2 5/8" (67)	14 3/4" (375)	$160	**CFRFPP14**	**Standard Finishes No Cost** **Premium Finish +$18**
		Build your complete Part Number here:		_ _ _ _ _ _ _	_

Sample Part Number:	**CFRFPP14** _ _ _ _ _ _ _	**.G** _
Total Cost $160 =	$160 +	N/C

Fixed Height Work Surface Planning
Confer can support fixed height Work Surfaces both parallel and perpendicular to the Channel.

Parallel

If a Work Surface parallel to a Channel is desired, specify a Work Surface, 2 Risers and 2 Post Legs. The Work Surface must be specified the same width as the Channel it mounts on. Risers support the Channel side of the surface while Post Legs support the user side.

Parallel Work Surfaces may be specified the full nominal width of the Channel (NCW) or 2" shorter (DCW) than nominal width to create a one inch gap between the Work Surface and its End/ Mid Panel supports. This option allows the specifier to match the one inch gap around Height Adjustable Table tops to achieve a uniform look in a mixed application.

For Channels 36" – 42" wide specify Riser CFRRSLR6.

For Channels 48" -60" wide specify Riser CFRRSR13.

For Channels 66" -72" wide specify Riser CFRRSR19.

60" Parallel top shown with the DCW option: surface is 2" shorter than the nominal width.

Trig storage units can also be used to support the user side of a Work Surface. The storage piece must be positioned to provide sufficient space for the Channel door to open. If Trig Under Desk height storage is used, the associated Black 1" Riser is inset 1" from the edge and will be visible from certain angles. For Trig Bench Height storage, follow the Trig planning guide for correct supports.

Perpendicular
Perpendicular Work Surfaces can be used in conjunction with Height Adjustable Tables and with parallel Fixed Work Surfaces. Depending on the application you will need to specify Risers, Flush Support Plates, U Leg or Storage item for Work Surface support.

When used in conjunction with a Height Adjustable Table, the Perpendicular Work Surface mounts to the Channel. It must be positioned as far as possible to the right or left on the Channel to prevent interference with the wire management access. The Work Surface mounts on the Channel side with one Riser, and on the user side with one U Leg or storage piece.

30" deep perpendicular Surfaces can be used only on 66" and 72" inch wide Channels.

For a 24" deep Surface specify Riser CFRRSR13.

For a 30" deep Surface specify Riser CFRRSR19.

When used in conjunction with a Parallel Work Surface, the Perpendicular Work Surface mounts to its user side using Flush Support Plates, with one U Leg or Trig storage piece on the opposite end for support. The maximum width of the surface is 60" if a U Leg is used, and 72" if an underdesk storage piece is used. The Parallel Work Surface it mounts to must be specified the full width and the user side must be supported by two post legs (Fig. A). It is not possible to insert a Perpendicular Surface between a Parallel Surface and the End Panel (Fig. B).

Note: Work Surface Post Legs cannot be substituted for Confer Work Surface U Legs as the main support for a Perpendicular Work Surface.

Height Adjustable Tables
Both the 4 Adjustability and Express Height Adjustable Table can be used with the Confer platform. Confer has been designed to provide a 1" clearance around the Tables to permit proper adjustment operation.

Note: for a 24" Table user to have constant access to the Channel's flip-down door operation, a 3.5" gap must be maintained between the Table and the Confer Channel. If constant access is not required, the normal 1" gap can be maintained.

Express™ Height Adjustable Table

Table Tops

Standard Features

Tables are available with either a 1 1/4" high-pressure laminate top or a 1" thermofused laminate top. Tables will have a PVC Banded Edge.

Express Height Adjustable Table	Table Top Edge PVC
Rectangular	X
D-Shape	X

PVC Banded Edge

Table Bases

The Height Adjustable Table has an all-steel base frame. Finish is powder coat. The Express table base has a 6' power cord.

Express Height Adjustable Table Base

Table Grommets

Grommets are available on the Express Height Adjustable Tables, except the D-Shape Table. They are centered on the table along the back edge. Grommets are available in black or silver. The following drawing shows standard grommet location.

Grommet Dimensions

Rectangular Table

TABLE WEIGHT LIMITS
Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

4 Adjustability Height Adjustable Table

Table Tops

Height Adjustable Table	Table Top Edge PVC
Rectangular	X
Extended Corner	X

Standard Features

Each table is surfaced with a high-pressure laminate. Tables will have a PVC Banded Edge.

PVC Banded Edge

Table Bases

The Height Adjustable Table has an all-steel base frame. Finish is powder coat. The 4 Adjustability electric bases have a 9' power cord.

Height Adjustable Table Base

Extended Corner Height Adjustable Table Base Right Hand Shown

Table Grommets

Grommets are available on the 4 Adjustability Height Adjustable Table. The are along the back edge of the table top. Grommets are available in black or silver. The following drawings show standard grommet locations.

Rectangular Table

TABLE WEIGHT LIMITS
Tables with the recommended base/top size combination can support a maximum of 1.5 lb. for each inch of perimeter, evenly distributed.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed weight limits, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not honor the product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Express Rectangle Height Adjustable Table

The Express Rectangle Height Adjustable Table features a nominal 1 ¼" thick High Pressure Laminate top or a 1" thick Thermofused Laminate top with a PVC banded edge. An optional grommet is located in the back-center of the table top. The table comes with standard glides. The Express Rectangle Height Adjustable Table offers a height adjustment range from 24" – 49.5" for a total of 25.5" of adjustment. Add the top thickness to determine the total height dimension. These tables are sized to work within any panel environment or as a standalone table.

The Express Table offers two control pad options, Standard and Programmable. The Standard version (SCP) provides simple, intuitive table height adjustment and is offered at no upcharge. The Programmable version (PKP), available at an upcharge, offers simple height adjustment, a digital readout and the ability to store up to four pre-set heights. Each base leg is a three-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. Tables ship ready to assemble. The Base is available in Gunmetal only.

Express Rectangle Height Adjustable Table – High Pressure Laminate

Dimensions: Depth	Nominal Width	Actual Width	Base Depth	List Price Laminate Grade 1	2	3	Catalog Number
23 ½" (598)	48" (1219)	46" (1168)	23 ⅝" (600)	$1812	$1836	$1926	**EVRHAT2448**
	54" (1372)	52" (1321)		1833	1857	1947	**EVRHAT2454**
	60" (1524)	58" (1473)		1854	1878	1968	**EVRHAT2460**
	66" (1676)	64" (1626)		1875	1899	1989	**EVRHAT2466**
	72" (1829)	70" (1778)		1938	1962	2052	**EVRHAT2472**
29 ½" (750)	48" (1219)	46" (1168)	29 ½" (750)	$1896	$1920	$2010	**EVRHAT3048**
	54" (1372)	52" (1321)		1917	1955	2096	**EVRHAT3054**
	60" (1524)	58" (1473)		1938	1976	2117	**EVRHAT3060**
	66" (1676)	64" (1626)		1981	2019	2160	**EVRHAT3066**
	72" (1829)	70" (1778)		2065	2103	2244	**EVRHAT3072**
35 ½" (902)	60" (1524)	58" (1473)	29 ½" (750)	$2022	$2060	$2201	**EVRHAT3660**
	66" (1676)	64" (1626)		2065	2114	2300	**EVRHAT3666**
	72" (1829)	70" (1778)		2149	2198	2384	**EVRHAT3672**

Grommet	Grommet Color	Control Pad	Top Color	Edge Color
GN **No Cost** No Grommet **GY** **+ $17** One Grommet	**GB** Black **GS** Silver	**SCP** **No Cost** Standard **PKP** **+ $114** Programmable	High-Pressure Laminate Color (See Surface Materials Page 9)	See Surface Materials Page 8

Express Rectangle Height Adjustable Table – Thermofused Laminate

Dimensions: Depth	Nominal Width	Actual Width	Base Depth	List Price Thermofused Grade 1	2	Catalog Number
23 ½" (598)	48" (1219)	46" (1168)	23 ⅝" (600)	$1632	$1646	**EVRHAT2448TFL**
	54" (1372)	52" (1321)		1650	1664	**EVRHAT2454TFL**
	60" (1524)	58" (1473)		1668	1682	**EVRHAT2460TFL**
	66" (1676)	64" (1626)		1687	1701	**EVRHAT2466TFL**
	72" (1829)	70" (1778)		1745	1759	**EVRHAT2472TFL**
29 ½" (750)	48" (1219)	46" (1168)	29 ½" (750)	$1707	$1721	**EVRHAT3048TFL**
	54" (1372)	52" (1321)		1725	1752	**EVRHAT3054TFL**
	60" (1524)	58" (1473)		1745	1772	**EVRHAT3060TFL**
	66" (1676)	64" (1626)		1783	1810	**EVRHAT3066TFL**
	72" (1829)	70" (1778)		1859	1886	**EVRHAT3072TFL**
35 ½" (902)	60" (1524)	58" (1473)	29 ½" (750)	$1821	$1861	**EVRHAT3660TFL**
	66" (1676)	64" (1626)		1859	1899	**EVRHAT3666TFL**
	72" (1829)	70" (1778)		1934	1974	**EVRHAT3672TFL**

	Catalog Number	Grommet	Grommet Color	Control Pad	Top Color	Edge Color
Build your complete Part Number here:	_ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	**EVRHAT2448**	**.GN**	**N/A**	**.SCP**	**.573**	**.K**
Total Cost $1812 =	$1812 +	N/C +	N/A +	N/C +	N/C +	N/C

Express D-Shape Height Adjustable Table

The Express D-Shape Height Adjustable Table features a nominal 1 ¼"thick High Pressure Laminate top or a 1" thick Thermofused Laminate top with a PVC banded edge. The table comes with standard glides. The Express D-Shape Height Adjustable Table offers a height adjustment range from 24" – 49.5" for a total of 25.5" of adjustment. Add the top thickness to determine the total height dimension. This table can be used as a peninsula work top, or as a standalone table.

The Express Table offers two control pad options, Standard and Programmable. The Standard version (SCP) provides simple, intuitive table height adjustment and is offered at no upcharge. The Programmable version (PKP), available at an upcharge, offers simple height adjustment, a digital readout and the ability to store up to four pre-set heights. Each base leg is a three-section telescoping column. Two rails attach to the legs on the underside of the table top to ensure stability and support. Tables ship ready to assemble. The base is available in Gunmetal only.

Express D-Shape Height Adjustable Table – High Pressure Laminate

Dimensions Depth	Width	Base Depth	List Price Laminate Grade 1	2	3	Catalog Number	Control Pad	Top Color	Edge Color
28" (711)	60" (1524)	23 5/8" (600)	$2014	$2038	$2128	**EVBLTHAT3060**	**SCP No Cost** Standard	High-Pressure Laminate Color (See Surface Materials Page 9)	See Surface Materials Page 8
	66" (1676)		2067	2105	2246	**EVBLTHAT3066**			
	72" (1829)		2172	2210	2351	**EVBLTHAT3072**			
34" (864)	60" (1524)	29 1/2" (750)	$2119	$2157	$2298	**EVBLTHAT3660**	**PKP + $114** Program-mable		
	66" (1676)		2172	2221	2407	**EVBLTHAT3666**			
	72" (1829)		2276	2325	2511	**EVBLTHAT3672**			

Express D-Shape Height Adjustable Table – Thermofused Laminate

Dimensions Depth	Width	Base Depth	List Price Thermofused Grade 1	2	Catalog Number
28" (711)	60" (1524)	23 5/8" (600)	$1811	$1851	**EVBLTHAT3060TFL**
	66" (1676)		1860	1900	**EVBLTHAT3066TFL**
	72" (1829)		1955	1995	**EVBLTHAT3072TFL**
34" (864)	60" (1524)	29 1/2" (750)	$1907	$1967	**EVBLTHAT3660TFL**
	66" (1676)		1955	2015	**EVBLTHAT3666TFL**
	72" (1829)		2050	2110	**EVBLTHAT3672TFL**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_ _ _	_	_
Sample Part Number:	**EVBLTHAT3060**	**.SCP**	**.573**	**.K**
Total Cost $2014 =	$2014 +	N/C +	N/C +	N/C

4 Adjustability Tables
The 4 Adjustability tables features an all-steel base frame with four height adjustment mechanism choices. On the underside of the table top, 2 rails attach to the legs to assure stability and support. Each table has a high-pressure laminate top with a PVC banded edge. They are rectangular in shape with standard glides and an optional grommet located in the center of the table back. Tables ship ready to assemble.

4 Adjustability – Crank Table
Crank Tables offer height adjustment ranges from 27" to 46", plus a nominal 1¼" thick HPL top for total height dimension. The crank can be positioned on the right or left hand of the table and stored under the table when not needed for adjustment. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

4 Adjustability - Crank Table

Dimensions Actual Depth	Actual Width	Base Width	List Price Laminate Grade 1	2	3	Catalog Number	Grommet	Grommet Color	Top Color	Base Color	Edge Color
23 3/8" (594)	34" (864)	23" (584)	$1746	$1770	$1860	**RHATC2436**	**GN No Cost** No Grommet **GY + $17** One Grommet	**GB** Black **GS** Silver	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost** **Premium Finish +$35** See Surface Materials Page 8	See Surface Materials Page 8
	40" (1016)	23" (584)	1776	1800	1890	**RHATC2442**					
	46" (1168)	23" (584)	1806	1830	1920	**RHATC2448**					
	52" (1321)	23" (584)	1835	1859	1949	**RHATC2454**					
	58" (1473)	23" (584)	1866	1890	1980	**RHATC2460**					
	64" (1626)	23" (584)	1927	1951	2041	**RHATC2466**					
	70" (1778)	23" (584)	2046	2070	2160	**RHATC2472**					
29 3/8" (746)	34" (864)	29" (737)	$1866	$1890	$1980	**RHATC3036**					
	40" (1016)	29" (737)	1896	1920	2010	**RHATC3042**					
	46" (1168)	29" (737)	1927	1951	2041	**RHATC3048**					
	52" (1321)	29" (737)	1956	1994	2135	**RHATC3054**					
	58" (1473)	29" (737)	1988	2026	2167	**RHATC3060**					
	64" (1626)	29" (737)	2046	2084	2225	**RHATC3066**					
	70" (1778)	29" (737)	2167	2205	2346	**RHATC3072**					
35 3/8" (899)	58" (1524)	29" (737)	$2107	$2145	$2286	**RHATC3660**					
	64" (1667)	29" (737)	2167	2216	2402	**RHATC3666**					
	70" (1778)	29" (737)	2288	2337	2523	**RHATC3672**					
			Build your complete Part Number here:			_ _ _ _ _ _	_ _	_ _	_ _ _	_	_

Sample Part Number:	**RHATC2436**	**.GN**	**.GB**	**.J46**	**.Y**	**.K**
Total Cost $1746 =	$1746	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Continued

4 Adjustability – Single and Dual Stage Electric Tables
Electric Tables offer height adjustment ranges from 26" – 44 ¾" for the Single Stage and 21" – 47" for the Dual Stage, plus a nominal 1¼" thick HPL top for total height dimension. Electric Tables feature an optional control pad with digital readout which can store up to 4 pre-set heights. When not in use, the control pad stores under the table. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

4 Adjustability - Single Stage Electric Table

Dimensions: Actual Depth	Actual Width	Base Width	List Price Laminate Grade 1	2	3	Catalog Number	Grommet	Grommet Color	Control Pad	Top Color	Base Color	Edge Color
23 3/8" (594)	34" (864)	23" (584)	$2528	$2552	$2642	**RHATE12436**	**GN No Cost** No Grommet **GY + $17** One Grommet	**GB** Black **GS** Silver	**SCP No Cost** Standard **PKP + $127** Program-mable	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost** **Premium Finish +$35** See Surface Materials Page 8	See Surface Materials Page 8
	40" (1016)	23" (584)	2559	2583	2673	**RHATE12442**						
	46" (1168)	23" (584)	2589	2613	2703	**RHATE12448**						
	52" (1321)	23" (584)	2619	2643	2733	**RHATE12454**						
	58" (1473)	23" (584)	2649	2673	2763	**RHATE12460**						
	64" (1626)	23" (584)	2679	2703	2793	**RHATE12466**						
	70" (1778)	23" (584)	2769	2793	2883	**RHATE12472**						
29 3/8" (746)	34" (864)	29" (737)	$2649	$2673	$2763	**RHATE13036**						
	40" (1016)	29" (737)	2679	2703	2793	**RHATE13042**						
	46" (1168)	29" (737)	2709	2733	2823	**RHATE13048**						
	52" (1321)	29" (737)	2738	2776	2917	**RHATE13054**						
	58" (1473)	29" (737)	2769	2807	2948	**RHATE13060**						
	64" (1626)	29" (737)	2830	2868	3009	**RHATE13066**						
	70" (1778)	29" (737)	2951	2989	3130	**RHATE13072**						
35 3/8" (899)	58" (1473)	29" (737)	$2890	$2928	$3069	**RHATE13660**						
	64" (1626)	29" (737)	2951	3000	3186	**RHATE13666**						
	70" (1778)	29" (737)	3070	3119	3305	**RHATE13672**						
			Build your complete Part Number here:			_ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_	_

Sample Part Number:	RHATE12436	.GN	.GB	.SCP	.J46	.Y	.K
Total Cost $2528 =	$2528 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

4 Adjustability Tables
The 4 Adjustability tables features an all-steel base frame with four height adjustment mechanism choices. On the underside of the table top, 2 rails attach to the legs to assure stability and support. Each table has a high-pressure laminate top with a PVC banded edge. They are rectangular in shape with standard glides and an optional grommet located in the center of the table back. Tables ship ready to assemble.

4 Adjustability – Single and Dual Stage Electric Tables
Electric Tables offer height adjustment ranges from 26" – 44 ¾" for the Single Stage and 21" – 47" for the Dual Stage, plus a nominal 1¼" thick HPL top for total height dimension. Electric Tables feature an optional control pad with digital readout which can store up to 4 pre-set heights. When not in use, the control pad stores under the table. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

4 Adjustability - Dual Stage Electric Table

Dimensions: Actual Depth	Actual Width	Base Width	List Price Laminate Grade 1	2	3	Catalog Number	Grommet	Grommet Color	Control Pad	Top Color	Base Color	Edge Color
23 3/8" (594)	34" (864)	23" (584)	$3131	$3155	$3245	**RHATE22436**	**GN No Cost** No Grommet **GY + $17** One Grommet	**GB** Black **GS** Silver	**SCP No Cost** Standard **PKP + $127** Programmable	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost** **Premium Finish +$35** See Surface Materials Page 8	See Surface Materials Page 8
	40" (1016)	23" (584)	3161	3185	3275	**RHATE22442**						
	46" (1168)	23" (584)	3191	3215	3305	**RHATE22448**						
	52" (1321)	23" (584)	3220	3244	3334	**RHATE22454**						
	58" (1473)	23" (584)	3251	3275	3365	**RHATE22460**						
	64" (1626)	23" (584)	3311	3335	3425	**RHATE22466**						
	70" (1778)	23" (584)	3432	3456	3546	**RHATE22472**						
29 3/8" (746)	34" (864)	29" (737)	$3251	$3275	$3365	**RHATE23036**						
	40" (1016)	29" (737)	3280	3304	3394	**RHATE23042**						
	46" (1168)	29" (737)	3311	3335	3425	**RHATE23048**						
	52" (1321)	29" (737)	3341	3379	3520	**RHATE23054**						
	58" (1473)	29" (737)	3371	3409	3550	**RHATE23060**						
	64" (1626)	29" (737)	3432	3470	3611	**RHATE23066**						
	70" (1778)	29" (737)	3552	3590	3731	**RHATE23072**						
35 3/8" (899)	58" (1473)	29" (737)	$3491	$3529	$3670	**RHATE23660**						
	64" (1626)	29" (737)	3552	3601	3787	**RHATE23666**						
	70" (1778)	29" (737)	3673	3722	3908	**RHATE23672**						
			Build your complete Part Number here:			_ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_	_

Sample Part Number:	RHATE22436	.GN	.GB	.SCP	.J46	.Y	.K
Total Cost $3131 =	$3131 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

4 Adjustability – Crank Extended Corner Tables

Extended Corner tables can be used in a freestanding or panel application. Tops are sized to provide a gap between the Adjustable Table and adjoining work surfaces, to ensure free movement and to avoid pinch points. Crank Extended Corner Table bases offer height adjustment ranges of 26" to 44 1/4". For total surface height dimension, add a nominal 1¼" thickness of the HPL top. The grommet option will provide two grommets for cord management. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

Right Hand

Left Hand

4 Adjustability - Crank Extended Corner Table - Right Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number	Front Option	Grommet	Grommet Color	Top Color	Base Color	Edge Color
23 3/8" (594)	40" (1016)	58" (1473)	24" (610)	$2550	$2588	$2729	**ECRHATC244260**	**S No Cost** Straight	**GN No Cost** No Grommet	**GB** Black	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost**	See Surface Materials Page 8
		64" (1626)	24" (610)	2695	2744	2930	**ECRHATC244266**						
		70" (1778)	24" (610)	2752	2801	2987	**ECRHATC244272**						
23 3/8" (610)	46" (1168)	58" (1473)	32½" (826)	$2609	$2647	$2788	**ECRHATC244860**	**C + $36** Curved	**GY + $24** Two Grommets	**GS** Silver		**Premium Finish +$35** See Surface Materials Page 8	
		64" (1626)	32½" (826)	2752	2801	2987	**ECRHATC244866**						
		70" (1778)	32½" (826)	2810	2859	3045	**ECRHATC244872**						
29 3/8" (746)	40" (1016)	58" (1473)	15½" (394)	$2620	$2658	$2799	**ECRHATC304260**						
		64" (1626)	15½" (394)	2764	2813	2999	**ECRHATC304266**						
		70" (1778)	15½" (394)	2820	2869	3055	**ECRHATC304272**						
29 3/8" (746)	46" (1168)	58" (1473)	24" (610)	$2678	$2716	$2857	**ECRHATC304860**						
		64" (1626)	24" (610)	2820	2869	3055	**ECRHATC304866**						
		70" (1778)	24" (610)	2878	2927	3113	**ECRHATC304872**						

4 Adjustability - Crank Extended Corner Table - Left Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number
23 3/8" (594)	58" (1473)	40" (1016)	24" (610)	$2550	$2588	$2729	**ECLHATC604224**
	64" (1626)		24" (610)	2695	2744	2930	**ECLHATC664224**
	70" (1778)		24" (610)	2752	2801	2987	**ECLHATC724224**
23 3/8" (594)	58" (1473)	46" (1168)	32½" (826)	$2609	$2647	$2788	**ECLHATC604824**
	64" (1626)		32½" (826)	2752	2801	2987	**ECLHATC664824**
	70" (1778)		32½" (826)	2810	2859	3045	**ECLHATC724824**
29 3/8" (746)	58" (1473)	40" (1016)	15½" (394)	$2620	$2658	$2799	**ECLHATC604230**
	64" (1626)		15½" (394)	2764	2813	2999	**ECLHATC664230**
	70" (1778)		15½" (394)	2820	2869	3055	**ECLHATC724230**
29 3/8" (746)	58" (1473)	46" (1168)	24" (610)	$2678	$2716	$2857	**ECLHATC604830**
	64" (1626)		24" (610)	2820	2869	3055	**ECLHATC664830**
	70" (1778)		24" (610)	2878	2927	3113	**ECLHATC724830**

	Catalog Number	Front Option	Grommet	Grommet Color	Top Color	Base Color	Edge Color
Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_	_ _	_ _	_ _ _	_	_ _
Sample Part Number:	**ECRHATC244260**	**.S**	**.GN**	**N/A**	**.JA3**	**.K**	**.WR**
Total Cost $2550 =	$2550 +	N/C +	N/C +	N/A +	N/C +	N/C +	N/C

4 Adjustability – Single and Dual Stage Extended Electrical Corner Table

Extended Corner tables can be used in a freestanding or panel application. Tops are sized to provide a gap between the Adjustable Table and adjoining work surfaces, to ensure free movement and to avoid pinch points. Electric Extended Corner Table bases offer height adjustment ranges of 26" to 44 ¾" for the Single Stage and 21" to 47" for the Dual Stage. For total surface height dimension, add a nominal 1¼" thickness of the HPL top. The grommet option will provide two grommets for cord management. Electric Extended Corner Tables feature an optional control pad with digital readout, which can store up to 4 pre-set heights. When not in use, the control pad stores under the table. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

4 Adjustability - Single Stage Extended Electrical Corner Table - Right Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number
23 3/8" (594)	40" (1016)	58" (1473)	24" (610)	$3697	$3735	$3876	**ECRHATE1244260**
		64" (1626)	24" (610)	3842	3891	4077	**ECRHATE1244266**
		70" (1778)	24" (610)	3899	3948	4134	**ECRHATE1244272**
23 3/8" (594)	46" (1168)	58" (1473)	32½" (826)	$3756	$3794	$3935	**ECRHATE1244860**
		64" (1626)	32½" (826)	3899	3948	4134	**ECRHATE1244866**
		70" (1778)	32½" (826)	3956	4005	4191	**ECRHATE1244872**
29 3/8" (746)	40" (1016)	58" (1473)	15½" (394)	$3766	$3804	$3945	**ECRHATE1304260**
		64" (1626)	15½" (394)	3910	3959	4145	**ECRHATE1304266**
		70" (1778)	15½" (394)	3967	4016	4202	**ECRHATE1304272**
29 3/8" (746)	46" (1168)	58" (1473)	24" (610)	$3824	$3862	$4003	**ECRHATE1304860**
		64" (1626)	24" (610)	3967	4016	4202	**ECRHATE1304866**
		70" (1778)	24" (610)	4025	4074	4260	**ECRHATE1304872**

4 Adjustability - Single Stage Extended Electrical Corner Table - Left Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number
23 3/8" (594)	58" (1473)	40" (1016)	24" (610)	$3697	$3735	$3876	**ECLHATE1604224**
	64" (1626)		24" (610)	3842	3891	4077	**ECLHATE1664224**
	70" (1778)		24" (610)	3899	3948	4134	**ECLHATE1724224**
23 3/8" (594)	58" (1473)	46" (1168)	32½" (826)	$3756	$3794	$3935	**ECLHATE1604824**
	64" (1626)		32½" (826)	3899	3948	4134	**ECLHATE1664824**
	70" (1778)		32½" (826)	3956	4005	4191	**ECLHATE1724824**
29 3/8" (746)	58" (1473)	40" (1016)	15½" (394)	$3766	$3804	$3945	**ECLHATE1604230**
	64" (1626)		15½" (394)	3910	3959	4145	**ECLHATE1664230**
	70" (1778)		15½" (394)	3967	4016	4202	**ECLHATE1724230**
29 3/8" (746)	58" (1473)	46" (1168)	24" (610)	$3824	$3862	$4003	**ECLHATE1604830**
	64" (1626)		24" (610)	3967	4016	4202	**ECLHATE1664830**
	70" (1778)		24" (610)	4025	4074	4260	**ECLHATE1724830**

Catalog Number	Front Option	Grommet	Grommet Color	Control Pad	Top Color	Base Color	Edge Color
	S **No Cost** Straight **C** **+ $36** Curved	**GN** **No Cost** No Grommet **GY** **+ $24** Two Grommets	**GB** Black **GS** Silver	**SCP** **No Cost** Standard **PKP** **+ $127** Programable	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost** **Premium Finish +$35** See Surface Materials Page 8	See Surface Materials Page 8
Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_	_ _	_ _	_	_	_
Sample Part Number:	**ECRHATE1244260**	**.S**	**.GY**	**.GB**	**.SCP**	**.JA3**	**.K**	**.WR**
Total Cost $3721 =	$3697 +	N/C +	$24 +	N/C +	N/C +	N/C +	N/C +	N/C

4 Adjustability – Single and Dual Stage Extended Electrical Corner Table

Extended Corner tables can be used in a freestanding or panel application. Tops are sized to provide a gap between the Adjustable Table and adjoining work surfaces, to ensure free movement and to avoid pinch points. Electric Extended Corner Table bases offer height adjustment ranges of 26" to 44 ¾" for the Single Stage and 21" to 47" for the Dual Stage. For total surface height dimension, add a nominal 1¼" thickness of the HPL top. The grommet option will provide two grommets for cord management. Electric Extended Corner Tables feature an optional control pad with digital readout, which can store up to 4 pre-set heights. When not in use, the control pad stores under the table. The functional inner leg that raises and lowers the table is not available in textured or premium trim finishes. If textured or premium trim finish is specified, the inner leg will match the standard smooth trim color.

4 Adjustability - Dual Stage Extended Electrical Corner Table - Right Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number
23 3/8" (594)	40" (1016)	58" (1473)	24" (610)	$4615	$4653	$4794	**ECRHATE2244260**
		64" (1626)	24" (610)	4759	4808	4994	**ECRHATE2244266**
		70" (1778)	24" (610)	4815	4864	5050	**ECRHATE2244272**
23 3/8" (594)	46" (1168)	58" (1473)	32½" (826)	$4673	$4711	$4852	**ECRHATE2244860**
		64" (1626)	32½" (826)	4815	4864	5050	**ECRHATE2244866**
		70" (1778)	32½" (826)	4874	4923	5109	**ECRHATE2244872**
29 3/8" (746)	40" (1016)	58" (1473)	15½" (394)	$4684	$4722	$4863	**ECRHATE2304260**
		64" (1626)	15½" (394)	4828	4877	5063	**ECRHATE2304266**
		70" (1778)	15½" (394)	4885	4934	5120	**ECRHATE2304272**
29 3/8" (746)	46" (1168)	58" (1473)	24" (610)	$4742	$4780	$4921	**ECRHATE2304860**
		64" (1626)	24" (610)	4885	4934	5120	**ECRHATE2304866**
		70" (1778)	24" (610)	4942	4991	5177	**ECRHATE2304872**

Front Option	Grommet	Grommet Color	Control Pad	Top Color	Base Color	Edge Color
S No Cost Straight **C + $36** Curved	**GN No Cost** No Grommet **GY + $24** Two Grommets	**GB** Black **GS** Silver	**SCP No Cost** Standard **PKP + $127** Programable	High-Pressure Laminate Color (See Surface Materials Page 9)	**Standard Finish No Cost** **Premium Finish +$35** See Surface Materials Page 8	See Surface Materials Page 8

4 Adjustability - Dual Stage Extended Electrical Corner Table - Left Hand

Dimensions: Depth	Width 1	Width 2	Front Width	List Price Laminate Grade 1	2	3	Catalog Number
23 3/8" (594)	58" (1473)	40" (1016)	24" (610)	$4615	$4653	$4794	**ECLHATE2604224**
	64" (1626)		24" (610)	4759	4808	4994	**ECLHATE2664224**
	70" (1778)		24" (610)	4815	4864	5050	**ECLHATE2724224**
23 3/8" (594)	58" (1473)	46" (1168)	32½" (826)	$4673	$4711	$4852	**ECLHATE2604824**
	64" (1626)		32½" (826)	4815	4864	5050	**ECLHATE2664824**
	70" (1778)		32½" (826)	4874	4923	5109	**ECLHATE2724824**
29 3/8" (746)	58" (1473)	40" (1016)	15½" (394)	$4684	$4722	$4863	**ECLHATE2604230**
	64" (1626)		15½" (394)	4828	4877	5063	**ECLHATE2664230**
	70" (1778)		15½" (394)	4885	4934	5120	**ECLHATE2724230**
29 3/8" (746)	58" (1473)	46" (1168)	24" (610)	$4742	$4780	$4921	**ECLHATE2604830**
	64" (1626)		24" (610)	4885	4934	5120	**ECLHATE2664830**
	70" (1778)		24" (610)	4942	4991	5177	**ECLHATE2724830**

	Catalog Number	Front Option	Grommet	Grommet Color	Control Pad	Top Color	Base Color	Edge Color
Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_	_ _	_ _	_	_	_	_
Sample Part Number:	**ECRHATE2244260**	**.S**	**.GY**	**.GB**	**.SCP**	**.JA3**	**.K**	**.WR**
Total Cost $4639 =	$4615 +	N/C +	$24 +	N/C +	N/C +	N/C +	N/C +	N/C

Confer Fixed Height Parallel Work Surfaces
Confer Fixed Height Parallel Work Surfaces are designed to mount parallel to a Channel. Work Surface Riser Supports anchor the back edge and Work Surface Post Legs support the front. Tops are constructed of high-pressure laminate or Thermofused laminate, with vinyl edge. Tops are nominal 1 1/4" (32) thick for high-pressure laminate and nominal 1" (25) thick for Thermofused laminate. The Work Surface depth will be 5/8" less than nominal.

The Parallel Work Surface must be specified the same width as the Channel it will be mounted on. Tops are available in full width, or may be specified 2" shorter if desired to match adjacent Height Adjustable Table tops. For additional information see the Planning section. See page 42 to order Work Surface Supports.

Confer Fixed Height Parallel Work Surface – HPL

Dimensions Depth	Dimensions Width	List Price Laminate Grades 1	2	3	Catalog Number	Full Width	Grommet	Grommet Color	Laminate Color	Edge Color
24" (610)	36" (914)	$255	$279	$369	**CFRPLWS2436HPL**	**No Cost** **NCW** Full Width **DCW** 2" Shorter in Width	**GN** **No Cost** No Grommet **GY** **+$17** Grommet	**GB** Black **GS** Silver	See Surface Materials Page 9	See Surface Materials Page 8
24" (610)	42" (1067)	265	289	379	**CFRPLWS2442HPL**					
24" (610)	48" (1219)	305	329	419	**CFRPLWS2448HPL**					
24" (610)	54" (1372)	435	459	549	**CFRPLWS2454HPL**					
24" (610)	60" (1524)	499	523	613	**CFRPLWS2460HPL**					
24" (610)	66" (1676)	515	539	629	**CFRPLWS2466HPL**					
24" (610)	72" (1829)	540	564	654	**CFRPLWS2472HPL**					
30" (762)	36" (914)	$375	$399	$489	**CFRPLWS3036HPL**					
30" (762)	42" (1067)	390	414	504	**CFRPLWS3042HPL**					
30" (762)	48" (1219)	460	484	574	**CFRPLWS3048HPL**					
30" (762)	54" (1372)	510	548	689	**CFRPLWS3054HPL**					
30" (762)	60" (1524)	610	648	789	**CFRPLWS3060HPL**					
30" (762)	66" (1676)	620	658	799	**CFRPLWS3066HPL**					
30" (762)	72" (1829)	630	668	809	**CFRPLWS3072HPL**					
36" (914)	36" (914)	$385	$423	$564	**CFRPLWS3636HPL**					
36" (914)	42" (1067)	400	438	579	**CFRPLWS3642HPL**					
36" (914)	48" (1219)	470	508	649	**CFRPLWS3648HPL**					
36" (914)	54" (1372)	668	706	847	**CFRPLWS3654HPL**					
36" (914)	60" (1524)	760	798	939	**CFRPLWS3660HPL**					
36" (914)	66" (1676)	780	829	1015	**CFRPLWS3666HPL**					
36" (914)	72" (1829)	810	859	1045	**CFRPLWS3672HPL**					
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _ _	_ _	_ _	_ _ _	_ _

Sample Part Number:	**CFRPLWS2436HPL**	**.NCW**	**.GY**	**.GB**	**.J99**	**.WZ**
	_ _ _ _ _ _ _ _ _ _ _	_ _ _	_ _	_ _	_ _ _	_ _
Total Cost $272 =	$255 +	N/C +	$17 +	N/C +	N/C +	N/C

Confer Fixed Height Parallel Work Surfaces

Confer Fixed Height Parallel Work Surfaces are designed to mount parallel to a Channel. Work Surface Riser Supports anchor the back edge and Work Surface Post Legs support the front. Tops are constructed of high-pressure laminate or Thermofused laminate, with vinyl edge. Tops are nominal 1 1/4" (32) thick for high-pressure laminate and nominal 1" (25) thick for Thermofused laminate. The Work Surface depth will be 5/8" less than nominal.

The Parallel Work Surface must be specified the same width as the Channel it will be mounted on. Tops are available in full width, or may be specified 2" shorter if desired to match adjacent Height Adjustable Table tops. For additional information see the Planning section. See page 42 to order Work Surface Supports.

Confer Fixed Height Parallel Work Surface – Thermofused Laminate

Dimensions Depth	Dimensions Width	List Price Thermofused Grades 1	List Price Thermofused Grades 2	Catalog Number	Full Width	Grommet	Grommet Color	Laminate Color	Edge Color
24" (610)	36" (914)	$164	$178	**CFRPLWS2436TFL**	**No Cost** **NCW** Full Width **DCW** 2" Shorter in Width	**GN** **No Cost** No Grommet **GY** **+$17** Grommet	**GB** Black **GS** Silver	See Surface Materials Page 9	See Surface Materials Page 8
24" (610)	42" (1067)	211	225	**CFRPLWS2442TFL**					
24" (610)	48" (1219)	265	279	**CFRPLWS2448TFL**					
24" (610)	54" (1372)	380	394	**CFRPLWS2454TFL**					
24" (610)	60" (1524)	427	441	**CFRPLWS2460TFL**					
24" (610)	66" (1676)	440	454	**CFRPLWS2466TFL**					
24" (610)	72" (1829)	460	487	**CFRPLWS2472TFL**					
30" (762)	36" (914)	$175	$202	**CFRPLWS3036TFL**					
30" (762)	42" (1067)	225	252	**CFRPLWS3042TFL**					
30" (762)	48" (1219)	325	352	**CFRPLWS3048TFL**					
30" (762)	54" (1372)	430	457	**CFRPLWS3054TFL**					
30" (762)	60" (1524)	502	529	**CFRPLWS3060TFL**					
30" (762)	66" (1676)	515	542	**CFRPLWS3066TFL**					
30" (762)	72" (1829)	530	557	**CFRPLWS3072TFL**					
36" (914)	36" (914)	$257	$284	**CFRPLWS3636TFL**					
36" (914)	42" (1067)	340	367	**CFRPLWS3642TFL**					
36" (914)	48" (1219)	420	447	**CFRPLWS3648TFL**					
36" (914)	54" (1372)	500	527	**CFRPLWS3654TFL**					
36" (914)	60" (1524)	750	796	**CFRPLWS3660TFL**					
36" (914)	66" (1676)	760	806	**CFRPLWS3666TFL**					
36" (914)	72" (1829)	772	818	**CFRPLWS3672TFL**					
				_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _

Sample Part Number:	**CFRPLWS2436TFL** _ _ _ _ _ _ _ _ _ _	**.NCW** _ _ _	**.GN** _ _	**N/A** _ _	**.J99** _ _ _	**.WZ** _ _
Total Cost $164 =	$164 +	N/C +	N/C +	N/C +	N/C +	N/C

Confer Fixed Height Perpendicular Work Surfaces
Confer Fixed Height Perpendicular Work Surfaces are designed to mount perpendicular to the Channel. Work Surface Riser Supports anchor the back edge and Work Surface U Legs support the freestanding edge. Tops are constructed of high-pressure or Thermofused laminate with vinyl edge. Tops are nominal 1 1/4" (32) thick for high-pressure laminate and nominal 1" (25) thick for Thermofused laminate. The depth will be a true nominal depth.

Perpendicular Work Surfaces must be located at the furthest right or left position on the Channel to avoid blocking the cable management opening. For additional information see the Planning section. See page 42 to order Work Surface Supports.

Confer Fixed Height Perpendicular Work Surface – HPL

Dimensions Depth	Dimensions Width	List Price Laminate Grades 1	2	3	Catalog Number	Grommet	Grommet Color	Laminate Color	Edge Color
24" (610)	36" (914)	$255	$279	$369	**CFRPDWS2436HPL**	**GN** **No Cost** No Grommet **GY** **+$17** Grommet	**GB** Black **GS** Silver	See Surface Materials Page 9	See Surface Materials Page 8
24" (610)	42" (1067)	265	289	379	**CFRPDWS2442HPL**				
24" (610)	48" (1219)	305	329	419	**CFRPDWS2448HPL**				
24" (610)	54" (1372)	435	459	549	**CFRPDWS2454HPL**				
24" (610)	60" (1524)	499	523	613	**CFRPDWS2460HPL**				
24" (610)	66" (1676)	515	539	629	**CFRPDWS2466HPL**				
24" (610)	72" (1829)	540	564	654	**CFRPDWS2472HPL**				
30" (762)	36" (914)	$375	$399	$489	**CFRPDWS3036HPL**				
30" (762)	42" (1067)	390	414	504	**CFRPDWS3042HPL**				
30" (762)	48" (1219)	460	484	574	**CFRPDWS3048HPL**				
30" (762)	54" (1372)	510	548	689	**CFRPDWS3054HPL**				
30" (762)	60" (1524)	610	648	789	**CFRPDWS3060HPL**				
30" (762)	66" (1676)	620	658	799	**CFRPDWS3066HPL**				
30" (762)	72" (1829)	630	668	809	**CFRPDWS3072HPL**				
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**CFRPDWS2436HPL** _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GB** _ _	**.J99** _ _ _	**.WZ** _ _
Total Cost $272 =	$255 +	$17 +	N/C +	N/C +	N/C

Confer Fixed Height Perpendicular Work Surfaces
Confer Fixed Height Perpendicular Work Surfaces are designed to mount perpendicular to the Channel. Work Surface Riser Supports anchor the back edge and Work Surface U Legs support the freestanding edge. Tops are constructed of high-pressure or Thermofused laminate with vinyl edge. Tops are nominal 1 1/4" (32) thick for high-pressure laminate and nominal 1" (25) thick for Thermofused laminate. The depth will be a true nominal depth.

Perpendicular Work Surfaces must be located at the furthest right or left position on the Channel to avoid blocking the cable management opening. For additional information see the Planning section. See page 42 to order Work Surface Supports.

Flush Support Plates
Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.

Confer Fixed Height Perpendicular Work Surface – Thermofused Laminate

Dimensions Depth	Dimensions Width	List Price Thermofused Grades 1	List Price Thermofused Grades 2	Catalog Number	Grommet	Grommet Color	Laminate Color	Edge Color
24" (610)	36" (914)	$164	$178	**CFRPDWS2436TFL**	**GN** **No Cost** No Grommet **GY** **+$17** Grommet	**GB** Black **GS** Silver	See Surface Materials Page 9	See Surface Materials Page 8
24" (610)	42" (1067)	211	225	**CFRPDWS2442TFL**				
24" (610)	48" (1219)	265	279	**CFRPDWS2448TFL**				
24" (610)	54" (1372)	380	394	**CFRPDWS2454TFL**				
24" (610)	60" (1524)	427	441	**CFRPDWS2460TFL**				
24" (610)	66" (1676)	440	454	**CFRPDWS2466TFL**				
24" (610)	72" (1829)	460	487	**CFRPDWS2472TFL**				
30" (762)	36" (914)	$175	$202	**CFRPDWS3036TFL**				
30" (762)	42" (1067)	225	252	**CFRPDWS3042TFL**				
30" (762)	48" (1219)	325	352	**CFRPDWS3048TFL**				
30" (762)	54" (1372)	430	457	**CFRPDWS3054TFL**				
30" (762)	60" (1524)	502	529	**CFRPDWS3060TFL**				
30" (762)	66" (1676)	515	542	**CFRPDWS3066TFL**				
30" (762)	72" (1829)	530	557	**CFRPDWS3072TFL**				
				_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _

Flush Support Plates

Dimensions Length	Dimensions Width	List Price	Catalog Number
7³/₈" (187)	2" (51)	$50	**SICSP**
Includes Two Support Plates			
		Build your complete Part Number here:	_ _ _ _ _

Sample Part Number:

CFRPDWS2436TFL	.GN	N/A	.J99	.WZ
_ _ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _

Total Cost $164 =

$164	+	N/C	+	N/C	+	N/C	+	N/C

Confer Fixed Height Work Surface Post Leg
The Work Surface Post Leg are used to support the front edges of a Confer Parallel work surface. Price includes post leg, leveling glide and attachment hardware.

Note: A pair of Work Surface Post Legs cannot be used to replace Confer Work Surface Support U Legs as the main support on the end of a work surface.

Confer Fixed Height Work Surface Riser Support Legs
The Work Surface Riser Support Leg is used to support both the Parellel and Perpendicular work surfaces off a Confer Channel. They can also be used with Trig Bench Height Storage units to support the end of a work surface. Please see page 27 for application guidelines. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.

Confer Fixed Height Work Surface U Leg Supports
Work Surface U Leg Supports are used to support the end of a Confer Perpendicular work surface. Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

Confer Fixed Height Work Surface Post Leg

Leg Depth	Height	List Price	Catalog Number	Trim Color
2" (51)	27 3/4" (705)	$87	CFRSPRTLEG	Standard Finish No Cost Premium Finish +$18

Confer Fixed Height Work Surface Riser Support Legs

Depth	Height	List Price	Catalog Number	Trim Color
6" (152)	6 1/2" (165)	$184	CFRRSR06	Standard Finish No Cost
13" (330)		195	CFRRSR13	
19" (483)		209	CFRRSR19	Premium Finish +$18

Confer Fixed Height Work Surface U Leg Supports

Depth	Width	Height	List Price	Catalog Number	Trim Color
2" (51)	24" (610)	27 3/4" (705)	$315	CFRULEG24	Standard Finish No Cost
2" (51)	30" (762)	27 3/4" (705)	323	CFRULEG30	Premium Finish +$18
		Build your complete Part Number here:		_ _ _ _ _ _ _	_

Sample Part Number:	CFRSPRTLEG _ _ _ _ _ _ _	.G _
Total Cost $87 =	$87 +	N/C

Confer Screens 44

Confer Top Mounted Fabric Screens
Confer Top Mounted Fabric Screens are available in five heights and ten widths. The Screen is fabric covered and tackable over the entire surface. Heights are designed to match the heights of End and Mid Support Panels. Screens attach to the top of the Confer Channel. Specify the Screen width to match the width of the Confer Channel it mounts on. When attached in a row on adjacent Channels there will be a 2" space between screens, at the location of each Mid Support Panel.

Top mounted Side Screens are also available for side-to-side privacy. Screens for Rectangular Work Surfaces are specified 2" shorter than its width. Screens for Extended Corner Height Adjustable Surfaces are specified 14" shorter than its nominal width on the 42" or 48" side. Side Screens attach to the top of the Work Surface and occupy a 1.25"-wide footprint there.

Confer Back Edge Mount Fabric Screens
The Confer Back Edge Mount Fabric Screen provides an independent privacy option for individual Height Adjustable Tables. The Screen attaches to the back edge of the Table and is 2.25" shorter than its nominal width, which corresponds to the full width of a Height Adjustable Table. Screens project either 13" or 19" above the Table surface.

Note: When a Screen is attached to a Height Adjustable Table positioned over a Confer Channel, the table cannot be adjusted lower than approximately 27", depending on glide adjustment.

Confer Fabric Screen / Modesty Combination
The Confer Fabric Screen/Modesty Combination provides 13" of Screen above the Table surface and 14" of Modesty below. It is designed for Height Adjustable Tables positioned perpendicular to the Confer Channel. Do not specify it for Tables positioned parallel to the Channel.

When specifying the Screen/Modesty Combination on either a 4 Adjustability or Express height adjustable table, specify it 6" shorter than the nominal width of the table. Example: a 60" wide height adjustable table will need a 54" wide screen modesty combination.

When the Screen/Modesty Combination is applied to a Perpendicular Work Surface, its width needs to correspond to the portion of the Work Surface that extends beyond the End Panel or Mid Panel.

If an 18" End or Mid Panel support is used with a U Leg, specify a Screen/Modesty that is 12" less than the Work Surface width.

If a 48" End or Mid Panel support is used with a U Leg specify a Screen/Modesty that is 30" less than the Work Surface width.

If a 60" End or Mid Panel support is used with a U Leg specify a Screen/Modesty that is 36" less than the Work Surface width.

If a 72" End or Mid Panel support is used with a U Leg specify a Screen/Modesty that is 42" less than the Work Surface width.

Confer Channel Top Mounted Fabric Screen
The Confer Channel Top Mounted Fabric Screen is fully tackable, fabric covered, and ships complete with all attachment hardware. The hardware is slightly visible when installed, and can be specified in any standard Trendway Smooth trim color.

Note: Due to the width of the material, multi-use (panel and seating) fabrics as noted on page 3, will be railroaded (run horizontally) on 48" wide screens or larger.

Confer Top Mounted Fabric Side Screen
The Confer Top Mounted Fabric Side Screen is positioned on the side of the work surface to provide privacy between adjacent desks. The Screen mounts to the top of the desk and occupies a 1.25"-wide footprint on the surface. The Screen is fully tackable, fabric covered, and ships complete with all attachment hardware. The hardware is slightly visible when installed, and can be specified in any standard Trendway Smooth trim color.

Note: Due to the width of the material, multi-use (panel and seating) fabrics as noted on page 3, will be railroaded (run horizontally) on 48" wide screens or larger.

Confer Channel Top Mount Fabric Screen

Dimensions		List Price Fabric Grade						Catalog Number	Fabric Color	Trim Color
Width	Height	0/1	2	3	4	5	6			
35 1/2" (902)	14 1/2" (368)	$ 744	$ 794	$ 824	$ 870	$ 922	$ 976	**CFRFTMS3615**	(See Surface Materials Page 5)	**Standard Smooth Finishes Only**
41 1/2" (1054)		788	838	868	914	966	1020	**CFRFTMS4215**		
47 1/2" (1207)		831	881	911	957	1009	1063	**CFRFTMS4815**		
53 1/2" (1359)		879	929	959	1005	1057	1111	**CFRFTMS5415**		
59 1/2" (1511)		924	974	1004	1050	1102	1156	**CFRFTMS6015**		
65 1/2" (1664)		971	1021	1051	1097	1149	1203	**CFRFTMS6615***		
71 1/2" (1816)		1017	1067	1097	1143	1195	1249	**CFRFTMS7215***		
35 1/2" (902)	20 1/2" (521)	$ 759	$ 809	$ 839	$ 897	$ 963	$1027	**CFRFTMS3621**		
41 1/2" (1054)		805	855	885	943	1009	1073	**CFRFTMS4221**		
47 1/2" (1207)		851	901	931	989	1055	1119	**CFRFTMS4821**		
53 1/2" (1359)		901	951	981	1039	1105	1169	**CFRFTMS5421**		
59 1/2" (1511)		948	998	1028	1086	1152	1216	**CFRFTMS6021**		
65 1/2" (1664)		998	1048	1078	1136	1202	1266	**CFRFTMS6621***		
71 1/2" (1816)		1044	1094	1124	1182	1248	1312	**CFRFTMS7221***		
35 1/2" (902)	28 1/2" (521)	$ 778	$ 830	$ 874	$ 966	$1070	$1170	**CFRFTMS3629**		
41 1/2" (1054)		826	880	922	1028	1142	1260	**CFRFTMS4229**		
47 1/2" (1207)		877	931	977	1095	1227	1357	**CFRFTMS4829**		
53 1/2" (1359)		930	984	1030	1148	1280	1410	**CFRFTMS5429**		
59 1/2" (1511)		980	1034	1080	1222	1380	1542	**CFRFTMS6029**		
65 1/2" (1664)		1034	1088	1134	1276	1434	1596	**CFRFTMS6629***		
71 1/2" (1816)		1083	1137	1183	1325	1483	1645	**CFRFTMS7229***		

Confer Top Mount Fabric Side Screen

Dimensions		List Price Fabric Grade						Catalog Number
Width	Height	0/1	2	3	4	5	6	
22" (559)	13" (330)	$ 599	$ 649	$ 679	$ 725	$ 777	$ 831	**CFRFTMS2213**
28" (711)		635	685	715	761	813	867	**CFRFTMS2813**
34" (864)		671	721	751	797	849	903	**CFRFTMS3413**
22" (559)	19" (483)	$ 608	$ 658	$ 688	$ 746	$ 812	$ 876	**CFRFTMS2219**
28" (711)		647	697	727	785	851	915	**CFRFTMS2819**
34" (864)		685	735	765	823	889	953	**CFRFTMS3419**

Build your complete Part Number here:	_ _ _ _	_ _ _	_

*Fabric will be railroaded (run horizontally) on 66" and 72" wide screens

Sample Part Number:	**CFRFTMS3615** _ _ _ _ _ _ _	**.KK6** _ _ _	**.G** _
Total Cost $744 =	$744 +	N/C +	N/C

Confer Back Edge Mount Fabric Screen
The Confer Back Edge Mount Fabric Screen is used on Height Adjustable Tables positioned back to back over a Confer Channel. The screen moves up and down with the Table, providing a consistent privacy barrier. The Screen is fully tackable, fabric covered, and ships complete with all attachment hardware.

Note: When a Height Adjustable Table with a Screen installed is positioned over the Confer Channel, the Table cannot be adjusted to its normal lowest point. The lowest height allowed will be approximately 27".

Note: Grade 4 fabrics will be railroaded (run horizontally) on 48" wide screens or larger.

Confer Fabric Screen / Modesty Combination
The Confer Fabric Screen Modesty Combination is used on Height Adjustable Tables positioned perpendicular to the Channel. The Screen is fully tackable, fabric covered, and ships complete with all attachment hardware. The Screen mounts to the underside of the top and provides 13" of privacy barrier above the surface and 14" below.

See planning guide for proper size selection.

Note: Grade 4 fabrics will be railroaded (run horizontally) on 48" wide screens or larger.

Confer Back Edge Mount Fabric Screen

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number	Fabric Color	Trim Color
21 3/4" (552)	18" (457)	$ 654	$ 704	$ 734	$ 792	$ 858	$922	**CFRFBMS2418**	(See Surface Materials Page 5)	**Standard Smooth Finishes Only**
27 3/4" (705)		692	742	772	830	896	960	**CFRFBMS3018**		
33 3/4" (857)		738	788	818	876	942	1006	**CFRFBMS3618**		
39 3/4" (1010)		783	833	863	921	987	1051	**CFRFBMS4218**		
45 3/4" (1162)		829	879	909	967	1033	1097	**CFRFBMS4818**		
51 3/4" (1314)		952	1002	1032	1090	1156	1220	**CFRFBMS5418**		
57 3/4" (1467)		997	1047	1077	1135	1201	1265	**CFRFBMS6018**		
63 3/4" (1619)		1046	1096	1126	1184	1250	1314	**CFRFBMS6618 ***		
69 3/4" (1829)		1092	1142	1172	1230	1296	1360	**CFRFBMS7218 ***		
21 3/4" (552)	24" (610)	$ 663	$ 713	$ 743	$ 801	$ 867	$ 931	**CFRFBMS2424**		
27 3/4" (705)		704	754	784	842	908	972	**CFRFBMS3024**		
33 3/4" (857)		751	801	831	889	955	1019	**CFRFBMS3624**		
39 3/4" (1010)		799	853	895	1001	1115	1233	**CFRFBMS4224**		
45 3/4" (1162)		847	901	947	1065	1197	1327	**CFRFBMS4824**		
51 3/4" (1314)		973	1027	1073	1191	1323	1453	**CFRFBMS5424**		
57 3/4" (1467)		1021	1075	1121	1263	1421	1583	**CFRFBMS6024**		
63 3/4" (1619)		1072	1126	1172	1314	1472	1634	**CFRFBMS6624 ***		
69 3/4" (1829)		1120	1174	1220	1362	1520	1682	**CFRFBMS7224 ***		

Confer Fabric Screen / Modesty Combination

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number
23 3/4" (603)	28" (711)	$ 667	$ 719	$ 763	$ 855	$ 959	$ 1059	**CFRFSMC2428**
29 3/4" (756)		708	760	804	896	1000	1100	**CFRFSMC3028**
35 3/4" (908)		756	808	852	944	1048	1148	**CFRFSMC3628**
41 3/4" (1060)		805	859	901	1007	1121	1239	**CFRFSMC4228**
47 3/4" (1213)		853	907	953	1071	1203	1333	**CFRFSMC4828**
53 3/4" (1365)		978	1032	1078	1196	1328	1458	**CFRFSMC5428**
59 3/4" (1518)		1026	1080	1126	1268	1426	1588	**CFRFSMC6028**
65 3/4" (1670)		1079	1133	1179	1321	1479	1641	**CFRFSMC6628 ***
71 3/4" (1822)		1127	1181	1227	1369	1527	1689	**CFRFSMC7228 ***

Build your complete Part Number here:	_ _ _ _	_ _ _	_

*Fabric will be railroaded (run horizontally) on 66" and 72" wide screens

Sample Part Number:	**CFRFBMS2418** _ _ _ _ _ _ _	**.KK6** _ _ _	**.G** _
Total Cost $654 =	$654 +	N/C +	N/C

Terms, Policies & Index

Terms & Policies 48

Warranty 51

1. Prices
Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

2. Order Placement
Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

3. Confirmation
Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at www.trendealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

4. Lead-Times
Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

5. Buyer's Credit
If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

6. Order Changes
To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

7. Cancellation
All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

8. Terms of Sale
Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

9. Taxes
Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

10. Past-Due Accounts
Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

11. Customer's Own Material (COM)
The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with www.trendealer.com/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Trendway Customer Care Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM* test request on-line at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
5. Ship COM samples to:

   U.S. Mail and UPS, FedEx Shipment:
   Trendway Corporation
   13467 Quincy Street
   Holland, MI 49424
   Attn: COM Request
6. You will be notified within five working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

Choices panels	1 1/2	yards
Confer screens	1	yard
Flipper doors	2/3	yard
Intrinsic Freestanding	1	yard

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or

damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

11a. Custom Color
Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer.com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for $200 color matching fee per customer, per color. See Custom Color Request form for details.

12. Special Product
When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

13. Delays
Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

14. Postponement of Delivery
If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

15. Storage
When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

16. Transportation
All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon on Friday's will have an additional charge of $450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at $50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of $150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of $85.
- Inside delivery service starts at $50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at $50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Shipping Note:
Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

17. Product Ownership
Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

18. Damaged Materials
Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

19. Shortage on Order
Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance
Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

21. Post-Delivery Assistance
Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

22. Returned Goods
As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. **To receive authorization to return goods, please contact Trendway's Customer Care Department.**

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, Express products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.**

23. Special Marking or Tagging
Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

24. Trendway Field Technical and Installation Support:
On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day On-Site, $1,800.00

Field Installation Assistance: 3 Days On-Site, $2,500.00

Field Installation Assistance: 5 Days On-Site, $3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendway.com, in the Price list section.

Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Product	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		•Pneumatic Cylinders •Mechanisms •Magnus Olesen
5 Year	•Drawer Slides •Systems Textiles •Finishes •Electronic Ballasts •Height-Adjustable Table Mechanical Components	•System Textiles •Finishes	
3 Year	•Veneer •Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	•Surface Trend Fabrics •Height-Adjustable Table Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product •Access Flooring Solutions	•Non-Standard Product
Not Covered	•Light Bulbs •Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:
- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:
- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation
13467 Quincy St., Holland MI 49422-9016
www.trendway.com 09.12

Catalog Number	Description	Page
CFR2END18	Double Sided End Panel	14
CFR2END4829	Double Sided End Panel	14
CFR2END4836	Double Sided End Panel	14
CFR2END4842	Double Sided End Panel	14
CFR2END4850	Double Sided End Panel	14
CFR2END6029	Double Sided End Panel	14
CFR2END6036	Double Sided End Panel	14
CFR2END6042	Double Sided End Panel	14
CFR2END6050	Double Sided End Panel	14
CFR2END7229	Double Sided End Panel	14
CFR2END7236	Double Sided End Panel	14
CFR2END7242	Double Sided End Panel	14
CFR2END7250	Double Sided End Panel	14
CFR2ENDPB21	Double Sided End Panel Power Box	24
CFR2MIDPB21	Double Sided Med Panel Power Box	24
CFR2MIDSP18	Double Sided Mid Support Panel	15
CFR2MIDSP4829	Double Sided Mid Support Panel	15
CFR2MIDSP4836	Double Sided Mid Support Panel	15
CFR2MIDSP4842	Double Sided Mid Support Panel	15
CFR2MIDSP4850	Double Sided Mid Support Panel	15
CFR2MIDSP6029	Double Sided Mid Support Panel	15
CFR2MIDSP6036	Double Sided Mid Support Panel	15
CFR2MIDSP6042	Double Sided Mid Support Panel	15
CFR2MIDSP6050	Double Sided Mid Support Panel	15
CFR2MIDSP7229	Double Sided Mid Support Panel	15
CFR2MIDSP7236	Double Sided Mid Support Panel	15
CFR2MIDSP7242	Double Sided Mid Support Panel	15
CFR2MIDSP7250	Double Sided Mid Support Panel	15
CFR2STRF36	Double Sided Channel	13
CFR2STRF42	Double Sided Channel	13
CFR2STRF48	Double Sided Channel	13
CFR2STRF54	Double Sided Channel	13
CFR2STRF60	Double Sided Channel	13
CFR2STRF66	Double Sided Channel	13
CFR2STRF72	Double Sided Channel	13
CFRCMMB	Communication Bracket	23
CFRCVWM	Collapsible Vertical Wire Manager	26
CFRFBMS2418	Back Edge Mount Fabric Screen	46
CFRFBMS2424	Back Edge Mount Fabric Screen	46
CFRFBMS3018	Back Edge Mount Fabric Screen	46
CFRFBMS3024	Back Edge Mount Fabric Screen	46
CFRFBMS3618	Back Edge Mount Fabric Screen	46
CFRFBMS3624	Back Edge Mount Fabric Screen	46
CFRFBMS4218	Back Edge Mount Fabric Screen	46
CFRFBMS4224	Back Edge Mount Fabric Screen	46
CFRFBMS4818	Back Edge Mount Fabric Screen	46
CFRFBMS4824	Back Edge Mount Fabric Screen	46
CFRFBMS5418	Back Edge Mount Fabric Screen	46
CFRFBMS5424	Back Edge Mount Fabric Screen	46
CFRFBMS6018	Back Edge Mount Fabric Screen	46
CFRFBMS6024	Back Edge Mount Fabric Screen	46
CFRFBMS6618	Back Edge Mount Fabric Screen	46
CFRFBMS6624	Back Edge Mount Fabric Screen	46
CFRFBMS7218	Back Edge Mount Fabric Screen	46
CFRFBMS7224	Back Edge Mount Fabric Screen	46
CFRFPP14	Floor Power Pole	26
CFRFSMC2428	Fabric Screen/ Modesty Combination	46
CFRFSMC3028	Fabric Screen/ Modesty Combination	46
CFRFSMC3628	Fabric Screen/ Modesty Combination	46
CFRFSMC4228	Fabric Screen/ Modesty Combination	46
CFRFSMC4828	Fabric Screen/ Modesty Combination	46
CFRFSMC5428	Fabric Screen/ Modesty Combination	46
CFRFSMC6028	Fabric Screen/ Modesty Combination	46
CFRFSMC6628	Fabric Screen/ Modesty Combination	46
CFRFSMC7228	Fabric Screen/ Modesty Combination	46
CFRFTMS2213	Top Mount Fabric Side Screen	45
CFRFTMS2219	Top Mount Fabric Side Screen	45
CFRFTMS2813	Top Mount Fabric Side Screen	45
CFRFTMS2819	Top Mount Fabric Side Screen	45
CFRFTMS3413	Top Mount Fabric Side Screen	45
CFRFTMS3419	Top Mount Fabric Side Screen	45
CFRFTMS3615	Channel Top Mount Fabric Screen	45
CFRFTMS3621	Channel Top Mount Fabric Screen	45
CFRFTMS3629	Channel Top Mount Fabric Screen	45
CFRFTMS4215	Channel Top Mount Fabric Screen	45
CFRFTMS4221	Channel Top Mount Fabric Screen	45
CFRFTMS4229	Channel Top Mount Fabric Screen	45
CFRFTMS4815	Channel Top Mount Fabric Screen	45
CFRFTMS4821	Channel Top Mount Fabric Screen	45
CFRFTMS4829	Channel Top Mount Fabric Screen	45
CFRFTMS5415	Channel Top Mount Fabric Screen	45
CFRFTMS5421	Channel Top Mount Fabric Screen	45
CFRFTMS5429	Channel Top Mount Fabric Screen	45
CFRFTMS6015	Channel Top Mount Fabric Screen	45
CFRFTMS6021	Channel Top Mount Fabric Screen	45
CFRFTMS6029	Channel Top Mount Fabric Screen	45
CFRFTMS6615	Channel Top Mount Fabric Screen	45
CFRFTMS6621	Channel Top Mount Fabric Screen	45
CFRFTMS6629	Channel Top Mount Fabric Screen	45
CFRFTMS7215	Channel Top Mount Fabric Screen	45
CFRFTMS7221	Channel Top Mount Fabric Screen	45
CFRFTMS7229	Channel Top Mount Fabric Screen	45
CFRPBH27	Electrical Harnesess	22
CFRPD1	Electrical Duplexes	22
CFRPD1A	Electrical Duplexes	22
CFRPD2	Electrical Duplexes	22
CFRPD2A	Electrical Duplexes	22
CFRPD3	Electrical Duplexes	22
CFRPD3A	Electrical Duplexes	22
CFRPD3B	Electrical Duplexes	22
CFRPD4	Electrical Duplexes	22
CFRPD4A	Electrical Duplexes	22
CFRPDWS2436HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2436TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2442HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2442TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2448HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2448TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2454HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2454TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2460HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2460TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2466HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2466TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS2472HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS2472TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3036HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3036TFL	Fixed Height Perpendicular Work Surface - Thermofused	41

Catalog Number	Description	Page
CFRPDWS3042HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3042TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3048HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3048TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3054HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3054TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3060HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3060TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3066HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3066TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPDWS3072HPL	Fixed Height Perpendicular Work Surface - HPL	40
CFRPDWS3072TFL	Fixed Height Perpendicular Work Surface - Thermofused	41
CFRPLWS2436HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2436TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2442HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2442TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2448HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2448TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2454HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2454TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2460HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2460TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2466HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2466TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS2472HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS2472TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3036HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3036TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3042HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3042TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3048HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3048TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3054HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3054TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3060HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3060TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3066HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3066TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3072HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3072TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3636HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3636TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3642HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3642TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3648HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3648TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3654HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3654TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3660HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3660TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3666HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3666TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRPLWS3672HPL	Fixed Height Parallel Work Surface - HPL	38
CFRPLWS3672TFL	Fixed Height Parallel Work Surface - Thermofused	39
CFRRSR06	Fixed Height Work Surface Riser Support Leg	42
CFRRSR13	Fixed Height Work Surface Riser Support Leg	42
CFRRSR19	Fixed Height Work Surface Riser Support Leg	42
CFRSPRTLEG	Fixed Height Work Surface Post Leg	42
CFRSSEND12L	Single Sided End Panel	16
CFRSSEND12R	Single Sided End Panel	16
CFRSSEND2429L	Single Sided End Panel	16
CFRSSEND2429R	Single Sided End Panel	16
CFRSSEND2436L	Single Sided End Panel	16
CFRSSEND2436R	Single Sided End Panel	16
CFRSSEND2442L	Single Sided End Panel	16
CFRSSEND2442R	Single Sided End Panel	16
CFRSSEND2450L	Single Sided End Panel	16
CFRSSEND2450R	Single Sided End Panel	16
CFRSSEND3029L	Single Sided End Panel	16
CFRSSEND3029R	Single Sided End Panel	16
CFRSSEND3036L	Single Sided End Panel	16
CFRSSEND3036R	Single Sided End Panel	16
CFRSSEND3042L	Single Sided End Panel	16
CFRSSEND3042R	Single Sided End Panel	16
CFRSSEND3050L	Single Sided End Panel	16
CFRSSEND3050R	Single Sided End Panel	16
CFRSSEND3629L	Single Sided End Panel	16
CFRSSEND3629R	Single Sided End Panel	16
CFRSSEND3636L	Single Sided End Panel	16
CFRSSEND3636R	Single Sided End Panel	16
CFRSSEND3642L	Single Sided End Panel	16
CFRSSEND3642R	Single Sided End Panel	16
CFRSSEND3650L	Single Sided End Panel	16
CFRSSEND3650R	Single Sided End Panel	16
CFRSSENDPB21L	Single Sided End Panel Power Box	25
CFRSSENDPB21R	Single Sided End Panel Power Box	25
CFRSSMIDPB21	Single Sided Mid Panel Power Box	25
CFRSSMIDSP12	Single Sided Mid Support Panel	17
CFRSSMIDSP2429	Single Sided Mid Support Panel	17
CFRSSMIDSP2436	Single Sided Mid Support Panel	17
CFRSSMIDSP2442	Single Sided Mid Support Panel	17
CFRSSMIDSP2450	Single Sided Mid Support Panel	17
CFRSSMIDSP3029	Single Sided Mid Support Panel	17
CFRSSMIDSP3036	Single Sided Mid Support Panel	17
CFRSSMIDSP3042	Single Sided Mid Support Panel	17
CFRSSMIDSP3050	Single Sided Mid Support Panel	17
CFRSSMIDSP3629	Single Sided Mid Support Panel	17
CFRSSMIDSP3636	Single Sided Mid Support Panel	17
CFRSSMIDSP3642	Single Sided Mid Support Panel	17

Catalog Number	Description	Page
CFRSSMIDSP3650	Single Sided Mid Support Panel	17
CFRSSTRF36	Single Sided Channel	13
CFRSSTRF42	Single Sided Channel	13
CFRSSTRF48	Single Sided Channel	13
CFRSSTRF54	Single Sided Channel	13
CFRSSTRF60	Single Sided Channel	13
CFRSSTRF66	Single Sided Channel	13
CFRSSTRF72	Single Sided Channel	13
CFRULEG24	Fixed Height Work Surface U Leg Supports	42
CFRULEG30	Fixed Height Work Surface U Leg Supports	42
CFTP144	Ceiling Infeed	23
EBFH	End Mount Infeed	23
ECLHATC604224	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC604230	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC604824	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC604830	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC664224	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC664230	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC664824	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC664830	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC724224	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC724230	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC724824	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATC724830	4 Adjustability Crank Extended Corner Table - Left	35
ECLHATE1604224	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1604230	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1604824	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1604830	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1664224	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1664230	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1664824	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1664830	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1724224	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1724230	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1724824	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE1724830	4 Adjustability Single Stage Ext. Electrical Corner Table-Left	36
ECLHATE2604224	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2604230	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2604824	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2604830	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2664224	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2664230	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2664824	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2664830	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2724224	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2724230	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2724824	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECLHATE2724830	4 Adjustability Dual Stage Ext. Electrical Corner Table-Left	37
ECRHATC244260	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC244266	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC244272	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC244860	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC244866	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC244872	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304260	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304266	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304272	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304860	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304866	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATC304872	4 Adjustability Crank Extended Corner Table - Right	35
ECRHATE1244260	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1244266	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1244272	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1244860	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1244866	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1244872	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304260	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304266	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304272	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304860	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304866	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE1304872	4 Adjustability Single Stage Ext. Electrical Corner Table-Right	36
ECRHATE2244260	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2244266	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37

Catalog Number	Description	Page
ECRHATE2244272	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2244860	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2244866	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2244872	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304260	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304266	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304272	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304860	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304866	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
ECRHATE2304872	4 Adjustability Dual Stage Ext. Electrical Corner Table-Right	37
EVBLTHAT3060	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3060TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVBLTHAT3066	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3066TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVBLTHAT3072	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3072TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVBLTHAT3660	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3660TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVBLTHAT3666	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3666TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVBLTHAT3672	Express D-Shape Height Adj. Table - HPL	31
EVBLTHAT3672TFL	Express D-Shape Height Adj. Table - Thermofused	31
EVRHAT2448	Express Rectangle Height Adj. Table - HPL	30
EVRHAT2448TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT2454	Express Rectangle Height Adj. Table - HPL	30
EVRHAT2454TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT2460	Express Rectangle Height Adj. Table - HPL	30
EVRHAT2460TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT2466	Express Rectangle Height Adj. Table - HPL	30
EVRHAT2466TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT2472	Express Rectangle Height Adj. Table - HPL	30
EVRHAT2472TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3048	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3048TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3054	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3054TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3060	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3060TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3066	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3066TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3072	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3072TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3660	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3660TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3666	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3666TFL	Express Rectangle Height Adj. Table - Thermofused	30
EVRHAT3672	Express Rectangle Height Adj. Table - HPL	30
EVRHAT3672TFL	Express Rectangle Height Adj. Table - Thermofused	30
RHATC2436	4 Adjustability - Crank Table	32
RHATC2442	4 Adjustability - Crank Table	32
RHATC2448	4 Adjustability - Crank Table	32
RHATC2454	4 Adjustability - Crank Table	32
RHATC2460	4 Adjustability - Crank Table	32
RHATC2466	4 Adjustability - Crank Table	32
RHATC2472	4 Adjustability - Crank Table	32
RHATC3036	4 Adjustability - Crank Table	32
RHATC3042	4 Adjustability - Crank Table	32
RHATC3048	4 Adjustability - Crank Table	32
RHATC3054	4 Adjustability - Crank Table	32
RHATC3060	4 Adjustability - Crank Table	32
RHATC3066	4 Adjustability - Crank Table	32
RHATC3072	4 Adjustability - Crank Table	32
RHATC3660	4 Adjustability - Crank Table	32
RHATC3666	4 Adjustability - Crank Table	32
RHATC3672	4 Adjustability - Crank Table	32
RHATE12436	4 Adjustability - Single Stage Electric Table	33
RHATE12442	4 Adjustability - Single Stage Electric Table	33
RHATE12448	4 Adjustability - Single Stage Electric Table	33
RHATE12454	4 Adjustability - Single Stage Electric Table	33
RHATE12460	4 Adjustability - Single Stage Electric Table	33
RHATE12466	4 Adjustability - Single Stage Electric Table	33
RHATE12472	4 Adjustability - Single Stage Electric Table	33
RHATE13036	4 Adjustability - Single Stage Electric Table	33
RHATE13042	4 Adjustability - Single Stage Electric Table	33
RHATE13048	4 Adjustability - Single Stage Electric Table	33
RHATE13054	4 Adjustability - Single Stage Electric Table	33
RHATE13060	4 Adjustability - Single Stage Electric Table	33
RHATE13066	4 Adjustability - Single Stage Electric Table	33
RHATE13072	4 Adjustability - Single Stage Electric Table	33
RHATE13660	4 Adjustability - Single Stage Electric Table	33
RHATE13666	4 Adjustability - Single Stage Electric Table	33
RHATE13672	4 Adjustability - Single Stage Electric Table	33
RHATE22436	4 Adjustability - Dual Stage Electric Table	34
RHATE22442	4 Adjustability - Dual Stage Electric Table	34
RHATE22448	4 Adjustability - Dual Stage Electric Table	34
RHATE22454	4 Adjustability - Dual Stage Electric Table	34
RHATE22460	4 Adjustability - Dual Stage Electric Table	34
RHATE22466	4 Adjustability - Dual Stage Electric Table	34
RHATE22472	4 Adjustability - Dual Stage Electric Table	34
RHATE23036	4 Adjustability - Dual Stage Electric Table	34
RHATE23042	4 Adjustability - Dual Stage Electric Table	34
RHATE23048	4 Adjustability - Dual Stage Electric Table	34
RHATE23054	4 Adjustability - Dual Stage Electric Table	34
RHATE23060	4 Adjustability - Dual Stage Electric Table	34
RHATE23066	4 Adjustability - Dual Stage Electric Table	34
RHATE23072	4 Adjustability - Dual Stage Electric Table	34
RHATE23660	4 Adjustability - Dual Stage Electric Table	34
RHATE23666	4 Adjustability - Dual Stage Electric Table	34
RHATE23672	4 Adjustability - Dual Stage Electric Table	34
SICSP	Flush Support Plates	41