January 3, 2011 Updated April 20, 2016 800-424-2432





1

rue® Desking Specifications		2	
rue® Desking Typicals		4	
rue® Desking System	Rectangular Desk	6	
	Bow Front Desk	10	
	Corner Desk	12	
	Square Shoe Desk	20	
	D-Shaped Desk	28	
	P-Shaped Desk	36	
	Piano Desk	44	
	Transitional Desk	52	
	Add-On Worksurfaces	56	
	Transaction Worksurfaces	58	
rue® Desking System Components	Privacy Screens - Exposed Frame	62	
	Privacy Screens - Upholstered	66	
	Worksurface Dividers	74	
	Tool Rails	76	
	Paper Management	78	
	Balance [®] Overhead Storage	82	
	Balance [®] Task Lights	88	
	Universal Overhead Storage	90	
	Universal Overhead Shelves and Divider	98	
	Universal Overhead and Shelves Task Lights	100	
rue® Desking System Accessories	Center Drawer	102	
	Grommets	104	
	Corner Power Infeed Leg	106	
	Modesty Panel Inserts	108	
	Worksurface Accessories	110	
rue® Desking System Data/Comm.	Accessories	112	
	Electrical	114	
rue® Desking System Electrical	Liconitai	117	

Basic Worksurfaces

Worksurfaces shall define the shape of the workstation and provide support for overhead storage, hanging pedestals, electrical componentry, and privacy screens.

Rectangular Worksurfaces

Laminated worksurfaces shall be constructed from 1-1/8" medium density fiberboard with a .030 high-pressure laminate surface or veneer and a .030 phenolic backing sheet with a choice of three edge styles: 74P, 74P with knife edge along front, or 3/8" wood. polypropylene edge shall be available in multiple colors. The knife edge shall only be applied to the front edge of the worksurface and extend 2" beyond the desk frame. The wood edge shall be constructed from natural red oak and be available in a clear finish (standard) or in a maple wood band with additional stains. Worksurfaces shall be available in 24", 30", 36", 42", 48", 54", 60", 66", and 72" widths, 24" and 30" depths, and 29" height.

Rectangular worksurfaces up to 60" wide shall include two triangular worksurface grommets and covers, located in the back corners of each worksurface. 66" and 72" wide worksurfaces shall have an optional third triangular worksurface grommet and cover located near the back center of the desk. Grommets shall be molded from polycarbonate and available in colors or translucent. Worksurfaces that are 60", 66", and 72" wide shall have an integrated steel reinforcement to allow adequate support for load bearing. All worksurfaces shall have pre-drilled holes for attachment to the desk frame.

Two leg supports shall support the worksurface and be formed of 16-gauge steel, overall dimensions shall be 6.00 × 6.00 × 27.25, with 16-gauge internal reinforcements resistance welded for additional strength. The leg assemblies shall be attached to the underside of the worksurface from above by use of threaded inserts. A steel leg cover on inside of desk shall be standard and removable without tools. A glide shall be attached to the bottom of the leg for up to 1" of adjustability. Two 3.25" x 2.25" grommets and covers molded from polycarbonate shall be standard on the top of each leg side.

The modesty panel beam shall be formed of 18-gauge steel, overall dimensions are 3.00 x 9.00 x length determined by size of worksurface. The modesty panel beam shall be attached to leg supports and the underside of the worksurface, will provide support for the worksurface and allow electrical and data cable to be run along the width of the desk. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and modesty panel beam and snap into place for easier assembly.

An optional lower modesty panel shall be formed of 18-gauge steel, overall dimensions are $1.00 \times 18.00 \times$ length determined by size of worksurface. The lower modesty panel shall be attached to the leg supports and provide full enclosure of the desk back from floor to the modesty panel beam.

Two end panels shall support the worksurface and be formed of 18-gauge steel with an 18gauge steel reinforcement resistance welded for strength. The end panel shall have a honeycomb core for additional strength and noise reduction. Overall dimensions shall be 1.25 x 27.00 x depth determined by worksurface size or configuration. Standard depths shall be 9" for transitional depth, 18" for 24" worksurfaces and 24" for 30 worksurfaces. End panel assembly shall be attached to the underside of the worksurface and leg assembly. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and end panel and snap into place for easier assembly. A glide shall be attached to the bottom of the end panel for up to 1" of adjustability.

All steel desk components shall be powdercoated or otherwise finished.

Rectangular Reduction Worksurface

Rectangular reduction worksurfaces shall have the same basic construction as the rectangular worksurfaces. Worksurfaces shall have two curving arcs along the front edge that transition from a depth of 30° on one end and 24° on the opposite end.

Bow Front Worksurface

Bow front worksurfaces shall have the same basic construction as the rectangular worksurfaces. These worksurfaces shall have a depth of 30° or 36° with a radius edge that extends 6° from the desk support structure on the visitor side. Worksurfaces shall only be available in 60°, 66°, and 72° widths, without the center grommet and cover.

Corner Worksurface

Corner worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional leg support, modesty panel beam, and optional lower modesty panel. Depths of 24° and 30° and widths of 42° and 48° shall be standard. Worksurfaces shall have three grommets and covers, one per corner, located in the back corners of each worksurface as standard.

P-Shaped and Piano Shaped Worksurfaces

P-shaped and piano shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded front end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. The modesty panel shall be constructed from 18-gauge steel and extend 9" from the underside of the worksurface. Worksurfaces shall be available in 60", 66" and 72" depths and 48" widths.

D-Shaped Worksurfaces

D-shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. Worksurfaces shall be available in 24", 30" or 36" widths and 48", 54", 60", 66" and 72" depths.

Round Add-On Worksurface

Round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 36" diameter with a 24" flat and 42" diameter with a 30" flat. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Two steel splice plates and hardware shall be included to attach the round add on worksurface to a rectangular worksurface.

Half Round and Quarter Round Add-On Worksurfaces

Half round and quarter round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 48" diameter and 60" diameter. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Four steel splice plates and hardware shall be included to attach the half round add on worksurface to two back to back rectangular worksurfaces. Four steel splice plates and hardware shall be included to attach the quarter round add on worksurface to two rectangular worksurfaces that are perpendicular to each other.

Transaction Worksurface

Transaction worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. Worksurfaces shall attach via two support stanchions to rectangular worksurfaces and three support stanchions to corner worksurfaces. The worksurfaces shall be available in 16" depth with a 4" overhang in overall sizes that match the base rectangular and corner workstations. Worksurfaces shall be available in 31" wheelchair accessible height or 42" stand-up height.

Backpack Wire Trough Component Kit

Backpack wire trough components shall allow for lay-in wiring along the back of workstation. The kit shall consist of a pair of trough mounting brackets attached to the leg supports and constructed from 16-gauge steel, three 1.25" x .92" wire troughs constructed from 18-gauge steel that span the width of a desk, and a cover constructed from 18-gauge steel capable of being opened without the use of any tools. Applicable end trim, corner, and splice components shall also be available for the cover.

Electrical

Power shall be supplied through a UL listed 10-wire system available in two different configurations that are not interchangeable: 6 hot wires, 2 neutral wires, and 2 ground wires or 4 hot wires, 4 neutral wires, and 2 ground wires. The system shall have a rated

capacity of 120 VAC@ 20 amps.

A rigid one-piece wireway shall be attached to the inside of the modesty panel beam by two 16-gauge steel brackets and hardware and be covered by an 18-gauge steel cover. The wireway design shall allow for easy connection of the wireway of one desk to another through the use of a jumper. All desks 30" and wider shall be ready to accept electrical components.

The receptacles for the system shall be snap fit into the wireways and be rated for 15 amps.

The electrical system shall allow for a method of passing power from one powered desk through the modesty panel beam of a nonpowered desk and connected to the wireway of a third desk. This power pass through shall attach with snap fit connections.

The electrical system shall allow power to infeed from the top of the desk through the triangular grommet in the worksurface. The top infeed kit shall include 12' of flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other, a 7' or 10' extruded aluminum power pole and cover, and ceiling trim. The interior of the power pole shall be divided into two cavities for power and communication cable management.

The electrical system shall allow for power to infeed from the base of the desk through the lower leg grommet or leg cover. The base infeed kit shall include 6' of plastic covered flexible conduit that transitions into flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other. A relocatable power tap (RPT) shall provide above worksurface power to the support stanchions from an installed 10-wire electrical system or use of the building outlets. Two RPT's, each containing two 15 amp outlets, shall be mountable per stanchion. Cord lengths shall be available in 36" or 96".

A steel bracket shall be available to attach to the underside of the modesty panel beam near the worksurface. It shall have a 1.38" x 2.70" opening to accept several different manufacturers data faceplates and the RPT.

Pedestal Storage

Pedestal storage for True® shall be provided by KI's 700 Series, 700 Series Curve, and U-Series® Pedestals. 3 pedestals shall be available in 2 depths, 17-5/8" that may be used with any depth worksurface, 21- 5/8" for maximum storage under a 30" worksurface. Multiple drawer combinations shall be available.

The 12" file drawer sizes shall have full extension slide arm suspensions for full access to storage space. The 3" pencil drawers and 6" box drawers shall have 3/4" extension, steel ball-bearing suspension.

Locks shall be included in each pedestal. Specific keying combinations shall be avail-

True[®] Desking Specifications

able. See Key Options. Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary.

Privacy Screens

Privacy screens shall be available to provide sit down or stand up privacy within the True® workstation. Screens shall be 3/4" or 1" thick, 18-1/4", 21" or 38" high and available in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths to fit all worksurfaces. The 66" and 72" widths shall consist of a pair of screens (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications. The screens shall include mounting brackets for attachment to either the overhead supports, the underside of the worksurface, the top of the worksurface, or with a combination of attachment to an overhead support and a worksurface top.

Two privacy screen construction methods shall be available: two 1/2" industrial insulation boards, covered with fabric and glued together or an exposed, powdercoated aluminum frame. The exposed frame construction shall allow for different core materials to be inserted.

Overhead Support Stanchions

The overhead support stanchions shall be formed of 16-gauge steel, with overall dimensions of 6.00" x 6.00" x 19.50". A reinforcement plate constructed of 16-gauge steel shall be welded in place to provide additional strength and have 4 cutouts to accommodate either commercially available data plates or two RPT's. Support stanchions shall be designed to hinge open to allow access to the inside of the overhead support stanchions. A flexible rubber trim piece shall allow power or data cables to be run from the worksurface into the overhead support stanchions with the covers closed.

Overhead Storage

Overhead storage shall consist of the Balance® overhead and Universal overhead and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions. 24", 30", 36", 42", 48", 54", 60", 66" and 72" sizes shall be available. 66" and 72" overheads shall incorporate a single shelf with two doors

Shelf dividers shall be power-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be

17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a polypropylene extrusion handle. Locks shall be randomly assigned or keyed per customer requests.

The end panels shall be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel. The front edge of the shelf shall be a polypropylene extrusion that also provides space for a concealed flush mount task light.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid polypropylene with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized between the upper and lower doors for security.

The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

Task Lights

Task lights shall be offered in one standard level of efficiency and cost. The standard light shall have a magnetic high power ballast with rapid start, cool white T-8 fluorescent lamp. Task lights shall attach to the underside of the shelf on overhead cabinets.

Paper Management System

The paper management system shall address the storage and movement of files, binders, and documents. Components shall be available with integrated hooks for attachment to the work bar.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

ANSI/BIFMA

True® desking shall meet or exceed the

required ANSI/BIFMA X5.5-2008 desk systems test. Quality

All True® desking components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities.

UL Listed

True® desks shall be listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate True® desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials.


Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

True[®] Desking Typicals

 30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels 700 Series Freestanding Pedestal - Box/Box/File 	Model No. TR3060/P-74P-S-NCG S7P/1524FBBF Total Price	Price \$1537 \$817 \$2354
 30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels 24" x 28" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel 700 Series Freestanding Pedestal - Box/Box/File 	Model No. TR3060/F-74P-S-NCG TR2448/F-74P-L S7P/1524FBBF Total Price	Price \$1867 \$1618 \$817 \$4302
 30" x 60" x 48" x 30" Square Shoe Desk with Full/Full Modesty Panel, 74P Edge, Right Transitional End Panel 30" x 48" x 66" Piano Shaped Desk with Full Modesty Panel and Guest Modesty Panel, 74P Edge, Both Transitional End Panels 700 Series Freestanding Pedestal - Box/Box/File 	Model No. TS30604830/F/FS-74P-R-NCG T1304866/F/G-74P-B S7P/1524FBBF Total Price	Price \$2754 \$2574 \$817 \$6145
 30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels 24" x 42" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 42"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 700 Series Freestanding Pedestal - Box/Box/File 700 Series Freestanding Pedestal - Box/Box/File 	Model No. TR3060/F-74P-S-NCG TR2442/F-74P-L TBW2030 TBW2042 TBW2066 S7P/1524FBBF S7P/1520FBBF Total Price	Price \$1867 \$1490 \$261 \$380 \$585 \$817 \$775 \$6175
 30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Shelf 24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 60"W x 10"H Privacy Screen, Mounted Between Stanchions, Upholstered 60"W Universal Overhead Regular Shelf Mounted on Stanchions 700 Series Freestanding Pedestal - Box/Box/File 700 Series Freestanding Pedestal - File/File 	Model No. TR3060/P-74P-S-NCG TR2448/F-74P-L TBW2030 TBW2048 TBS60/U URSR60/TR S7P/1524FBBF S7P/1520FFF Total Price	Price \$1537 \$1618 \$261 \$435 \$513 \$734 \$817 \$737 \$6652

True[®] Desking Typicals



- 72"W Universal Overhead Regular Shelf Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

5

Rectangular Desk

			MODEL N	UMBER								
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Rectangular Desk with Full Modesty	24 x 24"	TR2424/F			NCG						
	Panel	24 x 30"	TR2430/F		_	NCG						
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel). 	24 x 36"	TR2436/F			NCG						
	two end panels (optional transitional	24 x 42"	TR2442/F			NCG						
	size), ganging plates, and all required	24 x 48"	TR2448/F			NCG						
(B) Both transitional	assembly hardware	24 x 54"	TR2454/F			NCG						
	 Each leg has two cable access grommet locations 	24 x 60"	TR2460/F			NCG						
	 Top has two cable access grommets above the legs (66° and 72° wide have optional third middle grommet used for mounting stanchions and not intended 	24 x 66"	TR2466/F									
		24 x 72"	TR2472/F									
		30 x 24"	TR3024/F			NCG						
(L) Left transitional	for routing cables)	30 x 30"	TR3030/F			NCG						
(_)	Top grommets allow for attachment of overhead storage units or privacy	30 x 36"	TR3036/F			NCG						
		30 x 42"	TR3042/F			NCG						
	 Screens Modesty panel allows for optional 	30 x 48"	TR3048/F			NCG						
	10-wire electrical system (see Electrical	30 x 54"	TR3054/F			NCG						
	section)	30 x 60"	TR3060/F			NCG						
	Pricing is for two transitional end papela and "HOW TO BUILD A MODEL	30 x 66"	TR3066/F									
(R) Right transitional	panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	30 x 72"	TR3072/F									
	NOTE: Rectangular worksurfaces speci-											
	fied with a knife (KN) edge cannot be											
	ganged at 90 degree angles.											
(S) Two full end panels												
(S) INO IUIT EITU PATIEIS												
TRUE												
			۵	₿	G	D	0	6	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
- KN is not recommended in L-Shaped configurations.

74P	- 74P edge
1/AL	Vaite adres

- KN Knife edge 34S - 3/8" Wood band edge
- VN Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

CSelect end panel.

- 00	1001 0110	punoi.
Ē	B	- Two transitional end panels
Ī	_	 Left transitional end panel;
6	add \$60	
Ē	R	- Right transitional end panel;
6	add \$60	
Ģ	S	- Two full end panels; add \$119

 Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72"
 wide desks. "YCG" is needed to mount
 overheads, transaction surfaces or stanchion mounted privacy screens.

Select leg and surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.
 Befer to color addendum at k

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select desk color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

True®	Desking	System
	Re	ectangular Desk

					noorangulai 200
	\bigcirc				
Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
57.0#	\$ 1353	\$ 1470	\$ 1680	\$ 1800	
84.0#	1374	1492	1708	1830	
93.0#	1412	1533	1752	1874	
100.0#	1490	1618	1845	1975	
108.0#	1558	1685	1919	2053	
115.0#	1620	1753	1991	2129	
128.0#	1701	1838	2083	2224	
136.0#	1779	1921	2175	2325	
144.0#	1881	2030	2298	2450	
89.0#	1389	1510	1728	1852	
97.0#	1411	1533	1753	1876	
107.0#	1457	1583	1811	1937	
116.0#	1523	1654	1888	2021	
125.0#	1605	1737	1978	2114	
133.0#	1667	1803	2052	2192	
142.0#	1748	1889	2147	2291	
152.0#	1811	1956	2220	2367	
160.0#	1927	2079	2356	2514	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. . Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Rectangular Desk

			MODEL N	UMBER							
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Rectangular Desk with Partial Modesty	24 x 24"	TR2424/P			NCG					
	Panel	24 x 30"	TR2430/P			NCG					
	 Consists of top, two legs, modesty panel, two end panels (optional tran- 	24 x 36"	TR2436/P			NCG					
	sitional size), ganging plates, and all	24 x 42"	TR2442/P			NCG					
	required assembly hardware	24 x 48"	TR2448/P			NCG					
(B) Both transitional	Each leg has two upper cable access	24 x 54"	TR2454/P			NCG					
	grommet locationsTop has two cable access grommets	24 x 60"	TR2460/P			NCG					
	above the legs (66" and 72" wide have	24 x 66"	TR2466/P								
	optional third middle grommet used for	24 x 72"	TR2472/P								
	mounting stanchions and not intended for routing cables)	30 x 24"	TR3024/P			NCG					
	 Top grommets allow for attachment of 	30 x 30"	TR3030/P			NCG					
(L) Left transitional	 overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) 	30 x 36"	TR3036/P			NCG					
-		30 x 42"	TR3042/P			NCG					
		30 x 48"	TR3048/P			NCG					
	 Pricing is for two transitional end 	30 x 54"	TR3054/P			NCG					
	panels, see "HOW TO BUILD A MODEL	30 x 60"	TR3060/P			NCG					
\subseteq	NUMBER" below for more options	30 x 66"	TR3066/P								
(R) Right transitional	 (R) Right transitional NOTE: Rectangular worksurfaces specified with a knife (KN) edge cannot be ganged at 90 degree angles. 	30 x 72"	TR3072/P								
(S) Two full end panels											
TRUE											
			A	₿	C	D	0	6	©	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
 - KN is not recommended in L-Shaped configurations.

74P	- 74P edge
KN	- Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For

edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select desk center grommet option.
 NCG - No center grommet
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72"

wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge
 style selections.

- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True®	Desking System
	Rectangular Desk

Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
52.0#	\$ 1172	\$ 1285	\$ 1499	\$ 1619	
78.0#	1191	1311	1525	1649	
85.0#	1215	1335	1556	1679	
91.0#	1272	1394	1625	1755	
97.0#	1292	1422	1654	1786	
103.0#	1332	1466	1704	1840	
114.0#	1370	1509	1755	1895	
120.0#	1427	1568	1823	1971	
127.0#	1487	1635	1906	2060	
84.0#	1210	1328	1548	1670	
91.0#	1225	1349	1569	1694	
99.0#	1260	1385	1615	1742	
107.0#	1302	1434	1669	1803	
114.0#	1339	1475	1714	1851	
121.0#	1378	1513	1762	1904	
128.0#	1418	1560	1817	1961	
136.0#	1457	1602	1865	2016	
143.0#	1534	1685	1962	2121	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Bow Front Desk

			MODEL	NUMBE	R							
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Bow Front Desk with Full Modesty Panel	30 x 60"	TE3060			NCG						
	panel, filler panel (full modesty panel), and standard depth end panels • Each leg has two cable access grommet locations • Too has two cable access grommets	30 x 66"	TE3066			NCG						
		30 x 72"	TE3072			NCG						
		36 x 60"	TE3660			NCG						
·		36 x 66"	TE3666			NCG						
TRUE		36 x 72"	TE3672			NCG						
	 Modesty panel allows for optional 											
	10-wire electrical system (see Electrical											
	section)											
	 "Guest" side of desk has a 6" deep bowed overhang worksurface edge 											
	 Pedestals ordered with Bow Front Desks 											
	are required to be undersized from the											
	desk's depth by 12"											
			A	•	С	D	9	G	G	0	0	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

.

- Select edge style. Knife edge (KN) adds 2" to the depth of the desk. KN is not recommended in L-Shaped configurations.
 - 74P
 74P edge

 KN
 Knife edge

 34S
 3/8" Wood band edge

 VN
 Wood edge veneer
- CSelect end panel.
 - **S** Two full end panels only Price included in desk price.
- DSelect desk center grommet option.
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

14	•				True [®] Desking System Bow Front Desk
Approx.			3/8" Wood		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
134.0#	\$ 1937	\$ 2132	\$ 2482	\$ 2679	
143.0#	2002	2202	2560	2765	
151.0#	2120	2330	2711	2927	
153.0#	2223	2447	2846	3071	
163.0#	2299	2530	2944	3181	
172.0#	2406	2647	3079	3325	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMBER									
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	24 x 42 x 42 x 24"	TC24424224/FF			NCG						
TRUE	24 x 48 x 48 x 24"	TC24484824/FF			NCG						
Corner Desk with Full Modesty Panel/ Full Modesty Panel	30 x 48 x 48 x 30"	TC30484830/FF			NCG						
I UII MOUGSLY FAIGI											
See images below											
 Consists of top, three legs, two modesty panels, two filler panels 											
(full modesty panel), two end panels											
(optional transitional size), ganging plates, and all required assembly											
hardware											
Each leg has two cable access grom-											
met locationsTop has three cable access grommets											
above the legs											
Top grommets allow for attachment of guardened storage units											
 of overhead storage units Modesty panel allows for optional 10- 											
wire electrical system (see Electrical											
section)Pricing is for two transitional end											
 Pricing is for two transitional end panels, see "HOW TO BUILD A 											
MODEL NUMBER" below for more											
options		A	0	0	D	e	6	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

🕑 Select ed	lge style.
Knife ed	ge (KN) adds 2" to the depth of the
desk on	the user's side.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

Select transition end panels.

 B
 - Two transitional end panels
 L
 - Left transitional end panel;
 add \$60
 R
 - Right transitional end panel;
 add \$60
 S
 - Two full end panels; add \$119

DSelect desk center grommet option. NCG - No center grommet

ESelect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.


Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.



Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMB	ER							
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 42 x 42 x 24"	TC24424224/FP			NCG					
TRUE	24 x 48 x 48 x 24"	TC24484824/FP			NCG					
Corner Desk with Full Modesty Panel/	30 x 48 x 48 x 30"	TC30484830/FP			NCG					
Partial Modesty Panel										
See images below										
Consists of top, three legs, two modesty people are filler people (full										
modesty panels, one filler panel (full modesty panel), two end panels										
(optional transitional size), ganging										
plates, and all required assembly hardware										
 Each leg has two cable access grom- 										
met locations										
 Top has three cable access grommets 										
above the legsTop grommets allow for attachment										
of overhead storage units										
Modesty panel allows for optional 10-										
wire electrical system (see Electrical section)										
 Pricing is for two transitional end 										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options		A	₿	C	D	9	6	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

🕑 Select ed	lge style.
Knife ed	ge (KN) adds 2" to the depth of the
desk on	the user's side.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

Select transition end panels.

 B
 - Two transitional end panels
 L
 - Left transitional end panel;
 add \$60
 R
 - Right transitional end panel;
 add \$60
 S
 - Two full end panels; add \$119

DSelect desk center grommet option.

ESelect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.


Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.



Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.









(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMB	B								
	D x W-LEFT x W-RIGHT x D	Basic	Edge	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	24 x 42 x 42 x 24"	TC24424224/PF			NCG						
TRUE	24 x 48 x 48 x 24"	TC24484824/PF			NCG						
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PF			NCG						
Panel/Full Modesty Panel											
 See images below Consists of top, three legs, two modesty panels, one filler panel (full modesty panel), two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grom- met locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more 											
options		A	6	G	D	Ø	6	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select ed	lge style.
Knife edg	ge (KN) adds 2" to the depth of the
desk on t	the user's side.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

DSelect desk center grommet option. NCG - No center grommet

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.


14	•				True [®] Desking System
	\bigcirc				
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
133.0#	\$ 1689	\$ 1836	\$ 2102	\$ 2253	
146.0#	1873	2033	2325	2492	
161.0#	1914	2079	2374	2546	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.









(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMBE	R								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	24 x 42 x 42 x 24"	TC24424224/PP			NCG						
TRUE	24 x 48 x 48 x 24"	TC24484824/PP			NCG						
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PP			NCG						
Panel/Partial Modesty Panel											
See images below											
 Consists of top, three legs, two mod- esty panels, two end panels (optional 											
transitional size), ganging plates, and											
all required assembly hardware											
 Each leg has two cable access grom- met locations 											
 Top has three cable access grommets 											
above the legs											
Top grommets allow for attachment											
of overhead storage units • Modesty panel allows for optional 10-											
wire electrical system (see Electrical											
section)											
 Pricing is for two transitional end panels, see "HOW TO BUILD A 											
MODEL NUMBER" below for more											
options											
		A	B	C	D	Ø	G	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

🕒 Select ed	ige style.
Knife edg	ge (KN) adds 2" to the depth of the
desk on t	the user's side.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	 Wood edge veneer

CSelect transition end panels. - Two transitional end panels B Left transitional end panel; Ē add \$60 R - Right transitional end panel;

add \$60 - Two full end panels; add \$119 S

DSelect desk center grommet option. NCG - No center grommet

• Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

BSelect frame grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

14				True [®] Desking System
		3/8" Wood		
Approx. Packaged 74P Edge Weight (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
124.0# \$ 1470	\$ 1618	\$ 1881	\$ 2031	
135.0# 1610	1769	2061	2224	
150.0# 1650	1815	2108	2276	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/FS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/FS								
Square Shoe Desk with Full Modesty	24 x 48 x 72 x 24"	TS24487224/F/FS								
Panel/Full Modesty Panel	24 x 60 x 48 x 24"	TS24604824/F/FS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/F/FS								
Consists of top, three legs, two	24 x 72 x 48 x 24"	TS24724824/F/FS								
modesty panels, two filler panels (full modesty panel), two end panels	30 x 48 x 60 x 30"	TS30486030/F/FS			NCG					
(optional transitional size), ganging	30 x 48 x 66 x 30"	TS30486630/F/FS								
plates, and all required assembly	30 x 48 x 72 x 30"	TS30487230/F/FS								
 hardware Each leg has two cable access grom- 	30 x 60 x 48 x 30"	TS30604830/F/FS			NCG					
met locations	30 x 66 x 48 x 30"	TS30664830/F/FS								
 Top has three cable access grommets above the legs (66" and 72" wide have an optional fourth middle grommet 	30 x 72 x 48 x 30"	TS30724830/F/FS								
 used for mounting stanchions and not intended for routing cables) Top grommets allow for attachment 										
of overhead storage units • Modesty panel allows for optional 10-										
 wire electrical system (see Electrical section) Pricing is for two transitional end 										
panels, see "HOW TO BUILD A MODEL NUMBER" below for more options										
		A	₿	C	D	0	6	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
- Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P - 74P edge
 - 74P- 74P edgeKN- Knife edge
 - **34S** 3/8" Wood band edge
 - VN Wood edge veneer With 74P, KN and 34S edges, select from

laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

C Select transition end panels.

 B
 - Two transitional end panels

 L
 - Left transitional end panel;

 add \$60
 R
 - Right transitional end panel;

 add \$60
 S
 - Two full end panels; add \$119

Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Select frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

•					
Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
177.0#	\$ 2476	\$ 2667	\$ 2913	\$ 3005	
186.0#	2567	2761	3017	3114	
193.0#	2662	2865	3126	3226	
177.0#	2476	2667	2913	3005	
186.0#	2567	2761	3017	3114	
193.0#	2662	2865	3126	3226	
195.0#	2694	2905	3181	3283	
205.0#	2801	3014	3304	3407	
211.0#	2930	3159	3456	3568	
195.0#	2694	2905	3181	3283	
205.0#	2801	3014	3304	3407	
211.0#	2930	3159	3456	3568	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. . Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/PS								
Square Shoe Desk with Full Modesty	24 x 48 x 72 x 24"	TS24487224/F/PS								
Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/F/PS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/F/PS		_						
 Full modesty panel attached on short 	24 x 72 x 48 x 24"	TS24724824/F/PS								
(48") side	30 x 48 x 60 x 30"	TS30486030/F/PS			NCG					
 Consists of top, three legs, two modesty panels, one filler panel (full 	30 x 48 x 66 x 30"	TS30486630/F/PS								
modesty panel), two end panels	30 x 48 x 72 x 30"	TS30487230/F/PS								
(optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/F/PS			NCG					
plates, and all required assembly hardware	30 x 66 x 48 x 30"	TS30664830/F/PS								
Each leg has two cable access grom- met locations	30 x 72 x 48 x 30"	TS30724830/F/PS								
 Top has three cable access grommets above the legs (66' and 72" wide have an optional fourth middle grommet used for mounting stanchions and not intended for routing cables) 										
Top grommets allow for attachment of overhead storage units										
 Modesty panel allows for optional 10- wire electrical system (see Electrical section) 										
 Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options 										
		۵	6	C	D	9	6	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
- Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P - 74P edge
 - 74P- 74P edgeKN- Knife edge
 - **34S** 3/8" Wood band edge
 - VN Wood edge veneer With 74P, KN and 34S edges, select from

laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

• Select transition end panels.



Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Belect frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

•					
	\bigcirc				
Approx.			3/8" Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
163.0#	\$ 2149	\$ 2337	\$ 2583	\$ 2675	
170.0#	2215	2410	2667	2759	
176.0#	2270	2469	2734	2831	
163.0#	2149	2337	2583	2675	
170.0#	2215	2410	2667	2759	
176.0#	2270	2469	2734	2831	
181.0#	2364	2576	2850	2951	
189.0#	2447	2664	2950	3056	
194.0#	2536	2768	3062	3175	
181.0#	2364	2576	2850	2951	
189.0#	2447	2664	2950	3056	
194.0#	2536	2768	3062	3175	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

(B) Both transitional	





(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

		MODEL NUMBER									
		Basic	Edge	End	Center	Surface Grom.	Surface	Edge	Frame Grom.	Desk	
	D x W-LEFT x W-RIGHT x D	Model	Style	Panel	Grom.	Color	Finish	Color	Color	Color	
	24 x 48 x 60 x 24"	TS24486024/P/FS			NCG						
TRUE	24 x 48 x 66 x 24"	TS24486624/P/FS									
Square Shoe Desk with Partial Mod-	24 x 48 x 72 x 24"	TS24487224/P/FS									
esty Panel/Full Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/FS			NCG						
See images below	24 x 66 x 48 x 24"	TS24664824/P/FS									
Full modesty panel attached on long	24 x 72 x 48 x 24"	TS24724824/P/FS									
(60", 66", or 72") sideConsists of top, three legs, two	30 x 48 x 60 x 30"	TS30486030/P/FS			NCG						
modesty panels, one filler panel (full	30 x 48 x 66 x 30"	TS30486630/P/FS									
modesty panel), two end panels	30 x 48 x 72 x 30"	TS30487230/P/FS									
(optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/P/FS			NCG						
plates, and all required assembly hardware	30 x 66 x 48 x 30"	TS30664830/P/FS									
Each leg has two cable access grom-	30 x 72 x 48 x 30"	TS30724830/P/FS									
met locations											
 Top has three cable access grommets above the legs (66" and 72" wide have 											
an optional fourth middle grommet											
used for mounting stanchions and											
not intended for routing cables)											
 Top grommets allow for attachment of overhead storage units 											
 Modesty panel allows for optional 10- 											
wire electrical system (see Electrical											
section)											
 Pricing is for two transitional end panels, see "HOW TO BUILD A 											
MODEL NUMBER" below for more											
options											
		۵	0	C	D	G	6	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
- Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P - 74P edge
 - 74P- 74P edgeKN- Knife edge
 - **34S** 3/8" Wood band edge
 - VN Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

C Select transition end panels.



Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Belect frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

•					
A					
Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
166.0#	\$ 2211	\$ 2401	\$ 2648	\$ 2742	
175.0#	2301	2498	2752	2849	
182.0#	2399	2600	2862	2958	
166.0#	2211	2401	2648	2742	
175.0#	2301	2498	2752	2849	
182.0#	2399	2600	2862	2958	
184.0#	2430	2641	2914	3014	
194.0#	2533	2751	3040	3143	
200.0#	2667	2893	3192	3302	
184.0#	2430	2641	2914	3014	
194.0#	2533	2751	3040	3143	
200.0#	2667	2893	3192	3302	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/P/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/PS								
Severe Chas Desk with Dertial Med	24 x 48 x 72 x 24"	TS24487224/P/PS								
Square Shoe Desk with Partial Mod- esty Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/PS			NCG					
	24 x 66 x 48 x 24"	TS24664824/P/PS								
See images below	24 x 72 x 48 x 24"	TS24724824/P/PS								
 Consists of top, three legs, two mod- esty panels, two end panels (optional 	30 x 48 x 60 x 30"	TS30486030/P/PS			NCG					
	30 x 48 x 66 x 30"	TS30486630/P/PS								
transitional size), ganging plates, and all required assembly hardware	30 x 48 x 72 x 30"	TS30487230/P/PS								
Each leg has two cable access grom-	30 x 60 x 48 x 30"	TS30604830/P/PS			NCG					
met locations	30 x 66 x 48 x 30"	TS30664830/P/PS								
 Top has three cable access grommets above the legs (66" and 72" wide have an optional fourth middle grommet used for mounting stanchions and not intended for routing cables) Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A 	30 x 72 x 48 x 30"	TS30724830/P/PS								
MODEL NUMBER" below for more options		•	6	O	D	9	6	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the
 indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style.
- Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 - 74P 74P edge KN - Knife edge
 - **34S** 3/8" Wood band edge

VN - Wood bank cuge With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and

do not select an edge color. Select transition end panels.



Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Select frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

TrucR	Dealing	Custom
ITUe	Desking	SVSIEIII
		Chao Dook
	59	uare Shoe Desk

•					
Approx.	\bigcirc		3/8" Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
152.0#	\$ 1882	\$ 2072	\$ 2320	\$ 2410	
159.0#	1953	2147	2401	2497	
165.0#	2006	2206	2467	2565	
152.0#	1882	2072	2320	2410	
159.0#	1953	2147	2401	2497	
165.0#	2006	2206	2467	2565	
170.0#	2100	2309	2584	2687	
178.0#	2178	2400	2686	2791	
183.0#	2272	2501	2801	2911	
170.0#	2100	2309	2584	2687	
178.0#	2178	2400	2686	2791	
183.0#	2272	2501	2801	2911	

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

			MODEL NUM	/IBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	 D-Shaped Desk with Full Modesty Panel/ Partial Guest Modesty Panel Consists of top, two legs, modesty panel, filler panel (full modesty panel on 24", 30" or 36" side), two transitional size end panels, ganging plates, one round leg, one 9" tall steel guest modesty panel along the long side, and all required assembly hardware Each leg has two cable access grommet locations Top has two cable access grommets 	24 x 48"	TD2448/F/G							92.0#
		24 x 54"	TD2454/F/G							98.0#
		24 x 60"	TD2460/F/G							104.0#
		24 x 66"	TD2466/F/G							110.0#
W		24 x 72"	TD2472/F/G							116.0#
TRUE		30 x 48"	TD3048/F/G							103.0#
		30 x 54"	TD3054/F/G							110.0#
		30 x 60"	TD3060/F/G							117.0#
		30 x 66"	TD3066/F/G							125.0#
		30 x 72"	TD3072/F/G							132.0#
	above the corner legsTop grommets allow for attachment of	36 x 48"	TD3648/F/G							115.0#
	overhead storage units	36 x 54"	TD3654/F/G							123.0#
	Modesty panel allows for optional	36 x 60"	TD3660/F/G							132.0#
	10-wire electrical system (see Electrical section)	36 x 66"	TD3666/F/G							140.0#
		36 x 72"	TD3672/F/G							149.0#
			A	₿	C	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. 74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







2/0" Maad		
3/8 Wood Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 2147	\$ 2293	
2202	2349	
2255	2406	
2306	2464	
2363	2524	
2164	2315	
2221	2371	
2273	2430	
2327	2485	
2383	2546	
2187	2335	
2239	2394	
2297	2451	
2348	2508	
2401	2564	
	3/8" Wood Band Edge (34S) 2147 2202 2255 2306 2363 2164 2221 2273 2327 2383 2187 2383 2187 2239 2297 2348	3/8" Wood Wood Edge Veneer (VN) \$ 2147 \$ 2293 2202 2349 2255 2406 2306 2464 2363 2524 2147 2371 2273 2430 2371 2435 2273 2430 2273 2430 2273 2435 2383 2546 2187 2335 2239 2394 2297 2451 2348 2508

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

	MODE									
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Full Modesty Panel/	24 x 48"	TD2448/F/A							87.0#
	 No Partial Guest Modesty Panel Consists of top, two legs, modesty panel, filler panel (full modesty panel on the 24", 30" or 36" side), two transitional size end panels, ganging plates, one round leg, and all required assembly hardware Each leg has two cable access grommet locations Top has two cable access grommets 	24 x 54"	TD2454/F/A							92.0#
		24 x 60"	TD2460/F/A							97.0#
		24 x 66"	TD2466/F/A							102.0#
		24 x 72"	TD2472/F/A							107.0#
TRUE		30 x 48"	TD3048/F/A							98.0#
		30 x 54"	TD3054/F/A							104.0#
		30 x 60"	TD3060/F/A							110.0#
		30 x 66"	TD3066/F/A							117.0#
	above the corner legs	30 x 72"	TD3072/F/A							123.0#
	 Top grommets allow for attachment of overhead storage units 	36 x 48"	TD3648/F/A							110.0#
	 Modesty panel allows for optional 	36 x 54"	TD3654/F/A							117.0#
	10-wire electrical system (see Electrical	36 x 60"	TD3660/F/A							125.0#
	section)	36 x 66"	TD3666/F/A							132.0#
		36 x 72"	TD3672/F/A							140.0#
			A	B	G	D	Ð	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. 74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Construction Select edge color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





	3/8" Wood		
74P Edge (74P)	Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 1694	\$ 2011	\$ 2157	
1724	2054	2204	
1754	2097	2248	
1784	2138	2296	
1813	2182	2345	
1845	2030	2175	
1874	2073	2224	
1906	2119	2271	
1934	2159	2318	
1964	2204	2364	
1997	2052	2202	
2026	2094	2247	
2056	2138	2296	
2086	2177	2338	
2119	2222	2385	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

	MODEL NUMBER									
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	 D-Shaped Desk with Partial Modesty Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty panel, two transitional size end panels, ganging plates, one round leg, one 9" tall steel guest modesty panel along the long side, and all required assembly hardware Each leg has two cable access grommet locations Top has two cable access grommets above the corner legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) 	24 x 48"	TD2448/P/G							87.0#
Ĩ.		24 x 54"	TD2454/P/G							93.0#
		24 x 60"	TD2460/P/G							99.0#
		24 x 66"	TD2466/P/G							105.0#
		24 x 72"	TD2472/P/G							111.0#
TRUE		30 x 48"	TD3048/P/G							97.0#
		30 x 54"	TD3054/P/G							104.0#
		30 x 60"	TD3060/P/G							111.0#
		30 x 66"	TD3066/P/G							119.0#
		30 x 72"	TD3072/P/G							126.0#
		36 x 48"	TD3648/P/G							107.0#
		36 x 54"	TD3654/P/G							115.0#
		36 x 60"	TD3660/P/G							124.0#
		36 x 66"	TD3666/P/G							132.0#
		36 x 72"	TD3672/P/G							141.0#
			A	₿	C	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the
 indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

C Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







74P Edge (74P)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 1649	\$ 1962	\$ 2107	
1688	2018	2166	
1728	2071	2223	
1769	2127	2278	
1810	2178	2342	
1797	1982	2131	
1839	2036	2190	
1880	2092	2247	
1921	2147	2301	
1961	2202	2362	
1953	2004	2154	
1990	2060	2209	
2031	2113	2270	
2072	2164	2325	
2113	2220	2383	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk w/Partial Modesty Panel/ No Partial Guest Modesty Panel	24 x 48"	TD2448/P/A							82.0#
		24 x 54"	TD2454/P/A							87.0#
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	24 x 60"	TD2460/P/A							92.0#
	ganging plates, one round leg, and all	24 x 66"	TD2466/P/A							97.0#
	 required assembly hardware Each leg has two cable access grommet locations Top has two cable access grommets above the corner legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 	24 x 72"	TD2472/P/A							102.0#
TRUE		30 x 48"	TD3048/P/A							92.0#
		30 x 54"	TD3054/P/A							98.0#
		30 x 60"	TD3060/P/A							104.0#
		30 x 66"	TD3066/P/A							111.0#
		30 x 72"	TD3072/P/A							117.0#
	10-wire electrical system (see Electrical	36 x 48"	TD3648/P/A							102.0#
	section)	36 x 54"	TD3654/P/A							109.0#
		36 x 60"	TD3660/P/A							117.0#
		36 x 66"	TD3666/P/A							124.0#
		36 x 72"	TD3672/P/A							132.0#
			A	0	G	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. 74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





74P Edge (74P)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
\$ 1511	\$ 1825	\$ 1973
1540	1870	2020
1570	1912	2066
1601	1957	2110
1627	2003	2162
1666	1847	1994
1692	1892	2040
1722	1934	2089
1753	1977	2133
1781	2020	2181
1815	1868	2018
1844	1911	2064
1873	1957	2110
1904	1997	2157
1934	2038	2204

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUME	BER							
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	P-Shaped Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TP244860/F/G								_
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/G								
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	Right	24 x 48 x 72"	TP244872/F/G								
	the 48" side), two transitional size end	Right	30 x 48 x 66"	TP304866/F/G								
(B) Both transitional	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/G								
(Right)	one 9" tall steel guest modesty panel along the long side, and all required	Left	24 x 48 x 60"	TP604824/F/G								
	along the long side, and an required assembly hardware	Left	24 x 48 x 66"	TP664824/F/G								
	Each leg has two cable access grommet locations	Left	24 x 48 x 72"	TP724824/F/G								
		Left	30 x 48 x 66"	TP664830/F/G								
(B) Both transitional (Left)	 Top has two cable access grommets above the corner legs 	Left	30 x 48 x 72"	TP724830/F/G								
(Leit)	 Top grommets allow for attachment of 											
	overhead storage units											
	 Modesty panel allows for optional 10-wire electrical system (see Electrical 											
	section)											
	P-end is 18" radius											
(Left)												
, <u></u> W,												
Ď I												
									_			
\bigcup												
(Right)												
P-Shaped Desk top view												
TRUE												
				A	•	G	D	Ð	G	G	0	
				-	-	-	-	-	-	-	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
 - VN Wood edge veneer

Select transition end panels. B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

 Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
155.0#	\$ 2531	\$ 2743	\$ 3121	\$ 3339	
162.0#	2585	2803	3189	3410	
168.0#	2658	2879	3281	3507	
172.0#	2696	2922	3329	3562	
179.0#	2759	2994	3410	3647	
155.0#	2531	2743	3121	3339	
162.0#	2585	2803	3189	3410	
168.0#	2658	2879	3281	3507	
172.0#	2696	2922	3329	3562	
179.0#	2759	2994	3410	3647	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUME	RFR						
							Surface			Frame	
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Grom. Color	Surface Finish	Edge Color	Grom. Color	Desk Color
	P-Shaped Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TP244860/F/A							
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/A							
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	Right	24 x 48 x 72"	TP244872/F/A							
	the 48" side), two transitional size end	Right	30 x 48 x 66"	TP304866/F/A							
(B) Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/A							
(mgnr)	and all required assembly hardware	Left	24 x 48 x 60"	TP604824/F/A							
	 Each leg has two cable access grommet locations 	Left	24 x 48 x 66"	TP664824/F/A							
	Top has two cable access grommets	Left	24 x 48 x 72"	TP724824/F/A							
	above the corner legs	Left	30 x 48 x 66"	TP664830/F/A							
(B) Both transitional (Left)	B) Both transitional (Left) • Top grommets allow for attachment of overhead storage units	Left	30 x 48 x 72"	TP724830/F/A							
()	 Modesty panel allows for optional 										
	10-wire electrical system (see Electrical										
	section) P-end is 18" radius 										
	• P-ellu is to faulus										
(Left)											
W											
Ď											
L (į											
(Right)											
P-Shaped Desk top view											
TRUE								<u> </u>			
				A	ß	C	D	Ø	G	G	0
				-	•	-	•	•	-	-	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
 - VN Wood edge veneer

Select transition end panels. B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Celect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx.			3/8" Wood		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
149.0#	\$ 2372	\$ 2583	\$ 2966	\$ 3181	
155.0#	2416	2633	3021	3242	
160.0#	2477	2701	3101	3325	
165.0#	2527	2752	3160	3392	
171.0#	2582	2813	3231	3467	
149.0#	2372	2583	2966	3181	
155.0#	2416	2633	3021	3242	
160.0#	2477	2701	3101	3325	
165.0#	2527	2752	3160	3392	
171.0#	2582	2813	3231	3467	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUMB	BER		1			1	
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
-	P-Shaped Desk with Partial Modesty	Right	24 x 48 x 60"	TP244860/P/G							
	Panel/Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/P/G							
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	Right	24 x 48 x 72"	TP244872/P/G							
	ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TP304866/P/G							
(B) Both transitional	steel guest modesty panel along the long	Right	30 x 48 x 72"	TP304872/P/G							
(Right)	side, and all required assembly hardware	Left	24 x 48 x 60"	TP604824/P/G							
	 Each leg has two cable access grommet locations 	Left	24 x 48 x 66"	TP664824/P/G							
	Top has two cable access grommets	Left	24 x 48 x 72"	TP724824/P/G							
	above the corner legs	Left	30 x 48 x 66"	TP664830/P/G							
(B) Both transitional (Left)	 Top grommets allow for attachment of overhead storage units 	Left	30 x 48 x 72"	TP724830/P/G							
	 Modesty panel allows for optional 										
	10-wire electrical system (see Electrical										
	section) P-end is 18" radius 										
(Left)											
(Left)											
<u> </u>											
(Right)											
P-Shaped Desk top view											
TRUE											
				A	0	C	D	Ø	6	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
 - VN Wood edge veneer

Select transition end panels. B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

 Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
144.0#	\$ 2266	\$ 2474	\$ 2855	\$ 3070	
151.0#	2323	2535	2925	3146	
157.0#	2394	2614	3012	3240	
161.0#	2432	2656	3062	3295	
168.0#	2497	2728	3146	3381	
144.0#	2266	2474	2855	3070	
151.0#	2323	2535	2925	3146	
157.0#	2394	2614	3012	3240	
161.0#	2432	2656	3062	3295	
168.0#	2497	2728	3146	3381	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUME	ER						
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	P-Shaped Desk w/Partial Modesty Panel/	Right	24 x 48 x 60"	TP244860/P/A							
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/P/A							
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	Right	24 x 48 x 72"	TP244872/P/A							
	ganging plates, one round leg, and all	Right	30 x 48 x 66"	TP304866/P/A							
(B) Both transitional (Right)	required assembly hardware	Right	30 x 48 x 72"	TP304872/P/A							
(night)	 Each leg has two cable access grommet locations 	Left	24 x 48 x 60"	TP604824/P/A							
	 Top has two cable access grommets 	Left	24 x 48 x 66"	TP664824/P/A							
	above the corner legs	Left	24 x 48 x 72"	TP724824/P/A							
	Top grommets allow for attachment of	Left	30 x 48 x 66"	TP664830/P/A							
(B) Both transitional (Left)	overhead storage unitsModesty panel allows for optional	Left	30 x 48 x 72"	TP724830/P/A							
(LOII)	10-wire electrical system (see Electrical										
	<pre>section) • P-end is 18" radius </pre>										
(Right)											
P-Shaped Desk top view											
TRUE											
				A	6	G	D	0	6	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
 - VN Wood edge veneer

Select transition end panels. B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
138.0#	\$ 2106	\$ 2320	\$ 2700	\$ 2914	
144.0#	2154	2367	2754	2977	
149.0#	2213	2435	2837	3060	
154.0#	2264	2488	2895	3126	
160.0#	2318	2550	2967	3202	
138.0#	2106	2320	2700	2914	
144.0#	2154	2367	2754	2977	
149.0#	2213	2435	2837	3060	
154.0#	2264	2488	2895	3126	
160.0#	2318	2550	2967	3202	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUM	BER					1	
							Surface			Frame	
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color
	Piano Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TI244860/F/G							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/F/G							
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	Right	24 x 48 x 72"	TI244872/F/G							
(B) Both transitional	the 48" side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/G							
(Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/G							
(one 9" tall steel guest modesty panel along the long side, and all reguired	Left	24 x 48 x 60"	TI604824/F/G							
	assembly hardware	Left	24 x 48 x 66"	TI664824/F/G							
	• Each leg has two cable access grommet Le locations Le • Top has two cable access grommets Le	Left	24 x 48 x 72"	TI724824/F/G							
		Left	30 x 48 x 66"	TI664830/F/G							
(B) Both transitional (Left)	 Top has two cable access grommets above the corner legs 	Left	30 x 48 x 72"	TI724830/F/G							
	 Top grommets allow for attachment of 										
+ <u>-W-1</u> +	overhead storage units										
D	Modesty panel allows for optional										
	10-wire electrical system (see Electrical section)										
	 Piano end is 30" wide (15"radius) 										
(Left)											
W											
Ď I											
щ li											
\bigcup											
(Right)											
Piano Desk top view											
TRUE											
				A	6	C	D	Ð	G	G	0
				-	-	-	-	-	-	-	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
- VN Wood edge veneer
 CSelect transition end panels.

B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
165.0#	\$ 2372	\$ 2567	\$ 2918	\$ 3119	
173.0#	2467	2673	3040	3249	
180.0#	2535	2746	3123	3339	
183.0#	2574	2786	3170	3389	
190.0#	2633	2853	3247	3470	
165.0#	2372	2567	2918	3119	
173.0#	2467	2673	3040	3249	
180.0#	2535	2746	3123	3339	
183.0#	2574	2786	3170	3389	
190.0#	2633	2853	3247	3470	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUM	BER				1		
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Piano Desk with Full Modesty Panel/No	Right	24 x 48 x 60"	TI244860/F/A							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/F/A							
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	Right	24 x 48 x 72"	TI244872/F/A							
(B) Both transitional	the 48" side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/A							
(Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/A							
	and all required assembly hardware	Left	24 x 48 x 60"	TI604824/F/A							
	 Each leg has two cable access grommet locations 	Left	24 x 48 x 66"	TI664824/F/A							
	Top has two cable access grommets	Left	24 x 48 x 72"	TI724824/F/A							
(B) Both transitional	above the legs	Left	30 x 48 x 66"	TI664830/F/A							
(Left)	 Top grommets allow for attachment of overhead storage units 	Left	30 x 48 x 72"	TI724830/F/A							
	 Modesty panel allows for optional 10-wire electrical system (see Electrical section) Piano end is 30" wide (15"radius) 										
(Left)											
(Right) Piano Desk top view											
TRUE											
				A	6	C	D	9	6	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
 VN Wood edge veneer
- Select transition end panels. B - Both
- Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Celect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
158.0#	\$ 2215	\$ 2410	\$ 2759	\$ 2959	
165.0#	2299	2503	2870	3079	
172.0#	2358	2565	2944	3156	
175.0#	2405	2616	3001	3221	
182.0#	2457	2674	3066	3293	
158.0#	2215	2410	2759	2959	
165.0#	2299	2503	2870	3079	
172.0#	2358	2565	2944	3156	
175.0#	2405	2616	3001	3221	
182.0#	2457	2674	3066	3293	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUM	RFR						
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/G							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/P/G							
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TI244872/P/G							
	panel, two transitional size end panels, ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TI304866/P/G							
(B) Both transitional (Right)	steel guest modesty panel along the long	Right	30 x 48 x 72"	TI304872/P/G							
(mgnr)	side, and all required assembly hardware	Left	24 x 48 x 60"	TI604824/P/G							
	Each leg has two cable access grommet locations										
	 Top has two cable access grommets 	Left	24 x 48 x 72"	TI724824/P/G							
(D) Dath transitional	above the corner legs		30 x 48 x 66"	TI664830/P/G							
(b) Both transitional (Left)	 Top grommets allow for attachment of overhead storage units 	Left	30 x 48 x 72"	TI724830/P/G							
	• Modesty panel allows for optional 10-wire electrical system (see Electrical										
(Left)											
(Right)											
Piano Desk top view											
TOUE											
TRUE				A	6	C	D	9	G	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side. 74P - 74P edge KN - Knife edge 34S - 3/8" Wood band edge
 - VN Wood edge veneer

Celect transition end panels. B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Celect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

	~	~	~	~	
Approx.			3/8' Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
154.0#	\$ 2106	\$ 2301	\$ 2653	\$ 2853	
162.0#	2204	2407	2775	2984	
169.0#	2271	2480	2858	3070	
172.0#	2306	2519	2905	3123	
179.0#	2367	2588	2981	3205	
154.0#	2106	2301	2653	2853	
162.0#	2204	2407	2775	2984	
169.0#	2271	2480	2858	3070	
172.0#	2306	2519	2905	3123	
179.0#	2367	2588	2981	3205	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

MODEL Dir. D x W x L Basic Edge End Surface Frame (B) Both transitional (Left) Piano Desk with Partial Modesty Panel/ No Partial Guest Modesty Panel/ (Solists of top, two legs, modesty panel, bwo tegs,			MODEL NUM	DED								
MODEL Dir. D x W x L Basic Edge Area Final Color Finish Color Color Color Finish Color Color Color Finish					MODEL NOM							
MODEL Dir. D x W x L Basic Edge Area Final Color Finish Color Color Color Finish Color Color Color Finish												
MODEL Dir. D x W x L Model Syle Panel Color Finish Color												
Finan Desk with Partial Modesty Panel/ No Partial Guest Modesty Panel/ (Right) Right 24 x 48 x 60° T1244860/P/A IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		MODEL	Dir									
ND Partial Guest Modesty PanelRight $24 \times 48 \times 66^{\circ}$ TI244866/P/AIII(B) Both transitional (Right)• Consists of top, two legs, modesty panel, two transitional (Right)• Consists of top, two legs, modesty panel, two transitional cations• Right $24 \times 48 \times 72^{\circ}$ TI244866/P/AIIII• Each leg has two cable access grommets above the corner legs• Tip has two cable access grommets above the corner legs <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>-</th> <th></th> <th></th> <th></th>									-			
Image: Section bigConsists of top, two legs, modesty panel, two transitional size and panels, ganging plates, one round leg, and required assembly hardwareTight $24 \times 48 \times 72^{\circ}$ Tiz048872/PAImage: Section bigImage: Section big </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td>							_					
ganel, two transitional size end panels, ganging plates, one round leg, and all required assembly hardware Right 30 x 48 x 66* TI304866/P/A IIII all all all all all all all all all			Ū									
(b) Both transitional (Right) arequired assembly hardware (Right) (b) Both transitional (Left) • Each leg has two cable access grommets above the corner legs • Top grommets allow for attachment of tocations • Top grommets allow for attachment of tocations • Top grommets allow for optional 10-wire electrical system (see Electrical section) • Top and is 30° wide (15'radius) • If 64830/P/A • If 64830/P/A • W • Fiano end is 30° wide (15'radius) • Fiano besk top view • If 64830/P/A • If 64830/P/A • If 64830/P/A			Ū				_					
$\begin{array}{c} \text{(ingit)}\\ \hline \\ \text{Piano Desk top view} \end{array} \\ \begin{array}{c} \text{Each leg has two cable access grommets}\\ \text{ocations}\\ \text{Top has two cable access grommets}\\ \text{otop has two cable access grommets}\\ \text{otop has two cable access grommets}\\ \text{otop transitional}\\ (\text{Left)}\\ \hline \\ \hline \\ \hline \\ \text{(Left)}\\ \hline \\ \hline \\ \\ \text{(Left)}\\ \hline \\ \hline \\ \text{(Left)}\\ \hline \\ \hline \\ \text{(Left)}\\ \hline \\ \hline \\ \hline \\ \hline \\ \text{(Ingit)}\\ \hline \\ \hline \\ \text{Piano Desk top view} \end{array} \\ $		oth transitional ganging plates, one round leg, and an	Ū									
$ \begin{array}{c} \text{locations} \\ \text{(b) Both transitional} \\ (\text{left)} \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	(hiyili)	(
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		locations										
$\begin{array}{c c c c c c c c c c c c c c c c c c c $							_					
(b) Boin transitional (Left) overhead storage units • Modesty panel allows for optional 10-wire electrical system (see Electrical section) • Piano end is 30° wide (15° radius) • Might) • Might) • Modesty panel allows for optional 10-wire electrical system (see Electrical section) • Piano end is 30° wide (15° radius) • Might) • Might) • Might) • Piano Desk top view	(B) Both transitional (Left) • Top grommets allow for overhead storage units	above the content tegs										
 Modesty panel allows for optional 10-wire electrical system (see Electrical section) Piano end is 30" wide (15"radius) Piano Electrical system (see Electrical section) Piano Electrical system (see			Left	30 x 48 x 72"	TI724830/P/A							
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	(2011)											
• Piano end is 30" wide (15"radius) I												
Wight Image: Constraint of the second seco												
Wight Image: Constraint of the second seco												
(Right) Piano Desk top view	(Left)											
(Right) Image: Constraint of the second se	rW1											
(Right) Image: Constraint of the second se												
Piano Desk top view	Ľ, li											
Piano Desk top view	\bigcup											
Piano Desk top view	(Bight)											
	,											
TRUE												
	TRUE											
					A	6	G	D	Ð	G	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 Knife edge (KN) adds 2" to the depth of the desk on the user's side.
 74P 74P edge
 KN Knife edge
 34S 3/8" Wood band edge
- VN Wood edge veneer
 CSelect transition end panels.

B - Both

Oselect surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

C Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
147.0#	\$ 1953	\$ 2147	\$ 2497	\$ 2696	
154.0#	2033	2238	2607	2813	
161.0#	2092	2300	2678	2892	
164.0#	2138	2351	2737	2953	
171.0#	2190	2408	2803	3026	
147.0#	1953	2147	2497	2696	
154.0#	2033	2238	2607	2813	
161.0#	2092	2300	2678	2892	
164.0#	2138	2351	2737	2953	
171.0#	2190	2408	2803	3026	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transitional Desk

			MODEL NUM	BER							
	MODEL	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Transitional Desk with Full Modesty Panel	24 x 42 x 30"	TTR244230/F			NCG					
TRUE		24 x 48 x 30"	TTR244830/F			NCG					
	 See images below Desk reduces size from 30" on one end 	24 x 54 x 30"	TTR245430/F			NCG					
	Desk reduces size from 30° on one end to 24" on opposite end 24					NCG					
Consists of top, two legs, modesty		24 x 66 x 30"	TTR246630/F								
two end panels size), ganging p assembly hardv	two and papels (optional transitional	24 x 72 x 30"	TTR247230/F								
		30 x 42 x 24"	TTR304224/F			NCG					
	assembly hardware.	30 x 48 x 24"	TTR304824/F			NCG					
	Each leg has two cable access grommet locations Top has two cable access grommets	30 x 54 x 24"	TTR305424/F			NCG					
		30 x 60 x 24"	TTR306024/F			NCG					
		30 x 66 x 24"	TTR306624/F								
	optional third middle grommet used for	30 x 72 x 24"	TTR307224/F								
	mounting stanchions and not intended										
	for routing cables) Top grommets allow for attachment of 										
	overhead storage units										
	 Modesty panel allows for optional 10-wire electrical system (see Electrical 										
	section)										
			A	₿	C	D	Ø	G	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. KN is not recommended in L-Shaped configurations.
 - 74P 74P edge
 - KN Knife edge
 - 34S 3/8" Wood band edge

VN - Wood edge veneer With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

• Select transition end panels.

 B
 - Two transitional end panels

 L
 - Left transitional end panel;

 add \$60
 R
 - Right transitional end panel;

 add \$60
 S
 - Two full end panels; add \$119

Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Select frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True®	Desking	System
	īT	ansitional Desk

•					
	\bigcirc				
Approx.			3/8" Wood	=	
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
108.0#	\$ 1564	\$ 1697	\$ 1939	\$ 2078	
116.0#	1647	1785	2032	2173	
124.0#	1708	1851	2105	2253	
137.0#	1793	1937	2204	2351	
146.0#	1857	2007	2275	2433	
154.0#	1975	2132	2416	2581	
108.0#	1564	1697	1939	2078	
116.0#	1647	1785	2032	2173	
124.0#	1708	1851	2105	2253	
137.0#	1793	1937	2204	2351	
146.0#	1857	2007	2275	2433	
154.0#	1975	2132	2416	2581	


FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.









(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transitional Desk

			MODEL NUM	BER							
	MODEL	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Transitional Desk with Partial Modesty	24 x 42 x 30"	TTR244230/P			NCG					
TRUE	Panel	24 x 48 x 30"	TTR244830/P			NCG					
	 See images below Dack raduces size from 20" on one and 	24 x 54 x 30"	TTR245430/P			NCG					
	Desk reduces size from 30" on one end to 24" on opposite end		TTR246030/P			NCG					
 Consists of top, two legs, modesty 		24 x 66 x 30"	TTR246630/P								
	panel, two end panels (optional tran-	24 x 72 x 30"	TTR247230/P								
	sitional size), ganging plates, and all required assembly hardware.	30 x 42 x 24"	TTR304224/P			NCG					
		30 x 48 x 24"	TTR304824/P			NCG					
	locations	30 x 54 x 24"	TTR305424/P			NCG					
	 Top has two cable access grommets above the legs (66" and 72" wide have an 	30 x 60 x 24"	TTR306024/P			NCG					
	optional third middle grommet used for	30 x 66 x 24"	TTR306624/P								
	mounting stanchions and not intended	30 x 72 x 24"	TTR307224/P								
	for routing cables) Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 										
	10-wire electrical system (see Electrical section)										
			A	0	C	D	Ø	G	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style. KN is not recommended in L-Shaped configurations.
 - 74P 74P edge
 - KN Knife edge
 - 34S 3/8" Wood band edge

VN - Wood edge veneer With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Celect transition end panels. B - Two transitional er

 B
 - Two transitional end panels

 L
 - Left transitional end panel;

 add \$60
 R
 - Right transitional end panel;

 add \$60
 S
 - Two full end panels; add \$119

Select desk center grommet option.
 NCG - No center grommet
 YCG - Yes center grommet
 "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Select frame grommet color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

•				True [®] Desking System
		3/8' Wood		
d 74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 1343	\$ 1479	\$ 1721	\$ 1860	
1381	1520	1767	1910	
1422	1563	1819	1964	
1463	1611	1873	2023	
1504	1654	1924	2079	
1582	1738	2024	2189	
1343	1479	1721	1860	
1381	1520	1767	1910	

1964

2023

2079

2189

1819

1873

1924

2024

FINISH INFORMATION

Approx. Packaged Weight 99.0# 105.0# 112.0# 123.0# 130.0# 99.0# 105.0#

112.0#

123.0#

130.0#

137.0#

1422

1463

1504

1582

1563

1611

1654


1738


Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Add-On Worksurfaces

			MODEL N	IUMBER	1				
								Approx.	
			Basic	Edge	Surface	Edge	Desk	Packaged	
	MODEL	DIA x W	Model	Style	Finish	Color	Color	Weight	
	Round Add-On Worksurface	36 x 24"	TAR24					45.0#	
\sim	Consists of top, 36" or 42" diameter,	42 x 30"	TAR30					56.0#	
	leg, ganging plates for attaching to existing desks, and all required assembly								
	hardware								
	Knife edge (KN) on curve with 74P on								
TRUE	flat edge								
		48 x 24"	THR4824					46.0#	
	Consists of top, 24" or 30" radius, leg,	60 x 30"	THR6030					64.0#	
	ganging plates for attaching to existing desks, and all required assembly hard-								
	ware								
-	Knife edge (KN) on curve with 74P on								
TRUE	flat edge								
		24"	TQR24					29.0#	
	Consists of top, 24" or 30" radius, leg, ganging plates for attaching to existing		TQR30					38.0#	
	desks, and all required assembly hard-								
	ware								
	Knife edge (KN) on curve with 74P on								
TRUE	flat edges								
			A	ß	e	D	Ø		
			W	U	U.	C	9		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the
 indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

.

Select edge style. Knife edge (KN) adds 2" to the depth of the worksurface.

74P	- 74P edge	
KN	- Knife edge	
34S	- 3/8" Wood band edge	
VN	 Wood edge veneer 	

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

DSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/ knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

				01
14				True [®] Desking System Add-On Worksurfaces
74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 1106	N/A	\$ 1417	\$ 1532	
1299	N/A	1666	1795	
\$ 588	\$ 647	\$ 755	\$ 817	
691	760	886	955	
\$ 382	\$ 421	\$ 488	\$ 530	
450	495	577	623	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

			MODE	L NUMB	ER				
									-
	MODEL	w	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
	Standard Height Transaction Counter	24"	TSS24						25.0#
		30"	TSS30						29.0#
	Consists of top, two stanchions, steel	36"	TSS36						33.0#
	privacy panel, and all required assembly hardware	42"	TSS42						38.0#
		48"	TSS48						42.0#
TRUE	mately 42" from floor	54"	TSS54						46.0#
	 Space below transaction surface is 11- 1/2" 	60"	TSS60						50.0#
	 Worksurface is 16" deep and overhangs 	66"	TSS66						54.0#
	4" on guest side	72"	TSS72						59.0#
	Can mount transaction surface task								
	lights underneath the surface ("TLT5" models)								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side								
	will just have the standard 74P edge just like the approach side of the primary								
	desk surface								
	Low Height Transaction Counter Straight	24"	TLS24						18.0#
	Consists of top, two stanchions, steel	30"	TLS30						22.0#
	privacy panel, and all required assembly hardware	36"	TLS36						25.0#
		42"	TLS42						29.0#
TRUE	mately 34" from floor	48"	TLS48						33.0#
	 Space below transaction surface is 3-3/4" 	54"	TLS54						36.0#
		60"	TLS60						40.0#
	4" on guest side	66"	TLS66						43.0#
	Cannot mount task lights underneath the	72"	TLS72						47.0#
	low transaction surfaceKnife edge (KN) will have the knife edge								
	only on the user side, the approach side								
	will just have the standard 74P edge just								
	like the approach side of the primary desk surface								
	UESK SUI Idee								
			4	6	G	D	9	6	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.							
74P	- 74P edge						
KN	- Knife edge						
34S	- 3/8" Wood band edge						
VN	 Wood edge veneer 						

© Select trim/extrusion color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Fabrics & Finishes binder.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Select edge color. Refer to color addendum at ki.com or KI



 \geq



 \langle







·		3/8" Wood	Ψ	
74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
(74P)	(KN)	(34S)	(VN)	
\$ 506	\$ 556	\$ 648	\$ 701	
521	574	670	721	
536	588	685	739	
543	597	694	749	
571	624	727	786	
576	632	735	793	
584	643	745	804	
598	656	769	829	
624	687	797	861	

\$ 607	\$ 683	\$ 82	9	\$ 731	
620	705	87	2	687	
638	734	92	3	732	
656	764	105	5	773	
670	760	105	8	812	
701	804	110	2	857	
708	829	110)5	899	
736	869	121	1	956	
757	889	121	3	995	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

			MODEL		2				
					- 				-
	MODEL	W-LEFT x W-RIGHT	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
^	Standard Height Transaction Counter	42 x 42"	THC4242						66.0#
	Corner	48 x 48"	THC4848						74.0#
	Consists of top, three stanchions, steel privacy papels, and all required accem	48 x 60"	THC4860						83.0#
	privacy panels, and all required assem- bly hardware	48 x 66"	THC4866						87.0#
	Top of transaction surface is approxi-	48 x 72"	THC4872						91.0#
TRUE	mately 42" from floor	60 x 48"	THC6048						83.0#
	 Space below transaction surface is 11- 1/2" 	66 x 48"	THC6648						87.0#
	 Worksurface is 16" deep and overhangs 	72 x 48"	THC7248						91.0#
	4" on guest side								
	Can mount transaction surface task								
	lights underneath the surface ("TLT5" models)								
	• Knife edge (KN) will have the knife edge								
	only on the user side, the approach side								
	will just have the standard 74P edge just like the approach side of the primary								
	desk surface								
~	Low Height Transaction Counter Corner	42 x 42"	TLC4242						51.0#
	 Consists of top, three stanchions, steel privacy panels, and all required assem- 	48 x 48"	TLC4848						59.0#
	bly hardware	48 x 60"	TLC4860						66.0#
	 Top of transaction surface is approxi- 	48 x 66"	TLC4866						70.0#
TRUE	mately 34" from floor	48 x 72"	TLC4872						73.0#
	 Space below transaction surface is 3-3/4" 	60 x 48"	TLC6048						66.0#
	• Worksurface is 16" deep and overhangs	66 x 48"	TLC6648						70.0#
	4" on guest side	72 x 48"	TLC7248						73.0#
	 Cannot mount task lights underneath the low transaction surface 								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side								
	will just have the standard 74P edge just								
	like the approach side of the primary desk surface								
			A	6	C	D	9	6	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.							
74P	- 74P edge						
KN	- Knife edge						
34S	- 3/8" Wood band edge						
VN	 Wood edge veneer 						

© Select trim/extrusion color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers. Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Select edge color. Refer to color addendum at ki.com or KI

60



 \triangleleft \geq





 $\langle \rangle$



74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
(74P)	(KN)	(34S)	(VN)	
\$ 889	\$ 979	\$ 1140	\$ 1228	
937	1030	1198	1297	
972	1071	1243	1342	
1000	1101	1282	1384	
1050	1155	1342	1450	
972	1071	1243	1342	
1000	1101	1282	1384	
1050	1155	1342	1450	

\$ 929	\$ 972	\$ 1341	\$ 1600	
959	1001	1437	1813	
1016	1057	1558	2080	
1057	1098	1667	2216	
1075	1118	1667	2339	
1016	1057	1558	2080	
1057	1098	1667	2216	
1075	1118	1667	2339	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NU	IMBE	3			
				Basic		Paint	Insert	Approx. Packaged	
	MODEL	Features	W	Model	Dir.	Color	Finish	Weight	
	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/E				7.0#	
· · · · · · · · · · · · · · · · · · ·	end mount	Desk Width 30"	24"	TWSE30/E				8.0#	
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	30"	TWSE36/E				9.0#	
	 Available in 18" height only 	Desk Width 42"	36"	TWSE42/E				11.0#	
F 1 = = = = = = = = = = = = = = = = = =	Attached to the desk with one stanchion	Desk Width 48"	42"	TWSE48/E				12.0#	
TRSC	support and one single grommet	Desk Width 54"	48"	TWSE54/E				13.0#	
	 mounted bracket Includes screen and all required mount- 	Desk Width 60"	54"	TWSE60/E				14.0#	
	ing hardware except stanchion	Desk Width 66"	60"	TWSE66/E				16.0#	
	· ·	Desk Width 72"	66"	TWSE72/E				17.0#	
~	Single Desk Privacy Screen, end mount/ end mount • Exposed frame (core is translucent, frame painted) • Available in 18" height only	Desk Width 24"	24"	TWEE24/E				8.0#	
		Desk Width 30"	30"	TWEE30/E				9.0#	
·····		Desk Width 36"	36"	TWEE36/E				10.0#	
1993 + = = = = = + + ² 99		Desk Width 42"	42"	TWEE42/E				11.0#	
TRSC	 Attached to the desk with two single 	Desk Width 48"	48"	TWEE48/E				13.0#	
	grommet mounted brackets	Desk Width 54"	54"	TWEE54/E				14.0#	
	 Includes screen and all required mount- ing hardware 	Desk Width 60"	60"	TWEE60/E				15.0#	
	ing naruware	Desk Width 66"	66"	TWEE66/E				17.0#	
		Desk Width 72"	72"	TWEE72/E				18.0#	
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/E				5.0#	
	stanchions	Desk Width 30"	18"	TBS30/E				6.0#	
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	24"	TBS36/E				7.0#	
	 Available in 18" height only 	Desk Width 42"	30"	TBS42/E				9.0#	
	Attached between two stanchion sup-	Desk Width 48"	36"	TBS48/E				10.0#	
	ports	Desk Width 54"	42"	TBS54/E				11.0#	
· · · · · · · · · · · · · · · · · · ·	 Includes screen and all required mount- ing hardware except stanchion 	Desk Width 60"	48"	TBS60/E				13.0#	
TRSC	CANNOT be used simultaneously with	Desk Width 66"	54"	TBS66/E				14.0#	
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/E				15.0#	
				A	6	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Celect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select insert finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

63

True[®] Desking System Components Privacy Screens - Exposed Frame

4
1

De	livered	
	cing	
\$	237	
	263	
	327	
	387	
	444	
	503	
	543	
	600	
	659	
\$	245	
	275	
	335	
	397	
	451	
	511	
	550	
	606	
	670	
\$	232	
	256	
	316	
	379	
	433	
	495	
	536	
	594	
	651	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL I	NUMBE	1		
	MODEL	Features	w	Basic Model	Paint	Insert	Approx. Packaged	
					Color	Finish	Weight	
N	Shared Privacy Screen, stanchion/end mount	Desk Width 24"	18"	TSE24/E			6.0#	
	 Exposed frame (core is translucent, 	Desk Width 30"	24"	TSE30/E			7.0#	
	frame painted)	Desk Width 36"	30"	TSE36/E			8.0#	
	Available in 18" height only	Desk Width 42"	36"	TSE42/E			10.0#	
TD00	 Attached to the desk with one stanchion support and one double grommet mounted bracket Includes screen and all required mount- ing hardware except stanchion 	Desk Width 48"	42"	TSE48/E				
TRSC		Desk Width 54"	48"	TSE54/E			13.0#	
		Desk Width 60"	54"	TSE60/E			14.0#	
		Desk Width 66"	60"	TSE66/E			15.0#	
		Desk Width 72" Desk Width 24"	66" 24"	TSE72/E TEE24/E			17.0#	
	Shared Privacy Screen, end mount/end mount	Desk Width 24 Desk Width 30"	24 30"	TEE30/E			9.0#	
	 Exposed frame (core is translucent, frame painted) Available in 18" height only Mounts to the desk with two double grommet mounted brackets 							
		Desk Width 36"	36"	TEE36/E			10.0#	
TROO		Desk Width 42"	42"	TEE42/E			11.0#	
TRSC		Desk Width 48"	48"	TEE48/E			13.0#	
	 Includes screen and all required mount- 	Desk Width 54"	54"	TEE54/E			14.0#	
	ing hardware	Desk Width 60"	60"	TEE60/E			15.0#	
		Desk Width 66"	66"	TEE66/E			17.0#	
		Desk Width 72"	72"	TEE72/E			18.0#	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect insert finish.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

4

Del	ivered	
	cing	
\$	237	
	263	
	327	
	387	
	444	
	503	
	543	
	600	
	659	
\$	245	
	275	
	335	
	397	
	451	
	511	
	550	
	606	
	670	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NU	MBEF	1			
	MODEL	Features	w	Basic Model	Dir.	Paint Color	Fabric Color	Approx. Packaged Weight	
	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/U				7.0#	
	end mount	Desk Width 30"	24"	TWSE30/U				8.0#	
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	30"	TWSE36/U				9.0#	
	 Available in 18" height only 	Desk Width 42"	36"	TWSE42/U				11.0#	
	 Attached to the desk with one stanchion support and one single grommet mounted bracket 72" consists of two screens ganged 	Desk Width 48"	42"	TWSE48/U				12.0#	
TRSC		Desk Width 54"	48"	TWSE54/U				13.0#	
		Desk Width 60"	54"	TWSE60/U				15.0#	
	together	Desk Width 66"	60"	TWSE66/U				16.0#	
	Includes screen and all required mount-	Desk Width 72"	66"	TWSE72/U				18.0#	
	ing hardware except stanchion								
~	Single Desk Privacy Screen, end mount/	Desk Width 24"	24"	TWEE24/U				7.0#	
	end mount	Desk Width 30"	30"	TWEE30/U				9.0#	
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	36"	TWEE36/U				10.0#	
2 2 4 2 2 2 2 2 4 4 5 4 5 4 5 4 5 4 5 4	 Available in 18" height only 	Desk Width 42"	42"	TWEE42/U				11.0#	
TRSC	 Attached to the desk with two single 	Desk Width 48"	48"	TWEE48/U				13.0#	
	grommet mounted brackets • 66" and 72" size consists of two screens	Desk Width 54"	54"	TWEE54/U				14.0#	
	 bb and 72 size consists of two screens ganged together 	Desk Width 60"	60"	TWEE60/U				16.0#	
	 Includes screen and all required mount- 	Desk Width 66"	66"	TWEE66/U				18.0#	
	ing hardware	Desk Width 72"	72"	TWEE72/U				19.0#	
				A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

```
BSelect direction.
             - Left
    L
R
              - Right
```

```
CSelect paint color.
   Refer to color addendum at ki.com or
   KI Fabrics & Finishes binder.
```

• Select fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 230	\$ 237	\$ 246	\$ 260	\$ 274	
254	263	278	294	307	
312	325	339	359	375	
375	387	404	430	446	
427	444	459	486	507	
483	503	522	551	577	
522	543	564	598	623	
578	600	624	661	689	
637	659	687	726	756	
\$ 236	\$ 244	\$ 254	\$ 267	\$ 282	
261	274	284	301	312	
320	334	347	369	382	
380	397	410	437	453	
435	451	471	497	519	
492	511	531	564	584	
531	551	577	607	637	
585	607	637	672	698	
644	670	696	736	768	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



				MODEL N	UMBER	ł	
				Basic	Paint	Fabric	Approx. Packaged
	MODEL	Features	W	Model	Color	Color	Weight
~	Single Desk Privacy Screen, mounted	Desk Width 24"	20"	TBW2024			9.0#
	behind worksurface	Desk Width 30"	20"	TBW2030			11.0#
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	20"	TBW2036			12.0#
	Available in two heights: 20" matches	Desk Width 42"	20"	TBW2042			14.0#
~**#==	the height of the stanchion mounted	Desk Width 48"	20"	TBW2048			15.0#
TRSC	screen; 38" matches the height of an	Desk Width 54"	20"	TBW2054			18.0#
	overhead storage unitMounts behind the back edge of the	Desk Width 60"	20"	TBW2060			20.0#
	worksurface on brackets that attach to	Desk Width 66"	20"	TBW2066			22.0#
	the underside of the worksurface	Desk Width 72"	20"	TBW2072			24.0#
	Adds 1" to overall depth of work station	Desk Width 24"	38"	TBW3824			17.0#
	 66" and 72" size consists of two screens ganged together 	Desk Width 30"	38"	TBW3830			20.0#
	 Includes screen and all required mount- 	Desk Width 36"	38"	TBW3836			23.0#
	ing hardware	Desk Width 42"	38"	TBW3842			25.0#
		Desk Width 48"	38"	TBW3848			28.0#
		Desk Width 54"	38"	TBW3854			34.0#
		Desk Width 60"	38"	TBW3860			36.0#
		Desk Width 66"	38"	TBW3866			42.0#
		Desk Width 72"	38"	TBW3872			45.0#
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/U			5.0#
5	stanchions	Desk Width 30"	18"	TBS30/U			6.0#
	Upholstered (upholstered frame) fully	Desk Width 36"	24"	TBS36/U			8.0#
	tackable Available in 18" height only 	Desk Width 42"	30"	TBS42/U			9.0#
	Attached between two stanchion sup-	Desk Width 48"	36"	TBS48/U			11.0#
	ports	Desk Width 54"	42"	TBS54/U			12.0#
TRSC	Includes screen and all required mount- ing bardware except standbiog	Desk Width 60"	48"	TBS60/U			13.0#
	ing hardware except stanchionCANNOT be used simultaneously with	Desk Width 66"	54"	TBS66/U			15.0#
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/U			16.0#
				A	₿	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric color.
 - Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 236	\$ 244	\$ 254	\$ 267	\$ 282	
261	274	284	301	312	
320	334	347	369	382	
380	397	410	437	453	
435	451	471	497	519	
492	511	531	564	584	
531	551	577	607	637	
585	607	637	672	698	
644	670	696	736	768	
413	435	450	477	496	
460	480	500	529	548	
568	589	612	649	677	
671	697	724	769	798	
764	793	827	876	908	
864	898	933	989	1029	
933	971	1011	1072	1114	
1029	1071	1114	1179	1225	
1130	1177	1223	1297	1348	
\$ 218	\$ 232	\$ 238	\$ 252	\$ 261	
246	256	265	283	295	
307	316	333	350	364	
364	379	396	416	436	
412	433	447	476	493	
477	495	513	545	571	
513	536	555	589	612	
572	594	617	652	679	
629	651	678	720	745	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



			MODEL NUM	BER			
	MODEL	H x W-LEFT x W- Right	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight	
	Single Desk Corner Privacy Screen,	20 x 42 x 42"	BWSC204242			28.0#	
	mounted behind worksurface	20 x 48 x 48"	BWSC204848			30.0#	
	 Upholstered (upholstered frame) fully tackable 	20 x 48 x 60"	BWSC204860			35.0#	
	 Available in two heights: 20" matches 	20 x 48 x 66"	BWSC204866			37.0#	
SC	 the height of the stanchion mounted screen; 38" matches the height of an overhead storage unit Mounts behind the back edge of the worksurface on brackets that attach to 	20 x 48 x 72"	BWSC204872			39.0#	
		20 x 60 x 48"	BWSC206048			35.0#	
		20 x 66 x 48"	BWSC206648			37.0#	
		20 x 72 x 48"	BWSC207248			39.0#	
	the underside of the worksurface	38 x 42 x 42"	BWSC384242			50.0#	
	 Adds 1" to overall depth of workstation 66" and 72" size consists of two screens ganged together Includes screen and all required mounting hardware 	38 x 48 x 48"	BWSC384848			56.0#	
		38 x 48 x 60"	BWSC384860			64.0#	
		38 x 48 x 66"	BWSC384866			70.0#	
		38 x 48 x 72"	BWSC384872			73.0#	
		38 x 60 x 48"	BWSC386048			64.0#	
		38 x 66 x 48"	BWSC386648			70.0#	
		38 x 72 x 48"	BWSC387248			73.0#	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric color.
 - Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

True[®] Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 762	\$ 791	\$ 824	\$ 874	\$ 906	
869	902	939	996	1035	
964	1001	1043	1106	1151	
1021	1058	1102	1171	1216	
1078	1119	1164	1235	1283	
964	1001	1043	1106	1151	
1021	1058	1102	1171	1216	
1078	1119	1164	1235	1283	
1339	1391	1445	1535	1599	
1525	1587	1651	1752	1819	
1695	1763	1834	1945	2021	
1793	1864	1936	2055	2135	
1894	1970	2049	2171	2259	
1695	1763	1834	1945	2021	
1793	1864	1936	2055	2135	
1894	1970	2049	2171	2259	

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System Components Privacy Screens - Upholstered

				MODEL N	IUMBER		
	MODEL	Features	W	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight
	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/U			6.0#
	mount	Desk Width 30"	24"	TSE30/U			7.0#
	Upholstered (upholstered frame) fully tradable	Desk Width 36"	30"	TSE36/U			9.0#
	tackableAvailable in 18" height only	Desk Width 42"	36"	TSE42/U			10.0#
	Attached to the desk with one stanchion	Desk Width 48"	42"	TSE48/U			11.0#
TRSC	support and one double grommet	Desk Width 54"	48"	TSE54/U			13.0#
	 mounted bracket 72" size consists of two screens ganged 	Desk Width 60"	54"	TSE60/U			14.0#
	together	Desk Width 66"	60"	TSE66/U			16.0#
	Includes screen and all required mount-	Desk Width 72"	66"	TSE72/U			18.0#
	ing hardware except stanchion						
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/U			7.0#
	mount	Desk Width 30"	30"	TEE30/U			8.0#
18	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	36"	TEE36/U			10.0#
TRSC	Available in 18" height only	Desk Width 42"	42"	TEE42/U			11.0#
	Mounts to the desk with two double	Desk Width 48"	48"	TEE48/U			13.0#
	grommet mounted brackets • 66" and 72" size consists of two screens	Desk Width 54"	54"	TEE54/U			14.0#
	ganged together	Desk Width 60"	60"	TEE60/U			15.0#
	Includes screen and all required mount-	Desk Width 66"	66"	TEE66/U			17.0#
	ing hardware	Desk Width 72"	72"	TEE72/U			19.0#
				A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select frame paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric color.
 - Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

True[®] Desking System Components Privacy Screens - Upholstered

Pric Fabr	vered ing ric Grade C.O.M.	Deliv Prici Fabr 2	rered ng ic Grade	Fabr 3 & I	ic Grade Pallas Vertical ic Grade		Prici Palla	is Vertical ic Grade
\$	230	\$	237	\$	246	\$ 260	\$	274
	254		263		278	294		307
	312		327		339	359		375
	375		387		404	430		446
	427		444		459	486		507
	483		503		522	551		577
	522		543		564	598		623
	578		600		624	661		689
	637		659		687	726		756
\$	236	\$				267		282
	261		274		284	301		312
	320		334		347	369		382
	380		397		410	437		453
	435		451		471	497		519
	492		511		531	564		584
	531		551		577	607		637
	585		607		637	672		698
	644		670		696	736		768

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



True[®] Desking System Components Worksurface Dividers

			MODEL NUN	/IBER				
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight			
~	Worksurface Dividers	24"	TDV24		3.0#			
	 Divides two similar depth worksurfaces Mounted to the underside of the worksurface Can be used with overheads, shelves and 	30"	TDV30		3.0#			
	stanchions							
TRSC								
			A	0				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Belect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True[®] Desking System Components Worksurface Dividers

Delivered Pricing			
\$ 235			
266			

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory. Freight class #70.



True[®] Desking System Components

				MODEL NUI	MBER		
	MODEL	Features	W	Basic Model	Paint Color		
and the second	Tool Rail, stanchion/stanchion mounted	Desk width 24"	12"	TATR24/SS		3.0#	
	 Accomodates paper management components 	Desk width 30"	18"	TATR30/SS		3.0#	
	Mounts between stanchions	Desk width 36"	24"	TATR36/SS		3.0#	
·····	Field installable	Desk width 42"	30"	TATR42/SS		4.0#	
A REPORT OF THE REPORT OF THE	 Painted aluminum construction Consists of four slots to accept components Actual length is 12" shorter than work- 	Desk width 48"	36"	TATR48/SS		5.0#	
Here and the second sec		Desk width 54"	42"	TATR54/SS		5.0#	
TRAC		Desk width 60"	48"	TATR60/SS		6.0#	
	surface	Desk width 66"	54"	TATR66/SS		7.0#	
	Stanchions ordered with overhead or individually (TOT40 and TOT44)	Desk width 72"	60"	TATR72/SS		8.0#	
	individually (TST19 and TST11)CANNOT be used simultaneously with						
	stanchion mounted Privacy Screen						
	(TBS)						
				A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True[®] Desking System Components

Del Prio	ivered cing	
\$	134	
	137	
	144	
	151	
	161	
	183	
	203	
	213	
	226	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



			MODEL	NUMBER		
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight	
	 Paper Tray Plastic construction 	2 x 9-1/2 x 14"	PPLL		1.0#	
	 Plastic construction Stores letter or legal size documents 					
	 Suspends from tool rail 					
···	 Suitable for free-standing worksurface or overhead location 					
HRDPT						
	Diagonal Storage	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	
()	Plastic constructionSuspends only from tool rail					
	· Suitable for free-standing worksurface or					
	overhead locationThree slanted partitions per unit					
V V V	Dividers in black only					
HRDPT						
	Vertical Storage	9 x 5 x 10-1/2"	PPVS		1.0#	
	 Injection molded plastic construction Suspends only from tool rail 					
	 Suitable for free-standing worksurface or overhead location 					
HHUI	Stores binders, phone books or periodi-					
	cals					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Belect accessory color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deliv Prici	red Ig	
\$	37	
\$	37	
\$	35	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL	NUMBER			
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight		
	Telephone Caddy Plastic construction 	2 x 8 1/2 x 9 1/2"	PPTC		0.8#		
	 Holds telephone up to 8-1/2" wide and 9-1/2" deep 						
	 Suspends from tool rail 						
HRDPT							
FER	Accessory Tray • Injection molded plastic • Stores stamps, tape dispenser, post-it pade and paper align	2 x 9 1/2 x 10"	PPAT		6.0#		
	pads and paper clipsSuspends from tool rail						
HRDPT							
	Pencil Cup Injection molded plastic construction 	4 x 4 x 3 1/2"	PPPC		0.3#		
"	Suspends from tool rail						
HRDPT							
			A	₿			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect accessory color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deli Pric	rered ng	
\$	45	
\$	31	
\$	31	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.



			MODEL NUN	IBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight	
~	Champhiana and manufing buselists	30"	BLCS30/TR					52.0#	
	 Stanchions and mounting brackets included 	36"	BLCS36/TR					58.0#	
	 The KI Balance[®] Overhead allows users 	42"	BLCS42/TR					58.0#	
	the option to interchange from a True® Desk mount solution to a KI office panel	48"	BLCS48/TR					64.0#	
		54"	BLCS54/TR					70.0#	
	 system Colored or translucent extruded door 	60"	BLCS60/TR					78.0#	
\cup	 Painted cabinet and lower door 	66"	BLCS66D/TR					92.0#	
ВОН		72"	BLCS72D/TR					116.0#	
	 Cabinet is fully assembled 								
			Ø	₿	C	D	Ø		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER BLCS BLCL BLSE

A Select basic model.

BSelect cabinet paint color.

KI Fabrics & Finishes binder.

KI Fabrics & Finishes binder.

KI Fabrics & Finishes binder.

CSelect upper door solid color. Refer to color addendum at ki.com or

OSelect stanchion door color.

Select lock option.

NLC

KA

Refer to color addendum at ki.com or

Refer to color addendum at ki.com or

- Key standard

- No lock core

- Key alike

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"

82

14

Delivered Pricing	
\$ 1366	
1395	
1427	
1496	
1587	
1610	
2531	
2593	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

		MODEL NUM	IBER						
	MODEL	W	Basic Model	Cabinet Paint Color	Upper Door Laminate	Stanchion Door Color	Laminate Door Edge Color	Lock Option	Approx. Packaged Weight
~	Laminate Upper Door	30"	BLCL30/TR						52.0#
	 Stanchions and mounting brackets included The KI Balance[®] Overhead allows users the option to interchange from a True[®] 	36"	BLCL36/TR						52.0#
		42"	BLCL42/TR						58.0#
		48"	BLCL48/TR						64.0#
	Desk mount solution to a KI office panel	54"	BLCL54/TR						64.0#
	systemLaminate covered upper door	60"	BLCL60/TR						78.0#
Ų	Painted cabinet and lower door	66"	BLCL66D/TR						91.0#
ВОН		72"	BLCL72D/TR						104.0#
	Cabinet is fully assembled								
			A	0	G	D	9	()	-

HOW TO ORDER

form:

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect cabinet paint color.

KI Fabrics & Finishes binder.

CSelect upper door laminate color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

KI Fabrics & Finishes binder.

KI Fabrics & Finishes binder.

 Select lock option. KS NLC

KA

DSelect stanchion door color.

Refer to color addendum at ki.com or

Refer to color addendum at ki.com or

Select laminate door edge color. Refer to color addendum at ki.com or

- Key standard - No lock core

- Key alike

- Indicate the following information on order
- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

BLCS, B	LCL, BL	SF						
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"

4

Delivered Pricing	
\$ 1619	
1678	
1740	
1821	
1971	
2002	
3060	
3187	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. . Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

	1								
	MODEL	W	Basic Model	Cabinet Paint Color	Fabric Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight	
	- Ctanabiana and maginting breakate	30"	BLCF30/TR					46.0#	
	 Stanchions and mounting brackets included 	36"	BLCF36/TR					52.0#	
	The KI Balance [®] Overhead allows users	42"	BLCF42/TR					58.0#	
	the option to interchange from a True®	48"	BLCF48/TR					64.0#	
	Desk mount solution to a KI office panel	54"	BLCF54/TR					70.0#	
	systemFabric covered upper door	60"	BLCF60/TR					78.0#	
	 Painted cabinet and lower door 	66"	BLCF66D/TR					91.0#	
	Shelf dividers available separately	72"	BLCF72D/TR					104.0#	
ВОН	Cabinet is fully assembled								
			A	6	C	D	Ø		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER BLCS, BLCL, BLSF

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.	
-----------------------	--

BSelect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect upper door fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

DSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Key alike

Select lock option. KS - Key st - Key standard NLC - No lock core

KA

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1466	\$ 1476	\$ 1495	\$ 1518	\$ 1540	
1495	1504	1529	1551	1572	
1527	1537	1561	1583	1608	
1597	1610	1630	1658	1681	
1708	1719	1747	1771	1800	
1727	1738	1764	1794	1820	
2723	2745	2789	2835	2876	
2787	2810	2852	2899	2941	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5



True[®] Desking System Components Balance[®] Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Balance® Task Lights	24"	BTLT5.24	3.9#		
	Electronic ballast	36"	BTLT5.36	5.3#		
		48"	BTLT5.48	6.7#		
HRDPT						
			A			

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order	
form:	
1 Quantity of each item	

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"

True[®] Desking System Components Balance[®] Task Lights

Delivered Pricing \$ 99 109 114

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.



			MODEL NU	MRER					
		ŀ	MODEL NO						
	MODEL	w	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight	
	Steel Overhead Cabinet	24"	PRDS24/TR					34.0#	
	 Includes support stanchions The KI Universal Overhead allows users 	30"	PRDS30/TR					39.0#	
	 The Ki Universal Overhead allows users the option to interchange from a True[®] 	36"	PRDS36/TR					44.0#	
	Desk mount solution to a KI office panel	42"	PRDS42/TR					49.0#	
	system	48"	PRDS48/TR					54.0#	
IJ	 Steel end panels, bottom, top shelf, and door with powder-coated finish 	54"	PRDS54/TR					60.0#	
VUOS	Steel door	60"	PRDS60/TR					64.0#	
	Double-bit lock is included with key alike	66"	PRDS66/TR					61.0#	
	option	72"	PRDS72/TR					65.0#	
	 Door stores recessed with handle exposed 								
	 Shelf depth is 13-1/4" 								
	Must order 66" and 72" worksurfaces								
	with optional center grommet • 66" overhead consists of 30" and 36"								
	cabinets supported at juncture of cabi-								
	nets by support stanchion								
	72" overhead consist of two 36" cabinets								
	supported at juncture of cabinets by support stanchion								
	Accepts shelf divider								
		L	۵	6	O	Ø	9	1	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Belect lock option. KS - Key s - Key standard

NLC - No lock core KA - Key alike

PRDS, I	PRDF, PF	RDL, PRE	V					
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position			4"	4"	4"	4"	4"	
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

4

Deliv Prici	/ered ng	
\$	904	
	917	
	938	
	967	
1	1035	
1	1059	
1	1143	
1	1624	
1	1728	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

True[®] Desking System Components

			MODEL NU	MBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Fabric Color	Lock Option	Approx. Packaged Weight
^	Fabric Overhead Cabinet	24"	PRDF24/TR						32.0#
	Includes support stanchions The KLUpiversel Querkeed ellows were	30"	PRDF30/TR						36.0#
	 The KI Universal Overhead allows users the option to interchange from a True[®] 	36"	PRDF36/TR						40.0#
	Desk mount solution to a KI office panel	42"	PRDF42/TR						44.0#
	system	48"	PRDF48/TR						49.0#
	Steel end panels, bottom, top shelf, and	54"	PRDF54/TR						53.0#
	door with powder-coated finishFabric-covered door	60"	PRDF60/TR						57.0#
	Double-bit lock is included with key alike	66"	PRDF66/TR						61.0#
	option	72"	PRDF72/TR						65.0#
	 Door stores recessed with handle exposed 								
	 Shelf depth is 13-1/4" 								
	Must order 66" and 72" worksurfaces								
	with optional center grommet								
	 66" overhead consists of 30" and 36" cabinets supported at juncture of cabi- 								
	nets by support stanchion								
	• 72" overhead consist of two 36" cabinets								
	supported at juncture of cabinets by								
	support stanchionAccepts shelf divider								
			A	6	A	D	Ð	G	I

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Gelect fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select lock option.

- Key standard KS NLC - No lock core KA - Key alike

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

PRDS, PRDF, PRDL, PRDV

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 955	\$ 961	\$ 974	\$ 984	\$ 996	
984	991	1004	1017	1029	
1016	1021	1033	1046	1059	
1035	1042	1058	1071	1084	
1064	1072	1085	1097	1114	
1190	1198	1215	1232	1248	
1243	1250	1267	1285	1303	
1784	1797	1821	1848	1872	
1834	1850	1873	1901	1926	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.



			MODEL NU	MBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Laminate Color	Lock Option	Approx. Packaged Weight
~	Laminate Overhead Cabinet	24"	PRDL24/TR						32.0#
	 Includes support stanchions The KI Universal Overhead allows users 	30"	PRDL30/TR						36.0#
	 The Kroniversal overhead allows users the option to interchange from a True[®] 	36"	PRDL36/TR						40.0#
	Desk mount solution to a KI office panel	42"	PRDL42/TR						44.0#
	system	48"	PRDL48/TR						48.0#
\Box	 Steel end panels, bottom, top shelf, and door with powder-coated finish 	54"	PRDL54/TR						53.0#
VUOL	 High-pressure laminate on particleboard 	60"	PRDL60/TR						57.0#
	door	66"	PRDL66/TR						61.0#
	Double-bit lock is included with key alike	72"	PRDL72/TR						65.0#
	option Door stores recessed with handle 								
	exposed								
	Shelf depth is 13-1/4"								
	 Must order 66" and 72" worksurfaces with optional center grommet 								
	 66" overhead consists of 30" and 36" 								
	cabinets supported at juncture of cabi-								
	nets by support stanchion								
	 72" overhead consist of two 36" cabinets supported at juncture of cabinets by 								
	support stanchion								
	Accepts shelf divider								
			A	₿	G	D	0	6	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Belect laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

- Key standard KS NLC - No lock core KA - Key alike

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

PRDS, PRDF, PRDL, PRDV



Deli [.] Pric	vered ing	
\$	974	
	975	
	1020	
	1059	
	1097	
	1207	
	1264	
	1779	
	1862	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. . Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True[®] Desking System Components

			MODEL NU	MBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Veneer Color	Lock Option	Approx. Packaged Weight
~	Veneer Overhead Cabinet	24"	PRDV24/TR						32.0#
	 Includes support stanchions The KI Universal Overhead allows users 	30"	PRDV30/TR						36.0#
	 The Ki oniversal overhead allows users the option to interchange from a True[®] 	36"	PRDV36/TR						40.0#
	Desk mount solution to a KI office panel	42"	PRDV42/TR						44.0#
	system	48"	PRDV48/TR						48.0#
IJ	 Steel end panels, bottom and top shelf with powder-coated finish 	54"	PRDV54/TR						53.0#
VC	Veneer covered door	60"	PRDV60/TR						57.0#
	Double-bit lock is included with key alike	66"	PRDV66/TR						57.0#
	option Door stores recessed with handle 	72"	PRDV72/TR						57.0#
	Door stores recessed with handle exposed								
	Shelf depth is 13-1/4"								
	Must order 66" and 72" worksurfaces								
	 with optional center grommet 66" overhead consists of 30" and 36" 								
	cabinets supported at juncture of cabi-								
	nets by support stanchion								
	 72" overhead consist of two 36" cabinets autoparted at juncture of applicate by 								
	supported at juncture of cabinets by support stanchion								
	Accepts shelf divider								
			A	B	C	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select veneer surface color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

- Key standard KS NLC - No lock core KA - Key alike

PRDS, I	PRDF, PF	RDL, PRO	V					
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	Width of Over- 29-1/2" 35		41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

5

Deli Pric	vered ing	
\$	1509	
	1533	
	1590	
	1651	
	1714	
	1979	
	2088	
	2910	
	3026	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

True[®] Desking System Components Universal Overhead Shelves and Divider

			MODEL NU	MBER			
			Basic	Shelf Paint	Stanchion Door	Approx. Packaged	
	MODEL	WxH	Model	Color	Color	Weight	
	Low Shelf	24"	ULSR24/TR			14.0#	
	 Includes support stanchions Accepts shelf dividers 	30"	ULSR30/TR			16.0#	
	 Accepts shell dividers Includes full back 	36"	ULSR36/TR			17.0#	
	 66" shelf consists of one 36" and one 	42"	ULSR42/TR			19.0#	
	30"; 72" shelf consists of two 36" shelves	48"	ULSR48/TR			20.0#	
Ų	supported by middle uprightShelves are shipped unassembled	54"	ULSR54/TR			22.0#	
VULS		60"	ULSR60/TR			24.0#	
		66"	ULSR66/TR			29.0#	
		72"	ULSR72/TR			30.0#	
	 Regular Shelf Includes support stanchions Accepts shelf dividers Includes full back 66" shelf consists of one 36" and one 30"; 72" shelf consists of two 36" shelves supported by middle upright Shelves are shipped unassembled 	24"	URSR24/TR			19.0#	
		30"	URSR30/TR			20.0#	
		36"	URSR36/TR			22.0#	
		42"	URSR42/TR			23.0#	
			URSR48/TR			25.0#	
\bigcup		54"	URSR54/TR			27.0#	
		60"	URSR60/TR			28.0#	
VURS		66"	URSR66/TR			29.0#	
		72"	URSR72/TR			30.0#	
\sim	Shelf Divider	7-1/4 x 11-1/2"	NSD			1.0#	
$\langle \rangle$	 Steel shelf dividers with powder-coated finish 						
	Fits shelves and overheads						
HRDPT							
			A	B	C		
			•	•	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select shelf paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

V

Delivered Pricing	
\$ 619	
620	
636	
644	
653	
677	
713	
1040	
1063	
\$ 645	
646	
659	
672	
683	
715	
734	
1090	
1118	
\$ 25	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

True[®] Desking System Components Universal Overhead and Shelves Task Lights

			MODEL NUMBER			
	MODEL	w	Basic Model	Approx. Packaged Weight		
	Universal Overhead and Shelves Task	24"	TLT5.24	3.9#		
	Lights • Electronic ballast	36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
đ						
HRDPT						
			A			

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form: Quantity of each item. Quantity of each item. Model number, including options. See

- "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"

True[®] Desking System Components Universal Overhead and Shelves Task Lights

Del Prio	ivered cing	
\$	74	
	81	
	88	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.



			MODEL NUM	NBER		
	MODEL	W x D x H	Basic Model	Paint Color	Approx. Packaged Weight	
	Center Drawer	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#	
	Steel painted tray	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#	
7DACU						
			A	₿		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Belect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Del Pric	ivered cing	
\$	185	
	233	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory. Freight class #70.



		MODEL N	UMBER				
	MODEL	Basic Model	Surface Grom. Color	Approx. Packaged Weight			
	Standard Leg Grommet Frame	TSLG		0.2#			
	 Standard on desks Use for replacement 						
HRDPT							
	Upper Leg Grommet Cover Standard on desks Use for replacement 	TULGC		0.2#			
HRDPT							
\bigcirc	Lower Leg Grommet Cover • Standard on Corner Power Infeed Leg	TLLGC		0.2#			
HRDPT							
HRDPT	Worksurface GrommetStandard on desksUse for replacement	TWSG		0.2#			
ו זטחח	Worksurface Grommet Cover	TWSGC		0.2#			
HRDPT	 Standard on desks Use for replacement 	IWSGC		U. <i>∠</i> #			
		Ø	0				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Belect grommet color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Delive	red	
Pricin		
\$	3	
\$	3	
ψ	0	
\$	3	
\$	3	
	-	
\$	3	

6

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL NUMBER			
MODEL	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight	
Corner Power Infeed Leg Used in place of standard leg wi mounted power monument falls	Leg TCLBG			10.0#	
	onument falls outside				
footprint of the des • Includes upper and	sk I lower leg grommet				
TRAC					
	A	6	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Delivered Pricing			
\$ 75			

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



					DEL NUMBER					
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight					
~	· · · · · · · · · · · · · · · · · · ·	24"	TAFMP24		5.0#					
	 Used to change a desk from partial mod- esty panel into one with a full modesty panel 	30"	TAFMP30		6.0#					
		36"	TAFMP36		8.0#					
		42"	TAFMP42		9.0#					
	ruption to other desks or electrical parts	48"	TAFMP48		11.0#					
		54"	TAFMP54		12.0#					
		60"	TAFMP60		14.0#					
TRAC		66"	TAFMP66		16.0#					
		72"	TAFMP72		17.0#					
			A	B						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True[®] Desking System Accessories Modesty Panel Inserts

4

D(Pi	eliverec ricing	d
\$	183	}
	183	
	196	6
	218	
	263	}
	286	3
	331	
	351	
	393	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		Ν	NODEL	NUMB	ER		
					Stanchion	Approx.	
	MODEL		Basic Nodel	Paint Color	Door Color	Packaged Weight	
			ST19			8.0#	
\frown	 19-1/2" tall (4 openings) 						
	 Stanchion door and top cap included Used to provide worksurface power and 						
	data location						
	 Included when ordering overheads with / TR suffix 						
TRAC							
		11" T	ST11			5.0#	
	 11-1/2" tall (2 openings) Stanchion door and top cap included 						
	 Used to provide worksurface power and 						
	data location						
TRAC							
IIIAU				•	•		
			A	₿	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

De Pr	vered ng	
\$	445	
\$	311	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



True[®] Desking System Data/Comm.

Accessories

			MODEL NU	MBER			
			Basic	Trim	Paint	Approx. Packaged	
	MODEL	W	Model	Color	Color	Weight	
	Communication Pole	10"	TCOMP10			9.0#	
Ĩ	Used to route communication cables through top groupment in workowfree to	7"	TCOMP7			6.0#	
	through top grommet in worksurface to ceiling						
	 Includes pole, cover, and ceiling trim 						
	Pole has two separated channels						
Ψ							
TRAC							
\$	Cable Support TCOMCS=single 		TCOMCS			0.1#	
	TCOMPK=8 pack		TCOMCSPK			1.0#	
HRDPT							
	Face Plate Bracket		TCOMFP			0.2#	
\sim	3						
~°_1							
TRAC							
			A	ß	C		
			-	-	-		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Belect trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

True[®] Desking System Data/Comm.

De Pri	livered icing	
	179	
Ŷ	126	
\$	5	
	43	
<u>^</u>		
\$	26	
\$	26	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



			MODEL NUM	RFR		
					A	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight	
	Rigid Wireway 4-4-2	Desk width 30"	TRWW4R30		4.0#	
A Real	 Includes rigid wireway electrical harness, steel wireway cover, and all required 	Desk width 36"	TRWW4R36		5.0#	
200	attachment hardware	Desk width 42"	TRWW4R42		5.0#	
	Available in two 10-wire styles. Note:	Desk width 48"	TRWW4R48		8.0#	
	10-wire styles must match on all electri-	Desk width 54"	TRWW4R54		8.0#	
Les .	 cal parts Allows two duplex receptacles (ordered 	Desk width 60"	TRWW4R60		11.0#	
TRAC	separately) to be mounted below the	Desk width 66"	TRWW4R66		11.0#	
	desk worksurface	Desk width 72"	TRWW4R72		12.0#	
	 Size must match the desk length. Note: the 72D (dual) provides four possible 	Desk width 72"	TRWW4R72D		12.0#	
	receptacle locations					
	Rigid Wireway 6-2-2	Desk width 30"	TRWW6R30		4.0#	
6 Store	- Includes visid without cleathing between	Desk width 36"	TRWW6R36		5.0#	
201		Desk width 42"	TRWW6R42		6.0#	
	Available in two 10-wire styles. Note:	Desk width 48"	TRWW6R48		8.0#	
	10-wire styles must match on all electri-	Desk width 54"	TRWW6R54		9.0#	
line b	cal partsAllows two duplex receptacles (ordered	Desk width 60"	TRWW6R60		10.0#	
TRAC	separately) to be mounted below the	Desk width 66"	TRWW6R66		11.0#	
	desk worksurface	Desk width 72"	TRWW6R72		12.0#	
	 Size must match the desk length. Note: the 72D (dual) provides four possible receptacle locations 	Desk width 72"	TRWW6R72D		13.0#	
			Ø	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



De	livered
Pri	icing
\$	134
	148
	167
	187
	258
	331
	402
	465
	465
	400
\$	134
	148
	167
	187
	258
	331
	402
	465
	465
	100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMBER	
	MODEL	Features	W	Basic Model	Approx. Packaged Weight
	Rigid Wireway Standard Desk Jumper		28"	TRDJ4ST	2.0#
	 4-4-2 Includes jumper harness to make the electrical connection between adjacent desks 				
HRDPT	 Available in two 10-wire styles. Note: 10-wire styles must match on all electrical parts 				
	Rigid Wireway Standard Desk Jumper		28"	TRDJ6ST	2.0#
	6-2-2				
	 Includes jumper harness to make the electrical connection between adjacent desks 				
HRDPT	• Available in two 10-wire styles. Note: 10-wire styles must match on all electri-				
	cal parts				
	Rigid Wireway Power Pass Through 4-4-2	Desk width 24"		TRE4PP24	3.0#
		Desk width 30"		TRE4PP30	3.0#
	 Includes the power pass through harness that allows power to continue 	Desk width 36"		TRE4PP36	3.0#
	through one side of a desk between two	Desk width 42"		TRE4PP42	3.0#
HRDPT	rigid wireway equipped desks	Desk width 48"		TRE4PP48	3.0#
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 	Desk width 54"		TRE4PP54	3.0#
	cal parts	Desk width 60"		TRE4PP60	3.0#
	Order length according to the desk width	Desk width 66"		TRE4PP66	3.0#
	it is passing through	Desk width 72"		TRE4PP72	4.0#
	Rigid Wireway Power Pass Through 6-2-2	Desk width 24"		TRE6PP24	3.0#
	 Includes the power pass through 	Desk width 30"		TRE6PP30	3.0#
Ę <u>IŲ</u> ≞juur Aunspinnių÷JE_P	harness that allows power to continue	Desk width 36"		TRE6PP36	3.0#
	through one side of a desk between two	Desk width 42"		TRE6PP42	3.0#
HRDPT	rigid wireway equipped desks Available in two 10-wire styles. Note: 	Desk width 48"		TRE6PP48	4.0#
	10-wire styles must match on all electri-	Desk width 54"		TRE6PP54	4.0#
	cal parts	Desk width 60"		TRE6PP60	4.0#
	Order length according to the desk width it is passing through	Desk width 66"		TRE6PP66	4.0#
	it is passing through	Desk width 72"		TRE6PP72	4.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

	Dal	i a na d	
	Deliv Prici	/ered ing	
	\$	106	
9	\$	106	
9		108	
		111	
		114	
		117	
		122	
		127	
		132	
		139	
	•	144	
ę		108	
		111	
		114	
		117	
		122	
		127	
		132	
		139	
		144	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	/IRFR				
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight			
	Rigid Wireway End Panel Trough/Desk	24"	TEPT424		4.0#			
— "	Jumper 4-4-2	30"	TEPT430		5.0#			
	 Includes jumper harness to make the electrical connection between ediment 							
	electrical connection between adjacent desks							
TRAC	See specifications for length that must							
	be specified							
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 							
	cal parts							
	•							
	Rigid Wireway End Panel Trough/ Desk	24"	TEPT624		4.0#			
	Jumper 6-2-2	30"	TEPT630		5.0#			
	 Includes jumper harness to make the electrical connection between adjacent desks 							
TRAC	 See specifications for length that must 							
	be specified							
	• Available in two 10-wire styles. Note:							
	10-wire styles must match on all electri- cal parts							
			A	₿				
			_	-				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

De Pri	elivered icing	
\$	200	
	217	
\$	200	
	217	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory. Freight class #70.

				MODEL NU	MDLN	
	MODEL	Features	L	Basic Model	Accessory Color	Approx. Packaged Weight
	Rigid Wireway Receptacles 4-4-2			TRER4RC1		0.2#
	 Includes the modular duplex 15 amp re- ceptacle that snaps onto a rigid wireway 			TRER4RC2		0.2#
and the second s	Available in two 10-wire styles. Note:			TRER4RC3I		0.2#
	10-wire styles must match on all electri-			TRER4RC4I		0.2#
	cal parts					
RDPT	Divid Winessen Descente des C.O.O.			TDEDODO4		0.0#
	 Rigid Wireway Receptacles 6-2-2 Includes the modular duplex 15 amp re- 			TRER6RC1 TRER6RC2		0.2#
	ceptacle that snaps onto a rigid wireway			TRER6RC2		0.2#
	Available in two 10-wire styles. Note:			TRER6RC4I		0.2#
	10-wire styles must match on all electri- cal parts			TRER6RC5I		0.2#
RDPT				TRER6RC6I		0.2#
	Rigid Wireway Base Feed 4-4-2		72"	TEBI4BF6		7.0#
	 Includes base feed harness with 6' of 					
	colored liquidtite conduit covering; use to feed power from a hard wired J-box					
A MA	or floor monument to the rigid wireway					
	on a desk					
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri cal parts 					
RDPT						
	 Building connection hardware must be supplied by customer 					
	11 3					
4	 Rigid Wireway Base Feed 6-2-2 Includes base feed harness with 6' of 		72"	TEBI6BF6		7.0#
	colored liquidtite conduit covering; used					
A B	 to feed power from a hard wired J-box or floor monument to the rigid wireway on a desk Available in two 10-wire styles. Note: 10-wire styles must match on all electri- cal parts Building connection hardware must be 					
A DA						
RDPT						
	supplied by customer					
				A	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- BSelect accessory color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

4

D P	elivered ricing	
\$	35	
	35	
	35	
	35	
\$	35	
	35	
	35	
	35	
	35	
	35	
\$	225	

\$ 225

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL N	UMBER			
	MODEL	н	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight	
		144"	TE6TF144			14.0#	
	 Includes electrical harness (144" or 216"), aluminum 2-channel power pole (7' or 10' respectively) and ceiling trim Used to feed power from a hard wired 	216"	TE6TF216			19.0#	
TRAC	J-box above a false ceiling to the rigid wireway or a desk						
	 Attaches to the desk at a corner grommet location Available in two 10-wire styles. Note: 						
	10-wire styles must match on all electri- cal parts						
	Building connection hardware must be						
	supplied by customer						
	Rigid Wireway Top Feed 4-4-2	144"	TE4TF144			13.0#	
	 Includes electrical harness (144" or 216"), aluminum 2-channel power pole 	216"	TE4TF216			19.0#	
EFF - malina and managements	(7' or 10' respectively) and ceiling trimUsed to feed power from a hard wired						
TRAC	J-box above a false ceiling to the rigid						
	wireway or a deskAttaches to the desk at a corner grom-						
	met location Available in two 10-wire styles. Note: 						
	10-wire styles must match on all electri-						
	cal parts Building connection hardware must be 						
	supplied by customer						
	Stanchion Power Tap	36"	TRESR36			0.5#	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Provides a duplex 15 amp receptacle	96"	TRESR96			1.0#	
	that is located behind a desk stanchion door						
4	 Circuit number will be determined by the receptacle it is plugged into 						
C3	Two cord lengths available: 36" and 96"						
HRDPT							
			A	₿	C		

HOW TO ORDER

form:

- Indicate the following information on order
- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect paint color. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder.

Del	livered	
Pri	icing	
\$	190	
	251	
\$	190	
Ŷ	251	
•	100	
\$	102 122	
	122	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

124

Model No.	Description	Page	Model No.	Description	Page
7D/18CD	Center Drawer: Center Drawer	102		Modesty Panel	44
BLCF30/TR	Balance® Overhead Storage: Fabric Upper Door	86	TI244860/P/A	Piano Desk: Piano Desk with Partial Modesty Panel/No Partial	
BLCL30/TR	Balance [®] Overhead Storage: Laminate Upper Door	84		Guest Modesty Panel	50
BLCS30/TR	Balance [®] Overhead Storage: Solid Color Upper Door	82	TI244860/P/G	Piano Desk: Piano Desk with Partial Modesty Panel/Partial	
BTLT5.24	Balance® Task Lights: Balance® Task Lights	88		Guest Modesty Panel	48
BWSC204242	Privacy Screens - Upholstered: Single Desk Corner Privacy		TLC4242	Transaction Worksurfaces: Low Height Transaction Counter	
	Screen, mounted behind worksurface	70		Corner	60
NSD	Universal Overhead Shelves and Divider: Shelf Divider	98	TLLGC	Grommets: Lower Leg Grommet Cover	104
PPAT	Paper Management: Accessory Tray	80	TLS24	Transaction Worksurfaces: Low Height Transaction Counter	
PPDS	Paper Management: Diagonal Storage	78		Straight	58
PPLL	Paper Management: Paper Tray	78	TLT5.24	Universal Overhead and Shelves Task Lights: Universal Over-	
PPPC	Paper Management: Pencil Cup	80	TD0 / 4000 /5 /4	head and Shelves Task Lights	100
PPTC	Paper Management: Telephone Caddy	80	TP244860/F/A	P-Shaped Desk: P-Shaped Desk with Full Modesty Panel/No	0.0
PPVS PRDF24/TR	Paper Management: Vertical Storage	78 92		Partial Guest Modesty Panel	38
PRDL24/TR	Universal Overhead Storage: Fabric Overhead Cabinet Universal Overhead Storage: Laminate Overhead Cabinet	92 94	TP244860/F/G	P-Shaped Desk: P-Shaped Desk with Full Modesty Panel/ Partial Guest Modesty Panel	36
PRDS24/TR	Universal Overhead Storage: Steel Overhead Cabinet	94 90	TP244860/P/A	P-Shaped Desk: P-Shaped Desk w/Partial Modesty Panel/No	30
PRDV24/TR	Universal Overhead Storage: Veneer Overhead Cabinet	96	11 244000/1///	Partial Guest Modesty Panel	42
TAFMP24	Modesty Panel Inserts: Full Modesty Panel Insert	108	TP244860/P/G	P-Shaped Desk: P-Shaped Desk with Partial Modesty Panel/	12
TAR24	Add-On Worksurfaces: Round Add-On Worksurface	56		Partial Guest Modesty Panel	40
TATR24/SS	Tool Rails: Tool Rail, stanchion/stanchion mounted	76	TQR24	Add-On Worksurfaces: Quarter Round Add-On Worksurface	56
TBS24/E	Privacy Screens - Exposed Frame: Single Desk Privacy Screen,		TR2424/F	Rectangular Desk: Rectangular Desk with Full Modesty Panel	6
	between stanchions	62	TR2424/P	Rectangular Desk: Rectangular Desk with Partial Modesty	
TBS24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,			Panel	8
	between stanchions	68	TRDJ4ST	Electrical: Rigid Wireway Standard Desk Jumper 4-4-2	116
TBW2024	Privacy Screens - Upholstered: Single Desk Privacy Screen,		TRDJ6ST	Electrical: Rigid Wireway Standard Desk Jumper 6-2-2	116
	mounted behind worksurface	68	TRE4PP24	Electrical: Rigid Wireway Power Pass Through 4-4-2	116
TC24424224/FF	Corner Desk: Corner Desk with Full Modesty Panel/Full Mod-		TRE6PP24	Electrical: Rigid Wireway Power Pass Through 6-2-2	116
	esty Panel	12	TRER4RC1	Electrical: Rigid Wireway Receptacles 4-4-2	120
TC24424224/FP	Corner Desk: Corner Desk with Full Modesty Panel/Partial		TRER6RC1	Electrical: Rigid Wireway Receptacles 6-2-2	120
	Modesty Panel	14	TRESR36	Electrical: Stanchion Power Tap	122
TC24424224/PF	Corner Desk: Corner Desk with Partial Modesty Panel/Full		TRWW4R30	Electrical: Rigid Wireway 4-4-2	114
T004404004/DD	Modesty Panel	16	TRWW6R30	Electrical: Rigid Wireway 6-2-2	114
TC24424224/PP	Corner Desk: Corner Desk with Partial Modesty Panel/Partial	10	TS24486024/F/FS	Square Shoe Desk: Square Shoe Desk with Full Modesty	00
	Modesty Panel	18	TC04496004/F/DC	Panel/Full Modesty Panel	20
TCLBG TCOMCS	Corner Power Infeed Leg: Corner Power Infeed Leg Accessories: Cable Support	106 112	1524400024/F/P5	Square Shoe Desk: Square Shoe Desk with Full Modesty	22
TCOMFP	Accessories: Face Plate Bracket	112	T\$24486024/D/ES	Panel/Partial Modesty Panel Square Shoe Desk: Square Shoe Desk with Partial Modesty	22
TCOMP10	Accessories: Communication Pole	112	1324400024/1713	Panel/Full Modesty Panel	24
TD2448/F/A	D-Shaped Desk: D-Shaped Desk with Full Modesty Panel/No		TS24486024/P/PS	Square Shoe Desk: Square Shoe Desk with Partial Modesty	2.
192110,177	Partial Guest Modesty Panel	30		Panel/Partial Modesty Panel	26
TD2448/F/G	D-Shaped Desk: D-Shaped Desk with Full Modesty Panel/		TSE24/E	Privacy Screens - Exposed Frame: Shared Privacy Screen,	
	Partial Guest Modesty Panel	28		stanchion/end mount	64
TD2448/P/A	D-Shaped Desk: D-Shaped Desk w/Partial Modesty Panel/No		TSE24/U	Privacy Screens - Upholstered: Shared Privacy Screen, stan-	
	Partial Guest Modesty Panel	34		chion/end mount	72
TD2448/P/G	D-Shaped Desk: D-Shaped Desk with Partial Modesty Panel/		TSLG	Grommets: Standard Leg Grommet Frame	104
	Partial Guest Modesty Panel	32	TSS24	Transaction Worksurfaces: Standard Height Transaction	
TDV24	Worksurface Dividers: Worksurface Dividers	74		Counter Straight	58
TE3060	Bow Front Desk: Bow Front Desk with Full Modesty Panel	10	TST11	Worksurface Accessories: Freestanding Stanchion Short	110
TE4TF144	Electrical: Rigid Wireway Top Feed 4-4-2	122	TST19	Worksurface Accessories: Freestanding Stanchion Large	110
TE6TF144	Electrical: Rigid Wireway Top Feed 6-2-2	122	TTR244230/F	Transitional Desk: Transitional Desk with Full Modesty Panel	52
TEBI4BF6	Electrical: Rigid Wireway Base Feed 4-4-2	120	TTR244230/P	Transitional Desk: Transitional Desk with Partial Modesty Panel	54
TEBI6BF6 TEE24/E	Electrical: Rigid Wireway Base Feed 6-2-2	120	TULGC TWEE24/E	Grommets: Upper Leg Grommet Cover Privacy Screens - Exposed Frame: Single Desk Privacy Screen,	104
IEEZ4/E	Privacy Screens - Exposed Frame: Shared Privacy Screen, end mount/end mount	64	IVVEEZ4/E	end mount/end mount	62
TEE24/U	Privacy Screens - Upholstered: Shared Privacy Screen, end	04	TWEE24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	02
TLL24/0	mount/end mount	72	TWEEZ4/0	end mount/end mount	66
TEPT424	Electrical: Rigid Wireway End Panel Trough/Desk Jumper		TWSE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy Screen,	00
	4-4-2	118		stanchion/ end mount	62
TEPT624	Electrical: Rigid Wireway End Panel Trough/ Desk Jumper		TWSE24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	-
	6-2-2	118		stanchion/end mount	66
THC4242	Transaction Worksurfaces: Standard Height Transaction	-	TWSG	Grommets: Worksurface Grommet	104
	Counter Corner	60	TWSGC	Grommets: Worksurface Grommet Cover	104
THR4824	Add-On Worksurfaces: Half Round Add-On Worksurface	56	ULSR24/TR	Universal Overhead Shelves and Divider: Low Shelf	98
TI244860/F/A	Piano Desk: Piano Desk with Full Modesty Panel/No Partial		URSR24/TR	Universal Overhead Shelves and Divider: Regular Shelf	98
	Guest Modesty Panel	46			
TI244860/F/G	Piano Desk: Piano Desk with Full Modesty Panel/Partial Guest				

TI244860/F/G Piano Desk: Piano Desk with Full Modesty Panel/Partial Guest



ΚI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11348R3/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.