

### TRUE® DESKING SYSTEM

#### **PRICE LIST**

January 3, 2011 Updated October 3, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

True® D	esking	
	Specifications	3
	Typicals	4
	Product Color Options	5
True® D	esking System	
	Rectangular Desk	6
	Bow Front Desk	8
	Corner Desk	9
	Square Shoe Desk	13
	D-Shaped Desk	17
	P-Shaped Desk	21
	Piano Desk	25
	Transitional Desk	29
	Add-On Worksurfaces Transaction Worksurfaces	31
	Transaction worksurfaces	32
True® D	esking System Components	
	Privacy Screens - Exposed Frame	34
	Privacy Screens - Upholstered	36
	Tool Rails	40
	Paper Management	41
	Balance® Overhead Storage	43
	Universal Overhead Storage	46
	Universal Overhead Shelves and Divider	50 51
	LED Task Lights	51
True® D	esking System Accessories	
	Center Drawer	53
	Grommets	54
	Modesty Panel Inserts	55
	Worksurface Accessories	56
True® D	esking System Data/Comm.	
	Accessories	57
True® D	esking System Electrical	
	Electrical	58

True® Desking



#### Basic Worksurfaces

Worksurfaces shall define the shape of the workstation and provide support for overhead storage. hanging pedestals, electrical componentry, and privacy screens.

#### Rectangular Worksurfaces

Laminated worksurfaces shall be constructed from 1-1/8" medium density fiberboard with a .030 high-pressure laminate surface or veneer and a .030 phenolic backing sheet with a choice of three edge styles: 74P. 74P with knife edge along front, or 3/8" wood. polypropylene edge shall be available in multiple colors. The knife edge shall only be applied to the front edge of the worksurface and extend 2" beyond the desk frame. The wood edge shall be constructed from natural red oak and be available in a clear finish (standard) or in a maple wood band with additional stains. Worksurfaces shall be available in 24", 30", 36", 42", 48", 54", 60", 66", and 72" widths, 24" and 30" depths, and 29" height.

Rectangular worksurfaces up to 60" wide shall include two triangular worksurface grommets and covers. located in the back corners of each worksurface. 66" and 72" wide worksurfaces shall have an optional third triangular worksurface grommet and cover located near the back center of the desk. Grommets shall be molded from polycarbonate and available in colors or translucent. Worksurfaces that are 60". 66". and 72" wide shall have an integrated steel reinforcement to allow adequate support for load bearing. All worksurfaces shall have pre-drilled holes for attachment to the desk frame.

Two leg supports shall support the worksurface and be formed of 16-gauge steel, overall dimensions shall be 6.00 x 6.00 x 27.25, with 16-gauge internal reinforcements resistance welded for additional strength. The leg assemblies shall be attached to the underside of the worksurface from above by use of threaded inserts. A steel leg cover on inside of desk shall be standard and removable without tools. A glide shall be attached to the bottom of the leg for up to 1" of adjustability. Two 3.25" x 2.25" grommets and covers molded from polycarbonate shall be standard on the top of each leg side.

The modesty panel beam shall be formed of 18-gauge steel, overall dimensions are 3.00 x 9.00 x length determined by size of worksurface. The modesty panel beam shall be attached to leg supports and the underside of the worksurface, will provide support for the worksurface and allow electrical and data cable to be run along the width of the desk. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and modesty panel beam and snap into place for easier assembly.

An optional lower modesty panel shall be formed of 18-gauge steel, overall dimensions are 1.00 x 18.00 x length determined by size of worksurface. The lower modesty panel shall be attached to the leg supports and provide full enclosure of the desk back from floor to the modesty panel beam.

Two end panels shall support the worksurface and be formed of 18-gauge steel with an 18-gauge steel reinforcement resistance welded for

strength. The end panel shall have a honeycomb core for additional strength and noise reduction Overall dimensions shall be 1.25 x 27.00 x depth determined by worksurface size or configuration. Standard depths shall be 9" for transitional depth, 18" for 24" worksurfaces and 24" for 30 worksurfaces. End panel assembly shall be attached to the underside of the worksurface and leg assembly. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and end panel and snap into place for easier assembly. A glide shall be attached to the bottom of the end panel for up to 1" of adjustability.

All steel desk components shall be powder-coated or otherwise finished.

#### Rectangular Reduction Worksurface

Rectangular reduction worksurfaces shall have the same basic construction as the rectangular worksurfaces. Worksurfaces shall have two curving arcs along the front edge that transition from a depth of 30" on one end and 24" on the opposite end.

#### Row Front Worksurface

Bow front worksurfaces shall have the same basic construction as the rectangular worksurfaces. These worksurfaces shall have a depth of 30" or 36" with a radius edge that extends 6" from the desk support structure on the visitor side. Worksurfaces shall only be available in 60", 66", and 72" widths, without the center grommet and cover.

#### Corner Worksurface

Corner worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional leg support, modesty panel beam. and optional lower modesty panel. Depths of 24" and 30" and widths of 42" and 48" shall be standard. Worksurfaces shall have three grommets and covers, one per corner, located in the back corners of each worksurface as standard.

#### P-Shaped and Piano Shaped Worksurfaces

P-shaped and piano shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded front end of the worksurface and be constructed from 4" diameter 14-gauge steel, and he fitted with a glide for up to 1" of adjustability. The modesty panel shall be constructed from 18-gauge steel and extend 9" from the underside of the worksurface. Worksurfaces shall be available in 60", 66" and 72" denths and 48" widths

#### D-Shaped Worksurfaces

D-shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. Worksurfaces shall be available in 24" 30" or 36" widths and 48", 54", 60", 66" and 72" depths.

#### Round Add-On Worksurface

Round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 36" diam-

eter with a 24" flat and 42" diameter with a 30" flat. A round support leg shall support the worksurface and be constructed from 4" diameter 14-gauge steel, and be fitted with a glide for 1" of adjustability. Two steel splice plates and hardware shall be included to attach the round add on worksurface to a rectangular worksurface.

#### Half Round and Quarter Round Add-On Worksurfaces

Half round and quarter round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 48" diameter and 60" diameter. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Four steel splice plates and hardware shall be included to attach the half round add on worksurface to two back to back rectangular worksurfaces. Four steel splice plates and hardware shall be included to attach the quarter round add on worksurface to two rectangular worksurfaces that are perpendicular to each other.

#### Transaction Worksurface

Transaction worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. Worksurfaces shall attach via two support stanchions to rectangular worksurfaces and three support stanchions to corner worksurfaces. The worksurfaces shall be available in 16" depth with a 4" overhang in overall sizes that match the base rectangular and corner workstations. Worksurfaces shall be available in 31" wheelchair accessible height or 42" stand-up

#### Backpack Wire Trough Component Kit

Backpack wire trough components shall allow for lay-in wiring along the back of workstation. The kit shall consist of a pair of trough mounting brackets attached to the leg supports and constructed from 16-gauge steel, three 1.25" x .92" wire troughs constructed from 18-gauge steel that span the width of a desk, and a cover constructed from 18-gauge steel capable of being opened without the use of any tools. Applicable end trim, corner, and splice components shall also be available for the cover.

#### Flectrical

Power shall be supplied through a UL listed 10wire system available in two different configurations that are not interchangeable: 6 hot wires, 2 neutral wires, and 2 ground wires or 4 hot wires, 4 neutral wires, and 2 ground wires. The system shall have a rated capacity of 120 VAC@ 20 amps.

A rigid one-piece wireway shall be attached to the inside of the modesty panel beam by two 16-gauge steel brackets and hardware and be covered by an 18-gauge steel cover. The wireway design shall allow for easy connection of the wireway of one desk to another through the use of a jumper. All desks 30" and wider shall be ready to accept electrical components.

The receptacles for the system shall be snap fit into the wireways and be rated for 15 amps.

The electrical system shall allow for a method of passing power from one powered desk through

the modesty panel beam of a non-powered desk and connected to the wireway of a third desk This power pass through shall attach with snap fit

The electrical system shall allow power to infeed from the top of the desk through the triangular grommet in the worksurface. The top infeed kit shall include 12' of flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other, a 7' or 10' extruded aluminum power pole and cover, and ceiling trim. The interior of the power pole shall be divided into two cavities for power and communication cable management.

The electrical system shall allow for power to infeed from the base of the desk through the lower leg grommet or leg cover. The base infeed kit shall include 6' of plastic covered flexible conduit that transitions into flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other. A relocatable power tap (RPT) shall provide above worksurface power to the support stanchions from an installed 10-wire electrical system or use of the building outlets. Two RPT's, each containing two 15 amp outlets, shall be mountable per stanchion. Cord lengths shall be available in 36" or 96".

A steel bracket shall be available to attach to the underside of the modesty panel beam near the worksurface. It shall have a 1.38" x 2.70" opening to accept several different manufacturers data faceplates and the RPT

#### **Pedestal Storage**

Pedestal storage for True® shall be provided by KI's 700 Series, 700 Series Curve, and U-Series® Pedestals. 3 pedestals shall be available in 2 depths, 17-5/8" that may be used with any depth worksurface, 21-5/8" for maximum storage under a 30" worksurface. Multiple drawer combinations shall be available.

The 12" file drawer sizes shall have full extension slide arm suspensions for full access to storage space. The 3" pencil drawers and 6" box drawers. shall have 3/4" extension, steel ball-bearing

Locks shall be included in each pedestal. Specific keying combinations shall be available. See Key

#### **Center Drawer**

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary.

#### **Privacy Screens**

Privacy screens shall be available to provide

sit down or stand up privacy within the True® workstation Screens shall be 3/4" or 1" thick 18-1/4". 21" or 38" high and available in 24". 30" 36", 42", 48", 54", 60", 66" and 72" widths to fit all worksurfaces. The 66" and 72" widths shall consist of a pair of screens (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications. The screens shall include mounting brackets for attachment to either the overhead supports, the underside of the worksurface, the top of the worksurface, or with a combination of attachment to an overhead support and a worksurface top.

Two privacy screen construction methods shall be available: two 1/2" industrial insulation boards. covered with fabric and glued together or an exposed, powder-coated aluminum frame. The exposed frame construction shall allow for different core materials to be inserted.

#### Overhead Support Stanchions

The overhead support stanchions shall be formed of 16-gauge steel, with overall dimensions of 6.00" x 6.00" x 19.50". A reinforcement plate constructed of 16-gauge steel shall be welded in place to provide additional strength and have 4 cutouts to accommodate either commercially available data plates or two RPT's. Support stanchions shall be designed to hinge open to allow access to the inside of the overhead support stanchions A flexible rubber trim piece shall allow power or data cables to be run from the worksurface into the overhead support stanchions with the covers closed.

#### Overhead Storage

Overhead storage shall consist of the Balance® overhead and Universal overhead and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions. 24", 30", 36", 42", 48", 54", 60", 66" and 72" sizes shall be available, 66" and 72" overheads shall incorporate a single shelf with two doors

Shelf dividers shall be power-coated steel with installation and removal accomplished without the use of tools or fasteners

Universal overheads and shelves shall be 17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric. laminate, or veneer, with a polypropylene extrusion handle. Locks shall be randomly assigned or keyed per customer requests.

The end panels shall be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel. The front edge of the shelf shall be a polypropylene extrusion that also provides space for a concealed flush mount task light.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid polypropylene with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center

lock mechanism shall be utilized between the upper and lower doors for security.

The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case

#### Task Lights

Task lights shall be offered in one standard level of efficiency and cost. The standard light shall have a magnetic high power ballast with rapid start, cool white T-8 fluorescent lamp. Task lights shall attach to the underside of the shelf on overhead cahinets

#### Paper Management System

The paper management system shall address the storage and movement of files, binders, and documents. Components shall be available with integrated hooks for attachment to the work bar.

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

True® desking shall meet or exceed the required ANSI/BIFMA X5.5-2008 desk systems test.

#### Quality

All True® desking components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities.

#### UL Listed

True® desks shall be listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate True® desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

### True® Desking






• 30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels

• 700 Series Freestanding Pedestal - Box/Box/File

Model No. Price TR3060/P-74P-S-NCG \$1882 S7P/1524FBBF \$1029 \$2911 **Total Price** 




• 30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels

24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

• 700 Series Freestanding Pedestal - Box/Box/File

Model No. TR3060/F-74P-S-NCG Price \$2287 TR2448/F-74P-L \$1982 S7P/1524FBBF \$1029 Total Price \$5298




• 30" x 60" x 48" x 30" Square Shoe Desk with Full/Full Modesty Panel, 74P Edge, Right Transitional End Panel

• 30" x 48" x 66" Piano Shaped Desk with Full Modesty Panel and Guest Modesty Panel, 74P Edge, Both Transitional End Panels

• 700 Series Freestanding Pedestal - Box/Box/File

Model No.	<b>Price</b>
TS30604830/F/FS-74P-R-NCG	\$3375
TI304866/F/G-74P-B	\$3152
S7P/1524FBBF	\$1029
Total Price	\$7556



30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels
 24" x 42" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel
 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered


• 42"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

• 700 Series Freestanding Pedestal - Box/Box/File

• 700 Series Freestanding Pedestal - Box/Box/File

Madal Na	Dulas
Model No.	Price
TR3060/F-74P-S-NCG	\$2287
TR2442/F-74P-L	\$1899
TBW2030	\$320
TBW2042	\$466
TBW2066	\$715
S7P/1524FBBF	\$1029
S7P/1520FBBF	\$975
Total Price	\$7691



 30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Shelf

• 24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge. Left Transitional End Panel

• 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

• 48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered

 60"W Universal Overhead Regular Shelf Mounted on Stanchions

• 700 Series Freestanding Pedestal - Box/Box/File

• 700 Series Freestanding Pedestal - File/File

Model No.	Price
TR3060/P-74P-S-NCG	\$1882
TR2448/F-74P-L	\$1982
TBW2030	\$320
TBW2048	\$531
TBS60/U	\$628
URSR60/TR	\$898
S7P/1524FBBF	\$1029
S7P/1520FFF	\$8928
Total Price	\$8198



• 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet · 72"W x 19"H Privacy Screen, Mounted Between


Stanchions, Upholstered • 72"W Balance Solid Color Overhead Cabinet

Mounted on Stanchions

• 700 Series Freestanding Pedestal - Box/Box/File

• 700 Series Freestanding Pedestal - File/File

Price
\$2506
\$772
\$3174
\$1029
\$975
\$8456




30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet

• 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered • 72"W Balance Solid Color Overhead Cabinet

Mounted on Stanchions • 700 Series Freestanding Pedestal - Box/Box/File

Model No.	Price
TR3072/F-74P-S-YCG	\$2506
TR2460/F-74P-L	\$2157
TBS72/U	\$772
BLCS72D/TR	\$3174
S7P/1524FBBF	\$1029
Total Price	\$9638




24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel
 24" x 48" x 72" x 24" Square Shoe Desk with Full

Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel

• 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered

 60"W Balance Solid Color Overhead Cabinet Mounted on Stanchions • 700 Series Freestanding Pedestal - Box/Box/File

**Price** \$2157 \$3334 \$628 \$2024 Model No. TR2460/F-74P-R TS24487224/F/FS-74P-L-NCG BLCS60/TR S7P/1520FBBF \$975 \$9118 **Total Price** 



• 24" x 60" Rectangular Desk with Full Modesty Panel,

74P Edge, Right Transitional End Panel
• 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel

• 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered

 48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 72"W x 20"H Privacy Screen, Mounted Behind

the Worksurface, Upholstered

• 60"W Balance Solid Color Overhead Cabinet

Mounted on Stanchions 72"W Universal Overhead Regular Shelf

Mounted on Stanchions

• 700 Series Freestanding Pedestal - Box/Box/File

**Price** \$2157 \$3334 Model No. TR2460/F-74P-R TS24487224/F/FS-74P-L-NCG \$628 \$531 \$787 \$2024 TBS60/U TBW2048 TBW2072 BLCS60/TR \$1368 \$975 URSR72/TR S7P/1520FBBF \$11804 **Total Price** 

## True® Desking Product Color Options



True® Desking
Product Color Options

Desks or Worksurfaces - Grommet Color: Tri	m/Crommot/	Warm Grey	EWG	Light Tone	LG	Monticello Maple	LMT	Blue Grey	GR	Cocoa on Maple	MCA
Extrusion Color	m/Grommet/	Warm Grey Windsor Mahogany	EWY	Mardi Gras	MG	Nickel Evolv	LNV	Clear	CL	Kensington Maple on Maple	MMA
Black	TBL	Zesty Lime	EZL	Misty Brown	MY	North Sea	LNA	Cool Grey	CG	Mahogany Veneer	RMH
Blue Grey	TGR	Zesty Line	LZL	Nemo	NE	Ocean	LON	Light Tone	LG	Monticello Maple on Maple	MMT
Cool Grey	TCG	Desks or Worksurfaces - Edge Color for KN Edge		Nordic	ND	Pearl Bisque	LPB	Misty Brown	MY	Oak Veneer	ROK
Light Tone	TLG	Belair	EBQ	Purple Haze	PH	Pearl Silver	LPS	Sand	SA	River Cherry on Beech	BRY
Misty Brown	TMY	Biltmore Cherry	EBT	Rubber Ducky	RK	Pressed Linen	LPR	Warm Grey	WG	River Cherry on Maple	MRY
Sand	TSA	Black	EBL	Sand	SA	River Cherry	LRY	warm droy	wa	River Cherry on Oak	ORY
Warm Grey	TWG	Blue Grey	EGR	Starlight Silver Metallic	SX	Rugged Linen	LRG			Walnut Veneer	RWA
wann droy	IWG	Brighton Walnut	EBW	Surf's Up	SP	Satin Stainless	LSS	Paper Management items PPFH, PPLL, PPDS, PPVS, PPTC, PPAT and PPPC are the only items offered a Clear (CL) access		Walliat Velleel	IIIVA
Desks or Worksurfaces - Grommet Color; Fra	ame Grom-	Castle Oak	ECO	Twilight Shadow	TI	Shadow Zephyr	LSR	color option.	SSULY	Lock Color	
met Color		Cayenne	ECY	Ultra Blue	UB	Silicon evolv	LSV	•		Black	BLL
Black grommet	BBL	Cherry Storm	ECX	Warm Grey	WG	Sterling Ash	LAZ	Components/Overhead Storage/Accessories/ Electr		Satin Chrome	SCL
Blue Grey grommet	BGR	Cocobala	ECC	*		-		Screens - Stanchion Door Color; Grommet Color; Tr	rim		
Cool Grey grommet	BCG	Cool Grey	ECG	Zesty Lime	ZL	Tailored Linen	LTL	Color			
Light Tone grommet	BLG	Earthen Clay	EEY	Desks/Worksurfaces/Components/Overhead Sto	orage/Ac-	Titanium evolv	LTV	Black trim extrusion	TBL		
Misty Brown grommet	BMY	Everglade Shade	EEV	cessories/ Electrical/Screens - Wood Finish - Co		White Nebula	LWL	Blue Grey trim extrusion	TGR		
Sand grommet	BSA	Flannel	EFN	Cherry Storm on Maple	MCX	White Sand	LWN	Cool Grey	TCG		
Warm Grey grommet	BWG	Friston Ash	EFH	Cinnamon on Maple	MCN	Windsor Mahogany	LWY	Light Tone trim extrusion	TLG		
		Frosty White	EFW	Cocoa on Maple	MCA	Components/Overhead Storage/Accessories/ Electr	rical/	Misty Brown	TMY		
Desks or Worksurfaces - Edge Color for 74P	•	Hazy Jade	EHJ	Florence Walnut on Maple	MFC	Screens - Paint Color: Cabinet Paint Color: Shelf Pa		Sand trim extrusion	TSA		
Belair	EBQ	Honey Bee	EHY	Kensington Maple on Maple	MMA	Color		Warm Grey trim extrusion	TWG		
Biltmore Cherry	EBT	Kensington Maple	EKM	Monticello Maple on Maple	MMT	Black	BL	0	17		
Black	EBL	Light Tone	ELG	River Cherry on Maple	MRY	Blue Grey	GR	Components/Overhead Storage/Accessories/ Electr Screens - Door Handle Trim Color	icai/		
Blue Grey	EGR		EMG	Tilver offerty off Maple	WIITT	Bronze Metallic	ZM		LIDI		
Brighton Walnut	EBW	Mardi Gras		Desks/Worksurfaces/Components/Overhead Sto	orage/	Cayenne	CY	Black	HBL		
Castle Oak	ECO	Misty Brown	EMY	Accessories/ Electrical/Screens - Laminate Colo	or	Champagne Metallic	CM	Blue Grey	HGR		
Cayenne	ECY	Monticello Maple	EMT	Belair	LBQ	Cool Grey	CG	Cool Grey	HCG		
Cherry Storm	ECX	Nemo	ENE	Biltmore Cherry	LBT	Cottonwood	CO	Light Tone	HLG		
Cocobala	ECC	Nordic	END	Black	LBK	Earthen Clay	EY	Misty Brown	HMY		
Cool Grey	ECG	Poppy Red	EPR	Brighton Walnut	LBW	, and the second	EX	Sand	HSA		
Earthen Clay	EEY	Purple Haze	EPH	Canyon Zephyr	LCA	Espresso Metallic		Warm Grey	HWG		
Everglade Shade	EEV	River Cherry	ERY	Castle Oak	LC0	Everglade Shade	EV	Components/Organisad Stavers/Assessarias/Floats	inal/		
Flannel	EFN	Rubber Ducky	ERK	Casual Linen	LCU	Flannel	FN	Components/Overhead Storage/Accessories/ Electr Screens - Upper Door Solid Color	icai/		
Florence Walnut	EFC	Sand	ESA	Cherry Storm	LCX	Glitz Metallic	GZ	Black	UBL		
Friston Ash	EFH	Sky Blue	ESK	Classic Linen	LCI	Hazy Jade	HJ				
Frosty White	EFW	Sterling Ash	EAZ	Cloud Zephyr	LCL	Honey Bee	HY	Blue Grey	UGR		
Hazy Jade	EHJ	Surf's Up	ESP	Cocobala	LCC	Light Tone	LG	Cool Grey	UCG		
	EHY	Twilight Shadow	ETI	Crisp Linen	LRI	Mardi Gras	MG	Light Tone	ULG		
Honey Bee		Ultra Blue	EUB	Desert Zephyr		Misty Brown	MY	Misty Brown	UMY		
Italian Silver Ash	EIT	Warm Grey	EWG		LDZ	Nemo	NE	Sand	USA		
Kensington Maple	EKM	Windsor Mahogany	EWY	Dove Grey	LDG	Nordic	ND	Translucent	UTR		
Light Tone	ELG	Zesty Lime	EZL	Fired Steel	LIL	Purple Haze	PH	Warm Grey	UWG		
Mardi Gras	EMG	•		Flax Linen	LXF	Rubber Ducky	RK	Components/Overhead Storage/Accessories/ Electr	ical/		
Misty Brown	EMY	Desks or Worksurfaces - Desk Color		Florence Walnut	LFC	Sand	SA	Screens - Balance® Laminate Door Edge Color	ivai/		
Monticello Maple	EMT	Black	BL	Forged Steel	LOL	Starlight Silver Metallic	SX	Black laminate door edge	EBL		
Multiplex	EMB	Blue Grey	GR	Friston Ash	LFH	Surf's Up	SP	Blue Grey laminate door edge	EGR		
Nemo	ENE	Bronze Metallic	ZM	Frosty White	LFW	Twilight Shadow	TI	,			
Nordic	END	Cayenne	CY	Graphite Nebula	LGN	Ultra Blue	UB	Cool Grey laminate door edge	ECG		
Poppy Red	EPR	Champagne Metallic	CM	Grey	LGE	Warm Grey	WG	Light Tone laminate door edge	ELG		
Purple Haze	EPH	Cool Grey	CG	High Rise	LHE	Zesty Lime	ZL	Misty Brown laminate door edge	EMY		
River Cherry	ERY	Cottonwood	CO	Hollyberry	LHY	Looty Linio		Sand laminate door edge	ESA		
Rubber Ducky	ERK	Earthen Clay	EY	Irish Linen	LIH	Components/Overhead Storage/Accessories/ Electr	rical/	Warm Grey laminate door edge	EWG		
Sand	ESA	Espresso Metallic	EX	Island	LID	Screens - Privacy Screen Insert Finish		Components/Overhead Storage/Universal Overhead	·I		
Sky Blue	ESK	Everglade Shade	EV	Italian Silver Ash	LIT	Clear Wavey Acrylic	CAW	Veneer Color			
Sterling Ash	EAZ	Flannel	FN	Kensington Maple	LKM	Frosted Acrylic	FAI	Castle Oak	MCO		
Surf's Up	ESP	Glitz Metallic	GZ	Lapis Blue	LLB			Cherry Storm on Maple	MCX		
Twilight Shadow	ETI			Markerboard White	LMK	Components/Overhead Storage/Accessories/ Electr	rical/				
Ultra Blue	EUB	Hazy Jade	HJ	Misted Zephyr	LMR	Screens - Accessory Color		Cherry Veneer	RCY MCN		
		Honey Bee	HY			Black	RL	Cinnamon on Maple	IVIUIV		

## True® Desking System Rectangular Desk



### True® Desking System Rectangular Desk

			MODEL N	NUMBER													
	MODEL	D v W	Basic	Edge		enter		Surface	Edge	Frame Grom.	Desk	Pac		74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer
	MODEL	D x W	Model			_				Color	Color		eight	(74P)	(KN)	(348)	(VN)
	Rectangular Desk with Full Modesty	24 x 24"												\$ 1660	\$ 1802	\$ 2057	\$ 2203
	<ul><li>Panel</li><li>Consists of top, two legs, modesty</li></ul>		TR2430/F										84.0#	1681	1827	2091	2241
	panel, filler panel (full modesty panel),	24 x 36"											93.0#	1730	1874	2145	2294
	two end panels (optional transitional		TR2442/F										100.0#	1824	1982	2259	2417
Dath transitional	size), ganging plates, and all required	24 x 48"				CG [							108.0#	1907	2063	2349	2514
) Both transitional	<ul><li>assembly hardware</li><li>Each leg has two cable access grommet</li></ul>	24 x 54"											115.0#	1984	2146	2438	2607
	locations	24 x 60"	TR2460/F			CG [						1:	128.0#	2082	2250	2550	2723
	Top has two cable access grommets	24 x 66"	TR2466/F									1;	136.0#	2179	2353	2664	2847
	above the legs (66" and 72" wide have	24 x 72"	TR2472/F									14	144.0#	2305	2486	2814	3002
	optional third middle grommet used for	30 x 24"	TR3024/F			CG [							89.0#	1702	1851	2116	2267
Left transitional	mounting stanchions and not intended for routing cables)	30 x 30"	TR3030/F			CG [							97.0#	1729	1874	2146	2295
nt transitional	Top grommets allow for attachment	30 x 36"	TR3036/F			CG [						10	107.0#	1783	1937	2217	2372
	of overhead storage units or privacy	30 x 42"	TR3042/F									1	116.0#	1865	2025	2313	2475
	screens	30 x 48"	TR3048/F			CG [						1:	125.0#	1966	2126	2422	2588
	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>	30 x 54"	TR3054/F									1;	133.0#	2041	2207	2512	2685
	section)	30 x 60"	TR3060/F										142.0#	2141	2314	2627	2805
Ţ	<ul> <li>Pricing is for two transitional end</li> </ul>	30 x 66"											152.0#	2217	2395	2717	2899
Right transitional	panels, see "HOW TO BUILD A MODEL		TR3072/F										160.0#	2360	2545	2883	3077
	NUMBER" below for more options • NOTE: Rectangular worksurfaces				_  -												22.1
	specified with a knife (KN) edge cannot																
	be ganged at 90 degree angles.																
7																	
full end panels																	
			A	$oldsymbol{oldsymbol{B}}$	$oldsymbol{\Theta}$	0	<b>(3</b>	<b>(3</b> )	<b>G</b>	0	0						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. KN is not recommended in L-Shaped config-

- 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select end panel.

- Two transitional end panels - Left transitional end panel; add \$75 - Right transitional end panel; add \$75 - Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

ESelect leg and surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

**G**Select edge color. Refer to the **Product Color Options** page in this

selections.

Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering Additional laminates beyond KI standard offering,

are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



### True® Desking System Rectangular Desk

			MODEL	NUMBER							6					
											Į					
						Surface		Fr	ame	Approx				3/8" Wood		
			Basic	Edge End Style Panel	Center	Grom.	Surface	Edge Gi	om. De	Packago	ed	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
	MODEL		Model			Color			olor Co	Weight		(74P)	(KN)	(34S)	(VN)	
	Rectangular Desk with Partial Modesty		TR2424/P		NCG					52.0		\$ 1436	\$ 1575	\$ 1834	\$ 1983	
	Panel		TR2430/P		NCG					78.0		1458	1608	1867	2017	
	<ul> <li>Consists of top, two legs, modesty pan- el, two end panels (optional transitional</li> </ul>	24 × 00	TR2436/P		NCG					85.0		1487	1635	1905	2056	
Ш	size), ganging plates, and all required		TR2442/P		NCG					91.0		1557	1707	1990	2149	
U ,	assembly hardware		TR2448/P		NCG					97.0		1582	1740	2025	2187	
(B) Both transitional	Each leg has two upper cable access  grammet leastings.	24 x 54"	TR2454/P		NCG					103.0	)#	1630	1794	2088	2252	
_	<ul><li>grommet locations</li><li>Top has two cable access grommets</li></ul>	24 x 60"	TR2460/P		NCG					114.0	)#	1678	1848	2149	2320	
	above the legs (66" and 72" wide have	24 x 66"	TR2466/P							120.0	)#	1746	1920	2234	2413	
	optional third middle grommet used for	24 x 72"	TR2472/P							127.0	)#	1822	2002	2333	2521	
	mounting stanchions and not intended for routing cables)	30 x 24"	TR3024/P		NCG					84.0	)#	1482	1627	1895	2044	
	Top grommets allow for attachment of	30 x 30"	TR3030/P		NCG					91.0	)#	1500	1651	1921	2075	
(L) Left transitional	overhead storage units	30 x 36"	TR3036/P		NCG					99.0	)#	1542	1695	1975	2132	
_	Modesty panel allows for optional	30 x 42"	TR3042/P		NCG					107.0	)#	1594	1757	2043	2207	
	10-wire electrical system (see Electrical section)	30 x 48"	TR3048/P		NCG					114.0	)#	1638	1807	2099	2266	
	Pricing is for two transitional end	30 x 54"	TR3054/P		NCG					121.0	)#	1689	1855	2158	2332	
	panels, see "HOW TO BUILD A MODEL	30 x 60"	TR3060/P		NCG					128.0	)#	1736	1910	2223	2400	
	NUMBER" below for more options	30 x 66"	TR3066/P							136.0	)#	1783	1961	2286	2468	
(R) Right transitional	<ul> <li>NOTE: Rectangular worksurfaces specified with a knife (KN) edge cannot</li> </ul>	30 x 72"	TR3072/P							143.0	)#	1877	2063	2401	2596	
	be ganged at 90 degree angles.															
(S) Two full end panels																
TRUE																

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

**(3**)

Θ

0

**(3**)

**(3**)

O

0

0

A Select basic model.

urations.

**B**Select edge style. KN is not recommended in L-Shaped config-

- 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

C Select end panel.

00.001 00	
В	- Two transitional end panels
L	<ul> <li>Left transitional end panel; add</li> </ul>
\$75	
R \$75	- Right transitional end panel; add
<b>R</b> \$75	- Right transitional end panel; ad

- Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet NCG - No center grommet

YCG - Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color.
Refer to the **Product Color Options** page in this

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

**G**Select edge color.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code


KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- Alpha-numeric characters in place of  $\square$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

10-wire electrical system (see Electrical "Guest" side of desk has a 6" deep bowed overhang worksurface edge Pedestals ordered with Bow Front Desks are required to be undersized from the

desk's depth by 12"

BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk. KN is not recommended in L-Shaped configurations.

A

**(3**)

Θ

0

**(3**)

**(3**)

G

0 0

**74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select end panel. - Two full end panels only

Price included in desk price. • Select desk center grommet option. NCG - No center grommet

ESelect surface grommet color. Refer to the Product Color Options page in this

Select surface finish.

Refer to the **Product Color Options** page in this price list.

> Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

**G**Select edge color. Refer to the **Product Color Options** page in this nrice list

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### True® Desking System Bow Front Desk

SPECIAL SERVICES **Special Carton Marking** 


Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

With specially marked information N/C





		MODEL NUMBE	ER											
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Center Grom.	Surface Grom. Color	Surface Finish	Edge	Frame Grom. Color	Desk	Approx. Packaged 74P Edge Weight (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
	24 x 42 x 42 x 24"	TC24424224/FF		NCG						142.0# \$ 2336	\$ 2518	\$ 2842	\$ 3023	
TRUE	24 x 48 x 48 x 24"	TC24484824/FF		NCG						156.0# 2619	2816	3170	3370	
Corner Desk with Full Modesty Panel/	30 x 48 x 48 x 30"	TC30484830/FF		 NCG						171.0# 2665	2872	3237	3440	
Full Modesty Panel														
See images below														
<ul> <li>Consists of top, three legs, two modesty panels, two filler panels</li> </ul>														
(full modesty panel), two end panels														
(optional transitional size), ganging plates, and all required assembly														
hardware														
<ul> <li>Each leg has two cable access grommet locations</li> </ul>														
<ul> <li>Top has three cable access grommet</li> </ul>	S													
above the legs														
<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>														
<ul> <li>Modesty panel allows for optional 10</li> </ul>	-													
wire electrical system (see Electrical section)														
Pricing is for two transitional end														

#### **HOW TO ORDER**

Indicate the following information on order form:

panels, see "HOW TO BUILD A MOD-EL NUMBER" below for more options

- 1. Quantity of each item. 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75 Right transitional end panel; add \$75 - Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

 Select surface grommet color. Refer to the **Product Color Options** page in this

Δ

**(3**)

0

0

**(3**)

**(3**)

Œ

0

Select surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

**G**Select edge color.

price list.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in

this price list.

#### FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitiona



(S) Two full end panels

### SPECIAL SERVICES

**Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.


• Top has three cable access grommets

 Top grommets allow for attachment of overhead storage units
 Modesty panel allows for optional 10wire electrical system (see Electrical section)
 Pricing is for two transitional end panels, see "HOW TO BUILD A MOD-EL NUMBER" below for more options

above the legs

Corner Desk





MODEL NUMBER 3/8" Wood Surface Frame Approx. Packaged 74P Edge Knife Edge Edge End Center Grom. Surface Edge Grom. Desk Band Edge Wood Edge Veneer D x W-LEFT x W-RIGHT x D Model Style Panel Grom. Color Finish Color Color Color Weight (74P) (KN) (34S) 24 x 42 x 42 x 24" TC24424224/FP NCG 133.0# \$ 2067 \$ 2248 \$ 2573 \$ 2758 24 x 48 x 48 x 24" TC24484824/FP NCG 146.0# 2490 3051 2292 2847 Corner Desk with Full Modesty Panel/  $30 \times 48 \times 48 \times 30$ " TC30484830/FP NCG 161.0# 2344 2545 2906 3117 Partial Modesty Panel · See images below Consists of top, three legs, two modesty panels, one filler panel (full modesty panel) two end panels (optional transitional size), ganging plates, and all required assembly hardware · Each leg has two cable access grommet locations

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number including
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of 
  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

**(3)** 

0

0

**(3**)

**G** 

**G** 

(i)

A Select basic model.

**B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

**©**Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel; add
\$75
R - Right transitional end panel; add
\$75
S - Two full end panels; add \$146

Select desk center grommet option.

NCG - No center grommet

Select surface grommet color.

Refer to the **Product Color Options** page in this

BER price list.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

**G**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

### Select desk color. Refer to the **Product Color Options** page in

this price list.

Additional Laminate Offering

FINISH INFORMATION

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.
Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



### True® Desking System

		MODEL NUMB	ER												
				-		Surface			Frame	<b>D</b> .	Approx. Packaged 74P E	<b>D F I</b>	W '' 51	3/8" Wood	
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End C Panel C	Center (Grom. (	Grom. Color	Surface Finish	Edge Color	Grom. Color	Desk Color	Packaged 74P t Weight (74P)	P Edge 4P)	Knife Edge (KN)	Band Edge (34S)	
	24 x 42 x 42 x 24"	TC24424224/PF			ICG [						133.0# \$ 2	2067	\$ 2248	\$ 2573	
TRUE	24 x 48 x 48 x 24"	TC24484824/PF			ICG [						146.0# 2	2292	2490	2847	
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PF			ICG [						161.0# 2	2344	2545	2906	
Panel/Full Modesty Panel															
<ul> <li>See images below</li> </ul>															
Consists of top, three legs, two															
modesty panels, one filler panel (fu modesty panel), two end panels															
(optional transitional size), ganging															
plates, and all required assembly															
hardware															
ach leg has two cable access gror	1-														
met locations Top has three cable access gromm	ets														
above the legs	7.0														
Top grommets allow for attachmen	t en														
of overhead storage units															
<ul> <li>Modesty panel allows for optional wire electrical system (see Electrical</li> </ul>															
section)															
<ul> <li>Pricing is for two transitional end</li> </ul>															
panels, see "HOW TO BUILD A MO															
EL NUMBER" below for more option	ns														
		A	<b>B</b>	Θ	0	<b>(3</b>	<b>(3</b> )	G	0	0					

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item. 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge

- Wood edge veneer

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75 Right transitional end panel; add \$75 - Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

 Select surface grommet color. Refer to the **Product Color Options** page in this

price list.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

**G**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION Select desk color. Refer to the **Product Color Options** page in

this price list.

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

OE1, freight prepaid. Freight class 70.

Shipping

Ships knocked down, FOB Pembroke, ON K8A



### True® Desking System

		MODEL NUME	BER											
						Surface			Frame		Approx.		3/8" Wood	***************************************
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style		Center Grom.	Grom. Color	Surface Finish	Edge Color	Grom. Color	Desk Color	Packaged 74P Edge Weight (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
	24 x 42 x 42 x 24"	TC24424224/PP			NCG						124.0# \$ 1802	\$ 1982	\$ 2305	\$ 2487
TRUE	24 x 48 x 48 x 24"	TC24484824/PP			NCG						135.0# 1970	2166	2522	2723
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PP			NCG						150.0# 2020	2222	2584	2787
Panel/Partial Modesty Panel														
See images below														
Consists of top, three legs, two mod														
esty panels, two end panels (optiona transitional size), ganging plates, an														
all required assembly hardware														
<ul> <li>Each leg has two cable access grom met locations</li> </ul>														
<ul> <li>Top has three cable access grommet</li> </ul>	S													
above the legs														
<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>														
<ul> <li>Modesty panel allows for optional 10</li> </ul>	) <b>-</b>													
wire electrical system (see Electrical														
section) • Pricing is for two transitional end														
panels, see "HOW TO BUILD A MOD														
EL NUMBER" below for more option	S													
		•	<b>B</b>	•	0	<b>(3</b>	•	<b>(</b>	0	0				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75 Right transitional end panel; add \$75 - Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

 Select surface grommet color. Refer to the **Product Color Options** page in this

Select surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

**G**Select edge color.

price list.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.





(L) Left transitional





(S) Two full end panels

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



True® Desking System
Square Shoe Desk

		MODEL NUMBER	3									(				
	D x W-LEFT x W-RIGHT x D	Basic Model			Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx Packag Weight	jed	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer
	24 x 48 x 60 x 24"	TS24486024/F/FS	Style	Panel	NCG	Color	FINISH	10101	_		Weight 177.0		(74P) \$ 3032	(KN) \$ 3265	(34S) \$ 3567	(VN) \$ 3678
TRUE	24 x 48 x 66 x 24"			-							186.0		3144	3381	3693	3812
	24 x 48 x 72 x 24"	TS24487224/F/FS									193.0		3259	3507	3827	3949
Square Shoe Desk with Full Modesty Panel/Full Modesty Panel	24 x 60 x 48 x 24"			_	NCG						193.0		3032	3265	3567	3678
•	24 x 60 x 46 x 24"	TS24664824/F/FS									186.0		3144	3381	3693	3812
See images below	24 x 72 x 48 x 24"	TS24724824/F/FS		-							186.0		3259	3507	3827	3949
<ul> <li>Consists of top, three legs, two modesty panels, two filler panels</li> </ul>	30 x 48 x 60 x 30"	TS30486030/F/FS			NCG						195.0		3300	3556	3895	4021
(full modesty panel), two end panels	30 x 48 x 66 x 30"	TS30486630/F/FS		-							205.0		3430	3691	4046	4172
(optional transitional size), ganging	30 x 48 x 72 x 30"	TS30487230/F/FS									203.0		3589	3868	4231	4369
plates, and all required assembly hardware	30 x 60 x 48 x 30"	TS30604830/F/FS			NCG						195.0		3300	3556	3895	4009
Each leg has two cable access grom-	30 x 60 x 40 x 30	TS30664830/F/FS									205.0		3430	3691	4046	4172
met locations	20 × 72 × 49 × 20"	TS30724830/F/FS		_							203.0		3589	3868	4231	4369
met locations  Top has three cable access grommet	S 30 x 72 x 46 x 30	1330724030/F/F3									211.0	J#	3309	3000	4231	4309
above the legs (66" and 72" wide have an optional fourth middle grom-																
met used for mounting stanchions																
and not intended for routing cables)																
<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>																
<ul> <li>Modesty panel allows for optional 10</li> </ul>	-															
wire electrical system (see Electrical																
section)																
<ul> <li>Pricing is for two transitional end panels, see "HOW TO BUILD A MOD-</li> </ul>																
EL NUMBER" below for more options																
·																
		A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	O	<b>3</b>	<b>(3</b> )	G	0	0						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side.

**74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75 - Right transitional end panel; add

\$75 - Two full end panels; add \$146 • Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

 Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

**G**Select edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.


#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



Approx.

Weight

163.0#

170.0#

176.0#

163.0#

170.0#

176.0#

181.0#

189.0#

194.0# 181.0#

189.0# 194.0#

Packaged 74P Edge

(74P)

\$ 2632

2713

2780

2632

2713

2780

2893

2996

3105

2893

2996

3105

True® Desking System

		MODEL NUMBER	ł							
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/PS								
Square Shoe Desk with Full Modesty	24 x 48 x 72 x 24"	TS24487224/F/PS								
Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/F/PS			NCG					
0	24 x 66 x 48 x 24"	TS24664824/F/PS								
<ul><li>See images below</li><li>Full modesty panel attached on short</li></ul>	24 x 72 x 48 x 24"	TS24724824/F/PS								
(48") side	30 x 48 x 60 x 30"	TS30486030/F/PS			NCG					
Consists of top, three legs, two	30 x 48 x 66 x 30"	TS30486630/F/PS								
modesty panels, one filler panel (full modesty panel), two end panels	30 x 48 x 72 x 30"	TS30487230/F/PS								
(optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/F/PS			NCG					
plates, and all required assembly	30 x 66 x 48 x 30"	TS30664830/F/PS								
hardware	30 x 72 x 48 x 30"	TS30724830/F/PS								
<ul> <li>Each leg has two cable access grommet locations</li> </ul>										
<ul> <li>Top has three cable access grommets</li> </ul>										
above the legs (66" and 72" wide										
have an optional fourth middle grom- met used for mounting stanchions										
and not intended for routing cables)										
<ul> <li>Top grommets allow for attachment</li> </ul>										
<ul> <li>of overhead storage units</li> <li>Modesty panel allows for optional 10-</li> </ul>										
wire electrical system (see Electrical										
section)										
Pricing is for two transitional end										
panels, see "HOW TO BUILD A MOD- EL NUMBER" below for more options										
LE MOMBERT BOIOW TOT MOTE OPHOTIS										
		A	<b>B</b>	0	O	<b>3</b>	<b>(3</b>	0	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side.

**74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75

- Right transitional end panel; add

\$75 - Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

 Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

GSelect edge color. Refer to the **Product Color Options** page in this

selections.

Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the Product Color Options page in this price list.


#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



3/8" Wood

Band Edge

(34S)

\$ 3165

3265

3346

3165

3265

3346

3490

3610

3751

3490

3610

3751

Wood Edge Veneer

\$ 3275

3379

3465

3275

3379

3465

3611

3742

3887

3611

3742

3887

Knife Edge

\$ 2862

2950

3023

2862

2950

3023

3154

3262

3391


3154

3262

3391

(KN)

(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.



True® Desking System
Square Shoe Desk

		MODEL NUMBER	?								6				
											Į				
					Surface			Frame		Approx.				3/8" Wood	
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge End Style Panel	Center Grom.	Grom. Color	Surface Finish			Desk Color	Package Weight		74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
	24 x 48 x 60 x 24"	TS24486024/P/FS		NCG			_			166.0		\$ 2707	\$ 2940	\$ 3243	\$ 3357
TRUE	24 x 48 x 66 x 24"	TS24486624/P/FS								175.0		2819	3058	3369	3489
Square Shoe Desk with Partial Modes-		TS24487224/P/FS								182.0		2938	3181	3505	3623
ty Panel/Full Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/FS		NCG						166.0		2707	2940	3243	3357
•	24 x 66 x 48 x 24"	TS24664824/P/FS								175.0		2819	3058	3369	3489
See images below	24 x 72 x 48 x 24"									182.0		2938	3181	3505	3623
• Full modesty panel attached on long (60", 66", or 72") side	30 x 48 x 60 x 30"	TS30486030/P/FS		NCG						184.0		2974	3232	3568	3691
• Consists of top, three legs, two	30 x 48 x 66 x 30"	TS30486630/P/FS								194.0		3102	3368	3722	3848
modesty panels, one filler panel (full	30 x 48 x 72 x 30"	TS30487230/P/FS								200.0		3265	3542	3907	4041
modesty panel), two end panels (optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/P/FS		NCG						184.0		2974	3232	3568	3691
plates, and all required assembly	30 x 66 x 48 x 30"	TS30664830/P/FS								194.0		3102	3368	3722	3848
hardware	30 x 72 x 48 x 30"	TS30724830/P/FS								200.0		3265	3542	3907	4041
Each leg has two cable access grom-	00 X 12 X 10 X 00	1000121000,1710										0200	00.12	0001	1611
met locations  Top has three cable access grommets															
above the legs (66" and 72" wide	)														
have an optional fourth middle grom-															
met used for mounting stanchions															
<ul><li>and not intended for routing cables)</li><li>Top grommets allow for attachment</li></ul>															
of overhead storage units															
Modesty panel allows for optional 10-															
wire electrical system (see Electrical section)															
Pricing is for two transitional end															
panels, see "HOW TO BUILD A MOD-															
EL NUMBER" below for more options															
		a	<b>3 9</b>	· O	•	G	G	0	0						
		•	0	_	•	•	_	•	•						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75

\$75

- Right transitional end panel; add

- Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

 Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

**G**Select edge color. Refer to the **Product Color Options** page in this

selections.

Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



Approx.

Weight

152.0#

159.0#

165.0#

152.0#

159.0#

165.0#

170.0#

178.0#

183.0# 170.0#

178.0# 183.0#

Packaged 74P Edge

(74P)

\$ 2306

2390

2456

2306

2390

2456

2572

2666

2783

2572

2666

2783



		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/P/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/PS								
Causes Chan Dook with Doutin Maden	24 x 48 x 72 x 24"	TS24487224/P/PS								
Square Shoe Desk with Partial Modes- ty Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/PS			NCG					
, ·	24 x 66 x 48 x 24"	TS24664824/P/PS								
- Con imported halour	24 x 72 x 48 x 24"	TS24724824/P/PS								
<ul><li>See images below</li><li>Consists of top, three legs, two mod-</li></ul>	30 x 48 x 60 x 30"	TS30486030/P/PS			NCG					
esty panels, two end panels (optional	30 x 48 x 66 x 30"	TS30486630/P/PS								
transitional size), ganging plates, and	30 x 48 x 72 x 30"	TS30487230/P/PS								
all required assembly hardware  • Each leg has two cable access grom-	30 x 60 x 48 x 30"	TS30604830/P/PS			NCG					
met locations	30 x 66 x 48 x 30"	TS30664830/P/PS								
Top has three cable access grommets above the legs (66" and 72" wide have an optional fourth middle grommet used for mounting stanchions and not intended for routing cables) Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-		TS30724830/P/PS								
wire electrical system (see Electrical section) • Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options										
		A	•	•	Ð	<b>(3</b>	•	<b>(</b>	0	0

#### **HOW TO ORDER**

Indicate the following information on order form: 1. Quantity of each item.

- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the desk on the user's side.

**74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75

- Right transitional end panel; add \$75

- Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

 Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

GSelect edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



3/8" Wood

Band Edge

(34S)

\$ 2839

2940

3021

2839

2940

3021

3166

3291

3430

3166

3291

3430

Wood Edge Veneer

\$ 2950

3056

3142

2950

3056

3142

3292

3416

3565

3292

3416

3565

Knife Edge

\$ 2540

2627

2702

2540

2627

2702

2827

2939

3064

2827

2939

3064

(KN)

(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



## True® Desking System Desking System Desking System

			MODEL NUI	MBER								
				Surface			rame	Approx.	Ť	3/8" Wood		
	MODEL	D x W	Basic Model	Edge Grom. Style Color	Surface Finish	Edge (Color (	Grom.   E Color   C	esk Packaged olor Weight	74P Edge (74P)	Band Edge (34S)	Wood Edge Ver (VN)	eer
	D-Shaped Desk with Full Modesty Panel/							92.0#	\$ 2241	\$ 2627	\$ 2809	
								98.0#	2290	2695	2877	
	<ul> <li>Consists of top, two legs, modesty pan-</li> </ul>		TD2460/F/G					104.0#	2339	2760	2945	
	el, filler panel (full modesty panel on 24", 30" or 36" side), two transitional size	24 x 66"	TD2466/F/G					110.0#	2393	2824	3016	
<b>4</b>	end panels, ganging plates, one round		TD2472/F/G					□□ 116.0#	2437	2892	3089	
TRUE	leg, one 9" tall steel guest modesty panel	30 x 48"	TD3048/F/G					103.0#	2426	2649	2836	
	along the long side, and all required assembly hardware	30 x 54"	TD3054/F/G					□ 110.0#	2475	2718	2903	
	Each leg has two cable access grommet	30 x 60"	TD3060/F/G					□ 117.0#	2526	2784	2974	
		30 x 66"	TD3066/F/G					□ 125.0#	2575	2849	3045	
	anove the corner lens		TD3072/F/G					□ 132.0#	2626	2918	3117	
	<ul> <li>Top grommets allow for attachment of</li> </ul>		TD3648/F/G					115.0#	2610	2677	2860	
			TD3654/F/G					123.0#	2661	2742	2932	
	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>	36 x 60"	TD3660/F/G					132.0#	2710	2813	3003	
	section)	36 x 66"	TD3666/F/G					140.0#	2761	2875	3070	
		36 x 72"	TD3672/F/G					149.0#	2813	2940	3138	
			A	<b>B G</b>	O	<b>(3</b>	<b>(3</b> )	<b>(</b>				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge - Wood edge veneer

Select surface grommet color. Refer to the **Product Color Options** page in this price list.

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

**G**Select desk color.

Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



## True® Desking System Desking System Desking System

			MODEL NU	MBER										
				Surf			Frame		Approx.		•	3/8" Wood	₩	
	MODEL	D x W	Basic Model	Edge Gro	n. Surface r Finish			Desk Color	Packaged Weight		'4P Edge	Band Edge	Wood Edge Veneer	
						_	COIOI	COIOI			74P)	(34S)	(VN)	
	D-Shaped Desk with Full Modesty Panel/								87.0#	4	3 2075	\$ 2462	\$ 2641	
	0		TD2454/F/A						92.0#		2109	2515	2698	
	<ul> <li>Consists of top, two legs, modesty pan- el, filler panel (full modesty panel on the</li> </ul>	217.00							97.0#		2147	2567	2752	
	24", 30" or 36" side), two transitional	24 x 66"	TD2466/F/A						102.0#		2185	2619	2812	
٦ ا	size end panels, ganging plates, one	24 x 72"	TD2472/F/A						107.0#		2220	2672	2872	
TRUE	round leg, and all required assembly	30 x 48"	TD3048/F/A						98.0#		2259	2486	2664	
	hardware	30 x 54"	TD3054/F/A						104.0#		2294	2541	2723	
	<ul> <li>Each leg has two cable access grommet locations</li> </ul>	30 x 60"	TD3060/F/A						110.0#		2333	2594	2781	
	<ul> <li>Top has two cable access grommets</li> </ul>	30 x 66"	TD3066/F/A						117.0#		2367	2643	2838	
	above the corner legs	30 x 72"	TD3072/F/A						123.0#		2406	2698	2893	
	<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>		TD3648/F/A						110.0#		2446	2512	2695	
	Modesty panel allows for optional	36 x 54"	TD3654/F/A						117.0#		2481	2562	2750	
		36 x 60"							125.0#		2518	2619	2812	
	section)	36 x 66"	TD3666/F/A						132.0#		2553	2665	2863	
		36 x 72"	TD3672/F/A						140.0#		2594	2719	2921	
			A	<b>3</b> (	0	<b>(3</b>	<b>(3</b> )	<b>(</b>						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge - Wood edge veneer

**C**Select surface grommet color. Refer to the **Product Color Options** page in this price list.

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

**G**Select desk color.

Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



## True® Desking System Desking System Desking System

			MODEL NUM	MBER							
			Basic	Surface Edge Grom.		ime om. Desk	Approx. Packaged	74P Edge	3/8" Wood Band Edge	Wood Edge Veneer	
	MODEL	D x W	Model	Style Color	Color Co		Weight	(74P)	(34S)	(VN)	
	D-Shaped Desk with Partial Modesty		TD2448/P/G				87.0#	\$ 2017	\$ 2401	\$ 2582	
	Panel/Partial Guest Modesty Panel	24 x 54"	TD2454/P/G				93.0#	2066	2470	2651	
	<ul> <li>Consists of top, two legs, modesty panel, two transitional size end panels,</li> </ul>	24 x 60"					99.0#	2116	2539	2721	
	ganging plates, one round leg, one 9" ta	24 x 66"	TD2466/P/G				105.0#	2166	2603	2789	
	steel guest modesty panel along the ion	lg 24 X / Z	ID24/2/P/G				111.0#	2215	2666	2869	
TRUE	side, and all required assembly hardwar	e 30 x 48"	TD3048/P/G				97.0#	2200	2427	2609	
	Each leg has two cable access grommet locations	t 30 x 54"	TD3054/P/G				104.0#	2251	2493	2682	
	Top has two cable access grommets	30 x 60"	TD3060/P/G				111.0#	2300	2561	2750	
	above the corner legs	30 x 66"	TD3066/P/G				119.0#	2353	2627	2819	
	Top grommets allow for attachment of	30 x 72"	TD3072/P/G				126.0#	2400	2695	2891	
	<ul><li>overhead storage units</li><li>Modesty panel allows for optional</li></ul>	36 x 48"	TD3648/P/G				107.0#	2390	2453	2638	
	10-wire electrical system (see Electrical	36 x 54"	TD3654/P/G				115.0#	2437	2521	2705	
	section)	36 x 60"	TD3660/P/G				124.0#	2487	2587	2780	
		36 x 66"	TD3666/P/G				132.0#	2540	2649	2847	
		36 x 72"	TD3672/P/G				141.0#	2587	2717	2918	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  74P 74P edge
  - 3/8" Wood band edge - Wood edge veneer
- Select surface grommet color. Refer to the **Product Color Options** page in this price list.
- DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**a a a** 

Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

**G**Select desk color.

0

0

Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES

**Special Carton Marking** With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



## True® Desking System Desking System Desking System

			MODEL NUI	VIBER										
					Surface		F	rame		Approx.	<b>V</b>	3/8" W	ood	
	MODEL	D x W	Basic Model						Desk Color	Packaged Weight	74P Edge (74P)	Band E (34S)	dge Wood Edge (VN)	Veneer
				-		-	COIOI				. ,	. ,		
	D-Shaped Desk w/Partial Modesty Panel/	24 X 48"	TD2448/P/A							82.0#	\$ 1852	\$ 223		
	No Partial Guest Modesty Panel		TD2454/P/A							87.0#	1887	229		
	<ul> <li>Consists of top, two legs, modesty panel, two transitional size end panels,</li> </ul>	24 x 60"	TD2460/P/A							92.0#	1922	234	10 2529	
	ganging plates, one round leg, and all	24 x 66"	TD2466/P/A							97.0#	1960	239	2585	
7	required assembly hardware	24 x 72"	TD2472/P/A							102.0#	1993	245	52 2647	
TRUE	Each leg has two cable access grommet	30 x 48"	TD3048/P/A							92.0#	2039	226	52 2441	
	locations	30 x 54"	TD3054/P/A							98.0#	2072	231	17 2499	
	<ul> <li>Top has two cable access grommets above the corner legs</li> </ul>	30 x 60"	TD3060/P/A							104.0#	2108	236	2558	
	<ul> <li>Top grommets allow for attachment of</li> </ul>	30 x 66"	TD3066/P/A							111.0#	2146	241	19 2613	
	overhead storage units	30 x 72"	TD3072/P/A							117.0#	2182	247	74 2670	
	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>	36 x 48"	TD3648/P/A							102.0#	2222	228	38 2470	
	section)	36 x 54"	TD3654/P/A							109.0#	2257	233	39 2527	
	,	36 x 60"	TD3660/P/A							117.0#	2292	239	97 2585	
		36 x 66"	TD3666/P/A							124.0#	2332	244	46 2641	
		36 x 72"	TD3672/P/A							132.0#	2367	249	95 2698	
			A	<b>B</b>	•	0	<b>(3</b>	<b>(3</b>	<b>(</b>					

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  74P 74P edge
  - 3/8" Wood band edge - Wood edge veneer
- Select surface grommet color. Refer to the **Product Color Options** page in this
- DSelect surface finish.

price list.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

**G**Select desk color.

Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

## True® Desking System P-Shaped Desk



Approx.

Weight

155.0#

162.0#

168.0#

172.0#

179.0#

155.0#

162.0#

168.0#

172.0#

179.0#

Packaged 74P Edge

(74P)

\$ 3100

3167

3254

3301

3379

3100

3167

3254

3301

3379

## True® Desking System P-Shaped Desk

3/8" Wood

Band Edge

\$ 3823

3904

4018

4077

4176

3823

3904

4018

4077

4176

(34S)

Wood Edge Veneer

\$ 4089

4176

4294

4360

4464 4089

4176

4294

4360

4464

Knife Edge

\$ 3358

3433

3527

3578

3667

3358

3433

3527

3578

3667

				MODEL NUMB	ER						
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
(B) Both transitional (Right)  (B) Both transitional (Left)  (Left)  (Right)  P-Shaped Desk top view	P-Shaped Desk with Full Modesty Panel/ Partial Guest Modesty Panel  Consists of top, two legs, modesty panel, filler panel (full modesty panel on the 48" side), two transitional size end panels, ganging plates, one round leg, one 9" tall steel guest modesty panel along the long side, and all required assembly hardware  Each leg has two cable access grommet locations  Top has two cable access grommets above the corner legs  Top grommets allow for attachment of overhead storage units  Modesty panel allows for optional 10-wire electrical system (see Electrical section)  P-end is 18" radius	Right Right Right Right Left Left Left Left	24 x 48 x 60" 24 x 48 x 66" 24 x 48 x 72" 30 x 48 x 72" 24 x 48 x 60" 24 x 48 x 60" 24 x 48 x 60" 24 x 48 x 72" 30 x 48 x 72" 30 x 48 x 72"	TP244860/F/G TP244866/F/G TP244872/F/G TP304866/F/G TP304872/F/G TP604824/F/G TP664824/F/G TP724824/F/G TP724820/F/G							
TRUE				•	<b>B</b>	•	0	<b>(3</b>	<b>(3</b>	Ф	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels. - Both

DSelect surface grommet color.

Refer to the Product Color Options page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.



Approx.

Weight

149.0#

155.0#

160.0#

165.0#

171.0#

149.0#

155.0#

160.0#

165.0# 171.0#

Packaged 74P Edge

(74P)

\$ 2904

2959

3033

3095

3163

2904

2959

3033

3095

3163

## True® Desking System P-Shaped Desk

3/8" Wood

Band Edge

\$ 3632

3700

3797

3869

3957

3632

3700

3797

3869

3957

(34S)

Wood Edge Veneer

\$ 3895

3970

4072

4154

4247

3895

3970

4072

4154

4247

Knife Edge

\$ 3165

3222

3306

3369

3445

3165

3222

3306

3369

3445

				MODEL NUMB	ER						
							Surface			Frame	
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color
	P-Shaped Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TP244860/F/A							
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/A							
	<ul> <li>Consists of top, two legs, modesty panel, filler panel (full modesty panel on</li> </ul>	Right	24 x 48 x 72"	TP244872/F/A							
	the 48" side), two transitional size end	Right	30 x 48 x 66"	TP304866/F/A							
(B) Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/A							
(mgm)	and all required assembly hardware	Left	24 x 48 x 60"	TP604824/F/A							
	Each leg has two cable access grommet locations	Left	24 x 48 x 66"	TP664824/F/A							
1	Top has two cable access grommets	Left	24 x 48 x 72"	TP724824/F/A							
	above the corner legs	Left	30 x 48 x 66"	TP664830/F/A							
(B) Both transitional (Left)	<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>	Left	30 x 48 x 72"	TP724830/F/A							
(LUIL)	Modesty panel allows for optional										
<u> </u>	10-wire electrical system (see Electrical										
l D	section)										
	P-end is 18" radius										
(Left)											
_ <del></del> W—											
Ď											
<del></del>											
( )											
(Right)											
P-Shaped Desk top view											
1 Shahen Desk toh Alem											
TRUE											
				A	B	Θ	0	<b>(3</b>	<b>3</b>	(A)	0
				***	U	9	U	J	J	U	Ψ

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels. - Both

• Select surface grommet color. Refer to the Product Color Options page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**


### With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.



### True® Desking System P-Shaped Desk



161.0#

168.0#

2977

3056

3751

3851

3252

3342

4034

4139

#### MODEL P-Shaped Desk with Partial Modesty Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty ganging plates, one round leg, one 9" tall Right 30 x 48 x 66" (B) Both transitional steel guest modesty panel along the long Right $30 \times 48 \times 72$ " side, and all required assembly hardware Left 24 x 48 x 60" Each leg has two cable access grommet Left locations Top has two cable access grommets TP664830/P/G above the corner legs Left 30 x 48 x 66" (B) Both transitional overhead storage units · Modesty panel allows for optional 10-wire electrical system (see Electrical section) • P-end is 18" radius (Right) P-Shaped Desk top view TRUE Δ 0 0 0 **(3**) **(3**) **(**

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

**©**Select transition end panels.

• Select surface grommet color. Refer to the Product Color Options page in this price list.

Select surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### **SPECIAL SERVICES**

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

## True® Desking System P-Shaped Desk



Approx.

Weight

138.0#

144.0#

149.0#

154.0#

160.0#

138.0#

144.0#

149.0#

154.0# 160.0#

Packaged 74P Edge

(74P)

\$ 2580

2638

2710

2773

2838

2580

2638

2710

2773

2838

## True® Desking System P-Shaped Desk

3/8" Wood

Band Edge

(34S)

\$ 3304

3372

3474

3545

3633

3304

3372

3474

3545

3633

Wood Edge Veneer

\$ 3568

3644

3747

3827

3920

3568

3644

3747

3827

3920

Knife Edge

\$ 2839

2899

2981

3047

3122

2839

2899

2981

3047

3122

(KN)

				MODEL NUMB	ER						
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	P-Shaped Desk w/Partial Modesty Panel/	Right	24 x 48 x 60"	TP244860/P/A							
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/P/A							
	<ul> <li>Consists of top, two legs, modesty panel, two transitional size end panels,</li> </ul>	Right	24 x 48 x 72"	TP244872/P/A							
(D) Dath tarasitional	ganging plates, one round leg, and all	Right	30 x 48 x 66"	TP304866/P/A							
(B) Both transitional (Right)	required assembly hardware  • Each leg has two cable access grommet	Right	30 x 48 x 72"	TP304872/P/A							
	locations	Left	24 x 48 x 60"	TP604824/P/A							
	Top has two cable access grommets	Left	24 x 48 x 66"	TP664824/P/A							
	<ul><li>above the corner legs</li><li>Top grommets allow for attachment of</li></ul>	Left Left	24 x 48 x 72" 30 x 48 x 66"	TP724824/P/A TP664830/P/A							
(B) Both transitional	overhead storage units	Left	30 x 48 x 72"	TP724830/P/A							
(Left)	Modesty panel allows for optional	Leit	30 X 40 X 72	11 / 24030/1 /A							
W	10-wire electrical system (see Electrical section)										
j     j	P-end is 18" radius										
(Left)											
W											
ρ											
(Right)											
P-Shaped Desk top view											
TRUE											
mor				0	3	•	0	<b>(3</b>	•	О	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels. - Both

• Select surface grommet color. Refer to the Product Color Options page in this price list.

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C


#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Piano Desk



### True® Desking System



#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of 
  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

B Select edge style.
Knife edge (KN) adds 2" to the depth of the

 KN
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

Select transition end panels.

**B** - Bo

OSelect surface grommet color.

Refer to the **Product Color Options** page in this

Select surface finish.

Refer to the **Product Color Options** page in this

price list.
Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Produc** 

Refer to the **Product Color Options** page in this price list

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.

Contact customer service for details.

### SPECIAL SERVICES


### Special Carton Marking With specially marked information N/C

#### Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.



### True® Desking System Piano Desk



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk o	n the user's side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

Select transition end panels.

- Both

• Select surface grommet color. Refer to the Product Color Options page in this price list.

Select surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.
- Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### **SPECIAL SERVICES**

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.



Approx.

Weight

154.0#

162.0#

169.0#

172.0#

179.0#

154.0#

162.0#

169.0#

172.0#

179.0#

Packaged 74P Edge

(74P)

\$ 2580

2698

2781

2824

2899

2580

2698

2781

2824

2899

### True® Desking System

3/8" Wood

Band Edge

\$ 3249

3398

3499

3556

3649

3249

3398

3499

3556

3649

(34S)

Wood Edge Veneer

\$ 3494

3653

3759

3825

3925

3494

3653

3759

3825

3925

Knife Edge

\$ 2819

2947

3036

3086

3169

2819

2947


3036

3086

3169

(KN)

ue	DESKII	ıy	Syster
		_	Piano De



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on	the user's side.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	<ul> <li>Wood edge veneer</li> </ul>	

Select transition end panels.

- Both

OSelect surface grommet color. Refer to the Product Color Options page in this

Select surface finish.

Refer to the Product Color Options page in this Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge

(KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

**G**Select frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### **SPECIAL SERVICES Special Carton Marking**

### With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.



### True® Desking System Piano Desk

				MODEL NUM	IBER												
							Surface			Frame		Approx.				3/8" Wood	
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Grom. Color	Surface Finish	Edge Color	Grom. Color	Desk Color	Packaged Weight	74P E( (74P)		Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/A								147.0#	\$ 23	390	\$ 2627	\$ 3056	\$ 3301
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/P/A								154.0#	24	490	2741	3193	3445
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TI244872/P/A								161.0#	25	561	2818	3278	3541
(D) Dath transitional	panel, two transitional size end panels, ganging plates, one round leg, and all	Right	30 x 48 x 66"	TI304866/P/A								164.0#	26	619	2879	3352	3615
<b>(B)</b> Both transitional (Right)	required assembly hardware	Right	30 x 48 x 72"	TI304872/P/A								171.0#	26	682	2948	3433	3705
(9)	<ul> <li>Each leg has two cable access grommet</li> </ul>	Left	24 x 48 x 60"	TI604824/P/A								147.0#	23	390	2627	3056	3301
	locations	Left	24 x 48 x 66"	TI664824/P/A								154.0#	24	490	2741	3193	3445
	<ul> <li>Top has two cable access grommets above the corner legs</li> </ul>	Left	24 x 48 x 72"	TI724824/P/A								161.0#	25	561	2818	3278	3541
(D) Dath transitional	Top grommets allow for attachment of	Left	30 x 48 x 66"	TI664830/P/A								164.0#	26	619	2879	3352	3615
<b>(B)</b> Both transitional (Left)	overhead storage units	Left		TI724830/P/A								171.0#		682	2948	3433	3705
, ,	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>																
- W-1	section)																
	Piano end is 30" wide (15"radius)																
(Left)																	
W																	
Ď																	
(Right)																	
Piano Desk top view																	
Tidilo Dook top flow																	
TRUE																	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. **74P** - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select transition end panels.

- Select surface grommet color. Refer to the **Product Color Options** page in this price list.
- Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from

laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

GSelect frame grommet color.

Refer to the **Product Color Options** page in this price list.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

## True® Desking System Transitional Desk



### True® Desking System Transitional Desk

												<b>Y</b>					
			MODEL NUI	WBER			T	T					(				
	MODEL	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight	ed 7	4P Edge 74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
	model				_				_	_		108.0#	,	1914	\$ 2080		\$ 2544
	Transitional Desk with Full Modesty Pane	24 x 42 x 30"	TTR244230/F			NCG									•	\$ 2375	
TRUE	See images below	24 x 48 x 30"	TTR244830/F			NCG						116.0#		2016	2186	2488	2662
	Desk reduces size from 30" on one end	24 x 54 x 30"	TTR245430/F			NCG						124.0#	)#	2091	2266	2578	2758
	to 24" on opposite end	24 x 60 x 30"	TTR246030/F			NCG						137.0#	#	2196	2372	2698	2879
	<ul> <li>Consists of top, two legs, modesty</li> </ul>	24 x 66 x 30"	TTR246630/F									146.0#	#	2274	2459	2786	2979
	panel, filler panel (full modesty panel),	24 x 72 x 30"	TTR247230/F									154.0#	)#	2417	2610	2959	3161
	two end panels (optional transitional	30 x 42 x 24"	TTR304224/F			NCG						108.0#	)#	1914	2080	2375	2544
	size), ganging plates, and all required assembly hardware.	30 x 48 x 24"	TTR304824/F			NCG						116.0#	)#	2016	2186	2488	2662
	<ul> <li>Each leg has two cable access grommet</li> </ul>	30 x 54 x 24"	TTR305424/F			NCG						124.0#	)#	2091	2266	2578	2758
	locations	30 x 60 x 24"	TTR306024/F			NCG						137.0#	)#	2196	2372	2698	2879
	<ul> <li>Top has two cable access grommets above the legs (66" and 72" wide have</li> </ul>	30 x 66 x 24"	TTR306624/F									146.0#	)#	2274	2459	2786	2979
	an optional third middle grommet used	30 x 72 x 24"	TTR307224/F									154.0#	)#	2417	2610	2959	3161
	for mounting stanchions and not intend-	-															
	ed for routing cables)																
	<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>																
	Modesty panel allows for optional																
	10-wire electrical system (see Electrical																
	section)																
			A	B	0	•		<b>a</b>	О	•	0						
			A	O	G	U	G	G	G	Ψ	U						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

urations.

**B**Select edge style. KN is not recommended in L-Shaped config-

- 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- Two transitional end panels - Left transitional end panel; add \$75 - Right transitional end panel; add

\$75

- Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

**G**Select edge color. Refer to the **Product Color Options** page in this

selections.

Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitiona



Specifications and prices are subject to change without prior notice.

OE1, freight prepaid. Freight class 70.

With specially marked information N/C

Ships knocked down, FOB Pembroke, ON K8A

SPECIAL SERVICES

Shipping

**Special Carton Marking** 

## True® Desking System Transitional Desk



### True® Desking System

											▼					
		MODEL NUN	/IBER										$\nearrow$			
MODEL	D x W x D	Basic Model	Edge Style		Center	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight	74P Edge (74P)	Knife (KN)	Edge	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
Transitional Desk with Partial Modesty	24 x 42 x 30"	TTR244230/P			NCG			_			99.0#	\$ 1642	\$ 1	812	\$ 2107	\$ 2279
•	24 x 48 x 30"				NCG						105.0#	1691		862	2164	2336
<ul> <li>See images below</li> </ul>	24 x 54 x 30"				NCG						112.0#	1740	1	913	2226	2406
<ul> <li>Desk reduces size from 30" on one end to 24" on opposite end</li> </ul>	24 x 60 x 30"	TTR246030/P			NCG						123.0#	1790	1	971	2292	2477
• Consists of top, two legs, modesty pan-	24 x 66 x 30"										130.0#	1841	2	2025	2357	2545
el, two end panels (optional transitional	24 x 72 x 30"										137.0#	1936		129	2478	2680
size), ganging plates, and all required	30 x 42 x 24"	TTR304224/P			NCG						99.0#	1642	1	812	2107	2279
assembly hardware.  • Each leg has two cable access grommet	30 x 48 x 24"	TTR304824/P			NCG						105.0#	1691	1	862	2164	2336
locations	30 x 54 x 24"	TTR305424/P			NCG						112.0#	1740	1	913	2226	2406
Top has two cable access grommets	30 x 60 x 24"				NCG						123.0#	1790	1	971	2292	2477
above the legs (66" and 72" wide have an optional third middle grommet used	30 x 66 x 24"	TTR306624/P									130.0#	1841	2	2025	2357	2545
for mounting stanchions and not intend-	30 x 72 x 24"	TTR307224/P									137.0#	1936	2	129	2478	2680
ed for routing cables)																
<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>																
Modesty panel allows for optional																
10-wire electrical system (see Electrical																
section)																
		A	B	e	ெ	a	a	e	(h)	•						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. KN is not recommended in L-Shaped config-

- 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select t	ransition end paneis.
В	<ul> <li>Two transitional end panels</li> </ul>
L	<ul> <li>Left transitional end panel; add</li> </ul>
\$75	
R	- Right transitional end panel; add

- Two full end panels; add \$146

• Select desk center grommet option. NCG - No center grommet

- Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

Select surface grommet color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

**G**Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select frame grommet color. Refer to the **Product Color Options** page in this price list.

Select desk color. Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.



(B) Both transitional



(L) Left transitional



(R) Right transitiona



SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A **0E1**, freight prepaid. Freight class 70.

## True® Desking System Add-On Worksurfaces



True® Desking System
Add-On Worksurfaces

								•				
			MODEL	NUMBER								
	MODEL	DIA x W	Basic Model	Edge Surface Style Finish	e Edge Color	Desk Color	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
		36 x 24" 42 x 30"	TAR24 TAR30				45.0# 56.0#	\$ 1354 1590	N/A N/A	\$ 1735 2039	\$ 1873 2198	
TRUE	flat edge Half Round Add-On Worksurface	48 x 24"	THR4824				46.0#	\$ 721	\$ 791	\$ 924	\$ 1002	
	Consists of top, 24" or 30" radius, leg, ganging plates for attaching to existing desks, and all required assembly hard- ware	60 x 30"	THR6030				64.0#	848	930	1084	1168	
TRUE	Knife edge (KN) on curve with 74P on flat edge											
	Quarter Round Add-On Worksurface • Consists of top, 24" or 30" radius, leg, ganging plates for attaching to existing desks, and all required assembly hardware	24" 30"	TQR24 TQR30				29.0# 38.0#	\$ 468 550	\$ 517 608	\$ 597 706	\$ 651 762	
TRUE	Knife edge (KN) on curve with 74P on flat edges											

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style. Knife edge (KN) adds 2" to the depth of the

worksurface.
74P - 74P edge - Knife edge - 3/8" Wood band edge - Wood edge veneer

Select surface finish.

Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

• Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

**A B C** 

0 3

Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Transaction Worksurfaces



## True® Desking System Transaction Worksurfaces

		MOD	EL NUME	BER								
		Dania	Edua	Tuine Confees	Edaa	Dools	Approx.	74D Edga	Vaita Edua	3/8" Wood	Mood Edge Venegr	
	MODEL W	Basic Model	Edge Style	Trim Surface	Edge Color	Desk Color	Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
		TSS24					25.0#	\$ 620	\$ 682	\$ 795	\$ 857	
	Straight 30'						29.0#	637	703	821	882	
	<ul> <li>Consists of top, two stanchions, steel 36'</li> </ul>						33.0#	656	721	838	904	
	privacy panel, and all required assembly hardware 42'						38.0#	663	732	850	917	
*	Top of transaction surface is approxi- 48'	TSS48	3 000				42.0#	699	763	890	961	
RUE	mately 42" from floor 54'						46.0#	705	776	900	971	
	<ul> <li>Space below transaction surface is 11- 1/2"</li> </ul>						50.0#	714	785	912	985	
	Worksurface is 16" deep and overhangs 66'	TSS66	3 000				54.0#	733	804	942	1014	
		TSS72	2 000				59.0#	763	842	976	1054	
	Can mount transaction surface task     """											
	lights underneath the surface ("TLT5" models)											
	Knife edge (KN) will have the knife edge											
	only on the user side, the approach side											
	will just have the standard 74P edge just											
	like the approach side of the primary desk surface											
_	Low Height Transaction Counter Straight 24'	TLS24	1 000				18.0#	\$ 745	\$ 837	\$ 1014	\$ 895	
	Consists of top, two stanchions, steel  30'						22.0#	759	862	1068	842	
	privacy panel, and all required assembly hardware	TLS36	6 000				25.0#	781	898	1131	897	
J	<ul> <li>Top of transaction surface is approxi-</li> </ul>		2 000				29.0#	804	936	1290	946	
RUE	mately 34" from floor 48'	TLS48	3 000				33.0#	821	930	1295	993	
	• Space below transaction surface is 3-3/4"						36.0#	857	985	1350	1051	
	<ul> <li>Worksurface is 16" deep and overhangs</li> </ul>	TLS60					40.0#	866	1014	1353	1102	
	4" on quest side 66'	, TI S66	6 000				43.0#	902	1063	1483	1169	
	• Cannot mount task lights underneath the	TLS72					47.0#	927	1088	1484	1216	
	ow transaction surface Knife edge (KN) will have the knife edge											
	only on the user side, the approach side											
	will just have the standard 74P edge just											
	like the approach side of the primary											
	desk surface											

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

**B** 

0

0

**G** 

**G** 

A Select basic model.

BSelect edge style.
74P - 74P edge - Knife edge

- 3/8" Wood band edge - Wood edge veneer

Select trim/extrusion color. Refer to the **Product Color Options** page in this

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

## True® Desking System Transaction Worksurfaces



## True® Desking System Transaction Worksurfaces

			MODEL NUMBER	Арргох.			3/8" Wood		
	MODEL	W-LEFT x W-RIGHT	Basic   Edge   Trim   Surface   Edge   Desk   Model   Style   Color   Finish   Color   Color	Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
	Standard Height Transaction Counter	42 x 42"	THC4242	66.0#	\$ 1088	\$ 1199	\$ 1396	\$ 1504	
	Corner	48 x 48"	THC4848	74.0#	1148	1262	1467	1586	
	Consists of top, three stanchions, steel	48 x 60"	THC4860	83.0#	1190	1310	1524	1641	
	privacy panels, and all required assem- bly hardware	48 x 66"	THC4866	87.0#	1225	1349	1571	1694	
	Top of transaction surface is approxi-	48 x 72"	THC4872	91.0#	1285	1411	1641	1775	
TRUE	mately 42" from floor	60 x 48"	THC6048	83.0#	1190	1310	1524	1641	
	<ul> <li>Space below transaction surface is 11- 1/2"</li> </ul>	66 x 48"	THC6648	87.0#	1225	1349	1571	1694	
	Worksurface is 16" deep and overhangs	72 x 48"	THC7248	91.0#	1285	1411	1641	1775	
	4" on guest side								
	<ul> <li>Can mount transaction surface task lights underneath the surface ("TLT5"</li> </ul>								
	models)								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side will just have the standard 74P edge just								
	like the approach side of the primary								
	desk surface								
	<ul> <li>Low Height Transaction Counter Corner</li> <li>Consists of top, three stanchions, steel</li> </ul>		TLC4242	51.0#	\$ 1136	\$ 1190	\$ 1640	\$ 1959	
	privacy panels, and all required assem-	48 x 48"	TLC4848	59.0#	1175	1227	1760	2220	
	bly hardware	48 x 60"	TLC4860	66.0#	1243	1294	1907	2547	
TD.15	<ul> <li>Top of transaction surface is approximately 34" from floor</li> </ul>	48 x 66"	TLC4866	70.0#	1294	1344	2041	2714	
TRUE	Space below transaction surface is	48 x 72"	TLC4872	73.0#	1316	1368	2041	2866	
	3-3/4"	60 x 48"	TLC6048	66.0#	1243	1294	1907	2547	
	Worksurface is 16" deep and overhangs	66 x 48"	TLC6648	70.0#	1294	1344	2041	2714	
	<ul><li>4" on guest side</li><li>Cannot mount task lights underneath the</li></ul>	72 x 48"	TLC7248	73.0#	1316	1368	2041	2866	
	low transaction surface								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side will just have the standard 74P edge just								
	like the approach side of the primary								
	desk surface								

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
74P - 74P edge

- Knife edge - 3/8" Wood band edge - Wood edge veneer

Select trim/extrusion color. Refer to the **Product Color Options** page in this

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to the **Product Color Options** page in this price list.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES

**Special Carton Marking** 

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

With specially marked information N/C

# True® Desking System Components Privacy Screens - Exposed Frame



# True® Desking System Components Privacy Screens - Exposed Frame

								·
				MODEL NU	MBER			
				Dania		Daint Incort	Approx.	Delivered
	MODEL	Features		Basic Model	Dir.	Paint Insert Color Finish	Packaged Weight	Delivered Pricing
_	Single Desk Privacy Screen, stanchion/	Desk Width 24"		TWSE24/E			7.0#	•
K-C	end mount	Desk Width 30"					8.0#	
	Exposed frame (core is translucent,	Desk Width 36"		TWSE36/E			9.0#	
	frame painted)	Desk Width 42"					11.0#	
1	<ul><li>Available in 18" height only</li><li>Attached to the desk with one stanchion</li></ul>						12.0#	
TRSC	support and one single grommet mount	- Dock Width 54"	42		_		13.0#	
mou	ed bracket			TWSE60/E			14.0#	
	<ul> <li>Includes screen and all required mount-</li> </ul>						14.0#	
	ing hardware except stanchion							
		Desk Width 72"		TWSE72/E			17.0#	
	Single Desk Privacy Screen, end mount/ end mount	Desk Width 24"	24"	TWEE24/E			8.0#	
	Exposed frame (core is translucent,	Desk Width 30"		TWEE30/E			9.0#	
4	frame painted)	Desk Width 36"		TWEE36/E			10.0#	
	<ul> <li>Available in 18" height only</li> </ul>	Desk Width 42"		TWEE42/E			11.0#	
TRSC	Attached to the desk with two single			TWEE48/E			13.0#	
	grommet mounted brackets  Includes screen and all required mount-	Desk Width 54"		TWEE54/E			14.0#	
	ing hardware			TWEE60/E			15.0#	
	3	Desk Width 66"		TWEE66/E			17.0#	
		Desk Width 72"		TWEE72/E			18.0#	
	Single Desk Privacy Screen, between	Desk Width 24"		TBS24/E			5.0#	
[	stanchions	Desk Width 30"		TBS30/E			6.0#	
	<ul> <li>Exposed frame (core is translucent, frame painted)</li> </ul>	Desk Width 36"	24"	TBS36/E			7.0#	
	Available in 18" height only	Desk Width 42"	30"	TBS42/E			9.0#	464
	Attached between two stanchion sup-	Desk Width 48"	36"	TBS48/E			10.0#	529
*****	ports	Desk Width 54"	42"	TBS54/E			11.0#	608
	<ul> <li>Includes screen and all required mounting hardware except stanchion</li> </ul>	Desk Width 60"	48"	TBS60/E			13.0#	656
TRSC	CANNOT be used simultaneously with	Desk Width 66"	54"	TBS66/E			14.0#	728
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/E			15.0#	798
			_	A	ß	<b>9 0</b>		
				w	<b>U</b>	9 0		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select direction.

L - Left

R - Right

Select paint color.

Refer to the **Product Color Options** page in this

• Select insert finish.

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

# True® Desking System Components Privacy Screens - Exposed Frame



# True® Desking System Components Privacy Screens - Exposed Frame

						<u>*</u>	
			MODE	L NUMBER	l l		
			Dania	Daint	Appr	(.	
	MODEL	Features	W Basic W Model	Paint Color	Insert Pack Finish Weig	ped Delivered Pricing	
			18" TSE24/			)# \$ 290	
	Shared Privacy Screen, stanchion/end mount	Desk Width 30"				)# 322	
K	Exposed frame (core is translucent,						
	frame painted)	Desk Width 36"				D# 399	
	<ul> <li>Available in 18" height only</li> </ul>	Desk Width 42"					
-	Attached to the desk with one stanchion		42" TSE48/				
TRSC	support and one double grommet mounted bracket	Desk Width 54"					
	Includes screen and all required mount-	Desk Width 60"	54" TSE60/	E	1 <sub>4</sub>	0#	
	ing hardware except stanchion	Desk Width 66"	60" TSE66/	E		734	
		Desk Width 72"	66" TSE72/	E 🗆 🗆 🗆	17	0# 807	
	Shared Privacy Screen, end mount/end	Desk Width 24"	24" TEE24/	E 000		0# \$ 300	
	mount	Desk Width 30"	30" TEE30/	E 000		0# 336	
	<ul> <li>Exposed frame (core is translucent,</li> </ul>	Desk Width 36"	36" TEE36/	E DDD		D# 411	
	frame painted) • Available in 18" height only	Desk Width 42"	42" TEE42/			0# 485	
TRSC	Mounts to the desk with two double	Desk Width 48"					
	grommet mounted brackets	Desk Width 54"					
	<ul> <li>Includes screen and all required mount-</li> </ul>		60" TEE60/				
	ing hardware		66" TEE66/				
		Desk Width 72"					
		DOSK WIULII / Z	12 15512/			021	
			A	$oldsymbol{eta}$	$oldsymbol{\Theta}$		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color.

Refer to the **Product Color Options** page in this price list.

©Select insert finish.

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

# True® Desking System Components Privacy Screens - Upholstered



# True® Desking System Components Privacy Screens - Upholstered

MODEL NUMBER													
	MODEL	Features	W Mo		Paint Dir. Colo	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18" TW	SE24/U			7.0#	\$ 282	\$ 290	\$ 301	\$ 319	\$ 334	
	<ul> <li>end mount</li> <li>Upholstered (upholstered frame) fully tackable</li> <li>Available in 18" height only</li> <li>Attached to the desk with one stanchion</li> </ul>	Desk Width 30"	24" TW	SE30/U			8.0#	312	322	341	360	375	
		Desk Width 36"	30" TW	SE36/U			9.0#	383	398	417	438	459	
		Desk Width 42"	36" TW	SE42/U			11.0#	459	474	495	527	547	
		Desk Width 48"	42" TW	SE48/U			12.0#	524	545	562	595	622	
TRSC	support and one single grommet mount	t- Desk Width 54"	48" TW	SE54/U			13.0#	590	615	640	674	706	
	<ul><li>ed bracket</li><li>72" consists of two screens ganged</li></ul>	Desk Width 60"	54" TW	SE60/U			15.0#	640	663	691	733	762	
	together	Desk Width 66"	60" TW	SE66/U			16.0#	707	734	763	810	845	
	<ul> <li>Includes screen and all required mount- ing hardware except stanchion</li> </ul>	Desk Width 72"	66" TW	SE72/U			18.0#	780	807	842	889	925	
TRSC	end mount  Upholstered (upholstered frame) fully tackable  Available in 18" height only  Attached to the desk with two single	Desk Width 24"	24" TW	EE24/U			7.0#	\$ 288	\$ 298	\$ 312	\$ 326	\$ 345	
		Desk Width 30"	30" TW	EE30/U			9.0#	320	334	348	370	383	
		Desk Width 36"	36" TW	EE36/U			10.0#	392	410	426	452	468	
		Desk Width 42"	42" TW	EE42/U			11.0#	466	485	502	534	556	
		Desk Width 48"	48" TW	EE48/U			13.0#	531	552	576	611	635	
	grommet mounted brackets  • 66" and 72" size consists of two screen	Desk Width 54"		EE54/U			14.0#	603	625	652	691	714	
	ganged together	Desk Width 60°	60" TW	EE60/U			16.0#	652	674	706	745	780	
	<ul> <li>Includes screen and all required mount-</li> </ul>			EE66/U			18.0#	715	745	780	823	855	
	ing hardware	Desk Width 72"	72" TW	EE72/U			19.0#	787	821	853	902	941	
				A	<b>B G</b>	<b>O</b>							

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect direction.

L - Left

R - Right

Select paint color. Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

# True® Desking System Components Privacy Screens - Upholstered



### True® Desking System Components Privacy Screens - Upholstered

				MODEL NU	MBER								
	MODEL	Features	W F	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Single Desk Privacy Screen, mounted	Desk Width 24"	20" 1	TBW2024			9.0#	\$ 288	\$ 298	\$ 312	\$ 326	\$ 345	
	behind worksurface	Desk Width 30"	20" 1	TBW2030			11.0#	320	334	348	370	383	
	Upholstered (upholstered frame) fully	Desk Width 36"	20" 1	TBW2036			12.0#	392	410	426	452	468	
**************************************	tackable  • Available in two heights: 20" matches	Desk Width 42"	20"	TBW2042			14.0#	466	485	502	534	556	
.4.	the height of the stanchion mounted	Desk Width 48"	20" 1	TBW2048			15.0#	531	552	576	611	635	
TRSC	screen; 38" matches the height of an	Desk Width 54"	20"	TBW2054			18.0#	603	625	652	691	714	
	<ul><li>overhead storage unit</li><li>Mounts behind the back edge of the</li></ul>	Desk Width 60"	20"	TBW2060			20.0#	652	674	706	745	780	
	worksurface on brackets that attach to	Desk Width 66"	20"	TBW2066			22.0#	715	745	780	823	855	
	the underside of the worksurface	Desk Width 72"	20" 1	TBW2072			24.0#	787	821	853	902	941	
	<ul> <li>Adds 1" to overall depth of work station</li> <li>66" and 72" size consists of two screens</li> </ul>		38"	TBW3824			17.0#	506	531	550	584	609	
	ganged together	Desk Width 30"	38"   1	TBW3830			20.0#	563	587	612	650	670	
	<ul> <li>Includes screen and all required mount-</li> </ul>	Desk Width 36"	38"	TBW3836			23.0#	694	723	749	796	827	
	ing hardware	Desk Width 42"	38"   1	TBW3842			25.0#	822	854	888	942	977	
		Desk Width 48"	38"	TBW3848			28.0#	936	971	1012	1074	1113	
		Desk Width 54"	38"   1	TBW3854			34.0#	1057	1101	1144	1210	1260	
		Desk Width 60"	38"	TBW3860			36.0#	1144	1189	1239	1311	1363	
		Desk Width 66"		TBW3866			42.0#	1260	1310	1363	1442	1500	
		Desk Width 72"	_	TBW3872			45.0#	1384	1441	1496	1586	1650	
	Single Desk Privacy Screen, between	Desk Width 24"					5.0#	\$ 268	\$ 283	\$ 293	\$ 308	\$ 320	
K	stanchions	Desk Width 30"		TBS30/U			6.0#	301	316	323	347	361	
	<ul> <li>Upholstered (upholstered frame) fully tackable</li> </ul>						8.0#	375	386	407	428	448	
	Available in 18" height only			TBS42/U			9.0#	448	464	483	509	532	
	<ul> <li>Attached between two stanchion sup-</li> </ul>	Desk Width 48"		TBS48/U			11.0#	505	529	548	583	604	
	<ul><li>ports</li><li>Includes screen and all required mount-</li></ul>	Desk Width 54"		TBS54/U			12.0#	584	608	628	666	699	
TRSC	ing hardware except stanchion	Desk Width 60"					13.0#	628	656	681	723	749	
	<ul> <li>CANNOT be used simultaneously with</li> </ul>			TBS66/U			15.0#	701	728	755	799	829	
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/U			16.0#	772	798	828	881	912	
				_	_	_							

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

A

ß

 $\Theta$ 

©Select fabric color. Refer to ki.com/fabrics

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Components Privacy Screens - Upholstered



### True® Desking System Components Privacy Screens - Upholstered

			MODEL NUN	IBER							
	MODEL	H x W-LEFT x W-RIGHT	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Single Desk Corner Privacy Screen,	20 x 42 x 42"	BWSC204242	_		28.0#	\$ 932	\$ 970	\$ 1010	\$ 1071	\$ 1110
	mounted behind worksurface	20 x 48 x 48"	BWSC204848			30.0#	1063	1106	1151	1217	1267
	Upholstered (upholstered frame) fully	20 x 48 x 60"	BWSC204860			35.0#	1180	1227	1278	1354	1408
100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tackable • Available in two heights: 20" matches	20 x 48 x 66"	BWSC204866			37.0#	1250	1295	1350	1434	1488
TRSC	the height of the stanchion mounted	20 x 48 x 72"	BWSC204872			39.0#	1319	1370	1427	1514	1572
	screen; 38" matches the height of an	20 x 60 x 48"	BWSC206048			35.0#	1180	1227	1278	1354	1408
	<ul><li>overhead storage unit</li><li>Mounts behind the back edge of the</li></ul>	20 x 66 x 48"	BWSC206648			37.0#	1250	1295	1350	1434	1488
	worksurface on brackets that attach to	20 x 72 x 48"	BWSC207248			39.0#	1319	1370	1427	1514	1572
	the underside of the worksurface	38 x 42 x 42"	BWSC384242			50.0#	1638	1704	1770	1879	1958
	<ul> <li>Adds 1" to overall depth of workstation</li> <li>66" and 72" size consists of two screens</li> </ul>	38 x 48 x 48"	BWSC384848			56.0#	1867	1944	2021	2145	2226
	ganged together	38 x 48 x 60"	BWSC384860			64.0#	2076	2159	2246	2382	2475
	<ul> <li>Includes screen and all required mount-</li> </ul>	38 x 48 x 66"	BWSC384866			70.0#	2196	2284	2369	2517	2615
	ing hardware	38 x 48 x 72"	BWSC384872			73.0#	2319	2412	2509	2659	2765
		38 x 60 x 48"	BWSC386048	_		64.0#	2076	2159	2246	2382	2475
		38 x 66 x 48"	BWSC386648			70.0#	2196	2284	2369	2517	2615
		38 x 72 x 48"	BWSC387248			73.0#	2319	2412	2509	2659	2765

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

**B** 

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

©Select fabric color. Refer to ki.com/fabrics

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Components Privacy Screens - Upholstered



### True® Desking System Components Privacy Screens - Upholstered

							▼					
				MODEL NU	MBER				Delivered Pricing	Delivered	Delivered	
				Basic P	aint Fabri	Approx. Packaged	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Fabric Grade 3 & Pallas Vertical Fabric Grade	Pricing Pallas Vertical Fabric Grade	Pricing Pallas Vertical Fabric Grade	
	MODEL	Features			olor Color	Weight	1 & C.O.M.	2	PV	PV1	PV2	
	Shared Privacy Screen, stanchion/end	Desk Width 24"	18" T	ΓSE24/U □		□ 6.0#	\$ 282	\$ 290	\$ 301	\$ 319	\$ 334	
	mount	Desk Width 30"	24" T	ΓSE30/U □		□ 7.0#	312	322	341	360	375	
	<ul> <li>Upholstered (upholstered frame) fully tackable</li> </ul>	Desk Width 36"		ΓSE36/U □			383	399	417	438	459	
	Available in 18" height only	Desk Width 42"		ΓSE42/U □			459	474	495	527	547	
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Attached to the desk with one stanchion	Desk Width 48"		ΓSE48/U □			524	545	562	595	622	
	support and one double grommet mounted bracket	Desk Width 54"					590	615	640	674	706	
TRSC	72" size consists of two screens ganged	Desk Width 60"		ΓSE60/U □			640	663	691	733	762	
	together	Desk Width 66"					707	734	763	810	845	
	<ul> <li>Includes screen and all required mount- ing hardware except stanchion</li> </ul>	Desk Width 72"	66" T	ΓSE72/U □		18.0#	780	807	842	889	925	
	ing natuwate except staticition											
_	Shared Privacy Screen, end mount/end	Desk Width 24"		ΓEE24/U □			\$ 288	\$ 298	\$ 312	\$ 326	\$ 345	
	<ul><li>mount</li><li>Upholstered (upholstered frame) fully</li></ul>	Desk Width 30"		ΓEE30/U □			320	334	348	370	383	
N	tackable	Desk Width 36"		ΓEE36/U □			392	410	426	452	468	
	<ul> <li>Available in 18" height only</li> </ul>	Desk Width 42"					466	485	502	534	556	
TRSC	Mounts to the desk with two double	Desk Width 48"		ΓEE48/U □			531	552	576	611	635	
	grommet mounted brackets  • 66" and 72" size consists of two screens	Desk Width 54"		ΓΕΕ54/U □			603	625	652	691	714	
	ganged together	Desk Minth on		ΓΕΕ60/U □			652	674	706	745	780	
	Includes screen and all required mount-	Desk Width 66"		TEE66/U			715	745	780	823	855	
	ing hardware	Desk Width 72"	72" T	ΓΕΕ72/U □		19.0#	787	821	853	902	941	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame paint color. Refer to the **Product Color Options** page in this

**A B C** 

©Select fabric color. Refer to ki.com/fabrics

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Components

stanchion mounted Privacy Screen

# True® Desking System Components Tool Rails

				MODEL NU	MBER			
	MODEL	Features	W	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing	
Jan Carlo						3.0#	\$ 164	
	<ul> <li>Accomodates paper management</li> </ul>	Desk width 30"	18"	TATR30/SS		3.0#	169	
	<ul><li>components</li><li>Mounts between stanchions</li></ul>	Desk width 36"	24"	TATR36/SS		3.0#	177	
	Field installable	Desk width 42"		TATR42/SS		4.0#	186	
The second secon	Painted aluminum construction	Desk width 48"	36"	TATR48/SS		5.0#	197	
and the state of t	<ul> <li>Consists of four slots to accept components</li> </ul>	Desk width 54"	42"	TATR54/SS		5.0#	226	
TRAC	Actual length is 12" shorter than work-	Desk width 60"	48"	TATR60/SS		6.0#	249	
	surface	Desk width 66"	54"	TATR66/SS		7.0#	262	
	Stanchions ordered with overhead or individually (TST19 and TST11)	Desk width 72"	60"	TATR72/SS		8.0#	276	
	<ul> <li>CANNOT be used simultaneously with</li> </ul>							

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A

**3** 

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

# True® Desking System Components Paper Management



# True® Desking System Components Paper Management

						•	
			MODEL	NUMBER			
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight	Delivered Pricing	
	Paper Tray	2 x 9-1/2 x 14"	PPLL		1.0#	\$ 52	_
	Plastic construction						
	<ul><li>Stores letter or legal size documents</li><li>Suspends from tool rail</li></ul>						
	Suitable for free-standing worksurface of	r					
···	overhead location						
HRDPT							
	Diagonal Storage	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	\$ 52	
	Plastic construction						
	<ul><li>Suspends only from tool rail</li><li>Suitable for free-standing worksurface o</li></ul>	r					
	overhead location	•					
	<ul> <li>Three slanted partitions per unit</li> </ul>						
	Dividers in black only						
HRDPT							
			A	B			
			•	•			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect accessory color. Refer to the **Product Color Options** page in this price list.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Components Paper Management



# True® Desking System Components Paper Management

				MODEL NUMBER				
		MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight	Delivered Pricing	
		Accessory Tray     Injection molded plastic     Stores stamps, tape dispenser, post-it	2 x 9 1/2 x 10"	PPAT		6.0#	<b>\$</b> 43	
		pads and paper clips • Suspends from tool rail						
HRD	PT							
-		Pencil Cup	4 x 4 x 3 1/2"	PPPC		0.3#	\$ 43	
		<ul><li>Injection molded plastic construction</li><li>Suspends from tool rail</li></ul>						
		Suspends from tool rail						
HRD	PT							
				Λ	ß			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect accessory color.

Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Components Balance® Overhead Storage



### True® Desking System Components Balance® Overhead Storage

		MODEL NU	JMBER					
	MODEL W	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Stanchion Door Color	Lock Lock Option Color	Approx. Packaged Weight	d Delivered Pricing
	Solid Color Upper Door 30	" BLCS30/TR					52.0#	\$ 1716
	Stanchions and mounting brackets included	" BLCS36/TR					58.0#	
	<ul> <li>The KI Balance® Overhead allows users 42°</li> </ul>						58.0#	
	the option to interchange from a True® 48						64.0#	
	Desk mount solution to a KI office panel 54' system						70.0#	
	Colored or translucent extruded door	" BLCS60/TR					78.0#	2024
V	Painted cabinet and lower door							
ВОН	<ul><li>Shelf dividers available separately</li><li>Cabinet is fully assembled</li></ul>							
	oublifet is fully assembled							
-	Solid Color Upper Door 66°	" BLCS66D/TF					92.0#	\$ 3184
$\sim$	• Stanchions and mounting brackets 72						116.0#	
	included	DL0372D/11	1				110.0#	3200
	The KI Balance® Overhead allows users the option to interchange from a True®							
	Desk mount solution to a KI office panel							
	system							
V	Colored or translucent extruded door     Painted cabinet and lower door							
ВОН	Shelf dividers available separately							
	Cabinet is fully assembled							
		A	<b>(3</b> )	(	O	<b>(3)</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- Select upper door solid color. Refer to the **Product Color Options** page in this
- Select stanchion door color. Refer to the **Product Color Options** page in this
- Select lock option. KS - Key standard
  NLC - No lock core - Key alike
- Select lock color. Refer to the **Product Color Options** page in this price list.

#### BLCS. BLCL. BLSF

2200, 2	LUL, DL	<u> </u>						
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

### True® Desking System Components Balance® Overhead Storage



### True® Desking System Components Balance® Overhead Storage

		MODEL N	IUMBER							
	MODEL W	Basic Model	Cabine Paint Color	t Upper Door Laminate	Stanchior Door Color	Laminate Door Edge Color	Lock Lock Option Color	Approx. Packaged Weight	Delivered Pricing	
^		" BLCL30/TR						52.0#	\$ 2037	
	Stanchions and mounting brackets included	" BLCL36/TR						52.0#	2111	
	The KI Balance® Overhead allows users  42							58.0#	2189	
	the option to interchange from a True® 48							64.0#	2292	
	Desk mount solution to a KI office panel system							64.0#	2479	
	Laminate covered upper door	" BLCL60/TR						78.0#	2518	
	Painted cabinet and lower door									
ВОН	<ul><li>Shelf dividers available separately</li><li>Cabinet is fully assembled</li></ul>									
	casmot is tany accompany									
	Laminate Upper Door 66	" BLCL66D/T	R 🗆					91.0#	\$ 3849	
	<ul> <li>Stanchions and mounting brackets included</li> </ul>	" BLCL72D/T	R 🗆 🗆					104.0#	4008	
	The KI Balance® Overhead allows users									
	the option to interchange from a True®  Desk mount solution to a KI office panel									
	system									
Ų	Laminate covered upper door									
ВОН	<ul><li>Painted cabinet and lower door</li><li>Shelf dividers available separately</li></ul>									
20	Cabinet is fully assembled									
		A	в	<b>G</b>	0	<b>(3</b>	<b>3 6</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- DSelect stanchion door color. Refer to the **Product Color Options** page in this price list.
- Select laminate door edge color.
  Refer to the **Product Color Options** page in this price list.

Select lock option.

KS - Key standard NLC - No lock core - Key alike

Select lock color.

Refer to the **Product Color Options** page in this

BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

### With specially marked information N/C

#### Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

# True® Desking System Components Balance® Overhead Storage



### True® Desking System Components Balance® Overhead Storage

		l N	MODEL NU	MBER											
	MODEL	Ва	asic 1odel	Cabinet Paint Color	Fabric	Stanchion Door Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Fabric Upper Door	30" BI	LCF30/TR						46.0#	\$ 1843	\$ 1858	\$ 1879	\$ 1911	\$ 1938	
	Stanchions and mounting brackets	36" BI	LCF36/TR						52.0#	1879	1892	1921	1952	1976	
	included • The KI Balance® Overhead allows users	40" D	LCF42/TR						58.0#	1920	1932	1963	1990	2022	
	the option to interchange from a True®	48" BI	LCF48/TR						64.0#	2010	2024	2052	2085	2115	
	Desk mount solution to a KI office panel	54" BI	LCF54/TR						70.0#	2148	2162	2198	2227	2263	
	<ul><li>system</li><li>Fabric covered upper door</li></ul>	60" BI	LCF60/TR						78.0#	2173	2187	2219	2257	2291	
Ų	Painted cabinet and lower door														
ВОН	<ul><li>Shelf dividers available separately</li><li>Cabinet is fully assembled</li></ul>														
ВОП	···· · · · · · · · · · · · · · · · · ·														
	Fabric Upper Door	66" BI	LCF66D/TR						91.0#	\$ 3425	\$ 3453	\$ 3506	\$ 3566	\$ 3817	
	<ul> <li>Stanchions and mounting brackets included</li> </ul>	72" BI	LCF72D/TR						104.0#	3505	3535	3588	3645	3697	
	The KI Balance® Overhead allows users														
	the option to interchange from a True®														
	Desk mount solution to a KI office panel system														
	Fabric covered upper door														
-	<ul> <li>Painted cabinet and lower door</li> </ul>														
ВОН	<ul><li>Shelf dividers available separately</li><li>Cabinet is fully assembled</li></ul>														

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

**3** 

 $\Theta$ 

0

**(3** 

**(3**)

- Select upper door fabric color. Refer to ki.com/fabrics
- Select stanchion door color. Refer to the Product Color Options page in this price list.

Select 10	ck option.	
KS	- Key standard	
NLC	- No lock core	
KA	- Kev alike	

Select lock color.

Refer to the **Product Color Options** page in this

### BLCS. BLCL. BLSF

DLUU, D	LUL, DL	OI .						
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



### True® Desking System Components Universal Overhead Storage

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- Select door handle trim color. Refer to the **Product Color Options** page in this
- Select stanchion door color. Refer to the **Product Color Options** page in this
  - Select lock option. KS - Key standard
    NLC - No lock core - Key alike
  - Select lock color. Refer to the **Product Color Options** page in this price list.

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

 Must order 66" and 72" worksurfaces with optional center grommet 66" overhead consists of 30" and 36" cabinets supported at juncture of cabinets by support stanchion • 72" overhead consist of two 36" cabinets supported at juncture of cabinets by

support stanchion Accepts shelf divider



### True® Desking System Components Universal Overhead Storage

	MODEL NUMBER														
	MODEL W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Fabric Color		Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
$\overline{}$		" PRDF24/T	R 🗆						32.0#	\$ 1168	\$ 1176	\$ 1194	\$ 1205	\$ 1217	
	Includes support stanchions     The KLUpiversel Overhead allows years	" PRDF30/T	R □□						36.0#	1205	1212	1230	1244	1260	
	• The KI Universal Overhead allows users the option to interchange from a True®	" PRDF36/T	R □□						40.0#	1243	1250	1265	1282	1297	
	Desk mount solution to a KI office panel 42	" PRDF42/T	R 🗆 🗆						44.0#	1267	1277	1295	1310	1329	
	system 48	" PRDF48/T	R □□						49.0#	1304	1311	1330	1343	1363	
Ų	• Steel end panels, bottom, top shelf, and door with powder-coated finish	" PRDF54/T	R □□						53.0#	1455	1467	1487	1507	1529	
VUOF	• Fabric-covered door 60								57.0#	1524	1532	1550	1575	1595	
	Double-bit lock is included with key alike 66	" PRDF66/T	R □□						61.0#	2185	2200	2231	2263	2291	
	option  • Door stores recessed with handle exposed	" PRDF72/T	R 🗆						65.0#	2246	2264	2292	2328	2358	
	• Shelf depth is 13-1/4"														

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

Select door handle trim color. Refer to the **Product Color Options** page in this

• Select stanchion door color. Refer to the **Product Color Options** page in this

Select fabric. Refer to ki.com/fabrics

Select lock option.

KS - Key standard NLC - No lock core

GSelect lock color.

price list.

 $\Theta$ 

**(3**)

**(3**)

**G** 

**B** 

**(A)** 

Refer to the **Product Color Options** page in this

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



### True® Desking System Components Universal Overhead Storage

		MODEL I	MODEL NUMBER										
			Cabinet		Stanchion				Approx.				
		Basic		Handle	Door	Laminate	Lock	Lock	Packaged	Delivered			
	MODEL W	Model	Paint Color	Color	Color	Color	Option	Color	Weight	Pricing			
$\overline{}$		PRDL24/TI	R 🗆						32.0#	\$ 1194			
	• Includes support stanchions 30"	PRDL30/TI	R 🗆						36.0#	1197			
	<ul> <li>The KI Universal Overhead allows users the option to interchange from a True<sup>®</sup></li> </ul>								40.0#	1249			
	Desk mount solution to a KI office panel 42"								44.0#	1297			
	system 48"								48.0#	1343			
IJ	• Steel end panels, bottom, top shelf, and 54"								53.0#	1478			
VUOL	door with powder-coated finish  • High-pressure laminate on particleboard  60"								57.0#	1546			
	door 66"	PRDL66/TI							61.0#	2179			
	<ul> <li>Double-bit lock is included with key alike 72"</li> </ul>	PRDL72/TI							65.0#	2281			
	option	T TO ET ET T	.						00.0#	2201			
	Door stores recessed with handle exposed												
	• Shelf depth is 13-1/4"												
	Must order 66" and 72" worksurfaces												
	with optional center grommet												
	66" overhead consists of 30" and 36"     cobinete supported at juncture of cobine												
	cabinets supported at juncture of cabi- nets by support stanchion												
	• 72" overhead consist of two 36" cabi-												
	nets supported at juncture of cabinets by												
	support stanchion												
	Accepts shelf divider												
		A	B	•	<b>O</b>	<b>(3</b>	<b>(3</b>	<b>e</b>					

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- Select door handle trim color. Refer to the **Product Color Options** page in this
- DSelect stanchion door color. Refer to the **Product Color Options** page in this price list.
- Select laminate surface. Refer to the **Product Color Options** page in this price list.

Select lock option.

KS - Key standard NLC - No lock core - Key alike

Select lock color.

Refer to the **Product Color Options** page in this

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

PRDS, PRDF, PRDL, PRDV

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### With specially marked information N/C


SPECIAL SERVICES

**Special Carton Marking** 

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



### True® Desking System Components Universal Overhead Storage



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- Select door handle trim color. Refer to the **Product Color Options** page in this
- Select stanchion door color. Refer to the **Product Color Options** page in this price list.
- Select veneer surface color. Refer to the **Product Color Options** page in this price list.

Select lock option.

KS - Key standard NLC - No lock core - Key alike

GSelect lock color.

Refer to the Product Color Options page in this

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Components Universal Overhead Shelves and Divider



### True® Desking System Components Universal Overhead Shelves and Divider

					<u> </u>	
			MODEL NUMBER			
			Shelf Stanchion	Approx.		
	MODEL	W x H	Basic Paint Door Model Color Color	Packaged	Delivered	
				Weight	Pricing	
	<ul><li>Low Shelf</li><li>Includes support stanchions</li></ul>	24"	ULSR24/TR	14.0#	\$ 758	
	Accepts shelf dividers	30"	ULSR30/TR	16.0#	759	
	<ul> <li>Includes full back</li> </ul>	36"	ULSR36/TR	17.0#	778	
	66" shelf consists of one 36" and one	42"	ULSR42/TR	19.0#	787	
	30"; 72" shelf consists of two 36"	48"	ULSR48/TR	20.0#	800	
U	<ul><li>shelves supported by middle upright</li><li>Shelves are shipped unassembled</li></ul>	54"	ULSR54/TR	22.0#	827	
VULS	cherros are empres anaccembre	60"	ULSR60/TR	24.0#	875	
		66"	ULSR66/TR	29.0#	1275	
		72"	ULSR72/TR	30.0#	1302	
	Regular Shelf	24"	URSR24/TR □□ □□□	19.0#	\$ 788	
	<ul><li>Includes support stanchions</li><li>Accepts shelf dividers</li></ul>	30"	URSR30/TR	20.0#	790	
	Includes full back	36"	URSR36/TR	22.0#	807	
	<ul> <li>66" shelf consists of one 36" and one</li> </ul>	42"	URSR42/TR □□ □□□	23.0#	823	
	30"; 72" shelf consists of two 36"	48"	URSR48/TR	25.0#	837	
Ц	<ul><li>shelves supported by middle upright</li><li>Shelves are shipped unassembled</li></ul>	54"	URSR54/TR □□ □□□	27.0#	877	
	Sileives are silipped dilassembled	60"	URSR60/TR	28.0#	898	
VURS		66"	URSR66/TR	29.0#	1334	
		72"	URSR72/TR	30.0#	1368	
	Shelf Divider	7-1/4 x 11-1/2"	NSD 🗆 🗆	1.0#	\$ 35	
	Steel shelf dividers with powder-coated					
~ \	finish • Fits shelves and overheads					
	The shelves and everneads					
HRDPT						
			0 0 0			
			<b>A B O</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select shelf paint color. Refer to the **Product Color Options** page in this price list.

• Select stanchion door color. Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Components



# True® Desking System Components

MODEL NUMBER Approx. Packaged Delivered MODEL Model Weight Pricing Single Unit - Overhead LED Task Light 12" LEDTK.12.SGL.GN 1.2# \$ 147 Attaches to the bottom of overhead 17" LEDTK.17.SGL.GN 1.6# 188 storage cabinets or shelving 31" LEDTK.31.SGL.GN 2.1# 230 Task lights are specified by the cabinet 44" LEDTK.44.SGL.GN 2.3# 264 width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart. Slim profile mounts effortlesly via magnets or screw-in bracket Attachment hardware included · Touch and hold dimmability with laststate memory Silver anodized aluminum body/black plastic end caps 9' power supply Includes 2 cord managers Starter Unit - Overhead LED Task Light 12" LEDTK.12.DCP.GN 1.2# \$ 192 Attaches to the bottom of overhead 17" LEDTK.17.DCP.GN 1.6# 240 storage cabinets or shelving 31" LEDTK.31.DCP.GN 2.1# 283 • Task lights are specified by the cabinet 44" LEDTK.44.DCP.GN 321 2.3# width to which they are attached. See "INFORMATION" below for sizing chart. Slim profile mounts effortlesly via magnets or screw-in bracket Attachment hardware included · Touch and hold dimmability with laststate memory Silver anodized aluminum body/black plastic end caps • Daisy chain with Adder units 11' power supply Includes 2 cord managers Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures A

INFORMATION

LED TASK LIGHT CABINET WIDTH

44"

Indicate the following information on order form:

1. Quantity of each item. 2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

**HOW TO ORDER** 

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Cabinet Light Width Width 24" 12" or 17" 30" 36" 17" 17" 42" 31" 54" 44" 60" 66" 44" 44"

# # of

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

πui	πUI	πUI	πUI
12"	17"	31"	44"
1	4	0	0
_1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	<u>1</u>

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.)

(DAISY CHAIN)

# of

44"

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Components



# True® Desking System Components

		MODEL NUMBER			
	MODEL W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
		LEDTK.12.DCA.GN	1.2#	\$ 95	
	<ul> <li>Attaches to the bottom of overhead</li> </ul>		1.6#	109	
	eterage echinete or chalving	LEDTK.31.DCA.GN	2.1#	152	
	Task lights are specified by the cabinet  44"	LEDTK.44.DCA.GN	2.3#	188	
	width to which they are attached. See "INFORMATION" below for sizing chart.	LEDTK.44.DGA.GN	2.3#	100	
	Slim profile mounts effortlesly via				
HRDPT	magnets or screw-in bracket				
	Attachment hardware included				
	Touch and hold dimmability with last-				
	state memory				
	Silver anodized aluminum body/black plastic end caps				
	Daisy chain with Starter units				
	18' jumper cord and connect to starter				
	unit				
	Includes 2 cord managers     Description of the control of th				
	Does not inloude power supply; must purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the				
	starter unit				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy				
	chained fixtures				

#### **HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 12" or 17" 17" 17" 31" 31" 44" 44" 44" 44"

INFORMATION

#### INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	<u>_</u>
2	0	2	<u>_</u>
2	Ō	0	1

#### INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

#### SPECIAL SERVICES

**Special Carton Marking** 


With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### True® Desking System Accessories

### True® Desking System Accessories



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color.

Refer to the **Product Color Options** page in this price list.

**3** 

A

 $oldsymbol{\Theta}$ 

Select lock option.

- Key alike

KS - Key standard
NLC - No lock core

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Accessories

### True® Desking System Accessories

					•		
		MODEL	NUMBER				
	MODEL	Basic Model	Surface Grom. Color	Approx. Packaged Weight	Delivered Pricing		
	Standard Leg Grommet Frame  Standard on desks  Use for replacement	TSLG		0.2#	\$ 3		
HRDPT							
	Upper Leg Grommet Cover  Standard on desks Use for replacement	TULGC		0.2#	\$ 3		
HRDPT							
	Lower Leg Grommet Cover  • Standard on Corner Power Infeed Leg	TLLGC		0.2#	\$ 3		
HRDPT							
	Worksurface Grommet • Standard on desks • Use for replacement	TWSG		0.2#	\$ 3		
HRDPT							
	Worksurface Grommet Cover  Standard on desks Use for replacement	TWSGC		0.2#	\$ 3		
HRDPT							
		A	<b>B</b>				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Accessories Modesty Panel Inserts



# True® Desking System Accessories Modesty Panel Inserts

		MODEL NU	JMBER		
	MODEL W	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing
	Full Modesty Panel Insert 24"	TAFMP24		5.0#	\$ 226
	Used to change a desk from partial modesty panel into one with a full modesty	TAFMP30		6.0#	226
	panel a full modesty	TAFMP36		8.0#	240
	• Can be added or removed without dis-	TAFMP42		9.0#	268
	ruption to other desks or electrical parts 48"	TAFMP48		11.0#	322
	54"	TAFMP54		12.0#	351
	60"	TAFMP60		14.0#	404
TRAC	66"			16.0#	429
	72"	TAFMP72		17.0#	481
		A	<b>B</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 


With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Accessories Worksurface Accessories



### True® Desking System Accessories Worksurface Accessories



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color.

Refer to the **Product Color Options** page in this price list.

©Select stanchion door color.

Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Data/Comm.



# True® Desking System Data/Comm.

					•	
		MODEL N	IUMBER			
	MODEL W	Basic Model	Trim Color	Paint Color	Approx. Packaged Delivered Weight Pricing	
M		TCOMP10			9.0# \$ 222	
	• Used to route communication cables through top grommet in worksurface to	TCOMP7			6.0#	
	ceiling					
	<ul> <li>Includes pole, cover, and ceiling trim</li> <li>Pole has two separated channels</li> </ul>					
	Tole has two separated chamnels					
Ш						
TRAC						
	Cable Support TCOMCS=single TCOMPK=8 pack	TCOMCS TCOMCSPI	,		0.1# \$ 6 1.0# 61	
50	TCOMPK=8 pack	TOUNIOSE	\		1.0#	
HRDPT						
חאטרו	Face Plate Bracket	TCOMFP			0.2# \$ 32	
	1 400 1 1410 2 140101					
TRAC						
		A	3	0		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select trim color.

Refer to the **Product Color Options** page in this price list.

Select paint color.

Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A **0E1**, freight prepaid. Freight class 70.

### True® Desking System Electrical

						▼	
				BER			
					Approx.		
	140DE		Basic	Paint	Packaged	Delivered	
	MODEL	Features	Model	Color	Weight	Pricing	
a-21 -	Rigid Wireway 4-4-2	Desk width 30"	TRWW4R30		4.0#	\$ 164	
	<ul> <li>Includes rigid wireway electrical harness steel wireway cover, and all required</li> </ul>	Desk width 36"	TRWW4R36		5.0#	183	
	attachment hardware	Desk width 42"	TRWW4R42		5.0#	202	
	<ul> <li>Available in two 10-wire styles. Note:</li> </ul>	Desk width 48"	TRWW4R48		8.0#	230	
THE PERSON NAMED IN COLUMN TO PE	10-wire styles must match on all electri-	Desk width 54"	TRWW4R54		8.0#	317	
	cal parts	Desk width 60"	TRWW4R60		11.0#	404	
TRAC	<ul> <li>Allows two duplex receptacles (ordered separately) to be mounted below the</li> </ul>	Desk width 66"	TRWW4R66		11.0#	493	
	desk worksurface	Desk width 72"	TRWW4R72		12.0#	570	
	Size must match the desk length. Note:	Desk width 72"	TRWW4R72D		12.0#	570	
	the 72D (dual) provides four possible receptacle locations						
	receptacie locations						
. 4	Rigid Wireway 6-2-2	Desk width 30"	TRWW6R30		4.0#	\$ 164	
	Includes rigid wireway electrical harness.	Desk width 36"	TRWW6R36		5.0#	183	
	steel wireway cover, and all required attachment hardware	Desk width 42"	TRWW6R42		6.0#	202	
	Available in two 10-wire styles. Note:	Desk width 48"	TRWW6R48		8.0#	230	
	10-wire styles must match on all electri-	Desk width 54"	TRWW6R54		9.0#	317	
	cal parts	Desk width 60"	TRWW6R60		10.0#	404	
TRAC	<ul> <li>Allows two duplex receptacles (ordered separately) to be mounted below the</li> </ul>	Desk width 66"	TRWW6R66		11.0#	493	
	desk worksurface	Desk width 72"	TRWW6R72		12.0#	570	
	Size must match the desk length. Note:	Desk width 72"	TRWW6R72D		13.0#	570	
	the 72D (dual) provides four possible	200dii 72			.0.0	010	
	receptacle locations						

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

A

**(3**)

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



### True® Desking System Electrical

					•	
			MODEL NUMBER			
				Approx.		
	MODEL	Features W	Basic Model	Packaged Weight	Delivered Pricing	
	Rigid Wireway Standard Desk Jumper		' TRDJ4ST	2.0#	\$ 149	
O "	4-4-2	20	11120101	2.0#	Ų TIV	
	Includes jumper harness to make the					
	electrical connection between adjacent					
HRDPT	<ul><li>desks</li><li>Available in two 10-wire styles. Note:</li></ul>					
	10-wire styles must match on all electri-					
	cal parts					
	Rigid Wireway Standard Desk Jumper	28	' TRDJ6ST	2.0#	<u> </u>	
	6-2-2					
	Includes jumper harness to make the					
	electrical connection between adjacent desks					
HRDPT	Available in two 10-wire styles. Note:					
	10-wire styles must match on all electri-					
	cal parts					
	Divid Wingman Damer Base Through 4.4.6	Desk width 24"	TRE4PP24	3.0#	\$ 151	
	Rigid Wireway Power Pass Through 4-4-2	Desk width 30"	TRE4PP30	3.0#	155	
	Includes the power pass through     harmone that allows power to continue	Desk width 36"	TRE4PP36	3.0#	158	
	harness that allows power to continue through one side of a desk between two	Desk width 42"	TRE4PP42	3.0#	164	
HRDPT	rigid wireway equipped desks	Desk width 48"	TRE4PP48	3.0#	171	
	Available in two 10-wire styles. Note:	Desk width 54"	TRE4PP54	3.0#	177	
	10-wire styles must match on all electri- cal parts	Desk width 60	TRE4PP60	3.0#	185	
	Order length according to the desk width	Desk width 66"	TRE4PP66	3.0#	195	
	it is passing through	Desk width 72"	TRE4PP72	4.0#	200	
	Rigid Wireway Power Pass Through 6-2-2	Desk width 24"	TRE6PP24	3.0#	\$ 151	
		Desk width 30"	TRE6PP30	3.0#	155	
	<ul> <li>Includes the power pass through harness that allows power to continue</li> </ul>	Desk width 36"	TRE6PP36	3.0#	158	
	through one side of a desk between two	Desk width 42"	TRE6PP42	3.0#	164	
HRDPT	rigid wireway equipped desks	Desk width 48"	TRE6PP48	4.0#	171	
	<ul> <li>Available in two 10-wire styles. Note:</li> <li>10-wire styles must match on all electri-</li> </ul>	Desk width 54"	TRE6PP54	4.0#	177	
	cal narts	Desk width 60°	TRE6PP60	4.0#	185	
	Order length according to the desk width	Desk width 66"	TRE6PP66	4.0#	195	
	it is passing through	Desk width 72"	TRE6PP72	4.0#	200	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

### **Special Carton Marking**

With specially marked information N/C

SPECIAL SERVICES

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Electrical

						•
		1	MODEL NU	JMBER		
					Approx. Packaged	
	MODEL		Basic	Paint Color	Packaged	Delivered Priving
			Model		Weight	Pricing Pricing
	Rigid Wireway End Panel Trough/Desk	24" TI			4.0#	\$ 243
	Jumper 4-4-2	30" TI	EPT430		5.0#	267
	<ul> <li>Includes jumper harness to make the electrical connection between adjacent</li> </ul>					
	desks					
TRAC	See specifications for length that must					
	be specified					
	Available in two 10-wire styles. Note:					
	10-wire styles must match on all electri- cal parts					
	cai parts					
-	Rigid Wireway End Panel Trough/ Desk	24" TI	FPT624		4.0#	\$ 243
C "			EPT630		5.0#	267
	<ul> <li>Includes jumper harness to make the</li> </ul>	30 11	LI 1000		J.0#	201
	electrical connection between adjacent					
	desks					
TRAC	See specifications for length that must					
	<ul><li>be specified</li><li>Available in two 10-wire styles. Note:</li></ul>					
	10-wire styles must match on all electri-					
	cal parts					
			A	B		
				O		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



### True® Desking System Electrical

						$lackbox{$
			MODEL N	IUMBER		
					Approx.	
	MODEL	Features L	Basic Model	Accessory Color	Packaged Weight	Delivered Pricing
	Rigid Wireway Receptacles 4-4-2	I Gatures L	TRER4RC1		0.2#	\$ 48
	<ul> <li>Includes the modular duplex 15 amp re-</li> </ul>		TRER4RC2		0.2#	48
	ceptacle that snaps onto a rigid wireway		TRER4RC3I		0.2#	48
DE 100	Available in two 10-wire styles. Note:		TRER4RC4I		0.2#	48
	10-wire styles must match on all electri- cal parts		I NEN4NU41	ı	0.2#	40
HRDPT	our purto					
TINDITI	Rigid Wireway Recentacles 6-2-2		TRER6RC1		0.2#	\$ 48
	Rigid Wireway Receptacles 6-2-2 • Includes the modular duplex 15 amp re-		TRER6RC2		0.2#	48
	ceptacle that snaps onto a rigid wireway		TRER6RC3		0.2#	48
	<ul> <li>Available in two 10-wire styles. Note: 10-wire styles must match on all electri-</li> </ul>		TRER6RC4I		0.2#	48
	cal parts		TRER6RC5I		0.2#	48
HRDPT			TRER6RC6I		0.2#	48
	Rigid Wireway Base Feed 4-4-2	72"	TEBI4BF6		7.0#	\$ 316
	<ul> <li>Includes base feed harness with 6' of</li> </ul>					* **
	colored liquidite conduit covering; used					
	to feed power from a hard wired J-box or floor monument to the rigid wireway					
	on a desk					
	Available in two 10-wire styles. Note:					
HRDPT	10-wire styles must match on all electri- cal parts					
	Building connection hardware must be					
	supplied by customer					
	Rigid Wireway Base Feed 6-2-2	72"	TEBI6BF6		7.0#	\$ 316
	Includes base feed harness with 6' of					
	colored liquidtite conduit covering; used to feed power from a hard wired J-box					
	or floor monument to the rigid wireway					
HRDPT	on a desk					
	<ul> <li>Available in two 10-wire styles. Note: 10-wire styles must match on all electri-</li> </ul>					
	cal parts					
	<ul> <li>Building connection hardware must be</li> </ul>					
	supplied by customer					
			A	B		
			•	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect accessory color. Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

### True® Desking System Electrical

						<u>▼</u>	
			MODEL N	NUMBER			
			Dania	Tuina	Daint	Approx. Packaged Delivered	
	MODEL	Н	Basic Model	Trim Color	Color	Packaged Delivered Weight Pricing	
	Rigid Wireway Top Feed 6-2-2		TE6TF144		_	14.0# \$ 231	
	In almala a la stola a la sura a contra del 4.42 a co	216"	TE6TF216			19.0# 307	
	216"), aluminum 2-channel power pole		12011210				
	<ul><li>(7' or 10' respectively) and ceiling trim</li><li>Used to feed power from a hard wired</li></ul>						
TRAC	J-box above a false ceiling to the rigid						
110.0	wireway or a desk						
	Attaches to the desk at a corner grom-						
	met location  • Available in two 10-wire styles. Note:						
	10-wire styles must match on all electri-	-					
	cal parts						
	Building connection hardware must be						
	supplied by customer						
	Rigid Wireway Top Feed 4-4-2	1///"	TE4TF144			13.0# \$ 231	
	<ul> <li>Includes electrical harness (144" or</li> </ul>	216"	TE4TF216			19.0# 307	
	216"), aluminum 2-channel power pole	210	11411210			19.07	
	<ul><li>(7' or 10' respectively) and ceiling trim</li><li>Used to feed power from a hard wired</li></ul>						
TRAC	J-box above a false ceiling to the rigid						
INAU	wireway or a desk						
	Attaches to the desk at a corner grom-						
	met location  • Available in two 10-wire styles. Note:						
	10-wire styles must match on all electri-	-					
	cal parts						
	Building connection hardware must be						
	supplied by customer						
	Stanchion Power Tap	36"	TRESR36			0.5# \$ 143	
			TRESR96			1.0#	
	that is located behind a desk stanchion	30	TILONSO			11.1	
//	door						
//	<ul> <li>Circuit number will be determined by the receptacle it is plugged into</li> </ul>	е					
$\mathcal{O}_{\mathbf{i}}$	<ul> <li>Two cord lengths available: 36" and 96"</li> </ul>	,,					
HRDPT	-						
וווערו		L					
			A	<b>B</b>	Θ		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

Select paint color.

Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000260/KI/PDF

