

UNIFRAME® CAFETERIA TABLES & CONVERTIBLE BENCH

PRICE LIST

January 3, 2011 Updated December 15, 2022

800.424.2432

Contents

General Information

Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Split Benches Round Table with Stool Seats

Uniframe® Round Tables with Seating (Delivered) Round Table with Split Benches Round Table with Stool Seats

Uniframe® Tables without Seating (Freight Excluded) Rectangular Table Round Table

Round Stand-up Height Table

Round Stand-up Height Table

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Uniframe® Wheelchair Accessible Tables with Seating General Information

Rectangular Table with Benches

Rectangular Table with Stool Seats

Rectangular Table with Stool Seats

Uniframe® Wheelchair Accessible Tables without Seating

General Information

Rectangular Table

Round Table

Square Table

Hexagonal Table

Octagonal Table

Rectangular Table

Round Table

Square Table

Oval Table

Oval Table

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Benches

Uniframe® Tables without Seating General Information

Oval Table

Oval Table Square Table

Hexagonal Table

Octagonal Table

Square Table

Hexagonal Table

Octagonal Table

Uniframe® Tables without Seating (Delivered) Rectangular Table Round Table

Refer to KI Terms & Conditions document or visit ki.com.			
Uniframe® Tables		Hexagonal Table Octagonal Table	56 57
Product Color Options	3	Octayonan rabie	37
		Uniframe® Convertible Bench	
Uniframe® Rectangular Tables with Seating		General Information	58
General Information	4	Product Color Options	59
Uniframe® Rectangular Tables with Seating (Freight Excluded)		Uniframe® Convertible Bench (Freight Excluded)	
Rectangular Table with Benches	6	, ,	60
Rectangular Table with Split Benches	7		
Rectangular Table with Stool Seats	8	Uniframe® Convertible Bench (Delivered)	61
Uniframe® Rectangular Tables with Seating (Delivered)			
Rectangular Table with Benches	10		
Rectangular Table with Split Benches	11		
Rectangular Table with Stool Seats	12		
Uniframe® Round Tables with Seating			

17

25

26

27

28

29

30

32 33

34

35

36

37

39

40

42

43

46

47

48

49

50 51

52

53

54

55



Refer to KI Terms & Conditions document or visit ki.com.

Uniframe® Tables Product Color Options



Uniframe® Tables
Product Color Options

Series 1971 1972	Surface Finish - Laminate		Castle Oak	BLCO	Nordic	PND	Honey Bee	EHY
Desire	Belair	LBQ	Casual Linen	BLCU	Purple Haze	PPH	Light Tone	ELG
Spitch Windows	Biltmore Cherry	LBT	Cherry Storm	BLCX	Rubber Ducky	PRK	Mardi Gras	EMG
Segret Namer	•		Classic Linen	BLCI	Sand	PSA	Misty Brown	EMY
Control Perform Control Pe	Brighton Walnut	LBW	Cloud Zephyr	BLCL	Surf's Up	PSP	Nemo	ENE
Canal Loren 1,00	•		* *		•			
Control Cont					•			
Control Cont			·					
Second			* *		200ty Ellio		·	
Series S	•		•		Stool Color - Thermoset Hard Plastic (CX)		•	
December 1972 Service Se					Blue	CB		
Digital Lane					Dark Grey	CD	•	
March Marc					Light Grey	CL	'	
Peach of Part Peach of Par	·		•			CN	•	
Part					•			
Pentrop Name	•						•	
Percent Naminat			•		Black	BL	Zesty Lime	EZL
Forces Name CPC					Blue Grey	GR	Edge Color for 73P Edge	
Febre State	Florence Walnut		•		Bronze Metallic	ZM	= =	ERO
Prince P	Forged Steel	LOL			Cayenne	CY		
Prof. Spring Prof	Friston Ash	LFH	Irish Linen	BLIH	Champagne Metallic	CM		
Conference Con	Frosty White	LFW	Island	BLID	Chrome	CH		
Serv	Graphite Nebula	LGN	Italian Silver Ash	BLIT	Cool Grey		•	
High Rise	Grey	LGE	Kensington Maple	BLKM	· ·		•	
Hollychery	High Rise	LHE	Lapis Blue	BLLB				
Inference Lith Misted Zeptby Euch	Hollyberry	LHY	Markerboard White	BLMK	•		•	
Stand	Irish Linen	LIH	Misted Zephyr	BLMR			•	
Lamba Lamb	Island	LID	Monticello Maple	BLMT	-		•	
Rensington Mapole			Nickel Evolv	BLNV			Earthen Clay	
Lapis Blue			North Sea				Everglade Shade	EEV
Markethoard White					•		Flannel	EFN
Misted Zephyr	•				•		Florence Walnut	EFC
Monticello Maple			•		· ·		Friston Ash	EFH
Nickel Evolv							Frosty White	EFW
North Sea	·						Hazy Jade	EHJ
Ocean LON Satin Stainless BLSS Purple Haze PH Italian Silver Ash EIT Pearl Bisque LPB Shadow Zephyr BLSV RUbber Ducky RK Light Tone ELG Pearl Silver LPS Silicon Evolv BLSV Sand SA Light Tone ELG Pressed Linen LPR Sterling Ash BLAZ Starlight Silver Metallic SX Misty Brown EMG River Cherry LRG Titanium Evolv BLTV Twillight Shadow T Nomicello Maple EMT Rugged Linen LRG White Nebula BLW Ultra Blue UB Nordic EM Satin Stainless LSS White Nebula BLW Warm Grey UB Nordic END Silicon evolv LSR Windsor Mahogany BLW Warm Grey WG Poppny Red EPR Tallored Linen LT Black PS Edge Color for R Edge EW River Cherry River Cherry ERV			•				Honey Bee	EHY
Pearl Bisque			**				Italian Silver Ash	EIT
Pearl Dislyuer LPB Silicon Evolv BLSV Sand SAN Morti Gras EMBC Pressed Linen LPR Sterling Ash Sterling Ash Sterling Ash Sterling Ash Salicon Evolv BLSV Sand SAN Morti Gras EMBC Pressed Linen LPR Sterling Ash Sterling Ash Sterling Ash Satingth Silver Metallile SX Misty Brown EMY River Cherry LRY Tailored Linen BLTV Surf's Up SY Monticello Maple EMT Aship Sterling Ash Satin Stainless LSS White Nebula BLWL Ultra Blue UB Nordic END Shadow Zephyr LSS White Sand BLWN Warm Grey Dy Line Grey Sterling Ash LTX Surfocor Polypropylene (PY) Sterling Ash Shadow LPV Blue Grey PGR White Sand LWN Shadow Morti Sand EMS White Sand Shadow Morti Sterling Ash Shadow LDV Black PS Black Bull Grey PGC Black Belair Sterling Ash Shadow LDV Blue Grey PGC Black Belair Sterling Ash Shadow LDV Blue Grey PGC Black Belair Sterling Ash Shadow LDV Blue Grey PGC Black Belair Sterling Ash Shadow LDV Blue Grey PGC Black Belair Bela					•		Kensington Maple	EKM
Pressed Linen	•		• •		Rubber Ducky	RK	Light Tone	
Firespect Linen					Sand	SA	•	
Rugged Linen Rugge			•			SX		
Rugged Linen Satin Stainless Satin Stainless Satin Stainless Satin Stainless Shadow Zephyr LSR White Sand BLWN Warm Grey BLWY Zesty Lime ZI Poppy Red Poppy						SP	-	
Shadow Zephyr LSS White Sand BLWY Warm Grey WG Poppy Red EPR String Ash LTV Windsor Mahogany BLWY Zesty Lime ZL Purple Azze EPR Tallored Linen LTV Black PBB Black PGR White Sand PLW Cayenne PCY Blue Grey PCG Black PCV Swindsor Mahogany PCG Black PCV Swindsor Mahogany PCV Blue Grey PCV Blue Grey Blue Grey Blue Grey PCV Blue Grey Blue Grey PCV Blue Grey Blue Grey PCV Blue Grey PCV Blue Grey Blue Grey PCV Blue Grey PCV Blue Grey B					Twilight Shadow	TI	'	
Silicon evolv LSV Windsor Mahogany BLWY Zesty Lime Zely Lime ZL Purple Haze EPH Stering Ash LAZ Stool Color - Polypropylene (PY) Edge Color for PR Edge Titanium evolv LTV Black PBL Black PCV Edge Color for BN Edge White Nabula LWL Cayenne PCY Edge Color for BN Edge Windsor Mahogany LWY Cool Grey PCG Black PCV Edge Color for BN Edge Beair Belair Black PCV Earthen Clay PCV Earthen Clay PCV Edge Color for BN Edge ECO FOR BN Edge ECO FOR BN Edge Belitmore Cherry Blue Grey Edge Color for BN Edge ECO FOR BN EDG					Ultra Blue	UB		
Sterling Ash Sterling Ash Italiared Linen Ital	Shadow Zephyr				Warm Grey	WG		
Facilined Linen Titaliored Ciorer Pin Edge Filanch Fil	Silicon evolv		Windsor Mahogany	BLWY	Zesty Lime	ZL		
Titaniume vollv Titaniume vollv Titaniume vollv White Nebula White Nebula White Sand White Sand Windsor Mahogany Windsor Mahogany EBL Sand Sand ESA Sand ESA Sky Blue Sky Blu	Sterling Ash	LAZ	Stool Color - Polypropylana (PV)					
Nitanium evolv White Nebula White Nebula White Sand White Sand Windsor Mahogany Windsor Mahogany Windsor Mahogany Bench Surface FinishLaminate Belair Belair Belair Belitmore Cherry Biltmore Cherry Black Biltmore Cherry Black Biltmore Cherry Biltmore C	Tailored Linen	LTL		DDI			•	
White Sand LWN Cool Grey PCG Black EBL Sterling Ash EAZ Windsor Mahogany Bench Surface FinishLaminate Everglade Shade PEV Cayenne ECG Surfs Up ESP Blue Grey Euglade Shade PHJ Cool Grey EGR Surf's Up ESP Blue Grey EV Cayenne ECY Twilight Shadow ETI Belair BLBQ Hazy Jade PHJ Cool Grey EGR Ultra Blue EV Warm Grey EWG Black EEV Warm Grey EWG Black EEV Windsor Mahogany EWG Black EEV Windsor Mahogany EWG Black EV Windsor Mahogany EWG Black EV Windsor Mahogany EWG Brighton Walnut ETI Mardi Gras PMG Flannel EFN Zesty Lime EFW EVER BLBW	Titanium evolv	LTV			Black	EBL	•	
Windsor Mahogany LWY Cool Grey Earthen Clay PEY Blue Grey Esp Bench Surface FinishLaminate EEL Sterling Ash Sterling Ash Surf's Up ESP EOR Surf's Up ESP EOR END	White Nebula	LWL	*		Edge Color for BN Edge			
Bench Surface FinishLaminate Belair Biltmore Cherry Black	White Sand	LWN	-		•	EDI	•	
Bench Surface Finish LaminateEverglade ShadePEVCayenneECYTwilight ShadowETIBelairBLBQHazy JadePHJCool GreyECGUltra BlueEUBBiltmore CherryBLBTHoney BeePHYEarthen ClayEEYWarm GreyEWGBlackBLBKLight TonePLGEverglade ShadeEEVWindsor MahoganyEWYBrighton WalnutFINMardi GrasPMGFlannelEFNZesty LimeEZLBLBWMisty BrownPMYFrosty WhiteEFW	Windsor Mahogany	LWY	•				•	
Belair BLBQ Hazy Jade PHJ Cool Grey ECG Ultra Blue EUB Biltmore Cherry BLBT Honey Bee PHY Earthen Clay EEY Warm Grey EWG Black BLBK Light Tone PLG Everglade Shade EEV Windsor Mahogany EWY Brighton Walnut Mardi Gras PMG Flannel EFN Zesty Lime EZL BLBW			•		•		•	
Biltmore Cherry BLBT Honey Bee PHY Earthen Clay EEY Warm Grey EWG Black BLBK Light Tone PLG Everglade Shade EEV Windsor Mahogany EWY Frosty White EFN Zesty Lime EEV EFW			•				•	
Black BLBK Light Tone PLG Everglade Shade EEV Windsor Mahogany EWY Brighton Walnut Mardi Gras PMG Flannel EFN Zesty Lime EZL BLBW Misty Brown PMY Frosty White EFW					•			
Brighton Walnut Mardi Gras PMG Flannel EFN Zesty Lime EZL BLBW Misty Brown PMY Frosty White EFW	Biltmore Cherry	BLBT			•		·	
BLBW Misty Brown PMY Frosty White EFW	Black	BLBK	•		-		• •	
	Brighton Walnut						Zesty Lime	EZL
Canyon Zephyr BLCA Nemo PNE Hazy Jade EHJ	BLBW		Misty Brown					
	Canyon Zephyr	BLCA	Nemo	PNE	Hazy Jade	EHJ		

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics	
View color swatches for items listed within this document.	Plastics/Poly	Laminates	Edge Styles	Glass	





Rectangular Tables with Benches (UF12BE)

Rectangular Tables with Split Benches (UF12SB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge

Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UF12BE	20	16	16	12
UF10BE	16	12	12	8
UF08BE	12	12	8	8
UF12SB	16	16	16	8
UF128	16	16	16	16
UF126	12	12	12	12
UF106	12	12	12	12
UF084	8	8	8	8



Rectangular Tables with Stool Seats (UF128)

Features	
Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8* thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2* radius.

Benche

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel

with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

21001

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is

13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Eages

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-weld-ed. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table

Casters

Large 4" diameter heavy-duty hard rubber swivel

casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and requirements by Underwriters Laboratories. Inc.


INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit


Uniframe® Rectangular Tables with Seating General Information

DIMENSIONS-Rectangular Tables with Benches




Model UF/BE










Model UF/SB


Model #	Α	В	С	D	E	F	G	Н	ı	J
UF12/SB/29	139.5"	59.5"	30.0"	29.5"	16.9"	79.75"	33.5""	41.75"	27.56"	11.25"
UF12/SB/27	139.5"	59.0"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75"	27.56"	11.25"
UF12/BE/29	139.5"	56.5"	30.0"	29.5"	16.9"	79.75"	33.5"	41.75"	62.75"	8.5"
UF12/BE/27	139.5"	56.5"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75""	62.75"	8.5"
UF10/BE/29	120.0"	56.5"	30.0"	29.5"	16.9"	71.75"	33.5"	41.75"	53.88"	8.5"
UF10/BE/27	120.0"	56.5"	30.0"	27.5"	16.9"	69.75"	33.5"	41.75"	53.88"	8.5"
UF08/BE/29	96.0"	56.5"	30.0"	29.5"	16.9"	61.75"	33.5"	41.75"	42.63"	8.5"
UF08/BE/27	96.0"	56.5"	30.0"	27.5"	16.9"	59.75"	33.5"	41.75"	42.63"	8.5"





Uniframe® Rectangular Tables with Seating General Information

DIMENSIONS-Rectangular Tables with stools










Model #	А	В	С	D	Е	F	G	Н
UF12/8/29	139.5"	56.5"	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/8/27	139.5"	56.5""	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF12/6/29	139.5"	56.5""	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/6/27	139.5"	56.5"	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF10/6/29	120.0"	56.5"	30.0"	29.4"	16.8"	71.75"	33.8"	41.75"
UF10/6/27	120.0"	56.5"	30.0"	27.4"	16.8"	69.75"	33.8"	41.75"
UF08/4/29	96.0"	56.5"	30.0"	29.4"	16.8"	61.75"	33.8"	41.75"
UF08/4/27	96.0"	56.5"	30.0"	27.4"	16.8"	59.75"	33.8"	41.75"

Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Benches



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Edge color offerings are based on edge style selections.

Select bench surface.

(3)

Θ

0

(3)

Œ

(1)

Refer to the Product Color Options page in this price list.

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

BSelect surface edge color. Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

Uniframe® Rectangular Tables with Seating (Freight Excluded)

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
295.0#	\$ 2351	\$ 2665	\$ 2807	\$ 190
341.0#	2552	2757	3083	192
371.0#	2604	2931	3190	186

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Split Benches



385.0#

Packaged Flat Vinyl T-Edge

\$ 3003

3/4" 73P

\$ 3241

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Split Benches

Perfect Edge

\$ 3641

Chrome

Upcharge

add to list price

\$ 207

			MODEL NUMBER											
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color				
	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB											
\sim	Available in 12' modelsUnitized all-steel frames provide superior													
	stability and durability													
	KI's exclusive combination pneumatic													
	lift assist and torsional energy storage system results in a controlled, effortless													
	folding. Also holds tables in a teepee													
UFRCS	position for easy cleaning													
	Storage lock standard for added safetyGravity lock stabilizes tables in the open													
	position and eliminates possibility of													
	tables folding unexpectedly													
	 Listed to applicable UL standards and requirements by Underwriters Laborato- 													
	ries, Inc													
	Dimensions include overall depth and													
	width of table and seating													
			A	B	Θ	O	(3	(3)	Ө	0				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the **Product Color Options** page in this

GSelect bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

				MODEL N	NUMBER											
				Racio	Edge		Surface	Edge	Stool	Frame	Approx Pagkan		Flat Vinyl T-Edge	3/4" 73P	Perfect Edge	Chrome Upcharge add to list
	MODEL	Features	D x W	Basic Model	Style	Height	Finish		Color	Color	Weight	-	(BN)	Edge (73P)	(PR)	price
$\overline{}$	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							299.0	.0#	\$ 2699	\$ 2834	\$ 2983	\$ 181
		12 Stools	60-1/2 x 120"	UF106/PY							353.0	.0#	2846	2990	3142	198
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY							377.0	.0#	2984	3134	3295	214
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/PY							385.0	.0#	3098	3251	3412	207
	 KI's exclusive combination pneumatic 															
	lift assist and torsional energy storage															

UFRCP

	iii assisi aliu tursioliai elleryy storage		
	system results in a controlled, effortless		
	folding. Also holds tables in a teepee		
	position for easy cleaning		
	Storage lock standard for added safety		
•	Gravity lock stabilizes tables in the open		
	position and eliminates possibility of tables folding unexpectedly		
•	Listed to applicable UL standards and		
	requirements by Underwriters Laborato-		
	ries, Inc		
•	Dimensions include overall depth and		

B 0 0 **(3**)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

width of table and seating

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

selections.

Select surface edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats



Weight

299.0#

353.0#

377.0#

385.0#

Packaged Flat Vinyl T-Edge

3107

3246

3451

3/4" 73P

\$ 3025

3261

3410

3623

Perfect Edge

3402

3556

3761

(PR)

\$ 3163

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

Chrome

Upcharge

add to list

\$ 181

198

207

214

price

			MODEL N	UMBER					
MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	8 Stools	60-1/2 x 96"	UF084/CX						
set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX						
Available in 8', 10' and 12' models Unitized all-steel frames provide superior	12 Stools	60-1/2 x 139-1/2"	UF126/CX						
stability and durability	16 Stools	60-1/2 x 139-1/2"	UF128/CX						
KI's exclusive combination pneumatic									
lift assist and torsional energy storage system results in a controlled, effortless									
UFRCT system results in a controlled, enotities folding. Also holds tables in a teepee									
position for easy cleaning									
 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
position and eliminates possibility of									
tables folding unexpectedly									
Listed to applicable UL standards and requirements by Underwriters Laborato-									
ries, Inc									
Dimensions include overall depth and									
width of table and seating									
			A	B	•	0	3	(3	О

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame (CX). finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 27" high 29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES **Special Carton Marking**

With specially marked information

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Benches





Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Benches

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
295.0#	\$ 2756	\$ 3127	\$ 3290	\$ 221
341.0#	2995	3232	3618	223
371.0#	3054	3463	3742	220

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

Select height.
27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

BSelect surface edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the Product Color Options page in this

Select bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Split Benches

MODEL

Rectangular Table with Split Benches

· Unitized all-steel frames provide superior

KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee

• Dimensions include overall depth and width of table and seating

· Available in 12' models

stability and durability

position for easy cleaning Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly · Listed to applicable UL standards and requirements by Underwriters Laborato-

ries, Inc







Approx.

Packaged Fla

\$ 3518

\$ 3799


385.0#

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Split Benches

\$ 245

			Chrome
*	*	₩	
	3/4" 73P		Upcharge
Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
(BN)	(73P)	(PR)	price

\$ 4272



0

(3)

(3)

0

(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

Select height.
27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

BSelect surface edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select bench surface.

B

 Θ

Refer to the Product Color Options page in this

Select bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered)

folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

· Dimensions include overall depth and width of table and seating


ries. Inc

Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats

				MODEL N	IUMBER										
															Chrome
				Pacio	Edge		Curfooo	Edgo	Ctool Frama	Approx.	Elat '	Vinyl T-Edge	3/4" 73P	Perfect Edge	Upcharge add to list
	MODEL	Features	D x W	Basic Model	Style I	Height I	Surface Finish		Stool Frame Color Color	144 1 1 1	(BN))	Edge (73P)	(PR)	price
	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY						299.0#	\$ 3	3164	\$ 3324	\$ 3499	\$ 214
	Polypropylene	12 Stools	60-1/2 x 120"	UF106/PY						353.0#	3	3341	3505	3683	230
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY						377.0#	3	3500	3676	3864	252
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/PY						385.0#	3	3632	3812	4001	245
	 KI's exclusive combination pneumatic 														
	lift assist and torsional energy storage														
LIEDOD	system results in a controlled, effortless	3													



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with finish and stool material.

BSelect edge style.

Select height.

27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY). Refer to the **Product Color Options** page in this

B

0

0

(3)

(3)

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats



Weight

299.0#

353.0#

377.0#

385.0#

Packaged Flat Vinyl T-Edge

3644

3809

4046

3/4" 73P

\$ 3546

3824

3998

4249

Perfect Edge

3990

4171

4409

(PR)

\$ 3709

Edge (73P)

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats

Chrome

Upcharge

add to list

\$ 214

230

252

245

price

				MODEL N	UMBER					
	Month	Frahma	D. W	Basic	Edge		Surface	Edge	Stool	Frame
	MODEL	Features	D x W	Model	Style	Height	Finish	Color	Color	Color
	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX						
\sim	set Hard Plastic • Available in 8', 10' and 12' models	12 Stools	60-1/2 x 120"	UF106/CX						
	 Unitized all-steel frames provide superior 	12 Stools	60-1/2 x 139-1/2"	UF126/CX						
	stability and durability	16 Stools	60-1/2 x 139-1/2"	UF128/CX						
	 KI's exclusive combination pneumatic 									
	lift assist and torsional energy storage									
UFRCT	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc									
	Dimensions include overall depth and width of table and seating									
	width of table and stating									
				A	•	Θ	0	•	•	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

Select height.

27 - 27" high

29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic

(CX). Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Round Tables with Seating





Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•





73P Edge



Perfect Edge

UFRD5SB

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular

frame with 6" square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Table top and bench edges are finished in one of

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following: A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex

nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining. scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end

of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).


INFORMATION


Warranty


Refer to KI Terms & Conditions document or visit


Uniframe® Round Tables with Seating General Information

DIMENSIONS-Round Tables with Benches











	Model #	Α	В	С	D	E	F	G	Н
l	JFRD5/SB/29	81.5"	81.1"	60.0"	29.2"	17.2"	52.3"	39.0"	26.5"
L	JFRD5/SB/27	81.5"	81.1"	60.0"	27.2"	17.2"	52.3"	39.0"	26.5"





Uniframe® Round Tables with Seating General Information

DIMENSIONS-Round Tables with Stools









Model #	А	В	С	D	Е	F	G	Н
UFRD5/SB/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/SB/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"

Round Table with Split Benches



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Split Benches

		MODEL	NUMBER											
														Chrome
								Bench		Approx.		3/4" 73P		Upcharge add to list
	MODEL DIA	Basic Model	Edge Style	Height	Surface Finish	Edge	Bench Surface	Edge	Frame Color	Approx. Packaged Weight	Flat Vinyl T-Edge	Edge (73P)	Perfect Edge (PR)	add to list price
		UFRD5SE							_	335.0#	(BN) \$ 2884	\$ 3028	\$ 3498	\$ 175
	Unitized all-steel frames provide superior	UFNDSSE	,	шш						333.0#	φ 2004	φ 3020	φ 3490	φ 1/5
	stability and durability													
	KI's exclusive combination pneumatic													
	lift assist and torsional energy storage													
30	system results in a controlled, effortless													
	folding. Also holds tables in a teepee position for easy cleaning													
UFRDS	Storage lock standard for added safety													
	Gravity lock stabilizes tables in the open													
	position and eliminates possibility of													
	tables folding unexpectedly													
	Listed to applicable UL standards and requirements by Underwriters Laborato-													
	ries, Inc													
	Dimensions include overall depth and													
	width of table and seating; Diameter of													
	top is 60"													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

Select height.

29

price list. Surface finish offerings are based on edge style

Select surface edge color.

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

27 - 27" high - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

selections.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select bench surface.

B O

0

(3

Refer to the **Product Color Options** page in this price list.

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Stool Seats



	ries, Inc
•	Dimensions include overall depth and
	width of table and seating
	Diameter of ton in 60"

system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning · Available in 8-stool model only · Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

Diameter of top is 60°

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

selections.

- 27" high 29 - 29" high

DSelect surface finish.

Refer to the Product Color Options page in this Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the **Product Color Options** page in this price list.

GSelect frame color.

B

0

0

(3)

(3)

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have\$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.


· Available in 8-stool model only Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

 Dimensions include overall depth and width of table and seating • Diameter of top is 60"

ries. Inc



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

B

0

(3)

(3)

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

BSelect surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.



Uniframe® Round Tables with Seating (Delivered) Round Table with Split Benches

	М	ODEL I	NUMBEI	R												
									Bench		Approx.		3/4" 73P			nrome pcharge
	Bas	510	Edge		Surfa	ace Ed		Bench	Edge	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	ac	pcharge Id to list
MODEL D	DIA Mo	del	Style	Heigh	t Finis	h Co	olor S	Surface	Color	Color	Weight	(BN)	(73P)	(PR)	pr	ice
nound table with split benches o	81" UF	RD5SB									335.0#	\$ 3663	\$ 3847	\$ 4445		\$ 206
stability and durability																
Unitized all-steel frames provide superior	31" UF	KD5SB									335.0#	\$ 3663	\$ 3847	\$ 4445		\$ 206



system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety

lift assist and torsional energy storage

- Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
- Listed to applicable UL standards and requirements by Underwriters Laborato-
- Dimensions include overall depth and width of table and seating; Diameter of

DIA	Model	Style	Height	Finish	Color	Surface	Color	Color
81"	UFRD5SB							
	A	B	•	•	(3	(3	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the **Product Color Options** page in this price list.

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

Select surface edge color. Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.


· Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

 Dimensions include overall depth and width of table and seating • Diameter of top is 60"

ries. Inc



Uniframe® Round Tables with Seating (Delivered) Round Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections. **B**Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the **Product Color Options** page in this price list.

GSelect frame color.

 Θ

(3)

0

(3)

(3)

Refer to the **Product Color Options** page in this (BL) Std-no upcharge, all other colors have

\$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

· Available in 8-stool model only Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

• Dimensions include overall depth and width of table and seating • Diameter of top is 60"

ries. Inc



Uniframe® Round Tables with Seating (Delivered) Round Table with Stool Seats

		MODEL N	UMBER									Chrome	e
		Basic	Edge	Sui	rface Ed	lge Stool	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Chrome Upcharg add to lis	je
	MODEL DIA	A Model		Height Fin				Weight	(BN)	(73P)	(PR)	price	ist
	Round Table with Stool Seats - Thermoset 86'	' UFRD58/CX						331.0#	\$ 3259	\$ 3420	\$ 3624	\$ 2	206
	Hard Plastic												
	Unitized all-steel frames provide superior stability and durability												
	KI's exclusive combination pneumatic												
	lift assist and torsional energy storage												
g	system results in a controlled, effortless folding. Also holds tables in a teepee												
UFRDT	position for easy cleaning												
		1	1 1			1	1						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

DSelect surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

0

B

(3)

(3)

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Tables without Seating



Uniframe® Tables without Seating





Round Table (UFRD5)



Rectangular Table (UFRT12)

Oval Table (UFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•



Bullnose Edge



73P Edge





Perfect Edge

T-Style Leg









Square Table (UFSQ4)

Tables ship fully assembled. Rectangular tables

Laboratories in compliance with testing for public

without seating are listed with Underwriters

safety (Mobile Folding Tables).

Hexagonal Table (UFHX4) Octagonal Table (UFOC5)

Stand-Up Table (UFSU5)

eatures

reatures				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
42" height				•

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel. pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Tables without Seating

DIMENSIONS-Rectangular Tables without Seating





Model #	Α	В	С	D	Е	F
UFRT12/29	139.5"	30"	29"	79.75"	33.5"	28.0"
UFRT 12/27	139.5"	30"	27"	77.75"	33.5"	28.0"
UFRT10/29	120"	30"	29"	71.75"	33.5"	28.0"
UFRT10/27	120"	30"	27"	69.75"	33.5"	28.0"
UFRT08/29	96"	30"	29"	61.75"	33.5"	28.0"
UFRT08/27	96"	30"	27"	59.75"	33.5"	28.0"
WAUFRT12	139.5"	30"	31"	81.75"	33.5"	28.0"
WAUFRT10	120"	30"	31"	73.75"	33.5"	28.0"
WAUFRT08	96"	30"	31"	63.75"	33.5"	28.0"




Uniframe® Tables without Seating General Information

DIMENSIONS-Shaped Mobile Tables Without Seating







Model #	Α	В	С	D	Е	F	G	Н
UFRD6/29	72"	72"		29"	42.5"	40.75"	12.0"	37.0"
UFRD6/27	72"	72"		27"	42.5"	38.75"	12.0"	37.0"
UFRD5/29	60"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFRD5/27	60"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFRD4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFRD4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFOV72/29	72"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV72/27	72"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFOV66/29	66"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV66/27	66"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFSQ4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFSQ4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFHX4/29	56"	48"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFHX4/27	56"	48"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFOC5/29	60"	60"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFOC5/27	60"	60"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFSU5/42	60"	60"		42"	42.5"	53.75"	12.0"	37.0"
UFSU4/42	48"	48"		42"	42.5"	53.75"	12.0"	37.0"
WAUFRD6	72"	72"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV72	72"	69"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV66	66"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFSQ4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFHX4	56"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOC5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"



Uniframe® Tables without Seating (Freight Excluded) Rectangular Table

			MODEL	NUMBER								
			Racio	Edge	Surface	Edge	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P	Perfect Edge	Chrome Upcharge add to list
	MODEL	D x W	Basic Model	Edge Style Heig	ht Finish	Edge Color	Color	Weight	(BN)	Edge (73P)	(PR)	price
$\overline{}$	Rectangular Table - Without Seating	30 x 96"	UFRT08	000 00				179.0#	\$ 1495	\$ 1572	\$ 1703	\$ 162
	Unitized all-steel frames provide superio	^r 30 x 120"	UFRT10					200.0#	1640	1723	1792	90
	stability and durabilityKl's exclusive combination pneumatic	30 x 139-1/2"	UFRT12					225.0#	1801	1895	1955	76
	> lift assist and torsional energy storage											
	system results in a controlled, effortless											
	folding. Also holds tables in a teepee position for easy cleaning											
UFRCN	 Available in 8', 10' and 12' models 											
	Storage lock standard for added safetyGravity lock stabilizes tables in the open											
	position and eliminates possibility of											
	tables folding unexpectedly											
	 T-leg design furnishes maximum leg room and seating capacity 											
	Listed to applicable UL standards and											
	requirements by Underwriters Laborato-											
	ries, Inc. • Ideal for multi-purpose seating											
	- Electrical Control of Control o											
			a	3 6	0	3	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

Basic model includes base no. of table with codes for length of table, edge treatment and

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

27 - 27" high - 29" high 29

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Refer to the **Product Color Options** page in this

A Select basic model.

BSelect edge style.

Select height.

①Select surface finish.

selections.

Select surface edge color.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Tables without Seating (Freight Excluded)

position for easy cleaning · Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening T-leg design furnishes maximum leg room and seating capacity · Dimensions include overall depth and

width of table

· Ideal for multi-purpose seating



Uniframe® Tables without Seating (Freight Excluded) Round Table

	MODEL	MOD Basic Model	Edge Style	S	dge Frame	Approx. Packaged Weight	Flat Vinyl T-Edge	3/4" 73P Edge (73P)	Perfect Edge	Chrome Upcharge add to list price
					 3101 60101	vveigiit	(614)	(13F)	(rn)	price
	Round Table - Without Seating	48" UFRD4	4 000 0			98.0#	\$ 1198	\$ 1257	\$ 1405	\$ 33
	Unitized all-steel frames provide superior	60" UFRD5	5 000 0			132.0#	1265	1329	1473	36
	stability and durabilityKI's exclusive combination pneumatic	72" UFRD6	6 000 0]		158.0#	1702	1787	2099	37
	lift assist and torsional energy storage									
· ·	system results in a controlled, effortless									
UFRDN	folding. Also holds tables in a teepee									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

(3)

0

0

(3)

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Tables without Seating (Freight Excluded)

	Monti	Basic	Edge Style		Surface Finish	Edge Frame Color Color	Approx. Packaged		Flat Vinyl T-Edge	3/4" 73P Edge (73P)	Perfect Edge		Chrome Upcharge add to list
				Height			Weight		(BN)		(PR)		price
	Oval Table - Without Seating 60	0 x 66" UFOV	66 🗆 🗆 🗆				143.0#		\$ 1494	\$ 1569	\$ 1779		\$ 33
	Unitized all-steel frames provide superior 60	0 x 72" UFOV	72				151.0#		1550	1631	1875		37
	Stability and durability												
1	KI's exclusive combination pneumatic lift assist and torsional energy storage												
•	system results in a controlled, effortless												
LIFO) (N	folding. Also holds tables in a teepee												
UFOVN	position for easy cleaning												
	 Storage lock standard for added safety 												
	Gravity lock stabilizes tables in the open												
	position and eliminates possibility of												
	tables folding unexpectedly												
	Safety lock engages in a semi-open position to halt downward opening												
	movement												
	T-leg design furnishes maximum leg												
	room and seating capacity												
	 Dimensions include overall depth and 												
	width of table												
	Ideal for multi-purpose seating												
		A	B	Θ	0	3 3	_						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

①Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

· Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening T-leg design furnishes maximum leg room and seating capacity · Dimensions include overall depth and

width of table

· Ideal for multi-purpose seating



Uniframe® Tables without Seating (Freight Excluded) Square Table

			MODI	EL NUMB	BER				_					Chrome
			Basic	Edge		Surface	Edge	Frame	Approx. Packaged	Flat Vin	yl T-Edge	3/4" 73P Edge	Perfect Edge	Upcharge add to list
	MODEL	D x W			Height	Finish	Color	Color	Weight	(BN)	yr r-Luge	(73P)	(PR)	price
			UFSQ4	4 🗆 🗆					108.0#	\$ 113	9	\$ 1198	\$ 1348	\$ 38
	Unitized all-steel frames provide superior the little and described to the li	r	4 /											
	stability and durabilityKI's exclusive combination pneumatic													
	lift assist and torsional energy storage													
· ·	system results in a controlled, effortless													
UFSQN	folding. Also holds tables in a teepee													
OI Odii	position for easy cleaning													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

B

0

0

BSelect edge style.

BN - Flat vinvl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Tables without Seating (Freight Excluded) Hexagonal Table

		MODEL N	UMBER		Approx.		3/4" 73P		Chrome Uncharge
	MODEL	DIA Basic Ed Model St	dge Surface tyle Height Finish	Edge Frame Color Color	Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
UFHXN	Hexagonal Table - Without Seating Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	48" UFHX4 C			101.0#	\$ 1265	\$ 1329	\$ 1473	\$ 36
	room and seating capacity Dimensions include overall depth and								

HOW TO ORDER

Indicate the following information on order form:

width of table

· Ideal for multi-purpose seating

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

(3)

0

0

(3

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

• Select surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Tables without Seating (Freight Excluded) Octagonal Table

			MODE	L NUMB	ER								
						4						E	Chrome
						4			Approx.		3/4" 73P		Upcharge add to list
			Basic	Edge		Surface	Edge	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
	MODEL	DIA	Model	Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Octagonal Table - Without Seating	60"	UFOC5						134.0#	\$ 1306	\$ 1370	\$ 1526	\$ 45
	 Unitized all-steel frames provide superio 	or											
	stability and durability												
2	 KI's exclusive combination pneumatic 												
	lift assist and torsional energy storage												

UFOCN

system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning · Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening T-leg design furnishes maximum leg room and seating capacity · Dimensions include overall depth and

B

0

0

(3)

width of table

· Ideal for multi-purpose seating

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

UFRDU

Uniframe® Tables without Seating (Freight Excluded)

position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening T-leg design furnishes maximum leg room and seating capacity

Round Stand-up Height Table



Uniframe® Tables without Seating (Freight Excluded) Round Stand-up Height Table

		MO	DEL NUMBER						Chrome
	MODEL	DIA Basi	c Edge el Style Heigh	Edge Frame Color Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
	Round Stand-up Height Table - Without		U4 □□□ 42		109.0#	\$ 1329	\$ 1395	\$ 1531	\$ 33
	Seating	60" UFSI	U5 🗆 🗆 42		129.0#	1398	1467	1596	31
	Unitized all-steel frames provide superior Ashility and dynability.	r							
	stability and durabilityKI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
	system results in a controlled, effortless								
HEDDII	folding. Also holds tables in a teepee								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

42 - 42" high

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

BSelect surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

0

0

(3)

B

Select frame color.

Refer to the Product Color Options page in this

selections.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping


Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Rectangular Table



Uniframe® Tables without Seating (Delivered)

Rectangular Table



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this price list

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Round Table

		MODE	L NUMBER) (
	MODE	Basic	Edge		e Edge Fra		Flat Vinyl T-	Edge Ed	4" 73P	Perfect Edge	Chrome Upcharge add to list
	MODEL	DIA Model	Style Hei	ght Finish	Color Col	or Weight	(BN)	(7)	3P)	(PR)	price
	Round Table - Without Seating	48" UFRD4				□ 98.0#	\$ 1404	\$	1474	\$ 1648	\$ 40
	 Unitized all-steel frames provide superior stability and durability 					132.0#	1484		1559	1728	43
	Kl's exclusive combination pneumatic	72" UFRD6					1996		2096	2461	44
	lift assist and torsional energy storage										
	system results in a controlled, effortless										



UFRDN

ording. 7130 floras tables in a teopee				
osition for easy cleaning				
Storage lock standard for added safety				
Gravity lock stabilizes tables in the open				
osition and eliminates possibility of ables folding unexpectedly				
Safety lock engages in a semi-open				
osition to halt downward opening				
novement				
leg design furnishes maximum leg oom and seating capacity				
Dimensions include overall depth and				
vidth of table				
deal for multi-purpose seating				
	-		 	

0

0

B

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

• Select surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

(3)

(3)

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Oval Table

			MODEL	NUMBER	?										Chrome
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight		Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		Upcharge add to list price
	Oval Table - Without Seating Unitized all-steel frames provide superior Add the billity and durability.	60 x 66"	UFOV66						143.0#		\$ 1752	\$ 1837	\$ 2084		\$ 40
	stability and durability Ki's exclusive combination pneumatic	60 x 72"	UF0V72						151.0#		1819	1914	2198		44
	lift assist and torsional energy storage system results in a controlled, effortless														
UFOVN	folding. Also holds tables in a teepee position for easy cleaning														
	Storage lock standard for added safety Gravity lock stabilizes tables in the open														
	position and eliminates possibility of tables folding unexpectedly														
	Safety lock engages in a semi-open position to halt downward opening														
	movement T-leg design furnishes maximum leg														
	room and seating capacity • Dimensions include overall depth and														
	width of tableIdeal for multi-purpose seating														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

①Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Select frame color. Refer to the Product Color Options page in this

selections.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

Edge color offerings are based on edge style

upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Square Table

			MODE	L NUMBE	ER									O.
									Approx.			3/4" 73P		Chrome Upcharge add to list
			Basic	Edge		Surface	Edge	Frame	Packaged	Flat Viny	yl T-Edge	Edge	Perfect Edge	add to list
	MODEL	D x W	Model	Style	Height	Finish	Color	Color	Weight	(BN)		(73P)	(PR)	price
$\overline{}$		48 x 48"	UFSQ4						108.0#	\$ 1337	37	\$ 1404	\$ 1582	\$ 46
	 Unitized all-steel frames provide superior 													
	stability and durability													
	KI's exclusive combination pneumatic													
	lift assist and torsional energy storage													
	evetom reculte in a controlled effortless			4										

UFSQN

IUDEL	DXW	Model	Style	Height	FINISN	Color	Color
quare Table - Without Seating	48 x 48"	UFSQ4					
Unitized all-steel frames provide superior							
stability and durability							
KI's exclusive combination pneumatic							
lift assist and torsional energy storage							
system results in a controlled, effortless							
folding. Also holds tables in a teepee							
position for easy cleaning Storage lock standard for added safety							
Gravity lock stabilizes tables in the open							
position and eliminates possibility of							
tables folding unexpectedly							
Safety lock engages in a semi-open							
position to halt downward opening							
movement							
T-leg design furnishes maximum leg							
room and seating capacity							
Dimensions include overall depth and							
width of table							
Ideal for multi-purpose seating							
		A	B	•	0	(3	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

①Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

Select frame color.

selections.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Tables without Seating (Delivered) Hexagonal Table

width of table

· Ideal for multi-purpose seating



Uniframe® Tables without Seating (Delivered) Hexagonal Table

	MODEL	MODE Basic Model	Edge Style Heig	Surface Jht Finish	Edge Frame Color Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
	Hexagonal Table - Without Seating	48" UFHX4				101.0#	\$ 1484	\$ 1559	\$ 1728	\$ 43
	 Unitized all-steel frames provide superior stability and durability 	r								
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
UFHXN	system results in a controlled, effortless									
	folding. Also holds tables in a teepee position for easy cleaning									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedlySafety lock engages in a semi-open									
	position to halt downward opening									
	movement									
	T-leg design furnishes maximum leg									
	room and seating capacity • Dimensions include overall depth and									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high 29

①Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

0

0

(3)

B

Select frame color.

selections.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Octagonal Table

			MODI	EL NUIVIE	BEK								
												E	Chrome
									Approx.		3/4" 73P		Upcharge
			Basic	Edge		Surface	Edge	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
	MODEL	DIA	Model	Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Octagonal Table - Without Seating • Unitized all-steel frames provide superior	60"	UFOC5						134.0#	\$ 1531	\$ 1608	\$ 1787	\$ 53
	 Unitized all-steel frames provide superior 	or											
	etability and durability												



10DEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color
ctagonal Table - Without Seating Unitized all-steel frames provide superior stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Dimensions include overall depth and width of table	60"	Model UFOC5		Height	Finish	Color	Color
Ideal for multi-purpose seating							

B O

O

a a

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

selections.

27 - 27" high - 29" high 29

①Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

UFRDU

Uniframe® Tables without Seating (Delivered)

position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening T-leg design furnishes maximum leg room and seating capacity

Round Stand-up Height Table



Uniframe® Tables without Seating (Delivered) Round Stand-up Height Table

			1	MODEL I	NUMBER						Chrome
		MODEL	DIA B	Basic E Model S	Edge Style Height	Edge Frame Color Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
_		Round Stand-up Height Table - Without	48" U	JFSU4 [□□□ 42		109.0#	\$ 1559	\$ 1638	\$ 1793	\$ 40
		Seating	60" U	JFSU5 [□□□ 42		129.0#	1640	1723	1871	37
	TO T	Unitized all-steel frames provide superior									
		stability and durabilityKI's exclusive combination pneumatic									
		lift assist and torsional energy storage									
		system results in a controlled, effortless									
	IEDNII	folding. Also holds tables in a teepee									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

42 - 42" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

B

•

0

(3)

Select frame color.

Refer to the **Product Color Options** page in this

selections.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

> Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

freight prepaid. Freight class 150.

Ships assembled, FOB Green Bay, WI 54302,









Wheelchair Accessible Tables w/Benches (WAUF12BE)

Wheelchair Accessible Tables w/Stools (WAUF126)

Fe	atı	ure	S
16	au	uic	o.

i catures		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•







Bullnose Edge

73P Edge

Perfect Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2"

Bench supports are robotically welded steel

construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Table top and bench edges are finished in one of

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core

and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant.

Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the

open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit

Rectangular Table with Benches

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches

Chrome 3/4" 73P Upcharge Approx. Packaged Flat Vinyl T-Edge Perfect Edge add to list price 309.0# \$ 2482 \$ 2736 \$ 3036 \$ 175



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

Select bench surface. Refer to the Product Color Options page in this

GSelect bench edge color.

Refer to the Product Color Options page in this Edge color offerings are based on edge style selections

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C


Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Rectangular Table with Stool Seats

tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, · Dimensions include overall depth and width of table and seating

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

(3)

A

 Θ

(3)

(3)

Θ

0

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this

GSelect frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.


Rectangular Table with Stool Seats



Chrome 3/4" 73P Upcharge Approx. Packaged Flat Vinyl T-Edge Perfect Edge add to list price 312.0# \$ 2972 \$ 3121 \$ 3264 \$ 199

3422

3284



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinvl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

316.0#

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

199



309.0#

Approx.
Packaged Flat Vinyl T-Edge

\$ 2911

\$ 3210

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Benches

Perfect Edge

\$ 3560

Chrome

Upcharge

add to list price

\$ 206

MODEL D x W Model Style Height Finish Color Surface Color (MODEL NU	MBER				
with Benches Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Full bench Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and		MODEL	D x W			Height		Edge	Frame Color
Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Full bench Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and	\sim		56-1/2 x 139-1/2"	WAUF12BE		31			
31" clearance from floor to underside of table Full bench Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and									
table Full bench Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, lnc Dimensions include overall depth and									
Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, lnc Dimensions include overall depth and									
Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and									
position and eliminates possibility of tables folding unexpectedly • Listed to applicable UL standards and requirements Underwriters Laboratories, Inc • Dimensions include overall depth and									
Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and	LIMPOR	position and eliminates possibility of							
requirements Underwriters Laboratories, Inc • Dimensions include overall depth and	UWRCB								
Inc • Dimensions include overall depth and									
		Inc							
							 	 	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with

codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select bench surface.

selections.

Refer to the Product Color Options page in this

GSelect bench edge color.

Refer to the Product Color Options page in this Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.



312.0#

316.0#

Packaged Flat Vinyl T-Edge

\$ 3341

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats

Perfect Edge

3808

\$ 3677

Chrome

Upcharge

add to list price

\$ 235

235

			MODEL NUM	BER						Ī
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	WA Rectangular Table with Stool Seats -	60-1/2 x 139-1/2"	WAUF126/PY		31					
	Polypropylene • Height to top of surface is 31-3/4"	60-1/2 x 139-1/2"	WAUF128/PY		31					
	• 31" clearance from floor to underside of table									
	Polypropylene stool seatsStorage lock standard for added safety									
UWRCP	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly • Listed to applicable UL standards and									
	requirements Underwriters Laboratories,									
	IncDimensions include overall depth and									
	width of table and seating									
			A	₿	•	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height. **31** - 31" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this

GSelect frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

3/4" 73P

\$ 3505

3631

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.



312.0#

316.0#

Packaged Flat Vinyl T-Edge

\$ 3487

3/4" 73P

\$ 3661

3851

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats

Perfect Edge

4012

\$ 3827

Chrome

Upcharge

add to list price

\$ 235

235

			MODEL NUMI	BER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31				
	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31				
902	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
	Thermoset Hard Plastic stool seats								
	Storage lock standard for added safety								
UWRCT	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Listed to applicable UL standards and 								
	requirements Underwriters Laboratories, Inc								
	Dimensions include overall depth and								
	width of table and seating								
		·	A	B	0	0	(3	(3	Ф

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Wheelchair Accessible Tables without Seating



Uniframe® Wheelchair Accessible Tables without Seating







WA Oval Table (WAUFOV66)



WA Round Table (WAUFRD5)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
21 2///" height			_



Bullnose Edge



73P Edge



Perfect Edge



T-Style Leg







WA Square Table

WA Hexagonal Table

WA Octagonal Table

	(WAUFSQ4)	(WAUFHX4)	(WAUFOC5)
Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel. pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have

\$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded) Round Table

			MODEL NU	IMBER								Chrome
			Basic	Edge	Surface	Edge	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Upcharge add to list
	MODEL	DIA	Model	Edge Style Heigh	Surface nt Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
		48"	WAUFRD4	□□□ 31				89.0#	\$ 1212	\$ 1271	\$ 1425	\$ 37
	Without Seating	60"	WAUFRD5	□□□ 31				115.0#	1289	1352	1500	33
	Storage lock standard for added safetyGravity lock stabilizes tables in the open	72"	WAUFRD6	□□□ 31				149.0#	1726	1812	2121	31
	Gravity lock stabilizes tables in the open position and eliminates possibility of											
	tables folding unexpectedly											
UWRDN	 Safety lock engages in a semi-open 											
	position to halt downward opening											
	movement • T-leg design furnishes maximum leg											
	room and seating capacity											
	Height to top of surface is 31-3/4"											
	31" clearance from floor to underside of table											
	ιασιο											
			A	B G	0	B	(3					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this (BL) Std-no upcharge, all other colors have

\$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

selections.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this (BL) Std-no upcharge, all other colors have

\$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with

codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Surface finish offerings are based on edge style selections.

Edge color offerings are based on edge style

Select frame color.

\$14 upcharge, see price column for Chrome

selections.

Refer to the Product Color Options page in this codes for length of table, edge treatment and (BL) Std-no upcharge, all other colors have

Refer to the **Product Color Options** page in this

Select surface edge color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Wheelchair Accessible Tables without Seating (Delivered) Round Table

			MODEL NI	IMPED							
			MODEL N	JMREK			Angray		3/4" 73P		Chrome
			Basic	Edge	Surface	Edge Frame	Approx. Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	Upcharge add to list
	MODEL	DIA	Basic Model	Edge Style Heig	ht Finish	Edge Frame Color Color	Weight	(BN)	Edge (73P)	(PR)	price
	Wheelchair Accessible Round Table -	48"	WAUFRD4	□□□ 31			89.0#	\$ 1423	\$ 1492	\$ 1673	\$ 44
	Without Seating	60"	WAUFRD5	□□□ 31			115.0#	1511	1588	1758	40
	Storage lock standard for added safetyGravity lock stabilizes tables in the oper	72"	WAUFRD6	□□□ 31			149.0#	2024	2125	2489	37
	position and eliminates possibility of										
	tables folding unexpectedly										
UWRDN	 Safety lock engages in a semi-open position to halt downward opening 										
	movement										
	 T-leg design furnishes maximum leg 										
	room and seating capacityHeight to top of surface is 31-3/4"										
	 31" clearance from floor to underside o 	of									
	table										
			Λ	B (a	a a					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

14

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Square Tabl



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

②Select surface finish.

Refer to the **Product Color Options** page in this price list

price list.
Surface finish offerings are based on edge style selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

}

Select frame color.

selections.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


nipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

N

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Hexagonal Table



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

0.

Select surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style

Surface finish offerings are based on edge selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking


With specially marked information N/C

opoolally markou illiormation

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this (BL) Std-no upcharge, all other colors have

\$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Convertible Bench



Uniframe® Convertible Bench

PRODUCT SPECIFICATIONS ■

Uniframe® Convertible Bench

April 2020

TECHNICAL SPECIFICATIONS

15-Year Warranty

All benches described herein carry a 15-year warranty for frames, tops/backs and benches.

Dimensions

	29" H	27" H
Folded height	331/4"	311/4"
Folded depth	22"	22"
Bench height	17"	15"
Bench length	96"	96"
Top height	29"	27"
Depth when unit is in use (bench folded down and top either up or down)	291/2"	27'/2"

Tops/Backs and Benches

Tops/backs and benches consist of a solid 45 PCF density particle board core material. Nominal thickness is $^{3}/_{4}$ " of warp-resistant construction, with a .030" high-pressure laminate face and a .011" polymer impregnated kraft liner backer. The frame is secured to the top with deep thread screws, benches are secured to the frame using a #10-24 through bolt and locknut at six locations. Corners have a $2^{1}/2^{\circ}$ radius. Tops measure $14^{3}/4^{\circ}$ by 96" long. Benches measure $12^{1}/4^{\circ}$ by 95" long.

Edges

Tabletop edges are finished in one of the following:

53B Bullnose Edge

53B bullnose edge is .11" thick. Edges are banded with an abrasion-resistant black vinyl 53B bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced 8-10" apart.

Edges are banded with a 2 mm flat polypropylene edge banding that is chemically bonded to the table core.

Frames

Frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel. Leg supports are 14-gauge square steel tubing. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base is welded to the leg assembly.

Frame Finish

Powder-coat finish is non-chipping electrostatically applied and baked. Finish is black only, with optional chrome legs.

Sliding Foot Ganger

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanisms are located on each end, on top of the foot tube for easy access.



TECHNICAL SPECIFICATIONS (cont.)

Bench Support Foot Caps


Bench support foot caps are black poly.


Large 4" diameter heavy-duty hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General


Convertible benches ship knocked down in two boxes for customer assembly (unassembled).

DIMENSIONS





MODEL #	Α	В	C	D	E
UCB8	96.0"	95.0"	29.5"	16.5"	29.0"



Uniframe® Convertible Bench



Uniframe® Convertible Bench Product Color Options


Surface FinishLaminate		Flannel	EFN	Zesty Lime	EZL
Belair	LBQ	Frosty White	EFW	France Oales	
Biltmore Cherry	LBT	Hazy Jade	EHJ	Frame Color	
Black	LBK	Honey Bee	EHY	Black	BL
Brighton Walnut	LBW	Light Tone	ELG	Leg Finish	
Canyon Zephyr	LCA	Mardi Gras	EMG	Black leg finish	BLF
Castle Oak	LC0	Misty Brown	EMY	Chrome leg finish	CHF
Casual Linen	LCU	Nemo	ENE	omeno log imon	3
Cherry Storm	LCX	Nordic	END		
Classic Linen	LCI	Poppy Red	EPR		
Cloud Zephyr	LCL	Purple Haze	EPH		
Cocobala	LCC	Rubber Ducky	ERK		
Crisp Linen	LRI	Sand	ESA		
Desert Zephyr	LDZ	Sky Blue	ESK		
Dove Grey	LDG	Surf's Up	ESP		
Fired Steel	LIL	Twilight Shadow	ETI		
Flax Linen	LXF	Ultra Blue	EUB		
Florence Walnut	LFC	Warm Grey	EWG		
Forged Steel	LOL	Zesty Lime	EZL		
Friston Ash	LFH				
Frosty White	LFW	Edge Color for 73P Edge			
Graphite Nebula	LGN	Belair	EBQ		
Grey	LGE	Biltmore Cherry	EBT		
High Rise	LHE	Black	EBL		
Hollyberry	LHY	Blue Grey	EGR		
Irish Linen	LIH	Brighton Walnut	EBW		
Island	LID	Castle Oak	ECO		
Italian Silver Ash	LIT	Cayenne	ECY		
Kensington Maple	LKM	Cherry Storm	ECX		
Lapis Blue	LLB	Cool Grey	ECG		
Markerboard White	LMK	Earthen Clay	EEY		
Misted Zephyr	LMR	Everglade Shade	EEV		
Monticello Maple	LMT	Flannel	EFN		
Nickel Evolv	LNV	Florence Walnut	EFC		
North Sea	LNA	Friston Ash	EFH		
Ocean	LON	Frosty White	EFW		
Pearl Bisque	LPB	Hazy Jade	EHJ		
Pearl Silver	LPS	Honey Bee	EHY		
Pressed Linen	LPR	Italian Silver Ash	EIT		
River Cherry	LRY	Kensington Maple	EKM		
Rugged Linen	LRG	Light Tone	ELG		
Satin Stainless	LSS	Mardi Gras	EMG		
Shadow Zephyr	LSR	Misty Brown	EMY		
Silicon evolv	LSV	Monticello Maple	EMT		
Sterling Ash	LAZ	Nemo	ENE		
Tailored Linen	LTL	Nordic	END		
Titanium evolv	LTV	Poppy Red	EPR		
White Nebula	LWL	Purple Haze	EPH		
White Sand	LWN	River Cherry	ERY		
Windsor Mahogany	LWY	Rubber Ducky	ERK		
Willusor Mailogally	LVVI	Sand	ESA		
Edge Color for BN Edge		Sky Blue	ESK		
Black	EBL	Sterling Ash	EAZ		
Blue Grey	EGR	Surf's Up	ESP		
Cayenne	ECY	Twilight Shadow	ETI		
Cool Grey	ECG	Ultra Blue	EUB		
Earthen Clay	EEY	Warm Grey	EWG		
Everglade Shade	EEV	Windsor Mahogany	EWY		

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics	
View color swatches for items listed within this document	Plastics/Polv	Laminates	Edae Styles	Glass	

Uniframe® Convertible Bench (Freight Excluded)



Uniframe® Convertible Bench (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

 Basic model includes length of bench.
- Select edge style.

 BN Flat vinyl T-edge
 73P 3/4" 73P edge

Height 27

- 27 27" high 29 - 29" high
- Select surface finish.
 Refer to the **Product Color Options** page in this price list.
- Select surface edge color.

 Refer to the **Product Color Options** page in this price list.

 Edge color offerings are based on edge style
- Frame Color

BLF - Black leg finish CHF - Chrome leg finish; add \$24

SPECIAL SERVICES

Special Carton Marking

With specially marked information


nipping

Ships knocked down, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Uniframe® Convertible Bench (Delivered)



Uniframe® Convertible Bench (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BLF - Black leg finish

- Chrome leg finish; add \$29

A Select basic model. Basic model includes length of bench.

Select edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge

Height 27

- 27" high - 29" high

DSelect surface finish. Refer to the Product Color Options page in this

Select surface edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Frame Color

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000411/KI/PDF

