Universal Storage and Accessories Overhead Storage



Universal Storage and Accessories Overhead Storage

									•
			MODEL NUMB	ER					
									Metallic Approx. Paint
			Basic		Paint	Laminate	Lock	Lock	Packaged Delivered add to list
	MODEL	WxHxD	Model	Assembly	Color	Color	Option	Color	
\$ ~	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/UN/PM						
	net-On-Module (PM)	30 x 16-1/2 x 14-1/2"	PRDL30/UN/PM						
	 On-Module overheads mount into slots in vertical posts. Overheads must be 	00 X 10 1/L X 11 1/L	PRDL36/UN/PM						
	same width as panel mounted to. Allows	s 42 x 16-1/2 x 14-1/2"	PRDL42/UN/PM						
•	for vertical adjustment in 1" increments		PRDL48/UN/PM						
PRDL	Includes mounting bracketsSteel bottom and top shelf, end panels	54 x 16-1/2 x 14-1/2"	PRDL54/UN/PM						
	and front with powder-coated finish	60 x 16-1/2 x 14-1/2"	PRDL60/UN/PM						57.0# 1250 158
	 Accepts shelf divider 								
	Door stores recessed with exposed								
	plastic trim handleDouble bit lock is included								
	• Shelf depth is 13-1/4"								
-									
	Laminate Door Overhead Cabinet-Load	24 x 16-1/2 x 14-1/2"	PRDL24/UN/LB						
	Bar Mount (LB)Load Bar mount overheads (LB) hang	30 x 16-1/2 x 14-1/2"	PRDL30/UN/LB						
	from an externally mounted load bar	36 x 16-1/2 x 14-1/2"	PRDL36/UN/LB						
	 Load Bar purchased separately 	42 x 16-1/2 x 14-1/2"	PRDL42/UN/LB						
	Includes mounting brackets	48 x 16-1/2 x 14-1/2"	PRDL48/UN/LB						
PRDL	 Steel bottom and top shelf, end panels and front with powder-coated finish 	54 x 16-1/2 x 14-1/2"	PRDL54/UN/LB						
	 Accepts shelf divider 	60 x 16-1/2 x 14-1/2"	PRDL60/UN/LB						57.0# 1353
	Door stores recessed with exposed								
	plastic trim handleDouble bit lock is included								
	Shelf depth is 13-1/4"								
		04 - 40 4/0 - 44 4/0"	DDDI 04/UN/UNA						000# 0 074
	Laminate Door Overhead Cabinet-Up- mount	24 x 16-1/2 x 14-1/2"	PRDL24/UN/UM						
	On a 48" panel, clearance between	30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2"	PRDL30/UN/UM PRDL36/UN/UM						
	the Universal overhead and 29" high	42 x 16-1/2 x 14-1/2"	PRDL42/UN/UM						
r§ °	worksurface is 18.85"	48 x 16-1/2 x 14-1/2"	PRDL48/UN/UM						
V	 On a 56" panel, clearance between the Universal overhead and 29" high 	54 x 16-1/2 x 14-1/2"	PRDL54/UN/UM						
PRDL	worksurface is 26.85"	60 x 16-1/2 x 14-1/2"	PRDL60/UN/UM						
PNUL	 Includes mounting brackets 	00 X 10-1/2 X 14-1/2	PRDLOU/UN/UNI						37.0# 1412 136
	 Steel bottom and top shelf, end panels and front with powder-coated finish 								
	Accepts shelf divider								
	 Door stores recessed with exposed 								
	plastic trim handle								
	Double bit lock is includedShelf depth is 13-1/4"								
	5 dopin to 10 17 1		_						
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Storage



Universal Storage and Accessories Overhead Storage

						▼	
			MODEL NUMB	ER			
	MODEL	WxHxD	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	Low Shelf-On-Module	24 x 10-1/2 x 13-1/4"	ULSR24/UN/PM		14.0#	\$ 260	\$ 102
	On-Module shelves (PM) mount into	30 x 10-1/2 x 13-1/4"	ULSR30/UN/PM		16.0#	270	111
The same	slots in vertical posts. Shelves must be same width as panel mounted to. Allow	s 36 x 10-1/2 x 13-1/4"	ULSR36/UN/PM		17.0#	284	112
	for vertical adjustment in 1" increments	42 x 10-1/2 x 13-1/4"	ULSR42/UN/PM		19.0#	295	123
ULSR		48 x 10-1/2 x 13-1/4"	ULSR48/UN/PM		20.0#	300	130
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/PM		22.0#	320	135
		60 x 10-1/2 x 13-1/4"			24.0#	329	158
	Low Shelf-Load Bar Mount	24 x 10-1/2 x 13-1/4"			14.0#	\$ 365	\$ 102
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	30 x 10-1/2 x 13-1/4"	ULSR30/UN/LB		16.0#	377	111
The state of the s	Load Bar purchased separately	36 x 10-1/2 x 13-1/4"	ULSR36/UN/LB		17.0#	389	112
V		42 x 10-1/2 x 13-1/4"	ULSR42/UN/LB		19.0#	402	123
ULSR		48 x 10-1/2 x 13-1/4"	ULSR48/UN/LB		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/LB		22.0#	433	135
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/LB		24.0#	435	158
اللاان	Low Shelf-UpmountOn a 48" panel, clearance between	24 x 10-1/2 x 13-1/4"	ULSR24/UN/UM		14.0#	\$ 424	\$ 102
L. L	the Universal overhead and 29" high	30 x 10-1/2 x 13-1/4"	ULSR30/UN/UM		16.0#	432	111
	worksurface is 18.85"	36 x 10-1/2 x 13-1/4"	ULSR36/UN/UM		17.0#	447	112
[/ 2	 On a 56" panel, clearance between the Universal overhead and 29" high 	42 x 10-1/2 x 13-1/4"	ULSR42/UN/UM		19.0#	461	123
III CD	worksurface is 26.85"	48 x 10-1/2 x 13-1/4"	ULSR48/UN/UM		20.0#	465	130
ULSR		54 x 10-1/2 x 13-1/4" 60 x 10-1/2 x 13-1/4"	ULSR54/UN/UM ULSR60/UN/UM		22.0# 24.0#	489 497	135 158
		00 X 10-1/2 X 13-1/4	ULSKOU/UN/UN		Z4.U#	497	138
			A	$oldsymbol{\Theta}$			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes 10-1/2" high back Accepts shelf dividers Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Storage



Universal Storage and Accessories Overhead Storage

						▼	
			MODEL NUMB	ER			
	MODEL	W x H x D	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	Regular Shelf-On-Module	24 x 16-1/2 x 13-1/4"	URSR24/UN/PM		19.0#	\$ 280	\$ 102
	On-Module shelves mount into slots in	30 x 16-1/2 x 13-1/4"	URSR30/UN/PM		20.0#	291	111
	vertical posts. Shelves must be same width as panel mounted to. Allows for	36 x 16-1/2 x 13-1/4"	URSR36/UN/PM		22.0#	300	112
Lining	vertical adjustment in 1" increments	42 x 16-1/2 x 13-1/4"	URSR42/UN/PM		23.0#	309	123
~		48 x 16-1/2 x 13-1/4"	URSR48/UN/PM		25.0#	323	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/UN/PM		27.0#	339	135
		60 x 16-1/2 x 13-1/4"	URSR60/UN/PM		28.0#	350	158
	Regular Shelf-Load Bar Mount	24 x 16-1/2 x 13-1/4"	URSR24/UN/LB		19.0#	\$ 386	\$ 102
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	30 x 16-1/2 x 13-1/4"	URSR30/UN/LB		20.0#	398	111
WILL SAME	Load Bar purchased separately	36 x 16-1/2 x 13-1/4"	URSR36/UN/LB		22.0#	406	112
Juni	, , ,	42 x 16-1/2 x 13-1/4"	URSR42/UN/LB		23.0#	420	123
		48 x 16-1/2 x 13-1/4"	URSR48/UN/LB		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/UN/LB		27.0#	444	135
		60 x 16-1/2 x 13-1/4"	URSR60/UN/LB		28.0#	458	158
	Regular Shelf-Upmount On a 48" panel, clearance between	24 x 16-1/2 x 13-1/4"	URSR24/UN/UM		19.0#	\$ 442	\$ 102
WILL S	the Universal overhead and 29" high	30 x 16-1/2 x 13-1/4"	URSR30/UN/UM		20.0#	457	111
	worksurface is 18.85"	36 x 16-1/2 x 13-1/4"	URSR36/UN/UM		22.0#	465	112
	On a 56" panel, clearance between the Universal and 20" binds	42 x 16-1/2 x 13-1/4"	URSR42/UN/UM		23.0#	473	123
	the Universal overhead and 29" high worksurface is 26.85"	48 x 16-1/2 x 13-1/4"	URSR48/UN/UM		25.0#	485	130
	Worksurfuse is 25.00	54 x 16-1/2 x 13-1/4"	URSR54/UN/UM		27.0#	505	135
URSR		60 x 16-1/2 x 13-1/4"	URSR60/UN/UM		28.0#	513	158
			A	3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes full back Accepts shelf dividers Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Accessories



Universal Storage and Accessories Overhead Accessories

						V
			MODEL NUM	IBER		
					Approx.	
	MODEL	Features	Basic	Trim	Packaged	Delivered Patrician
			Model	Color	Weight	Pricing Pricin
/	Universal Overhead On-Module Mounting		48.0261.SET		1.0#	\$ 52
M-1	Bracket Sold in pairs / Black only					
	Mounts into slots in vertical posts					
	 Allows for vertical adjustments in 1" 					
-	increments					
HRDPT	 Only necessary to order if changing mounting style 					
A	Load Bar Brackets		46.2103		1.0#	\$ 158
	 Load Bar mount overheads hang from an externally mounted load bar 					
١٠ ا ا	Load Bar purchased separately, Sold in					
	pairs					
\bigvee						
HRDPT						
<i>≥</i>	Upmount Brackets		46.2299		1.0#	\$ 197
	 On a 48" panel, clearance between the Universal overhead and 29" high 					
	worksurface is 18.85"					
	 On a 56" panel, clearance between 					
V	the Universal overhead and 29" high					
HRDPT	worksurface is 26.85" • Sold in pairs					
	• Solu III pairs					
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC		0.4#	\$ 15
HRDPT	Double bit design	Lock Core/2 Key Set - Black	2.KP20522		0.4#	15
	Range of 200 different core/key numbers available	Master Key	2.KP20550		0.2#	11
	Must specify lock number(s) requested	Extractor Key	2.KP20551		0.2#	11
	when ordering cut key or lock core/key	Blank Key	2.KP20552		0.2#	3
	sets	Cut Key	2.KP20557		0.2#	4
				_		
			A	$oldsymbol{eta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Accessories



Universal Storage and Accessories Overhead Accessories

			MODEL N	MODEL NUMBER									
M	NODEL	W x H	Basic Model	Trim	Mounting	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delive Pricin Fabric 1 & C.	g Pricing Grade Fabric G	d Fabric G 3 & Pall	as Vertical Pallas Vert	
		7-1/4 x 11-1/2"	NSD				1.0#	\$ 35					
	Steel shelf dividers with powder-coated finish												
•	Fits on all shelves and cabinets												
ે⊌ HRDPT													
	Wall Mounted Load Bar	24"	SWLB.24				5.0#	\$ 151					
	Supports overhead storage on drywall or other non-panel applications	30"	SWLB.30				6.0#	161					
	oulet noir-panet applications	36"	SWLB.36				7.0#	164					
		42"	SWLB.42				8.0#	182					
		48"	SWLB.48				10.0#	187					
HRDPT		54"	SWLB.54				13.0#	222					
		60"	SWLB.60				12.0#	223					
		66"	SWLB.66				13.0#	226					
		72"	SWLB.72				14.0#	234					
		84"	SWLB.84				17.0#	362					
		96"	SWLB.96				19.0#	381					
Ov	Verhead Tackboard	24 x 12"	PTB02412				3.0#	N/A					\$ 212
	Hangs from bottom of overhead cabinet or shelf		PTB03012				3.0#	N/A		202 205			231
	Includes mounting brackets in black only	36 x 12"	PTB03612				3.0#	N/A		223 228			250
		42 x 12"	PTB04212				4.0#	N/A		229 233			261
		48 x 12"	PTB04812				4.0#	N/A		232 236			265
PTB0		54 x 12"	PTB05412				4.0#	N/A		265 272			301
		60 x 12"	PTB06012				4.0#	N/A	2	276 283	3 28	5 297	311

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

Select mounting.

NLBM - Not load bar mounted YLBM - Load bar mounted

OSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories LED Task Lights



Universal Storage and Accessories LED Task Lights

				·
		MODEL NUMBER		
			Approx.	
		W Basic W Model	Packaged Weight	Delivered
	MODEL	W Model	Weight	Pricing
	Single Unit - Overhead LED Task Light	12" LEDTK.12.SGL.GN	1.2#	\$ 147
	Attaches to the bottom of overhead	17" LEDTK.17.SGL.GN	1.6#	188
	storage cabinets or shelving Task lights are specified by the cabinet		2.1#	230
	width to which they are attached. See	44" LEDTK.44.SGL.GN	2.3#	264
	"INFORMATION" at bottom of price list		2.0	
HRDPT	page for sizing chart.			
TITUDI I	 Slim profile mounts effortlesly via 			
	magnets or screw-in bracket			
	Attachment hardware includedTouch and hold dimmability with last-			
	state memory			
	Silver anodized aluminum body/black			
	plastic end caps			
	• 9' power supply			
	 Includes 2 cord managers 			
	Starter Unit - Overhead LED Task Light	12" LEDTK.12.DCP.GN	1.2#	\$ 192
	 Attaches to the bottom of overhead 	17" LEDTK.17.DCP.GN	1.6#	240
	storage cabinets or shelving	04" FDTW 04 DOD 04	2.1#	283
	Task lights are specified by the cabinet	44" LEDTK.44.DCP.GN	2.3#	321
	width to which they are attached. See "INFORMATION" below for sizing chart.		2.5#	521
	Slim profile mounts effortlesly via			
HRDPT	magnets or screw-in bracket			
	 Attachment hardware included 			
	Touch and hold dimmability with last-			
	state memorySilver anodized aluminum body/black			
	plastic end caps			
	Daisy chain with Adder units			
	11' power supply			
	 Includes 2 cord managers 			
	Refer to Interlinking Combination table			
	below for optimal performance of daisy chained fixtures			
	GHAIHEU HALUIES			
		A		

HOW TO ORDER HOW TO BUILD A MODEL NUMBER INFORMATION INTERLOCKING SPECIFICATIONS INTERLOCKING SPECIFICATIONS SPECIAL SERVICES INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN) LED TASK LIGHT CABINET WIDTH INTERLINKING COMBINATIONS **Special Carton Marking** A Select basic model. Indicate the following information on order form: (DAISY CHAIN) Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 1. Quantity of each item. With specially marked information N/C 12" or 17" 17" 17" 31" 31" 44" 2. Model number, including options. See "How To # of # of # of # of 12" Build a Model Number". 44" 3. Any special service required. Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70. Note: • The ☐ indicates that a choice is required. Specifications and prices are subject to change without prior notice. ullet The absence of the \square indicates that no 44" 44" choice is required. ullet Alpha-numeric characters in place of \Box 44" indicate that no other alternatives are avail-

Universal Storage and Accessories



Universal Storage and Accessories LED Task Lights

		MODEL NUMBER			
			Approx.		
	MODEL	Basic	Approx. Packaged Weight	Delivered	
		V Model		Pricing	
	Adder Unit - Overhead LED Task Light	2" LEDTK.12.DCA.GN	1.2#	\$ 95	
	 Attaches to the bottom of overhead storage cabinets or shelving 	7" LEDTK.17.DCA.GN	1.6#	109	
	Task lights are specified by the cabinet	1" LEDTK.31.DCA.GN	2.1#	152	
	width to which they are attached. See 4	4" LEDTK.44.DCA.GN	2.3#	188	
	"INFORMATION" below for sizing chart.				
HRDPT	Slim profile mounts effortlesly via				
	magnets or screw-in bracket • Attachment hardware included				
	Touch and hold dimmability with last-				
	state memory				
	Silver anodized aluminum body/black				
	plastic end caps • Daisy chain with Starter units				
	18' jumper cord and connect to starter				
	unit				
	 Includes 2 cord managers 				
	Does not inloude power supply; must				
	 purchase starter unit with power supply Controlled by the on/off/dimmer of the 				
	starter unit				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy				
	chained fixtures				
		A			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Wid 24" 30" 36" 42" 48" 54" 60" 66"

	MATION SK LIGHT CABINET WIDTH	
Cabinet	Light	
Width	Width	
24"	12" or 17"	
30"	17"	
36"	17"	
42"	31"	
48"	31"	
54"	44"	
60"	44"	
66"	44"	
70"	A A ??	

# 01	# 01	# 01	# 01
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

INTERLOCKING SPECIFICATIONS
INTERLINKING COMBINATIONS (cont.)
(DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44'
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Balance® Storage and Accessories Overhead Storage



Balance® Storage and Accessories Overhead Storage

		MODEL NUMBER								
					Upper			Approx.		
	MODEL	W - H - B	Basic		Door		Lock	Packaged	Delivered	
	MODEL	WxHxD	Model	Color	Solid Color		Color	Weight	Pricing	
ام	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/PM					46.0#	\$ 1243	
	Upper Door-On Module (PM)	36 x 17 x 19-1/4"						52.0#	1323	
	Colored or translucent extruded polypro- pylene door	42 x 17 x 19-1/4"	BLCS42/UN/PM					58.0#	1393	
	On-Module overheads mount into slots	48 x 17 x 19-1/4"	BLCS48/UN/PM					64.0#	1441	
	in vertical posts. Overheads must be	54 x 17 x 19-1/4"	BLCS54/UN/PM					72.0#	1523	
	same width as panel mounted to. Allow	S 60 x 17 x 19-1/4"	BLCS60/UN/PM					78.0#	1606	
ВОН	for vertical adjustment in 1" increments									
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/LB					46.0#	\$ 1437	
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCS36/UN/LB					52.0#	1519	
	Colored or translucent extruded polypro-	42 x 17 x 19-1/4"	BLCS42/UN/LB					58.0#	1583	
	pylene doorLoad Bar Mount overheads hang from al	40 47 40 4/4"	BLCS48/UN/LB					64.0#	1632	
	externally mounted load bar	54 x 17 x 19-1/4"	BLCS54/UN/LB					72.0#	1714	
~	Load Bar purchased separately	60 x 17 x 19-1/4"	BLCS60/UN/LB					78.0#	1798	
BOH										
^	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/UM					46.0#	\$ 1344	
	Upper Door-Upmount	36 x 17 x 19-1/4"	BLCS36/UN/UM					52.0#	1424	
	Colored or translucent extruded polypro-	- 42 x 17 x 10 1/1	BLCS42/UN/UM					58.0#	1493	
	nylana door		BLCS48/UN/UM					64.0#	1541	
	Upmount brackets raise the storage 12" One 48" people alcorage between the	40 X 17 X 19-1/4	BLCS54/UN/UM					72.0#	1615	
[]	 On a 48" panel, clearance between the Balance overhead and 29" high worksur- 	54 X 17 X 19-1/4	BLCS60/UN/UM					72.0#	1710	
DOLL	face is 18.85"	00 X 17 X 19-1/4	DLG900/UN/UNI					/ O.U#	1710	
DUN	• On a 56" panel, clearance between the									
	Balance overhead and 29" high worksur-	-								
	face is 26.85"									

0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect cabinet paint color. Refer to the **Product Color Options** page in this price list.

Select upper door color. Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Balance® Storage and Accessories Overhead Storage



Balance® Storage and Accessories Overhead Storage

								▼					
			MODEL NUMBI	R									
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Lock Lo Option Co	Approx. ck Packaged lor Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing e Fabric Grade 2	Delivered Pricin Fabric Grade 3 & Pallas Vertic Fabric Grade PV	Pricing	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet-Fabric Uppe	r 30 x 17 x 19-1/4"	BLCF30/UN/PM				□□ 46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376	
	Door-On-Module	36 x 17 x 19-1/4"	BLCF36/UN/PM				□□ 52.0#	1429	1442	1460	1460	1466	
	On-Module overheads (PM) mount into	42 x 17 x 19-1/4"	BLCF42/UN/PM				□□ 58.0#	1501	1518	1533	1533	1540	
	slots in vertical postsOverheads must be same width as pane	48 x 17 x 19-1/4"	BLCF48/UN/PM				□□ 64.0#	1557	1570	1584	1584	1591	
	mounted to • Allows for vertical adjustment in 1" increments.	54 x 17 x 19-1/4"	BLCF54/UN/PM				□□ 71.0#	1643	1655	1676	1676	1683	
ВОН		60 x 17 x 19-1/4"	BLCF60/UN/PM				□□ 78.0#	1736	1750	1773	1773	1780	
A	Balance® Overhead Cabinet-Fabric Upper Door-Load Bar Mount	r 30 x 17 x 19-1/4"	BLCF30/UN/LB				□□ 46.0#	\$ 1533	\$ 1545	\$ 1562	\$ 1562	\$ 1568	
		36 x 17 x 19-1/4"	BLCF36/UN/LB				□□ 52.0#	1624	1634	1654	1654	1659	
	 Load Bar Mount overheads (LB) hang from an externally mounted load bar 		BLCF42/UN/LB					1695	1710	1728	1728	1735	
	Load Bar purchased separately	48 x 17 x 19-1/4"	BLCF48/UN/LB				□□ 64.0#	1742	1757	1780	1780	1788	
		54 x 17 x 19-1/4"	BLCF54/UN/LB					1824	1836	1858	1858	1865	
		60 x 17 x 19-1/4"	BLCF60/UN/LB				□□ 78.0#	1926	1941	1962	1962	1971	
ВОН													
\wedge	Balance® Overhead Cabinet-Fabric Uppe						□□ 46.0#	\$ 1445	\$ 1455	\$ 1475	\$ 1475	\$ 1479	
	Door-Upmount	36 x 17 x 19-1/4"	BLCF36/UN/UM				□□ 52.0#	1529	1542	1562	1562	1568	
	 Upmount brackets raise the storage component 12" 	42 x 17 x 19-1/4"	BLCF42/UN/UM				□□ 58.0#	1605	1617	1634	1634	1641	
	• On a 48" panel, clearance between the	48 x 17 x 19-1/4"	BLCF48/UN/UM				□□ 64.0#	1655	1671	1686	1686	1695	
	Balance overhead and 29" high worksur		BLCF54/UN/UM				□□ 71.0#	1740	1753	1775	1775	1776	
V	face is 18.85" • On a 56" panel, clearance between the	60 x 17 x 19-1/4"	BLCF60/UN/UM				□□ 78.0#	1832	1852	1870	1870	1877	
ВОН	Balance overhead and 29" high worksur	2											
	face is 26.85"												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

B

A

•

0

(3)

- © Select upper door color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard

NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Balance® Storage and Accessories Overhead Storage



Balance® Storage and Accessories Overhead Storage

			MODEL NUMB	ER		I					
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Lock Color	Approx. Packaged Weight	Deliv Pricii	
^	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/UN/PM						46.0#	\$ 1	52
	Upper Door-On-Module	36 x 17 x 19-1/4"	BLCL36/UN/PM						52.0#	1	57
	 On-Module overheads (PM) mount into slots in vertical posts. Overheads must 	42 x 17 x 19-1/4"	BLCL42/UN/PM						58.0#	1	67
	be the same width as panel mounted to	48 x 17 x 19-1/4"	BLCL48/UN/PM						64.0#	1	79
	 Allows for vertical adjustment in 1" 	54 x 17 x 19-1/4"	BLCL54/UN/PM						71.0#	1	90
OH	increments.	60 x 17 x 19-1/4"	BLCL60/UN/PM						78.0#	2	01
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/UN/LB						46.0#	\$ 1	71
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCL36/UN/LB						52.0#	1	75
	 Load Bar Mount overheads (LB) hang from an externally mounted load bar 	42 x 17 x 19-1/4"	BLCL42/UN/LB						58.0#	1	86
	Load Bar purchased separately	48 x 17 x 19-1/4"	BLCL48/UN/LB						64.0#		98
	•	54 x 17 x 19-1/4"	BLCL54/UN/LB						71.0#	2	10
OH .		60 x 17 x 19-1/4"	BLCL60/UN/LB						78.0#	2	209
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/UN/UM						46.0#	\$ 1	62
	Upper Door-Upmount	36 x 17 x 19-1/4"	BLCL36/UN/UM						52.0#		67
	 Upmount brackets raise the storage component 12" 	42 x 17 x 19-1/4"	BLCL42/UN/UM						58.0#		77
	• On a 48" panel, clearance between the	48 x 17 x 19-1/4"	BLCL48/UN/UM						64.0#		89
ß	Balance overhead and 29" high worksur-	54 x 17 x 19-1/4"	BLCL54/UN/UM						71.0#		04
H V3	face is 18.85" On a 56" panel, clearance between the Balance overhead and 29" high worksurface is 26.85"	60 x 17 x 19-1/4"	BLCL60/UN/UM						78.0#	2	111
			A	B	Θ	D	3	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect cabinet paint color.

Refer to the **Product Color Options** page in this price list.

Select upper door laminate color. Refer to the **Product Color Options** page in this

• Select laminate door edge color. Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Balance® Storage and Accessories



Balance® Storage and Accessories Overhead Accessories

						<u> </u>
			MODEL NUI	MBER		
			mobile noi			
					Approx.	
			Basic	Paint	Packaged	Delivered
	MODEL	W	Model	Color	Weight	Pricing
	Balance® Overhead On-Module Mounting		BOA/UN/PM		5.0#	\$ 210
A P	Bracket	y	DOA/ON/T WI		3.0 ₁	Ψ 210
	Sold in pairs					
<u> </u>	Mounts into slots in vertical posts					
<u> </u>	Black only					
} 🛩						
BOA						
	Load Bar Brackets		BOA/UN/LB		5.0#	\$ 264
	Load Bar mount overheads (LB) hang		DOA/ON/LD		3.0#	φ 204
ا الم	from an externally mounted load bar					
]	Load Bar purchased separately					
fl	Sold in pairs					
BOA						
2071	Upmount Brackets		BOA/UN/UM		5.0#	\$ 325
	• On a 48" panel, clearance between the		DOA/ON/ON		3.0#	φ 323
	Balance® overhead and 29" high work-					
	surface is 18.85"					
4 .4.	 On a 56" panel, clearance between the 					
and a	Balance® overhead and 29" high work-					
and /	surface is 26.85"					
BOA	 Sold in pairs 					
2071	Shelf Dividers	7-1/4 x 11-1/2"	NSD		1.0#	\$ 35
\sim	Steel shelf dividers with powder coat	7 1/4 × 11 1/2	NOD		1.0#	Ψ 00
	finish					
Į,	Fits on all shelves and cabinets					
HRDPT						
	Wall Mounted Load Bar	24"	SWLB.24		5.0#	\$ 151
		30"	SWLB.30		6.0#	161
		36"	SWLB.36		7.0#	164
		42"	SWLB.42		8.0#	182
V		48"	SWLB.48		10.0#	187
HRDPT		54"	SWLB.54		13.0#	222
		60"	SWLB.60		12.0#	223
		66"	SWLB.66		13.0#	226
		72"	SWLB.72		14.0#	234
		84"	SWLB.72		17.0#	362
						302
		96"	SWLB.96		19.0#	381
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Balance® Storage and Accessories



Balance® Storage and Accessories Overhead Accessories

				MODEL NUM	BER									
	MODEL	Features	WxH	Basic Model	Trim Color Mounti	Fabric ng Color	Approx. Package Weight	d Delive Pricin		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Overhead Tackboard		24 x 12"	PTB02412			3.0#	1	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	 Hangs from bottom of flipper door cabinet or shelf 		30 x 12"	PTB03012			3.0#	1	N/A	202	205	208	221	231
	When hanging from Balance® overhead		36 x 12"	PTB03612			3.0#	1	N/A	223	228	230	236	250
	or U-Series™ sliding overhead, specify		42 x 12"	PTB04212			4.0#	1	N/A	229	233	236	243	261
	attachment bar BMB (purchase separate-		48 x 12"	PTB04812			4.0#	1	N/A	232	236	239	250	265
	ly) and a /YLBM mounting option • Includes mounting brackets in black only	,	54 x 12"	PTB05412			4.0#	1	N/A	265	272	278	286	301
	Includes mounting brackets in black only		60 x 12"	PTB06012			4.0#	1	N/A	276	283	285	297	311
			24 x 16"	PTB02416			3.0⊭		N/A	264	271	276	284	301
			30 x 16"	PTB03016			4.0#	1	N/A	272	280	285	293	315
			36 x 16"	PTB03616			4.0≉	1	N/A	279	285	291	300	322
			42 x 16"	PTB04216			5.0#	1	N/A	284	291	297	306	325
			48 x 16"	PTB04816			5.0 #	1	N/A	297	306	311	322	344
			54 x 16"	PTB05416			6.0#	1	N/A	309	321	325	335	357
			60 x 16"	PTB06016			6.0⊭	1	N/A	324	331	340	350	376
	Tackboard/Tool Rail Attachment Bar		30"	BMB30			3.0#	\$	52					
	Attachment bracket that attaches to		36"	BMB36			3.0#		52					
	the bottom of a Balance® overhead or U-Series™ sliding overhead to accept		42"	BMB42			3.0#		53					
~	overhead tackboard		48"	BMB48			4.0#		62					
	 Order same size as overhead cabinet 		54"	BMB54			4.0#		63					
	18-gauge steelBlack only		60"	BMB60			4.0⊭		67					
	• Black Offig													
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC			0.4#	\$	15					
	Double bit design Dongs of 200 different core // con numbers	Lock Core/2 Key Set - Black		2.KP20522			0.4#		15					
	 Range of 200 different core/key numbers available 	Master Key		2.KP20550			0.2#		11					
		Extractor Key		2.KP20551			0.2#		11					
·		Blank Key		2.KP20552			0.2#		3					
	sets	Cut Key		2.KP20557			0.2#		4					
				A	B G	0								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

price list.

Metallic finish not available.

Select mounting.

NLBM - Not load bar mounted YLBM - Load bar mounted

OSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Pedestals

Worksurface Supporting



U-Series[™] Pedestals



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color. Refer to the **Product Color Options** page in this

All white and metallic paints require an upcharge. Please see upcharge column.

Select bracket.

NB		Bracket
3K24		Worksurface; add \$104
3K30		Worksurface; add \$104
SW24		Worksurface; add \$104
SW30		Worksurface; add \$104
UN22		Worksurface; add \$104
UN24		Worksurface; add \$104
		Worksurface w/knife edge;
add \$104		
UN30	- 30"	Worksurface; add \$104

UN30KN - 30" Worksurface w/knife edge; WW24 - 24" Worksurface; add \$104 **WW30** - 30" Worksurface; add \$104

SW for Studio Works **UN** for Unite WW for WireWorks If ped is not replacing return, no bracket is required.

DSelect lock option.

When ordering:

3K for System 3000

- Key standard NLC - No lock core - Key alike

Select lock color.

Refer to the **Product Color Options** page in this price list.

Select pull style.

USP - U-Series pull (standard) - Connection Zone pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

U-Series[™] Double Pedestals



U-Series[™] Double Pedestals



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the **Product Color Options** page in this price list.

All white and metallic paints require an upcharge. Please see upcharge column.

Select brac	Ket.
NB	- No Bracket
3K24	- 24" Worksurface; add \$101
	- 30" Worksurface; add \$109
SW24	- 24" Worksurface; add \$130
SW30	- 30" Worksurface; add \$135
	- 22" Worksurface; add \$101
	- 24" Worksurface; add \$101
UN24KN	- 24" Worksurface w/knife edge;
add \$101	
UN30	- 30" Worksurface; add \$101
UN3OKN	- 30" Worksurface w/knife edge:

WW24 - 24" Worksurface; add \$94 **WW30** - 30" Worksurface; add \$99

When ordering: **3K** for System 3000 SW for Studio Works **UN** for Unite WW for WireWorks If ped is not replacing return, no bracket is required.

DSelect lock option.

KS - Key standard NLC - No lock core - Key alike

Select lock color.

Refer to the **Product Color Options** page in this price list.

Select pull style.

USP - U-Series pull (standard) - Connection Zone pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Figures provided are approximate and reflect packaged product without additional accessories.

Folder Bars

Files are configured for side-to-side media storage.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

U-Series[™] Overheads



U-Series[™] Overheads



 Θ

0

(3)

B

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect bracket type.

LB - Mounted on load bar
UN - Unite mounted

UN/UM - Unite upmount

Select unit color.

Refer to the **Product Color Options** page in this

All white and metallic paints require an upcharge. Please see upcharge column.

• Select lock option.

KS - Key standard
NLC - No lock core
KA - Key alike

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, **FOB Manitowoc**, **WI 54220**, **freight prepaid**. Freight class 70.

U-Series[™] Underhead Storage



U-Series[™] Underhead Storage

									V	
			MODE	L NUMBER	ł					
	MODEL	D x W x H	Basic Model	Direction	Unit Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Underhead Storage	35-3/4 x 14-3/8 x 14-7/8	UHS36					38.0#	\$ 683	\$ 80
	 Underhead storage units mount below 	41-3/4 x 14-3/8 x 14-7/8	UHS42					42.0#	730	80
	worksurface • Underhead accommodates standard	47-3/4 x 14-3/8 x 14-7/8	UHS48					47.0#	775	80
	binders	53-3/4 x14-3/8 x 14-7/8"	UHS54					50.0#	849	80
•	Storage units include holes in top and	59-3/4 x 14-3/8 x 14-7/8	UHS60					52.0#	887	80
	bottom for cord drop in conjuction with grommets	71-3/4 x 14-3/8 x 14-7/8	UHS72					57.0#	949	80
UHS	 Includes brackets for attachment; legs 									
	may be specified separately if desired									
	 Lockable sliding door extends slightly beyond the center divider of storage uni 	t								
				_					A 170	
	 Underhead Storage Support Leg May be used in place of return 	1-1/2 x 13-7/8 x 13-5/16"	UHSL	Ш				8.6#	\$ 172	\$ 14
	 Size noted does not reflect attachment 									
	brackets									
UHSL										
			A	B	•	•	•			
				O	J	U	G			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select placement of leg.

L - Left

R - Right

Select unit color.

Refer to the **Product Color Options** page in this

All white and metallic paints require an upcharge. Please see upcharge column.

Select lock option.

KS - Key standard

KA - Key alike

NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Storage and Accessories



U-Series[™] Storage and Accessories Overhead Accessories

MODEL Basic Tim Approx. Packaged Delivered Pricing Reacket for Unite Sold in pairs Black only Allows for vertical adjustment in 1" increment U-Series* Overhead On-Module Single Mountaing Bracket for Unite Sold in pairs Black only Allows for vertical adjustment in 1" increment U-Series* Overhead On-Module Single Mountaing Bracket for Unite Sold in pairs Sold					~	
MODEL L Model Color Weight Pricing U-Series® Overhead On-Module Mounting Bracket for Unite Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" Allows for vertical adjustment in 1" Allows for vertical adjustment on the Mounting Bracket for Unite Sold in pairs Mounting Bracket for Unite Sold in pairs Mounting Bracket for Unite Allows for vertical adjustment in 1" Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs			MODEL NUM	IBER		
MODEL L Basic Trim Vodel Color Weight Delivered U-Series® Overhead On-Module Mounting Bracket for Unite Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite Songle practed on Unite Songle practed on Unite Songle pracket for Unite Songle pracket f						
MODEL L Model Color Weight Pricing U-Series® Overhead On-Module Mounting Bracket for Unite Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" Allows for vertical adjustment in 1" Allows for vertical adjustment on the Mounting Bracket for Unite Sold in pairs Mounting Bracket for Unite Sold in pairs Mounting Bracket for Unite Allows for vertical adjustment in 1" Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs Allows for vertical adjustment in 1" Sold in pairs						
HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs Sold in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Sold in pairs Sold in					Арргох.	
U-Series® Overhead On-Module Mounting Bracket for Unite Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite U-Series® Overhead On-Module Single Mounting Bracket for Unite Nounting Bracket for Unite 48.0222.R.BL 48.0222.R.BL 2.5# \$ 107	MC	MODEL	Basic	Trim	Packaged Delivered	
HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite V-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite Solid in pairs HRDPT				COIOI		
Sold in pairs Mounts into slots in frame Black only Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite Mounting Bracket for Unite Sold in pairs Mounting Bracket for Unite Sold in pa	U-S Pro	J-Series® Overhead On-Module Mounting	48.0222.5E1		3.0#	
Mounts into slots in frame Black only Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite Sngle bracket must be specified with Sngle bracket must be specified with						
Allows for vertical adjustment in 1" increment U-Series® Overhead On-Module Single Mounting Bracket for Unite Sngle bracket must be specified with Sngle bracket must be specified with						
HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite • Sngle bracket must be specified with **Sngle bracket must be specified with **Sngle bracket must be specified with						
HRDPT U-Series® Overhead On-Module Single Mounting Bracket for Unite • Sngle bracket must be specified with **Sngle bracket must be specified with						
U-Series® Overhead On-Module Single Mounting Bracket for Unite Sngle bracket must be specified with Sngle bracket must be specified with	III	increment				
U-Series® Overhead On-Module Single Mounting Bracket for Unite Sngle bracket must be specified with Sngle bracket must be specified with						
U-Series® Overhead On-Module Single Mounting Bracket for Unite • Sngle bracket must be specified with • Sngle bracket must be specified with						
Mounting Bracket for Unite Sngle bracket must be specified with	HRDPT					
* Properties of the superified with Properties of the superifi	U-S	J-Series® Overhead On-Module Single	48.0222.R.BL		2.5# \$ 107	
• Sngle bracket must be specified with						
	• S	Single bracket must be specified with				
• Sor use supporting a U-Series overhead		Sor use supporting a II-Series overhead				
that spans two Unite panels	tł	that spans two Unite panels				
HRDPT						
U-Series® Overhead Upmount Brackets 48.0236.12.S	u-s	J-Series® Overhead Upmount Brackets	48.0236.12.S		7.0# \$ 355	
for Unite	for I	or Unite				
• Sold in pairs						
• Mounts into slots in frame • Uses 8" of slot space at top of panel	• N	Mounts into slots in frame				
• Oses 8 to stort space at top or parier • Overhead extends 15" above top cap		Overhead extends 15" above ton can				
• Fasteners and allen wrench included	• F	Fasteners and allen wrench included				
HRDPT						
U-Series® Overhead Load Bar Brackets 46.8186.SET □□ 5.0# \$ 264		I-Series® Overhead I nad Rar Brackets	46.8186 SFT		5.0# \$ 264	
for Unite			.3.0.00.021			
• Sold in pairs	→ 』. · s	Sold in pairs				
• Load Bar Brackets attach to an externally						
mounted load bar Load Bar purchased separately	m m	mounted load bar				
Luau dai putulaseu sepatately		Luau dai puicilaseu separately				
HRDPT	HDDDT					
	חחטרו					
$oldsymbol{0}$						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Storage and Accessories



U-Series[™] Storage and Accessories Overhead Accessories

		MODE	NUMBER		
	MODEL	Basic L Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Wall Mounted Load Bar for Unite	24" SWLB.2		5.0#	\$ 151
	 Supports overhead storage on drywall or other non-panel application 			6.0#	161
	Requires Load Bar brackets to support storage unit-sold separately	36" SWLB.3		7.0#	164
		42" SWLB.4		8.0#	182
		48" SWLB.4		10.0#	187
HRDPT		54" SWLB.5		13.0#	222
		60" SWLB.6		12.0#	223
		66" SWLB.6		13.0#	226
		72" SWLB.7		14.0#	234
		84" SWLB.8		17.0#	362
		96" SWLB.9		19.0#	381
		A	ß		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Accessories



U-Series[™] Accessories Pedestal Accessories

			MODEL NU	MBER				
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing		
	Pedestal Bracket	System 3000® 24" deep worksurface	3K24		6.0#	\$ 104		
	 Graphic represents bracket used with a 24" deep pedestal on a 24" deep worksurface Bracket is intended to fill the space between back of pedestal and panel Bracket provides support for extended runs and screws with trim to outside 	System 3000® 30" deep worksurface	3K30		10.0#	104		
7 4 4		StudioWorks® 24" deep worksurface	SW24		6.0#	104		
		StudioWorks® 30" deep worksurface	SW30		10.0#	104		
		Unite® 22" deep worksurface	UN22		6.0#	104		
****		Unite® 24" deep worksurface	UN24		6.0#	104		
4		Unite® 24" deep knife edge worksurface	UN24KN		10.0#	104		
	extended panel runs	Unite® 30" deep worksurface	UN30		6.0#	104		
	 Bracket depth varies by pedestal model 24" worksurface 	Unite® 30" deep knife edge worksurface	UN30KN		10.0#	104		
	- 20" pedestal = approx. 6-1/4"	WireWorks® 24" deep worksurface	WW24		6.0#	104		
	- 24" pedestal = approx. 2-1/4"	WireWorks® 30" deep worksurface	WW30		10.0#	104		
	30" worksurface							
	- 20" pedestal = approx. 12-1/4"							
	- 24" pedestal = approx. 6-1/4"							
			A	ß				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

U-Series[™] Accessories



U-Series[™] Accessories

						•	
				MODEL NUMBER			
					Approx.	<u>-</u>	
	MODEL	Features	WxDxH	Basic Model	Packaged Weight	Delivered Pricing	
		24"D Units	12-1/2 x 2 x 18"	USPCBW25	25.0#	\$ 118	
FI)	Required for conversion for 24" deep	24 D Offics	12 1/2 X 2 X 10	001 0BW20	20.0#	ψ 110	
	mobile and freestanding to file/file units.						
USPA							
	Counterbalance Weight	For 20" D Units	7-1/2 x 3/4 x 16"	USPCBW36	36.0#	\$ 232	
	 Required for conversion for 20" deep 						
	mobile and freestanding to file/file units. Two required, sold in pairs						
	- Two required, sold ill pails						
USPA							
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC	0.4#	\$ 15	
HRDPT	Double bit design Double bit design Double bit design	Lock Core/2 Key Set - Black		2.KP20522	0.4#	15	
	Range of 200 different core/key numbers available	Master Key		2.KP20550	0.2#	11	
	 Must specify lock number(s) requested 	Extractor Key		2.KP20551	0.2#	11	
	when ordering cut key or lock core/key			2.KP20552	0.2#	3	
		Cut Key		2.KP20557	0.2#	4	
Ø	Caster Kit Converts freestanding pedestals to		2-5/8"	USPCK	1.0#	\$ 92	
^	and the contra						
&	Finished height consistent with free-						
6	standing pedestal						
	 File/file units require counterbalance weights 						
USPA	4 casters and a 5th wheel per kit						
	Clide Kit		2-5/8"	Hebeit	1.0#	ф. 00	
ڠ	Glide Kit Converts mobile pedestal to freestanding	1	Z-5/8	USPGK	1.0#	\$ 92	
8 8		·					
<u> </u>	weights						
٥	 Finished height consistent with mobile pedestal 						
USPA	4 glides and a center wheel per kit						
00171							
				A			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1,
freight prepaid. Freight class 70.

U-Series[™] Accessories



U-Series[™] Accessories

					•		
			MODEL NUMBER				
	MODEL		Basic Model	Approx. Packaged Weight	Delivered Pricing		
	Pencil Tray • For 6" box drawers	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	\$ 10		
	For 6" box drawersBlack finish only						
PDACU							
	6" PartitionFor 6" box drawers	12-1/8 x 4-5/8"	S7P/D6	1.0#	\$ 6		
	Black finish only Priced each						
	Priceu each						
PDACU							
	Hanging Folder Partition • For 12" file drawers	12-1/8 x 9-5/8"	S7P/D12	1.0#	\$ 10		
	 Black finish only 						
	Priced each						
7							
PDACU							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories Acoustic Septum Kits



Accessories Acoustic Septum Kits

		MODEL I	NUMBER	
			Approx.	
	MODEL W 3	Basic Model	Packaged Weight	Delivered Pricing
		32" UNRC.243		\$ 66
	2" thick fiberglass sheet is field installed inside frame about the sheet is field installed	22" INDC 202	2 6.0#	77
	inside frame structure	22" INDC 363	2 6.9#	111
	• When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a	32" LINEC 423	2 7.8#	129
	 Acoustic septum kit may be specified 	√33" HNDC 483	9.9#	154
HRDPT	with any Unite® base style • Specify by panel size (72" panels include 2-36" kits) 72	(32" LINBC 603	2 10.6#	154
	 Specify by panel size (72" panels include 2-36" kits) 	(32" LINBC 723	2 11.6#	224
	• Septums may be field-trimmed to allow 24 x			110
		40" UNRC.304		111
		40" UNRC.364		219
		40" UNRC.424		219
		40" UNRC.484		219
		40" UNRC.604		219
		40" UNRC.724		428
		48" UNRC.244		84
		48" UNRC.304		129
	36 >	48" UNRC.364	8 10.5#	219
	42 >	48" UNRC.424	8 12.1#	254
	48 >	48" UNRC.484	8 13.7#	254
	60 >	48" UNRC.604	8 17.0#	254
		48" UNRC.724		428
		56" UNRC.245		129
		56" UNRC.305		164
	36 >	56" UNRC.365	6 12.2#	219
		56" UNRC.425		254
		56" UNRC.485		325
		56" UNRC.605		325
		56" UNRC.725		431
		64" UNRC.246		129
		64" UNRC.306		191
		64" UNRC.366		219
		64" UNRC.426		254
		64" UNRC.486		325
		64" UNRC.606		375
	72 >	64" UNRC.726	4 25.8#	431
			•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories

Glass Divider Screen



Accessories Glass Divider Screen

			MODEL N	NUMBER	1						
						Approx.			Satin Etch		
			Basic	Glass	Trim	Packaged	CI	ear	One Side		
	MODEL	W x H	Basic Model	Glass Color	Color	Weight	(G	LA)	(GLV)		
	Glass Divider Screen	24 x 12"	UNGDS24			20.0#	\$	306	\$ 362		
	Unframed glass divider drops into panel top.	30 x 12"	UNGDS30			23.0#		318	375		
	topDivider base takes place of top cap	36 x 12"	UNGDS36			26.0#		350	418		
	May span two panels up to 72" wide		UNGDS42			28.0#		397	477		
	maximum	48 x 12"	UNGDS48			31.0#		416	504		
	May not be used over segmented glass or segmented perforated steel panels	54 x 12"	UNGDS54			35.0#		429	531		
UNGD	 May not be used over segmented glass or segmented perforated steel panels May not be used over stacking sections 	60 x 12"	UNGDS60			38.0#		451	562		
	or adjacent to trim UEORV	66 x 12"	UNGDS66			40.0#		538	647		
	 Glass features polished edge 		UNGDS72			43.0#		596	732		
	 If Top Infeed is required at same location, order UETFXX06.X.XX. Divider 										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

must be 6" undersized of the nominal

base panel.

BSelect glass color.
GLA - Clear

GLV - Satin etch one side

Select trim color.

Refer to the **Product Color Options** page in this price list.

A

B C

Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Frameless Modesty Panel with Acrylic Insert



Accessories Frameless Modesty Panel with Acrylic Insert

							$lackbox{lackbox{lackbox{lackbox{}}}{}$
				MODEL N	UMBER		
				Doois		Approx. Packaged	Delivered
		MODEL	WxH	Basic Model	Acrylic	Weight	Pricing
				UMODA24		7.0#	\$ 142
		Metal attachment to worksurface under- ide conditions and the conditions are the conditions and the conditions are the co	20 v 10	TIMODASO		8.0#	176
		Side acrylic pariel		UMODA36			
		Dimension listed refers to the worksur-				9.0#	223
		face width; actual width is approximate-				11.0#	253
	·	ly 6" undersized	48 x 10	UMODA48		13.0#	307
UM	OD		54 x 10	UMODA54		14.0#	318
			60 x 10	UMODA60		16.0#	543
			66 x 10	UMODA66		18.0#	549
			72 x 10	UMODA72		19.0#	564
				A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select acrylic color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories

Continuous Top Cap/Carpet Gripper/Alum Grommet



Accessories
Continuous Top Cap/Carpet Gripper/Alum Grommet

					▼	
			MODEL NUN	/IBER		
					Approx.	
			Basic Model	Trim	Packaged Delivered	ed Control of the Con
				Color	Weight Pricing	
		Continuous Top Cap	48.0717.48		2.7# \$ 5	1
		Used in place of standard top cap for un-	48.0717.54		3.4#	1
	//	interrupted spans between intersections To specify, add together nominal panel	48.0717.60		3.6#	5
_//		widths	48.0717.66		3.8#	
•		Maximum span is 6 feet			3.8#	
HRDPT						
		Carpet Gripper	UNCG10		0.5# \$	8
HRDPT		 Grippers snap into leveling glides to 				
		prevent panels from shifting on carpet				
		Glide rotation is unaffected Black finish only				
		Package of 10				
			48.0399		0.5# \$ 1	1
		Molded grommet is specified in all	48.0399		0.5#	
	(<u></u>	powdercoat colors				
		P				
	•					
HRDPT						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

B

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Power Modules



				•	
		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing	
	Round Power Module-Dual Receptacles	UNPWUP	2.0#	\$ 363	
	 Round module with sleeves fits into 				
	Unite® grommet cutout • Provides two receptacles				
	Cord length is 6 feet				
	Black				
HRDPT					
	Round Power Module-Receptacle and	UNPWUD	2.0#	\$ 363	
	Data				
TO TO	Round module with sleeves fits into				
	Unite® grommet cutout • Provides one receptacle and one data				
	port • Black				
HRDPT					
пкирт					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Bracket Assembly Kit/Receptacle Kit



Accessories
Bracket Assembly Kit/Receptacle Kit

					•	
		MODEL NU	JMBER			
	MODEL	Basic Model	Bezel Color	Approx. Packaged Weight	Delivered Pricing	
			COIOI			
•	Chicago Mounting Bracket Assembly Kit • Steel construction	UCEM		1.5#	\$ 99	
	Accepts Chicago Code Receptacle Kit					
	(see below)					
	Specify one assembly per panel, for use					
	on base raceway only					
4.	 Associated panels must be specified with Chicago power option in order to accept 	1				
HRDPT	assembly					
	 Includes mounting hardware 					
	Assembly is not size-specific or handed					
	Chicago Code Receptacle Kit	URK.HW		1.4#	\$ 98	
	 Includes all components required to 					
	mount one hardwired receptacle to a					
	mounting bracket assembly (see below) • Receptacle is provided by customer					
	 Up to two receptacles may be specified 					
	on a 24" panel, one per side; up to four					
سلال المسلال	receptacles may be mounted on all other	•				
HRDPT	panels, two per side					
TIINDET						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect bezel color.

Refer to the **Product Color Options** page in this price list.

A

B

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Markerboards



					▼	
			MODEL NUMBER			
				Approx.		
			Basic	Packaged	Delivered	
	MODEL	Features W x H	Model	Weight	Pricing	
1	Markerboards - No Frame	On-Module 36 x 30"	UNDEMB.PM3630	25.0#	\$ 367	
	White "dry erase" painted steel "No frame" apparatusation of 22 gauge	On-Module 42 x 30"	UNDEMB.PM4230	21.0#	381	
abc	 "No frame" construction of 22 gauge steel with honeycomb core adhered to 	On-Module 48 x 30"	UNDEMB.PM4830	23.0#	395	
0	back of tile to dampen sound	On-Module 54 X 30"	UNDEMB.PM5430	27.0#	482	
	 Includes magnetic removable 16" x 	On-Module 60 x 30"	UNDEMB.PM6030	30.0#	536	
	2-1/2" tray with markers and eraser					
HRDPT	 Includes black mounting brackets 					
	Markerboards	On-Module 30 x 32"	UNMB.PM.3032	11.0#	\$ 657	
	White porcelain painted steel surface	On-Module 36 x 32"	UNMB.PM.3632	13.0#	689	
	with matching white trim • Includes magnetic removable 16" x	On-Module 42 x 32"	UNMB.PM.4232	15.0#	765	
abe	2-1/2" tray with markers and eraser	On-Module 48 x 32"	UNMB.PM.4832	17.0#	783	
	 Includes black mounting brackets 	On-Module 54 X 32"	UNMB.PM.5432	20.0#	855	
		On-Module 60 x 32"	UNMB.PM.6032	22.0#	895	
HRDPT						
	Magnetic Tray	16 x 2-1/2"	MB.TRAY	1.0#	\$ 52	
	,					
HRDPT						
	Tray/Eraser/4 Markers		MB.MARKERKIT	1.0#	\$ 125	
HRDPT	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Tackboard



Accessories Tackboard

			_			▼					
			MODEL NUMI	BER							
								Delivered Pricing	Delivered	Delivered	
					Approv	Delivered	Delivered	Fabric Grade	Pricing	Pricing	
			Basic	Fabric	Approx. Packaged	Pricing Fabric Grade	Pricing Fabric Grade	3 & Pallas Vertical Fabric Grade	Pallas Vertical Fabric Grade	Pallas Vertical Fabric Grade	
	MODEL	Features W x H	Model	Color	Weight	1 & C.O.M.	2	PV	PV1	PV2	
	Tackboard	On-Module 24 x 12"	UNTB2412/PM		3.0#	\$ 173	\$ 178	\$ 183	\$ 186	\$ 199	
	 Tackboards are constructed of 3/4" tackable core and covered with fabric 	On-Module 30 x 12"	UNTB3012/PM		3.0#	191	196	198	204	219	
	Includes black mounting brackets	On-Module 36 x 12"	UNTB3612/PM		4.0#	205	216	218	224	235	
	 Not available with countertops 	On-Module 42 x 12"	UNTB4212/PM		4.0#	217	222	224	230	243	
		On-Module 48 x 12"	UNTB4812/PM		5.0#	221	224	227	234	251	
		On-Module 54 x 12	UNTB5412/PM		0.0#	250	258	261	270	283	
UTB		On-Module 60 x 12"	UNTB6012/PM		6.0#	261	267	270	279	295	
		On-Module 24 x 16"	UNTB2416/PM		4.0#	178	183	186	191	204	
		On-Module 30 x 16"	UNTB3016/PM		4.0#	191	196	198	204	219	
		On-Module 36 x 16"	UNTB3616/PM		5.0#	195	198	200	206	222	
		On-Module 42 x 16"	UNTB4216/PM		5.0#	218	223	226	234	248	
		On-Module 48 x 16"	UNTB4816/PM		6.0#	226	229	234	242	257	
		On-Module 54 x 16	UNTB5416/PM		0.0#	264	272	275	284	296	
		On-Module 60 x 16"	UNTB6016/PM		7.0#	275	281	285	298	311	
		On-Module 24 x 20"	UNTB2420/PM		4.0#	262	271	274	281	298	
		On-Module 30 x 20"	UNTB3020/PM		5.0#	281	290	295	305	319	
		On-Module 36 x 20"	UNTB3620/PM		6.0#	300	307	312	325	342	
		On-Module 42 x 20"	UNTB4220/PM		7.0#	308	317	325	334	352	
		On-Module 48 x 20"	UNTB4820/PM		8.0#	370	381	386	398	421	
		On-Module 54 x 20	UNTB5420/PM		0.0#	382	397	405	415	438	
		On-Module 60 x 20"	UNTB6020/PM		10.0#	377	392	398	411	429	
		On-Module 24 x 30"	UNTB2430/PM		6.0#	283	294	300	307	328	
		On-Module 30 x 30"	UNTB3030/PM		7.0#	352	361	370	381	402	
		On-Module 36 x 30"	UNTB3630/PM		8.0#	372	382	392	404	425	
		On-Module 42 x 30"	UNTB4230/PM		10.0#	395	407	417	426	451	
		On-Module 48 x 30"	UNTB4830/PM		11.0#	417	425	432	450	471	
		On-Module 54 x 30	UNTB5430/PM		0.0#	444	462	468	480	502	
		On-Module 60 x 30"	UNTB6030/PM		14.0#	452	466	472	487	515	
		On-Module 24 x 48"	UNTB2448/PM		9.0#	362	372	382	394	416	
		On-Module 30 x 48"	UNTB3048/PM		11.0#	420	427	438	452	477	
		On-Module 36 x 48"	UNTB3648/PM		13.0#	477	492	503	515	543	
		On-Module 42 x 48"	UNTB4248/PM		15.0#	492	505	519	529	559	
		On-Module 48 x 48"	UNTB4848/PM		17.0#	521	538	549	564	595	
			A	ß							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Brackets



Accessories

		MODEL NUMB	ER		
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Tackboard On-Module Bracket	48.0262.TB.KIT		1.0#	\$ 36
	 Order one kit for 12" and 16" high tackboards 				
9	Order two kits for 20" and 30" high				
d	tackboards				
	Order three kits for 48" high tackboardsNot used on Overhead Tackboards				
. •	 Only necessary to order if changing 				
HRDPT	mounting style				
	Black only				
		40.0000.140.147			
\wedge	Markerboard On-Module Bracket • Pair of brackets	48.0262.MB.KIT		1.0#	\$ 62
	 Order one kit for all heights 				
] 9	 Includes mounting hardware 				
9 1, 12 1	Only necessary to order if changing mounting style				
	Black only				
HRDPT					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Paper Management



Accessories Paper Management

						<u> </u>	
			MODEL N	UMBER			
					Approx.		
			Basic	Trim	Packaged	Delivered	
	MODEL	HxWxD	Basic Model	Color	Weight	Pricing	
	On-Module Tool Rail	24 x 4-1/2"	UPMTR24		3.0#	\$ 143	
	 Accomodates paper management 	30 x 4-1/2"	UPMTR30		4.0#	151	
	componentsAttaches to panels "on" module	36 x 4-1/2"	UPMTR36		5.0#	157	
	Field installable	42 x 4-1/2"	UPMTR42		6.0#	165	
UTR	 Painted aluminum construction 	48 x 4-1/2"	UPMTR48		6.0#	175	
-	 Consists of four slots to accept compo- 	54 X 4-1/2"	UPMTR54		7.0#	208	
	nents	60 x 4-1/2"	UPMTR60		7.0#	223	
		72 x 4-1/2"	UPMTR72		8.0#	243	
	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL		1.0#	\$ 52	
	 Plastic construction 		1			•	
	 Accepts letter and legal-size paper 						
	Suspends from Tool Rail						
V							
HRDPT							
	Plastic Diagonal Storage Unit	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	\$ 52	
	Plastic construction Three closed partitions per unit with						
	 Three slanted partitions per unit with dividers 						
	Suspends from Tool Rail						
HRDPT							
			A	$oldsymbol{eta}$			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories

Desktop Accessories



Accessories

Desktop Accessories

						•	
			MODEL NU	UMBER			
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	Accessory Tray Injection-molded plastic Stores stamps, tape dispenser, post-it pads and paper clips	2 x 9 1/2 x 10"	PPAT		6.0#	\$ 43	
	Suspends from Tool Rail						
HRDPT							
	Pencil Cup	4 x 4 x 3 1/2"	PPPC		0.3#	\$ 43	
	Injection-molded plasticSuspends from Tool Rail						
HRDPT	•						
TITIOLI							
			A	$oldsymbol{oldsymbol{G}}$			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000262/KI/PDF

