


Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER															
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 Side 1 Side 2 USFR - Segmented Steel Panel - 40”H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Standard base raceway on both sides accepts power and data cable distribution - Above worksurface beltway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72” wide panels each feature two power knockouts at base and two knock-outs with bezels at beltway per side 24” wide panels each feature one power knockout and one knockout with bezel at beltway per side 72” wide panels feature split tiles - Electrical components are specified separately	MODEL	W x H	USSFRBW2440	☐	☐	☐	☐	☐	☐	☐		43.7#	\$ 710	\$ 730	\$ 745	\$ 772	\$ 799
		30 x 40	USSFRBW3040	☐	☐	☐	☐	☐	☐	☐		50.4#	796	821	834	864	894
		36 x 40	USSFRBW3640	☐	☐	☐	☐	☐	☐	☐		57.1#	842	866	881	915	945
		42 x 40	USSFRBW4240	☐	☐	☐	☐	☐	☐	☐		64.0#	879	905	922	954	988
		48 x 40	USSFRBW4840	☐	☐	☐	☐	☐	☐	☐		70.7#	947	977	993	1030	1066
		54 x 40	USSFRBW5440	☐	☐	☐	☐	☐	☐	☐		77.5#	1047	1077	1093	1134	1175
		60 x 40	USSFRBW6040	☐	☐	☐	☐	☐	☐	☐		84.3#	1207	1239	1263	1307	1354
		72 x 40	USSFRBW7240	☐	☐	☐	☐	☐	☐	☐		105.3#	1564	1610	1638	1701	1758
			A	B	C	D	E	F	G	H	I						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

DP- Domestic - with cutouts
D1- Domestic, 1 side w/cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

- Refer to [ki.com/fabrics](#)
- H**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.

Refer to [ki.com/fabrics](#)
- ## UPHOLSTERY INFORMATION
- Fabric Mixing**
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the
- direction the fabric is to be applied.
- ## SPECIAL SERVICES
- Special Carton Marking**
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 48”H	24 x 48	USSFRBW2448	☐	☐	☐	☐	☐	☐	☐	49.0#	\$ 750	\$ 772	\$ 785	\$ 812	\$ 842
		30 x 48	USSFRBW3048	☐	☐	☐	☐	☐	☐	☐	56.2#	839	864	879	914	943
		36 x 48	USSFRBW3648	☐	☐	☐	☐	☐	☐	☐	63.5#	894	921	936	974	1004
		42 x 48	USSFRBW4248	☐	☐	☐	☐	☐	☐	☐	70.8#	956	983	1002	1038	1075
		48 x 48	USSFRBW4848	☐	☐	☐	☐	☐	☐	☐	78.1#	1023	1054	1074	1111	1151
		54 x 48	USSFRBW5448	☐	☐	☐	☐	☐	☐	☐	85.4#	1121	1154	1174	1216	1260
		60 x 48	USSFRBW6048	☐	☐	☐	☐	☐	☐	☐	92.8#	1284	1320	1344	1395	1441
		72 x 48	USSFRBW7248	☐	☐	☐	☐	☐	☐	☐	116.1#	1664	1711	1741	1807	1868
USFR																
USFR	Segmented Steel Panel - 56”H	24 x 56	USSFRBW2456	☐	☐	☐	☐	☐	☐	☐	53.3#	\$ 788	\$ 810	\$ 826	\$ 855	\$ 883
		30 x 56	USSFRBW3056	☐	☐	☐	☐	☐	☐	☐	61.1#	882	909	924	958	991
		36 x 56	USSFRBW3656	☐	☐	☐	☐	☐	☐	☐	68.9#	949	978	996	1034	1068
		42 x 56	USSFRBW4256	☐	☐	☐	☐	☐	☐	☐	76.8#	1022	1053	1070	1110	1150
		48 x 56	USSFRBW4856	☐	☐	☐	☐	☐	☐	☐	84.6#	1093	1124	1147	1187	1229
		54 x 56	USSFRBW5456	☐	☐	☐	☐	☐	☐	☐	92.4#	1165	1200	1222	1265	1310
		60 x 56	USSFRBW6056	☐	☐	☐	☐	☐	☐	☐	100.3#	1307	1344	1368	1417	1470
		72 x 56	USSFRBW7256	☐	☐	☐	☐	☐	☐	☐	126.0#	1768	1817	1852	1920	1986
USFR	Segmented Steel Panel - 64”H	24 x 64	USSFRBW2464	☐	☐	☐	☐	☐	☐	☐	57.7#	\$ 839	\$ 862	\$ 879	\$ 912	\$ 942
		30 x 64	USSFRBW3064	☐	☐	☐	☐	☐	☐	☐	66.0#	971	996	1013	1052	1087
		36 x 64	USSFRBW3664	☐	☐	☐	☐	☐	☐	☐	74.3#	1053	1080	1101	1143	1180
		42 x 64	USSFRBW4264	☐	☐	☐	☐	☐	☐	☐	82.7#	1087	1117	1137	1178	1220
		48 x 64	USSFRBW4864	☐	☐	☐	☐	☐	☐	☐	91.1#	1164	1200	1220	1265	1307
		54 x 64	USSFRBW5464	☐	☐	☐	☐	☐	☐	☐	99.4#	1255	1294	1317	1366	1410
		60 x 64	USSFRBW6064	☐	☐	☐	☐	☐	☐	☐	107.8#	1426	1466	1493	1547	1599
		72 x 64	USSFRBW7264	☐	☐	☐	☐	☐	☐	☐	135.8#	1972	2030	2065	2141	2217
			A	B	C	D	E	F	G	H	I					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- DP** - Domestic - with cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.
- Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

Refer to ki.com/fabrics

- H**Select steel bottom color side 2.
- Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Steel Panel - 40”H	24 x 40	USSFLBW2440	☐	☐	☐	☐	☐	☐	☐	41.4#	\$ 710	\$ 730	\$ 745	\$ 772	\$ 799
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFLBW3040	☐	☐	☐	☐	☐	☐	☐	47.4#	796	821	834	864	894
	• 30-72” wide tiles each feature two power knockouts with bezels at above-worksurface beltway	36 x 40	USSFLBW3640	☐	☐	☐	☐	☐	☐	☐	53.4#	842	866	881	915	945
	• 24” wide tiles each feature one power knockout with bezel at above-worksurface beltway	42 x 40	USSFLBW4240	☐	☐	☐	☐	☐	☐	☐	59.4#	879	905	922	954	988
	• Elevated base does not accept cable distribution	48 x 40	USSFLBW4840	☐	☐	☐	☐	☐	☐	☐	65.4#	947	977	993	1030	1066
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USSFLBW5440	☐	☐	☐	☐	☐	☐	☐	71.3#	1047	1077	1093	1134	1175
	• Trim is metal and includes top cap, bottom trim channel, segment channel and foot shroud	60 x 40	USSFLBW6040	☐	☐	☐	☐	☐	☐	☐	77.3#	1207	1239	1263	1307	1354
	• Side 1 and side 2 finishes are specified separately	72 x 40	USSFLBW7240	☐	☐	☐	☐	☐	☐	☐	96.7#	1564	1610	1638	1701	1758
	• 72” wide panels feature split tiles															
		A	B	C	D	E	F	G	H	I						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap

CSelect electrical code.

DP

- Domestic - with cutouts

DSelect bezel color.

Refer to the **Product Color Options** page in this price list.

ESelect trim color.

Refer to the **Product Color Options** page in this price list.

FSelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 48”H	24 x 48	USSFLBW2448	☐	☐	☐	☐	☐	☐	☐	46.7#	\$ 750	\$ 772	\$ 785	\$ 812	\$ 842
		30 x 48	USSFLBW3048	☐	☐	☐	☐	☐	☐	☐	53.3#	839	864	879	914	943
		36 x 48	USSFLBW3648	☐	☐	☐	☐	☐	☐	☐	59.7#	894	921	936	974	1004
		42 x 48	USSFLBW4248	☐	☐	☐	☐	☐	☐	☐	66.3#	956	983	1002	1038	1075
		48 x 48	USSFLBW4848	☐	☐	☐	☐	☐	☐	☐	72.8#	1023	1054	1074	1111	1151
		54 x 48	USSFLBW5448	☐	☐	☐	☐	☐	☐	☐	79.3#	1121	1154	1174	1216	1260
		60 x 48	USSFLBW6048	☐	☐	☐	☐	☐	☐	☐	85.8#	1284	1320	1344	1395	1441
		72 x 48	USSFLBW7248	☐	☐	☐	☐	☐	☐	☐	107.6#	1664	1711	1741	1807	1868
USFL																
USFL	Segmented Steel Panel - 56”H	24 x 56	USSFLBW2456	☐	☐	☐	☐	☐	☐	☐	51.1#	\$ 788	\$ 810	\$ 826	\$ 855	\$ 883
		30 x 56	USSFLBW3056	☐	☐	☐	☐	☐	☐	☐	58.1#	882	909	924	958	991
		36 x 56	USSFLBW3656	☐	☐	☐	☐	☐	☐	☐	65.1#	949	978	996	1034	1068
		42 x 56	USSFLBW4256	☐	☐	☐	☐	☐	☐	☐	72.2#	1022	1053	1070	1110	1150
		48 x 56	USSFLBW4856	☐	☐	☐	☐	☐	☐	☐	79.2#	1093	1124	1147	1187	1229
		54 x 56	USSFLBW5456	☐	☐	☐	☐	☐	☐	☐	86.2#	1165	1200	1222	1265	1310
		60 x 56	USSFLBW6056	☐	☐	☐	☐	☐	☐	☐	93.3#	1307	1344	1368	1417	1470
		72 x 56	USSFLBW7256	☐	☐	☐	☐	☐	☐	☐	117.4#	1768	1817	1852	1920	1986
USFL	Segmented Steel Panel - 64”H	24 x 64	USSFLBW2464	☐	☐	☐	☐	☐	☐	☐	55.4#	\$ 839	\$ 862	\$ 879	\$ 912	\$ 942
		30 x 64	USSFLBW3064	☐	☐	☐	☐	☐	☐	☐	63.0#	971	996	1013	1052	1087
		36 x 64	USSFLBW3664	☐	☐	☐	☐	☐	☐	☐	70.5#	1053	1080	1101	1143	1180
		42 x 64	USSFLBW4264	☐	☐	☐	☐	☐	☐	☐	78.1#	1087	1117	1137	1178	1220
		48 x 64	USSFLBW4864	☐	☐	☐	☐	☐	☐	☐	85.7#	1164	1200	1220	1265	1307
		54 x 64	USSFLBW5464	☐	☐	☐	☐	☐	☐	☐	93.2#	1255	1294	1317	1366	1410
		60 x 64	USSFLBW6064	☐	☐	☐	☐	☐	☐	☐	100.8#	1426	1466	1493	1547	1599
		72 x 64	USSFLBW7264	☐	☐	☐	☐	☐	☐	☐	127.2#	1972	2030	2065	2141	2217
			A	B	C	D	E	F	G	H	I					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap

CSelect electrical code.

DP

- Domestic - with cutouts

DSelect bezel color.

Refer to the **Product Color Options** page in this price list.

ESelect trim color.

Refer to the **Product Color Options** page in this price list.

FSelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER																		
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2					Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV		Delivered Pricing Pallas Vertical Fabric Grade PV1		Delivered Pricing Pallas Vertical Fabric Grade PV2	
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2							
 USFT - Segmented Steel Panel - 40"H - Side 1: tile-to-floor base does not accept cable distribution at base or beltway - Side 2: standard base raceway and above-worksurface beltway power accept cable distribution - Includes segmented tiles with steel lower and fabric upper segments for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately - Side 2: 30-72" wide tiles feature two base and two beltway power knockouts - Side 2: 24" wide tiles feature one base and one beltway power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSFTBW2440	☐	☐	☐	☐	☐	☐	☐	☐	42.9#	\$ 710	\$ 730	\$ 745	\$ 772	\$ 799				
	30 x 40	USSFTBW3040	☐	☐	☐	☐	☐	☐	☐	☐	49.4#	796	821	834	864	894				
	36 x 40	USSFTBW3640	☐	☐	☐	☐	☐	☐	☐	☐	55.9#	842	866	881	915	945				
	42 x 40	USSFTBW4240	☐	☐	☐	☐	☐	☐	☐	☐	62.5#	879	905	922	954	988				
	48 x 40	USSFTBW4840	☐	☐	☐	☐	☐	☐	☐	☐	69.0#	947	977	993	1030	1066				
	54 x 40	USSFTBW5440	☐	☐	☐	☐	☐	☐	☐	☐	75.5#	1047	1077	1093	1134	1175				
	60 x 40	USSFTBW6040	☐	☐	☐	☐	☐	☐	☐	☐	82.1#	1207	1239	1263	1307	1354				
	72 x 40	USSFTBW7240	☐	☐	☐	☐	☐	☐	☐	☐	102.7#	1564	1610	1638	1701	1758				
		A	B	C	D	E	F	G	H	I										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap

CSelect electrical code.

DP

- Domestic - with cutouts

DSelect bezel color.

Refer to the **Product Color Options** page in this price list.

ESelect trim color.

Refer to the **Product Color Options** page in this price list.

FSelect steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.


Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER															
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2							
MODEL		W x H									Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Steel Panel - 48"H	24 x 48	USSFTBW2448	☐	☐	☐	☐	☐	☐	☐	48.2#	\$ 750	\$ 772	\$ 785	\$ 812	\$ 842	
		30 x 48	USSFTBW3048	☐	☐	☐	☐	☐	☐	☐	☐	55.2#	839	864	879	914	943
		36 x 48	USSFTBW3648	☐	☐	☐	☐	☐	☐	☐	☐	62.3#	894	921	936	974	1004
		42 x 48	USSFTBW4248	☐	☐	☐	☐	☐	☐	☐	☐	69.4#	956	983	1002	1038	1075
		48 x 48	USSFTBW4848	☐	☐	☐	☐	☐	☐	☐	☐	76.4#	1023	1054	1074	1111	1151
		54 x 48	USSFTBW5448	☐	☐	☐	☐	☐	☐	☐	☐	83.5#	1121	1154	1174	1216	1260
		60 x 48	USSFTBW6048	☐	☐	☐	☐	☐	☐	☐	☐	90.6#	1284	1320	1344	1395	1441
		72 x 48	USSFTBW7248	☐	☐	☐	☐	☐	☐	☐	☐	113.5#	1664	1711	1741	1807	1868
USFT																	
USFT	Segmented Steel Panel - 56"H	24 x 56	USSFTBW2456	☐	☐	☐	☐	☐	☐	☐	52.5#	\$ 788	\$ 810	\$ 826	\$ 855	\$ 883	
		30 x 56	USSFTBW3056	☐	☐	☐	☐	☐	☐	☐	☐	60.1#	882	909	924	958	991
		36 x 56	USSFTBW3656	☐	☐	☐	☐	☐	☐	☐	☐	67.7#	949	978	996	1034	1068
		42 x 56	USSFTBW4256	☐	☐	☐	☐	☐	☐	☐	☐	75.3#	1022	1053	1070	1110	1150
		48 x 56	USSFTBW4856	☐	☐	☐	☐	☐	☐	☐	☐	82.9#	1093	1124	1147	1187	1229
		54 x 56	USSFTBW5456	☐	☐	☐	☐	☐	☐	☐	☐	90.5#	1165	1200	1222	1265	1310
		60 x 56	USSFTBW6056	☐	☐	☐	☐	☐	☐	☐	☐	98.1#	1307	1344	1368	1417	1470
		72 x 56	USSFTBW7256	☐	☐	☐	☐	☐	☐	☐	☐	123.4#	1768	1817	1852	1920	1986
USFT	Segmented Steel Panel - 64"H	24 x 64	USSFTBW2464	☐	☐	☐	☐	☐	☐	☐	56.9#	\$ 839	\$ 862	\$ 879	\$ 912	\$ 942	
		30 x 64	USSFTBW3064	☐	☐	☐	☐	☐	☐	☐	☐	65.0#	971	996	1013	1052	1087
		36 x 64	USSFTBW3664	☐	☐	☐	☐	☐	☐	☐	☐	73.1#	1053	1080	1101	1143	1180
		42 x 64	USSFTBW4264	☐	☐	☐	☐	☐	☐	☐	☐	81.2#	1087	1117	1137	1178	1220
		48 x 64	USSFTBW4864	☐	☐	☐	☐	☐	☐	☐	☐	89.3#	1164	1200	1220	1265	1307
		54 x 64	USSFTBW5464	☐	☐	☐	☐	☐	☐	☐	☐	97.4#	1255	1294	1317	1366	1410
		60 x 64	USSFTBW6064	☐	☐	☐	☐	☐	☐	☐	☐	105.6#	1426	1466	1493	1547	1599
		72 x 64	USSFTBW7264	☐	☐	☐	☐	☐	☐	☐	☐	133.2#	1972	2030	2065	2141	2217
			A	B	C	D	E	F	G	H	I						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

DP - Domestic - with cutouts
- D**Select bezel color.

Refer to the **Product Color Options** page in this price list.
- E**Select trim color.

Refer to the **Product Color Options** page in this price list.
- F**Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- H**Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- I**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	MODEL	W x H												
	Segmented Open Panel - 40”H	24 x 40	USOR2440	☐	☐	☐	☐	☐	43.0#	\$ 821	\$ 838	\$ 851	\$ 877	\$ 903
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOR3040	☐	☐	☐	☐	☐	50.0#	891	915	927	927	983
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USOR3640	☐	☐	☐	☐	☐	57.0#	936	957	975	1004	1035
	• Open frame allows pass-through accessibility range of 8” to 29” from floor	42 x 40	USOR4240	☐	☐	☐	☐	☐	64.0#	1042	1066	1081	1114	1146
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOR4840	☐	☐	☐	☐	☐	70.0#	1067	1090	1110	1146	1178
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 40	USOR5440	☐	☐	☐	☐	☐	77.0#	1132	1158	1180	1216	1254
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOR6040	☐	☐	☐	☐	☐	84.0#	1265	1295	1319	1362	1405
	• 30-60” wide panels feature two power knockouts per side													
	• 24” wide panels feature one power knockout per side													
	• Electrical components are specified separately													
USFR	Segmented Open Panel - 48”H	24 x 48	USOR2448	☐	☐	☐	☐	☐	49.0#	\$ 865	\$ 887	\$ 900	\$ 930	\$ 957
		30 x 48	USOR3048	☐	☐	☐	☐	☐	56.0#	941	964	980	1008	1038
		36 x 48	USOR3648	☐	☐	☐	☐	☐	63.0#	988	1012	1029	1060	1091
		42 x 48	USOR4248	☐	☐	☐	☐	☐	70.0#	1117	1141	1158	1191	1227
		48 x 48	USOR4848	☐	☐	☐	☐	☐	78.0#	1137	1165	1185	1222	1260
		54 x 48	USOR5448	☐	☐	☐	☐	☐	85.0#	1207	1236	1256	1297	1338
		60 x 48	USOR6048	☐	☐	☐	☐	☐	92.0#	1344	1381	1404	1450	1496
USFR	Segmented Open Panel - 56”H	24 x 56	USOR2456	☐	☐	☐	☐	☐	53.0#	\$ 895	\$ 920	\$ 932	\$ 961	\$ 989
		30 x 56	USOR3056	☐	☐	☐	☐	☐	61.0#	983	1008	1023	1023	1087
		36 x 56	USOR3656	☐	☐	☐	☐	☐	68.0#	1042	1067	1084	1118	1152
		42 x 56	USOR4256	☐	☐	☐	☐	☐	76.0#	1185	1211	1231	1268	1305
		48 x 56	USOR4856	☐	☐	☐	☐	☐	84.0#	1205	1233	1253	1291	1333
		54 x 56	USOR5456	☐	☐	☐	☐	☐	92.0#	1250	1280	1304	1344	1386
		60 x 56	USOR6056	☐	☐	☐	☐	☐	100.0#	1367	1405	1429	1477	1524
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL		W x H												
 Side 1 Side 2 USFR	Segmented Open Panel - 64”H	24 x 64	USOR2464	☐	☐	☐	☐	☐	57.0#	\$ 945	\$ 972	\$ 985	\$ 1014	\$ 1049
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOR3064	☐	☐	☐	☐	☐	66.0#	1068	1096	1113	1148	1183
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 64	USOR3664	☐	☐	☐	☐	☐	74.0#	1146	1173	1194	1231	1269
	• Open frame allows pass-through accessibility range of 8” to 29” from floor	42 x 64	USOR4264	☐	☐	☐	☐	☐	82.0#	1249	1278	1300	1340	1379
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOR4864	☐	☐	☐	☐	☐	91.0#	1289	1308	1332	1371	1414
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 64	USOR5464	☐	☐	☐	☐	☐	99.0#	1344	1386	1399	1440	1486
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOR6064	☐	☐	☐	☐	☐	107.0#	1480	1547	1547	1595	1647
	• 30-60” wide panels feature two power knockouts per side													
	• 24” wide panels feature one power knockout per side													
	• Electrical components are specified separately													
											</			

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select top cap style.

F	- Flat trim (std)
N	- No topcap

- C** Select electrical code.

CP	- Chicago, 2 sides w/cutouts
DN	- Domestic, no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

- D** Select trim color.

Refer to the **Product Color Options** page in this price list.

- E** Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- F** Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

			MODEL NUMBER											
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2			Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL			W x H					Approx. Packaged Weight						
	Segmented Open Panel - 40”H	24 x 40	USOL2440	☐	☐	☐	☐	41.0#	\$ 821	\$ 838	\$ 851	\$ 877	\$ 903	
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOL3040	☐	☐	☐	☐	47.0#	891	915	927	927	983	
	• Elevated base is non-powered and does not accept cable distribution	36 x 40	USOL3640	☐	☐	☐	☐	53.0#	936	957	975	1004	1035	
	• Open frame allows pass-through accessibility range of 8” to 29” from floor	42 x 40	USOL4240	☐	☐	☐	☐	59.0#	1042	1066	1081	1114	1146	
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOL4840	☐	☐	☐	☐	65.0#	1067	1090	1110	1146	1178	
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 40	USOL5440	☐	☐	☐	☐	71.0#	1132	1158	1180	1216	1254	
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOL6040	☐	☐	☐	☐	77.0#	1265	1295	1319	1362	1405	
USFL														
USFL	Segmented Open Panel - 48”H	24 x 48	USOL2448	☐	☐	☐	☐	46.0#	\$ 865	\$ 887	\$ 900	\$ 930	\$ 957	
		30 x 48	USOL3048	☐	☐	☐	☐	53.0#	941	964	980	1008	1038	
		36 x 48	USOL3648	☐	☐	☐	☐	59.0#	988	1012	1029	1060	1091	
		42 x 48	USOL4248	☐	☐	☐	☐	66.0#	1117	1141	1158	1191	1227	
		48 x 48	USOL4848	☐	☐	☐	☐	72.0#	1137	1165	1185	1222	1260	
		54 x 48	USOL5448	☐	☐	☐	☐	78.5#	1207	1236	1256	1297	1338	
		60 x 48	USOL6048	☐	☐	☐	☐	85.0#	1344	1381	1404	1450	1496	
USFL	Segmented Open Panel - 56”H	24 x 56	USOL2456	☐	☐	☐	☐	51.0#	\$ 895	\$ 920	\$ 932	\$ 961	\$ 989	
		30 x 56	USOL3056	☐	☐	☐	☐	58.0#	983	1008	1023	1023	1087	
		36 x 56	USOL3656	☐	☐	☐	☐	65.0#	1042	1067	1084	1118	1152	
		42 x 56	USOL4256	☐	☐	☐	☐	72.0#	1185	1211	1231	1268	1305	
		48 x 56	USOL4856	☐	☐	☐	☐	79.0#	1205	1233	1253	1291	1333	
		54 x 56	USOL5456	☐	☐	☐	☐	86.0#	1250	1280	1304	1344	1386	
		60 x 56	USOL6056	☐	☐	☐	☐	93.0#	1367	1405	1429	1477	1524	
			A	B	C	D	E							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to **ki.com/fabrics**
- E**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

			MODEL NUMBER										
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Open Panel - 64”H	24 x 64	USOL2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.0#	\$ 945	\$ 972	\$ 985	\$ 1014	\$ 1049
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOL3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.0#	1068	1096	1113	1148	1183
	• Elevated base is non-powered and does not accept cable distribution	36 x 64	USOL3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#	1146	1173	1194	1231	1269
	• Open frame allows pass-through accessibility range of 8” to 29” from floor	42 x 64	USOL4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#	1249	1278	1300	1340	1379
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOL4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	85.0#	1289	1308	1332	1371	1414
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 64	USOL5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	92.5#	1344	1386	1399	1440	1486
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOL6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	100.0#	1480	1547	1547	1595	1647
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to **ki.com/fabrics**
- E**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2								
 USFR	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
	Segmented Fabric Panel - 40”H	24 x 40	USGR2440	☐	☐	☐	☐	☐	46.5#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123
	• Lower segment includes fabric tiles for both sides,specified separately	30 x 40	USGR3040	☐	☐	☐	☐	☐	53.2#	911	971	1025	1085	1126	62	123
	• Upper segment features single piece of glass captured in frame	36 x 40	USGR3640	☐	☐	☐	☐	☐	60.0#	981	1045	1108	1169	1214	62	123
	• Upper frame finish matches trim	42 x 40	USGR4240	☐	☐	☐	☐	☐	66.8#	1052	1117	1185	1252	1301	62	123
	• Standard base raceway on both sides accepts power and data cable distribution	48 x 40	USGR4840	☐	☐	☐	☐	☐	73.6#	1117	1188	1262	1333	1383	77	155
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGR5440	☐	☐	☐	☐	☐	80.4#	1165	1239	1315	1388	1441	77	155
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USGR6040	☐	☐	☐	☐	☐	87.2#	1283	1363	1444	1528	1586	77	155
	• 30-72” wide panels feature two power knockouts per side	72 x 40	USGR7240	☐	☐	☐	☐	☐	105.8#	1680	1788	1895	2003	2082	77	155
	• 24” wide panels feature one power knockout per side															
	• 72” wide panels feature split tiles															
	• Electrical components are specified separately															
USFR	Segmented Fabric Panel - 48”H	24 x 48	USGR2448	☐	☐	☐	☐	☐	54.7#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123
		30 x 48	USGR3048	☐	☐	☐	☐	☐	62.6#	943	1004	1066	1126	1168	62	123
		36 x 48	USGR3648	☐	☐	☐	☐	☐	70.5#	1015	1082	1148	1212	1262	62	123
		42 x 48	USGR4248	☐	☐	☐	☐	☐	78.5#	1093	1164	1235	1305	1355	73	146
		48 x 48	USGR4848	☐	☐	☐	☐	☐	86.4#	1163	1238	1310	1388	1440	85	184
		54 x 48	USGR5448	☐	☐	☐	☐	☐	94.3#	1213	1291	1370	1449	1505	95	197
		60 x 48	USGR6048	☐	☐	☐	☐	☐	102.2#	1340	1427	1509	1595	1658	108	223
		72 x 48	USGR7248	☐	☐	☐	☐	☐	124.3#	1746	1859	1970	2083	2162	128	262
USFR	Segmented Fabric Panel - 56”H	24 x 56	USGR2456	☐	☐	☐	☐	☐	62.9#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184
		30 x 56	USGR3056	☐	☐	☐	☐	☐	71.9#	986	1051	1113	1176	1222	85	184
		36 x 56	USGR3656	☐	☐	☐	☐	☐	81.0#	1067	1134	1205	1274	1320	85	184
		42 x 56	USGR4256	☐	☐	☐	☐	☐	90.1#	1154	1225	1301	1376	1429	85	184
		48 x 56	USGR4856	☐	☐	☐	☐	☐	99.1#	1223	1302	1382	1458	1515	128	262
		54 x 56	USGR5456	☐	☐	☐	☐	☐	108.1#	1268	1353	1436	1516	1575	144	298
		60 x 56	USGR6056	☐	☐	☐	☐	☐	117.2#	1396	1484	1576	1665	1730	169	347
		72 x 56	USGR7256	☐	☐	☐	☐	☐	142.9#	1813	1929	2047	2162	2246	205	420
			A	B	C	D	E	F	G							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts
DN- Domestic, no cutouts
DP- Domestic - with cutouts
C1- Chicago, 1 side w/cutouts
D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select glass color.

GLA- Clear (std)
GLC- White laminate
GLV- Satin etch one side

See pricing column for glass upcharge.

- F**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER														
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
 USFR - Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USGR2464	☐	☐	☐	☐	☐	☐	71.1#	\$ 954	\$ 1014	\$ 1076	\$ 1137	\$ 1183	\$ 85	\$ 184
	30 x 64	USGR3064	☐	☐	☐	☐	☐	☐	81.2#	1056	1124	1191	1262	1307	85	184
	36 x 64	USGR3664	☐	☐	☐	☐	☐	☐	91.4#	1124	1199	1268	1341	1394	128	262
	42 x 64	USGR4264	☐	☐	☐	☐	☐	☐	101.7#	1214	1294	1371	1449	1506	169	347
	48 x 64	USGR4864	☐	☐	☐	☐	☐	☐	111.9#	1288	1368	1453	1536	1594	205	420
	54 x 64	USGR5464	☐	☐	☐	☐	☐	☐	122.1#	1338	1421	1508	1594	1656	224	439
	60 x 64	USGR6064	☐	☐	☐	☐	☐	☐	132.3#	1466	1560	1654	1747	1813	230	487
	72 x 64	USGR7264	☐	☐	☐	☐	☐	☐	161.5#	1893	2014	2135	2257	2345	274	571
		A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago, 2 sides w/cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts

C1- Chicago, 1 side w/cutouts

D1- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select glass color.

GLA- Clear (std)

GLC- White laminate

GLV- Satin etch one side

See pricing column for glass upcharge.

FSelect fabric side 1.

Refer to [ki.com/fabrics](#)

GSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base



Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

		MODEL NUMBER													
		Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
	MODEL	W x H													
	Segmented Fabric Panel - 40”H	24 x 40	USGL2440	☐	☐	☐	☐	44.3#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123
	• Lower segment includes fabric tiles for both sides,specified separately	30 x 40	USGL3040	☐	☐	☐	☐	50.3#	911	971	1025	1085	1126	62	123
	• Upper segment features single piece of glass captured in frame	36 x 40	USGL3640	☐	☐	☐	☐	56.3#	981	1045	1108	1169	1214	62	123
	• Upper frame finish matches trim	42 x 40	USGL4240	☐	☐	☐	☐	62.3#	1052	1117	1185	1252	1301	62	123
	• Elevated base does not accept cable distribution	48 x 40	USGL4840	☐	☐	☐	☐	68.3#	1117	1188	1262	1333	1383	77	155
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGL5440	☐	☐	☐	☐	74.2#	1165	1239	1315	1388	1441	77	155
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 40	USGL6040	☐	☐	☐	☐	80.2#	1283	1363	1444	1528	1586	77	155
	• 72” wide panels feature split tiles	72 x 40	USGL7240	☐	☐	☐	☐	97.2#	1680	1788	1895	2003	2082	77	155
USFL															
USFL	Segmented Fabric Panel - 48”H	24 x 48	USGL2448	☐	☐	☐	☐	52.5#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123
		30 x 48	USGL3048	☐	☐	☐	☐	59.6#	943	1004	1066	1126	1168	62	123
		36 x 48	USGL3648	☐	☐	☐	☐	66.7#	1015	1082	1148	1212	1262	62	123
		42 x 48	USGL4248	☐	☐	☐	☐	73.9#	1093	1164	1235	1305	1355	73	146
		48 x 48	USGL4848	☐	☐	☐	☐	81.0#	1163	1238	1310	1388	1440	85	184
		54 x 48	USGL5448	☐	☐	☐	☐	88.1#	1213	1291	1370	1449	1505	95	197
		60 x 48	USGL6048	☐	☐	☐	☐	95.2#	1340	1427	1509	1595	1658	108	223
		72 x 48	USGL7248	☐	☐	☐	☐	115.7#	1746	1859	1970	2083	2162	128	262
USFL	Segmented Fabric Panel - 56”H	24 x 56	USGL2456	☐	☐	☐	☐	60.7#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184
		30 x 56	USGL3056	☐	☐	☐	☐	68.9#	986	1051	1113	1176	1222	85	184
		36 x 56	USGL3656	☐	☐	☐	☐	77.2#	1067	1134	1205	1274	1320	85	184
		42 x 56	USGL4256	☐	☐	☐	☐	85.5#	1154	1225	1301	1376	1429	85	184
		48 x 56	USGL4856	☐	☐	☐	☐	93.8#	1223	1302	1382	1458	1515	128	262
		54 x 56	USGL5456	☐	☐	☐	☐	102.0#	1268	1353	1436	1516	1575	144	298
		60 x 56	USGL6056	☐	☐	☐	☐	110.3#	1396	1484	1576	1665	1730	169	347
		72 x 56	USGL7256	☐	☐	☐	☐	134.3#	1813	1929	2047	2162	2246	205	420
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select glass color.

GLA- Clear (std)
GLC- White laminate
GLV- Satin etch one side
See pricing column for glass upcharge.
- E**Select fabric side 1.

Refer to **ki.com/fabrics**
- F**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Elevated Base



Elevated Base

			MODEL NUMBER													
			Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
MODEL	W x H															
	Segmented Fabric Panel - 64”H	24 x 64	USGL2464	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	68.9#	\$ 954	\$ 1014	\$ 1076	\$ 1137	\$ 1183	\$ 85	\$ 184
	• Lower segment includes fabric tiles for both sides,specified separately	30 x 64	USGL3064	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	78.3#	1056	1124	1191	1262	1307	85	184
	• Upper segment features single piece of glass captured in frame	36 x 64	USGL3664	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	87.7#	1124	1199	1268	1341	1394	128	262
	• Upper frame finish matches trim	42 x 64	USGL4264	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	97.1#	1214	1294	1371	1449	1506	169	347
	• Elevated base does not accept cable distribution	48 x 64	USGL4864	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	106.5#	1288	1368	1453	1536	1594	205	420
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USGL5464	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	115.9#	1338	1421	1508	1594	1656	224	439
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 64	USGL6064	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	125.3#	1466	1560	1654	1747	1813	230	487
	• 72” wide panels feature split tiles	72 x 64	USGL7264	☐	☐☐	☐☐☐	☐☐☐☐	☐☐☐☐	152.9#	1893	2014	2135	2257	2345	274	571
			A	B	C	D	E	F								

USFL

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear (std) |
| GLC | - White laminate |
| GLV | - Satin etch one side |
- See pricing column for glass upcharge.
- E** Select fabric side 1.
- Refer to [**ki.com/fabrics**](http://ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER															
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2									
MODEL			W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge	
 USFT	Segmented Fabric Panel - 40”H - Side 1: tile to floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim includes segmented fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72” wide panels feature two power knockouts - Side 2: 24” wide tiles feature one base power knockout 72” wide panels feature split tiles - Electrical components are specified separately	24 x 40	USGT2440	☐	☐	☐	☐	☐	☐	45.5#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123	
		30 x 40	USGT3040	☐	☐	☐	☐	☐	☐	☐	51.9#	911	971	1025	1085	1126	62	123
		36 x 40	USGT3640	☐	☐	☐	☐	☐	☐	☐	58.4#	981	1045	1108	1169	1214	62	123
		42 x 40	USGT4240	☐	☐	☐	☐	☐	☐	☐	64.9#	1052	1117	1185	1252	1301	62	123
		48 x 40	USGT4840	☐	☐	☐	☐	☐	☐	☐	71.4#	1117	1188	1262	1333	1383	77	155
		54 x 40	USGT5440	☐	☐	☐	☐	☐	☐	☐	77.9#	1165	1239	1315	1388	1441	77	155
		60 x 40	USGT6040	☐	☐	☐	☐	☐	☐	☐	84.4#	1283	1363	1444	1528	1586	77	155
		72 x 40	USGT7240	☐	☐	☐	☐	☐	☐	☐	102.4#	1680	1788	1895	2003	2082	77	155
USFT	Segmented Fabric Panel - 48”H	24 x 48	USGT2448	☐	☐	☐	☐	☐	☐	53.7#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123	
		30 x 48	USGT3048	☐	☐	☐	☐	☐	☐	61.3#	943	1004	1066	1126	1168	62	123	
		36 x 48	USGT3648	☐	☐	☐	☐	☐	☐	68.9#	1015	1082	1148	1212	1262	62	123	
		42 x 48	USGT4248	☐	☐	☐	☐	☐	☐	76.6#	1093	1164	1235	1305	1355	73	146	
		48 x 48	USGT4848	☐	☐	☐	☐	☐	☐	84.2#	1163	1238	1310	1388	1440	85	184	
		54 x 48	USGT5448	☐	☐	☐	☐	☐	☐	91.8#	1213	1291	1370	1449	1505	95	197	
		60 x 48	USGT6048	☐	☐	☐	☐	☐	☐	99.4#	1340	1427	1509	1595	1658	108	223	
		72 x 48	USGT7248	☐	☐	☐	☐	☐	☐	121.0#	1746	1859	1970	2083	2162	128	262	
USFT	Segmented Fabric Panel - 56”H	24 x 56	USGT2456	☐	☐	☐	☐	☐	☐	61.9#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184	
		30 x 56	USGT3056	☐	☐	☐	☐	☐	☐	70.6#	986	1051	1113	1176	1222	85	184	
		36 x 56	USGT3656	☐	☐	☐	☐	☐	☐	79.4#	1067	1134	1205	1274	1320	85	184	
		42 x 56	USGT4256	☐	☐	☐	☐	☐	☐	88.2#	1154	1225	1301	1376	1429	85	184	
		48 x 56	USGT4856	☐	☐	☐	☐	☐	☐	96.9#	1223	1302	1382	1458	1515	128	262	
		54 x 56	USGT5456	☐	☐	☐	☐	☐	☐	105.7#	1268	1353	1436	1516	1575	144	298	
		60 x 56	USGT6056	☐	☐	☐	☐	☐	☐	114.5#	1396	1484	1576	1665	1730	169	347	
		72 x 56	USGT7256	☐	☐	☐	☐	☐	☐	139.5#	1813	1929	2047	2162	2246	205	420	

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

CSelect electrical code.

DSelect trim color.

ESelect glass color.

FSelect fabric side 1.
- G**Select fabric side 2.
- Refer to [ki.com/fabrics](#)
- F** - Flat trim (std)

N - No topcap
- CP** - Chicago - with cutouts

DN - Domestic, no cutouts

DP - Domestic - with cutouts
- GLA** - Clear (std)

GLC - White laminate

GLV - Satin etch one side

See pricing column for glass upcharge.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.