


Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER															
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge	
MODEL	W x H																
 USFT - Segmented Fabric Panel - 64”H - Side 1: tile to floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim includes segmented fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72” wide panels feature two power knockouts - Side 2: 24” wide tiles feature one base power knockout 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USGT2464	☐	☐	☐	☐	☐	☐	70.1#	\$ 954	\$ 1014	\$ 1076	\$ 1137	\$ 1183	\$ 85	\$ 184	
	30 x 64	USGT3064	☐	☐	☐	☐	☐	☐	79.9#	1056	1124	1191	1262	1307	85	184	
	36 x 64	USGT3664	☐	☐	☐	☐	☐	☐	89.8#	1124	1199	1268	1341	1394	128	262	
	42 x 64	USGT4264	☐	☐	☐	☐	☐	☐	99.8#	1214	1294	1371	1449	1506	169	347	
	48 x 64	USGT4864	☐	☐	☐	☐	☐	☐	109.7#	1288	1368	1453	1536	1594	205	420	
	54 x 64	USGT5464	☐	☐	☐	☐	☐	☐	117.9#	1338	1421	1508	1594	1656	224	439	
	60 x 64	USGT6064	☐	☐	☐	☐	☐	☐	129.5#	1466	1560	1654	1747	1813	230	487	
	72 x 64	USGT7264	☐	☐	☐	☐	☐	☐	158.1#	1893	2014	2135	2257	2345	274	571	
		A	B	C	D	E	F	G									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago - with cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select glass color.

GLA

- Clear (std)

GLC

- White laminate

GLV

- Satin etch one side

See pricing column for glass upcharge.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)

GSelect fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB1R2448	☐	☐	☐	☐	46.2#	\$ 694	\$ 737	\$ 782	\$ 827	\$ 858
	• Side 1: includes segmented tiles with identically specified fabric lower and upper segments	30 x 48	USMB1R3048	☐	☐	☐	☐	52.7#	785	838	887	937	976
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment	36 x 48	USMB1R3648	☐	☐	☐	☐	59.1#	844	897	950	1008	1045
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB1R4248	☐	☐	☐	☐	68.7#	934	993	1054	1114	1156
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB1R4848	☐	☐	☐	☐	72.2#	981	1045	1108	1169	1213
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB1R5448	☐	☐	☐	☐	80.0#	1098	1168	1239	1308	1357
	• Side 1 and side 2 finishes are specified separately	60 x 48	USMB1R6048	☐	☐	☐	☐	85.2#	1278	1361	1442	1525	1583
	• Upper and lower fabric finishes on side 1 must be identically specified	72 x 48	USMB1R7248	☐	☐	☐	☐	106.3#	1558	1658	1758	1859	1929
	• 30-72" wide panels feature two power knockouts per side												
	• 24" wide panels feature one power knockout per side												
	• 72" wide panels feature split tiles												
	• Electrical components are specified separately												
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB1R2456	☐	☐	☐	☐	51.0#	\$ 777	\$ 826	\$ 877	\$ 925	\$ 961
		30 x 56	USMB1R3056	☐	☐	☐	☐	58.1#	856	912	967	1022	1060
		36 x 56	USMB1R3656	☐	☐	☐	☐	65.2#	921	980	1038	1098	1141
		42 x 56	USMB1R4256	☐	☐	☐	☐	73.4#	998	1063	1128	1190	1239
		48 x 56	USMB1R4856	☐	☐	☐	☐	79.6#	1144	1214	1288	1362	1414
		54 x 56	USMB1R5456	☐	☐	☐	☐	86.8#	1306	1455	1470	1557	1614
		60 x 56	USMB1R6056	☐	☐	☐	☐	94.0#	1543	1640	1740	1843	1910
		72 x 56	USMB1R7256	☐	☐	☐	☐	118.1#	1702	1810	1920	2027	2104
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB1R2464	☐	☐	☐	☐	55.7#	\$ 809	\$ 862	\$ 915	\$ 967	\$ 1003
		30 x 64	USMB1R3064	☐	☐	☐	☐	63.5#	943	1004	1066	1126	1169
		36 x 64	USMB1R3664	☐	☐	☐	☐	71.4#	1015	1082	1148	1212	1262
		42 x 64	USMB1R4264	☐	☐	☐	☐	80.1#	1074	1144	1211	1282	1331
		48 x 64	USMB1R4864	☐	☐	☐	☐	87.1#	1184	1262	1337	1411	1467
		54 x 64	USMB1R5464	☐	☐	☐	☐	94.9#	1354	1440	1528	1615	1678
		60 x 64	USMB1R6064	☐	☐	☐	☐	102.7#	1603	1707	1811	1913	1988
		72 x 64	USMB1R7264	☐	☐	☐	☐	129.1#	1895	2016	2140	2263	2347

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base

			MODEL NUMBER											
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2							
MODEL			W x H					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USFL	Segmented Fabric Panel - 48”H - Side 1: includes segmented tiles with identically specified fabric lower and upper segments - Side 2: includes segmented tiles with fabric lower segments and steel marker-board upper segments - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud - Side 1 and side 2 finishes are specified separately 72” wide panels feature split tiles	24 x 48	USMB1L2448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	44.0#	\$ 694	\$ 737	\$ 782	\$ 827	\$ 858	
		30 x 48	USMB1L3048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	49.7#	785	838	887	937	976	
		36 x 48	USMB1L3648	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.4#	844	897	950	1008	1045	
		42 x 48	USMB1L4248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.1#	934	993	1054	1114	1156	
		48 x 48	USMB1L4848	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	66.8#	981	1045	1108	1169	1213	
		54 x 48	USMB1L5448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.5#	1098	1168	1239	1308	1357	
		60 x 48	USMB1L6048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.2#	1278	1361	1442	1525	1583	
		72 x 48	USMB1L7248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.8#	1558	1658	1758	1859	1929	
USFL	Segmented Fabric Panel - 56”H	24 x 56	USMB1L2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	48.8#	\$ 777	\$ 826	\$ 877	\$ 925	\$ 961	
		30 x 56	USMB1L3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.1#	856	912	967	1022	1060	
		36 x 56	USMB1L3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	61.5#	921	980	1038	1098	1141	
		42 x 56	USMB1L4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	68.8#	998	1063	1128	1190	1239	
		48 x 56	USMB1L4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	74.3#	1144	1214	1288	1362	1414	
		54 x 56	USMB1L5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	80.6#	1306	1455	1470	1557	1614	
		60 x 56	USMB1L6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	87.0#	1543	1640	1740	1843	1910	
		72 x 56	USMB1L7256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.5#	1702	1810	1920	2027	2104	
USFL	Segmented Fabric Panel - 64”H	24 x 64	USMB1L2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	53.5#	\$ 809	\$ 862	\$ 915	\$ 967	\$ 1003	
		30 x 64	USMB1L3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	60.5#	943	1004	1066	1126	1169	
		36 x 64	USMB1L3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	67.6#	1015	1082	1148	1212	1262	
		42 x 64	USMB1L4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.6#	1074	1144	1211	1282	1331	
		48 x 64	USMB1L4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	81.7#	1184	1262	1337	1411	1467	
		54 x 64	USMB1L5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	88.7#	1354	1440	1528	1615	1678	
		60 x 64	USMB1L6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	95.8#	1603	1707	1811	1913	1988	
		72 x 64	USMB1L7264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	121.3#	1895	2016	2140	2263	2347	
			A	B	C	D	E							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- E** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	MODEL	W x H												
	Segmented Fabric Panel - 48”H	24 x 48	USMB1T2448	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	45.2#	\$ 694	\$ 737	\$ 782	\$ 827	\$ 858
	• Side 1: includes tile-to-floor segmented tile with identically specified fabric upper and lower segments	30 x 48	USMB1T3048	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	51.3#	785	838	887	937	976
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment; standard base raceway accepts power and data cable distribution	36 x 48	USMB1T3648	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	57.6#	844	897	950	1008	1045
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 48	USMB1T4248	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	66.8#	934	993	1054	1114	1156
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	48 x 48	USMB1T4848	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	70.0#	981	1045	1108	1169	1213
	• Side 1 and side 2 finishes are specified separately	54 x 48	USMB1T5448	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	76.2#	1098	1168	1239	1308	1357
	• Upper and lower fabric finishes on side 1 must be identically specified	60 x 48	USMB1T6048	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	82.4#	1278	1361	1442	1525	1583
	• Side 2: 30-72” wide tiles feature two power knockouts	72 x 48	USMB1T7248	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	103.0#	1558	1658	1758	1859	1929
	• Side 2: 24” wide tiles feature one power knockout													
	• All 72” wide panels feature split tiles													
	• Electrical components are specified separately													
USFT	Segmented Fabric Panel - 56”H	24 x 56	USMB1T2456	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	49.9#	\$ 777	\$ 826	\$ 877	\$ 925	\$ 961
		30 x 56	USMB1T3056	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	56.8#	856	912	967	1022	1060
		36 x 56	USMB1T3656	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	63.6#	921	980	1038	1098	1141
		42 x 56	USMB1T4256	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	71.5#	998	1063	1128	1190	1239
		48 x 56	USMB1T4856	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	77.4#	1144	1214	1288	1362	1414
		54 x 56	USMB1T5456	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	85.3#	1306	1455	1470	1557	1614
		60 x 56	USMB1T6056		☐☐	☐☐	☐☐☐☐	☐☐☐☐	91.2#	1543	1640	1740	1843	1910
		72 x 56	USMB1T7256	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	114.7#	1702	1810	1920	2027	2104
USFT	Segmented Fabric Panel - 64”H	24 x 64	USMB1T2464	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	54.7#	\$ 809	\$ 862	\$ 915	\$ 967	\$ 1003
		30 x 64	USMB1T3064	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	62.2#	943	1004	1066	1126	1169
		36 x 64	USMB1T3664	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	69.7#	1015	1082	1148	1212	1262
		42 x 64	USMB1T4264	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	78.2#	1074	1144	1211	1282	1331
		48 x 64	USMB1T4864	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	84.9#	1184	1262	1337	1411	1467
		54 x 64	USMB1T5464	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	92.4#	1354	1440	1528	1615	1678
		60 x 64	USMB1T6064	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	100.0#	1603	1707	1811	1913	1988
		72 x 64	USMB1T7264	☐	☐☐	☐☐	☐☐☐☐	☐☐☐☐	126.5#	1895	2016	2140	2263	2347
			A	B	C	D	E	F						

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL			W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 48”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segments both feature steel markerboard - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 48	USMB2R2448	☐	☐	☐	☐	☐	48.2#	\$ 772	\$ 823	\$ 873	\$ 921	\$ 956
		30 x 48	USMB2R3048	☐	☐	☐	☐	☐	55.0#	879	935	991	1051	1088
		36 x 48	USMB2R3648	☐	☐	☐	☐	☐	61.9#	932	990	1053	1111	1154
		42 x 48	USMB2R4248	☐	☐	☐	☐	☐	68.9#	1018	1085	1151	1214	1264
		48 x 48	USMB2R4848	☐	☐	☐	☐	☐	75.8#	1091	1163	1231	1304	1354
		54 x 48	USMB2R5448	☐	☐	☐	☐	☐	82.7#	1268	1353	1431	1514	1572
		60 x 48	USMB2R6048	☐	☐	☐	☐	☐	89.6#	1520	1623	1716	1815	1887
		72 x 48	USMB2R7248	☐	☐	☐	☐	☐	111.9#	1727	1835	1945	2057	2136
USFR	Segmented Fabric Panel - 56”H	24 x 56	USMB2R2456	☐	☐	☐	☐	☐	53.4#	\$ 909	\$ 967	\$ 1024	\$ 1082	\$ 1124
		30 x 56	USMB2R3056	☐	☐	☐	☐	☐	61.0#	971	1030	1091	1155	1202
		36 x 56	USMB2R3656	☐	☐	☐	☐	☐	68.7#	1025	1091	1158	1223	1269
		42 x 56	USMB2R4256	☐	☐	☐	☐	☐	76.5#	1082	1152	1222	1290	1342
		48 x 56	USMB2R4856	☐	☐	☐	☐	☐	84.2#	1353	1439	1525	1613	1675
		54 x 56	USMB2R5456	☐	☐	☐	☐	☐	91.9#	1580	1679	1780	1881	1957
		60 x 56	USMB2R6056	☐	☐	☐	☐	☐	99.6#	1898	2017	2140	2263	2353
		72 x 56	USMB2R7256	☐	☐	☐	☐	☐	125.0#	1911	2037	2158	2281	2368
USFR	Segmented Fabric Panel - 64”H	24 x 64	USMB2R2464	☐	☐	☐	☐	☐	58.5#	\$ 914	\$ 974	\$ 1029	\$ 1088	\$ 1131
		30 x 64	USMB2R3064	☐	☐	☐	☐	☐	66.9#	1057	1126	1191	1263	1309
		36 x 64	USMB2R3664	☐	☐	☐	☐	☐	75.5#	1113	1184	1255	1329	1379
		42x 64	USMB2R4264	☐	☐	☐	☐	☐	84.0#	1168	1243	1319	1395	1447
		48 x 64	USMB2R4864	☐	☐	☐	☐	☐	92.6#	1360	1444	1535	1623	1684
		54 x 64	USMB2R5464	☐	☐	☐	☐	☐	101.1#	1650	1755	1860	1967	2041
		60 x 64	USMB2R6064	☐	☐	☐	☐	☐	109.6#	2037	2166	2295	2427	2519
		72 x 64	USMB2R7264	☐	☐	☐	☐	☐	138.1#	2083	2215	2349	2483	2578
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base

			MODEL NUMBER											
MODEL			W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 48”H	24 x 48	USMB2L2448	☐	☐	☐	☐	☐	46.0#	\$ 772	\$ 823	\$ 873	\$ 921	\$ 956
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2L3048	☐	☐	☐	☐	☐	52.1#	879	935	991	1051	1088
	• Upper segments both feature steel markerboard	36 x 48	USMB2L3648	☐	☐	☐	☐	☐	58.2#	932	990	1053	1111	1154
	• Elevated base does not accept cable distribution	42 x 48	USMB2L4248	☐	☐	☐	☐	☐	64.3#	1018	1085	1151	1214	1264
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2L4848	☐	☐	☐	☐	☐	70.4#	1091	1163	1231	1304	1354
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	54 x 48	USMB2L5448	☐	☐	☐	☐	☐	76.5#	1268	1353	1431	1514	1572
	• 72” wide panels feature split tiles	60 x 48	USMB2L6048	☐	☐	☐	☐	☐	82.6#	1520	1623	1716	1815	1887
		72 x 48	USMB2L7248	☐	☐	☐	☐	☐	103.3#	1727	1835	1945	2057	2136
USFL														
USFL	Segmented Fabric Panel - 56”H	24 x 56	USMB2L2456	☐	☐	☐	☐	☐	51.1#	\$ 909	\$ 967	\$ 1024	\$ 1082	\$ 1124
		30 x 56	USMB2L3056	☐	☐	☐	☐	☐	58.0#	971	1030	1091	1155	1202
		36 x 56	USMB2L3656	☐	☐	☐	☐	☐	64.9#	1025	1091	1158	1223	1269
		42 x 56	USMB2L4256	☐	☐	☐	☐	☐	71.9#	1082	1152	1222	1290	1342
		48 x 56	USMB2L4856	☐	☐	☐	☐	☐	78.8#	1353	1439	1525	1613	1675
		54 x 56	USMB2L5456	☐	☐	☐	☐	☐	85.7#	1580	1679	1780	1881	1957
		60 x 56	USMB2L6056	☐	☐	☐	☐	☐	92.6#	1898	2017	2140	2263	2353
		72 x 56	USMB2L7256	☐	☐	☐	☐	☐	116.4#	1911	2037	2158	2281	2368
USFL	Segmented Fabric Panel - 64”H	24 x 64	USMB2L2464	☐	☐	☐	☐	☐	56.3#	\$ 914	\$ 974	\$ 1029	\$ 1088	\$ 1131
		30 x 64	USMB2L3064	☐	☐	☐	☐	☐	64.0#	1057	1126	1191	1263	1309
		36 x 64	USMB2L3664	☐	☐	☐	☐	☐	71.7#	1113	1184	1255	1329	1379
		42x 64	USMB2L4264	☐	☐	☐	☐	☐	79.5#	1168	1243	1319	1395	1447
		48 x 64	USMB2L4864	☐	☐	☐	☐	☐	87.2#	1360	1444	1535	1623	1684
		54 x 64	USMB2L5464	☐	☐	☐	☐	☐	94.9#	1650	1755	1860	1967	2041
		60 x 64	USMB2L6064	☐	☐	☐	☐	☐	102.7#	2037	2166	2295	2427	2519
		72 x 64	USMB2L7264	☐	☐	☐	☐	☐	129.6#	2083	2215	2349	2483	2578
			A	B	C	D	E							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)
N- No topcap
- C**Select trim color.

Refer to the **Product Color Options** page in this price list.
- D**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E**Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

			MODEL NUMBER													
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H	24 x 40	USFPR2440	☐	☐	☐	☐	☐	☐	☐	46.5#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPR3040	☐	☐	☐	☐	☐	☐	☐	53.2#	954	1015	1077	1137	1183
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPR3640	☐	☐	☐	☐	☐	☐	☐	60.0#	1075	1144	1212	1282	1332
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPR4240	☐	☐	☐	☐	☐	☐	☐	66.8#	1146	1217	1290	1363	1416
	• Upper frame finish matches trim	48 x 40	USFPR4840	☐	☐	☐	☐	☐	☐	☐	73.6#	1220	1297	1377	1454	1510
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USFPR5440	☐	☐	☐	☐	☐	☐	☐	80.4#	1278	1361	1441	1525	1584
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPR6040	☐	☐	☐	☐	☐	☐	☐	87.2#	1411	1505	1594	1687	1750
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USFPR7240	☐	☐	☐	☐	☐	☐	☐	105.8#	1852	1970	2089	2207	2290
	• 30-72” wide panels feature two power knockouts per side															
	• 24” wide panels feature one power knockout per side															
	• 72” wide panels feature split tiles															
	• Electrical components are specified separately															
USFR	Segmented Fabric Panel - 48”H	24 x 48	USFPR2448	☐	☐	☐	☐	☐	☐	☐	54.7#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159
		30 x 48	USFPR3048	☐	☐	☐	☐	☐	☐	☐	62.6#	1029	1093	1161	1225	1275
		36 x 48	USFPR3648	☐	☐	☐	☐	☐	☐	☐	70.5#	1144	1214	1289	1362	1415
		42 x 48	USFPR4248	☐	☐	☐	☐	☐	☐	☐	78.5#	1214	1291	1368	1449	1505
		48 x 48	USFPR4848	☐	☐	☐	☐	☐	☐	☐	86.4#	1337	1421	1507	1593	1656
		54 x 48	USFPR5448	☐	☐	☐	☐	☐	☐	☐	94.3#	1401	1492	1582	1670	1736
		60 x 48	USFPR6048	☐	☐	☐	☐	☐	☐	☐	102.2#	1550	1648	1750	1851	1921
		72 x 48	USFPR7248	☐	☐	☐	☐	☐	☐	☐	124.3#	1984	2113	2237	2366	2459
USFR	Segmented Fabric Panel - 56”H	24 x 56	USFPR2456	☐	☐	☐	☐	☐	☐	☐	62.9#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247
		30 x 56	USFPR3056	☐	☐	☐	☐	☐	☐	☐	71.9#	1106	1175	1247	1317	1366
		36 x 56	USFPR3656	☐	☐	☐	☐	☐	☐	☐	81.0#	1235	1313	1394	1471	1528
		42 x 56	USFPR4256	☐	☐	☐	☐	☐	☐	☐	90.1#	1318	1403	1484	1571	1631
		48 x 56	USFPR4856	☐	☐	☐	☐	☐	☐	☐	99.1#	1394	1481	1571	1661	1726
		54 x 56	USFPR5456	☐	☐	☐	☐	☐	☐	☐	108.1#	1495	1590	1687	1781	1851
		60 x 56	USFPR6056	☐	☐	☐	☐	☐	☐	☐	117.2#	1684	1794	1903	2009	2088
		72 x 56	USFPR7256	☐	☐	☐	☐	☐	☐	☐	142.9#	2129	2266	2400	2540	2635

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D**Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E**Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to [ki.com/fabrics](#)

- G**Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFPR2464	☐	☐	☐	☐	☐	☐	71.1#	\$ 1117	\$ 1189	\$ 1263	\$ 1333	\$ 1384
	30 x 64	USFPR3064	☐	☐	☐	☐	☐	☐	81.2#	1264	1343	1426	1506	1563
	36 x 64	USFPR3664	☐	☐	☐	☐	☐	☐	91.4#	1410	1504	1593	1684	1748
	42 x 64	USFPR4264	☐	☐	☐	☐	☐	☐	101.7#	1496	1591	1689	1785	1855
	48 x 64	USFPR4864	☐	☐	☐	☐	☐	☐	111.9#	1581	1680	1782	1883	1959
	54 x 64	USFPR5464	☐	☐	☐	☐	☐	☐	122.1#	1740	1854	1966	2075	2157
	60 x 64	USFPR6064	☐	☐	☐	☐	☐	☐	132.3#	2004	2134	2264	2390	2483
	72 x 64	USFPR7264	☐	☐	☐	☐	☐	☐	161.5#	2443	2603	2758	2916	3026

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select trim and frame color.

Refer to the **Product Color Options** page in this price list.

ESelect perforated steel paint color.

Refer to the **Product Color Options** page in this price list.

FSelect fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

		MODEL NUMBER											
		Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
	MODEL	W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40"H	24 x 40	USFPL2440	☐	☐	☐	☐	44.3#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPL3040	☐	☐	☐	☐	50.3#	954	1015	1077	1137	1183
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPL3640	☐	☐	☐	☐	56.3#	1075	1144	1212	1282	1332
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPL4240	☐	☐	☐	☐	62.3#	1146	1217	1290	1363	1416
	• Upper frame finish matches trim	48 x 40	USFPL4840	☐	☐	☐	☐	68.3#	1220	1297	1377	1454	1510
	• Elevated base does not accept cable distribution	54 x 40	USFPL5440	☐	☐	☐	☐	74.2#	1278	1361	1441	1525	1584
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPL6040	☐	☐	☐	☐	80.2#	1411	1505	1594	1687	1750
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USFPL7240	☐	☐	☐	☐	97.2#	1852	1970	2089	2207	2290
	• 72" wide panels feature split tiles												
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFPL2448	☐	☐	☐	☐	52.5#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159
		30 x 48	USFPL3048	☐	☐	☐	☐	59.6#	1029	1093	1161	1225	1275
		36 x 48	USFPL3648	☐	☐	☐	☐	66.7#	1144	1214	1289	1362	1415
		42 x 48	USFPL4248	☐	☐	☐	☐	73.9#	1214	1291	1368	1449	1505
		48 x 48	USFPL4848	☐	☐	☐	☐	81.0#	1337	1421	1507	1593	1656
		54 x 48	USFPL5448	☐	☐	☐	☐	88.1#	1401	1492	1582	1670	1736
		60 x 48	USFPL6048	☐	☐	☐	☐	95.2#	1550	1648	1750	1851	1921
		72 x 48	USFPL7248	☐	☐	☐	☐	115.7#	1984	2113	2237	2366	2459
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFPL2456	☐	☐	☐	☐	60.7#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247
		30 x 56	USFPL3056	☐	☐	☐	☐	68.9#	1106	1175	1247	1317	1366
		36 x 56	USFPL3656	☐	☐	☐	☐	77.2#	1235	1313	1394	1471	1528
		42 x 56	USFPL4256	☐	☐	☐	☐	85.5#	1318	1403	1484	1571	1631
		48 x 56	USFPL4856	☐	☐	☐	☐	93.8#	1394	1481	1571	1661	1726
		54 x 56	USFPL5456	☐	☐	☐	☐	102.0#	1495	1590	1687	1781	1851
		60 x 56	USFPL6056	☐	☐	☐	☐	110.3#	1684	1794	1903	2009	2088
		72 x 56	USFPL7256	☐	☐	☐	☐	134.3#	2129	2266	2400	2540	2635

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select top cap style.

F

- Flat trim (std)

N

- No topcap

C

Select trim and frame color.

Refer to the **Product Color Options** page in this price list.

D

Select perforated steel paint color.

Refer to the **Product Color Options** page in this price list.

E

Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

F

Select fabric side 2.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



USFL

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select trim and frame color.
Refer to the **Product Color Options** page in this price list.

D Select perforated steel paint color.
Refer to the **Product Color Options** page in this price list.

E Select fabric side 1.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

F Select fabric side 2.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 40”H	24 x 40	USFPT2440	☐	☐	☐	☐	☐	45.5#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFPT3040	☐	☐	☐	☐	☐	51.9#	954	1015	1077	1137	1183
	• Side 2: standard base raceway accepts power and cable distribution	36 x 40	USFPT3640	☐	☐	☐	☐	☐	58.4#	1075	1144	1212	1282	1332
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 40	USFPT4240	☐	☐	☐	☐	☐	64.9#	1146	1217	1290	1363	1416
	• Upper segment features single piece of perforated steel captured in frame	48 x 40	USFPT4840	☐	☐	☐	☐	☐	71.4#	1220	1297	1377	1454	1510
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	54 x 40	USFPT5440	☐	☐	☐	☐	☐	77.9#	1278	1361	1441	1525	1584
	• Upper frame finish matches trim	60 x 40	USFPT6040	☐	☐	☐	☐	☐	84.4#	1411	1505	1594	1687	1750
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 40	USFPT7240	☐	☐	☐	☐	☐	102.4#	1852	1970	2089	2207	2290
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel													
	• Side 2: 30-72” wide tiles feature two power knockouts													
	• Side 2: 24” wide tiles feature one base power knockout													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
USFT	Segmented Fabric Panel - 48”H	24 x 48	USFPT2448	☐	☐	☐	☐	☐	53.7#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159
		30 x 48	USFPT3048	☐	☐	☐	☐	☐	61.3#	1029	1093	1161	1225	1275
		36 x 48	USFPT3648	☐	☐	☐	☐	☐	68.9#	1144	1214	1289	1362	1415
		42 x 48	USFPT4248	☐	☐	☐	☐	☐	76.6#	1214	1291	1368	1449	1505
		48 x 48	USFPT4848	☐	☐	☐	☐	☐	84.2#	1337	1421	1507	1593	1656
		54 x 48	USFPT5448	☐	☐	☐	☐	☐	91.8#	1401	1492	1582	1670	1736
		60 x 48	USFPT6048	☐	☐	☐	☐	☐	99.4#	1550	1648	1750	1851	1921
		72 x 48	USFPT7248	☐	☐	☐	☐	☐	121.0#	1984	2113	2237	2366	2459
USFT	Segmented Fabric Panel - 56”H	24 x 56	USFPT2456	☐	☐	☐	☐	☐	61.9#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247
		30 x 56	USFPT3056	☐	☐	☐	☐	☐	70.6#	1106	1175	1247	1317	1366
		36 x 56	USFPT3656	☐	☐	☐	☐	☐	79.4#	1235	1313	1394	1471	1528
		42 x 56	USFPT4256	☐	☐	☐	☐	☐	88.2#	1318	1403	1484	1571	1631
		48 x 56	USFPT4856	☐	☐	☐	☐	☐	96.9#	1394	1481	1571	1661	1726
		54 x 56	USFPT5456	☐	☐	☐	☐	☐	105.7#	1495	1590	1687	1781	1851
		60 x 56	USFPT6056	☐	☐	☐	☐	☐	114.5#	1684	1794	1903	2009	2088
		72 x 56	USFPT7256	☐	☐	☐	☐	☐	139.5#	2129	2266	2400	2540	2635

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A**Select basic model.
- B**Select top cap style.

F- Flat trim (std)

N- No topcap
- C**Select electrical code.

CP- Chicago - with cutouts

DN- Domestic, no cutouts

DP- Domestic - with cutouts
- D**Select trim and frame color.

Refer to the **Product Color Options** page in this price list.
- E**Select perforated steel paint color.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to ki.com/fabrics
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT - Segmented Fabric Panel - 64"H - Side 1: tile-to-floor base does not accept cable distribution - Side 2: standard base raceway accepts power and cable distribution - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72" wide tiles feature two power knockouts - Side 2: 24" wide tiles feature one base power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFPT2464	☐	☐	☐	☐	☐	☐	70.1#	\$ 1117	\$ 1189	\$ 1263	\$ 1333	\$ 1384
	30 x 64	USFPT3064	☐	☐	☐	☐	☐	☐	79.9#	1264	1343	1426	1506	1563
	36 x 64	USFPT3664	☐	☐	☐	☐	☐	☐	89.8#	1410	1504	1593	1684	1748
	42 x 64	USFPT4264	☐	☐	☐	☐	☐	☐	99.8#	1496	1591	1689	1785	1855
	48 x 64	USFPT4864	☐	☐	☐	☐	☐	☐	109.7#	1581	1680	1782	1883	1959
	54 x 64	USFPT5464	☐	☐	☐	☐	☐	☐	119.6#	1740	1854	1966	2075	2157
	60 x 64	USFPT6064	☐	☐	☐	☐	☐	☐	129.5#	2004	2134	2264	2390	2483
	72 x 64	USFPT7264	☐	☐	☐	☐	☐	☐	158.1#	2443	2603	2758	2916	3026

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E** Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

			MODEL NUMBER													
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H • Lower segment includes fabric tiles for both sides, specified separately • Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height • Upper and lower fabric segments on each side must be identically specified • Slatwall paint finish is specified • Standard base raceway on both sides accepts power and data cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • 30-72” wide panels feature two power knockouts per side • 24” wide panels feature one power knockout per side • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USSW1R2440	□	□□	□□	□□□□	□□□□	□□□□	42.8#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855	
		30 x 40	USSW1R3040	□	□□	□□	□□□□	□□□□	□□□□	49.0#	774	825	876	923	958	
		36 x 40	USSW1R3640	□	□□	□□	□□□□	□□□□	□□□□	55.3#	840	894	947	1003	1042	
		42 x 40	USSW1R4240	□	□□	□□	□□□□	□□□□	□□□□	61.7#	927	986	1048	1107	1148	
		48 x 40	USSW1R4840	□	□□	□□	□□□□	□□□□	□□□□	68.0#	967	1027	1089	1152	1199	
		54 x 40	USSW1R5440	□	□□	□□	□□□□	□□□□	□□□□	74.3#	1021	1087	1152	1217	1266	
		60 x 40	USSW1R6040	□	□□	□□	□□□□	□□□□	□□□□	80.6#	1135	1210	1283	1356	1408	
		72 x 40	USSW1R7240	□	□□	□□	□□□□	□□□□	□□□□	99.1#	1550	1648	1748	1851	1921	
		USFR	Segmented Fabric Panel - 48”H	24 x 48	USSW1R2448	□	□□	□□	□□□□	□□□□	□□□□	47.4#	\$ 781	\$ 829	\$ 880	\$ 931
30 x 48	USSW1R3048			□	□□	□□	□□□□	□□□□	□□□□	54.1#	877	932	988	1045	1082	
36 x 48	USSW1R3648			□	□□	□□	□□□□	□□□□	□□□□	60.9#	952	1013	1075	1134	1178	
42 x 48	USSW1R4248			□	□□	□□	□□□□	□□□□	□□□□	67.8#	1062	1129	1201	1266	1315	
48 x 48	USSW1R4848			□	□□	□□	□□□□	□□□□	□□□□	74.7#	1098	1167	1238	1307	1357	
54 x 48	USSW1R5448			□	□□	□□	□□□□	□□□□	□□□□	81.5#	1152	1225	1301	1371	1427	
60 x 48	USSW1R6048			□	□□	□□	□□□□	□□□□	□□□□	88.4#	1276	1356	1439	1518	1580	
72 x 48	USSW1R7248			□	□□	□□	□□□□	□□□□	□□□□	109.9#	1762	1871	1988	2100	2181	
USFR	Segmented Fabric Panel - 56”H	24 x 56	USSW1R2456	□	□□	□□	□□□□	□□□□	□□□□	52.2#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025	
		30 x 56	USSW1R3056	□	□□	□□	□□□□	□□□□	□□□□	59.5#	928	988	1049	1109	1151	
		36 x 56	USSW1R3656	□	□□	□□	□□□□	□□□□	□□□□	66.8#	1012	1076	1143	1208	1253	
		42 x 56	USSW1R4256	□	□□	□□	□□□□	□□□□	□□□□	74.2#	1137	1211	1285	1357	1410	
		48 x 56	USSW1R4856	□	□□	□□	□□□□	□□□□	□□□□	81.6#	1177	1253	1331	1404	1458	
		54 x 56	USSW1R5456	□	□□	□□	□□□□	□□□□	□□□□	89.0#	1217	1295	1376	1453	1508	
		60 x 56	USSW1R6056	□	□□	□□	□□□□	□□□□	□□□□	96.4#	1332	1415	1503	1586	1648	
		72 x 56	USSW1R7256	□	□□	□□	□□□□	□□□□	□□□□	121.3#	1879	2000	2121	2240	2327	

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Fabric Panel - 64”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 64	USSW1R2464	☐	☐	☐	☐	☐	☐	56.5#	\$ 866	\$ 922	\$ 978	\$ 1036	\$ 1074
	30 x 64	USSW1R3064	☐	☐	☐	☐	☐	☐	64.3#	993	1056	1122	1185	1230
	36 x 64	USSW1R3664	☐	☐	☐	☐	☐	☐	72.2#	1096	1167	1238	1306	1357
	42 x 64	USSW1R4264	☐	☐	☐	☐	☐	☐	80.2#	1209	1287	1363	1441	1499
	48 x 64	USSW1R4864	☐	☐	☐	☐	☐	☐	88.1#	1252	1333	1410	1493	1550
	54 x 64	USSW1R5464	☐	☐	☐	☐	☐	☐	96.0#	1290	1374	1458	1541	1601
	60 x 64	USSW1R6064	☐	☐	☐	☐	☐	☐	103.9#	1408	1499	1588	1680	1745
	72 x 64	USSW1R7264	☐	☐	☐	☐	☐	☐	131.7#	2047	2175	2310	2440	2533
		A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.

F

- Flat trim (std)

N

- No topcap
- C**Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

C1

- Chicago, 1 side w/cutouts

D1

- Domestic, 1 side w/cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- G**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.