


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

			MODEL NUMBER												
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2							
MODEL			W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 40”H • Lower segment includes fabric tiles for both sides, specified separately • Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height • Upper and lower fabric segments on each side must be identically specified • Slatwall paint finish is specified • Elevated base does not accept cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud • 72” wide panels feature split tiles	24 x 40	USSW1L2440	☐	☐	☐	☐	☐	40.6#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855	
		30 x 40	USSW1L3040	☐	☐	☐	☐	☐	46.1#	774	825	876	923	958	
		36 x 40	USSW1L3640	☐	☐	☐	☐	☐	51.6#	840	894	947	1003	1042	
		42 x 40	USSW1L4240	☐	☐	☐	☐	☐	57.1#	927	986	1048	1107	1148	
		48 x 40	USSW1L4840	☐	☐	☐	☐	☐	62.7#	967	1027	1089	1152	1199	
		54 x 40	USSW1L5440	☐	☐	☐	☐	☐	68.2#	1021	1087	1152	1217	1266	
		60 x 40	USSW1L6040	☐	☐	☐	☐	☐	73.7#	1135	1210	1283	1356	1408	
		72 x 40	USSW1L7240	☐	☐	☐	☐	☐	90.5#	1550	1648	1748	1851	1921	
USFL	Segmented Fabric Panel - 48”H	24 x 48	USSW1L2448	☐	☐	☐	☐	☐	45.1#	\$ 781	\$ 829	\$ 880	\$ 931	\$ 968	
		30 x 48	USSW1L3048	☐	☐	☐	☐	☐	51.2#	877	932	988	1045	1082	
		36 x 48	USSW1L3648	☐	☐	☐	☐	☐	57.2#	952	1013	1075	1134	1178	
		42 x 48	USSW1L4248	☐	☐	☐	☐	☐	63.3#	1062	1129	1201	1266	1315	
		48 x 48	USSW1L4848	☐	☐	☐	☐	☐	69.3#	1098	1167	1238	1307	1357	
		54 x 48	USSW1L5448	☐	☐	☐	☐	☐	75.3#	1152	1225	1301	1371	1427	
		60 x 48	USSW1L6048	☐	☐	☐	☐	☐	81.4#	1276	1356	1439	1518	1580	
		72 x 48	USSW1L7248	☐	☐	☐	☐	☐	101.4#	1762	1871	1988	2100	2181	
USFL	Segmented Fabric Panel - 56”H	24 x 56	USSW1L2456	☐	☐	☐	☐	☐	50.0#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025	
		30 x 56	USSW1L3056	☐	☐	☐	☐	☐	56.5#	928	988	1049	1109	1151	
		36 x 56	USSW1L3656	☐	☐	☐	☐	☐	63.1#	1012	1076	1143	1208	1253	
		42 x 56	USSW1L4256	☐	☐	☐	☐	☐	69.7#	1137	1211	1285	1357	1410	
		48 x 56	USSW1L4856	☐	☐	☐	☐	☐	76.3#	1177	1253	1331	1404	1458	
		54 x 56	USSW1L5456	☐	☐	☐	☐	☐	82.8#	1217	1295	1376	1453	1508	
		60 x 56	USSW1L6056	☐	☐	☐	☐	☐	89.4#	1332	1415	1503	1586	1648	
		72 x 56	USSW1L7256	☐	☐	☐	☐	☐	112.7#	1879	2000	2121	2240	2327	
			A	B	C	D	E	F							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D**Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

		MODEL NUMBER											
		Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 64”H	24 x 64	USSW1L2464	☐	☐	☐	☐	54.3#	\$ 866	\$ 922	\$ 978	\$ 1036	\$ 1074
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW1L3064	☐	☐	☐	☐	61.4#	993	1056	1122	1185	1230
	• Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height	36 x 64	USSW1L3664	☐	☐	☐	☐	68.5#	1096	1167	1238	1306	1357
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW1L4264	☐	☐	☐	☐	75.6#	1209	1287	1363	1441	1499
	• Slatwall paint finish is specified	48 x 64	USSW1L4864	☐	☐	☐	☐	82.7#	1252	1333	1410	1493	1550
	• Elevated base does not accept cable distribution	54 x 64	USSW1L5464	☐	☐	☐	☐	89.9#	1290	1374	1458	1541	1601
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1L6064	☐	☐	☐	☐	96.9#	1408	1499	1588	1680	1745
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USSW1L7264	☐	☐	☐	☐	123.1#	2047	2175	2310	2440	2533
	• 72” wide panels feature split tiles												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
- D** Select paint finish for slat wall section.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER													
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
MODEL			W x H													
 USFT	Segmented Fabric Panel - 40”H • Side 1: tile to floor base does not accept cable distribution • Side 2: standard base raceway accepts power and data cable distribution • Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height • Upper and lower fabric segments on each side must be identically specified • Slatwall paint finish is specified • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 2: 30-72” wide panels feature two power knockouts • Side 2: 24” wide tiles feature one power knockout • 72” wide panels feature split tiles • Electrical components are specified separately	24 x 40	USSW1T2440	☐	☐	☐	☐	☐	☐	41.8#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855	
		30 x 40	USSW1T3040	☐	☐	☐	☐	☐	☐	☐	47.7#	774	825	876	923	958
		36 x 40	USSW1T3640	☐	☐	☐	☐	☐	☐	☐	53.7#	840	894	947	1003	1042
		42 x 40	USSW1T4240	☐	☐	☐	☐	☐	☐	☐	59.8#	927	986	1048	1107	1148
		48 x 40	USSW1T4840	☐	☐	☐	☐	☐	☐	☐	65.8#	967	1027	1089	1152	1199
		54 x 40	USSW1T5440	☐	☐	☐	☐	☐	☐	☐	71.8#	1021	1087	1152	1217	1266
		60 x 40	USSW1T6040	☐	☐	☐	☐	☐	☐	☐	77.9#	1135	1210	1283	1356	1408
		72 x 40	USSW1T7240	☐	☐	☐	☐	☐	☐	☐	95.7#	1550	1648	1748	1851	1921
USFT	Segmented Fabric Panel - 48”H	24 x 48	USSW1T2448	☐	☐	☐	☐	☐	☐	46.3#	\$ 781	\$ 829	\$ 880	\$ 931	\$ 968	
		30 x 48	USSW1T3048	☐	☐	☐	☐	☐	☐	52.8#	877	932	988	1045	1082	
		36 x 48	USSW1T3648	☐	☐	☐	☐	☐	☐	59.3#	952	1013	1075	1134	1178	
		42 x 48	USSW1T4248	☐	☐	☐	☐	☐	☐	65.9#	1062	1129	1201	1266	1315	
		48 x 48	USSW1T4848	☐	☐	☐	☐	☐	☐	72.5#	1098	1167	1238	1307	1357	
		54 x 48	USSW1T5448	☐	☐	☐	☐	☐	☐	79.0#	1152	1225	1301	1371	1427	
		60 x 48	USSW1T6048	☐	☐	☐	☐	☐	☐	85.6#	1276	1356	1439	1518	1580	
		72 x 48	USSW1T7248	☐	☐	☐	☐	☐	☐	106.6#	1762	1871	1988	2100	2181	
USFT	Segmented Fabric Panel - 56”H	24 x 56	USSW1T2456	☐	☐	☐	☐	☐	☐	51.1#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025	
		30 x 56	USSW1T3056	☐	☐	☐	☐	☐	☐	58.2#	928	988	1049	1109	1151	
		36 x 56	USSW1T3656	☐	☐	☐	☐	☐	☐	65.2#	1012	1076	1143	1208	1253	
		42 x 56	USSW1T4256	☐	☐	☐	☐	☐	☐	72.3#	1137	1211	1285	1357	1410	
		48 x 56	USSW1T4856	☐	☐	☐	☐	☐	☐	79.4#	1177	1253	1331	1404	1458	
		54 x 56	USSW1T5456	☐	☐	☐	☐	☐	☐	86.5#	1217	1295	1376	1453	1508	
		60 x 56	USSW1T6056	☐	☐	☐	☐	☐	☐	93.6#	1332	1415	1503	1586	1648	
		72 x 56	USSW1T7256	☐	☐	☐	☐	☐	☐	117.9#	1879	2000	2121	2240	2327	
			A	B	C	D	E	F	G							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A**Select basic model.
- B**Select top cap style.

F - Flat trim (std)
N - No topcap
- C**Select electrical code.

CP - Chicago - with cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.

Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
MODEL	W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64”H	24 x 64	USSW1T2464	☐	☐	☐	☐	☐	55.5#	\$ 866	\$ 922	\$ 978	\$ 1036	\$ 1074
	• Side 1: tile to floor base does not accept cable distribution	30 x 64	USSW1T3064	☐	☐	☐	☐	☐	63.0#	993	1056	1122	1185	1230
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USSW1T3664	☐	☐	☐	☐	☐	70.6#	1096	1167	1238	1306	1357
	• Upper segment features slatwall on lowest 8” of tile, and fabric on remaining segment height	42 x 64	USSW1T4264	☐	☐	☐	☐	☐	78.3#	1209	1287	1363	1441	1499
	• Upper and lower fabric segments on each side must be identically specified	48 x 64	USSW1T4864	☐	☐	☐	☐	☐	85.9#	1252	1333	1410	1493	1550
	• Slatwall paint finish is specified	54 x 64	USSW1T5464	☐	☐	☐	☐	☐	93.5#	1290	1374	1458	1541	1601
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1T6064	☐	☐	☐	☐	☐	101.1#	1408	1499	1588	1680	1745
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1T7264	☐	☐	☐	☐	☐	128.3#	2047	2175	2310	2440	2533
	• Side 2: 30-72” wide panels feature two power knockouts													
	• Side 2: 24” wide tiles feature one power knockout													
	• 72” wide panels feature split tiles													
	• Electrical components are specified separately													
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E**Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- F**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 40”H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72” wide panels feature two power knockouts per side 24” wide panels feature one power knockout per side 72” wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSW2R2440	□	□□	□□	□□□□	□□□□	□□□□	□□□□	44.4#	\$ 812	\$ 866	\$ 920	\$ 972	\$ 1009
		30 x 40	USSW2R3040	□	□□	□□	□□□□	□□□□	□□□□	□□□□	50.7#	903	959	1018	1076	1118
		36 x 40	USSW2R3640	□	□□	□□	□□□□	□□□□	□□□□	□□□□	56.9#	982	1048	1109	1173	1217
		42 x 40	USSW2R4240	□	□□	□□	□□□□	□□□□	□□□□	□□□□	63.2#	1098	1167	1238	1306	1357
		48 x 40	USSW2R4840	□	□□	□□	□□□□	□□□□	□□□□	□□□□	69.5#	1147	1217	1290	1364	1417
		54 x 40	USSW2R5440	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.7#	1229	1308	1386	1465	1519
		60 x 40	USSW2R6040	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.0#	1384	1475	1563	1654	1714
		72 x 40	USSW2R7240	□	□□	□□	□□□□	□□□□	□□□□	□□□□	101.2#	1824	1940	2057	2174	2262
USFR	Segmented Fabric Panel - 48”H	24 x 48	USSW2R2448	□	□□	□□	□□□□	□□□□	□□□□	□□□□	48.2#	\$ 950	\$ 1012	\$ 1074	\$ 1133	\$ 1177
		30 x 48	USSW2R3048	□	□□	□□	□□□□	□□□□	□□□□	□□□□	55.0#	1057	1124	1191	1262	1307
		36 x 48	USSW2R3648	□	□□	□□	□□□□	□□□□	□□□□	□□□□	61.8#	1155	1229	1304	1379	1431
		42 x 48	USSW2R4248	□	□□	□□	□□□□	□□□□	□□□□	□□□□	68.5#	1283	1363	1444	1529	1588
		48 x 48	USSW2R4848	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.4#	1333	1417	1505	1590	1651
		54 x 48	USSW2R5448	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.1#	1387	1477	1564	1656	1717
		60 x 48	USSW2R6048	□	□□	□□	□□□□	□□□□	□□□□	□□□□	88.9#	1525	1625	1717	1819	1889
		72 x 48	USSW2R7248	□	□□	□□	□□□□	□□□□	□□□□	□□□□	110.5#	2158	2295	2434	2572	2672
USFR	Segmented Fabric Panel - 56”H	24 x 56	USSW2R2456	□	□□	□□	□□□□	□□□□	□□□□	□□□□	53.5#	\$ 1011	\$ 1075	\$ 1141	\$ 1207	\$ 1252
		30 x 56	USSW2R3056	□	□□	□□	□□□□	□□□□	□□□□	□□□□	60.8#	1115	1188	1263	1332	1382
		36 x 56	USSW2R3656	□	□□	□□	□□□□	□□□□	□□□□	□□□□	68.1#	1220	1297	1377	1453	1510
		42 x 56	USSW2R4256	□	□□	□□	□□□□	□□□□	□□□□	□□□□	75.4#	1374	1461	1550	1637	1702
		48 x 56	USSW2R4856	□	□□	□□	□□□□	□□□□	□□□□	□□□□	82.8#	1428	1517	1612	1703	1768
		54 x 56	USSW2R5456	□	□□	□□	□□□□	□□□□	□□□□	□□□□	90.1#	1477	1571	1667	1762	1829
		60 x 56	USSW2R6056	□	□□	□□	□□□□	□□□□	□□□□	□□□□	97.4#	1616	1716	1823	1928	2002
		72 x 56	USSW2R7256	□	□□	□□	□□□□	□□□□	□□□□	□□□□	122.8#	2284	2432	2576	2724	2828
		A	B	C	D	E	F	G	H </							

Specifications and prices are subject to change without prior notice.

USFR

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2						
 USFL	MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40”H	24 x 40	USSW2L2440	☐	☐	☐	☐	☐	44.4#	\$ 812	\$ 866	\$ 920	\$ 972	\$ 1009
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW2L3040	☐	☐	☐	☐	☐	50.7#	903	959	1018	1076	1118
	• Upper segment features slat wall on lowest 8” of upper tile segment, and fabric on remaining segment height	36 x 40	USSW2L3640	☐	☐	☐	☐	☐	56.9#	982	1048	1109	1173	1217
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW2L4240	☐	☐	☐	☐	☐	63.2#	1098	1167	1238	1306	1357
	• Slatwall paint finish is specified	48 x 40	USSW2L4840	☐	☐	☐	☐	☐	69.5#	1147	1217	1290	1364	1417
	• Elevated base does not accept cable distribution	54 x 40	USSW2L5440	☐	☐	☐	☐	☐	73.7#	1229	1308	1386	1465	1519
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW2L6040	☐	☐	☐	☐	☐	82.0#	1384	1475	1563	1654	1714
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USSW2L7240	☐	☐	☐	☐	☐	101.2#	1824	1940	2057	2174	2262
	• 72” wide panels feature split tiles													
USFL	Segmented Fabric Panel - 48”H	24 x 48	USSW2L2448	☐	☐	☐	☐	☐	48.2#	\$ 950	\$ 1012	\$ 1074	\$ 1133	\$ 1177
		30 x 48	USSW2L3048	☐	☐	☐	☐	☐	55.0#	1057	1124	1191	1262	1307
		36 x 48	USSW2L3648	☐	☐	☐	☐	☐	61.8#	1155	1229	1304	1379	1431
		42 x 48	USSW2L4248	☐	☐	☐	☐	☐	68.5#	1283	1363	1444	1529	1588
		48 x 48	USSW2L4848	☐	☐	☐	☐	☐	75.4#	1333	1417	1505	1590	1651
		54 x 48	USSW2L5448	☐	☐	☐	☐	☐	80.1#	1387	1477	1564	1656	1717
		60 x 48	USSW2L6048	☐	☐	☐	☐	☐	88.9#	1525	1625	1717	1819	1889
		72 x 48	USSW2L7248	☐	☐	☐	☐	☐	110.5#	2158	2295	2434	2572	2672
USFL	Segmented Fabric Panel - 56”H	24 x 56	USSW2L2456	☐	☐	☐	☐	☐	53.5#	\$ 1011	\$ 1075	\$ 1141	\$ 1207	\$ 1252
		30 x 56	USSW2L3056	☐	☐	☐	☐	☐	60.8#	1115	1188	1260	1332	1382
		36 x 56	USSW2L3656	☐	☐	☐	☐	☐	68.1#	1220	1297	1377	1453	1510
		42 x 56	USSW2L4256	☐	☐	☐	☐	☐	75.4#	1374	1461	1550	1637	1702
		48 x 56	USSW2L4856	☐	☐	☐	☐	☐	82.8#	1428	1517	1612	1703	1768
		54 x 56	USSW2L5456	☐	☐	☐	☐	☐	88.1#	1477	1571	1667	1762	1829
		60 x 56	USSW2L6056	☐	☐	☐	☐	☐	97.4#	1616	1716	1823	1928	2002
		72 x 56	USSW2L7256	☐	☐	☐	☐	☐	122.8#	2284	2432	2576	2724	2828

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D**Select paint finish for slat wall section side 1.
- Refer to the **Product Color Options** page in this price list.
- E**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select paint finish for slat wall section side 2.
- Refer to the **Product Color Options** page in this price list.
- G**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Specifications and prices are subject to change without prior notice.


Stacking Panel

Fabric



Stacking Panel

Fabric

		MODEL NUMBER										
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2							
MODEL		W x H					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF	Fabric Stacking Panel - 16” H	24 x 16”	USTF2416	□□	□□□□	□□□□	13.2#	\$ 411	\$ 427	\$ 444	\$ 454	\$ 483
	• Side 1 and side 2 fabrics are specified separately	30 x 16”	USTF3016	□□	□□□□	□□□□	14.8#	439	459	477	490	520
	• All sizes stack above panels of equal widths	36 x 16”	USTF3616	□□	□□□□	□□□□	16.9#	479	502	518	530	568
	• 48”-72” sizes may span multiple panels	42 x 16”	USTF4216	□□	□□□□	□□□□	18.5#	527	551	571	584	624
	• Only one stacking section may be added to a frame	48 x 16”	USTF4816	□□	□□□□	□□□□	20.1#	536	560	579	595	635
	• No power is available on stacking sections	54 x 16	USTF5416	□□	□□□□	□□□□	21.9#	574	602	622	636	681
	• No storage or accessories may be hung from stacking sections	60 x 16”	USTF6016	□□	□□□□	□□□□	23.7#	601	629	651	666	711
	• Panel Assembly includes stacking frame, segment channel, tiles and panel-to-panel connectors	72 x 16”	USTF7216	□□	□□□□	□□□□	29.5#	800	838	866	888	946
	• Trim is metal and includes segment channel											
			A	B	C	D						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
- C**Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D**Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Solid Steel



Stacking Panel

Solid Steel

		MODEL NUMBER				
		Basic Model	Trim Color	Insert Color		
MODEL	W x H				Approx. Packaged Weight	Delivered Pricing
 USTS	Solid Steel Stacking Panel - 16" H	24 x 16"	USTS2416	☐ ☐ ☐ ☐	15.5#	\$ 519
	• Single steel section captured within aluminum frame	30 x 16"	USTS3016	☐ ☐ ☐ ☐	17.7#	546
	• All sizes stack above panels of equal widths	36 x 16"	USTS3616	☐ ☐ ☐ ☐	20.5#	589
	• 48"-72" sizes may span multiple panels	42 x 16"	USTS4216	☐ ☐ ☐ ☐	22.7#	618
	• Only one stacking section may be added to a frame	48 x 16"	USTS4816	☐ ☐ ☐ ☐	25.0#	689
	• No power is available on stacking sections	54 x 16"	USTS5416	☐ ☐ ☐ ☐	27.4#	705
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTS6016	☐ ☐ ☐ ☐	29.8#	706
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTS7216	☐ ☐ ☐ ☐	34.3#	974
	• Frame matches trim finish					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Glass



Stacking Panel

Glass

		MODEL NUMBER						
		Basic Model	Trim Color	Glass Color	Approx. Packaged Weight	Clear (GLA)	White Laminate (GLC)	Satin Etch One Side (GLV)
MODEL	W x H							
 USTS	Glass Stacking Panel - 16" H	24 x 16"	USTG2416	☐ ☐	18.4#	\$ 472	\$ 534	\$ 596
	• Single glass pane captured within aluminum frame	30 x 16"	USTG3016	☐ ☐	21.5#	492	551	614
	• All sizes stack above panels of equal widths	36 x 16"	USTG3616	☐ ☐	25.0#	520	581	645
	• 48"-72" sizes may span multiple panels	42 x 16"	USTG4216	☐ ☐	28.1#	551	624	696
	• Only one stacking section may be added to a frame	48 x 16"	USTG4816	☐ ☐	31.1#	602	690	784
	• No power is available on stacking sections	54 x 16	USTG5416	☐ ☐	34.4#	622	719	824
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTG6016	☐ ☐	37.7#	625	733	848
	• Frame matches trim finish	72 x 16"	USTG7216	☐ ☐	43.8#	829	957	1090
		A	B	C				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear |
| GLC | - White laminate |
| GLV | - Satin etch one side |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Perforated Steel



Stacking Panel

Perforated Steel

		MODEL NUMBER				
		Basic Model	Trim Color	Insert Color		
MODEL		W x H			Approx. Packaged Weight	Delivered Pricing
 USTS	Perforated Steel Stacking Panel - 16" H	24 x 16"	USTP2416	☐ ☐	13.5#	\$ 551
	• Single perforated steel section captured within aluminum frame	30 x 16"	USTP3016	☐ ☐	15.1#	589
	• All sizes stack above panels of equal widths	36 x 16"	USTP3616	☐ ☐	17.2#	656
	• 48"-72" sizes may span multiple panels	42 x 16"	USTP4216	☐ ☐	19.0#	688
	• Only one stacking section may be added to a frame	48 x 16"	USTP4816	☐ ☐	20.6#	789
	• No power is available on stacking sections	54 x 16"	USTP5416	☐ ☐	22.5#	828
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTP6016	☐ ☐	24.4#	853
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTP7216	☐ ☐	27.7#	1087
	• Frame matches trim finish					
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Markerboard on One Side



Stacking Panel

Markerboard on One Side

		MODEL NUMBER								
		Basic Model	Trim Color	Fabric Side 2						
MODEL	W x H				Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF Markerboard on One-Side Stacking Panel - 16" H - Side 1 is marker board; side 2 is fabric - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections	24 x 16"	USTM12416	☐	☐ ☐ ☐ ☐	16.4#	\$ 494	\$ 517	\$ 534	\$ 548	\$ 584
	30 x 16"	USTM13016	☐	☐ ☐ ☐ ☐	18.7#	538	564	584	597	640
	36 x 16"	USTM13616	☐	☐ ☐ ☐ ☐	21.5#	572	597	620	635	680
	42 x 16"	USTM14216	☐	☐ ☐ ☐ ☐	23.8#	623	651	674	691	735
	48 x 16"	USTM14816	☐	☐ ☐ ☐ ☐	26.1#	658	691	714	733	782
	54 x 16	USTM15416	☐	☐ ☐ ☐ ☐	28.7#	771	809	855	834	914
	60 x 16"	USTM16016	☐	☐ ☐ ☐ ☐	31.2#	866	908	937	961	1025
	72 x 16"	USTM17216	☐	☐ ☐ ☐ ☐	38.7#	988	1034	1068	1096	1168
		A	B	C						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 2. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Markerboard on Both Sides



Stacking Panel

Markerboard on Both Sides

			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL			W x H		Approx. Packaged Weight	Delivered Pricing
 USTS	Markerboard on Both-Sides Stacking Panel - 16" H	24 x 16"	USTM22416	☐ ☐	18.1#	\$ 557
	• Steel marker board on both sides	30 x 16"	USTM23016	☐ ☐	21.1#	615
	• All sizes stack above panels of equal widths	36 x 16"	USTM23616	☐ ☐	24.2#	642
	• 48"-72" sizes may span multiple panels	42 x 16"	USTM24216	☐ ☐	27.2#	691
	• Only one stacking section may be added to a frame	48 x 16"	USTM24816	☐ ☐	30.2#	755
	• No power is available on stacking sections	54 x 16	USTM25416	☐ ☐	33.2#	932
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTM26016	☐ ☐	36.2#	1090
		72 x 16"	USTM27216	☐ ☐	45.4#	1131
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Slat Wall on One Side



Stacking Panel

Slat Wall on One Side



USTF

		MODEL NUMBER										
MODEL	W x H	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
Slat Wall on One-Side Stacking Panel - 16" H - Side 1 features lower 8" section of slat wall and fabric on upper 8"; side 2 is fabric only - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections	24 x 16"	USTSW12416	☐	☐	☐	☐	15.1#	\$ 624	\$ 652	\$ 680	\$ 694	\$ 737
	30 x 16"	USTSW13016	☐	☐	☐	☐	17.5#	668	701	724	746	795
	36 x 16"	USTSW13616	☐	☐	☐	☐	19.9#	730	762	789	810	864
	42 x 16"	USTSW14216	☐	☐	☐	☐	22.3#	803	839	870	890	949
	48 x 16"	USTSW14816	☐	☐	☐	☐	24.7#	828	866	897	921	982
	54 x 16"	USTSW15416	☐	☐	☐	☐	27.1#	844	881	914	935	998
	60 x 16"	USTSW16016	☐	☐	☐	☐	29.5#	908	947	982	1008	1071
	72 x 16"	USTSW17216	☐	☐	☐	☐	36.9#	1278	1337	1383	1416	1510
		A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
- C**Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D**Select fabric side 2.
Refer to [ki.com/fabrics](#)
- E**Select tile color side 1.
Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Stacking Panel

Slat Wall on Two Sides



Stacking Panel

Slat Wall on Two Sides

		MODEL NUMBER											
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Tile Color Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF • Both sides feature lower 8” section of slat wall and fabric on upper 8” • Fabric on sides 1 and 2 is specified separately • All sizes stack above panels of equal widths • 48”-72” sizes may span multiple panels • Only one stacking section may be added to a frame • No power is available on stacking sections • No storage or accessories may be hung from stacking sections	Slat Wall on Two-Sides Stacking Panel - 16” H	24 x 16”	USTSW22416	☐	☐	☐	☐	20.6#	\$ 826	\$ 864	\$ 894	\$ 917	\$ 978
		30 x 16”	USTSW23016	☐	☐	☐	☐	24.0#	884	927	958	983	1049
		36 x 16”	USTSW23616	☐	☐	☐	☐	28.0#	961	1008	1042	1068	1141
		42 x 16”	USTSW24216	☐	☐	☐	☐	31.3#	1062	1111	1151	1178	1256
		48 x 16”	USTSW24816	☐	☐	☐	☐	34.7#	1108	1156	1200	1225	1307
		54 x 16	USTSW25416	☐	☐	☐	☐	38.4#	1159	1211	1254	1285	1370
		60 x 16”	USTSW26016	☐	☐	☐	☐	42.0#	1189	1243	1288	1320	1408
		72 x 16”	USTSW27216	☐	☐	☐	☐	51.5#	1734	1813	1874	1924	2050

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
- C

Select fabric side 1.
Refer to [ki.com/fabrics](#)
- D

Select fabric side 2.
Refer to [ki.com/fabrics](#)
- E

Select tile color side 1.
Refer to the **Product Color Options** page in this price list.
- F

Select tile color side 2.
Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersections

2-Way 90° “L” Corner



Preconfigured Intersections

2-Way 90° “L” Corner

			MODEL NUMBER			
MODEL			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	2-Way 90°, “L” Corner, No Height Change	32”	U2W9032	☐ ☐	7.3#	\$ 154
		40”	U2W9040	☐ ☐	9.2#	182
	• Select for 90° corner intersections of two same-height panels	48”	U2W9048	☐ ☐	10.3#	186
	• Includes full height corner trim, 90° top cap, connecting blocks, light block and connecting hardware	56”	U2W9056	☐ ☐	11.3#	195
		64”	U2W9064	☐ ☐	12.4#	219
		72”	U2W9072	☐ ☐	14.3#	242
		80”	U2W9080	☐ ☐	15.4#	257
UTN						
	2-Way 90°, “L” Corner, with Height Change	32” 40” 8”	U2W901W3240	☐ ☐	9.0#	\$ 262
		32” 48” 16”	U2W901W3248	☐ ☐	10.4#	271
	• Select for 90° corner intersections of one taller and one lower panel	32” 56” 24”	U2W901W3256	☐ ☐	11.6#	277
	• Includes corner and change-of-height trim, top cap, connecting blocks, light blocks and connecting hardware	32” 64” 32”	U2W901W3264	☐ ☐	12.7#	288
		32” 72” 40”	U2W901W3272	☐ ☐	14.1#	301
		32” 80” 48”	U2W901W3280	☐ ☐	15.3#	306
		40” 48” 8”	U2W901W4048	☐ ☐	10.8#	290
		40” 56” 16”	U2W901W4056	☐ ☐	12.2#	300
		40” 64” 24”	U2W901W4064	☐ ☐	13.4#	307
		40” 72” 32”	U2W901W4072	☐ ☐	14.6#	317
		40” 80” 40”	U2W901W4080	☐ ☐	16.0#	333
		48” 56” 8”	U2W901W4856	☐ ☐	11.9#	296
		48” 64” 16”	U2W901W4864	☐ ☐	13.3#	306
		48” 72” 24”	U2W901W4872	☐ ☐	14.3#	308
		48” 80” 32”	U2W901W4880	☐ ☐	15.5#	319
		56” 64” 8”	U2W901W5664	☐ ☐	13.0#	301
		56” 72” 16”	U2W901W5672	☐ ☐	14.2#	311
		56” 80” 24”	U2W901W5680	☐ ☐	15.4#	318
		64” 72” 8”	U2W901W6472	☐ ☐	14.1#	330
		64” 80” 16”	U2W901W6480	☐ ☐	15.3#	338
		72” 80” 8”	U2W901W7280	☐ ☐	15.9#	352
		A	B			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersections

2-Way 180°



Preconfigured Intersections

2-Way 180°

			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL			A B B-A		Approx. Packaged Weight	Delivered Pricing
	2-Way 180°, In-Line Spacer Trim, No Height Change • Select for inline intersections of two same-height panels, with panel-width spacing between • Includes two full height flat trim pieces, 90° top cap, connecting blocks, and connecting hardware	32"	U2W180IL32	☐	8.4#	\$ 189
		40"	U2W180IL40	☐	9.4#	196
		48"	U2W180IL48	☐	10.4#	197
		56"	U2W180IL56	☐	11.3#	219
		64"	U2W180IL64	☐	12.3#	242
		72"	U2W180IL72	☐	14.3#	301
		80"	U2W180IL80	☐	15.2#	308
UTN						
	2-Way 180°, Trim One Side, with Height Change • Select for inline intersections of one taller and one lower panel, with panel-width spacing between • Includes two flat trim pieces, change-of-height 3-sided trim, top cap, connecting blocks, and connecting hardware	32" 40" 8"	U2W1801W3240	☐	9.0#	\$ 290
		32" 48" 16"	U2W1801W3248	☐	10.4#	300
		32" 56" 24"	U2W1801W3256	☐	11.6#	306
		32" 64" 32"	U2W1801W3264	☐	12.7#	317
		32" 72" 40"	U2W1801W3272	☐	14.1#	333
		32" 80" 48"	U2W1801W3280	☐	15.3#	337
		40" 48" 8"	U2W1801W4048	☐	10.9#	331
		40" 56" 16"	U2W1801W4056	☐	12.3#	341
		40" 64" 24"	U2W1801W4064	☐	13.5#	348
		40" 72" 32"	U2W1801W4072	☐	14.7#	358
		40" 80" 40"	U2W1801W4080	☐	16.1#	372
		48" 56" 8"	U2W1801W4856	☐	11.9#	333
		48" 64" 16"	U2W1801W4864	☐	13.3#	343
		48" 72" 24"	U2W1801W4872	☐	14.5#	350
		48" 80" 32"	U2W1801W4880	☐	15.7#	359
		56" 64" 8"	U2W1801W5664	☐	12.9#	348
		56" 72" 16"	U2W1801W5672	☐	14.3#	354
		56" 80" 24"	U2W1801W5680	☐	15.5#	361
		64" 72" 8"	U2W1801W6472	☐	13.9#	372
		64" 80" 16"	U2W1801W6480	☐	15.3#	383
		72" 80" 8"	U2W1801W7280	☐	15.8#	431

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

			MODEL NUMBER				
			Basic Model	Trim Color			
MODEL			A	B	B-A	Approx. Packaged Weight	Delivered Pricing
	3-Way 90°, “T” Corner, No Height Change • Select for 90° intersections of three same-height panels • Includes one full height trim piece, 90° top cap, connecting blocks, light blocks and connecting hardware	32”		U3W9032	☐	6.5#	\$ 155
		40”		U3W9040	☐	8.3#	186
		48”		U3W9048	☐	9.2#	193
		56”		U3W9056	☐	10.0#	200
		64”		U3W9064	☐	11.0#	219
		72”		U3W9072	☐	12.9#	259
		80”		U3W9080	☐	13.8#	267
UTN							
	3-Way 90°, Trim One Side “T” Corner, with Height Change • Select for 90° three-way intersections of one taller and two lower panels • Includes one flat trim piece, three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”		U3W901W3240	☐	7.9#	\$ 268
		32” 48” 16”		U3W901W3248	☐	9.4#	277
		32” 56” 24”		U3W901W3256	☐	10.5#	285
		32” 64” 32”		U3W901W3264	☐	11.7#	295
		32” 72” 40”		U3W901W3272	☐	13.0#	308
		32” 80” 48”		U3W901W3280	☐	14.3#	309
		40” 48” 8”		U3W901W4048	☐	9.8#	297
		40” 56” 16”		U3W901W4056	☐	11.2#	307
		40” 64” 24”		U3W901W4064	☐	12.3#	309
		40” 72” 32”		U3W901W4072	☐	13.5#	322
		40” 80” 40”		U3W901W4080	☐	14.9#	341
		48” 56” 8”		U3W901W4856	☐	10.7#	300
		48” 64” 16”		U3W901W4864	☐	12.1#	309
		48” 72” 24”		U3W901W4872	☐	13.2#	317
		48” 80” 32”		U3W901W4880	☐	14.6#	330
		56” 64” 8”		U3W901W5664	☐	11.6#	309
		56” 72” 16”		U3W901W5672	☐	13.0#	319
		56” 80” 24”		U3W901W5680	☐	14.2#	330
		64” 72” 8”		U3W901W6472	☐	12.5#	331
		64” 80” 16”		U3W901W6480	☐	13.9#	341
		72” 80” 8”		U3W901W7280	☐	14.7#	371
			A	B			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°



UTN

MODEL	A B B-A	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
3-Way 90°, In-Line “T” Corner, with Height Change - Select for 90° three-way intersections of two taller inline panels and one lower perpendicular panel - Includes one full height flat trim piece, one change-of-height flat trim piece, 90° top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”	U3W90IL3240	☐ ☐	8.9#	\$ 201
	32” 48” 16”	U3W90IL3248	☐ ☐	10.8#	235
	32” 56” 24”	U3W90IL3256	☐ ☐	11.8#	242
	32” 64” 32”	U3W90IL3264	☐ ☐	12.8#	262
	32” 72” 40”	U3W90IL3272	☐ ☐	14.7#	309
	32” 80” 48”	U3W90IL3280	☐ ☐	15.7#	318
	40” 48” 8”	U3W90IL4048	☐ ☐	10.7#	227
	40” 56” 16”	U3W90IL4056	☐ ☐	11.7#	268
	40” 64” 24”	U3W90IL4064	☐ ☐	13.6#	279
	40” 72” 32”	U3W90IL4072	☐ ☐	14.6#	301
	40” 80” 40”	U3W90IL4080	☐ ☐	16.5#	341
	48” 56” 8”	U3W90IL4856	☐ ☐	11.6#	235
	48” 64” 16”	U3W90IL4864	☐ ☐	13.5#	281
	48” 72” 24”	U3W90IL4872	☐ ☐	15.5#	300
	48” 80” 32”	U3W90IL4880	☐ ☐	15.5#	308
	56” 64” 8”	U3W90IL5664	☐ ☐	12.5#	255
	56” 72” 16”	U3W90IL5672	☐ ☐	15.3#	300
	56” 80” 24”	U3W90IL5680	☐ ☐	16.4#	307
	64” 72” 8”	U3W90IL6472	☐ ☐	13.4#	275
	64” 80” 16”	U3W90IL6480	☐ ☐	15.4#	308
	72” 80” 8”	U3W90IL7280	☐ ☐	15.2#	300
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

			MODEL NUMBER			
MODEL			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTN	3-Way 90°, Trim Two Sides “T” Corner, with Height Change • Select for 90° three-way intersections of one taller and one lower inline panels and one perpendicular taller panel • Includes one flat trim piece, two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 40” 8”	U3W902W3240	☐ ☐	8.7#	\$ 219
		32” 48” 16”	U3W902W3248	☐ ☐	10.6#	238
		32” 56” 24”	U3W902W3256	☐ ☐	11.6#	248
		32” 64” 32”	U3W902W3264	☐ ☐	12.7#	259
		32” 72” 40”	U3W902W3272	☐ ☐	14.6#	283
		32” 80” 48”	U3W902W3280	☐ ☐	15.6#	290
		40” 48” 8”	U3W902W4048	☐ ☐	10.5#	248
		40” 56” 16”	U3W902W4056	☐ ☐	12.4#	271
		40” 64” 24”	U3W902W4064	☐ ☐	13.4#	277
		40” 72” 32”	U3W902W4072	☐ ☐	14.5#	287
		40” 80” 40”	U3W902W4080	☐ ☐	16.4#	297
		48” 56” 8”	U3W902W4856	☐ ☐	11.4#	251
		48” 64” 16”	U3W902W4864	☐ ☐	13.3#	274
		48” 72” 24”	U3W902W4872	☐ ☐	14.3#	281
		48” 80” 32”	U3W902W4880	☐ ☐	15.4#	293
		56” 64” 8”	U3W902W5664	☐ ☐	12.3#	262
		56” 72” 16”	U3W902W5672	☐ ☐	14.2#	283
		56” 80” 24”	U3W902W5680	☐ ☐	15.3#	293
		64” 72” 8”	U3W902W6472	☐ ☐	13.2#	279
		64” 80” 16”	U3W902W6480	☐ ☐	16.0#	301
		72” 80” 8”	U3W902W7280	☐ ☐	15.0#	336
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

MODEL			MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	4-Way 90°, “X”, No Height Change	32”	U4W9032	☐	6.3#	\$ 152
	• Select for 90° intersections of four same-height panels	40”	U4W9040	☐	8.1#	178
	• Includes 90° top cap, connecting blocks, light blocks, and connecting hardware	48”	U4W9048	☐	9.0#	187
		56”	U4W9056	☐	9.9#	195
		64”	U4W9064	☐	10.7#	201
		72”	U4W9072	☐	12.6#	229
		80”	U4W9080	☐	13.4#	237
UTN						
	4-Way 90°, “X” Trim One Side, with Height Change	32” 40” 8”	U4W901W3240	☐	7.8#	\$ 265
	• Select for 90° four-way intersections of one taller and three lower panels	32” 48” 16”	U4W901W3248	☐	9.2#	276
	• Includes three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 56” 24”	U4W901W3256	☐	10.4#	279
		32” 64” 32”	U4W901W3264	☐	11.6#	290
		32” 72” 40”	U4W901W3272	☐	12.9#	307
		32” 80” 48”	U4W901W3280	☐	14.1#	308
		40” 48” 8”	U4W901W4048	☐	8.7#	296
		40” 56” 16”	U4W901W4056	☐	10.1#	306
		40” 64” 24”	U4W901W4064	☐	11.2#	308
		40” 72” 32”	U4W901W4072	☐	13.6#	318
		40” 80” 40”	U4W901W4080	☐	13.6#	338
		48” 56” 8”	U4W901W4856	☐	10.5#	298
		48” 64” 16”	U4W901W4864	☐	11.9#	308
		48” 72” 24”	U4W901W4872	☐	13.1#	317
		48” 80” 32”	U4W901W4880	☐	14.2#	325
		56” 64” 8”	U4W901W5664	☐	11.4#	307
		56” 72” 16”	U4W901W5672	☐	12.8#	318
		56” 80” 24”	U4W901W5680	☐	13.9#	322
		64” 72” 8”	U4W901W6472	☐	12.2#	317
		64” 80” 16”	U4W901W6480	☐	14.8#	326
		72” 80” 8”	U4W901W7280	☐	14.0#	341
		A	B			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

				MODEL NUMBER			
				Basic Model	Trim Color		
MODEL				A	B	B-A	
 UTN	4-Way 90°, “X” In-Line Intersection, with Height Change • Select for 90° four-way intersections of two taller inline panels and two lower perpendicular panels • Includes two change-of-height flat trim pieces, 90° top cap, connecting blocks, light blocks and connecting hardware	32” 40” 8”	U4W90IL3240	☐ ☐	8.7#	\$ 231	
		32” 48” 16”	U4W90IL3248	☐ ☐	10.7#	272	
		32” 56” 24”	U4W90IL3256	☐ ☐	11.6#	282	
		32” 64” 32”	U4W90IL3264	☐ ☐	12.6#	304	
		32” 72” 40”	U4W90IL3272	☐ ☐	14.6#	348	
		32” 80” 48”	U4W90IL3280	☐ ☐	15.5#	384	
		40” 48” 8”	U4W90IL4048	☐ ☐	10.6#	259	
		40” 56” 16”	U4W90IL4056	☐ ☐	12.5#	300	
		40” 64” 24”	U4W90IL4064	☐ ☐	13.5#	316	
		40” 72” 32”	U4W90IL4072	☐ ☐	14.5#	337	
		40” 80” 40”	U4W90IL4080	☐ ☐	16.4#	359	
		48” 56” 8”	U4W90IL4856	☐ ☐	11.4#	267	
		48” 64” 16”	U4W90IL4864	☐ ☐	13.4#	308	
		48” 72” 24”	U4W90IL4872	☐ ☐	14.3#	319	
		48” 80” 32”	U4W90IL4880	☐ ☐	16.3#	342	
		56” 64” 8”	U4W90IL5664	☐ ☐	12.3#	272	
		56” 72” 16”	U4W90IL5672	☐ ☐	15.2#	312	
		56” 80” 24”	U4W90IL5680	☐ ☐	15.2#	331	
		64” 72” 8”	U4W90IL6472	☐ ☐	13.1#	283	
		64” 80” 16”	U4W90IL6480	☐ ☐	15.1#	325	
		72” 80” 8”	U4W90IL7280	☐ ☐	15.0#	308	
				A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersections

4-Way 90°



Preconfigured Intersections

4-Way 90°

			MODEL NUMBER			
MODEL			Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTN	4-Way 90°, “X” Trim Two Sides, with Height Change	32” 40” 8”	U4W902W3240	☐ ☐	8.2#	\$ 218
		32” 48” 16”	U4W902W3248	☐ ☐	10.0#	237
	• Select for 90° three-way intersections of two perpendicular taller panels and two perpendicular lower panels	32” 56” 24”	U4W902W3256	☐ ☐	11.2#	240
	• Includes two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32” 64” 32”	U4W902W3264	☐ ☐	12.2#	253
		32” 72” 40”	U4W902W3272	☐ ☐	14.0#	282
		32” 80” 48”	U4W902W3280	☐ ☐	15.2#	288
		40” 48” 8”	U4W902W4048	☐ ☐	10.1#	240
		40” 56” 16”	U4W902W4056	☐ ☐	11.9#	270
		40” 64” 24”	U4W902W4064	☐ ☐	13.0#	272
		40” 72” 32”	U4W902W4072	☐ ☐	14.1#	282
		40” 80” 40”	U4W902W4080	☐ ☐	15.9#	309
		48” 56” 8”	U4W902W4856	☐ ☐	10.9#	250
		48” 64” 16”	U4W902W4864	☐ ☐	12.8#	274
		48” 72” 24”	U4W902W4872	☐ ☐	13.9#	279
		48” 80” 32”	U4W902W4880	☐ ☐	14.9#	290
		56” 64” 8”	U4W902W5664	☐ ☐	11.8#	259
		56” 72” 16”	U4W902W5672	☐ ☐	13.6#	282
		56” 80” 24”	U4W902W5680	☐ ☐	14.7#	288
		64” 72” 8”	U4W902W6472	☐ ☐	13.4#	268
		64” 80” 24”	U4W902W6480	☐ ☐	14.5#	290
		72” 80” 8”	U4W902W7280	☐ ☐	14.5#	297
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.