

October 6, 2010
Updated May 31, 2017
800-424-2432



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Unite® System	General Information	4
Preconfigured Monolithic Fabric Panel		
	Standard Base Raceway	6
	Elevated Base	10
	Tile-to-Floor One Side; Standard Base Raceway One Side	12
Preconfigured Monolithic Fabric Panel (Beltway Power)		
	Standard Base Raceway	18
	Elevated Base	22
	Tile-to-Floor One Side; Standard Base Raceway One Side	26
Preconfigured Monolithic Steel Panels		
	Standard Base Raceway	30
	Elevated Base	32
	Tile-to-Floor One Side; Standard Base Raceway One Side	34
Preconfigured Monolithic Steel Panels (Beltway Power)		
	Standard Base Raceway	36
	Elevated Base	38
	Tile-to-Floor One Side; Standard Base Raceway One Side	40
Preconfigured Monolithic Open Panels		
	Standard Base Raceway	42
	Elevated Base	44
Preconfigured Segmented Fabric Panel		
	Standard Base Raceway	46
	Elevated Base	50
	Tile-to-Floor One Side; Standard Base Raceway One Side	54
Preconfigured Segmented Fabric Panel w/Beltway Power		
	Standard Base Raceway	58
	Elevated Base	62
	Tile-to-Floor One Side; Standard Base Raceway One Side	66
Preconfigured Segmented Steel Panels w/Fabric Top Tiles		
	Standard Base Raceway	70
	Elevated Base	74
	Tile-to-Floor One Side; Standard Base Raceway One Side	78
Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power		
	Standard Base Raceway	82
	Elevated Base	86
	Tile-to-Floor One Side; Standard Base Raceway One Side	90
Preconfigured Segmented Open Panels w/Fabric Top Tiles		
	Standard Base Raceway	94
	Elevated Base	98
Preconfigured Segmented Fabric Panel w/Glass Top		
	Standard Base Raceway	102
	Elevated Base	106
	Tile-to-Floor One Side; Standard Base Raceway One Side	110
Preconfigured Segmented Fabric Panel w/Markerboard on One Side		
	Standard Base Raceway	114
	Elevated Base	116
	Tile-to-Floor One Side; Standard Base Raceway One Side	118
Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides		
	Standard Base Raceway	120
	Elevated Base	122
Preconfigured Segmented Fabric Panel w/Perforated Steel Top		
	Standard Base Raceway	124
	Elevated Base	128
	Tile-to-Floor One Side; Standard Base Raceway One Side	132
Preconfigured Segmented Fabric Panel w/Slat Wall on One Side		
	Standard Base Raceway	136
	Elevated Base	140
	Tile-to-Floor One Side; Standard Base Raceway One Side	144
Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides		
	Standard Base Raceway	148
	Elevated Base	152
Stacking Panel		
	Fabric	156
	Solid Steel	158
	Glass	160
	Perforated Steel	162
	Markerboard on One Side	164
	Markerboard on Both Sides	166
	Slat Wall on One Side	168
	Slat Wall on Two Sides	170
Preconfigured Intersections		
	2-Way 90° "L" Corner	172
	2-Way 180°	174
	3-Way 90°	176
	4-Way 90°	182
	2-Way 120°	190
	3-Way 120°	192
End-of-Run Trim		
		196
Preconfigured Intersections		
	Adjustable Wall Mount Start	198
	Perpendicular Start for Genius® Wall	200
	Universal Start for Genius® Wall	202
	Wall Track	204
Preconfigured Stackable Intersections		
	90° 1-Way, 2-Way, 3-Way and 4-Way	206
	2-Way 180° In-Line Spacer	208
	120° 1-Way, 2-Way, 3-Way and 4-Way	210
Stacking End-of-Run Trim		
		212
Unite® Rolling Door		
	General Information	214
	Thresholds	224
Electrical		
	10-Wire System 6 Circuit "810"	228
	10-Wire System 6 Circuit "810"/with Bezel for Raceway Use	234
	10-Wire System 6 Circuit "810"/for Beltway Use	236
	10-Wire System 6 Circuit "810"	238
	10-Wire System 4 Circuit "810"	242
	10-Wire System 4 Circuit "810"/with Bezel for Raceway Use	246
	10-Wire System 4 Circuit "810"/for Beltway Use	248
	10-Wire System 4 Circuit "810"	250
	New York Power - 10-Wire System 6 or 4 Circuit "810"	254
Worksurfaces		
	Rectangular	256
	Diagonal 90° Corner	260
	Extended Corner	262
	Extended Corner Reductions	266
	Conference End	270
	Tapered	272
	Peninsula	274
	120° End Corner	278
	120° End Corner/60° End Corner	280
	U-Series® Underhead	282
	Transaction Countertops	284
	Freestanding Tables	288
Worksurface Support		
		290
	Post Leg	294
Support Leg		
	Non-Panel Mounted, Open	296
	Non-Panel Mounted, Insert	298
	Panel Mounted, Open	300
	Panel Mounted, Insert	302
	Panel Mounted, Center	304

Contents

Refer to KI Terms & Conditions document or visit ki.com.

Universal Storage and Accessories		
	Overhead Storage	306
	Overhead Accessories	316
Balance® Storage and Accessories		
	Overhead Storage	322
	Overhead Accessories	328
Accessories		
	Acoustic Septum Kits	370
	Glass Divider Screen	372
	Frameless Modesty Panel with Acrylic Insert	374
	Continuous Top Cap/Carpet Gripper/Alum Grommet	376
	Power Modules	378
	Bracket Assembly Kit/Receptacle Kit	380
	Tackboard	384
	Brackets	386
Unite® C.O.M. Yardage Requirements		392



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Unite System

General Information

GENERAL INFORMATION

Overview

Unite is the unifying element that brings together architecture and furniture to create highly effective work environments that are both engaging and productive. As a comprehensive Systems offering, Unite features preconfigured panels, worksurfaces, storage elements and accessories, which together allow for dynamic solutions to current and future needs. Yet, Unite also brings a degree of simplicity to Systems furniture that other systems lack. Uncomplicated, but by no means boring, Unite simplifies the entire Systems furniture process—from planning and specifying, to ordering and installing—so more time is spent appreciating the end result and less time is spent worrying about the details.

Panels

Preconfigured monolithic and segmented Unite panels are available. All panels ship knockdown with panel frame, tiles, base components, top caps, adjustable glides, and panel-to-panel connection hardware. Panels may be specified without top caps to allow for attachment of spanning top caps or divider screens. All Unite panels meet the flame spread and smoke generation criteria defined in the UL 1286 safety standard for office furnishings.

Preconfigured panels are 3.5" thick to facilitate integration with KI Genius walls, and are available in the following dimensions:

- Widths: 24", 30", 36", 42", 48", 54", 60" 72" (split tile on 72")
- Heights: 32", 40", 48", 56", 64"

Three base styles allow for functional and aesthetic planning flexibility:

- Standard base
- Elevated base
- Tile-to-floor base

Insert tiles are interchangeable among standard, elevated, and the standard base side of tile-to-floor panels. The tile height of the tile-to-floor tile is unique and not interchangeable. All tiles are hand-placed, requiring no tools for attachment to Unite frames. Standard and elevated base styles support future reconfiguration that substitutes either base style for the other.

Standard bases allow for distribution of power and data at the base of the panel. Elevated bases improve air circulation and lighten overall scale of the panel. Tile-to-floor panels feature a base raceway on the user side and no base raceway on the opposite side. Above worksurface beltline power is available regardless of preferred base style.

Preconfigured monolithic panels feature either fabric or steel tile inserts. Fabric tiles feature a wide variety of vertical fabrics adhered to acoustical fiberglass boards. Fab-

ric wraps around the board on all sides to minimize end fraying. Laminate and veneer tiles are also available as special finishes.

Preconfigured segmented panels are available in a variety of substrate and finish options. Segmented panels universally feature a 32" segmentation height, with specified upper and lower, and front and back tiles. Preconfigured substrates vary by configuration and may include:

- Fabric—upper and lower
- Powdercoated solid steel—lower
- Powdercoated perforated steel—upper
- Single pane glass—upper
- Steel laminated markerboard—upper
- Slat wall—upper

Slat wall tiles feature extruded slat wall on the lowest 8" of the tile, with fabric covering any area above the extrusion.

Preconfigured stacking sections add 16" to any Unite panel, and are retrofittable to existing installations. All parts and hardware are included. Preconfigured models are available with inserts of the following tiles:

- Fabric
- Powdercoated solid steel
- Powdercoated perforated steel
- Single pane glass
- Steel laminated markerboard
- Slat wall/fabric

Fabric Disclaimer:

"Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request."

Connectors and Trim

All Unite panels include necessary panel connector blocks and light blocks. Connectors are universal and allow panel-to-panel connections of same or varied heights, as well as all panel-to-post and top cap connections.

Unite panels also include trim wherever possible. Trim included with panels consists of top cap, bottom trim channel or tile-to floor trim, base raceway cover and foot shroud. Side/end trim and spanning top caps, along with their respective hardware, are specified separately. All Unite trim is powdercoated metal.

Electrical

Unite's electrical planning is simple and easy to specify. All Unite panels of 30" and greater widths feature two knockouts per side which accept duplex receptacles (24" panels feature a single knockout) for base or beltway power distribution. Elevated bases may be specified with power distribution at beltway height only. Tile-to-floor tiles do not feature cutouts, but may run pass-through cabling. Ten-wire electrical is available in

standard format, as well as Chicago- and New York-specific kits. Specifiable grommet locations ensure convenient access to power sources. All electrical components are specified separately and field installed.

Worksurfaces

Unite offers a variety of worksurface shapes designed to complement flexible workstation planning. All are available in a wide range of sizes. Edges and grommet locations may be specified. General worksurface styles include:

- Rectangle
- Corner
- Extended corner
- Extended corner reduction
- Conference end
- Tapered
- Peninsula
- Credenza and underhead tops
- 120 degree

Worksurface Support

Unite showcases a dynamic approach to planning through the use of multiple support options in a given workstation. All supports feature powdercoated steel. Powdercoated perforated steel inserts add design flair and added privacy.

Worksurface supporting legs are offered in two styles:

- Panel Supporting includes both open and insert styles. The frame ties the worksurface to an adjacent panel in place of a traditional return panel.
- Non-Panel Supporting legs are not tied to a panel, but offer a consistent aesthetic with the panel supporting frames.

Post legs may be used in place of frames for less foot restriction, or may be used in conjunction with panels or frames to support peninsula worksurfaces.

Cantilever brackets are also offered for more traditional planning. Standard and upscale versions are both offered.


Storage

Unite is designed to support all KI storage lines, but in particular complements U-Series storage. Integrated and freestanding storage is offered, including pedestals, laterals, over/under heads, credenzas, and towers. All work together to make efficient use of a user's valuable time and space.



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

			MODEL NUMBER						
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
 UMFR	Monolithic Fabric Panel - 32" H - Standard base raceway on both sides accepts power and data cable distribution - Includes monolithic fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, and base raceway - Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 32	UMFR2432	☐	☐	☐	☐	☐	34.6#
		30 x 32	UMFR3032	☐	☐	☐	☐	☐	39.4#
		36 x 32	UMFR3632	☐	☐	☐	☐	☐	44.3#
		42 x 32	UMFR4232	☐	☐	☐	☐	☐	49.2#
		48 x 32	UMFR4832	☐	☐	☐	☐	☐	54.1#
		54 x 32	UMFR5432	☐	☐	☐	☐	☐	58.9#
		60 x 32	UMFR6032	☐	☐	☐	☐	☐	63.8#
		72 x 32	UMFR7232	☐	☐	☐	☐	☐	77.4#
UMFR	Monolithic Fabric Panel - 40" H	24 x 40	UMFR2440	☐	☐	☐	☐	☐	39.4#
		30 x 40	UMFR3040	☐	☐	☐	☐	☐	44.7#
		36 x 40	UMFR3640	☐	☐	☐	☐	☐	50.1#
		42 x 40	UMFR4240	☐	☐	☐	☐	☐	55.6#
		48 x 40	UMFR4840	☐	☐	☐	☐	☐	61.0#
		54 x 40	UMFR5440	☐	☐	☐	☐	☐	66.4#
		60 x 40	UMFR6040	☐	☐	☐	☐	☐	71.8#
		72 x 40	UMFR7240	☐	☐	☐	☐	☐	87.6#
UMFR	Monolithic Fabric Panel - 48" H	24 x 48	UMFR2448	☐	☐	☐	☐	☐	44.3#
		30 x 48	UMFR3048	☐	☐	☐	☐	☐	50.2#
		36 x 48	UMFR3648	☐	☐	☐	☐	☐	56.1#
		42 x 48	UMFR4248	☐	☐	☐	☐	☐	62.1#
		48 x 48	UMFR4848	☐	☐	☐	☐	☐	68.0#
		54 x 48	UMFR5448	☐	☐	☐	☐	☐	73.9#
		60 x 48	UMFR6048	☐	☐	☐	☐	☐	79.8#
		72 x 48	UMFR7248	☐	☐	☐	☐	☐	90.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 UMFR	Monolithic Fabric Panel - 56" H	24 x 56	UMFR2456	☐	☐	☐	☐	☐	49.2#
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 56	UMFR3056	☐	☐	☐	☐	☐	55.6#
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFR3656	☐	☐	☐	☐	☐	62.1#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFR4256	☐	☐	☐	☐	☐	68.6#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	48 x 56	UMFR4856	☐	☐	☐	☐	☐	75.0#
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFR5456	☐	☐	☐	☐	☐	81.4#
	• 30-72" wide panels feature two power knockouts per side	60 x 56	UMFR6056	☐	☐	☐	☐	☐	87.9#
	• 24" wide panels feature one power knockout per side	72 x 56	UMFR7256	☐	☐	☐	☐	☐	108.4#
	• 72" wide panels feature split tiles								
	• Electrical components are specified separately								
UMFR	Monolithic Fabric Panel - 64" H	24 x 64	UMFR2464	☐	☐	☐	☐	☐	53.6#
		30 x 64	UMFR3064	☐	☐	☐	☐	☐	60.5#
		36 x 64	UMFR3664	☐	☐	☐	☐	☐	67.5#
		42 x 64	UMFR4264	☐	☐	☐	☐	☐	74.5#
		48 x 64	UMFR4864	☐	☐	☐	☐	☐	81.5#
		54 x 64	UMFR5464	☐	☐	☐	☐	☐	88.4#
		60 x 64	UMFR6064	☐	☐	☐	☐	☐	95.4#
		72 x 64	UMFR7264	☐	☐	☐	☐	☐	118.2#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Elevated Base

		MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H					
	Monolithic Fabric Panel - 32" H	24 x 32	UMFL2432	☐	☐	☐	32.4#
	• Elevated base does not accept cable distribution	30 x 32	UMFL3032	☐	☐	☐	36.5#
	• Includes monolithic fabric tiles for both sides	36 x 32	UMFL3632	☐	☐	☐	40.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMFL4232	☐	☐	☐	44.6#
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMFL4832	☐	☐	☐	48.7#
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMFL5432	☐	☐	☐	52.7#
	• 72" wide panels feature split tiles	60 x 32	UMFL6032	☐	☐	☐	56.8#
		72 x 32	UMFL7232	☐	☐	☐	68.8#
UMFL							
UMFL	Monolithic Fabric Panel - 40" H	24 x 40	UMFL2440	☐	☐	☐	37.2#
		30 x 40	UMFL3040	☐	☐	☐	41.8#
		36 x 40	UMFL3640	☐	☐	☐	46.4#
		42 x 40	UMFL4240	☐	☐	☐	51.0#
		48 x 40	UMFL4840	☐	☐	☐	55.6#
		54 x 40	UMFL5440	☐	☐	☐	60.2#
		60 x 40	UMFL6040	☐	☐	☐	64.8#
		72 x 40	UMFL7240	☐	☐	☐	79.0#
UMFL	Monolithic Fabric Panel - 48" H	24 x 48	UMFL2448	☐	☐	☐	42.1#
		30 x 48	UMFL3048	☐	☐	☐	47.2#
		36 x 48	UMFL3648	☐	☐	☐	52.3#
		42 x 48	UMFL4248	☐	☐	☐	57.5#
		48 x 48	UMFL4848	☐	☐	☐	62.6#
		54 x 48	UMFL5448	☐	☐	☐	67.7#
		60 x 48	UMFL6048	☐	☐	☐	72.9#
		72 x 48	UMFL7248	☐	☐	☐	89.4#
			A	B	C	D	E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.




Preconfigured Monolithic Fabric Panel

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 312	\$ 328	\$ 339	\$ 347	\$ 371
355	372	385	394	421
386	404	418	428	457
414	432	447	459	488
435	455	471	482	514
474	496	513	525	560
541	565	586	599	640
689	721	746	765	816
\$ 337	\$ 353	\$ 365	\$ 374	\$ 399
381	399	413	423	451
431	450	468	478	510
472	492	511	523	558
488	512	529	543	579
520	544	563	577	616
582	609	629	646	689
768	804	832	853	908
\$ 369	\$ 385	\$ 399	\$ 410	\$ 436
418	438	453	465	495
478	502	519	530	567
553	577	596	613	652
569	595	616	632	675
602	630	652	669	713
672	701	727	745	793
862	902	934	957	1021

Preconfigured Monolithic Fabric Panel

Elevated Base

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H						
	Monolithic Fabric Panel - 56" H	24 x 56	UMFL2456	☐	☐	☐	☐	47.0#
	• Elevated base does not accept cable distribution	30 x 56	UMFL3056	☐	☐	☐	☐	52.7#
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFL3656	☐	☐	☐	☐	58.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFL4256	☐	☐	☐	☐	64.0#
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 56	UMFL4856	☐	☐	☐	☐	69.7#
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFL5456	☐	☐	☐	☐	75.3#
	• 72" wide panels feature split tiles	60 x 56	UMFL6056	☐	☐	☐	☐	81.0#
		72 x 56	UMFL7256	☐	☐	☐	☐	99.8#
UMFL								
UMFL	Monolithic Fabric Panel - 64" H	24 x 64	UMFL2464	☐	☐	☐	☐	51.4#
		30 x 64	UMFL3064	☐	☐	☐	☐	57.5#
		36 x 64	UMFL3664	☐	☐	☐	☐	63.7#
		42 x 64	UMFL4264	☐	☐	☐	☐	69.9#
		48 x 64	UMFL4864	☐	☐	☐	☐	76.1#
		54 x 64	UMFL5464	☐	☐	☐	☐	82.3#
		60 x 64	UMFL6064	☐	☐	☐	☐	88.5#
		72 x 64	UMFL7264	☐	☐	☐	☐	109.6#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Fabric Panel

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 403	\$ 421	\$ 436	\$ 447	\$ 477
479	502	519	531	567
522	545	564	579	617
572	598	619	636	678
617	645	668	685	730
669	699	724	743	792
760	794	823	845	900
945	988	1023	1048	1118
\$ 421	\$ 440	\$ 456	\$ 468	\$ 500
492	516	534	548	584
537	562	583	596	637
590	617	639	654	697
634	663	687	703	750
686	717	743	761	811
778	813	843	863	921
982	1027	1062	1089	1160

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 UMFT	Monolithic Fabric Panel - 32" H	24 x 32	UMFT2432	☐	☐	☐	☐	☐	33.6#
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 32	UMFT3032	☐	☐	☐	☐	☐	38.1#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 32	UMFT3632	☐	☐	☐	☐	☐	42.7#
	• Includes monolithic fabric tiles for both sides	42 x 32	UMFT4232	☐	☐	☐	☐	☐	47.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 32	UMFT4832	☐	☐	☐	☐	☐	51.9#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 32	UMFT5432	☐	☐	☐	☐	☐	56.4#
	• Side 1 and side 2 finishes are specified separately	60 x 32	UMFT6032	☐	☐	☐	☐	☐	61.0#
	• 30-72" wide tiles feature two power knockouts on side 2	72 x 32	UMFT7232	☐	☐	☐	☐	☐	74.0#
	• 24" wide tiles feature one power knockout on side 2								
	• 72" wide panels feature split tiles								
UMFT	Monolithic Fabric Panel - 40" H	24 x 40	UMFT2440	☐	☐	☐	☐	☐	38.4#
		30 x 40	UMFT3040	☐	☐	☐	☐	☐	43.4#
		36 x 40	UMFT3640	☐	☐	☐	☐	☐	48.5#
		42 x 40	UMFT4240	☐	☐	☐	☐	☐	53.7#
		48 x 40	UMFT4840	☐	☐	☐	☐	☐	58.8#
		54 x 40	UMFT5440	☐	☐	☐	☐	☐	63.9#
		60 x 40	UMFT6040	☐	☐	☐	☐	☐	69.0#
		72 x 40	UMFT7240	☐	☐	☐	☐	☐	84.2#
UMFT	Monolithic Fabric Panel - 48" H	24 x 48	UMFT2448	☐	☐	☐	☐	☐	43.3#
		30 x 48	UMFT3048	☐	☐	☐	☐	☐	48.9#
		36 x 48	UMFT3648	☐	☐	☐	☐	☐	54.5#
		42 x 48	UMFT4248	☐	☐	☐	☐	☐	60.2#
		48 x 48	UMFT4848	☐	☐	☐	☐	☐	65.8#
		54 x 48	UMFT5448	☐	☐	☐	☐	☐	71.4#
		60 x 48	UMFT6048	☐	☐	☐	☐	☐	77.1#
		72 x 48	UMFT7248	☐	☐	☐	☐	☐	94.6#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

[illegible]

Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 UMFT	MODEL	W x H							
	Monolithic Fabric Panel - 56" H	24 x 56	UMFT2456	☐	☐	☐	☐	☐	48.2#
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 56	UMFT3056	☐	☐	☐	☐	☐	54.3#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 56	UMFT3656	☐	☐	☐	☐	☐	60.5#
	• Includes monolithic fabric tiles for both sides	42 x 56	UMFT4256	☐	☐	☐	☐	☐	66.7#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 56	UMFT4856	☐	☐	☐	☐	☐	72.8#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 56	UMFT5456	☐	☐	☐	☐	☐	79.0#
	• Side 1 and side 2 finishes are specified separately	60 x 56	UMFT6056	☐	☐	☐	☐	☐	85.2#
	• 30-72" wide tiles feature two power knockouts on side 2	72 x 56	UMFT7256	☐	☐	☐	☐	☐	105.0#
	• 24" wide tiles feature one power knockout on side 2								
UMFT	Monolithic Fabric Panel - 64" H	24 x 64	UMFT2464	☐	☐	☐	☐	☐	52.5#
		30 x 64	UMFT3064	☐	☐	☐	☐	☐	59.2#
		36 x 64	UMFT3664	☐	☐	☐	☐	☐	65.9#
		42 x 64	UMFT4264	☐	☐	☐	☐	☐	72.6#
		48 x 64	UMFT4864	☐	☐	☐	☐	☐	79.3#
		54 x 64	UMFT5464	☐	☐	☐	☐	☐	86.0#
		60 x 64	UMFT6064	☐	☐	☐	☐	☐	92.7#
		72 x 64	UMFT7264	☐	☐	☐	☐	☐	114.8#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway

			MODEL NUMBER								
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
 UMFR	Monolithic Fabric Panel - 40" H	24 x 40	UMFRBW2440	☐	☐	☐	☐	☐	☐	39.4#	
	• Standard base raceway on both sides accepts power and data cable distribution • Above worksurface beltway accepts power and data cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • 30-72" wide panels feature two power knockouts at base and two knockouts with bezels at beltway per side • 24" wide panels each feature one power knockout and one at beltway per side • 72" wide panels feature split tiles • Electrical components are specified separately	30 x 40	UMFRBW3040	☐	☐	☐	☐	☐	☐	44.7#	
		36 x 40	UMFRBW3640	☐	☐	☐	☐	☐	☐	☐	50.1#
		42 x 40	UMFRBW4240	☐	☐	☐	☐	☐	☐	☐	55.6#
		48 x 40	UMFRBW4840	☐	☐	☐	☐	☐	☐	☐	61.0#
		54 x 40	UMFRBW5440	☐	☐	☐	☐	☐	☐	☐	66.4#
		60 x 40	UMFRBW6040	☐	☐	☐	☐	☐	☐	☐	71.8#
		72 x 40	UMFRBW7240	☐	☐	☐	☐	☐	☐	☐	87.6#
UMFR	Monolithic Fabric Panel - 48" H	24 x 48	UMFRBW2448	☐	☐	☐	☐	☐	☐	44.3#	
	30 x 48	UMFRBW3048	☐	☐	☐	☐	☐	☐	☐	50.2#	
	36 x 48	UMFRBW3648	☐	☐	☐	☐	☐	☐	☐	56.1#	
	42 x 48	UMFRBW4248	☐	☐	☐	☐	☐	☐	☐	62.1#	
	48 x 48	UMFRBW4848	☐	☐	☐	☐	☐	☐	☐	68.0#	
	54 x 48	UMFRBW5448	☐	☐	☐	☐	☐	☐	☐	73.9#	
	60 x 48	UMFRBW6048	☐	☐	☐	☐	☐	☐	☐	79.8#	
	72 x 48	UMFRBW7248	☐	☐	☐	☐	☐	☐	☐	98.0#	
UMFR	Monolithic Fabric Panel - 56" H	24 x 56	UMFRBW2456	☐	☐	☐	☐	☐	☐	49.2#	
	30 x 56	UMFRBW3056	☐	☐	☐	☐	☐	☐	☐	55.6#	
	36 x 56	UMFRBW3656	☐	☐	☐	☐	☐	☐	☐	62.1#	
	42 x 56	UMFRBW4256	☐	☐	☐	☐	☐	☐	☐	68.6#	
	48 x 56	UMFRBW4856	☐	☐	☐	☐	☐	☐	☐	75.0#	
	54 x 56	UMFRBW5456	☐	☐	☐	☐	☐	☐	☐	81.4#	
	60 x 56	UMFRBW6056	☐	☐	☐	☐	☐	☐	☐	87.9#	
	72 x 56	UMFRBW7256	☐	☐	☐	☐	☐	☐	☐	108.4#	
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D1 - Domestic, 1 side w/cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

[illegible]



Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 476	\$ 500	\$ 515	\$ 528	\$ 563
562	588	609	623	665
614	642	664	681	726
670	698	724	743	790
717	749	776	794	848
756	806	835	855	912
871	911	943	966	1031
1118	1169	1209	1241	1323

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

		MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
 UMFL	MODEL	W x H							
	Monolithic Fabric Panel - 40" H	24 x 40	UMFLBW2440	☐	☐	☐	☐	☐	37.2#
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway • 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway • Raised base does not accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and foot shroud • Side 1 and side 2 finishes are specified separately • 72" wide panels feature split tiles • Electrical components are specified separately	30 x 40	UMFLBW3040	☐	☐	☐	☐	☐	41.8#
		36 x 40	UMFLBW3640	☐	☐	☐	☐	☐	46.4#
		42 x 40	UMFLBW4240	☐	☐	☐	☐	☐	51.0#
		48 x 40	UMFLBW4840	☐	☐	☐	☐	☐	55.6#
		54 x 40	UMFLBW5440	☐	☐	☐	☐	☐	60.2#
		60 x 40	UMFLBW6040	☐	☐	☐	☐	☐	64.8#
		72 x 40	UMFLBW7240	☐	☐	☐	☐	☐	79.0#
UMFL	Monolithic Fabric Panel - 48" H	24 x 48	UMFLBW2448	☐	☐	☐	☐	☐	42.1#
		30 x 48	UMFLBW3048	☐	☐	☐	☐	☐	47.2#
		36 x 48	UMFLBW3648	☐	☐	☐	☐	☐	52.3#
		42 x 48	UMFLBW4248	☐	☐	☐	☐	☐	57.5#
		48 x 48	UMFLBW4848	☐	☐	☐	☐	☐	62.6#
		54 x 48	UMFLBW5448	☐	☐	☐	☐	☐	67.7#
		60 x 48	UMFLBW6048	☐	☐	☐	☐	☐	72.9#
UMFL	Monolithic Fabric Panel - 56" H	24 x 56	UMFLBW2456	☐	☐	☐	☐	☐	47.0#
		30 x 56	UMFLBW3056	☐	☐	☐	☐	☐	52.7#
		36 x 56	UMFLBW3656	☐	☐	☐	☐	☐	58.3#
		42 x 56	UMFLBW4256	☐	☐	☐	☐	☐	64.0#
		48 x 56	UMFLBW4856	☐	☐	☐	☐	☐	69.7#
		54 x 56	UMFLBW5456	☐	☐	☐	☐	☐	75.3#
		60 x 56	UMFLBW6056	☐	☐	☐	☐	☐	81.0#
		72 x 56	UMFLBW7256	☐	☐	☐	☐	☐	99.8#
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Elevated Base

	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	\$ 376	\$ 394	\$ 408	\$ 418	\$ 445
	437	457	473	484	516
	480	504	521	533	569
	525	550	569	584	621
	543	568	588	603	643
	580	607	628	644	687
	651	682	705	724	773
	864	904	936	959	1025
	\$ 405	\$ 423	\$ 439	\$ 450	\$ 479
	471	492	510	523	557
	533	557	577	591	631
	607	634	654	673	718
	620	648	673	689	734
	655	685	710	728	775
	729	763	789	810	862
	967	1012	1046	1073	1145
	\$ 448	\$ 469	\$ 484	\$ 497	\$ 529
	529	555	573	588	627
	582	609	629	645	688
	648	678	701	720	767
	687	720	744	763	813
	735	754	796	816	870
	827	864	895	917	980
	1061	1109	1148	1176	1256

Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H									
 UMFL	Monolithic Fabric Panel - 64" H		24 x 64	UMFLBW2464	☐	☐	☐	☐	☐	51.4#
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksur-		30 x 64	UMFLBW3064	☐	☐	☐	☐	☐	57.5#
	face beltway		36 x 64	UMFLBW3664	☐	☐	☐	☐	☐	63.7#
	• 24" wide tiles each feature one power		42 x 64	UMFLBW4264	☐	☐	☐	☐	☐	69.9#
	knockout with bezel at above-worksur-		48 x 64	UMFLBW4864	☐	☐	☐	☐	☐	76.1#
	face beltway		54 x 64	UMFLBW5464	☐	☐	☐	☐	☐	82.3#
	• Raised base does not accept cable		60 x 64	UMFLBW6064	☐	☐	☐	☐	☐	88.5#
	distribution		72 x 64	UMFLBW7264	☐	☐	☐	☐	☐	109.6#
	• Includes monolithic fabric tiles for both									
	sides									
• Panel assembly includes frame, trim,										
and panel-to-panel connectors										
• Trim is metal and includes top cap, bot-										
tom trim channel, and foot shroud										
• Side 1 and side 2 finishes are specified										
separately										
• 72" wide panels feature split tiles										
• Electrical components are specified										
separately										
				A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|---------------------------|
| DP | - Domestic - with cutouts |
|-----------|---------------------------|
- D** Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 476	\$ 500	\$ 515	\$ 528	\$ 563
562	588	609	623	665
614	642	664	681	726
670	698	724	743	790
717	749	776	794	848
756	806	835	855	912
871	911	943	966	1031
1118	1169	1209	1241	1323

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 40" H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • Side 2: 30-72" wide tiles feature two base and two beltway power knockouts • Side 2: 24" wide tiles feature one base and one beltway power knockout • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 40	UMFTBW2440	☐	☐	☐	☐	☐	☐	38.4#
		30 x 40	UMFTBW3040	☐	☐	☐	☐	☐	☐	43.4#
		36 x 40	UMFTBW3640	☐	☐	☐	☐	☐	☐	48.5#
		42 x 40	UMFTBW4240	☐	☐	☐	☐	☐	☐	53.7#
		48 x 40	UMFTBW4840	☐	☐	☐	☐	☐	☐	58.8#
		54 x 40	UMFTBW5440	☐	☐	☐	☐	☐	☐	63.9#
		60 x 40	UMFTBW6040	☐	☐	☐	☐	☐	☐	69.0#
		72 x 40	UMFTBW7240	☐	☐	☐	☐	☐	☐	84.2#
UMFT	Monolithic Fabric Panel - 48" H	24 x 48	UMFTBW2448	☐	☐	☐	☐	☐	☐	43.3#
		30 x 48	UMFTBW3048	☐	☐	☐	☐	☐	☐	48.9#
		36 x 48	UMFTBW3648	☐	☐	☐	☐	☐	☐	54.5#
		42 x 48	UMFTBW4248	☐	☐	☐	☐	☐	☐	60.2#
		48 x 48	UMFTBW4848	☐	☐	☐	☐	☐	☐	65.8#
		54 x 48	UMFTBW5448	☐	☐	☐	☐	☐	☐	71.4#
		60 x 48	UMFTBW6048	☐	☐	☐	☐	☐	☐	77.1#
		72 x 48	UMFTBW7248	☐	☐	☐	☐	☐	☐	94.6#
UMFT	Monolithic Fabric Panel - 56" H	24 x 56	UMFTBW2456	☐	☐	☐	☐	☐	☐	48.2#
		30 x 56	UMFTBW3056	☐	☐	☐	☐	☐	☐	54.3#
		36 x 56	UMFTBW3656	☐	☐	☐	☐	☐	☐	60.5#
		42 x 56	UMFTBW4256	☐	☐	☐	☐	☐	☐	66.7#
		48 x 56	UMFTBW4856	☐	☐	☐	☐	☐	☐	72.8#
		54 x 56	UMFTBW5456	☐	☐	☐	☐	☐	☐	79.0#
		60 x 56	UMFTBW6056	☐	☐	☐	☐	☐	☐	85.2#
		72 x 56	UMFTBW7256	☐	☐	☐	☐	☐	☐	105.0#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
N - No topcap
- C** Select electrical code.
DP - Domestic - with cutouts
- D** Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

[illegible]

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|---------------------------|
| DP | - Domestic - with cutouts |
|-----------|---------------------------|
- D** Select bezel color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 1.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 2.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 476	\$ 500	\$ 515	\$ 528	\$ 563
562	588	609	623	665
614	642	664	681	726
670	698	724	743	790
717	749	776	794	848
756	806	835	855	912
871	911	943	966	1031
1118	1169	1209	1241	1323

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels

Standard Base Raceway

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2	
 UMSR	Monolithic Steel Panel - 32"H	24 x 32	UMSR2432	☐	☐	☐	☐	☐	39.7#
	- Standard base raceway on both sides accepts power and data cable distribution - Includes monolithic steel tiles with mounting bars for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, and base raceway - Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	30 x 32	UMSR3032	☐	☐	☐	☐	☐	45.7#
		36 x 32	UMSR3632	☐	☐	☐	☐	☐	51.8#
		42 x 32	UMSR4232	☐	☐	☐	☐	☐	57.9#
		48 x 32	UMSR4832	☐	☐	☐	☐	☐	64.0#
		54 x 32	UMSR5432	☐	☐	☐	☐	☐	70.1#
		60 x 32	UMSR6032	☐	☐	☐	☐	☐	76.2#
		72 x 32	UMSR7232	☐	☐	☐	☐	☐	94.5#
UMSR	Monolithic Steel Panel - 40"H	24 x 40	UMSR2440	☐	☐	☐	☐	☐	44.8#
		30 x 40	UMSR3040	☐	☐	☐	☐	☐	51.6#
		36 x 40	UMSR3640	☐	☐	☐	☐	☐	58.5#
		42 x 40	UMSR4240	☐	☐	☐	☐	☐	65.4#
		48 x 40	UMSR4840	☐	☐	☐	☐	☐	72.3#
		54 x 40	UMSR5440	☐	☐	☐	☐	☐	79.2#
		60 x 40	UMSR6040	☐	☐	☐	☐	☐	86.1#
UMSR	Monolithic Steel Panel - 48"H	24 x 48	UMSR2448	☐	☐	☐	☐	☐	49.9#
		30 x 48	UMSR3048	☐	☐	☐	☐	☐	57.5#
		36 x 48	UMSR3648	☐	☐	☐	☐	☐	65.2#
UMSR	Monolithic Steel Panel - 56"H	24 x 56	UMSR2456	☐	☐	☐	☐	☐	55.1#
		30 x 56	UMSR3056	☐	☐	☐	☐	☐	63.5#
		36 x 56	UMSR3656	☐	☐	☐	☐	☐	72.0#
UMSR	Monolithic Steel Panel - 64"H	24 x 64	UMSR2464	☐	☐	☐	☐	☐	60.2#
		30 x 64	UMSR3064	☐	☐	☐	☐	☐	69.5#
		36 x 64	UMSR3664	☐	☐	☐	☐	☐	78.8#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Steel Panels

Standard Base Raceway

Delivered
Pricing

\$ 423
455
482
495
553
627
739
888

\$ 432
473
511
530
587
661
775
933

\$ 483
511
554

\$ 506
555
594

\$ 603
648
694

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Monolithic Steel Panels

Elevated Base

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Paint Color Side 1	Paint Color Side 2	
	MODEL	W x H						
	Monolithic Steel Panel - 32"H	24 x 32	UMSL2432	☐	☐	☐	☐	37.1#
	• Raised base does not accept cable distribution	30 x 32	UMSL3032	☐	☐	☐	☐	42.4#
	• Includes monolithic steel tiles with mounting bars for both sides	36 x 32	UMSL3632	☐	☐	☐	☐	47.6#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMSL4232	☐	☐	☐	☐	53.0#
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMSL4832	☐	☐	☐	☐	58.2#
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMSL5432	☐	☐	☐	☐	63.5#
	• 72" wide panels feature split tiles	60 x 32	UMSL6032	☐	☐	☐	☐	68.8#
		72 x 32	UMSL7232	☐	☐	☐	☐	85.5#
UMSL								
UMSL	Monolithic Steel Panel - 40"H	24 x 40	UMSL2440	☐	☐	☐	☐	42.1#
		30 x 40	UMSL3040	☐	☐	☐	☐	48.2#
		36 x 40	UMSL3640	☐	☐	☐	☐	54.3#
		42 x 40	UMSL4240	☐	☐	☐	☐	60.5#
		48 x 40	UMSL4840	☐	☐	☐	☐	66.6#
		54 x 40	UMSL5440	☐	☐	☐	☐	72.6#
		60 x 40	UMSL6040	☐	☐	☐	☐	78.7#
		72 x 40	UMSL7240	☐	☐	☐	☐	98.5#
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSL2448	☐	☐	☐	☐	47.3#
		30 x 48	UMSL3048	☐	☐	☐	☐	54.2#
		36 x 48	UMSL3648	☐	☐	☐	☐	61.1#
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSL2456	☐	☐	☐	☐	52.4#
		30 x 56	UMSL3056	☐	☐	☐	☐	60.2#
		36 x 56	UMSL3656	☐	☐	☐	☐	67.9#
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSL2464	☐	☐	☐	☐	57.6#
		30 x 64	UMSL3064	☐	☐	☐	☐	66.1#
		36 x 64	UMSL3664	☐	☐	☐	☐	74.6#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select paint color side 1.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select paint color side 2.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Steel Panels

Elevated Base

Delivered
Pricing

\$ 423
455
482
495
553
627
739
888

\$ 432
473
511
530
587
661
775
933

\$ 483
511
554

\$ 506
555
594

\$ 603
648
694

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2	
 UMST	Monolithic Steel Panel - 32"H	24 x 32	UMST2432	☐	☐	☐	☐	☐	38.9#
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 32	UMST3032	☐	☐	☐	☐	☐	44.7#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 32	UMST3632	☐	☐	☐	☐	☐	50.5#
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 32	UMST4232	☐	☐	☐	☐	☐	56.4#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 32	UMST4832	☐	☐	☐	☐	☐	62.2#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 32	UMST5432	☐	☐	☐	☐	☐	68.0#
	• Side 1 and side 2 finishes are specified separately	60 x 32	UMST6032	☐	☐	☐	☐	☐	73.9#
	• Side 2: 30-72" wide panels feature two power knockouts	72 x 32	UMST7232	☐	☐	☐	☐	☐	91.8#
	• Side 2: 24" wide panels feature one power knockout								
	• Electrical components are specified separately								
	• 72" wide panels feature split tiles								
UMST	Monolithic Steel Panel - 40"H	24 x 40	UMST2440	☐	☐	☐	☐	☐	44.0#
		30 x 40	UMST3040	☐	☐	☐	☐	☐	50.6#
		36 x 40	UMST3640	☐	☐	☐	☐	☐	57.2#
		42 x 40	UMST4240	☐	☐	☐	☐	☐	63.9#
		48 x 40	UMST4840	☐	☐	☐	☐	☐	70.6#
		54 x 40	UMST5440	☐	☐	☐	☐	☐	77.2#
		60 x 40	UMST6040	☐	☐	☐	☐	☐	83.9#
UMST	Monolithic Steel Panel - 48"H	24 x 48	UMST2448	☐	☐	☐	☐	☐	49.1#
		30 x 48	UMST3048	☐	☐	☐	☐	☐	56.5#
		36 x 48	UMST3648	☐	☐	☐	☐	☐	64.0#
UMST	Monolithic Steel Panel - 56"H	24 x 56	UMST2456	☐	☐	☐	☐	☐	54.3#
		30 x 56	UMST3056	☐	☐	☐	☐	☐	62.5#
		36 x 56	UMST3656	☐	☐	☐	☐	☐	70.8#
UMST	Monolithic Steel Panel - 64"H	24 x 64	UMST2464	☐	☐	☐	☐	☐	59.4#
		30 x 64	UMST3064	☐	☐	☐	☐	☐	68.5#
		36 x 64	UMST3664	☐	☐	☐	☐	☐	77.6#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered
Pricing

\$ 423
455
482
495
553
627
739
888

\$ 432
473
511
530
587
661
775
933

\$ 483
511
554

\$ 506
555
594

\$ 603
648
694

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Monolithic Steel Panels (Beltway Power)

Standard Base Raceway

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	
 UMSR	MODEL	W x H								
	Monolithic Steel Panel - 40"H	24 x 40	UMSRBW2440	☐	☐	☐	☐	☐	☐	44.8#
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 40	UMSRBW3040	☐	☐	☐	☐	☐	☐	51.6#
	• Above worksurface beltway accepts power and data cable distribution	36 x 40	UMSRBW3640	☐	☐	☐	☐	☐	☐	58.5#
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 40	UMSRBW4240	☐	☐	☐	☐	☐	☐	65.4#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMSRBW4840	☐	☐	☐	☐	☐	☐	72.3#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMSRBW5440	☐	☐	☐	☐	☐	☐	79.2#
	• Side 1 and side 2 finishes are specified separately	60 x 40	UMSRBW6040	☐	☐	☐	☐	☐	☐	86.1#
	• 30-72" wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side	72 x 40	UMSRBW7240	☐	☐	☐	☐	☐	☐	107.5#
	• 24" wide panels each feature one power knockout and one at beltway per side									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
UMSR	Monolithic Steel Panel - 48"H	24 x 48	UMSRBW2448	☐	☐	☐	☐	☐	☐	49.9#
		30 x 48	UMSRBW3048	☐	☐	☐	☐	☐	☐	57.5#
		36 x 48	UMSRBW3648	☐	☐	☐	☐	☐	☐	65.2#
UMSR	Monolithic Steel Panel - 56"H	24 x 56	UMSRBW2456	☐	☐	☐	☐	☐	☐	55.1#
		30 x 56	UMSRBW3056	☐	☐	☐	☐	☐	☐	63.5#
		36 x 56	UMSRBW3656	☐	☐	☐	☐	☐	☐	72.0#
UMSR	Monolithic Steel Panel - 64"H	24 x 64	UMSRBW2464	☐	☐	☐	☐	☐	☐	60.2#
		30 x 64	UMSRBW3064	☐	☐	☐	☐	☐	☐	69.5#
		36 x 64	UMSRBW3664	☐	☐	☐	☐	☐	☐	78.8#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D1 - Domestic, 1 side w/cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select paint color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


Standard Base Raceway

\$	444
	493
	531
	554
	609
	682
	795
	976

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	
 UMSL	MODEL	W x H								
	Monolithic Steel Panel - 40"H	24 x 40	UMSLBW2440	☐	☐	☐	☐	☐	☐	42.1#
	• Includes monolithic steel tiles with mounting bars for both sides	30 x 40	UMSLBW3040	☐	☐	☐	☐	☐	☐	48.2#
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	36 x 40	UMSLBW3640	☐	☐	☐	☐	☐	☐	54.3#
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	42 x 40	UMSLBW4240	☐	☐	☐	☐	☐	☐	60.5#
	• Raised base does not accept cable distribution	48 x 40	UMSLBW4840	☐	☐	☐	☐	☐	☐	66.6#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	UMSLBW5440	☐	☐	☐	☐	☐	☐	72.6#
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 40	UMSLBW6040	☐	☐	☐	☐	☐	☐	78.7#
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMSLBW7240	☐	☐	☐	☐	☐	☐	98.5#
	• 72" wide panels feature split tiles									
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSLBW2448	☐	☐	☐	☐	☐	☐	47.3#
		30 x 48	UMSLBW3048	☐	☐	☐	☐	☐	☐	54.2#
		36 x 48	UMSLBW3648	☐	☐	☐	☐	☐	☐	61.1#
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSLBW2456	☐	☐	☐	☐	☐	☐	52.4#
		30 x 56	UMSLBW3056	☐	☐	☐	☐	☐	☐	60.2#
		36 x 56	UMSLBW3656	☐	☐	☐	☐	☐	☐	67.9#
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSLBW2464	☐	☐	☐	☐	☐	☐	57.6#
		30 x 64	UMSLBW3064	☐	☐	☐	☐	☐	☐	66.1#
		36 x 64	UMSLBW3664	☐	☐	☐	☐	☐	☐	74.6#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select paint color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base

Delivered Pricing	
\$	444
	493
	531
	554
	609
	682
	795
	976
\$	496
	531
	575
\$	517
	576
	617
\$	614
	672
	717

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Monolithic Steel Panels (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight
MODEL			W x H							
 UMST	Monolithic Steel Panel - 40"H - Side 1: tile-to-floor base does not accept cable distribution at base or beltway - Side 2: standard base raceway and above-worksurface beltway power accept cable distribution - Includes monolithic steel tiles with mounting bars for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, and base raceway - Side 1 and side 2 finishes are specified separately - Side 2: 30-72" wide tiles feature two base knockouts and two beltway power knockouts with bezels - Side 2: 24" wide tiles feature one base power knockout and one beltway knockout with bezel 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	UMSTBW2440	☐	☐	☐	☐	☐	☐	44.0#
		30 x 40	UMSTBW3040	☐	☐	☐	☐	☐	☐	50.6#
		36 x 40	UMSTBW3640	☐	☐	☐	☐	☐	☐	57.2#
		42 x 40	UMSTBW4240	☐	☐	☐	☐	☐	☐	63.9#
		48 x 40	UMSTBW4840	☐	☐	☐	☐	☐	☐	70.6#
		54 x 40	UMSTBW5440	☐	☐	☐	☐	☐	☐	77.2#
		60 x 40	UMSTBW6040	☐	☐	☐	☐	☐	☐	83.9#
		72 x 40	UMSTBW7240	☐	☐	☐	☐	☐	☐	104.8#
UMST	Monolithic Steel Panel - 48"H	24 x 48	UMSTBW2448	☐	☐	☐	☐	☐	☐	49.1#
		30 x 48	UMSTBW3048	☐	☐	☐	☐	☐	☐	56.5#
		36 x 48	UMSTBW3648	☐	☐	☐	☐	☐	☐	64.0#
UMST	Monolithic Steel Panel - 56"H	24 x 56	UMSTBW2456	☐	☐	☐	☐	☐	☐	54.3#
		30 x 56	UMSTBW3056	☐	☐	☐	☐	☐	☐	62.5#
		36 x 56	UMSTBW3656	☐	☐	☐	☐	☐	☐	70.8#
UMST	Monolithic Steel Panel - 64"H	24 x 64	UMSTBW2464	☐	☐	☐	☐	☐	☐	59.4#
		30 x 64	UMSTBW3064	☐	☐	☐	☐	☐	☐	68.5#
		36 x 64	UMSTBW3664	☐	☐	☐	☐	☐	☐	77.6#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- DP** - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select paint color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


Tile-to-Floor One Side; Standard Base Raceway One Side

\$	444
	493
	531
	554
	609
	682
	795
	976

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Open Panels

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	
 UMOR	Monolithic Open Panel - 32"H	24 x 32	UMOR2432	☐	☐	☐	39.0#
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 32	UMOR3032	☐	☐	☐	45.0#
	• Aluminum powder coated open frame allows pass-through accessibility range of 8" to 29" from floor	36 x 32	UMOR3632	☐	☐	☐	51.0#
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	42 x 32	UMOR4232	☐	☐	☐	57.0#
	• Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame	48 x 32	UMOR4832	☐	☐	☐	64.0#
	• 30-60" wide panels feature two power knockouts per side	54 x 32	UMOR5432	☐	☐	☐	68.0#
	• 24" wide panels feature one power knockout per side	60 x 32	UMOR6032	☐	☐	☐	76.0#
	• Electrical components are specified separately						
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|------------------------------|
| CP | - Chicago - with cutouts |
| DN | - Domestic - no cutouts |
| DP | - Domestic - with cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| D1 | - Domestic, 1 side w/cutouts |
- D** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Monolithic Open Panels

Standard Base Raceway

Delivered Pricing	
\$	544
	589
	612
	677
	699
	756
	857

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	
MODEL	W x H				
 Side 1 Side 2 UMOL Monolithic Open Panel - 32"H - Elevated base is non-powered and does not accept cable distribution - Features powder coated aluminum frame - Open frame allows pass-through accessibility range of 8" to 29" from floor - Panel assembly includes frame, trim, and panel-to-panel connecting hardware - Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame	24 x 32	UMOL2432	☐	☐	37.0#
	30 x 32	UMOL3032	☐	☐	42.0#
	36 x 32	UMOL3632	☐	☐	47.0#
	42 x 32	UMOL4232	☐	☐	53.0#
	48 x 32	UMOL4832	☐	☐	58.0#
	54 x 32	UMOL5432	☐	☐	70.0#
	60 x 32	UMOL6032	☐	☐	68.0#
		(A)	(B)	(C)	



Preconfigured Monolithic Open Panels

Elevated Base

Delivered Pricing	
\$	525
	568
	587
	647
	666
	712
	800

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USFR2440	☐	☐	☐	☐	☐	39.0#
	• Includes upper and lower segmented fabric tiles for both sides	30 x 40	USFR3040	☐	☐	☐	☐	☐	44.4#
	• Upper and lower segments must be identically specified	36 x 40	USFR3640	☐	☐	☐	☐	☐	50.0#
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 40	USFR4240	☐	☐	☐	☐	☐	55.6#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	USFR4840	☐	☐	☐	☐	☐	61.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 40	USFR5440	☐	☐	☐	☐	☐	66.7#
	• Side 1 and side 2 finishes are specified separately	60 x 40	USFR6040	☐	☐	☐	☐	☐	72.3#
	• 30-72" wide panels feature two power knockouts per side	72 x 40	USFR7240	☐	☐	☐	☐	☐	88.5#
	• 24" wide panels feature one power knockout per side								
	• 72" wide panels feature split tiles								
	• Electrical components are specified separately								
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFR2448	☐	☐	☐	☐	☐	44.3#
		30 x 48	USFR3048	☐	☐	☐	☐	☐	50.3#
		36 x 48	USFR3648	☐	☐	☐	☐	☐	56.4#
		42 x 48	USFR4248	☐	☐	☐	☐	☐	62.5#
		48 x 48	USFR4848	☐	☐	☐	☐	☐	68.6#
		54 x 48	USFR5448	☐	☐	☐	☐	☐	74.7#
		60 x 48	USFR6048	☐	☐	☐	☐	☐	80.8#
		72 x 48	USFR7248	☐	☐	☐	☐	☐	99.3#
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFR2456	☐	☐	☐	☐	☐	48.6#
		30 x 56	USFR3056	☐	☐	☐	☐	☐	55.2#
		36 x 56	USFR3656	☐	☐	☐	☐	☐	61.8#
		42 x 56	USFR4256	☐	☐	☐	☐	☐	68.5#
		48 x 56	USFR4856	☐	☐	☐	☐	☐	75.1#
		54 x 56	USFR5456	☐	☐	☐	☐	☐	81.7#
		60 x 56	USFR6056	☐	☐	☐	☐	☐	88.3#
		72 x 56	USFR7256	☐	☐	☐	☐	☐	109.1#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 493	\$ 517	\$ 535	\$ 549	\$ 585
584	611	632	647	691
650	680	702	722	769
692	724	749	768	819
716	747	775	792	846
753	786	814	835	890
834	872	902	927	987
1205	1261	1305	1338	1427

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Elevated Base

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H						
	Segmented Fabric Panel - 40"H	24 x 40	USFL2440	☐	☐	☐	☐	36.7#
	- Includes segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, and foot shroud - Side 1 and side 2 finishes are specified separately 72" wide panels feature split tiles	30 x 40	USFL3040	☐	☐	☐	☐	41.5#
		36 x 40	USFL3640	☐	☐	☐	☐	63.4#
		42 x 40	USFL4240	☐	☐	☐	☐	51.1#
		48 x 40	USFL4840	☐	☐	☐	☐	63.3#
		54 x 40	USFL5440	☐	☐	☐	☐	64.3#
		60 x 40	USFL6040	☐	☐	☐	☐	65.3#
		72 x 40	USFL7240	☐	☐	☐	☐	79.7#
USFL								
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFL2448	☐	☐	☐	☐	42.1#
		30 x 48	USFL3048	☐	☐	☐	☐	47.3#
		36 x 48	USFL3648	☐	☐	☐	☐	69.8#
		42 x 48	USFL4248	☐	☐	☐	☐	58.0#
		48 x 48	USFL4848	☐	☐	☐	☐	63.3#
		54 x 48	USFL5448	☐	☐	☐	☐	68.5#
		60 x 48	USFL6048	☐	☐	☐	☐	73.8#
		72 x 48	USFL7248	☐	☐	☐	☐	90.7#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFL2456	☐	☐	☐	☐	46.4#
		30 x 56	USFL3056	☐	☐	☐	☐	52.2#
		36 x 56	USFL3656	☐	☐	☐	☐	58.0#
		42 x 56	USFL4256	☐	☐	☐	☐	63.9#
		48 x 56	USFL4856	☐	☐	☐	☐	69.7#
		54 x 56	USFL5456	☐	☐	☐	☐	75.5#
		60 x 56	USFL6056	☐	☐	☐	☐	81.3#
		72 x 56	USFL7256	☐	☐	☐	☐	100.5#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 403	\$ 421	\$ 436	\$ 447	\$ 477
457	478	495	508	541
496	519	536	550	587
542	568	587	603	642
559	585	607	620	662
599	626	649	664	710
675	705	730	748	799
903	946	980	1003	1069
\$ 437	\$ 457	\$ 473	\$ 484	\$ 516
491	514	531	545	582
536	561	580	594	636
598	626	648	664	708
614	642	664	681	727
653	683	706	724	773
730	764	790	811	864
981	1026	1061	1088	1160
\$ 458	\$ 479	\$ 496	\$ 509	\$ 542
524	549	568	583	620
577	603	623	640	682
646	676	698	718	765
662	692	718	734	783
685	717	742	761	811
749	784	811	832	888
1053	1101	1140	1169	1247

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Elevated Base

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H						
	Segmented Fabric Panel - 64"H	24 x 64	USFL2464	☐	☐	☐	☐	50.7#
	• Includes segmented fabric tiles for both sides	30 x 64	USFL3064	☐	☐	☐	☐	57.1#
	• Upper and lower segments must be identically specified	36 x 64	USFL3664	☐	☐	☐	☐	63.4#
	• Elevated base does not accept cable distribution	42x 64	USFL4264	☐	☐	☐	☐	69.8#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 64	USFL4864	☐	☐	☐	☐	76.2#
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	54 x 64	USFL5464	☐	☐	☐	☐	82.5#
	• Side 1 and side 2 finishes are specified separately	60 x 64	USFL6064	☐	☐	☐	☐	88.8#
	• 72" wide panels feature split tiles	72 x 64	USFL7264	☐	☐	☐	☐	110.3#
			A	B	C	D	E	

USFL

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#)
- D** Select fabric side 1.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
- E** Select fabric side 2.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).



Preconfigured Segmented Fabric Panel

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 493	\$ 517	\$ 535	\$ 549	\$ 585
584	611	632	647	691
650	680	702	722	769
692	724	749	768	819
716	747	775	792	846
753	786	814	835	890
834	872	902	927	987
1205	1261	1305	1338	1427

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFT	MODEL	W x H							
	Segmented Fabric Panel - 40"H	24 x 40	USFT2440	☐	☐	☐	☐	☐	37.9#
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFT3040	☐	☐	☐	☐	☐	43.1#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USFT3640	☐	☐	☐	☐	☐	48.4#
	• Includes segmented fabric tiles for both sides	42 x 40	USFT4240	☐	☐	☐	☐	☐	53.7#
	• Upper and lower segments must be identically specified	48 x 40	USFT4840	☐	☐	☐	☐	☐	59.0#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFT5440	☐	☐	☐	☐	☐	64.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFT6040	☐	☐	☐	☐	☐	69.5#
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFT7240	☐	☐	☐	☐	☐	85.1#
	• Side 2: 30-72" wide tiles feature two base power knockouts								
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFT2448	☐	☐	☐	☐	☐	43.2#
		30 x 48	USFT3048	☐	☐	☐	☐	☐	49.0#
		36 x 48	USFT3648	☐	☐	☐	☐	☐	54.8#
		42 x 48	USFT4248	☐	☐	☐	☐	☐	60.6#
		48 x 48	USFT4848	☐	☐	☐	☐	☐	66.4#
		54 x 48	USFT5448	☐	☐	☐	☐	☐	72.2#
		60 x 48	USFT6048	☐	☐	☐	☐	☐	78.0#
		72 x 48	USFT7248	☐	☐	☐	☐	☐	95.9#
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFT2456	☐	☐	☐	☐	☐	47.6#
		30 x 56	USFT3056	☐	☐	☐	☐	☐	53.9#
		36 x 56	USFT3656	☐	☐	☐	☐	☐	60.2#
		42 x 56	USFT4256	☐	☐	☐	☐	☐	66.6#
		48 x 56	USFT4856	☐	☐	☐	☐	☐	72.9#
		54 x 56	USFT5456	☐	☐	☐	☐	☐	79.2#
		60 x 56	USFT6056	☐	☐	☐	☐	☐	85.5#
		72 x 56	USFT7256	☐	☐	☐	☐	☐	105.7#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER						
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USFT2464	☐	☐	☐	☐	☐	51.9#
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 64	USFT3064	☐	☐	☐	☐	☐	58.7#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USFT3664	☐	☐	☐	☐	☐	65.6#
	• Includes segmented fabric tiles for both sides	42x 64	USFT4264	☐	☐	☐	☐	☐	72.5#
	• Upper and lower segments must be identically specified	48 x 64	USFT4864	☐	☐	☐	☐	☐	79.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFT5464	☐	☐	☐	☐	☐	86.1#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 64	USFT6064	☐	☐	☐	☐	☐	93.0#
	• Side 1 and side 2 finishes are specified separately	72 x 64	USFT7264	☐	☐	☐	☐	☐	115.5#
	• Side 2: 30-72" wide tiles feature two base power knockouts								
	• Side 2: 24" wide tiles feature one power knockout								
• 72" wide panels feature split tiles									
• Electrical components are specified separately									
			A	B	C	D	E	F	



Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 493	\$ 517	\$ 535	\$ 549	\$ 585
584	611	632	647	691
650	680	702	722	769
692	724	749	768	819
716	747	775	792	846
753	786	814	835	890
834	872	902	927	987
1205	1261	1305	1338	1427

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
	Segmented Fabric Panel - 40"H	24 x 40	USFRBW2440	☐	☐	☐	☐	☐	☐	39.0#
	• Includes fabric tiles for both sides	30 x 40	USFRBW3040	☐	☐	☐	☐	☐	☐	44.4#
	• Upper and lower segments must be identically specified	36 x 40	USFRBW3640	☐	☐	☐	☐	☐	☐	50.0#
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 40	USFRBW4240	☐	☐	☐	☐	☐	☐	55.6#
	• Above worksurface beltway accepts power and data cable distribution	48 x 40	USFRBW4840	☐	☐	☐	☐	☐	☐	61.2#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFRBW5440	☐	☐	☐	☐	☐	☐	66.7#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFRBW6040	☐	☐	☐	☐	☐	☐	72.3#
	• Side 1/side 2 finishes specified separately	72 x 40	USFRBW7240	☐	☐	☐	☐	☐	☐	88.5#
	• 30-72" wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side									
	• 24" wide panels each feature one power knockout and one knockout with bezel at beltway per side									
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFRBW2448	☐	☐	☐	☐	☐	☐	44.3#
		30 x 48	USFRBW3048	☐	☐	☐	☐	☐	☐	50.3#
		36 x 48	USFRBW3648	☐	☐	☐	☐	☐	☐	56.4#
		42 x 48	USFRBW4248	☐	☐	☐	☐	☐	☐	62.5#
		48 x 48	USFRBW4848	☐	☐	☐	☐	☐	☐	68.6#
		54 x 48	USFRBW5448	☐	☐	☐	☐	☐	☐	74.7#
		60 x 48	USFRBW6048	☐	☐	☐	☐	☐	☐	80.8#
		72 x 48	USFRBW7248	☐	☐	☐	☐	☐	☐	99.3#
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFRBW2456	☐	☐	☐	☐	☐	☐	48.6#
		30 x 56	USFRBW3056	☐	☐	☐	☐	☐	☐	55.2#
		36 x 56	USFRBW3656	☐	☐	☐	☐	☐	☐	61.8#
		42 x 56	USFRBW4256	☐	☐	☐	☐	☐	☐	68.5#
		48 x 56	USFRBW4856	☐	☐	☐	☐	☐	☐	75.1#
		54 x 56	USFRBW5456	☐	☐	☐	☐	☐	☐	81.7#
		60 x 56	USFRBW6056	☐	☐	☐	☐	☐	☐	88.3#
		72 x 56	USFRBW7256	☐	☐	☐	☐	☐	☐	109.1#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D1 - Domestic, 1 side w/cutouts

D Select bezel color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

E Select trim color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

F Select fabric side 1.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).


G Select fabric side 2.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	MODEL	W x H								
	Segmented Fabric Panel - 64"H	24 x 64	USFRBW2464	☐	☐	☐	☐	☐	☐	53.0#
	• Includes segmented fabric tiles for both sides	30 x 64	USFRBW3064	☐	☐	☐	☐	☐	☐	60.0#
	• Upper and lower segments must be identically specified	36 x 64	USFRBW3664	☐	☐	☐	☐	☐	☐	67.2#
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 64	USFRBW4264	☐	☐	☐	☐	☐	☐	74.4#
	• Above worksurface beltway accepts power and data cable distribution	48 x 64	USFRBW4864	☐	☐	☐	☐	☐	☐	81.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFRBW5464	☐	☐	☐	☐	☐	☐	88.6#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 64	USFRBW6064	☐	☐	☐	☐	☐	☐	95.8#
	• Side 1 and side 2 finishes are specified separately	72 x 64	USFRBW7264	☐	☐	☐	☐	☐	☐	118.9#
	• 30-72" wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side									
	• 24" wide panels each feature one power knockout and one knockout with bezel at beltway per side									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D1 - Domestic, 1 side w/cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

[illegible]

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Elevated Base

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
 USFL	Segmented Fabric Panel - 40"H	24 x 40	USFLBW2440	☐	☐	☐	☐	☐	☐	36.7#
	• Includes segmented fabric tiles for both sides	30 x 40	USFLBW3040	☐	☐	☐	☐	☐	☐	41.5#
	• Upper and lower segments must be identically specified	36 x 40	USFLBW3640	☐	☐	☐	☐	☐	☐	46.3#
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	42 x 40	USFLBW4240	☐	☐	☐	☐	☐	☐	51.1#
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	48 x 40	USFLBW4840	☐	☐	☐	☐	☐	☐	55.8#
	• Elevated base does not accept cable distribution	54 x 40	USFLBW5440	☐	☐	☐	☐	☐	☐	60.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFLBW6040	☐	☐	☐	☐	☐	☐	65.3#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USFLBW7240	☐	☐	☐	☐	☐	☐	79.7#
	• Side 1 and side 2 finishes are specified separately									
	• 72" wide panels feature split tiles									
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFLBW2448	☐	☐	☐	☐	☐	☐	42.1#
		30 x 48	USFLBW3048	☐	☐	☐	☐	☐	☐	47.3#
		36 x 48	USFLBW3648	☐	☐	☐	☐	☐	☐	52.6#
		42 x 48	USFLBW4248	☐	☐	☐	☐	☐	☐	58.0#
		48 x 48	USFLBW4848	☐	☐	☐	☐	☐	☐	63.3#
		54 x 48	USFLBW5448	☐	☐	☐	☐	☐	☐	68.5#
		60 x 48	USFLBW6048	☐	☐	☐	☐	☐	☐	73.8#
		72 x 48	USFLBW7248	☐	☐	☐	☐	☐	☐	90.7#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFLBW2456	☐	☐	☐	☐	☐	☐	46.4#
		30 x 56	USFLBW3056	☐	☐	☐	☐	☐	☐	52.2#
		36 x 56	USFLBW3656	☐	☐	☐	☐	☐	☐	58.0#
		42 x 56	USFLBW4256	☐	☐	☐	☐	☐	☐	63.9#
		48 x 56	USFLBW4856	☐	☐	☐	☐	☐	☐	69.7#
		54 x 56	USFLBW5456	☐	☐	☐	☐	☐	☐	75.5#
		60 x 56	USFLBW6056	☐	☐	☐	☐	☐	☐	81.3#
		72 x 56	USFLBW7256	☐	☐	☐	☐	☐	☐	100.5#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Elevated Base

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Elevated Base

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H									
 USFL	Segmented Fabric Panel - 64"H	24 x 64	USFLBW2464	☐	☐	☐	☐	☐	☐	50.7#
	• Includes segmented fabric tiles for both sides	30 x 64	USFLBW3064	☐	☐	☐	☐	☐	☐	57.1#
	• Upper and lower segments must be identically specified	36 x 64	USFLBW3664	☐	☐	☐	☐	☐	☐	63.4#
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	42x 64	USFLBW4264	☐	☐	☐	☐	☐	☐	69.8#
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	48 x 64	USFLBW4864	☐	☐	☐	☐	☐	☐	76.2#
	• Elevated base does not accept cable distribution	54 x 64	USFLBW5464	☐	☐	☐	☐	☐	☐	82.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USFLBW6064	☐	☐	☐	☐	☐	☐	88.8#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USFLBW7264	☐	☐	☐	☐	☐	☐	110.3#
	• Side 1 and side 2 finishes are specified separately									
	• 72" wide panels feature split tiles									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Beltway Power

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 512	\$ 535	\$ 555	\$ 568	\$ 607
614	642	664	681	726
680	712	736	755	805
723	755	782	802	855
746	781	808	828	884
783	819	848	869	928
867	906	939	961	1027
1264	1323	1369	1405	1496

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
 USFT	MODEL	W x H								
	Segmented Fabric Panel - 40"H	24 x 40	USFTBW2440	☐	☐	☐	☐	☐	☐	37.9#
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 40	USFTBW3040	☐	☐	☐	☐	☐	☐	43.1#
	• Side 2: standard base raceway and above-worksurface beltway accept cable distribution	36 x 40	USFTBW3640	☐	☐	☐	☐	☐	☐	48.4#
	• Includes fabric tiles for both sides	42 x 40	USFTBW4240	☐	☐	☐	☐	☐	☐	53.7#
	• Upper and lower segments must be identically specified	48 x 40	USFTBW4840	☐	☐	☐	☐	☐	☐	59.0#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFTBW5440	☐	☐	☐	☐	☐	☐	64.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFTBW6040	☐	☐	☐	☐	☐	☐	69.5#
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFTBW7240	☐	☐	☐	☐	☐	☐	85.1#
	• Side 2: 30-72" wide tiles feature two base power knockouts and two beltway power knockouts with bezels									
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFTBW2448	☐	☐	☐	☐	☐	☐	43.2#
		30 x 48	USFTBW3048	☐	☐	☐	☐	☐	☐	49.0#
		36 x 48	USFTBW3648	☐	☐	☐	☐	☐	☐	54.8#
		42 x 48	USFTBW4248	☐	☐	☐	☐	☐	☐	60.6#
		48 x 48	USFTBW4848	☐	☐	☐	☐	☐	☐	66.4#
		54 x 48	USFTBW5448	☐	☐	☐	☐	☐	☐	72.2#
		60 x 48	USFTBW6048	☐	☐	☐	☐	☐	☐	78.0#
		72 x 48	USFTBW7248	☐	☐	☐	☐	☐	☐	95.9#
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFTBW2456	☐	☐	☐	☐	☐	☐	47.6#
		30 x 56	USFTBW3056	☐	☐	☐	☐	☐	☐	53.9#
		36 x 56	USFTBW3656	☐	☐	☐	☐	☐	☐	60.2#
		42 x 56	USFTBW4256	☐	☐	☐	☐	☐	☐	66.6#
		48 x 56	USFTBW4856	☐	☐	☐	☐	☐	☐	72.9#
		54 x 56	USFTBW5456	☐	☐	☐	☐	☐	☐	79.2#
		60 x 56	USFTBW6056	☐	☐	☐	☐	☐	☐	85.5#
		72 x 56	USFTBW7256	☐	☐	☐	☐	☐	☐	105.7#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H									
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USFTBW2464	☐	☐	☐	☐	☐	☐	51.9#
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 64	USFTBW3064	☐	☐	☐	☐	☐	☐	58.7#
	• Side 2: standard base raceway and above-worksurface beltway accept cable distribution	36 x 64	USFTBW3664	☐	☐	☐	☐	☐	☐	65.6#
	• Includes segmented fabric tiles for both sides	42x 64	USFTBW4264	☐	☐	☐	☐	☐	☐	72.5#
	• Upper and lower segments must be identically specified	48 x 64	USFTBW4864	☐	☐	☐	☐	☐	☐	79.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFTBW5464	☐	☐	☐	☐	☐	☐	86.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 64	USFTBW6064	☐	☐	☐	☐	☐	☐	93.0#
	• Side 1 and side 2 finishes are specified separately	72 x 64	USFTBW7264	☐	☐	☐	☐	☐	☐	115.5#
	• Side 2: 30-72" wide tiles feature two base power knockouts and two beltway power knockouts with bezels									
	• Side 2: 24" wide tiles feature one base and one beltway power knockout with bezel									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|---------------------------|
| DP | - Domestic - with cutouts |
|-----------|---------------------------|
- D** Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER								
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
 USFR	Segmented Steel Panel - 40"H	24 x 40	USSFR2440	☐	☐	☐	☐	☐	☐	☐	
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFR3040	☐	☐	☐	☐	☐	☐	☐	
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USSFR3640	☐	☐	☐	☐	☐	☐	☐	
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 40	USSFR4240	☐	☐	☐	☐	☐	☐	☐	
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	48 x 40	USSFR4840	☐	☐	☐	☐	☐	☐	☐	
	• Side 1 and side 2 finishes are specified separately	54 x 40	USSFR5440	☐	☐	☐	☐	☐	☐	☐	
	• 30-72" wide panels feature two power knockouts per side	60 x 40	USSFR6040	☐	☐	☐	☐	☐	☐	☐	
	• 24" wide panels feature one power knockout per side	72 x 40	USSFR7240	☐	☐	☐	☐	☐	☐	☐	
	• 72" wide panels feature split tiles										
	• Electrical components are specified separately										
USFR	Segmented Steel Panel - 48"H	24 x 48	USSFR2448	☐	☐	☐	☐	☐	☐	☐	
		30 x 48	USSFR3048	☐	☐	☐	☐	☐	☐	☐	
		36 x 48	USSFR3648	☐	☐	☐	☐	☐	☐	☐	
		42 x 48	USSFR4248	☐	☐	☐	☐	☐	☐	☐	
		48 x 48	USSFR4848	☐	☐	☐	☐	☐	☐	☐	
		54 x 48	USSFR5448	☐	☐	☐	☐	☐	☐	☐	
		60 x 48	USSFR6048	☐	☐	☐	☐	☐	☐	☐	
		72 x 48	USSFR7248	☐	☐	☐	☐	☐	☐	☐	
USFR	Segmented Steel Panel - 56"H	24 x 56	USSFR2456	☐	☐	☐	☐	☐	☐	☐	
		30 x 56	USSFR3056	☐	☐	☐	☐	☐	☐	☐	
		36 x 56	USSFR3656	☐	☐	☐	☐	☐	☐	☐	
		42 x 56	USSFR4256	☐	☐	☐	☐	☐	☐	☐	
		48 x 56	USSFR4856	☐	☐	☐	☐	☐	☐	☐	
		54 x 56	USSFR5456	☐	☐	☐	☐	☐	☐	☐	
		60 x 56	USSFR6056	☐	☐	☐	☐	☐	☐	☐	
		72 x 56	USSFR7256	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
43.7#	\$ 504	\$ 517	\$ 526	\$ 545	\$ 565
50.4#	544	560	570	591	612
57.1#	583	597	610	632	653
64.0#	610	627	639	662	685
70.7#	663	682	694	721	746
77.5#	733	754	768	796	824
84.3#	847	870	888	920	951
105.3#	1072	1103	1123	1165	1205
49.0#	\$ 537	\$ 554	\$ 563	\$ 585	\$ 606
56.2#	580	596	609	629	651
63.5#	620	639	650	675	697
70.8#	664	682	695	721	746
78.1#	717	736	750	778	804
85.4#	788	811	825	856	885
92.8#	905	932	950	985	1018
116.1#	1149	1180	1204	1248	1292
53.3#	\$ 560	\$ 576	\$ 587	\$ 609	\$ 629
61.1#	612	629	641	641	688
68.9#	660	679	691	717	741
76.8#	716	734	749	777	803
84.6#	765	786	801	830	859
92.4#	820	843	859	890	921
100.3#	924	951	967	1003	1038
126.0#	1225	1260	1283	1329	1376

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

H Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
57.7#	\$ 596	\$ 615	\$ 626	\$ 648	\$ 673
66.0#	675	694	706	732	758
74.3#	735	757	773	800	828
82.7#	762	784	799	828	857
91.1#	819	843	858	889	920
99.4#	903	922	928	962	995
107.8#	903	1056	1054	1092	1130
135.8#	1377	1417	1443	1495	1547

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
	MODEL	W x H								
	Segmented Steel Panel - 40"H	24 x 40	USSFL2440	☐	☐	☐	☐	☐	☐	41.4#
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFL3040	☐	☐	☐	☐	☐	☐	47.4#
	• Elevated base does not accept cable distribution	36 x 40	USSFL3640	☐	☐	☐	☐	☐	☐	53.4#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 40	USSFL4240	☐	☐	☐	☐	☐	☐	59.4#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	48 x 40	USSFL4840	☐	☐	☐	☐	☐	☐	65.3#
	• Side 1 and side 2 finishes are specified separately	54 x 40	USSFL5440	☐	☐	☐	☐	☐	☐	71.3#
	• 72" wide panels feature split tiles	60 x 40	USSFL6040	☐	☐	☐	☐	☐	☐	77.3#
		72 x 40	USSFL7240	☐	☐	☐	☐	☐	☐	96.7#
USFL										
USFL	Segmented Steel Panel - 48"H	24 x 48	USSFL2448	☐	☐	☐	☐	☐	☐	46.7#
		30 x 48	USSFL3048	☐	☐	☐	☐	☐	☐	53.2#
		36 x 48	USSFL3648	☐	☐	☐	☐	☐	☐	59.7#
		42 x 48	USSFL4248	☐	☐	☐	☐	☐	☐	66.3#
		48 x 48	USSFL4848	☐	☐	☐	☐	☐	☐	72.8#
		54 x 48	USSFL5448	☐	☐	☐	☐	☐	☐	79.3#
		60 x 48	USSFL6048	☐	☐	☐	☐	☐	☐	85.8#
		72 x 48	USSFL7248	☐	☐	☐	☐	☐	☐	107.6#
USFL	Segmented Steel Panel - 56"H	24 x 56	USSFL2456	☐	☐	☐	☐	☐	☐	51.1#
		30 x 56	USSFL3056	☐	☐	☐	☐	☐	☐	58.1#
		36 x 56	USSFL3656	☐	☐	☐	☐	☐	☐	65.1#
		42 x 56	USSFL4256	☐	☐	☐	☐	☐	☐	72.2#
		48 x 56	USSFL4856	☐	☐	☐	☐	☐	☐	79.2#
		54 x 56	USSFL5456	☐	☐	☐	☐	☐	☐	86.2#
		60 x 56	USSFL6056	☐	☐	☐	☐	☐	☐	93.3#
		72 x 56	USSFL7256	☐	☐	☐	☐	☐	☐	117.4#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 504	\$ 517	\$ 526	\$ 545	\$ 565
544	560	570	591	612
583	597	610	632	653
610	627	639	662	685
663	682	694	721	746
733	754	768	796	824
847	870	888	920	951
1072	1103	1123	1165	1205
\$ 537	\$ 554	\$ 563	\$ 585	\$ 606
580	596	609	629	651
620	639	650	675	697
664	682	695	721	746
717	736	750	778	804
788	811	825	856	885
905	932	950	985	1018
1149	1180	1204	1248	1292
\$ 560	\$ 576	\$ 587	\$ 609	\$ 629
612	629	641	664	688
660	679	691	717	741
716	734	749	787	803
765	786	801	830	859
820	843	859	890	921
924	951	967	1003	1038
1225	1260	1283	1329	1376

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
 USFL Segmented Steel Panel - 64"H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud - Side 1 and side 2 finishes are specified separately 72" wide panels feature split tiles	24 x 64	USSFL2464	☐	☐	☐	☐	☐	☐	55.4#
	30 x 64	USSFL3064	☐	☐	☐	☐	☐	☐	63.0#
	36 x 64	USSFL3664	☐	☐	☐	☐	☐	☐	70.5#
	42 x 64	USSFL4264	☐	☐	☐	☐	☐	☐	78.1#
	48 x 64	USSFL4864	☐	☐	☐	☐	☐	☐	85.7#
	54 x 64	USSFL5464	☐	☐	☐	☐	☐	☐	93.2#
	60 x 64	USSFL6064	☐	☐	☐	☐	☐	☐	100.8#
	72 x 64	USSFL7264	☐	☐	☐	☐	☐	☐	127.2#
		A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 596	\$ 615	\$ 626	\$ 648	\$ 673
675	694	706	732	758
735	757	773	800	828
762	784	799	828	857
819	843	858	889	920
903	922	928	962	995
903	1035	1054	1092	1130
1377	1417	1443	1495	1547

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER								
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
 USFT	MODEL	W x H									
	Segmented Steel Panel - 40"H	24 x 40	USSFT2440	☐	☐	☐	☐	☐	☐	☐	
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USSFT3040	☐	☐	☐	☐	☐	☐	☐	
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USSFT3640	☐	☐	☐	☐	☐	☐	☐	
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	42 x 40	USSFT4240	☐	☐	☐	☐	☐	☐	☐	
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	USSFT4840	☐	☐	☐	☐	☐	☐	☐	
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 40	USSFT5440	☐	☐	☐	☐	☐	☐	☐	
	• Side 1 and side 2 finishes are specified separately	60 x 40	USSFT6040	☐	☐	☐	☐	☐	☐	☐	
	• Side 2: 30-72" wide tiles feature two base and two beltway power knockouts	72 x 40	USSFT7240	☐	☐	☐	☐	☐	☐	☐	
	• Side 2: 24" wide tiles feature one base and one beltway power knockout										
	• 72" wide panels feature split tiles										
	• Electrical components are specified separately										
USFT	Segmented Steel Panel - 48"H	24 x 48	USSFT2448	☐	☐	☐	☐	☐	☐	☐	
		30 x 48	USSFT3048	☐	☐	☐	☐	☐	☐	☐	
		36 x 48	USSFT3648	☐	☐	☐	☐	☐	☐	☐	
		42 x 48	USSFT4248	☐	☐	☐	☐	☐	☐	☐	
		48 x 48	USSFT4848	☐	☐	☐	☐	☐	☐	☐	
		54 x 48	USSFT5448	☐	☐	☐	☐	☐	☐	☐	
		60 x 48	USSFT6048	☐	☐	☐	☐	☐	☐	☐	
USFT	Segmented Steel Panel - 56"H	24 x 56	USSFT2456	☐	☐	☐	☐	☐	☐	☐	
		30 x 56	USSFT3056	☐	☐	☐	☐	☐	☐	☐	
		36 x 56	USSFT3656	☐	☐	☐	☐	☐	☐	☐	
		42 x 56	USSFT4256	☐	☐	☐	☐	☐	☐	☐	
		48 x 56	USSFT4856	☐	☐	☐	☐	☐	☐	☐	
		54 x 56	USSFT5456	☐	☐	☐	☐	☐	☐	☐	
		60 x 56	USSFT6056	☐	☐	☐	☐	☐	☐	☐	
		72 x 56	USSFT7256	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

G Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES

With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
56.9#	\$ 596	\$ 615	\$ 626	\$ 648	\$ 673
65.0#	675	694	706	732	758
73.1#	735	757	773	800	828
81.2#	762	784	799	828	857
89.3#	819	843	858	889	920
97.4#	903	922	928	962	995
105.6#	903	1035	1054	1092	1130
133.2#	1377	1417	1443	1495	1547

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Standard Base Raceway



USER

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select top cap style.

F	- Flat trim (std)
N	- No topcap

- C** Select electrical code.

DP	- Domestic - with cutouts
D1	- Domestic, 1 side w/cutouts

- D** Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- E** Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

- F** Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- G** Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- H** Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- 1 Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
43.7#	\$ 524	\$ 539	\$ 549	\$ 569	\$ 589
50.4#	587	605	615	638	660
57.1#	621	640	650	675	697
64.0#	648	668	680	703	729
70.7#	699	721	733	760	786
77.5#	772	794	808	837	867
84.3#	890	914	931	964	999
105.3#	1155	1188	1209	1254	1297

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

			MODEL NUMBER									
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		
	Segmented Steel Panel - 48"H	24 x 48	USSFRBW2448	☐	☐	☐	☐	☐	☐	☐		
		30 x 48	USSFRBW3048	☐	☐	☐	☐	☐	☐	☐		
		36 x 48	USSFRBW3648	☐	☐	☐	☐	☐	☐	☐		
		42 x 48	USSFRBW4248	☐	☐	☐	☐	☐	☐	☐		
		48 x 48	USSFRBW4848	☐	☐	☐	☐	☐	☐	☐		
		54 x 48	USSFRBW5448	☐	☐	☐	☐	☐	☐	☐		
		60 x 48	USSFRBW6048	☐	☐	☐	☐	☐	☐	☐		
		72 x 48	USSFRBW7248	☐	☐	☐	☐	☐	☐	☐		
USFR												
USFR	Segmented Steel Panel - 56"H	24 x 56	USSFRBW2456	☐	☐	☐	☐	☐	☐	☐		
		30 x 56	USSFRBW3056	☐	☐	☐	☐	☐	☐	☐		
		36 x 56	USSFRBW3656	☐	☐	☐	☐	☐	☐	☐		
		42 x 56	USSFRBW4256	☐	☐	☐	☐	☐	☐	☐		
		48 x 56	USSFRBW4856	☐	☐	☐	☐	☐	☐	☐		
		54 x 56	USSFRBW5456	☐	☐	☐	☐	☐	☐	☐		
		60 x 56	USSFRBW6056	☐	☐	☐	☐	☐	☐	☐		
		72 x 56	USSFRBW7256	☐	☐	☐	☐	☐	☐	☐		
USFR	Segmented Steel Panel - 64"H	24 x 64	USSFRBW2464	☐	☐	☐	☐	☐	☐	☐		
		30 x 64	USSFRBW3064	☐	☐	☐	☐	☐	☐	☐		
		36 x 64	USSFRBW3664	☐	☐	☐	☐	☐	☐	☐		
		42 x 64	USSFRBW4264	☐	☐	☐	☐	☐	☐	☐		
		48 x 64	USSFRBW4864	☐	☐	☐	☐	☐	☐	☐		
		54 x 64	USSFRBW5464	☐	☐	☐	☐	☐	☐	☐		
		60 x 64	USSFRBW6064	☐	☐	☐	☐	☐	☐	☐		
		72 x 64	USSFRBW7264	☐	☐	☐	☐	☐	☐	☐		



Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
49.0#	\$ 554	\$ 569	\$ 580	\$ 599	\$ 621
56.2#	619	638	648	674	696
63.5#	660	679	691	718	741
70.8#	705	726	739	766	792
78.1#	755	778	791	820	849
85.4#	827	851	866	898	929
92.8#	948	975	992	1029	1064
116.1#	1228	1263	1285	1333	1379
53.3#	\$ 582	\$ 597	\$ 610	\$ 631	\$ 652
61.1#	651	671	682	707	732
68.9#	700	722	734	762	788
76.8#	754	777	789	819	848
84.6#	808	830	846	876	906
92.4#	860	885	901	933	967
100.3#	964	992	1010	1046	1085
126.0#	1304	1341	1366	1416	1465
57.7#	\$ 619	\$ 637	\$ 648	\$ 673	\$ 695
66.0#	716	734	748	776	802
74.3#	777	797	812	843	871
82.7#	802	824	840	870	900
91.1#	859	885	900	933	964
99.4#	927	955	972	1008	1041
107.8#	1051	1082	1101	1142	1180
135.8#	1456	1498	1524	1580	1636

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

			MODEL NUMBER									
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		
 USFL	Segmented Steel Panel - 40"H	24 x 40	USSFLBW2440	☐	☐	☐	☐	☐	☐	☐		
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFLBW3040	☐	☐	☐	☐	☐	☐	☐		
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	36 x 40	USSFLBW3640	☐	☐	☐	☐	☐	☐	☐		
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	42 x 40	USSFLBW4240	☐	☐	☐	☐	☐	☐	☐		
	• Elevated base does not accept cable distribution	48 x 40	USSFLBW4840	☐	☐	☐	☐	☐	☐	☐		
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USSFLBW5440	☐	☐	☐	☐	☐	☐	☐		
	• Trim is metal and includes top cap, bottom trim channel, segment channel and foot shroud	60 x 40	USSFLBW6040	☐	☐	☐	☐	☐	☐	☐		
	• Side 1 and side 2 finishes are specified separately	72 x 40	USSFLBW7240	☐	☐	☐	☐	☐	☐	☐		
	• 72" wide panels feature split tiles											
			A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- DP** - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

I Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
41.4#	\$ 524	\$ 539	\$ 549	\$ 569	\$ 589
47.4#	587	605	615	638	660
53.4#	621	640	650	675	697
59.4#	648	668	680	703	729
65.4#	699	721	733	760	786
71.3#	772	794	808	837	867
77.3#	890	914	931	964	999
96.7#	1155	1188	1209	1254	1297

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

			MODEL NUMBER									
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
MODEL	W x H											
	Segmented Steel Panel - 48"H	24 x 48	USSFLBW2448	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 48	USSFLBW3048	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 48	USSFLBW3648	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 48	USSFLBW4248	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 48	USSFLBW4848	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 48	USSFLBW5448	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 48	USSFLBW6048	☐	☐	☐	☐	☐	☐	☐	☐	
		72 x 48	USSFLBW7248	☐	☐	☐	☐	☐	☐	☐	☐	
USFL												
USFL	Segmented Steel Panel - 56"H	24 x 56	USSFLBW2456	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 56	USSFLBW3056	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 56	USSFLBW3656	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 56	USSFLBW4256	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 56	USSFLBW4856	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 56	USSFLBW5456	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 56	USSFLBW6056	☐	☐	☐	☐	☐	☐	☐	☐	
		72 x 56	USSFLBW7256	☐	☐	☐	☐	☐	☐	☐	☐	
USFL	Segmented Steel Panel - 64"H	24 x 64	USSFLBW2464	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 64	USSFLBW3064	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 64	USSFLBW3664	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 64	USSFLBW4264	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 64	USSFLBW4864	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 64	USSFLBW5464	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 64	USSFLBW6064	☐	☐	☐	☐	☐	☐	☐	☐	
		72 x 64	USSFLBW7264	☐	☐	☐	☐	☐	☐	☐	☐	
				A	B	C	D	E	F	G	H	I

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.

F - Flat trim (std)
N - No topcap
- C** Select electrical code.

DP - Domestic - with cutouts
- D** Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- H** Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- I** Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Elevated Base

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
46.7#	\$ 554	\$ 569	\$ 580	\$ 599	\$ 621
53.3#	619	638	648	674	696
59.7#	660	679	691	718	741
66.3#	705	726	739	766	792
72.8#	755	778	791	820	849
79.3#	827	851	866	898	929
85.8#	948	975	992	1029	1064
107.6#	1228	1263	1285	1333	1379
51.1#	\$ 582	\$ 597	\$ 610	\$ 631	\$ 652
58.1#	651	671	682	707	732
65.1#	700	722	734	762	788
72.2#	754	777	789	819	848
79.2#	808	830	846	876	906
86.2#	860	885	901	933	967
93.3#	964	992	1010	1046	1085
117.4#	1304	1341	1366	1416	1465
55.4#	\$ 619	\$ 637	\$ 648	\$ 673	\$ 695
63.0#	716	734	748	776	802
70.5#	777	797	812	843	871
78.1#	802	824	840	870	900
85.7#	859	885	900	933	964
93.2#	927	955	972	1008	1041
100.8#	1051	1082	1101	1142	1180
127.2#	1456	1498	1524	1580	1636

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER										
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		
 USFT	MODEL	W x H											
	Segmented Steel Panel - 40"H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway power accept cable distribution • Includes segmented tiles with steel lower and fabric upper segments for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 1 and side 2 finishes are specified separately • Side 2: 30-72" wide tiles feature two base and two beltway power knockouts • Side 2: 24" wide tiles feature one base and one beltway power knockout • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 40	USSFTBW2440	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 40	USSFTBW3040	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 40	USSFTBW3640	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 40	USSFTBW4240	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 40	USSFTBW4840	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 40	USSFTBW5440	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 40	USSFTBW6040	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		72 x 40	USSFTBW7240	☐	☐	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	I		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)
N - No topcap

C Select electrical code.

DP - Domestic - with cutouts

D Select bezel color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select steel bottom color side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select steel bottom color side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

I Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER									
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		
	Segmented Steel Panel - 48"H	24 x 48	USSFTBW2448	☐	☐	☐	☐	☐	☐	☐		
		30 x 48	USSFTBW3048	☐	☐	☐	☐	☐	☐	☐		
		36 x 48	USSFTBW3648	☐	☐	☐	☐	☐	☐	☐		
		42 x 48	USSFTBW4248	☐	☐	☐	☐	☐	☐	☐		
		48 x 48	USSFTBW4848	☐	☐	☐	☐	☐	☐	☐		
		54 x 48	USSFTBW5448	☐	☐	☐	☐	☐	☐	☐		
		60 x 48	USSFTBW6048	☐	☐	☐	☐	☐	☐	☐		
		72 x 48	USSFTBW7248	☐	☐	☐	☐	☐	☐	☐		
USFT												
USFT	Segmented Steel Panel - 56"H	24 x 56	USSFTBW2456	☐	☐	☐	☐	☐	☐	☐		
		30 x 56	USSFTBW3056	☐	☐	☐	☐	☐	☐	☐		
		36 x 56	USSFTBW3656	☐	☐	☐	☐	☐	☐	☐		
		42 x 56	USSFTBW4256	☐	☐	☐	☐	☐	☐	☐		
		48 x 56	USSFTBW4856	☐	☐	☐	☐	☐	☐	☐		
		54 x 56	USSFTBW5456	☐	☐	☐	☐	☐	☐	☐		
		60 x 56	USSFTBW6056	☐	☐	☐	☐	☐	☐	☐		
		72 x 56	USSFTBW7256	☐	☐	☐	☐	☐	☐	☐		
USFT	Segmented Steel Panel - 64"H	24 x 64	USSFTBW2464	☐	☐	☐	☐	☐	☐	☐		
		30 x 64	USSFTBW3064	☐	☐	☐	☐	☐	☐	☐		
		36 x 64	USSFTBW3664	☐	☐	☐	☐	☐	☐	☐		
		42 x 64	USSFTBW4264	☐	☐	☐	☐	☐	☐	☐		
		48 x 64	USSFTBW4864	☐	☐	☐	☐	☐	☐	☐		
		54 x 64	USSFTBW5464	☐	☐	☐	☐	☐	☐	☐		
		60 x 64	USSFTBW6064	☐	☐	☐	☐	☐	☐	☐		
		72 x 64	USSFTBW7264	☐	☐	☐	☐	☐	☐	☐		
			A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
N - No topcap
- C** Select electrical code.
DP - Domestic - with cutouts
- D** Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select steel bottom color side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- G** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- H** Select steel bottom color side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- I** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
48.2#	\$ 554	\$ 569	\$ 580	\$ 599	\$ 621
55.2#	619	638	648	674	696
62.3#	660	679	691	718	741
69.4#	705	726	739	766	792
76.4#	755	778	791	820	849
83.5#	827	851	866	898	929
90.6#	948	975	992	1029	1064
113.5#	1228	1263	1285	1333	1379
52.5#	\$ 582	\$ 597	\$ 610	\$ 631	\$ 652
60.1#	651	671	682	707	732
67.7#	700	722	734	762	788
75.3#	754	777	789	819	848
82.9#	808	830	846	876	906
90.5#	860	885	901	933	967
98.1#	964	992	1010	1046	1085
123.4#	1304	1341	1366	1416	1465
56.9#	\$ 619	\$ 637	\$ 648	\$ 673	\$ 695
65.0#	716	734	748	776	802
73.1#	777	797	812	843	871
81.2#	802	824	840	870	900
89.3#	859	885	900	933	964
97.4#	927	955	972	1008	1041
105.6#	1051	1082	1101	1142	1180
133.2#	1456	1498	1524	1580	1636

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	Segmented Open Panel - 40"H	24 x 40	USOR2440	☐	☐	☐	☐	☐	43.0#
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOR3040	☐	☐	☐	☐	☐	50.0#
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USOR3640	☐	☐	☐	☐	☐	57.0#
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 40	USOR4240	☐	☐	☐	☐	☐	64.0#
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOR4840	☐	☐	☐	☐	☐	70.0#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 40	USOR5440	☐	☐	☐	☐	☐	77.0#
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOR6040	☐	☐	☐	☐	☐	84.0#
	• 30-60" wide panels feature two power knockouts per side								
	• 24" wide panels feature one power knockout per side								
	• Electrical components are specified separately								
USFR	Segmented Open Panel - 48"H	24 x 48	USOR2448	☐	☐	☐	☐	☐	49.0#
		30 x 48	USOR3048	☐	☐	☐	☐	☐	56.0#
		36 x 48	USOR3648	☐	☐	☐	☐	☐	63.0#
		42 x 48	USOR4248	☐	☐	☐	☐	☐	70.0#
		48 x 48	USOR4848	☐	☐	☐	☐	☐	78.0#
		54 x 48	USOR5448	☐	☐	☐	☐	☐	85.0#
		60 x 48	USOR6048	☐	☐	☐	☐	☐	92.0#
USFR	Segmented Open Panel - 56"H	24 x 56	USOR2456	☐	☐	☐	☐	☐	53.0#
		30 x 56	USOR3056	☐	☐	☐	☐	☐	61.0#
		36 x 56	USOR3656	☐	☐	☐	☐	☐	68.0#
		42 x 56	USOR4256	☐	☐	☐	☐	☐	76.0#
		48 x 56	USOR4856	☐	☐	☐	☐	☐	84.0#
		54 x 56	USOR5456	☐	☐	☐	☐	☐	92.0#
		60 x 56	USOR6056	☐	☐	☐	☐	☐	100.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	MODEL	W x H							
	Segmented Open Panel - 64"H	24 x 64	USOR2464	☐	☐	☐	☐	☐	57.0#
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOR3064	☐	☐	☐	☐	☐	66.0#
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 64	USOR3664	☐	☐	☐	☐	☐	74.0#
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 64	USOR4264	☐	☐	☐	☐	☐	82.0#
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOR4864	☐	☐	☐	☐	☐	91.0#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 64	USOR5464	☐	☐	☐	☐	☐	99.0#
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOR6064	☐	☐	☐	☐	☐	107.0#
	• 30-60" wide panels feature two power knockouts per side								
	• 24" wide panels feature one power knockout per side								
	• Electrical components are specified separately								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|------------------------------|
| CP | - Chicago - with cutouts |
| DN | - Domestic - no cutouts |
| DP | - Domestic - with cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| D1 | - Domestic, 1 side w/cutouts |
- D** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- E** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 697	\$ 717	\$ 727	\$ 749	\$ 774
788	809	821	847	872
845	865	881	908	937
921	943	958	988	1017
952	965	983	1012	1043
992	1023	1032	1063	1097
1092	1142	1142	1177	1215

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
 USFL	MODEL	W x H					
	Segmented Open Panel - 40"H	24 x 40	USOL2440	☐	☐	☐	41.0#
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOL3040	☐	☐	☐	47.0#
	• Elevated base is non-powered and does not accept cable distribution	36 x 40	USOL3640	☐	☐	☐	53.0#
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 40	USOL4240	☐	☐	☐	59.0#
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOL4840	☐	☐	☐	65.0#
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 40	USOL5440	☐	☐	☐	71.0#
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOL6040	☐	☐	☐	77.0#
USFL	Segmented Open Panel - 48"H	24 x 48	USOL2448	☐	☐	☐	46.0#
		30 x 48	USOL3048	☐	☐	☐	53.0#
		36 x 48	USOL3648	☐	☐	☐	59.0#
		42 x 48	USOL4248	☐	☐	☐	66.0#
		48 x 48	USOL4848	☐	☐	☐	72.0#
		54 x 48	USOL5448	☐	☐	☐	78.5#
USFL	Segmented Open Panel - 56"H	24 x 56	USOL2456	☐	☐	☐	51.0#
		30 x 56	USOL3056	☐	☐	☐	58.0#
		36 x 56	USOL3656	☐	☐	☐	65.0#
		42 x 56	USOL4256	☐	☐	☐	72.0#
		48 x 56	USOL4856	☐	☐	☐	79.0#
		54 x 56	USOL5456	☐	☐	☐	86.0#
		60 x 56	USOL6056	☐	☐	☐	93.0#
			A	B	C	D	E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 605	\$ 618	\$ 628	\$ 646	\$ 666
658	675	684	684	726
691	706	719	741	763
769	786	798	822	845
787	805	819	845	870
835	855	871	898	926
933	956	974	1005	1037
\$ 639	\$ 654	\$ 664	\$ 686	\$ 706
694	712	723	743	766
729	747	759	783	806
824	842	855	880	905
840	860	874	901	929
890	912	928	957	987
992	1018	1036	1070	1104
\$ 661	\$ 678	\$ 688	\$ 710	\$ 730
726	743	755	755	802
769	787	800	825	850
874	894	908	936	962
889	909	925	954	984
922	945	961	992	1023
1009	1037	1054	1090	1124

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H						
 USFL	Segmented Open Panel - 64"H	24 x 64	USOL2464	☐	☐	☐	55.0#
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOL3064	☐	☐	☐	63.0#
	• Elevated base is non-powered and does not accept cable distribution	36 x 64	USOL3664	☐	☐	☐	70.0#
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 64	USOL4264	☐	☐	☐	78.0#
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOL4864	☐	☐	☐	85.0#
	• Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame	54 x 64	USOL5464	☐	☐	☐	92.5#
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOL6064	☐	☐	☐	100.0#
			A	B	C	D	E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#)
- D** Select fabric side 1.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
- E** Select fabric side 2.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 697	\$ 717	\$ 727	\$ 749	\$ 774
788	809	821	847	872
845	865	881	908	937
921	943	958	988	1017
952	965	983	1012	1043
992	1023	1032	1063	1097
1092	1142	1142	1177	1215

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	
 USFR	MODEL	W x H							
	Segmented Fabric Panel - 40"H	24 x 40	USGR2440	☐	☐	☐	☐	☐	46.5#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USGR3040	☐	☐	☐	☐	☐	53.2#
	• Upper segment features single piece of glass captured in frame	36 x 40	USGR3640	☐	☐	☐	☐	☐	60.0#
	• Upper frame finish matches trim	42 x 40	USGR4240	☐	☐	☐	☐	☐	66.8#
	• Standard base raceway on both sides accepts power and data cable distribution	48 x 40	USGR4840	☐	☐	☐	☐	☐	73.6#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGR5440	☐	☐	☐	☐	☐	80.4#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USGR6040	☐	☐	☐	☐	☐	87.2#
	• 30-72" wide panels feature two power knockouts per side	72 x 40	USGR7240	☐	☐	☐	☐	☐	105.8#
	• 24" wide panels feature one power knockout per side								
USFR	Segmented Fabric Panel - 48"H	24 x 48	USGR2448	☐	☐	☐	☐	☐	54.7#
		30 x 48	USGR3048	☐	☐	☐	☐	☐	62.6#
		36 x 48	USGR3648	☐	☐	☐	☐	☐	70.5#
		42 x 48	USGR4248	☐	☐	☐	☐	☐	78.5#
		48 x 48	USGR4848	☐	☐	☐	☐	☐	86.4#
		54 x 48	USGR5448	☐	☐	☐	☐	☐	94.3#
		60 x 48	USGR6048	☐	☐	☐	☐	☐	102.2#
		72 x 48	USGR7248	☐	☐	☐	☐	☐	124.3#
USFR	Segmented Fabric Panel - 56"H	24 x 56	USGR2456	☐	☐	☐	☐	☐	62.9#
		30 x 56	USGR3056	☐	☐	☐	☐	☐	71.9#
		36 x 56	USGR3656	☐	☐	☐	☐	☐	81.0#
		42 x 56	USGR4256	☐	☐	☐	☐	☐	90.1#
		48 x 56	USGR4856	☐	☐	☐	☐	☐	99.1#
		54 x 56	USGR5456	☐	☐	☐	☐	☐	108.1#
		60 x 56	USGR6056	☐	☐	☐	☐	☐	117.2#
		72 x 56	USGR7256	☐	☐	☐	☐	☐	142.9#
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)
N - No topcap

C Select electrical code.

CP - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select glass color.

GLA - Clear (std)
GLC - White laminate
GLV - Satin etch one side

See pricing column for glass upcharge.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES

With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

- A** Select basic model.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select glass color.
- GLA** - Clear (std)
GLC - White laminate
GLV - Satin etch one side
- See pricing column for glass upcharge.



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 703	\$ 749	\$ 793	\$ 840	\$ 872	\$ 63	\$ 135
780	830	880	930	964	63	135
830	884	936	989	1028	94	193
897	955	1012	1069	1111	125	255
951	1010	1072	1133	1176	152	309
987	1049	1113	1176	1221	165	325
1082	1151	1220	1290	1338	170	359
1397	1486	1576	1666	1730	202	421

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H							
	Segmented Fabric Panel - 40"H	24 x 40	USGL2440	☐	☐	☐	☐	☐	44.3#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USGL3040	☐	☐	☐	☐	☐	50.3#
	• Upper segment features single piece of glass captured in frame	36 x 40	USGL3640	☐	☐	☐	☐	☐	56.3#
	• Upper frame finish matches trim	42 x 40	USGL4240	☐	☐	☐	☐	☐	62.3#
	• Elevated base does not accept cable distribution	48 x 40	USGL4840	☐	☐	☐	☐	☐	68.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGL5440	☐	☐	☐	☐	☐	74.2#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 40	USGL6040	☐	☐	☐	☐	☐	80.2#
	• 72" wide panels feature split tiles	72 x 40	USGL7240	☐	☐	☐	☐	☐	97.2#
USFL									
USFL	Segmented Fabric Panel - 48"H	24 x 48	USGL2448	☐	☐	☐	☐	☐	52.5#
		30 x 48	USGL3048	☐	☐	☐	☐	☐	59.6#
		36 x 48	USGL3648	☐	☐	☐	☐	☐	66.7#
		42 x 48	USGL4248	☐	☐	☐	☐	☐	73.9#
		48 x 48	USGL4848	☐	☐	☐	☐	☐	81.0#
		54 x 48	USGL5448	☐	☐	☐	☐	☐	88.1#
		60 x 48	USGL6048	☐	☐	☐	☐	☐	95.2#
		72 x 48	USGL7248	☐	☐	☐	☐	☐	115.7#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USGL2456	☐	☐	☐	☐	☐	60.7#
		30 x 56	USGL3056	☐	☐	☐	☐	☐	68.9#
		36 x 56	USGL3656	☐	☐	☐	☐	☐	77.2#
		42 x 56	USGL4256	☐	☐	☐	☐	☐	85.5#
		48 x 56	USGL4856	☐	☐	☐	☐	☐	93.8#
		54 x 56	USGL5456	☐	☐	☐	☐	☐	102.0#
		60 x 56	USGL6056	☐	☐	☐	☐	☐	110.3#
		72 x 56	USGL7256	☐	☐	☐	☐	☐	134.3#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select glass color.

GLA - Clear (std)

GLC - White laminate

GLV - Satin etch one side

See pricing column for glass upcharge.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 614	\$ 652	\$ 692	\$ 731	\$ 759	\$ 45	\$ 91
672	716	757	801	831	45	91
724	771	817	863	897	45	91
776	824	874	924	959	45	91
824	877	930	984	1020	57	114
860	914	970	1025	1064	57	114
947	1006	1067	1127	1171	57	114
1240	1319	1399	1478	1536	57	114
\$ 639	\$ 680	\$ 722	\$ 762	\$ 790	\$ 45	\$ 91
696	741	786	831	862	45	91
750	799	847	895	930	45	91
808	859	911	962	1000	54	108
858	913	967	1025	1063	63	135
896	954	1011	1069	1110	70	145
988	1052	1114	1177	1223	80	164
1289	1371	1454	1537	1595	94	193
\$ 668	\$ 710	\$ 752	\$ 795	\$ 827	\$ 63	\$ 135
728	775	821	868	901	63	135
787	837	889	939	975	63	135
851	904	959	1015	1054	63	135
902	960	1019	1075	1118	94	193
936	998	1059	1119	1162	106	220
1030	1096	1163	1229	1276	125	255
1338	1423	1510	1595	1657	152	309

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	
 USFL	MODEL	W x H							
	Segmented Fabric Panel - 64"H	24 x 64	USGL2464	☐	☐	☐	☐	☐	68.9#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USGL3064	☐	☐	☐	☐	☐	78.3#
	• Upper segment features single piece of glass captured in frame	36 x 64	USGL3664	☐	☐	☐	☐	☐	87.7#
	• Upper frame finish matches trim	42 x 64	USGL4264	☐	☐	☐	☐	☐	97.1#
	• Elevated base does not accept cable distribution	48 x 64	USGL4864	☐	☐	☐	☐	☐	106.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USGL5464	☐	☐	☐	☐	☐	115.9#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 64	USGL6064	☐	☐	☐	☐	☐	125.3#
	• 72" wide panels feature split tiles	72 x 64	USGL7264	☐	☐	☐	☐	☐	152.9#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear (std) |
| GLC | - White laminate |
| GLV | - Satin etch one side |
- See pricing column for glass upcharge.
- E** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Glass Top

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 703	\$ 749	\$ 793	\$ 840	\$ 872	\$ 63	\$ 135
780	830	880	930	964	63	135
830	884	936	989	1028	94	193
897	955	1012	1069	1111	125	255
951	1010	1072	1133	1176	152	309
987	1049	1113	1176	1221	165	325
1082	1151	1220	1290	1338	170	359
1397	1486	1576	1666	1730	202	421

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
MODEL			W x H							
 USFT	Segmented Fabric Panel - 40"H - Side 1: tile to floor base does not accept cable distribution - Side 2: standard base raceway accepts power and data cable distribution - Lower segment includes fabric tiles for both sides,specified separately - Upper segment features single piece of glass captured in frame - Upper frame finish matches trim includes segmented fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72" wide panels feature two power knockouts - Side 2: 24" wide tiles feature one base power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	USGT2440	☐	☐	☐	☐	☐	☐	45.5#
		30 x 40	USGT3040	☐	☐	☐	☐	☐	☐	51.9#
		36 x 40	USGT3640	☐	☐	☐	☐	☐	☐	58.4#
		42 x 40	USGT4240	☐	☐	☐	☐	☐	☐	64.9#
		48 x 40	USGT4840	☐	☐	☐	☐	☐	☐	71.4#
		54 x 40	USGT5440	☐	☐	☐	☐	☐	☐	77.9#
		60 x 40	USGT6040	☐	☐	☐	☐	☐	☐	84.4#
		72 x 40	USGT7240	☐	☐	☐	☐	☐	☐	102.4#
USFT	Segmented Fabric Panel - 48"H	24 x 48	USGT2448	☐	☐	☐	☐	☐	☐	53.7#
		30 x 48	USGT3048	☐	☐	☐	☐	☐	☐	61.3#
		36 x 48	USGT3648	☐	☐	☐	☐	☐	☐	68.9#
		42 x 48	USGT4248	☐	☐	☐	☐	☐	☐	76.6#
		48 x 48	USGT4848	☐	☐	☐	☐	☐	☐	84.2#
		54 x 48	USGT5448	☐	☐	☐	☐	☐	☐	91.8#
		60 x 48	USGT6048	☐	☐	☐	☐	☐	☐	99.4#
		72 x 48	USGT7248	☐	☐	☐	☐	☐	☐	121.0#
USFT	Segmented Fabric Panel - 56"H	24 x 56	USGT2456	☐	☐	☐	☐	☐	☐	61.9#
		30 x 56	USGT3056	☐	☐	☐	☐	☐	☐	70.6#
		36 x 56	USGT3656	☐	☐	☐	☐	☐	☐	79.4#
		42 x 56	USGT4256	☐	☐	☐	☐	☐	☐	88.2#
		48 x 56	USGT4856	☐	☐	☐	☐	☐	☐	96.9#
		54 x 56	USGT5456	☐	☐	☐	☐	☐	☐	105.7#
		60 x 56	USGT6056	☐	☐	☐	☐	☐	☐	114.5#
		72 x 56	USGT7256	☐	☐	☐	☐	☐	☐	139.5#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select glass color.

GLA - Clear (std)

GLC - White laminate

GLV - Satin etch one side

See pricing column for glass upcharge.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES

With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB1R2448	☐	☐	☐	☐	☐	46.2#
	• Side 1: includes segmented tiles with identically specified fabric lower and upper segments	30 x 48	USMB1R3048	☐	☐	☐	☐	☐	52.7#
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment	36 x 48	USMB1R3648	☐	☐	☐	☐	☐	59.1#
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB1R4248	☐	☐	☐	☐	☐	68.7#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB1R4848	☐	☐	☐	☐	☐	72.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB1R5448	☐	☐	☐	☐	☐	80.0#
	• Side 1 and side 2 finishes are specified separately	60 x 48	USMB1R6048	☐	☐	☐	☐	☐	85.2#
	• Upper and lower fabric finishes on side 1 must be identically specified	72 x 48	USMB1R7248	☐	☐	☐	☐	☐	106.3#
	• 30-72" wide panels feature two power knockouts per side								
	• 24" wide panels feature one power knockout per side								
	• 72" wide panels feature split tiles								
	• Electrical components are specified separately								
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB1R2456	☐	☐	☐	☐	☐	51.0#
		30 x 56	USMB1R3056	☐	☐	☐	☐	☐	58.1#
		36 x 56	USMB1R3656	☐	☐	☐	☐	☐	65.2#
		42 x 56	USMB1R4256	☐	☐	☐	☐	☐	73.4#
		48 x 56	USMB1R4856	☐	☐	☐	☐	☐	79.6#
		54 x 56	USMB1R5456	☐	☐	☐	☐	☐	86.8#
		60 x 56	USMB1R6056	☐	☐	☐	☐	☐	94.0#
		72 x 56	USMB1R7256	☐	☐	☐	☐	☐	118.1#
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB1R2464	☐	☐	☐	☐	☐	55.7#
		30 x 64	USMB1R3064	☐	☐	☐	☐	☐	63.5#
		36 x 64	USMB1R3664	☐	☐	☐	☐	☐	71.4#
		42 x 64	USMB1R4264	☐	☐	☐	☐	☐	80.1#
		48 x 64	USMB1R4864	☐	☐	☐	☐	☐	87.1#
		54 x 64	USMB1R5464	☐	☐	☐	☐	☐	94.9#
		60 x 64	USMB1R6064	☐	☐	☐	☐	☐	102.7#
		72 x 64	USMB1R7264	☐	☐	☐	☐	☐	129.1#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base

		MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
 USFL	Segmented Fabric Panel - 48"H	24 x 48	USMB1L2448	☐	☐	☐	44.0#
	• Side 1: includes segmented tiles with identically specified fabric lower and upper segments	30 x 48	USMB1L3048	☐	☐	☐	49.7#
	• Side 2: includes segmented tiles with fabric lower segments and steel markerboard upper segments	36 x 48	USMB1L3648	☐	☐	☐	55.4#
	• Elevated base does not accept cable distribution	42 x 48	USMB1L4248	☐	☐	☐	64.1#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB1L4848	☐	☐	☐	66.8#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	54 x 48	USMB1L5448	☐	☐	☐	72.5#
	• Side 1 and side 2 finishes are specified separately	60 x 48	USMB1L6048	☐	☐	☐	78.2#
	• 72" wide panels feature split tiles	72 x 48	USMB1L7248	☐	☐	☐	97.8#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USMB1L2456	☐	☐	☐	48.8#
		30 x 56	USMB1L3056	☐	☐	☐	55.1#
		36 x 56	USMB1L3656	☐	☐	☐	61.5#
		42 x 56	USMB1L4256	☐	☐	☐	68.8#
		48 x 56	USMB1L4856	☐	☐	☐	74.3#
		54 x 56	USMB1L5456	☐	☐	☐	80.6#
		60 x 56	USMB1L6056	☐	☐	☐	87.0#
		72 x 56	USMB1L7256	☐	☐	☐	109.5#
USFL	Segmented Fabric Panel - 64"H	24 x 64	USMB1L2464	☐	☐	☐	53.5#
		30 x 64	USMB1L3064	☐	☐	☐	60.5#
		36 x 64	USMB1L3664	☐	☐	☐	67.6#
		42 x 64	USMB1L4264	☐	☐	☐	75.6#
		48 x 64	USMB1L4864	☐	☐	☐	81.7#
		54 x 64	USMB1L5464	☐	☐	☐	88.7#
		60 x 64	USMB1L6064	☐	☐	☐	95.8#
		72 x 64	USMB1L7264	☐	☐	☐	121.3#

A**B****C****D****E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 512	\$ 544	\$ 577	\$ 611	\$ 634
580	618	654	692	720
622	662	701	743	771
689	733	778	822	853
724	771	817	863	896
810	862	914	965	1002
943	1004	1065	1125	1168
1149	1223	1297	1371	1423
\$ 573	\$ 610	\$ 646	\$ 683	\$ 710
632	673	713	754	783
679	723	766	810	842
736	785	832	879	914
844	897	951	1005	1043
963	1074	1085	1148	1191
1139	1211	1284	1360	1410
1255	1335	1416	1496	1553
\$ 596	\$ 637	\$ 675	\$ 713	\$ 740
696	741	786	831	863
750	799	847	895	930
791	844	894	946	982
873	930	986	1042	1083
999	1063	1127	1192	1238
1183	1260	1336	1412	1467
1399	1488	1579	1670	1732

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
 tory. Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFT	Segmented Fabric Panel - 48"H	24 x 48	USMB1T2448	☐	☐	☐	☐	☐	45.2#
	• Side 1: includes tile-to-floor segmented tile with identically specified fabric upper and lower segments	30 x 48	USMB1T3048	☐	☐	☐	☐	☐	51.3#
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment; standard base raceway accepts power and data cable distribution	36 x 48	USMB1T3648	☐	☐	☐	☐	☐	57.6#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 48	USMB1T4248	☐	☐	☐	☐	☐	66.8#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	48 x 48	USMB1T4848	☐	☐	☐	☐	☐	70.0#
	• Side 1 and side 2 finishes are specified separately	54 x 48	USMB1T5448	☐	☐	☐	☐	☐	76.2#
	• Upper and lower fabric finishes on side 1 must be identically specified	60 x 48	USMB1T6048	☐	☐	☐	☐	☐	82.4#
	• Side 2: 30-72" wide tiles feature two power knockouts	72 x 48	USMB1T7248	☐	☐	☐	☐	☐	103.0#
	• Side 2: 24" wide tiles feature one power knockout								
	• All 72" wide panels feature split tiles								
	• Electrical components are specified separately								
USFT	Segmented Fabric Panel - 56"H	24 x 56	USMB1T2456	☐	☐	☐	☐	☐	49.9#
		30 x 56	USMB1T3056	☐	☐	☐	☐	☐	56.8#
		36 x 56	USMB1T3656	☐	☐	☐	☐	☐	63.6#
		42 x 56	USMB1T4256	☐	☐	☐	☐	☐	71.5#
		48 x 56	USMB1T4856	☐	☐	☐	☐	☐	77.4#
		54 x 56	USMB1T5456	☐	☐	☐	☐	☐	85.3#
		60 x 56	USMB1T6056	☐	☐	☐	☐	☐	91.2#
		72 x 56	USMB1T7256	☐	☐	☐	☐	☐	114.7#
USFT	Segmented Fabric Panel - 64"H	24 x 64	USMB1T2464	☐	☐	☐	☐	☐	54.7#
		30 x 64	USMB1T3064	☐	☐	☐	☐	☐	62.2#
		36 x 64	USMB1T3664	☐	☐	☐	☐	☐	69.7#
		42 x 64	USMB1T4264	☐	☐	☐	☐	☐	78.2#
		48 x 64	USMB1T4864	☐	☐	☐	☐	☐	84.9#
		54 x 64	USMB1T5464	☐	☐	☐	☐	☐	92.4#
		60 x 64	USMB1T6064	☐	☐	☐	☐	☐	100.0#
		72 x 64	USMB1T7264	☐	☐	☐	☐	☐	126.5#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
tory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB2R2448	☐	☐	☐	☐	☐	48.2#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2R3048	☐	☐	☐	☐	☐	55.0#
	• Upper segments both feature steel markerboard	36 x 48	USMB2R3648	☐	☐	☐	☐	☐	61.9#
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB2R4248	☐	☐	☐	☐	☐	68.9#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2R4848	☐	☐	☐	☐	☐	75.8#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB2R5448	☐	☐	☐	☐	☐	82.7#
	• 30-72" wide panels feature two power knockouts per side	60 x 48	USMB2R6048	☐	☐	☐	☐	☐	89.6#
	• 24" wide panels feature one power knockout per side	72 x 48	USMB2R7248	☐	☐	☐	☐	☐	111.9#
	• 72" wide panels feature split tiles								
	• Electrical components are specified separately								
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB2R2456	☐	☐	☐	☐	☐	53.4#
		30 x 56	USMB2R3056	☐	☐	☐	☐	☐	61.0#
		36 x 56	USMB2R3656	☐	☐	☐	☐	☐	68.7#
		42 x 56	USMB2R4256	☐	☐	☐	☐	☐	76.5#
		48 x 56	USMB2R4856	☐	☐	☐	☐	☐	84.2#
		54 x 56	USMB2R5456	☐	☐	☐	☐	☐	91.9#
		60 x 56	USMB2R6056	☐	☐	☐	☐	☐	99.6#
		72 x 56	USMB2R7256	☐	☐	☐	☐	☐	125.0#
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB2R2464	☐	☐	☐	☐	☐	58.5#
		30 x 64	USMB2R3064	☐	☐	☐	☐	☐	66.9#
		36 x 64	USMB2R3664	☐	☐	☐	☐	☐	75.5#
		42x 64	USMB2R4264	☐	☐	☐	☐	☐	84.0#
		48 x 64	USMB2R4864	☐	☐	☐	☐	☐	92.6#
		54 x 64	USMB2R5464	☐	☐	☐	☐	☐	101.1#
		60 x 64	USMB2R6064	☐	☐	☐	☐	☐	109.6#
		72 x 64	USMB2R7264	☐	☐	☐	☐	☐	138.1#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
tory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H						
	Segmented Fabric Panel - 48"H	24 x 48	USMB2L2448	☐	☐	☐	☐	46.0#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2L3048	☐	☐	☐	☐	52.1#
	• Upper segments both feature steel markerboard	36 x 48	USMB2L3648	☐	☐	☐	☐	58.2#
	• Elevated base does not accept cable distribution	42 x 48	USMB2L4248	☐	☐	☐	☐	64.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2L4848	☐	☐	☐	☐	70.4#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	54 x 48	USMB2L5448	☐	☐	☐	☐	76.5#
	• 72" wide panels feature split tiles	60 x 48	USMB2L6048	☐	☐	☐	☐	82.6#
		72 x 48	USMB2L7248	☐	☐	☐	☐	103.3#
USFL								
USFL	Segmented Fabric Panel - 56"H	24 x 56	USMB2L2456	☐	☐	☐	☐	51.1#
		30 x 56	USMB2L3056	☐	☐	☐	☐	58.0#
		36 x 56	USMB2L3656	☐	☐	☐	☐	64.9#
		42 x 56	USMB2L4256	☐	☐	☐	☐	71.9#
		48 x 56	USMB2L4856	☐	☐	☐	☐	78.8#
		54 x 56	USMB2L5456	☐	☐	☐	☐	85.7#
		60 x 56	USMB2L6056	☐	☐	☐	☐	92.6#
		72 x 56	USMB2L7256	☐	☐	☐	☐	116.4#
USFL	Segmented Fabric Panel - 64"H	24 x 64	USMB2L2464	☐	☐	☐	☐	56.3#
		30 x 64	USMB2L3064	☐	☐	☐	☐	64.0#
		36 x 64	USMB2L3664	☐	☐	☐	☐	71.7#
		42x 64	USMB2L4264	☐	☐	☐	☐	79.5#
		48 x 64	USMB2L4864	☐	☐	☐	☐	87.2#
		54 x 64	USMB2L5464	☐	☐	☐	☐	94.9#
		60 x 64	USMB2L6064	☐	☐	☐	☐	102.7#
		72 x 64	USMB2L7264	☐	☐	☐	☐	129.6#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Elevated Base

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
tory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

			MODEL NUMBER							
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USFPR2440	☐	☐	☐	☐	☐	☐	46.5#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPR3040	☐	☐	☐	☐	☐	☐	53.2#
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPR3640	☐	☐	☐	☐	☐	☐	60.0#
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPR4240	☐	☐	☐	☐	☐	☐	66.8#
	• Upper frame finish matches trim	48 x 40	USFPR4840	☐	☐	☐	☐	☐	☐	73.6#
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USFPR5440	☐	☐	☐	☐	☐	☐	80.4#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPR6040	☐	☐	☐	☐	☐	☐	87.2#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USFPR7240	☐	☐	☐	☐	☐	☐	105.8#
	• 30-72" wide panels feature two power knockouts per side									
	• 24" wide panels feature one power knockout per side									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFPR2448	☐	☐	☐	☐	☐	☐	54.7#
		30 x 48	USFPR3048	☐	☐	☐	☐	☐	☐	62.6#
		36 x 48	USFPR3648	☐	☐	☐	☐	☐	☐	70.5#
		42 x 48	USFPR4248	☐	☐	☐	☐	☐	☐	78.5#
		48 x 48	USFPR4848	☐	☐	☐	☐	☐	☐	86.4#
		54 x 48	USFPR5448	☐	☐	☐	☐	☐	☐	94.3#
		60 x 48	USFPR6048	☐	☐	☐	☐	☐	☐	102.2#
		72 x 48	USFPR7248	☐	☐	☐	☐	☐	☐	124.3#
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFPR2456	☐	☐	☐	☐	☐	☐	62.9#
		30 x 56	USFPR3056	☐	☐	☐	☐	☐	☐	71.9#
		36 x 56	USFPR3656	☐	☐	☐	☐	☐	☐	81.0#
		42 x 56	USFPR4256	☐	☐	☐	☐	☐	☐	90.1#
		48 x 56	USFPR4856	☐	☐	☐	☐	☐	☐	99.1#
		54 x 56	USFPR5456	☐	☐	☐	☐	☐	☐	108.1#
		60 x 56	USFPR6056	☐	☐	☐	☐	☐	☐	117.2#
		72 x 56	USFPR7256	☐	☐	☐	☐	☐	☐	142.9#
			A	B	C	D	E	F	G	

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim and frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select perforated steel paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	
 USFL	MODEL	W x H							
	Segmented Fabric Panel - 40"H	24 x 40	USFPL2440	☐	☐	☐	☐	☐	44.3#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPL3040	☐	☐	☐	☐	☐	50.3#
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPL3640	☐	☐	☐	☐	☐	56.3#
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPL4240	☐	☐	☐	☐	☐	62.3#
	• Upper frame finish matches trim	48 x 40	USFPL4840	☐	☐	☐	☐	☐	68.3#
	• Elevated base does not accept cable distribution	54 x 40	USFPL5440	☐	☐	☐	☐	☐	74.2#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPL6040	☐	☐	☐	☐	☐	80.2#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USFPL7240	☐	☐	☐	☐	☐	97.2#
	• 72" wide panels feature split tiles								
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFPL2448	☐	☐	☐	☐	☐	52.5#
		30 x 48	USFPL3048	☐	☐	☐	☐	☐	59.6#
		36 x 48	USFPL3648	☐	☐	☐	☐	☐	66.7#
		42 x 48	USFPL4248	☐	☐	☐	☐	☐	73.9#
		48 x 48	USFPL4848	☐	☐	☐	☐	☐	81.0#
		54 x 48	USFPL5448	☐	☐	☐	☐	☐	88.1#
		60 x 48	USFPL6048	☐	☐	☐	☐	☐	95.2#
USFL	Segmented Fabric Panel - 56"H	72 x 48	USFPL7248	☐	☐	☐	☐	☐	115.7#
		24 x 56	USFPL2456	☐	☐	☐	☐	☐	60.7#
		30 x 56	USFPL3056	☐	☐	☐	☐	☐	68.9#
		36 x 56	USFPL3656	☐	☐	☐	☐	☐	77.2#
		42 x 56	USFPL4256	☐	☐	☐	☐	☐	85.5#
		48 x 56	USFPL4856	☐	☐	☐	☐	☐	93.8#
		54 x 56	USFPL5456	☐	☐	☐	☐	☐	102.0#
		60 x 56	USFPL6056	☐	☐	☐	☐	☐	110.3#
		72 x 56	USFPL7256	☐	☐	☐	☐	☐	134.3#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim and frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select perforated steel paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 642	\$ 683	\$ 725	\$ 766	\$ 794
703	750	794	840	872
792	844	895	946	983
845	899	953	1006	1045
900	957	1016	1073	1115
943	1004	1064	1125	1169
1042	1110	1176	1244	1292
1366	1454	1541	1628	1690
\$ 691	\$ 735	\$ 780	\$ 824	\$ 856
759	808	857	904	940
844	897	952	1005	1044
897	954	1010	1069	1110
986	1049	1112	1175	1221
1034	1100	1167	1233	1281
1144	1216	1292	1365	1417
1464	1558	1651	1746	1814
\$ 743	\$ 789	\$ 837	\$ 886	\$ 920
815	867	920	972	1008
911	969	1028	1086	1127
973	1035	1096	1159	1204
1028	1093	1159	1225	1272
1103	1173	1244	1314	1365
1243	1324	1404	1482	1540
1570	1672	1772	1873	1944

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
 tory. Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	
 USFL	MODEL	W x H							
	Segmented Fabric Panel - 64"H	24 x 64	USFPL2464	☐	☐	☐	☐	☐	68.9#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USFPL3064	☐	☐	☐	☐	☐	78.3#
	• Upper segment features single piece of perforated steel captured in frame	36 x 64	USFPL3664	☐	☐	☐	☐	☐	87.7#
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 64	USFPL4264	☐	☐	☐	☐	☐	97.1#
	• Upper frame finish matches trim	48 x 64	USFPL4864	☐	☐	☐	☐	☐	106.5#
	• Elevated base does not accept cable distribution	54 x 64	USFPL5464	☐	☐	☐	☐	☐	169.1#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USFPL6064	☐	☐	☐	☐	☐	125.3#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USFPL7264	☐	☐	☐	☐	☐	152.9#
	• 72" wide panels feature split tiles								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select trim and frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select perforated steel paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 824	\$ 878	\$ 931	\$ 984	\$ 1021
932	991	1051	1111	1154
1041	1109	1175	1243	1291
1104	1174	1245	1317	1368
1166	1240	1315	1389	1445
1284	1367	1450	1531	1591
1479	1575	1671	1764	1832
1803	1921	2035	2152	2234

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER									
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
 USFT	Segmented Fabric Panel - 40"H - Side 1: tile-to-floor base does not accept cable distribution - Side 2: standard base raceway accepts power and cable distribution - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 2: 30-72" wide tiles feature two power knockouts - Side 2: 24" wide tiles feature one base power knockout 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	USFPT2440	☐	☐	☐	☐	☐	☐	☐	45.5#	
		30 x 40	USFPT3040	☐	☐	☐	☐	☐	☐	☐	☐	51.9#
		36 x 40	USFPT3640	☐	☐	☐	☐	☐	☐	☐	☐	58.4#
		42 x 40	USFPT4240	☐	☐	☐	☐	☐	☐	☐	☐	64.9#
		48 x 40	USFPT4840	☐	☐	☐	☐	☐	☐	☐	☐	71.4#
		54 x 40	USFPT5440	☐	☐	☐	☐	☐	☐	☐	☐	77.9#
		60 x 40	USFPT6040	☐	☐	☐	☐	☐	☐	☐	☐	84.4#
		72 x 40	USFPT7240	☐	☐	☐	☐	☐	☐	☐	☐	102.4#
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFPT2448	☐	☐	☐	☐	☐	☐	☐	53.7#	
		30 x 48	USFPT3048	☐	☐	☐	☐	☐	☐	☐	61.3#	
		36 x 48	USFPT3648	☐	☐	☐	☐	☐	☐	☐	68.9#	
		42 x 48	USFPT4248	☐	☐	☐	☐	☐	☐	☐	76.6#	
		48 x 48	USFPT4848	☐	☐	☐	☐	☐	☐	☐	84.2#	
		54 x 48	USFPT5448	☐	☐	☐	☐	☐	☐	☐	91.8#	
		60 x 48	USFPT6048	☐	☐	☐	☐	☐	☐	☐	99.4#	
		72 x 48	USFPT7248	☐	☐	☐	☐	☐	☐	☐	121.0#	
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFPT2456	☐	☐	☐	☐	☐	☐	☐	61.9#	
		30 x 56	USFPT3056	☐	☐	☐	☐	☐	☐	☐	70.6#	
		36 x 56	USFPT3656	☐	☐	☐	☐	☐	☐	☐	79.4#	
		42 x 56	USFPT4256	☐	☐	☐	☐	☐	☐	☐	88.2#	
		48 x 56	USFPT4856	☐	☐	☐	☐	☐	☐	☐	96.9#	
		54 x 56	USFPT5456	☐	☐	☐	☐	☐	☐	☐	105.7#	
		60 x 56	USFPT6056	☐	☐	☐	☐	☐	☐	☐	114.5#	
		72 x 56	USFPT7256	☐	☐	☐	☐	☐	☐	☐	139.5#	
			A	B	C	D	E	F	G			

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim and frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select perforated steel paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES

With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 fac-
tory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USSW1R2440	☐	☐	☐	☐	☐	☐	42.8#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW1R3040	☐	☐	☐	☐	☐	☐	49.0#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 40	USSW1R3640	☐	☐	☐	☐	☐	☐	55.3#
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW1R4240	☐	☐	☐	☐	☐	☐	61.7#
	• Slatwall paint finish is specified	48 x 40	USSW1R4840	☐	☐	☐	☐	☐	☐	68.0#
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USSW1R5440	☐	☐	☐	☐	☐	☐	74.3#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1R6040	☐	☐	☐	☐	☐	☐	80.6#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USSW1R7240	☐	☐	☐	☐	☐	☐	99.1#
	• 30-72" wide panels feature two power knockouts per side									
	• 24" wide panels feature one power knockout per side									
USFR	Segmented Fabric Panel - 48"H	24 x 48	USSW1R2448	☐	☐	☐	☐	☐	☐	47.4#
		30 x 48	USSW1R3048	☐	☐	☐	☐	☐	☐	54.1#
		36 x 48	USSW1R3648	☐	☐	☐	☐	☐	☐	60.9#
		42 x 48	USSW1R4248	☐	☐	☐	☐	☐	☐	67.8#
		48 x 48	USSW1R4848	☐	☐	☐	☐	☐	☐	74.7#
		54 x 48	USSW1R5448	☐	☐	☐	☐	☐	☐	81.5#
		60 x 48	USSW1R6048	☐	☐	☐	☐	☐	☐	88.4#
		72 x 48	USSW1R7248	☐	☐	☐	☐	☐	☐	109.9#
USFR	Segmented Fabric Panel - 56"H	24 x 56	USSW1R2456	☐	☐	☐	☐	☐	☐	52.2#
		30 x 56	USSW1R3056	☐	☐	☐	☐	☐	☐	59.5#
		36 x 56	USSW1R3656	☐	☐	☐	☐	☐	☐	66.8#
		42 x 56	USSW1R4256	☐	☐	☐	☐	☐	☐	74.2#
		48 x 56	USSW1R4856	☐	☐	☐	☐	☐	☐	81.6#
		54 x 56	USSW1R5456	☐	☐	☐	☐	☐	☐	89.0#
		60 x 56	USSW1R6056	☐	☐	☐	☐	☐	☐	96.4#
		72 x 56	USSW1R7256	☐	☐	☐	☐	☐	☐	121.3#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFR	MODEL	W x H								
	Segmented Fabric Panel - 64"H	24 x 64	USSW1R2464	☐	☐	☐	☐	☐	☐	56.5#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW1R3064	☐	☐	☐	☐	☐	☐	64.3#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 64	USSW1R3664	☐	☐	☐	☐	☐	☐	72.2#
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW1R4264	☐	☐	☐	☐	☐	☐	80.2#
	• Slatwall paint finish is specified	48 x 64	USSW1R4864	☐	☐	☐	☐	☐	☐	88.1#
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 64	USSW1R5464	☐	☐	☐	☐	☐	☐	96.0#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1R6064	☐	☐	☐	☐	☐	☐	103.9#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1R7264	☐	☐	☐	☐	☐	☐	131.7#
	• 30-72" wide panels feature two power knockouts per side									
	• 24" wide panels feature one power knockout per side									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

C1 - Chicago, 1 side w/cutouts

D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFL	Segmented Fabric Panel - 40"H	24 x 40	USSW1L2440	☐	☐	☐	☐	☐	40.6#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW1L3040	☐	☐	☐	☐	☐	46.1#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 40	USSW1L3640	☐	☐	☐	☐	☐	51.6#
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW1L4240	☐	☐	☐	☐	☐	57.1#
	• Slatwall paint finish is specified	48 x 40	USSW1L4840	☐	☐	☐	☐	☐	62.7#
	• Elevated base does not accept cable distribution	54 x 40	USSW1L5440	☐	☐	☐	☐	☐	68.2#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1L6040	☐	☐	☐	☐	☐	73.7#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USSW1L7240	☐	☐	☐	☐	☐	90.5#
	• 72" wide panels feature split tiles								
USFL	Segmented Fabric Panel - 48"H	24 x 48	USSW1L2448	☐	☐	☐	☐	☐	45.1#
		30 x 48	USSW1L3048	☐	☐	☐	☐	☐	51.2#
		36 x 48	USSW1L3648	☐	☐	☐	☐	☐	57.2#
		42 x 48	USSW1L4248	☐	☐	☐	☐	☐	63.3#
		48 x 48	USSW1L4848	☐	☐	☐	☐	☐	69.3#
		54 x 48	USSW1L5448	☐	☐	☐	☐	☐	75.3#
		60 x 48	USSW1L6048	☐	☐	☐	☐	☐	81.4#
		72 x 48	USSW1L7248	☐	☐	☐	☐	☐	101.4#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USSW1L2456	☐	☐	☐	☐	☐	50.0#
		30 x 56	USSW1L3056	☐	☐	☐	☐	☐	56.5#
		36 x 56	USSW1L3656	☐	☐	☐	☐	☐	63.1#
		42 x 56	USSW1L4256	☐	☐	☐	☐	☐	69.7#
		48 x 56	USSW1L4856	☐	☐	☐	☐	☐	76.3#
		54 x 56	USSW1L5456	☐	☐	☐	☐	☐	82.8#
		60 x 56	USSW1L6056	☐	☐	☐	☐	☐	89.4#
		72 x 56	USSW1L7256	☐	☐	☐	☐	☐	112.7#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 510	\$ 542	\$ 575	\$ 609	\$ 631
571	609	645	681	707
620	660	699	740	769
684	728	773	816	847
713	758	804	850	884
753	802	850	899	934
838	893	947	1001	1039
1144	1216	1291	1365	1417
\$ 576	\$ 613	\$ 649	\$ 687	\$ 714
646	688	729	771	799
702	748	792	837	870
784	833	886	934	970
810	861	913	964	1002
850	904	959	1012	1052
941	1001	1062	1121	1165
1300	1382	1467	1550	1609
\$ 612	\$ 650	\$ 690	\$ 729	\$ 757
685	729	774	818	849
747	793	843	891	925
840	894	949	1002	1041
869	925	982	1036	1075
899	956	1015	1072	1113
983	1044	1108	1171	1216
1386	1476	1565	1653	1717

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFL	MODEL	W x H							
	Segmented Fabric Panel - 64"H	24 x 64	USSW1L2464	☐	☐	☐	☐	☐	54.3#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW1L3064	☐	☐	☐	☐	☐	61.4#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 64	USSW1L3664	☐	☐	☐	☐	☐	68.5#
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW1L4264	☐	☐	☐	☐	☐	75.6#
	• Slatwall paint finish is specified	48 x 64	USSW1L4864	☐	☐	☐	☐	☐	82.7#
	• Elevated base does not accept cable distribution	54 x 64	USSW1L5464	☐	☐	☐	☐	☐	89.9#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1L6064	☐	☐	☐	☐	☐	96.9#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	66 x 64							
	• 72" wide panels feature split tiles	72 x 64	USSW1L7264	☐	☐	☐	☐	☐	123.1#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 640	\$ 680	\$ 722	\$ 764	\$ 791
733	780	828	874	907
809	861	913	963	1002
892	950	1006	1064	1105
924	984	1041	1101	1144
953	1014	1075	1137	1181
1039	1105	1172	1240	1288
1510	1606	1704	1800	1870

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFT	Segmented Fabric Panel - 40"H	24 x 40	USSW1T2440	☐	☐	☐	☐	☐	☐	41.8#
	• Side 1: tile to floor base does not accept cable distribution	30 x 40	USSW1T3040	☐	☐	☐	☐	☐	☐	47.7#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USSW1T3640	☐	☐	☐	☐	☐	☐	53.7#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	42 x 40	USSW1T4240	☐	☐	☐	☐	☐	☐	59.8#
	• Upper and lower fabric segments on each side must be identically specified	48 x 40	USSW1T4840	☐	☐	☐	☐	☐	☐	65.8#
	• Slatwall paint finish is specified	54 x 40	USSW1T5440	☐	☐	☐	☐	☐	☐	71.8#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1T6040	☐	☐	☐	☐	☐	☐	77.9#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USSW1T7240	☐	☐	☐	☐	☐	☐	95.7#
	• Side 2: 30-72" wide panels feature two power knockouts									
	• Side 2: 24" wide tiles feature one power knockout									
USFT	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
USFT	Segmented Fabric Panel - 48"H	24 x 48	USSW1T2448	☐	☐	☐	☐	☐	☐	46.3#
		30 x 48	USSW1T3048	☐	☐	☐	☐	☐	☐	52.8#
		36 x 48	USSW1T3648	☐	☐	☐	☐	☐	☐	59.3#
		42 x 48	USSW1T4248	☐	☐	☐	☐	☐	☐	65.9#
		48 x 48	USSW1T4848	☐	☐	☐	☐	☐	☐	72.5#
		54 x 48	USSW1T5448	☐	☐	☐	☐	☐	☐	79.0#
		60 x 48	USSW1T6048	☐	☐	☐	☐	☐	☐	85.6#
		72 x 48	USSW1T7248	☐	☐	☐	☐	☐	☐	106.6#
USFT	Segmented Fabric Panel - 56"H	24 x 56	USSW1T2456	☐	☐	☐	☐	☐	☐	51.1#
		30 x 56	USSW1T3056	☐	☐	☐	☐	☐	☐	58.2#
		36 x 56	USSW1T3656	☐	☐	☐	☐	☐	☐	65.2#
		42 x 56	USSW1T4256	☐	☐	☐	☐	☐	☐	72.3#
		48 x 56	USSW1T4856	☐	☐	☐	☐	☐	☐	79.4#
		54 x 56	USSW1T5456	☐	☐	☐	☐	☐	☐	86.5#
		60 x 56	USSW1T6056	☐	☐	☐	☐	☐	☐	93.6#
		72 x 56	USSW1T7256	☐	☐	☐	☐	☐	☐	117.9#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Tile-to-Floor One Side; Standard Base Raceway One Side

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	
 USFT	MODEL	W x H								
	Segmented Fabric Panel - 64"H	24 x 64	USSW1T2464	☐	☐	☐	☐	☐	☐	55.5#
	• Side 1: tile to floor base does not accept cable distribution	30 x 64	USSW1T3064	☐	☐	☐	☐	☐	☐	63.0#
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USSW1T3664	☐	☐	☐	☐	☐	☐	70.6#
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	42 x 64	USSW1T4264	☐	☐	☐	☐	☐	☐	78.3#
	• Upper and lower fabric segments on each side must be identically specified	48 x 64	USSW1T4864	☐	☐	☐	☐	☐	☐	85.9#
	• Slatwall paint finish is specified	54 x 64	USSW1T5464	☐	☐	☐	☐	☐	☐	93.5#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1T6064	☐	☐	☐	☐	☐	☐	101.1#
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1T7264	☐	☐	☐	☐	☐	☐	128.3#
	• Side 2: 30-72" wide panels feature two power knockouts									
	• Side 2: 24" wide tiles feature one power knockout									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select electrical code.

CP - Chicago - with cutouts

DN - Domestic - no cutouts

DP - Domestic - with cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select paint finish for slat wall section.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 640	\$ 680	\$ 722	\$ 764	\$ 791
733	780	828	874	907
809	861	913	963	1002
892	950	1006	1064	1105
924	984	1041	1101	1144
953	1014	1075	1137	1181
1039	1105	1172	1240	1288
1510	1606	1704	1800	1870

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway

			MODEL NUMBER								
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	
 USFR	MODEL	W x H									
	Segmented Fabric Panel - 40"H	24 x 40	USSW2R2440	☐	☐	☐	☐	☐	☐	☐	
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW2R3040	☐	☐	☐	☐	☐	☐	☐	
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height	36 x 40	USSW2R3640	☐	☐	☐	☐	☐	☐	☐	
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW2R4240	☐	☐	☐	☐	☐	☐	☐	
	• Slatwall paint finish is specified	48 x 40	USSW2R4840	☐	☐	☐	☐	☐	☐	☐	
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USSW2R5440	☐	☐	☐	☐	☐	☐	☐	
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW2R6040	☐	☐	☐	☐	☐	☐	☐	
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USSW2R7240	☐	☐	☐	☐	☐	☐	☐	
	• 30-72" wide panels feature two power knockouts per side										
	• 24" wide panels feature one power knockout per side										
	• 72" wide panels feature split tiles										
	• Electrical components are specified separately										
USFR	Segmented Fabric Panel - 48"H	24 x 48	USSW2R2448	☐	☐	☐	☐	☐	☐	☐	
		30 x 48	USSW2R3048	☐	☐	☐	☐	☐	☐	☐	
		36 x 48	USSW2R3648	☐	☐	☐	☐	☐	☐	☐	
		42 x 48	USSW2R4248	☐	☐	☐	☐	☐	☐	☐	
		48 x 48	USSW2R4848	☐	☐	☐	☐	☐	☐	☐	
		54 x 48	USSW2R5448	☐	☐	☐	☐	☐	☐	☐	
		60 x 48	USSW2R6048	☐	☐	☐	☐	☐	☐	☐	
		72 x 48	USSW2R7248	☐	☐	☐	☐	☐	☐	☐	
USFR	Segmented Fabric Panel - 56"H	24 x 56	USSW2R2456	☐	☐	☐	☐	☐	☐	☐	
		30 x 56	USSW2R3056	☐	☐	☐	☐	☐	☐	☐	
		36 x 56	USSW2R3656	☐	☐	☐	☐	☐	☐	☐	
		42 x 56	USSW2R4256	☐	☐	☐	☐	☐	☐	☐	
		48 x 56	USSW2R4856	☐	☐	☐	☐	☐	☐	☐	
		54 x 56	USSW2R5456	☐	☐	☐	☐	☐	☐	☐	
		60 x 56	USSW2R6056	☐	☐	☐	☐	☐	☐	☐	
		72 x 56	USSW2R7256	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

- F** - Flat trim (std)
N - No topcap

C Select electrical code.

- CP** - Chicago - with cutouts
DN - Domestic - no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select paint finish for slat wall section side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select paint finish for slat wall section side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Standard Base Raceway



USFR

	MODEL	W x H	MODEL NUMBER							
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2
 Side 1 Side 2 USFR	Segmented Fabric Panel - 64"H	24 x 64	USSW2R2464	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW2R3064	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height	36 x 64	USSW2R3664	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW2R4264	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Slatwall paint finish is specified	48 x 64	USSW2R4864	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 64	USSW2R5464	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW2R6064	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW2R7264	☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
	• 30-72" wide panels feature two power knockouts per side									
	• 24" wide panels feature one power knockout per side									
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select top cap style.

F	- Flat trim (std)
N	- No topcap

- C** Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

- D** Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

- E** Select paint finish for slat wall section side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- F** Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- G** Select paint finish for slat wall section side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- H** Select fabric side 2.


Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Standard Base Raceway

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	
 USFL	Segmented Fabric Panel - 40"H	24 x 40	USSW2L2440	☐	☐	☐	☐	☐	☐	44.4#
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW2L3040	☐	☐	☐	☐	☐	☐	50.7#
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height	36 x 40	USSW2L3640	☐	☐	☐	☐	☐	☐	56.9#
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW2L4240	☐	☐	☐	☐	☐	☐	63.2#
	• Slatwall paint finish is specified	48 x 40	USSW2L4840	☐	☐	☐	☐	☐	☐	69.5#
	• Elevated base does not accept cable distribution	54 x 40	USSW2L5440	☐	☐	☐	☐	☐	☐	73.7#
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW2L6040	☐	☐	☐	☐	☐	☐	82.0#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USSW2L7240	☐	☐	☐	☐	☐	☐	101.2#
	• 72" wide panels feature split tiles									
USFL	Segmented Fabric Panel - 48"H	24 x 48	USSW2L2448	☐	☐	☐	☐	☐	☐	48.2#
		30 x 48	USSW2L3048	☐	☐	☐	☐	☐	☐	55.0#
		36 x 48	USSW2L3648	☐	☐	☐	☐	☐	☐	61.8#
		42 x 48	USSW2L4248	☐	☐	☐	☐	☐	☐	68.5#
		48 x 48	USSW2L4848	☐	☐	☐	☐	☐	☐	75.4#
		54 x 48	USSW2L5448	☐	☐	☐	☐	☐	☐	80.1#
		60 x 48	USSW2L6048	☐	☐	☐	☐	☐	☐	88.9#
		72 x 48	USSW2L7248	☐	☐	☐	☐	☐	☐	110.5#
USFL	Segmented Fabric Panel - 56"H	24 x 56	USSW2L2456	☐	☐	☐	☐	☐	☐	53.5#
		30 x 56	USSW2L3056	☐	☐	☐	☐	☐	☐	60.8#
		36 x 56	USSW2L3656	☐	☐	☐	☐	☐	☐	68.1#
		42 x 56	USSW2L4256	☐	☐	☐	☐	☐	☐	75.4#
		48 x 56	USSW2L4856	☐	☐	☐	☐	☐	☐	82.8#
		54 x 56	USSW2L5456	☐	☐	☐	☐	☐	☐	88.1#
		60 x 56	USSW2L6056	☐	☐	☐	☐	☐	☐	97.4#
		72 x 56	USSW2L7256	☐	☐	☐	☐	☐	☐	122.8#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select paint finish for slat wall section side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint finish for slat wall section side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 599	\$ 640	\$ 678	\$ 717	\$ 744
666	708	752	793	825
725	773	818	865	899
810	861	913	963	1002
846	899	953	1007	1046
906	965	1023	1081	1122
1021	1088	1154	1220	1265
1346	1432	1518	1605	1669
\$ 701	\$ 747	\$ 791	\$ 836	\$ 869
781	830	880	930	964
852	906	961	1017	1056
947	1006	1067	1128	1172
984	1046	1110	1173	1218
1024	1090	1155	1221	1268
1125	1198	1268	1342	1393
1592	1694	1796	1898	1971
\$ 746	\$ 792	\$ 842	\$ 890	\$ 924
823	877	929	983	1019
900	957	1016	1072	1115
1014	1077	1144	1208	1255
1053	1120	1189	1256	1304
1090	1159	1230	1300	1350
1193	1267	1345	1422	1477
1685	1794	1901	2011	2088

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

			MODEL NUMBER								
MODEL			W x H	Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight
 USFL	Segmented Fabric Panel - 64"H		24 x 64	USSW2L2464	☐	☐	☐	☐	☐	☐	57.9#
	• Lower segment includes fabric tiles for both sides, specified separately		30 x 64	USSW2L3064	☐	☐	☐	☐	☐	☐	65.7#
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height		36 x 64	USSW2L3664	☐	☐	☐	☐	☐	☐	73.5#
	• Upper and lower fabric segments on each side must be identically specified		42 x 64	USSW2L4264	☐	☐	☐	☐	☐	☐	81.4#
	• Slatwall paint finish is specified		48 x 64	USSW2L4864	☐	☐	☐	☐	☐	☐	89.3#
	• Elevated base does not accept cable distribution		54 x 64	USSW2L5464	☐	☐	☐	☐	☐	☐	95.1#
	• Panel assembly includes frame, trim, and panel-to-panel connectors		60 x 64	USSW2L6064	☐	☐	☐	☐	☐	☐	105.0#
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud		72 x 64	USSW2L7264	☐	☐	☐	☐	☐	☐	133.2#
	• 72" wide panels feature split tiles										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F - Flat trim (std)

N - No topcap

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select paint finish for slat wall section side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select paint finish for slat wall section side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 767	\$ 817	\$ 867	\$ 915	\$ 951
858	914	969	1025	1063
939	999	1060	1120	1163
1066	1135	1203	1272	1321
1108	1177	1250	1320	1371
1126	1197	1271	1343	1394
1210	1289	1367	1445	1501
1767	1881	1995	2108	2190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Fabric



USTF

MODEL	W x H	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	
Fabric Stacking Panel - 16" H • Side 1 and side 2 fabrics are specified separately • All sizes stack above panels of equal widths • 48"-72" sizes may span multiple panels • Only one stacking section may be added to a frame • No power is available on stacking sections • No storage or accessories may be hung from stacking sections • Panel Assembly includes stacking frame, segment channel, tiles and panel-to-panel connectors • Trim is metal and includes segment channel	24 x 16"	USTF2416	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	13.2#
	30 x 16"	USTF3016	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	14.8#
	36 x 16"	USTF3616	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	16.9#
	42 x 16"	USTF4216	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	18.5#
	48 x 16"	USTF4816	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	20.1#
	54 x 16"	USTF5416	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	21.9#
	60 x 16"	USTF6016	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	23.7#
	72 x 16"	USTF7216	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	29.5#
		A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stacking Panel

Fabric

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 303	\$ 315	\$ 328	\$ 335	\$ 357
325	339	352	361	384
353	370	382	391	418
388	407	421	431	460
396	414	427	439	469
423	444	458	470	502
443	465	480	492	525
590	618	640	655	698

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Solid Steel

	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Trim Color	Insert Color	
 USTS	Solid Steel Stacking Panel - 16" H	24 x 16"	USTS2416	☐	☐	15.5#
	• Single steel section captured within aluminum frame	30 x 16"	USTS3016	☐	☐	17.7#
	• All sizes stack above panels of equal widths	36 x 16"	USTS3616	☐	☐	20.5#
	• 48"-72" sizes may span multiple panels	42 x 16"	USTS4216	☐	☐	22.7#
	• Only one stacking section may be added to a frame	48 x 16"	USTS4816	☐	☐	25.0#
	• No power is available on stacking sections	54 x 16"	USTS5416	☐	☐	27.4#
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTS6016	☐	☐	29.8#
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTS7216	☐	☐	34.3#
	• Frame matches trim finish					
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select insert color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stacking Panel

Solid Steel

Delivered Pricing	
\$	383
	402
	435
	456
	508
	520
	521
	718

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Glass



USTS

MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color	Glass Color	
Glass Stacking Panel - 16" H • Single glass pane captured within aluminum frame • All sizes stack above panels of equal widths • 48"-72" sizes may span multiple panels • Only one stacking section may be added to a frame • No power is available on stacking sections • No storage or accessories may be hung from stacking sections • Frame matches trim finish	24 x 16"	USTG2416	☐	☐	18.4#
	30 x 16"	USTG3016	☐	☐	21.5#
	36 x 16"	USTG3616	☐	☐	25.0#
	42 x 16"	USTG4216	☐	☐	28.1#
	48 x 16"	USTG4816	☐	☐	31.1#
	54 x 16"	USTG5416	☐	☐	34.4#
	60 x 16"	USTG6016	☐	☐	37.7#
	72 x 16"	USTG7216	☐	☐	43.8#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select glass color.
- | | |
|-----|-----------------------|
| GLA | - Clear (std) |
| GLC | - White laminate |
| GLV | - Satin etch one side |



Stacking Panel

Glass

Clear (GLA)	White Laminate (GLC)	Satin Etch One Side (GLV)
\$ 349	\$ 394	\$ 440
362	407	453
384	428	475
407	460	514
444	509	579
458	530	608
461	541	625
613	706	805

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Perforated Steel



USTS

MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color	Insert Color	
Perforated Steel Stacking Panel - 16" H - Single perforated steel section captured within aluminum frame - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections - Steel insert paint color is specified separate from trim, side 1 and side 2 are identical - Frame matches trim finish	24 x 16"	USTP2416	☐	☐	13.5#
	30 x 16"	USTP3016	☐	☐	15.1#
	36 x 16"	USTP3616	☐	☐	17.2#
	42 x 16"	USTP4216	☐	☐	19.0#
	48 x 16"	USTP4816	☐	☐	20.6#
	54 x 16"	USTP5416	☐	☐	22.5#
	60 x 16"	USTP6016	☐	☐	24.4#
	72 x 16"	USTP7216	☐	☐	27.7#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select insert color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stacking Panel

Perforated Steel

Delivered Pricing	
\$	407
	435
	484
	507
	583
	612
	629
	802

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

C Select fabric side 2.
Refer to the **KI Color Addendum** or **KI
Fabrics & Finishes binder**



Stacking Panel

Markerboard on One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 364	\$ 381	\$ 394	\$ 404	\$ 431
398	417	431	441	472
422	441	457	469	501
459	480	497	510	543
486	510	527	541	577
568	596	631	615	674
640	670	692	710	757
729	762	788	809	862

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Markerboard on Both Sides

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
MODEL	W x H			
 USTS Markerboard on Both-Sides Stacking Panel - 16" H • Steel marker board on both sides • All sizes stack above panels of equal widths • 48"-72" sizes may span multiple panels • Only one stacking section may be added to a frame • No power is available on stacking sections • No storage or accessories may be hung from stacking sections	24 x 16"	USTM22416	☐ ☐	18.1#
	30 x 16"	USTM23016	☐ ☐	21.1#
	36 x 16"	USTM23616	☐ ☐	24.2#
	42 x 16"	USTM24216	☐ ☐	27.2#
	48 x 16"	USTM24816	☐ ☐	30.2#
	54 x 16"	USTM25416	☐ ☐	33.2#
	60 x 16"	USTM26016	☐ ☐	36.2#
	72 x 16"	USTM27216	☐ ☐	45.4#
		A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Stacking Panel

Markerboard on Both Sides

Delivered Pricing	
\$	411
	454
	473
	510
	557
	688
	805
	834

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Slat Wall on One Side

		MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	
MODEL	W x H						
 Slat Wall on One-Side Stacking Panel - 16" H - Side 1 features lower 8" section of slat wall and fabric on upper 8"; side 2 is fabric only - All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels - Only one stacking section may be added to a frame - No power is available on stacking sections - No storage or accessories may be hung from stacking sections	24 x 16"	USTSW12416	☐	☐	☐	☐	15.1#
	30 x 16"	USTSW13016	☐	☐	☐	☐	17.5#
	36 x 16"	USTSW13616	☐	☐	☐	☐	19.9#
	42 x 16"	USTSW14216	☐	☐	☐	☐	22.3#
	48 x 16"	USTSW14816	☐	☐	☐	☐	24.7#
	54 x 16"	USTSW15416	☐	☐	☐	☐	27.1#
	60 x 16"	USTSW16016	☐	☐	☐	☐	29.5#
	72 x 16"	USTSW17216	☐	☐	☐	☐	36.9#
		A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#)
- C** Select fabric side 1.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
- D** Select fabric side 2.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
- E** Select tile color side 1.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).



Stacking Panel

Slat Wall on One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 460	\$ 481	\$ 501	\$ 512	\$ 544
493	517	534	550	586
539	563	583	597	638
592	619	642	657	700
612	640	662	679	725
622	650	674	690	736
670	699	725	743	790
943	986	1020	1045	1115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking Panel

Slat Wall on Two Sides

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Tile Color Side 2	
MODEL	W x H								
 USTF	Slat Wall on Two-Sides Stacking Panel - 16" H	24 x 16"	USTSW22416	☐	☐	☐	☐	☐	20.6#
		30 x 16"	USTSW23016	☐	☐	☐	☐	☐	24.0#
	• Both sides feature lower 8" section of slat wall and fabric on upper 8"	36 x 16"	USTSW23616	☐	☐	☐	☐	☐	28.0#
	• Fabric on sides 1 and 2 is specified separately	42 x 16"	USTSW24216	☐	☐	☐	☐	☐	31.3#
	• All sizes stack above panels of equal widths	48 x 16"	USTSW24816	☐	☐	☐	☐	☐	34.7#
	• 48"-72" sizes may span multiple panels	54 x 16"	USTSW25416	☐	☐	☐	☐	☐	38.4#
	• Only one stacking section may be added to a frame	60 x 16"	USTSW26016	☐	☐	☐	☐	☐	42.0#
	• No power is available on stacking sections	72 x 16"	USTSW27216	☐	☐	☐	☐	☐	51.5#
	• No storage or accessories may be hung from stacking sections								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select tile color side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select tile color side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stacking Panel

Slat Wall on Two Sides

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 610	\$ 638	\$ 660	\$ 677	\$ 722
653	684	707	726	774
710	743	769	788	842
784	820	849	870	928
817	853	885	904	964
856	894	926	949	1011
878	918	951	975	1039
1279	1338	1384	1420	1513

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

2-Way 90° "L" Corner

MODEL		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
	2-Way 90°, "L" Corner, No Height Change	32"	U2W9032	☐ ☐ 7.3#
		40"	U2W9040	☐ ☐ 9.2#
	• Select for 90° corner intersections of two same-height panels • Includes full height corner trim, 90° top cap, connecting blocks, light block and connecting hardware	48"	U2W9048	☐ ☐ 10.3#
		56"	U2W9056	☐ ☐ 11.3#
		64"	U2W9064	☐ ☐ 12.4#
		72"	U2W9072	☐ ☐ 14.3#
		80"	U2W9080	☐ ☐ 15.4#
	2-Way 90°, "L" Corner, with Height Change	32" 40" 8"	U2W901W3240	☐ ☐ 9.0#
	• Select for 90° corner intersections of one taller and one lower panel • Includes corner and change of height trim, top cap, connecting blocks, light blocks and connecting hardware	32" 48" 16"	U2W901W3248	☐ ☐ 10.4#
		32" 56" 24"	U2W901W3256	☐ ☐ 11.6#
		32" 64" 32"	U2W901W3264	☐ ☐ 12.7#
		32" 72" 40"	U2W901W3272	☐ ☐ 14.1#
		32" 80" 48"	U2W901W3280	☐ ☐ 15.3#
		40" 48" 8"	U2W901W4048	☐ ☐ 10.8#
		40" 56" 16"	U2W901W4056	☐ ☐ 12.2#
		40" 64" 24"	U2W901W4064	☐ ☐ 13.4#
		40" 72" 32"	U2W901W4072	☐ ☐ 14.6#
		40" 80" 40"	U2W901W4080	☐ ☐ 16.0#
		48" 56" 8"	U2W901W4856	☐ ☐ 11.9#
		48" 64" 24"	U2W901W4864	☐ ☐ 13.3#
		48" 72" 24"	U2W901W4872	☐ ☐ 14.3#
		48" 80" 32"	U2W901W4880	☐ ☐ 15.5#
		56" 64" 8"	U2W901W5664	☐ ☐ 13.0#
		56" 72" 16"	U2W901W5672	☐ ☐ 14.2#
		56" 80" 24"	U2W901W5680	☐ ☐ 15.4#
		64" 72" 8"	U2W901W6472	☐ ☐ 14.1#
		64" 80" 16"	U2W901W6480	☐ ☐ 15.3#
		72" 80" 8"	U2W901W7280	☐ ☐ 15.9#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

2-Way 90° "L" Corner

Delivered Pricing

\$ 113
133
137
143
161
179
190

\$ 193
200
205
213
222
226
214
221
227
233
246
218
226
228
235
222
230
234
243
250
260

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

2-Way 180°

	MODEL	A B B-A	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 UTN	2-Way 180°, In-Line Spacer Trim, No Height Change - Select for inline intersections of two same-height panels, with panel-width spacing between - Includes two full height flat trim pieces, 90° top cap, connecting blocks, and connecting hardware	32"	U2W180IL32	☐	8.4#
		40"	U2W180IL40	☐	9.4#
		48"	U2W180IL48	☐	10.4#
		56"	U2W180IL56	☐	11.3#
		64"	U2W180IL64	☐	12.3#
		72"	U2W180IL72	☐	14.3#
		80"	U2W180IL80	☐	15.2#
 UTN	2-Way 180°, Trim One Side, with Height Change - Select for inline intersections of one taller and one lower panel, with panel-width spacing between - Includes two flat trim pieces, change of height 3-sided trim, top cap, connecting blocks, and connecting hardware	32" 40" 8"	U2W1801W3240	☐	9.0#
		32" 48" 16"	U2W1801W3248	☐	10.4#
		32" 56" 24"	U2W1801W3256	☐	11.6#
		32" 64" 32"	U2W1801W3264	☐	12.7#
		32" 72" 40"	U2W1801W3272	☐	14.1#
		32" 80" 48"	U2W1801W3280	☐	15.3#
		40" 48" 8"	U2W1801W4048	☐	10.9#
		40" 56" 16"	U2W1801W4056	☐	12.3#
		40" 64" 24"	U2W1801W4064	☐	13.5#
		40" 72" 32"	U2W1801W4072	☐	14.7#
		40" 80" 40"	U2W1801W4080	☐	16.1#
		48" 56" 8"	U2W1801W4856	☐	11.9#
		48" 64" 16"	U2W1801W4864	☐	13.3#
		48" 72" 24"	U2W1801W4872	☐	14.5#
		48" 80" 32"	U2W1801W4880	☐	15.7#
		56" 64" 8"	U2W1801W5664	☐	12.9#
		56" 72" 16"	U2W1801W5672	☐	14.3#
		56" 80" 24"	U2W1801W5680	☐	15.5#
		64" 72" 8"	U2W1801W6472	☐	13.9#
		64" 80" 16"	U2W1801W6480	☐	15.3#
		72" 80" 8"	U2W1801W7280	☐	15.8#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections
2-Way 180°

Delivered Pricing	
\$	139
	144
	145
	161
	179
	222
	228
\$	214
	221
	226
	233
	246
	249
	244
	251
	256
	264
	274
	246
	253
	258
	265
	256
	261
	267
	274
	282
	319

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°

MODEL	A B B-A	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 3-Way 90°, "T" Corner, No Height Change • Select for 90° intersections of three same-height panels • Includes one full height trim piece, 90° top cap, connecting blocks, light blocks and connecting hardware	32"	U3W9032	☐	6.5#
	40"	U3W9040	☐	8.3#
	48"	U3W9048	☐	9.2#
	56"	U3W9056	☐	10.0#
	64"	U3W9064	☐	11.0#
	72"	U3W9072	☐	12.9#
	80"	U3W9080	☐	13.8#
 3-Way 90°, Trim One Side "T" Corner, with Height Change • Select for 90° three-way intersections of one taller and two lower panels • Includes one flat trim piece, three-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware	32" 40" 8"	U3W901W3240	☐	7.9#
	32" 48" 16"	U3W901W3248	☐	9.4#
	32" 56" 24"	U3W901W3256	☐	10.5#
	32" 64" 32"	U3W901W3264	☐	11.7#
	32" 72" 40"	U3W901W3272	☐	13.0#
	32" 80" 48"	U3W901W3280	☐	14.3#
	40" 48" 8"	U3W901W4048	☐	9.8#
	40" 56" 16"	U3W901W4056	☐	11.2#
	40" 64" 24"	U3W901W4064	☐	12.3#
	40" 72" 32"	U3W901W4072	☐	13.5#
	40" 80" 40"	U3W901W4080	☐	14.9#
	48" 56" 8"	U3W901W4856	☐	10.7#
	48" 64" 16"	U3W901W4864	☐	12.1#
	48" 72" 24"	U3W901W4872	☐	13.2#
	48" 80" 32"	U3W901W4880	☐	14.6#
	56" 64" 8"	U3W901W5664	☐	11.6#
	56" 72" 16"	U3W901W5672	☐	13.0#
	56" 80" 24"	U3W901W5680	☐	14.2#
	64" 72" 8"	U3W901W6472	☐	12.5#
	64" 80" 16"	U3W901W6480	☐	13.9#
	72" 80" 8"	U3W901W7280	☐	14.7#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

3-Way 90°

Delivered
Pricing

\$ 114
137
142
148
161
191
197

\$ 198
205
211
217
228
229
219
227
229
238
251
221
229
233
243
229
235
243
244
251
273

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B B-A			
 UTN	3-Way 90°, In-Line "T" Corner, with Height Change		U3W90IL3240	☐	8.9#
			U3W90IL3248	☐	10.8#
	• Select for 90° three-way intersections of two taller inline panels and one lower perpendicular panel		U3W90IL3256	☐	11.8#
			U3W90IL3264	☐	12.8#
	• Includes one full height flat trim piece, one change-of-height flat trim piece, 90° top cap, connecting blocks, light blocks, and connecting hardware		U3W90IL3272	☐	14.7#
			U3W90IL3280	☐	15.7#
			U3W90IL4048	☐	10.7#
			U3W90IL4056	☐	11.7#
			U3W90IL4064	☐	13.6#
			U3W90IL4072	☐	14.6#
			U3W90IL4080	☐	16.5#
			U3W90IL4856	☐	11.6#
			U3W90IL4864	☐	13.5#
			U3W90IL4872	☐	15.5#
			U3W90IL4880	☐	15.5#
			U3W90IL5664	☐	12.5#
			U3W90IL5672	☐	15.3#
			U3W90IL5680	☐	16.4#
			U3W90IL6472	☐	13.4#
			U3W90IL6480	☐	15.4#
			U3W90IL7280	☐	15.2#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

3-Way 90°

Delivered Pricing	
\$	149
	174
	179
	193
	229
	234
	167
	198
	206
	222
	251
	174
	207
	221
	228
	188
	221
	227
	203
	228
	221

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
MODEL	A	B	B-A			
 UTN 3-Way 90°, Trim Two Sides "T" Corner, with Height Change • Select for 90° three-way intersections of one taller and one lower inline panels and one perpendicular taller panel • Includes one flat trim piece, two-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware	32"	40"	8"	U3W902W3240	☐ ☐	8.7#
	32"	48"	16"	U3W902W3248	☐ ☐	10.6#
	32"	56"	24"	U3W902W3256	☐ ☐	11.6#
	32"	64"	32"	U3W902W3264	☐ ☐	12.7#
	32"	72"	40"	U3W902W3272	☐ ☐	14.6#
	32"	80"	48"	U3W902W3280	☐ ☐	15.6#
	40"	48"	8"	U3W902W4048	☐ ☐	10.5#
	40"	56"	16"	U3W902W4056	☐ ☐	12.4#
	40"	64"	24"	U3W902W4064	☐ ☐	13.4#
	40"	72"	32"	U3W902W4072	☐ ☐	14.5#
	40"	80"	40"	U3W902W4080	☐ ☐	16.4#
	48"	56"	8"	U3W902W4856	☐ ☐	11.4#
	48"	64"	16"	U3W902W4864	☐ ☐	13.3#
	48"	72"	24"	U3W902W4872	☐ ☐	14.3#
	48"	80"	32"	U3W902W4880	☐ ☐	15.4#
	56"	64"	8"	U3W902W5664	☐ ☐	12.3#
	56"	72"	16"	U3W902W5672	☐ ☐	14.2#
	56"	80"	24"	U3W902W5680	☐ ☐	15.3#
	64"	72"	8"	U3W902W6472	☐ ☐	13.2#
	64"	80"	16"	U3W902W6480	☐ ☐	16.0#
	72"	80"	8"	U3W902W7280	☐ ☐	15.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

3-Way 90°

Delivered Pricing	
\$	161
	176
	182
	191
	209
	214
	182
	200
	205
	212
	219
	185
	202
	207
	215
	193
	209
	215
	206
	222
	248

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

4-Way 90°

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A B B-A				
	4-Way 90°, "X", No Height Change	32"	U4W9032	☐	6.3#
	• Select for 90° intersections of four same-height panels	40"	U4W9040	☐	8.1#
	• Includes 90° top cap, connecting blocks, light blocks, and connecting hardware	48"	U4W9048	☐	9.0#
		56"	U4W9056	☐	9.9#
		64"	U4W9064	☐	10.7#
		72"	U4W9072	☐	12.6#
		80"	U4W9080	☐	13.4#
	4-Way 90°, "X" Trim One Side, with Height Change	32" 40" 8"	U4W901W3240	☐	7.8#
	• Select for 90° four-way intersections of one taller and three lower panels	32" 48" 16"	U4W901W3248	☐	9.2#
	• Includes three-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware	32" 56" 24"	U4W901W3256	☐	10.4#
		32" 64" 32"	U4W901W3264	☐	11.6#
		32" 72" 40"	U4W901W3272	☐	12.9#
		32" 80" 48"	U4W901W3280	☐	14.1#
		40" 48" 8"	U4W901W4048	☐	8.7#
		40" 56" 16"	U4W901W4056	☐	10.1#
		40" 64" 24"	U4W901W4064	☐	11.2#
		40" 72" 32"	U4W901W4072	☐	13.6#
		40" 80" 40"	U4W901W4080	☐	13.6#
		48" 56" 8"	U4W901W4856	☐	10.5#
		48" 64" 16"	U4W901W4864	☐	11.9#
		48" 72" 24"	U4W901W4872	☐	13.1#
		48" 80" 32"	U4W901W4880	☐	14.2#
		56" 64" 8"	U4W901W5664	☐	11.4#
		56" 72" 16"	U4W901W5672	☐	12.8#
		56" 80" 24"	U4W901W5680	☐	13.9#
		64" 72" 8"	U4W901W6472	☐	12.2#
		64" 80" 16"	U4W901W6480	☐	14.8#
		72" 80" 8"	U4W901W7280	☐	14.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

4-Way 90°

Delivered Pricing	
\$	112
	132
	138
	143
	149
	169
	175
\$	195
	204
	206
	214
	227
	228
	218
	226
	228
	234
	250
	220
	228
	233
	240
	227
	234
	238
	233
	241
	251

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

4-Way 90°



MODEL	A	B	B-A	MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
4-Way 90°, "X" In-Line Intersection, with Height Change - Select for 90° four-way intersections of two taller inline panels and two lower perpendicular panels - Includes two change-of-height flat trim pieces, 90° top cap, connecting blocks, light blocks and connecting hardware	32"	40"	8"	U4W90IL3240	☐	8.7#
	32"	48"	16"	U4W90IL3248	☐	10.7#
	32"	56"	24"	U4W90IL3256	☐	11.6#
	32"	64"	32"	U4W90IL3264	☐	12.6#
	32"	72"	40"	U4W90IL3272	☐	14.6#
	32"	80"	48"	U4W90IL3280	☐	15.5#
	40"	48"	8"	U4W90IL4048	☐	10.6#
	40"	56"	16"	U4W90IL4056	☐	12.5#
	40"	64"	24"	U4W90IL4064	☐	13.5#
	40"	72"	32"	U4W90IL4072	☐	14.5#
	40"	80"	40"	U4W90IL4080	☐	16.4#
	48"	56"	8"	U4W90IL4856	☐	11.4#
	48"	64"	16"	U4W90IL4864	☐	13.4#
	48"	72"	24"	U4W90IL4872	☐	14.3#
	48"	80"	32"	U4W90IL4880	☐	16.3#
	56"	64"	8"	U4W90IL5664	☐	12.3#
	56"	72"	16"	U4W90IL5672	☐	15.2#
	56"	80"	24"	U4W90IL5680	☐	15.2#
	64"	72"	8"	U4W90IL6472	☐	13.1#
	64"	80"	16"	U4W90IL6480	☐	15.1#
	72"	80"	8"	U4W90IL7280	☐	15.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

4-Way 90°

Delivered Pricing	
\$	171
	201
	208
	224
	256
	283
	191
	221
	232
	249
	265
	197
	228
	235
	252
	201
	231
	244
	209
	240
	228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

4-Way 90°



MODEL

A B B-A

- 4-Way 90°, "X" Trim Two Sides, with Height Change**
- Select for 90° three-way intersections of two perpendicular taller panels and two perpendicular lower panels
 - Includes two-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

32" 40" 8"	U4W902W3240
32" 48" 16"	U4W902W3248
32" 56" 24"	U4W902W3256
32" 64" 32"	U4W902W3264
32" 72" 40"	U4W902W3272
32" 80" 48"	U4W902W3280
40" 48" 8"	U4W902W4048
40" 56" 16"	U4W902W4056
40" 64" 24"	U4W902W4064
40" 72" 32"	U4W902W4072
40" 80" 40"	U4W902W4080
48" 56" 8"	U4W902W4856
48" 64" 16"	U4W902W4864
48" 72" 24"	U4W902W4872
48" 80" 32"	U4W902W4880
56" 64" 8"	U4W902W5664
56" 72" 16"	U4W902W5672
56" 80" 24"	U4W902W5680
64" 72" 8"	U4W902W6472
64" 80" 24"	U4W902W6480
72" 80" 8"	U4W902W7280

MODEL NUMBER

Basic Model Trim Color

Approx. Packaged Weight

☐	8.2#
☐	10.0#
☐	11.2#
☐	12.2#
☐	14.0#
☐	15.2#
☐	10.1#
☐	11.9#
☐	13.0#
☐	14.1#
☐	15.9#
☐	10.9#
☐	12.8#
☐	13.9#
☐	14.9#
☐	11.8#
☐	13.6#
☐	14.7#
☐	13.4#
☐	14.5#
☐	14.5#

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

4-Way 90°

Delivered Pricing
\$ 160
175
177
186
208
213
177
199
201
208
229
184
202
206
214
191
208
213
198
214
219

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

4-Way 90°



UTN

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B B-A			
4-Way 90°, "X" Trim Three Sides, with Height Change • Select for 90° X four-way intersections of three taller panels and one lower panel • Includes one change-of-height flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32"	40" 8"	U4W903W3240	☐ ☐	8.0#
	32"	48" 16"	U4W903W3248	☐ ☐	9.9#
	32"	56" 24"	U4W903W3256	☐ ☐	10.9#
	32"	64" 32"	U4W903W3264	☐ ☐	11.8#
	32"	72" 40"	U4W903W3272	☐ ☐	13.6#
	32"	80" 48"	U4W903W3280	☐ ☐	14.5#
	40"	48" 8"	U4W903W4048	☐ ☐	10.0#
	40"	56" 16"	U4W903W4056	☐ ☐	11.8#
	40"	64" 24"	U4W903W4064	☐ ☐	12.7#
	40"	72" 32"	U4W903W4072	☐ ☐	13.6#
	40"	80" 40"	U4W903W4080	☐ ☐	15.4#
	48"	56" 8"	U4W903W4856	☐ ☐	10.8#
	48"	64" 16"	U4W903W4864	☐ ☐	12.6#
	48"	72" 24"	U4W903W4872	☐ ☐	13.6#
	48"	80" 32"	U4W903W4880	☐ ☐	14.5#
	56"	64" 8"	U4W903W5664	☐ ☐	11.7#
	56"	72" 16"	U4W903W5672	☐ ☐	14.5#
	56"	80" 24"	U4W903W5680	☐ ☐	14.4#
	64"	72" 8"	U4W903W6472	☐ ☐	12.6#
	64"	80" 16"	U4W903W6480	☐ ☐	14.4#
	72"	80" 8"	U4W903W7280	☐ ☐	14.4#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

4-Way 90°

Delivered Pricing	
\$	152
	186
	192
	199
	205
	207
	173
	190
	198
	205
	227
	176
	199
	201
	208
	184
	205
	211
	191
	208
	209

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

2-Way 120°

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B	B-A		
	2-Way 120°, "V" Corner, No Height Change		32"	U2W12032	☐ ☐ 4.7#
			40"	U2W12040	☐ ☐ 5.9#
	• Select for 120° angled intersections of two same-height panels • Includes 2-sided angle trim, 120° top cap, connecting blocks, light block and connecting hardware		48"	U2W12048	☐ ☐ 6.6#
			56"	U2W12056	☐ ☐ 7.4#
			64"	U2W12064	☐ ☐ 8.0#
			72"	U2W12072	☐ ☐ 9.3#
			80"	U2W12080	☐ ☐ 10.0#
	2-Way 120°, "V" Corner, with Height Change		32" 40" 8"	U2W1201W3240	☐ ☐ 4.5#
			32" 48" 16"	U2W1201W3248	☐ ☐ 4.5#
	• Select for 120° angled intersections of one taller and one lower panel • Includes corner and change of height trim, 120° top cap, connecting blocks, light block, and connecting hardware		32" 56" 24"	U2W1201W3256	☐ ☐ 4.5#
			32" 64" 32"	U2W1201W3264	☐ ☐ 4.5#
			32" 72" 40"	U2W1201W3272	☐ ☐ 4.5#
			32" 80" 48"	U2W1201W3280	☐ ☐ 4.5#
			40" 48" 8"	U2W1201W4048	☐ ☐ 5.7#
			40" 56" 16"	U2W1201W4056	☐ ☐ 5.7#
			40" 64" 24"	U2W1201W4064	☐ ☐ 5.7#
			40" 72" 32"	U2W1201W4072	☐ ☐ 5.7#
			40" 80" 40"	U2W1201W4080	☐ ☐ 6.1#
			48" 56" 8"	U2W1201W4856	☐ ☐ 6.4#
			48" 64" 16"	U2W1201W4864	☐ ☐ 6.4#
			48" 72" 24"	U2W1201W4872	☐ ☐ 6.4#
			48" 80" 32"	U2W1201W4880	☐ ☐ 6.4#
			56" 64" 8"	U2W1201W5664	☐ ☐ 7.1#
			56" 72" 16"	U2W1201W5672	☐ ☐ 7.1#
			56" 80" 24"	U2W1201W5680	☐ ☐ 7.1#
			64" 72" 8"	U2W1201W6472	☐ ☐ 7.9#
			64" 80" 16"	U2W1201W6480	☐ ☐ 7.9#
			72" 80" 8"	U2W1201W7280	☐ ☐ 9.0#

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

2-Way 120°

Delivered Pricing	
\$	298
	369
	373
	382
	397
	466
	473
\$	312
	318
	319
	328
	335
	336
	387
	392
	396
	401
	478
	389
	396
	397
	403
	401
	405
	410
	416
	419
	482

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 120°

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B	B-A		
 UTN	3-Way 120° Corner, No Height Change		32"	U3W12032	☐ ☐ 4.6#
	• Select for 120° intersections of three same-height panels		40"	U3W12040	☐ ☐ 5.8#
	• Includes 120° top cap, connecting blocks, light blocks and connecting hardware		48"	U3W12048	☐ ☐ 6.4#
			56"	U3W12056	☐ ☐ 7.0#
			64"	U3W12064	☐ ☐ 7.7#
			72"	U3W12072	☐ ☐ 8.9#
			80"	U3W12080	☐ ☐ 9.5#
 UTN	3-Way 120° Corner, Trim One Side, with Height Change		32" 40" 8"	U3W1201W3240	☐ ☐ 4.4#
	• Select for 120° three-way intersections of one taller and two lower panels		32" 48" 16"	U3W1201W3248	☐ ☐ 4.4#
	• Includes one flat trim piece, angled change of height trim, top cap, connecting blocks, light blocks, and connecting hardware		32" 56" 24"	U3W1201W3256	☐ ☐ 4.4#
			32" 64" 32"	U3W1201W3264	☐ ☐ 4.4#
			32" 72" 40"	U3W1201W3272	☐ ☐ 4.4#
			32" 80" 48"	U3W1201W3280	☐ ☐ 4.4#
			40" 48" 8"	U3W1201W4048	☐ ☐ 5.6#
			40" 56" 16"	U3W1201W4056	☐ ☐ 5.6#
			40" 64" 24"	U3W1201W4064	☐ ☐ 5.6#
			40" 72" 32"	U3W1201W4072	☐ ☐ 5.6#
			40" 80" 40"	U3W1201W4080	☐ ☐ 5.6#
			48" 56" 8"	U3W1201W4856	☐ ☐ 6.2#
			48" 64" 16"	U3W1201W4864	☐ ☐ 6.2#
			48" 72" 24"	U3W1201W4872	☐ ☐ 6.2#
			48" 80" 32"	U3W1201W4880	☐ ☐ 6.2#
			56" 64" 8"	U3W1201W5664	☐ ☐ 6.9#
			56" 72" 16"	U3W1201W5672	☐ ☐ 6.9#
			56" 80" 24"	U3W1201W5680	☐ ☐ 6.9#
			64" 72" 8"	U3W1201W6472	☐ ☐ 7.5#
			64" 80" 16"	U3W1201W6480	☐ ☐ 7.5#
			72" 80" 8"	U3W1201W7280	☐ ☐ 8.7#

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

3-Way 120°

Delivered Pricing	
\$	287
	363
	365
	367
	373
	444
	450
\$	300
	306
	309
	313
	320
	325
	374
	380
	381
	387
	458
	376
	382
	386
	391
	381
	386
	388
	387
	390
	397

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 120°

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
MODEL	A	B	B-A			
 UTN 3-Way 120° Corner, Trim Two Sides, with Height Change • Select for 120° three-way intersections of two taller panels and one lower panel • Includes one flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32"	40"	8"	U3W1202W3240	☐	5.5#
	32"	48"	16"	U3W1202W3248	☐	6.6#
	32"	56"	24"	U3W1202W3256	☐	7.3#
	32"	64"	32"	U3W1202W3264	☐	8.0#
	32"	72"	40"	U3W1202W3272	☐	9.1#
	32"	80"	48"	U3W1202W3280	☐	9.9#
	40"	48"	8"	U3W1202W4048	☐	6.7#
	40"	56"	16"	U3W1202W4056	☐	7.8#
	40"	64"	24"	U3W1202W4064	☐	8.5#
	40"	72"	32"	U3W1202W4072	☐	9.2#
	40"	80"	40"	U3W1202W4080	☐	10.3#
	48"	56"	8"	U3W1202W4856	☐	7.3#
	48"	64"	16"	U3W1202W4864	☐	8.4#
	48"	72"	24"	U3W1202W4872	☐	9.1#
	48"	80"	32"	U3W1202W4880	☐	9.8#
	56"	64"	8"	U3W1202W5664	☐	8.0#
	56"	72"	16"	U3W1202W5672	☐	9.1#
	56"	80"	24"	U3W1202W5680	☐	9.8#
	64"	72"	8"	U3W1202W6472	☐	8.6#
	64"	80"	16"	U3W1202W6480	☐	9.7#
	72"	80"	8"	U3W1202W7280	☐	10.2#
				A	B	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

3-Way 120°

Delivered Pricing	
\$	382
	453
	459
	466
	536
	542
	456
	527
	533
	540
	612
	526
	531
	539
	542
	472
	534
	541
	468
	541
	605

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

End-of-Run Trim

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	H				
	End-of-Run Trim for Full Panel Height Conditions	32"	UEOR32	☐ ☐	3.6#
	• Select by height for single panel • For seamless end trim when stacking sections are used, specify by combined height of panel and stacker • Includes trim endcap and hardware	40"	UEOR40	☐ ☐	4.2#
		48"	UEOR48	☐ ☐	4.7#
		56"	UEOR56	☐ ☐	5.5#
		64"	UEOR64	☐ ☐	6.0#
		72"	UEOR72	☐ ☐	7.0#
		80"	UEOR80	☐ ☐	7.4#
	UTN				
UTN UST	End-of-Run Trim for Change of Height Conditions	8"	UEORV08	☐ ☐	1.8#
	• Height listed is the 'height differential' • Specify the distance between the upper panel height and the lower panel height • Includes trim endcap and hardware	16"	UEORV16	☐ ☐	2.5#
		24"	UEORV24	☐ ☐	3.0#
		32"	UEORV32	☐ ☐	3.5#
		40"	UEORV40	☐ ☐	4.2#
		48"	UEORV48	☐ ☐	4.7#
					A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



End-of-Run Trim

Delivered Pricing	
\$	48
	54
	55
	59
	69
	85
	88
\$	34
	38
	39
	44
	49
	50

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Adjustable Wall Mount Start

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Trim Color	
 UNS	Adjustable Wall Mount Start		
	• Attaches panel to a wall at the start of a run		
	• Includes mounting plate		
	• Steel construction with painted finish		
	• Adjustable for up to 3/4" of wall deflection		
	• Appropriate wall anchor to drywall must be provided by contractor		
	UNWM16		6.0#
	UNWM32		11.0#
	UNWM40		14.0#
	UNWM48		17.0#
	UNWM56		20.0#
	UNWM64		22.0#
	UNWM72		25.0#
	UNWM80		28.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Preconfigured Intersections

Adjustable Wall Mount Start

Delivered Pricing	
\$	112
	134
	141
	148
	157
	173
	221
	254

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Perpendicular Start for Genius® Wall

		MODEL NUMBER		Approx. Packaged Weight
			Basic Model	
 UNS	MODEL	H		
	Perpendicular Start - 32" H	32"	UNGPS32	1.4#
	• Attaches Unite® perpendicularly between two Genius® Wall sections			
	• Includes aluminum mounting track			
	• Hardware for attachment is included			
 UNS	• Specify UNGPS32 for all heights of segmented panels with glass, steel or perforated steel (with Aluminum frame) upper segments			
	• Specify all other panel models by finished height (without Aluminum frame)			
	• Stacking sections are allowed and do not require wall attachment			
	Perpendicular Start - 40", 48", 56", 64" H	40"	UNGPS40	1.6#
	• Attaches Unite® perpendicularly between two Genius® Wall sections	48"	UNGPS48	1.7#
	• Includes aluminum mounting track	56"	UNGPS56	1.9#
	• Hardware for attachment is included	64"	UNGPS64	2.1#
	• Specify by finished monolithic or segmented panel height for all fabric, markerboard or slat wall (unframed) upper segments			
	• Stacking sections are allowed and do not require wall attachment			

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Perpendicular Start for Genius® Wall

\$ 66

80

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Universal Start for Genius® Wall

	MODEL	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Universal Start • Attaches Unite® at a corner, inline, or 3-Way condition of a Genius® Wall section • Includes all hardware necessary for attachment • Universal Start is drilled directly into, and permanently alters, Genius® trim • Wall start does not impact or require any additional Genius® specification • Retrofittable to most standard Genius® trim sections • For use with unloaded panels only	UNGUS	1.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Preconfigured Intersections

Universal Start for Genius® Wall

Delivered
Pricing

\$ 18

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Wall Track

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
	Wall Track	1-1/4 x 30 x 1"	UNWT30	☐	3.0#
	• Double slotted track accommodates wall mounting of overhead components and worksurfaces	1-1/4 x 64 x 1"	UNWT64	☐	5.0#
	• Steel construction with painted finish				
	• Appropriate wall anchor to drywall must be provided by contractor				
HRDPT					
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersections

Wall Track

Delivered Pricing	
\$	28
	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way

		H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	
 UST	90° 1-Way End - Includes top cap and connecting hardware and light block - Only used in 90° intersections when stacking one panel	16	U1W90S16	F	☐ ☐	4.6#
 UST	90° 2-Way Corner Includes top cap and connecting hardware and light block	16	U2W90S16	F	☐ ☐	5.0#
 UST	90° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W90S16	F	☐ ☐	4.8#
 UST	90° 4-Way Intersection Includes top cap and connecting hardware and light blocks	16	U4W90S16	F	☐ ☐	4.9#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way

Delivered Pricing	
\$	115
\$	99
\$	100
\$	97

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer

		MODEL NUMBER			
		Basic Model	Top Cap Style	Trim Color	
MODEL	H				Approx. Packaged Weight
 UST	16	U2W180S16	☐	☐	5.5#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer

Delivered
Pricing
\$ 102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way

		H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Top Cap Style	Trim Color	
 UST	120° 1-Way End - Includes top cap and connecting hardware - Only used in 120° intersections when stacking one panel	16	U1W120S16	☐	☐	3.3#
 UST	120° 2-Way Corner Includes top cap and connecting hardware and light block	16	U2W120S16	☐	☐	3.4#
 UST	120° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W120S16	☐	☐	3.5#

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way

Delivered Pricing	
\$	127
\$	282
\$	274

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Stacking End-of-Run Trim

		MODEL NUMBER		Approx. Packaged Weight	
		Basic Model	Trim Color		
MODEL	H				
	End-of-Run Trim - Stacking Section	16"	UEORS16	☐ ☐	2.5#
	• Additive vertical trim portion for placement directly above a lower section of end of run trim				
	• Includes end cap				
UST					
	End-of-Run Trim - Stacking Section at Variable Height Condition	16"	UEORV16	☐ ☐	2.5#
	• Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location				
	• Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim				
UST					
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Stacking End-of-Run Trim

Delivered
Pricing

\$ 38

\$ 38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.


Unite® Rolling Door

General Information

Plan View of Rolling Door Applications



No Jamb Condition (URDNJ)



180° Inline Condition (URD180)



90° Intersection Condition (URD90)

GENERAL INFORMATION

Unite Rolling Doors allow for simple privacy in workstation, and are offered with or without a jamb closure. Doors without a closing jamb simply over-lap the external corner of the closing panel intersection condition. Doors with jambs are shipped with a jamb post and a jamb rail (a receiver where the door can nest there by providing additional privacy).

Sizes

Rolling Doors are offered in the following sizes:

36" w X 64" h (monolithic door core)

36" w X 80" h (segmented door core)

42" w X 64" h (monolithic door core)

42" w X 80" h (segmented door core)

The width dimension provided indicates the nominal opening width that the door will span, and the actual door is oversized to allow for panel overlap.

64" high doors are constructed with a single aluminum frame. 80" high doors have a 16" high segmented top section to correspond

to a 16" high Unite® stacking section.

Panel Attachment and Specification

The panel to which a Rolling Door is attached must be specified the same width or wider than the nominal Rolling Door model (i.e. 36" w door with 36" or wider attach panel). The "No Jamb" model (URDNJ) must be specified with a 6" or wider attaching panel (i.e. 36" w model with 42" w or wider attaching panel). This prevents the door from extending open into an adjacent walkway. This rule is not required if the attaching panel is a member of a panel run.

Door Height Options

80" high Rolling Doors feature a 16" segmented top frame. The top segment of the door is consistent with a 16" panel stacking section on the Unite® panel. 64" Rolling Door models are monolithic and do not feature any segmentation.

Cores

Rolling doors are available with two optional

core inserts that are designated as "clear" and "opal". The insert material is the same and complements KI All Terrain® screens. The insert material is a horizontally fluted Polycarbonate sheet. Both cores are semi-transparent and provide basic privacy while allowing light to penetrate into the office space. The opal core is less transparent than the clear.

Handedness of Models

All Rolling Door models are "non-handed". Wheel assemblies are packaged separately from the door for unilateral application. Jamb post assemblies are reversible for right or left side assembly.

Planning Options


Rolling doors can be ordered after a job site has been installed (reconfiguration) or space planned in advance of job site installation. If planned in advance, standard Unite® intersections will be replaced with jamb post intersections. If a job site is reconfigured after installation, standard intersections must

be removed and replaced with the appropriate jamb post assembly. The exception is with the "no-jamb" condition which does not require a closing jamb intersection.

Plan View of Rolling Door Applications



Dead End Condition (URDDE)



Double Dead End Condition (URDDDE)




Building Wall Condition (URDBW)

INFORMATION

Warranty

Refer to KI Terms & Conditions document
 or visit ki.com

Unite® Rolling Door

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Core Insert	Trim Color	
MODEL	W x H				
 URD	Rolling Door-No Jamb Condition	44-3/8 x 63-15/16"	URDNJ3664	☐	20.0#
	• Includes door and attachment post	44-3/8 x 79-15/16"	URDNJ3680	☐	26.0#
	• Door extends beyond opening and overlaps Unite® panel edge without jamb closure	50-3/8 x 63-15/16"	URDNJ4264	☐	22.0#
		50-3/8 x 79-15/16"	URDNJ4280	☐	27.0#
	• Door is non-handed and may be used in either right or left position				
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"				
	• Polycarbonate core inserts feature horizontal fluting pattern				
	• Non-locking				
	• Actual door dimension extends 8" beyond its nominal door opening width				
	• Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more details				
	• See General Information preceding these pages for all conditions in plan view				
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$158 |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



\$	1351
	1601
	1401
	1676

Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

Unite® Rolling Door

		MODEL NUMBER			Approx. Packaged Weight	
MODEL	W x H	Basic Model	Core Insert	Trim Color		
 URD	Rolling Door-180° Inline Condition	44-3/8 x 63-15/16"	URD1803664	☐ ☐	☐ ☐	34.0#
	• Includes door, attachment post, and inline door jamb	44-3/8 x 79-15/16"	URD1803680	☐ ☐	☐ ☐	44.0#
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD1804264	☐ ☐	☐ ☐	36.0#
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD1804280	☐ ☐	☐ ☐	45.0#
	• Polycarbonate core inserts feature horizontal fluting pattern					
	• Non-locking					
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width					
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details					
	• See General Information preceding these pages for all conditions in plan view					
 URD	Rolling Door-90° Intersection Condition	44-3/8 x 63-15/16"	URD903664	☐ ☐	☐ ☐	42.0#
	• Includes door, attachment post, and 90° intersection trim with jamb	44-3/8 x 79-15/16"	URD903680	☐ ☐	☐ ☐	54.0#
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD904264	☐ ☐	☐ ☐	44.0#
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD904280	☐ ☐	☐ ☐	55.0#
	• Polycarbonate core inserts feature horizontal fluting pattern					
	• Non-locking					
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width					
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details					
	• See General Information preceding these pages for all conditions in plan view					

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select core type (plastic fluted core insert).

- CP** - Fluted Clear Plastic Core
OP - Fluted Opal Plastic Core; add \$158

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

2076

1800

2152



2201

1926

2276

Specifications and prices are subject to change without prior notice.

Unite® Rolling Door

			MODEL NUMBER			
			Basic Model	Core Insert	Trim Color	Approx. Packaged Weight
 URD	Rolling Door-Dead End Condition - Includes door, attachment post and 90° dead end jamb - Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" - Polycarbonate core inserts feature horizontal fluting pattern - Non-locking - Actual door dimension extends 10-3/4" beyond its nominal door opening width - Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details - See General Information preceding these pages for all conditions in plan view	44-3/8 x 63-15/16"	URDDE3664	☐	☐	43.0#
		44-3/8 x 79-15/16"	URDDE3680	☐	☐	53.0#
		50-3/8 x 63-15/16"	URDDE4264	☐	☐	45.0#
		50-3/8 x 79-15/16"	URDDE4280	☐	☐	54.0#
 URD	Rolling Door-Double Dead End Condition - Includes two doors, two attachment posts and double-sided center jamb post 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" - Polycarbonate core inserts feature horizontal fluting pattern - Non-locking - Actual door dimension extends 10-3/4" beyond its nominal door opening width - Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details - See General Information preceding these pages for all conditions in plan view	44-3/8 x 63-15/16"	URDDDE3664	☐	☐	65.0#
		44-3/8 x 79-15/16"	URDDDE3680	☐	☐	83.0#
		50-3/8 x 63-15/16"	URDDDE4264	☐	☐	69.0#
		50-3/8 x 79-15/16"	URDDDE4280	☐	☐	86.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select core type (plastic fluted core insert).

- CP** - Fluted Clear Plastic Core
OP - Fluted Opal Plastic Core; add \$158

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

2175


2252

3927

4027

Specifications and prices are subject to change without prior notice.

Unite® Rolling Door

	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Core Insert	Trim Color	
 URD	Rolling Door-Building Wall Condition	44-3/8 x 63-15/16"	URDBW3664	☐	☐	24.0#
	• Includes door, attachment post and jamb rail	44-3/8 x 79-15/16"	URDBW3680	☐	☐	31.0#
	• Jamb rail attaches to building wall	50-3/8 x 63-15/16"	URDBW4264	☐	☐	26.0#
	• Door is non-handed and may be used in either right or left position	50-3/8 x 79-15/16"	URDBW4280	☐	☐	32.0#
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"					
	• Polycarbonate core inserts feature horizontal fluting pattern					
	• Non-locking					
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width					
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details					
	• See General Information preceding these pages for all conditions in plan view					
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$158 |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

SPECIAL SERVICES


Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER		Approx. Packaged Weight	
MODEL	L	Basic Model	Finish		
 HRDPT	Rolling Door-Threshold for use with Jamb Conditions	77-1/4"	URDT36	☐	5.0#
		89-1/4"	URDT42	☐	5.0#
	• Thresholds are an accessory, designed as an option to assist door tracking				
	• Non-handed threshold model are specified by nominal door opening				
	• Thresholds extend across the door opening and in front of the attachment panel				
	• Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening				
	• Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet				
	• Includes two aluminum end caps				
	• Thresholds are extruded aluminum with either black or clear silver anodize color option				

A

B

B Select finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered
Pricing

\$ 202
202

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Unite® Rolling Door

Thresholds

		MODEL NUMBER				
MODEL		L	Basic Model	Finish	Approx. Packaged Weight	
 HRDPT	Rolling Door-Threshold for use with No-Jamb Conditions	83-1/4"	URDTNJ36	☐	5.0#	
		95-1/4"	URDTNJ42	☐	5.0#	
	• Thresholds are an accessory, designed as an option to assist door tracking • Non-handed threshold model are specified by nominal door opening for rolling door in "no jamb" conditions that require wider doors and longer thresholds • Thresholds extend across the door opening and in front of the attachment panel • Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening • Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet • Includes two aluminum end caps • Thresholds are extruded aluminum with either black or clear silver anodize color option					
 HRDPT	Rolling Door-Continuous Threshold	96-1/4"	URDTC	☐	5.0#	
	• Thresholds are an accessory, designed as an option to assist door tracking • Continuous Threshold models are designed to be installed end to end • Consult space plan for the required linear feet • Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet • Includes one threshold and one aluminum end cap. End caps are not required at joints so only one end cap is included per model • Threshold is extruded aluminum with either black or clear silver anodize color option					

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered
Pricing

\$ 202
202

\$ 135

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"

			MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Rigid Wireway - 6 Circuit - Distributes 10-wire power and allows receptacle mounting - Non-directional - Wireway can be mounted inside the base raceway or at beltway behind tile - Accommodates two duplex receptacles per side; maximum of four per wireway - Receptacles are purchased separately - Beltway power requires UETBWM for mounting	24"	UET6WW.24	2.0#
		30"	UET6WW.30	2.0#
		36"	UET6WW.36	3.0#
		42"	UET6WW.42	3.0#
		48"	UET6WW.48	3.0#
		54"	UET6WW.54	4.0#
		60"	UET6WW.60	4.0#
		72"	UET6WW.72	4.0#
 HRDPT	Raceway Cable Trough - 6 Circuit Steel trough manages cords at raceway	24"	UETRT.24	0.9#
		30"	UETRT.30	1.1#
		36"	UETRT.36	1.3#
		42"	UETRT.42	1.4#
		48"	UETRT.48	1.6#
		54"	UETRT.54	1.8#
		60"	UETRT.60	2.0#
		72"	UETRT.72	2.3#
 HRDPT	Beltway-Height Harness Mounting Kit - 6 Circuit - Allows harness to mount at beltway height - Includes mounting brackets and hardware		UETBWM	1.3#
 HRDPT	Beltway Cable Trough - 6 Circuit - Steel trough manages cords at beltway - Requires UETBWM for mounting	24"	UETBT.24	0.6#
		30"	UETBT.30	0.8#
		36"	UETBT.36	0.9#
		42"	UETBT.42	1.1#
		48"	UETBT.48	1.3#
		54"	UETBT.54	1.5#
		60"	UETBT.60	1.6#
		72"	UETBT.72	1.9#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Electrical
10-Wire System 6 Circuit "810"

Delivered Pricing	
\$	95
	99
	102
	106
	111
	121
	121
	121
\$	11
	12
	14
	15
	16
	18
	20
	24
\$	36
\$	11
	12
	14
	15
	16
	18
	20
	24

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"

			MODEL NUMBER	Approx. Packaged Weight
MODEL	PANEL WIDTH	Basic Model		
 HRDPT	Harness/Power Pass Through - 6 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent rigid wireway or another harness/pass through • Receptacle access is not provided • Length is same as corresponding rigid wireway • Pass through requires panel-to-panel jumpers (ordered separately)	24"	UET6PP.24	1.0#
		30"	UET6PP.30	2.0#
		36"	UET6PP.36	2.0#
		42"	UET6PP.42	2.0#
		48"	UET6PP.48	2.0#
		54"	UET6PP.54	3.0#
		60"	UET6PP.60	3.0#
		72"	UET6PP.72	3.0#
 HRDPT	In-Line Panel Jumper - 6 Circuit • Used for in-line intersections • Non-directional	12" Length	UET6PJINL	1.0#
 HRDPT	Intersection Panel Jumper - 6 Circuit • Used for intersections • Non-directional	15-1/2" Length	UET6PJINT	1.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	110
	116
	116
	116
	121
	121
	121
	121
\$	48
\$	54

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"

	MODEL	L	MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Genius In-Line Panel Jumper - 6 Circuit - Used to connect Genius® (UL 183) to Unite (UL 1286) at in-line conditions - Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite® panel - Electrical system cannot alternate between Genius® and Unite® - Steel corrugated sheathing and steel shielded connectors	18-1/2" Length	SET6PJINL	1.0#
 HRDPT	Genius Intersection Panel Jumper - 6 Circuit - Used to connect Genius® (UL 183) to Unite (UL 1286) at 90 degree intersection conditions - Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite panel - Electrical system cannot alternate between Genius® and Unite - Steel corrugated sheathing and steel shielded connectors	17-1/2" Length	SET6PJINT	1.0#
 HRDPT	Vertical Jumper - 6 Circuit - Jumps power from base raceway to beltway - Non-directional	38-1/2" Length	UET6VJ	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



\$ 81

\$ 84

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"/with Bezel for Raceway Use

			MODEL NUMBER		
			Basic Model	Trim Color	
MODEL			Features		Approx. Packaged Weight
 HRDPT	15 Amp Duplex Receptacle with Bezel for Raceway Use - 6 Circuit • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1,2 and 3 • 4I, 5I and 6I circuit receptacles are stamped with orange triangle	Circuit 1	UET6RRC.1	☐	1.0#
		Circuit 2	UET6RRC.2	☐	1.0#
		Circuit 3	UET6RRC.3	☐	1.0#
		Circuit 4	UET6RRC.4I	☐	1.0#
		Circuit 5	UET6RRC.5I	☐	1.0#
		Circuit 6	UET6RRC.6I	☐	1.0#
 HRDPT	20 Amp Receptacle with Bezel for Raceway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1,2 and 3 • 4I, 5I and 6I circuit receptacles are stamped with orange triangle	Circuit 1	UET6R20R.1	☐	1.0#
		Circuit 2	UET6R20R.2	☐	1.0#
		Circuit 3	UET6R20R.3	☐	1.0#
		Circuit 4	UET6R20R.4I	☐	1.0#
		Circuit 5	UET6R20R.5I	☐	1.0#
		Circuit 6	UET6R20R.6I	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 6 Circuit "810"/with Bezel for Raceway Use

Delivered Pricing	
\$	28
	28
	28
	28
	28
	28
	28
\$	41
	41
	41
	41
	41
	41
	41

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"/for Beltway Use

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	15 Amp Duplex Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1,2 and 3 • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET6BRC.1	☐	1.0#
		Circuit 2	UET6BRC.2	☐	1.0#
		Circuit 3	UET6BRC.3	☐	1.0#
		Circuit 4	UET6BRC.4I	☐	1.0#
		Circuit 5	UET6BRC.5I	☐	1.0#
		Circuit 6	UET6BRC.6I	☐	1.0#
 HRDPT	20 Amp Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET6B20R.1	☐	1.0#
		Circuit 2	UET6B20R.2	☐	1.0#
		Circuit 3	UET6B20R.3	☐	1.0#
		Circuit 4	UET6B20R.4I	☐	1.0#
		Circuit 5	UET6B20R.5I	☐	1.0#
		Circuit 6	UET6B20R.6I	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 6 Circuit "810"/for Beltway Use

Delivered Pricing	
\$	24
	24
	24
	24
	24
	24
\$	38
	38
	38
	38
	38
	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"

		MODEL NUMBER		Approx. Packaged Weight	
MODEL	L	Basic Model	Trim Color		
 HRDPT	Base Infeed with Bezel for Raceway Base - 6 Circuit	72"	UET6RBFU	☐ ☐	7.0#
	• Infeed is non-handed • Includes bezel with filler plate which can be removed to accept "modular furniture knockouts" for data plates • For use with standard or tile to floor bases only				
 HRDPT	Base Infeed for Elevated Base - 6 Circuit	72"	UET6LBFU	☐ ☐	7.0#
	• Infeed is non-handed • For use with elevated base only • Infeed connects to rigid wireway at beltway				
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 6 Circuit "810"

Delivered
Pricing

\$ 151

\$ 151

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810"

		MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Power Option	Trim Color	
 UETF HRDPT	Top Feed with 7-Foot Pole and Top Cap - 6 Circuit	24"	UETF0724	☐	☐	7.3#
		30"	UETF0730	☐	☐	7.4#
	• Topfeed must be specified by length of top cap	36"	UETF0736	☐	☐	7.6#
	• For use at top of panel only	42"	UETF0742	☐	☐	7.8#
	• When powered, infeed connects to either end of rigid wireway at base or beltway	48"	UETF0748	☐	☐	8.0#
	• Does not occupy space for duplex receptacles	54"	UETF0754	☐	☐	8.2#
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF0760	☐	☐	8.4#
	• Infeed length 144" adds 14lbs to ship weight	72"	UETF0772	☐	☐	8.8#
 UETF HRDPT	Top Feed with 10-foot Pole and Top Cap - 6 Circuit	24"	UETF1024	☐	☐	9.6#
		30"	UETF1030	☐	☐	9.8#
	• Topfeed must be specified by length of top cap	36"	UETF1036	☐	☐	10.0#
	• For use at top of panel only	42"	UETF1042	☐	☐	10.2#
	• When powered, infeed connects to either end of rigid wireway at base or beltway	48"	UETF1048	☐	☐	10.4#
	• Does not occupy space for duplex receptacles	54"	UETF1054	☐	☐	10.6#
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF1060	☐	☐	10.8#
	• Infeed length 216" adds 19lbs to ship weight	72"	UETF1072	☐	☐	11.2#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select power.

N	- No Power
4	- 442 power infeed; add \$151
6	- 622 power infeed; add \$151

Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Metallic finish not available.



Delivered Pricing	
\$	294
	306
	308
	315
	317
	318
	320
	338
\$	375
	387
	390
	399
	400
	402
	403
	421

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"

			MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Rigid Wireway - 4 Circuit - Distributes 10-wire power and allows receptacle mounting - Non-directional - Wireway can be mounted inside the base raceway or at beltway behind tile - Accommodates two duplex receptacles per side. Maximum of four per wireway - Receptacles purchased separately - Beltway power requires UETBWM for mounting	24"	UET4WW.24	2.0#
		30"	UET4WW.30	2.0#
		36"	UET4WW.36	3.0#
		42"	UET4WW.42	3.0#
		48"	UET4WW.48	3.0#
		54"	UET4WW.54	3.0#
		60"	UET4WW.60	4.0#
		72"	UET4WW.72	4.0#
 HRDPT	Raceway Cable Trough - 4 Circuit Steel trough manages cords at raceway	24"	UETRT.24	0.9#
		30"	UETRT.30	1.1#
		36"	UETRT.36	1.3#
		42"	UETRT.42	1.4#
		48"	UETRT.48	1.6#
		54"	UETRT.54	1.8#
		60"	UETRT.60	2.0#
		72"	UETRT.72	2.3#
 HRDPT	Beltway-Height Harness Mounting Kit - 4 Circuit - Allows harness to mount at beltway height - Includes mounting brackets and hardware		UETBWM	1.3#
 HRDPT	Beltway Cable Trough - 4 Circuit - Steel trough manages cords at beltway - Requires UETBWM for mounting	24"	UETBT.24	0.6#
		30"	UETBT.30	0.8#
		36"	UETBT.36	0.9#
		42"	UETBT.42	1.1#
		48"	UETBT.48	1.3#
		54"	UETBT.54	1.5#
		60"	UETBT.60	1.6#
		72"	UETBT.72	1.9#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Electrical
10-Wire System 4 Circuit "810"

Delivered Pricing	
\$	95
	99
	102
	106
	111
	115
	117
	121
\$	11
	12
	14
	15
	16
	18
	20
	24
\$	36
\$	11
	12
	14
	15
	16
	18
	20
	24

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"

			MODEL NUMBER	Approx. Packaged Weight
MODEL		PANEL WIDTH	Basic Model	
 HRDPT	Harness/Power Pass Through - 4 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or or another Harness/Pass Through • Receptacle access is not provided • Length is same as corresponding Rigid Wireway • Pass through requires panel-to-panel jumpers (ordered separately)	24"	UET4PP.24	1.0#
		30"	UET4PP.30	2.0#
		36"	UET4PP.36	2.0#
		42"	UET4PP.42	2.0#
		48"	UET4PP.48	2.0#
		54"	UET4PP.54	3.0#
		60"	UET4PP.60	3.0#
		72"	UET4PP.72	3.0#
 HRDPT	In-Line Panel Jumper - 4 Circuit • Used for in-line intersections • Non-directional	12" Length	UET4PJINL	1.0#
 HRDPT	Intersection Panel Jumper - 4 Circuit • Used for intersections • Non-directional	15-1/2" Length	UET4PJINT	1.0#
 HRDPT	Vertical Jumper - 4 Circuit • Jumps power from base raceway to beltway • Non-directional	38-1/2" Length	UET4VJ	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	110
	116
	116
	116
	121
	121
	121
	121
\$	48
\$	54
\$	84

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"/with Bezel for Raceway Use

			MODEL NUMBER		
			Basic Model	Trim Color	
MODEL			Features		Approx. Packaged Weight
 HRDPT	15-Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 3I and 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4RRC.1	☐	1.0#
		Circuit 2	UET4RRC.2	☐	1.0#
		Circuit 3	UET4RRC.3I	☐	1.0#
		Circuit 4	UET4RRC.4I	☐	1.0#
 HRDPT	20-Amp Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4R20R.1	☐	1.0#
		Circuit 2	UET4R20R.2	☐	1.0#
		Circuit 4	UET4R20R.4I	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 4 Circuit "810"/with Bezel for Raceway Use

Delivered Pricing	
\$	28
	28
	28
	28
\$	41
	41
	41

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"/for Beltway Use

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	15-Amp Duplex Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1, and 2 • 3I and 4I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET4BRC.1	☐	1.0#
		Circuit 2	UET4BRC.2	☐	1.0#
		Circuit 3	UET4BRC.3I	☐	1.0#
		Circuit 4	UET4BRC.4I	☐	1.0#
 HRDPT	20-Amp Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4I circuit receptacle is stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only: raceway receptacles are listed separately	Circuit 1	UET4B20R.1	☐	1.0#
		Circuit 2	UET4B20R.2	☐	1.0#
		Circuit 4	UET4B20R.4I	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 4 Circuit "810"/for Beltway Use

Delivered Pricing	
\$	24
	24
	24
	24
\$	38
	38
	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"

		MODEL NUMBER		Approx. Packaged Weight	
MODEL	L	Basic Model	Trim Color		
 HRDPT	Base Infeed with Bezel for Raceway Base - 4 Circuit	72"	UET4RBFU	☐ ☐	7.0#
	• Infeed is non-handed • Includes bezel with filler plate which can be removed to accept "modular furniture knockouts" for data plates • For use with standard or tile to floor bases only				
 HRDPT	Base Infeed for Elevated Base - 4 Circuit	72"	UET4LBFU	☐ ☐	7.0#
	• Infeed is non-handed • For use with elevated base only • Infeed connects to rigid wireway at beltway				
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Electrical

10-Wire System 4 Circuit "810"

Delivered
Pricing

\$ 151

\$ 151

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810"

			MODEL NUMBER			Approx. Packaged Weight
MODEL	PANEL WIDTH	Basic Model	Power Option	Trim Color		
 UETF HRDPT	Top Feed with 7-Foot Pole and Top Cap - 4 Circuit	24"	UETF0724	☐	☐	7.3#
		30"	UETF0730	☐	☐	7.4#
	• Topfeed must be specified by length of top cap • For use at top of panel only • When powered, infeed connects to either end of rigid wireway at base or beltway • Does not occupy space for duplex receptacles • Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered • Infeed length 144" adds 14lbs to ship weight	36"	UETF0736	☐	☐	7.6#
		42"	UETF0742	☐	☐	7.8#
		48"	UETF0748	☐	☐	8.0#
		54"	UETF0754	☐	☐	8.2#
		60"	UETF0760	☐	☐	8.4#
		72"	UETF0772	☐	☐	8.8#
 UETF HRDPT	Top Feed with 10-foot Pole and Top Cap - 4 Circuit	24"	UETF1024	☐	☐	9.6#
		30"	UETF1030	☐	☐	9.8#
	• Topfeed must be specified by length of top cap • For use at top of panel only • When powered, infeed connects to either end of rigid wireway at base or beltway • Does not occupy space for duplex receptacles • Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered • Infeed length 216" adds 19lbs to ship weight	36"	UETF1036	☐	☐	10.0#
		42"	UETF1042	☐	☐	10.2#
		48"	UETF1048	☐	☐	10.4#
		54"	UETF1054	☐	☐	10.6#
		60"	UETF1060	☐	☐	10.8#
		72"	UETF1072	☐	☐	11.2#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select power.

N	- No Power
4	- 442 power infeed; add \$151
6	- 622 power infeed; add \$151

Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Metallic finish not available.



Delivered Pricing	
\$	294
	306
	308
	315
	317
	318
	320
	338
\$	375
	387
	390
	399
	400
	402
	403
	421

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

New York Power - 10-Wire System 6 or 4 Circuit "810"

		MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Power Option	Trim Color	Whip Color	
 UENY HRDPT	New York Base Infeed with Race Way Cover - City of New York approved power entry box with panel to panel jumper - Infeed must be specified by width of panel - Infeed comes with painted steel raceway cover with entry hole and grommet for inlet - Can be used at base level only 72" whip is color matched to trim - Entry box is mounted to bottom horizontal and inlet whip enters one side of the panel - Panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel - Infeed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYBF24	☐	☐	☐	12.3#
	UETNYBF30	☐	☐	☐	12.6#	
	UETNYBF36	☐	☐	☐	12.8#	
	UETNYBF42	☐	☐	☐	13.6#	
	UETNYBF48	☐	☐	☐	13.8#	
	UETNYBF54	☐	☐	☐	0.0#	
	UETNYBF60	☐	☐	☐	14.5#	
	UETNYBF72	☐	☐	☐	15.0#	
 UENY HRDPT	New York Power Top Feed with 7-foot Pole and Top Cap - Topfeed must be specified by length of top cap - For use at top of panel only - Infeed connects at base raceway - Includes aluminum topfeed power pole, ceiling trim and infeed 216" of conduit provided - Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF0730	☐	☐		31.4#
	UETNYTF0736	☐	☐		31.6#	
	UETNYTF0742	☐	☐		32.3#	
	UETNYTF0748	☐	☐		32.5#	
	UETNYTF0754	☐	☐		0.0#	
	UETNYTF0760	☐	☐		33.1#	
	UETNYTF0772	☐	☐		33.5#	
 UENY HRDPT	New York Power Top Feed with 10-foot Pole and Top Cap - Topfeed must be specified by length of top cap - For use at top of panel only - Infeed connects at base raceway - Includes aluminum topfeed power pole, ceiling trim and infeed 216" of conduit provided - Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF1030	☐	☐		33.8#
	UETNYTF1036	☐	☐		34.0#	
	UETNYTF1042	☐	☐		34.7#	
	UETNYTF1048	☐	☐		34.9#	
	UETNYTF1054	☐	☐		0.0#	
	UETNYTF1060	☐	☐		35.5#	
	UETNYTF1072	☐	☐		35.9#	

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select power.

4- 4 Circuit

6- 6 Circuit
- C

Select trim color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#)
- D

Select whip color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

\$	431
	433
	436
	438
	440
	441
	443
	447

\$	584
	587
	594
	595
	596
	596
	613

\$	612
	614
	616
	625
	626
	627
	644


Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

Worksurfaces

Rectangular

	MODEL	A x B	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
 UWR	Rectangular Worksurfaces - 18" D - Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced - Grommet locations are shown	18 x 24"	UWR1824	□□□	□□□	□□□	□□□	□□	17.0#
		18 x 30"	UWR1830	□□□	□□□	□□□	□□□	□□	20.0#
		18 x 36"	UWR1836	□□□	□□□	□□□	□□□	□□	24.0#
		18 x 42"	UWR1842	□□□	□□□	□□□	□□□	□□	27.0#
		18 x 48"	UWR1848	□□□	□□□	□□□	□□□	□□	30.0#
		18 x 54"	UWR1854	□□□	□□□	□□□	□□□	□□	33.0#
		18 x 60"	UWR1860	□□□	□□□	□□□	□□□	□□	38.0#
		18 x 66"	UWR1866	□□□	□□□	□□□	□□□	□□	41.0#
		18 x 72"	UWR1872	□□□	□□□	□□□	□□□	□□	44.0#
UWR	Rectangular Worksurfaces - 22" D 22" deep worksurfaces optimize alignment with U Series 22" storage elements - Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced - Grommet locations are shown	22 x 24"	UWR2224	□□□	□□□	□□□	□□□	□□	20.0#
		22 x 30"	UWR2230	□□□	□□□	□□□	□□□	□□	24.0#
		22 x 36"	UWR2236	□□□	□□□	□□□	□□□	□□	28.0#
		22 x 42"	UWR2242	□□□	□□□	□□□	□□□	□□	32.0#
		22 x 48"	UWR2248	□□□	□□□	□□□	□□□	□□	36.0#
		22 x 54"	UWR2254	□□□	□□□	□□□	□□□	□□	39.0#
		22 x 60"	UWR2260	□□□	□□□	□□□	□□□	□□	45.0#
		22 x 66"	UWR2266	□□□	□□□	□□□	□□□	□□	49.0#
		22 x 72"	UWR2272	□□□	□□□	□□□	□□□	□□	53.0#
UWR	Rectangular Worksurfaces - 24" D - Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced - Grommet locations are shown	22 x 84"	UWR2284	□□□	□□□	□□□	□□□	□□	60.0#
		22 x 96"	UWR2296	□□□	□□□	□□□	□□□	□□	68.0#
		24 x 24"	UWR2424	□□□	□□□	□□□	□□□	□□	21.0#
		24 x 30"	UWR2430	□□□	□□□	□□□	□□□	□□	26.0#
		24 x 36"	UWR2436	□□□	□□□	□□□	□□□	□□	30.0#
		24 x 42"	UWR2442	□□□	□□□	□□□	□□□	□□	34.0#
		24 x 48"	UWR2448	□□□	□□□	□□□	□□□	□□	38.0#
		24 x 54"	UWR2454	□□□	□□□	□□□	□□□	□□	43.0#
		24 x 60"	UWR2460	□□□	□□□	□□□	□□□	□□	48.0#
		24 x 66"	UWR2466	□□□	□□□	□□□	□□□	□□	53.0#
		24 x 72"	UWR2472	□□□	□□□	□□□	□□□	□□	57.0#
		24 x 84"	UWR2484	□□□	□□□	□□□	□□□	□□	65.0#
		24 x 96"	UWR2496	□□□	□□□	□□□	□□□	□□	74.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select edge style.

74P - 74P edge
KN - Knife edge

- C** Select grommet location.

N - No grommet
L - Grommet : Left; add \$23
C - Grommet : Center; add \$23
R - Grommet : Right; add \$23
LR - Grommet : Left/right; add \$45
LC - Grommet : Left /center; add \$45
CR - Grommet : Center/right; add \$45
LCR - Grommet : Left /center/right; add \$67

- D** Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge

style selections.

- E** Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


- F** Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.




Worksurfaces

Rectangular



74P Edge
(74P)



Knife Edge
(KN)

\$ 176

196

211

247

265

277

287

299

303

\$ 179

200

217

256

277

293

304

313

318

340

353

\$ 203

221

241

280

303

316

329

339

345

\$ 206

227

248

293

316

334

346

357

364

388

402

\$ 179

200

217

256

277

293

304

313

318

340

353

\$ 206

227

248

293

316

334

346

357

364

388

402

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Rectangular



UWR

MODEL

A x B

- Rectangular Worksurfaces - 30" D**
- Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"
 - 60" and larger worksurfaces are reinforced
 - Grommet locations are shown

Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color
UWR3024	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3030	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3036	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3042	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3048	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3054	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3060	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3066	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3072	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3084	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐
UWR3096	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐

Approx. Packaged Weight

26.0#
31.0#
36.0#
41.0#
47.0#
52.0#
59.0#
64.0#
69.0#
80.0#
90.0#

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

C Select grommet location.

D Select surface finish.
- E** Select edge color.

F Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- style selections.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Surface finish offerings are based on edge
- 74P** - 74P edge

KN - Knife edge

N - No grommet

L - Grommet : Left; add \$23

C - Grommet : Center; add \$23


R - Grommet : Right; add \$23

LR - Grommet : Left/right; add \$45


LC - Grommet : Left /center; add \$45

CR - Grommet : Center/right; add \$45

LCR - Grommet : Left /center/right; add \$67



74P Edge
(74P)



Knife Edge
(KN)

\$	200	\$	227
	217		248
	238		271
	272		310
	299		339
	308		352
	319		365
	334		381
	339		386
	386		440
	403		459

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Diagonal 90° Corner

			MODEL NUMBER							
MODEL			A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
	Diagonal 90° Corner - 18" D • Brackets and/or supports are specified separately, three required • Grommet options are limited to center (corner) or no grommet	18 x 36 x 36 x 18	UWDC18363618	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		18 x 42 x 42 x 18	UWDC18424218	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		18 x 48 x 48 x 18	UWDC18484818	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
UWC										
UWC	Diagonal 90° Corner - 22" D • Brackets and/or supports are specified separately, three required • Grommet options are limited to center (corner) or no grommet	22 x 36 x 36 x 22	UWDC22363622	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		22 x 42 x 42 x 22	UWDC22424222	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		22 x 48 x 48 x 22	UWDC22484822	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
UWC	Diagonal 90° Corner - 24" D • Brackets and/or supports are specified separately, three required • Grommet options are limited to center (corner) or no grommet	24 x 36 x 36 x 24	UWDC24363624	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		24 x 42 x 42 x 24	UWDC24424224	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
		24 x 48 x 48 x 24	UWDC24484824	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐		
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.



Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select grommet location.
- | | |
|----------|------------------------------|
| N | - No grommet |
| C | - Grommet : Center; add \$23 |
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight				
	74P Edge (74P)		Knife Edge (KN)	
34.0#	\$	327	\$	375
47.0#		351		403
62.0#		457		524
37.0#	\$	327	\$	375
50.0#		351		403
65.0#		457		524
39.0#	\$	327	\$	375
52.0#		351		403
67.0#		457		524

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Extended Corner

			MODEL NUMBER						Approx. Packaged Weight
MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color		
	Extended Corner - 22"	22 x 60 x 36 x 22	UWEC22603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	22 x 72 x 36 x 22	UWEC22723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								
UWC									
UWC	Extended Corner - 24"	24 x 60 x 36 x 24	UWEC24603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 72 x 36 x 24	UWEC24723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	
	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.


Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
- B** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select grommet location.
- | | |
|------------|--|
| N | - No grommet |
| L | - Grommet : Left; add \$23 |
| C | - Grommet : Center; add \$23 |
| R | - Grommet : Right; add \$23 |
| LR | - Grommet : Left/right; add \$45 |
| LC | - Grommet : Left /center; add \$45 |
| CR | - Grommet : Center/right; add \$45 |
| LCR | - Grommet : Left /center/right; add \$67 |
- D** Select surface finish.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Surface finish offerings are based on edge

- style selections.
- E** Select edge color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)

\$ 593
683



Knife Edge
(KN)

\$ 677
779

\$ 593
683

\$ 677
779

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Extended Corner

	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
	Extended Corner - 22" • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 36 x 60 x 22	UWEC22366022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	53.0#
		22 x 36 x 72 x 22	UWEC22367222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	60.0#
UWC									
UWC	Extended Corner - 24" • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 36 x 60 x 24	UWEC24366024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	55.0#
		24 x 36 x 72 x 24	UWEC24367224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:


- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - No grommet
- L** - Grommet : Left; add \$23
- C** - Grommet : Center; add \$23
- R** - Grommet : Right; add \$23
- LR** - Grommet : Left/right; add \$45
- LC** - Grommet : Left /center; add \$45
- CR** - Grommet : Center/right; add \$45
- LCR** - Grommet : Left /center/right; add \$67
- D** Select surface finish.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Surface finish offerings are based on edge


style selections.

- E** Select edge color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)

\$ 593
683



Knife Edge
(KN)

\$ 677
779

\$ 593
683

\$ 677
779

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Extended Corner Reductions

			MODEL NUMBER						Approx. Packaged Weight
MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color		
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 36 x 60 x 22	UWEC18366022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	
		18 x 36 x 60 x 24	UWEC18366024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
		18 x 36 x 72 x 22	UWEC18367222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		18 x 36 x 72 x 24	UWEC18367224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
UWC									
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 36 x 60 x 18	UWEC22366018	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	
		22 x 36 x 60 x 24	UWEC22366024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	
		22 x 36 x 72 x 18	UWEC22367218	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		22 x 36 x 72 x 24	UWEC22367224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 36 x 60 x 18	UWEC24366018	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
		24 x 36 x 60 x 22	UWEC24366022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	
		24 x 36 x 72 x 18	UWEC24367218	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
		24 x 36 x 72 x 22	UWEC24367222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.


Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - No grommet
- L** - Grommet : Left; add \$23
- C** - Grommet : Center; add \$23
- R** - Grommet : Right; add \$23
- LR** - Grommet : Left/right; add \$45
- LC** - Grommet : Left /center; add \$45
- CR** - Grommet : Center/right; add \$45
- LCR** - Grommet : Left /center/right; add \$67
- D** Select surface finish.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Surface finish offerings are based on edge

- style selections.
- E** Select edge color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)



Knife Edge
(KN)

\$ 593
593
683
683

\$ 677
677
779
779

\$ 593
593
683
683
\$ 593
593
683
683

\$ 677
677
779
779
\$ 677
677
779
779

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Extended Corner Reductions

			MODEL NUMBER						Approx. Packaged Weight
MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color		
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 60 x 36 x 22	UWEC18603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	
		18 x 60 x 36 x 24	UWEC18603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
		18 x 72 x 36 x 22	UWEC18723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		18 x 72 x 36 x 24	UWEC18723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
UWC									
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 60 x 36 x 18	UWEC22603618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	
		22 x 60 x 36 x 24	UWEC22603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		22 x 72 x 36 x 18	UWEC22723618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		22 x 72 x 36 x 24	UWEC22723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 60 x 36 x 18	UWEC24603618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	
		24 x 60 x 36 x 22	UWEC24603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	
		24 x 72 x 36 x 18	UWEC24723618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	
		24 x 72 x 36 x 22	UWEC24723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
KN - Knife edge
- C** Select grommet location.
- N** - No grommet
L - Grommet : Left; add \$23
C - Grommet : Center; add \$23
R - Grommet : Right; add \$23
LR - Grommet : Left/right; add \$45
LC - Grommet : Left /center; add \$45
CR - Grommet : Center/right; add \$45
LCR - Grommet : Left /center/right; add \$67
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge

style selections.


- E** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Worksurfaces
Extended Corner Reductions



74P Edge
(74P)



Knife Edge
(KN)

\$ 593
593
683
683

\$ 677
677
779
779

\$ 593
593
683
683
\$ 593
593
683
683

\$ 677
677
779
779
\$ 677
677
779
779

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Conference End

	MODEL	A x B	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
 UWP	Conference End • Brackets and/or supports are specified separately; requires two brackets and two post legs or two worksurface support legs • Grommet location is shown	24 x 51	UWCE2451	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	45.0#
		30 x 63	UWCE3063	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	70.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:


1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select grommet location.
- | | |
|----------|------------------------------|
| N | - No grommet |
| C | - Grommet : Center; add \$23 |
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)

\$ 293
334



Knife Edge
(KN)

\$ 334
381

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.


Specifications and prices are subject to change without prior notice.

			MODEL NUMBER						Approx. Packaged Weight
MODEL	A x B x C	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color		
 UWT	Tapered - 22"	22 x 48 x 30	UWT224830						39.0#
	• Tapered worksurfaces allow user to face out of the workstation	22 x 60 x 30	UWT226030						49.0#
	• 22" tapered worksurfaces align with U-Series tower depths	22 x 72 x 30	UWT227230						58.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	30 x 48 x 22	UWT304822						39.0#
	• 60" and larger worksurfaces are reinforced	30 x 60 x 22	UWT306022						49.0#
	• Grommet locations are shown	30 x 72 x 22	UWT307222						58.0#
UWT	Tapered - 24"	24 x 48 x 30	UWT244830						41.0#
	• Tapered worksurfaces allow user to face out of the workstation	24 x 60 x 30	UWT246030						51.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 72 x 30	UWT247230						60.0#
	• 60" and larger worksurfaces are reinforced	30 x 48 x 24	UWT304824						41.0#
	• Grommet locations are shown	30 x 60 x 24	UWT306024						51.0#
		30 x 72 x 24	UWT307224						61.0#
			A	B	C	D	E	F	

F Select grommet color.
Refer to the **KI Color Addendum** or **KI
Fabrics & Finishes binder**.



74P Edge
(74P)



Knife Edge
(KN)

\$ 478
523
568
478
523
568

\$ 549
599
650
549
599
650

\$ 478
523
568
478
523
568

\$ 549
599
650
549
599
650

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Peninsula

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
MODEL	A x B x C x D								
 UWP	Peninsula - 22" D	16 x 48 x 72 x 22	UWP16487222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	71.0#
	• Peninsula worksurfaces allow user to face out of the workstation	16 x 54 x 72 x 22	UWP16547222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	74.0#
	• 22" worksurfaces align with U-Series tower depths	16 x 60 x 72 x 22	UWP16607222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	78.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"								
UWP	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								
UWP	Peninsula - 24" D	16 x 48 x 72 x 24	UWP16487224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	75.0#
	• Peninsula worksurfaces allow user to face out of the workstation	16 x 54 x 72 x 24	UWP16547224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	78.0#
	• 22" worksurfaces align with U-Series tower depths	16 x 60 x 72 x 24	UWP16607224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	82.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"								
UWP	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:


- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - No grommet
- L** - Grommet : Left; add \$23
- C** - Grommet : Center; add \$23
- R** - Grommet : Right; add \$23
- LR** - Grommet : Left/right; add \$45
- LC** - Grommet : Left /center; add \$45
- CR** - Grommet : Center/right; add \$45
- LCR** - Grommet : Left /center/right; add \$67
- D** Select surface finish.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Surface finish offerings are based on edge


style selections.

- E** Select edge color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)

\$ 599
641
662



Knife Edge
(KN)

\$ 651
744
767

\$ 599
641
662

\$ 651
744
767

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Peninsula

	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
 UWP	Peninsula - 22" D	22 x 72 x 48 x 16	UWP22724816	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	71.0#
	• Peninsula worksurfaces allow user to face out of the workstation	22 x 72 x 54 x 16	UWP22725416	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	74.0#
	• 22" worksurfaces align with U-Series tower depths	22 x 72 x 60 x 16	UWP22726016	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	78.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"								
UWP	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								
UWP	Peninsula - 24" D	24 x 72 x 48 x 16	UWP24724816	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	75.0#
	• Peninsula worksurfaces allow user to face out of the workstation	24 x 72 x 54 x 16	UWP24725416	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	78.0#
	• 22" worksurfaces align with U-Series tower depths	24 x 72 x 60 x 16	UWP24726016	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	82.0#
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"								
UWP	• 60" and larger worksurfaces are reinforced								
	• Grommet locations are shown								

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- 74P** - 74P edge
KN - Knife edge

C Select grommet location.

- N** - No grommet
L - Grommet : Left; add \$23
C - Grommet : Center; add \$23
R - Grommet : Right; add \$23
LR - Grommet : Left/right; add \$45
LC - Grommet : Left /center; add \$45
CR - Grommet : Center/right; add \$45
LCR - Grommet : Left /center/right; add \$67

D Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge


style selections.

E Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


F Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge
(74P)

\$	599
	641
	662



Knife Edge
(KN)

\$	651
	744
	767

\$	599
	641
	662

\$	651
	744
	767

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

120° End Corner

			MODEL NUMBER						
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	
	MODEL 120° End Corner/60° User Edge - 22" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	A x B x C x D 22 x 36 x 36 x 22	UW12022363622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		22 x 42 x 42 x 22	UW12022424222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		22 x 48 x 48 x 22	UW12022484822	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
UWC									
UWC	120° End Corner/60° User Edge - 24" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	24 x 36 x 36 x 24	UW12024363624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		24 x 42 x 42 x 24	UW12024424224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
		24 x 48 x 48 x 24	UW12024484824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:



- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
KN - Knife edge
- C** Select grommet location.
- N** - No grommet
L - Grommet : Left; add \$23
C - Grommet : Center; add \$23
R - Grommet : Right; add \$23
LR - Grommet : Left/right; add \$45
LC - Grommet : Left /center; add \$45
CR - Grommet : Center/right; add \$45
LCR - Grommet : Left /center/right; add \$67
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge

- style selections.
- E** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
43.0#	\$ 680	\$ 788
50.0#	836	972
58.0#	894	1037
45.0#	\$ 680	\$ 788
54.0#	836	972
62.0#	894	1037

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

120° End Corner/60° End Corner

			MODEL NUMBER						
MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color		
	120° End Corner/90° User Edge - 22" - Brackets and/or supports are specified separately, two required - Grommet locations are shown	22 x 36 x 36 x 22	UWIC12022363622	☐ ☐	☐ ☐	☐ ☐	☐ ☐		
		22 x 42 x 42 x 22	UWIC12022424222	☐ ☐	☐ ☐	☐ ☐	☐ ☐		
		22 x 48 x 48 x 22	UWIC12022484822	☐ ☐	☐ ☐	☐ ☐	☐ ☐		
UWC									
UWC	120° End Corner/90° User Edge - 24" - Brackets and/or supports are specified separately, two required - Grommet locations are shown	24 x 36 x 36 x 24	UWIC12024363624	☐ ☐	☐ ☐	☐ ☐	☐ ☐		
		24 x 42 x 42 x 24	UWIC12024424224	☐ ☐	☐ ☐	☐ ☐	☐ ☐		
		24 x 48 x 48 x 24	UWIC12024484824	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐		
	60° End Corner - 22 and 24" - Attaches to adjacent worksurface with splice plates (ordered separately) - Does not feature grommets	22 x 22	UW1202260	☐ ☐	☐ ☐	☐ ☐			
		24 x 24	UW1202460	☐ ☐	☐ ☐	☐ ☐			
UWC									
			A	B	C	D	E	F	

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER



- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select grommet location.
- N** - Grommet : No grommet
- L** - Grommet : Left; add \$23
- C** - Grommet : Center; add \$23
- R** - Grommet : Right; add \$23
- LR** - Grommet : Left/right; add \$45
- LC** - Grommet : Left /center; add \$45
- CR** - Grommet : Center/right; add \$45
- LCR** - Grommet : Left /center/right; add \$67
- D** Select surface finish.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Surface finish offerings are based on edge

- style selections.
- E** Select edge color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Worksurfaces

120° End Corner/60° End Corner



Approx.
Packaged
Weight

74P Edge
(74P)

Knife Edge
(KN)

43.0#

\$ 680

\$ 788

50.0#

836

972

58.0#

894

1037

45.0#

\$ 714

\$ 828

54.0#

836

972

62.0#

894

1037

17.0#

\$ 168

\$ 196

17.0#

168

196

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

U-Series Underhead

			MODEL NUMBER						
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
MODEL			D x W						
 UHWR	U-Series® Underhead Worksurface		15 x 36	UHWR1536	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	18.0#
	• Specify by width of underhead • Left and/or right grommets are offered • 15" is flush to edge of storage; other sizes are recessed to rear of worksurface • KN edge not offered on 15" deep tops		15 x 42	UHWR1542	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	21.0#
			15 x 48	UHWR1548	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	24.0#
			15 x 60	UHWR1560	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	30.0#
			15 x 72	UHWR1572	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	35.0#
			18 x 36	UHWR1836	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	24.0#
			18 x 42	UHWR1842	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	27.0#
			18 x 48	UHWR1848	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	30.0#
			18 x 60	UHWR1860	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	38.0#
			18 x 72	UHWR1872	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	44.0#
			22 x 36	UHWR2236	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	28.0#
			22 x 42	UHWR2242	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	32.0#
			22 x 48	UHWR2248	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	36.0#
			22 x 60	UHWR2260	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	45.0#
			22 x 72	UHWR2272	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	53.0#
			24 x 36	UHWR2436	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	30.0#
			24 x 42	UHWR2442	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	34.0#
			24 x 48	UHWR2448	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	38.0#
			24 x 60	UHWR2460	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	48.0#
			24 x 72	UHWR2472	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	57.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:



1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select grommet location.
N - No grommet
L - Grommet : Left; add \$23
R - Grommet : Right; add \$23
LR - Grommet : Left/right; add \$45
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select grommet color.



74P Edge (74P)	Knife Edge (KN)
\$ 200	N/A
234	N/A
254	N/A
267	N/A
276	N/A
211	241
247	280
265	303
287	329
303	345
217	248
256	293
277	316
304	346
318	364
217	248
256	293
277	316
304	346
318	364

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Transaction Countertops

	MODEL	D x W	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	
 Notch locations shown	Straight Countertops, Standard Height	16 x 24	UWTR1624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	15.7#
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTR1630	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	19.0#
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTR1636	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	22.3#
	• Countertops accept task lights	16 x 42	UWTR1642	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	25.7#
	• Transaction counters add 1-1/4" to finished panel heights	16 x 48	UWTR1648	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	29.0#
		16 x 54	UWTR1654	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	32.3#
		16 x 60	UWTR1660	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	35.7#
		16 x 66	UWTR1666	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	39.0#
		16 x 72	UWTR1672	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	42.3#
		16 x 78	UWTR1678	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	45.7#
		16 x 84	UWTR1684	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	50.2#
UWTR									
 Notch locations shown	Corner Countertops, Standard Height	16 x 24	UWTRC1624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	21.1#
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTRC1630	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	27.8#
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTRC1636	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	34.4#
	• Countertops accept task lights								
	• Transaction counters add 1-1/4" to finished panel heights								
UWTR									
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

- A** Select basic model.

- B** Select notch location.

NN - Standard
LN - Left; add \$38
RN - Right; add \$38
LRN - Both; add \$76

- C** Select edge style.

74P - 74P edge
KN - Knife edge



- D** Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Surface finish offerings are based on edge style selections.

- E** Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- F** Select bracket finish.



74P Edge (74P)	Knife Edge (KN)
\$ 294	\$ 334
314	362
345	400
375	438
394	461
410	479
473	542
526	611
598	683
682	801
732	851
\$ 688	\$ 793
746	868
783	915

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Transaction Countertops

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	
 Notch locations shown	MODEL	D x W							
	Straight Countertops, 32" Height	16 x 24	UWTR321624	☐	☐	☐	☐	☐	15.3#
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTR321630	☐	☐	☐	☐	☐	18.6#
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTR321636	☐	☐	☐	☐	☐	21.9#
	• Countertops accept task lights	16 x 42	UWTR321642	☐	☐	☐	☐	☐	25.3#
	• Transaction counters add 1-1/4" to finished panel heights	16 x 48	UWTR321648	☐	☐	☐	☐	☐	28.6#
		16 x 54	UWTR321654	☐	☐	☐	☐	☐	31.9#
		16 x 60	UWTR321660	☐	☐	☐	☐	☐	35.2#
		16 x 66	UWTR321666	☐	☐	☐	☐	☐	38.6#
		16 x 72	UWTR321672	☐	☐	☐	☐	☐	41.9#
		16 x 78	UWTR321678	☐	☐	☐	☐	☐	45.3#
		16 x 84	UWTR321684	☐	☐	☐	☐	☐	49.6#
UWTR									
 Notch locations shown	Corner Countertops, 32" Height	16 x 24	UWTRC321624	☐	☐	☐	☐	☐	20.7#
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTRC321630	☐	☐	☐	☐	☐	27.4#
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTRC321636	☐	☐	☐	☐	☐	34.0#
	• Countertops accept task lights								
	• Transaction counters add 1-1/4" to finished panel heights								
UWTR									
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

- A** Select basic model.

- B** Select notch location.

NN - Standard
LN - Left; add \$38
RN - Right; add \$38
LRN - Both; add \$76

- C** Select edge style.

74P - 74P edge
KN - Knife edge



- D** Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Surface finish offerings are based on edge style selections.

- E** Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- F** Select bracket finish.



74P Edge (74P)	Knife Edge (KN)
\$ 267	\$ 307
287	335
318	373
348	412
368	435
382	453
445	516
456	548
501	584
654	775
693	812
\$ 666	\$ 773
725	847
762	894

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Freestanding Tables

			MODEL NUMBER							
MODEL		D x W	Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Freestanding Tables - Open Leg - Table includes base support and work-surface - Knife edge is featured on all four sides when specified - Support gusset extends 1-1/2" below work-surface on all sides 29" high table provides 26-1/4" clearance under gusset	24 x 48"	UTBL02448	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.0#
		24 x 60"	UTBL02460	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	62.0#
		24 x 72"	UTBL02472	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	74.0#
		30 x 48"	UTBL03048	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.0#
		30 x 60"	UTBL03060	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	73.0#
		30 x 72"	UTBL03072	☐ ☐ ☐ ☐	☐ ☐			☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	83.0#
UTBL										
	Freestanding Tables - With Insert - Table includes base support and work-surface - Knife edge is featured on all four sides when specified - Support gusset extends 1-1/2" below work-surface on all sides 29" high table provides 26-1/4" clearance under gusset	24 x 48"	UTBLI2448	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	86.0#
		24 x 60"	UTBLI2460	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.0#
		24 x 72"	UTBLI2472	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.0#
		30 x 48"	UTBLI3048	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.0#
		30 x 60"	UTBLI3060	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	108.0#
		30 x 72"	UTBLI3072	☐ ☐ ☐ ☐	☐ ☐	PS	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	118.0#
UTBL										
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge

C Select frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select insert type.

PS - Perforated Steel

E Select insert color.



Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.

G Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



74P Edge (74P)	Knife Edge (KN)
\$ 638	\$ 678
737	845
748	898
718	763
819	903
815	1015
\$ 991	\$ 903
1048	1112
1105	1109
1049	1016
1131	1208
1190	1237

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurface Support

	MODEL	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 Left HRDPT	Standard Cantilever Bracket • Either left or right handed	UCANTST.R	☐	2.5#
		UCANTST.L	☐	2.5#
 Left HRDPT	Design Bracket - Worksurface Support Bracket • For 18" deep worksurface support only; may not be used in conjunction with overheads	UCANTD12.R	☐	2.0#
		UCANTD12.L	☐	2.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	27
	27
\$	54
	54

SPECIAL SERVICES

Special Carton Marking






With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurface Support

	MODEL	H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Edge Style	Trim Color	
 Right Orientation HRDPT	Worksurface Edge Support with Lock		UWSES.R		☐ ☐	1.0#
	• Optional support tying worksurface edge in to adjacent panel frame		UWSES.L		☐ ☐	1.0#
 HRDPT	Splice Plate		USPLPL			0.5#
	• For use with 24" and 30" deep worksurfaces					
 HRDPT	Splice Plate - 22" Worksurface		USPLPL.22			2.4#
	• For use with 22" deep worksurfaces					
 HRDPT	Add-on Peninsula Attachment Plate		UPENPL24			3.8#
	• For use only with 74P worksurfaces		UPENPL30			4.6#
 UCFP	Height Change Filler Plate for In-Line	18"	UCFPI18	☐ ☐ ☐	☐ ☐	2.6#
	• Use when adapting heights of in-line worksurface conditions	22"	UCFPI22	☐ ☐ ☐	☐ ☐	3.1#
	• Specify by worksurface depth	24"	UCFPI24	☐ ☐ ☐	☐ ☐	3.4#
	• Edge style refers to worksurface that support is being attached to	30"	UCFPI30	☐ ☐ ☐	☐ ☐	4.3#
	• Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"					
 UCFP	Height Change Filler Plate for Corner	18"	UCFPC18	☐ ☐ ☐	☐ ☐	2.7#
	• Use when adapting heights of corner worksurface conditions	22"	UCFPC22	☐ ☐ ☐	☐ ☐	3.3#
	• Specify by worksurface depth	24"	UCFPC24	☐ ☐ ☐	☐ ☐	3.5#
	• Edge style refers to worksurface that support is being attached to	30"	UCFPC30	☐ ☐ ☐	☐ ☐	4.3#
	• Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"					
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	29
	29
\$	7
\$	22
\$	19
	22
\$	35
	37
	37
	40
\$	35
	37
	37
	40

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurface Support

Post Leg

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Frame Color	
 HRDPT	Post Leg Assembly - 27-3/4" Height • Supports standard 29" height worksurfaces	27-3/4"	UPL29	☐ ☐	5.5#
 HRDPT	Post Leg Assembly - 24-3/4" Height • Supports 26" height worksurfaces	24-3/4"	UPL26	☐ ☐	5.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered
Pricing

\$ 54

\$ 54

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Support Leg

Non-Panel Mounted, Open

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Edge Style	Frame Color	
MODEL	W x H					
	Open Leg - 27-3/4" Height	18 x 27-3/4"	UPNLO1829	☐ ☐ ☐	☐ ☐	12.5#
	• Does not allow for panel attachment	22 x 27-3/4"	UPNLO2229	☐ ☐ ☐	☐ ☐	13.8#
	• Supports standard 29" perpendicular worksurface	24 x 27-3/4"	UPNLO2429	☐ ☐ ☐	☐ ☐	14.4#
	• Specify width by worksurface depth	30 x 27-3/4"	UPNLO3029	☐ ☐ ☐	☐ ☐	16.2#
	• Edge style refers to worksurface that support is being attached to					
USL						
	Open Leg - 24-3/4" Height	18 x 24-3/4"	UPNLO1826	☐ ☐ ☐	☐ ☐	12.0#
	• Does not allow for panel attachment	22 x 24-3/4"	UPNLO2226	☐ ☐ ☐	☐ ☐	13.2#
	• Supports standard 26" perpendicular worksurface	24 x 24-3/4"	UPNLO2426	☐ ☐ ☐	☐ ☐	13.9#
	• Specify width by worksurface depth	30 x 24-3/4"	UPNLO3026	☐ ☐ ☐	☐ ☐	15.7#
	• Edge style refers to worksurface that support is being attached to					
USL						
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

74P

KN

- 74P edge

- Knife edge
- C** Select frame color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Metallic finish not available.



Support Leg
Non-Panel Mounted, Open

Delivered Pricing	
\$	174
	177
	182
	200
\$	172
	175
	178
	197

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Support Leg

Non-Panel Mounted, Insert

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	
 USL	Insert Leg - 27-3/4" Height - Does not allow for panel attachment - Supports standard 29" perpendicular worksurface - Features perforated steel insert - Specify width by worksurface depth - Steel insert paint color is specified separately from frame color - Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPNLI1829	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	16.1#
		22 x 27-3/4"	UPNLI2229	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.3#
		24 x 27-3/4"	UPNLI2429	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	19.4#
		30 x 27-3/4"	UPNLI3029	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	22.4#
 USL	Insert Leg - 24-3/4" Height - Does not allow for panel attachment - Supports 26" perpendicular worksurface - Features perforated steel insert - Specify width by worksurface depth - Steel insert paint color is specified separately from frame color - Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPNLI1826	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	15.3#
		22 x 24-3/4"	UPNLI2226	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	17.4#
		24 x 24-3/4"	UPNLI2426	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.4#
		30 x 24-3/4"	UPNLI3026	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	21.3#

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select frame color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic finish not available.
- D** Select insert type.
- | | |
|-----------|--------------------|
| PS | - Perforated Steel |
|-----------|--------------------|
- E** Select insert color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Support Leg

Non-Panel Mounted, Insert

Delivered Pricing	
\$	271
	283
	297
	328
\$	268
	281
	293
	324

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Support Leg

Panel Mounted, Open

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Left or Right Side	Edge Style	Frame Color	
 USL	Open Leg - 27-3/4" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPSLO1829	☐	☐ ☐ ☐	☐	13.1#
		22 x 27-3/4"	UPSLO2229	☐	☐ ☐ ☐	☐	14.4#
		24 x 27-3/4"	UPSLO2429	☐	☐ ☐ ☐	☐	15.0#
		30 x 27-3/4"	UPSLO3029	☐	☐ ☐ ☐	☐	16.9#
		48 x 27-3/4"	UPSLO4829	☐	☐ ☐ ☐	☐	25.2#
		54 x 27-3/4"	UPSLO5429	☐	☐ ☐ ☐	☐	27.1#
		60 x 27-3/4"	UPSLO6029	☐	☐ ☐ ☐	☐	29.0#
		72 x 27-3/4"	UPSLO7229	☐	☐ ☐ ☐	☐	32.9#
 USL	Open Leg - 24-3/4" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPSLO1826	☐	☐ ☐ ☐	☐	12.5#
		22 x 24-3/4"	UPSLO2226	☐	☐ ☐ ☐	☐	13.8#
		24 x 24-3/4"	UPSLO2426	☐	☐ ☐ ☐	☐	14.4#
		30 x 24-3/4"	UPSLO3026	☐	☐ ☐ ☐	☐	16.3#
		48 x 24-3/4"	UPSLO4826	☐	☐ ☐ ☐	☐	24.6#
		54 x 24-3/4"	UPSLO5426	☐	☐ ☐ ☐	☐	25.2#
		60 x 24-3/4"	UPSLO6026	☐	☐ ☐ ☐	☐	28.4#
		72 x 24-3/4"	UPSLO7226	☐	☐ ☐ ☐	☐	32.3#

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation.
- | | |
|----------|---------|
| L | - Left |
| R | - Right |
- C** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- D** Select frame color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- Metallic finish not available.



Support Leg

Panel Mounted, Open

Delivered Pricing	
\$	177
	182
	186
	203
	302
	303
	310
	337
\$	175
	178
	184
	201
	300
	301
	308
	335

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Support Leg

Panel Mounted, Insert

			MODEL NUMBER						Approx. Packaged Weight
MODEL	W x H	Basic Model	Left or Right Side	Edge Style	Frame Color	Insert Type	Insert Color		
 USL	Insert Leg - 27-3/4" Height	18 x 27-3/4"	UPSLI1829	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	16.8#
	• Features bracketry to attach to panel frame	22 x 27-3/4"	UPSLI2229	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	18.9#
	• Specify width by worksurface depth	24 x 27-3/4"	UPSLI2429	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	20.0#
	• Left orientation shown in image	30 x 27-3/4"	UPSLI3029	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	23.0#
	• Edge style refers to worksurface that support is being attached to	48 x 27-3/4"	UPSLI4829	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	35.3#
		54 x 27-3/4"	UPSLI5429	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	38.6#
		60 x 27-3/4"	UPSLI6029	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	41.8#
		72 x 27-3/4"	UPSLI7229	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	48.3#
 USL	Insert Leg - 24-3/4" Height	18 x 24-3/4"	UPSLI1826	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	15.8#
	• Features bracketry to attach to panel frame	22 x 24-3/4"	UPSLI2226	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	17.9#
	• Specify width by worksurface depth	24 x 24-3/4"	UPSLI2426	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	19.0#
	• Left orientation shown in image	30 x 24-3/4"	UPSLI3026	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	21.9#
	• Edge style refers to worksurface that support is being attached to	48 x 24-3/4"	UPSLI4826	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	33.8#
		54 x 24-3/4"	UPSLI5426	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	35.6#
		60 x 24-3/4"	UPSLI6026	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	40.0#
		72 x 24-3/4"	UPSLI7226	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	46.2#
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation.
- | | |
|----------|---------|
| L | - Left |
| R | - Right |
- C** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- D** Select frame color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- Metallic finish not available.
- E** Select insert type.
- | | |
|-----------|--------------------|
| PS | - Perforated Steel |
|-----------|--------------------|
- F** Select insert color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing	
\$	274
	287
	300
	331
	562
	573
	590
	644
\$	271
	284
	297
	328
	559
	569
	586
	641

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Support Leg

Panel Mounted, Center

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Left or Right Side	Edge Style	Frame Color	
 USL	MODEL	W x H					
	Center Leg (Open) - 27-3/4" Height	18 x 27-3/4"	USPLC1829	☐	☐ ☐ ☐	☐ ☐	16.5#
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 27-3/4"	USPLC2229	☐	☐ ☐ ☐	☐ ☐	18.5#
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the locking bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 27-3/4"	USPLC2429	☐	☐ ☐ ☐	☐ ☐	19.4#
	• Attaches to panel frame to join two worksurfaces	30 x 27-3/4"	USPLC3029	☐	☐ ☐ ☐	☐ ☐	22.2#
	• Specify width by worksurface depth						
	• Leg is non-handed, leg is centered between joining worksurfaces and connects to left hand panel slotting and also covers adjacent right hand slotting						
	• Edge style refers to worksurface that support is being attached to						
 USL	Center Leg (Open) - 24-3/4" Height	18 x 24-3/4"	USPLC1826	☐	☐ ☐ ☐	☐ ☐	15.9#
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 24-3/4"	USPLC2226	☐	☐ ☐ ☐	☐ ☐	17.9#
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the locking bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 24-3/4"	USPLC2426	☐	☐ ☐ ☐	☐ ☐	18.8#
	• Attaches to panel frame to join two worksurfaces	30 x 24-3/4"	USPLC3026	☐	☐ ☐ ☐	☐ ☐	21.6#
	• Specify width by worksurface depth						
	• Edge style refers to worksurface that support is being attached to						

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation.
- | | |
|----------|---------|
| L | - Left |
| R | - Right |
- C** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- D** Select frame color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	207
	212
	217
	233
\$	204
	209
	213
	231

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

MODEL			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Assembly	Paint Color	Key Option	
 PRDS	Steel Door Overhead Cabinet-On-Module - On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to - Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDS24/UN/PM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/PM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/PM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/PM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/PM	☐	☐	☐	49.0#
		54 x 16-1/2 x 13 1/4"	PRDS54/UN/PM	☐	☐	☐	54.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/PM	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDS24/UN/LB	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/LB	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/LB	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/LB	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/LB	☐	☐	☐	49.0#
		54 x 16-1/2 x 13 1/4"	PRDS54/UN/LB	☐	☐	☐	54.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/LB	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/UM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/UM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/UM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/UM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/UM	☐	☐	☐	49.0#
		54 x 16-1/2 x 13 1/4"	PRDS54/UN/UM	☐	☐	☐	54.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/UM	☐	☐	☐	57.0#

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$131 |
| U | - Unassembled |
- C** Select paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
- D** Select key alike.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
Accepts shelf divider
Door stores recessed with handle exposed
Double bit lock is included
Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 437	\$ 74
481	82
488	83
521	90
551	95
610	100
673	115
\$ 518	\$ 74
557	82
565	83
599	90
631	95
685	100
753	115
\$ 557	\$ 74
600	82
607	83
640	90
671	95
730	100
796	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Assembly	Paint Color	Fabric Color	Key Option		
 PRDF	Fabric Door Overhead Cabinet-On-Module - On-Module overheads (PM) mount into slots in vertical posts. - Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDF24/UN/PM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/UN/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/UN/PM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/UN/PM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/UN/PM	☐	☐	☐	☐	49.0#
		54 x 17 x 19-1/4"	PRDF54/UN/PM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/UN/PM	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDF24/UN/LB	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/UN/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/UN/LB	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/UN/LB	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/UN/LB	☐	☐	☐	☐	49.0#
		54 x 17 x 19-1/4"	PRDF54/UN/LB	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/UN/LB	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85"	24 x 16-1/2 x 14-1/2"	PRDF24/UN/UM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/UN/UM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/UN/UM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/UN/UM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/UN/UM	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 13 1/4"	PRDF54/UN/UM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/UN/UM	☐	☐	☐	☐	57.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add

\$131

U - Unassembled

C Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

D Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select key alike.

KA - Key alike

NL - No Lock

NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish

Accepts shelf divider

Door stores recessed with handle exposed

Double bit lock is included

Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 461	\$ 469	\$ 475	\$ 475	\$ 480	\$ 74
502	512	519	519	524	82
516	523	529	529	537	83
546	555	563	563	571	90
581	592	599	599	605	95
562	575	580	580	590	100
709	722	728	728	739	115
\$ 540	\$ 546	\$ 552	\$ 552	\$ 557	\$ 74
581	589	595	595	603	82
592	600	608	608	613	83
626	633	641	641	647	90
660	670	679	679	684	95
730	735	742	742	748	100
787	802	809	809	815	115
\$ 581	\$ 588	\$ 594	\$ 594	\$ 599	\$ 74
624	631	637	637	644	82
634	642	651	651	657	83
666	674	684	684	691	90
701	712	718	718	723	95
761	777	783	783	781	100
828	843	849	849	857	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER					
	MODEL	W x H x D	Basic Model	Assembly	Paint Color	Laminate Color	Key Option	Approx. Packaged Weight
 PRDL	Laminate Door Overhead Cabinet-On-Module (PM) On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDL24/UN/PM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/PM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/PM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/PM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 13 1/4"	PRDL54/UN/PM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/PM	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Load Bar Mount (LB) - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDL24/UN/LB	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/LB	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/LB	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/LB	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 13 1/4"	PRDL54/UN/LB	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/LB	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/UM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/UM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/UM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/UM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/UM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 13 1/4"	PRDL54/UN/UM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/UM	☐	☐	☐	☐	57.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$131
U - Unassembled

C Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.

D Select laminate color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
 Accepts shelf divider
 Door stores recessed with handle exposed
 Double bit lock is included
 Shelf depth is 13-1/4"

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
 Nevamar - LN/supplier's color pattern code
 Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 590	\$ 74
647	82
660	83
702	90
746	95
771	100
914	115
\$ 668	\$ 74
724	82
740	83
781	90
824	95
904	100
989	115
\$ 711	\$ 74
767	82
779	83
823	90
865	95
944	100
1032	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 ULSR	Low Shelf-On-Module On-Module shelves (PM) mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 10-1/2 x 13-1/4"	ULSR24/UN/PM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/PM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/PM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/PM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/PM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/PM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/PM	☐	24.0#
 ULSR	Low Shelf-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 10-1/2 x 13-1/4"	ULSR24/UN/LB	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/LB	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/LB	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/LB	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/LB	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/LB	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/LB	☐	24.0#
 ULSR	Low Shelf-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85"	24 x 10-1/2 x 13-1/4"	ULSR24/UN/UM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/UM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/UM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/UM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/UM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/UM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/UM	☐	24.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.

INFORMATION

Includes 10-1/2" high back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 190	\$ 74
197	82
208	83
215	90
219	95
230	100
241	115
\$ 268	\$ 74
276	82
284	83
294	90
298	95
310	100
319	115
\$ 309	\$ 74
316	82
327	83
337	90
340	95
351	100
363	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 URSR	Regular Shelf-On-Module On-Module shelves mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 13-1/4"	URSR24/UN/PM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/UN/PM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/UN/PM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/UN/PM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/UN/PM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/UN/PM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/UN/PM	☐	28.0#
 URSR	Regular Shelf-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 13-1/4"	URSR24/UN/LB	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/UN/LB	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/UN/LB	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/UN/LB	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/UN/LB	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/UN/LB	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/UN/LB	☐	28.0#
 URSR	Regular Shelf-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85"	24 x 16-1/2 x 13-1/4"	URSR24/UN/UM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/UN/UM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/UN/UM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/UN/UM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/UN/UM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/UN/UM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/UN/UM	☐	28.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.

INFORMATION

Includes full back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 205	\$ 74
213	82
219	83
226	90
236	95
243	100
255	115
\$ 282	\$ 74
291	82
298	83
306	90
313	95
320	100
335	115
\$ 324	\$ 74
334	82
340	83
346	90
355	95
362	100
375	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 HRDPT	Universal Overhead On-Module Mounting Bracket • Sold in pairs / Black only • Mounts into slots in vertical posts • Allows for vertical adjustments in 1" increments • Only necessary to order if changing mounting style	48.0261.SET		1.0#
 HRDPT	Load Bar Brackets • Load Bar mount overheads hang from an externally mounted load bar • Load Bar purchased separately, Sold in pairs	46.2103	☐ ☐	1.0#
 HRDPT	Upmount Brackets • On a 48" panel, clearance between the Universal overhead and 29" high work-surface is 18.85" • On a 56" panel, clearance between the Universal overhead and 29" high work-surface is 26.85" • Sold in pairs	46.1234	☐ ☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Universal Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	38
\$	117
\$	145

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

	MODEL	W x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Trim Color	Mounting	Fabric Color	
 HRDPT	Universal Shelf Dividers - Steel shelf dividers with powder-coated finish - Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐			1.0#
 HRDPT	Wall Mounted Load Bar Supports overhead storage on drywall or other non-panel applications	24"	SWLB.24	☐			5.0#
		30"	SWLB.30	☐			6.0#
		36"	SWLB.36	☐			7.0#
		42"	SWLB.42	☐			8.0#
		48"	SWLB.48	☐			10.0#
		54"	SWLB.54	☐			13.0#
		60"	SWLB.60	☐			12.0#
		66"	SWLB.66	☐			13.0#
		72"	SWLB.72	☐			14.0#
		84"	SWLB.84	☐			17.0#
 PTBO	Overhead Tackboard - Hangs from bottom of flipper door cabinet or shelf - When hanging from Balance® overhead, specify attachment bar BMB (purchase separately) - Includes mounting brackets in black only	24 x 12"	PTB02412	☐	☐	☐	3.0#
		30 x 12"	PTB03012	☐	☐	☐	3.0#
		36 x 12"	PTB03612	☐	☐	☐	3.0#
		42 x 12"	PTB04212	☐	☐	☐	4.0#
		48 x 12"	PTB04812	☐	☐	☐	4.0#
		54 x 12"	PTB05412	☐	☐	☐	4.0#
		60 x 12"	PTB06012	☐	☐	☐	4.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.
- C

Select mounting.
NLBM - Not load bar mounted
YLBM - Load bar mounted
- D

Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Universal Storage and Accessories

Overhead Accessories

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 26					
\$ 111					
119					
121					
133					
138					
163					
164					
166					
173					
268					
280					
N/A	\$ 134	\$ 138	\$ 140	\$ 147	\$ 156
N/A	148	151	153	161	169
N/A	162	166	168	173	182
N/A	167	171	173	178	191
N/A	170	173	175	182	194
N/A	194	199	203	210	220
N/A	202	207	209	217	228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				
MODEL		W x H x D	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM) - Colored or translucent extruded polypropylene door - On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	30 x 17 x 19-1/4"	BLCS30/UN/PM	□□□	□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCS36/UN/PM	□□□	□□□	□□□	52.0#
		42 x 17 x 19-1/4"	BLCS42/UN/PM	□□□	□□□	□□□	58.0#
		48 x 17 x 19-1/4"	BLCS48/UN/PM	□□□	□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCS54/UN/PM	□□□	□□□	□□□	72.0#
		60 x 17 x 19-1/4"	BLCS60/UN/PM	□□□	□□□	□□□	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar Mount - Colored or translucent extruded polypropylene door - Load Bar Mount overheads hang from an externally mounted load bar - Load Bar purchased separately	30 x 17 x 19-1/4"	BLCS30/UN/LB	□□□	□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCS36/UN/LB	□□□	□□□	□□□	52.0#
		42 x 17 x 19-1/4"	BLCS42/UN/LB	□□□	□□□	□□□	58.0#
		48 x 17 x 19-1/4"	BLCS48/UN/LB	□□□	□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCS54/UN/LB	□□□	□□□	□□□	72.0#
		60 x 17 x 19-1/4"	BLCS60/UN/LB	□□□	□□□	□□□	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar-Upmount - Colored or translucent extruded polypropylene door - Upmount brackets raise the storage 12" - On a 48" panel, clearance between the Balance overhead and 29" high work surface is 18.85" - On a 56" panel, clearance between the Balance overhead and 29" high work surface is 26.85"	30 x 17 x 19-1/4"	BLCS30/UN/UM	□□□	□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCS36/UN/UM	□□□	□□□	□□□	52.0#
		42 x 17 x 19-1/4"	BLCS42/UN/UM	□□□	□□□	□□□	58.0#
		48 x 17 x 19-1/4"	BLCS48/UN/UM	□□□	□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCS54/UN/UM	□□□	□□□	□□□	72.0#
		60 x 17 x 19-1/4"	BLCS60/UN/UM	□□□	□□□	□□□	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

C Select upper door color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing	
\$	893
	951
	1001
	1035
	1095
	1154
\$	1032
	1091
	1137
	1172
	1232
	1292
\$	965
	1023
	1072
	1106
	1160
	1228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Key Option		
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-On-Module	30 x 17 x 19-1/4"	BLCF30/UN/PM	□□□	□□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCF36/UN/PM	□□□	□□□□	□□□	52.0#
	• On-Module overheads (PM) mount into slots in vertical posts	42 x 17 x 19-1/4"	BLCF42/UN/PM	□□□	□□□□	□□□	58.0#
	• Overheads must be same width as panel mounted to	48 x 17 x 19-1/4"	BLCF48/UN/PM	□□□	□□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCF54/UN/PM	□□□	□□□□	□□□	71.0#
	• Allows for vertical adjustment in 1" increments.	60 x 17 x 19-1/4"	BLCF60/UN/PM	□□□	□□□□	□□□	78.0#
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCF30/UN/LB	□□□	□□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCF36/UN/LB	□□□	□□□□	□□□	52.0#
	• Load Bar Mount overheads (LB) hang from an externally mounted load bar	42 x 17 x 19-1/4"	BLCF42/UN/LB	□□□	□□□□	□□□	58.0#
	• Load Bar purchased separately	48 x 17 x 19-1/4"	BLCF48/UN/LB	□□□	□□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCF54/UN/LB		□□□□	□□□	71.0#
		60 x 17 x 19-1/4"	BLCF60/UN/LB	□□□	□□□□	□□□	78.0#
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Upmount	30 x 17 x 19-1/4"	BLCF30/UN/UM	□□□	□□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCF36/UN/UM	□□□	□□□□	□□□	52.0#
	• Upmount brackets raise the storage component 12"	42 x 17 x 19-1/4"	BLCF42/UN/UM	□□□	□□□□	□□□	58.0#
	• On a 48" panel, clearance between the Balance overhead and 29" high work surface is 18.85"	48 x 17 x 19-1/4"	BLCF48/UN/UM	□□□	□□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCF54/UN/UM		□□□□	□□□	71.0#
	• On a 56" panel, clearance between the Balance overhead and 29" high work surface is 26.85"	60 x 17 x 19-1/4"	BLCF60/UN/UM	□□□	□□□□	□□□	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

C Select upper door color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

D Select key alike.

KA	- Key alike
NL	- No Lock
NLC	- No lock core

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 964	\$ 973	\$ 984	\$ 984	\$ 988
1027	1036	1049	1049	1052
1077	1090	1101	1101	1105
1119	1127	1138	1138	1143
1180	1189	1204	1204	1209
1246	1257	1272	1272	1278
\$ 1101	\$ 1109	\$ 1123	\$ 1123	\$ 1126
1166	1174	1188	1188	1192
1217	1228	1242	1242	1245
1252	1263	1278	1278	1284
1310	1319	1334	1334	1340
1384	1394	1410	1410	1415
\$ 1038	\$ 1046	\$ 1059	\$ 1059	\$ 1063
1099	1107	1123	1123	1126
1153	1161	1174	1174	1179
1189	1200	1212	1212	1217
1250	1259	1274	1274	1275
1316	1330	1343	1343	1348

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b. **Manitowoc, Wisconsin 54220** factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER					
MODEL		W x H x D	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-On-Module - On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to - Allows for vertical adjustment in 1" increments.	30 x 17 x 19-1/4"	BLCL30/UN/PM	☐	☐	☐	☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/UN/PM	☐	☐	☐	☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/UN/PM	☐	☐	☐	☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/UN/PM	☐	☐	☐	☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/UN/PM	☐	☐	☐	☐	71.0#
		60 x 17 x 19-1/4"	BLCL60/UN/PM	☐	☐	☐	☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount - Load Bar Mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	30 x 17 x 19-1/4"	BLCL30/UN/LB	☐	☐	☐	☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/UN/LB	☐	☐	☐	☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/UN/LB	☐	☐	☐	☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/UN/LB	☐	☐	☐	☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/UN/LB	☐	☐	☐	☐	71.0#
		60 x 17 x 19-1/4"	BLCL60/UN/LB	☐	☐	☐	☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Upmount - Upmount brackets raise the storage component 12" - On a 48" panel, clearance between the Balance overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Balance overhead and 29" high worksurface is 26.85"	30 x 17 x 19-1/4"	BLCL30/UN/UM	☐	☐	☐	☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/UN/UM	☐	☐	☐	☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/UN/UM	☐	☐	☐	☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/UN/UM	☐	☐	☐	☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/UN/UM	☐	☐	☐	☐	71.0#
		60 x 17 x 19-1/4"	BLCL60/UN/UM	☐	☐	☐	☐	78.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

C Select upper door laminate color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select laminate door edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories

Overhead Storage

Delivered
Pricing

\$ 1096

1127

1202

1286

1366

1447

\$ 1234

1263

1340

1422

1510

1587

\$ 1170

1201

1276

1358

1470

1521

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 BOA	Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only		BOA/UN/PM		5.0#
 BOA	Load Bar Brackets • Load Bar mount overheads (LB) hang from an externally mounted load bar • Load Bar purchased separately • Sold in pairs		BOA/UN/LB	☐	5.0#
 BOA	Upmount Brackets • On a 48" panel, clearance between the Balance® overhead and 29" high work-surface is 18.85" • On a 56" panel, clearance between the Balance® overhead and 29" high work-surface is 26.85" • Sold in pairs		BOA/UN/UM	☐	5.0#
 HRDPT	Shelf Dividers • Steel shelf dividers with powder coat finish • Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐	1.0#
 HRDPT	Wall Mounted Load Bar	24"	SWLB.24	☐	5.0#
		30"	SWLB.30	☐	6.0#
		36"	SWLB.36	☐	7.0#
		42"	SWLB.42	☐	8.0#
		48"	SWLB.48	☐	10.0#
		54"	SWLB.54	☐	13.0#
		60"	SWLB.60	☐	12.0#
		66"	SWLB.66	☐	13.0#
		72"	SWLB.72	☐	14.0#
		84"	SWLB.84	☐	17.0#
		96"	SWLB.96	☐	19.0#

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	152
\$	190
\$	233
\$	26
\$	111
	119
	121
	133
	138
	163
	164
	166
	173
	268
	280

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

		MODEL NUMBER		Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color		
MODEL	W x H				
 PTBO	Overhead Tackboard	24 x 12"	PTB02412	☐	3.0# N/A
	• Hangs from bottom of flipper door cabinet or shelf	30 x 12"	PTB03012	☐	3.0# N/A
	• When hanging from Balance® overhead, specify attachment bar BMB (purchase separately)	36 x 12"	PTB03612	☐	3.0# N/A
		42 x 12"	PTB04212	☐	4.0# N/A
	• Includes mounting brackets in black only	48 x 12"	PTB04812	☐	4.0# N/A
		54 x 12"	PTB05412	☐	4.0# N/A
		60 x 12"	PTB06012	☐	4.0# N/A
		24 x 16"	PTB02416	☐	3.0# N/A
		30 x 16"	PTB03016	☐	4.0# N/A
		36 x 16"	PTB03616	☐	4.0# N/A
		42 x 16"	PTB04216	☐	5.0# N/A
		48 x 16"	PTB04816	☐	5.0# N/A
		54 x 16"	PTB05416	☐	6.0# N/A
		60 x 16"	PTB06016	☐	6.0# N/A
 BOA	Tackboard/Tool Rail Attachment Bar	30"	BMB30	☐	3.0# \$ 37
	• Attachment bracket that attaches to bottom of overhead to accept overhead tackboard	36"	BMB36	☐	3.0# 37
		42"	BMB42	☐	3.0# 38
		48"	BMB48	☐	4.0# 44
	• Order same size as overhead cabinet • 18-gauge steel • Black only	54"	BMB54	☐	4.0# 45
		60"	BMB60	☐	4.0# 47

A **B**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 134	\$ 138	\$ 140	\$ 147	\$ 156
148	151	153	161	169
162	166	168	173	182
167	171	173	178	191
170	173	175	182	194
194	199	203	210	220
202	207	209	217	228
193	198	202	208	220
199	205	209	214	231
204	209	213	219	235
208	213	217	224	238
217	224	228	235	251
226	234	238	245	261
237	242	249	255	275

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid**
f.o.b. **Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

U-Series™ Accessories

Pedestal Accessories

			MODEL NUMBER			Approx. Packaged Weight Delivered Pricing C.O.M.	
			Basic Model	Trim Color	Upholstery Color		
 PDCU	MODEL	W x D x H					
	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17	☐	☐ ☐ ☐ ☐	5.0#	\$ 151
	• 17" deep, used with 17-5/8" deep mobile pedestal	15 x 20 x 1-7/8"	PDCU/20	☐	☐ ☐ ☐ ☐	6.0#	163
	• 20" deep, used with 21-5/8" deep mobile pedestal						
	• Fabric runs side to side						
	• Lip height is 3-1/4"						
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- C** Select upholstery color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
For a listing of available fabric finishes, please refer to the Color Addendum. For specific fabric availability on cushioned seats, please refer to E-Spec.



U-Series™ Accessories

Pedestal Accessories

Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 151	\$ 172	\$ 181	\$ 190	\$ 201	\$ 212	\$ 236	\$ 242
163	180	193	200	210	221	247	253

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory.
Freight class #100.

Specifications and prices are subject to change without prior notice.

Accessories

Acoustic Septum Kits

	MODEL	W x H	MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Acoustic Septum Kit	24 x 32"	UNRC.2432	5.1#
	• 2" thick fiberglass sheet is field installed inside frame structure	30 x 32"	UNRC.3032	6.0#
	• When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a	36 x 32"	UNRC.3632	6.9#
	• Acoustic septum kit may be specified with any Unite® base style	42 x 32"	UNRC.4232	7.8#
	• Specify by panel size (72" panels include 2-36" kits)	48 x 32"	UNRC.4832	8.8#
	• Septums may be field-trimmed to allow clearance for beltway power	60 x 32"	UNRC.6032	10.6#
		72 x 32"	UNRC.7232	11.6#
		24 x 40"	UNRC.2440	6.1#
		30 x 40"	UNRC.3040	7.4#
		36 x 40"	UNRC.3640	8.7#
		42 x 40"	UNRC.4240	10.0#
		48 x 40"	UNRC.4840	11.2#
		60 x 40"	UNRC.6040	13.8#
		72 x 40"	UNRC.7240	15.2#
		24 x 48"	UNRC.2448	7.2#
		30 x 48"	UNRC.3048	8.8#
		36 x 48"	UNRC.3648	10.5#
		42 x 48"	UNRC.4248	12.1#
		48 x 48"	UNRC.4848	13.7#
		60 x 48"	UNRC.6048	17.0#
		72 x 48"	UNRC.7248	18.7#
		24 x 56"	UNRC.2456	8.3#
		30 x 56"	UNRC.3056	10.3#
		36 x 56"	UNRC.3656	12.2#
		42 x 56"	UNRC.4256	14.2#
		48 x 56"	UNRC.4856	16.2#
		60 x 56"	UNRC.6056	20.2#
		72 x 56"	UNRC.7256	22.3#
		24 x 64"	UNRC.2464	9.3#
		30 x 64"	UNRC.3064	11.7#
		36 x 64"	UNRC.3664	14.0#
		42 x 64"	UNRC.4264	16.3#
		48 x 64"	UNRC.4864	18.7#
		60 x 64"	UNRC.6064	25.5#
		72 x 64"	UNRC.7264	25.8#



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	48
	57
	83
	95
	113
	113
	165
	82
	83
	161
	161
	161
	161
	316
	62
	95
	161
	187
	187
	187
	316
	95
	121
	161
	187
	240
	240
	319
	95
	141
	161
	187
	240
	277
	319

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Glass Divider Screen

	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Glass Color	Trim Color	
 UNGD	Glass Divider Screen • Unframed glass divider drops into panel top • Divider base takes place of top cap • May span two panels up to 72" wide maximum • May not be used over segmented glass or segmented perforated steel panels • May not be used over stacking sections or adjacent to trim UEORV • Glass features polished edge	24 x 12"	UNGDS24	☐ ☐ ☐	☐ ☐	20.0#
		30 x 12"	UNGDS30	☐ ☐ ☐	☐ ☐	23.0#
		36 x 12"	UNGDS36	☐ ☐ ☐	☐ ☐	26.0#
		42 x 12"	UNGDS42	☐ ☐ ☐	☐ ☐	28.0#
		48 x 12"	UNGDS48	☐ ☐ ☐	☐ ☐	31.0#
		54 x 12"	UNGDS54	☐ ☐ ☐	☐ ☐	35.0#
		60 x 12"	UNGDS60	☐ ☐ ☐	☐ ☐	38.0#
		66 x 12"	UNGDS66	☐ ☐ ☐	☐ ☐	40.0#
		72 x 12"	UNGDS72	☐ ☐ ☐	☐ ☐	43.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select glass color.
- | | |
|------------|-----------------------|
| GLA | - Clear (std) |
| GLV | - Satin etch one side |
- C** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- Metallic finish not available.



Accessories
Glass Divider Screen

Clear (GLA)	Satin Etch One Side (GLV)
\$ 226	\$ 268
234	277
258	308
293	352
306	372
317	392
332	415
398	476
440	540

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Frameless Modesty Panel with Acrylic Insert

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Acrylic	
MODEL	W x H				
 UMOD	Frameless Modesty Panel	24 x 10	UMODA24	☐ ☐ ☐	7.0#
	• Metal attachment to worksurface under-side acrylic panel	30 x 10	UMODA30	☐ ☐ ☐	8.0#
	• Dimension listed refers to the worksur-face width; actual width is approxi-mately 6" undersized	36 x 10	UMODA36	☐ ☐ ☐	9.0#
		42 x 10	UMODA42	☐ ☐ ☐	11.0#
		48 x 10	UMODA48	☐ ☐ ☐	13.0#
		54 x 10	UMODA54	☐ ☐ ☐	14.0#
		60 x 10	UMODA60	☐ ☐ ☐	16.0#
		66 x 10	UMODA66	☐ ☐ ☐	18.0#
		72 x 10	UMODA72	☐ ☐ ☐	19.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select acrylic color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Accessories

Frameless Modesty Panel with Acrylic Insert

Delivered Pricing	
\$	104
	130
	164
	186
	227
	234
	400
	405
	417

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Continuous Top Cap/Carpet Gripper/Alum Grommet

	MODEL	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 HRDPT	Continuous Top Cap - Used in place of standard top cap for un-interrupted spans between intersections - To specify, add together nominal panel widths - Maximum span is 6 feet	48.0717.48	☐ ☐	2.7#
		48.0717.54	☐ ☐	3.4#
		48.0717.60	☐ ☐	3.6#
		48.0717.66	☐ ☐	3.8#
		48.0717.72	☐ ☐	3.8#
HRDPT	Carpet Gripper - Grippers snap into leveling glides to prevent panels from shifting on carpet - Glide rotation is unaffected - Black finish only - Package of 10	UNCG10		0.5#
 HRDPT	Aluminum Grommet Molded grommet is specified in all powdercoat colors	48.0399	☐ ☐	0.5#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic finish not available.



Accessories

Continuous Top Cap/Carpet Gripper/Alum Grommet

Delivered Pricing	
\$	37
	37
	41
	69
	69
\$	6
\$	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Power Modules

MODEL	MODEL NUMBER	
	Basic Model	Approx. Packaged Weight
 HRDPT Round Power Module-Dual Receptacles • Round module with sleeves fits into Unite® grommet cutout • Provides two receptacles • Cord length is 6 feet • Black	UNPWUP	2.0#
 HRDPT Round Power Module-Receptacle and Data • Round module with sleeves fits into Unite® grommet cutout • Provides one receptacle and one data port • Black	UNPWUD	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	269
\$	269

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Bracket Assembly Kit/Receptacle Kit

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Bezel Color	
 HRDPT Chicago Mounting Bracket Assembly Kit • Steel construction • Accepts Chicago Code Receptacle Kit (see below) • Specify one assembly per panel, for use on base raceway only • Associated panels must be specified with Chicago power option in order to accept assembly • Includes mounting hardware • Assembly is not size-specific or handed	UCEM		1.5#
 HRDPT Chicago Code Receptacle Kit • Includes all components required to mount one hardwired receptacle to a mounting bracket assembly (see below) • Receptacle is provided by customer • Up to two receptacles may be specified on a 24" panel, one per side; up to four receptacles may be mounted on all other panels, two per side	URK.HW	☐ ☐	1.4#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select bezel color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Accessories

Bracket Assembly Kit/Receptacle Kit

Delivered Pricing	
\$	72
\$	72

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Tackboard

				MODEL NUMBER		Approx. Packaged Weight
MODEL	Features	W x H	Basic Model	Fabric Color		
 UTB	Tackboard - Tackboards are constructed of 3/4" tack-able core and covered with fabric - Includes black mounting brackets - Not available with countertops	On-Module	24 x 12"	UNTB2412/PM	☐ ☐ ☐ ☐	3.0#
		On-Module	30 x 12"	UNTB3012/PM	☐ ☐ ☐ ☐	3.0#
		On-Module	36 x 12"	UNTB3612/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	42 x 12"	UNTB4212/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	48 x 12"	UNTB4812/PM	☐ ☐ ☐ ☐	5.0#
		On-Module	54 x 12"	UNTB5412/PM	☐ ☐ ☐ ☐	0.0#
		On-Module	60 x 12"	UNTB6012/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	24 x 16"	UNTB2416/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	30 x 16"	UNTB3016/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	36 x 16"	UNTB3616/PM	☐ ☐ ☐ ☐	5.0#
		On-Module	42 x 16"	UNTB4216/PM	☐ ☐ ☐ ☐	5.0#
		On-Module	48 x 16"	UNTB4816/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	54 x 16"	UNTB5416/PM	☐ ☐ ☐ ☐	0.0#
		On-Module	60 x 16"	UNTB6016/PM	☐ ☐ ☐ ☐	7.0#
		On-Module	24 x 20"	UNTB2420/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	30 x 20"	UNTB3020/PM	☐ ☐ ☐ ☐	5.0#
		On-Module	36 x 20"	UNTB3620/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	42 x 20"	UNTB4220/PM	☐ ☐ ☐ ☐	7.0#
		On-Module	48 x 20"	UNTB4820/PM	☐ ☐ ☐ ☐	8.0#
		On-Module	54 x 20"	UNTB5420/PM	☐ ☐ ☐ ☐	0.0#
		On-Module	60 x 20"	UNTB6020/PM	☐ ☐ ☐ ☐	10.0#
		On-Module	24 x 30"	UNTB2430/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	30 x 30"	UNTB3030/PM	☐ ☐ ☐ ☐	7.0#
		On-Module	36 x 30"	UNTB3630/PM	☐ ☐ ☐ ☐	8.0#
		On-Module	42 x 30"	UNTB4230/PM	☐ ☐ ☐ ☐	10.0#
		On-Module	48 x 30"	UNTB4830/PM	☐ ☐ ☐ ☐	11.0#
		On-Module	54 x 30"	UNTB5430/PM	☐ ☐ ☐ ☐	0.0#
		On-Module	60 x 30"	UNTB6030/PM	☐ ☐ ☐ ☐	14.0#
		On-Module	24 x 48"	UNTB2448/PM	☐ ☐ ☐ ☐	9.0#
		On-Module	30 x 48"	UNTB3048/PM	☐ ☐ ☐ ☐	11.0#
		On-Module	36 x 48"	UNTB3648/PM	☐ ☐ ☐ ☐	13.0#
		On-Module	42 x 48"	UNTB4248/PM	☐ ☐ ☐ ☐	15.0#
		On-Module	48 x 48"	UNTB4848/PM	☐ ☐ ☐ ☐	17.0#
				A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 128	\$ 132	\$ 134	\$ 137	\$ 147
141	144	146	151	161
152	158	160	165	174
159	163	165	170	180
162	165	167	173	185
180	185	187	194	203
192	197	199	206	217
132	134	137	141	151
141	144	146	151	161
143	146	148	153	163
160	164	166	173	182
166	169	173	179	190
190	195	197	204	213
203	207	211	220	230
193	200	202	207	220
207	214	217	225	235
221	227	231	240	252
228	233	240	247	260
272	280	285	294	310
274	285	290	299	315
278	289	294	303	317
209	216	221	227	242
260	267	272	280	297
274	281	289	299	313
291	300	307	314	332
307	313	320	331	348
320	331	336	345	360
333	344	349	359	380
268	274	281	290	306
309	315	324	333	352
352	362	371	380	400
362	373	383	390	413
385	398	405	417	439

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Brackets

	MODEL	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 HRDPT	Tackboard On-Module Bracket • Order one kit for 12" and 16" high tackboards • Order two kits for 20" and 30" high tackboards • Order three kits for 48" high tackboards • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	48.0262.TB.KIT	☐ ☐	1.0#
 HRDPT	Markerboard On-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	48.0262.MB.KIT	☐ ☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	27
\$	45

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Unite® C.O.M. Yardage Requirements

Width	Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Non Directional	Width	Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Non Directional
24	8	28 x 13	0.361	0.361	0.181	0.181	48	8	52 x 13	0.361	0.361	0.361	0.361
24	16	28 x 21	0.583	0.583	0.292	0.292	48	16	52 x 21	0.583	0.583	0.583	0.583
24	24	28 x 29	0.806	0.806	0.403	0.403	48	24	52 x 29	0.806	0.806	0.806	0.806
24	26	28 x 31	0.861	0.861	0.431	0.431	48	26	52 x 31	0.861	0.861	0.861	0.861
24	32	28 x 37	1.028	1.028	0.514	0.514	48	32	52 x 37	1.028	1.028	1.028	1.028
24	34	28 x 39	1.083	1.083	0.542	0.542	48	34	52 x 39	1.083	1.083	1.083	1.083
24	40	28 x 45	1.250	1.250	0.625	0.625	48	40	52 x 45	1.250	1.250	1.250	1.250
24	42	28 x 47	1.306	1.306	0.653	0.653	48	42	52 x 47	1.306	1.306	1.306	1.306
24	48	28 x 53	1.472	1.472	0.736	0.736	48	48	52 x 53	1.472	1.472	1.472	1.472
24	50	28 x 55	1.528	1.528	0.764	0.764	48	50	52 x 55	1.528	1.528	1.528	1.528
24	56	28 x 61	1.694	1.694	0.847	0.847	48	56	52 x 61	1.694	1.694	1.694	1.694
24	58	28 x 63	1.750	1.750	0.875	0.875	48	58	52 x 63	1.750	1.750	1.750	1.750
24	64	28 x 69	1.917	1.917	0.958	0.958	48	64	52 x 69	1.917	1.917	1.917	1.917
30	8	34 x 13	0.361	0.361	0.361	0.361	54	8	58 x 13			0.361	0.361
30	16	34 x 21	0.583	0.583	0.583	0.583	54	16	58 x 21			0.583	0.583
30	24	34 x 29	0.806	0.806	0.806	0.806	54	24	58 x 29			0.806	0.806
30	26	34 x 31	0.861	0.861	0.861	0.861	54	26	58 x 31			0.861	0.861
30	32	34 x 37	1.028	1.028	1.028	1.028	54	32	58 x 37			1.028	1.028
30	34	34 x 39	1.083	1.083	1.083	1.083	54	34	58 x 39			1.083	1.083
30	40	34 x 45	1.250	1.250	1.250	1.250	54	40	58 x 45			1.250	1.250
30	42	34 x 47	1.306	1.306	1.306	1.306	54	42	58 x 47			1.306	1.306
30	48	34 x 53	1.472	1.472	1.472	1.472	54	48	58 x 53			1.472	1.472
30	50	34 x 55	1.528	1.528	1.528	1.528	54	50	58 x 55			1.528	1.528
30	56	34 x 61	1.694	1.694	1.694	1.694	54	56	58 x 61			1.694	1.694
30	58	34 x 63	1.750	1.750	1.750	1.750	54	58	58 x 63			1.750	1.750
30	64	34 x 69	1.917	1.917	1.917	1.917	54	64	58 x 69			1.917	1.917
36	8	40 x 13	0.361	0.361	0.361	0.361	60	8	64 x 13			0.361	0.361
36	16	40 x 21	0.583	0.583	0.583	0.583	60	16	64 x 21			0.583	0.583
36	24	40 x 29	0.806	0.806	0.806	0.806	60	24	64 x 29			0.806	0.806
36	26	40 x 31	0.861	0.861	0.861	0.861	60	26	64 x 31			0.861	0.861
36	32	40 x 37	1.028	1.028	1.028	1.028	60	32	64 x 37			1.028	1.028
36	34	40 x 39	1.083	1.083	1.083	1.083	60	34	64 x 39			1.083	1.083
36	40	40 x 45	1.250	1.250	1.250	1.250	60	40	64 x 45			1.250	1.250
36	42	40 x 47	1.306	1.306	1.306	1.306	60	42	64 x 47			1.306	1.306
36	48	40 x 53	1.472	1.472	1.472	1.472	60	48	64 x 53			1.472	1.472
36	50	40 x 55	1.528	1.528	1.528	1.528	60	50	64 x 55			1.528	1.528
36	56	40 x 61	1.694	1.694	1.694	1.694	60	56	64 x 61			1.694	1.694
36	58	40 x 63	1.750	1.750	1.750	1.750	60	58	64 x 63			1.750	1.750
36	64	40 x 69	1.917	1.917	1.917	1.917	60	64	64 x 69			1.917	1.917
42	8	46 x 13	0.361	0.361	0.361	0.361							

Yardage requirements are "per panel side"
(multiply times 2 for a complete panel).



How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
1400 South 41st Street
Manitowoc, WI 54220
Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 25 yards — Add 5 yards
25 + yards — Add 10% over requirements (5 yard minimum)



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks of
Krueger International, Inc.

© 2010 KI
All Rights Reserved.
Litho in USA.
Code KI-I 1557/KI/PDF/I010