

United Shield International



CATALOG 2018

BALLISTIC HELMETS

SPEC OPS DELTA **GEN II**

The Spec Ops Delta Gen II helmet is the next generation in performance of our market leading Spec Ops Delta Helmet.



| Size | Diameter | Circumference |
|---------|-----------------|---------------|
| Small | 5 1/2" - 6 1/4" | 18" - 20" |
| Medium | 6 1/4" - 7" | 20" - 22" |
| Large | 7" - 8" | 22" - 24" |
| X-Large | 8" - 8 3/4" | 24" - 26" |

Weight 2.6 - 2.8 lbs



4D Combat Pads System



Mid-Cut

IMPROVEMENTS

- NEW carbon fiber Universal NVG mount with guaranteed no-rattle fit
- NEW USI Rapid Adjustment Dial BOA retention system with 2-way adjustments
- NEW 4D Combat Pad ultra comfort system with phase change technology, keeping you cool in the summer and warm in the winter, while exceeding the US MilSpec and outperforming all other pad systems in independent impact testing.

LEGACY FEATURES

- Industry leading ballistic proprietary thermoplastic aramid composite shell
- Removable suede split chin strap to allow for laundry, replacement or use of gas mask extender
- 4 point adjustment harness, picatinny rails, helmet VELCRO® brand fastener kit and bungees

PROTECTION LEVEL

NIJ 0106.01 Level IIIA, HP White 0401.01B Level IIIA and exceeds US mil spec for ACH helmet for 2, 4, 16, 64, 17 grain fragments.

SOD-RFS-Rail Riot Face Shield with Rail Adapter



The SOD-RFS-rail riot face shield with rail adapters is used to provide riot protection from impact, splash and fragments. It is designed to fit all United Shield International helmets with picatinny rails.

- Locks into the stowed or deployed positions and can be released with one hand.
- Tested to the NIJ 0104.02 Riot Standard.
- Protection against fluids, impact,

incendiary projectiles and riot conditions.

USI BOA® Chinstrap - RapidAdjustment Dial



The BOA® Chinstrap - Dial Adjust is the first stand-alone chinstrap to feature dual dial-adjustable fit. The BOA® Closure System provides the ultimate in stability, adjustment and fit while remaining lightweight and durable. USI BOA® System

responds to the dynamic loading conditions of a modern combat helmet. It is capable of withstanding the additional weight of headborne accessories while maintaining balance and stability.

SPRINT

The SPRINT is United Shield's high cut low profile Special Operator helmet. It comes equipped standard with a high impact 7 pad liner system complete with our proprietary 4 point multi-adjustable X harness (for improved helmet dimensional stability over standard H harnesses) and quick release split suede chinstrap. In addition, it includes factory fitted picatinny side rails providing a solid platform onto which accessory attachments, such as cameras and flashlights, can be quickly and easily mounted and also includes an integrated universal night vision goggle mount.

PROTECTION LEVEL

NIJ 0106.01 Level IIIA, HP White 0401.01B Level IIIA and exceeds US mil spec for ACH helmet for 2, 4, 16, 64, 17 grain fragments.

WEIGHT

2.5 - 2.7 lbs



ACH-MICH



The ACH-MICH helmet was designed to replace the in-service PASGT helmet. The ACH-MICH helmet features a reduced weight, higher cut at the back and sides and removal of the front peak. This new low profile helmet provides excellent compatibility with communications equipment, gas masks and helmet mounted night vision goggles. The helmet is tested to and exceeds the US ACH mil spec for 2, 4, 16, 64 and 17 gr fragments.

PROTECTION LEVEL

NIJ 0106.01 Level IIIA, HP White 0401.01B Level IIIA and exceeds US mil spec for ACH helmet for 2, 4, 16, 64, 17 grain fragments.

AVAILABLE CONFIGURATIONS

Both the ACH-MICH and ACH-MICH MID-CUT helmets come in either a US MIL Std or US LE (Law Enforcement) version. ACH-MICH-MIL and ACH-MICH-MIL MID-CUT come equipped with 7 pad suspension system. ACH-MICH-LE and ACH-MICH-LE MID-CUT come equipped with our standard Omega mesh harness system.

WEIGHT

2.7 - 2.98 lbs



Omega Harness



7 Pad System



ACH-MICH Mid - Cut
with Optional NVG Mount
and Picatinny Rails

Helmet Size Chart and Color Swatch



Black

Tan

OD Green

Multi-Cam

| Size | HeadSizes | Circ | Dia |
|--------|-----------|---------|---------|
| Small | 50-56cm | 19"-22" | 5½"-6½" |
| Medium | 54-59cm | 21"-23" | 6½"-7¼" |

| Size | HeadSizes | Circ | Dia |
|---------|-----------|---------|---------|
| Large | 57-64cm | 22"-25" | 7"-8" |
| X-Large | 61-66cm | 24"-26" | 7½"-8½" |



PST SC650

The PST SC650 helmet is a general duties helmet suitable for military and police tactical use. The helmet is constructed from para-aramid material and provides lightweight, robust protection from ballistic and fragmentation projectiles and other low energy threats. The latest harness design offers a stable and comfortable fit with individual adjustment capability. This 4 point harness is anchored to the shell with ballistic resistant bolts.

PROTECTION LEVEL

NIJ 0106.01 Level IIIA, HP White 0401.01B Level IIIA

WEIGHT

2.9 - 3.2 lbs



SPEC OPS

The SPEC OPS helmet is specifically designed for high speed law enforcement and military teams. The unique shape provides for unparalleled peripheral vision, uninhibited hearing and adaptability to communications gear. This helmet features our standard 4 Point H retention system with our Omega mesh harness.

PROTECTION LEVEL

NIJ 0106.01 Level IIIA, HP White 0401.01B Level IIIA

WEIGHT

2.3 - 2.5 lbs



SRS BUMP HELMET

The SRS Bump helmet offers protection against blunt impact. The unique shell provides for outstanding shock and impact resistance when combined with our high performance 7 pad impact system. The SRS Bump helmet comes standard with side picatinny rails and universal NVG mount. Bungee attachments from the rails to the NVG mount add stability to the night vision goggles when attached. This helmet comes with our new BOA chinstrap for increased dimensional stability, wearability and operator comfort.

HELMET ACCESSORIES

- Helmet Bag
- Helmet Cover
- Neck Protector
- Riot Face Shield
- DK5h.150 (6" and 8")
- DK6h.150 (6" and 8")
- Ballistic Face Shield IIIA
- Retro Fit Face Shield IIIA



COMBAT PAD RETROFIT KIT

The Combat Pad Retrofit Kit offers the most technologically advanced suspension systems available. This technology was originally developed for the US SOCOM and other Tier 1 first responders. The suspension system (padding) is a rate and temperature sensitive material that conforms to wearer's unique head shape. These materials provide unparalleled comfort, fit, and stability. The padding is covered in a heat and moisture wicking anti-microbial fabric. It is designed to draw perspiration away from the head and will actually cool the wearer through this evaporative process.



Improved comfort

Padding conforms to wearers individual head geometry, eliminating hot spots.

Improved Blunt Impact Protection

Our suspension technologies have shown to provide significantly better blunt impact protection than standard OEM padding.

Moisture Wicking

NanoTech fabric wicks heat and moisture away from wearer, creating a natural cooling effect.

BALLISTIC SHIELDS

LEVEL IIIA SHIELDS



The United Shield range of NIJ Level IIIA ballistic shields incorporates the latest materials, technology, lightweight design and a handle system that has been ergonomically refined over a number of years. These shields provide tactical teams with protection against Ballistic and fragmentation threats. The shields are available in a standard range of sizes and protection levels, which are listed below with weights.

STANDARD SIZES

| Size | Inches | Weight |
|----------|-----------|-----------|
| Micra | 18" x 26" | 6.2 lbs |
| Small | 20" x 34" | 13.00 lbs |
| Standard | 24" x 36" | 17.00 lbs |
| Medium | 22" x 40" | 15.15 lbs |
| Large | 24" x 51" | 21.3 lbs |
| Grande | 24" x 69" | 26.4 lbs |

Custom sizes are available.

VIEW PORT SIZES

4"x10" and 4"x16"

LEVEL III / IV BALLISTIC SHIELDS

United Shield offers a unique line of rifle protection ballistic shields. These are manufactured using either high-density Polyethylene composites or high purity Alumina ceramic backed by a high performance Aramid laminate producing Level III & IV NIJ 0108.01 shields. Shields come with an optional 4" x 10" Level III/IV viewport. High mobility QUAD trolleys are also available.

| Level III | Inches | Weight | Weight with viewport |
|-----------|-----------|--------|----------------------|
| Kent | 22" x 32" | 23 lbs | n/a |
| Standard | 24" x 36" | 30 lbs | 46 lbs |
| Large | 24" x 48" | 40 lbs | 56 lbs |

| Level III • Lightweight | Inches | Weight | Weight with viewport |
|-------------------------|-----------|-----------|----------------------|
| RRS | 30" x 21" | 15.43 lbs | n/a |
| Medium | 20" x 34" | 16.32 lbs | 24.53 lbs |
| Standard | 24" x 36" | 19.76 lbs | 27.34 lbs |

| Level IV | Inches | Weight | Weight with viewport |
|----------|-----------|--------|----------------------|
| Small | 20" x 34" | 45 lbs | 60 lbs |
| Standard | 24" x 36" | 55 lbs | 72 lbs |
| Large | 24" x 48" | 75 lbs | 95 lbs |
| Trolley | n/a | 55 lbs | n/a |



E.R.T. SHIELD

The United Shield E.R.T shield is a new addition to our range of multi-functional shields. It has been designed in conjunction with officers from various tactical teams, to satisfy a need for a shield which is light and versatile, while being strong and robust. The shield is ambidextrous, so that left and right-handed operators can use the same shield quickly and without any need to change handle positions.

The integrated weapon mount provides for single-handed operation, allowing operators to deploy their weapon without exposing their arm. The shield has a tri-grip handle combined with three soft handles for ease of deploying the shield. The E.R.T. shield offers increased head coverage against other shields.



SIZES

24" x 36" 15.5 lbs

24" x 48" 19.5 lbs

BALLISTIC SHIELDS



ASSAULT SHIELD

This shield has been designed in close collaboration with tactical operators, to provide maximum protection, while still offering market leading ballistics and weight. The shield is fit standard with the Assault tri-grip handle to offer increased stability for the shield user. This handle also has option to integrate a 900-lumen light directly into the handle, eliminating all wires, as pictured. The Assault shield is standard with a 4" x 16" viewport and dual cut-outs to add comfort for the operator when deploying their firearm.

United Shield uses a high strength aramid achieving the NIJ level IIIA, meeting the NIJ 0108.01 testing standards.

NIJ 0108.01 IIIA

SIZE

24" x 40" 19.3 lbs

OTHER SHIELDS

Kent Shield

9.6 lbs



Military Combat Shield

2.7 lbs



RRS

2.7 lbs



Police Tactical

3.7 lbs



PRO LIGHT - SHIELD LIGHTING SYSTEM

The United Shield PRO LIGHT shield lighting system is a durable impact resistant light system, which can be factory fitted or retrofitted to ballistic shields.

The PRO LIGHT system is especially suitable where robust build quality and reliability are essential. The PRO Light operational modes include on/off, strobe on/off, solid on and turbo strobe.

Waterproof

Lumens = 520

Field of vision = 30° , Distance vision = 500 ft.

Peripheral vision = 60 ft.



ASSAULT LED LIGHT

United Shield Assault LED light with 3 functions:
Temporary on, solid on and turbo strobe.



- Waterproof to 20ft
- Runtime of 2-4 hours at steady burn
- Battery operated with CR-123
- Total Weight of system – 3 lbs (includes handle and 6 CR123 batteries)

900 Lumen System

- 6 White LED Light heads with 15° left/right spread

Weights and Size

900 Lumen – With Handle

- 3 lbs (includes batteries)
- 6.3" x 2.5"

HANDLE CONFIGURATIONS



Horizontal Handle




NY Tri-Grip



E.R.T. Special Handle



Assault Special Handle



Soft Handle



KENT Special Handle

Level IIIA Shield Special Threat Performance

- 9mm +P+, 127 grain Supreme Expansion Technology (SXT) projectiles
- .357SIG 115 grain Jacketed Hollow Point (JHP) projectiles
- .357 SIG 125 grain Gold Dot Hollow Point (GDHP) projectiles
- .40 cal., 95 grain Agulia projectiles
- 9mm Fiocchi, 115 grain FMJ projectiles
- 5.72x28mm 40-grain Hornady V-Max (Blue Tip) projectiles
- 5.7x28mm 27grain SS195 Lead free Hollow Point (LFHP) projectiles
- 7.62x25-mm, 95grain TOKAREV FMJ projectiles

BALLISTIC PLATES



| Plate | Level | NIJ0101.06 Certified | Description | Style | Tri-Curve | Hits | Ballistics | Weight |
|------------------|-------|-------------------------|-----------------------------|----------------|-----------|--------|--|----------|
| Acer | III+ | | Steel | Stand Alone | | Multi | 7.62 x 51 Ball (M80) 7.62 x 39 AK47 MS Core 5.56 x 45 SS 109 | 6.6 lbs |
| Acer Gen II | III+ | | Steel | Stand Alone | | Multi | 7.62 x 51 NATO Ball M80 5.56 x 45 62gr M855 5.56 x 45 55gr M193 7.62 x 39 123gr AK47 | 7.8 lbs |
| Acer Lite Gen II | III+ | | Steel | Stand Alone | | Multi | 7.62 x 51 NATO Ball M80 5.56 x 45 62gr M855 7.62 x 39 123gr AK47 | 6.4 lbs |
| Delta | III | | Polyethylene | In Conjunction | | Multi | 7.62 NATO Ball | 2.5 lbs |
| Delta+ | III | | Polyethylene | Stand Alone | | Multi | 7.62 NATO Ball 7.62 x 51 Ball (M80) 7.62 x 63 JSP 7.62 x 54 R-L 7.62 x 39 AK47 MS Core | 3.75 lbs |
| Delta-6H | III+ | Yes | Polyethylene | Stand Alone | Yes | Multi | 5.56 x 45 M193 Ball 7.62 NATO Ball 7.62 x 51 Ball (M80) | 3.1 lbs |
| Delta-6Lite | III+ | Yes | Polyethylene | Stand Alone | | Multi | 7.62 x 39 PS Ball (MSC) 7.62 x 51 Ball (M80) 7.62 x 39 AK47 MS Core 5.56 x 45 M193 Ball | 2.3 lbs |
| Sigma | III+ | | Ceramic | Stand Alone | | Multi | 5.56 x 45 SS 109 7.62 x 63 JSP 7.62 x 54 RLPS 5.56 x 45 M855 5.56 x 45 M193 Ball 7.62 x 54 R-L 7.62 x 51 Ball (M80) 7.62 x 39 API | 6.8 lbs |
| Sigma 6H | III+ | Yes | Polyethylene | Stand Alone | | Multi | 7.62 x 39 AK47 MS Core 7.62 x 51 Ball (M80) 7.62 x 39 AK47 MS Core 5.56 x 45 M193 Ball | 5.8 lbs |
| Sigma Lite | III+ | | Ceramic | Stand Alone | | Multi | 5.56 x 45 SS 109 7.62 x 39 PS Ball (MSC) 7.62 x 51 Ball (M80) | 4.6 lbs |
| Sigma Lite 6 | III+ | Yes | Ceramic and Polyethylene | Stand Alone | Yes | Multi | 5.56 x 45 M855 5.56 x 45 Ball (M855) 5.56 x 45 (M855 A1) 7.62 x 39 (API) (B2) 7.62 x 51 (AP) (M61) 7.62 x 54R (API) (B32) | 4.8 lbs |
| Kappa 6 | IV+ | Yes | Ceramic and Polyethylene | Stand Alone | | Multi | 7.62 x 63 (AP) (M2AP) 30-06 APM2 | 7.4 lbs |
| Zeta | IV | | Ceramic | Stand Alone | Yes | Single | 7.62 NATO AP 30-06 APM2 7.62 NATO AP 7.62 x 63 (AP) (M2AP) 7.62 x 63 JSP 7.62 x 63 B32 API | 7.8 lbs |
| Zeta 6H | IV | Yes | Ceramic | Stand Alone | | Single | 7.62 x 54 RLPS 30-06 APM2 | 7.6 lbs |
| Zeta Lite | IV | | Ceramic | Stand Alone | | Single | 7.62 NATO AP 30-06 APM2 7.62 NATO AP 7.62 x 63 (AP) (M2AP) 7.62 x 63 JSP 7.62 x 63 B32 API | 5.9 lbs |
| Zeta Lite 6H | IV | Yes | Ceramic and Polyethylene | Stand Alone | Yes | Single | 7.62 x 54 RLPS | 5.9 lbs |

BODY ARMOR

BOA POWER X

United Shield International introduces the latest innovation in wearable body armor, THE BOA POWER X line of ballistic armor.

Borrowing from the High Performance Sporting goods market, United Shield merges the latest in performance closures with today's best body armor.

The BOA POWER X allows the wearer the option to tighten and loosen their armor on the go. The patented closure system allows a one-handed adjustment to the fit of your armor giving you the ability to tighten or loosen your armor throughout your shift. No more armor "riding up" when you sit down in your vehicle, simply release the power dial and your armor will adjust to your seated position while maintaining a safe fit. This will also allow the passage of cooling air providing much needed comfort without the need to take your armor off. When you need to get back into the fight, simply readjust your armor with a few turns of the dial and you are good to go. You are no longer restricted to armor adjustment by having to take off your uniform shirt to make adjustment to the bulky hook and loop straps. If you wear your armor externally, this allows you make fit adjustment without having to release the side straps. This stops your armor from flapping around if unattached eliminating a safety issue in the event of a vehicle crash or the need to quickly exit your vehicle. High tech performance has finally arrived to the armor market!

FEATURES

- One handed rapid size adjustment
- Ability to make micro adjustments seamlessly through one-handed manipulation. This allows end user to make fit adjustments through their shift without having to remove their shirt, by tightening or loosening the vest
- Immediate tension release with pull of dial. Enables complete tension release when sitting or operating in any other situation that changes the fit of the vest
- Ability to custom size through use of generic sizes. Cables allow for the vest to be tightened up to 6 inches of girth adjustment to minimize vest sizes required to custom fit agency officers
- Use of aerospace aluminum wiring to provide tensioning and fit, while providing an unbreakable security seal on the vest
- Custom designed dual quick release clips to allow for easy donning and doffing of the carrier
- High Performance Microfiber outer shell
- Comfort Inner fabric constructed of moisture wicking and cooling fabrics



BODY ARMOR

SPA

Designed specifically for officers trained in the Isosceles Stance, the SPA concealable vest employs a slim front panel shape and a full back panel which converge directly at the sides.

- The SPA concealable vest features full side coverage designed to meet directly on the side of the torso
- Twelve point, fully adjustable waist and shoulder straps ensure a proper fit and maximum comfort
- Shirt tails with Dry Run® moisture management system moves moisture away from the body and helps keep you dry and comfortable
- Optional soft trauma insert available
- Pocket to accommodate 5" x 8", 6" x 8" and 7" x 9" SPEED Plates
- Recessed Closure System
- Available with or without shirt tails
- Available colors: Black, White, Navy & Tan



SPA MALE



SPA FEMALE



NIJ 0101.06 LEVEL II and IIIA BALLISTIC OPTIONS

| USI Model | NIJ Level | NIJ Model # | Areal Density | Thickness |
|-------------|-----------|-------------|---------------|-----------|
| Airius-II | II | USI1.1-II | .63 psf | .25" |
| Airius-IIIA | IIIA | USI1.1-IIIA | .83 psf | .24" |
| Araura-II | II | USI2.1-II | .99 psf | .25" |
| Araura-IIIA | IIIA | USI2.1-IIIA | 1.12 psf | .28" |

BODY ARMOR

GARRISON COMPLETE

Ideal for tactical officers who need functional load-carrying capabilities with the versatility to adapt to any operation, the GARRISON will hold up to the toughest demands while offering superior protection.

- Shoulder cut allows proper stock weld
- Ultra low-profile protective coverage
- Modular system accommodates collar, throat, biceps, side gap, groin and lower back armor protection; accepts side SAPI carriers
- Front and back 10" x 12" internal plate pockets
- Front abdominal flap secures external cummerbund and includes kangaroo pouch for documents or holster
- Adjustable shoulder strapping system
- Emergency extraction drag strap
- Available in Laser Cut
- Available colors: Black, Coyote, OD Green, Ranger Green and Multi-Cam



GARRISON NIJ 0101.06 Ballistic Options

Available with NIJ .06 Level IIIA Ballistic Systems

FUTV - FORTRESS UNIVERSAL TACTICAL VEST

The United Shield Fortress Universal Tactical Vest is of proven design and provides full protection to the front, back and sides. The vest includes a full cummerbund capable of accepting Level II and IIIA ballistic inserts. The FUTV comes with a gusset sewn top-loading plate pocket that accepts 10" x 12" plates and a heavy-duty operator rescue drag handle. The 360 degree MOLLE webbing, and front gusset sewn map/tool pocket for quick mission access is fully adjustable in girth and length to fit multiple sizes. The vest adjustments allows standardization of team equipment and has Hook & Loop on the front and rear to accept ID patches. Accessories include neck, throat, bicep and groin armor.



FUPC- FORTRESS UNIVERSAL PLATE CARRIER

The United Shield Fortress Universal Plate Carrier is of proven design and provides full protection to the front, back and sides. The carrier has options of a cummerbund capable of accepting Level II and IIIA ballistic inserts. The FUPC comes with a gusset sewn bottom loading plate pocket that accepts 10" x 12" plates and a heavy-duty operator rescue drag handle. The 360 degree MOLLE webbing, and front gusset sewn map/tool pocket for quick mission access is fully adjustable in girth and length to fit multiple sizes.

MOPC CARRIER

No Ballistic performance, carrier only.

Emergency drag handle. Detachable shoulder pads. Side release buckles on shoulders and internal waist strap. Accepts up to 10" x 13" plates. Accepts up to 6" x 8" side panel plates. Easy access to ballistic plates with pull down flaps.

Adjustable/detachable cummerbund with pockets for side armor. One front map pocket with snap, hook & loop closure. All armor compartments (front, back & two side) have hook and loop panel. Lightly padded mesh on front and back harness for comfort and airflow. One size fits all.



RPSS CARRIER

The RPSS carrier features high wearing, durable construction of 1000D nylon in a 4 point multi-adjustment system. Allows wearer to upgrade ballistic protection to defend against rifles. Holds two 10" x 12" plates, one front, one back. Carrier is held in place with side straps that are adjustable using quick release buckles.

EOD EQUIPMENT

OLYMPIA GUARDIAN BOMB SUIT

The Olympia Guardian Bomb suit is a complete EOD protective garment comprising:

- Helmet with comfort liner, visor, light and adjustable demister, battery pack and integrated communications microphone and ear pieces.
- Jacket with sleeves, collar and integrated back protector
- Trousers with over Boots
- Three part Blast plates

This third generation suit includes many new and innovative features to improve the comfort and wearer maneuverability.

The Olympia Guardian Bomb suit has been designed to provide excellent protection against fragmentation, blast overpressure, blunt trauma and heat/flame ingress.

KEY FEATURES

- Berry Compliant (Made in the USA)
- Total Weight Size Medium including helmet 62.86 lbs
- Zonal Armor System
- Integral Back Protector
- Comes Standard with Sentinel Gen. III Helmet, But contender helmet available.
- Sizing – 3 Sizes of helmets – 6 sizes of suits
- Same excellent Blast mitigation and fragmentation protection as predecessor Olympia Excel



EOD EQUIPMENT



SENTINEL GEN 3 EOD HELMET

The Olympia Guardian Bomb Suit offers our revolutionary helmet system, The Sentinel Gen III helmet. This helmet is an upgrade from our widely popular Sentinel helmet. The helmet is constructed from 100% Para-aramid fibers providing excellent weight to performance characteristics. Robust two part epoxy paint in a range of colours.

The Sentinel helmet comprises

- Helmet shell with high performing comfort liner and four point X-harness with adjustable chin cup for superior retention
- The visor has two locking positions; down and up
- There is a low noise helmet mounted fan assembly with speed adjuster and helmet mounted LED light
- Provision for communication microphone and hearing ear pieces

This helmet has our newly upgraded fan and battery compartment, offering a sleeker, lighter weight design option for the end user. The adjustable fan is run off of standard AA batteries. The Sentinel helmet is CBRN compatible.

OLYMPIA BOMB DISPOSAL SUIT

The Olympia bomb suit is United Shield's latest and most advanced design of bomb suit. It is a complete EOD/IEDD ensemble and provides the highest levels of protection from the four main threats encountered by EOD/IEDD operators of fragmentation, overpressure, impact and heat.

The outer material is constructed from certified flame retardant material, such as Nomex® Delta T. This material can also be used to cover the bomb suit helmet, providing optimal protection for EOD/IEDD operators from the flame associated with blasts from explosive devices.

A key feature of the Olympia bomb suit is its zonal armor system, which provides outstanding blast protection with maximum mobility, flexibility and comfort. The highest protection level is afforded to life-critical areas of the body, such as the neck, chest and groin, with STANAG 2920 V50's ranging from 1,900 m/sec to 450 m/sec. These levels of protection can be adjusted to suit individual customer's needs.

BOMB SUPPRESSION KIT WITH SAFETY CIRCLE

The United Shield Bomb Suppression Blanket and Safety Circle has been designed to provide a portable flexible, lightweight and compact means of protection from EOD and IEDD devices. It is tough and durable, being manufactured from multiple layers of treated aramid ballistic fabric sewn into a fire retardant and water repellent outer cover. It can be quickly and easily folded for storage in the water repellent carry bag, while robust webbing carry handles make for ease of transportation and rapid deployment.



RIOT GEAR

906 TACELITE EPR RIOT DUTY HELMET

Our most popular tactical helmet provides outstanding protection and superior comfort. The model 906 features an optically clear, UV resistant, polycarbonate face shield with an integrally molded liquid seal. The model 906 is trusted by thousands of law enforcement agencies around the world to protect their valuable men and women in any riot situation.

- TacElite EPR® polycarbonate alloy helmet shell
- Expanded polystyrene liner with padded, sweat-wicking inner liner
- Permanently mounted neck protector with Kydex® penetration shield and shock absorbent foam pad
- Detachable .150" (3.8mm) thick face shield with liquid seal prevents liquids from seeping into officer's eyes. Molded lip on top edge of face shield prevents shield from closing over integral visor and striking the face.
- Double D-ring fastener provides maximum strength and slip resistance
- Snap-on nape pad with Kydex® penetration shield, shock-absorbent foam pads and chemical-resistant black Cordura® cover
- Plastic chin cup for added comfort when harness is tightened.
- Optional chin pad available
- Weight Model 906: 3.2 lbs (1.5 Kg)
- Meets or exceeds NIJ Standard for Riot Helmets and Face Shields, NIJ 0104.02
- Meets or exceeds DOT Standard for Motor Vehicle Helmets FMVSS218 for Impact and Retention Only



STANDARD

SIZES

Universal 6 1/2" to 7 5/8" Adjustable

Jumbo 8 1/4" - 8 1/2" Adjustable



GAS MASK



CORRECTIONS

BS-2 RIOT SHIELD

The BS-2 riot shield is a hand held body shield with ergonomic features. The BS-2 has an ID label that can be made custom to the customer. The Ergonomic handles allows 2 handled use for extreme circumstances. The handle and break away strap are dielectric to prevent electrical pass through and can be reversed for left or right hand use.

The wide nylon arm strap is easily adjustable while in use. The shield has superior optical quality and workmanship.

SIZE & WEIGHT

20" x 36"
6 lbs

HAZARD ASSESSMENT

Impact, Splash, Fragments



BS-3 RIOT SHIELD

The BS-3 riot shield is a hand held body shield with ergonomic features. The BS-3 has an ID label that can be made custom to the customer. The Ergonomic handles allows 2 handled use, for extreme circumstances. The handle and break away strap are dielectric to prevent electrical pass through and can be reversed for left or right hand use.

The wide nylon arm strap is easily adjustable while in use. The shield has superior optical quality and workmanship.

SIZE & WEIGHT

24" x 48"
8.5 lbs

HAZARD ASSESSMENT

Impact, Splash, Fragments

CS-4 CAPTURE SHIELD

The CS-4 Capture shield is a hand held body shield with ergonomic features. The CS-4 has an ID label that can be made custom to the customer. The strong double handles allow a firm grip under various conditions. The shield has superior optical quality and workmanship. This product is unique in that the design allows two people to grip with both hand on each handle. When extra holding power is needed and the handles are dielectric to prevent electrical pass through. Designed and tested exclusively for cell extraction.

The wide nylon arm strap is easily adjustable while in use. The shield has superior optical quality and workmanship.

SIZE & WEIGHT

24" x 48"
7 lbs

HAZARD ASSESSMENT

Impact, Splash, Fragments



United Shield International



United Shield International
1606 Barlow St, Unit 1
Traverse City, MI 49686

Telephone
Local: 1-231-933-1179
Fax: 1-231-933-5368

Internet
Email: unitedshield.pjb@gmail.com
Web Site: UnitedShield.com