

Wherever You Find Tables And Chairs

# TABLES

eliga collaboration

PRICE LIST

DELIVERED PRICING 01 FEBRUARY 2016



### Prices

All prices are list price, delivered (48 contiguous United States), effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Normal delivery is on a dock-to-dock basis. Orders are accepted subject to price prevailing at time of shipment. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Tables are available F.O.B. Jasper, Indiana 47546 – call for quotation. Orders less than \$1000 net will be subject to a \$100 minimum order charge (orders originating from Canada less than \$2500 net will be subject to a \$200 minimum order charge).

### Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

### Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

### CONTACT VERSTEEL

EMAIL contact@versteel.com  
 TELEPHONE 800 876 2120  
 812 634 2120  
 FACSIMILE 812 482 9318

### MAILING ADDRESS

Versteel  
 2332 Cathy Lane  
 Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.



### Quick Ship Program

Available for select products in the Performance and Vela table lines along with select products in the Chela, Companion and SIMON seating lines.

The Versteel Quick Ship Program promises to ship up to 50 tables, 30 training tables or 100 chairs in 10 working days from time of order (received by 5pm EST).

Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quick Ship" and consist of products from that program. Quick Ship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

### QUICK SHIP LAMINATES

Pionite WM115-N (Sugar Maple II)  
 Pionite WC431-H (Millwork Cherry)  
 Wilsonart 11067-7 (Hemlock)  
 Wilsonart 4810-60 (Titanium EV)  
 Wilsonart 4811-60 (Silicon EV)  
 Wilsonart 4820-60 (Carbon EV)  
 Formica 299-58 (Ebony Oxide)

### PERFORMANCE AND VELA TABLES

- ↪ Fixed, folding or tilt bases
- ↪ Glides or casters
- ↪ Table Link
- ↪ Any standard powder coat
- ↪ Seven Quick Ship laminates
- ↪ Wheelchair height available on all shapes, stand-up height available on round and square
- ↪ Form Modesty not available
- ↪ Performance PVC edge: 1 ¼" or 1 ¾" flat or fluted with square or radius corners
- ↪ Performance 3mm wood edge: 1 ¼" flat or fluted with square or radius corners
- ↪ Vela PVC edge: ⅝" or 1 ¼" flat or fluted with square or radius corners
- ↪ Vela 3mm wood edge: ⅝" or 1 ¼" flat or fluted with square or radius corners
- ↪ Vela wire mesh available

### CHELA®

- ↪ Glides or casters
- ↪ Chrome available
- ↪ Any standard powder coat
- ↪ Any Quick Ship fabric

### COMPANION™

- ↪ Glides or casters
- ↪ Tablet arms available
- ↪ Wood available
- ↪ Companion X and Youth seating available
- ↪ Chrome available
- ↪ Any standard powder coat
- ↪ Any Quick Ship fabric

### SIMON®

- ↪ Glides or casters
- ↪ Tablet arms available
- ↪ Wood available
- ↪ Any standard powder coat
- ↪ Any Quick Ship fabric

The table program is comprised of standard tables. Table options (such as lightweight core, adjustable height, power and data, grommets, etc.) are not available. Please consult the Performance and Vela sections for a complete list of shapes and bases.

The seating program is comprised of standard chairs. Stools are not available. Please consult the Versteel Seating Price List for fabric offering and model numbers of available product.

For finish color reference, please refer to the Versteel Finish Card. Contact Versteel to receive actual color samples for color matches and final color approval.

Refer to the Versteel Quick Ship brochure, or visit our web site for more details. [www.versteel.com](http://www.versteel.com)

#### **Credit**

You are requested to enclose one bank reference and three trade references with your initial order.

#### **Credit Cards**

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. Versteel will not accept credit cards for payment of account balances.

#### **Changes or Cancellation**

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

#### **Packaging**

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

#### **Shipping Schedule**

##### *Standard Items*

Laminate, Convex T-Mold Edge	3-5 WEEKS
Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Laminate, Urethane Edge	6-8 WEEKS
Veneer, Wood Edge	6-8 WEEKS

Contact Versteel for special lead time requests.

#### **Shipping**

Shipping Class 70. Normal delivery is on a dock-to-dock basis. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges.

Tables are shipped disassembled unless Assembled Folding Table option is selected; tops and base(s) ship simultaneously. ODIS, TIM and TIM Meeting tilt-fold tables are shipped assembled. TIM fixed tables and TIM Meeting stern tables are cartoned separately.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

#### **FOB ORIGIN, FREIGHT PREPAID**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

#### **Shipping Damage Claims**

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Details of visible damage should be noted on the delivery receipt. If concealed damage is discovered, the carrier must be notified within fifteen (15) days. The buyer has the sole obligation of seeking recourse against the carrier.

#### **Partial Shipments**

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

#### **Returns**

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

#### **Terms**

Terms are 1%, 10 days, net 30 days from date of invoice.

**Warranty**

All table and seating products manufactured by Versteel, are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. The warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Warranty on plastic laminates and upholstery is not covered by Versteel but is covered by laminate and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

**Care of Laminate Surfaces, T-Mold, Bumper, PVC Edges and Urethane**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

**Care of Wood Edges and Veneer Surfaces**

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

**Care of Powder Coat and Nickel Surfaces**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

**Care of Chrome Bases**

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

**Maintenance of Mechanical Parts**

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

**Care of Upholstered Tack Panels**

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

**Objective**

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

**Policy Statement**

*Each Versteel facility has the responsibility to:*

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

**Base Construction**

Versteel bases are constructed of a column, base and a mounting top plate in many styles and sizes.

- 1) **Mounting top plates** attach to the column to allow attachment to the top.

**FIXED BASES**

Fixed bases feature a heavy gauge plate and are field installed into marked pre-drilled positions on the top with hardware provided.

**TILT BASES**

The 10 gauge upper plate is factory installed on the table top. The 7 gauge lower formed plate is attached to the base column.

**FOLDING BASES**

Folding bases feature a formed pan with welded construction that is connected to a wire formed frame. The wire formed frame acts as stacking bumpers and carrying handles for the table. Bases can be field installed into marked pre-drilled positions with provided hardware or request the option for factory installation.

- 2) **Columns** are constructed of 16 or 14 gauge tubular steel in a variety of shapes and diameters appropriate to the series and base styles.
- 3) **Base rails, feet or discs** attach to the column and are heavy gauge steel to create a very stable table with glides to provide  $\frac{3}{4}$ " vertical adjustment for leveling the table.

**Base Shipping Specifications**

All Series TC, T1, T2 bases, W2, P3, P4 columns and D1 disc base ship assembled from the factory. Brattice, Uno and Vela Series X1 and X4 bases and Vela Y3 base also ship assembled from the factory. Performance and Tuscany Series X1 and X4 bases ship KD for field assembly.

**Quality Standards**

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

1)  
Mounting Top Plate  
*Folding Top Plate Shown*

2)  
Column

3)  
Base Rail with Glides

**Reference Table Heights**

Tables can be specified at many different heights based on your application needs. Standard Versteel tables are 29" from the floor to the table surface. The Interplay Rover™ Pup is 26  $\frac{3}{4}$ " from the floor to the surface for use as a pull-up typing surface or can roll under most surfaces to store out of the way.

Suggested typing height table is 26  $\frac{3}{4}$ "  
Suggested wheelchair height table is 32"  
Suggested counter height table is 36"  
Suggested stand up height table is 42"



Manufacturer certifies  
that products meet or  
exceed applicable  
ANSI/BIFMA standards  
and testing.



#### **TIM Base Construction**

TIM table bases are constructed of 14 gauge round tube upper legs with 16 gauge round tube telescoping height adjustment lower leg sections. Guide bushings inside the legs are molded from nylon bushing materials to provide smooth, quiet operation of the height adjustment feature. The height adjustment button is made of solid steel with a spring actuated movement. A Height Adjustment Lock Out Kit is available if you wish to lock out the push-button height adjustment feature.

#### **FIXED BASES**

Fixed bases feature a 1/4" thick mounting top plate and are field installed into pre-drilled holes with hardware provided. TIM tables with fixed bases include the push-button height adjustment feature.

**NOTE** FIXED BASES ARE SHIPPED SEPARATE FROM THE TOP AND ONLY REQUIRE SCREW ATTACHMENT TO ASSEMBLE

#### **TILT-NEST-FOLD BASES**

Tilt feature is cable actuated with the pull of a release handle located under the table top on the end of the surface. The cable operates two brake control mechanisms mounted on each end of the table to support the top. Nest-fold features are constructed of die cast metal components and 14 gauge round tube, fully enclosed in reinforced plastic housings for smooth, quiet operation.

**NOTE** THE TABLE IS SHIPPED FACTORY ASSEMBLED FOR IMMEDIATE USE AFTER UNCARTONING

#### **Reference Table Heights**

TIM tables are constructed with push-button height adjustment to provide five inches of vertical movement. The top leg hole position will set the surface height at 27" with the third from the top hole for 29" standard seated task, and the bottom round hole providing the 32" surface height required for wheelchair applications. The adjustment holes are at 1" spacing increments.



#### **TIM Meeting Base Construction**

TIM Meeting table bases are constructed of 14 gauge round tube with 3/16" solid rod and 16 gauge round tube cross supports.

#### **STERN BASES**

Stern bases feature a formed two-piece tilt mechanism. The 10 gauge upper plate and the 7 gauge lower formed plate are welded to the base column. A spring activated self-locking latch mechanism holds the two sections together in the closed position and acts as a safety latch to hold the top in position when tilted up.

**NOTE** STERN BASES ARE SHIPPED SEPARATE FROM THE TOP AND ONLY REQUIRE SCREW ATTACHMENTS TO ASSEMBLE

#### **Reference Table Heights**

TIM Meeting tables are constructed at standard 29" table height.



#### Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb. particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped pre-drilled for field installation of bases and accessories.



Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T.I.L No. A-30.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

#### Laminate, Lightweight Core Construction

Lightweight core is a multi-ply birch plywood, with a density of around 28 lbs. per cubic ft., offering a 30%–35% weight reduction for a typical table vs. standard core. The tops are surfaced with a high pressure laminate face. A backer sheet is laminated to the under side of the top, and tops are shipped pre-drilled for field installation of bases and accessories.

The lightweight plywood construction allows for mounting of bases or other accessories at any location under the top.

Lightweight core is available as an option for tops that are no larger than 48" x 96".

**NOTE** LIGHTWEIGHT TOPS LARGER THAN 48" X 96" REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

**NOTE** LIGHTWEIGHT CORE NOT AVAILABLE ON VENEER TOPS

#### Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores, and cores that contain no urea formaldehyde. Contact Versteel for pricing and availability.



#### PVC Flat or Fluted Edge

Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in twenty (20) standard colors.



#### Convex T-Mold Edge

Edge of 5/16" thick solid vinyl convex t-mold with 1 1/2" radius corners on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in four (4) standard colors.



#### Wood Flat or Fluted Edge - 3 mm

Edge of 3mm wood multi-ply banding hot melt banded to the top with 1/8" radius at the top and bottom.

Corners with 1 1/2" radius or square corners are available on 7/8" and 1 1/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.



#### Bumper Edge

Exposed ply core banding with rubberized 5/8" width bumper in the center of profile. Corners with 1 1/2" radius are available on 7/8" and 1 1/4" edge thicknesses. Offered in black bumper standard color.



#### Wood Square or Fluted Edge - 1 1/4"

Edge of 1 1/4" wide solid wood with softened top and bottom edges, and square, softened mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.



#### Wood Bullnose Edge - 1 1/4"

Edge of 1 1/4" wide solid wood with a full bullnose edge, and 1" radius mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.



#### Wood Reverse Bevel Edge - 2"

Edge of 2" wide solid wood designed with a reverse sloped edge on one side and a 3mm flat wood edge on the remaining three sides for all Entourage cabinets. When specified on Elements Conference the reverse bevel detail will be on all four sides with mitered corners. Available on 1 1/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.



#### Wood Ergo Edge - 1 3/4" or 2 1/2"

Edge of 1 3/4" wide (on 7/8" thick tops) or 2 1/2" wide (on 1 1/4" thick tops) solid wood designed with a sloped edge for added comfort with softened, mitered corners.

Offered in Maple, Walnut or Cherry materials.



#### Urethane Ergo Edge (User Side) - 1 3/4"

Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 1/4" wide square urethane edge on the remaining three sides. Corners are square. Available on 7/8" edge thicknesses.

Offered in five (5) standard colors.



#### Urethane/PVC Ergo Edge (User Side) - 1 3/4" & PVC

Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 3mm PVC flat edge on the remaining sides. PVC corners are available in square or radius on 7/8" and 1 1/4" edge thicknesses.

Urethane offered in five (5) colors with matching PVC colors.

**Laminate Modesty, General Core Construction**

The modesty panel is constructed of 3/4" thick, 45-50 lb. medium density particle board surfaced with high pressure laminate face on both sides. The modesty panel is 8" high on Vela and 10" high on Brattice and Performance series and extends the length of the top. The modesty panel is located along the front edge of the table for maximum leg and knee clearance.

**Fixed Modesty (FixMod XM)**

The Fixed Modesty panel is mounted to the top with screws through steel brackets and must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Finish details match the top unless specified differently.

**Removable Modesty (RemMod RM)**

The Removable Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to keep the modesty panel in position or loosen to remove the panel. For storage, the modesty attachment pins can be rotated 90° to prevent marring of the top surfaces. Finish details match the top unless specified differently.

**Folding Modesty (FoldMod FM)**

The Folding Modesty panel is mounted to the top with heavy duty hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Finish details match the top unless specified differently.

**Form Metal Modesty, General Construction**

The modesty panel is constructed with an aluminum extruded back panel and a perforated hinged steel door. There are three (3) separate unobstructed channels that allow the routing of power and data cables, with a wire exit on the back for the top and middle channel. The Form Modesty panel is 10" high and extends the length of the top on Brattice, Performance and Vela. The Form Modesty panel is located along the front edge of the table for maximum leg and knee clearance. Accessory end cap trim kit available.

**NOTE** RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

**Fixed Form Modesty (FixFormMod XF or XFS)**

The Fixed Form Modesty panel is mounted to the top with screws through steel brackets. The fixed modesty panel must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

**NOTE** RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

**NOTE** XFS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES

**Folding Form Modesty (FoldFormMod FF)**

The Folding Form Modesty panel is mounted to the top with heavy duty steel hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

**NOTE** RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED



**Fixed Lightweight Form Modesty (FixLightweightFormMod XL or XLS)**

The Fixed Lightweight Form Modesty panel is a lightweight version of the Versteel Form Modesty. It is a formed steel perforated panel that is mounted to the top with screws through steel brackets. It must be field installed into pre-drilled positions in the top. A deep channel in the back of the panel allows for the routing of power and data cables inside of the modesty. Mounting hardware is packed with the modesty panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

**NOTE** RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

**Hanging Modesty (HangMod HM)**

The hanging modesty is mounted to the top with a metal hinge that is factory installed. This mechanism pivots if the table is tilted to allow for a 90 degree slim-tilt. Finish details match the top unless specified differently.



**Removable Lightweight Form Modesty (RemLightweightFormMod RL or RLS)**

The Removable Lightweight Form Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to secure the modesty in position, or loosen them to remove the panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

**NOTE** RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

**NOTE** RLS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES



**Panel Modesty (MPL and MPV)**

The Panel Modesty is constructed of 1/8" hardboard core with laminate or veneer face and back surfaces, machined with exposed edges. Panel Modesty can be specified on both fixed and tilt-nest-fold base tables and will swing out to nest on the table. The 8 1/2" high Panel Modesty is field mounted with hook brackets, installed with handwheels under the table top. Threaded inserts are installed in the top when Panel Modesty is specified with the table. Panel Modesty shapes complement the rectangle and arc rectangle top shapes. Finish details match the top unless specified differently.



Rectangle



Arc Rectangle

**Sail Modesty (MS\_\_)**

AVAILABLE ON TIM ONLY

The Sail Modesty panel is constructed of Lycra® fabric hooked into slotted holes on the table legs then stretched and hooked over pegs on the under surface of the table top. Sail Modesty panels can be specified on both fixed and tilt-nest-fold base tables and can be stored on table when tilted, nested or folded on table transport. All TIM tables are pre-drilled for the field installation of the Sail Modesty. Top pegs are installed when Sail Modesty is specified with the table. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost.



*Grain Direction:  
The stripe indicates  
the direction of the  
woodgrain for a  
standard order.  
If an alternative grain  
direction is desired, or  
nontraditional shapes  
or sizes are required,  
contact Versteel  
Customer Service with  
your request. We will  
engineer and produce  
the product to meet  
your needs for  
stability and long-term  
serviceability.*

Round



Square



Rectangle



Racetrack



Oval



Boatshape



Arc Boatshape



Video Conference



Arc Video Conference




Split Rectangle



Arc Rectangle



Split Ellipse



Trapezoid



Crescent



Teardrop



Half Round




Corner



10° Video Wedge



Stern Rectangle



Stern Arc



Quarter Round



10° Transition



18° Wedge



30° Wedge



45° Wedge



60° Wedge



90° Wedge



Fin



10° Openface



Crossover



Vibe



Curl



Breaker



Tide



Surf



Pipeline



10° Cutback



Rover Pup



Rover Daddy/Computer



Rover Utility



Looksee



Wordplay



ODIS



**Seating Accommodations**

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

**Round**

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	3-4
42"	4
48"	4
54"	4-6
60"	6

**Square**

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	4
42"	4
48"	4
54"	4-8
60"	8

**Rectangle**

SIZE OFFERING	SEATING ACCOMMODATIONS
18" x 48"	1
18" x 60"	2
18" x 72"	3
18" x 84"	4
18" x 90"	4
18" x 96"	4-5
24" x 30"	2
24" x 36"	2
24" x 42"	2, TIM 1, TOD 1
24" x 48"	2, TIM 1, TOD 1
24" x 60"	2-3, TIM 2, TOD 2
24" x 72"	3, TIM 2, TOD 2
24" x 84"	4, TOD 2-3
24" x 90"	4, TOD 2-3
24" x 96"	4-5, TOD 3-4
30" x 36"	2
30" x 42"	2, TIM 1, TOD 1
30" x 48"	2-4, TIM 1, TOD 1
30" x 60"	4, TIM 2, TOD 2
30" x 72"	6, TIM 2, TOD 2
30" x 84"	6, TOD 2-3
30" x 90"	6, TOD 2-3
30" x 96"	8, TOD 3-4
30" x 120"	8
36" x 48"	2-4
36" x 60"	4-6
36" x 72"	6-8, TIM Meeting 6
36" x 84"	6-8
36" x 90"	8
36" x 96"	8-10
36" x 120"	8-10
42" x 72"	6-8

**Rectangle (continued)**

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 84"	6-8, TIM Meeting 6
42" x 96"	8-10
48" x 96"	8-10, TIM Meeting 6-8
48" x 120"	8-10
48" x 144"	10
48" x 168"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 168"	12
60" x 192"	12-14
60" x 240"	16-18

**Pipeline**

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
22" x 60"	2-4
22" x 72"	2-4
24" x 48"	1-2
24" x 60"	2-4
24" x 72"	2-4
28" x 48"	1-2
28" x 60"	2-4
28" x 72"	2-4
30" x 48"	1-2
30" x 60"	2-4
30" x 72"	2-4
34" x 48"	1-2
34" x 60"	2-4
34" x 72"	2-4
36" x 48"	1-2
36" x 60"	2-4
36" x 72"	2-4

**Tide**

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
24" x 48"	1-2
28" x 48"	1-2
30" x 48"	1-2
34" x 48"	1-2
36" x 48"	1-2

**Surf**

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 60"	2-4
22" x 72"	2-4
24" x 60"	2-4
24" x 72"	2-4
28" x 60"	2-4
28" x 72"	2-4
30" x 60"	2-4
30" x 72"	2-4
34" x 60"	2-4
34" x 72"	2-4
36" x 60"	2-4
36" x 72"	2-4

**Seating Accommodations (continued)**

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

**Arc Rectangle**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	6-8, TIM Meeting 6
36" x 84"	6-8
36" x 96"	8-10
42" x 72"	6-8
42" x 84"	6-8, TIM Meeting 6
42" x 96"	8-10
48" x 96"	8-10, TIM Meeting 6-8
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

**Racetrack**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4
42" x 84"	6
42" x 96"	8
48" x 96"	8
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

**Oval**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4-6, TIM Meeting 4
42" x 84"	6, TIM Meeting 6
42" x 96"	8
48" x 84"	6
48" x 96"	8, TIM Meeting 6
48" x 120"	10
48" x 144"	10
60" x 120"	10-12
60" x 144"	10-12

**Breaker**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 54"	1

**Boatshape**

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 42" x 84"	TIM Meeting 4
30" x 42" x 96"	8
36" x 48" x 96"	8, TIM Meeting 6
36" x 48" x 120"	8-10
36" x 48" x 144"	10

**Boatshape (continued)**

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

**Arc Boatshape**

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

**Video Conference**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

**Arc Video Conference**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

**Split Ellipse**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 60"	1
36" x 72"	1

**Split Rectangle**

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48"	1
36" x 60"	2
36" x 72"	2

**Corner**

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 42"	1
30" x 48"	1

**Video Wedge**

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2

**Seating Accommodations (continued)**

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

	<b>Openface</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 48"	2
	30" x 60"	2
	36" x 72"	2

	<b>Stern Rectangle</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	42" x 30"	2
	48" x 35"	2

	<b>Stern Arc</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	42" x 26"	2
	48" x 30"	2

	<b>Transition</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 30"	1
	30" x 30"	1
	36" x 30"	1

	<b>Cutback</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 30"	1
	30" x 30"	1
	36" x 30"	1

	<b>Trapezoid</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 48"	4-5
	24" x 72"	4-5
	30" x 60"	4-5
	36" x 72"	4-5

	<b>Crescent</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 75"	4-5
	24" x 94"	4-6
	30" x 94"	5-7
	36" x 113"	7-8

	<b>Teardrop</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	42" x 24"	4
	52" x 30"	4-5

	<b>Half Round</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 48"	2-4
	30" x 60"	2-4
	36" x 72"	2-4

	<b>Crossover</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24" x 48"	2

	<b>Vibe</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	30" x 60"	3

	<b>Quarter Round</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24"	1*
	30"	1
	36"	1

\* Linking top, not recommended for seating if top is not supported by a base.

	<b>18° Wedge</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	18° 24"	LINKING TOP*
	18° 30"	LINKING TOP*
	18° 36"	LINKING TOP*

\* Linking top, not recommended for seating if top is not supported by a base.

	<b>30° Wedge</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	30° 24"	LINKING TOP*
	30° 30"	LINKING TOP*
	30° 36"	LINKING TOP*

\* Linking top, not recommended for seating if top is not supported by a base.

	<b>45° Wedge</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	45° 24"	LINKING TOP*
	45° 30"	LINKING TOP*
	45° 36"	LINKING TOP*

\* Linking top, not recommended for seating if top is not supported by a base.

	<b>60° Wedge</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	60° 24"	LINKING TOP*
	60° 30"	LINKING TOP*
	60° 36"	LINKING TOP*

\* Linking top, not recommended for seating if top is not supported by a base.

	<b>90° Wedge</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	90° 24"	LINKING TOP*
	90° 30"	LINKING TOP*
	90° 36"	LINKING TOP*


\* Linking top, not recommended for seating if top is not supported by a base.
















	<b>Fin</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	24"	1
	30"	1
	36"	1

	<b>Curl</b>	
	<b>SIZE OFFERING</b>	<b>SEATING ACCOMMODATIONS</b>
	30"	2
	36"	2


*These linking configurations suggest some of the possible configurations that can be created with standard table shapes.*

*If you specify table link for a specific configuration and/or table size, please provide us with a sketch or reference one of the following configurations to allow us to verify your layout.*





These configurations suggest a few of the possible configurations that can be created with the available TIM Meeting shapes.



**TIM Configuration**

In response to the ever changing workplace, Versteel offers the versatile TIM table. TIM is available with adjustable legs for alternate heights, a tilting mechanism for nesting and a flat-folding feature for transport storage. Mobile and adaptable, the TIM table is your best choice for today's multitasking environments. Training for two or twenty, configurations can be created by combining table shapes with no effort. The diagrams above are but a few examples of the many possible TIM arrangements.

**Storage**

The illustrations listed on page 19 show the specific nested dimensions for all TIM tables. Dimensions are exact to the best of our knowledge. TIM tables may nest in any quantity and are intended to store in a nested position without the support of the available transport. The transport can be used to store TIM in a flat folded position or to relocate a large group of tables with ease. Tables can store with all power options and modesty panels in place.

**Linking**

Linking options require no additional space or storage requirements. TIM tables link with Leash - Table Link system (TLS). The Leash is a casual, quick linking system that simply holds the tables in position to each other. All TIM tables with electrical capabilities ship with the Leash.

**TIM Meeting Configuration**

Meeting scenarios vary greatly. Conferencing configurations can be created by combining the conference and stern top shapes and with no effort, each table can roll into storage areas. The diagrams above are but a few examples of the many possible TIM Meeting arrangements.


**Storage**

The illustrations listed on page 19 show the specific nested dimensions for all TIM tables that fold and nest. Dimensions are exact to the best of our knowledge. TIM Meeting Stern tables may nest in any quantity and are intended to store without the support of a cart or transport. The standard locking casters provided with TIM tables assure stability while stored or in use. Tables can store with power options in place. Casters are made of a non-marking wheel material.


**Linking**

Linking options create no additional space or storage requirements. TIM Meeting tables link with the available Table Link system (TLK). The linking system allows for the prevention of incidental movement and will prevent accidental disconnection of any power supply to additionally linked tables.



**TIM Tilted & Nested**



**TIM Meeting Stern Table 42"**  
42" Stern Nested




**TIM on Table Transport**



49 3/8" high


**TIM Meeting Stern Table 48"**  
48" Stern Nested



**TOD 20" x 60"**



18 1/2"



30"  
24 1/4"




39 1/4" high


**TOD 24" x 60"**



22 3/4"



34 1/2"  
28 3/4"




42 3/4" high


**TOD 30" x 72"**



27"



38 1/2"  
32 3/4"



47 3/4" high



**Fixed Configuration Conference Tops**

Conference tops may use fixed configurations to achieve larger than normal sizing and seating accommodations, but there are some specific items that must be considered. These large conference tops are generally greater than 60" wide and 240" long.

By contacting Versteel with your vision we can help you engineer and produce your table. Below is a list of important points we will address.

**MATERIAL YIELD**

Most laminate is available in a maximum sheet size of 60" x 144". Versteel can design shapes and linking configurations that will maximize material yield.


**LAMINATE PATTERNS**

Versteel can minimize seam lines by designing and positioning the linking configuration to take full advantage of your laminate pattern.

**BASES AND JOINTS**

Larger sections can be produced to limit the number of bases and joints required.

*At right is a typical Versteel drawing of a large, fixed configuration conference table. The extremely large size (504" x 132") required nine (9) sections and twenty-seven (27) bases. Power and data options have been incorporated into the drawing.*



**Configuration Guidelines**

Often we receive requests to assemble room configurations that one would assume are very easy. But without the proper input, it is not so simple. Below are some common questions that will help to define your needs as well as enable us to help you specify your tables.

**Define Your Space**

Start by asking yourself what you really want to accomplish in your room.

How will your room be used? Will you need breakout groups, is it a classroom with rows, or a boardroom? Do you need a T-shape, U-shape, or hollow square table group? Are there any special modifications that are specific to your application?

Besides the size of your room, here are some other items that you should take into consideration:

- instructor or speaker area
- wall with boards and/or audiovisual equipment
- door and window locations
- anything else which may interfere (columns, steps, ramps, HVAC, etc.)

**Define Your Needs**

Your table considerations should begin by thinking about the need for the following items:

- modesty panels
- linking
- power and data
- wire management and grommets
- keyboard trays
- fixed, folding or tilt bases
- special needs (alternate or adjustable height)

Your seating considerations should begin by thinking about the need for the following items:

- assume a 30" width per person
- mobility (casters)
- stacking or storage issues
- usage and wear (upholstery or wood)
- adjustable height
- function (task specific or multiple)

*The following are general guidelines only. Always refer to local codes for restrictions and requirements.*

**Common Room Layout Guidelines**

By using the guidelines below and the information that you supply (from answering the previous questions), Versteel can help you specify the tables and seating you need to make your space function at its maximum potential.

**Between Rows Allow Four Feet (4')**

If rows are used, four feet (4') between rows is considered adequate in order to provide space for movement.

**Instructor Allowance of Eight - Ten Feet (8'-10')**

A minimum of eight to ten feet (8' -10') should be allowed for the instructor's space, from the wall to the approach side of the first table row.

**Back Wall Allowance of Seven Feet (7')**

Space consideration for the back wall is necessary. A minimum of seven feet (7') from the back wall to the user's side of the last table is suggested.


**Side Wall Allowance of Four Feet (4')**

A minimum of four feet (4') from a side wall to the edge of a table should be incorporated into your configuration. Increase the distance for larger rooms.

**Aisle Allowance of Four Feet (4')**

If an aisle is needed, allow a minimum of four feet (4'). This dimension should increase with your room size.

*The drawing below illustrates the guidelines above.*



The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Reference information here originally appeared in *Architectural Graphic Standards*, published by John Wiley and Sons; and in US Government publications for compliance with the ADA (Americans with Disabilities Act).

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

**Common Seating Dimension Requirements**


General spacing of thirty inches (30") of lateral space per chair at a table is standard. A minimum of twenty-four inches (24") may work, but will depend upon your chair style and table dimensions. Allow a minimum of thirty to thirty-six inches (30"-36") for wheelchair space at a table.

Most wheelchairs are designed to fit beneath a standard table with a twenty-nine inch (29") table top height. However, some wheelchairs require tables with tops at thirty-two inches (32") in height. Allow an additional twelve to eighteen inches (12"-18") in aisles where wheelchairs may be situated back to back.

A rule of thumb for cafeteria style seating is to allow a minimum of twelve square feet (12 ft<sup>2</sup>) for each seat.

Below

- A** Wheelchair, Double Passage
- B** Wheelchair, Single Passage
- C** Wheelchair, Turning Diameter



**Table Seating Capacities by Size and Shape**

*Rectangular Tables*

SIZE	CHAIRS	WHEELCHAIRS
24" x 48"	4	Not Recommended
30" x 48"	4	2
30" x 60"	4-6	4
36" x 72"	4-6	4-6
42" x 96"	6-8	8


*Square Tables*

SIZE	CHAIRS	WHEELCHAIRS
30" x 30"	2	Not Recommended
36" x 36"	2-4	Not Recommended
42" x 42"	4	2 (tight)
48" x 48"	4-8	2
54" x 54"	4-8	4
60" x 60"	4-8	4

*Round Tables*

SIZE	CHAIRS	WHEELCHAIRS
30" DIAMETER	2	Not Recommended
36" DIAMETER	2-4	Not Recommended
42" DIAMETER	4-5	Not Recommended
48" DIAMETER	5-6	2
54" DIAMETER	6-7	4

**NOTE**  
A round table with a column base is often preferred for wheelchair disabled.




The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

**Minimum Table and Chair Space Allotments**

Below

- A** 36" minimum, 44" preferred  
54" minimum handicapped, 60" preferred
- B** 24" minimum
- C** 24" minimum per chair, 30" preferred
- D** 14" minimum




**Dining Room Plan**

Below

- A** 6" minimum (with no passage)
- B** 2' 6" to 3' minimum (for passage)
- C** 1' 6" minimum (for limited passage)
- D** 3' minimum

If using square tables and seating, there should be a minimum of sixty-six inches (66") between tables. This allows for a thirty inch (30") aisle and two (2) chairs. Diagonal seating requires a thirty-six inch (36") minimum between table corners.




**Sample Space Use**

Below

- A** Conference Room
- B** Small Team Planning
- C** Large Team Planning
- D** Round Table Discussion
- E** Individual Work Areas
- F** Breakout Areas

Since every space has its own unique size and function, it is important that you consider the aforementioned guidelines when planning your space. Be sure to allow adequate space for aisles and plan your rooms around walls and other permanent fixtures such as doors or windows. Anticipate the type of activity that will be going on and plan enough space at the table for easy movement of personnel when seated.

Don't forget to consider power and data needs also. For help planning and selecting the power and data options that are right for your space, see pages 54-68.



### Sample Product Number Construction:

- 1 Choose your base model, including a top and edge style.
- 2 Specify the base finish, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.  
b. Indicate selected top options.  
c. Indicate selected power and data options.  
d. Indicate selected wire management options.




A **VTTC 2460REFD FM LP2R** is a Vela series 24" x 60" rectangle training table with folding TC bases, a folding modesty and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **AY / TN S 6001-T / EB** specify an Alloy base, Nevamar S 6001-T laminate and the PVC edge in Ebony.

**BMV / TLL / PHE / WML AY** adds a mix of Vela wheel casters and glides, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Alloy finish.

### Base Model **VTTC 2460REFD FM LP2R**



### To Calculate the Product Price:

- 1 Select the base model on the Price List pages and locate the appropriate column pricing.
- 2 Add finish upcharge, if applicable
- 3 Add pricing for selected Options.
  - a. Add pricing for selected Base Options.
  - b. Add pricing for selected Top Options.
  - c. Add pricing for selected Power & Data Options.
  - d. Add pricing for selected Wire Management Options.

### Sample Price Calculation:

Selections:	Price
1 Base Model: <b>VTTC 2460 REFD FM LP2R</b>	\$ 1,376
2 Finish upcharge, if applicable.	
3 Base Option: <b>BMV</b>	\$ 101
Top Options: <b>TLL</b>	\$ 151
Power & Data Option: <b>PHE</b>	\$ 438
Wire Management Option: <b>WML__</b>	\$ 129
<b>Total List Price:</b>	<b>\$2,195</b>

**NOTE** Certain option combinations may cause stability or structural issues in their standard locations. Versteel Customer Service will verify your selection combinations and notify you with alternatives if necessary.

### Orders may be sent via:

**MAILING ADDRESS**  
Versteel  
2332 Cathy Lane  
Jasper, IN 47546

### CONTACT VERSTEEL

**EMAIL** contact@versteel.com  
**TELEPHONE** 800 876 2120  
812 634 2120  
**FACSIMILE** 812 482 9318




Sample Order Form

Quantity	Model # & Description	List Each	Extended List
21	<b>VTTC 2460REFD FM LP2R / AY / TN S 6001-T / EB / BMV / TLL / PHE / WML AY</b> Vela series 24" x 60" rectangle training table, folding cantilevered bases, folding modesty panel, laminate top with flat PVC edge, 1 1/4" thick and radius corners / Alloy bases / Nevamar S 6001-T laminate top / Ebony PVC edge / mix of casters and glides / lightweight core / 2 Henris in location E / Alloy wire mesh legways	\$2,195	\$46,095
4	<b>H60E1R16</b> Henri locations E (1) 60" table, right power	n/c	\$ 0
5	<b>H60E1L16</b> Henri locations E (1) 60" table, left power	n/c	\$ 0
4	<b>H60E3L16</b> Henri locations E (3) 60" tables, linked, left power	n/c	\$ 0
18	<b>PEX1 42RDFX LP2R / TW / TW7909-60 / TW</b> Performance series 42" round table, fixed X1 base, laminate top with flat PVC edge, 1 1/4" thick / Twilight base / Wilsonart 7909-60 laminate top / Twilight PVC edge	\$ 876	\$15,768
41	<b>CESA-06 / AY / NB / FAC Char</b> Chela series sled base chair with arms and upholstered seat / Alloy frame / Near Black shell / Ace Char upholstery	\$ 460	\$18,860
72	<b>CLRA-01 / TW / VCC Lagoon</b> Companion series, 4-leg radius back chair, fully upholstered / Twilight frame / Enviroleather Vinyl Lagoon upholstery	\$ 534	\$38,448
	Total		\$119,171

How to Order

Sample Layout Print of Powered Tables



**Studio Steel**

Versteel’s “urban fabrication” process leaves the telltale signs of welding and assembly on the surface, highlighting a manufacturing aesthetic. Choosing a clear or transparent powder coat is recommended, allowing tonal striations (created as a result of extreme heat), natural textures, and the inherent qualities of raw steel to show through.

Studio Steel Process . . . . . \$103

**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

**Powder Coat Finish Options**

Powder Coat - Standard . . . . . n/c  
 Powder Coat - Premium . . . . . \$103\*

**Standard Powder Coat Colors & Codes**

Alabaster . . . . . AB	Graphite . . . . . GR
Alloy . . . . . AY	Ice . . . . . IC
Anthracite . . . . . AN	Latte . . . . . LA
Ⓟ Barley . . . . . BA	Limestone . . . . . LI
Black Anodized . . . . . BL	Ⓢ Matte . . . . . ME
Bronze . . . . . BR	Mica . . . . . MI
Cappuccino . . . . . CU	Nimbus . . . . . NM
Carbon . . . . . CO	Ⓢ Obsidian . . . . . OB
Carmel . . . . . CL	Ⓢ Pacific . . . . . PA
Ⓟ Chamois . . . . . CA	Pearl . . . . . PE
Champagne . . . . . CM	Ⓟ Pesto . . . . . PS
Chicory . . . . . CC	Ⓟ *Platinum . . . . . PM
Ⓟ Cinder . . . . . CI	Ⓢ Raven . . . . . RV
Coffee . . . . . CF	Ⓢ Satin . . . . . SI
Ⓢ Copper . . . . . CP	Silver . . . . . SV
Ⓢ Crystal . . . . . CR	Snow . . . . . SN
Cypress . . . . . CS	Steel . . . . . SL
Ⓟ Dijon . . . . . DJ	Stone . . . . . SO
Ebony . . . . . EB	Storm . . . . . SM
Fossil . . . . . FS	Twilight . . . . . TW
Ⓢ Garnet . . . . . GA	Powder Coat
Ⓢ Gold . . . . . GO	Alternative . . . . . OPA

\*Platinum Powder Coat is available with a \$312 upcharge

**Transparent Powder Coats (indicated by Ⓢ)**

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible. Not available for application on flat sheet metal surfaces found on Elements Conference, Entourage, Interplay, Platform, Form Modesty products or on Brattice disc bases and TOD.

**Premium Powder Coats (indicated by Ⓟ)**

Versteel’s premium process uses specially formulated powder coats for a truly unique color palette.

**Powder Coat Alternatives**

You must forward a color sample or an RAL number for each alternate powder coat color with order placement. Call Versteel Customer Service for pricing and availability.

*NOTE ALTERNATIVE POWDER COAT COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Chrome**

Versteel applies a deep luster nickel chrome plated finish available on most products. Chrome is the most durable finish available.

Chrome . . . . . CH

For Chrome, an upcharge applies (see product price list for upcharge).

*NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME*

**Nickel**

Available on most products, Versteel applies a nickel plated finish with a clear coat applied for durability.

Nickel . . . . . NI

For Nickel, an upcharge applies (see product price list for upcharge).

*NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL*

**Edges**

Versteel table edges are available in a variety of standard materials, from PVC, Urethane, and T-mold, to wood.

- PVC provides hot melt applied in a continuous band around the surface.
- Urethane is a molded on material encapsulating the surface edge.
- Convex T-mold is a bumper edge driven into the surface grooved edge.
- Wood banding is a multi-ply wood band or miter-cornered solid in cherry, maple or walnut.
- ABS is an available alternate edge similar to PVC. Call Versteel Customer Service for pricing and availability.

**Standard Edge Colors, Codes & Availability**

Color . . . . . Code	PVC	Urethane	T-mold
Alabaster . . . . . AB	•		
Alloy . . . . . AY	•		
Bronze . . . . . BR	•		
Carbon . . . . . CO	•		
Champagne . . . . . CM	•		
Chicory . . . . . CC	•	•	
Ebony . . . . . EB	•	•	•
Fossil . . . . . FS	•		
Graphite . . . . . GR	•	•	•
Ice . . . . . IC	•		
Limestone . . . . . LI	•		
Nimbus . . . . . NM	•	•	•
Pearl . . . . . PE	•		
Snow . . . . . SN	•		
Steel . . . . . SL	•		
Stone . . . . . SO	•		
Storm . . . . . SM	•	•	•
Twilight . . . . . TW	•		
Sugar Maple . . . . . SU	•		
Millwork Cherry . . . . . MC	•		
Espresso Walnut . . . . . EW	•		

**Custom PVC Color Match**

You must forward a sample for each PVC color match with order placement. A color matched sample will be provided for approval.

*NOTE: CUSTOM PVC COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Custom T-Mold Color Match**

You must forward a sample for each t-mold color match with order placement. A color matched sample will be provided for approval.

*NOTE: CUSTOM T-MOLD COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Resin Edge Material Alternatives**

For resin edge material alternatives contact Versteel Customer Service with the specifications of the materials you would like to specify. Resin edges are available in gloss, satin or satin soft materials and are quoted per project.

*NOTE: RESIN EDGE MATERIAL ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL*

**Custom Urethane**

You must forward a sample for each Urethane color match with order placement. A color matched sample will be provided for approval.

*NOTE: CUSTOM URETHANE COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Veneer & Wood Finishes**

Versteel tables are available with standard cherry, maple and walnut veneers and solid edges.

**Standard Wood Finishes**

Caramel Maple . . . . .	CM
Solar Maple . . . . .	SA
Sugar Maple . . . . .	SU
Blossom Cherry . . . . .	BC
Cordovan Cherry . . . . .	CN
Golden Cherry . . . . .	GN
Java Cherry . . . . .	JA
Millwork Cherry . . . . .	MC
Brighton Walnut . . . . .	BW
Espresso Walnut . . . . .	EW
Natural Walnut . . . . .	NA
Stain Finish Match . . . . .	OSM

**Veneer or Wood Edge Alternatives**

For veneer or wood edge requirements other than our standard sliced cherry, maple or walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

*NOTE: VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Stain Finish Match**

You must forward two 4" x 4" samples for each custom stain finish color match with order placement. Upcharge of \$639 list will apply for each stain color match.

*NOTE: STAIN FINISH MATCH COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Wood Finish Alternatives**

For veneer tables with wood finish alternative fill levels, contact Versteel Customer Service. Finish fill levels of semi-filled or full-filled are available on most species (oak veneer's natural pore grain does not allow the application of full-fill finish).

*NOTE: WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES*

**Standard Laminates**

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite. Seven (7) of these laminates have been selected as Quick Ship.

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

**Glass Top Table Alternatives**

For glass top table alternatives contact Versteel Customer Service with the specifications of the top you would like to order.

*NOTE: GLASS TOP TABLE ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL*

**Finish Reference & Samples**

For finish color reference, please refer to Versteel's finish card. Contact Versteel to receive actual color samples for color matches and final color approval.

**3form® Material**

Available on Entourage lectern, cabinet and wall board. Standard 3form patterns are Solo (a grainless frost finish) and Aero (a random directional material also with a frost finish). The material is 3/16" thick and incorporates raw materials made of renewable material from natural landscapes all over the globe. The manufacturing process produces no VOC's or other harmful gases. 3form material is GREENGUARD Certified.

**Upholstery Grades****Grade 2**

Bryant Park  
Cover Cloth  
Habit  
Hue  
Knack  
Marathon  
Skip  
Syntax  
Tradition  
Tribeca  
Fabric Grade-In  
Customer's Own Material

**Grade 3**

Bass Line  
Fabric Grade-In  
Vinyl Grade-In

**Grade 4**

Coco  
Fabric Grade-In  
Vinyl Grade-In

**Grade 5**

Fabric Grade-In  
Vinyl Grade-In

**Grade 6**

Fabric Grade-In  
Vinyl Grade-In

**Upholstery Details****Bryant Park** ..... **FBP\_\_Grade 2**

Width: 54" Content: 100% Polyester

Burgundy	Gunmetal	Night Shadow
Chocolate	Marigold	Nile
Crocodile	Medoc	Pumice
Curry		

**Cover Cloth** ..... **FCL\_\_Grade 2**

Width: 59" Content: 100% Polyester

Cyan	Indigo	Sorrel
Coffee	Navel	Taupe
Flame	Oat	Vesper
Graphite	Platinum	
Hickory	Savor	

**Habit** ..... **FHB\_\_Grade 2**

Width 54" Content: 100% Post-Consumer Recycled Polyester

Aspen	Kindle	Tailor
Blueprint	Pier	
Dune	Salt	

**Hue** ..... **FHU\_\_Grade 2**

Width 54" Content: 100% Post-Industrial Recycled Polyester

Aspen	Currant	Quarry
Black	Dandelion	Sky
Char	Frothe	Stem
Chipotle	Indigo	
Cocoa	Paprika	

**Knack** ..... **FKN\_\_Grade 2**

Width 54" Content: 100% Polyester

Berry	Fresco	Teak
Brisk	Glaze	Wave
Carbon	Reed	Zest
Dark Roast	Sax	Zing
Filament		

**Fabric Grade-In** ..... **FG2\_\_Grade 2****Fabric Customer's Own Material** .... **FCM\_\_Grade 2****Marathon** ..... **FMA\_\_Grade 2**

Width: 57" Content: 75% Post-Consumer Recycled Polyester, 25% Polyester

Arbor	Lantern	Sprite
Chili	Noir	Storm
Clove	Oats	Tint
Cyan	Pollen	
Fluorite	Ridge	

**Skip** ..... **FSK\_\_Grade 2**

Width: 54" Content: 55% Post-Consumer Recycled Polyester, 45% Polyester

Captain	Flint	Saffron
Chalk	Keylime	Sprite
Clementine	Nickel	Yacht
Elm	Pewter	
Flax	Pool	

**Syntax** ..... **FSY\_\_Grade 2**

Width: 54" Content: 50% Post-Consumer Recycled Polyester, 50% Polyester

Asphalt	Mahogany	Steel
Camel	Nectar	Tiger Eye
Carmine	Plant	Turquoise
Flare	Pewter	
Hudson	Shale	

**Tradition** ..... **FTR\_\_Grade 2**

Width: 56" Content: 72% Post-Consumer Recycled Polyester, 28% Polyester

Ash	Isle	Tango
Branch	Latte	Theater
Class	Sprout	Weld
Grain	Soar	
Hidden	Sun	

**Tribeca** ..... **FTB\_\_Grade 2**

Width: 54" Content: 100% Polyester

Caviar	Jute	Teal
Dove	Regatta	Truffle
Gemstone	Slate	

**Bass Line** ..... **FBL\_\_ Grade 3**  
Width 54" Content: 100% Post-Industrial Recycled Solution Dyed Nylon

Bebop	Mellow	Treble
Blue Note	Metal	Tuxedo
Harmony	Red Hot	

**Fabric Grade-In** ..... **FG3\_\_ Grade 3**

**CoCo** ..... **FCC\_\_ Grade 4**

Width: 54" Content: 100% Polyester

Capri	Nectarine	Stone
Clove	Royalty	Wren
Fennel	Sienna	

**Fabric Grade-In** ..... **FG4\_\_ Grade 4**

**Fabric Grade-In** ..... **FG5\_\_ Grade 5**

**Fabric Grade-In** ..... **FG6\_\_ Grade 6**

Swatch cards for all Versteel upholstery are available upon request.

**Fabric Reference & Samples**

For fabric reference, please refer to Versteel's fabric cards.



**maharam**

**MOMENTUM  
TEXTILES**



**Study Carrel Tack Panel COM Yardage Requirements**

COM yardage requirement of one yard of fabric for each Study Carrel tack panel is based on a material width of 54" with no consideration for repeat. For material other than 54" wide, contact Versteel for yardage requirements.

*NOTE ALL FABRICS ARE CUT UP THE ROLL TO MAXIMIZE YIELD AND WEAR PERFORMANCE. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS IF RAILROADED FABRIC OR SAME CENTER POINT IS REQUIRED.*



## Height

**Adjustable Height - Motorized**  
**\$1,549 / table**AVAILABLE ON  
PERFORMANCE  
VELASpecify code **BAM** (Adjustable Height - Motorized),  
add \$1,549.00 list per table

Motorized tables adjust electrically from 26 3/4" to 42" table height by operating the keypad control. Motorized height adjustment is available for tables with regular T1 or cantilevered TC bases. Top shapes include: rectangle, split rectangle, oval, split ellipse, boatshape or racetrack up to 36" x 96". (Shown with split ellipse.) Motorized bases include stretcher rails.

**NOTE** CABLE COIL AND CABLE HOOKS ARE THE ONLY TWO LEGWAY OPTIONS AVAILABLE**ADJUSTABILITY WITH FOUR PROGRAMMABLE HEIGHT SETTINGS**

(Travel time between lowest and highest position: 18 secs.)

**NOTE** REQUIRES STANDARD 110/120V AC ELECTRICAL OUTLET**Adjustable Height - Pin**  
**\$139 / table**AVAILABLE ON  
PERFORMANCE  
TIM  
WAVELINKSpecify code **BAP** (Adjustable Height - Pin),  
add \$139.00 list per table or \$70.00 per base

Pin Adjustable height bases adjust from 27" to 32" table height in 1" increments by depressing the spring loaded pins in each column. Available on Performance T1 and TC fixed or tilt bases and Wavelink WA fixed bases.

**Adjustable Height - Counter Balance Pneumatic T Base, Cantilever Base and H Base**AVAILABLE ON  
SOMET

See pages 398-401 for detailed availability and pricing

Counter balance pneumatic adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.



Adjustment Range: 19.7"

Table Height: 27.38"-47.08"

**Adjustable Height - Crank T Base**AVAILABLE ON  
SOMET

See pages 396-397 for detailed availability and pricing

Crank adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.



Crank Ratio: 8 cranks per 1 inch

Adjustment Range: 19.7"

Table Height: 27.38"-47.08"

**Adjustable Height - Pneumatic T1 or TC Bases**  
**\$788 / table**AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
VELASpecify code **BAT** (Adjustable Height - Pneumatic T1 or TC),  
add \$788.00 list per table

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on T1 or TC fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

**NOTE** FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY **ALSO** VELA WIRE MESH LEGWAY MANAGERS ARE NOT AVAILABLE**Adjustable Height - Pneumatic X1 or D1 Bases**  
**\$473 / table**AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>®</sup>  
VELASpecify code **BAX** (Adjustable Height - Pneumatic X1 or D1),  
add \$473.00 list per table or base

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on X1 or D1 fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

**NOTE** FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY**Alternate Table Height 32" and under**  
**\$61 / table**AVAILABLE ON  
BRATTICE  
INTERPLAY  
PERFORMANCE  
PLATFORM  
TUSCANY  
UNO<sup>®</sup>  
VELA  
WAVELINKSpecify code **BAH** (Alternate Height 32" and under), indicate  
desired table height (32" or less), add \$61.00 list per table

Suggested typing height table is 26 3/4"  
Suggested wheelchair height table is 32"  
Suggested stand up height table is 42"

**NOTE** FOR ALTERNATE HEIGHTS OVER 32", CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY.**NOTE** ELIGA \$123 LIST

**Alternate Black Caster  
No Charge**

AVAILABLE ON  
ENTOURAGE

Specify code **BCB** (Alternate Black Caster) no additional charge

Available on all Entourage units that have casters (carts, lecterns, 48" and 60" cabinets) where the standard two-tone silver/black caster is replaced with an all black caster. This 3" diameter caster is standard locking and does not change the overall height of the unit.



**Base Glides  
Subtract \$32**

AVAILABLE ON  
TIM

Specify code **BG2** (Glides), subtract \$32.00 list per table

Base Glides replace standard casters. This option reduces the overall table cost and keeps the tables in position without the need to lock the casters. Base glides reduce the overall table height by 1/8".



**Casters - Dual Wheel  
\$107 / set of 4**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>2</sup>  
WAVELINK

Specify code **BCD** (Casters - Dual Wheel), add \$107.00 list per table

Dual Wheel, black, 2" diameter, standard locking casters are available for most base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table.



**NOTE** NOT AVAILABLE ON D1 BASES

**Casters - Vela Wheel  
\$107 / set of 4**

AVAILABLE ON  
INTERPLAY  
VELA

Specify code **BCV** (Casters - Vela Wheel), add \$107.00 list per table

Unique, Vela-profile 3" diameter, standard locking casters are available on most Interplay and Vela base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table.



**Mix - Dual Wheel Casters & Glides  
\$101 / table**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>2</sup>  
WAVELINK

Specify code **BMD** (Mix - Dual Wheel Casters & Glides), add \$101.00 list per table

Tables can be specified with dual wheel, black, 2" diameter, standard locking casters on half of the table, with glides on the other half. Each caster is fitted into a reinforced receiver and must be specified at time of order. Mix option does not change the overall height of the table.

**NOTE** NOT AVAILABLE ON X1, X4 OR D1 BASES

**Mix - Vela Wheel Casters & Glides  
\$101 / table**

AVAILABLE ON  
VELA

Specify code **BMV** (Mix - Vela Wheel Casters & Glides), add \$101.00 list per table

Tables can be specified with the unique, Vela-profile 3" diameter, standard locking casters on half of the table, with glides on the other half. Each is fitted into a reinforced caster receiver and must be specified at time of order. Mix option does not change the overall height of the table.

**NOTE** NOT AVAILABLE ON X1, X4 OR Y3 BASES

**Self-Leveling Glides  
\$29 / table**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>2</sup>  
VELA  
WAVELINK

Specify code **BLG** (Self-Leveling Glides), add \$29.00 list per table

Self-Leveling Glides replace standard glides. This option allows the table to automatically compensate up to 1/2" for floors that are not level. Self-leveling glides increase overall table height by 3/4".



**Table Floor Mount  
\$34 / table**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>2</sup>  
VELA  
WAVELINK

Specify code **BFB** (Table Floor Mount Bracket Set), add \$34.00 list per table

Bracket to slip over the standard table glide and fasten to the floor with fasteners supplied by the installer. Set of four (4) brackets will securely mount the table to the floor to prevent movement.



**NOTE** NOT AVAILABLE ON BASES WITH CASTERS OR SELF-LEVELING GUIDES

## Base Options

### Finishes & Function

#### Chrome Finish \$103 / table

AVAILABLE ON  
BRATTICE  
PACES  
PERFORMANCE  
TIM  
TUSCANY  
WAVELINK

Specify Chrome Finish, add \$103.00 list per table

Pricing for all tables includes standard powder coat colors.

**NOTE** DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

#### Nickel Finish \$141 / table

AVAILABLE ON  
BRATTICE  
PACES  
PERFORMANCE  
TIM  
TUSCANY  
WAVELINK

Specify Nickel Finish, add \$141.00 list per table

Pricing for all tables includes standard powder coat colors.

**NOTE** DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

#### Premium Powder Coats \$103 / table

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ENTOURAGE  
INTERPLAY  
ODIS  
PACES  
PERFORMANCE  
TIM  
TOD  
TUSCANY  
TY  
UNO<sup>®</sup>  
WAVELINK

When a premium powder coat is specified, add \$103.00 list per table

Pricing for all tables includes standard powder coat colors.

#### Coloration No Charge

AVAILABLE ON  
TUSCANY

Specify code **BCO** (Coloration), required finish selection for: (Tuscany Two-Tone) the column \_\_\_\_ / the base rail \_\_\_\_

The unique construction and assembly of the Tuscany bases allows different colors to be applied to different base components at no additional charge.



**NOTE** REFER TO THE DRAWING ABOVE FOR LABELING REFERENCES

#### Assembled Folding Table \$48 / table

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO<sup>®</sup>  
VELA  
WAVELINK

Specify code **BAF** (Assembled Folding Table), add \$48.00 list per table

Folding bases can be attached to tops at the factory.

**NOTE** RECTANGLE TABLES WITH FOLDING BASE AND FOLDING MODESTY PANELS ARE SHIPPED ASSEMBLED WITHOUT ADDITIONAL CHARGE



#### Bullet End Caps \$80 / table

AVAILABLE ON  
PERFORMANCE

Specify code **BBE** (Bullet End Caps), add \$80.00 list per table

Bullet End Caps are welded in place of the standard welded rail blunt ends.



#### Height Adjustment Lock Out Kit \$29 / kit

AVAILABLE ON  
TIM

Specify code **BHL** (Height Adjustment Lock Out Kit), add \$29.00 list per table

All TIM tables have the height adjustment feature but can be locked into the desired height position easily. The Height Adjustment Lock Out Kit provides a stop and screw for each table leg. The stop fits into the round height position hole above or below the push-button and secures with the screw. The screw and stop can easily be removed to allow resetting table height as needed.




#### Stretcher Rail \$153

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
VELA

Specify code **BSR** (Stretcher Rail), required finish selection \_\_\_\_, add \$153.00 list per table

Available for T1, TC and T2 style, fixed and tilt bases to increase table rigidity. Necessary tools are provided to install the stretcher.



**NOTE** A STRETCHER IS NOT A RETROFIT ITEM, IT MUST BE SPECIFIED AT TIME OF ORDER

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
PACES  
PERFORMANCE  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Lightweight Laminate Core to 96" Length**  
**\$151 / table**

Specify code **TLL** (Lightweight Laminate Core to 96" Length), add \$151.00 list per table

Lightweight Laminate Core is available for tops that are of a dimension no larger than 48" x 96". The core is made of a multiply material that will allow the mounting of bases or other accessories at any location under the top.

**NOTE** TOPS WITH LENGTHS LONGER THAN 96" REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

**NOTE** NOT AVAILABLE ON VENEER TOPS

**Special Laminate**  
**Call for Quote**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
ENTOURAGE  
INTERPLAY  
ODIS  
PACES  
PERFORMANCE  
PLATFORM  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Versteel products. To specify, contact Versteel for availability and pricing.

**NOTE** LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE, AND WILSONART ARE STANDARD

**CAUTION** Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause

**Two-Piece Top (120")**  
**\$402 / table**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
VELA

Specify code **T2P** (Two-Piece Top), add \$402.00 list per table

Standard Versteel tables in lengths up to 120" are a seamless, single piece top. When the two-piece top option is specified, the splice joint edge is unfinished, table shipped with necessary hardware. Any table over 120" long will be produced as a two-piece top.

**Ergo Wood Profile - One Side**  
**No Charge**

AVAILABLE ON  
VELA

Specify code **TEO** (Ergo Wood Profile - One Side), no additional charge

The Ergo Edge Profile is applied to the user's side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - Two Sides**  
**No Charge**

AVAILABLE ON  
VELA

Specify code **TET** (Ergo Wood Profile - Two Sides), no additional charge

The Ergo Edge Profile is applied to the user's and the opposite side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - All Sides**  
**No Charge**

AVAILABLE ON  
VELA

Specify code **TEA** (Ergo Wood Profile - All Sides), no additional charge

The Ergo Edge Profile is applied to all sides of the table.



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

AVAILABLE ON  
ALL SERIES

**Top Custom Cutout**  
**\$75 / cutout**

Specify code **TCC** (Top Custom Cutout), add \$75.00 list per cutout

Top Custom Cutout requires a drawing for production and is subject to approvals.

**Sail Modesty**  
**\$181 / each**

AVAILABLE ON  
TIM

Specify code **MS** (Sail Modesty), add \$181.00 list per table.

Lyra® fabric Sail Modesty is stretched and hooked on screw pegs under table top and slotted holes in the table approach side legs. All TIM tables are pre-drilled for field installation of the Sail Modesty. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost. Can be stored on table when tilted, nested or folded on table transport.



**Panel Modesty, Laminate**  
**\$263 / each**

AVAILABLE ON  
PACES  
TIM  
TY

Specify code **MPL** (Panel Modesty, Laminate), add \$263.00 list per table.

Panel Modesty, Laminate is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



**Panel Modesty, Veneer**  
**\$655 / each**

AVAILABLE ON  
PACES  
TIM  
TY

Specify code **MPV** (Panel Modesty, Veneer), add \$655.00 list per table.

Panel Modesty, Veneer is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



**Laptop Locker**  
**\$884 / locker**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TY  
UNO<sup>®</sup>  
VELA

\*Fixed tables only (not available on tilt or slim-tilt tables)  
Specify code **TLA** (Laptop Locker), add \$884.00 list per Laptop Locker.

For electronic locking, specify code **TLEL** (Laptop Locker electronic lock), add \$229 list per Laptop Locker AND **TLP** (Laptop Locker power unit) which is required for the electronic locking option, add \$364 list (Power unit sequences up to 10 lockers, includes 1 key).

The minimum table width available with Laptop Locker is 24".

The minimum table length available with Laptop Locker is 36".

2 Laptop Lockers can be installed starting at a table length of 60" or greater (table subject to additional base and/or support base when more than one unit is installed in top greater than or equal to 72").

All lockers to have urethane edge on locker door and top opening.

**NOTE** LAPTOP LOCKER IS NOT AVAILABLE ON VENEER TOP SURFACES, WOODGRAIN OR DIRECTIONAL PATTERN LAMINATES OR TABLES WITH LIGHTWEIGHT LAMINATE CORE

For additional questions contact Versteel Customer Service at 800.876.2120.



**Table Link**  
**\$159 / table**

AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA

Specify code **TLK** (Table Link), add \$159.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Table link will prevent the accidental disconnection of power supply to adjacent tables. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details.

Closed end link brackets are provided for the following applications:

- Tops without bases.
- Tables with a base that does not allow the table to stand alone.



**Table Link - Ends Only**  
**\$83 / table**

AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA

Specify code **TLE** (Table Link - Ends Only), add \$83.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Specify Table Link - Ends Only when your configuration requires linking on the table ends only. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details. Table Link - Ends Only is included with electrical package options. This will prevent the accidental disconnection of power supply to adjacent tables.



**Leash - TIM Table Link**  
**\$58 / table**

AVAILABLE ON  
TIM

Specify code **TLS** (TIM Table Leash), add \$58.00 list per table

The Leash table link is available on all TIM tables as a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the underside of the table top, rotating from under the top to latch into the adjacent table Leash.



**Leash - Wavelink Table Link**  
**\$82 / table**

AVAILABLE ON  
WAVELINK

Specify code **TWL** (Wavelink Table Leash), add \$82.00 list per table

The Leash table link is a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the W2 bases, rotating from under the table top to latch into the adjacent table leg Leash. Available on all linkable Wavelink tables.



**NOTE** CANNOT BE FIELD INSTALLED

**Privacy Screen**

AVAILABLE ON  
ELIGA BENCHING

Specify code **PSCR1S**, **PSCR1L**, **PSCR2S** or **PSCR2L** depending on material choice and size.

Privacy screens are available as an option to the Eliga Benching product and consists of 1/2" thick nominal panel running horizontal in the center of the table. The panel is 18" tall and sits 15.5" above the worksurface with a laser edge all around. Order privacy panel 12" shorter than the length of the table. One privacy panel per table.

**Dry Erase Markerboard**

36" - 48" (each)	.....	<b>PSCR1S</b>	\$ 335
60" - 84" (each)	.....	<b>PSCR1L</b>	\$ 636

Available in all Formica solid laminate colors.

**Rauvisio Crystal Markerboard**

36" - 48" (each)	.....	<b>PSCR2S</b>	\$ 1317
60" - 84" (each)	.....	<b>PSCR2L</b>	\$ 2450

Available in color Bianca.

These products can be written on with dry erase markers.

**Form Modesty Panel End Cap Trim Kit**  
**\$31 / set of 2**

AVAILABLE ON  
FORM MODESTY

Specify code **AFE2EB** (Form Modesty Panel End Cap Trim Kit), add \$31.00 list for set of 2

**SPECIFICATIONS**

- Metal plate attached with screws
- Black powder coat finish
- Attached to back panel to close end of channels
- Set of 2 will cover both ends of a single or run of Form Modesty Panels



**Metal Modesty Panel End Cap Trim Kit**  
**\$31 / set of 2**

AVAILABLE ON  
FORM MODESTY  
SQUARE METAL MODESTY

Specify code **APE2BSQ** for square powered modesty

Specify code **APE2BSQ** for square non-powered modesty

Specify code **APE2EB** for form powered modesty

Specify code **AFE2EB** for form non-powered modesty



**Storage Pouch - ODIS**  
**\$93 / pouch**

AVAILABLE ON  
ODIS

Specify code **AOPAY** (Storage Pouch, Alloy) or **AOPEB** (Storage Pouch, Ebony), add \$93.00 list per pouch

Accessory Pouches are available on the 29" tall ODIS tables. The pouch which is made of a durable gray or black mesh material has a 2" opening, is 12" long and 6" deep. Files, folders, laptops and books can all be stored in the pouch. The 7/16" solid wire frame is held in place by a solid aluminum extrusion. The frame and extrusion colors match the color of pouch specified. Since no tools are required for installation this item can be ordered with the table or may be ordered for field installation.



**Acrylic Tray - Entourage Cabinet**  
**48" Cabinet**

AVAILABLE ON  
ENTOURAGE

Specify code **AAT48O** (Acrylic Outer Tray - 48" Entourage Cabinet), add \$95.00 list each.

Specify code **AAT48C** (Acrylic Center Tray - 48" Entourage Cabinet), add \$105.00 list each.

**60"/72" Cabinet**

AVAILABLE ON  
ENTOURAGE

Specify code **AAT60** (Acrylic Tray - 60" Entourage Cabinet), add \$95.00 list each.

Specify code **AAT72** (Acrylic Tray - 72" Entourage Cabinet), add \$105.00 list each.

**NOTE** CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 60" AND 72" CABINETS



**84" Cabinet**

AVAILABLE ON  
ENTOURAGE

Specify code **AAT84O** (Acrylic Outer Tray - 84" Entourage Cabinet), add \$105.00 list each.

Specify code **AAT84C** (Acrylic Center Tray - 84" Entourage Cabinet), add \$146.00 list each.

**NOTE** CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 84" CABINETS

Acrylic Trays may be added to Entourage Cabinet Models.

**Acrylic Tray - Entourage Cart**  
**16" Wide Cart.**

AVAILABLE ON  
ENTOURAGE

Specify code **AAT16** (Acrylic Tray - 16" Entourage Cart), add \$133.00 list each.

**20" Wide Cart.**

Specify code **AAT20** (Acrylic Tray - 20" Entourage Cart), add \$141.00 list each.

Acrylic Trays may be added to Entourage Carts.



## Table Transports

**Table Transport**  
**\$1,193 / each**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
VELA  
WAVELINK

Specify code **ATT3054** (Table Transport), add \$1,193.00 list each

The transport saves time and labor. Its 31" width can move tables of any length through doorways with ease.

**SPECIFICATIONS**

- Weight: 61 lbs.
- 31" x 54" overall footprint
- Black powder coat finish
- Two (2) swivel and two (2) non-swivel casters
- 5" casters are non-marking wheel material

**TRANSPORT CAPACITY**

FOLDED TABLES WITHOUT MODESTY PANEL	6 ON EDGE
	8 STACKED FLAT
FOLDED TABLES WITH MODESTY	5 STACKED FLAT
OVERLAPPING FOLDED TABLES	4 ON EDGE

**NOTE** MAXIMUM LOAD WEIGHT: 1,000 LBS

**NOTE** TABLES GREATER THAN 27" IN WIDTH DO NOT STACK HORIZONTALLY ON THE TRANSPORT

**Table Transport - TIM**  
**\$1,193 / each**

AVAILABLE ON  
TIM

Specify code **ATT3020** (Table Transport) for 42"- 72" length tables, add \$1,193.00 list each

The transport saves time and labor. Its 30" width can move tables of specified lengths through doorways with ease.

**SPECIFICATIONS**

- Weight: 37 lbs.
- 30" overall depth
- Alloy powder coat finish
- Two (2) locking and two (2) non-locking casters
- Casters are non-marking wheel material

**TRANSPORT CAPACITY**

5 ON EDGE
FOLDED TABLES WITHOUT PANEL MODESTY
OR FOLDED TABLES WITH SAIL MODESTY

**NOTE** MAXIMUM LOAD WEIGHT: 1,000 LBS

**NOTE** TABLE LEGS EXTENDED HIGHER THAN 29" STANDARD HEIGHT WILL NOT STORE ON THE TRANSPORT. THE LEGS WILL EXCEED THE TRANSPORT HEIGHT AND DRAG ON THE FLOOR WHEN ROLLING THE CART

**Table Transport - ODIS**  
**\$425 / each**

AVAILABLE ON  
ODIS

Specify code **ATT2824** (Table Transport - ODIS), add \$425.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 28" w x 24" d x 50" h.

**SPECIFICATIONS**

- Weight: 21 lbs.
- 28" x 24" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

**Table Transport Tray - ODIS**  
**\$122 / each**

AVAILABLE ON  
ODIS

Specify code **AOTTT1718** (Table Transport Tray - ODIS), add \$122.00 list each

Table Transport Tray may be added to the Table Transport for ODIS for the storage of the accessory pouch.

**SPECIFICATIONS**

- Weight: 13 lbs.
- 18" w x 20" l x 4" d
- Alloy powder coat finish

**Table Transport - ODIS Youth**  
**\$425 / each**

AVAILABLE ON  
ODIS YOUTH

Specify code **ATT2321** (Table Transport - ODIS Youth), add \$425.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 23" w x 21" d x 44" h

**SPECIFICATIONS**

- Weight: 19 lbs.
- 23" x 21" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

**Custom PVC Color Match**  
**Call for quotation / one time charge per color, per order**

AVAILABLE ON  
 BRATTICE  
 ELEMENTS CONFERENCE  
 ELIGA  
 ENTOURAGE  
 INTERPLAY  
 PACES  
 PERFORMANCE  
 PLATFORM  
 TIM  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Custom T-Mold Color Match**  
**Call for quotation / one time charge per color, per order**

AVAILABLE ON  
 BRATTICE  
 PACES  
 PERFORMANCE  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

Specify code **OCT** (Custom T-Mold Color Match), add cost from Versteel quotation

T-Mold Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For T-Mold Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Powder Coat Alternative**  
**Call for quotation**

AVAILABLE ON  
 BRATTICE  
 ELEMENTS CONFERENCE  
 ELIGA  
 ENTOURAGE  
 INTERPLAY  
 ODIS  
 PACES  
 PERFORMANCE  
 PLATFORM  
 TIM  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

AVAILABLE ON  
 BRATTICE  
 ELEMENTS CONFERENCE  
 ELIGA  
 ENTOURAGE  
 INTERPLAY  
 ODIS  
 PACES  
 PERFORMANCE  
 PLATFORM  
 TIM  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

**Stain Finish Match**  
**\$639 / one time charge per finish, per order**

Specify code **OSM** (Stain Finish Match), add \$639.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply a 4" x 4" finish color and grain reference sample. An expertly finish matched sample will be provided for customer approval.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Veneer and Wood Solids Alternative**  
**Call for quotation**

AVAILABLE ON  
 BRATTICE  
 ELEMENTS CONFERENCE  
 ELIGA  
 ENTOURAGE  
 INTERPLAY  
 ODIS  
 PACES  
 PERFORMANCE  
 PLATFORM  
 TIM  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

For veneer and wood requirements other than the standard cherry, maple and walnut, contact Versteel Customer Service. Versteel is adept at working with a host of domestic and exotic materials. From inlays, figures, pie cuts and special edge profiles, to custom fill levels and sheens, each top is created using the best of technology and old world craftsmanship. The items you only imagined or expected to only be available from a millwork shop are now just another part of your Versteel order. Call Versteel Customer Service for availability and quotation.

**Wood Finish Alternative**  
**Call for quotation**

AVAILABLE ON  
 BRATTICE  
 ELEMENTS CONFERENCE  
 ENTOURAGE  
 INTERPLAY  
 PACES  
 PERFORMANCE  
 TOD  
 TY  
 UNO<sup>2</sup>  
 VELA  
 WAVELINK

When veneer tables are required to have a finish other than the standard open pore level, semi-filled or full-filled finishes are available by requesting a quote from Versteel. Call Versteel Customer Service for availability and quotation.

**Resin Edge Material Alternative**  
**Call for quotation**

AVAILABLE ON  
 BRATTICE  
 PERFORMANCE  
 VELA

**GLOSS**  
 Seamless, rigid, blended resin edge with a hand polished high gloss finish.

**SATIN**  
 Seamless, semi-rigid, blended resin edge with a hand sanded satin finish. Scuffs, scratches and surface damage to the edge are field repairable.

**SATIN-SOFT**  
 Seamless, pliable, blended resin edge with a hand sanded finish. The features are memory and pliability. Scuffs, scratches and surface damage to the edge are field repairable.

Call Versteel Customer Service for availability and quotation.

**Glass Top Table Alternative**  
**Call for quotation**

AVAILABLE ON  
 BRATTICE

Versteel glass top tables meet or exceed government specification DDG-451d, which regulates the quality standards of all glass manufacturing. This specification takes into consideration certain imperfections inherent in glass production. Due to the very custom nature of glass tables, the offering does not appear in this price list but is available from Versteel. Call Versteel Customer Service for availability and quotation.

Henri

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables


**Henri - \$219 / unit**

Specify code **PH\_** (Henri - Location\_), add \$219.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications. May be sequenced, but will be restricted to original order.

**SPECIFICATIONS**

- One 9' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68  
**NOTE** FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 49



Location **A**

**1 Henri - Location A \$219 / table**

Specify code **PHA** (1 Henri - Location A), add \$219.00 list per table

One pop-up Henri electrical unit is factory installed in the front center location of the top.

**NOTE** LOCATION A HENRI UNITS NOT AVAILABLE ON 72" LENGTH TIM RECTANGLES AND ARC RECTANGLES



Location **D**

**2 Henris - Location D \$438 / table**

Specify code **PHD** (2 Henris - Location D), add \$438.00 list per table

Two pop-up Henri electrical units are factory installed in the front corner locations of the top.

**NOTE** LOCATION D HENRI UNITS NOT AVAILABLE ON 42" & 48" LENGTH TIM RECTANGLES AND ARC RECTANGLES



Location **F**

**1 Henri - Location F \$219 / table**

Specify code **PHF** (1 Henri - Location F), add \$219.00 list per table

One pop-up Henri electrical unit is factory installed in the center of the top.



Location **E**

**2 Henris - Location E \$438 / table**

Specify code **PHF** (2 Henris - Location E), add \$438.00 list per table

Two pop-up electrical units are factory installed in the front outer corner locations of the top.



Location **K**

**1 Henri - Location K \$219 / table**

Specify code **PHK** (1 Henri - Location K), add \$219.00 list per table

One pop-up Henri electrical unit is factory installed lengthwise in the center of the top.



Location **H**

**2 Henris - Location H \$438 / table**

Specify code **PHH** (2 Henris - Location H), add \$438.00 list per table

Two pop-up Henri electrical units are factory installed in predetermined positions in the top.



Location **R**

**1 Henri - Location R \$219 / table**

Specify code **PHR** (1 Henri - Location R), add \$219.00 list per table

One pop-up Henri electrical unit is factory installed in a predetermined position in the top.



AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

AVAILABLE ON  
INTERPLAY ROVER  
COMPUTER  
INTERPLAY ROVER DADDY

AVAILABLE ON  
ELIGA  
PACES  
TIM  
TOD  
TY  
WAVELINK

AVAILABLE ON  
BRATTICE  
INTERPLAY  
PACES  
PERFORMANCE  
TOD  
TY  
UNO<sup>2</sup>  
VELA

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables


**Henri Now - \$201 / unit**

Specify code **PHN\_** (Henri Now - Location\_), add \$201.00 list per Henri Now, and **HNPU** \$201.00 (power infeed cord required for Henri Now when linked). 8 units per 1 HNPU.

The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

**SPECIFICATIONS**

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

**NOTE** FOR HENRI NOW VOICE AND DATA JACK OPTIONS SEE PAGE 49

**NOTE** HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH GFCI RECEPTACLES. CONTACT VERSTEEL FOR ADDITIONAL INFORMATION.



Location **A**

AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>3</sup>  
VELA  
WAVELINK

**1 Henri Now - Location A  
\$201 / table**

Specify code **PHNA** (1 Henri Now - Location A), add \$201.00 list per table

One pop-up Henri Now electrical unit is factory installed in the front center location of the top.



Location **D**

AVAILABLE ON  
ELIGA  
PACES  
TIM  
TOD  
TY  
WAVELINK

**2 Henri Nows - Location D  
\$401 / table**

Specify code **PHND** (2 Henri Nows - Location D), add \$401.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front corner locations of the top.



Location **F**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>3</sup>  
VELA  
WAVELINK

**1 Henri Now - Location F  
\$201 / table**

Specify code **PHNF** (1 Henri Now - Location F), add \$201.00 list per table

One pop-up Henri Now electrical unit is factory installed in the center of the top.



Location **N**

AVAILABLE ON  
BRATTICE  
INTERPLAY  
PACES  
PERFORMANCE  
TOD  
TY  
UNO<sup>3</sup>  
VELA

**2 Henri Nows - Location N  
\$401 / table**

Specify code **PHNN** (2 Henri Nows - Location N), add \$401.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front outer corner locations of the top.



Location **K**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>3</sup>  
VELA  
WAVELINK

**1 Henri Now - Location K  
\$201 / table**

Specify code **PHNK** (1 Henri Now - Location K), add \$201.00 list per table

One pop-up Henri Now electrical unit is factory installed lengthwise in the center of the top.



Location **H**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
UNO<sup>3</sup>  
VELA  
WAVELINK

**2 Henri Nows - Location H  
\$401 / table**

Specify code **PHNH** (2 Henri Nows - Location H), add \$401.00 list per table

Two pop-up Henri Now electrical units are factory installed in predetermined positions in the top.



Location **R**

AVAILABLE ON  
INTERPLAY ROVER  
COMPUTER  
INTERPLAY ROVER DADDY

**1 Henri Now - Location R  
\$201 / table**

Specify code **PHNR** (1 Henri Now - Location R), add \$201.00 list per table

One pop-up Henri Now electrical unit is factory installed in a predetermined position in the top.



### Single Circuit Powerlink Package \$760 or \$995 / table

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
UNO<sup>®</sup>  
VELA  
WAVELINK

Specify code **PPTL1** (Powerlink Package 72" or less), add \$760.00 list per table

Specify code **PPTG1** (Powerlink Package greater than 72"), add \$995.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

#### SPECIFICATIONS

- Single Circuit, Soft-wired, linking system
- 9' cord, standard grounded plug (custom lengths available)
- 15 Amp circuit w/breaker and Surge Protector
- One duplex outlet (2 simplex outlets) on Powerlinks up to 48" in length, and two duplex outlets on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

### Multiple Circuit Powerlink Package – System 2 \$760 or \$995 / table

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
UNO<sup>®</sup>  
VELA  
WAVELINK

Specify code **PPTL2** (Powerlink Package 72" or less), add \$760.00 list per table

Specify code **PPTG2** (Powerlink Package greater than 72"), add \$995.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

#### SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Two 20 Amp Circuits (4-wire, 2-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 60" in length, and four duplex outlets (2 on each circuit) on units longer than 60" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
UNO<sup>®</sup>  
VELA  
WAVELINK

### Multiple Circuit Powerlink Package – System 3 \$1,075 or \$1,295 / table

Specify code **PPTL3** (Powerlink Package 48" or less), add \$1,075.00 list per table

Specify code **PPTG3** (Powerlink Package greater than 48"), add \$1,295.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

#### SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Three 20 Amp Circuits (8-wire, 3-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 48" in length, and three duplex outlets (circuits 1, 2, & 3) on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

### Power & Data Globe with Data Jacks \$247 / globe

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA  
WAVELINK

Specify code **PPD** (Power & Data Globe with Data Jacks), add \$247.00 list per table

Power & Data Globes with Data Jacks are field installed in the machined top hole location indicated by specifier's print.



#### SPECIFICATIONS

- One 6' cord, one 15 amp circuit, standard grounded plug
- Two electrical outlets per unit
- Voice / data access plate with one (1) CAT 3 and one (1) CAT 5 E jack per unit

**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

### Power Source Outlets \$123 / power source

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA  
WAVELINK

Specify code **PPS** (Power Source Outlets), add \$123.00 list per table

Power Source Outlets supply individual tables surge protected electrical connections. Unit is field installed and controlled by an illuminated On/Off switch.



#### SPECIFICATIONS

- 15' 14 AWGx3C power cord
- Illuminated On/Off and Reset switch
- 1,000 Jules surge protection
- Six (6) grounded power outlets per unit
- Aluminum housing mounts to underside of top
- Black

**NOTE** FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 54-68

**Power Bay - \$832 / unit**

Specify code **EPB\_** (Power Bay - Location\_), add \$832.00 list per Power Bay for first unit per table and \$832.00 for each additional unit.

For clear anodized aluminum finish, add \$88 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

**SPECIFICATIONS**

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Four electrical outlets per unit
- Data plate with 9 slots



**NOTE** FOR MORE PLANNING AND ORDERING  
DETAIL INFORMATION SEE ELECTRICAL PLANNING  
SECTION PAGES 54-68

**NOTE** USE POWER BAY DATA PLATE GUIDELINES TO SPECIFY DATA JACKS



**1 Power Bay - Provide Location Print  
\$832 / table**

Specify code **EPB1** (1 Power Bay - Provide Location Print), add \$832.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES  
PACES CONFERENCE  
PERFORMANCE  
TOD  
UNO<sup>2</sup>  
VELA  
WAVELINK



**2 Power Bays - Provide Location Print  
\$1,664 / table**

Specify code **EPB2** (2 Power Bays - Provide Location Print), add \$1,664.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES  
PACES CONFERENCE  
PERFORMANCE  
TOD  
UNO<sup>2</sup>  
VELA  
WAVELINK



**3 Power Bays - Provide Location Print  
\$2,496 / table**

Specify code **EPB3** (3 Power Bays - Provide Location Print), add \$2,496.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
TOD  
UNO<sup>2</sup>  
VELA  
WAVELINK



**4 Power Bays - Provide Location Print  
\$3,328 / table**

Specify code **EPB4** (4 Power Bays - Provide Location Print), add \$3,328.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
PACES CONFERENCE  
PERFORMANCE  
TOD  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Power Bay Data Plate  
Guidelines**

The Power Bay Data Plate has (9) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$26
Voice	VO	1	\$ 8
Mini Stereo	MS	1	\$12
(1) RCA	RC	1	\$25
VGA	VG	2	\$17
HDMI	HD	2	\$58
USB	US	2	\$28
DVI	DV	2	\$46

Versteel Power

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Eclipse**

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



**SPECIFICATIONS**

- Hole mount is 4.5" diameter

Model	Description	
ECL-IP3X	Three (3) power	\$257 list
ECL-IP2U	Two (2) power and one (1) dual port USB charger	\$298 list

**Unit Color**

STB	Soft Touch Black	n/c
STW	Soft Touch White	n/c

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 10 list

**Model Example: ECL-IP2U-STB-72**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Hemisphere**

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



**SPECIFICATIONS**

- Hole mount is 3" diameter

Model	Description	
HEM-IP3X	Three (3) power	\$184 list
HEM-IP2U	Two (2) power and one (1) dual port USB charger	\$230 list

**Unit Color**

STB	Soft Touch Black	n/c
STW	Soft Touch White	n/c

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 10 list

**Model Example: HEM-IP2U-STB-72**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Node**

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



Model	Description	
NOD-IP2X	Two (2) power	\$165 list
NOD-IP2U	One (1) power and one (1) dual port USB charger	\$225 list
NOD-IP2O	One (1) power and one (1) open data port	\$155 list

**Unit Color** (Additional finishes available upon request)

MPC	Midnight Powder Coat	n/c
PPC	Parchment Powder Coat	n/c
SPC	Silver Powder Coat	n/c

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 10 list

**Data Option** (Only available with NOD-IP2O)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
US	USB passive jack	\$ 40 list
VO	Cat3 RJ11 data jack w/ 7' cord	\$ 25 list

**Model Example: NOD-IP2U-SPC-72**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Salt or Pepper**

Individual USB charger or power outlet for easy, quick access applications.



**SPECIFICATIONS**

- Salt or Pepper hole mount is 1 3/8" diameter

Model	Description	
SLT	One (1) dual port USB charger w/ 72" cord	\$198 list
PPR	One (1) power outlet w/ 72" cord	\$ 88 list

**Unit Color** (Additional finishes available upon request)

BLK	Black
WHT	White

**Model Example: SLT-BLK**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>2</sup>  
VELA  
WAVELINK

**Mini-Tap**

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



**SPECIFICATIONS**

- Two (2) Simplexes
- Available with spill-proof Simplexes

Model	Description	
MTP-IP2X	Two (2) power	\$110 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$225 list

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 10 list

**Model Example: MTP-IP2X-72**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA  
WAVELINK

**Axil Z IP** (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



**SPECIFICATIONS**

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$260 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$260 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$260 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$260 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$290 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$290 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$290 list
AXZ-IP-4-0	Four (4) power and no open ports	\$320 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$320 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$320 list

**Unit Color**

Z06	Gloss Black	\$ 75 list
Z07	Gloss White	n/c
Z11	Gloss Black with Silver Trim	n/c
Z13	Silver Anodized with Black Trim	n/c

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 14 list

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example: AXZ-IP-4-2-Z07-72-DA-DA**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA  
WAVELINK

**Axil Z SL** (Soft-Wired, Linked)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



**SPECIFICATIONS**

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence

Model	Description	
AXZ-SL-2-0	Two (2) power and no data	\$270 list
AXZ-SL-2-2	Two (2) power and two (2) open ports	\$270 list
AXZ-SL-2-4	Two (2) power and four (4) open ports	\$270 list
AXZ-SL-2-6	Two (2) power and six (6) open ports	\$270 list
AXZ-SL-3-1	Three (3) power and one (1) open port	\$300 list
AXZ-SL-3-3	Three (3) power and three (3) open ports	\$300 list
AXZ-SL-3-5	Three (3) power and five (5) open ports	\$300 list

**NOTE** SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

**Unit Color**

Z06	Gloss Black	\$ 75 list
Z07	Gloss White	n/c
Z11	Gloss Black with Silver Trim	n/c
Z13	Silver Anodized with Black Trim	n/c

**Power Infeed Cord**

BPS-72	72" cord length	\$295 list
BPS-120	120" cord length	\$305 list
BPS-180	180" cord length	\$325 list

**NOTE** 8 UNITS PER 1 BPS.

**Jumper**

BEJ	Standard jumper included with tables up to and including 60". BEJ jumper required for tables greater than 60".	\$ 79 list
-----	--	------------

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example: AXZ-SL-2-0-Z11**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ellora IP** (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.

**SPECIFICATIONS**

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¾" thick
- Requires cutout in worksurface



Model	Description	
ELL-IP-2-0	Two (2) power and no data	\$386 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$386 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$386 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$386 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$444 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$444 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$444 list
ELL-IP-4-0	Four (4) power and no open ports	\$502 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$502 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$502 list

**Unit Color**

Z07	Silver Anodized with White Trim	n/c
Z08	Silver Anodized with Black Trim	n/c
Z09	Black Anodized with Black Trim	\$ 75 list

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 14 list

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example:** ELL-IP-4-4-Z08-72-U1-DA-DA-HD

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ellora SL** (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

**SPECIFICATIONS**

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¾" thick
- Requires cutout in worksurface
- Maximum of 8 units in sequence



Model	Description	
ELL-SL-2-0	Two (2) power and no data	\$396 list
ELL-SL-2-2	Two (2) power and two (2) open ports	\$396 list
ELL-SL-2-4	Two (2) power and four (4) open ports	\$396 list
ELL-SL-2-6	Two (2) power and six (6) open ports	\$396 list
ELL-SL-3-1	Three (3) power and one (1) open port	\$454 list
ELL-SL-3-3	Three (3) power and three (3) open ports	\$454 list
ELL-SL-3-5	Three (3) power and five (5) open ports	\$454 list

**NOTE** SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

**Unit Color**

Z07	Silver Anodized with White Trim	n/c
Z08	Silver Anodized with Black Trim	n/c
Z09	Black Anodized with Black Trim	\$ 75 list

**Power Infeed Cord**

BPS-72	72" cord length	\$295 list
BPS-120	120" cord length	\$305 list
BPS-180	180" cord length	\$325 list

**NOTE** 8 UNITS PER 1 BPS.

**Jumper**

BEJ	Standard jumper included with tables up to and including 60". BEJ jumper required for tables greater than 60".	\$ 79 list
-----	--	------------

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example:** ELL-SL-2-0-Z08

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA

**Mho IP** (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



**SPECIFICATIONS**

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
MHO-IP-2-0	Two (2) power and no data	\$330 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$330 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$330 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$330 list
MHO-IP-3-1	Three (3) power and one (1) open port	\$360 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$360 list
MHO-IP-3-5	Three (3) power and five (5) open ports	\$360 list
MHO-IP-4-0	Four (4) power and no open ports	\$390 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$390 list
MHO-IP-4-4	Four (4) power and four (4) open ports	\$390 list

**Unit Color**

Z01	Silver Anodized with Black Trim	n/c
Z02	Silver Anodized with White Trim	n/c
EFA	Clear Anodized	n/c
EFF	Black Anodized	\$ 75 list

**Cord Length**

72	72" cord length	n/c
120	120" cord length	\$ 14 list

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example: MHO-IP-3-3-Z01-72-U1-DA-DA**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
ELIGA  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO<sup>®</sup>  
VELA  
WAVELINK

**Mho SL** (Soft-Wired, Linked)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



**SPECIFICATIONS**

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence

Model	Description	
MHO-SL-2-0	Two (2) power and no data	\$340 list
MHO-SL-2-2	Two (2) power and two (2) open ports	\$340 list
MHO-SL-2-4	Two (2) power and four (4) open ports	\$340 list
MHO-SL-2-6	Two (2) power and six (6) open ports	\$340 list

MHO-SL-3-1	Three (3) power and one (1) open port	\$370 list
MHO-SL-3-3	Three (3) power and three (3) open ports	\$370 list
MHO-SL-3-5	Three (3) power and five (5) open ports	\$370 list

**NOTE** SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

**Unit Color**

Z01	Silver Anodized with Black Trim	n/c
Z02	Silver Anodized with White Trim	n/c
EFA	Clear Anodized	n/c
EFF	Black Anodized	\$ 75 list

**Power Infeed Cord**

BPS-72	72" cord length	\$295 list
BPS-120	120" cord length	\$305 list
BPS-180	180" cord length	\$325 list

**NOTE** 8 UNITS PER 1 BPS.

**Jumper**

BEJ	Standard jumper included with tables up to and including 60". BEJ jumper required for tables greater than 60".	\$ 79 list
-----	--	------------

**USB Charging Options**

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 88 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$176 list

**Data Option** (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 54 list
HD	HDMI jack	\$ 63 list
MS	Mini-stereo audio jack	\$ 17 list
US	USB passive jack	\$ 40 list
VG	VGA jack, 15 pin 3.5mm	\$ 79 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 25 list

**Model Example: MHO-SL-2-0-Z02**

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ashley Duo Over**

Specify code **HNPU** (power supply unit required with soft-wired linking systems), add \$201.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADO-IP	Two (2) power, two (2) dual port USB charging, individually powered, soft-wired	\$345 list
ADO-HW	Two (2) power, two (2) dual port USB charging, individually powered, hard-wired	\$345 list
ADO-SL	Two (2) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$442 list

**Unit Color**

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

**Cord Length** (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 10 list

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ashley Trio Over**

Specify code **HNPU** (power supply unit required with soft-wired linking systems), add \$201.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATO-IP	Three (3) power, two (2) dual port USB charging, individually powered, soft-wired	\$395 list
ATO-HW	Three (3) power, two (2) dual port USB charging, individually powered, hard-wired	\$395 list
ATO-SL	Three (3) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$485 list

**Unit Color**

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

**Cord Length** (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 10 list

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ashley Duo Under**

Specify code **HNPU** (power supply unit required with soft-wired linking systems), add \$201.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADU-IP	Two (2) power, two (2) dual port USB charging, individually powered, soft-wired	\$298 list
ADU-HW	Two (2) power, two (2) dual port USB charging, individually powered, hard-wired	\$298 list
ADU-SL	Two (2) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$395 list

**Unit Color**

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

**Cord Length** (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 10 list

AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
INTERPLAY  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UND\*  
VELA  
WAVELINK

**Ashley Trio Under**

Specify code **HNPU** (power supply unit required with soft-wired linking systems), add \$201.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATU-IP	Three (3) power, two (2) dual port USB charging, individually powered, soft-wired	\$369 list
ATU-HW	Three (3) power, two (2) dual port USB charging, individually powered, hard-wired	\$369 list
ATU-SL	Three (3) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$455 list

**Unit Color**

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

**Cord Length** (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 10 list

AVAILABLE ON  
BRATTICE  
INTERPLAY  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

**CPU Holder**  
**\$150 / each**

Specify code **ACPU3-9F** (CPU Holder), add \$150.00 list each

**SPECIFICATIONS**

- Width adjustment from 2 1/2" to 9"
- Height adjustment from 10" to 21 1/2"

**NOTE** TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



AVAILABLE ON  
BRATTICE  
INTERPLAY  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

**CPU Holder**  
**\$98 / each**

Specify code **ACPU5-8F** (CPU Holder), add \$98.00 list each

**SPECIFICATIONS**

- Adjusts from 5" to 8"



AVAILABLE ON  
BRATTICE  
INTERPLAY  
PERFORMANCE  
UNO<sup>2</sup>  
VELA  
WAVELINK

**CPU Holder (Slim Line)**  
**\$98 / each**

Specify code **ACPU3F** (CPU Holder), add \$98.00 list each

**SPECIFICATIONS**

- Adjusts from 3" to 5"



**Keyboard Platform with Mouse Surface**  
**\$487 / each**

Specify code **AKP27M** (Keyboard Platform with Mouse Surface), add \$487.00 list each

**SPECIFICATIONS**

- Low profile design
- 7" height adjustment with single lever control for height and tilt features
- 25° adjustable tilt feature
- 360° rotation
- Ergonomic wrist rest
- 8" mouse surface with pad installs right or left of keyboard
- Meets BIFMA standards

**NOTE** TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



**Data Jacks**  
**\$55 / set of 2**

Specify code **AHDDJ** (Two Data Jacks), add \$55.00 list for set of 2

**SPECIFICATIONS**

- Data/data access plate with two jacks
- Two (2) CAT6 data jacks
- The mounting plate snaps into the Henri unit

**NOTE** CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



**Voice and Data Jacks**  
**\$49 / set of 2**

Specify code **AHVDJ** (Voice and Data Jacks), add \$49.00 list for set of 2

**SPECIFICATIONS**

- Voice/data access plate with two jacks
- One (1) CAT3 voice jack
- One (1) CAT6 data jack
- The mounting plate snaps into the Henri unit

**NOTE** CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



**Quick Connect**  
**\$122 / each**

Specify code **AHOCVDJ** (Quick Connect System), add \$122.00 per unit

This option provides a pre-wired, quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT3 voice jacks and two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing voice/data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.



**SPECIFICATIONS**

- Voice/data access plate with two (2) jacks
- The mounting plate snaps in to the Henri unit
- Surface-mount box with two jacks

**NOTE** CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

**Quick Connect**  
**\$140 / each**

Specify code **AHQDDJ** (Quick Connect System), add \$140.00 per unit

This option provides pre-wired quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

**SPECIFICATIONS**

- Data access plate with two (2) jacks
- The mounting plate snaps into the Henri unit
- Surface-mount box with two (2) jacks

**NOTE** CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

**Couplers**

**Data Couplers** - Specify code **DD**, add \$75.00 list each

**Voice Couplers** - Specify code **VV**, add \$55.00 list each

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.



Available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

Grommets

**Round Grommet - \$47 / each**

Specify code **WR\_** (Round Grommet - Location \_), add \$47.00 list per grommet

Round Grommets are 3" black grommets with an inside dimension of 2 ¼". Round grommets are factory installed in the specified location. Includes two-piece black insert.



**Oval Brush Grommet - \$59 / each**

Specify code **WO\_** (Oval Brush Grommet - Location \_), add \$59.00 list per grommet

Oval Brush Grommets are 3" x 7 ½" black grommets with a brush insert cord access dimension of 1 ½" x 4". Oval brush grommets are factory installed in the specified location.



AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
UNO  
VELA  
WAVELINK

**1 Grommet - Location A**

**Round Grommet** - Specify code **WRA**, add \$47.00 list per table



**Oval Brush Grommet** - Specify code **WOA**, add \$59.00 list per table

1 grommet is factory installed in the front center location of the top.

AVAILABLE ON  
BRATTICE  
PACES  
PERFORMANCE  
VELA  
WAVELINK

**1 Grommet - Location F**

**Round Grommet** - Specify code **WRF**, add \$47.00 list per table



**Oval Brush Grommet** - Specify code **WOF**, add \$59.00 list per table

1 oval brush grommet is factory installed running widthwise in the center location of the top.

AVAILABLE ON  
BRATTICE  
ELIGA  
PERFORMANCE  
VELA  
WAVELINK

**1 Grommet - Location B**

**Round Grommet** - Specify code **WRB**, add \$47.00 list per table



**Oval Brush Grommet** - Specify code **WOB**, add \$59.00 list per table

1 grommet is factory installed in the front left corner location of the top.

AVAILABLE ON  
BRATTICE  
PACES  
PERFORMANCE  
VELA  
WAVELINK

**2 Grommets - Location H**

**Round Grommet** - Specify code **WRH**, add \$93.00 list per table



**Oval Brush Grommet** - Specify code **WOH**, add \$119.00 list per table

2 grommets are factory installed in a predetermined centerline location of the top.

AVAILABLE ON  
BRATTICE  
ELIGA  
PERFORMANCE  
VELA  
WAVELINK

**1 Grommet - Location C**

**Round Grommet** - Specify code **WRC**, add \$47.00 list per table



**Oval Brush Grommet** - Specify code **WOC**, add \$59.00 list per table

1 grommet is factory installed in the front right corner location of the top.

AVAILABLE ON  
BRATTICE  
PACES  
PERFORMANCE  
VELA  
WAVELINK

**1 Grommet - Location K**

**Round Grommet** - Specify code **WRK**, add \$47.00 list per table



**Oval Brush Grommet** - Specify code **WOK**, add \$59.00 list per table

1 grommet is factory installed running lengthwise in the center location of the top.

AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TIM  
TOD  
TY  
VELA  
WAVELINK

**2 Grommets - Location D**

**Round Grommet** - Specify code **WRD**, add \$93.00 list per table



**Oval Brush Grommet** - Specify code **WOD**, add \$119.00 list per table

2 grommets are factory installed in the front center locations of the top.

AVAILABLE ON  
INTERPLAY ROVER  
COMPUTER  
INTERPLAY ROVER DADDY

**1 Grommet - Location R**

**Round Grommet** - Specify code **WRR**, add \$47.00 list per table

**Oval Brush Grommet** - Specify code **WOR**, add \$59.00 list per table

1 grommet is factory installed in a predetermined position in the top.



AVAILABLE ON  
BRATTICE  
ELIGA  
PACES  
PERFORMANCE  
TOD  
TY  
UNO  
VELA  
WAVELINK

**2 Grommets - Location E**

**Round Grommet** - Specify code **WRE**, add \$93.00 list per table



**Oval Brush Grommet** - Specify code **WOE**, add \$119.00 list per table

2 grommets are factory installed in the front corner locations of the top.

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TOD  
VELA  
WAVELINK

**1 Grommet - Provide Location Print**

**Round Grommet** - Specify code **WRG**, add \$47.00 list per table

**Oval Brush Grommet** - Specify code **WOG**, add \$59.00 list per table

1 oval brush grommet is factory installed in the top location based on specifier's print.



**Cable Coil™**  
**Standard / No Charge**

AVAILABLE ON  
INTERPLAY

Specify code not applicable, standard / no charge per coil  
The Cable Coil conducts wires from the underside of the top to the power and data source. It is attached to the undersurface of the top and hooks under the base ring. Finish is the same as the frame or base finish.

**Cable Hook Legway**  
**\$74 / set of 2**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
WAVELINK

Specify code **WCK** (Cable Hook Legway), add \$74.00 list per table

Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



**NOTE** CABLE HOOK LEGWAY (WCK) MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

**Cable Hook Legway**  
**\$74 / set of 2**

AVAILABLE ON  
TIM

Specify code **WCH** (Cable Hook Legway), add \$74.00 list per table

Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



**NOTE** CABLE HOOK LEGWAY (WCH) MAY BE SPECIFIED WITH ANY BASE USING A 1 1/2" DIAMETER ROUND COLUMN

**Canvas Legway**  
**\$61 / legway**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
UNO®  
VELA  
WAVELINK

Specify code **WCL** (Canvas Legway), add \$61.00 list per legway

Canvas Legways conduct wires from the underside of the top to the power and data source near the floor.

- SPECIFICATIONS
- Black cloth material
  - 1" inside diameter
  - Self-adhesive backing
  - Upper and lower dual lock closure safety straps secure multiple wire bundles



**NOTE** CANVAS LEGWAY CAN BE INSTALLED ON ALL TABLE TYPES, INCLUDING FOLDING BASE TABLES

**Plastic Legway**  
**\$49 / legway**

AVAILABLE ON  
BRATTICE  
PERFORMANCE  
TUSCANY  
VELA  
WAVELINK

Specify code **WRL** (Plastic Legway), add \$49.00 list per legway

Plastic Legways conduct wires from the underside of the top to the power and data source near the floor.

- SPECIFICATIONS
- Black extruded rigid PVC plastic
  - 3/8" x 1" inside dimension on each of two (2) raceways
  - Snaps on and off for storage



**NOTE** PLASTIC LEGWAY MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

**Wire Mesh Legway**  
**\$129 / pair**

AVAILABLE ON  
VELA

Specify code **WML** (Wire Mesh Legway), required finish selection \_\_, add \$129.00 list per pair

Plastic channel with wire mesh insert routes cords and cables from underside of top to a power and data source near the floor. Legway snaps into T1 and TC bases and is shipped installed.



- SPECIFICATIONS
- Black 1/16" thick extruded rigid PVC plastic
  - 2 channels, 3/8" x 1 3/4" inside diameter
  - Snaps on and off for storage

**Wire Mesh X4 Insert**  
**\$76 / each**

AVAILABLE ON  
VELA

Specify code **WMX** (Wire Mesh X4 Insert), required finish selection \_\_, add \$76.00 list each

Wire Mesh X4 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on X4 bases and is shipped installed.



- SPECIFICATIONS
- 22 gauge wire mesh
  - 3 1/8" inside diameter
  - Insert can only be removed by separating base and top

**Wire Mesh Y3 Insert**  
**\$129 / pair**

AVAILABLE ON  
VELA

Specify code **WMY** (Wire Mesh Y3 Insert), required finish selection \_\_, add \$129.00 list per pair

Wire Mesh Y3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on Y3 bases and is shipped installed.



- SPECIFICATIONS
- 22 gauge wire mesh
  - 3 1/8" inside diameter
  - Insert can only be removed by separating base and top

**Wire Mesh T3 Insert**  
**\$76 / each**

Specify code **WMT** (Wire Mesh T3 Insert), required finish selection \_\_, add \$76.00 list each

Wire Mesh T3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert is riveted into position on T3 bases and is shipped installed.

- SPECIFICATIONS
- 22 gauge wire mesh
  - 3 1/8" inside diameter
  - Insert is riveted to the column and cannot be easily removed



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

## Wire Managers

**Basket - Modesty Mount**  
**\$59 / basket**AVAILABLE ON  
BRATTICE  
PERFORMANCE  
VELA*Specify code **WBM** (Basket - Modesty Mount), add \$59.00 list per basket*

The modesty mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18". The wire basket can be located on the backside of the modesty panel.

**Basket - Under Top Mount**  
**\$59 / basket**AVAILABLE ON  
BRATTICE  
ELEMENTS CONFERENCE  
PERFORMANCE  
VELA  
WAVELINK*Specify code **WBT** (Basket - Under Top Mount), add \$59.00 list per basket*

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18".

**Canvas - Under Top Mount**  
**\$145 / manager**AVAILABLE ON  
TIM*Specify code **WCT** (Canvas - Under Top Mount), add \$145.00 list per table*

The Under Top Mount Canvas wire manager is made of black canvas, with snap attachment to the underside of the table. The snap studs are installed to the underside of the table top on the approach side, when specified as a table option. The table tops are pre-drilled for field installation of the snap studs if the option is selected at a later date. The canvas wire manager runs the length of the table to channel wires from end to end. Excess cords from table top can be dropped into the front edge of the wire manager.

**Plastic Runner - Under Top Mount**  
**\$103 / runner**AVAILABLE ON  
BRATTICE  
PERFORMANCE  
VELA  
WAVELINK*Specify code **WRT** (Plastic Runner - Under Top Mount), add \$103.00 list per runner*

The under top mount plastic runner is a J-shaped channel made of black PVC. Inside dimension is 1 1/8". Lengths coordinate with tables up to 96". The plastic runner mounts under the top, at the front edge (approach side) of the table.

**Base Wire Access**  
**\$18 / access**AVAILABLE ON  
BRATTICE  
PERFORMANCE*Specify code **BWA** (Base Wire Access), add \$18.00 list per access*

The wire management access is available on fixed and tilting tables, 36 x 72 or smaller. Any table over 72" long must have 3 bases (either the two outer bases or only the middle base can be specified with the wire management access. T1 and X1 bases only.

**NOTE** NOT AVAILABLE ON TABLES WITH ADJUSTABLE PIN HEIGHT, PNEUMATIC ADJUSTABLE HEIGHT, OR MOTORIZED ADJUSTABLE HEIGHT BASES.


**Eliga Power - \$312 / unit**

Specify code **EG\_** (Eliga Power - Location\_),  
add \$312.00 list per Eliga Power unit

The Eliga Power unit is factory installed and mounted in the frame of the Eliga sliding table and not in the table top.

**SPECIFICATIONS**

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



Location 1

AVAILABLE ON  
ELIGA SLIDING

**1 Eliga Power - Location 1  
\$312 / table**

Specify code **EG1** (1 Eliga Power unit - Location 1),  
add \$312.00 list per table

One Eliga Power electrical unit is factory installed in the center of the top.



Location 2

AVAILABLE ON  
ELIGA SLIDING

**2 Eliga Power - Location 2  
\$624 / table**

Specify code **EG2** (2 Eliga Power unit - Location 2),  
add \$624.00 list per table

Two Eliga Power electrical units are factory installed in the front corner positions in the top.

*The following are general guidelines only. Always refer to local codes for restrictions and requirements.*

### Essential Information

Like space planning with room configurations, we often receive requests to create power and data needs that one would assume are very easy. Below are some common questions that will help to define your needs and in turn will enable us to help you specify your tables.

### Which Solution Best Fits Your Needs

Ask yourself some basic questions to help define your specific needs.

**Is storage an issue?** Some tables may be folded or tilted with certain power and data sources in position, while others may require that the power and data source be removed for these functions. Make sure you consider the space that you will need to store all the parts of your configurations.

**Will you be moving your tables?** If your tables are going to be utilized in varied locations, you will want to ensure that you can easily disconnect and reconnect your power and data. Table Link - Ends Only is included with Henri and Powerlink electrical package options to prevent the accidental disconnection of power supply to adjacent tables.

**How will your tables be used?** Power and data choice may depend upon whether your tables will be task-specific or multipurpose. A single use may have different requirements than a multi-use configuration. Remember to consider the need for wire management and modesty panels also.

**Will your needs be changing?** You don't always know what your specific needs will be in the future, but you may want the ability to add power and data at a later date.

**Where is the power and data source for the room?** Before any power and data is specified for a table, it is important to know where the power will be coming from in your room. If you are plugging into existing outlets then the power feed for the table must be within six feet (6') of the outlet.

**Have you calculated the power load?** Power loads are measured in amps (abbreviated form of amperes). Your circuits will only handle so many amps so you need to know what you can safely plug in without causing an overload situation. Use the worksheet on the next page for a general idea.

### Selecting Your Power and Data Options

Select the best power and data option based on your particular need and application.



#### Henri

- ↪ pop-up feature is cool
- ↪ when not in use, there is nothing to obstruct the use of the table surface
- ↪ when popped-up, provides immediate access for laptop computers
- ↪ surface access for conference tables
- ↪ safe and easy to operate
- ↪ easy to set up and take down with tables
- ↪ voice and data connections built in
- ↪ plugs into a standard 15 amp grounded outlet plug



#### Powerlink Single Circuit

- ↪ choice of locations
  - above surface, great for laptops
  - below surface facing out for semi-permanent computer applications (not available on some models)
  - below surface facing user with grommets for permanent computer applications (not available on some models)
- ↪ all the above can be changed without tools
- ↪ move power and data from table to table in different locations
- ↪ remove Powerlink and seat people on both sides of the table without interference
- ↪ integrated cable storage eliminates need for wire baskets or managers
- ↪ add Powerlink to Versteel tables in the future
- ↪ electrical sequencing direction can be changed by flipping internal power bars
- ↪ safe and easy to operate
- ↪ voice and data connections built in
- ↪ plugs into standard 15 amp grounded outlet plug



Henri (Standard)

*Wiring of voice and data jacks is the sole responsibility of the customer*



**Technical Specifications**

Henri provides pop-up power and voice and data access. A built-in opening is provided for cables to be routed below the surface while up. Henri for linked table groups are powered from a single 9' cord, 15 amp standard grounded outlet plug with a circuit breaker and power surge protector. Voice and data plates can be ordered with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. LED light indicates when power is on. Optional data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

*UL Listing requires the limitation of eight (8) Henri units (two plugs per Henri) on a single plug power entry.*

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See chart with amp load worksheet on page 55.

Each Henri is shipped installed in the table top and includes all necessary cables and cord mounting clips in order to complete the electrical installation. Henri is not retrofittable. However, if a brush grommet has been previously installed in your table, then it is possible to insert a Henri at a future date.

**Henri Planning and Locations**

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will verify or help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 54-68.

**CONSIDER**

*How many Henri units in each table?*

*Where are the power and data sources in the room?*

*Are the tables within a six foot (6') radius of the power sources?*

*What are the expected table configurations of the room?*

**Linking Examples**

**Location A** H60A4R16  
(4) 60" Tables, Linked,  
(1) Henri per table,  
Right Power



**Location D** H60D3R16  
(3) 60" Tables, Linked,  
(2) Henri per table,  
Right Power



**Location E** H60D3R16  
(3) 60" Tables, Linked,  
(2) Henri per table,  
Right Power



Location	Description	Model #
Locations A	(1) 42" Table, Right Power	H42A1R16
	(2) 42" Tables, Linked, Right Power	H42A2R16
	(3) 42" Tables, Linked, Right Power	H42A3R16
	(4) 42" Tables, Linked, Right Power	H42A4R16
	(5) 42" Tables, Linked, Right Power	H42A5R16
	(6) 42" Tables, Linked, Right Power	H42A6R16
	(7) 42" Tables, Linked, Right Power	H42A7R16
	(8) 42" Tables, Linked, Right Power	H42A8R16
Locations A	(1) 42" Table, Left Power	H42A1L16
	(2) 42" Tables, Linked, Left Power	H42A2L16
	(3) 42" Tables, Linked, Left Power	H42A3L16
	(4) 42" Tables, Linked, Left Power	H42A4L16
	(5) 42" Tables, Linked, Left Power	H42A5L16
	(6) 42" Tables, Linked, Left Power	H42A6L16
	(7) 42" Tables, Linked, Left Power	H42A7L16
	(8) 42" Tables, Linked, Left Power	H42A8L16
Locations A	(1) 48" Table, Right Power	H48A1R16
	(2) 48" Tables, Linked, Right Power	H48A2R16
	(3) 48" Tables, Linked, Right Power	H48A3R16
	(4) 48" Tables, Linked, Right Power	H48A4R16
	(5) 48" Tables, Linked, Right Power	H48A5R16
	(6) 48" Tables, Linked, Right Power	H48A6R16
	(7) 48" Tables, Linked, Right Power	H48A7R16
	(8) 48" Tables, Linked, Right Power	H48A8R16
Locations A	(1) 48" Table, Left Power	H48A1L16
	(2) 48" Tables, Linked, Left Power	H48A2L16
	(3) 48" Tables, Linked, Left Power	H48A3L16
	(4) 48" Tables, Linked, Left Power	H48A4L16
	(5) 48" Tables, Linked, Left Power	H48A5L16
	(6) 48" Tables, Linked, Left Power	H48A6L16
	(7) 48" Tables, Linked, Left Power	H48A7L16
	(8) 48" Tables, Linked, Left Power	H48A8L16
Locations A	(1) 60" Table, Right Power	H60A1R16
	(2) 60" Tables, Linked, Right Power	H60A2R16
	(3) 60" Tables, Linked, Right Power	H60A3R16
	(4) 60" Tables, Linked, Right Power	H60A4R16
	(5) 60" Tables, Linked, Right Power	H60A5R16
	(6) 60" Tables, Linked, Right Power	H60A6R16
	(7) 60" Tables, Linked, Right Power	H60A7R16
	(8) 60" Tables, Linked, Right Power	H60A8R16




**Location A** H60A4L16, (4) 60" Tables, Linked, Left Power

<b>H</b>	<b>60</b>	<b>A</b>	<b>4</b>	<b>L16</b>
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60A4L16** is a Henri sequence with four (4) 60" tables and the Henri units in Position A. Power enters from the user's left.

Location	Description	Model #
Locations A	(1) 60" Table, Left Power	H60A1L16
	(2) 60" Tables, Linked, Left Power	H60A2L16
	(3) 60" Tables, Linked, Left Power	H60A3L16
	(4) 60" Tables, Linked, Left Power	H60A4L16
	(5) 60" Tables, Linked, Left Power	H60A5L16
	(6) 60" Tables, Linked, Left Power	H60A6L16
	(7) 60" Tables, Linked, Left Power	H60A7L16
	(8) 60" Tables, Linked, Left Power	H60A8L16
Locations D	(1) 60" Table, Right Power	H60D1R16
	(2) 60" Tables, Linked, Right Power	H60D2R16
	(3) 60" Tables, Linked, Right Power	H60D3R16
	(4) 60" Tables, Linked, Right Power	H60D4R16
Locations D	(1) 60" Table, Left Power	H60D1L16
	(2) 60" Tables, Linked, Left Power	H60D2L16
	(3) 60" Tables, Linked, Left Power	H60D3L16
	(4) 60" Tables, Linked, Left Power	H60D4L16
Locations D	(1) 72" Table, Right Power	H72D1R16
	(2) 72" Tables, Linked, Right Power	H72D2R16
	(3) 72" Tables, Linked, Right Power	H72D3R16
	(4) 72" Tables, Linked, Right Power	H72D4R16
Locations D	(1) 72" Table, Left Power	H72D1L16
	(2) 72" Tables, Linked, Left Power	H72D2L16
	(3) 72" Tables, Linked, Left Power	H72D3L16
	(4) 72" Tables, Linked, Left Power	H72D4L16
Locations E	(1) 60" Table, Right Power	H60E1R16
	(2) 60" Tables, Linked, Right Power	H60E2R16
	(3) 60" Tables, Linked, Right Power	H60E3R16
	(4) 60" Tables, Linked, Right Power	H60E4R16
Locations E	(1) 60" Table, Left Power	H60E1L16
	(2) 60" Tables, Linked, Left Power	H60E2L16
	(3) 60" Tables, Linked, Left Power	H60E3L16
	(4) 60" Tables, Linked, Left Power	H60E4L16
Locations E	(1) 72" Table, Right Power	H72E1R16
	(2) 72" Tables, Linked, Right Power	H72E2R16
	(3) 72" Tables, Linked, Right Power	H72E3R16
	(4) 72" Tables, Linked, Right Power	H72E4R16


Location	Description	Model #
Locations E	(1) 72" Table, Left Power	H72E1L16
	(2) 72" Tables, Linked, Left Power	H72E2L16
	(3) 72" Tables, Linked, Left Power	H72E3L16
	(4) 72" Tables, Linked, Left Power	H72E4L16
Locations E	(1) 84" Table, Right Power	H84E1R16
	(2) 84" Tables, Linked, Right Power	H84E2R16
	(3) 84" Tables, Linked, Right Power	H84E3R16
	(4) 84" Tables, Linked, Right Power	H84E4R16
Locations E	(1) 84" Table, Left Power	H84E1L16
	(2) 84" Tables, Linked, Left Power	H84E2L16
	(3) 84" Tables, Linked, Left Power	H84E3L16
	(4) 84" Tables, Linked, Left Power	H84E4L16
Locations E	(1) 96" Table, Right Power	H96E1R16
	(2) 96" Tables, Linked, Right Power	H96E2R16
	(3) 96" Tables, Linked, Right Power	H96E3R16
	(4) 96" Tables, Linked, Right Power	H96E4R16
Locations E	(1) 96" Table, Left Power	H96E1L16
	(2) 96" Tables, Linked, Left Power	H96E2L16
	(3) 96" Tables, Linked, Left Power	H96E3L16
	(4) 96" Tables, Linked, Left Power	H96E4L16
<b>For TIM Meeting Only</b>		
Locations F	(1) 72" Table, Right Power	H72F1R16
	(1) 84" Table, Right Power	H84F1R16
	(1) 96" Table, Right Power	H96F1R16
Locations F	(1) 72" Table, Left Power	H72F1L16
	(1) 84" Table, Left Power	H84F1L16
	(1) 96" Table, Left Power	H96F1L16
Locations H	(1) 72" Table, Right Power	H72H1R16
	(1) 84" Table, Right Power	H84H1R16
	(1) 96" Table, Right Power	H96H1R16
Locations H	(1) 72" Table, Left Power	H72H1L16
	(1) 84" Table, Left Power	H84H1L16
	(1) 96" Table, Left Power	H96H1L16




Location D H60D3L16, (3) 60" Tables, Linked, Left Power



A **H60D3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position D. Power enters from the user's left.



Location E H60E3L16, (3) 60" Tables, Linked, Left Power



A **H60E3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position E. Power enters from the user's left.

**Custom Location Print**

Below are three easy steps for supplying a print that places Power & Data units in a custom location.

**Step 1**

Indicate where you want your Power & Data units located in the top. Use center lines for marking positions. Versteel will review your location requests to make sure that they do not interfere with base locations and their attachment.

**Step 2**


Indicate the face of all Power & Data units to determine which way the power outlets, voice jacks and data jacks will be accessed.

**Step 3**


Indicate where the Power & Data sources are located within the space. The orientation of the table(s) within the space will also help to determine the best possible access point.

It's that simple. Call Versteel Customer Service if you have any questions regarding Power & Data Custom Locations.


*Boatshape conference table with four units. Power is located in the center of the table and the units alternate sides facing the users.*



*Square table with four units. Power is located to the side of the table and the units alternate sides each face a user.*




*Two (2) square tables linked with two (2) units each. Power is located to the side of the table and the units face outwards.*



**Sample Print**

*Special Electrical four (4) units located in one (1) table on the center line of the table with 30" between units.*



*Wiring of voice and data jacks is the sole responsibility of the customer*

**Single Circuit Powerlink Technical Specifications**  
**Powerlink provides horizontal power, voice and data access as well as cable management.**

Powerlink Single Circuit system allows several tables to be powered from a single 15 amp standard grounded outlet plug which will power up to eight (8) duplex outlets per sequence. Circuit breakers and power surge protectors for single or sequenced Powerlinks are at the infeed.

*UL Listing requires the limitation of eight (8) Powerlink 42" and 48" length (two plugs per Powerlink) or four (4) Powerlink 60", 72", 84" and 96" length (4 plugs per Powerlink) on a single plug power entry.*

**Single Circuit and Powerlink Technical Specifications**

Voice and data plates are installed in the Powerlink cover with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. Data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

Mounting lever locks are factory installed in the bottom front edge of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

Each Powerlink unit includes all necessary hardwire connection or flex conduit jumpers, covers and hardware to complete the electrical installation.

Powerlink may be retrofitted to Versteel Class E tables only. Check your Versteel table product label located on the underside of the table top to determine if your table is Class E.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See amp load worksheet on page 55.

**Planning and Locations**

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 54-68. Powerlink will always be top mounted facing user unless specified differently.

**CONSIDER**  
 Where are the power and data sources located in the room?  
 What are the expected table configurations of the room?

*Powerlink Single Circuit with power infeed. Face drops to allow easy access to wire management channels and linking connections.*



*Powerlink with sequencing connection mounted above table top, facing user.*




*Powerlink mounted below table top, facing out.*



*Powerlink with sequencing connection mounted below table top, facing user.*



*Powerlink can be repositioned in any of the above positions by using the Powerlink lever lock. No tools are required*



Powerlink Single Circuit

Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16
	(2) 42" Tables, Linked, Right Power	P1-42P2R16
	(3) 42" Tables, Linked, Right Power	P1-42P3R16
	(4) 42" Tables, Linked, Right Power	P1-42P4R16
	(5) 42" Tables, Linked, Right Power	P1-42P5R16
	(6) 42" Tables, Linked, Right Power	P1-42P6R16
	(7) 42" Tables, Linked, Right Power	P1-42P7R16
	(8) 42" Tables, Linked, Right Power	P1-42P8R16
Single	(1) 42" Table, Left Power	P1-42P1L16
	(2) 42" Tables, Linked, Left Power	P1-42P2L16
	(3) 42" Tables, Linked, Left Power	P1-42P3L16
	(4) 42" Tables, Linked, Left Power	P1-42P4L16
	(5) 42" Tables, Linked, Left Power	P1-42P5L16
	(6) 42" Tables, Linked, Left Power	P1-42P6L16
	(7) 42" Tables, Linked, Left Power	P1-42P7L16
	(8) 42" Tables, Linked, Left Power	P1-42P8L16
Single	(1) 48" Table, Right Power	P1-48P1R16
	(2) 48" Tables, Linked, Right Power	P1-48P2R16
	(3) 48" Tables, Linked, Right Power	P1-48P3R16
	(4) 48" Tables, Linked, Right Power	P1-48P4R16
	(5) 48" Tables, Linked, Right Power	P1-48P5R16
	(6) 48" Tables, Linked, Right Power	P1-48P6R16
	(7) 48" Tables, Linked, Right Power	P1-48P7R16
	(8) 48" Tables, Linked, Right Power	P1-48P8R16
Single	(1) 48" Table, Left Power	P1-48P1L16
	(2) 48" Tables, Linked, Left Power	P1-48P2L16
	(3) 48" Tables, Linked, Left Power	P1-48P3L16
	(4) 48" Tables, Linked, Left Power	P1-48P4L16
	(5) 48" Tables, Linked, Left Power	P1-48P5L16
	(6) 48" Tables, Linked, Left Power	P1-48P6L16
	(7) 48" Tables, Linked, Left Power	P1-48P7L16
	(8) 48" Tables, Linked, Left Power	P1-48P8L16
Single	(1) 60" Table, Right Power	P1-60P1R16
	(2) 60" Tables, Linked, Right Power	P1-60P2R16
	(3) 60" Tables, Linked, Right Power	P1-60P3R16
	(4) 60" Tables, Linked, Right Power	P1-60P4R16

Circuit	Description	Model #
Single	(1) 60" Table, Left Power	P1-60P1L16
	(2) 60" Tables, Linked, Left Power	P1-60P2L16
	(3) 60" Tables, Linked, Left Power	P1-60P3L16
	(4) 60" Tables, Linked, Left Power	P1-60P4L16
Single	(1) 72" Table, Right Power	P1-72P1R16
	(2) 72" Tables, Linked, Right Power	P1-72P2R16
	(3) 72" Tables, Linked, Right Power	P1-72P3R16
	(4) 72" Tables, Linked, Right Power	P1-72P4R16
Single	(1) 72" Table, Left Power	P1-72P1L16
	(2) 72" Tables, Linked, Left Power	P1-72P2L16
	(3) 72" Tables, Linked, Left Power	P1-72P3L16
	(4) 72" Tables, Linked, Left Power	P1-72P4L16
Single	(1) 84" Table, Right Power	P1-84P1R16
	(2) 84" Tables, Linked, Right Power	P1-84P2R16
	(3) 84" Tables, Linked, Right Power	P1-84P3R16
	(4) 84" Tables, Linked, Right Power	P1-84P4R16
Single	(1) 84" Table, Left Power	P1-84P1L16
	(2) 84" Tables, Linked, Left Power	P1-84P2L16
	(3) 84" Tables, Linked, Left Power	P1-84P3L16
	(4) 84" Tables, Linked, Left Power	P1-84P4L16
Single	(1) 96" Table, Right Power	P1-96P1R16
	(2) 96" Tables, Linked, Right Power	P1-96P2R16
	(3) 96" Tables, Linked, Right Power	P1-96P3R16
	(4) 96" Tables, Linked, Right Power	P1-96P4R16
Single	(1) 96" Table, Left Power	P1-96P1L16
	(2) 96" Tables, Linked, Left Power	P1-96P2L16
	(3) 96" Tables, Linked, Left Power	P1-96P3L16
	(4) 96" Tables, Linked, Left Power	P1-96P4L16



Powerlink Sequence P1-42P4L16

<b>P1-</b>	<b>42P</b>	<b>4</b>	<b>L16</b>
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-42P4L16** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left.



Powerlink Sequence P1-60P3L16

<b>P1-</b>	<b>60P</b>	<b>3</b>	<b>L16</b>
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-60P3L16** is a Sequenced Powerlink unit using a single circuit on a sequence of three (3) 60" tables. Power enters from the user's left.

Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16-AR
	(2) 42" Tables, Linked, Right Power	P1-42P2R16-AR
	(3) 42" Tables, Linked, Right Power	P1-42P3R16-AR
	(4) 42" Tables, Linked, Right Power	P1-42P4R16-AR
	(5) 42" Tables, Linked, Right Power	P1-42P5R16-AR
	(6) 42" Tables, Linked, Right Power	P1-42P6R16-AR
	(7) 42" Tables, Linked, Right Power	P1-42P7R16-AR
	(8) 42" Tables, Linked, Right Power	P1-42P8R16-AR
Single	(1) 42" Table, Left Power	P1-42P1L16-AR
	(2) 42" Tables, Linked, Left Power	P1-42P2L16-AR
	(3) 42" Tables, Linked, Left Power	P1-42P3L16-AR
	(4) 42" Tables, Linked, Left Power	P1-42P4L16-AR
	(5) 42" Tables, Linked, Left Power	P1-42P5L16-AR
	(6) 42" Tables, Linked, Left Power	P1-42P6L16-AR
	(7) 42" Tables, Linked, Left Power	P1-42P7L16-AR
	(8) 42" Tables, Linked, Left Power	P1-42P8L16-AR
Single	(1) 48" Table, Right Power	P1-48P1R16-AR
	(2) 48" Tables, Linked, Right Power	P1-48P2R16-AR
	(3) 48" Tables, Linked, Right Power	P1-48P3R16-AR
	(4) 48" Tables, Linked, Right Power	P1-48P4R16-AR
	(5) 48" Tables, Linked, Right Power	P1-48P5R16-AR
	(6) 48" Tables, Linked, Right Power	P1-48P6R16-AR
	(7) 48" Tables, Linked, Right Power	P1-48P7R16-AR
	(8) 48" Tables, Linked, Right Power	P1-48P8R16-AR
Single	(1) 48" Table, Left Power	P1-48P1L16-AR
	(2) 48" Tables, Linked, Left Power	P1-48P2L16-AR
	(3) 48" Tables, Linked, Left Power	P1-48P3L16-AR
	(4) 48" Tables, Linked, Left Power	P1-48P4L16-AR
	(5) 48" Tables, Linked, Left Power	P1-48P5L16-AR
	(6) 48" Tables, Linked, Left Power	P1-48P6L16-AR
	(7) 48" Tables, Linked, Left Power	P1-48P7L16-AR
	(8) 48" Tables, Linked, Left Power	P1-48P8L16-AR

Circuit	Description	Model #
Single	(1) 60" Table, Right Power	P1-60P1R16-AR
	(2) 60" Tables, Linked, Right Power	P1-60P2R16-AR
	(3) 60" Tables, Linked, Right Power	P1-60P3R16-AR
	(4) 60" Tables, Linked, Right Power	P1-60P4R16-AR
Single	(1) 60" Table, Left Power	P1-60P1L16-AR
	(2) 60" Tables, Linked, Left Power	P1-60P2L16-AR
	(3) 60" Tables, Linked, Left Power	P1-60P3L16-AR
	(4) 60" Tables, Linked, Left Power	P1-60P4L16-AR
Single	(1) 72" Table, Right Power	P1-72P1R16-AR
	(2) 72" Tables, Linked, Right Power	P1-72P2R16-AR
	(3) 72" Tables, Linked, Right Power	P1-72P3R16-AR
	(4) 72" Tables, Linked, Right Power	P1-72P4R16-AR
Single	(1) 72" Table, Left Power	P1-72P1L16-AR
	(2) 72" Tables, Linked, Left Power	P1-72P2L16-AR
	(3) 72" Tables, Linked, Left Power	P1-72P3L16-AR
	(4) 72" Tables, Linked, Left Power	P1-72P4L16-AR



Powerlink Sequence P1-42P4L16-AR

<b>P1-</b>	<b>42P</b>	<b>4</b>	<b>L16</b>	<b>AR</b>
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-42P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape



Powerlink Sequence P1-60P3L16AR

<b>P1-</b>	<b>60P</b>	<b>3</b>	<b>L16</b>	<b>AR</b>
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-60P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape

Power & Data Globe  
Power Source Outlets

*Wiring of voice and data jacks is the sole responsibility of the customer.*



**Technical Specifications, Power and Data Globe**

Power and Data Globe provides power, voice and data access. Power and Data Globe is powered from a 15 amp standard 6' grounded outlet plug. Voice and data section ships with one (1) high speed voice CAT3 and one (1) data CAT5e Lucent® (Avaya) hardwire jacks as standard. Data plate adapters are supplied to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

Each Power and Data Globe is field installed in a prepositioned hole in the table top. Power and Data Globe is not retrofittable. However, if a 3 1/2" round grommet has been previously installed in your table, then it is possible to insert a Power and Data Globe at a future date.

**Power Source Outlet**

Power Source Outlets provide power access to individual tables through a single circuit with one (1) 15' cord and a standard grounded plug. Power Source Outlets have six (6) grounded electrical outlets per unit with surge protection and are controlled by an illuminated On/Off switch. Unit is field installed and retrofittable.


**Planning and Locations**

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.



Location	Description	Model #
Custom	(1) Table with (1) Power and Data Globe	PPDLP
Location A	(1) Table with (1) Power and Data Globe	PPDA
Location B	(1) Table with (1) Power and Data Globe	PPDB
Location C	(1) Table with (1) Power and Data Globe	PPDC
Location K	(1) Table with (1) Power and Data Globe	PPDK
Custom	(1) Power Source Outlet	Not Required

The configurations illustrated on these pages are meant to show possible options using similar power sources.



**Configuration 1**

**Henri Location E or Powerlink Single Circuit**

A classroom or training room with double aisles consisting of two (2) groups (outer) and an instructor's table, each with an individual power supply. Each set of linked tables in the center section has its own power supply.

**Henri Power and Data, Location E Option**

DESCRIPTION	QUANTITY
<b>A</b> H60E1R16 Henri Location E (1) 60" table, right power	2
<b>B</b> H60E1L16 Henri Location E (1) 60" table, left power	3
<b>C</b> H60E3L16 Henri Location E (3) 60" tables, linked, left power	2

**FURNITURE**

FURNITURE	QUANTITY
Tables (24" x 60")	22
Chairs	42

**Powerlink Power and Data, Single Circuit Option**

DESCRIPTION	QUANTITY
<b>A</b> P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	2
<b>B</b> P1-60P1L16 Powerlink Single Circuit (1) 60" table, left power	3
<b>C</b> P1-60P3L16 Powerlink Single Circuit (3) 60" tables, linked, left power	2

**POWER**

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



**SCALE**


Approximate scale for measuring is 3/32.

**CONSIDER**


What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.



**Configuration 2**

**Henri Location E**

A U-shaped linking configuration for conferencing or training. Three linked table groups are powered from floor monuments.

**Henri Power and Data, Location E Option**


DESCRIPTION	QUANTITY
<b>A</b> H60E2L16 Henri Location E (2) 60" tables, linked, left power	1
<b>B</b> H60E2R16 Henri Location E (2) 60" tables, linked, right power	3

**FURNITURE**

Tables (24" x 60")  
Chairs

**QUANTITY**

6  
12



**Configuration 3**

**Powerlink Single Circuit**

A classroom or training room created from a long narrow room. All the power is located on a side wall of the room, with the exception of the instructor's table which has its own power monument in the floor.

**Powerlink Power and Data, Single Circuit Option**


DESCRIPTION	QUANTITY
<b>A</b> P1-60P2R16 Powerlink Single Circuit (2) 60" tables, linked, right power	3
<b>B</b> P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	1

**FURNITURE**

Tables (24" x 60")  
Chairs

**QUANTITY**

7  
14



**POWER**

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



**SCALE**

Approximate scale for measuring is 3/32.

**CONSIDER**

What is the purpose of the room?

Where are the power sources in the room?


Are the tables within a six foot (6') radius of the power sources?

The configurations illustrated on these pages are meant to show possible options using similar power sources.

**Configuration 4**

**Henri Location A or Henri Location E**

A classroom or training room occupying a large center section of linked tables with two (2) possible power supplies. The instructor's table has an individual power supply.



**Henri Power and Data, Location A Option**

	DESCRIPTION	QUANTITY
A	H60A5L16 Henri Location A (5) 60" tables, linked, left power	4
B	H60A1L16 Henri Location A (1) 60" table, left power	1

**FURNITURE**

Tables (24" x 60")  
Chairs

**QUANTITY**

21  
41

**Henri Power and Data, Location E Option**

	DESCRIPTION	QUANTITY
C	H60E3L16 Henri Location E (3) 60" tables, linked, left power	4
D	H60E2L16 Henri Location E (2) 60" tables, linked, left power	4
E	H60E1L16 Henri Location E (1) 60" table, left power	1

**POWER**

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




**SCALE**  
Approximate scale for measuring is 3/32.




**CONSIDER**  
What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.



**Configuration 5**

**Power and Data Globe with Data Jacks or Henri**

A break-out or cafeteria/breakroom area where each table is individually powered for laptops or PDAs.


**Power and Data Globe with Data Jacks Option**

DESCRIPTION	QUANTITY
<b>A</b> PPDK (1) table with (1) power and data globe, with data jacks (location K)	4

**Henri Power Source Option**

DESCRIPTION	QUANTITY
<b>A</b> HRSS09L16 Power source with surge protection, left power, (located in center of table)	4

FURNITURE	QUANTITY
Tables (48" with X4 bases)	4
Chairs	16



**Configuration 6**

**Henri Location A or Henri Location E**

A large conference or meeting area formed by linked tables and wedge tops. Two (2) power sources feed the four (4) power and data sequences.

**Henri Power and Data, Location A Option**

DESCRIPTION	QUANTITY
<b>A</b> Special Electrical Package Henri Location A (5) 60" tables, linked, right power	2

FURNITURE	QUANTITY
Tables (24" x 60")	10
Tables (45° 24" wedge)	8
Chairs	20

**Henri Power and Data, Location E Option**

DESCRIPTION	QUANTITY
<b>B</b> Special Electrical Package Henri Location E (3) 60" tables, linked, right power	2
<b>C</b> Special Electrical Package Henri Location E (2) 60" tables, linked, left power	2

**POWER**  
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.





**SCALE**  
Approximate scale for measuring is 3/32.


**CONSIDER**  
What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.



**Configuration 7**  
**Henri Location E**

A large classroom or training room with side aisles. The room consists of six (6) rows of tables. Power and data is supplied from a floor grid.

FURNITURE	QUANTITY
Tables (24" x 60")	24
Tables (24" quarter round)	4
Chairs	48

**Henri Power and Data Option (Location E)**

DESCRIPTION	QUANTITY
<b>A</b> H60E2L16 (2) 60" tables, linked, left power	6
<b>B</b> H60E2R16 (2) 60" tables, linked, right power	6

**POWER**  
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




**SCALE**  
Approximate scale for measuring is 3/32.

**CONSIDER**  
What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.

**Configuration 8**

**Powerlink Single Circuit (for arc rectangle top shape)**

An amphitheater style classroom or training room with a single aisle. Power sources are located along the aisle and service linked tables with hardwired multi-circuit power. Instructor table has its own single circuit outlet power supply.

**FURNITURE**

Tables (24" x 60")  
Chairs

**QUANTITY**

26  
52

**Powerlink Power and Data, Single Circuit Option**

	DESCRIPTION	QUANTITY
<b>A</b>	P1-60P3R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Right Power	4
<b>B</b>	P1-60P3L-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Left Power	4
<b>C</b>	P1-60P2R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (2) 60" Tables, Linked, Right Power	1

**POWER**  
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




**SCALE**  
Approximate scale for measuring is 3/32.

**CONSIDER**  
What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



**Connecting Data/Voice Systems To Your Network Grid**

Multiple options are available when specifying data/voice connections for power/data systems in Versteel tables. The appropriate option is dependent upon your specific application.



**UNWIRED CONNECTIONS**

Unwired data/voice connections need to be wired by the customer's IT department, or an outside IT provider. Unwired connections are "standard" for the following products:

- Henri/Henri Now
- Powerlink
- Power Bay
- Powered Form Modesty
- Power & Data Globe

*(Unwired connections are optional for all other power/data systems offered by Versteel.)*



**PREWIRED CONNECTIONS**

Prewired data/voice connections terminate with a "male" patch cable connector on the end. This enables the unit to be plugged directly into a data wall plate. A 10' cable is standard for data connections, and a 7' cable is standard for voice connections. Prewired connections are "standard" for the following products:

- Axil Z
- Ellora
- Mho
- Node



**DATA COUPLERS**

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Data Couplers are available on all power/data units, excluding Henri and Henri Now (*Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now*).




**Questions?**

1.800.876.2120

**Once your frame model has been determined, please specify appropriate areas pertaining to model # >**

Blue highlights on illustrations represent indicated areas:

**Wall Mount:**




**Laminate, Veneer or Glass Drawer(s)**

A, C, D and E series




**Back Panel Laminate**



**Laminate or Veneer Door(s)**


E series



**Pull Finish**


A, C, D and E series

**Base:**




**Laminate, Veneer or Glass Drawer(s)**

D, E, F, G and H series




**Back Panel Laminate**



**Laminate or Veneer Door(s)**

E series



**Frame and Pull Finish**

D, E, F, G and H series

(finish is the same for pull and frame)

**Standard Glass Drawer Colors:**

- Cabana.....CA
- Cherry .....CH
- Coconut.....CO
- Fog.....FG
- Green Apple.....GA
- Sea Salt.....SS




**Questions?**


1.800.876.2120

Once your frame model has been determined, please specify appropriate areas pertaining to model # >  
Blue highlights on illustrations represent indicated areas:


**Video Conference:**



**Laminate, Veneer or Glass Drawers**




**Back Panel Laminate**



**Grade 2 Fabric**


(Momentum Hue or CF Stinson Ace only standard fabric options, others are available via a sample approval)




**Frame and Pull Finish**

(finish is the same for pull and frame)

**Media Center:**




**Laminate or Veneer Table Top**




**Back Panel Laminate**

Opening size for cabinet is 23.5"



**Laminate, Veneer or Glass Drawer**



**Frame and Pull Finish**

(finish is the same for pull and frame)

[Questions?](#)  
1.800.876.2120



Consists of:

**EGE4 4872REFX** Qty: 2  
**EGFM F72L** Qty: 2  
**EGFM F72R** Qty: 2  
**PSCR2L** Qty: 2



Consists of:

**EGE4 4884REFX** Qty: 2  
**EGFM F72R** Qty: 2  
**EGFM F72L** Qty: 1  
**PSCR2L** Qty: 1

Questions?

1.800.876.2120



Consists of:

- EGE4 4872REFX** Qty: 3
- EGFM F72R** Qty: 3
- EGFM F72L** Qty: 3
- PSCR2L** Qty: 3



Consists of:

- EGE4 4860REFX** Qty: 2
- EGFM F30R** Qty: 2
- EGFM F30L** Qty: 2
- PSCR1S** Qty: 2

**Questions?**

1.800.876.2120



**Consists of:**

- EGE4 4896REFX** Qty: 1
- EGFM F72R** Qty: 1
- EGFM F72L** Qty: 1
- PSCR1L** Qty: 1



**Consists of:**

- EGE3 6060REFX** Qty: 1
- PSCR1S** Qty: 1

Questions?

1.800.876.2120




Consists of:

- EGE44872REFX Qty: 4
- EGFM H36 Qty: 8
- PSCR1L Qty: 4



**Questions?**

1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			door/drawer thickness >	door/drawer thickness >	door/drawer thickness >				door/drawer thickness >	door/drawer thickness >	door/drawer thickness >
			3/8"	1/2"	3/8"				3/8"	1/2"	3/8"
<b>Drawers</b>						<b>All Access</b>					
<b>18 x 18</b>						<b>18 x 18</b>					
 One 18" drawer	<b>EGWM A18</b>	38	500	575	535	 18" opening	<b>EGWM B18</b>	38	600		
<b>18 x 30</b>						<b>18 x 30</b>					
 One 30" drawer	<b>EGWM A30</b>	56	600	675	635	 30" opening	<b>EGWM B30</b>	54	700		
<b>18 x 36</b>						<b>18 x 36</b>					
 One 36" drawer	<b>EGWM A36</b>	65	700	775	735	 36" opening	<b>EGWM B36</b>	71	800		
<b>18 x 60</b>						<b>18 x 60</b>					
 Two 30" drawers	<b>EGWM A60</b>	98	850	925	885	 Two 30" openings	<b>EGWM B60</b>	97	950		
<b>18 x 72</b>						<b>18 x 72</b>					
 Two 36" drawers	<b>EGWM A72</b>	112	1100	1175	1135	 Three 24" openings	<b>EGWM B72</b>	136	1200		
<b>18 x 90</b>						<b>18 x 90</b>					
 Three 30" drawers	<b>EGWM A90</b>	135	1500	1575	1535	 Three 30" openings	<b>EGWM B90</b>	201	1600		
Case Height: 6.875"						Case Height: 14.875"					

**Sample Product Number Construction:**

1 Choose your frame model.

2 Specify the glass, laminate or veneer code for drawer/door material and laminate code for back panel if applicable.





An **EGWM A60** is an Eliga wall mount series 60" credenza with pull-out drawers.

The codes **TN S 2086-T / TN WT 0004-T** specify a Nevamar S 2086-T laminate for the drawers and a Nevamar WT 0004-T laminate for the back panel.



Questions?  
1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			3/8"	7/8"	7/8"				3/8"	7/8"	7/8"
<b>Drawers</b>						<b>All Access/Top Access Drawers</b>					
<b>18 x 18</b>  One 18" drawer	<b>EGWM C18</b>	52	1095	1195	1145	 One 18" top drawer, 18" opening	<b>EGWM D18</b>	63	1000	1100	1055
<b>18 x 30</b>  One 30" drawer	<b>EGWM C30</b>	75	1195	1295	1245	 18" opening with divider shelf	<b>EGWM DX18</b>	51	950		
<b>18 x 36</b>  One 36" drawer	<b>EGWM C36</b>	94	1395	1495	1445	 One 30" top drawer, 30" opening	<b>EGWM D30</b>	94	1300	1400	1345
<b>18 x 60</b>  Two 30" drawers	<b>EGWM C60</b>	126	3295	3395	3345	 30" opening with divider shelf	<b>EGWM DX30</b>	82	1250		
<b>18 x 72</b>  Two 36" drawers	<b>EGWM C72</b>	161	3495	3595	3545	 One 36" top drawer, 36" opening	<b>EGWM D36</b>	110	1500	1600	1555
<b>18 x 90</b>  Three 30" drawers	<b>EGWM C90</b>	223	3695	3795	3745	 36" opening with divider shelf	<b>EGWM DX36</b>	98	1450		
						<b>18 x 60</b>  Two 30" top drawers, 30" opening	<b>EGWM D60</b>	154	3400	3500	3445
						 Three 20" small openings, two 30" large openings with divider shelf	<b>EGWM DX60</b>	131	3300		
Case Height: 14.875"						Case Height: 20.5"					


Finish Options	Code	Price
Chrome.....		\$ 103
Nickel.....		\$ 141
Powder Coat - Standard.....		n/c
Powder Coat - Premium.....		\$ 103
Platinum.....		\$ 312

Transparent Powder Coat available by sample approval



**Questions?**

1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			1/8"	1/8"	1/8"				1/8"	1/8"	1/8"
<b>All Access/Top Access Drawers (continued)</b>						<b>Drawers/Doors</b>					
<b>18 x 72</b>						<b>18 x 18</b>					
	<b>EGWM D72</b>	193	3600	3700	3655		<b>EGWM E18</b>	62	1095	1195	1145
Two 36" top drawers, two 36" openings						One 18" drawer					
	<b>EGWM DX72</b>	167	3500				<b>EGWM ER18</b>	52	1095		1145
Three 24" openings with divider shelf						One 18" right door					
<b>18 x 90</b>											
	<b>EGWM D90</b>	239	3800	3900	3855	One 18" left door	<b>EGWM EL18</b>	52	1095		1145
Three 30" top drawers, three 30" openings						One 18" left door					
	<b>EGWM DX90</b>	190	3650				<b>EGWM E30</b>	85	1295	1395	1345
Three 30" openings with divider shelf						One 30" drawer					
											
						Two 15" doors	<b>EGWM ER30</b>	72	1395		1445
<b>18 x 36</b>											
							<b>EGWM E36</b>	94	1595	1695	1645
						One 36" drawer					
							<b>EGWM ER36</b>	81	1695		1745
						Two 18" doors					
<b>18 x 60</b>											
							<b>EGWM E60</b>	163	2950	3050	3000
						Two 30" drawers					
							<b>EGWM ER60</b>	149	3050		3100
						Four 15" doors					
Case Height: 20.5"						Case Height: 20.5"					

**Sample Product Number Construction:**

- Choose your frame model.
- Specify the glass\*, laminate or veneer code for drawer/door material and laminate code for back panel if applicable.


\*Glass is not available on door fronts



An **EGWM E60** is an Eliga wall mount series 60" credenza with pull-out drawers.

The codes **TN S 2086-T / TN WT 0004-T** specify a Nevamar S 2086-T laminate for the drawers and a Nevamar WT 0004-T laminate for the back panel.



Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer
			door/drawer thickness >		
			3/8"	7/8"	7/8"
<b>Drawers/Doors (continued)</b>					
<b>18 x 72</b>					
	<b>EGWM E72</b>	178	3550	3650	3600
Two 36" drawers					
	<b>EGWM ER72</b>	161	3650		3700
Four 18" doors					
<b>18 x 90</b>					
	<b>EGWM E90</b>	227	4250	4350	4300
Three 30" drawers					
	<b>EGWM ER90</b>	214	4350		4400
Six 15" doors					
Case Height: 20.5"					




Finish Options	Code	Price
Chrome .....		\$ 103
Nickel .....		\$ 141
Powder Coat - Standard .....		n/c
Powder Coat - Premium .....		\$ 103
Platinum .....		\$ 312

Transparent Powder Coat available by sample approval



**Questions?**

1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			3/8"	1/2"	3/8"				3/8"	1/2"	3/8"
<b>Top Access Drawers</b>						<b>Drawers/Doors</b>					
 <p>24 x 18</p> <p>One 18" top drawer, 18" opening</p>	<b>EGFM D18</b>	84	1095	1195	1145	 <p>24 x 18</p> <p>One 18" drawer</p>	<b>EGFM E18</b>	78	1195	1295	1245
 <p>24 x 30</p> <p>One 30" top drawer, 30" opening</p>	<b>EGFM D30</b>	114	1395	1495	1445	 <p>One 18" right door</p>	<b>EGFM ER18</b>	68	1195		1245
 <p>24 x 36</p> <p>One 36" top drawer, 36" opening</p>	<b>EGFM D36</b>	131	1595	1695	1645	 <p>One 18" left door</p>	<b>EGFM EL18</b>	68	1195		1245
 <p>24 x 60</p> <p>Two 30" top drawers, 30" openings</p>	<b>EGFM D60</b>	208	3495	3595	3545	 <p>24 x 30</p> <p>One 30" drawer</p>	<b>EGFM E30</b>	107	1395	1495	1445
 <p>24 x 72</p> <p>Two 36" top drawers, 36" openings</p>	<b>EGFM D72</b>	242	3695	3795	3745	 <p>Two 15" doors</p>	<b>EGFM ER30</b>	94	1495		1545
 <p>24 x 90</p> <p>Three 30" top drawers, 30" openings</p>	<b>EGFM D90</b>	304	3895	3995	3945	 <p>24 x 36</p> <p>One 36" drawer</p>	<b>EGFM E36</b>	120	1695	1795	1745
Case Height: 26"						 <p>Two 18" doors</p>	<b>EGFM ER36</b>	106	1795		1845
						 <p>24 x 60</p> <p>Two 30" drawers</p>	<b>EGFM E60</b>	198	3050	3150	3105
						 <p>Four 15" doors</p> <p>Case Height: 26"</p>	<b>EGFM ER60</b>	174	3150		3205

**Sample Product Number Construction:**

1 Choose your frame model.

2 Specify the frame finish, glass\*, laminate or veneer code for drawer/door material and laminate code for back panel.

\*Glass is not available on door fronts










An **EGFM E60** is an Eliga base series 60" credenza with pull-out drawers.

The codes **GR / GRD / TF 1097-58** specify a graphite frame, red glass drawers with a Formica 1097-58 laminate back panel.



Questions?  
1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			1/8"	1/8"	1/8"				1/8"	1/8"	1/8"
<b>Drawers/Doors (continued)</b>						<b>Side Access Drawers</b>					
<b>24 x 72</b>						<b>24 x 30</b>					
	<b>EGFM E72</b>	230	3650	3750	3705		<b>EGFM F30R</b>	108	1195	1295	1245
Two 36" drawers						One 18" right drawer, 12" side opening					
	<b>EGFM ER72</b>	215	3750		3805		<b>EGFM F30L</b>	108	1195	1295	1245
Four 18" doors						One 18" left drawer, 12" side opening					
<b>24 x 90</b>						<b>24 x 36</b>					
	<b>EGFM E90</b>	278	4350	4450	4405		<b>EGFM F36R</b>	122	1695	1795	1745
Three 30" drawers						One 18" right drawer, 18" opening					
	<b>EGFM ER90</b>	255	4550		4605		<b>EGFM F36L</b>	122	1695	1795	1745
Six 15" doors						One 18" left drawer, 18" opening					
						<b>24 x 60</b>					
							<b>EGFM F60R</b>	188	3595	3695	3645
						One 30" right drawer, 30" opening with divider shelf					
							<b>EGFM F60L</b>	188	3595	3695	3645
						One 30" left drawer, 30" opening with divider shelf					
Case Height: 26"						Case Height: 26"					

Finish Options	Code	Price
Chrome.....		\$ 103
Nickel.....		\$ 141
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 103
Platinum.....		\$ 312

Transparent Powder Coat available by sample approval

Drawer Options	Code	Price
Serving Drawer*.....	ASD	\$ 156
File Drawer*.....	AFD	156
Media Storage Drawer*.....	AMS	156

\*Available on E, F and H series only

**Note:** Drawer insert finish matches frame finish  
Chrome frame finish has Silver insert finish







Drawer Options	Code	Price
Trash Drawer*.....	ATC	\$ 78

\*Available on E and F series only  
Trash Can(s) included  
Beverage Drawer\*..... AIB 166  
\*Available on E, F and H series only  
Ice Bucket(s) included



**Questions?**

1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			3/8"	1/2"	3/8"				3/8"	1/2"	3/8"
<b>Side Access Drawers (continued)</b>						<b>Access Drawers</b>					
<b>24 x 72</b>						<b>24 x 36</b>					
	<b>EGFM F72R</b>	217	3795	3895	3845		<b>EGFM G36R</b>	110	1495	1595	1545
One 36" right drawer, 36" opening with divider shelf						One 18" right top drawer, one 36" large opening, one 18" small opening with divider shelf					
	<b>EGFM F72L</b>	217	3795	3895	3845		<b>EGFM G36L</b>	110	1495	1595	1545
One 36" left drawer, 36" opening with divider shelf						One 18" left top drawer, one 36" large opening, one 18" small opening with divider shelf					
<b>24 x 90</b>						<b>24 x 60</b>					
	<b>EGFM F90</b>	289	3895	3995	3945		<b>EGFM G60R</b>	189	3395	3495	3445
One 18" each left/right drawers, two 27" large openings, two 27" small openings with divider shelves						One 30" right top drawer, two 30" large openings, one 30" small opening with divider shelf					
							<b>EGFM G60L</b>	189	3395	3495	3445
						One 30" left top drawer, two 30" large openings, one 30" small opening with divider shelf					
							<b>EGFM G72R</b>	221	3595	3695	3645
						One 36" right top drawer, two 36" large openings, one 36" small opening with divider shelf					
							<b>EGFM G72L</b>	221	3595	3695	3645
						One 36" left top drawer, two 36" large openings, one 36" small opening with divider shelf					
Case Height: 26"						Case Height: 26"					

**Sample Product Number Construction:**

1 Choose your frame model.

2 Specify the frame finish, glass\*, laminate or veneer code for drawer/door material and laminate code for back panel.

\*Glass is not available on door fronts







An **EGFM H60** is an Eliga base series 60" credenza with pull-out drawers.

The codes **GR / GRD / TF 1097-58** specify a graphite frame, red glass drawers with a Formica 1097-58 laminate back panel.



Questions?  
1.800.876.2120

Description	Model #	Wt	door/drawer material >			Description	Model #	Wt	door/drawer material >		
			Laminate	Glass	Veneer				Laminate	Glass	Veneer
			1/8"	1/2"	3/8"				1/8"	1/2"	3/8"
<b>Access Drawers (continued)</b>						<b>Access Drawers</b>					
24 x 90						24 x 18					
	<b>EGFM G90</b>	273	3795	3895	3845		<b>EGFM H18</b>	84	1195	1295	1245
One 18" left/right top drawers, two 45" large openings, two 27" small openings with divider shelves						One 18" bottom drawer, 18" opening					
						24 x 30					
							<b>EGFM H30</b>	121	1395	1495	1445
						One 30" bottom drawer, 30" opening					
						24 x 36					
							<b>EGFM H36</b>	138	1695	1795	1745
						One 36" bottom drawer, 36" opening					
						24 x 60					
							<b>EGFM H60</b>	224	3050	3150	3105
						Two 30" bottom drawers, two 30" openings					
						24 x 72					
							<b>EGFM H72</b>	259	3650	3750	3705
						Two 36" bottom drawers, two 36" openings					
						24 x 90					
							<b>EGFM H90</b>	330	4350	4450	4405
						Three 30" bottom drawers, three 30" openings					
Case Height: 26"						Case Height: 26"					

Finish Options	Code	Price
Chrome.....		\$ 103
Nickel.....		\$ 141
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 103
Platinum.....		\$ 312

Transparent Powder Coat available by sample approval

Drawer Options	Code	Price
Serving Drawer*.....	ASD	\$ 156
File Drawer*.....	AFD	156
Media Storage Drawer*.....	AMS	156

\*Available on E, F and H series only

**Note:** Drawer insert finish matches frame finish  
Chrome frame finish has Silver insert finish

Drawer Options	Code	Price
Trash Drawer*.....	ATC	\$ 78

\*Available on E and F series only  
Trash Can(s) included  
Beverage Drawer\*..... AIB 166  
\*Available on E, F and H series only  
Ice Bucket(s) included





Rectangle Benching

Finish Options	Code	Price
Chrome.....		\$ 416
Nickel.....		\$ 454
Powder Coat - Standard.....		n/c
Powder Coat - Premium.....		\$ 103
Platinum.....		\$ 312
Transparent Powder Coat available by sample approval		

**Privacy Screen Options**  
(Order privacy screen 12" shorter than the table.)

Dry Erase Markerboard

36" - 48" (each).....	PSCR1S	\$ 335
60" - 84" (each).....	PSCR1L	\$ 636

**NOTE: AVAILABLE IN ALL FORMICA SOLID LAMINATE COLORS.**

Rauvisio Crystal Markerboard

36" - 48" (each).....	PSCR2S	\$ 1317
60" - 84" (each).....	PSCR2L	\$ 2450

**Power & Data Options**  
Please reference the Power & Data section (page 40) or the Power & Data Price List

**Wire Management Options**

Eliga Wire Manager (each).....	WEL	\$ 33
--------------------------------	-----	-------



An **EGE3 4860REFX LP7S** is an Eliga series 48" x 60" benching table with fixed bases and a laminate 1" thick top with a PVC edge and square corners.

The codes **GR/TN S 6001-T/EB** specify a Graphite base, Nevamar S 6001-T laminate and the PVC edge in Ebony.





Rectangle Benching

Finish Options	Code	Price
Chrome		\$ 416
Nickel		\$ 454
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 103
Platinum		\$ 312
Transparent Powder Coat available by sample approval		

**Privacy Screen Options**  
(Order privacy screen 12" shorter than the table.)

Dry Erase Markerboard

36" - 48" (each)	PSCR1S	\$ 335
60" - 84" (each)	PSCR1L	\$ 636

**NOTE: AVAILABLE IN ALL FORMICA SOLID LAMINATE COLORS.**

Rauvisio Crystal Markerboard

36" - 48" (each)	PSCR2S	\$ 1317
60" - 84" (each)	PSCR2L	\$ 2450

**Power & Data Options**  
Please reference the Power & Data section (page 40) or the Power & Data Price List

**Wire Management Options**

Eliga Wire Manager (each)	WEL	\$ 33
---------------------------	-----	-------

Eliga






An **EGE4 4872REFX LP7S** is an Eliga series 48" x 72" benching table with fixed bases and a laminate 1" thick top with a PVC edge and square corners.

The codes **GR/TN S 6001-T/EB** specify a Graphite base, Nevamar S 6001-T laminate and the PVC edge in Ebony.



**Questions?**

1.800.876.2120

			Laminate	Glass	Veneer
			Fabric Grade 2	Fabric Grade 2	Fabric Grade 2
			7/8"	7/8"	7/8"
Description	Model #	Wt			
<p><b>24 x 36</b></p>  <p>One 36" bottom drawer, 36" opening</p>	<b>EGVC H36</b>	170	2250	2350	2300
<p><b>24 x 60</b></p>  <p>Two 30" bottom drawers, two 30" openings</p>	<b>EGVC H60</b>	266	3650	3750	3700
<p><b>24 x 72</b></p>  <p>Two 36" bottom drawers, two 36" openings</p>	<b>EGVC H72</b>	297	4200	4300	4250
<p><b>24 x 90</b></p>  <p>Three 30" bottom drawers, three 30" openings</p> <p>Case Height: 26" Overall Height: 50"</p> <p><b>Note:</b> Momentum Hue or CF Stinson Ace only standard fabric options, others are available via a sample approval.</p> <p><b>Note:</b> Mounting hardware for TV monitors is not provided.</p>	<b>EGVC H90</b>	411	5200	5300	5250

**Sample Product Number Construction:**

- Choose your frame model.
- Specify the frame finish, glass, laminate or veneer code for drawer/door material and fabric code for fabric panel.



An **EGVC H60** is an Eliga video conference series 60" credenza.

The codes **SV / TW 4779-60 / TF 7213-58 / FAC Driftwood** specify a silver frame, Wilsonart 4779-60 laminate drawer front, Formica 7213-58 back panel laminate with a Grade 2 Ace Driftwood upholstery panel.



Questions?

1.800.876.2120

<b>Finish Options</b>		<b>Code</b>	<b>Price</b>	<b>Drawer Options</b>		<b>Code</b>	<b>Price</b>
Chrome.....	\$	103		Serving Drawer.....	ASD	\$	156
Nickel.....	\$	141		File Drawer.....	AFD		156
Powder Coat - Standard.....		n/c		Media Storage Drawer.....	AMS		156
Powder Coat - Premium.....	\$	103		Beverage Drawer.....	AIB		166
Platinum.....	\$	312					

Transparent Powder Coat available by sample approval

Ice Bucket(s) included

**Note:** Drawer insert finish matches frame finish  
Chrome frame finish has Silver insert finish



**Questions?**


1.800.876.2120

Description	Model #	Wt	Laminate	Veneer	Description	Model #	Wt	Laminate	Veneer	
<b>24" Pedestals</b>			<b>30" Pedestals</b>							
<b>16 x 24</b>  Box/File Legs Height: 26.25"	<b>EG1624PD4</b>	85	2132	2232	<b>16 x 30</b>  Box/File Legs Height: 26.25"	<b>EG1630PD4</b>	100	2061	2161	
<b>16 x 24</b>  Box/Box/File Legs Height: 26.25"	<b>EG1624PD2</b>	105	2010	2110	<b>16 x 30</b>  Box/Box/File Legs Height: 26.25"	<b>EG1630PD2</b>	121	2167	2267	
<b>16 x 24</b>  Box/Box/File Casters Height: 26.25"	<b>EG1624PD1</b>	107	1944	2044	<b>16 x 30</b>  Box/Box/File Casters Height: 26.25"	<b>EG1630PD1</b>	123	2084	2184	
<b>16 x 24</b>  Box/File Casters Height: 22.5"	<b>EG1624PD3</b>	87	2074	2174	<b>16 x 30</b>  Box/File Casters Height: 22.5"	<b>EG1630PD3</b>	102	2003	2103	

**Sample Product Number Construction:**

- Choose your base model.
- Specify the frame finish, and laminate or veneer code for drawer fronts.

\*Glass is not available on door fronts



An **EG1624PD4** is an Eliga 16" x 24" box/file pedestal with legs.

The codes **GR / TN WT 0004-T** specify a graphite frame with Nevamar WT 0004-T laminate drawer fronts.




[Questions?](#)  
1.800.876.2120

Description	Model #	Wt	material > grade >				
			Fabric Grade 2	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
<b>Pedestal Cushions</b>							
16 x 24 Cushion							
 <b>ASC1624</b>	4	190	246	302	358	414	
16 x 30 Cushion							
 <b>ASC1630</b>	4	210	266	322	378	434	

Eliga

Finish Options	Code	Price
Chrome.....		\$ 103
Nickel.....		\$ 141
Powder Coat - Standard.....		n/c
Powder Coat - Premium.....		\$ 103
Platinum.....		\$ 312



Transparent Powder Coat available by sample approval



**Questions?**  
1.800.876.2120


Black = Fixed Bases

top > edge >	Laminate PVC	Laminate 3mm Wood	Laminate Wood	Veneer 3mm Wood	Veneer Wood
	Flat 	Flat 	Square 	Flat 	Square 
edge ordering code (square corner) > top thickness >	<b>LP7S</b> 1"	<b>LW7S</b> 1"	<b>LWS7</b> 1"	<b>VW7S</b> 1"	<b>VWS7</b> 1"

Style	Description	Model #	Product Wt	top thickness price >				
				1"	1"	1"	1"	1"
 Standard Height (29") Overall Height (53½")	43 x 72 Fix	<b>EGMC 4372</b>	387	9200	9400	9560	9800	10000
	43 x 84 Fix	<b>EGMC 4384</b>	404	9800	10000	10160	10400	10600
	43 x 96 Fix	<b>EGMC 4396</b>	421	10400	10600	10760	11000	11200
 Stand-up Height (42") Overall Height (66½")	43 x 72 Fix—Stand-up Height	<b>EGMCS 4372</b>	417	9600	9800	9960	10200	10400
	43 x 84 Fix—Stand-up Height	<b>EGMCS 4384</b>	434	10200	10400	10560	10800	11000
	43 x 96 Fix—Stand-up Height	<b>EGMCS 4396</b>	451	10800	11000	11160	11400	11600
	56 x 72 Fix	<b>EGMC 5672</b>	464	10000	10200	10360	10600	10800
	56 x 84 Fix	<b>EGMC 5684</b>	489	10600	10800	10960	11200	11400
	56 x 96 Fix	<b>EGMC 5696</b>	514	11200	11400	11560	11800	12000
	56 x 72 Fix—Stand-up Height	<b>EGMCS 5672</b>	494	10400	10600	10760	11000	11200
	56 x 84 Fix—Stand-up Height	<b>EGMCS 5684</b>	519	11000	11200	11360	11600	11800
	56 x 96 Fix—Stand-up Height	<b>EGMCS 5696</b>	544	11600	11800	11960	12200	12400

**Sample Product Number Construction:**

- 1 Choose your base model, including a top & edge style.
- 2 Specify the base finish, laminate or veneer top code, and edge color, laminate back panel code and drawer material code.
- 3 a. Indicate selected power and data options.  
b. Indicate selected wire management options.



<b>Finish Options</b>	<b>Code</b>	<b>Price</b>
Chrome .....		\$ 416
Nickel .....		\$ 454
Powder Coat - Standard .....		n/c
Powder Coat - Premium .....		\$ 103
Platinum .....		\$ 312
Transparent Powder Coat available by sample approval		

<b>Side Drawer Front Options</b>		
(standard drawer front material is laminate)		
Veneer .....	SDV	\$ 36
Glass .....	SDG	\$ 78

**NOTE:** DRAWER INSERT FINISH MATCHES FRAME FINISH  
CHROME FRAME FINISH HAS SILVER INSERT FINISH

**Power & Data Options**  
Please reference the Power & Data section (page 40) or the Power & Data Price List

<b>Wire Management Options</b>		
Plastic Runner, Under Top Mount .....	WRT	\$ 103
1 Oval Brush Grommet - Location A .....	WOA	\$ 59
2 Oval Brush Grommets - Location E .....	WOE	\$ 119
1 Oval Brush Grommet - Provide Location Print .....	WOG	\$ 59
1 Round Grommet - Location A .....	WRA	\$ 47
2 Round Grommets - Location E .....	WRE	\$ 93
1 Round Grommet - Provide Location Print .....	WRG	\$ 47



An **EGMC 4572 LP7R** is an Eliga series 45" x 72" media center with a 1" thick laminate top and a PVC edge.

The codes **SV / TF 902-58 / AY / TP WC105 / GSV** specify a silver base, Formica 902-58 laminate, PVC edge in Alloy, a Wilsonart WC105 laminate back panel and silver glass drawer fronts.



All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. VERSTEEL reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

[VERSTEEL.COM](http://VERSTEEL.COM)

800.876.2120  
2332 Cathy Lane Jasper, Indiana 47546

© 2016 Versteel