

WAVEWORKS

COMPONENTS

Component Units

446

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3684WSSADW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WWN3684WSSADL M V440 X D1L440 X 83 440
 WWN3684WSSADLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS							CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW				
<div>ARC COMPONENT</div> <div></div>	1¹/₁₆" TOP THICKNESS										
	WWN3684WSSADW	Wood	\$	2170	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSADLW	Laminate/Wood		2170	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSADL	Laminate		1541	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3672WSSADW	Wood	\$	1876	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3672WSSADLW	Laminate/Wood		1876	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3672WSSADL	Laminate		1340	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	1³/₁₆" TOP THICKNESS										
	WW3684WSSADW	Wood	\$	1959	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSADLW	Laminate/Wood		1959	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
WW3684WSSADL	Laminate		1331	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4	
WW3684WSSADLL	TFL		1066	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4	
WW3672WSSADW	Wood	\$	1663	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
WW3672WSSADLW	Laminate/Wood		1663	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
WW3672WSSADL	Laminate		1133	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
WW3672WSSADLL	TFL		904	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
<div><ul style="list-style-type: none">• TFL worksurfaces are 1¹/₂" thick• Wire manager locations: right or left; see page 346 for wire manager colors and upcharge• When ordering a wire manager, a wire manager filler can be ordered separately; see page 538• Worksurfaces can be ordered in ¹/₁₆" increments in depth to a minimum of 30¹/₁₆"• When ordering a worksurface with a size modification, specify desired depth• For use with 29" deep component pedestals• For additional worksurface support, specify Undersurface Support Rail, see page 534• Modified width not available• For undersurface wire managers, see page 749</div>											

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3684WSSDL M V440 X D1L440 X 83 440
 WW3684WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	1 1/8" TOP THICKNESS			D	W	H	A	KW		
<div>RECTANGULAR WORKSURFACE 36" DEPTH</div> <div><div><div></div><div>B</div><div>L</div><div>R</div></div></div>	WWN3684WSSDW	Wood	\$ 1858	36 1/16	83 1/16	1 1/16	—	—	132 lbs.	5.4
	WWN3684WSSDLW	Laminate/Wood	1858	36 1/16	83 1/16	1 1/16	—	—	132 lbs.	5.4
	WWN3684WSSDL	Laminate	1318	36 1/16	83 1/16	1 1/16	—	—	132 lbs.	5.4
	WWN3678WSSDW	Wood	\$ 1728	36 1/16	77 1/16	1 1/16	—	—	120 lbs.	4.7
	WWN3678WSSDLW	Laminate/Wood	1728	36 1/16	77 1/16	1 1/16	—	—	120 lbs.	4.7
	WWN3678WSSDL	Laminate	1231	36 1/16	77 1/16	1 1/16	—	—	120 lbs.	4.7
	WWN3672WSSDW	Wood	\$ 1604	36 1/16	71 1/16	1 1/16	—	—	95 lbs.	4.0
	WWN3672WSSDLW	Laminate/Wood	1604	36 1/16	71 1/16	1 1/16	—	—	95 lbs.	4.0
	WWN3672WSSDL	Laminate	1146	36 1/16	71 1/16	1 1/16	—	—	95 lbs.	4.0
	WWN3666WSSDW	Wood	\$ 1561	36 1/16	66	1 1/16	—	—	90 lbs.	3.8
	WWN3666WSSDLW	Laminate/Wood	1561	36 1/16	66	1 1/16	—	—	90 lbs.	3.8
	WWN3666WSSDL	Laminate	1089	36 1/16	66	1 1/16	—	—	90 lbs.	3.8
	WWN3660WSSDW	Wood	\$ 1538	36 1/16	60	1 1/16	—	—	87 lbs.	3.5
	WWN3660WSSDLW	Laminate/Wood	1538	36 1/16	60	1 1/16	—	—	87 lbs.	3.5
	WWN3660WSSDL	Laminate	1032	36 1/16	60	1 1/16	—	—	87 lbs.	3.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF
 WW3684WSSDL M V405 G1C D1BL403 83 $\frac{1}{2}$ TF
 WW3684WSSDLW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF TF

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 36" DEPTH (CONTINUED) 	1$\frac{3}{16}$" TOP THICKNESS								
	WW3684WSSDW Wood	\$ 1671	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	132 lbs.	5.4
	WW3684WSSDLW Laminate/Wood	1671	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	132 lbs.	5.4
	WW3684WSSDL Laminate	1137	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	132 lbs.	5.4
	WW3684WSSDLL TFL	909	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WW3678WSSDW Wood	\$ 1547	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	120 lbs.	4.7
	WW3678WSSDLW Laminate/Wood	1547	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	120 lbs.	4.7
	WW3678WSSDL Laminate	1052	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	120 lbs.	4.7
	WW3678WSSDLL TFL	842	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	120 lbs.	4.7
	WW3672WSSDW Wood	\$ 1423	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	WW3672WSSDLW Laminate/Wood	1423	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	WW3672WSSDL Laminate	967	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	WW3672WSSDLL TFL	774	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WW3666WSSDW Wood	\$ 1379	36 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	3.8
	WW3666WSSDLW Laminate/Wood	1379	36 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	3.8
	WW3666WSSDL Laminate	909	36 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	3.8
	WW3666WSSDLL TFL	727	36 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	90 lbs.	3.8
	WW3660WSSDW Wood	\$ 1354	36 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	3.5
	WW3660WSSDLW Laminate/Wood	1354	36 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	3.5
	WW3660WSSDL Laminate	853	36 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	3.5
	WW3660WSSDLL TFL	682	36 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	87 lbs.	3.5

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3096WSSDW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF
 WWN3096WSSDL M V405 G1C D1BL403 83 $\frac{1}{2}$ TF
 WWN3096WSSDLW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF TF

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 30" DEPTH	1 $\frac{1}{8}$ " TOP THICKNESS		D	W	H				
	WWN3096WSSDW Wood	\$ 1728	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3096WSSDLW Laminate/Wood	1728	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3096WSSDL Laminate	1131	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3090WSSDW Wood	\$ 1668	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3090WSSDLW Laminate/Wood	1668	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3090WSSDL Laminate	1098	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3084WSSDW Wood	\$ 1604	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3084WSSDLW Laminate/Wood	1604	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3084WSSDL Laminate	1066	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3078WSSDW Wood	\$ 1483	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3078WSSDLW Laminate/Wood	1483	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3078WSSDL Laminate	979	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3072WSSDW Wood	\$ 1355	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3072WSSDLW Laminate/Wood	1355	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3072WSSDL Laminate	895	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3066WSSDW Wood	\$ 1313	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3066WSSDLW Laminate/Wood	1313	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3066WSSDL Laminate	835	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3060WSSDW Wood	\$ 1285	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
	WWN3060WSSDLW Laminate/Wood	1285	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
	WWN3060WSSDL Laminate	778	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3084WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3084WSSDL M V440 X D1L440 X 83 440
 WW3084WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) 	1¹/₁₆" TOP THICKNESS (CONTINUED)									
	WWN3054WSSDW	Wood	\$ 1264	30 ³ / ₁₆	54	1 ¹ / ₁₆	—	—	74 lbs.	3.0
	WWN3054WSSDLW	Laminate/Wood	1264	30 ³ / ₁₆	54	1 ¹ / ₁₆	—	—	74 lbs.	3.0
	WWN3054WSSDL	Laminate	728	30 ³ / ₁₆	54	1 ¹ / ₁₆	—	—	74 lbs.	3.0
	WWN3048WSSDW	Wood	\$ 1241	30 ³ / ₁₆	48	1 ¹ / ₁₆	—	—	67 lbs.	2.7
	WWN3048WSSDLW	Laminate/Wood	1241	30 ³ / ₁₆	48	1 ¹ / ₁₆	—	—	67 lbs.	2.7
	WWN3048WSSDL	Laminate	681	30 ³ / ₁₆	48	1 ¹ / ₁₆	—	—	67 lbs.	2.7
	1³/₁₆" TOP THICKNESS									
WW3096WSSDW	Wood	\$ 1547	30 ³ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	152 lbs.	6.2	
WW3096WSSDLW	Laminate/Wood	1547	30 ³ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	152 lbs.	6.2	
WW3096WSSDL	Laminate	952	30 ³ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	152 lbs.	6.2	
WW3096WSSDLL	TFL	760	30 ³ / ₁₆	95 ¹ / ₁₆	1 ¹ / ₂	—	—	152 lbs.	6.2	
WW3090WSSDW	Wood	\$ 1486	30 ³ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	142 lbs.	5.8	
WW3090WSSDLW	Laminate/Wood	1486	30 ³ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	142 lbs.	5.8	
WW3090WSSDL	Laminate	921	30 ³ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	142 lbs.	5.8	
WW3090WSSDLL	TFL	734	30 ³ / ₁₆	89 ¹ / ₁₆	1 ¹ / ₂	—	—	142 lbs.	5.8	
WW3084WSSDW	Wood	\$ 1423	30 ³ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4	
WW3084WSSDLW	Laminate/Wood	1423	30 ³ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4	
WW3084WSSDL	Laminate	884	30 ³ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4	
WW3084WSSDLL	TFL	707	30 ³ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₂	—	—	132 lbs.	5.4	
WW3078WSSDW	Wood	\$ 1297	30 ³ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	124 lbs.	5.0	
WW3078WSSDLW	Laminate/Wood	1297	30 ³ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	124 lbs.	5.0	
WW3078WSSDL	Laminate	798	30 ³ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	124 lbs.	5.0	
WW3078WSSDLL	TFL	640	30 ³ / ₁₆	77 ¹ / ₁₆	1 ¹ / ₂	—	—	124 lbs.	5.0	

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WW3066WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3066WSSDL M V440 X D1L440 X 83 440
 WW3066WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)		1 3/8" TOP THICKNESS (CONTINUED)									
	QWW3072WSSDW	Wood	\$	1173	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	WW3072WSSDW	Wood		1173	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	WW3072WSSDLW	Laminate/Wood		1173	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	WW3072WSSDL	Laminate		717	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	QWW3072WSSDLL	TFL		574	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	WW3072WSSDLL	TFL		574	30 3/16	71 1/16	1 3/8	—	—	95 lbs.	4.0
	WW3066WSSDW	Wood	\$	1130	30 3/16	66	1 3/8	—	—	88 lbs.	3.7
	WW3066WSSDLW	Laminate/Wood		1130	30 3/16	66	1 3/8	—	—	88 lbs.	3.7
	WW3066WSSDL	Laminate		658	30 3/16	66	1 3/8	—	—	88 lbs.	3.7
	WW3066WSSDLL	TFL		526	30 3/16	66	1 3/8	—	—	88 lbs.	3.7
	WW3060WSSDW	Wood	\$	1104	30 3/16	60	1 3/8	—	—	81 lbs.	3.3
	WW3060WSSDLW	Laminate/Wood		1104	30 3/16	60	1 3/8	—	—	81 lbs.	3.3
WW3060WSSDL	Laminate		600	30 3/16	60	1 3/8	—	—	81 lbs.	3.3	
WW3060WSSDLL	TFL		480	30 3/16	60	1 3/8	—	—	81 lbs.	3.3	
WW3054WSSDW	Wood	\$	1079	30 3/16	54	1 3/8	—	—	74 lbs.	3.0	
WW3054WSSDLW	Laminate/Wood		1079	30 3/16	54	1 3/8	—	—	74 lbs.	3.0	
WW3054WSSDL	Laminate		551	30 3/16	54	1 3/8	—	—	74 lbs.	3.0	
WW3054WSSDLL	TFL		441	30 3/16	54	1 3/8	—	—	74 lbs.	3.0	
WW3048WSSDW	Wood	\$	1056	30 3/16	48	1 3/8	—	—	67 lbs.	2.7	
WW3048WSSDLW	Laminate/Wood		1056	30 3/16	48	1 3/8	—	—	67 lbs.	2.7	
WW3048WSSDL	Laminate		503	30 3/16	48	1 3/8	—	—	67 lbs.	2.7	
WW3048WSSDLL	TFL		402	30 3/16	48	1 3/8	—	—	67 lbs.	2.7	

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2496WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2496WSSDL M V440 X D1L440 X 92 440
 WWN2496WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<div>RECTANGULAR WORKSURFACE 24" DEPTH</div> <div><div><div></div><div>B</div><div></div><div>L</div><div></div><div>R</div></div></div>	1 ¹ / ₈ " TOP THICKNESS										
	WWN2496WSSDW	Wood	\$ 1608	24	95 ¹ / ₈	1 ¹ / ₈	—	—		95 lbs.	3.6
	WWN2496WSSDLW	Laminate/Wood	1608	24	95 ¹ / ₈	1 ¹ / ₈	—	—		95 lbs.	3.6
	WWN2496WSSDL	Laminate	1018	24	95 ¹ / ₈	1 ¹ / ₈	—	—		95 lbs.	3.6
	WWN2490WSSDW	Wood	\$ 1544	24	89 ¹ / ₈	1 ¹ / ₈	—	—		130 lbs.	3.4
	WWN2490WSSDLW	Laminate/Wood	1544	24	89 ¹ / ₈	1 ¹ / ₈	—	—		130 lbs.	3.4
	WWN2490WSSDL	Laminate	986	24	89 ¹ / ₈	1 ¹ / ₈	—	—		130 lbs.	3.4
	WWN2484WSSDW	Wood	\$ 1484	24	83 ¹ / ₈	1 ¹ / ₈	—	—		88 lbs.	3.4
	WWN2484WSSDLW	Laminate/Wood	1484	24	83 ¹ / ₈	1 ¹ / ₈	—	—		88 lbs.	3.4
	WWN2484WSSDL	Laminate	954	24	83 ¹ / ₈	1 ¹ / ₈	—	—		88 lbs.	3.4
	WWN2478WSSDW	Wood	\$ 1357	24	77 ¹ / ₈	1 ¹ / ₈	—	—		90 lbs.	3.3
	WWN2478WSSDLW	Laminate/Wood	1357	24	77 ¹ / ₈	1 ¹ / ₈	—	—		90 lbs.	3.3
	WWN2478WSSDL	Laminate	868	24	77 ¹ / ₈	1 ¹ / ₈	—	—		90 lbs.	3.3
	WWN2472WSSDW	Wood	\$ 1231	24	71 ¹ / ₈	1 ¹ / ₈	—	—		85 lbs.	3.2
	WWN2472WSSDLW	Laminate/Wood	1231	24	71 ¹ / ₈	1 ¹ / ₈	—	—		85 lbs.	3.2
	WWN2472WSSDL	Laminate	778	24	71 ¹ / ₈	1 ¹ / ₈	—	—		85 lbs.	3.2
	WWN2466WSSDW	Wood	\$ 1195	24	66	1 ¹ / ₈	—	—		81 lbs.	3.0
WWN2466WSSDLW	Laminate/Wood	1195	24	66	1 ¹ / ₈	—	—		81 lbs.	3.0	
WWN2466WSSDL	Laminate	734	24	66	1 ¹ / ₈	—	—		81 lbs.	3.0	
WWN2460WSSDW	Wood	\$ 1163	24	60	1 ¹ / ₈	—	—		76 lbs.	2.8	
WWN2460WSSDLW	Laminate/Wood	1163	24	60	1 ¹ / ₈	—	—		76 lbs.	2.8	
WWN2460WSSDL	Laminate	707	24	60	1 ¹ / ₈	—	—		76 lbs.	2.8	

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN2454WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2454WSSDL M V440 X D1L440 X 92 440
 WWN2454WSSDLW M F X D1B440 X X MH MH
- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)								
	WWN2454WSSDW Wood	\$ 1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDLW Laminate/Wood	1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDL Laminate	647	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2448WSSDW Wood	\$ 1117	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDLW Laminate/Wood	1117	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDL Laminate	601	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2442WSSDW Wood	\$ 1077	24	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDLW Laminate/Wood	1077	24	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDL Laminate	559	24	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2436WSSDW Wood	\$ 1041	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDLW Laminate/Wood	1041	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDL Laminate	525	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2430WSSDW Wood	\$ 1021	24	30 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDLW Laminate/Wood	1021	24	30 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDL Laminate	490	24	30 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2424WSSDW Wood	\$ 1000	24	24	1 $\frac{1}{8}$	—	—	1.5	
	WWN2424WSSDLW Laminate/Wood	1000	24	24	1 $\frac{1}{8}$	—	—	1.5	
	WWN2424WSSDL Laminate	465	24	24	1 $\frac{1}{8}$	—	—	1.5	

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2478WSSDW M F X D1BL403 X 76 $\frac{1}{8}$ MH
 WW2478WSSDL M V440 X D1L440 X 76 440
 WW2478WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS								
	WW2496WSSDW Wood	\$ 1425	24	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	95 lbs.	3.6
	WW2496WSSDLW Laminate/Wood	1425	24	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	95 lbs.	3.6
	WW2496WSSDL Laminate	838	24	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	95 lbs.	3.6
	WW2496WSSDLL TFL	671	24	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	95 lbs.	3.6
	WW2490WSSDW Wood	\$ 1363	24	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	130 lbs.	3.4
	WW2490WSSDLW Laminate/Wood	1363	24	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	130 lbs.	3.4
	WW2490WSSDL Laminate	804	24	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	130 lbs.	3.4
	WW2490WSSDLL TFL	647	24	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	130 lbs.	3.4
	WW2484WSSDW Wood	\$ 1298	24	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	88 lbs.	3.4
	WW2484WSSDLW Laminate/Wood	1298	24	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	88 lbs.	3.4
	WW2484WSSDL Laminate	773	24	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	88 lbs.	3.4
	WW2484WSSDLL TFL	617	24	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	88 lbs.	3.4
	WW2478WSSDW Wood	\$ 1174	24	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	90 lbs.	3.3
	WW2478WSSDLW Laminate/Wood	1174	24	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	90 lbs.	3.3
	WW2478WSSDL Laminate	686	24	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	90 lbs.	3.3
	WW2478WSSDLL TFL	549	24	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	90 lbs.	3.3
	QWW2472WSSDW Wood	\$ 1046	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDW Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDLW Laminate/Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDL Laminate	600	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	QWW2472WSSDLL TFL	480	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDLL TFL	480	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2466WSSDW Wood	\$ 1007	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDLW Laminate/Wood	1007	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDL Laminate	556	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDLL TFL	446	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2460WSSDW Wood	\$ 979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDLW Laminate/Wood	979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDL Laminate	526	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDLL TFL	421	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2454WSSDW M F X D1BL403 X 76 $\frac{1}{8}$ MH
 WW2454WSSDL M V440 X D1L440 X 76 440
 WW2454WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	1$\frac{3}{8}$" TOP THICKNESS (CONTINUED)								
	WW2454WSSDW Wood	\$ 954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDLW Laminate/Wood	954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDL Laminate	465	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDLL TFL	373	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2448WSSDW Wood	\$ 933	24	48 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSDLW Laminate/Wood	933	24	48 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSDL Laminate	422	24	48 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSDLL TFL	339	24	48 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2442WSSDW Wood	\$ 892	24	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSDLW Laminate/Wood	892	24	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSDL Laminate	380	24	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSDLL TFL	303	24	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2436WSSDW Wood	\$ 858	24	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSDLW Laminate/Wood	858	24	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSDL Laminate	347	24	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSDLL TFL	276	24	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2430WSSDW Wood	\$ 834	24	30 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSDLW Laminate/Wood	834	24	30 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSDL Laminate	311	24	30 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSDLL TFL	248	24	30 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2424WSSDW Wood	\$ 813	24	24	1 $\frac{3}{8}$	—	—	1.5	
	WW2424WSSDLW Laminate/Wood	813	24	24	1 $\frac{3}{8}$	—	—	1.5	
	WW2424WSSDL Laminate	275	24	24	1 $\frac{3}{8}$	—	—	1.5	
	WW2424WSSDLL TFL	220	24	24	1 $\frac{3}{8}$	—	—	1.5	

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WW24A78WSSDL M V440 X D1L440 X 76 440

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
<div>RECTANGULAR WORKSURFACE 24" DEEP FOR STORAGE CREDENZAS</div> <div><div><div></div><div>B</div><div>L</div><div>R</div></div></div>	1 ¹ / ₈ " TOP THICKNESS									
	WWN24A96WSSDL	Laminate	\$ 1018	24	96 ¹ / ₈	1 ¹ / ₈	—	—	95 lbs.	3.6
	WWN24A90WSSDL	Laminate	986	24	90 ¹ / ₈	1 ¹ / ₈	—	—	130 lbs.	3.4
	WWN24A84WSSDL	Laminate	954	24	84 ¹ / ₈	1 ¹ / ₈	—	—	88 lbs.	3.4
	WWN24A78WSSDL	Laminate	868	24	78 ¹ / ₈	1 ¹ / ₈	—	—	90 lbs.	3.3
	WWN24A72WSSDL	Laminate	778	24	72 ¹ / ₈	1 ¹ / ₈	—	—	85 lbs.	3.2
	WWN24A66WSSDL	Laminate	734	24	66 ¹ / ₈	1 ¹ / ₈	—	—	81 lbs.	3.0
	WWN24A60WSSDL	Laminate	707	24	60 ¹ / ₈	1 ¹ / ₈	—	—	76 lbs.	2.8
	1 ¹ / ₂ " TOP THICKNESS									
	WW24A96WSSDL	Laminate	\$ 838	24	96 ¹ / ₈	1 ¹ / ₈	—	—	95 lbs.	3.6
	WW24A96WSSDLL	TFL	671	24	96 ¹ / ₈	1 ¹ / ₂	—	—	95 lbs.	3.6
	WW24A90WSSDL	Laminate	\$ 804	24	90 ¹ / ₈	1 ¹ / ₈	—	—	130 lbs.	3.4
	WW24A90WSSDLL	TFL	647	24	90 ¹ / ₈	1 ¹ / ₂	—	—	130 lbs.	3.4
	WW24A84WSSDL	Laminate	\$ 773	24	84 ¹ / ₈	1 ¹ / ₈	—	—	88 lbs.	3.4
	WW24A84WSSDLL	TFL	617	24	84 ¹ / ₈	1 ¹ / ₂	—	—	88 lbs.	3.4
	WW24A78WSSDL	Laminate	\$ 686	24	78 ¹ / ₈	1 ¹ / ₈	—	—	90 lbs.	3.3
	WW24A78WSSDLL	TFL	549	24	78 ¹ / ₈	1 ¹ / ₂	—	—	90 lbs.	3.3
	WW24A72WSSDL	Laminate	\$ 600	24	72 ¹ / ₈	1 ¹ / ₈	—	—	85 lbs.	3.2
	QWW24A72WSSDLL	TFL	480	24	72 ¹ / ₈	1 ¹ / ₂	—	—	85 lbs.	3.2
	WW24A72WSSDLL	TFL	480	24	72 ¹ / ₈	1 ¹ / ₂	—	—	85 lbs.	3.2
	WW24A66WSSDL	Laminate	\$ 556	24	66 ¹ / ₈	1 ¹ / ₈	—	—	81 lbs.	3.0
	WW24A66WSSDLL	TFL	446	24	66 ¹ / ₈	1 ¹ / ₂	—	—	81 lbs.	3.0
	WW24A60WSSDL	Laminate	\$ 526	24	60 ¹ / ₈	1 ¹ / ₈	—	—	76 lbs.	2.8
	QWW24A60WSSDLL	TFL	421	24	60 ¹ / ₈	1 ¹ / ₂	—	—	76 lbs.	2.8
	WW24A60WSSDLL	TFL	421	24	60 ¹ / ₈	1 ¹ / ₂	—	—	76 lbs.	2.8

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- For use in storage credenza application
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For use with 23" deep component pedestals
- For use when 2 or more laminate pedestals are ganged together under a common top

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN2460WSSVDW M F X D1BL403 X 55 $\frac{1}{2}$ MH
 WWN2460WSSVDL M V440 X D1L440 X 55 440
 WWN2460WSSVDLW M F X D1B440 X X MH MH
- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH  Direction of arrow designates woodgrain direction	1$\frac{1}{8}$" TOP THICKNESS								
	WWN2460WSSVDW Wood	\$ 1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSVDLW Laminate/Wood	1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSVDL Laminate	707	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2454WSSVDW Wood	\$ 1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSVDLW Laminate/Wood	1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSVDL Laminate	647	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2448WSSVDW Wood	\$ 1117	24	48 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSVDLW Laminate/Wood	1117	24	48 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSVDL Laminate	601	24	48 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2442WSSVDW Wood	\$ 1077	24	42 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSVDLW Laminate/Wood	1077	24	42 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSVDL Laminate	559	24	42 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2436WSSVDW Wood	\$ 1041	24	36 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSVDLW Laminate/Wood	1041	24	36 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSVDL Laminate	525	24	36 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2430WSSVDW Wood	\$ 1021	24	30 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSVDLW Laminate/Wood	1021	24	30 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSVDL Laminate	490	24	30 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 452-455
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:


WW2460WSSVDW M F X D1BL403 X 55 $\frac{1}{2}$ MH
 WW2460WSSVDL M V440 X D1L440 X 55 440
 WW2460WSSVDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
			D	W	H			WEIGHT	FEET
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS								
	QWW2460WSSVDW Wood	\$ 979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDW Wood	979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDLW Laminate/Wood	979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDL Laminate	526	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDLL TFL	421	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2454WSSVDW Wood	\$ 954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDLW Laminate/Wood	954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDL Laminate	465	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDLL TFL	373	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	QWW2448WSSVDW Wood	\$ 933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDW Wood	933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDLW Laminate/Wood	933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDL Laminate	422	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	QWW2448WSSVDLL TFL	339	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDLL TFL	339	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2442WSSVDW Wood	\$ 892	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDLW Laminate/Wood	892	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDL Laminate	380	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDLL TFL	303	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2436WSSVDW Wood	\$ 858	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDLW Laminate/Wood	858	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDL Laminate	347	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDLL TFL	276	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2430WSSVDW Wood	\$ 834	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDLW Laminate/Wood	834	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDL Laminate	311	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDLL TFL	248	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5



Direction of arrow designates woodgrain direction

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 452-455
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1896WSSDW M F X D1BL403 X 94 $\frac{1}{2}$ MH
 WWN1896WSSDL M V440 X D1L440 X 94 440
 WWN1896WSSDLW M F X D1B440 X X MH MH
 • See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN1896WSSDW Wood	\$ 1495	18 $\frac{1}{8}$	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	75 lbs.	3.0
	WWN1896WSSDLW Laminate/Wood	1495	18 $\frac{1}{8}$	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	75 lbs.	3.0
	WWN1896WSSDL Laminate	947	18 $\frac{1}{8}$	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	75 lbs.	3.0
	WWN1890WSSDW Wood	\$ 1439	18 $\frac{1}{8}$	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	71 lbs.	2.9
	WWN1890WSSDLW Laminate/Wood	1439	18 $\frac{1}{8}$	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	71 lbs.	2.9
	WWN1890WSSDL Laminate	921	18 $\frac{1}{8}$	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	71 lbs.	2.9
	WWN1884WSSDW Wood	\$ 1379	18 $\frac{1}{8}$	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	66 lbs.	2.7
	WWN1884WSSDLW Laminate/Wood	1379	18 $\frac{1}{8}$	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	66 lbs.	2.7
	WWN1884WSSDL Laminate	886	18 $\frac{1}{8}$	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	66 lbs.	2.7
	WWN1878WSSDW Wood	\$ 1264	18 $\frac{1}{8}$	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	2.5
	WWN1878WSSDLW Laminate/Wood	1264	18 $\frac{1}{8}$	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	2.5
	WWN1878WSSDL Laminate	804	18 $\frac{1}{8}$	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	2.5
	WWN1872WSSDW Wood	\$ 1145	18 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN1872WSSDLW Laminate/Wood	1145	18 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN1872WSSDL Laminate	723	18 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN1866WSSDW Wood	\$ 1111	18 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	52 lbs.	2.2
	WWN1866WSSDLW Laminate/Wood	1111	18 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	52 lbs.	2.2
	WWN1866WSSDL Laminate	684	18 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	52 lbs.	2.2
	WWN1860WSSDW Wood	\$ 1081	18 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	48 lbs.	2.0
	WWN1860WSSDLW Laminate/Wood	1081	18 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	48 lbs.	2.0
	WWN1860WSSDL Laminate	657	18 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	48 lbs.	2.0

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1854WSSDW M F X D1BL403 X 94 $\frac{3}{8}$ MH
 WWN1854WSSDL M V440 X D1L440 X 94 440
 WWN1854WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
<div>RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)</div> <div><div><div></div><div>B</div><div></div><div>L</div><div></div><div>R</div></div></div>	1 ¹ / ₈ " TOP THICKNESS (CONTINUED)										
	WWN1854WSSDW	Wood	\$	1057	18 ³ / ₈	54	1 ¹ / ₈	—	—	43 lbs.	1.8
	WWN1854WSSDLW	Laminate/Wood		1057	18 ³ / ₈	54	1 ¹ / ₈	—	—	43 lbs.	1.8
	WWN1854WSSDL	Laminate		601	18 ³ / ₈	54	1 ¹ / ₈	—	—	43 lbs.	1.8
	WWN1848WSSDW	Wood	\$	1038	18 ³ / ₈	48 ¹ / ₂	1 ¹ / ₈	—	—	38 lbs.	1.6
	WWN1848WSSDLW	Laminate/Wood		1038	18 ³ / ₈	48 ¹ / ₂	1 ¹ / ₈	—	—	38 lbs.	1.6
	WWN1848WSSDL	Laminate		558	18 ³ / ₈	48 ¹ / ₂	1 ¹ / ₈	—	—	38 lbs.	1.6
	WWN1842WSSDW	Wood	\$	1000	18 ³ / ₈	42 ¹ / ₂	1 ¹ / ₈	—	—	34 lbs.	1.5
	WWN1842WSSDLW	Laminate/Wood		1000	18 ³ / ₈	42 ¹ / ₂	1 ¹ / ₈	—	—	34 lbs.	1.5
	WWN1842WSSDL	Laminate		520	18 ³ / ₈	42 ¹ / ₂	1 ¹ / ₈	—	—	34 lbs.	1.5
	WWN1836WSSDW	Wood	\$	971	18 ³ / ₈	36 ¹ / ₂	1 ¹ / ₈	—	—	29 lbs.	1.3
	WWN1836WSSDLW	Laminate/Wood		971	18 ³ / ₈	36 ¹ / ₂	1 ¹ / ₈	—	—	29 lbs.	1.3
	WWN1836WSSDL	Laminate		488	18 ³ / ₈	36 ¹ / ₂	1 ¹ / ₈	—	—	29 lbs.	1.3
	WWN1830WSSDW	Wood	\$	947	18 ³ / ₈	30 ¹ / ₂	1 ¹ / ₈	—	—	24 lbs.	1.1
	WWN1830WSSDLW	Laminate/Wood		947	18 ³ / ₈	30 ¹ / ₂	1 ¹ / ₈	—	—	24 lbs.	1.1
WWN1830WSSDL	Laminate		455	18 ³ / ₈	30 ¹ / ₂	1 ¹ / ₈	—	—	24 lbs.	1.1	
WWN1824WSSDW	Wood	\$	921	18 ³ / ₈	24	1 ¹ / ₈	—	—		1.1	
WWN1824WSSDLW	Laminate/Wood		921	18 ³ / ₈	24	1 ¹ / ₈	—	—		1.1	
WWN1824WSSDL	Laminate		430	18 ³ / ₈	24	1 ¹ / ₈	—	—		1.1	

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1896WSSDW M F X D1BL403 X 94 $\frac{3}{8}$ MH
 WW1896WSSDL M V440 X D1L440 X 94 440
 WW1896WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) 	1$\frac{3}{8}$" TOP THICKNESS								
	WW1896WSSDW Wood	\$ 1326	18 $\frac{1}{2}$	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	75 lbs.	3.0
	WW1896WSSDLW Laminate/Wood	1326	18 $\frac{1}{2}$	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	75 lbs.	3.0
	WW1896WSSDL Laminate	781	18 $\frac{1}{2}$	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	75 lbs.	3.0
	WW1896WSSDLL TFL	625	18 $\frac{1}{2}$	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	75 lbs.	3.0
	WW1890WSSDW Wood	\$ 1267	18 $\frac{1}{2}$	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	71 lbs.	2.9
	WW1890WSSDLW Laminate/Wood	1267	18 $\frac{1}{2}$	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	71 lbs.	2.9
	WW1890WSSDL Laminate	750	18 $\frac{1}{2}$	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	71 lbs.	2.9
	WW1890WSSDLL TFL	601	18 $\frac{1}{2}$	89 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	71 lbs.	2.9
	WW1884WSSDW Wood	\$ 1207	18 $\frac{1}{2}$	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	66 lbs.	2.7
	WW1884WSSDLW Laminate/Wood	1207	18 $\frac{1}{2}$	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	66 lbs.	2.7
	WW1884WSSDL Laminate	719	18 $\frac{1}{2}$	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	66 lbs.	2.7
	WW1884WSSDLL TFL	575	18 $\frac{1}{2}$	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	66 lbs.	2.7
	WW1878WSSDW Wood	\$ 1089	18 $\frac{1}{2}$	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	2.5
	WW1878WSSDLW Laminate/Wood	1089	18 $\frac{1}{2}$	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	2.5
	WW1878WSSDL Laminate	638	18 $\frac{1}{2}$	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	2.5
	WW1878WSSDLL TFL	509	18 $\frac{1}{2}$	77 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	2.5
	WW1872WSSDW Wood	\$ 976	18 $\frac{1}{2}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLW Laminate/Wood	976	18 $\frac{1}{2}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDL Laminate	556	18 $\frac{1}{2}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLL TFL	446	18 $\frac{1}{2}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1866WSSDW Wood	\$ 937	18 $\frac{1}{2}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLW Laminate/Wood	937	18 $\frac{1}{2}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDL Laminate	515	18 $\frac{1}{2}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLL TFL	413	18 $\frac{1}{2}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1860WSSDW Wood	\$ 910	18 $\frac{1}{2}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLW Laminate/Wood	910	18 $\frac{1}{2}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDL Laminate	490	18 $\frac{1}{2}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLL TFL	393	18 $\frac{1}{2}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1848WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW1848WSSDL M V440 X D1L440 X 45 440
 WW1848WSSDLW M F X D1B440 X X MH MH

- See pages 342-346 for all options available in WaveWorks

		MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div>RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)</div> <div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div>										

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WWN18A96WSSDL M V440 X D1L440 X 76 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEEP FOR STORAGE CREDENZAS 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN18A96WSSDL Laminate	\$ 947	18 $\frac{3}{8}$	96 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	75 lbs.	3.0
	WWN18A90WSSDL Laminate	921	18 $\frac{3}{8}$	90 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	71 lbs.	2.9
	WWN18A84WSSDL Laminate	886	18 $\frac{3}{8}$	84 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	66 lbs.	2.7
	WWN18A78WSSDL Laminate	804	18 $\frac{3}{8}$	78 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	61 lbs.	2.5
	WWN18A72WSSDL Laminate	723	18 $\frac{3}{8}$	72 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN18A66WSSDL Laminate	684	18 $\frac{3}{8}$	66 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	52 lbs.	2.2
	WWN18A60WSSDL Laminate	657	18 $\frac{3}{8}$	60 $\frac{3}{16}$	1 $\frac{1}{8}$	—	—	48 lbs.	2.0
	1$\frac{1}{2}$" TOP THICKNESS								
	WW18A96WSSDL Laminate	\$ 781	18 $\frac{3}{8}$	96 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	75 lbs.	3.0
	WW18A96WSSDLL TFL	625	18 $\frac{3}{8}$	96 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	75 lbs.	3.0
	WW18A90WSSDL Laminate	\$ 750	18 $\frac{3}{8}$	90 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	71 lbs.	2.9
	WW18A90WSSDLL TFL	601	18 $\frac{3}{8}$	90 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	71 lbs.	2.9
	WW18A84WSSDL Laminate	\$ 719	18 $\frac{3}{8}$	84 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	66 lbs.	2.7
	WW18A84WSSDLL TFL	575	18 $\frac{3}{8}$	84 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	66 lbs.	2.7
	WW18A78WSSDL Laminate	\$ 638	18 $\frac{3}{8}$	78 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	61 lbs.	2.5
	WW18A78WSSDLL TFL	509	18 $\frac{3}{8}$	78 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	61 lbs.	2.5
	WW18A72WSSDL Laminate	\$ 556	18 $\frac{3}{8}$	72 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WW18A72WSSDLL TFL	446	18 $\frac{3}{8}$	72 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WW18A66WSSDL Laminate	\$ 515	18 $\frac{3}{8}$	66 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WW18A66WSSDLL TFL	413	18 $\frac{3}{8}$	66 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WW18A60WSSDL Laminate	\$ 490	18 $\frac{3}{8}$	60 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WW18A60WSSDLL TFL	393	18 $\frac{3}{8}$	60 $\frac{3}{16}$	1 $\frac{1}{2}$	—	—	48 lbs.	2.0

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 534
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 749
- For use when 2 or more laminate pedestals are ganged together under a common top

WAVEWORKS

PRODUCT SPECIFICATIONS


• Laminate only available, see page 343 for options

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Laminate Color
- 3. Modified Width


SAMPLE MODEL NUMBER:

WW9604WSBL MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<div>BACKSPLASH</div> <div></div>	LAMINATE BACKSPLASHES								
	WW9604WSBL	Laminate	\$ 453	1	95%	4	—	—	0.9
	WW9004WSBL	Laminate	453	1	90	4	—	—	0.9
	WW8404WSBL	Laminate	408	1	84	4	—	—	0.8
	WW7804WSBL	Laminate	373	1	78	4	—	—	0.8
	WW7204WSBL	Laminate	373	1	72	4	—	—	0.7
	WW6604WSBL	Laminate	338	1	66	4	—	—	0.7
	WW6004WSBL	Laminate	317	1	60	4	—	—	0.6
	WW5404WSBL	Laminate	317	1	54	4	—	—	0.5
	WW4804WSBL	Laminate	266	1	48	4	—	—	0.5
	WW4204WSBL	Laminate	266	1	42	4	—	—	0.4
	WW3604WSBL	Laminate	230	1	36	4	—	—	0.4
	WW3004WSBL	Laminate	216	1	30	4	—	—	0.3
	WW2404WSBL	Laminate	186	1	24	4	—	—	0.3

- Laminate Self edge
- Backsplashes can be ordered in 1/8" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

SIDESPLASH



LAMINATE SIDESPLASHES

WW2304WSEL	Laminate	\$	184	1	22%	4	—	—	0.3
WW1704WSEL	Laminate		166	1	17	4	—	—	0.2

- Laminate Self edge
- Sidesplash can be ordered in 1/8" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- See page 343 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW1896WSSS X A 7201

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
					D	W	H					
<div>SOLID SURFACE WORKSURFACE</div> <div></div>	SOLID SURFACE WORKSURFACES 18" DEPTH											
			GRADE A	GRADE B	GRADE C							
	WW1896WSSS	Solid Surface	\$ 3138	\$ 3570	\$ 4158	18½	95½	1	—	—	3.6	
	WW1890WSSS	Solid Surface	2968	3373	3924	18½	90	1	—	—	3.4	
	WW1884WSSS	Solid Surface	2794	3172	3687	18½	84	1	—	—	3.1	
	WW1878WSSS	Solid Surface	2622	2973	3451	18½	78	1	—	—	2.9	
	WW1872WSSS	Solid Surface	2449	2773	3214	18½	72	1	—	—	2.7	
	WW1866WSSS	Solid Surface	2277	2574	2978	18½	66	1	—	—	2.5	
	WW1860WSSS	Solid Surface	2105	2375	2743	18½	60	1	—	—	2.3	
	WW1854WSSS	Solid Surface	1933	2176	2507	18½	54	1	—	—	2.0	
	WW1848WSSS	Solid Surface	1760	1976	2270	18½	48	1	—	—	1.8	
	WW1842WSSS	Solid Surface	1587	1776	2033	18½	42	1	—	—	1.6	
	WW1836WSSS	Solid Surface	1415	1577	1798	18½	36	1	—	—	1.4	
	WW1830WSSS	Solid Surface	1243	1378	1562	18½	30	1	—	—	1.2	
WW1824WSSS	Solid Surface	1070	1178	1325	18½	24	1	—	—	1.0		
<div><div>• Not intended for use with adjustable height bases</div><div>• Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space</div><div>• Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed</div></div>												

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- See page 343 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW2496WSSS X A 7201

SOLID SURFACE WORKSURFACE	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
						D	W	H				
	SOLID SURFACE WORKSURFACES											
	24" DEPTH											
			GRADE A	GRADE B	GRADE C							
	WW2496WSSS	Solid Surface	\$ 3937	\$ 4513	\$ 5297	24	95½	1	—	—		4.4
	WW2490WSSS	Solid Surface	3721	4261	4996	24	90	1	—	—		4.2
	WW2484WSSS	Solid Surface	3469	3973	4659	24	84	1	—	—		3.9
	WW2478WSSS	Solid Surface	3325	3793	4430	24	78	1	—	—		3.6
	WW2472WSSS	Solid Surface	3182	3614	4202	24	72	1	—	—		3.3
	WW2466WSSS	Solid Surface	3003	3399	3938	24	66	1	—	—		3.1
	WW2460WSSS	Solid Surface	2752	3112	3602	24	60	1	—	—		2.8
	WW2454WSSS	Solid Surface	2499	2823	3264	24	54	1	—	—		2.5
	WW2448WSSS	Solid Surface	2356	2644	3036	24	48	1	—	—		2.3
	WW2442WSSS	Solid Surface	2142	2394	2737	24	42	1	—	—		2.0
	WW2436WSSS	Solid Surface	1998	2214	2508	24	36	1	—	—		1.7
	WW2430WSSS	Solid Surface	1782	1962	2207	24	30	1	—	—		1.4
WW2424WSSS	Solid Surface	1566	1710	1906	24	24	1	—	—		1.2	
<ul style="list-style-type: none">• Not intended for use with adjustable height bases• Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space• Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed												

PRODUCT SPECIFICATIONS


• Solid Surface available, see page 343 for options

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

WW9604WSBS N A 7101

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H				
SOLID SURFACE BACKSPLASH 	SOLID SURFACE BACKSPLASHES											
	WW9604WSBS	Solid Surface	\$ 1566	\$ 1663	\$ 1796	1	95 $\frac{7}{8}$	4	—	—		0.9
	WW9004WSBS	Solid Surface	1566	1656	1779	1	90	4	—	—		0.9
	WW8404WSBS	Solid Surface	1521	1604	1717	1	84	4	—	—		0.8
	WW7804WSBS	Solid Surface	1451	1530	1638	1	78	4	—	—		0.8
	WW7204WSBS	Solid Surface	1451	1523	1621	1	72	4	—	—		0.7
	WW6604WSBS	Solid Surface	1307	1372	1460	1	66	4	—	—		0.7
	WW6004WSBS	Solid Surface	1164	1225	1309	1	60	4	—	—		0.6
	WW5404WSBS	Solid Surface	1020	1074	1148	1	54	4	—	—		0.5
	WW4804WSBS	Solid Surface	947	994	1058	1	48	4	—	—		0.5
	WW4204WSBS	Solid Surface	876	919	978	1	42	4	—	—		0.4
	WW3604WSBS	Solid Surface	803	839	888	1	36	4	—	—		0.4
	WW3004WSBS	Solid Surface	733	762	801	1	30	4	—	—		0.3
	WW2404WSBS	Solid Surface	660	685	720	1	24	4	—	—		0.3
• Intended for use with Solid Surface worksurfaces												

SOLID SURFACE SIDESPLASH



SOLID SURFACE SIDESPLASHES		GRADE A	GRADE B	GRADE C				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H				
WW2304WSES	Solid Surface	\$ 660	\$ 682	\$ 711	1	23	4	—	—		0.3
WW1704WSES	Solid Surface	516	534	559	1	17	4	—	—		0.3
• Intended for use with Solid Surface worksurfaces											

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436CPTW R MC
WWN2436CPTL VMC MC
WWN2436CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<div>CORNICE TOP 24" DEEP</div> 	1¹/₈" TOP THICKNESS									
	WWN2436CPTW	Wood	\$ 1013	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	WWN2436CPTLW	Laminate/Wood Rim	1013	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	WWN2436CPTL	Laminate	986	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	1¹/₈" TOP THICKNESS									
	WWN2418CPTW	Wood	\$ 968	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
	WWN2418CPTLW	Laminate/Wood Rim	968	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
	WWN2418CPTL	Laminate	937	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
	1¹/₂" TOP THICKNESS									
	WW2436CPTW	Wood	\$ 829	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	WW2436CPTLW	Laminate/Wood Rim	829	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	WW2436CPTL	Laminate	806	24	36	1 ³ / ₈	—	—	45 lbs.	1.5
	WW2436CPTLL	TFL	647	24	36	1 ¹ / ₂	—	—	45 lbs.	1.5
	1¹/₂" TOP THICKNESS									
	WW2418CPTW	Wood	\$ 782	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
	WW2418CPTLW	Laminate/Wood Rim	782	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
	WW2418CPTL	Laminate	761	24	18	1 ³ / ₈	—	—	28 lbs.	1.0
WW2418CPTLL	TFL	609	24	18	1 ¹ / ₂	—	—	28 lbs.	1.0	
<ul style="list-style-type: none">• TFL cornice tops are 1¹/₂" thick• 24" deep cornice tops for use on entertainment cabinets, wardrobes (double and single), storage cabinets (double and single), and ADA main shell storage tower• Not intended to be used to create freestanding pedestals										

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15108CPTW R MC
 WWN15108CPTL VMC MC
 WWN15108CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
<div>CORNICE TOP 15" DEEP</div> 	1 ¹ / ₈ " TOP THICKNESS										
	WWN15120CPTW	Wood	\$ 1192	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFW	Wood/Finished Bottom	3031	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTLW	Laminate/Wood Rim	1192	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFLW	Laminate/Wood Rim/Finished Bottom	3031	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTL	Laminate	761	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFL	Laminate/Finished Bottom	2547	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15108CPTW	Wood	\$ 1692	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFW	Wood/Finished Bottom	3526	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTLW	Laminate/Wood Rim	1692	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3526	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTL	Laminate	1645	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFL	Laminate/Finished Bottom	3432	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15102CPTW	Wood	\$ 1513	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFW	Wood/Finished Bottom	3450	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTLW	Laminate/Wood Rim	1513	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3450	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTL	Laminate	1470	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFL	Laminate/Finished Bottom	3350	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN1596CPTW	Wood	\$ 1375	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFW	Wood/Finished Bottom	3365	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTLW	Laminate/Wood Rim	1375	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3365	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTL	Laminate	1335	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFL	Laminate/Finished Bottom	3273	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1590CPTW	Wood	\$ 1253	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFW	Wood/Finished Bottom	3289	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTLW	Laminate/Wood Rim	1253	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3289	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTL	Laminate	1220	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFL	Laminate/Finished Bottom	3196	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
• 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space											
• When spanning an open overhead space, a "finished bottom" cornice top should be ordered											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{5}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1584CPTW R MC
WWN1584CPTL VMC MC
WWN1584CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1 1/8" TOP THICKNESS (CONTINUED)										
	WWN1584CPTW	Wood	\$	1135	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1584CPTFW	Wood/Finished Bottom		2299	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1584CPTLW	Laminate/Wood Rim		1135	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1584CPTFLW	Laminate/Wood Rim/Finished Bottom		2299	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1584CPTL	Laminate		1103	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1584CPTFL	Laminate/Finished Bottom		2234	15 1/8	84	1 1/8	—	—	66 lbs.	2.7
	WWN1578CPTW	Wood	\$	1087	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1578CPTFW	Wood/Finished Bottom		2178	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1578CPTLW	Laminate/Wood Rim		1087	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1578CPTFLW	Laminate/Wood Rim/Finished Bottom		2178	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1578CPTL	Laminate		1059	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1578CPTFL	Laminate/Finished Bottom		2115	15 1/8	78	1 1/8	—	—	62 lbs.	2.5
	WWN1572CPTW	Wood	\$	1041	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1572CPTFW	Wood/Finished Bottom		2049	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1572CPTLW	Laminate/Wood Rim		1041	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1572CPTFLW	Laminate/Wood Rim/Finished Bottom		2049	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1572CPTL	Laminate		1012	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1572CPTFL	Laminate/Finished Bottom		1992	15 1/8	72	1 1/8	—	—	56 lbs.	2.3
	WWN1566CPTW	Wood	\$	1003	15 1/8	66	1 1/8	—	—	52 lbs.	2.2
	WWN1566CPTLW	Laminate/Wood Rim		1003	15 1/8	66	1 1/8	—	—	52 lbs.	2.2
	WWN1566CPTL	Laminate		978	15 1/8	66	1 1/8	—	—	52 lbs.	2.2
	WWN1560CPTW	Wood	\$	968	15 1/8	60	1 1/8	—	—	48 lbs.	2.0
	WWN1560CPTLW	Laminate/Wood Rim		968	15 1/8	60	1 1/8	—	—	48 lbs.	2.0
WWN1560CPTL	Laminate		937	15 1/8	60	1 1/8	—	—	48 lbs.	2.0	

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1554CPTW R MC
 WWN1554CPTL VMC MC
 WWN1554CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1 ¹ / ₈ " TOP THICKNESS (CONTINUED)									
	WWN1554CPTW	Wood	\$ 933	15 ¹ / ₈	54	1 ¹ / ₈	—	—	44 lbs.	1.8
	WWN1554CPTLW	Laminate/Wood Rim	933	15 ¹ / ₈	54	1 ¹ / ₈	—	—	44 lbs.	1.8
	WWN1554CPTL	Laminate	905	15 ¹ / ₈	54	1 ¹ / ₈	—	—	44 lbs.	1.8
	WWN1548CPTW	Wood	\$ 894	15 ¹ / ₈	48	1 ¹ / ₈	—	—	40 lbs.	1.6
	WWN1548CPTLW	Laminate/Wood Rim	894	15 ¹ / ₈	48	1 ¹ / ₈	—	—	40 lbs.	1.6
	WWN1548CPTL	Laminate	870	15 ¹ / ₈	48	1 ¹ / ₈	—	—	40 lbs.	1.6
	WWN1542CPTW	Wood	\$ 858	15 ¹ / ₈	42	1 ¹ / ₈	—	—	36 lbs.	1.4
	WWN1542CPTLW	Laminate/Wood Rim	858	15 ¹ / ₈	42	1 ¹ / ₈	—	—	36 lbs.	1.4
	WWN1542CPTL	Laminate	832	15 ¹ / ₈	42	1 ¹ / ₈	—	—	36 lbs.	1.4
	WWN1536CPTW	Wood	\$ 813	15 ¹ / ₈	36	1 ¹ / ₈	—	—	32 lbs.	1.2
	WWN1536CPTLW	Laminate/Wood Rim	813	15 ¹ / ₈	36	1 ¹ / ₈	—	—	32 lbs.	1.2
	WWN1536CPTL	Laminate	790	15 ¹ / ₈	36	1 ¹ / ₈	—	—	32 lbs.	1.2
	WWN1530CPTW	Wood	\$ 782	15 ¹ / ₈	30	1 ¹ / ₈	—	—	28 lbs.	1.0
	WWN1530CPTLW	Laminate/Wood Rim	782	15 ¹ / ₈	30	1 ¹ / ₈	—	—	28 lbs.	1.0
WWN1530CPTL	Laminate	761	15 ¹ / ₈	30	1 ¹ / ₈	—	—	28 lbs.	1.0	
WWN1518CPTW	Wood	\$ 745	15 ¹ / ₈	18	1 ¹ / ₈	—	—	21 lbs.	0.7	
WWN1518CPTLW	Laminate/Wood Rim	745	15 ¹ / ₈	18	1 ¹ / ₈	—	—	21 lbs.	0.7	
WWN1518CPTL	Laminate	724	15 ¹ / ₈	18	1 ¹ / ₈	—	—	21 lbs.	0.7	

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1½" worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15108CPTW R MC
WW15108CPTL VMC MC
WW15108CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1½" TOP THICKNESS									
	WW15120CPTW	Wood	\$ 1020	15½	120	1½	—	—	lbs.	
	WW15120CPTFW	Wood/Finished Bottom	2860	15½	120	1½	—	—	lbs.	
	WW15120CPTLW	Laminate/Wood Rim	1020	15½	120	1½	—	—	lbs.	
	WW15120CPTFLW	Laminate/Wood Rim/Finished Bottom	2860	15½	120	1½	—	—	lbs.	
	WW15120CPTL	Laminate	589	15½	120	1½	—	—	lbs.	
	WW15120CPTFL	Laminate/Finished Bottom	2373	15½	120	1½	—	—	lbs.	
	WW15120CPTLL	TFL	516	15½	120	1½	—	—	lbs.	
	WW15120CPTFLL	TFL/Finished Bottom	1945	15½	120	1½	—	—	lbs.	
	WW15108CPTW	Wood	\$ 1507	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTFW	Wood/Finished Bottom	3345	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTLW	Laminate/Wood Rim	1507	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3345	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTL	Laminate	1465	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTFL	Laminate/Finished Bottom	3248	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTLL	TFL	1173	15½	108	1½	—	—	86 lbs.	3.5
	WW15108CPTFLL	TFL/Finished Bottom	2599	15½	108	1½	—	—	86 lbs.	3.5
	WW15102CPTW	Wood	\$ 1329	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTFW	Wood/Finished Bottom	3263	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTLW	Laminate/Wood Rim	1329	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3263	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTL	Laminate	1290	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTFL	Laminate/Finished Bottom	3171	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTLL	TFL	1032	15½	102	1½	—	—	81 lbs.	3.3
	WW15102CPTFLL	TFL/Finished Bottom	2538	15½	102	1½	—	—	81 lbs.	3.3
WW1596CPTW	Wood	\$ 1189	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTFW	Wood/Finished Bottom	3180	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTLW	Laminate/Wood Rim	1189	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3180	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTL	Laminate	1156	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTFL	Laminate/Finished Bottom	3092	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTLL	TFL	926	15½	96	1½	—	—	76 lbs.	3.1	
WW1596CPTFLL	TFL/Finished Bottom	2473	15½	96	1½	—	—	76 lbs.	3.1	

- TFL cornice tops are 1½" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1590CPTW R MC
 WW1590CPTL VMC MC
 WW1590CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1 3/8" TOP THICKNESS (CONTINUED)									
	WW1590CPTW	Wood	\$ 1070	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFW	Wood/Finished Bottom	3101	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTLW	Laminate/Wood Rim	1070	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3101	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTL	Laminate	1038	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFL	Laminate/Finished Bottom	3016	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTLL	TFL	829	15 1/2	90	1 1/2	—	—	71 lbs.	2.9
	WW1590CPTFLL	TFL/Finished Bottom	2412	15 1/2	90	1 1/2	—	—	71 lbs.	2.9
	WW1584CPTW	Wood	\$ 949	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFW	Wood/Finished Bottom	2114	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTLW	Laminate/Wood Rim	949	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFLW	Laminate/Wood Rim/Finished Bottom	2114	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTL	Laminate	925	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFL	Laminate/Finished Bottom	2052	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTLL	TFL	740	15 1/2	84	1 1/2	—	—	66 lbs.	2.7
	WW1584CPTFLL	TFL/Finished Bottom	1643	15 1/2	84	1 1/2	—	—	66 lbs.	2.7
	WW1578CPTW	Wood	\$ 903	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFW	Wood/Finished Bottom	1989	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTLW	Laminate/Wood Rim	903	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFLW	Laminate/Wood Rim/Finished Bottom	1989	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTL	Laminate	878	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFL	Laminate/Finished Bottom	1937	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTLL	TFL	702	15 1/2	78	1 1/2	—	—	62 lbs.	2.5
	WW1578CPTFLL	TFL/Finished Bottom	1550	15 1/2	78	1 1/2	—	—	62 lbs.	2.5

- TFL cornice tops are 1 $\frac{1}{2}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1½" worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572CPTW R MC
WW1572CPTL VMC MC
WW1572CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1½" TOP THICKNESS (CONTINUED)									
	WW1572CPTW	Wood	\$ 858	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTFW	Wood/Finished Bottom	1867	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTLW	Laminate/Wood Rim	858	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTFLW	Laminate/Wood Rim/Finished Bottom	1867	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTL	Laminate	832	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTFL	Laminate/Finished Bottom	1816	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTLL	TFL	667	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1572CPTFLL	TFL/Finished Bottom	1452	15½	72	1⅝	—	—	56 lbs.	2.3
	WW1566CPTW	Wood	\$ 821	15½	66	1⅝	—	—	52 lbs.	2.2
	WW1566CPTLW	Laminate/Wood Rim	821	15½	66	1⅝	—	—	52 lbs.	2.2
	WW1566CPTL	Laminate	798	15½	66	1⅝	—	—	52 lbs.	2.2
	WW1566CPTLL	TFL	640	15½	66	1⅝	—	—	52 lbs.	2.2
	WW1560CPTW	Wood	\$ 782	15½	60	1⅝	—	—	48 lbs.	2.0
	WW1560CPTLW	Laminate/Wood Rim	782	15½	60	1⅝	—	—	48 lbs.	2.0
	WW1560CPTL	Laminate	761	15½	60	1⅝	—	—	48 lbs.	2.0
	WW1560CPTLL	TFL	609	15½	60	1⅝	—	—	48 lbs.	2.0
WW1554CPTW	Wood	\$ 748	15½	54	1⅝	—	—	44 lbs.	1.8	
WW1554CPTLW	Laminate/Wood Rim	748	15½	54	1⅝	—	—	44 lbs.	1.8	
WW1554CPTL	Laminate	727	15½	54	1⅝	—	—	44 lbs.	1.8	
WW1554CPTLL	TFL	582	15½	54	1⅝	—	—	44 lbs.	1.8	
WW1548CPTW	Wood	\$ 711	15½	48	1⅝	—	—	40 lbs.	1.6	
WW1548CPTLW	Laminate/Wood Rim	711	15½	48	1⅝	—	—	40 lbs.	1.6	
WW1548CPTL	Laminate	690	15½	48	1⅝	—	—	40 lbs.	1.6	
WW1548CPTLL	TFL	551	15½	48	1⅝	—	—	40 lbs.	1.6	

- TFL cornice tops are 1½" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1542CPTW R MC
 WW1542CPTL VMC MC
 WW1542CPTLW R 440 MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
<div>CORNICE TOP 15" DEEP (CONTINUED)</div> 	1 3/8" TOP THICKNESS (CONTINUED)									
	WW1542CPTW	Wood	\$ 674	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTLW	Laminate/Wood Rim	674	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTL	Laminate	656	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTLL	TFL	525	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1536CPTW	Wood	\$ 636	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTLW	Laminate/Wood Rim	636	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTL	Laminate	617	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTLL	TFL	495	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1530CPTW	Wood	\$ 598	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTLW	Laminate/Wood Rim	598	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTL	Laminate	580	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTLL	TFL	462	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1518CPTW	Wood	\$ 560	15 1/8	18	1 3/8	—	—	21 lbs.	0.7
WW1518CPTLW	Laminate/Wood Rim	560	15 1/8	18	1 3/8	—	—	21 lbs.	0.7	
WW1518CPTL	Laminate	547	15 1/8	18	1 3/8	—	—	21 lbs.	0.7	
WW1518CPTLL	TFL	439	15 1/8	18	1 3/8	—	—	21 lbs.	0.7	

- TFL cornice tops are 1 $\frac{3}{8}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4896WSCEDLW7 M F X D1B403 MH
WWN4896WSCEDLL7 M V440 X D1L440 440
WWN4896WSCEDLLW7 M F X D1R440 MH MH

- See pages 342-346 for all options available in WaveWorks

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
<div>EXTENDED CORNER WORKSURFACE</div> <div></div> <div>Left shown</div>	1 $\frac{1}{16}$ " TOP THICKNESS											
	LEFT	RIGHT										
	WWN4896WSCEDLW7	WWN4896WSCEDRW7	Wood	\$ 2761	48	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	102 lbs.	7.9	
	WWN4896WSCEDLLW7	WWN4896WSCEDRLW7	Laminate/Wood	2761	48	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	102 lbs.	7.9	
	WWN4896WSCEDLL7	WWN4896WSCEDRL7	Laminate	2041	48	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	102 lbs.	7.9	
	WWN4884WSCEDLW7	WWN4884WSCEDRW7	Wood	\$ 2674	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	7.0	
	WWN4884WSCEDLLW7	WWN4884WSCEDRLW7	Laminate/Wood	2674	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	7.0	
	WWN4884WSCEDLL7	WWN4884WSCEDRL7	Laminate	1938	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	7.0	
	WWN4872WSCEDLW7	WWN4872WSCEDRW7	Wood	\$ 2166	48	72	1 $\frac{1}{16}$	—	—	78 lbs.	6.0	
	WWN4872WSCEDLLW7	WWN4872WSCEDRLW7	Laminate/Wood	2166	48	72	1 $\frac{1}{16}$	—	—	78 lbs.	6.0	
	WWN4872WSCEDLL7	WWN4872WSCEDRL7	Laminate	1837	48	72	1 $\frac{1}{16}$	—	—	78 lbs.	6.0	
	WWN4866WSCEDLW7	WWN4866WSCEDRW7	Wood	\$ 2102	48	66	1 $\frac{1}{16}$	—	—	72 lbs.	5.5	
	WWN4866WSCEDLLW7	WWN4866WSCEDRLW7	Laminate/Wood	2102	48	66	1 $\frac{1}{16}$	—	—	72 lbs.	5.5	
	WWN4866WSCEDLL7	WWN4866WSCEDRL7	Laminate	1753	48	66	1 $\frac{1}{16}$	—	—	72 lbs.	5.5	
	WWN4860WSCEDLW7	WWN4860WSCEDRW7	Wood	\$ 1973	48	60	1 $\frac{1}{16}$	—	—	66 lbs.	5.1	
	WWN4860WSCEDLLW7	WWN4860WSCEDRLW7	Laminate/Wood	1973	48	60	1 $\frac{1}{16}$	—	—	66 lbs.	5.1	
	WWN4860WSCEDLL7	WWN4860WSCEDRL7	Laminate	1673	48	60	1 $\frac{1}{16}$	—	—	66 lbs.	5.1	
	WWN4854WSCEDLW7	WWN4854WSCEDRW7	Wood	\$ 1906	48	54	1 $\frac{1}{16}$	—	—	60 lbs.	4.6	
	WWN4854WSCEDLLW7	WWN4854WSCEDRLW7	Laminate/Wood	1906	48	54	1 $\frac{1}{16}$	—	—	60 lbs.	4.6	
WWN4854WSCEDLL7	WWN4854WSCEDRL7	Laminate	1627	48	54	1 $\frac{1}{16}$	—	—	60 lbs.	4.6		

- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces (42" deep tops intended to be used with 30" and 24" tops)
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4296WSCEDLW7 M F X D1B403 MH
 WWN4296WSCEDLL7 M V440 X D1L420 440
 WWN4296WSCEDLLW7 M F X D1R420 MH MH

- See pages 342-346 for all options available in WaveWorks

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H					
<div><div>EXTENDED CORNER WORKSURFACE (CONTINUED)</div><div></div><div>Left shown</div></div>	1 $\frac{1}{8}$ " TOP THICKNESS (CONTINUED)											
	LEFT		RIGHT									
	WWN4296WSCEDLW7	WWN4296WSCEDRW7	Wood	\$ 2633	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs.	7.0	
	WWN4296WSCEDLLW7	WWN4296WSCEDRLW7	Laminate/Wood	2633	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs.	7.0	
	WWN4296WSCEDLL7	WWN4296WSCEDRL7	Laminate	1948	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs.	7.0	
	WWN4284WSCEDLW7	WWN4284WSCEDRW7	Wood	\$ 2554	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs.	6.2	
	WWN4284WSCEDLLW7	WWN4284WSCEDRLW7	Laminate/Wood	2554	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs.	6.2	
	WWN4284WSCEDLL7	WWN4284WSCEDRL7	Laminate	1854	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs.	6.2	
	WWN4272WSCEDLW7	WWN4272WSCEDRW7	Wood	\$ 2068	42	72	1 $\frac{1}{8}$	—	—	72 lbs.	5.4	
	WWN4272WSCEDLLW7	WWN4272WSCEDRLW7	Laminate/Wood	2068	42	72	1 $\frac{1}{8}$	—	—	72 lbs.	5.4	
	WWN4272WSCEDLL7	WWN4272WSCEDRL7	Laminate	1755	42	72	1 $\frac{1}{8}$	—	—	72 lbs.	5.4	
	WWN4266WSCEDLW7	WWN4266WSCEDRW7	Wood	\$ 2008	42	66	1 $\frac{1}{8}$	—	—	66 lbs.	4.9	
	WWN4266WSCEDLLW7	WWN4266WSCEDRLW7	Laminate/Wood	2008	42	66	1 $\frac{1}{8}$	—	—	66 lbs.	4.9	
	WWN4266WSCEDLL7	WWN4266WSCEDRL7	Laminate	1672	42	66	1 $\frac{1}{8}$	—	—	66 lbs.	4.9	
WWN4260WSCEDLW7	WWN4260WSCEDRW7	Wood	\$ 1885	42	60	1 $\frac{1}{8}$	—	—	60 lbs.	4.5		
WWN4260WSCEDLLW7	WWN4260WSCEDRLW7	Laminate/Wood	1885	42	60	1 $\frac{1}{8}$	—	—	60 lbs.	4.5		
WWN4260WSCEDLL7	WWN4260WSCEDRL7	Laminate	1595	42	60	1 $\frac{1}{8}$	—	—	60 lbs.	4.5		
WWN4254WSCEDLW7	WWN4254WSCEDRW7	Wood	\$ 1822	42	54	1 $\frac{1}{8}$	—	—	54 lbs.	4.1		
WWN4254WSCEDLLW7	WWN4254WSCEDRLW7	Laminate/Wood	1822	42	54	1 $\frac{1}{8}$	—	—	54 lbs.	4.1		
WWN4254WSCEDLL7	WWN4254WSCEDRL7	Laminate	1554	42	54	1 $\frac{1}{8}$	—	—	54 lbs.	4.1		

- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3696WSCEDLW2 M F X D1B403 MH
WWN3696WSCEDLL2 M V440 X D1L440 440
WWN3696WSCEDLLW2 M F X D1R440 MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)								
	LEFT	RIGHT							
	WWN3696WSCEDLW2	WWN3696WSCEDRW2	Wood	\$	2511	35 $\frac{1}{8}$ "	95 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 106 lbs. 5.9
	WWN3696WSCEDLLW2	WWN3696WSCEDRLW2	Laminate/Wood		2511	35 $\frac{1}{8}$ "	95 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 106 lbs. 5.9
	WWN3696WSCEDLL2	WWN3696WSCEDRL2	Laminate		1857	35 $\frac{1}{8}$ "	95 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 106 lbs. 5.9
	WWN3684WSCEDLW2	WWN3684WSCEDRW2	Wood	\$	2432	35 $\frac{1}{8}$ "	83 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 93 lbs. 5.2
	WWN3684WSCEDLLW2	WWN3684WSCEDRLW2	Laminate/Wood		2432	35 $\frac{1}{8}$ "	83 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 93 lbs. 5.2
	WWN3684WSCEDLL2	WWN3684WSCEDRL2	Laminate		1762	35 $\frac{1}{8}$ "	83 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	— — 93 lbs. 5.2
	WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	\$	1968	35 $\frac{1}{8}$ "	72"	1 $\frac{1}{8}$ "	— — 79 lbs. 3.9
	WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood		1968	35 $\frac{1}{8}$ "	72"	1 $\frac{1}{8}$ "	— — 79 lbs. 3.9
	WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate		1671	35 $\frac{1}{8}$ "	72"	1 $\frac{1}{8}$ "	— — 79 lbs. 3.9
	WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	\$	1911	35 $\frac{1}{8}$ "	66"	1 $\frac{1}{8}$ "	— — 72 lbs. 3.6
	WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood		1911	35 $\frac{1}{8}$ "	66"	1 $\frac{1}{8}$ "	— — 72 lbs. 3.6
	WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate		1592	35 $\frac{1}{8}$ "	66"	1 $\frac{1}{8}$ "	— — 72 lbs. 3.6
	WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	\$	1795	35 $\frac{1}{8}$ "	60"	1 $\frac{1}{8}$ "	— — 65 lbs. 3.3
	WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood		1795	35 $\frac{1}{8}$ "	60"	1 $\frac{1}{8}$ "	— — 65 lbs. 3.3
	WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate		1520	35 $\frac{1}{8}$ "	60"	1 $\frac{1}{8}$ "	— — 65 lbs. 3.3
	WWN3654WSCEDLW2	WWN3654WSCEDRW2	Wood	\$	1731	35 $\frac{1}{8}$ "	54"	1 $\frac{1}{8}$ "	— — 58 lbs. 3.0
	WWN3654WSCEDLLW2	WWN3654WSCEDRLW2	Laminate/Wood		1731	35 $\frac{1}{8}$ "	54"	1 $\frac{1}{8}$ "	— — 58 lbs. 3.0
	WWN3654WSCEDLL2	WWN3654WSCEDRL2	Laminate		1481	35 $\frac{1}{8}$ "	54"	1 $\frac{1}{8}$ "	— — 58 lbs. 3.0

- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4896WSCEDLW7 M F X D1B403 MH
 WW4896WSCEDLL7 M V440 X D1L440 440
 WW4896WSCEDLLW7 M F X D1R440 MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H				
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS										
	LEFT		RIGHT								
	WW4896WSCEDLW7	WW4896WSCEDRW7	Wood	\$ 2558	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLLW7	WW4896WSCEDRLW7	Laminate/Wood	2558	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLL7	WW4896WSCEDRL7	Laminate	1844	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLLL7	WW4896WSCEDRLL7	TFL	1477	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4884WSCEDLW7	WW4884WSCEDRW7	Wood	\$ 2472	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4884WSCEDLLW7	WW4884WSCEDRLW7	Laminate/Wood	2472	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
Left shown	WW4884WSCEDLL7	WW4884WSCEDRL7	Laminate	1738	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4884WSCEDLLL7	WW4884WSCEDRLL7	TFL	1393	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4872WSCEDLW7	WW4872WSCEDRW7	Wood	\$ 1964	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLLW7	WW4872WSCEDRLW7	Laminate/Wood	1964	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLL7	WW4872WSCEDRL7	Laminate	1638	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLLL7	WW4872WSCEDRLL7	TFL	1312	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4866WSCEDLW7	WW4866WSCEDRW7	Wood	\$ 1894	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLLW7	WW4866WSCEDRLW7	Laminate/Wood	1894	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLL7	WW4866WSCEDRL7	Laminate	1557	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLLL7	WW4866WSCEDRLL7	TFL	1243	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4860WSCEDLW7	WW4860WSCEDRW7	Wood	\$ 1768	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLLW7	WW4860WSCEDRLW7	Laminate/Wood	1768	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLL7	WW4860WSCEDRL7	Laminate	1477	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLLL7	WW4860WSCEDRLL7	TFL	1183	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4854WSCEDLW7	WW4854WSCEDRW7	Wood	\$ 1704	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLLW7	WW4854WSCEDRLW7	Laminate/Wood	1704	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLL7	WW4854WSCEDRL7	Laminate	1431	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLLL7	WW4854WSCEDRLL7	TFL	1142	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4296WSCEDLW7 M F X D1B403 MH
 WW4296WSCEDLL7 M V440 X D1L440 440
 WW4296WSCEDLLW7 M F X D1R440 MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
				D	W	H			WEIGHT	FEET
EXTENDED CORNER WORKSURFACE (CONTINUED) 	1$\frac{3}{8}$" TOP THICKNESS (CONTINUED)									
	LEFT	RIGHT								
	WW4296WSCEDLW7	WW4296WSCEDRW7	Wood	\$ 2444	42	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4296WSCEDLLW7	WW4296WSCEDRLW7	Laminate/Wood	2444	42	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4296WSCEDLL7	WW4296WSCEDRL7	Laminate	1762	42	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4296WSCEDLLL7	WW4296WSCEDRLL7	TFL	1409	42	95 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4284WSCEDLW7	WW4284WSCEDRW7	Wood	\$ 2360	42	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLLW7	WW4284WSCEDRLW7	Laminate/Wood	2360	42	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLL7	WW4284WSCEDRL7	Laminate	1661	42	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLLL7	WW4284WSCEDRLL7	TFL	1331	42	83 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4272WSCEDLW7	WW4272WSCEDRW7	Wood	\$ 1871	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLLW7	WW4272WSCEDRLW7	Laminate/Wood	1871	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLL7	WW4272WSCEDRL7	Laminate	1563	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLLL7	WW4272WSCEDRLL7	TFL	1250	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4266WSCEDLW7	WW4266WSCEDRW7	Wood	\$ 1807	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLLW7	WW4266WSCEDRLW7	Laminate/Wood	1807	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLL7	WW4266WSCEDRL7	Laminate	1484	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLLL7	WW4266WSCEDRLL7	TFL	1187	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4260WSCEDLW7	WW4260WSCEDRW7	Wood	\$ 1685	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLLW7	WW4260WSCEDRLW7	Laminate/Wood	1685	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLL7	WW4260WSCEDRL7	Laminate	1409	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLLL7	WW4260WSCEDRLL7	TFL	1128	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4254WSCEDLW7	WW4254WSCEDRW7	Wood	\$ 1626	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLLW7	WW4254WSCEDRLW7	Laminate/Wood	1626	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLL7	WW4254WSCEDRL7	Laminate	1366	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLLL7	WW4254WSCEDRLL7	TFL	1090	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 749

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3696WSCEDLW2 M F X D1B403 MH
 WW3696WSCEDLL2 M V440 X D1L440 440
 WW3696WSCEDLLW2 M F X D1R440 MH MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{3}{16}$" TOP THICKNESS (CONTINUED)										
	LEFT		RIGHT								
	WW3696WSCEDLW2	WW3696WSCEDRW2	Wood	\$ 2327	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLLW2	WW3696WSCEDRLW2	Laminate/Wood	2327	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLL2	WW3696WSCEDRL2	Laminate	1679	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLLL2	WW3696WSCEDRLL2	TFL	1342	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3684WSCEDLW2	WW3684WSCEDRW2	Wood	\$ 2248	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3684WSCEDLLW2	WW3684WSCEDRLW2	Laminate/Wood	2248	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
Left shown	WW3684WSCEDLL2	WW3684WSCEDRL2	Laminate	1583	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3684WSCEDLLL2	WW3684WSCEDRLL2	TFL	1267	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	\$ 1784	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	\$ 1723	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	\$ 1608	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3654WSCEDLW2	WW3654WSCEDRW2	Wood	\$ 1549	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLLW2	WW3654WSCEDRLW2	Laminate/Wood	1549	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLL2	WW3654WSCEDRL2	Laminate	1300	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLLL2	WW3654WSCEDRLL2	TFL	1038	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- Wire Manager available on left side, back or right side; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 749

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSUDW M F X D1B440 X MH
 WWN3672WSUDL M F440 X D1B440 71 $\frac{1}{2}$ 440
 WWN3672WSUDLW M V X X 71 $\frac{1}{2}$ 440 MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
U-SHAPED WORKSURFACE 	1$\frac{1}{8}$" THICKNESS								
	WWN3672WSUDW Wood	\$ 2179	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3672WSUDLW Laminate/Wood	2179	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3672WSUDL Laminate	1272	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3072WSUDW Wood	\$ 1929	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3072WSUDLW Laminate/Wood	1929	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3072WSUDL Laminate	1018	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3066WSUDW Wood	\$ 1832	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN3066WSUDLW Laminate/Wood	1832	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN3066WSUDL Laminate	926	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN2460WSUDW Wood	\$ 1257	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2460WSUDLW Laminate/Wood	1257	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2460WSUDL Laminate	778	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2448WSUDW Wood	\$ 1133	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN2448WSUDLW Laminate/Wood	1133	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN2448WSUDL Laminate	707	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3

- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- For undersurface wire managers, see page 749
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3672WSUDW M F X D1B440 X MH
 WW3672WSUDL M F440 X D1B440 71 $\frac{1}{2}$ 440
 WW3672WSUDLW M V X X 71 $\frac{1}{2}$ 440 MH

- See pages 342-346 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPED WORKSURFACE (CONTINUED)	1 ³ / ₈ " THICKNESS									
	WW3672WSUDW	Wood	\$ 1992	36 ¹ / ₁₆	72	1 ³ / ₈	—	—	79 lbs.	3.8
	WW3672WSUDLW	Laminate/Wood	1992	36 ¹ / ₁₆	72	1 ³ / ₈	—	—	79 lbs.	3.8
	WW3672WSUDL	Laminate	1090	36 ¹ / ₁₆	72	1 ³ / ₈	—	—	79 lbs.	3.8
	WW3672WSUDLL	TFL	873	36 ¹ / ₁₆	72	1 ³ / ₈	—	—	79 lbs.	3.8
	WW3072WSUDW	Wood	\$ 1747	30 ¹ / ₁₆	72	1 ³ / ₈	—	—	76 lbs.	3.6
	WW3072WSUDLW	Laminate/Wood	1747	30 ¹ / ₁₆	72	1 ³ / ₈	—	—	76 lbs.	3.6
	WW3072WSUDL	Laminate	838	30 ¹ / ₁₆	72	1 ³ / ₈	—	—	76 lbs.	3.6
	WW3072WSUDLL	TFL	671	30 ¹ / ₁₆	72	1 ³ / ₈	—	—	76 lbs.	3.6
	WW3066WSUDW	Wood	\$ 1648	30 ¹ / ₁₆	65 ³ / ₄	1 ³ / ₈	—	—	70 lbs.	3.3
	WW3066WSUDLW	Laminate/Wood	1648	30 ¹ / ₁₆	65 ³ / ₄	1 ³ / ₈	—	—	70 lbs.	3.3
	WW3066WSUDL	Laminate	747	30 ¹ / ₁₆	65 ³ / ₄	1 ³ / ₈	—	—	70 lbs.	3.3
	WW3066WSUDLL	TFL	596	30 ¹ / ₁₆	65 ³ / ₄	1 ³ / ₈	—	—	70 lbs.	3.3
	WW2460WSUDW	Wood	\$ 1074	24	60	1 ³ / ₈	—	—	69 lbs.	2.8
	WW2460WSUDLW	Laminate/Wood	1074	24	60	1 ³ / ₈	—	—	69 lbs.	2.8
	WW2460WSUDL	Laminate	600	24	60	1 ³ / ₈	—	—	69 lbs.	2.8
	WW2460WSUDLL	TFL	480	24	60	1 ³ / ₈	—	—	69 lbs.	2.8
	WW2448WSUDW	Wood	\$ 947	24	48 ¹ / ₁₆	1 ³ / ₈	—	—	57 lbs.	2.3
	WW2448WSUDLW	Laminate/Wood	947	24	48 ¹ / ₁₆	1 ³ / ₈	—	—	57 lbs.	2.3
	WW2448WSUDL	Laminate	526	24	48 ¹ / ₁₆	1 ³ / ₈	—	—	57 lbs.	2.3
	WW2448WSUDLL	TFL	421	24	48 ¹ / ₁₆	1 ³ / ₈	—	—	57 lbs.	2.3

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 534
- For undersurface wire managers, see page 749
- Not recommended for use with Epicenter slat wall

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{5}{16}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WWN3672WSUERW2 M V X X MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
				D	W	H	A	KW				
<div></div> <div>Left shown</div>	1⁵/₁₆" THICKNESS											
	LEFT	RIGHT										
	WWN4872WSUELW2	WWN4872WSUERW2	Wood	\$	2372	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELLW2	WWN4872WSUERLW2	Laminate/Wood		2372	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELL2	WWN4872WSUERL2	Laminate		1516	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELW3	WWN4872WSUERW3	Wood	\$	2452	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELLW3	WWN4872WSUERLW3	Laminate/Wood		2452	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELL3	WWN4872WSUERL3	Laminate		1572	48	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	91 lbs.	5.4
	WWN3672WSUELW2	WWN3672WSUERW2	Wood	\$	2236	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELLW2	WWN3672WSUERLW2	Laminate/Wood		2236	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELL2	WWN3672WSUERL2	Laminate		1430	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELW3	WWN3672WSUERW3	Wood	\$	2312	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELLW3	WWN3672WSUERLW3	Laminate/Wood		2312	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELL3	WWN3672WSUERL3	Laminate		1483	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁵ / ₁₆	—	—	79 lbs.	3.8
	<ul style="list-style-type: none">• Wire Manager available on back; see page 346 for wire manager colors and upcharge• When ordering a wire manager, a wire manager filler can be ordered separately; see page 538• Modified depth and width not available on this shape• For undersurface wire managers, see page 749• Not recommended for use with Epicenter slat wall• Models ending in 2 – utilize with 24" deep worksurfaces• Models ending in 3 – utilize with 30" deep worksurfaces											

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WW3672WSUERW2 M V X X MC

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW			
EXTENDED U-SHAPED WORKSURFACE (CONTINUED)	1 $\frac{3}{16}$ " THICKNESS											
	LEFT	RIGHT										
	WW4872WSUELW2	WW4872WSUERW2	Wood	\$ 2135	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELLW2	WW4872WSUERLW2	Laminate/Wood	2135	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELL2	WW4872WSUERL2	Laminate	1365	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELLL2	WW4872WSUERLL2	TFL	1091	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
Left shown	WW4872WSUELW3	WW4872WSUERW3	Wood	\$ 2208	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELLW3	WW4872WSUERLW3	Laminate/Wood	2208	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELL3	WW4872WSUERL3	Laminate	1416	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW4872WSUELLL3	WW4872WSUERLL3	TFL	1135	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	91 lbs.	5.4	
	WW3672WSUELW2	WW3672WSUERW2	Wood	\$ 2015	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELLW2	WW3672WSUERLW2	Laminate/Wood	2015	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELL2	WW3672WSUERL2	Laminate	1287	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELLL2	WW3672WSUERLL2	TFL	1031	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELW3	WW3672WSUERW3	Wood	\$ 2082	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELLW3	WW3672WSUERLW3	Laminate/Wood	2082	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELL3	WW3672WSUERL3	Laminate	1335	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
	WW3672WSUELLL3	WW3672WSUERLL3	TFL	1069	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	79 lbs.	3.8	
<ul style="list-style-type: none">• TFL worksurfaces are 1$\frac{3}{8}$" thick• Wire Manager available on back; see page 346 for wire manager colors and upcharge• When ordering a wire manager, a wire manager filler can be ordered separately; see page 538• Modified depth and width not available on this shape• For undersurface wire managers, see page 749• Not recommended for use with Epicenter slat wall• Models ending in 2 – utilize with 24" deep worksurfaces• Models ending in 3 – utilize with 30" deep worksurfaces												

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- Wire Manager available on back; see page 346 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 538
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 749
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1½" worksurface spans should not exceed 48"; unsupported 1¾" worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3072WSPDLW	M	F	X	D1B440	59½"	AC
WWN3072WSPDLLW	M	F	X	X	X	440 AC
WWN3072WSPDLL	M	V440	X	D1B440	X	440

• See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div><p>P-SHAPED WORKSURFACE</p><p>Right shown</p></div>	1¾" TOP THICKNESS									
	LEFT	RIGHT								
	WWN3072WSPDLW	WWN3072WSPDRW	Wood	\$ 2276	30½"	72	1¾"	—	—	69 lbs. 3.6
	WWN3072WSPDLLW	WWN3072WSPDRLW	Lam/Wood	2276	30½"	72	1¾"	—	—	69 lbs. 3.6
	WWN3072WSPDLL	WWN3072WSPDRL	Laminate	1626	30½"	72	1¾"	—	—	69 lbs. 3.6
	1¾" TOP THICKNESS									
	LEFT	RIGHT								
	WW3072WSPDLW	WW3072WSPDRW	Wood	\$ 2091	30½"	72	1¾"	—	—	69 lbs. 3.6
	WW3072WSPDLLW	WW3072WSPDRLW	Lam/Wood	2091	30½"	72	1¾"	—	—	69 lbs. 3.6
	WW3072WSPDLL	WW3072WSPDRL	Laminate	1444	30½"	72	1¾"	—	—	69 lbs. 3.6
	WW3072WSPDLLL	WW3072WSPDRL	TFL	1156	30½"	72	1¾"	—	—	69 lbs. 3.6
<ul style="list-style-type: none">• TFL worksurfaces are 1¾" thick• If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)• To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered• Wire Manager available on back, the straight edge of the worksurface; see page 346 for wire manager colors and upcharge• When ordering a wire manager, a wire manager filler can be ordered separately; see page 538• Worksurfaces can be ordered in ½" increments in width to a minimum of 59½" at no upcharge• When ordering a worksurface with a size modification, specify desired width• For additional worksurface support, specify Undersurface Support Rail, see page 534• For undersurface wire managers, see page 749• Not recommended for use with Epicenter slat wall										

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSPEDLW2 M F X D1B440 59 $\frac{1}{16}$ AC
 WWN3672WSPEDLLW2 M F X X X 440 AC
 WWN3672WSPEDLL2 M V440 X D1B440 X 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
EXTENDED CORNER P-SHAPED WORKSURFACE  Left shown	1$\frac{1}{16}$" TOP THICKNESS										
	LEFT	RIGHT									
	WWN3672WSPEDLW2	WWN3672WSPEDRW2	Wood	\$ 2528	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WWN3672WSPEDLLW2	WWN3672WSPEDRLW2	Laminate/Wood	2528	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WWN3672WSPEDLL2	WWN3672WSPEDRL2	Laminate	1815	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WWN3672WSPEDLW3	WWN3672WSPEDRW3	Wood	\$ 2598	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WWN3672WSPEDLLW3	WWN3672WSPEDRLW3	Laminate/Wood	2598	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WWN3672WSPEDLL3	WWN3672WSPEDRL3	Laminate	1863	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	1$\frac{1}{16}$" TOP THICKNESS										
	LEFT	RIGHT									
	WW3672WSPEDLW2	WW3672WSPEDRW2	Wood	\$ 2344	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLLW2	WW3672WSPEDRLW2	Laminate/Wood	2344	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLL2	WW3672WSPEDRL2	Laminate	1630	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLLL2	WW3672WSPEDRLL2	TFL	1306	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLW3	WW3672WSPEDRW3	Wood	\$ 2413	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLLW3	WW3672WSPEDRLW3	Laminate/Wood	2413	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLL3	WW3672WSPEDRL3	Laminate	1681	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	WW3672WSPEDLLL3	WW3672WSPEDRLL3	TFL	1344	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs.	4.9
	<ul style="list-style-type: none"> • TFL worksurfaces are 1$\frac{1}{4}$" thick • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) • Models ending in 2 - utilize with 24" deep worksurfaces • Models ending in 3 - utilize with 30" deep worksurfaces • To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered • Wire Manager available on back, the straight edge of the worksurface; see page 346 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 538 • For additional worksurface support, specify Undersurface Support Rail, see page 534 • Modified width and depth not available on this shape • For undersurface wire managers, see page 749 										

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1½" worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN4272WSCSDW2 M F X D1B440 AC
WWN4242WSCSDLW2 M F X X 440 AC
WWN4242WSCSDL2 M V440 X X AC2
- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<div>CORNER WORKSURFACE</div> <div></div> <div>Grain direction runs diagonally</div>	1½" TOP THICKNESS								
	WWN4242WSCSDW2 Wood	\$ 1636	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDLW2 Laminate/Wood	1636	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDL2 Laminate	1090	42½	42½	1½	—	—	59 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	WWN4242WSCSDW3 Wood	\$ 1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDLW3 Laminate/Wood	1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDL3 Laminate	1214	42½	42½	1½	—	—	59 lbs.	3.8
	• Will accommodate 30" deep extension worksurfaces on both sides								
	WWN4242WSCSDW7 Wood	\$ 1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDLW7 Laminate/Wood	1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDL7 Laminate	1214	42½	42½	1½	—	—	59 lbs.	3.8
	• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface								
	WWN4242WSCSDW9 Wood	\$ 1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDLW9 Laminate/Wood	1827	42½	42½	1½	—	—	59 lbs.	3.8
	WWN4242WSCSDL9 Laminate	1214	42½	42½	1½	—	—	59 lbs.	3.8
	• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface								
	WWN3636WSCSDW2 Wood	\$ 1517	36½	36½	1½	—	—	45 lbs.	3.8
	WWN3636WSCSDLW2 Laminate/Wood	1517	36½	36½	1½	—	—	45 lbs.	3.8
	WWN3636WSCSDL2 Laminate	1014	36½	36½	1½	—	—	45 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	• Grain direction runs diagonally								
	• If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)								
	• 42" corner worksurfaces have 25" on front edge								
	• 36" corner worksurfaces have 17" on front edge								
	• Corner worksurface assembled to corner unit is not intended for freestanding unit								
	• Wire Manager available on left side, right side or left & right sides; see page 346 for wire manager colors and upcharge								
	• When ordering a wire manager, a wire manager filler can be ordered separately; see page 538								
	• Modified width and depth not available on this shape								
	• For undersurface wire managers, see page 749								

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4242WSCSDW2	M	F	X	D1B440	AC
WW4242WSCSDLW2	M	F	X	X	440 AC
WW4242WSCSDL2	M	V440	X	X	AC2

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
CORNER WORKSURFACE (CONTINUED)  Grain direction runs diagonally	1$\frac{3}{8}$" TOP THICKNESS								
	WW4242WSCSDW2 Wood	\$ 1449	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW2 Laminate/Wood	1449	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL2 Laminate	910	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL2 TFL	728	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	WW4242WSCSDW3 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW3 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL3 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL3 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 30" deep extension worksurfaces on both sides								
	WW4242WSCSDW7 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW7 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL7 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL7 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface								
	WW4242WSCSDW9 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW9 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL9 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	WW4242WSCSDL9 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface								
	WW3636WSCSDW2 Wood	\$ 1333	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	45 lbs.	3.8
	WW3636WSCSDLW2 Laminate/Wood	1333	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	45 lbs.	3.8
	WW3636WSCSDL2 Laminate	835	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	45 lbs.	3.8
	WW3636WSCSDL2 TFL	669	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	45 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	• TFL worksurfaces are 1 $\frac{1}{8}$ " thick • Grain direction runs diagonally • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) • 42" corner worksurfaces have 25" on front edge • 36" corner worksurfaces have 17" on front edge • Corner worksurface assembled to corner unit is not intended for freestanding unit • Wire Manager available on left side, right side or left & right sides; see page 346 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 538 • Modified width and depth not available on this shape • For undersurface wire managers, see page 749								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 347 for grommet locations; and page 346 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Laminate Top Color/
Veneer Top Finish
7. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW M F X D1B440 MH
WWN60WSHRDLW M F X X MH MH
WWN60WSHRDL M V440 X D1B440 MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
HALF ROUND WORKSURFACE 	1$\frac{1}{16}$" TOP THICKNESS									
	WWN60WSHRDW	Wood	\$ 1207	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WWN60WSHRDLW	Laminate/Wood	1207	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WWN60WSHRDL	Laminate	767	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	1$\frac{3}{16}$" TOP THICKNESS									
	WWN48WSHRDW	Wood	\$ 1036	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN48WSHRDLW	Laminate/Wood	1036	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN48WSHRDL	Laminate	668	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	1$\frac{1}{2}$" TOP THICKNESS									
	WW60WSHRDW	Wood	\$ 1027	30	60	1 $\frac{1}{2}$	—	—	69 lbs.	2.8
COMPONENTS	WW60WSHRDLW	Laminate/Wood	1027	30	60	1 $\frac{1}{2}$	—	—	69 lbs.	2.8
	WW60WSHRDL	Laminate	587	30	60	1 $\frac{1}{2}$	—	—	69 lbs.	2.8
	WW60WSHRDLL	TFL	471	30	60	1 $\frac{1}{2}$	—	—	69 lbs.	2.8
	1$\frac{3}{4}$" TOP THICKNESS									
	WW48WSHRDW	Wood	\$ 853	24	48 $\frac{1}{16}$	1 $\frac{3}{4}$	—	—	57 lbs.	2.3
	WW48WSHRDLW	Laminate/Wood	853	24	48 $\frac{1}{16}$	1 $\frac{3}{4}$	—	—	57 lbs.	2.3
	WW48WSHRDL	Laminate	490	24	48 $\frac{1}{16}$	1 $\frac{3}{4}$	—	—	57 lbs.	2.3
	WW48WSHRDLL	TFL	393	24	48 $\frac{1}{16}$	1 $\frac{3}{4}$	—	—	57 lbs.	2.3
	<ul style="list-style-type: none"> • TFL worksurfaces are 1$\frac{1}{2}$" thick • Rim profile on radius edge of surface only • Only available grommet option is center location • Do not specify worksurface type • Wire Manager available on back side-the straight side of the worksurface; see page 346 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 538 • Modified width and depth not available on this shape • For undersurface wire managers, see page 749 									

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R HN
WWN2424WSQRL V405 405
WWN2424WSQRLW R 405 HN

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<div>QUARTER ROUND WORKSURFACE</div> 	1$\frac{1}{16}$" TOP THICKNESS									
	WWN2424WSQRW	Wood	\$ 1021	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	WWN2424WSQRLW	Laminate/Wood	1021	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	WWN2424WSQRL	Laminate	657	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	• Utilize with 24" deep worksurfaces									
	WWN3030WSQRW	Wood	\$ 1189	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3030WSQRLW	Laminate/Wood	1189	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3030WSQRL	Laminate	754	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurfaces									
	WWN3024WSQRW	Wood	\$ 1667	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3024WSQRLW	Laminate/Wood	1667	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3024WSQRL	Laminate	1113	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
	WWN2430WSQRW	Wood	\$ 1667	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN2430WSQRLW	Laminate/Wood	1667	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN2430WSQRL	Laminate	1113	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
	• Rim profile on radius edge of worksurface only									
	• Grommet option not available									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 534 for support options
- Refer to pages 725-767 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2424WSQRW R HN
WW2424WSQRL V405 405
WW2424WSQRLW R 405 HN

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW						
QUARTER ROUND WORKSURFACE (CONTINUED) 	1$\frac{3}{16}$" TOP THICKNESS										
	WW2424WSQRW	Wood	\$ 834	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRLW	Laminate/Wood	834	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1	
• Utilize with 24" deep worksurfaces											
WW3030WSQRW	Wood	\$ 1003	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRLW	Laminate/Wood	1003	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0		
WW3030WSQRL	Laminate	575	30 $\frac{1}{16}$ </								

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 649-652 for applicable bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN36WSRNLW F MC
WWN36WSRNLW F 440 MH
WWN36WSRNL V440 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TABLE TOP 1$\frac{1}{16}$" THICK 	30" ROUND			DI		H				
	1$\frac{1}{16}$" TOP THICKNESS									
	WWN30WSRNLW	Wood	\$ 1000	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30WSRNLW	Laminate/Wood	1000	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30WSRNL	Laminate	520	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" ROUND									
	WWN36WSRNLW	Wood	\$ 1177	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	WWN36WSRNLW	Laminate/Wood	1177	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	WWN36WSRNL	Laminate	611	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	42" ROUND									
	WWN42WSRNLW	Wood	\$ 1368	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	WWN42WSRNLW	Laminate/Wood	1368	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	WWN42WSRNL	Laminate	734	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	48" ROUND									
	WWN48WSRNLW	Wood	\$ 1520	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	WWN48WSRNLW	Laminate/Wood	1520	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	WWN48WSRNL	Laminate	826	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
<ul style="list-style-type: none"> • Zip rim does not have "run-out" on round tops • Reference pages 649-652 for applicable bases • See the Tables Price List for coordinating conference table tops 										

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 649-652 for applicable bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminated Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WW36WSRNLW F MC
WW36WSRNLW F 440 MH
WW36WSRNL V440 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
<div>ROUND TABLE TOP</div> <div>1 3/16" THICK</div> <div></div>	30" ROUND 1 3/16" TOP THICKNESS			DI		H				
	WW30WSRNLW	Wood	\$ 842	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30WSRNLW	Laminated/Wood	842	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30WSRNL	Laminated	367	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30WSRNL	TFL	295	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	WW36WSRNLW	Wood	\$ 992	36 1/16	—	1 3/16	—	—	40 lbs.	3.0
	WW36WSRNLW	Laminated/Wood	992	36 1/16	—	1 3/16	—	—	40 lbs.	3.0
	WW36WSRNL	Laminated	430	36 1/16	—	1 3/16	—	—	40 lbs.	3.0
	WW36WSRNL	TFL	347	36 1/16	—	1 3/16	—	—	40 lbs.	3.0
	42" ROUND									
	WW42WSRNLW	Wood	\$ 1184	42 1/16	—	1 3/16	—	—	54 lbs.	3.8
	WW42WSRNLW	Laminated/Wood	1184	42 1/16	—	1 3/16	—	—	54 lbs.	3.8
	WW42WSRNL	Laminated	556	42 1/16	—	1 3/16	—	—	54 lbs.	3.8
	WW42WSRNL	TFL	446	42 1/16	—	1 3/16	—	—	54 lbs.	3.8
	48" ROUND									
	WW48WSRNLW	Wood	\$ 1335	48 1/16	—	1 3/16	—	—	71 lbs.	4.5
	WW48WSRNLW	Laminated/Wood	1335	48 1/16	—	1 3/16	—	—	71 lbs.	4.5
	WW48WSRNL	Laminated	648	48 1/16	—	1 3/16	—	—	71 lbs.	4.5
	WW48WSRNL	TFL	519	48 1/16	—	1 3/16	—	—	71 lbs.	4.5

- TFL worksurfaces are 1 3/8" thick
- Zip rim does not have "run-out" on round tops
- Reference pages 649-652 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 649-652 for applicable bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN3636WSSQW F MC
 WWN3636WSSQLW F 440 MH
 WWN3636WSSQL V440 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
<div>SQUARE TABLE TOP 1¹/₁₆" THICK</div> 	30" SQUARE 1¹/₁₆" TOP THICKNESS										
	WWN3030WSSQW	Wood	\$	989	30 ³ / ₁₆	30 ³ / ₁₆	1 ¹ / ₁₆	—	—	33 lbs.	2.0
	WWN3030WSSQLW	Laminate/Wood		989	30 ³ / ₁₆	30 ³ / ₁₆	1 ¹ / ₁₆	—	—	33 lbs.	2.0
	WWN3030WSSQL	Laminate		525	30 ³ / ₁₆	30 ³ / ₁₆	1 ¹ / ₁₆	—	—	33 lbs.	2.0
	36" SQUARE										
	WWN3636WSSQW	Wood	\$	1163	36 ¹ / ₁₆	36 ¹ / ₁₆	1 ¹ / ₁₆	—	—	45 lbs.	3.0
	WWN3636WSSQLW	Laminate/Wood		1163	36 ¹ / ₁₆	36 ¹ / ₁₆	1 ¹ / ₁₆	—	—	45 lbs.	3.0
	WWN3636WSSQL	Laminate		615	36 ¹ / ₁₆	36 ¹ / ₁₆	1 ¹ / ₁₆	—	—	45 lbs.	3.0
	42" SQUARE										
	WWN4242WSSQW	Wood	\$	1343	42 ¹ / ₁₆	42 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	3.8
	WWN4242WSSQLW	Laminate/Wood		1343	42 ¹ / ₁₆	42 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	3.8
	WWN4242WSSQL	Laminate		728	42 ¹ / ₁₆	42 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	3.8
	48" SQUARE										
	WWN4848WSSQW	Wood	\$	1498	48 ¹ / ₁₆	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	76 lbs.	4.5
	WWN4848WSSQLW	Laminate/Wood		1498	48 ¹ / ₁₆	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	76 lbs.	4.5
	WWN4848WSSQL	Laminate		817	48 ¹ / ₁₆	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	76 lbs.	4.5
<div><div>• Reference pages 649-652 for applicable bases</div><div>• See the Tables Price List for coordinating conference table tops</div></div>											

- Reference pages 649-652 for applicable bases
- See the Tables Price List for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 649-652 for applicable bases
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)


SAMPLE MODEL NUMBERS:

WW3036WSSQW F MC
WW3036WSSQLW F 440 MH
WW3036WSSQL V440 440

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div>SQUARE TABLE TOP 1 1/8" THICK</div> 	30" SQUARE		1 1/8" TOP THICKNESS							
	WW3030WSSQW	Wood	\$ 833	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	WW3030WSSQLW	Laminate/Wood	833	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	WW3030WSSQL	Laminate	360	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	WW3030WSSQLL	TFL	288	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	QWW3636WSSQW	Wood	\$ 979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	WW3636WSSQW	Wood	979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	WW3636WSSQLW	Laminate/Wood	979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	WW3636WSSQL	Laminate	422	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	QWW3636WSSQLL	TFL	339	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	WW3636WSSQLL	TFL	339	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	42" SQUARE									
	WW4242WSSQW	Wood	\$ 1158	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	WW4242WSSQLW	Laminate/Wood	1158	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	WW4242WSSQL	Laminate	551	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	WW4242WSSQLL	TFL	441	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	48" SQUARE									
	WW4848WSSQW	Wood	\$ 1316	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	WW4848WSSQLW	Laminate/Wood	1316	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	WW4848WSSQL	Laminate	634	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	WW4848WSSQLL	TFL	507	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
<ul style="list-style-type: none">• TFL worksurfaces are 1 1/8" thick• Reference pages 649-652 for applicable bases• See the Tables Price List for coordinating conference table tops										

- TFL worksurfaces are 1 1/8" thick
- Reference pages 649-652 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. End Panel Usage
5. Laminite Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN48110CMPTW F OEP AD
WWN48110CMPTLW V MH 1EP MH
WWN48110CMPTL VMH 2EP MH

- See pages 342-346 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
WWN48110CMPTW	Wood	\$ 2268	47 1/2	110 1/16	1 1/16	—	—	lbs.	
WWN48110CMPTLW	Laminite/Wood	2268	47 1/2	110 1/16	1 1/16	—	—	lbs.	
WWN48110CMPTL	Laminite	1544	47 1/2	110 1/16	1 1/16	—	—	lbs.	
WWN48104CMPTW	Wood	\$ 2198	47 1/2	104 1/16	1 1/16	—	—	lbs.	
WWN48104CMPTLW	Laminite/Wood	2198	47 1/2	104 1/16	1 1/16	—	—	lbs.	
WWN48104CMPTL	Laminite	1509	47 1/2	104 1/16	1 1/16	—	—	lbs.	
WWN4898CMPTW	Wood	\$ 2125	47 1/2	98 1/4	1 1/16	—	—	lbs.	
WWN4898CMPTLW	Laminite/Wood	2125	47 1/2	98 1/4	1 1/16	—	—	lbs.	
WWN4898CMPTL	Laminite	1473	47 1/2	98 1/4	1 1/16	—	—	lbs.	
WWN4892CMPTW	Wood	\$ 2064	47 1/2	92 1/4	1 1/16	—	—	lbs.	
WWN4892CMPTLW	Laminite/Wood	2064	47 1/2	92 1/4	1 1/16	—	—	lbs.	
WWN4892CMPTL	Laminite	1440	47 1/2	92 1/4	1 1/16	—	—	lbs.	
WWN4874CMPTW	Wood	\$ 1751	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4874CMPTLW	Laminite/Wood	1751	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4874CMPTL	Laminite	1231	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTW	Wood	\$ 1714	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTLW	Laminite/Wood	1714	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTL	Laminite	1188	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTW	Wood	\$ 1681	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTLW	Laminite/Wood	1681	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTL	Laminite	1162	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4838CMPTW	Wood	\$ 1487	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4838CMPTLW	Laminite/Wood	1487	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4838CMPTL	Laminite	919	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTW	Wood	\$ 1241	47 1/2	32 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTLW	Laminite/Wood	1241	47 1/2	32 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTL	Laminite	681	47 1/2	32 3/8	1 1/16	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- See page 533 for end panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW48110CMPTW F OEP AD
WW48110CMPTLW V MH 1EP MH
WW48110CMPTL VMH 2EP MH

- See pages 342-346 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS			D	W	H					
WW48110CMPTW	Wood	\$ 2097	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTLW	Laminate/Wood	2097	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTL	Laminate	1373	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTLL	TFL	1229	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTW	Wood	\$ 2024	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTLW	Laminate/Wood	2024	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTL	Laminate	1335	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTLL	TFL	1192	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW4898CMPTW	Wood	\$ 1954	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTLW	Laminate/Wood	1954	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTL	Laminate	1300	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTLL	TFL	1156	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4892CMPTW	Wood	\$ 1891	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTLW	Laminate/Wood	1891	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTL	Laminate	1267	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTLL	TFL	1123	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4874CMPTW	Wood	\$ 1577	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTLW	Laminate/Wood	1577	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTL	Laminate	1059	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTLL	TFL	913	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTW	Wood	\$ 1541	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTLW	Laminate/Wood	1541	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTL	Laminate	1014	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTLL	TFL	871	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTW	Wood	\$ 1509	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTLW	Laminate/Wood	1509	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTL	Laminate	989	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTLL	TFL	845	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1 1/8" thick
- See page 533 for end panel
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. End Panel Usage
5. Laminite Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW4838CMPTW F 0EP AD
 WW4838CMPTLW V MH 1EP MH
 WW4838CMPTL VMH 2EP MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED) 	1 3/8" TOP THICKNESS (CONTINUED)									
	WW4838CMPTW	Wood	\$	1317	47 1/2	38 3/8	1 3/8	—	—	lbs.
	WW4838CMPTLW	Laminate/Wood		1317	47 1/2	38 3/8	1 3/8	—	—	lbs.
	WW4838CMPTL	Laminate		745	47 1/2	38 3/8	1 3/8	—	—	lbs.
	WW4838CMPTLL	TFL		601	47 1/2	38 3/8	1 3/8	—	—	lbs.
	WW4832CMPTW	Wood	\$	1068	47 1/2	32 3/8	1 3/8	—	—	lbs.
	WW4832CMPTLW	Laminate/Wood		1068	47 1/2	32 3/8	1 3/8	—	—	lbs.
	WW4832CMPTL	Laminate		507	47 1/2	32 3/8	1 3/8	—	—	lbs.
	WW4832CMPTLL	TFL		364	47 1/2	32 3/8	1 3/8	—	—	lbs.
	<ul style="list-style-type: none">• For use when specifying modular storage/lateral files back to back• Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately• TFL worksurfaces are 1 1/8" thick• See page 533 for end panel									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Lamine Top Color (lamine models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN24108CMPTW F 0EP AD
WWN24108CMPTLW V MH 1EP MH
WWN24108CMPTL VMH 2EP MH

- See pages 342-346 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
WWN24108CMPTW	Wood	\$ 1729	24	107 1/8	1 1/8	—	—	lbs.	
WWN24108CMPTLW	Lamine/Wood	1729	24	107 1/8	1 1/8	—	—	lbs.	
WWN24108CMPTL	Lamine	1085	24	107 1/8	1 1/8	—	—	lbs.	
WWN24102CMPTW	Wood	\$ 1668	24	101 1/8	1 1/8	—	—	lbs.	
WWN24102CMPTLW	Lamine/Wood	1668	24	101 1/8	1 1/8	—	—	lbs.	
WWN24102CMPTL	Lamine	1052	24	101 1/8	1 1/8	—	—	lbs.	
WWN2496CMPTW	Wood	\$ 1608	24	95 1/8	1 1/8	—	—	lbs.	
WWN2496CMPTLW	Lamine/Wood	1608	24	95 1/8	1 1/8	—	—	lbs.	
WWN2496CMPTL	Lamine	1018	24	95 1/8	1 1/8	—	—	lbs.	
WWN2490CMPTW	Wood	\$ 1544	24	89 1/8	1 1/8	—	—	lbs.	
WWN2490CMPTLW	Lamine/Wood	1544	24	89 1/8	1 1/8	—	—	lbs.	
WWN2490CMPTL	Lamine	986	24	89 1/8	1 1/8	—	—	lbs.	
WWN2472CMPTW	Wood	\$ 1231	24	71 1/8	1 1/8	—	—	lbs.	
WWN2472CMPTLW	Lamine/Wood	1231	24	71 1/8	1 1/8	—	—	lbs.	
WWN2472CMPTL	Lamine	778	24	71 1/8	1 1/8	—	—	lbs.	
WWN2466CMPTW	Wood	\$ 1195	24	66	1 1/8	—	—	lbs.	
WWN2466CMPTLW	Lamine/Wood	1195	24	66	1 1/8	—	—	lbs.	
WWN2466CMPTL	Lamine	734	24	66	1 1/8	—	—	lbs.	
WWN2460CMPTW	Wood	\$ 1163	24	60	1 1/8	—	—	lbs.	
WWN2460CMPTLW	Lamine/Wood	1163	24	60	1 1/8	—	—	lbs.	
WWN2460CMPTL	Lamine	707	24	60	1 1/8	—	—	lbs.	
WWN2436CMPTW	Wood	\$ 1041	24	36 1/8	1 1/8	—	—	lbs.	
WWN2436CMPTLW	Lamine/Wood	1041	24	36 1/8	1 1/8	—	—	lbs.	
WWN2436CMPTL	Lamine	525	24	36 1/8	1 1/8	—	—	lbs.	
WWN2430CMPTW	Wood	\$ 1021	24	30 1/8	1 1/8	—	—	lbs.	
WWN2430CMPTLW	Lamine/Wood	1021	24	30 1/8	1 1/8	—	—	lbs.	
WWN2430CMPTL	Lamine	490	24	30 1/8	1 1/8	—	—	lbs.	

- For use as a common top when specifying modular storage/lateral files

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Lamine Top Color (lamine models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW24108CMPTW F 0EP AD
WW24108CMPTLW V MH 1EP MH
WW24108CMPTL VMH 2EP MH

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<div>COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)</div> <div></div>	1½" TOP THICKNESS								
	WW24108CMPTW	Wood	\$ 1544	24	107½	1½	—	—	lbs.
	WW24108CMPTLW	Laminate/Wood	1544	24	107½	1½	—	—	lbs.
	WW24108CMPTL	Laminate	871	24	107½	1½	—	—	lbs.
	WW24108CMPTLL	TFL	719	24	107½	1½	—	—	lbs.
	WW24102CMPTW	Wood	\$ 1484	24	101½	1½	—	—	lbs.
	WW24102CMPTLW	Laminate/Wood	1484	24	101½	1½	—	—	lbs.
	WW24102CMPTL	Laminate	871	24	101½	1½	—	—	lbs.
	WW24102CMPTLL	TFL	694	24	101½	1½	—	—	lbs.
	WW2496CMPTW	Wood	\$ 1425	24	95½	1½	—	—	lbs.
	WW2496CMPTLW	Laminate/Wood	1425	24	95½	1½	—	—	lbs.
	WW2496CMPTL	Laminate	838	24	95½	1½	—	—	lbs.
	WW2496CMPTLL	TFL	671	24	95½	1½	—	—	lbs.
	WW2490CMPTW	Wood	\$ 1363	24	89½	1½	—	—	lbs.
	WW2490CMPTLW	Laminate/Wood	1363	24	89½	1½	—	—	lbs.
	WW2490CMPTL	Laminate	804	24	89½	1½	—	—	lbs.
	WW2490CMPTLL	TFL	647	24	89½	1½	—	—	lbs.
	WW2472CMPTW	Wood	\$ 1046	24	71½	1½	—	—	lbs.
	WW2472CMPTLW	Laminate/Wood	1046	24	71½	1½	—	—	lbs.
	WW2472CMPTL	Laminate	600	24	71½	1½	—	—	lbs.
	WW2472CMPTLL	TFL	480	24	71½	1½	—	—	lbs.
	WW2466CMPTW	Wood	\$ 1007	24	66	1½	—	—	lbs.
	WW2466CMPTLW	Laminate/Wood	1007	24	66	1½	—	—	lbs.
	WW2466CMPTL	Laminate	556	24	66	1½	—	—	lbs.
WW2466CMPTLL	TFL	446	24	66	1½	—	—	lbs.	
WW2460CMPTW	Wood	\$ 979	24	60	1½	—	—	lbs.	
WW2460CMPTLW	Laminate/Wood	979	24	60	1½	—	—	lbs.	
WW2460CMPTL	Laminate	526	24	60	1½	—	—	lbs.	
WW2460CMPTLL	TFL	421	24	60	1½	—	—	lbs.	

- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1 1/2" thick
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Laminite Top Color (laminite models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW2436CMPTW F 0EP AD
WW2436CMPTLW V MH 1EP MH
WW2436CMPTL VMH 2EP MH

• See pages 342-346 for all options available in WaveWorks

<div>COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)</div> <div></div>	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	1⅜" TOP THICKNESS (CONTINUED)			D	W	H	A	KW		
	WW2436CMPTW	Wood	\$ 858	24	36⅞	1⅜	—	—		lbs.
	WW2436CMPTLW	Laminate/Wood	858	24	36⅞	1⅜	—	—		lbs.
	WW2436CMPTL	Laminate	347	24	36⅞	1⅜	—	—		lbs.
	WW2436CMPTLL	TFL	276	24	36⅞	1⅜	—	—		lbs.
	WW2430CMPTW	Wood	\$ 834	24	30⅞	1⅜	—	—		lbs.
	WW2430CMPTLW	Laminate/Wood	834	24	30⅞	1⅜	—	—		lbs.
	WW2430CMPTL	Laminate	311	24	30⅞	1⅜	—	—		lbs.
WW2430CMPTLL	TFL	248	24	30⅞	1⅜	—	—		lbs.	
<div>• For use as a common top when specifying modular storage/lateral files</div> <div>• TFL worksurfaces are 1⅝" thick</div>										

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Laminate Top Color (laminite models)
5. Finish (wood models)


SAMPLE MODEL NUMBERS:

WWN3018CMPTW F DW
 WWN3018CMPTLW F MH MH
 WWN3018CMPTL V462 SK

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<div>COMPONENT TOP (PULLOUT STORAGE)</div> <div></div>	1 3/8" TOP THICKNESS								
	WWN3018CMPTW	Wood	\$ 947	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN3018CMPTLW	Laminate/Wood	947	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN3018CMPTL	Laminate	455	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTW	Wood	\$ 921	24	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTLW	Laminate/Wood	921	24	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTL	Laminate	459	24	18 7/8	1 1/16	—	—	lbs.
	1 3/8" TOP THICKNESS								
	WW3018CMPTW	Wood	\$ 778	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTLW	Laminate/Wood	778	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTL	Laminate	289	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTLL	TFL	233	29 1/16	18 7/8	1	—	—	lbs.
	WW2418CMPTW	Wood	\$ 756	24	18 7/8	1 1/16	—	—	lbs.
	WW2418CMPTLW	Laminate/Wood	756	24	18 7/8	1 1/16	—	—	lbs.
	WW2418CMPTL	Laminate	254	24	18 7/8	1 1/16	—	—	lbs.
	WW2418CMPTLL	TFL	209	24	18 7/8	1	—	—	lbs.

COMPONENT TOP (PULLOUT STORAGE)



1 3/8" TOP THICKNESS

WWN4818CMPTW	Wood	\$	1038	47 1/2	18 7/8	1 3/16	—	—	lbs.
WWN4818CMPTLW	Laminate/Wood		1038	47 1/2	18 7/8	1 3/16	—	—	lbs.
WWN4818CMPTL	Laminate		558	47 1/2	18 7/8	1 3/16	—	—	lbs.

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59

1 3/8" TOP THICKNESS

WW4818CMPTW	Wood	\$	869	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTLW	Laminate/Wood		869	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTL	Laminate		391	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTLL	TFL		312	47 1/2	18 7/8	1	—	—	lbs.

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59

- Grain direction runs horizontal

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Laminate Top Color (laminite models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN6018CMPTW F DW
WWN6018CMPTLW F MH MH
WWN6018CMPTL V462 SK

- See pages 342-346 for all options available in WaveWorks

COMPONENT TOP (PULLOUT STORAGE) 60" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
1½" TOP THICKNESS								
WWN7218CMPTW	Wood	\$ 1145	71⅞	18⅞	1⅞	—	—	lbs.
WWN7218CMPTLW	Laminate/Wood	1145	71⅞	18⅞	1⅞	—	—	lbs.
WWN7218CMPTL	Laminate	723	71⅞	18⅞	1⅞	—	—	lbs.
WWN6618CMPTW	Wood	\$ 1111	65½	18⅞	1⅞	—	—	lbs.
WWN6618CMPTLW	Laminate/Wood	1111	65½	18⅞	1⅞	—	—	lbs.
WWN6618CMPTL	Laminate	641	65½	18⅞	1⅞	—	—	lbs.
WWN6018CMPTW	Wood	\$ 1038	59½	18⅞	1⅞	—	—	lbs.
WWN6018CMPTLW	Laminate/Wood	1038	59½	18⅞	1⅞	—	—	lbs.
WWN6018CMPTL	Laminate	558	59½	18⅞	1⅞	—	—	lbs.
WWN5418CMPTW	Wood	\$ 1057	53½	18⅞	1⅞	—	—	lbs.
WWN5418CMPTLW	Laminate/Wood	1057	53½	18⅞	1⅞	—	—	lbs.
WWN5418CMPTL	Laminate	601	53½	18⅞	1⅞	—	—	lbs.
1⅞" TOP THICKNESS								
WW7218CMPTW	Wood	\$ 976	71⅞	18⅞	1⅞	—	—	lbs.
WW7218CMPTLW	Laminate/Wood	976	71⅞	18⅞	1⅞	—	—	lbs.
WW7218CMPTL	Laminate	556	71⅞	18⅞	1⅞	—	—	lbs.
WW7218CMPTLL	TFL	446	71⅞	18⅞	1	—	—	lbs.
WW6618CMPTW	Wood	\$ 937	65½	18⅞	1⅞	—	—	lbs.
WW6618CMPTLW	Laminate/Wood	937	65½	18⅞	1⅞	—	—	lbs.
WW6618CMPTL	Laminate	515	65½	18⅞	1⅞	—	—	lbs.
WW6618CMPTLL	TFL	413	65½	18⅞	1	—	—	lbs.
WW6018CMPTW	Wood	\$ 910	59½	18⅞	1⅞	—	—	lbs.
WW6018CMPTLW	Laminate/Wood	910	59½	18⅞	1⅞	—	—	lbs.
WW6018CMPTL	Laminate	490	59½	18⅞	1⅞	—	—	lbs.
WW6018CMPTLL	TFL	393	59½	18⅞	1	—	—	lbs.
WW5418CMPTW	Wood	\$ 888	53½	18⅞	1⅞	—	—	lbs.
WW5418CMPTLW	Laminate/Wood	888	53½	18⅞	1⅞	—	—	lbs.
WW5418CMPTL	Laminate	433	53½	18⅞	1⅞	—	—	lbs.
WW5418CMPTLL	TFL	347	53½	18⅞	1	—	—	lbs.

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59
- Grain direction runs horizontal on veneer models
- Grain direction runs horizontal on laminate models 60" wide and smaller. On 66" and 72" wide models, the grain direction runs vertical

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2918PUBBFW 2PL G22 KRB MC
WW2918PUBBFL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 35" DEEP 	WW3518PUBBFW	Wood	\$ 2044	34 ⁷ / ₈	17 ¹ / ₈	27 ³ / ₄	—	—	105 lbs.	12.6	
	WW3518PUBBFL	Laminate	1291	34 ⁷ / ₈	17 ¹ / ₈	27 ³ / ₄	—	—	105 lbs.	12.6	
	WW3515PUBBFW	Wood	\$ 1936	34 ⁷ / ₈	14 ¹ / ₈	27 ³ / ₄	—	—	93 lbs.	10.5	
	WW3515PUBBFL	Laminate	1222	34 ⁷ / ₈	14 ¹ / ₈	27 ³ / ₄	—	—	93 lbs.	10.5	
	<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Not intended for use in a freestanding application										
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP 	WW2918PUBBFW	Wood	\$ 1931	28 ⁷ / ₈	17 ¹ / ₈	27 ³ / ₄	—	—	95 lbs.	10.6	
	WW2918PUBBFL	Laminate	1206	28 ⁷ / ₈	17 ¹ / ₈	27 ³ / ₄	—	—	95 lbs.	10.6	
	WW2915PUBBFW	Wood	\$ 1821	28 ⁷ / ₈	14 ¹ / ₈	27 ³ / ₄	—	—	83 lbs.	8.5	
	WW2915PUBBFL	Laminate	1137	28 ⁷ / ₈	14 ¹ / ₈	27 ³ / ₄	—	—	83 lbs.	8.5	
	<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Not intended for use in a freestanding application• Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:


WW2318PUBBFW 2PL G22 KRB MC
WW2318PUBBFL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP 	WW2318PUBBFW	Wood	\$ 1807	22 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	WW2318PUBBFL	Laminate	1133	22 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	QWW2315PUBBFW	Wood	\$ 1712	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	WW2315PUBBFW	Wood	1712	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	QWW2315PUBBFL	Laminate	1065	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	WW2315PUBBFL	Laminate	1065	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Not intended for use in a freestanding application• Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price									

PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP 	WW1718PUBBFW	Wood	\$ 1807	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	WW1718PUBBFL	Laminate	1133	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	WW1715PUBBFW	Wood	\$ 1712	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	WW1715PUBBFL	Laminate	1065	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Not intended for use in a freestanding application									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color




SAMPLE MODEL NUMBERS:

WW2918PUFFW 2PL G22 KRB MC
WW2918PUFFL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PEDESTAL - UNDERSURFACE FILE/FILE 35" DEEP 	WW3518PUFFW Wood	\$ 2044	34⅞	17⅞	27¾	—	—	105 lbs.	12.6
	WW3518PUFFL Laminate	1291	34⅞	17⅞	27¾	—	—	105 lbs.	12.6
	WW3515PUFFW Wood	\$ 1936	34⅞	14⅞	27¾	—	—	93 lbs.	10.5
	WW3515PUFFL Laminate	1222	34⅞	14⅞	27¾	—	—	93 lbs.	10.5
	<ul style="list-style-type: none"> • Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application 								
PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP 	WW2918PUFFW Wood	\$ 1931	28⅞	17⅞	27¾	—	—	95 lbs.	10.6
	WW2918PUFFL Laminate	1206	28⅞	17⅞	27¾	—	—	95 lbs.	10.6
	WW2915PUFFW Wood	\$ 1821	28⅞	14⅞	27¾	—	—	83 lbs.	8.5
	WW2915PUFFL Laminate	1137	28⅞	14⅞	27¾	—	—	83 lbs.	8.5
	<ul style="list-style-type: none"> • Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price 								
PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP 	WW2318PUFFW Wood	\$ 1807	22⅞	17⅞	27¾	—	—	75 lbs.	11.4
	WW2318PUFFL Laminate	1133	22⅞	17⅞	27¾	—	—	75 lbs.	11.4
	QWW2315PUFFW Wood	\$ 1712	22⅞	14⅞	27¾	—	—	70 lbs.	9.9
	WW2315PUFFW Wood	1712	22⅞	14⅞	27¾	—	—	70 lbs.	9.9
	QWW2315PUFFL Laminate	1065	22⅞	14⅞	27¾	—	—	70 lbs.	9.9
	WW2315PUFFL Laminate	1065	22⅞	14⅞	27¾	—	—	70 lbs.	9.9
	<ul style="list-style-type: none"> • Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price 								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW1718PUFFW 2PL G22 KRB MC
WW1718PUFFL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP 	WW1718PUFFW	Wood	\$ 1807	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	56 lbs.	9.1
	WW1718PUFFL	Laminate	1133	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	56 lbs.	9.1
	WW1715PUFFW	Wood	\$ 1712	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	WW1715PUFFL	Laminate	1065	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Not intended for use in a freestanding application									

SUPPORT PEDESTAL



LEFT		RIGHT									
WW351829SESLW	WW351829SESRW	Wood	\$	1316	35 ³ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	4.0
WW351829SESL	WW351829SESRL	Laminate		809	35 ³ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	4.0
WW351529SESLW	WW351529SESRW	Wood	\$	1243	35 ³ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	89 lbs.	3.5
WW351529SESL	WW351529SESRL	Laminate		767	35 ³ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	89 lbs.	3.5
WW291829SESLW	WW291829SESRW	Wood	\$	1238	29 ³ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	3.0
WW291829SESL	WW291829SESRL	Laminate		762	29 ³ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	3.0
WW291529SESLW	WW291529SESRW	Wood	\$	1166	29 ³ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	83 lbs.	2.5
WW291529SESL	WW291529SESRL	Laminate		719	29 ³ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	83 lbs.	2.5

- Specify component worksurfaces and backs to finish as needed
- For use when creating single pedestal desks from components
- Not intended for use in a freestanding application

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336LFM2W 2PL G22 KRB MC
WW2336LFM2L 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	23" DEPTH												
	WW2336LFM2W	Wood	\$ 2303	22 ¹³ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—				120 lbs.	20.4
	WW2336LFM2L	Laminate	1272	22 ¹³ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—				120 lbs.	20.4
	WW2330LFM2W	Wood	\$ 2123	22 ¹³ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—				101 lbs.	17.4
	WW2330LFM2L	Laminate	1238	22 ¹³ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—				101 lbs.	17.4
	17" DEPTH												
	WW1736LFM2W	Wood	\$ 2303	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—				119 lbs.	16.3
	WW1736LFM2L	Laminate	1272	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—				119 lbs.	16.3
	WW1730LFM2W	Wood	\$ 2123	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—				105 lbs.	13.7
	WW1730LFM2L	Laminate	1238	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—				105 lbs.	13.7
<ul style="list-style-type: none">• Tops and backs are open; specify component worksurfaces and backs to finish as needed• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front• Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$329 to the list price													

	WW2436LFM3W	Wood	\$ 4140	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—				210 lbs.	30.0
	WW2436LFM3L	Laminate	2650	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—				210 lbs.	30.0
	WW2430LFM3W	Wood	\$ 3996	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—				lbs.	
	WW2430LFM3L	Laminate	2578	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—				lbs.	
	<ul style="list-style-type: none">• Top of unit is finished with flat edge detail• Interlock mechanism allows only 1 drawer to be open at a time• For use with component common top when ganging units together• Unit has full finished back• Do not specify pedestal grommet option• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front												

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¾" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2436LFM4W 2PL G22 KRB MC
WW2436LFM4L 2PL G22 KRB MC 440


- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE - 4 DRAWER MODULAR	WW2436LFM4W Wood	\$ 4829	23⅞"	35⅞"	52⅞"	—	—	265 lbs.	33.4
	WW2436LFM4L Laminate	3058	23⅞"	35⅞"	52⅞"	—	—	265 lbs.	33.4
	WW2430LFM4W Wood	\$ 4684	23⅞"	29⅞"	52⅞"	—	—	lbs.	
	WW2430LFM4L Laminate	2984	23⅞"	29⅞"	52⅞"	—	—	lbs.	




- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

DOUBLE DOOR STORAGE/LATERAL FILE MODULAR	WW2436LFM1H1W Wood	\$ 3853	23⅞"	35⅞"	40⅞"	—	—	lbs.	
	WW2436LFM1H1L Laminate	2362	23⅞"	35⅞"	40⅞"	—	—	lbs.	
	WW2430LFM1H1W Wood	\$ 3672	23⅞"	29⅞"	40⅞"	—	—	lbs.	
	WW2430LFM1H1L Laminate	2327	23⅞"	29⅞"	40⅞"	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

OPEN CUBBY/2 LATERAL FILES MODULAR	WW2436LFM201W Wood	\$ 3565	23⅞"	35⅞"	40⅞"	—	—	lbs.	
	WW2436LFM201L Laminate	2219	23⅞"	35⅞"	40⅞"	—	—	lbs.	
	WW2430LFM201W Wood	\$ 3385	23⅞"	29⅞"	40⅞"	—	—	lbs.	
	WW2430LFM201L Laminate	2182	23⅞"	29⅞"	40⅞"	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint Color
5. Finish
6. Laminate Door/Drawer Color
7. Laminate Color Chassis

SAMPLE MODEL NUMBERS:

WW2436LFM1SS4W 61R KRB 462 AD
 WW2436LFM1SS4L 61R KRB 462 405 AD

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT	CUBIC FEET
			D	W	H	A	KW		
4 METAL SLIDING SHELVES/LATERAL FILE MODULAR 	WW2436LFM1SS4W Wood	\$ 5089	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2436LFM1SS4L Laminate	3990	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2430LFM1SS4W Wood	\$ 4909	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	WW2430LFM1SS4L Laminate	3953	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	<ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front 								

2 METAL SLIDING SHELVES/2 LATERAL FILES MODULAR


WW2436LFM2SS2W Wood	\$ 4514	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.
WW2436LFM2SS2L Laminate	3416	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.
WW2430LFM2SS2W Wood	\$ 4335	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
WW2430LFM2SS2L Laminate	3379	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
<ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front 							

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336PUHW 2PL G22 KRB MC
WW2336PUHL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW		
<div>DOUBLE DOOR UNIT UNDERSURFACE</div> 	23" DEPTH									
	WW2336PUHW	Wood	\$ 1844	22 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	110 lbs.	20.4
	WW2336PUHL	Laminate	1108	22 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	110 lbs.	20.4
	WW2330PUHW	Wood	\$ 1663	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4
	WW2330PUHL	Laminate	1043	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4
	WW2324PUHW	Wood	\$ 1595	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	WW2324PUHL	Laminate	1002	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	17" DEPTH									
	WW1736PUHW	Wood	\$ 1844	16 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW1736PUHL	Laminate	1108	16 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW1730PUHW	Wood	\$ 1663	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	78 lbs.	13.7
	WW1730PUHL	Laminate	1043	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	78 lbs.	13.7
	WW1724PUHW	Wood	\$ 1595	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8
	WW1724PUHL	Laminate	1002	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8
<ul style="list-style-type: none">• Tops are open, backs are unfinished; specify component worksurfaces and backs to finish as needed• Units feature an adjustable shelf• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU33W 2PL G22 KRB MC
WW233629PU33L 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

BOOKCASE
UNDERSURFACE

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET

23" DEPTH

WW233629PU0SW	Wood	\$ 1656
WW233629PU0SL	Laminate	994

22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4

WW233029PU0SW	Wood	\$ 1587
WW233029PU0SL	Laminate	959

22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0

WW232429PU0SW	Wood	\$ 1521
WW232429PU0SL	Laminate	922

22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0

17" DEPTH

WW173629PU0SW	Wood	\$ 1656
WW173629PU0SL	Laminate	994

16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3


WW173029PU0SW	Wood	\$ 1587
WW173029PU0SL	Laminate	959

16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7

WW172429PU0SW	Wood	\$ 1521
WW172429PU0SL	Laminate	922

16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	57 lbs.	11.0
16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	57 lbs.	11.0

- Unit features standard adjustable shelf
- Specify component worksurfaces and backs to finish as needed

MIXED STORAGE CABINET
UNDERSURFACE

Left shown

OPEN STORAGE
ON LEFT
23" DEPTHOPEN STORAGE
ON RIGHT

WW233629PU33W	WW233629PU32W	Wood	\$ 2731
WW233629PU33L	WW233629PU32L	Laminate	1706

22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4

WW233029PU33W	WW233029PU32W	Wood	\$ 2552
WW233029PU33L	WW233029PU32L	Laminate	1671

22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0

17" DEPTH

WW173629PU33W	WW173629PU32W	Wood	\$ 2731
WW173629PU33L	WW173629PU32L	Laminate	1706

16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3

WW173029PU33W	WW173029PU32W	Wood	\$ 2552
WW173029PU33L	WW173029PU32L	Laminate	1671

16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Locking only on lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU11W 2PL G22 KS1B MC
WW233629PU11L 2PL G22 KS1B MC 440

• See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
<div><div>MULTI-FILE CABINET UNDERSURFACE</div><div></div><div>Left shown</div></div>	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT									
	23" DEPTH										
	WW233629PU11W	WW233629PU10W	Wood	\$ 3348	22 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233629PU11L	WW233629PU10L	Laminate	2328	22 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233029PU11W	WW233029PU10W	Wood	\$ 3169	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	WW233029PU11L	WW233029PU10L	Laminate	2294	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	17" DEPTH										
	WW173629PU11W	WW173629PU10W	Wood	\$ 3348	16 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW173629PU11L	WW173629PU10L	Laminate	2328	16 ¹ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW173029PU11W	WW173029PU10W	Wood	\$ 3169	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
	WW173029PU11L	WW173029PU10L	Laminate	2294	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
<ul style="list-style-type: none">• Specify component worksurfaces and backs to finish as needed• Locking only on file drawer and lateral file• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW233622PUOSW 2PL G22 KS1B MC
WW233622PUOSL 2PL G22 KS1B MC


- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

STORAGE CABINET
METAL SLIDING SHELVES

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
WW233629PUOSSW Wood	\$ 3365	22	35 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
WW233629PUOSSL Laminate	2266	22	35 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
• Weight capacity: 49 pounds per shelf								
WW233029PUOSSW Wood	\$ 3311	22	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
WW233029PUOSSL Laminate	2229	22	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
• Weight capacity: 40 pounds per shelf								
WW232429PUOSSW Wood	\$ 3256	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
WW232429PUOSSL Laminate	2190	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
• Weight capacity: 31 pounds per shelf								
• Specify component worksurfaces and backs to finish as needed								
• Unit features 4 metal shelves on full extension slides								
• Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{4}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{4}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{4}$ W of storage space and feature a non skid surface								
• Not intended for a freestanding application								

BOOKCASE
UNDERSURFACE -
BOX/FILE HEIGHT

23" DEPTH								
QWW233622PUOSW Wood	\$ 1656	22 $\frac{1}{16}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
WW233622PUOSW Wood	1656	22 $\frac{1}{16}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
QWW233622PUOSL Laminate	994	22 $\frac{1}{16}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
WW233622PUOSL Laminate	994	22 $\frac{1}{16}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
QWW233022PUOSW Wood	\$ 1587	22 $\frac{1}{16}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
WW233022PUOSW Wood	1587	22 $\frac{1}{16}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
QWW233022PUOSL Laminate	959	22 $\frac{1}{16}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
WW233022PUOSL Laminate	959	22 $\frac{1}{16}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
WW232422PUOSW Wood	\$ 1521	22 $\frac{1}{16}$	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
WW232422PUOSL Laminate	922	22 $\frac{1}{16}$	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
17" DEPTH								
WW173622PUOSW Wood	\$ 1656	16 $\frac{1}{8}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	95 lbs.	12.5
WW173622PUOSL Laminate	994	16 $\frac{1}{8}$	35 $\frac{3}{8}$	21 $\frac{1}{16}$	—	—	95 lbs.	12.5
WW173022PUOSW Wood	\$ 1587	16 $\frac{1}{8}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	97 lbs.	10.8
WW173022PUOSL Laminate	959	16 $\frac{1}{8}$	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	97 lbs.	10.8
WW172422PUOSW Wood	\$ 1521	16 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	67 lbs.	8.4
WW172422PUOSL Laminate	922	16 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	67 lbs.	8.4
• Unit features standard adjustable shelf								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW233622PUBLW 2PL G22 KS1B MC
WW233622PUBLL 2PL G22 KS1B MC 440

- See pages 342-346 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

BOX/LATERAL FILE UNDERSURFACE - BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
23" DEPTH									
QWW233622PUBLW	Wood	\$ 2236	22 ¹³ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
WW233622PUBLW	Wood	2236	22 ¹³ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
QWW233622PUBLL	Laminate	1206	22 ¹³ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
WW233622PUBLL	Laminate	1206	22 ¹³ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
17" DEPTH									
QWW233022PUBLW	Wood	\$ 2059	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
WW233022PUBLW	Wood	2059	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
QWW233022PUBLL	Laminate	1172	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
WW233022PUBLL	Laminate	1172	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
17" DEPTH									
WW173622PUBLW	Wood	\$ 2236	16 ¹ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
WW173622PUBLL	Laminate	1206	16 ¹ / ₁₆	35 ⁵ / ₁₆	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
WW173022PUBLW	Wood	\$ 2059	16 ¹ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	10.8
WW173022PUBLL	Laminate	1172	16 ¹ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	10.8

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW231822PUBFW 2PL G22 KS1B MC
WW231822PUBFL 2PL G22 KS1B MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
BOX/FILE HEIGHT PEDESTAL UNDERSURFACE - BOX/FILE HEIGHT 	23" DEPTH										
	WW231822PUBFW	Wood	\$ 1746	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	70 lbs.	10.0
	WW231822PUBFL	Laminate	1068	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	70 lbs.	10.0
	WW231522PUBFW	Wood	\$ 1646	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	65 lbs.	8.0
	WW231522PUBFL	Laminate	1000	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	65 lbs.	8.0
	17" DEPTH										
	WW171822PUBFW	Wood	\$ 1746	16 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	42 lbs.	7.3
	WW171822PUBFL	Laminate	1068	16 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	42 lbs.	7.3
	WW171522PUBFW	Wood	\$ 1646	16 ¹⁵ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	34 lbs.	6.3
	WW171522PUBFL	Laminate	1000	16 ¹⁵ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	—	34 lbs.	6.3
<ul style="list-style-type: none"> • Tops and backs are open; specify component worksurfaces and backs to finish as needed • Not intended to be used as a hanging pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application 											
GANGING BRACKET 	NACGB1	Ganging Bracket	\$ 99	5 ³ / ₄	1 ³ / ₄	1 ³ / ₄	—	—	—	2 lbs.	0.1
	<ul style="list-style-type: none"> • Specify base model only • Shipped 1 per kit • Can be used when 2 or more pedestals or cabinets are positioned side by side creating a built up appearance without defacing the outside of the units 										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW233633PUHL 2PL G22 KRG MC 440

- See pages 342-346 for all options available in WaveWorks

[illegible]

**DOUBLE DOOR
UNDERSURFACE
COUNTER HEIGHT
CABINET**



23" DEPTH									
WW233633PUHL	Laminate	\$	1552	22 ¹³ / ₁₆	35 ⁷ / ₈	33 ¹³ / ₁₆	—	—	23.0
WW233033PUHL	Laminate		1521	22 ¹³ / ₁₆	29 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	19.7
WW232433PUHL	Laminate		1493	22 ¹³ / ₁₆	23 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	16.4
17" DEPTH									
WW173633PUHL	Laminate	\$	1423	16 ¹⁵ / ₁₆	35 ⁷ / ₈	33 ¹³ / ₁₆	—	—	18.2
WW173033PUHL	Laminate		1397	16 ¹⁵ / ₁₆	29 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	15.6
WW172433PUHL	Laminate		1372	16 ¹⁵ / ₁₆	23 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	12.9

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 538) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW233633PUOSL 2PL G22 KRB MC 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	23" DEPTH									
	WW233633PU0SL	Laminate	\$ 1318	22	35 ⁷ / ₈	33 ¹ / ₁₆	—	—		22.4
	WW233033PU0SL	Laminate	1287	22	29 ¹ / ₁₆	33 ¹ / ₁₆	—	—		19.1
	WW232433PU0SL	Laminate	1256	22	23 ¹ / ₁₆	33 ¹ / ₁₆	—	—		15.9
	17" DEPTH									
	WW173633PU0SL	Laminate	\$ 1258	16 ¹ / ₈	35 ⁷ / ₈	33 ¹ / ₁₆	—	—		17.9
	WW173033PU0SL	Laminate	1230	16 ¹ / ₈	29 ¹ / ₁₆	33 ¹ / ₁₆	—	—		15.0
	WW172433PU0SL	Laminate	1199	16 ¹ / ₈	23 ¹ / ₁₆	33 ¹ / ₁₆	—	—		12.4
<ul style="list-style-type: none">• Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed• Units feature adjustable/fixed shelf										

**4 DRAWER
COUNTER HEIGHT
CABINET**


23" DEPTH								
WW233633PU4BL	Laminate	\$ 1977	22 $\frac{1}{16}$	35 $\frac{7}{8}$	33 $\frac{1}{16}$	—	—	23.0
WW233033PU4BL	Laminate	1906	22 $\frac{1}{16}$	29 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	19.7
WW232433PU4BL	Laminate	1835	22 $\frac{1}{16}$	23 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	16.4
17" DEPTH								
WW173633PU4BL	Laminate	\$ 1977	16 $\frac{1}{16}$	35 $\frac{7}{8}$	33 $\frac{1}{16}$	—	—	18.2
WW173033PU4BL	Laminate	1906	16 $\frac{1}{16}$	29 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	15.6
WW172433PU4BL	Laminate	1835	16 $\frac{1}{16}$	23 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	12.9
<ul style="list-style-type: none"> • Locking top drawer only • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed 								

**UNDERSURFACE
FILLER PANELS**


WW0633CPFPL	\$ 174	$\frac{3}{4}$	6	33 $\frac{3}{8}$	—	—	0.3
WW0628CPFPL	158	$\frac{3}{4}$	6	27 $\frac{3}{16}$	—	—	0.3
<ul style="list-style-type: none"> • To be used with undersurface storage cabinets and pedestals to fill in space as needed • Can be field cut to desired width 							

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:


WW3627MPW M G21 X MH
WW1827MPW MC
WW1837MPL 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY/BACK PANEL LATERAL FILE 	WW3627MPW Wood	\$ 547	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3627MPL Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPW Wood	\$ 503	¾	29¾	27⅞	—	—	21 lbs.	1.8
	WW3027MPL Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"> • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 								

MODESTY/BACK PANEL LATERAL FILE 	WW3627MPVL Laminate	\$ 245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPVL Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8
	• Grain direction runs vertically								

MODESTY/BACK PANEL PEDESTAL 	WW1827MPW Wood	\$ 481	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	WW1827MPL Laminate	185	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	QWW1527MPW Wood	\$ 473	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	WW1527MPW Wood	473	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	QWW1527MPL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	WW1527MPL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	<ul style="list-style-type: none"> • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 								

MODESTY/BACK PANEL PEDESTAL 	WW1827MPVL Laminate	\$ 185	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	WW1527MPVL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	• Grain direction runs vertically								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1821MPW MC
WW1821MPL 440

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT) 	WW1821MPW	Wood	\$ 285	¾	17 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	9 lbs.	1.0
	WW1821MPL	Laminate	105	¾	17 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	9 lbs.	1.0
	WW1521MPW	Wood	\$ 242	¾	14 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	8 lbs.	0.9
	WW1521MPL	Laminate	79	¾	14 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	8 lbs.	0.9
<ul style="list-style-type: none"> • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 										

MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT) 	WW1821MPVL	Laminate	\$ 105	¾	17 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	9 lbs.	1.0
	WW1521MPVL	Laminate	79	¾	14 ¹³ / ₁₆	20 ⁷ / ₃₂	—	—	8 lbs.	0.9
<ul style="list-style-type: none"> • Grain direction runs vertically 										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9627MPW M G21 94½ CW

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT) 	WW9627MPW	Wood	\$ 958	¾	95½	27⅞	—	—	65 lbs.	11.8
	WW9627MPL	Laminate	506	¾	95½	27⅞	—	—	65 lbs.	11.8
	WW9027MPW	Wood	\$ 903	¾	89½	27⅞	—	—	62 lbs.	11.1
	WW9027MPL	Laminate	480	¾	89½	27⅞	—	—	62 lbs.	11.1
	WW8427MPW	Wood	\$ 853	¾	83½	27⅞	—	—	58 lbs.	10.4
	WW8427MPL	Laminate	452	¾	83½	27⅞	—	—	58 lbs.	10.4
	WW7827MPW	Wood	\$ 804	¾	77½	27⅞	—	—	51 lbs.	7.2
	WW7827MPL	Laminate	427	¾	77½	27⅞	—	—	51 lbs.	7.2
	QWW7227MPW	Wood	\$ 759	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW7227MPW	Wood	759	¾	71½	27⅞	—	—	44 lbs.	3.9
	QWW7227MPL	Laminate	402	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW7227MPL	Laminate	402	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW6627MPW	Wood	\$ 718	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	WW6627MPL	Laminate	382	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	QWW6027MPW	Wood	\$ 675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPW	Wood	675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	QWW6027MPL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPW	Wood	\$ 640	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW5427MPL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	QWW4827MPW	Wood	\$ 590	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPW	Wood	590	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPL	Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4227MPW	Wood	\$ 572	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW4227MPL	Laminate	275	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW3627MPW	Wood	\$ 547	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3627MPL	Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPW	Wood	\$ 503	¾	29¾	27⅞	—	—	21 lbs.	1.8
	WW3027MPL	Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW96A27MPL M G21 94½ MC


- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS (WORKSURFACE HEIGHT) 	WW96A27MPL Laminate	\$ 506	¾	95¾	27⅞	—	—	65 lbs.	11.8
	WW90A27MPL Laminate	480	¾	89¾	27⅞	—	—	62 lbs.	11.1
	WW84A27MPL Laminate	452	¾	83¾	27⅞	—	—	58 lbs.	10.4
	WW78A27MPL Laminate	427	¾	77¾	27⅞	—	—	51 lbs.	7.2
	WW72A27MPL Laminate	402	¾	71¾	27⅞	—	—	44 lbs.	3.9
	WW66A27MPL Laminate	382	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	WW60A27MPL Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT) 	WW6027MPVL Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPVL Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	QWW4827MPVL Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPVL Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4227MPVL Laminate	275	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW3627MPVL Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPVL Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Grain direction runs vertically

MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS (WORKSURFACE HEIGHT) 	WW60A27MPVL Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
--	----------------------	--------	---	-----	-----	---	---	---------	-----

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9621MPW M G21 94½ CW

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW9621MPW	Wood	\$ 787	¾	95⅝	20⅞ ₃₂	—	—	60 lbs.	4.1
	WW9621MPL	Laminate	421	¾	95⅝	20⅞ ₃₂	—	—	60 lbs.	4.1
	WW9021MPW	Wood	\$ 734	¾	89⅝	20⅞ ₃₂	—	—	57 lbs.	4.0
	WW9021MPL	Laminate	394	¾	89⅝	20⅞ ₃₂	—	—	57 lbs.	4.0
	WW8421MPW	Wood	\$ 682	¾	83⅝	20⅞ ₃₂	—	—	53 lbs.	3.9
	WW8421MPL	Laminate	365	¾	83⅝	20⅞ ₃₂	—	—	53 lbs.	3.9
	WW7821MPW	Wood	\$ 635	¾	77⅝	20⅞ ₃₂	—	—	46 lbs.	3.8
	WW7821MPL	Laminate	343	¾	77⅝	20⅞ ₃₂	—	—	46 lbs.	3.8
	QWW7221MPW	Wood	\$ 587	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW7221MPW	Wood	587	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW7221MPL	Laminate	315	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW6621MPW	Wood	\$ 547	¾	65⅞ ₁₆	20⅞ ₃₂	—	—	36 lbs.	3.4
	WW6621MPL	Laminate	295	¾	65⅞ ₁₆	20⅞ ₃₂	—	—	36 lbs.	3.4
	QWW6021MPW	Wood	\$ 504	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1
	WW6021MPW	Wood	504	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1
	WW6021MPL	Laminate	264	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW5421MPW M G21 94½ CW

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT (CONTINUED) 	WW5421MPW	Wood	\$ 471	¾	53½	20⅝	—	—	30 lbs.	2.8
	WW5421MPL	Laminate	259	¾	53½	20⅝	—	—	30 lbs.	2.8
	WW4821MPW	Wood	\$ 421	¾	47¾	20⅝	—	—	28 lbs.	2.5
	WW4821MPL	Laminate	248	¾	47¾	20⅝	—	—	28 lbs.	2.5
	WW4221MPW	Wood	\$ 396	¾	41¾	20⅝	—	—	24 lbs.	2.1
	WW4221MPL	Laminate	231	¾	41¾	20⅝	—	—	24 lbs.	2.1
	QWW3621MPW	Wood	\$ 374	¾	35¾	20⅝	—	—	19 lbs.	1.9
	WW3621MPW	Wood	374	¾	35¾	20⅝	—	—	19 lbs.	1.9
	QWW3621MPL	Laminate	204	¾	35¾	20⅝	—	—	19 lbs.	1.9
	WW3621MPL	Laminate	204	¾	35¾	20⅝	—	—	19 lbs.	1.9
	QWW3021MPW	Wood	\$ 329	¾	29¾	20⅝	—	—	16 lbs.	1.6
	WW3021MPW	Wood	329	¾	29¾	20⅝	—	—	16 lbs.	1.6
	QWW3021MPL	Laminate	177	¾	29¾	20⅝	—	—	16 lbs.	1.6
	WW3021MPL	Laminate	177	¾	29¾	20⅝	—	—	16 lbs.	1.6
	<ul style="list-style-type: none"> • Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 									
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT 	WW96A21MPL	Laminate	\$ 421	¾	95¾	20⅝	—	—	60 lbs.	4.1
	WW90A21MPL	Laminate	394	¾	89¾	20⅝	—	—	57 lbs.	4.0
	WW84A21MPL	Laminate	365	¾	83¾	20⅝	—	—	53 lbs.	3.9
	WW78A21MPL	Laminate	343	¾	77¾	20⅝	—	—	46 lbs.	3.8
	QWW72A21MPL	Laminate	315	¾	71¾	20⅝	—	—	39 lbs.	3.7
	WW72A21MPL	Laminate	315	¾	71¾	20⅝	—	—	39 lbs.	3.7
	WW66A21MPL	Laminate	295	¾	65½	20⅝	—	—	36 lbs.	3.4
	QWW60A21MPL	Laminate	264	¾	59½	20⅝	—	—	33 lbs.	3.1
	WW60A21MPL	Laminate	264	¾	59½	20⅝	—	—	33 lbs.	3.1
	<ul style="list-style-type: none"> • Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6021MPVL G21 52½ MC
• See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW6021MPVL	Laminate	\$ 264	¾	59½	20⅞	—	—	33 lbs.	3.1
	WW5421MPVL	Laminate	259	¾	53½	20⅞	—	—	30 lbs.	2.8
	WW4821MPVL	Laminate	248	¾	47¾	20⅞	—	—	28 lbs.	2.5
	WW4221MPVL	Laminate	231	¾	41¾	20⅞	—	—	24 lbs.	2.1
	QWW3621MPVL	Laminate	204	¾	35¾	20⅞	—	—	19 lbs.	1.9
	WW3621MPVL	Laminate	204	¾	35¾	20⅞	—	—	19 lbs.	1.9
	QWW3021MPVL	Laminate	177	¾	29¾	20⅞	—	—	16 lbs.	1.6
	WW3021MPVL	Laminate	177	¾	29¾	20⅞	—	—	16 lbs.	1.6
<ul style="list-style-type: none">• Full Overlay Modesty to be used on box/file height storage and when layering surfaces• Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface• Grain direction runs vertically										

MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT 	WW60A21MPVL	Laminate	\$ 264	¾	59½	20⅞	—	—	33 lbs.	3.1
<ul style="list-style-type: none">• Full Overlay Modesty to be used on box/file height storage and when layering surfaces• Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface• Grain direction runs vertically										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6027MPKW G21 52½ CW

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT) 	WW6027MPKW	Wood	\$ 675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPKL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPKW	Wood	\$ 640	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW5427MPKL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW4827MPKW	Wood	\$ 590	¾	47⅞	27⅞	—	—	33 lbs.	2.7
	WW4827MPKL	Laminate	310	¾	47⅞	27⅞	—	—	33 lbs.	2.7
	WW4227MPKW	Wood	\$ 572	¾	41⅞	27⅞	—	—	29 lbs.	2.4
	WW4227MPKL	Laminate	275	¾	41⅞	27⅞	—	—	29 lbs.	2.4
	WW3627MPKW	Wood	\$ 547	¾	35⅞	27⅞	—	—	24 lbs.	2.1
	WW3627MPKL	Laminate	245	¾	35⅞	27⅞	—	—	24 lbs.	2.1
	WW3027MPKW	Wood	\$ 503	¾	29⅞	27⅞	—	—	21 lbs.	1.8
	WW3027MPKL	Laminate	217	¾	29⅞	27⅞	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"> • Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 									

**MODESTY PANEL
BREAKFRONT
(WORKSURFACE HEIGHT)**


WW6027MPKVL	Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
WW5427MPKVL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
WW4827MPKVL	Laminate	310	¾	47⅞	27⅞	—	—	33 lbs.	2.7
WW4227MPKVL	Laminate	275	¾	41⅞	27⅞	—	—	29 lbs.	2.4
WW3627MPKVL	Laminate	245	¾	35⅞	27⅞	—	—	24 lbs.	2.1
WW3027MPKVL	Laminate	217	¾	29⅞	27⅞	—	—	21 lbs.	1.8
<ul style="list-style-type: none">• Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface• Grain direction runs vertically									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW8108MPW M 80½ CL
WW8108MPL M X 405

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
½ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT 	WW8108MPW	Wood	\$ 649	¾	80½	8½	—	—	16 lbs.	1.3
	WW8108MPL	Laminate	349	¾	80½	8½	—	—	16 lbs.	1.3
	WW6908MPW	Wood	\$ 583	¾	68½	8½	—	—	13 lbs.	1.1
	WW6908MPL	Laminate	300	¾	68½	8½	—	—	13 lbs.	1.1
	WW5708MPW	Wood	\$ 509	¾	56½	8½	—	—	14 lbs.	1.1
	WW5708MPL	Laminate	253	¾	56½	8½	—	—	14 lbs.	1.1
	WW5108MPW	Wood	\$ 452	¾	50½	8½	—	—	13 lbs.	1.0
	WW5108MPL	Laminate	228	¾	50½	8½	—	—	13 lbs.	1.0
	WW4508MPW	Wood	\$ 429	¾	44¾	8½	—	—	12 lbs.	0.9
	WW4508MPL	Laminate	206	¾	44¾	8½	—	—	12 lbs.	0.9
	WW3908MPW	Wood	\$ 403	¾	38¾	8½	—	—	12 lbs.	0.8
	WW3908MPL	Laminate	179	¾	38¾	8½	—	—	12 lbs.	0.8
	WW3308MPW	Wood	\$ 389	¾	32¾	8½	—	—	11 lbs.	0.7
	WW3308MPL	Laminate	153	¾	32¾	8½	—	—	11 lbs.	0.7
	WW2708MPW	Wood	\$ 367	¾	26¾	8½	—	—	10 lbs.	0.6
	WW2708MPL	Laminate	123	¾	26¾	8½	—	—	10 lbs.	0.6
	<ul style="list-style-type: none"> • Must also specify pedestal back panel to complete pedestal back if used in the kneewall area • Modified widths are available on modesty panels in ½" increments • Used in conjunction with 1 15" pedestal • Modesty grommet option not available • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain 									

½ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT 	WW5708MPVL	Laminate	\$ 253	¾	56½	8½	—	—	14 lbs.	1.1
	WW5108MPVL	Laminate	228	¾	50½	8½	—	—	13 lbs.	1.0
	WW4508MPVL	Laminate	206	¾	44¾	8½	—	—	12 lbs.	0.9
	WW3908MPVL	Laminate	179	¾	38¾	8½	—	—	12 lbs.	0.8
	WW3308MPVL	Laminate	153	¾	32¾	8½	—	—	11 lbs.	0.7
	WW2708MPVL	Laminate	123	¾	26¾	8½	—	—	10 lbs.	0.6
	<ul style="list-style-type: none"> • Must also specify pedestal back panel to complete pedestal back if used in the kneewall area • Modified widths are available on modesty panels in ½" increments • Used in conjunction with 1 15" pedestal • Modesty grommet option not available • Grain direction runs vertically 									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9608MPW M MC

- See pages 342-346 for all options available in WaveWorks

½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
WW9608MPW Wood	\$ 766	¾	95%	8%	—	—	18 lbs.	1.5
WW9608MPL Laminate	422	¾	95%	8%	—	—	18 lbs.	1.5
WW9008MPW Wood	\$ 724	¾	89%	8%	—	—	18 lbs.	1.5
WW9008MPL Laminate	394	¾	89%	8%	—	—	18 lbs.	1.5
WW8408MPW Wood	\$ 681	¾	83%	8%	—	—	17 lbs.	1.4
WW8408MPL Laminate	364	¾	83%	8%	—	—	17 lbs.	1.4
WW7808MPW Wood	\$ 635	¾	77%	8%	—	—	17 lbs.	1.4
WW7808MPL Laminate	337	¾	77%	8%	—	—	17 lbs.	1.4
WW7208MPW Wood	\$ 590	¾	71%	8%	—	—	17 lbs.	1.4
WW7208MPL Laminate	310	¾	71%	8%	—	—	17 lbs.	1.4
WW6608MPW Wood	\$ 554	¾	65 ¹ / ₁₆	8%	—	—	16 lbs.	1.3
WW6608MPL Laminate	287	¾	65 ¹ / ₁₆	8%	—	—	16 lbs.	1.3
WW6008MPW Wood	\$ 513	¾	59 ¹ / ₁₆	8%	—	—	15 lbs.	1.2
WW6008MPL Laminate	256	¾	59 ¹ / ₁₆	8%	—	—	15 lbs.	1.2
WW5408MPW Wood	\$ 463	¾	53 ¹ / ₁₆	8%	—	—	14 lbs.	1.1
WW5408MPL Laminate	245	¾	53 ¹ / ₁₆	8%	—	—	14 lbs.	1.1
WW4808MPW Wood	\$ 443	¾	47 ¹ / ₁₆	8%	—	—	13 lbs.	1.0
WW4808MPL Laminate	217	¾	47 ¹ / ₁₆	8%	—	—	13 lbs.	1.0
WW4208MPW Wood	\$ 419	¾	41 ³ / ₄	8%	—	—	12 lbs.	0.9
WW4208MPL Laminate	193	¾	41 ³ / ₄	8%	—	—	12 lbs.	0.9
WW3608MPW Wood	\$ 396	¾	35 ³ / ₄	8%	—	—	11 lbs.	0.7
WW3608MPL Laminate	161	¾	35 ³ / ₄	8%	—	—	11 lbs.	0.7
WW3008MPW Wood	\$ 376	¾	29 ³ / ₄	8%	—	—	10 lbs.	0.6
WW3008MPL Laminate	140	¾	29 ³ / ₄	8%	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewall area
- Modified widths are available on modesty panels in 1/16" increments
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 343 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW6008MPVL M X 405

- See pages 342-346 for all options available in WaveWorks


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT 	WW6008MPVL Laminate	\$ 256	¾	59 ¹¹ / ₁₆	8 ³ / ₈	—	—	15 lbs.	1.2
	WW5408MPVL Laminate	245	¾	53 ¹¹ / ₁₆	8 ³ / ₈	—	—	14 lbs.	1.1
	WW4808MPVL Laminate	217	¾	47 ¹¹ / ₁₆	8 ³ / ₈	—	—	13 lbs.	1.0
	WW4208MPVL Laminate	193	¾	41 ³ / ₄	8 ³ / ₈	—	—	12 lbs.	0.9
	WW3608MPVL Laminate	161	¾	35 ³ / ₄	8 ³ / ₈	—	—	11 lbs.	0.7
	WW3008MPVL Laminate	140	¾	29 ³ / ₄	8 ³ / ₈	—	—	10 lbs.	0.6
<ul style="list-style-type: none"> • Must also specify pedestal back panel to complete pedestal back if used in the kneewell area • Modified widths are available on modesty panels in ½" increments • Grain direction runs vertically 									

COUNTER HEIGHT MODESTY PANELS



WW9633MPL	\$ 534	¾	95 ⁷ / ₁₆	33 ³ / ₈	—	—	4.0 lbs.
WW9033MPL	505	¾	89 ⁷ / ₁₆	33 ³ / ₈	—	—	3.8 lbs.
WW8433MPL	474	¾	83 ⁷ / ₁₆	33 ³ / ₈	—	—	3.6 lbs.
WW7833MPL	444	¾	77 ⁷ / ₁₆	33 ³ / ₈	—	—	3.4 lbs.
WW7233MPL	415	¾	71 ⁷ / ₁₆	33 ³ / ₈	—	—	3.1 lbs.
WW6633MPL	383	¾	65 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.9 lbs.
WW6033MPL	353	¾	59 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.7 lbs.
WW5433MPL	322	¾	53 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.5 lbs.
WW4833MPL	293	¾	47 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.2 lbs.
WW4233MPL	277	¾	41 ³ / ₄	33 ³ / ₈	—	—	2.0 lbs.
WW3633MPL	248	¾	35 ³ / ₄	33 ³ / ₈	—	—	1.8 lbs.
WW3033MPL	235	¾	29 ³ / ₄	33 ³ / ₈	—	—	1.5 lbs.
WW2433MPL	219	¾	23 ¹¹ / ₁₆	33 ³ / ₈	—	—	1.3 lbs.
<ul style="list-style-type: none"> • Modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty ¾" narrower than the corresponding worksurface • Laminate modesty has horizontal grain direction 							

COUNTER HEIGHT MODESTY PANELS



WW6033MPVL	\$ 353	¾	59 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.7 lbs.
WW5433MPVL	322	¾	53 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.5 lbs.
WW4833MPVL	293	¾	47 ¹¹ / ₁₆	33 ³ / ₈	—	—	2.2 lbs.
WW4233MPVL	277	¾	41 ³ / ₄	33 ³ / ₈	—	—	2.0 lbs.
WW3633MPVL	248	¾	35 ³ / ₄	33 ³ / ₈	—	—	1.8 lbs.
WW3033MPVL	235	¾	29 ³ / ₄	33 ³ / ₈	—	—	1.5 lbs.
WW2433MPVL	218	¾	23 ¹¹ / ₁₆	33 ³ / ₈	—	—	1.3 lbs.
<ul style="list-style-type: none"> • Modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty ¾" narrower than the corresponding worksurface • Laminate modesty has vertical grain direction 							

PRODUCT SPECIFICATIONS

- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:


- Model Number
- Modesty Type
- Modified Width
- Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW3672MP2W MC



- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
END PANEL (COUNTER HEIGHT)	WW2333EPL	\$ 184	1 $\frac{1}{16}$	22 $\frac{1}{16}$	33 $\frac{7}{8}$	—	—	1.7
	WW1733EPL	154	1 $\frac{1}{16}$	17 $\frac{1}{16}$	33 $\frac{7}{8}$	—	—	1.3



- For use with counter height cabinets
- End Panels are required when pedestals are not used to support the end of a unit or workstations
- End Panels are 1" shallower than worksurface to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in $\frac{1}{16}$ " increments when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit



MODESTY PANEL FOR GLASS TOP DESK



WW3627MP2W	Wood—Full Modesty	\$ 547	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	24 lbs.	2.1
WW3627MP2L	Laminate—Full Modesty	245	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	24 lbs.	2.1
WW3608MP2W	Wood— $\frac{1}{2}$ Modesty	\$ 396	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	11 lbs.	0.7
WW3608MP2L	Laminate— $\frac{1}{2}$ Modesty	161	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FOR GLASS TOP DESK



WW3627MPV2L	Laminate—Full Modesty	\$ 245	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	24 lbs.	2.1
WW3608MPV2L	Laminate— $\frac{1}{2}$ Modesty	161	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3528EPW G1EL 33½ CW
WW3528EPL G1EL X 405

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MESH MODESTY PANEL 	NAC5408MPM	\$ 364	¼	54	8	—	—	5 lbs.	0.7
	NAC4808MPM	321	¼	48	8	—	—	4 lbs.	0.6
	NAC4208MPM	286	¼	42	8	—	—	4 lbs.	0.5
	<ul style="list-style-type: none"> • Specify model number only • Used only for privacy, not support • Offers horizontal cable management • Textile is a black mesh material 								
END PANEL (WORKSURFACE HEIGHT) 	WW4728EPW Wood	\$ 801	47½	1¾	27¾	—	—	47 lbs.	2.6
	WW4728EPL Laminate	483	47½	1¾	27¾	—	—	47 lbs.	2.6
	WW4128EPW Wood	\$ 767	41½	1¾	27¾	—	—	41 lbs.	2.3
	WW4128EPL Laminate	461	41½	1¾	27¾	—	—	41 lbs.	2.3
	WW3528EPW Wood	\$ 728	35½	1¾	27¾	—	—	35 lbs.	1.9
	WW3528EPL Laminate	440	35½	1¾	27¾	—	—	35 lbs.	1.9
	WW2928EPW Wood	\$ 659	29½	1¾	27¾	—	—	30 lbs.	1.3
	WW2928EPL Laminate	376	29½	1¾	27¾	—	—	30 lbs.	1.3
	QWW2328EPW Wood	\$ 640	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW2328EPW Wood	640	22½	1¾	27¾	—	—	25 lbs.	1.1
	QWW2328EPL Laminate	344	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW2328EPL Laminate	344	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW1728EPW Wood	\$ 600	17½	1¾	27¾	—	—	23 lbs.	1.0
	WW1728EPL Laminate	319	17½	1¾	27¾	—	—	23 lbs.	1.0
	<ul style="list-style-type: none"> • End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depths are available on 35", 29", and 23" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface • Modesty panels are recommended when building a shell unit 								
END PANEL (BOX/FILE HEIGHT) 	WW2421EPW Wood	\$ 617	22½	1¾	21½	—	—	20 lbs.	0.9
	WW2421EPL Laminate	319	22½	1¾	21½	—	—	20 lbs.	0.9
	WW1821EPW Wood	\$ 579	17½	1¾	21½	—	—	18 lbs.	0.8
	WW1821EPL Laminate	300	17½	1¾	21½	—	—	18 lbs.	0.8
	<ul style="list-style-type: none"> • End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depths are available on 24" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface • Modesty panels are recommended when building a shell unit 								

PRODUCT SPECIFICATIONS

- End panels, filler panels, and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

- WW4840EPW MC
WW4840EPL MC
- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
END PANELS (MODULAR STORAGE)	WW4840EPW	Wood	\$ 934	1 ³ / ₁₆	47 ³ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	WW4840EPL	Laminate	360	1 ³ / ₁₆	47 ³ / ₁₆	40 ³ / ₁₆	—	—	lbs.	

- For use when 2 vertical storage units are used back to back



WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW1228SSW G1EL CW
WW1228SSL G1EL 405

- See pages 342-346 for all options available in WaveWorks


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT PANEL (WORKSURFACE HEIGHT)	WW1228SSW Wood	\$ 443	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8
	WW1228SSL Laminate	161	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8

- For use as added support
- Specify wood or laminate only



SUPPORT PANEL (BOX/FILE HEIGHT)	WW1221SSW Wood	\$ 422	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	15 lbs.	0.8
	WW1221SSL Laminate	140	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	15 lbs.	0.8

- For use as added support
- Specify wood or laminate only




SUPPORT PANEL (COUNTER HEIGHT)	WW1233SSL	\$ 187	1 ³ / ₁₆	11 ⁷ / ₁₆	33 ³ / ₈	—	—		1.0
---------------------------------------	-----------	--------	--------------------------------	---------------------------------	--------------------------------	---	---	--	-----

- For use as added support
- Specify laminate only




SUPPORT PANEL U-STYLE	NAC1228UBC Concrete	\$ 550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBB Cinder	550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBI Iron	550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBS Platinum Metallic	550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBN Satin Nickel Metallic	550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBH Designer White	550	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1

- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel



UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR	\$ 266	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	266	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	228	2 ³ / ₄	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	228	2 ³ / ₄	36	1	—	—	3 lbs.	0.3

- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1³/₁₆" worksurface and greater than 60" on a 1¹/₁₆" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails



PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4828STW G1EL MH
WW4828STL X 480

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
T-SUPPORT PANEL (WORKSURFACE HEIGHT) 	WW4828STW	Wood	\$ 1268	47 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	55 lbs.	3.4
	WW4828STL	Laminate	647	47 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	55 lbs.	3.4
	WW4228STW	Wood	\$ 1214	41 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	WW4228STL	Laminate	648	41 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	WW3628STW	Wood	\$ 1152	35 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	WW3628STL	Laminate	587	35 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	WW3028STW	Wood	\$ 1089	29 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	WW3028STL	Laminate	524	29 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	WW2428STW	Wood	\$ 1063	22 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	WW2428STL	Laminate	486	22 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	WW1828STW	Wood	\$ 993	17 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.8
	WW1828STL	Laminate	454	17 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.8
	• Specify with U-surfaces, P-surfaces, and extended P-surfaces									

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3605STW G1EL MH
WWN3605STL X 480

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<div>T-SUPPORT PANEL BOX/FILE HEIGHT</div> 	INTENDED FOR USE WITH 1⅛" THICK WORKSURFACE MODELS									
	WWN3605STW	Wood	\$ 576	35⅝	1⅜	4⅞	—	—	21 lbs.	2.0
	WWN3605STL	Laminate	293	35⅝	1⅜	4⅞	—	—	21 lbs.	2.0
	WWN3505STW	Wood	\$ 548	35⅞	1⅜	4⅞	—	—	21 lbs.	2.0
	WWN3505STL	Laminate	277	35⅞	1⅜	4⅞	—	—	21 lbs.	2.0
	WWN3005STW	Wood	\$ 547	29⅞	1⅜	4⅞	—	—	19 lbs.	1.8
	WWN3005STL	Laminate	262	29⅞	1⅜	4⅞	—	—	19 lbs.	1.8
	WWN2905STW	Wood	\$ 519	29⅞	1⅜	4⅞	—	—	19 lbs.	1.8
	WWN2905STL	Laminate	248	29⅞	1⅜	4⅞	—	—	19 lbs.	1.8
	WWN2405STW	Wood	\$ 531	22⅞	1⅜	4⅞	—	—	16 lbs.	1.6
	WWN2405STL	Laminate	244	22⅞	1⅜	4⅞	—	—	16 lbs.	1.6
	WWN1805STW	Wood	\$ 497	17⅞	1⅜	4⅞	—	—	12 lbs.	1.4
	WWN1805STL	Laminate	227	17⅞	1⅜	4⅞	—	—	12 lbs.	1.4
	WWN2305STW	Wood	\$ 505	22⅞	1⅜	4⅞	—	—	16 lbs.	1.6
	WWN2305STL	Laminate	231	22⅞	1⅜	4⅞	—	—	16 lbs.	1.6
	WWN1705STW	Wood	\$ 473	17⅞	1⅜	4⅞	—	—	12 lbs.	1.4
	WWN1705STL	Laminate	216	17⅞	1⅜	4⅞	—	—	12 lbs.	1.4

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3606STW G1EL MH
WW3606STL X 480

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
T-SUPPORT PANEL BOX/FILE HEIGHT (CONTINUED) 	INTENDED FOR USE WITH 1^{3⁄16}" THICK WORKSURFACE MODELS									
	WW3606STW	Wood	\$ 576	35 ^{7⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	21 lbs.	2.0
	WW3606STL	Laminate	293	35 ^{7⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	21 lbs.	2.0
	WW3506STW	Wood	\$ 548	35 ^{7⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	21 lbs.	2.0
	WW3506STL	Laminate	277	35 ^{7⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	21 lbs.	2.0
	QWW3006STW	Wood	\$ 547	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	WW3006STW	Wood	547	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	QWW3006STL	Laminate	262	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	WW3006STL	Laminate	262	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	WW2906STW	Wood	\$ 519	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	WW2906STL	Laminate	248	29 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	19 lbs.	1.8
	WW2406STW	Wood	\$ 531	22 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	16 lbs.	1.6
	WW2406STL	Laminate	244	22 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	16 lbs.	1.6
	WW1806STW	Wood	\$ 497	17 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	12 lbs.	1.4
	WW1806STL	Laminate	227	17 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	12 lbs.	1.4
	WW2306STW	Wood	\$ 505	22 ^{3⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	16 lbs.	1.6
	WW2306STL	Laminate	231	22 ^{3⁄8}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	16 lbs.	1.6
	WW1706STW	Wood	\$ 473	17 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	12 lbs.	1.4
	WW1706STL	Laminate	216	17 ^{1⁄2}	1 ^{1⁄8}	5 ^{1⁄2}	—	—	12 lbs.	1.4
	<ul style="list-style-type: none">• Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces• 36, 30, 24, and 18 models not to be used with modesty panels• 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel									

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required





TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW28CPFSW G1EL MH
WW28CPFSL X 480

- See pages 342-346 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FILLER STRIP WORKSURFACE HEIGHT 	WW28CPFSW Wood	\$ 70	¾	21½	27½	—	—	5 lbs.	0.1
	WW28CPFSL Laminate	51	¾	21½	27½	—	—	5 lbs.	0.1
<ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate 									
FILLER STRIP (BOX/FILE HEIGHT) 	WW21CPFSW Wood	\$ 50	¾	21½	21½	—	—	3 lbs.	0.1
	WW21CPFSL Laminate	33	¾	21½	21½	—	—	3 lbs.	0.1
<ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate 									
FILLER STRIP (COUNTER HEIGHT) 	WW33CPFSL	\$ 174	¾	21½	33½	—	—		0.2
<ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify laminate only 									
WORKSURFACE WIRE MANAGER FILLER CAP 	NAC01WMFM	\$ 24	1	1	1	—	—	1 lbs.	0.5
<ul style="list-style-type: none"> • Specify paint color • Paint options and recommendations are listed on page 343 									