



WIGGLEROOM®

PRICE LIST

May 13, 2020

Updated April 5, 2023

800.424.2432




Ordering COM, COL and COV		
Information		3
WiggleRoom®		
General Information		4
Product Color Options		12
WiggleRoom® (Freight Excluded Pricing)		
Steel Exterior Panels		14
Laminate Exterior Panels		24
Stool		34
Accessories		35
WiggleRoom® (Delivered Pricing)		
Steel Exterior Panels		38
Laminate Exterior Panels		48
Stool		58
Accessories		59



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls
Evoke..... MN
Genius Walls..... MN

Casegoods
Aristotle Tackboards.....MN
Likha Tackboards..... MN

Classroom Furniture
Intellect Wave Chairs..... GB
Learn2 GB
Ruckus.....GB

Desking
700 Series Desking KP
Balance Overheads MN
Genesis Desking..... MN
True Desking..... KP
Universal Overheads..... MN
WorkZone Desking MN

Files & Storage
700 Series Pedestal Cushion GB
Connection Zone Pads.....BW
U-Series Pedestal Cushion..... GB
Tattoo.....BW

Fixed Seating
Concerto Auditorium SeatingBW
Single Pedestal Seating GB
Jury Base Seating..... GB
Lancaster Auditorium SeatingBW
Sequence Seating..... GB
University Seating..... GB

Panel Systems
All Terrain..... KP
Balance Overheads MN

System 3000..... MN
Universal Overheads..... MN
Wireworks MN
Unite..... MN

Residence Hall Furniture
RoomScope Furniture MN

Screens
All Terrain..... KP
Connection Zone.....BW
True/Volition KP
Genesis..... KP
Tattoo..... MN
Universal.....BW

Seating
400 Series Folding Chairs.....BW
600 Series Folding Chairs.....BW
600 Series StoolsBW
Affina Collection..... HN
Altus Task Chairs..... GB
Apply Stack Chairs GB
Calida Lounge Seating HN
Diem Task Chairs OM
Doni Collection..... GB
Gladly Lounge SeatingVQ
Grazie Seating GB
Hub Modular Lounge Seating HN
Impress Task Chairs..... OM
Impress Ultra Task Chairs OM
Jessa Lounge Seating HN
Jubilee Lounge Seating.....VQ
Katera Guest Chair..... GB
Kurv Benches..... HN
LaResta Day Beds HN
LimeLite GB
Lyra Lounge Seating..... HN

Maestro Stack Chairs GB
Medical & Laboratory Stools OM
MyPlace Lounge Seating HN
MyWay Seating..... HN
Oath Task Chairs and Stools..... GB
Opt4 GB
Pilot Task Chairs OM
Promenade Seating SystemBW
Ruckus..... GB
Sela Lounge Seating HN
Sift Task Chairs GB
Signia Task Chairs and Stools OM
Soltice Metal Collection..... HN
Soltice Multiple, Healthcare & Guest .HN
Soltice II Healthcare Seating..... HN
Strive Multiple, Stack & Task GB
SwayBW
Tattoo..... HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
Zoetry HN



KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761




PRODUCT SPECIFICATIONS
WiggleRoom™ Pod

December 2022

PRODUCT OVERVIEW

- Butt hinge door with 1/4" clear tempered glass and integrated door pull.
- All pods come equipped with an integrated door closer to limit door swing to 88°.

- **Exterior Dimensions:** 44" W x 44" D x 89-90" H (adjustability is 1" with glides)
- **Interior Dimensions:** 41" W x 41" D x 83" H
- **Pod Weight (packaged):** 650 lb
- **Pod Weight (unpacked):** 550 lb
- **Door swing footprint:** 36 1/2"
- **Door Opening Clearance:** 33" W x 80" H




- A. Markerboard
- B. Dean® Clamp-On Power Module with Wireless Charging
- C. Worksurface
- D. Interior Left Panel (Steel)
- E. Interior Rear Panel (Glass)
- F. Occupancy Indicator Light
- G. Exterior Panel (Steel)



- H. 30" H WiggleRoom Stool
- I. Coat Hook
- J. Interior Rear Panel (Fabric)
- K. 18" H WiggleRoom Stool
- L. Exterior Panel (Laminate)

STATEMENT OF LINE

- WiggleRoom pod is available in a variety of panel and surface finish options. All panel materials are framed using 2 1/2" by 1 1/4" aluminum extrusions finished with textured powder-coat paint.




Model	A Exterior Panels	B Interior Left Panel	C Interior Rear Panel	D Interior Right Panel	Description
W1A	steel	steel	steel	steel	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Steel, Rear-Steel, Right-Steel
W1B	steel	steel	glass	steel	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Steel, Rear-Glass, Right-Steel
W1C	steel	steel	glass	fabric	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Steel, Rear-Glass, Right-Fabric
W1D	steel	steel	fabric	steel	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Steel, Rear-Fabric, Right-Steel
W1E	steel	steel	fabric	fabric	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Steel, Rear-Fabric, Right-Fabric
W1F	steel	fabric	fabric	steel	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Fabric, Rear-Fabric, Right-Steel
W1G	steel	fabric	glass	steel	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Fabric, Rear-Glass, Right-Steel
W1H	steel	fabric	steel	fabric	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Fabric, Rear-Steel, Right-Fabric
W1I	steel	fabric	fabric	fabric	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Fabric, Rear-Fabric, Right-Fabric
W1J	steel	fabric	glass	fabric	WiggleRoom, Steel Exterior Panels, Interior Panels; Left-Fabric, Rear-Glass, Right-Fabric
W2A	laminate	steel	steel	steel	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Steel, Rear-Steel, Right-Steel
W2B	laminate	steel	glass	steel	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Steel, Rear-Glass, Right-Steel
W2C	laminate	steel	glass	fabric	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Steel, Rear-Glass, Right-Fabric
W2D	laminate	steel	fabric	steel	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Steel, Rear-Fabric, Right-Steel
W2E	laminate	steel	fabric	fabric	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Steel, Rear-Fabric, Right-Fabric
W2F	laminate	fabric	fabric	steel	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Fabric, Rear-Fabric, Right-Steel
W2G	laminate	fabric	glass	steel	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Fabric, Rear-Glass, Right-Steel
W2H	laminate	fabric	steel	fabric	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Fabric, Rear-Steel, Right-Fabric
W2I	laminate	fabric	fabric	fabric	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Fabric, Rear-Fabric, Right-Fabric
W2J	laminate	fabric	glass	fabric	WiggleRoom, Laminate Exterior Panels, Interior Panels; Left-Fabric, Rear-Glass, Right-Fabric

PRODUCT SPECIFICATIONS


Overview

- Pods are available in left- or right-opening orientation (as designated by hinge location when facing the pod). Orientation will dictate placement of interior worksurface/accessory ledge and power module allowing for proper pod entry.
- Door orientation is not interchangeable in the field.

Left-Opening Orientation







Right-Opening Orientation



PRODUCT SPECIFICATIONS

Worksurface & Accessory Ledge

- All worksurfaces and accessory ledges are $\frac{3}{4}$ " thick with .030" high-pressure laminate top and 73P polypropylene edge.
- Each surface is supported using two, 14-gauge steel brackets, finished in textured powder-coat paint.
- Worksurface and accessory ledge brackets are field installed to the interior wall panel frames using $\frac{1}{4}$ -20 x $\frac{1}{2}$ " Torx thread forming screws.
- Worksurface Dimensions: 36 $\frac{1}{2}$ " W x 14" D.
- Accessory Ledge Dimensions: 36 $\frac{1}{2}$ " W x 5" D.







PRODUCT SPECIFICATIONS

Voltage Converter, Motion Sensor, LED Light & Ventilation System


- All pods (regardless of power infeed type) will come equipped with a power supply converter, which transforms 120-volt building source power to a 12-volt (DC low voltage) system, providing electricity to the Pod's mechanical components (motion sensor, LED light, and ventilation fans).
- Motion sensor operates on a 15-minute cycle, sending power to the LED light, ventilation fans and optional occupancy indicator light (when specified).
- A single, 24" long LED light, specified to 4.4W/ft and 3500K color temperature will be recessed within the ceiling. Light location will coincide with the pod orientation to illuminate the surface.
- Ventilation includes two, 120 x 120 x 25.4 mm ceiling fans, rated and 62 CFM each.



Ventilation Diagram



LED Light, Motion Sensor, Power Supply Converter & Fans







LED Light, Motion Sensor & Vent

PRODUCT SPECIFICATIONS


Electrical System Options

- Pod is powered from 120-volt building source power using either the standard Byrne Sequence™ system (an ETL-Listed, 120-volt single circuit electrical system), or by hardwired components (installed by an electrician). All pods (standard or hardwired power infeed) will come equipped with a power supply converter, which transforms 120-volt building source power to a 12-volt (DC low voltage) system, providing electricity to the pod's mechanical components (motion sensor, LED light, and ventilation fans).
 - Byrne Sequence™ system consists of an infeed with a 3-prong plug on a power cord leading to a port (for optional power jumper). From the port is a one-foot extension to two duplex receptacles. The receptacles are intended only for use to feed the pod's power supply converter and mechanical components. The power infeed cord is enclosed within the pod and can run down either corner cover located opposite the pod front. A 7-foot length of cord exits the pod to plug-in to building source power.
 - Optional user accessible Dean® Clamp-On power module with Wireless Charging consists of two 120-Volt AC outlets, one USB-A port and wireless charging lid (for Qi-enabled devices). The power module comes with two power jumpers to attach to the module on the electrical system.
 - Hardwired electrical components may be specified for use in installations, where required by local code (such as Chicago). Hardwired components will replace the standard Byrne Sequence™ system and will energize the pod's power supply converter to low-voltage motion sensor, LED light, and ventilation fans. When a Dean Clamp-On power module with Wireless Charging is specified for hardwired applications, the optional module will come equipped with a 3/8" O.D., 72" long metal conduit housing a 3-wire power infeed whip. Power infeed, wiring, connections and all electrical accessories are to be provided and connected by a licensed electrician.

Byrne Sequence™ System

Surface/Power Module Option Code	Description	What is Included	What is Included (Image)
IC, IF, II, IL	No User Accessible Power Module (non-hardwired applications)	1) Infeed with attached port and two duplex receptacles, to power the low voltage system.	 Byrne Sequence™ Infeed
IA, ID, IG, IJ	Includes Power Module with Wireless Charging (non-hardwired applications)	1) Infeed with attached port and two duplex receptacles, to power the low voltage system. 2) User accessible power module with wireless charging. 3) Necessary jumpers to connect infeed to power module with wireless charging.	 Byrne Sequence™ Infeed  Byrne Sequence™ Power Jumpers  Dean Clamp-On Power Module with Wireless Charging for Byrne Sequence™

Hardwired Electrical


Surface/Power Module Option Code	Description	What is Included	What is Included (Image)
IB, IH, IK, IE	User Accessible Power Module with Wireless Charging (hard-wired version)	1) Power Module with 3-wire whip only. 2) Electrician needs to supply power connection to the building, as well as a power box with outlet to power the low voltage driver.	 Dean Clamp-On Power Module with Wireless Charging for Hardwired Applications
IR, IP, IS, IQ	No Power Module (for hardwired applications)	1) No electrical components supplied by KI. 2) Electrician needs to supply power connection to the building, as well as a power box with outlet to power the low voltage driver.	



PRODUCT SPECIFICATIONS


Markerboard

- Magnetic and dry-erasable surface, consists of a 22-gauge steel panel coated with polyester film.
- Field installed and mechanically fastened at desired height to any non-glass, interior or exterior panel frame.
- When Dean® clamp-on power module is specified, install markerboard a minimum of 5" above a worksurface.
- **Markerboard Dimensions:** 36 1/2" W x 27 1/2" H.



Occupancy Indicator Light


- A 3-watt LED light illuminates a red acrylic block, set in an aluminum housing, finished in powder-coat paint.
- Unit magnetically attaches to the top of the pod. Relocatable with 79" cord.
- Attached to and activated by the pod's interior motion sensor (light illuminates when pod is occupied).



PRODUCT SPECIFICATIONS


Carpet

- When KI supplied, carpet will be textured grey and is field installed.
- If the pod is configured with the optional WiggleRoom floor mounted stool, the carpet square will contain a 14" diameter circular cutout to ease the stool installation process.
- Commercial grade carpet is fade and stain resistant, as well as waterproof.
- Face weight of 33oz/yd² with 7/16" pile height and has a peel and stick backer.
- When "no carpet" is specified, the OSB floorboard will be supplied unfinished and the customer is asked to furnish and install their own floor covering. 39" x 39" of material is required.



Light Dimmer

- Wireless dimmer controls lighting with cycle dimming between 1-100%.
- Light dimmer is available with either worksurface or accessory ledge.
- Nickel finish dimming switch is located within cutout in a surface.
- Includes an integrated on/off feature. Tap the dimmer switch to turn light on/off. Hold down the switch to dim the light.
- Receiver has a memory feature that will receive the previous setting even if the power is cut off (i.e. the power supply gets unplugged or the circuit loses power).
- Switch is battery operated (replaceable, 3V CR2025 battery included).






PRODUCT SPECIFICATIONS

Finish Options & Locations Overview


Door Color

- Textured powder-coat painted.




Frame Color

- Textured powder-coat painted.




Exterior Panel Finish Location

- Available in magnetic textured powder-coat painted steel, high pressure laminate (glass on rear panel only).



Interior Panel Finish Location

- Available in magnetic textured powder-coat painted steel, fabric or glass (glass on rear panel only).




PRODUCT SPECIFICATIONS

Accessories

Upholstered Tackboard Magnetic Inserts

- Tackboard Tiles are constructed of a multilayer fiberglass core, upholstered on one side using adhesive. Magnetic strips are applied to the non-upholstered side using water-based spray adhesive. Nominal thickness is $\frac{1}{2}$ ".
- $\frac{1}{3}$ Height Insert Dimensions:** $36\frac{1}{2}$ " W x $27\frac{1}{2}$ " H (up to three inserts may be placed on a single panel).


Note: Magnetic inserts can be attached to interior or exterior magnetic steel panels; cannot be used with fabric, laminate or glass panels.



Solid Polyester Felt Magnetic Inserts

- Solid Polyester Felt Magnetic Inserts are constructed from $\frac{1}{2}$ " thick tackable, 100% polyester felt and are available in a variety of colors. The inserts have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Magnetic strips are applied to one side using adhesive. Nominal thickness is $\frac{1}{2}$ ".
- $\frac{1}{3}$ Height Insert Dimensions:** $36\frac{1}{2}$ " W x $27\frac{1}{2}$ " H (up to three inserts may be placed on a single panel).
- Full Height Insert Dimensions:** $36\frac{1}{2}$ " W x $81\frac{1}{8}$ " H.

Note: Magnetic Inserts can be attached to interior or exterior magnetic steel panels; cannot be used with fabric, laminate or glass panels.





PRODUCT SPECIFICATIONS

Accessories


Magnetic Storage & Shelving Accessories

- ABS plastic bins provide storage for a range of office and personal items. All plastic bin accessories include vinyl magnets, powder-coated steel mounts and work on almost any magnetic surface. Magnetic storage is available in slate or white. Magnetic shelving is available in white.


Note: Magnetic storage can be attached to interior or exterior magnetic steel panels; cannot be used with fabric, laminate or glass panels.




Binder Bin




File Bin



File Bin



Pencil Clip




Shelf

WiggleRoom Stools

- Optional WiggleRoom stools are fixed to the floor.
- 3" thick 2.6 density, 80 lb compression foam, upholstered.
- 30" high stool includes footring (1/2" steel wire).

- **Stool Height:** 18" or 30" H.
- **Stool Seat Diameter:** 12".




PRODUCT SPECIFICATIONS


Accessories

Coat Hook

- Optional coat hook is a single piece powder-coat painted steel with rounded corners. Each hook is field installed onto the interior or exterior panel frame using a single #10-24 x 3/8" self-drilled screw, which is painted to match the coat hook.






Coat Hook



Fire Suppression/Sprinkler


- All WiggleRoom pods are designed to accommodate sprinklers if required by local regulations. KI does not provide sprinklers, install them or take responsibility for their installation.
- Refer to assembly instructions for more information.



PRODUCT SPECIFICATIONS

Seismic Brackets

- Pods can be optionally seismically secured by replacing floor glides with brackets and anchoring to the floor using approved fasteners.



Seismic Bracket

Suggestions for Loose Seating Options

- Due to interior space constraints of the WiggleRoom pod, it is recommended to specify armless chairs only when considering a loose seating option. 4-leg chairs should be no larger than 25" wide by 25" deep and task chair base diameter should not exceed 27 1/2".

Stack or Guest Chairs or Café Stools:

- Doni®
- Grazie®
- Katera™
- Strive®
- Torsion Air®

Task Chairs or Task Stools:

- Doni®
- Grazie®
- Strive®
- Torsion Air®





Lounge Seating:

- If specified with 14" deep worksurface: Calida™ Stool.
- If specified with 5" deep accessory ledge: Calida™ 4-leg or Sled Base Chair.

Accessibility Compliance per 2010 ADA Standards for Accessible Design / ICC/ANSI A117.1 Accessible and Usable Buildings and Facilities


- WiggleRoom pod does not have adequate interior space to meet accessibility requirements for maneuvering and turn radius. In addition, the pod is designed with a 3" step up into the unit and is not provided with a ramp to accommodate accessibility requirements for rise and slope. Typically, the pod is planned in spaces where alternate areas are available to meet accessibility requirements. Furthermore, larger free-standing spaces that do meet accessibility requirements may be achieved with various KI Architectural Wall solutions.

DIMENSIONS



DIMENSIONS

- Film or vinyl can be applied to the glass surfaces of the pod only. All painted surfaces on the WiggleRoom pod are textured powder-coat paint. Due to the texture of the painted surfaces, proper adhesion for vinyl and film wall covering materials cannot be achieved. Therefore, it is not recommended to apply vinyl or film painted surfaces to the pod. Sourcing and installation of vinyl and films is not included by KI and is supplied by others. Dimensions in this section show the actual sizes of the glass surface on the door and rear panel for reference when planning for film or vinyl on the glass.



Paint Specification Code Information


Paint Color	Textured Paint #	Standard Paint Code
Starlight Silver Metallic	P106	SX
Black	P240	BL
Sand	P241	SA
Blue Grey	P242	GR
Warm Grey	P243	WG
Light Tone	P244	LG
Cottonwood	P515	CO
Wet Sand	P529	WS
Misty Brown	P774	MY
Rubber Ducky	P812	RK
Nemo	P813	NE
Zesty Lime	P814	ZL
Cool Grey	P815	CG
Nordic	P816	ND
Ultra Blue	P817	UB
Surf's Up	P818	SP
Mardi Gras	P819	MG
Purple Haze	P820	PH
Champagne Metallic	P835	CM
Bronze Metallic	P836	ZM
Espresso Metallic.	P837	EX
Glitz Metallic	P838	GZ
Honey Bee	P839	HY
Chocolate	P840	CT
Flannel	P841	FN
Splash	P842	SH
Cayenne	P843	CY

Note: “P” numbers are used for ordering replacement parts only.

Exterior Panel Paint Color											
Black	XBL	Kensington Maple	XLKM	Champagne Metallic	CM	Black	LBK	Cool Grey	ECG	Rubber Ducky	RK
Blue Grey	XGR	Lapis Blue	LLB	Cool Grey	CG	Brighton Walnut	LBW	Earthen Clay	EEY	Sand	SA
Bronze Metallic	XZM	Markerboard White	XLMK	Cottonwood	CO	Canyon Zephyr	LCA	Everglade Shade	EEV	Starlight Silver Metallic	SX
Cayenne	XCY	Misted Zephyr	XLMR	Earthen Clay	EY	Castle Oak	LCO	Flannel	EFN	Surf's Up	SP
Champagne Metallic	XCM	Monticello Maple	XLMT	Espresso Metallic	EX	Casual Linen	LCU	Florence Walnut	EFC	Twilight Shadow	TI
Cool Grey	XCG	Nickel Evolv	XLNV	Everglade Shade	EV	Cherry Storm	LCX	Friston Ash	EFH	Ultra Blue	UB
Cottonwood	XCO	North Sea	XLNA	Flannel	FN	Classic Linen	LCI	Frosty White	EFW	Warm Grey	WG
Earthen Clay	XEY	Ocean	XLON	Glitz Metallic	GZ	Cloud Zephyr	LCL	Hazy Jade	EHJ	Zesty Lime	ZL
Espresso Metallic	XEX	Pearl Bisque	XLPB	Hazy Jade	HJ	Cocobala	LCC	Honey Bee	EHY	Stool mounting hardware will be Black when Black, Bronze Metallic, Earthen Clay, Espresso Metallic, Everglade Shade, Flannel, Misty Brown, Nordic, Purple Haze, Surf's Up and Twilight Shadow is selected as base color.	
Everglade Shade	XEV	Pearl Silver	XLPS	Honey Bee	HY	Crisp Linen	LRI	Italian Silver Ash	EIT		
Flannel	XFN	Pressed Linen	XLPR	Light Tone	LG	Desert Zephyr	LDZ	Kensington Maple	EKM		
Glitz Metallic	XGZ	River Cherry	XLRY	Mardi Gras	MG	Dove Grey	LDG	Light Tone	ELG		
Hazy Jade	XHJ	Rugged Linen	XLRG	Misty Brown	MY	Fired Steel	LIL	Mardi Gras	EMG	Stool mounting hardware will be Zinc when Blue Grey, Cayenne, Champagne Metallic, Cool Grey, Cottonwood, Glitz Metallic, Hazy Jade, Honey Bee, Light Tone, Mardi Gras, Nemo, Rubber Ducky, Sand, Starlight Silver Metallic, Ultra Blue, Warm Grey or Zesty Lime is selected as base color.	
Honey Bee	XHY	Satin Stainless	XLSS	Nemo	NE	Flax Linen	LXF	Misty Brown	EMY		
Light Tone	XLG	Shadow Zephyr	XLSR	Nordic	ND	Florence Walnut	LFC	Monticello Maple	EMT		
Mardi Gras	XMG	Silicon Evolv	XLSV	Purple Haze	PH	Forged Steel	LOL	Multiplex	EMB		
Misty Brown	XMY	Sterling Ash	XLAZ	Rubber Ducky	RK	Friston Ash	LFH	Nemo	ENE	Polyester Felt Color	
Nemo	XNE	Tailored Linen	XLTL	Sand	SA	Frosty White	LFW	Nordic	END		
Nordic	XND	Titanium Evolv	XLTV	Starlight Silver Metallic	SX	Graphite Nebula	LGN	Poppy Red	EPR		
Purple Haze	XPH	White Nebula	XLWL	Surf's Up	SP	Grey	LGE	Purple Haze	EPH	Dandelion	FTDD
Rubber Ducky	XRK	White Sand	XLWN	Twilight Shadow	TI	High Rise	LHE	River Cherry	ERY	Fawn	FTFW
Sand	XSA	Windsor Mahogany	XLWY	Ultra Blue	UB	Hollyberry	LHY	Rubber Ducky	ERK	Flannel	FTFN
Starlight Silver Metallic	XSX			Warm Grey	WG	Irish Linen	LIH	Sand	ESA	Heather	FTHR
Surf's Up	XSP			Zesty Lime	ZL	Island	LID	Sky Blue	ESK	Lava	FTLV
Twilight Shadow	XTI	Door Color				Italian Silver Ash	LIT	Sterling Ash	EAZ	Mallard	FTML
Ultra Blue	XUB	Black	DBL	Interior Panel Color		Kensington Maple	LKM	Surf's Up	ESP	Midnight Blue	FTMB
Warm Grey	XWG	Blue Grey	DGR	Black	IBL	Lapis Blue	LLB	Twilight Shadow	ETI	Pepper	FTPR
Zesty Lime	XZL	Bronze Metallic	DZM	Blue Grey	IGR	Markerboard White	LMK	Ultra Blue	EUB	Spring	FTSG
		Cayenne	DCY	Bronze Metallic	IZM	Misted Zephyr	LMR	Warm Grey	EWG	Tidal Wave	FTTW
		Champagne Metallic	DCM	Cayenne	ICY	Monticello Maple	LMT	Windsor Mahogany	EWY	Coat Hook Color	
		Cool Grey	DCG	Champagne Metallic	ICM	Nickel Evolv	LNV	Zesty Lime	EZL		
		Cottonwood	DCO	Cool Grey	ICG	North Sea	LNA				
		Earthen Clay	DEY	Cottonwood	ICO	Ocean	LON	Power Module Color		Black	BL
		Espresso Metallic	DEX	Earthen Clay	IEY	Pearl Bisque	LPB	Black	P1	Blue Grey	GR
		Everglade Shade	DEV	Espresso Metallic	IEX	Pearl Silver	LPS	Cool Grey	P2	Bronze Metallic	ZM
		Flannel	DFN	Everglade Shade	IEV	Pressed Linen	LPR	Cottonwood	P3	Cayenne	CY
		Glitz Metallic	DGZ	Flannel	IFN	River Cherry	LRY	Stool Base Color		Champagne Metallic	CM
		Hazy Jade	DHJ	Glitz Metallic	IGZ	Rugged Linen	LRG	Black		Cool Grey	CG
		Honey Bee	DHY	Hazy Jade	IGZ	Satin Stainless	LSS	Blue Grey	BL	Cottonwood	CO
		Light Tone	DLG	Honey Bee	IHY	Shadow Zephyr	LSR	Cayenne	GR	Earthen Clay	EY
		Mardi Gras	DMG	Light Tone	ILG	Silicon evolv	LSV	Champagne Metallic	ZM	Espresso Metallic	EX
		Misty Brown	DMY	Mardi Gras	IMG	Sterling Ash	LAZ	Cool Grey	CY	Everglade Shade	EV
		Nemo	DNE	Misty Brown	IMY	Tailored Linen	LTL	Earthen Clay	CM	Flannel	FN
		Purple Haze	DND	Nemo	INE	Titanium evolv	LTV	Espresso Metallic	CG	Glitz Metallic	GZ
		Rubber Ducky	DPH	Nordic	IND	White Nebula	LWL	Everglade Shade	CO	Hazy Jade	HJ
		Sand	DRK	Purple Haze	IPH	White Sand	LWN	Flannel	EY	Honey Bee	HY
		Starlight Silver Metallic	DSX	Rubber Ducky	IRK	Windsor Mahogany	LWY	Glitz Metallic	EX	Light Tone	LG
		Surf's Up	DSP	Sand	ISA			Hazy Jade	EV	Mardi Gras	MG
		Twilight Shadow	DTI	Starlight Silver Metallic	ISX			Honey Bee	FN	Misty Brown	MY
		Ultra Blue	DUB	Surf's Up	ISP			Light Tone	GZ	Nemo	NE
		Warm Grey	DWG	Twilight Shadow	ITI			Mardi Gras	HJ	Nordic	ND
		Zesty Lime	DZL	Ultra Blue	IUB			Espresso Metallic	HY	Purple Haze	PH
				Warm Grey	IWG			Flannel	LG	Rubber Ducky	RK
				Zesty Lime	IZL			Glitz Metallic	MG	Sand	SA
		Pod Frame Color						Hazy Jade	MY	Starlight Silver Metallic	SX
		Black	BL	Surface Laminate				Honey Bee	NE	Surf's Up	SP
		Blue Grey	GR	Belair	LBQ			Light Tone	ND	Twilight Shadow	TI
		Bronze Metallic	ZM	Black	LBT			Mardi Gras	PH	Ultra Blue	UB
		Cayenne	CY	Biltmore Cherry				Nordic		Warm Grey	WG
								Purple Haze			

Zesty Lime	ZL
Occupancy Light Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL
Magnetic Storage Pieces	
White	W
Slate	S
Includes (Binder Bin, File Bin, Low Bin and Pencil Cup).	
Magnetic Shelf	
White	W



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Power Module Color		
 W1A Interior Panels; Left-Steel Rear-Steel Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements	W1A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 12633
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Power Module Color		
 <div>Interior Panels</div> <div>SteelGlassSteel</div> <div>W1B</div> <div>Interior Panels; Left-Steel Rear-Glass Right-Steel</div> <div><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with ¼" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W1B	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	650.0#	\$ 12407
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L**- Left
- R**- Right
- C**Select surface and power module option.
- 1I**- 29"Hx5"D Accessory ledge (no power module); add \$208
- 1G**- 29"Hx5"D Accessory ledge and power module; add \$650
- 1C**- 29"Hx14"D worksurface (no power module); add \$238
- 1A**- 29"Hx14"D Worksurface and power module; add \$680
- 1L**- 42"Hx5" Accessory ledge (no power module); add \$208
- 1J**- 42"Hx5"D Accessory ledge and power module; add \$650
- 1F**- 42"Hx14"D Worksurface (no power module); add \$238
- 1D**- 42"Hx14"D Worksurface and power module; add \$680
- 1R**- 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H**- 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1P**- 29"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1B**- 29"Hx14"D Worksurface & power module (hardwire); add \$600
- 1S**- 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K**- 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1Q**- 42"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1E**- 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
- M0**- No
- M1**- Yes; add \$343
- E**Select occupancy indicator light.
- Z0**- No
- Z1**- Yes; add \$199
- F**Select carpet.
- C0**- No carpet (Customer orders and installs separately)
- C1**- With grey carpet without stool cutout; add \$296
- C2**- With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
- D0**- No
- D1**- Yes; add \$144
- H**Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.


WiggleRoom® (Freight Excluded Pricing)

Steel Exterior Panels



WiggleRoom® (Freight Excluded Pricing)

Steel Exterior Panels

	MODEL NUMBER															Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.							
<div><p>W1C</p><p>Interior Panels; Left-Steel Rear-Glass Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W1C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 12691	\$ 12788	\$ 12813	\$ 12815	\$ 12836	\$ 12887
			</																			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$208
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$650
- 1C** - 29"Hx14"D worksurface (no power module); add \$238
- 1A** - 29"Hx14"D Worksurface and power module; add \$680
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$208
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$650
- 1F** - 42"Hx14"D Worksurface (no power module); add \$238
- 1D** - 42"Hx14"D Worksurface and power module; add \$680
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$600
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$343
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$199
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$296
- C2** - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
- Refer to **ki.com/fabrics**
- M**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Interior Panels; Left-Steel Rear-Fabric Right-Steel

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

MODEL NUMBER																					
Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.							
W1D	□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	650.0#	\$ 12919	\$ 13014	\$ 13039	\$ 13042	\$ 13063	\$ 13113

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation (location of door hinge & surface).
- L - Left
R - Right
- C** Select surface and power module option.
- 1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1J - 42"Hx5" Accessory ledge (no power module); add \$208
1L - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardware)
1H - 29"Hx5"D Accessory ledge & power module (hardware); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardware); add \$29
1B - 29"Hx14"D Worksurface & power module (hardware); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardware)
1K - 42"Hx5"D Accessory ledge & power module (hardware); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardware); add \$29
1E - 42"Hx14"D Worksurface & power module (hardware); add \$600

- | | |
|-----------|--|
| D | Select markerboard. |
| M0 | - No |
| M1 | - Yes; add \$343 |
| E | Select occupancy indicator light. |
| Z0 | - No |
| Z1 | - Yes; add \$199 |
| F | Select carpet. |
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$296 |
| C2 | - With grey carpet with stool cutout; add \$296 |
| G | Select light dimmer switch. |
| D0 | - No |
| D1 | - Yes; add \$144 |
| H | Select exterior panel paint.
Refer to the Product Color Options page in this price list. |
| I | Select door color.
Refer to the Product Color Options page in this price list. |
| J | Select pod frame color. |

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
Refer to ki.com/fabrics
- M** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select orientation (location of door hinge & surface).

L - Left
R - Right

C Select surface and power module option.

1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1J - 42"Hx5" Accessory ledge (no power module); add \$208
1L - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

J Select pod frame color.


① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.



Interior Panels; Left-Fabric Rear-Fabric Right-Steel

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- | | |
|----------|---|
| A | Select basic model. |
| B | Select orientation (location of door hinge & surface). |
| L | - Left |
| R | - Right |
| C | Select surface and power module option. |
| 1I | - 29"Hx5"D Accessory ledge (no power module); add \$208 |
| 1G | - 29"Hx5"D Accessory ledge and power module; add \$650 |
| 1C | - 29"Hx14"D worksurface (no power module); add \$238 |
| 1A | - 29"Hx14"D Worksurface and power module; add \$680 |
| 1L | - 42"Hx5" Accessory ledge (no power module); add \$208 |
| 1J | - 42"Hx5"D Accessory ledge and power module; add \$650 |
| 1F | - 42"Hx14"D Worksurface (no power module); add \$238 |
| 1D | - 42"Hx14"D Worksurface and power module; add \$680 |
| 1R | - 29"Hx5"D Accessory ledge, no power module (hardware) |
| 1H | - 29"Hx5"D Accessory ledge & power module (hardware); add \$571 |
| 1P | - 29"Hx14"D Worksurface, no power module (hardware); add \$29 |
| 1B | - 29"Hx14"D Worksurface & power module (hardware); add \$600 |
| 1S | - 42"Hx5"D Accessory ledge, no power module (hardware) |
| 1K | - 42"Hx5"D Accessory ledge & power module (hardware); add \$571 |
| 1Q | - 42"Hx14"D Worksurface, no power module (hardware); add \$29 |
| 1E | - 42"Hx14"D Worksurface & power module (hardware); add \$600 |

- D** Select markerboard.
- | | |
|-----------|------------------|
| M0 | - No |
| M1 | - Yes; add \$343 |
- E** Select occupancy indicator light.
- | | |
|-----------|------------------|
| Z0 | - No |
| Z1 | - Yes; add \$199 |
- F** Select carpet.
- | | |
|-----------|---|
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$296 |
| C2 | - With grey carpet with stool cutout; add \$296 |
- G** Select light dimmer switch.
- | | |
|-----------|------------------|
| D0 | - No |
| D1 | - Yes; add \$144 |
- H** Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I** Select door color.
- Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
Refer to kl.com/fabrics
- M** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select orientation (location of door hinge & surface).

L - Left

R - Right

C Select surface and power module option.

1I - 29"Hx5"D Accessory ledge (no power module); add \$208

1G - 29"Hx5"D Accessory ledge and power module; add \$650

1C - 29"Hx14"D worksurface (no power module); add \$238

1A - 29"Hx14"D Worksurface and power module; add \$680

1J - 42"Hx5" Accessory ledge (no power module); add \$208

1L - 42"Hx5"D Accessory ledge and power module; add \$650

1F - 42"Hx14"D Worksurface (no power module); add \$238

1D - 42"Hx14"D Worksurface and power module; add \$680

1R - 29"Hx5"D Accessory ledge, no power module (hardware)

1H - 29"Hx5"D Accessory ledge & power module (hardware); add \$571

1P - 29"Hx14"D Worksurface, no power module (hardware); add \$29

1B - 29"Hx14"D Worksurface & power module (hardware); add \$600

1S - 42"Hx5"D Accessory ledge, no power module (hardware)

1K - 42"Hx5"D Accessory ledge & power module (hardware); add \$571

1Q - 42"Hx14"D Worksurface, no power module (hardware); add \$29

1E - 42"Hx14"D Worksurface & power module (hardware); add \$600

D Select markerboard.

M0	- No
M1	- Yes; add \$343

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$199

F Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$296
C2	- With grey carpet with stool cutout; add \$296

G Select light dimmer switch.

D0	- No
D1	- Yes; add \$144

H Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

L Select interior panel fabric.
Refer to ki.com/fabrics

M Select surface laminate.
Refer to the **Product Color Options** page in this price list.

N Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.



Interior Panels; Left-Fabric Rear-Steel Right-Fabric

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select orientation (location of door hinge & surface).

L	- Left
R	- Right

- C** Select surface and power module option.

- | | |
|----|---|
| 1I | - 29"Hx5"D Accessory ledge (no power module); add \$208 |
| 1G | - 29"Hx5"D Accessory ledge and power module; add \$650 |
| 1C | - 29"Hx14"D worksurface (no power module); add \$238 |
| 1A | - 29"Hx14"D Worksurface and power module; add \$680 |
| 1L | - 42"Hx5" Accessory ledge (no power module); add \$208 |
| 1J | - 42"Hx5"D Accessory ledge and power module; add \$650 |
| 1D | - 42"Hx14"D Worksurface (no power module); add \$238 |
| 1F | - 42"Hx14"D Worksurface and power module; add \$680 |
| 1R | - 29"Hx5"D Accessory ledge, no power module (hardwire) |
| 1H | - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571 |
| 1P | - 29" Hx14"D Worksurface, no power module (hardwire); add \$29 |
| 1B | - 29"Hx14"D Worksurface & power module (hardwire); add \$600 |
| 1S | - 42"Hx5"D Accessory ledge, no power module (hardwire) |
| 1K | - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571 |
| 1Q | - 42"Hx14"D Worksurface, no power module (hardwire); add \$29 |
| 1E | - 42"Hx14"D Worksurface & power module (hardwire); add \$600 |

- D** Select markerboard.

M0	- No
M1	- Yes; add \$343

- E** Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$199

- F** Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$296
C2	- With grey carpet with stool cutout; add \$296

- G** Select light dimmer switch.

D0	- No
D1	- Yes; add \$144

- H** Select exterior panel paint.

Refer to the **Product Color Options** page in this price list.

- I** Select door color.

Refer to the **Product Color Options** page in this price list.

- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.

Refer to the **Product Color Options** page in this price list.

- L** Select interior panel fabric.

Refer to ki.com/fabrics

- M** Select surface laminate.

Refer to the **Product Color Options** page in this price list.

- N** Select surface 73P edge color.

Refer to the **Product Color Options** page in this price list.

- ① Select power module color.

Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.

Interior Panels; Left-Fabric Rear-Fabric Right-Fabric

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation (location of door hinge & surface).
- L - Left
R - Right
- C** Select surface and power module option.
- 1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardware)
1H - 29"Hx5"D Accessory ledge & power module (hardware); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardware); add \$29
1B - 29"Hx5"D Worksurface & power module (hardware); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardware)
1K - 42"Hx5"D Accessory ledge & power module (hardware); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardware); add \$29
1E - 42"Hx14"D Worksurface & power module (hardware); add \$600

- D** Select markerboard.
- | | |
|-----------|------------------|
| M0 | - No |
| M1 | - Yes; add \$343 |
- E** Select occupancy indicator light.
- | | |
|-----------|------------------|
| Z0 | - No |
| Z1 | - Yes; add \$199 |
- F** Select carpet.
- | | |
|-----------|---|
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$296 |
| C2 | - With grey carpet with stool cutout; add \$296 |
- G** Select light dimmer switch.
- | | |
|-----------|------------------|
| D0 | - No |
| D1 | - Yes; add \$144 |
- H** Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I** Select door color.
- Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel fabric.
Refer to ki.com/fabrics
- L** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- M** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- N** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.


WiggleRoom® (Freight Excluded Pricing)

Steel Exterior Panels



WiggleRoom® (Freight Excluded Pricing)

Steel Exterior Panels

	MODEL NUMBER														Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Power Module Color							
<div><div>Interior Panels</div><div>FabricGlassFabric</div></div> <div>W1J</div> <div>Interior Panels; Left-Fabric Rear-Glass Right-Fabric</div> <div><ul style="list-style-type: none">Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor lightMagnetic steel left & right exterior panelsPod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glidesPower module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to useSelf-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insertOptional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W1J	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 12977	\$ 13171	\$ 13221	\$ 13225	\$ 13268	\$ 13368
	A	B	C	D	E	F	G	H	I	J	K	L	M	N							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$208
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$650
- 1C** - 29"Hx14"D worksurface (no power module); add \$238
- 1A** - 29"Hx14"D Worksurface and power module; add \$680
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$208
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$650
- 1F** - 42"Hx14"D Worksurface (no power module); add \$238
- 1D** - 42"Hx14"D Worksurface and power module; add \$680
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$600
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$343
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$199
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$296
- C2** - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.		
 W2A Interior Panels; Left-Steel Rear-Steel Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements	W2A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13343
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$208
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$650
- 1C** - 29"Hx14"D worksurface (no power module); add \$238
- 1A** - 29"Hx14"D Worksurface and power module; add \$680
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$208
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$650
- 1F** - 42"Hx14"D Worksurface (no power module); add \$238
- 1D** - 42"Hx14"D Worksurface and power module; add \$680
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$600
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$343
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$199
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$296
- C2** - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.		
 <div>W2B</div> <div>Interior Panels; Left-Steel Rear-Glass Right-Steel</div> <div><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13059
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$208
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$650
- 1C** - 29"Hx14"D worksurface (no power module); add \$238
- 1A** - 29"Hx14"D Worksurface and power module; add \$680
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$208
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$650
- 1F** - 42"Hx14"D Worksurface (no power module); add \$238
- 1D** - 42"Hx14"D Worksurface and power module; add \$680
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$600
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$343
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$199
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$296
- C2** - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient- ation	Surface & Power Module	Marker- board	Occu- pancy Indi- cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.							
<div><p>Interior Panels</p><p>Steel Glass Fabric</p><p>W2C</p><p>Interior Panels; Left-Steel Rear-Glass Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42” worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4” clear tempered glass insert• Optional 18” or 30” tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97” long x 53” high x 32” wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13262	\$ 13356	\$ 13383	\$ 13384	\$ 13406	\$ 13455
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C** Select surface and power module option.
- 1I** - 29”H Accessory ledge (no power module); add \$208
- 1G** - 29”H Accessory ledge and power module; add \$650
- 1C** - 29”H worksurface (no power module); add \$238
- 1A** - 29”H Worksurface and power module; add \$680
- 1L** - 42”H Accessory ledge (no power module); add \$208
- 1J** - 42”H Accessory ledge and power module; add \$650
- 1F** - 42”H Worksurface (no power module); add \$238
- 1D** - 42”H Worksurface and power module; add \$680
- 1R** - 29”H Accessory ledge, no power module (hardwire)
- 1H** - 29”H Accessory ledge & power module (hardwire); add \$571
- 1P** - 29”H Worksurface, no power module (hardwire); add \$29
- 1B** - 29”H Worksurface & power module (hardwire); add \$600
- 1S** - 42”H Accessory ledge, no power module (hardwire)
- 1K** - 42”H Accessory ledge & power module (hardwire); add \$571
- 1Q** - 42”H Worksurface, no power module (hardwire); add \$29
- 1E** - 42”H Worksurface & power module (hardwire); add \$600

- D** Select markerboard.
- M0** - No
- M1** - Yes; add \$343
- E** Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$199
- F** Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$296
- C2** - With grey carpet with stool cutout; add \$296
- G** Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H** Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I** Select door color.
- Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
- Refer to **ki.com/fabrics**
- M** Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54” wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient- ation	Surface & Power Module	Marker- board	Occu- pancy Indi- cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.							
 W2D Interior Panels; Left-Steel Rear-Fabric Right-Steel	W2D	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13544	\$ 13640	\$ 13666	\$ 13667	\$ 13689	\$ 13739
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
Refer to **ki.com/fabrics**
- M**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Interior Panels; Left-Steel Rear-Fabric Right-Fabric

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Non-magnetic laminate exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

MODEL NUMBER																					
Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
W2E	□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	□□	650.0#	\$ 13745	\$ 13937	\$ 13988	\$ 13991	\$ 14036	\$ 14135

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29"Hx5"D Accessory ledge (no power module); add \$208
1G	- 29"Hx5"D Accessory ledge and power module; add \$650
1C	- 29"Hx14"D worksurface (no power module); add \$238
1A	- 29"Hx14"D Worksurface and power module; add \$680
1L	- 42"Hx5" Accessory ledge (no power module); add \$208
1J	- 42"Hx5"D Accessory ledge and power module; add \$650
1F	- 42"Hx14"D Worksurface (no power module); add \$238
1D	- 42"Hx14"D Worksurface and power module; add \$680
1R	- 29"Hx5"D Accessory ledge, no power module (hardwire)
1H	- 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P	- 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B	- 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S	- 42"Hx5"D Accessory ledge, no power module (hardwire)
1K	- 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q	- 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E	- 42"Hx14"D Worksurface & power module (hardwire); add \$600

- | | |
|-----------|--|
| D | Select markerboard. |
| M0 | - No |
| M1 | - Yes; add \$343 |
| E | Select occupancy indicator light. |
| Z0 | - No |
| Z1 | - Yes; add \$199 |
| F | Select carpet. |
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$296 |
| C2 | - With grey carpet with stool cutout; add \$296 |
| G | Select light dimmer switch. |
| D0 | - No |
| D1 | - Yes; add \$144 |
| H | Select exterior panel laminate. |
| | Refer to the Product Color Options page in this price list. |
| I | Select door color. |
| | Refer to the Product Color Options page in this price list. |
| J | Select pod frame color. |

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

- L** Select interior panel fabric.
Refer to ki.com/fabrics
- M** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
Refer to **ki.com/fabrics**
- M**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient- ation	Surface & Power Module	Marker- board	Occu- pancy Indi- cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.							
 W2G Interior Panels; Left-Fabric Rear-Glass Right-Steel	W2G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13262	\$ 13356	\$ 13383	\$ 13384	\$ 13406	\$ 13455
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
Refer to **ki.com/fabrics**
- M**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29”Hx5”D Accessory ledge (no power module); add \$208
1G - 29”Hx5”D Accessory ledge and power module; add \$650
1C - 29”Hx14”D worksurface (no power module); add \$238
1A - 29”Hx14”D Worksurface and power module; add \$680
1L - 42”Hx5” Accessory ledge (no power module); add \$208
1J - 42”Hx5”D Accessory ledge and power module; add \$650
1F - 42”Hx14”D Worksurface (no power module); add \$238
1D - 42”Hx14”D Worksurface and power module; add \$680
1R - 29”Hx5”D Accessory ledge, no power module (hardwire)
1H - 29”Hx5”D Accessory ledge & power module (hardwire); add \$571
1P - 29”Hx14”D Worksurface, no power module (hardwire); add \$29
1B - 29”Hx14”D Worksurface & power module (hardwire); add \$600
1S - 42”Hx5”D Accessory ledge, no power module (hardwire)
1K - 42”Hx5”D Accessory ledge & power module (hardwire); add \$571
1Q - 42”Hx14”D Worksurface, no power module (hardwire); add \$29
1E - 42”Hx14”D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
Refer to **ki.com/fabrics**
- M**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54” wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.


WiggleRoom® (Freight Excluded Pricing)

Laminate Exterior Panels



WiggleRoom® (Freight Excluded Pricing)

Laminate Exterior Panels

	MODEL NUMBER														Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)								
<div></div> <div>W2I</div> <div>Interior Panels; Left-Fabric Rear-Fabric Right-Fabric</div> <div><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2I	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13946	\$ 14235	\$ 14311	\$ 14316	\$ 14381	\$ 14532	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.
Refer to **ki.com/fabrics**
- L**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER														Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
	Basic Model	Orient- ation	Surface & Power Module	Marker- board	Occu- pancy Indi- cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Power Module Color							
<div><p>W2J</p><p>Interior Panels; Left-Fabric Rear-Glass Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2J	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13462	\$ 13656	\$ 13706	\$ 13710	\$ 13752	\$ 13853
	A	B	C	D	E	F	G	H	I	J	K	L	M	N							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29"Hx5"D Accessory ledge (no power module); add \$208
1G - 29"Hx5"D Accessory ledge and power module; add \$650
1C - 29"Hx14"D worksurface (no power module); add \$238
1A - 29"Hx14"D Worksurface and power module; add \$680
1L - 42"Hx5" Accessory ledge (no power module); add \$208
1J - 42"Hx5"D Accessory ledge and power module; add \$650
1F - 42"Hx14"D Worksurface (no power module); add \$238
1D - 42"Hx14"D Worksurface and power module; add \$680
1R - 29"Hx5"D Accessory ledge, no power module (hardwire)
1H - 29"Hx5"D Accessory ledge & power module (hardwire); add \$571
1P - 29"Hx14"D Worksurface, no power module (hardwire); add \$29
1B - 29"Hx14"D Worksurface & power module (hardwire); add \$600
1S - 42"Hx5"D Accessory ledge, no power module (hardwire)
1K - 42"Hx5"D Accessory ledge & power module (hardwire); add \$571
1Q - 42"Hx14"D Worksurface, no power module (hardwire); add \$29
1E - 42"Hx14"D Worksurface & power module (hardwire); add \$600

- D**Select markerboard.
M0 - No
M1 - Yes; add \$343
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$199
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$296
C2 - With grey carpet with stool cutout; add \$296
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.
Refer to **ki.com/fabrics**
- L**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.

WiggleRoom® (Freight Excluded Pricing)

Stool



WiggleRoom® (Freight Excluded Pricing)

Stool

		MODEL NUMBER												
		Basic Model	Stool Color	Upholstery Color	Approx. Packaged Weight	Freight Excluded Pricing Fabric Grade 1, C.O.M. & COV	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Group 2V Vinyl	Freight Excluded Pricing Pallas Fabric Group P0	Freight Excluded Pricing Pallas Fabric Group P1	Freight Excluded Pricing Pallas Fabric Group P2	Freight Excluded Pricing Pallas Fabric Group P3	Freight Excluded Pricing Pallas Fabric Group P4	
	Fixed Upholstered Stool 18”H <ul style="list-style-type: none">• For 29” high surfaces• Available for WiggleRoom only• Fixed height, non-swivel• Floor mounted	18”	WRST18	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	21.0#	\$ 728	\$ 761	\$ 772	\$ 797	\$ 822	\$ 841	\$ 858	\$ 870
WRST														
	Fixed Upholstered Stool 30”H <ul style="list-style-type: none">• For 42” high surfaces• Available for WiggleRoom only• Fixed height, non-swivel• Floor mounted	30”	WRST30	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	25.0#	\$ 1234	\$ 1268	\$ 1279	\$ 1305	\$ 1328	\$ 1348	\$ 1363	\$ 1377
WRST														
		A	B	C										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select stool base color.
Refer to the **Product Color Options** page in this price list.
- C** Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Stool)
C.O.M. requirement for less than ten stools is 1 yard of 54” wide nondirectional fabric. For ten or more stools, it is 1/2 yard of 54” wide nondirectional fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 125.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER			Approx. Packaged Weight	Freight Excluded Pricing	Freight Excluded Pricing Fabric Grade C.O.M.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Freight Excluded Pricing Pallas Vertical Fabric Grade PV1	Freight Excluded Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Polyester Felt Color	Fabric Color								
 WFMI	Solid Polyester Felt Magnetic Insert <ul style="list-style-type: none">Available in 1/3 and full height and magnetically applies to textured powder coated steel surfaces onlyMay be attached and removed by userPinnable felt is 1/2" thickBasic model number indicates nominal screen size. Actual size of 1/3 height insert is 36-1/2"W x 27-1/2"D. Actual size of full height insert is 36-1/2"W x 81-1/2"HStacking (3) 1/3 height inserts will fill one panel surface entirely	WFMI3628	<input type="checkbox"/> <input type="checkbox"/>		8.0#	\$ 469						
		WFMI3682	<input type="checkbox"/> <input type="checkbox"/>		18.0#	1031						
 WTMI	Upholstered Tackboard Magnetic Insert <ul style="list-style-type: none">Available in 1/3 height only and magnetically applies to textured powder coated steel surfaces onlyMay be attached and removed by userPinnable tackboard is 1/2" thickBasic model number indicates nominal screen size. Actual size of 1/3 height insert is 36-1/2"W x 27-1/2"DStacking (3) 1/3 height inserts will fill one panel surface entirely	WTMI3628		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	N/A	\$ 207	\$ 336	\$ 256	\$ 257	\$ 265	\$ 286

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select polyester felt color.
Refer to the **Product Color Options** page in this price list.
- C**Select fabric grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER		Approx. Packaged Weight	Freight Excluded Pricing
	Basic Model	Paint Color		
<div></div> <div>WRA</div> <div>Coat Hook<ul style="list-style-type: none">One piece textured powdercoated steel mechanically fastened to the panel frame</div>	WCTHK	<input type="checkbox"/> <input type="checkbox"/>	1.0#	\$ 76
<div></div> <div>WRA</div> <div>Markerboard<ul style="list-style-type: none">Mechanically fastens to the pod frameCannot be specified on glass back panel of podOverall size is 36-1/2" W x 27-1/2" H and must be mounted at least 5" above surface</div>	WMRKBD		19.0#	\$ 343
<div></div> <div>WRA</div> <div>Occupancy Light<ul style="list-style-type: none">Magnetically attaches to the top of the pod</div>	WOCLGHT	<input type="checkbox"/> <input type="checkbox"/>	1.0#	\$ 199
		A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking







With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Color		
 HRDPT	MODEL Binder Bin	W x H x D 10x13x3"	TSMABB	<input type="checkbox"/>	Approx. Packaged Weight 2.0# Freight Excluded Pricing \$ 54
 HRDPT	MODEL File Bin	W x H x D 9-1/2 x 9-1/2 x 3-1/2"	TSMAFB	<input type="checkbox"/>	Approx. Packaged Weight 2.0# Freight Excluded Pricing \$ 35
 HRDPT	MODEL Low Bin	W x H x D 9-3/8 x 4-1/4 x 3-5/8"	TSMALB	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Freight Excluded Pricing \$ 24
 HRDPT	MODEL Pencil Cup	W x H x D 3 x 4 x 3"	TSMAPC	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Freight Excluded Pricing \$ 17
 HRDPT	MODEL Shelf	W x H x D 10 x 5 x 4"	TSMAS	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Freight Excluded Pricing \$ 26
 HRDPT	MODEL Seismic Bracket • Kit includes 4 glides • Allows pod to be mechanically fastened to the floor with provided anchor bolts • Adjustable to accommodate floor variance		WRAK		Approx. Packaged Weight 5.0# Freight Excluded Pricing \$ 87

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Power Module Color		
  W1A Interior Panels; Left-Steel Rear-Steel Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements	W1A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13693
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C** Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D** Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E** Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F** Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G** Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H** Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I** Select door color.
- Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L** Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M** Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N** Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Power Module Color		
 W1B Interior Panels; Left-Steel Rear-Glass Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with ¼" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements	W1B	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	Approx. Packaged Weight	Delivered Pricing
															650.0#	\$ 13461
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel paint.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																					
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div><p>W1C</p><p>Interior Panels; Left-Steel Rear-Glass Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42” worksurface, markerboard, and occupancy indictor light• Magnetic steel left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4” clear tempered glass insert• Optional 18” or 30” tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97” long x 53” high x 32” wide skid; can accommodate fire sprinklers and seismic requirements</div>	W1C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13744	\$ 13840	\$ 13865	\$ 13867	\$ 13889	\$ 13940
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
L - Left
R - Right
- C**Select surface and power module option.
1I - 29”Hx5”D Accessory ledge (no power module); add \$213
1G - 29”Hx5”D Accessory ledge and power module; add \$660
1C - 29”Hx14”D worksurface (no power module); add \$245
1A - 29”Hx14”D Worksurface and power module; add \$693
1L - 42”Hx5” Accessory ledge (no power module); add \$213
1J - 42”Hx5”D Accessory ledge and power module; add \$660
1F - 42”Hx14”D Worksurface (no power module); add \$245
1D - 42”Hx14”D Worksurface and power module; add \$693
1R - 29”Hx5”D Accessory ledge, no power module (hardwire)
1H - 29”Hx5”D Accessory ledge & power module (hardwire); add \$579
1P - 29”Hx14”D Worksurface, no power module (hardwire); add \$30
1B - 29”Hx14”D Worksurface & power module (hardwire); add \$619
1S - 42”Hx5”D Accessory ledge, no power module (hardwire)
1K - 42”Hx5”D Accessory ledge & power module (hardwire); add \$583
1Q - 42”Hx14”D Worksurface, no power module (hardwire); add \$30
1E - 42”Hx14”D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
M0 - No
M1 - Yes; add \$353
- E**Select occupancy indicator light.
Z0 - No
Z1 - Yes; add \$201
- F**Select carpet.
C0 - No carpet (Customer orders and installs separately)
C1 - With grey carpet without stool cutout; add \$305
C2 - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
D0 - No
D1 - Yes; add \$144
- H**Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.
- I**Select door color.
Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
Refer to **ki.com/fabrics**
- M**Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

UPHOLSTERY INFORMATION



C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54” wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																					
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div> Interior Panels  W1D Interior Panels; Left-Steel Rear-Fabric Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W1D	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 13975	\$ 14072	\$ 14097	\$ 14098	\$ 14121	\$ 14171
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).

L

- Left

R

- Right
- C**Select surface and power module option.

1I

- 29"Hx5"D Accessory ledge (no power module); add \$213

1G

- 29"Hx5"D Accessory ledge and power module; add \$660

1C

- 29"Hx14"D worksurface (no power module); add \$245

1A

- 29"Hx14"D Worksurface and power module; add \$693

1L

- 42"Hx5" Accessory ledge (no power module); add \$213

1J

- 42"Hx5"D Accessory ledge and power module; add \$660

1F

- 42"Hx14"D Worksurface (no power module); add \$245

1D

- 42"Hx14"D Worksurface and power module; add \$693

1R

- 29"Hx5"D Accessory ledge, no power module (hardwire)

1H

- 29"Hx5"D Accessory ledge & power module (hardwire); add \$579

1P

- 29"Hx14"D Worksurface, no power module (hardwire); add \$30

1B

- 29"Hx14"D Worksurface & power module (hardwire); add \$619

1S

- 42"Hx5"D Accessory ledge, no power module (hardwire)

1K

- 42"Hx5"D Accessory ledge & power module (hardwire); add \$583

1Q

- 42"Hx14"D Worksurface, no power module (hardwire); add \$30

1E

- 42"Hx14"D Worksurface & power module (hardwire); add \$619

DSelect markerboard.

M0

- No

M1

- Yes; add \$353

ESelect occupancy indicator light.

Z0

- No

Z1

- Yes; add \$201

FSelect carpet.

C0

- No carpet (Customer orders and installs separately)

C1

- With grey carpet without stool cutout; add \$305

C2

- With grey carpet with stool cutout; add \$305

GSelect light dimmer switch.

D0

- No

D1

- Yes; add \$144

HSelect exterior panel paint.

Refer to the **Product Color Options** page in this price list.

ISelect door color.

Refer to the **Product Color Options** page in this price list.

JSelect pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.

Refer to the **Product Color Options** page in this price list.

- L**Select interior panel fabric.

Refer to **ki.com/fabrics**

- M**Select surface laminate.

Refer to the **Product Color Options** page in this price list.

- N**Select surface 73P edge color.

Refer to the **Product Color Options** page in this price list.

- O**Select power module color.

Refer to the **Product Color Options** page in this price list.

Select only when power module is selected.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29" Hx5" D Accessory ledge (no power module); add \$213
1G	- 29" Hx5" D Accessory ledge and power module; add \$660
1C	- 29" Hx14" D worksurface (no power module); add \$245
1A	- 29" Hx14" D Worksurface and power module; add \$693
1L	- 42" Hx5" Accessory ledge (no power module); add \$213
1J	- 42" Hx5" D Accessory ledge and power module; add \$660
1F	- 42" Hx14" D Worksurface (no power module); add \$245
1D	- 42" Hx14" D Worksurface and power module; add \$693
1R	- 29" Hx5" D Accessory ledge, no power module (hardware)
1H	- 29" Hx5" D Accessory ledge & power module (hardware); add \$579
1P	- 29" Hx14" D Worksurface, no power module (hardware); add \$30
1B	- 29" Hx14" D Worksurface & power module (hardware); add \$619
1S	- 42" Hx5" D Accessory ledge, no power module (hardware)
1K	- 42" Hx5" D Accessory ledge & power module (hardware); add \$583
1Q	- 42" Hx14" D Worksurface, no power module (hardware); add \$30
1E	- 42" Hx14" D Worksurface & power module (hardware); add \$619

D Select markerboard.

M0	- No
M1	- Yes; add \$353

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$201

F Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$305
C2	- With grey carpet with stool cutout; add \$305

G Select light dimmer switch.	
D0	- No
D1	- Yes; add \$144

H Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

L Select interior panel fabric.
Refer to ki.com/fabrics

M Select surface laminate.
Refer to the **Product Color Options** page in this price list.

N Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.


With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

A technical line drawing of a door assembly. The door is shown slightly ajar, revealing its internal structure. On the left side of the door, there is a handle and a lock mechanism. The handle is a simple horizontal bar. The lock mechanism is located below the handle and consists of a cylindrical body with a keyhole. The door is set within a frame, and the drawing shows the internal components of the door and the frame.

Interior Panels



W1F

Interior Panels; Left-Fabric Rear-Fabric Right-Steel

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select orientation (location of door hinge & surface).

L - Left
R - Right

C Select surface and power module option.

1I - 29" Hx5"D Accessory ledge (no power module); add \$213
1G - 29" Hx5"D Accessory ledge and power module; add \$660
1C - 29" Hx14"D worksurface (no power module); add \$245
1A - 29" Hx14"D Worksurface and power module; add \$693
1L - 42" Hx5" Accessory ledge (no power module); add \$213
1J - 42" Hx5"D Accessory ledge and power module; add \$660
1F - 42" Hx14"D Worksurface (no power module); add \$245
1D - 42" Hx14"D Worksurface and power module; add \$693
1R - 29" Hx5"D Accessory ledge, no power module (hardware)
1H - 29" Hx5"D Accessory ledge & power module (hardware); add \$579
1P - 29" Hx14"D Worksurface, no power module (hardware); add \$30
1B - 29" Hx14"D Worksurface & power module (hardware); add \$619
1S - 42" Hx5"D Accessory ledge, no power module (hardware)
1K - 42" Hx5"D Accessory ledge & power module (hardware); add \$583
1Q - 42" Hx14"D Worksurface, no power module (hardware); add \$30
1E - 42" Hx14"D Worksurface & power module (hardware); add \$619

- D** Select markerboard.
- | | |
|-----------|------------------|
| M0 | - No |
| M1 | - Yes; add \$353 |
- E** Select occupancy indicator light.
- | | |
|-----------|------------------|
| Z0 | - No |
| Z1 | - Yes; add \$201 |
- F** Select carpet.
- | | |
|-----------|---|
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$305 |
| C2 | - With grey carpet with stool cutout; add \$305 |
- G** Select light dimmer switch.
- | | |
|-----------|------------------|
| D0 | - No |
| D1 | - Yes; add \$144 |
- H** Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.
- I** Select door color.
Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
Refer to ki.com/fabrics
- M** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29" Hx5" D Accessory ledge (no power module); add \$213
1G	- 29" Hx5" D Accessory ledge and power module; add \$660
1C	- 29" Hx14" D worksurface (no power module); add \$245
1A	- 29" Hx14" D Worksurface and power module; add \$693
1L	- 42" Hx5" Accessory ledge (no power module); add \$213
1J	- 42" Hx5" D Accessory ledge and power module; add \$660
1F	- 42" Hx14" D Worksurface (no power module); add \$245
1D	- 42" Hx14" D Worksurface and power module; add \$693
1R	- 29" Hx5" D Accessory ledge, no power module (hardwire)
1H	- 29" Hx5" D Accessory ledge & power module (hardwire); add \$579
1P	- 29" Hx14" D Worksurface, no power module (hardwire); add \$30
1B	- 29" Hx14" D Worksurface & power module (hardwire); add \$619
1S	- 42" Hx5" D Accessory ledge, no power module (hardwire)
1K	- 42" Hx5" D Accessory ledge & power module (hardwire); add \$583
1Q	- 42" Hx14" D Worksurface, no power module (hardwire); add \$30
1E	- 42" Hx14" D Worksurface & power module (hardwire); add \$619

D Select markerboard.

M0	- No
M1	- Yes; add \$353

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$201

F	Select carpet.
C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$305
C2	- With grey carpet with stool cutout; add \$305

G Select light dimmer switch.

D0	- No
D1	- Yes; add \$144

H Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

L Select interior panel fabric.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

M Select surface laminate.
Refer to the **Product Color Options** page in this price list.

N Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

A line drawing of a cabinet with its door open to the left. The door has two sets of three diagonal lines, one near the top and one near the bottom. Inside the cabinet, there is a shelf and a hanging bar. The letters 'abc' are written on the hanging bar.

Interior Panels



W1H

Interior Panels; Left-Fabric Rear-Steel Right-Fabric

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Magnetic steel exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select orientation (location of door hinge & surface).

L - Left
R - Right

C Select surface and power module option.

1I - 29" Hx5"D Accessory ledge (no power module); add \$213
1G - 29" Hx5"D Accessory ledge and power module; add \$660
1C - 29" Hx14"D worksurface (no power module); add \$245
1A - 29" Hx14"D Worksurface and power module; add \$693
1L - 42" Hx5" Accessory ledge (no power module); add \$213
1J - 42" Hx5"D Accessory ledge and power module; add \$660
1F - 42" Hx14"D Worksurface (no power module); add \$245
1D - 42" Hx14"D Worksurface and power module; add \$693
1R - 29" Hx5"D Accessory ledge, no power module (hardware)
1H - 29" Hx5"D Accessory ledge & power module (hardware); add \$579
1P - 29" Hx14"D Worksurface, no power module (hardware); add \$30
1B - 29" Hx14"D Worksurface & power module (hardware); add \$619
1S - 42" Hx5"D Accessory ledge, no power module (hardware)
1K - 42" Hx5"D Accessory ledge & power module (hardware); add \$583
1Q - 42" Hx14"D Worksurface, no power module (hardware); add \$30
1E - 42" Hx14"D Worksurface & power module (hardware); add \$619

- D** Select markerboard.
- | | |
|-----------|------------------|
| M0 | - No |
| M1 | - Yes; add \$353 |
- E** Select occupancy indicator light.
- | | |
|-----------|------------------|
| Z0 | - No |
| Z1 | - Yes; add \$201 |
- F** Select carpet.
- | | |
|-----------|---|
| C0 | - No carpet (Customer orders and installs separately) |
| C1 | - With grey carpet without stool cutout; add \$305 |
| C2 | - With grey carpet with stool cutout; add \$305 |
- G** Select light dimmer switch.
- | | |
|-----------|------------------|
| D0 | - No |
| D1 | - Yes; add \$144 |
- H** Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.
- I** Select door color.
Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
Refer to ki.com/fabrics
- M** Select surface laminate.
Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking


With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																				
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Paint	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Power Module Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div><p>W11</p><p>Interior Panels; Left-Fabric Rear-Fabric Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Magnetic steel exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W11	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14537	\$ 14825	\$ 14902	\$ 14907	\$ 14972	\$ 15122
	A	B	C	D	E	F	G	H	I	J	K	L	M	N							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).

L

- Left

R

- Right
- C**Select surface and power module option.

1I

- 29"Hx5"D Accessory ledge (no power module); add \$213

1G

- 29"Hx5"D Accessory ledge and power module; add \$660

1C

- 29"Hx14"D worksurface (no power module); add \$245

1A

- 29"Hx14"D Worksurface and power module; add \$693

1L

- 42"Hx5" Accessory ledge (no power module); add \$213

1J

- 42"Hx5"D Accessory ledge and power module; add \$660

1F

- 42"Hx14"D Worksurface (no power module); add \$245

1D

- 42"Hx14"D Worksurface and power module; add \$693

1R

- 29"Hx5"D Accessory ledge, no power module (hardwire)

1H

- 29"Hx5"D Accessory ledge & power module (hardwire); add \$579

1P

- 29"Hx14"D Worksurface, no power module (hardwire); add \$30

1B

- 29"Hx14"D Worksurface & power module (hardwire); add \$619

1S

- 42"Hx5"D Accessory ledge, no power module (hardwire)

1K

- 42"Hx5"D Accessory ledge & power module (hardwire); add \$583

1Q

- 42"Hx14"D Worksurface, no power module (hardwire); add \$30

1E

- 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.

M0

- No

M1

- Yes; add \$353

- E**Select occupancy indicator light.

Z0

- No

Z1

- Yes; add \$201

- F**Select carpet.

C0

- No carpet (Customer orders and installs separately)

C1

- With grey carpet without stool cutout; add \$305

C2

- With grey carpet with stool cutout; add \$305

- G**Select light dimmer switch.

D0

- No

D1

- Yes; add \$144

- H**Select exterior panel paint.

Refer to the **Product Color Options** page in this price list.

- I**Select door color.

Refer to the **Product Color Options** page in this price list.

- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.

Refer to **ki.com/fabrics**

- L**Select surface laminate.

Refer to the **Product Color Options** page in this price list.

- M**Select surface 73P edge color.

Refer to the **Product Color Options** page in this price list.

- N**Select power module color.

Refer to the **Product Color Options** page in this price list.

Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)
C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29"Hx5"D Accessory ledge (no power module); add \$213
1G	- 29"Hx5"D Accessory ledge and power module; add \$660
1C	- 29"Hx14"D worksurface (no power module); add \$245
1A	- 29"Hx14"D Worksurface and power module; add \$693
1L	- 42"Hx5" Accessory ledge (no power module); add \$213
1J	- 42"Hx5"D Accessory ledge and power module; add \$660
1F	- 42"Hx14"D Worksurface (no power module); add \$245
1D	- 42"Hx14"D Worksurface and power module; add \$693
1R	- 29"Hx5"D Accessory ledge, no power module (hardwire)
1H	- 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
1P	- 29"Hx14"D Worksurface, no power module (hardwire); add \$30
1B	- 29"Hx14"D Worksurface & power module (hardwire); add \$619
1S	- 42"Hx5"D Accessory ledge, no power module (hardwire)
1K	- 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
1Q	- 42"Hx14"D Worksurface, no power module (hardwire); add \$30
1E	- 42"Hx14"D Worksurface & power module (hardwire); add \$619

D Select markerboard.

M0	- No
M1	- Yes; add \$353

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$201

F Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$305
C2	- With grey carpet with stool cutout; add \$305

G Select light dimmer switch.	
D0	- No
D1	- Yes; add \$144

H Select exterior panel paint.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel fabric.
Refer to ki.com/fabrics

L Select surface laminate.
Refer to the **Product Color Options** page in this price list.

M Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

N Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking


With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.		
 W2A Interior Panels; Left-Steel Rear-Steel Right-Steel	W2A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14405
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER															
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.		
  W2B Interior Panels; Left-Steel Rear-Glass Right-Steel <ul style="list-style-type: none">• Shown with Left hand orientation, 42” worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4” clear tempered glass insert• Optional 18” or 30” tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97” long x 53” high x 32” wide skid; can accommodate fire sprinklers and seismic requirements	W2B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14125
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29”H Accessory ledge (no power module); add \$213
- 1G** - 29”H Accessory ledge and power module; add \$660
- 1C** - 29”H worksurface (no power module); add \$245
- 1A** - 29”H Worksurface and power module; add \$693
- 1L** - 42”H Accessory ledge (no power module); add \$213
- 1J** - 42”H Accessory ledge and power module; add \$660
- 1F** - 42”H Worksurface (no power module); add \$245
- 1D** - 42”H Worksurface and power module; add \$693
- 1R** - 29”H Accessory ledge, no power module (hardwire)
- 1H** - 29”H Accessory ledge & power module (hardwire); add \$579
- 1P** - 29”H Worksurface, no power module (hardwire); add \$30
- 1B** - 29”H Worksurface & power module (hardwire); add \$619
- 1S** - 42”H Accessory ledge, no power module (hardwire)
- 1K** - 42”H Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42”H Worksurface, no power module (hardwire); add \$30
- 1E** - 42”H Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																					
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div><p>W2C</p><p>Interior Panels; Left-Steel Rear-Glass Right-Fabric</p><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14314	\$ 14410	\$ 14436	\$ 14439	\$ 14460	\$ 14510
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C** Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D** Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E** Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F** Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G** Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H** Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I** Select door color.
- Refer to the **Product Color Options** page in this price list.
- J** Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K** Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L** Select interior panel fabric.
- Refer to **ki.com/fabrics**
- M** Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- N** Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- O** Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																					
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div></div> <div><div>Interior Panels</div><div><div>Steel</div><div>Fabric</div><div>Steel</div></div></div> <div>W2D</div> <div>Interior Panels; Left-Steel Rear-Fabric Right-Steel</div> <div><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2D	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14596	\$ 14691	\$ 14718	\$ 14719	\$ 14741	\$ 14790
																	</					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
- Refer to **ki.com/fabrics**
- M**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Non-magnetic laminate exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.


- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29" Hx5" D Accessory ledge (no power module); add \$213
1G	- 29" Hx5" D Accessory ledge and power module; add \$660
1C	- 29" Hx14" D worksurface (no power module); add \$245
1A	- 29" Hx14" D Worksurface and power module; add \$693
1L	- 42" Hx5" Accessory ledge (no power module); add \$213
1J	- 42" Hx5" D Accessory ledge and power module; add \$660
1F	- 42" Hx14" D Worksurface (no power module); add \$245
1D	- 42" Hx14" D Worksurface and power module; add \$693
1R	- 29" Hx5" D Accessory ledge, no power module (hardware)
1H	- 29" Hx5" D Accessory ledge & power module (hardware); add \$579
1P	- 29" Hx14" D Worksurface, no power module (hardware); add \$30
1B	- 29" Hx14" D Worksurface & power module (hardware); add \$619
1S	- 42" Hx5" D Accessory ledge, no power module (hardware)
1K	- 42" Hx5" D Accessory ledge & power module (hardware); add \$583
1Q	- 42" Hx14" D Worksurface, no power module (hardware); add \$30
1E	- 42" Hx14" D Worksurface & power module (hardware); add \$619

J Select pod frame color.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																						
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Paint	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Pwr. Mod. Clr.	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
<div></div> <div><div>Interior Panels</div><div><div>Fabric</div><div>Fabric</div><div>Steel</div></div></div> <div>W2F</div> <div>Interior Panels; Left-Fabric Rear-Fabric Right-Steel</div> <div><ul style="list-style-type: none">• Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert• Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14798	\$ 14991	\$ 15042	\$ 15045	\$ 15089	\$ 15189	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel paint.
- Refer to the **Product Color Options** page in this price list.
- L**Select interior panel fabric.
- Refer to **ki.com/fabrics**
- M**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- N**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- O**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

- Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indicator light
- Non-magnetic laminate left & right exterior panels
- Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides
- Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)
- Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use
- Self-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insert
- Optional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.
- Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29" Hx5" D Accessory ledge (no power module); add \$213
1G	- 29" Hx5" D Accessory ledge and power module; add \$660
1C	- 29" Hx14" D worksurface (no power module); add \$245
1A	- 29" Hx14" D Worksurface and power module; add \$693
1L	- 42" Hx5" Accessory ledge (no power module); add \$213
1J	- 42" Hx5" D Accessory ledge and power module; add \$660
1F	- 42" Hx14" D Worksurface (no power module); add \$245
1D	- 42" Hx14" D Worksurface and power module; add \$693
1R	- 29" Hx5" D Accessory ledge, no power module (hardware)
1H	- 29" Hx5" D Accessory ledge & power module (hardware); add \$579
1P	- 29" Hx14" D Worksurface, no power module (hardware); add \$30
1B	- 29" Hx14" D Worksurface & power module (hardware); add \$619
1S	- 42" Hx5" D Accessory ledge, no power module (hardware)
1K	- 42" Hx5" D Accessory ledge & power module (hardware); add \$583
1Q	- 42" Hx14" D Worksurface, no power module (hardware); add \$30
1E	- 42" Hx14" D Worksurface & power module (hardware); add \$619

D Select markerboard.

M0	- No
M1	- Yes; add \$353

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$201

F Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$305
C2	- With grey carpet with stool cutout; add \$305

G Select light dimmer switch.	
D0	- No
D1	- Yes; add \$144

H Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

L Select interior panel fabric.
Refer to ki.com/fabrics

M Select surface laminate.
Refer to the **Product Color Options** page in this price list.

N Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select orientation (location of door hinge & surface).
L	- Left
R	- Right
C	Select surface and power module option.
1I	- 29" Hx5" D Accessory ledge (no power module); add \$213
1G	- 29" Hx5" D Accessory ledge and power module; add \$660
1C	- 29" Hx14" D worksurface (no power module); add \$245
1A	- 29" Hx14" D Worksurface and power module; add \$693
1L	- 42" Hx5" Accessory ledge (no power module); add \$213
1J	- 42" Hx5" D Accessory ledge and power module; add \$660
1F	- 42" Hx14" D Worksurface (no power module); add \$245
1D	- 42" Hx14" D Worksurface and power module; add \$693
1R	- 29" Hx5" D Accessory ledge, no power module (hardwire)
1H	- 29" Hx5" D Accessory ledge & power module (hardwire); add \$579
1P	- 29" Hx14" D Worksurface, no power module (hardwire); add \$30
1B	- 29" Hx14" D Worksurface & power module (hardwire); add \$619
1S	- 42" Hx5" D Accessory ledge, no power module (hardwire)
1K	- 42" Hx5" D Accessory ledge & power module (hardwire); add \$583
1Q	- 42" Hx14" D Worksurface, no power module (hardwire); add \$30
1E	- 42" Hx14" D Worksurface & power module (hardwire); add \$619

D Select markerboard.

M0	- No
M1	- Yes; add \$353

E Select occupancy indicator light.

Z0	- No
Z1	- Yes; add \$201

F Select carpet.

C0	- No carpet (Customer orders and installs separately)
C1	- With grey carpet without stool cutout; add \$305
C2	- With grey carpet with stool cutout; add \$305

G Select light dimmer switch.	
D0	- No
D1	- Yes; add \$144

H Select exterior panel laminate.
Refer to the **Product Color Options** page in this price list.

1 Select door color.
Refer to the **Product Color Options** page in this price list.

J Select pod frame color.

Refer to the **Product Color Options** page in this price list.

K Select interior panel paint.
Refer to the **Product Color Options** page in this price list.

L Select interior panel fabric.
Refer to ki.com/fabrics

M Select surface laminate.
Refer to the **Product Color Options** page in this price list.

N Select surface 73P edge color.
Refer to the **Product Color Options** page in this price list.

① Select power module color.
Refer to the **Product Color Options** page in this price list.
Select only when power module is selected.

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Special Carton Marking



With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																				
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Power Module Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div></div> <div></div> <div>W2I</div> <div>Interior Panels; Left-Fabric Rear-Fabric Right-Fabric</div> <div><ul style="list-style-type: none">Shown with Left hand orientation, 42" worksurface, markerboard, and occupancy indictor lightNon-magnetic laminate exterior panelsPod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glidesPower module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to useSelf-closing door is aluminum framed and magnetically sealed with 1/4" clear tempered glass insertOptional 18" or 30" tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.Pod ships KD on one 97" long x 53" high x 32" wide skid; can accommodate fire sprinklers and seismic requirements</div>	W2I	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 15001	\$ 15291	\$ 15365	\$ 15371	\$ 15436	\$ 15587
		</																			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29"Hx5"D Accessory ledge (no power module); add \$213
- 1G** - 29"Hx5"D Accessory ledge and power module; add \$660
- 1C** - 29"Hx14"D worksurface (no power module); add \$245
- 1A** - 29"Hx14"D Worksurface and power module; add \$693
- 1L** - 42"Hx5" Accessory ledge (no power module); add \$213
- 1J** - 42"Hx5"D Accessory ledge and power module; add \$660
- 1F** - 42"Hx14"D Worksurface (no power module); add \$245
- 1D** - 42"Hx14"D Worksurface and power module; add \$693
- 1R** - 29"Hx5"D Accessory ledge, no power module (hardwire)
- 1H** - 29"Hx5"D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1B** - 29"Hx14"D Worksurface & power module (hardwire); add \$619
- 1S** - 42"Hx5"D Accessory ledge, no power module (hardwire)
- 1K** - 42"Hx5"D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42"Hx14"D Worksurface, no power module (hardwire); add \$30
- 1E** - 42"Hx14"D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.
- Refer to **ki.com/fabrics**
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list.
- Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54" wide vertical fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER																				
	Basic Model	Orient-ation	Surface & Power Module	Marker-board	Occu-pancy Indi-cator Light	Carpet	Light Dimr. Switch	Exterior Panel Laminate	Door Color	Pod Frame Color	Interior Panel Fabric	Surf. Lam.	Edge Color (73P)	Power Module Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
<div></div> <div></div> <p>W2J</p> <p>Interior Panels; Left-Fabric Rear-Glass Right-Fabric</p> <ul style="list-style-type: none">• Shown with Left hand orientation, 42” worksurface, markerboard, and occupancy indictor light• Non-magnetic laminate left & right exterior panels• Pod includes aluminum textured powder-coated frame, panel materials, LED light, ventilation fans, and adjustable leveling glides• Power module choice dictates pod power supply (single circuit 3-prong power cord or hardwired whip)• Specify with or without factory-installed commercial grade carpeting (grey). NOTE: Pods without factory-carpet will require alternative carpet to be field-installed, prior to use• Self-closing door is aluminum framed and magnetically sealed with 1/4” clear tempered glass insert• Optional 18” or 30” tall floor-mounted stool and coat hooks ordered separately, and field installed. See color addendum for stool mounting hardware finish.• Pod ships KD on one 97” long x 53” high x 32” wide skid; can accommodate fire sprinklers and seismic requirements	W2J	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	650.0#	\$ 14518	\$ 14711	\$ 14761	\$ 14764	\$ 14808	\$ 14909

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select orientation (location of door hinge & surface).
- L** - Left
- R** - Right
- C**Select surface and power module option.
- 1I** - 29”Hx5”D Accessory ledge (no power module); add \$213
- 1G** - 29”Hx5”D Accessory ledge and power module; add \$660
- 1C** - 29”Hx14”D worksurface (no power module); add \$245
- 1A** - 29”Hx14”D Worksurface and power module; add \$693
- 1L** - 42”Hx5” Accessory ledge (no power module); add \$213
- 1J** - 42”Hx5”D Accessory ledge and power module; add \$660
- 1F** - 42”Hx14”D Worksurface (no power module); add \$245
- 1D** - 42”Hx14”D Worksurface and power module; add \$693
- 1R** - 29”Hx5”D Accessory ledge, no power module (hardwire)
- 1H** - 29”Hx5”D Accessory ledge & power module (hardwire); add \$579
- 1P** - 29”Hx14”D Worksurface, no power module (hardwire); add \$30
- 1B** - 29”Hx14”D Worksurface & power module (hardwire); add \$619
- 1S** - 42”Hx5”D Accessory ledge, no power module (hardwire)
- 1K** - 42”Hx5”D Accessory ledge & power module (hardwire); add \$583
- 1Q** - 42”Hx14”D Worksurface, no power module (hardwire); add \$30
- 1E** - 42”Hx14”D Worksurface & power module (hardwire); add \$619

- D**Select markerboard.
- M0** - No
- M1** - Yes; add \$353
- E**Select occupancy indicator light.
- Z0** - No
- Z1** - Yes; add \$201
- F**Select carpet.
- C0** - No carpet (Customer orders and installs separately)
- C1** - With grey carpet without stool cutout; add \$305
- C2** - With grey carpet with stool cutout; add \$305
- G**Select light dimmer switch.
- D0** - No
- D1** - Yes; add \$144
- H**Select exterior panel laminate.
- Refer to the **Product Color Options** page in this price list.
- I**Select door color.
- Refer to the **Product Color Options** page in this price list.
- J**Select pod frame color.

Refer to the **Product Color Options** page in this price list.

- K**Select interior panel fabric.
- Refer to **ki.com/fabrics**
- L**Select surface laminate.
- Refer to the **Product Color Options** page in this price list.
- M**Select surface 73P edge color.
- Refer to the **Product Color Options** page in this price list.
- N**Select power module color.
- Refer to the **Product Color Options** page in this price list. Select only when power module is selected.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Panels)

C.O.M. requirement for each panel surface is 2.5 yards of 54” wide vertical fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER												
		Basic Model	Stool Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1, C.O.M. & COV	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
	Fixed Upholstered Stool 18”H <ul style="list-style-type: none">• For 29” high surfaces• Available for WiggleRoom only• Fixed height, non-swivel• Floor mounted	18”	WRST18	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	21.0#	\$ 800	\$ 835	\$ 846	\$ 870	\$ 893	\$ 915	\$ 930	\$ 943
WRST														
	Fixed Upholstered Stool 30”H <ul style="list-style-type: none">• For 42” high surfaces• Available for WiggleRoom only• Fixed height, non-swivel• Floor mounted	30”	WRST30	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	25.0#	\$ 1321	\$ 1355	\$ 1364	\$ 1390	\$ 1414	\$ 1434	\$ 1450	\$ 1463
WRST														
		A	B	C										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select stool base color.
Refer to the **Product Color Options** page in this price list.
- C** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Stool)
C.O.M. requirement for less than ten stools is 1 yard of 54” wide nondirectional fabric. For ten or more stools, it is 1/2 yard of 54” wide nondirectional fabric. For complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER												
	Basic Model	Polyester Felt Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2		
 WFMI	Solid Polyester Felt Magnetic Insert <ul style="list-style-type: none">Available in 1/3 and full height and magnetically applies to textured powder coated steel surfaces onlyMay be attached and removed by userPinnable felt is 1/2" thickBasic model number indicates nominal screen size. Actual size of 1/3 height insert is 36-1/2"W x 27-1/2"D. Actual size of full height insert is 36-1/2"W x 81-1/2"HStacking (3) 1/3 height inserts will fill one panel surface entirely	WFMI3628	<input type="checkbox"/> <input type="checkbox"/>		8.0#	\$ 558							
		WFMI3682	<input type="checkbox"/> <input type="checkbox"/>		18.0#	1164							
 WTMI	Upholstered Tackboard Magnetic Insert <ul style="list-style-type: none">Available in 1/3 height only and magnetically applies to textured powder coated steel surfaces onlyMay be attached and removed by userPinnable tackboard is 1/2" thickBasic model number indicates nominal screen size. Actual size of 1/3 height insert is 36-1/2"W x 27-1/2"DStacking (3) 1/3 height inserts will fill one panel surface entirely	WTMI3628		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.0#	N/A	\$ 297	\$ 336	\$ 345	\$ 346	\$ 353	\$ 375	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select polyester felt color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric grade/color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	Basic Model	Paint Color		
<div></div> <div>WRA</div> <div>Coat Hook<ul style="list-style-type: none">One piece textured powdercoated steel mechanically fastened to the panel frame</div>	WCTHK	<input type="checkbox"/> <input type="checkbox"/>	1.0#	\$ 94
<div></div> <div>WRA</div> <div>Markerboard<ul style="list-style-type: none">Mechanically fastens to the pod frameCannot be specified on glass back panel of podOverall size is 36-1/2" W x 27-1/2" H and must be mounted at least 5" above surface</div>	WMRKBD		19.0#	\$ 584
<div></div> <div>WRA</div> <div>Occupancy Light<ul style="list-style-type: none">Magnetically attaches to the top of the pod</div>	WOCLGHT	<input type="checkbox"/> <input type="checkbox"/>	1.0#	\$ 243

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES







Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Color		
 HRDPT	MODEL Binder Bin	W x H x D 10x13x3"	TSMABB	<input type="checkbox"/>	Approx. Packaged Weight 2.0# Delivered Pricing \$ 54
 HRDPT	MODEL File Bin	W x H x D 9-1/2 x 9-1/2 x 3-1/2"	TSMAFB	<input type="checkbox"/>	Approx. Packaged Weight 2.0# Delivered Pricing \$ 35
 HRDPT	MODEL Low Bin	W x H x D 9-3/8 x 4-1/4 x 3-5/8"	TSMALB	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Delivered Pricing \$ 24
 HRDPT	MODEL Pencil Cup	W x H x D 3 x 4 x 3"	TSMAPC	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Delivered Pricing \$ 17
 HRDPT	MODEL Shelf	W x H x D 10 x 5 x 4"	TSMAS	<input type="checkbox"/>	Approx. Packaged Weight 1.0# Delivered Pricing \$ 26
 HRDPT	MODEL Seismic Bracket • Kit includes 4 glides • Allows pod to be mechanically fastened to the floor with provided anchor bolts • Adjustable to accommodate floor variance		WRAK		Approx. Packaged Weight 5.0# Delivered Pricing \$ 87

A

B

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000404/KI/PDF



Furnishing Knowledge®