



WIREWOKS® PANEL SYSTEM

PRICE LIST

January 3, 2011

Update June 5, 2023

800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering COM, COL and COV	
Information	3
WireWorks®	
Product Color Options	5
Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles	
Face Styles	7
Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles	
Monolithic Panel	9
Monolithic/Half Segmented Panel	11
Monolithic/Fully Segmented Panel	13
Half Segmented/Half Segmented Panel	15
Half Segmented/Fully Segmented Panel	17
Fully Segmented/Fully Segmented Panel	19
Glass Panel	
Face Styles	21
Full Glass Panel	22
Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles	
Monolithic/Monolithic/Glass Panel	23
Monolithic/Fully Segmented/Glass Panel	24
Fully Segmented/Fully Segmented/Glass Panel	26
Open Panel	
Face Styles	28
Full Open Panel	29
Open/Fabric Panel - Acoustic - 3/4” Thick Tiles	
Open/Monolithic/Monolithic Panel	31
Monolithic/Monolithic/Open Panel	33
Fabric Stackable Section - Acoustic - 3/4” Tiles	
35	
Glass Stackable Section	
36	
Open Stackable Section	
37	
Doors	
38	
Preconfigured Intersection Conditions	
90° 2-Way and End-of-Run	39
90° 2-Way	40
Off-Module Post	44
Adjustable Wall Mount and Stabilizer Weldment	45
180° 2-Way	46
3-Way	50
4-Way	57
Preconfigured Stackable Intersection Conditions	
180° 2-Way and End-of-Run	64
2-Way and 3-Way	65
2-Way, 3-Way and 4-Way	66
Electrical	
8-Wire System	67
10-Wire System 6 Circuit “810”	68
10-Wire System 4 Circuit “810”	74
Cable Management	
80	
Worksurfaces	
Rectangular	82
”P” Shaped Peninsula/Piano Peninsula	83
Square Shoe/Conference End	84
”D” Shaped Peninsula	85
Dual Curvilinear/Diag/Curvilinear 90° Corner	86
Countertops	87
Mobile Teardrop/Mobile Semi-Circle	88
Worksurface Support Panel	90

Worksurface Accessories	
Worksurface Accessories	92
Universal Storage and Accessories	
Overhead Storage	93
Overhead Accessories	107
LED Task Lights	109
Balance® Storage and Accessories	
General Information	111
Overhead Storage	112
Overhead Accessories	118
Accessories	
Sail	121
Markerboards	122
Tackboard	123
Brackets	126
Paper Management	127
Desktop Accessories	128
120° Intersections	
2-Way	129
3-Way	132
2-Way and 3-Way Stackable	137
120° Worksurfaces	
Corner Worksurfaces	138
120° Build Your Own	
Components	139
Tech Preconfigured Intersection Conditions	
90° 2-Way and End-of-Run	141
90° 2-Way	142
180° 2-Way	146
3-Way	149
4-Way	152
Tech Panel Components	155
Pedestals - Worksurface Supporting	
700 Series® Pedestals with Filler Bracket	156

Ordering COM, COL and COV

Information

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
1400 South 41st Street
Manitowoc, WI 54220
Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

C.O.M. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 50 yards — Add 5 yards
50 + yards — Add 10% over requirements

In all instances, send this form to the C.O.M. Specialist.

☐ **A** Selvage Top to Bottom

☐ **B** Selvage Side to Side

Purchasing Agent (Dealer or buying organization)

Attention

Address

CityStateZip

Project Name

Type and number of units of each type

Please see information at right and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number

Ordering COM, COL and COV

Information

C.O.M. SHIPPING LOCATION

Architectural Walls

Evolve.....MN
Genius Walls.....MN

Casegoods

Aristotle Tackboards.....MN
Likha Tackboards.....MN

Classroom Furniture

Intellect Wave Chairs.....GB
Learn2.....GB
Ruckus.....GB

Desking

700 Series Desking.....KP
Balance Overheads.....MN
Genesis Desking.....MN
True Desking.....KP
Universal Overheads.....MN
WorkZone Desking.....MN

Files & Storage

700 Series Pedestal Cushion.....GB
Connection Zone Pads.....BW
U-Series Pedestal Cushion.....GB
Tattoo.....BW

Fixed Seating

Concerto Auditorium Seating.....BW
Single Pedestal Seating.....GB
Jury Base Seating.....GB
Lancaster Auditorium Seating.....BW
Sequence Seating.....GB
University Seating.....GB

Panel Systems

All Terrain.....KP
Balance Overheads.....MN

System 3000.....MN
Universal Overheads.....MN
Wireworks.....MN
Unite.....MN

Residence Hall Furniture

RoomScape Furniture.....MN

Screens

All Terrain.....KP
Connection Zone.....BW
True/Volition.....KP
Genesis.....KP
Tattoo.....MN
Universal.....BW

Seating

400 Series Folding Chairs.....BW
600 Series Folding Chairs.....BW
600 Series Stools.....BW
Affina Collection.....HN
Altus Task Chairs.....GB
Apply Stack Chairs.....GB
Auditorium Folding Chairs.....BW
Calida Lounge Seating.....HN
Diem Task Chairs.....OM
Doni Collection.....GB
Gladly Lounge Seating.....VQ
Grazie Seating.....GB
Hiatus Sleeper Bench.....HN
Hub Modular Lounge Seating.....HN
Impress Task Chairs.....OM
Impress Ultra Task Chairs.....OM
Jessa Lounge Seating.....HN
Jubilee Lounge Seating.....VQ
Katera Guest Chair.....GB
Kurv Benches.....HN
LaResta Day Beds.....HN

LimeLite.....GB
Lyra Lounge Seating.....HN
Maestro Stack Chairs.....GB
Medical & Laboratory Stools.....OM
MyPlace Lounge Seating.....HN
MyWay Seating.....HN
Oath Task Chairs and Stools.....GB
Opt4.....GB
Pilot Task Chairs.....OM
Promenade Seating System.....BW
Ruckus.....GB
Sela Lounge Seating.....HN
Sift Task Chairs.....GB
Signia Task Chairs and Stools.....OM
Soltice Metal Collection.....HN
Soltice Multiple, Healthcare & Guest.....HN
Soltice II Healthcare Seating.....HN
Strive Multiple, Stack & Task.....GB
Sway.....BW
Tattoo.....HN
Torsion-on-the-Go! Nesting Chairs.....GB
Torsion Air Stack and Task Seating.....GB
Zoetry.....HN

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Ordering COM, COL and COV

Information



Ordering COM, COL and COV

Information

Tile Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional
12 x 12	16 x 16	0.15	0.15	0.11	0.11
12 x 18	16 x 22	0.20	0.20	0.15	0.15
12 x 24	16 x 28	0.26	0.26	0.19	0.19
12 x 30	16 x 34	0.32	0.32	0.24	0.24
12 x 36	16 x 40	0.37	0.37	0.28	0.28
12 x 42	16 x 46	0.43	0.43	0.32	0.32
12 x 48	16 x 52	0.48	0.48	0.36	0.36
12 x 54	16 x 58	0.54	0.54	0.40	0.40
12 x 60	16 x 64	0.59	0.59	0.44	0.44
12 x 66	16 x 70	0.65	0.65	0.49	0.49
12 x 72	16 x 76	0.70	0.70	0.53	0.53
12 x 78	16 x 82	0.76	0.76	0.57	0.57
18 x 12	22 x 16	0.22	0.22	0.15	0.15
18 x 18	22 x 22	0.31	0.31	0.20	0.20
18 x 24	22 x 28	0.39	0.39	0.26	0.26
18 x 30	22 x 34	0.47	0.47	0.32	0.32
18 x 36	22 x 40	0.56	0.56	0.37	0.37
18 x 42	22 x 46	0.64	0.64	0.43	0.43
18 x 48	22 x 52	0.72	0.72	0.48	0.48
18 x 54	22 x 58	0.81	0.81	0.54	0.54
18 x 60	22 x 64	0.89	0.89	0.59	0.59
18 x 66	22 x 70	0.97	0.97	0.65	0.65
18 x 72	22 x 76	1.06	1.06	0.70	0.70
18 x 78	22 x 82	1.14	1.14	0.76	0.76
24 x 12	28 x 16	0.44	0.44	0.22	0.22
24 x 18	28 x 22	0.61	0.61	0.31	0.31
24 x 24	28 x 28	0.78	0.78	0.39	0.39
24 x 30	28 x 34	0.94	0.94	0.47	0.47
24 x 36	28 x 40	1.11	1.11	0.56	0.56
24 x 42	28 x 46	1.28	1.28	0.64	0.64
24 x 48	28 x 52	1.44	1.44	0.72	0.72
24 x 54	28 x 58	1.61	1.61	0.81	0.81
24 x 60	28 x 64	1.78	1.78	0.89	0.89
24 x 66	28 x 70	1.94	1.94	0.97	0.97
24 x 72	28 x 76	2.11	2.11	1.06	1.06
24 x 78	28 x 82	2.28	2.28	1.14	1.14
30 x 12	34 x 16	0.44	0.44	0.44	0.44
30 x 18	34 x 22	0.61	0.61	0.61	0.61
30 x 24	34 x 28	0.78	0.78	0.78	0.78
30 x 30	34 x 34	0.94	0.94	0.94	0.94
30 x 36	34 x 40	1.11	1.11	1.11	1.11
30 x 42	34 x 46	1.28	1.28	1.28	1.28
30 x 48	34 x 52	1.44	1.44	1.44	1.44
30 x 54	34 x 58	1.61	1.61	1.61	1.61
30 x 60	34 x 64	1.78	1.78	1.78	1.78
30 x 66	34 x 70	1.94	1.94	1.94	1.94
30 x 72	34 x 76	2.11	2.11	2.11	2.11
30 x 78	34 x 82	2.28	2.28	2.28	2.28
36 x 12	40 x 16	0.44	0.44	0.44	0.44
36 x 18	40 x 22	0.61	0.61	0.61	0.61
36 x 24	40 x 28	0.78	0.78	0.78	0.78
36 x 30	40 x 34	0.94	0.94	0.94	0.94
36 x 36	40 x 40	1.11	1.11	1.11	1.11
36 x 42	40 x 46	1.28	1.28	1.28	1.28
36 x 48	40 x 52	1.44	1.44	1.44	1.44
36 x 54	40 x 58	1.61	1.61	1.61	1.61
36 x 60	40 x 64	1.78	1.78	1.78	1.78
36 x 66	40 x 70	1.94	1.94	1.94	1.94
36 x 72	40 x 76	2.11	2.11	2.11	2.11
36 x 78	40 x 82	2.28	2.28	2.28	2.28
42 x 12	46 x 16	0.44	0.44	0.44	0.44
42 x 18	46 x 22	0.61	0.61	0.61	0.61
42 x 24	46 x 28	0.78	0.78	0.78	0.78
42 x 30	46 x 34	0.94	0.94	0.94	0.94
42 x 36	46 x 40	1.11	1.11	1.11	1.11
42 x 42	46 x 46	1.28	1.28	1.28	1.28
42 x 48	46 x 52	1.44	1.44	1.44	1.44
42 x 54	46 x 58	1.61	1.61	1.61	1.61
42 x 60	46 x 64	1.78	1.78	1.78	1.78
42 x 66	46 x 70	1.94	1.94	1.94	1.94
42 x 72	46 x 76	2.11	2.11	2.11	2.11
42 x 78	46 x 82	2.28	2.28	2.28	2.28
48 x 12	52 x 16	0.44	0.44	0.44	0.44
48 x 18	52 x 22	0.61	0.61	0.61	0.61
48 x 24	52 x 28	0.78	0.78	0.78	0.78
48 x 30	52 x 34	0.94	0.94	0.94	0.94
48 x 36	52 x 40	1.11	1.11	1.11	1.11
48 x 42	52 x 46	1.28	1.28	1.28	1.28
48 x 48	52 x 52	1.44	1.44	1.44	1.44
48 x 54	52 x 58	1.61	1.61	1.61	1.61
48 x 60	52 x 64	1.78	1.78	1.78	1.78
48 x 66	52 x 70	1.94	1.94	1.94	1.94
48 x 72	52 x 76	2.11	2.11	2.11	2.11
48 x 78	52 x 82	2.28	2.28	2.28	2.28
54 x 12	58 x 16			0.44	0.44
54 x 18	58 x 22			0.61	0.61
54 x 24	58 x 28			0.78	0.78
54 x 30	58 x 34			0.94	0.94
54 x 36	58 x 40			1.11	1.11
54 x 42	58 x 46			1.28	1.28
54 x 48	58 x 52			1.44	1.44
54 x 54	58 x 58			1.61	1.61
54 x 60	58 x 64			1.78	1.78
54 x 66	58 x 70			1.94	1.94
54 x 72	58 x 76			2.11	2.11
54 x 78	58 x 82			2.28	2.28
60 x 12	64 x 16			0.44	0.44
60 x 18	64 x 22			0.61	0.61
60 x 24	64 x 28			0.78	0.78
60 x 30	64 x 34			0.94	0.94
60 x 36	64 x 40			1.11	1.11
60 x 42	64 x 46			1.28	1.28
60 x 48	64 x 52			1.44	1.44
60 x 54	64 x 58			1.61	1.61
60 x 60	64 x 64			1.78	1.78
60 x 66	64 x 70			1.94	1.94
60 x 72	64 x 76			2.11	2.11
60 x 78	64 x 82			2.28	2.28
PRTU (Raceway Tiles)					
12 x 12	18 x 18	0.17	0.17	0.17	0.17
18 x 12	24 x 18	0.25	0.25	0.25	0.25
24 x 12	30 x 18	0.50	0.50	0.25	0.25
30 x 12	36 x 18	0.50	0.50	0.50	0.50
36 x 12	42 x 18	0.50	0.50	0.50	0.50
42 x 12	48 x 18	0.50	0.50	0.50	0.50
48 x 12	54 x 18	0.50	0.50	0.50	0.50
54 x 12	60 x 18			0.50	0.50
60 x 12	66 x 18			0.50	0.50

Tile Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional
TB (Tackboards)					
24 x 12	30 x 18	0.50	0.50	0.25	0.25
30 x 12	36 x 18	0.50	0.50	0.50	0.50
36 x 12	42 x 18	0.50	0.50	0.50	0.50
42 x 12	48 x 18	0.50	0.50	0.50	0.50
48 x 12	54 x 18	0.50	0.50	0.50	0.50
54 x 12	60 x 18			0.50	0.50
60 x 12	66 x 18			0.50	0.50
24 x 16	30 x 22	0.61	0.61	0.31	0.31
30 x 16	36 x 22	0.61	0.61	0.61	0.61
36 x 16	42 x 22	0.61	0.61	0.61	0.61
42 x 16	48 x 22	0.61	0.61	0.61	0.61
48 x 16	54 x 22	0.61	0.61	0.61	0.61
54 x 16	60 x 22			0.61	0.61
60 x 16	66 x 22			0.61	0.61
24 x 20	30 x 26	0.72	0.72	0.36	0.36
36 x 20	36 x 26	0.72	0.72	0.72	0.72
30 x 20	42 x 26	0.72	0.72	0.72	0.72
42 x 20	48 x 26	0.72	0.72	0.72	0.72
48 x 20	54 x 26	0.72	0.72	0.72	0.72
54 x 20	60 x 26			0.72	0.72
60 x 20	66 x 26			0.72	0.72
24 x 30	30 x 36	1.00	1.00	0.50	0.50
30 x 30	36 x 36	1.00	1.00	1.00	1.00
36 x 30	42 x 36	1.00	1.00	1.00	1.00
42 x 30	48 x 36	1.00	1.00	1.00	1.00
48 x 30	54 x 36	1.00	1.00	1.00	1.00
54 x 30	60 x 36			1.00	1.00
60 x 30	66 x 36			1.00	1.00
24 x 48	30 x 54	0.83	1.50	0.83	0.75
30 x 48	36 x 54	1.00	1.50	1.20	1.50
36 x 48	42 x 54	1.16	1.50	1.16	1.50
42 x 48	48 x 54	1.33	1.50	1.33	1.50
48 x 48	54 x 54	1.50	1.50	1.50	1.50
54 x 48	60 x 54			1.50	1.50
60 x 48	66 x 54			1.50	1.50
PRDF (Overhead Cabinet)					
24	30 x 22	0.61	0.61	0.31	0.31
30	36 x 22	0.61	0.61	0.61	0.61
36	42 x 22	0.61	0.61	0.61	0.61
42	48 x 22	0.61	0.61	0.61	0.61
48	54 x 22	0.61	0.61	0.61	0.61
54	60 x 22			0.61	0.61
60	66 x 22			0.61	0.61
UTHF (Universal Trim Height Change)					
6	6 x 8	0.03	0.03	0.02	0.02
12	6 x 14	0.04	0.04	0.04	0.04
18	6 x 20	0.06	0.06	0.05	0.05
24	6 x 26	0.08	0.08	0.07	0.07
30	6 x 32	0.10	0.10	0.08	0.08
36	6 x 38	0.12	0.12	0.10	0.10
42	6 x 44	0.14	0.14	0.11	0.11
48	6 x 50	0.15	0.15	0.13	0.13
54	6 x 56	0.17	0.17	0.14	0.14

Tile Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional
UTFF (universal Trim Full Height)					
12	6 x 14	0.04	0.04	0.04	0.04
18	6 x 20	0.06	0.06	0.05	0.05
24	6 x 26	0.08	0.08	0.07	0.07
30	6 x 32	0.10	0.10	0.08	0.08
36	6 x 38	0.12	0.12	0.10	0.10
42	6 x 44	0.14	0.14	0.11	0.11
48	6 x 50	0.15	0.15	0.13	0.13
54	6 x 56	0.17	0.17	0.14	0.14
60	6 x 62	0.19	0.19	0.16	0.16
72	6 x 74	0.23	0.23	0.19	0.19
Balance Fabric Overhead Cabinets					
BLCF24	20 x 30	0.88	0.63	0.88	0.63
BLCF30	20 x 36	1.00	0.63	1.00	0.63
BLCF36	20 x 42	1.25	0.63	1.25	0.63
BLCF42	20 x 48	1.38	0.63	1.38	0.63
BLCF48	20 x 54	1.50	0.63	1.50	0.63
BLCF54	20 x 60	1.75		1.75	0.63
BLCF60	20 x 66	1.88		1.88	0.63
BLCF66	20 x 78	2.25	0.63	2.25	0.63
BLCF72	20 x 84	2.50	0.63	2.50	0.63

Panels/Doors - Trim Color		Doors/Worksurfaces/Universal & Balance® Over-head/120° Worksurfaces/Worksurface Accessories - Surface Finish-Laminate		Blue Grey	GR	Blue Grey	GR	Biltmore Cherry	EBT	Universal Overhead - Accessories Color	
Black	BL			Cool Grey	CG	Bronze Metallic	ZM	Black	EBL	Black	BL
Blue Grey	GR			Light Tone	LG	Cayenne	CY	Blue Grey	EGR	Blue Grey	GR
Cool Grey	CG	Belair	LBQ	Misty Brown	MY	Champagne Metallic	CM	Brighton Walnut	EBW	Cool Grey	CG
Light Tone	LG	Biltmore Cherry	LBT	Sand	SA	Cool Grey	CG	Castle Oak	ECO	Cottonwood	CO
Misty Brown	MY	Black	LBK	Starlight Silver Metallic	SX	Cottonwood	CO	Cherry Storm	ECX	Flannel	FN
Sand	SA	Brighton Walnut	LBW	Warm Grey	WG	Espresso Metallic	EX	Cocobala	ECC	Light Tone	LG
Starlight Silver Metallic	SX	Canyon Zephyr	LCA	Starlight Silver is available at an upcharge on aluminum trim pieces only.		Flannel	FN	Cool Grey	ECG	Misty Brown	MY
Warm Grey	WG	Castle Oak	LCO			Light Tone	LG	Earthen Clay	EEY	Sand	SA
Starlight Silver is available at an upcharge on aluminum trim pieces only.		Casual Linen	LCU			Misty Brown	MY	Everglade Shade	EEV	Warm Grey	WG
		Cherry Storm	LCX			Nordic	ND	Flannel	EFN	Balance® Overhead - Cabinet Paint Color	
		Classic Linen	LCL		Electrical - Trim Color	Sand	SA	Florence Walnut	EFC	Black	BL
		Cloud Zephyr	LCL		Black	BL	SX	Friston Ash	EFH	Blue Grey	GR
The door edge is only available in Black (BL), Blue Grey (GR), Light Tone (LG), Sand (SA), and Warm Grey (WG). When trim colors of Cool Grey (CG), Misty Brown (MY) and Starlight Silver (SX) are specified, the door trim color will be Warm Grey (WG).		Cocobala	LCC		Blue Grey	GR	WG	Frosty White	EFW	Bronze Metallic	ZM
		Crisp Linen	LRI		Cool Grey	CG		Hazy Jade	EHJ	Cayenne	CY
		Desert Zephyr	LDZ		Light Tone	LG		Italian Silver Ash	EIT	Champagne Metallic	CM
		Dove Grey	LDG		Misty Brown	MY		Kensington Maple	EKM	Cool Grey	CG
		Fired Steel	LIL		Sand	SA		Light Tone	ELG	Cottonwood	CO
Panels/Doors - Glass Color		Flax Linen	LXF		Starlight Silver Metallic	SX		Misty Brown	EMY	Earthen Clay	EY
Tinted/Bronze	BRZ	Florence Walnut	LFC		Warm Grey	WG		Monticello Maple	EMT	Espresso Metallic	EX
Clear	GLA	Forged Steel	LOL		Trim color includes electrical bezel and worksurface edge (BN and 74P edge styles), grommet and support bracket color.			Multiplex	EMB	Everglade Shade	EV
White laminate	GLC	Friston Ash	LFH					River Cherry	ERY	Flannel	FN
Glass color selection available on glazed panels only.		Frosty White	LFW					Sand	ESA	Glitz Metallic	GZ
		Graphite Nebula	LGN					Sterling Ash	EAZ	Hazy Jade	HJ
		Grey	LGE					Twilight Shadow	ETI	Honey Bee	HY
		High Rise	LHE					Warm Grey	EWG	Light Tone	LG
		Hollyberry	LHY					Windsor Mahogany	EWY	Mardi Gras	MG
		Island	LID		Electrical - Receptacle Color & Plastic Trim - Trim Color			Universal Overhead - Paint Color		Misty Brown	MY
		Italian Silver Ash	LIT		Black	BL		Black	BL/HBL	Nemo	NE
		Kensington Maple	LKM		Blue Grey	GR		Blue Grey	GR/HGR	Nordic	ND
		Lapis Blue	LLB		Cool Grey	CG		Bronze Metallic	ZM/HBL	Purple Haze	PH
		Markerboard White	LMK		Light Tone	LG		Cayenne	CY/HBL	Rubber Ducky	RK
		Misted Zephyr	LMR		Misty Brown	MY		Champagne Metallic	CM/HLG	Sand	SA
		Monticello Maple	LMT		Sand	SA		Cool Grey	CG/PCG	Starlight Silver Metallic	SX
		Nickel Evolv	LNV		Warm Grey	WG		Cottonwood	CO/HSA	Surf's Up	SP
		North Sea	LNA		Electrical - Exposed Infeed Coating			Espresso Metallic	EX/HBL	Twilight Shadow	TI
		Ocean	LON		Black	BL		Flannel	FN/HBL	Ultra Blue	UB
		Pearl Bisque	LPB		Blue Grey	GR		Champagne Metallic	CM/HLG	Warm Grey	WG
		Pearl Silver	LPS		Cool Grey	CG		Cool Grey	CG/PCG	Zesty Lime	ZL
		Pressed Linen	LPR		Light Tone	LG		Light Tone	LG/HLG	Balance® Overhead - Upper Door Solid Color	
		River Cherry	LRY		Misty Brown	MY		Misty Brown	MY/PMY	Black	UBL
		Satin Stainless	LSS		Warm Grey	WG		Nordic	ND/HBL	Blue Grey	UGR
		Shadow Zephyr	LSR		Worksurface/Universal Overhead - Veneer Wood Finish & Wood Edge Finish Laminate & Veneer			Sand	SA/HSA	Cool Grey	UCG
		Silicon evolv	LSV		Cherry Storm on Maple	MCX		Starlight Silver Metallic	SX/HWG	Light Tone	ULG
		Sterling Ash	LAZ		Cinnamon on Maple	MCN		Warm Grey	WG/HWG	Misty Brown	UMY
		Tailored Linen	LTL		Cocoa on Maple	MCA		Metallic paint is available at an upcharge on aluminum trim pieces only.		Sand	USA
		Titanium evolv	LTV		Florence Walnut on Maple	MFC				Translucent	UTR
		White Nebula	LWL		Kensington Maple on Maple	MMA				Warm Grey	UWG
		White Sand	LWN		Monticello Maple on Maple	MMT				Balance® Overhead - Shelf Divider Paint Color	
		Windsor Mahogany	LWY		River Cherry on Maple	MRY				Black	BL
Preconfigured Intersections - Trim Color				Worksurfaces - Trim Color				Universal Overhead Door Handles are plastic. The plastic trim color is automatically coordinated with the paint color: Black, Bronze Metallic, Cayenne, Espresso Metallic, Flannel, and Nordic paints will have Black plastic trim. Blue Grey paint will have Blue Grey plastic trim. Champagne Metallic and Light Tone, paints will have Light Tone plastic trim. Cool Grey paint will have Cool Grey plastic trim. Cottonwood and Sand will have Sand plastic trim. Misty Brown paint will have Misty Brown plastic trim. Starlight Silver Metallic and Warm Grey paints will have Warm Grey plastic trim.			
		Black	BL	Black	BL						

Blue Grey	GR
Cool Grey	CG
Cottonwood	CO
Flannel	FN
Light Tone	LG
Misty Brown	MY
Sand	SA
Warm Grey	WG

Accessories-Paper Management - Trim Color

Black	BL
Blue Grey	GR
Clear	CL
Cool Grey	CG
Light Tone	LG
Misty Brown	MY
Sand	SA
Warm Grey	WG

The Clear (CL) color option is only available on Paper Management item PPFH, PPLL, PPDS, PPPVS, PPTC, PPDH, PPAT AND PPPC.

Flat Aluminum Trim - Trim Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Flannel	FN
Light Tone	LG
Misty Brown	MY
Sand	SA
Starlight Silver Metallic	SX
Warm Grey	WG

120° Worksurfaces/Worksurface Accessories - Trim Color

Black	BL
Blue Grey	GR
Cool Grey	CG
Light Tone	LG
Misty Brown	MY
Sand	SA
Starlight Silver Metallic	SX
Warm Grey	WG

Starlight Silver is available at an upcharge on aluminum trim pieces only.

Lock Color

Black	BLL
Satin Chrome	SCL

Finish Cards

View color swatches for items listed within this document.

- [Paints](#)[Plastics/Poly](#)
- [Wood/Veneer](#)[Laminates](#)
- [Molded Edges](#)[Edge Styles](#)
- [Hard Plastics](#)[Glass](#)

Certain options referenced may not be available on GSA Schedule.


Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Face Styles



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Face Styles




Face Style: Monolithic

Basic Model: PMMA

Monolithic panels consist of a single tile. Base is 6". Panel thickness: 3 1/2".

The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.


[illegible]

Face Style: Half Segmented

Basic Model: PHHA

Half Segmented panels consist of the following: 24" fabric tile on bottom, 12" segmented tiles on top. Quantity of 12" tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.


[illegible]

Face Style: Fully Segmented

Basic Model: PFFA

Fully Segmented panels consist of the following: Fabric tiles in 12" increments on both sides. Quantity of 12" tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

**Face Style: Monolithic/
Half Segmented**

Basic Model: PMHA

Monolithic/Half Segmented panels consist of the following: Single tile on side one; a 24" fabric tile on the bottom and 12" segmented tiles on top of side two. Quantity of 12" segmented tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2". *84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]


Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Face Styles



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Face Styles




**Face Style: Monolithic/
Fully Segmented**

Basic Model: PMFA

Monolithic/Fully Segmented panels consist of the following: Single tile on side one; 12" segmented tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".

*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

**Face Style: Half Segmented,
Fully Segmented**

Basic Model: PHFA

Half Segmented/Fully Segmented panels consist of the following: 24" fabric tile on bottom and 12" segmented tiles on top of side one. 12" segmented fabric tiles on side two.
Quantity of 12" segmented tiles is dependent upon panel height.
Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic Panel

			MODEL NUMBER												
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1								
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic Panel - 30”H	12 x 30”	PMMA1230	☐	☐	☐	☐	14.0#	\$ 339	\$ 353	\$ 369	\$ 379	\$ 415	\$ 65	\$ 42
	• Two horizontal rails	18 x 30”	PMMA1830	☐	☐	☐	☐	20.0#	381	398	421	430	465	68	43
	• Two fabric tiles with mounting hooks	24 x 30”	PMMA2430	☐	☐	☐	☐	25.0#	452	467	497	505	551	71	49
	• One base/raceway consisting of a raceway pan and two doors	30 x 30”	PMMA3030	☐	☐	☐	☐	30.0#	502	524	551	568	617	87	64
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 30”	PMMA3630	☐	☐	☐	☐	36.0#	541	565	592	609	663	95	67
	• Order power separately	42 x 30”	PMMA4230	☐	☐	☐	☐	41.0#	620	648	686	699	756	108	80
	• Order vertical posts separately	48 x 30”	PMMA4830	☐	☐	☐	☐	46.0#	668	700	736	753	813	121	84
	• SX Starlight Silver finish is only offered on flat aluminum trim	54 x 30”	PMMA5430	☐	☐	☐	☐	52.0#	714	751	784	803	865	132	90
		60 x 30”	PMMA6030	☐	☐	☐	☐	58.0#	781	817	858	874	950	143	115
PMMA															
PMMA	Monolithic Panel - 42”H	12 x 42”	PMMA1242	☐	☐	☐	☐	18.0#	\$ 403	\$ 424	\$ 442	\$ 453	\$ 486	\$ 65	\$ 42
		18 x 42”	PMMA1842	☐	☐	☐	☐	24.0#	461	482	503	523	561	68	43
		24 x 42”	PMMA2442	☐	☐	☐	☐	30.0#	503	525	552	569	618	71	49
		30 x 42”	PMMA3042	☐	☐	☐	☐	36.0#	603	627	666	678	736	87	64
		36 x 42”	PMMA3642	☐	☐	☐	☐	42.0#	678	713	748	764	828	95	67
		42 x 42”	PMMA4242	☐	☐	☐	☐	51.0#	756	794	834	860	920	108	80
		48 x 42”	PMMA4842	☐	☐	☐	☐	53.0#	779	815	855	871	945	121	84
		54 x 42”	PMMA5442	☐	☐	☐	☐	60.0#	817	860	900	920	995	132	90
		60 x 42”	PMMA6042	☐	☐	☐	☐	67.0#	878	920	968	995	1076	143	115
PMMA	Monolithic Panel - 54”H	12 x 54”	PMMA1254	☐	☐	☐	☐	21.0#	\$ 447	\$ 466	\$ 496	\$ 503	\$ 549	\$ 65	\$ 42
		18 x 54”	PMMA1854	☐	☐	☐	☐	30.0#	523	542	569	591	640	68	43
		24 x 54”	PMMA2454	☐	☐	☐	☐	35.0#	602	626	664	676	735	71	49
		30 x 54”	PMMA3054	☐	☐	☐	☐	41.0#	695	727	765	787	845	87	64
		36 x 54”	PMMA3654	☐	☐	☐	☐	48.0#	754	791	829	855	917	95	67
		42 x 54”	PMMA4254	☐	☐	☐	☐	54.0#	859	899	940	972	1049	108	80
		48 x 54”	PMMA4854	☐	☐	☐	☐	61.0#	897	940	982	1013	1092	121	84
		54 x 54”	PMMA5454	☐	☐	☐	☐	68.0#	990	1041	1094	1120	1213	132	90
		60 x 54”	PMMA6054	☐	☐	☐	☐	75.0#	1058	1110	1161	1193	1290	143	115
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

CN - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts
- C**Select horizontal rail.

E - Enhanced
S - Standard
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)

- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic Panel

			MODEL NUMBER												
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1								
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic Panel - 66”H	12 x 66”	PMMA1266	☐	☐	☐	☐	25.0#	\$ 501	\$ 523	\$ 549	\$ 567	\$ 616	\$ 65	\$ 42
	• Two horizontal rails	18 x 66”	PMMA1866	☐	☐	☐	☐	32.0#	581	603	634	658	708	68	43
	• Two fabric tiles with mounting hooks	24 x 66”	PMMA2466	☐	☐	☐	☐	39.0#	634	666	697	718	776	71	49
	• One base/raceway consisting of a raceway pan and two doors	30 x 66”	PMMA3066	☐	☐	☐	☐	47.0#	713	748	783	797	864	87	64
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 66”	PMMA3666	☐	☐	☐	☐	54.0#	771	811	849	869	938	95	67
	• Order power separately	42 x 66”	PMMA4266	☐	☐	☐	☐	61.0#	914	959	1002	1035	1112	108	80
	• Order vertical posts separately	48 x 66”	PMMA4866	☐	☐	☐	☐	68.0#	951	993	1049	1077	1160	121	84
	• SX Starlight Silver finish is only offered on flat aluminum trim	54 x 66”	PMMA5466	☐	☐	☐	☐	75.0#	1030	1078	1131	1161	1255	132	90
		60 x 66”	PMMA6066	☐	☐	☐	☐	84.0#	1112	1168	1225	1255	1355	143	115
PMMA															
PMMA	Monolithic Panel - 84”H	12 x 84”	PMMA1284	☐	☐	☐	☐	30.0#	\$ 543	\$ 568	\$ 597	\$ 615	\$ 666	\$ 65	\$ 42
		18 x 84”	PMMA1884	☐	☐	☐	☐	38.0#	632	664	695	716	769	68	43
		24 x 84”	PMMA2484	☐	☐	☐	☐	47.0#	725	761	794	817	874	71	49
		30 x 84”	PMMA3084	☐	☐	☐	☐	55.0#	779	815	855	871	945	87	64
		36 x 84”	PMMA3684	☐	☐	☐	☐	63.0#	837	882	919	949	1023	95	67
		42 x 84”	PMMA4284	☐	☐	☐	☐	71.0#	949	990	1045	1072	1158	108	80
		48 x 84”	PMMA4884	☐	☐	☐	☐	79.0#	982	1026	1080	1111	1194	121	84
		54 x 84”	PMMA5484	☐	☐	☐	☐	87.0#	1064	1112	1168	1199	1299	132	90
		60 x 84”	PMMA6084	☐	☐	☐	☐	97.0#	1147	1200	1264	1293	1399	143	115
		A	B	C	D	E	F								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to [ki.com/fabrics](#)

F Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Half Segmented Panel

		MODEL NUMBER																
MODEL		W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
 PMHA	Monolithic/Half Segmented Panel - 42”H with 12”H tiles • Three to six horizontal rails • One, two or three 12” fabric tiles with mounting hooks • One 18” fabric tile included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42”	PMHA1242	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	21.0#	\$ 486	\$ 508	\$ 532	\$ 549	\$ 591	\$ 65	\$ 42
		18 x 42”	PMHA1842	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	29.0#	549	575	606	618	669	68	43
		24 x 42”	PMHA2442	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	36.0#	615	639	674	690	745	71	49
		30 x 42”	PMHA3042	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	44.0#	707	737	781	794	858	87	64
		36 x 42”	PMHA3642	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.0#	787	829	862	889	956	95	67
		42 x 42”	PMHA4242	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	56.0#	877	924	966	993	1072	108	80
		48 x 42”	PMHA4842	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	66.0#	920	968	1016	1043	1127	121	84
		54 x 42”	PMHA5442	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	74.0#	981	1025	1078	1110	1193	132	90
		60 x 42”	PMHA6042	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	83.0#	1072	1126	1178	1210	1312	143	115
PMHA	Monolithic/Half Segmented Panel - 54”H with 12”H tiles	12 x 54”	PMHA1254	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	27.0#	\$ 629	\$ 657	\$ 692	\$ 714	\$ 765	\$ 65	\$ 42
		18 x 54”	PMHA1854	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	37.0#	709	740	781	794	860	68	43
		24 x 54”	PMHA2454	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	48.0#	804	837	877	905	972	71	49
		30 x 54”	PMHA3054	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	57.0#	904	950	989	1022	1101	87	64
		36 x 54”	PMHA3654	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	67.0#	992	1043	1097	1123	1214	95	67
		42 x 54”	PMHA4254	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	77.0#	1119	1175	1235	1263	1362	108	80
		48 x 54”	PMHA4854	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	86.0#	1180	1247	1302	1330	1444	121	84
		54 x 54”	PMHA5454	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	97.0#	1279	1349	1411	1450	1560	132	90
		60 x 54”	PMHA6054	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	108.0#	1407	1476	1546	1592	1717	143	115
		A	B	C	D	E	F	G	H									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect electrical code for base raceway.

CN

C1

CP

DN

D1

D

- Chicago, no cutouts

- Chicago, 1 side w/cutouts

- Chicago, 2 sides w/cutouts

- Domestic, no cutouts

- Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E

S

- Enhanced

- Standard

DSelect numbers of raceway tiles side 1

R0

- Side 1 w/no raceway tile

ESelect numbers of raceway tiles side 2

R20

R21

\$43

R22

- Side 2 w/no raceway tile

- Side 2 w/1-12” raceway tile; add \$43

- Side 2 w/2-12” raceway tiles; add \$87

FSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
42”H	0	1
54”H	0	2
66”H	0	2
84”H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Half Segmented Panel

		MODEL NUMBER															
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
 PMHA	Monolithic/Half Segmented Panel - 66”H with 12”H tiles	12 x 66”	PMHA1266	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	34.0#	\$ 770	\$ 810	\$ 846	\$ 866	\$ 937	\$ 65	\$ 42
		18 x 66”	PMHA1866	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#	864	905	949	980	1055	68	43
		24 x 66”	PMHA2466	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	59.0#	956	1002	1050	1081	1166	71	49
		30 x 66”	PMHA3066	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.0#	1062	1112	1171	1195	1299	87	64
		36 x 66”	PMHA3666	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	83.0#	1179	1235	1301	1328	1439	95	67
		42 x 66”	PMHA4266	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	95.0#	1340	1402	1469	1507	1629	108	80
		48 x 66”	PMHA4866	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	106.0#	1411	1481	1550	1595	1721	121	84
		54 x 66”	PMHA5466	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	119.0#	1520	1594	1665	1712	1853	132	90
		60 x 66”	PMHA6066	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	133.0#	1677	1758	1843	1891	2046	143	115
PMHA	Monolithic/Half Segmented Panel - 84”H with 12”H tiles	12 x 84”	PMHA1284	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	42.0#	\$ 916	\$ 960	\$ 1005	\$ 1037	\$ 1118	\$ 65	\$ 42
		18 x 84”	PMHA1884	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	57.0#	1031	1080	1132	1162	1259	68	43
		24 x 84”	PMHA2484	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.0#	1147	1200	1264	1293	1399	71	49
		30 x 84”	PMHA3084	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	87.0#	1273	1341	1401	1439	1552	87	64
		36 x 84”	PMHA3684	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	101.0#	1407	1476	1546	1592	1717	95	67
		42 x 84”	PMHA4284	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	116.0#	1561	1643	1709	1769	1906	108	80
		48 x 84”	PMHA4884	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	130.0#	1649	1730	1815	1860	2016	121	84
		54 x 84”	PMHA5484	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	145.0#	1792	1879	1975	2022	2183	132	90
		60 x 84”	PMHA6084	☐ ☐	☐	R0	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	163.0#	1961	2058	2156	2218	2393	143	115
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect electrical code for base raceway.

CN

- Chicago, no cutouts

C1

- Chicago, 1 side w/cutouts

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

D1

- Domestic, 1 side w/cutouts

D

- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E

- Enhanced

S

- Standard

DSelect numbers of raceway tiles side 1

R0

- Side 1 w/no raceway tile

ESelect numbers of raceway tiles side 2

R20

- Side 2 w/no raceway tile

R21

- Side 2 w/1-12” raceway tile; add \$43

R22

- Side 2 w/2-12” raceway tiles; add \$87

FSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
42”H	0	1
54”H	0	2
66”H	0	2
84”H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented Panel

		MODEL NUMBER																	
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2										
 PMFA	MODEL	W x H																	
	Monolithic/Fully Segmented Panel - 30”H with 12”H tiles	12 x 30”	PMFA1230	☐	☐	R0	☐	☐	☐		17.0#	\$ 436	\$ 457	\$ 482	\$ 496	\$ 532	\$ 65	\$ 42	
		18 x 30”	PMFA1830	☐	☐	R0	☐	☐	☐		24.0#	490	511	538	552	602	68	43	
	• Three to six horizontal rails	24 x 30”	PMFA2430	☐	☐	R0	☐	☐	☐		32.0#	555	581	609	627	678	71	49	
	• Two, three, four or five 12” fabric tiles with mounting hooks	30 x 30”	PMFA3030	☐	☐	R0	☐	☐	☐		38.0#	624	649	687	700	760	87	64	
	• One 18” fabric tile included with 84” high panels with mounting hooks	36 x 30”	PMFA3630	☐	☐	R0	☐	☐	☐		45.0#	692	725	761	784	841	95	67	
	• One base/raceway consisting of a raceway pan and two doors	42 x 30”	PMFA4230	☐	☐	R0	☐	☐	☐		52.0#	780	816	856	872	949	108	80	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 30”	PMFA4830	☐	☐	R0	☐	☐	☐		59.0#	824	865	906	936	1012	121	84	
	• Order power separately	54 x 30”	PMFA5430	☐	☐	R0	☐	☐	☐		66.0#	877	924	966	993	1072	132	90	
	• Order vertical posts separately	60 x 30”	PMFA6030	☐	☐	R0	☐	☐	☐		74.0#	986	1035	1091	1117	1209	143	115	
PMFA	• SX Starlight Silver finish is only offered on flat aluminum trim																		
PMFA	Monolithic/Fully Segmented Panel - 42”H with 12”H tiles	12 x 42”	PMFA1242	☐	☐	R0	☐	☐	☐		24.0#	\$ 589	\$ 615	\$ 646	\$ 663	\$ 718	\$ 65	\$ 42	
		18 x 42”	PMFA1842	☐	☐	R0	☐	☐	☐		33.0#	662	692	727	740	805	68	43	
		24 x 42”	PMFA2442	☐	☐	R0	☐	☐	☐		43.0#	725	761	794	817	874	71	49	
		30 x 42”	PMFA3042	☐	☐	R0	☐	☐	☐		52.0#	823	864	905	934	1011	87	64	
		36 x 42”	PMFA3642	☐	☐	R0	☐	☐	☐		61.0#	934	980	1023	1055	1134	95	67	
		42 x 42”	PMFA4242	☐	☐	R0	☐	☐	☐		70.0#	1037	1090	1142	1174	1267	108	80	
		48 x 42”	PMFA4842	☐	☐	R0	☐	☐	☐		79.0#	1081	1133	1189	1221	1315	121	84	
		54 x 42”	PMFA5442	☐	☐	R0	☐	☐	☐		88.0#	1147	1200	1264	1293	1399	132	90	
		60 x 42”	PMFA6042	☐	☐	R0	☐	☐	☐		100.0#	1277	1344	1407	1444	1556	143	115	
			A	B	C	D	E	F	G	H									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select electrical code for base raceway.

CN- Chicago, no cutouts

C1- Chicago, 1 side w/cutouts

CP- Chicago, 2 sides w/cutouts

DN- Domestic, no cutouts

D1- Domestic, 1 side w/cutouts

D- Domestic, 2 sides w/cutouts
- C**Select horizontal rail.

E- Enhanced

S- Standard
- D**Select numbers of raceway tiles side 1

R0- Side 1 w/no raceway tile
- E**Select numbers of raceway tiles side 2

R20- Side 2 w/no raceway tile

R21- Side 2 w/1-12” raceway tile; add \$43

R22- Side 2 w/2-12” raceway tiles; add \$87

- R23**- Side 2 w/3-12” raceway tiles; add \$129
- F**Select trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.
- G**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- H**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

INFORMATION

Maximum Raceway Tile Possibilities
Panel Height Side 1 Side 2
30”H 0 1
48”H 0 2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented Panel

			MODEL NUMBER																
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1										
MODEL	W x H									Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price		
 PMFA	Monolithic/Fully Segmented Panel - 54”H with 12”H tiles • Three to six horizontal rails • Two, three, four or five 12” fabric tiles with mounting hooks • One 18” fabric tile included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 54”	PMFA1254	☐	☐	R0	☐	☐	☐	54.0#	\$ 731	\$ 769	\$ 805	\$ 824	\$ 885	\$ 65	\$ 42		
		18 x 54”	PMFA1854	☐	☐	R0	☐	☐	☐	70.0#	817	860	900	920	995	68	43		
		24 x 54”	PMFA2454	☐	☐	R0	☐	☐	☐	87.0#	910	956	995	1032	1110	71	49		
		30 x 54”	PMFA3054	☐	☐	R0	☐	☐	☐	103.0#	1022	1070	1119	1157	1248	87	64		
		36 x 54”	PMFA3654	☐	☐	R0	☐	☐	☐	119.0#	1143	1199	1263	1290	1397	95	67		
		42 x 54”	PMFA4254	☐	☐	R0	☐	☐	☐	135.0#	1275	1343	1404	1442	1555	108	80		
		48 x 54”	PMFA4854	☐	☐	R0	☐	☐	☐	150.0#	1341	1409	1471	1508	1631	121	84		
		54 x 54”	PMFA5454	☐	☐	R0	☐	☐	☐	166.0#	1452	1530	1595	1646	1775	132	90		
		60 x 54”	PMFA6054	☐	☐	R0	☐	☐	☐	176.0#	1612	1692	1766	1823	1967	143	115		
PMFA	Monolithic/Fully Segmented Panel - 66”H with 12”H tiles	12 x 66”	PMFA1266	☐	☐	R0	☐	☐	☐	37.0#	\$ 871	\$ 917	\$ 959	\$ 989	\$ 1064	\$ 65	\$ 42		
		18 x 66”	PMFA1866	☐	☐	R0	☐	☐	☐	51.0#	979	1022	1070	1101	1187	68	43		
		24 x 66”	PMFA2466	☐	☐	R0	☐	☐	☐	65.0#	1064	1112	1168	1199	1299	71	49		
		30 x 66”	PMFA3066	☐	☐	R0	☐	☐	☐	79.0#	1179	1235	1301	1328	1439	87	64		
		36 x 66”	PMFA3666	☐	☐	R0	☐	☐	☐	92.0#	1330	1396	1462	1501	1625	95	67		
		42 x 66”	PMFA4266	☐	☐	R0	☐	☐	☐	106.0#	1495	1571	1643	1693	1829	108	80		
		48 x 66”	PMFA4866	☐	☐	R0	☐	☐	☐	120.0#	1564	1645	1712	1772	1909	121	84		
		54 x 66”	PMFA5466	☐	☐	R0	☐	☐	☐	133.0#	1684	1769	1850	1904	2054	132	90		
PMFA	Monolithic/Fully Segmented Panel - 84”H with 12”H tiles	60 x 66”	PMFA6066	☐	☐	R0	☐	☐	☐	150.0#	1881	1970	2068	2125	2289	143	115		
		12 x 84”	PMFA1284	☐	☐	R0	☐	☐	☐	45.0#	\$ 1021	\$ 1068	\$ 1118	\$ 1154	\$ 1247	\$ 65	\$ 42		
		18 x 84”	PMFA1884	☐	☐	R0	☐	☐	☐	62.0#	1141	1195	1255	1286	1395	68	43		
		24 x 84”	PMFA2484	☐	☐	R0	☐	☐	☐	79.0#	1254	1316	1381	1416	1530	71	49		
		30 x 84”	PMFA3084	☐	☐	R0	☐	☐	☐	95.0#	1393	1464	1528	1575	1696	87	64		
		36 x 84”	PMFA3684	☐	☐	R0	☐	☐	☐	112.0#	1555	1634	1705	1760	1898	95	67		
		42 x 84”	PMFA4284	☐	☐	R0	☐	☐	☐	127.0#	1722	1804	1890	1946	2100	108	80		
		48 x 84”	PMFA4884	☐	☐	R0	☐	☐	☐	143.0#	1803	1891	1987	2040	2202	121	84		
		54 x 84”	PMFA5484	☐	☐	R0	☐	☐	☐	160.0#	1954	2054	2148	2209	2383	132	90		
		60 x 84”	PMFA6084	☐	☐	R0	☐	☐	☐	180.0#	2166	2280	2380	2444	2643	143	115		
		A	B	C	D	E	F	G	H										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12” raceway tile; add \$43
- R22** - Side 2 w/2-12” raceway tiles; add \$87

- R23** - Side 2 w/3-12” raceway tiles; add \$129
- F** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.
- Refer to ki.com/fabrics
- H** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
54”H	0	3
66”H	0	3
84”H	0	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Half Segmented Panel

			MODEL NUMBER														
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1								
MODEL	W x H									Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
 PHHA	Half Segmented/Half Segmented Panel - 42”H with 12”H tiles	12 x 42”	PHHA1242	☐	☐	☐	☐	☐	☐	22.0#	\$ 547	\$ 569	\$ 602	\$ 616	\$ 667	\$ 65	\$ 42
		18 x 42”	PHHA1842	☐	☐	☐	☐	☐	☐	30.0#	614	637	672	688	744	68	43
	• Three to six horizontal rails	24 x 42”	PHHA2442	☐	☐	☐	☐	☐	☐	38.0#	695	727	765	787	845	71	49
	• Two, four or six 12” fabric tiles with mounting hooks	30 x 42”	PHHA3042	☐	☐	☐	☐	☐	☐	47.0#	770	810	846	866	937	87	64
	• Two 18” fabric tile included with 84” high panels with mounting hooks	36 x 42”	PHHA3642	☐	☐	☐	☐	☐	☐	55.0#	849	891	930	962	1035	95	67
	• One base/raceway consisting of a raceway pan and two doors	42 x 42”	PHHA4242	☐	☐	☐	☐	☐	☐	63.0#	951	993	1049	1077	1160	108	80
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 42”	PHHA4842	☐	☐	☐	☐	☐	☐	71.0#	1021	1068	1118	1154	1247	121	84
	• Order power separately	54 x 42”	PHHA5442	☐	☐	☐	☐	☐	☐	79.0#	1084	1138	1193	1223	1325	132	90
	• Order vertical posts separately	60 x 42”	PHHA6042	☐	☐	☐	☐	☐	☐	88.0#	1200	1259	1323	1352	1462	143	115
	• SX Starlight Silver finish is only offered on flat aluminum trim																
PHHA	Half Segmented/Half Segmented Panel - 54”H with 12”H tiles	12 x 54”	PHHA1254	☐	☐	☐	☐	☐	☐	24.0#	\$ 756	\$ 794	\$ 834	\$ 858	\$ 920	\$ 65	\$ 42
		18 x 54”	PHHA1854	☐	☐	☐	☐	☐	☐	33.0#	844	887	924	955	1031	68	43
		24 x 54”	PHHA2454	☐	☐	☐	☐	☐	☐	43.0#	936	981	1025	1058	1141	71	49
		30 x 54”	PHHA3054	☐	☐	☐	☐	☐	☐	52.0#	1035	1084	1141	1168	1265	87	64
		36 x 54”	PHHA3654	☐	☐	☐	☐	☐	☐	61.0#	1157	1212	1273	1301	1409	95	67
		42 x 54”	PHHA4254	☐	☐	☐	☐	☐	☐	70.0#	1279	1349	1411	1450	1560	108	80
		48 x 54”	PHHA4854	☐	☐	☐	☐	☐	☐	79.0#	1365	1436	1501	1546	1656	121	84
		54 x 54”	PHHA5454	☐	☐	☐	☐	☐	☐	88.0#	1454	1530	1598	1646	1775	132	90
		60 x 54”	PHHA6054	☐	☐	☐	☐	☐	☐	100.0#	1617	1697	1778	1828	1978	143	115
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.
CN - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts

CSelect horizontal rail.
S - Standard
E - Enhanced

DSelect numbers of raceway tiles side 1
R0 - Side 1 w/no raceway tile
R1 - Side 1 w/1-12” raceway tile; add \$43
R2 - Side 1 w/2-12” raceway tiles; add \$87

ESelect numbers of raceway tiles side 2
R20 - Side 2 w/no raceway tile

R21 - Side 2 w/1-12” raceway tile; add \$43
R22 - Side 2 w/2-12” raceway tiles; add \$87

FSelect trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1.
Refer to [ki.com/fabrics](#)

HSelect fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
42”H	1	1
54”H	2	2
66”H	2	2
84”H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Half Segmented Panel

		MODEL NUMBER																	
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2										
 PHHA	MODEL	W x H																	
	Half Segmented/Half Segmented Panel - 66”H with 12”H tiles	12 x 66”	PHHA1266	□□	□	□□	□□□	□□	□□□□	□□□□									
		18 x 66”	PHHA1866	□□	□	□□	□□□	□□	□□□□	□□□□									
	• Three to six horizontal rails	24 x 66”	PHHA2466	□□	□	□□	□□□	□□	□□□□	□□□□									
	• Two, four or six 12” fabric tiles with mounting hooks	30 x 66”	PHHA3066	□□	□	□□	□□□	□□	□□□□	□□□□									
	• Two 18” fabric tile included with 84” high panels with mounting hooks	36 x 66”	PHHA3666	□□	□	□□	□□□	□□	□□□□	□□□□									
	• One base/raceway consisting of a raceway pan and two doors	42 x 66”	PHHA4266	□□	□	□□	□□□	□□	□□□□	□□□□									
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 66”	PHHA4866	□□	□	□□	□□□	□□	□□□□	□□□□									
	• Order power separately	54 x 66”	PHHA5466	□□	□	□□	□□□	□□	□□□□	□□□□									
	• Order vertical posts separately	60 x 66”	PHHA6066	□□	□	□□	□□□	□□	□□□□	□□□□									
PHHA																			
PHHA	Half Segmented/Half Segmented Panel - 84”H with 12”H tiles	12 x 84”	PHHA1284	□□	□	□□	□□□	□□	□□□□	□□□□									
		18 x 84”	PHHA1884	□□	□	□□	□□□	□□	□□□□	□□□□									
		24 x 84”	PHHA2484	□□	□	□□	□□□	□□	□□□□	□□□□									
		30 x 84”	PHHA3084	□□	□	□□	□□□	□□	□□□□	□□□□									
		36 x 84”	PHHA3684	□□	□	□□	□□□	□□	□□□□	□□□□									
		42 x 84”	PHHA4284	□□	□	□□	□□□	□□	□□□□	□□□□									
		48 x 84”	PHHA4884	□□	□	□□	□□□	□□	□□□□	□□□□									
		54 x 84”	PHHA5484	□□	□	□□	□□□	□□	□□□□	□□□□									
		60 x 84”	PHHA6084	□□	□	□□	□□□	□□	□□□□	□□□□									
			A	B	C	D	E	F	G	H									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

CN- Chicago, no cutouts
C1- Chicago, 1 side w/cutouts
CP- Chicago, 2 sides w/cutouts
DN- Domestic, no cutouts
D1- Domestic, 1 side w/cutouts
D- Domestic, 2 sides w/cutouts

CSelect horizontal rail.
E- Enhanced
S- Standard

DSelect numbers of raceway tiles side 1
R0- Side 1 w/no raceway tile
R1- Side 1 w/1-12” raceway tile; add \$43
R2- Side 1 w/2-12” raceway tiles; add \$87

ESelect numbers of raceway tiles side 2
R20- Side 2 w/no raceway tile

R21- Side 2 w/1-12” raceway tile; add \$43
R22- Side 2 w/2-12” raceway tiles; add \$87

FSelect trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1.
Refer to **ki.com/fabrics**

HSelect fabric side 2.
Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
42”H	1	1
54”H	2	2
66”H	2	2
84”H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Fully Segmented Panel

		MODEL NUMBER																		
MODEL		W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
 PHFA	Half Segmented/Fully Segmented Panel - 42”H with 12”H tiles • Three to seven horizontal rails • Four, six or eight 12” fabric tiles with mounting hooks • Two 18” fabric tiles included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42”	PHFA1242	☐	☐	☐	☐	☐	☐	☐		23.0#	\$ 650	\$ 683	\$ 716	\$ 735	\$ 791	\$ 65	\$ 42	
		18 x 42”	PHFA1842	☐	☐	☐	☐	☐	☐	☐	☐		32.0#	720	756	789	807	871	68	43
		24 x 42”	PHFA2442	☐	☐	☐	☐	☐	☐	☐	☐		41.0#	804	837	882	905	972	71	49
		30 x 42”	PHFA3042	☐	☐	☐	☐	☐	☐	☐	☐		49.0#	891	932	979	1012	1091	87	64
		36 x 42”	PHFA3642	☐	☐	☐	☐	☐	☐	☐	☐		58.0#	992	1043	1097	1123	1214	95	67
		42 x 42”	PHFA4242	☐	☐	☐	☐	☐	☐	☐	☐		66.0#	1112	1166	1225	1255	1355	108	80
		48 x 42”	PHFA4842	☐	☐	☐	☐	☐	☐	☐	☐		75.0#	1175	1228	1295	1325	1433	121	84
		54 x 42”	PHFA5442	☐	☐	☐	☐	☐	☐	☐	☐		84.0#	1250	1313	1373	1409	1520	132	90
		60 x 42”	PHFA6042	☐	☐	☐	☐	☐	☐	☐	☐		94.0#	1404	1474	1545	1590	1709	143	115
PHFA	Half Segmented/Fully Segmented Panel - 54”H with 12”H tiles	12 x 54”	PHFA1254	☐	☐	☐	☐	☐	☐	☐		32.0#	\$ 861	\$ 902	\$ 946	\$ 977	\$ 1051	\$ 65	\$ 42	
		18 x 54”	PHFA1854	☐	☐	☐	☐	☐	☐	☐		45.0#	951	993	1049	1077	1160	68	43	
		24 x 54”	PHFA2454	☐	☐	☐	☐	☐	☐	☐		58.0#	1048	1097	1153	1183	1278	71	49	
		30 x 54”	PHFA3054	☐	☐	☐	☐	☐	☐	☐		71.0#	1157	1212	1273	1301	1409	87	64	
		36 x 54”	PHFA3654	☐	☐	☐	☐	☐	☐	☐		83.0#	1305	1370	1433	1471	1586	95	67	
		42 x 54”	PHFA4254	☐	☐	☐	☐	☐	☐	☐	☐		96.0#	1444	1514	1585	1632	1758	108	80
		48 x 54”	PHFA4854	☐	☐	☐	☐	☐	☐	☐	☐		108.0#	1524	1596	1673	1719	1857	121	84
		54 x 54”	PHFA5454	☐	☐	☐	☐	☐	☐	☐	☐		120.0#	1625	1704	1783	1836	1980	132	90
		60 x 54”	PHFA6054	☐	☐	☐	☐	☐	☐	☐	☐		136.0#	1824	1909	2006	2057	2221	143	115
		A	B	C	D	E	F	G	H											

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12” raceway tile; add \$43
- R2** - Side 1 w/2-12” raceway tiles; add \$87
- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile

- R21** - Side 2 w/1-12” raceway tile; add \$43
- R22** - Side 2 w/2-12” raceway tiles; add \$87
- R23** - Side 2 w/3-12” raceway tiles; add \$129
- F** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- H** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
42”H	1	2
54”H	2	3
66”H	2	3
84”H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Half Segmented/Fully Segmented Panel

			MODEL NUMBER																
MODEL		W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
 PHFA	Half Segmented/Fully Segmented Panel - 66”H with 12”H tiles • Three to seven horizontal rails • Four, six or eight 12” fabric tiles with mounting hooks • Two 18” fabric tiles included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66”	PHFA1266	☐	☐	☐	☐	☐	☐	☐	40.0#	\$ 1072	\$ 1126	\$ 1178	\$ 1210	\$ 1312	\$ 65	\$ 42	
		18 x 66”	PHFA1866	☐	☐	☐	☐	☐	☐	☐	☐	56.0#	1179	1235	1301	1328	1439	68	43
		24 x 66”	PHFA2466	☐	☐	☐	☐	☐	☐	☐	☐	72.0#	1286	1353	1415	1453	1567	71	49
		30 x 66”	PHFA3066	☐	☐	☐	☐	☐	☐	☐	☐	87.0#	1416	1489	1556	1604	1726	87	64
		36 x 66”	PHFA3666	☐	☐	☐	☐	☐	☐	☐	☐	102.0#	1612	1688	1766	1823	1967	95	67
		42 x 66”	PHFA4266	☐	☐	☐	☐	☐	☐	☐	☐	117.0#	1775	1858	1957	2008	2166	108	80
		48 x 66”	PHFA4866	☐	☐	☐	☐	☐	☐	☐	☐	132.0#	1869	1966	2057	2112	2272	121	84
		54 x 66”	PHFA5466	☐	☐	☐	☐	☐	☐	☐	☐	148.0#	1992	2093	2194	2251	2434	132	90
		60 x 66”	PHFA6066	☐	☐	☐	☐	☐	☐	☐	☐	166.0#	2241	2355	2469	2531	2735	143	115
PHFA	Half Segmented/Fully Segmented Panel - 84”H with 12”H tiles	12 x 84”	PHFA1284	☐	☐	☐	☐	☐	☐	☐	46.0#	\$ 1300	\$ 1365	\$ 1427	\$ 1466	\$ 1582	\$ 65	\$ 42	
		18 x 84”	PHFA1884	☐	☐	☐	☐	☐	☐	☐	63.0#	1430	1501	1568	1617	1746	68	43	
		24 x 84”	PHFA2484	☐	☐	☐	☐	☐	☐	☐	81.0#	1554	1632	1704	1758	1896	71	49	
		30 x 84”	PHFA3084	☐	☐	☐	☐	☐	☐	☐	99.0#	1733	1823	1905	1964	2118	87	64	
		36 x 84”	PHFA3684	☐	☐	☐	☐	☐	☐	☐	116.0#	1950	2047	2143	2206	2379	95	67	
		42 x 84”	PHFA4284	☐	☐	☐	☐	☐	☐	☐	133.0#	2143	2258	2357	2423	2617	108	80	
		48 x 84”	PHFA4884	☐	☐	☐	☐	☐	☐	☐	151.0#	2260	2377	2488	2552	2757	121	84	
		54 x 84”	PHFA5484	☐	☐	☐	☐	☐	☐	☐	168.0#	2444	2570	2687	2755	2975	132	90	
		60 x 84”	PHFA6084	☐	☐	☐	☐	☐	☐	☐	189.0#	2713	2846	2983	3066	3307	143	115	
			A	B	C	D	E	F	G	H									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12” raceway tile; add \$43
- R2** - Side 1 w/2-12” raceway tiles; add \$87
- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile

- R21** - Side 2 w/1-12” raceway tile; add \$43
- R22** - Side 2 w/2-12” raceway tiles; add \$87
- R23** - Side 2 w/3-12” raceway tiles; add \$129
- F** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- H** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42”H	1	2
54”H	2	3
66”H	2	3
84”H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented Panel

			MODEL NUMBER																
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
 PFFA	Fully Segmented/Fully Segmented Panel - 30”H with 12”H tiles • Three to seven horizontal rails • Four, six or eight 12” fabric tiles with mounting hooks • Two 18” fabric tile included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30”	PFFA1230	☐	☐	☐	☐	☐	☐	☐	19.0#	\$ 523	\$ 542	\$ 569	\$ 591	\$ 640	\$ 65	\$ 42	
		18 x 30”	PFFA1830	☐	☐	☐	☐	☐	☐	☐	☐	26.0#	575	599	629	650	699	68	43
		24 x 30”	PFFA2430	☐	☐	☐	☐	☐	☐	☐	☐	34.0#	634	666	697	718	776	71	49
		30 x 30”	PFFA3030	☐	☐	☐	☐	☐	☐	☐	☐	41.0#	705	736	780	793	856	87	64
		36 x 30”	PFFA3630	☐	☐	☐	☐	☐	☐	☐	☐	49.0#	797	835	872	902	969	95	67
		42 x 30”	PFFA4230	☐	☐	☐	☐	☐	☐	☐	☐	56.0#	896	938	979	1012	1091	108	80
		48 x 30”	PFFA4830	☐	☐	☐	☐	☐	☐	☐	☐	63.0#	930	976	1020	1050	1131	121	84
		54 x 30”	PFFA5430	☐	☐	☐	☐	☐	☐	☐	☐	71.0#	985	1033	1083	1113	1200	132	90
		60 x 30”	PFFA6030	☐	☐	☐	☐	☐	☐	☐	☐	80.0#	1123	1179	1238	1265	1373	143	115
PFFA	Fully Segmented/Fully Segmented Panel - 42”H with 12”H tiles	12 x 42”	PFFA1242	☐	☐	☐	☐	☐	☐	☐	26.0#	\$ 734	\$ 770	\$ 806	\$ 828	\$ 892	\$ 65	\$ 42	
		18 x 42”	PFFA1842	☐	☐	☐	☐	☐	☐	☐	36.0#	804	837	877	905	972	68	43	
		24 x 42”	PFFA2442	☐	☐	☐	☐	☐	☐	☐	47.0#	872	916	960	990	1068	71	49	
		30 x 42”	PFFA3042	☐	☐	☐	☐	☐	☐	☐	57.0#	968	1018	1062	1097	1179	87	64	
		36 x 42”	PFFA3642	☐	☐	☐	☐	☐	☐	☐	68.0#	1100	1158	1215	1247	1344	95	67	
		42 x 42”	PFFA4242	☐	☐	☐	☐	☐	☐	☐	77.0#	1224	1288	1352	1381	1494	108	80	
		48 x 42”	PFFA4842	☐	☐	☐	☐	☐	☐	☐	88.0#	1275	1343	1404	1442	1555	121	84	
		54 x 42”	PFFA5442	☐	☐	☐	☐	☐	☐	☐	98.0#	1355	1421	1492	1537	1651	132	90	
		60 x 42”	PFFA6042	☐	☐	☐	☐	☐	☐	☐	110.0#	1543	1617	1692	1743	1883	143	115	
		A	B	C	D	E	F	G	H										

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12” raceway tile; add \$43
- R2** - Side 1 w/2-12” raceway tiles; add \$87
- R3** - Side 1 w/3 12” raceway tiles; add \$129

- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12” raceway tile; add \$43
- R22** - Side 2 w/2-12” raceway tiles; add \$87
- R23** - Side 2 w/3-12” raceway tiles; add \$129
- F** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- H** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
30”H	1	1
42”H	2	2
48”H	3	3
66”H	3	3
84”H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented Panel

			MODEL NUMBER																
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1										
MODEL	W x H										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
 PFFA	Fully Segmented/Fully Segmented Panel - 54”H with 12”H tiles • Three to seven horizontal rails • Four, six or eight 12” fabric tiles with mounting hooks • Two 18” fabric tile included with 84” high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 54”	PFFA1254	☐	☐	☐	☐	☐	☐	34.0#	\$ 945	\$ 986	\$ 1032	\$ 1067	\$ 1153	\$ 65	\$ 42		
		18 x 54”	PFFA1854	☐	☐	☐	☐	☐	☐	47.0#	1030	1078	1131	1161	1255	68	43		
		24 x 54”	PFFA2454	☐	☐	☐	☐	☐	☐	60.0#	1120	1178	1237	1264	1365	71	49		
		30 x 54”	PFFA3054	☐	☐	☐	☐	☐	☐	73.0#	1235	1299	1358	1395	1506	87	64		
		36 x 54”	PFFA3654	☐	☐	☐	☐	☐	☐	86.0#	1411	1481	1550	1595	1721	95	67		
		42 x 54”	PFFA4254	☐	☐	☐	☐	☐	☐	99.0#	1555	1634	1705	1760	1898	108	80		
		48 x 54”	PFFA4854	☐	☐	☐	☐	☐	☐	112.0#	1625	1704	1783	1836	1980	121	84		
		54 x 54”	PFFA5454	☐	☐	☐	☐	☐	☐	125.0#	1729	1814	1898	1954	2108	132	90		
		60 x 54”	PFFA6054	☐	☐	☐	☐	☐	☐	141.0#	1959	2057	2151	2216	2388	143	115		
PFFA	Fully Segmented/Fully Segmented Panel - 66”H with 12”H tiles	12 x 66”	PFFA1266	☐	☐	☐	☐	☐	☐	41.0#	\$ 1153	\$ 1209	\$ 1268	\$ 1299	\$ 1404	\$ 65	\$ 42		
		18 x 66”	PFFA1866	☐	☐	☐	☐	☐	☐	57.0#	1263	1325	1390	1424	1537	68	43		
		24 x 66”	PFFA2466	☐	☐	☐	☐	☐	☐	74.0#	1365	1436	1501	1546	1656	71	49		
		30 x 66”	PFFA3066	☐	☐	☐	☐	☐	☐	89.0#	1500	1575	1645	1696	1832	87	64		
		36 x 66”	PFFA3666	☐	☐	☐	☐	☐	☐	105.0#	1719	1802	1884	1941	2093	95	67		
		42 x 66”	PFFA4266	☐	☐	☐	☐	☐	☐	120.0#	1886	1976	2076	2132	2301	108	80		
		48 x 66”	PFFA4866	☐	☐	☐	☐	☐	☐	134.0#	1976	2069	2169	2227	2410	121	84		
		54 x 66”	PFFA5466	☐	☐	☐	☐	☐	☐	152.0#	2099	2204	2311	2370	2567	132	90		
		60 x 66”	PFFA6066	☐	☐	☐	☐	☐	☐	172.0#	2379	2500	2614	2685	2898	143	115		
PFFA	Fully Segmented/Fully Segmented Panel - 84”H with 12”H tiles	12 x 84”	PFFA1284	☐	☐	☐	☐	☐	☐	47.0#	\$ 1375	\$ 1450	\$ 1510	\$ 1556	\$ 1681	\$ 65	\$ 42		
		18 x 84”	PFFA1884	☐	☐	☐	☐	☐	☐	65.0#	1510	1585	1656	1708	1845	68	43		
		24 x 84”	PFFA2484	☐	☐	☐	☐	☐	☐	83.0#	1627	1708	1786	1838	1984	71	49		
		30 x 84”	PFFA3084	☐	☐	☐	☐	☐	☐	101.0#	1819	1905	2002	2052	2218	87	64		
		36 x 84”	PFFA3684	☐	☐	☐	☐	☐	☐	119.0#	2055	2159	2261	2320	2505	95	67		
		42 x 84”	PFFA4284	☐	☐	☐	☐	☐	☐	137.0#	2260	2377	2488	2552	2757	108	80		
		48 x 84”	PFFA4884	☐	☐	☐	☐	☐	☐	155.0#	2365	2486	2600	2670	2876	121	84		
		54 x 84”	PFFA5484	☐	☐	☐	☐	☐	☐	173.0#	2546	2674	2805	2879	3109	132	90		
		60 x 84”	PFFA6084	☐	☐	☐	☐	☐	☐	195.0#	2849	2990	3131	3219	3477	143	115		
		A	B	C	D	E	F	G	H										

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12” raceway tile; add \$43
- R2** - Side 1 w/2-12” raceway tiles; add \$87
- R3** - Side 1 w/3 12” raceway tiles; add \$129

- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12” raceway tile; add \$43
- R22** - Side 2 w/2-12” raceway tiles; add \$87
- R23** - Side 2 w/3-12” raceway tiles; add \$129
- F** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- H** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
30”H	1	1
42”H	2	2
48”H	3	3
66”H	3	3
84”H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Face Style: Full Glass
Basic Model: PG


Full Glass panel consist of a full-sized glass tile.
Consists of one glass tile utilizing a single panel
of 1/4" thick tempered glass. Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Glass Panels)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A

Face Style: Glass/Monolithic
Basic Model: PMMGA


Glass/Monolithic panels consist of the following: 24" fabric tile on bottom.
Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Fabric/Glass–Acoustic and Highly Acoustic)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A

Face Style: Monolithic/Fully Segmented/Glass
Basic Model: PMFGA


Monolithic/Fully Segmented/Glass panels consist of the following:
24" fabric tile on bottom of side one, two 12" segmented fabic tiles on bottom of side two.
Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Fabric/Glass–Acoustic)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2

Face Style: Glass/Fully Segmented
Basic Model: PFFGA

Glass/Fully Segmented panels consist of the following:
Two 12" fabric tile on bottom. Remainder of panel consists of
one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Fabric/Glass–Acoustic)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	2	2
66" H	•	•	•	•	•	•	•	N/A	N/A	2	2
84" H	•	•	•	•	•	•	•	N/A	N/A	2	2

Glass Panel

Full Glass Panel



Glass Panel

Full Glass Panel

			MODEL NUMBER										
			Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color						
MODEL			W x H					Approx. Packaged Weight	Clear (C)	Tinted/Bronze (T)	White Laminate (W)	Enhanced Horizontal Rail	Metallic Paint add to list price
	Full Glass Panel - 54”H • Two horizontal rails • Two aluminum window frames • One pane, 1/4” thick glass • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 54”	PG1254	☐	☐	☐	☐	23.0#	\$ 731	\$ 766	\$ 950	\$ 65	\$ 42
		18 x 54”	PG1854	☐	☐	☐	☐	32.0#	797	836	1033	68	43
		24 x 54”	PG2454	☐	☐	☐	☐	42.0#	872	917	1134	71	49
		30 x 54”	PG3054	☐	☐	☐	☐	51.0#	962	1016	1251	87	64
		36 x 54”	PG3654	☐	☐	☐	☐	60.0#	1050	1106	1365	95	67
		42 x 54”	PG4254	☐	☐	☐	☐	69.0#	1183	1247	1541	108	80
		48 x 54”	PG4854	☐	☐	☐	☐	79.0#	1300	1362	1685	121	84
PG													
PG	Full Glass Panel - 66”H	12 x 66”	PG1266	☐	☐	☐	☐	27.0#	\$ 741	\$ 784	\$ 968	\$ 65	\$ 42
		18 x 66”	PG1866	☐	☐	☐	☐	38.0#	820	861	1067	68	43
		24 x 66”	PG2466	☐	☐	☐	☐	49.0#	906	951	1180	71	49
		30 x 66”	PG3066	☐	☐	☐	☐	59.0#	1002	1051	1305	87	64
		36 x 66”	PG3666	☐	☐	☐	☐	70.0#	1168	1225	1515	95	67
		42 x 66”	PG4266	☐	☐	☐	☐	81.0#	1309	1372	1697	108	80
		48 x 66”	PG4866	☐	☐	☐	☐	92.0#	1356	1424	1770	121	84
PG	Full Glass Panel - 84”H	12 x 84”	PG1284	☐	☐	☐	☐	33.0#	\$ 920	\$ 970	\$ 1200	\$ 65	\$ 42
		18 x 84”	PG1884	☐	☐	☐	☐	46.0#	1081	1134	1404	68	43
		24 x 84”	PG2484	☐	☐	☐	☐	59.0#	1179	1238	1533	71	49
		30 x 84”	PG3084	☐	☐	☐	☐	72.0#	1279	1349	1672	87	64
		36 x 84”	PG3684	☐	☐	☐	☐	85.0#	1393	1457	1805	95	67
		42 x 84”	PG4284	☐	☐	☐	☐	98.0#	1545	1617	2009	108	80
		48 x 84”	PG4884	☐	☐	☐	☐	111.0#	1605	1684	2086	121	84
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
 - C1** - Chicago, 1 side w/cutouts
 - CP** - Chicago, 2 sides w/cutouts
 - DN** - Domestic, no cutouts
 - D1** - Domestic, 1 side w/cutouts
 - D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
 - S** - Standard
- D** Select glass color.
- BRZ** - Tinted/Bronze
 - GLA** - Clear
 - GLC** - White Laminate
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Glass Panel

			MODEL NUMBER																	
			Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price	
 PMGA	Monolithic/Monolithic/Glass Panel - 54”H • Three horizontal rails • Two powder-coated aluminum window frames • Two 24” fabric tiles with mounting hooks • One pane, 1/4” thick glass • One base/raceway consisting of a raceway pan and two doors • One rounded stain-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • Fabric tile is tackable • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 54”	PMMGA1254	☐	☐	☐	☐	☐	☐	26.0#	\$ 804	\$ 816	\$ 823	\$ 837	\$ 864	\$ 65	\$ 14	\$ 121	\$ 42	
		18 x 54”	PMMGA1854	☐	☐	☐	☐	☐	☐	☐	36.0#	885	898	904	926	953	68	14	132	43
		24 x 54”	PMMGA2454	☐	☐	☐	☐	☐	☐	☐	46.0#	981	995	1009	1025	1058	71	18	147	49
		30 x 54”	PMMGA3054	☐	☐	☐	☐	☐	☐	☐	56.0#	1070	1091	1101	1119	1157	87	19	160	64
		36 x 54”	PMMGA3654	☐	☐	☐	☐	☐	☐	☐	66.0#	1168	1189	1199	1223	1255	95	22	176	67
		42 x 54”	PMMGA4254	☐	☐	☐	☐	☐	☐	☐	76.0#	1314	1334	1352	1381	1416	108	27	198	80
		48 x 54”	PMMGA4854	☐	☐	☐	☐	☐	☐	☐	85.0#	1392	1413	1430	1457	1501	121	28	205	84
PMGA	Monolithic/Monolithic/Glass Panel - 66”H	12 x 66”	PMMGA1266	☐	☐	☐	☐	☐	☐	30.0#	\$ 899	\$ 912	\$ 919	\$ 946	\$ 969	\$ 65	\$ 16	\$ 134	\$ 42	
		18 x 66”	PMMGA1866	☐	☐	☐	☐	☐	☐	41.0#	989	1012	1018	1038	1067	68	18	148	43	
		24 x 66”	PMMGA2466	☐	☐	☐	☐	☐	☐	53.0#	1097	1112	1127	1153	1179	71	19	162	49	
		30 x 66”	PMMGA3066	☐	☐	☐	☐	☐	☐	64.0#	1204	1223	1235	1260	1299	87	23	180	64	
		36 x 66”	PMMGA3666	☐	☐	☐	☐	☐	☐	75.0#	1309	1328	1345	1373	1412	95	27	196	67	
		42 x 66”	PMMGA4266	☐	☐	☐	☐	☐	☐	86.0#	1466	1491	1510	1541	1588	108	29	223	80	
		48 x 66”	PMMGA4866	☐	☐	☐	☐	☐	☐	98.0#	1550	1582	1595	1627	1677	121	31	232	84	
PMGA	Monolithic/Monolithic/Glass Panel - 84”H	12 x 84”	PMMGA1284	☐	☐	☐	☐	☐	☐	36.0#	\$ 980	\$ 993	\$ 1005	\$ 1023	\$ 1055	\$ 65	\$ 18	\$ 147	\$ 42	
		18 x 84”	PMMGA1884	☐	☐	☐	☐	☐	☐	50.0#	1083	1100	1113	1134	1167	68	19	161	43	
		24 x 84”	PMMGA2484	☐	☐	☐	☐	☐	☐	63.0#	1200	1222	1234	1259	1296	71	23	180	49	
		30 x 84”	PMMGA3084	☐	☐	☐	☐	☐	☐	77.0#	1314	1334	1352	1381	1416	87	27	198	64	
		36 x 84”	PMMGA3684	☐	☐	☐	☐	☐	☐	90.0#	1436	1457	1476	1505	1554	95	29	218	67	
		42 x 84”	PMMGA4284	☐	☐	☐	☐	☐	☐	104.0#	1675	1704	1721	1756	1803	108	34	250	80	
		48 x 84”	PMMGA4884	☐	☐	☐	☐	☐	☐	120.0#	1769	1798	1820	1850	1906	121	36	265	84	
			A	B	C	D	E	F	G											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C**Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D**Select glass color.
- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate
- See pricing columns for glass upcharge.

- E**Select trim color.
- Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

- F**Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G**Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Fully Segmented/Glass Panel

		MODEL NUMBER																		
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
	W x H																			
	12 x 54”	PMFGA1254	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	29.0#	\$ 904	\$ 917	\$ 930	\$ 950	\$ 976	\$ 65	\$ 16	\$ 134	\$ 42
	18 x 54”	PMFGA1854	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	40.0#	989	1012	1018	1038	1067	68	18	148	43
	24 x 54”	PMFGA2454	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#	1091	1106	1119	1141	1171	71	19	162	49
	30 x 54”	PMFGA3054	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.0#	1189	1212	1225	1253	1286	87	23	179	64
	36 x 54”	PMFGA3654	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.0#	1314	1334	1352	1381	1416	95	27	198	67
	42 x 54”	PMFGA4254	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	87.0#	1476	1501	1517	1550	1595	108	29	224	80
	48 x 54”	PMFGA4854	☐ ☐	☐	R0	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	98.0#	1545	1567	1590	1624	1673	121	31	232	84
PFGA																				
Monolithic/Fully Segmented/Glass Panel - 54”H																				
		</																		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect electrical code for base raceway.

CN

C1

CP

DN

D1

D

- Chicago, no cutouts

- Chicago, 1 side w/cutouts

- Chicago, 2 sides w/cutouts

- Domestic, no cutouts

- Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E

S

- Enhanced

- Standard

DSelect numbers of raceway tiles side 1

R0

- Side 1 w/no raceway tile

ESelect numbers of raceway tiles side 2

R20

R21

- Side 2 w/no raceway tile

- Side 2 w/1-12” raceway tile; add \$43

FSelect glass color.

GLA

BRZ

GLC

- Clear

- Tinted/Bronze

- White laminate

See pricing columns for glass upcharge.

GSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

HSelect fabric side 1.

Refer to [kl.com/fabrics](#)

ISelect fabric side 2.

Refer to [kl.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
54”H	0	1
66”H	0	1
84”H	0	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented/Glass Panel

MODEL NUMBER																			
W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
	12 x 54"	PFFGA1254	☐	☐	☐	☐	☐	☐	☐	30.0#	\$ 982	\$ 999	\$ 1011	\$ 1026	\$ 1060	\$ 65	\$ 18	N/A	\$ 42
	18 x 54"	PFFGA1854	☐	☐	☐	☐	☐	☐	☐	42.0#	1070	1091	1101	1119	1157	68	19	160	43
	24 x 54"	PFFGA2454	☐	☐	☐	☐	☐	☐	☐	54.0#	1167	1185	1198	1222	1254	71	22	174	49
	30 x 54"	PFFGA3054	☐	☐	☐	☐	☐	☐	☐	66.0#	1271	1293	1312	1340	1369	87	27	192	64
	36 x 54"	PFFGA3654	☐	☐	☐	☐	☐	☐	☐	78.0#	1314	1334	1352	1381	1416	95	27	198	67
	42 x 54"	PFFGA4254	☐	☐	☐	☐	☐	☐	☐	90.0#	1590	1624	1634	1665	1719	108	32	238	80
	48 x 54"	PFFGA4854	☐	☐	☐	☐	☐	☐	☐	102.0#	1648	1682	1696	1729	1779	121	34	34	84
PGA Fully Segmented/Fully Segmented/ Glass Panel - 54"H																			
PGA Fully Segmented/Fully Segmented/ Glass Panel - 66"H	12 x 66"	PFFGA1266	☐	☐	☐	☐	☐	☐	☐	34.0#	\$ 1081	\$ 1099	\$ 1112	\$ 1133	\$ 1166	\$ 65	\$ 19	\$ 161	\$ 42
	18 x 66"	PFFGA1866	☐	☐	☐	☐	☐	☐	☐	47.0#	1179	1199	1212	1235	1275	68	23	178	43
	24 x 66"	PFFGA2466	☐	☐	☐	☐	☐	☐	☐	61.0#	1277	1300	1316	1344	1381	71	27	192	49
	30 x 66"	PFFGA3066	☐	☐	☐	☐	☐	☐	☐	75.0#	1401	1424	1446	1471	1515	87	28	28	64
	36 x 66"	PFFGA3666	☐	☐	☐	☐	☐	☐	☐	88.0#	1563	1588	1610	1644	1688	95	32	234	67
	42 x 66"	PFFGA4266	☐	☐	☐	☐	☐	☐	☐	101.0#	1742	1776	1792	1827	1879	108	36	261	80
	48 x 66"	PFFGA4866	☐	☐	☐	☐	☐	☐	☐	115.0#	1805	1845	1858	1896	1948	121	39	272	84
A B C D E F G H I																			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect electrical code for base raceway.

CN

- Chicago, no cutouts

C1

- Chicago, 1 side w/cutouts

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

D1

- Domestic, 1 side w/cutouts

D

- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E

- Enhanced

S

- Standard

DSelect numbers of raceway tiles side 1

R0

- Side 1 w/no raceway tile

R1

- Side 1 w/1-12" raceway tile; add \$43

ESelect numbers of raceway tiles side 2

R20

- Side 2 w/no raceway tile

R21

- Side 2 w/1-12" raceway tile; add \$43

FSelect glass color.

GLA

- Clear

BRZ

- Tinted/Bronze

GLC

- White laminate

See pricing columns for glass upcharge.

GSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

HSelect fabric side 1.

Refer to [ki.com/fabrics](#)

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
54"H	1	1
66"H	1	1
84"H	1	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4” Thick Tiles

Fully Segmented/Fully Segmented/Glass Panel

	W x H	MODEL NUMBER								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1										
	12 x 84"	PFFGA1284	☐	☐	☐	☐	☐	☐	☐	40.0#	\$ 1160	\$ 1178	\$ 1191	\$ 1215	\$ 1249	\$ 65	\$ 22	\$ 174	\$ 42
	18 x 84"	PFFGA1884	☐	☐	☐	☐	☐	☐	☐	56.0#	1271	1293	1312	1340	1369	68	27	194	43
	24 x 84"	PFFGA2484	☐	☐	☐	☐	☐	☐	☐	72.0#	1382	1401	1421	1453	1495	71	28	205	49
	30 x 84"	PFFGA3084	☐	☐	☐	☐	☐	☐	☐	88.0#	1513	1537	1558	1586	1641	87	31	229	64
	36 x 84"	PFFGA3684	☐	☐	☐	☐	☐	☐	☐	103.0#	1686	1719	1735	1772	1824	95	34	252	67
	42 x 84"	PFFGA4284	☐	☐	☐	☐	☐	☐	☐	119.0#	1945	1984	2002	2040	2095	108	41	291	80
	48 x 84"	PFFGA4884	☐	☐	☐	☐	☐	☐	☐	134.0#	2025	2062	2091	2126	2186	121	42	303	84

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

CN	- Chicago, no cutouts
C1	- Chicago, 1 side w/cutouts
CP	- Chicago, 2 sides w/cutouts
DN	- Domestic, no cutouts
D1	- Domestic, 1 side w/cutouts
D	- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E	- Enhanced
S	- Standard

DSelect numbers of raceway tiles side 1

R0	- Side 1 w/no raceway tile
R1	- Side 1 w/1-12” raceway tile; add \$43

ESelect numbers of raceway tiles side 2

R20	- Side 2 w/no raceway tile
R21	- Side 2 w/1-12” raceway tile; add \$43

FSelect glass color.

GLA	- Clear
BRZ	- Tinted/Bronze
GLC	- White laminate

See pricing columns for glass upcharge.

GSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

HSelect fabric side 1.

Refer to [ki.com/fabrics](#)

ISelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

Maximum Raceway Tile Possibilities		
Panel Height	Side 1	Side 2
54”H	1	1
66”H	1	1
84”H	1	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Open/Monolithic panels consist of the following:
24" open tile on bottom. Remainder of panel is a
single fabric tile. Base is 6". Panel thickness: 3' 2"

[illegible]

STANDARD PANEL SIZES (Fabric/Open-Acoustic and Highly Acoustic)

Open Panel

Full Open Panel



Open Panel

Full Open Panel

			MODEL NUMBER									
			Basic Model	Electrical Code	Horizontal Rail	Trim Color						
MODEL			W x H				Approx. Packaged Weight	Delivered Pricing		Enhanced Horizontal Rail	Metallic Paint add to list price	
	Full Open Panel - 30”H • Two horizontal rails • Two powder-coated aluminum window frames • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30”	PO1230	☐	☐	☐	9.0#	\$ 487		\$ 65	\$ 42	
		18 x 30”	PO1830	☐	☐	☐	13.0#	532		68	43	
		24 x 30”	PO2430	☐	☐	☐	16.0#	582		71	49	
		30 x 30”	PO3030	☐	☐	☐	20.0#	634		87	64	
		36 x 30”	PO3630	☐	☐	☐	24.0#	694		95	67	
		42 x 30”	PO4230	☐	☐	☐	27.0#	797		108	80	
		48 x 30”	PO4830	☐	☐	☐	31.0#	813		121	84	
PO												
PO	Full Open Panel - 42”H	12 x 42”	PO1242	☐	☐	☐	10.0#	\$ 577		\$ 65	\$ 42	
		18 x 42”	PO1842	☐	☐	☐	14.0#	615		68	43	
		24 x 42”	PO2442	☐	☐	☐	18.0#	668		71	49	
		30 x 42”	PO3042	☐	☐	☐	21.0#	725		87	64	
		36 x 42”	PO3642	☐	☐	☐	25.0#	785		95	67	
		42 x 42”	PO4242	☐	☐	☐	28.0#	896		108	80	
		48 x 42”	PO4842	☐	☐	☐	32.0#	906		121	84	
PO	Full Open Panel - 54”H	12 x 54”	PO1254	☐	☐	☐	12.0#	\$ 637		\$ 65	\$ 42	
		18 x 54”	PO1854	☐	☐	☐	15.0#	676		68	43	
		24 x 54”	PO2454	☐	☐	☐	19.0#	734		71	49	
		30 x 54”	PO3054	☐	☐	☐	22.0#	787		87	64	
		36 x 54”	PO3654	☐	☐	☐	26.0#	849		95	67	
		42 x 54”	PO4254	☐	☐	☐	30.0#	956		108	80	
		48 x 54”	PO4854	☐	☐	☐	33.0#	995		121	84	
A B C D												

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Open Panel

Full Open Panel



Open Panel

Full Open Panel

			MODEL NUMBER												
			Basic Model	Electrical Code	Horizontal Rail	Trim Color									
MODEL			W x H				Approx. Packaged Weight		Delivered Pricing			Enhanced Horizontal Rail	Metallic Paint add to list price		
	Full Open Panel - 66”H	12 x 66”	P01266	☐	☐	☐	13.0#	\$	643			\$	65	\$	42
	• Two horizontal rails	18 x 66”	P01866	☐	☐	☐	17.0#		688				68		43
	• Two powder-coated aluminum window frames	24 x 66”	P02466	☐	☐	☐	20.0#		739				71		49
	• One base/raceway consisting of a raceway pan and two doors	30 x 66”	P03066	☐	☐	☐	24.0#		793				87		64
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 66”	P03666	☐	☐	☐	27.0#		885				95		67
	• Order power separately	42 x 66”	P04266	☐	☐	☐	31.0#		987				108		80
	• Order vertical posts separately	48 x 66”	P04866	☐	☐	☐	34.0#		1011				121		84
	• SX Starlight Silver finish is only offered on flat aluminum trim														
P0															
P0	Full Open Panel - 84”H	12 x 84”	P01284	☐	☐	☐	15.0#	\$	811			\$	65	\$	42
		18 x 84”	P01884	☐	☐	☐	18.0#		878				68		43
		24 x 84”	P02484	☐	☐	☐	22.0#		934				71		49
		30 x 84”	P03084	☐	☐	☐	25.0#		987				87		64
		36 x 84”	P03684	☐	☐	☐	29.0#		1049				95		67
		42 x 84”	P04284	☐	☐	☐	33.0#		1158				108		80
		48 x 84”	P04884	☐	☐	☐	36.0#		1174				121		84
			A	B	C	D									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Open/Monolithic/Monolithic Panel



Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Open/Monolithic/Monolithic Panel

	W x H	MODEL NUMBER								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2								
 POA Open/Monolithic/Monolithic Panel - 42”H • Three horizontal rails • Two aluminum frames • Two full fabric tiles • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • Fabric tile is tackable • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42”	POMMA1242	☐	☐	☐	☐	☐	☐	☐	17.0#	\$ 699	\$ 714	\$ 725	\$ 740	\$ 765	\$ 65	\$ 42
	18 x 42”	POMMA1842	☐	☐	☐	☐	☐	☐	☐	23.0#	756	771	784	805	824	68	43
	24 x 42”	POMMA2442	☐	☐	☐	☐	☐	☐	☐	30.0#	823	835	856	870	899	71	49
	30 x 42”	POMMA3042	☐	☐	☐	☐	☐	☐	☐	36.0#	899	912	937	951	977	87	64
	36 x 42”	POMMA3642	☐	☐	☐	☐	☐	☐	☐	42.0#	995	1018	1038	1062	1091	95	67
	42 x 42”	POMMA4242	☐	☐	☐	☐	☐	☐	☐	49.0#	1129	1147	1174	1194	1227	108	80
	48 x 42”	POMMA4842	☐	☐	☐	☐	☐	☐	☐	55.0#	1161	1179	1209	1228	1265	121	84
POA Open/Monolithic/Monolithic Panel - 54”H	12 x 54”	POMMA1254	☐	☐			☐	☐	☐	20.0#	\$ 727	\$ 740	\$ 751	\$ 769	\$ 791	\$ 65	\$ 42
	18 x 54”	POMMA1854	☐	☐			☐	☐	☐	27.0#	803	815	824	845	869	68	43
	24 x 54”	POMMA2454	☐	☐			☐	☐	☐	34.0#	887	899	916	934	966	71	49
	30 x 54”	POMMA3054	☐	☐			☐	☐	☐	41.0#	966	982	1005	1021	1049	87	64
	36 x 54”	POMMA3654	☐	☐			☐	☐	☐	48.0#	1050	1067	1093	1112	1148	95	67
	42 x 54”	POMMA4254	☐	☐			☐	☐	☐	55.0#	1188	1210	1234	1259	1300	108	80
	48 x 54”	POMMA4854	☐	☐			☐	☐	☐	62.0#	1250	1268	1299	1325	1362	121	84
		A	B	C	D	E	F	G	H								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect electrical code for base raceway.

CN

C1

CP

DN

D1

D

- Chicago, no cutouts

- Chicago, 1 side w/cutouts

- Chicago, 2 sides w/cutouts

- Domestic, no cutouts

- Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

CSelect horizontal rail.

E

S

- Enhanced

- Standard

DSelect numbers of raceway tiles side 1

R0

R1

- Side 1 w/no raceway tile

- Side 1 w/1-12” raceway tile; add \$43

ESelect numbers of raceway tiles side 2

R20

R21

- Side 2 w/no raceway tile

- Side 2 w/1-12” raceway tile; add \$43

FSelect trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1.

Refer to [ki.com/fabrics](#)

HSelect fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Open/Monolithic/Monolithic Panel



Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Open/Monolithic/Monolithic Panel

		MODEL NUMBER														
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2									
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
	Open/Monolithic/Monolithic Panel - 66”H	12 x 66”	POMMA1266	☐	☐	☐	☐	☐	23.0#	\$ 791	\$ 807	\$ 817	\$ 836	\$ 862	\$ 65	\$ 42
		18 x 66”	POMMA1866	☐	☐	☐	☐	☐	31.0#	871	889	910	926	950	68	43
		24 x 66”	POMMA2466	☐	☐	☐	☐	☐	39.0#	945	959	981	995	1025	71	49
		30 x 66”	POMMA3066	☐	☐	☐	☐	☐	47.0#	1064	1081	1106	1127	1161	87	64
		36 x 66”	POMMA3666	☐	☐	☐	☐	☐	54.0#	1189	1212	1235	1260	1301	95	67
		42 x 66”	POMMA4266	☐	☐	☐	☐	☐	62.0#	1328	1353	1382	1404	1451	108	80
		48 x 66”	POMMA4866	☐	☐	☐	☐	☐	69.0#	1355	1382	1409	1439	1482	121	84
POA																
POA	Open/Monolithic/Monolithic Panel - 84”H	12 x 84”	POMMA1284	☐	☐	☐	☐	☐	28.0#	\$ 855	\$ 865	\$ 885	\$ 900	\$ 926	\$ 65	\$ 42
		18 x 84”	POMMA1884	☐	☐	☐	☐	☐	37.0#	981	995	1020	1035	1064	68	43
		24 x 84”	POMMA2484	☐	☐	☐	☐	☐	46.0#	1055	1072	1098	1120	1154	71	49
		30 x 84”	POMMA3084	☐	☐	☐	☐	☐	55.0#	1167	1188	1213	1237	1271	87	64
		36 x 84”	POMMA3684	☐	☐	☐	☐	☐	63.0#	1273	1295	1322	1350	1393	95	67
		42 x 84”	POMMA4284	☐	☐	☐	☐	☐	72.0#	1439	1460	1492	1524	1564	108	80
		48 x 84”	POMMA4884	☐	☐	☐	☐	☐	81.0#	1520	1545	1584	1605	1653	121	84
		A	B	C	D	E	F									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select electrical code for base raceway.

CN

C1

CP

DN

D1

D

- Chicago, no cutouts

- Chicago, 1 side w/cutouts

- Chicago, 2 sides w/cutouts

- Domestic, no cutouts

- Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts
- C**Select horizontal rail.

E

S

- Enhanced

- Standard
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.
- E**Select fabric side 1.

Refer to **ki.com/fabrics**

- F**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Open Panel



Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Open Panel

		MODEL NUMBER													
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2								
MODEL		W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Monolithic/Open Panel - 42”H	12 x 42”	PMMOA1242	☐ ☐	☐	☐ ☐	☐ ☐	19.0#	\$ 692	\$ 707	\$ 716	\$ 735	\$ 754	\$ 65	\$ 42
		18 x 42”	PMMOA1842	☐ ☐	☐	☐ ☐	☐ ☐	26.0#	764	780	788	810	835	68	43
		24 x 42”	PMMOA2442	☐ ☐	☐	☐ ☐	☐ ☐	33.0#	852	864	882	899	924	71	49
		30 x 42”	PMMOA3042	☐ ☐	☐	☐ ☐	☐ ☐	37.0#	930	945	968	981	1012	87	64
		36 x 42”	PMMOA3642	☐ ☐	☐	☐ ☐	☐ ☐	47.0#	1018	1032	1058	1078	1101	95	67
		42 x 42”	PMMOA4242	☐ ☐	☐	☐ ☐	☐ ☐	54.0#	1153	1171	1195	1221	1253	108	80
		48 x 42”	PMMOA4842	☐ ☐	☐	☐ ☐	☐ ☐	61.0#	1214	1235	1260	1286	1325	121	84
PMOA															
PMOA	Monolithic/Monolithic/Open Panel - 54”H	12 x 54”	PMMOA1254	☐ ☐	☐	☐ ☐	☐ ☐	20.0#	\$ 727	\$ 740	\$ 751	\$ 769	\$ 791	\$ 65	\$ 42
		18 x 54”	PMMOA1854	☐ ☐	☐	☐ ☐	☐ ☐	27.0#	803	815	824	845	869	68	43
		24 x 54”	PMMOA2454	☐ ☐	☐	☐ ☐	☐ ☐	34.0#	887	899	916	934	966	71	49
		30 x 54”	PMMOA3054	☐ ☐	☐	☐ ☐	☐ ☐	41.0#	966	982	1005	1021	1049	87	64
		36 x 54”	PMMOA3654	☐ ☐	☐	☐ ☐	☐ ☐	48.0#	1050	1067	1093	1112	1148	95	67
		42 x 54”	PMMOA4254	☐ ☐	☐	☐ ☐	☐ ☐	55.0#	1188	1210	1234	1259	1300	108	80
		48 x 54”	PMMOA4854	☐ ☐	☐	☐ ☐	☐ ☐	62.0#	1250	1268	1299	1325	1362	121	84
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

CN

C1

CP

DN

D1

D

- Chicago, no cutouts

- Chicago, 1 side w/cutouts

- Chicago, 2 sides w/cutouts

- Domestic, no cutouts

- Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts
- C**Select horizontal rail.

E

S

- Enhanced

- Standard
- D**Select trim color.

Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.
- E**Select fabric side 1.

Refer to [ki.com/fabrics](#)

- F**Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Open Panel



Open/Fabric Panel - Acoustic - 3/4” Thick Tiles

Monolithic/Monolithic/Open Panel

		MODEL NUMBER														
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2									
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price	
	Monolithic/Monolithic/Open Panel - 66”H	12 x 66”	PMMOA1266	☐	☐	☐	☐	☐	21.0#	\$ 816	\$ 830	\$ 846	\$ 864	\$ 890	\$ 65	\$ 42
		18 x 66”	PMMOA1866	☐	☐	☐	☐	☐	28.0#	889	900	917	936	968	68	43
		24 x 66”	PMMOA2466	☐	☐	☐	☐	☐	36.0#	977	990	1017	1031	1060	71	49
		30 x 66”	PMMOA3066	☐	☐	☐	☐	☐	43.0#	1055	1072	1098	1120	1154	87	64
		36 x 66”	PMMOA3666	☐	☐	☐	☐	☐	50.0#	1141	1161	1187	1212	1241	95	67
		42 x 66”	PMMOA4266	☐	☐	☐	☐	☐	57.0#	1279	1302	1330	1356	1399	108	80
		48 x 66”	PMMOA4866	☐	☐	☐	☐	☐	64.0#	1345	1366	1397	1421	1467	121	84
PMOA																
PMOA	Monolithic/Monolithic/Open Panel - 84”H	12 x 84”	PMMOA1284	☐	☐	☐	☐	☐	23.0#	\$ 878	\$ 898	\$ 917	\$ 932	\$ 959	\$ 65	\$ 42
		18 x 84”	PMMOA1884	☐	☐	☐	☐	☐	30.0#	956	976	992	1016	1038	68	43
		24 x 84”	PMMOA2484	☐	☐	☐	☐	☐	38.0#	1038	1058	1081	1101	1127	71	49
		30 x 84”	PMMOA3084	☐	☐	☐	☐	☐	44.0#	1123	1141	1168	1189	1223	87	64
		36 x 84”	PMMOA3684	☐	☐	☐	☐	☐	51.0#	1210	1227	1254	1277	1316	95	67
		42 x 84”	PMMOA4284	☐	☐	☐	☐	☐	58.0#	1380	1401	1433	1460	1502	108	80
		48 x 84”	PMMOA4884	☐	☐	☐	☐	☐	65.0#	1442	1464	1495	1528	1567	121	84
		A	B	C	D	E	F									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- E** Select fabric side 1.
- Refer to **ki.com/fabrics**

- F** Select fabric side 2.
- Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Fabric Stackable Section - Acoustic - 3/4” Tiles



Fabric Stackable Section - Acoustic - 3/4” Tiles

			MODEL NUMBER											
			Basic Model	Electrical Code	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Side 1	Fabric Side 2						
MODEL			W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Stackable Fabric Section - 12”H • One horizontal rail • Two full fabric tiles with mounting hooks • Use top cap from existing lower panel • Order power separately • Order stackable vertical posts separately • Fabric tile is stackable	12 x 12”	PSA1212	□□	□□	□□□	□□□□	□□□□	8.0#	\$ 208	\$ 225	\$ 236	\$ 252	\$ 283
		18 x 12”	PSA1812	□□	□□	□□□	□□□□	□□□□	10.0#	230	238	260	274	300
		24 x 12”	PSA2412	□□	□□	□□□	□□□□	□□□□	13.0#	243	260	284	293	322
		30 x 12”	PSA3012	□□	□□	□□□	□□□□	□□□□	16.0#	263	279	300	311	346
		36 x 12”	PSA3612	□□	□□	□□□	□□□□	□□□□	19.0#	310	323	355	373	406
		42 x 12”	PSA4212	□□	□□	□□□	□□□□	□□□□	22.0#	325	345	376	394	432
		48 x 12”	PSA4812	□□	□□	□□□	□□□□	□□□□	25.0#	349	365	397	420	463
		54 x 12”	PSA5412	□□	□□	□□□	□□□□	□□□□	28.0#	373	394	428	442	496
		60 x 12”	PSA6012	□□	□□	□□□	□□□□	□□□□	31.0#	421	438	483	500	551
PSA	Stackable Fabric Section - 18”H	12 x 18”	PSA1218		R0	R20	□□□□	□□□□	9.0#	\$ 229	\$ 236	\$ 256	\$ 272	\$ 299
		18 x 18”	PSA1818		R0	R20	□□□□	□□□□	12.0#	251	265	290	300	326
		24 x 18”	PSA2418		R0	R20	□□□□	□□□□	16.0#	263	279	300	311	346
		30 x 18”	PSA3018		R0	R20	□□□□	□□□□	19.0#	319	335	361	379	420
		36 x 18”	PSA3618		R0	R20	□□□□	□□□□	22.0#	345	361	394	411	453
		42 x 18”	PSA4218		R0	R20	□□□□	□□□□	25.0#	373	394	428	442	496
		48 x 18”	PSA4818		R0	R20	□□□□	□□□□	28.0#	391	414	443	471	518
		54 x 18”	PSA5418		R0	R20	□□□□	□□□□	31.0#	447	468	516	535	588
		60 x 18”	PSA6018		R0	R20	□□□□	□□□□	35.0#	471	497	541	565	617
PSA	Stackable Fabric Section - 24”H	12 x 24”	PSA1224		R0	R20	□□□□	□□□□	11.0#	\$ 238	\$ 251	\$ 279	\$ 286	\$ 315
		18 x 24”	PSA1824		R0	R20	□□□□	□□□□	14.0#	271	284	311	322	357
		24 x 24”	PSA2424		R0	R20	□□□□	□□□□	18.0#	309	322	354	371	404
		30 x 24”	PSA3024		R0	R20	□□□□	□□□□	21.0#	325	345	376	394	432
		36 x 24”	PSA3624		R0	R20	□□□□	□□□□	25.0#	359	376	411	428	475
		42 x 24”	PSA4224		R0	R20	□□□□	□□□□	28.0#	391	414	443	471	518
		48 x 24”	PSA4824		R0	R20	□□□□	□□□□	32.0#	435	458	502	522	574
		54 x 24”	PSA5424		R0	R20	□□□□	□□□□	35.0#	471	497	541	565	617
		60 x 24”	PSA6024		R0	R20	□□□□	□□□□	39.0#	492	518	565	592	646
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select electrical code for base raceway.

CP- Chicago, 2 sides w/cutouts

D- Domestic, 2 sides w/cutouts
- C**Select numbers of raceway tiles side 1

R0- Side 1 w/no raceway tile

R1- Side 1 w/1-12” raceway tile; add \$43
- D**Select numbers of raceway tiles side 2

R20- Side 2 w/no raceway tile

R21- Side 2 w/1-12” raceway tile; add \$43
- E**Select fabric side 1.

Refer to **ki.com/fabrics**
- F**Select fabric side 2.

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Glass Stackable Section



Glass Stackable Section

		MODEL NUMBER										Metallic Paint add to list price
		Basic Model	Glass Color	Trim Color								
MODEL	W x H				Approx. Packaged Weight	Clear (C)	Tinted/Bronze (T)	White Laminate (W)				
	Stackable Glass Section - 12”H	12 x 12”	PSG1212	☐ ☐ ☐	☐ ☐	7.0#						
	• One horizontal rail	18 x 12”	PSG1812	☐ ☐ ☐	☐ ☐	11.0#						
	• Two powder-coated aluminum window frames	24 x 12”	PSG2412	☐ ☐ ☐	☐ ☐	14.0#						
	• One pane, 1/4” thick glass	30 x 12”	PSG3012	☐ ☐ ☐	☐ ☐	17.0#						
	• Use top cap from existing lower panel	36 x 12”	PSG3612	☐ ☐ ☐	☐ ☐	20.0#						
	• Order stackable vertical posts separately	42 x 12”	PSG4212	☐ ☐ ☐	☐ ☐	23.0#						
		48 x 12”	PSG4812	☐ ☐ ☐	☐ ☐	26.0#						
PSG												
PSG	Stackable Glass Section - 18”H	12 x 18”	PSG1218	☐ ☐ ☐	☐ ☐	9.0#	\$ 441	\$ 467	\$ 579			\$ 42
		18 x 18”	PSG1818	☐ ☐ ☐	☐ ☐	13.0#	482	502	619			43
		24 x 18”	PSG2418	☐ ☐ ☐	☐ ☐	17.0#	502	529	658			49
		30 x 18”	PSG3018	☐ ☐ ☐	☐ ☐	21.0#	537	562	699			64
		36 x 18”	PSG3618	☐ ☐ ☐	☐ ☐	25.0#	595	624	776			67
		42 x 18”	PSG4218	☐ ☐ ☐	☐ ☐	29.0#	662	694	859			80
		48 x 18”	PSG4818	☐ ☐ ☐	☐ ☐	33.0#	674	714	878			84
PSG	Stackable Glass Section - 24”H	12 x 24”	PSG1224	☐ ☐ ☐	☐ ☐	14.0#	\$ 465	\$ 486	\$ 602			\$ 42
		18 x 24”	PSG1824	☐ ☐ ☐	☐ ☐	16.0#	500	526	656			43
		24 x 24”	PSG2424	☐ ☐ ☐	☐ ☐	22.0#	532	557	688			49
		30 x 24”	PSG3024	☐ ☐ ☐	☐ ☐	25.0#	568	599	736			64
		36 x 24”	PSG3624	☐ ☐ ☐	☐ ☐	30.0#	629	662	816			67
		42 x 24”	PSG4224	☐ ☐ ☐	☐ ☐	34.0#	695	731	905			80
		48 x 24”	PSG4824	☐ ☐ ☐	☐ ☐	39.0#	716	751	932			84

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select glass color.
- | | |
|------------|------------------|
| GLA | - Clear |
| BRZ | - Tinted/Bronze |
| GLC | - White Laminate |
- C**Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Open Stackable Section



Open Stackable Section

		MODEL NUMBER						Metallic Paint add to list price
		Basic Model	Trim Color					
MODEL		W x H			Approx. Packaged Weight	Delivered Pricing		
	Stackable Open Section - 12”H • One horizontal rail • Two aluminum frames • Use top cap from existing lower panel • Order stackable vertical posts separately	12 x 12”	PS01212	☐	4.0#	\$	355	\$ 42
		18 x 12”	PS01812	☐	6.0#		379	43
		24 x 12”	PS02412	☐	8.0#		397	49
		30 x 12”	PS03012	☐	10.0#		425	64
		36 x 12”	PS03612	☐	11.0#		473	67
		42 x 12”	PS04212	☐	13.0#		534	80
		48 x 12”	PS04812	☐	15.0#		541	84
PS0								
PS0	Stackable Open Section - 18”H	12 x 18”	PS01218	☐	5.0#	\$	374	\$ 42
		18 x 18”	PS01818	☐	7.0#		402	43
		24 x 18”	PS02418	☐	9.0#		424	49
		30 x 18”	PS03018	☐	10.0#		441	64
		36 x 18”	PS03618	☐	12.0#		492	67
		42 x 18”	PS04218	☐	14.0#		551	80
		48 x 18”	PS04818	☐	15.0#		562	84
PS0	Stackable Open Section - 24”H	12 x 24”	PS01224	☐	6.0#	\$	387	\$ 42
		18 x 24”	PS01824	☐	7.0#		420	43
		24 x 24”	PS02424	☐	9.0#		434	49
		30 x 24”	PS03024	☐	11.0#		461	64
		36 x 24”	PS03624	☐	13.0#		505	67
		42 x 24”	PS04224	☐	14.0#		569	80
		48 x 24”	PS04824	☐	16.0#		581	84

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES






Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER									
				Basic Model	Trim Color	Surface Finish	Frame Color						
MODEL				Panel Width	W x H			Approx. Packaged Weight	Delivered Pricing			Metallic Paint add to list price	
 PDR	Door - Provides visual and acoustical privacy - For use in conjunction with 84" panels - Laminate surface on hollow core door - Locking and non-locking options - Lever handle to meet ADA guidelines - Door hand swing is determined by standing on the side of door that swings toward the user when opening (handle to right is a right hand door) - SX Starlight Silver finish is only offered on flat aluminum trim	36" Right handed Locking	30 x 80"	PDRR36/L	☐ ☐	☐ ☐ ☐		40.0#	\$ 2302		\$	64	
		36" Right handed Non-Locking	30 x 80"	PDRR36/N	☐ ☐	☐ ☐ ☐		40.0#	2032			64	
		36" Left handed Locking	30 x 80"	PDRL36/L	☐ ☐	☐ ☐ ☐		40.0#	2302			64	
		36" Left handed Non-Locking	30 x 80"	PDRL36/N	☐ ☐	☐ ☐ ☐		40.0#	2032			64	
		42" Right handed Locking	36 x 80"	PDRR42/L	☐ ☐	☐ ☐ ☐		40.0#	2489			84	
		42" Right handed Non-Locking	36 x 80"	PDRR42/N	☐ ☐	☐ ☐ ☐		40.0#	2219			84	
		42" Left handed Locking	36 x 80"	PDRL42/L	☐ ☐	☐ ☐ ☐		40.0#	2489			84	
		42" Left handed Non-Locking	36 x 80"	PDRL42/N	☐ ☐	☐ ☐ ☐		40.0#	2219			84	
 PCOT	Door Pass-Through - Trim - SX Starlight Silver finish is only offered on flat aluminum trim	36" x 84" H	30 x 80"	PCOT36	☐ ☐			1.0#	\$ 735		\$	64	
		42" x 84" H	36 x 80"	PCOT42	☐ ☐			2.0#	739			84	
 RSD	Door Sliding - Will cover a 42" opening - Mounts to a 66" panel (may mount to a taller panel if using a 66" high segmented tile) - Aluminum frame w/clear poly insert		48 x 66"	RSD4266FHC/CP/WW			☐ ☐	24.0#	\$ 1372			N/A	
 HRDPT	Door Threshold - Provides extra stability for attaching panels in a continous run - Available in door widths only - Extruded aluminum door threshold with rubber seal strip - Attaches to bottom of door frame - SX Starlight Silver finish is only offered on flat aluminum trim		36"	PDRTH36	☐ ☐			1.0#	\$ 81		\$	64	
			42"	PDRTH42	☐ ☐			2.0#	83			84	
 HRDPT	Coat Hooks/Picture Hanger - Attaches under the top cap of the panel to support coat hangers - Translucent plastic only - Lock device holds hook securely to panel - Can also be used to hang a picture (30# weight limit)			PCH.CL				1.0#	\$ 3			N/A	
				A	B	C	D						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select frame color.
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designa-tors followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.
Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way and End-of-Run



Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

			MODEL NUMBER													
			Basic Model	Trim Color	Fabric Color	Assembly	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price		
	End-of-Run Condition • Unupholstered: trim colored • End-of-run trim • Top cap • Full-height post • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PEP30	☐			5.0#	\$ 108							\$ 40	
		36"	PEP36	☐			5.0#	118							41	
		42"	PEP42	☐			7.0#	125							49	
		48"	PEP48	☐			7.0#	145							49	
		54"	PEP54	☐			9.0#	148							52	
		60"	PEP60	☐			9.0#	127							53	
		66"	PEP66	☐			11.0#	161							61	
		72"	PEP72	☐			11.0#	198							64	
		78"	PEP78	☐			11.0#	162							65	
		84"	PEP84	☐			13.0#	225							67	
	90° 2-Way "L" Corner, Both Panels Same Height • Unupholsted: trim colored • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCP9030	☐		☐	7.0#	\$ 230						\$ 78		
		36"	PCP9036	☐		☐	7.0#	242							80	
		42"	PCP9042	☐		☐	10.0#	282							80	
		48"	PCP9048	☐		☐	10.0#	301							108	
		54"	PCP9054	☐		☐	13.0#	335							111	
		60"	PCP9060	☐		☐	13.0#	310							112	
		66"	PCP9066	☐		☐	16.0#	345							115	
		72"	PCP9072	☐		☐	16.0#	361							121	
		78"	PCP9078	☐		☐	16.0#	379							123	
		84"	PCP9084	☐		☐	20.0#	433							124	
	90° 2-Way "L" Corner, Both Panels Same Height • Upholsted • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCPF9030	☐	☐	☐	7.0#	N/A	\$ 311	\$ 320	\$ 321	\$ 324	\$ 339	\$ 43		
		36"	PCPF9036	☐	☐	☐	7.0#	N/A	322	325	329	339	351	43		
		42"	PCPF9042	☐	☐	☐	10.0#	N/A	402	407	414	424	432	43		
		48"	PCPF9048	☐	☐	☐	10.0#	N/A	421	427	430	434	453	43		
		54"	PCPF9054	☐	☐	☐	13.0#	N/A	456	463	467	475	487	43		
		60"	PCPF9060	☐	☐	☐	13.0#	N/A	415	424	426	433	441	43		
		66"	PCPF9066	☐	☐	☐	16.0#	N/A	466	474	478	487	501	43		
		72"	PCPF9072	☐	☐	☐	16.0#	N/A	487	498	502	516	528	43		
		78"	PCPF9078	☐	☐	☐	16.0#	N/A	492	501	503	518	532	43		
		84"	PCPF9084	☐	☐	☐	20.0#	N/A	568	579	583	597	614	43		

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to **ki.com/fabrics**
- D** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$79 |
| U | - Unassembled |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

90° 2-Way



Preconfigured Intersection Conditions

90° 2-Way

			MODEL NUMBER						Metallic Paint add to list price
MODEL	A	B	A-B	Basic Model	Trim Color	Approx. Packaged Weight		Delivered Pricing	
 PTN	90° 2-Way “L” Corner, Two Different Heights	36”	30”	6”	PCPV903036	☐ ☐	9.0#	\$ 287	\$ 100
		42”	30”	12”	PCPV903042	☐ ☐	9.0#	309	102
	• Unupholstered: trim colored	48”	30”	18”	PCPV903048	☐ ☐	9.0#	359	127
	• 1-way cap	54”	30”	24”	PCPV903054	☐ ☐	11.0#	391	130
	• 90° corner base trim	60”	30”	30”	PCPV903060	☐ ☐	13.0#	397	133
	• Two pieces of universal trim	66”	30”	36”	PCPV903066	☐ ☐	13.0#	404	133
	• One piece of universal height change trim	72”	30”	42”	PCPV903072	☐ ☐	13.0#	452	155
	• One half-post (height A)	78”	30”	48”	PCPV903078	☐ ☐	13.0#	482	157
	• One half-post (height B)	84”	30”	54”	PCPV903084	☐ ☐	16.0#	511	159
	• Connecting hardware	42”	36”	6”	PCPV903642	☐ ☐	16.0#	309	100
	• SX Starlight Silver finish is only offered on flat aluminum trim	48”	36”	12”	PCPV903648	☐ ☐	16.0#	322	127
		54”	36”	18”	PCPV903654	☐ ☐	16.0#	391	130
		60”	36”	24”	PCPV903660	☐ ☐	16.0#	397	133
		66”	36”	30”	PCPV903666	☐ ☐	16.0#	403	133
		72”	36”	36”	PCPV903672	☐ ☐	16.0#	424	137
		78”	36”	42”	PCPV903678	☐ ☐	16.0#	467	150
		84”	36”	48”	PCPV903684	☐ ☐	16.0#	516	159
		48”	42”	6”	PCPV904248	☐ ☐	12.0#	341	125
		54”	42”	12”	PCPV904254	☐ ☐	12.0#	373	130
		60”	42”	18”	PCPV904260	☐ ☐	14.0#	402	131
		66”	42”	24”	PCPV904266	☐ ☐	14.0#	428	132
		72”	42”	30”	PCPV904272	☐ ☐	14.0#	461	137
		78”	42”	36”	PCPV904278	☐ ☐	14.0#	490	150
		84”	42”	42”	PCPV904284	☐ ☐	17.0#	522	158
		54”	48”	6”	PCPV904854	☐ ☐	17.0#	377	129
		60”	48”	12”	PCPV904860	☐ ☐	17.0#	402	131
		66”	48”	18”	PCPV904866	☐ ☐	17.0#	425	132
		72”	48”	24”	PCPV904872	☐ ☐	17.0#	435	134
		78”	48”	30”	PCPV904878	☐ ☐	17.0#	467	137
		84”	48”	36”	PCPV904884	☐ ☐	17.0#	497	143

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

90° 2-Way



Preconfigured Intersection Conditions

90° 2-Way

			MODEL NUMBER						
			Basic Model	Trim Color					Metallic Paint add to list price
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing		
 PTN	90° 2-Way “L” Corner, Two Different Heights • Unupholstered: trim colored • 1-way cap • 90° corner base trim • Two pieces of universal trim • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	60” 54” 6”	PCPV905460	☐ ☐	15.0#	\$ 377	\$	132	
		66” 54” 12”	PCPV905466	☐ ☐	15.0#	387		132	
		72” 54” 18”	PCPV905472	☐ ☐	15.0#	435		134	
		78” 54” 24”	PCPV905478	☐ ☐	15.0#	466		137	
		84” 54” 30”	PCPV905484	☐ ☐	18.0#	496		143	
		66” 60” 6”	PCPV906066	☐ ☐	18.0#	351		133	
		72” 60” 12”	PCPV906072	☐ ☐	18.0#	373		137	
		78” 60” 18”	PCPV906078	☐ ☐	18.0#	421		143	
		84” 60” 24”	PCPV906084	☐ ☐	18.0#	447		148	
		72” 66” 6”	PCPV906672	☐ ☐	18.0#	452		143	
		78” 66” 12”	PCPV906678	☐ ☐	18.0#	387		148	
		84” 66” 18”	PCPV906684	☐ ☐	19.0#	473		152	
		78” 72” 12”	PCPV907278	☐ ☐	19.0#	420		153	
		84” 72” 12”	PCPV907284	☐ ☐	19.0#	485		155	
		84” 78” 6”	PCPV907884	☐ ☐	19.0#	441		158	
					A	B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

90° 2-Way



Preconfigured Intersection Conditions

90° 2-Way

			MODEL NUMBER										
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
 PTNF	90° 2-Way “L” Corner, Two Different Heights			PCPVF903036	☐	☐	9.0#	\$ 427	\$ 433	\$ 435	\$ 442	\$ 461	\$ 43
				PCPVF903042	☐	☐	9.0#	485	496	498	509	525	43
	• Upholstered			PCPVF903048	☐	☐	9.0#	532	541	547	557	575	43
	• 1-way cap			PCPVF903054	☐	☐	11.0#	568	581	586	597	614	43
	• 90° corner base trim			PCPVF903060	☐	☐	11.0#	490	500	502	516	529	43
	• Two fabric-wrapped pieces of universal trim			PCPVF903066	☐	☐	13.0#	591	602	607	618	637	43
	• One fabric-wrapped piece of universal height change trim			PCPVF903072	☐	☐	13.0#	637	650	659	667	686	43
	• One half-post (height A)			PCPVF903078	☐	☐	13.0#	589	599	606	617	637	43
	• One half-post (height B)			PCPVF903084	☐	☐	16.0#	709	722	729	741	765	43
	• Connecting hardware			PCPVF903642	☐	☐	16.0#	487	498	501	514	528	43
	• SX Starlight Silver finish is only offered on flat aluminum trim			PCPVF903648	☐	☐	16.0#	496	503	509	522	535	43
				PCPVF903654	☐	☐	16.0#	565	579	583	597	609	43
				PCPVF903660	☐	☐	16.0#	490	500	502	516	529	43
				PCPVF903666	☐	☐	16.0#	588	599	603	616	632	43
				PCPVF903672	☐	☐	16.0#	606	617	624	637	657	43
				PCPVF903678	☐	☐	16.0#	581	591	599	608	629	43
				PCPVF903684	☐	☐	16.0#	713	725	734	744	766	43
				PCPVF904248	☐	☐	16.0#	516	525	529	541	555	43
				PCPVF904254	☐	☐	12.0#	543	552	559	574	588	43
				PCPVF904260	☐	☐	12.0#	516	525	528	538	555	43
				PCPVF904266	☐	☐	14.0#	615	624	630	643	663	43
				PCPVF904272	☐	☐	14.0#	649	662	667	676	697	43
				PCPVF904278	☐	☐	14.0#	581	591	599	608	629	43
				PCPVF904284	☐	☐	17.0#	716	729	737	751	776	43
				PCPVF904854	☐	☐	17.0#	555	565	569	583	601	43
				PCPVF904860	☐	☐	17.0#	486	497	500	509	526	43
				PCPVF904866	☐	☐	17.0#	603	616	620	634	656	43
				PCPVF904872	☐	☐	17.0#	620	634	643	658	670	43
				PCPVF904878	☐	☐	17.0#	579	589	597	607	620	43
				PCPVF904884	☐	☐	17.0#	692	705	715	727	747	43

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

90° 2-Way



Preconfigured Intersection Conditions

90° 2-Way

				MODEL NUMBER										
MODEL		A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
 PTNF	90° 2-Way “L” Corner, Two Different Heights • Upholstered • 1-way cap • 90° corner base trim • Two fabric-wrapped pieces of universal trim • One fabric-wrapped piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	60”	54”	6”	PCPVF905460	□□	□□□□□	15.0#	\$ 486	\$ 497	\$ 500	\$ 509	\$ 526	\$ 43
		66”	54”	12”	PCPVF905466	□□	□□□□□	15.0#	568	579	583	597	614	43
		72”	54”	18”	PCPVF905472	□□	□□□□□	15.0#	619	634	642	657	669	43
		78”	54”	24”	PCPVF905478	□□	□□□□□	15.0#	577	588	595	606	619	43
		84”	54”	30”	PCPVF905484	□□	□□□□□	18.0#	686	699	709	722	741	43
		66”	60”	36”	PCPVF906066	□□	□□□□□	18.0#	492	501	503	518	532	43
		72”	60”	12”	PCPVF906072	□□	□□□□□	18.0#	523	532	535	547	562	43
		78”	60”	18”	PCPVF906078	□□	□□□□□	18.0#	575	586	592	603	617	43
		84”	60”	24”	PCPVF906084	□□	□□□□□	18.0#	603	615	619	634	656	43
		72”	66”	6”	PCPVF906672	□□	□□□□□	19.0#	586	597	602	615	630	43
		78”	66”	12”	PCPVF906678	□□	□□□□□	19.0#	542	552	561	574	588	43
		84”	66”	18”	PCPVF906684	□□	□□□□□	19.0#	617	630	640	657	670	43
		78”	72”	6”	PCPVF907278	□□	□□□□□	19.0#	574	582	591	602	616	43
		84”	72”	12”	PCPVF907284	□□	□□□□□	19.0#	656	663	669	683	700	43
		84”	78”	6”	PCPVF907884	□□	□□□□□	19.0#	599	608	615	629	648	43

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

Off-Module Post



Preconfigured Intersection Conditions

Off-Module Post

		MODEL NUMBER					
		Basic Model	Trim Color				
MODEL	H			Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price	
	Off-Module Post	30"	POMP30	☐ ☐	3.0#	\$ 295	\$ 11
	• For use with standard, rounded plastic trim only (remainder of panel a& trim ordered separately)	36"	POMP36	☐ ☐	3.0#	299	11
		42"	POMP42	☐ ☐	4.0#	306	11
	• Includes plastic off-module top cap for covering gap at panel connection	48"	POMP48	☐ ☐	4.0#	315	11
	• Minimal gap at panel connection	54"	POMP54	☐ ☐	5.0#	320	11
	• Cannot be used with glass dividers	60"	POMP60	☐ ☐	5.0#	349	11
		66"	POMP66	☐ ☐	6.0#	324	11
		72"	POMP72	☐ ☐	6.0#	327	11
		78"	POMP78	☐ ☐	6.0#	357	11
		84"	POMP84	☐ ☐	7.0#	341	11
PTN							
	Off-Module Post	30"	POMPS.30	☐ ☐	4.0#	\$ 456	N/A
	• For use with standard, rounded plastic or flat aluminum tri (remainder of panel & trim ordered separately)	36"	POMPS.36	☐ ☐	5.0#	468	N/A
		42"	POMPS.42	☐ ☐	6.0#	482	N/A
	• Includes rounded plastic off-module top cap for covering gap at panel connection (if using flat aluminum trim, also order off-module top cap 46-5414.xx)	48"	POMPS.48	☐ ☐	7.0#	502	N/A
		54"	POMPS.54	☐ ☐	8.0#	516	N/A
		60"	POMPS.60	☐ ☐	9.0#	525	N/A
	• 1" gap w/light block at panel connection	66"	POMPS.66	☐ ☐	10.0#	555	N/A
	• Allows glass divider installations	72"	POMPS.72	☐ ☐	11.0#	575	N/A
		78"	POMPS.78	☐ ☐	12.0#	588	N/A
		84"	POMPS.84	☐ ☐	13.0#	603	N/A
HRDPT							
		A	B				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

Adjustable Wall Mount and Stabilizer Weldment



Preconfigured Intersection Conditions

Adjustable Wall Mount and Stabilizer Weldment

			MODEL NUMBER					
			Basic Model	Trim Color				
MODEL	W x H x D				Approx. Packaged Weight		Delivered Pricing	Metallic Paint add to list price
 HRDPT	Wall Track	2 1/2 x 31 x 1"	PWT30	☐	2.0#		\$ 44	\$ 16
	• Double slotted track accommodates wall mounting of overhead components and worksurfaces	2 1/2 x 37 x 1"	PWT36	☐	2.0#		48	16
		2 1/2 x 43 x 1"	PWT42	☐	3.0#		49	23
	• Steel construction with painted finish	2 1/2 x 49 x 1"	PWT48	☐	3.0#		51	28
	• No hardware for wall attachment is included	2 1/2 x 55 x 1"	PWT54	☐	3.0#		53	34
	• See installation guidelines	2 1/2 x 61 x 1"	PWT60	☐	4.0#		56	39
	• SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 67 x 1"	PWT66	☐	4.0#		64	41
		2 1/2 x 73 x 1"	PWT72	☐	4.0#		65	42
		2 1/2 x 79 x 1"	PWT78	☐	5.0#		67	43
		2 1/2 x 85 x 1"	PWT84	☐	5.0#		68	43
 HRDPT	Adjustable Wall Mount	2 1/2 x 30 x 1"	PWM30	☐	11.0#		\$ 198	\$ 42
	• Attaches a panel to a wall at the start of a run	2 1/2 x 36 x 1"	PWM36	☐	13.0#		202	42
	• Includes mounting plate and half-post	2 1/2 x 42 x 1"	PWM42	☐	15.0#		225	67
	• Steel construction with painted finish	2 1/2 x 48 x 1"	PWM48	☐	17.0#		230	69
	• Hardware for wall attachment is not included	2 1/2 x 54 x 1"	PWM54	☐	19.0#		233	69
	• Adjustable up to 3/4" to correct wall deflection	2 1/2 x 60 x 1"	PWM60	☐	23.0#		301	73
		2 1/2 x 66 x 1"	PWM66	☐	23.0#		301	77
	• SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 72 x 1"	PWM72	☐	25.0#		345	79
		2 1/2 x 78 x 1"	PWM78	☐	23.0#		353	81
		2 1/2 x 84 x 1"	PWM84	☐	30.0#		366	84
 HRDPT	Stabilizer Weldment		PSB		1.0#		\$ 165	N/A
	• Anchors to floor and attaches to vertical post of panel for added stability on run							
	• Includes hardware							
	• Black							

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

180° 2-Way



Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER							
MODEL			A	B	A-B	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	180° 2-Way In-Line Connection, Both Panels Same Height • Unupholstered • Full-height post	30"			PFP30		4.0#	\$ 68	N/A	
		36"			PFP36		5.0#	75	N/A	
		42"			PFP42		5.0#	79	N/A	
		48"			PFP48		6.0#	83	N/A	
		54"			PFP54		6.0#	93	N/A	
		66"			PFP66		7.0#	105	N/A	
		72"			PFP72		8.0#	110	N/A	
		84"			PFP84		9.0#	121	N/A	
PTN										
	180° 2-Way In-Line Connection, Two Different Heights • Unupholstered: trim colored • Full height post • In-line height change trim • In-line height change bottom cap • End-of-run top cap • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			PFPV3036	☐ ☐	4.0#	\$ 84	\$ 49	
		42" 30" 12"			PFPV3042	☐ ☐	6.0#	100	52	
		48" 30" 18"			PFPV3048	☐ ☐	6.0#	111	52	
		54" 30" 24"			PFPV3054	☐ ☐	7.0#	123	52	
		66" 30" 36"			PFPV3066	☐ ☐	8.0#	145	54	
		72" 30" 42"			PFPV3072	☐ ☐	10.0#	158	67	
		84" 30" 54"			PFPV3084	☐ ☐	11.0#	180	68	
		42" 36" 6"			PFPV3642	☐ ☐	5.0#	94	49	
		48" 36" 12"			PFPV3648	☐ ☐	6.0#	107	52	
		54" 36" 18"			PFPV3654	☐ ☐	7.0#	118	52	
		66" 36" 30"			PFPV3666	☐ ☐	8.0#	140	53	
		72" 36" 36"			PFPV3672	☐ ☐	9.0#	152	54	
		84" 36" 48"			PFPV3684	☐ ☐	11.0#	174	67	
		48" 42" 6"			PFPV4248	☐ ☐	6.0#	100	49	
		54" 42" 12"			PFPV4254	☐ ☐	7.0#	111	52	
		66" 42" 24"			PFPV4266	☐ ☐	8.0#	133	52	
		72" 42" 30"			PFPV4272	☐ ☐	9.0#	145	53	
		84" 42" 42"			PFPV4284	☐ ☐	11.0#	171	67	
		54" 48" 6"			PFPV4854	☐ ☐	6.0#	107	49	
		66" 48" 18"			PFPV4866	☐ ☐	8.0#	129	52	
		72" 48" 24"			PFPV4872	☐ ☐	9.0#	140	52	
		84" 48" 36"			PFPV4884	☐ ☐	11.0#	165	53	
		66" 54" 12"			PFPV5466	☐ ☐	8.0#	123	52	
		72" 54" 18"			PFPV5472	☐ ☐	9.0#	133	52	
		84" 54" 30"			PFPV5484	☐ ☐	11.0#	158	53	
		72" 66" 6"			PFPV6672	☐ ☐	8.0#	123	49	
		84" 66" 18"			PFPV6684	☐ ☐	10.0#	145	52	
		84" 72" 12"			PFPV7284	☐ ☐	10.0#	140	52	

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

180° 2-Way



Preconfigured Intersection Conditions

180° 2-Way

		MODEL NUMBER													
		Basic Model	Assembly	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price		
	MODEL	A													
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSP18030	☐	☐	7.0#	\$ 233						\$ 87		
	• Unupholstered: trim colored	36"	PSP18036	☐	☐	9.0#	246						92		
	• 180° top cap	42"	PSP18042	☐	☐	10.0#	284						92		
	• Two pieces of universal trim	48"	PSP18048	☐	☐	13.0#	306						115		
	• Two pieces of 3-way base trim	54"	PSP18054	☐	☐	15.0#	341						121		
	• Two half-posts	66"	PSP18066	☐	☐	16.0#	349						124		
	• Connecting hardware	72"	PSP18072	☐	☐	18.0#	366						127		
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	PSP18084	☐	☐	20.0#	435						130		
PTN															
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSPF18030	☐	☐	☐	7.0#	N/A	\$ 319	\$ 322	\$ 324	\$ 329	\$ 345	\$ 49	
	• Upholstered	36"	PSPF18036	☐	☐	☐	9.0#	N/A	325	335	339	345	355	49	
	• 180° top cap	42"	PSPF18042	☐	☐	☐	10.0#	N/A	404	414	417	427	435	49	
	• Two fabric-wrapped pieces of universal trim	48"	PSPF18048	☐	☐	☐	13.0#	N/A	425	430	434	441	458	49	
	• Two pieces of 3-way base trim	54"	PSPF18054	☐	☐	☐	15.0#	N/A	458	467	471	483	496	49	
	• Two half-posts	66"	PSPF18066	☐	☐	☐	16.0#	N/A	471	482	484	496	505	49	
	• Connecting hardware	72"	PSPF18072	☐	☐	☐	18.0#	N/A	496	502	505	519	534	49	
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	PSPF18084	☐	☐	☐	20.0#	N/A	574	583	589	602	616	49	
PTNF															
			A	B	C	D									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$79 |
| U | - Unassembled |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- D** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

180° 2-Way



Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER							Metallic Paint add to list price
MODEL	A	B	A-B	Basic Model	Trim Color	Approx. Packaged Weight		Delivered Pricing		
 PTN	180° 2-Way In-Line Spacer, Two Different Heights	36"	30"	6"	PSPV1803036	☐ ☐	10.0#	\$ 260		\$ 107
		42"	30"	12"	PSPV1803042	☐ ☐	9.0#	311		108
	• Unupholstered: trim colored • Two pieces of 3-way base trim • 1-way top cap • Two pieces of universal trim • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	48"	30"	18"	PSPV1803048	☐ ☐	12.0#	321		132
		54"	30"	24"	PSPV1803054	☐ ☐	11.0#	394		134
		66"	30"	36"	PSPV1803066	☐ ☐	13.0#	406		143
		72"	30"	42"	PSPV1803072	☐ ☐	17.0#	395		160
		84"	30"	54"	PSPV1803084	☐ ☐	16.0#	511		165
		42"	36"	6"	PSPV1803642	☐ ☐	11.0#	311		107
		48"	36"	12"	PSPV1803648	☐ ☐	12.0#	321		132
		54"	36"	18"	PSPV1803654	☐ ☐	14.0#	391		134
		66"	36"	30"	PSPV1803666	☐ ☐	16.0#	403		143
		72"	36"	36"	PSPV1803672	☐ ☐	17.0#	398		148
		84"	36"	48"	PSPV1803684	☐ ☐	19.0#	518		165
		48"	42"	6"	PSPV1804248	☐ ☐	13.0#	321		131
		54"	42"	12"	PSPV1804254	☐ ☐	12.0#	355		134
		66"	42"	24"	PSPV1804266	☐ ☐	14.0#	421		140
		72"	42"	30"	PSPV1804272	☐ ☐	18.0#	456		148
		84"	42"	42"	PSPV1804284	☐ ☐	17.0#	523		162
		54"	48"	6"	PSPV1804854	☐ ☐	14.0#	379		133
		66"	48"	18"	PSPV1804866	☐ ☐	17.0#	426		140
		72"	48"	24"	PSPV1804872	☐ ☐	18.0#	382		145
		84"	48"	36"	PSPV1804884	☐ ☐	20.0#	498		153
		66"	54"	12"	PSPV1805466	☐ ☐	15.0#	387		140
		72"	54"	18"	PSPV1805472	☐ ☐	18.0#	382		145
		84"	54"	30"	PSPV1805484	☐ ☐	18.0#	496		153
		72"	66"	6"	PSPV1806672	☐ ☐	18.0#	379		143
		84"	66"	18"	PSPV1806684	☐ ☐	19.0#	458		150
		84"	72"	12"	PSPV1807284	☐ ☐	21.0#	483		150

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

180° 2-Way



Preconfigured Intersection Conditions

180° 2-Way

				MODEL NUMBER										
				Basic Model	Trim Color	Fabric Color								
MODEL				A	B	A-B	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price	
 PTNF	180° 2-Way In-Line Spacer, Two Different Heights • Upholstered • Two pieces of 3-way base trim • 1-way top cap • Two fabric-wrapped pieces of universal trim • One fabric-wrapped piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim			36" 30" 6"	PSPVF1803036	☐ ☐	☐ ☐ ☐ ☐	10.0#	\$ 357	\$ 364	\$ 365	\$ 373	\$ 384	\$ 49
				42" 30" 12"	PSPVF1803042	☐ ☐	☐ ☐ ☐ ☐	9.0#	485	496	500	509	524	49
				48" 30" 18"	PSPVF1803048	☐ ☐	☐ ☐ ☐ ☐	12.0#	404	414	417	426	434	49
				54" 30" 24"	PSPVF1803054	☐ ☐	☐ ☐ ☐ ☐	11.0#	568	581	586	599	615	49
				66" 30" 36"	PSPVF1803066	☐ ☐	☐ ☐ ☐ ☐	13.0#	591	602	607	618	637	49
				72" 30" 42"	PSPVF1803072	☐ ☐	☐ ☐ ☐ ☐	17.0#	453	463	466	475	487	49
				84" 30" 54"	PSPVF1803084	☐ ☐	☐ ☐ ☐ ☐	16.0#	709	722	731	741	765	49
				42" 36" 6"	PSPVF1803642	☐ ☐	☐ ☐ ☐ ☐	11.0#	391	398	403	414	425	49
				48" 36" 12"	PSPVF1803648	☐ ☐	☐ ☐ ☐ ☐	12.0#	402	407	414	424	432	49
				54" 36" 18"	PSPVF1803654	☐ ☐	☐ ☐ ☐ ☐	14.0#	427	433	435	442	461	49
				66" 36" 30"	PSPVF1803666	☐ ☐	☐ ☐ ☐ ☐	16.0#	438	447	456	465	475	49
				72" 36" 36"	PSPVF1803672	☐ ☐	☐ ☐ ☐ ☐	17.0#	457	465	468	478	492	49
				84" 36" 48"	PSPVF1803684	☐ ☐	☐ ☐ ☐ ☐	19.0#	505	518	523	534	548	49
				48" 42" 6"	PSPVF1804248	☐ ☐	☐ ☐ ☐ ☐	13.0#	404	414	417	426	434	49
				54" 42" 12"	PSPVF1804254	☐ ☐	☐ ☐ ☐ ☐	12.0#	457	467	473	484	500	49
				66" 42" 24"	PSPVF1804266	☐ ☐	☐ ☐ ☐ ☐	14.0#	559	574	581	591	607	49
				72" 42" 30"	PSPVF1804272	☐ ☐	☐ ☐ ☐ ☐	18.0#	609	617	620	632	648	49
				84" 42" 42"	PSPVF1804284	☐ ☐	☐ ☐ ☐ ☐	17.0#	716	729	737	751	776	49
				54" 48" 6"	PSPVF1804854	☐ ☐	☐ ☐ ☐ ☐	14.0#	432	436	440	456	466	49
				66" 48" 18"	PSPVF1804866	☐ ☐	☐ ☐ ☐ ☐	17.0#	442	456	458	468	483	49
				72" 48" 24"	PSPVF1804872	☐ ☐	☐ ☐ ☐ ☐	18.0#	458	466	471	482	492	49
				84" 48" 36"	PSPVF1804884	☐ ☐	☐ ☐ ☐ ☐	20.0#	505	518	523	534	548	49
				66" 54" 12"	PSPVF1805466	☐ ☐	☐ ☐ ☐ ☐	15.0#	568	581	586	599	614	49
				72" 54" 18"	PSPVF1805472	☐ ☐	☐ ☐ ☐ ☐	18.0#	457	466	468	482	492	49
				84" 54" 30"	PSPVF1805484	☐ ☐	☐ ☐ ☐ ☐	18.0#	688	700	709	725	741	49
				72" 66" 6"	PSPVF1806672	☐ ☐	☐ ☐ ☐ ☐	18.0#	453	463	466	475	487	49
				84" 66" 18"	PSPVF1806684	☐ ☐	☐ ☐ ☐ ☐	19.0#	468	483	487	501	525	49
				84" 72" 12"	PSPVF1807284	☐ ☐	☐ ☐ ☐ ☐	21.0#	486	497	500	511	526	49

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

		MODEL NUMBER														
		Basic Model	Assembly	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price			
	PTN	3-Way “T” Intersection w/3-Way Cap, All Panels Same Height - AAA • Unupholstered • 3-way top cap • 3-way base trim • One piece of universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30”	PTP3W30	☐	☐		9.0#	\$ 253						\$ 52	
			36”	PTP3W36	☐	☐		9.0#	274							
			42”	PTP3W42	☐	☐		12.0#	306							
			48”	PTP3W48	☐	☐		12.0#	341							
			54”	PTP3W54	☐	☐		15.0#	361							
			60”	PTP3W60	☐	☐		15.0#	322							
			66”	PTP3W66	☐	☐		18.0#	374							
			72”	PTP3W72	☐	☐		18.0#	384							
			78”	PTP3W78	☐	☐		18.0#	391							
			84”	PTP3W84	☐	☐		22.0#	465							
	PTF	3-Way “T” Intersection w/3-Way Cap, All Panels Same Height - AAA • Upholstered • 3-way top cap • 3-way base trim • One piece of fabric-wrapped universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30”	PTPF3W30	☐	☐	☐	☐	9.0#	N/A	\$ 297	\$ 301	\$ 306	\$ 312	\$ 322	\$ 36
			36”	PTPF3W36	☐	☐	☐	☐	9.0#	N/A	311	320	321	324	339	36
			42”	PTPF3W42	☐	☐	☐	☐	12.0#	N/A	365	373	376	382	395	36
			48”	PTPF3W48	☐	☐	☐	☐	12.0#	N/A	397	404	407	420	428	36
			54”	PTPF3W54	☐	☐	☐	☐	15.0#	N/A	424	430	433	438	457	36
			60”	PTPF3W60	☐	☐	☐	☐	15.0#	N/A	376	381	384	395	406	36
			66”	PTPF3W66	☐	☐	☐	☐	18.0#	N/A	433	440	442	458	468	36
			72”	PTPF3W72	☐	☐	☐	☐	18.0#	N/A	447	458	463	473	484	36
			78”	PTPF3W78	☐	☐	☐	☐	18.0#	N/A	447	457	461	468	485	36
			84”	PTPF3W84	☐	☐	☐	☐	22.0#	N/A	529	541	547	557	574	36
					A	B	C	D								

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$102 |
| U | - Unassembled |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- D** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER						Metallic Paint add to list price
MODEL	A	B	A-B	Basic Model	Trim Color	Approx. Packaged Weight		Delivered Pricing	
 PTN	3-Way “T” Intersection w/90° Top Cap, Two Different Heights - BAA			PTPV903036	☐	10.0#		\$ 315	\$ 69
				PTPV903042	☐	10.0#		327	71
	• Unupholstered: trim colored • 90° top cap • 3-way base trim • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim			PTPV903048	☐	11.0#		353	84
				PTPV903054	☐	12.0#		417	87
				PTPV903066	☐	14.0#		432	92
				PTPV903072	☐	12.0#		467	105
				PTPV903084	☐	16.0#		534	108
				PTPV903642	☐	14.0#		366	69
				PTPV903648	☐	16.0#		391	84
				PTPV903654	☐	14.0#		420	87
				PTPV903666	☐	16.0#		432	92
				PTPV903672	☐	18.0#		457	93
				PTPV903684	☐	17.0#		501	108
				PTPV904248	☐	19.0#		391	80
				PTPV904254	☐	14.0#		411	87
				PTPV904266	☐	16.0#		428	90
				PTPV904272	☐	22.0#		447	93
				PTPV904284	☐	18.0#		543	107
				PTPV904854	☐	10.0#		426	84
				PTPV904866	☐	12.0#		436	90
				PTPV904872	☐	14.0#		467	92
				PTPV904884	☐	16.0#		503	94
				PTPV905466	☐	17.0#		424	90
				PTPV905472	☐	14.0#		436	92
				PTPV905484	☐	19.0#		522	94
				PTPV906672	☐	16.0#		433	90
				PTPV906684	☐	22.0#		467	93
				PTPV907284	☐	18.0#		496	93

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER										
			Basic Model	Trim Color	Fabric Color								
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price	
 PTNF	3-Way “T” Intersection w/90° Top Cap, Two Different Heights - BAA		36” 30” 6”	PTPVF903036	☐	☐	12.0#	\$ 414	\$ 421	\$ 425	\$ 432	\$ 440	\$ 36
	• Upholstered		42” 30” 12”	PTPVF903042	☐	☐	11.0#	441	456	458	467	482	36
	• 90° top cap		48” 30” 18”	PTPVF903048	☐	☐	16.0#	501	514	518	528	542	36
	• 3-way base trim		54” 30” 24”	PTPVF903054	☐	☐	14.0#	529	538	543	555	574	36
	• One piece of fabric-wrapped universal trim		66” 30” 36”	PTPVF903066	☐	☐	17.0#	551	562	568	581	597	36
	• One piece of universal height change trim		72” 30” 42”	PTPVF903072	☐	☐	22.0#	516	525	529	541	555	36
	• Light block		84” 30” 54”	PTPVF903084	☐	☐	21.0#	660	669	676	692	713	36
	• Two half-posts (height A)		42” 36” 6”	PTPVF903642	☐	☐	14.0#	452	458	465	473	485	36
	• One half-post (height B)		48” 36” 12”	PTPVF903648	☐	☐	16.0#	467	474	482	490	502	36
	• Connecting hardware		54” 36” 18”	PTPVF903654	☐	☐	17.0#	496	502	509	522	534	36
	• SX Starlight Silver finish is only offered on flat aluminum trim		66” 36” 30”	PTPVF903666	☐	☐	20.0#	516	526	529	541	555	36
			72” 36” 36”	PTPVF903672	☐	☐	22.0#	519	529	534	547	561	36
			84” 36” 48”	PTPVF903684	☐	☐	25.0#	595	606	609	620	640	36
			48” 42” 6”	PTPVF904248	☐	☐	16.0#	468	478	483	492	505	36
			54” 42” 12”	PTPVF904254	☐	☐	15.0#	505	518	522	534	547	36
			66” 42” 24”	PTPVF904266	☐	☐	18.0#	563	577	582	592	608	36
			72” 42” 30”	PTPVF904272	☐	☐	23.0#	602	608	614	620	637	36
			84” 42” 42”	PTPVF904284	☐	☐	22.0#	668	678	690	704	722	36
			54” 48” 6”	PTPVF904854	☐	☐	18.0#	502	514	519	529	543	36
			66” 48” 18”	PTPVF904866	☐	☐	21.0#	523	532	537	548	562	36
			72” 48” 24”	PTPVF904872	☐	☐	23.0#	525	534	538	549	563	36
			84” 48” 36”	PTPVF904884	☐	☐	26.0#	597	607	614	624	642	36
			66” 54” 12”	PTPVF905466	☐	☐	18.0#	534	543	549	561	577	36
			72” 54” 18”	PTPVF905472	☐	☐	23.0#	523	532	537	548	562	36
			84” 54” 30”	PTPVF905484	☐	☐	22.0#	642	658	663	672	694	36
			72” 66” 6”	PTPVF906672	☐	☐	23.0#	519	529	534	547	561	36
			84” 66” 18”	PTPVF906684	☐	☐	23.0#	549	562	569	583	602	36
			84” 72” 12”	PTPVF907284	☐	☐	26.0#	579	589	595	607	620	36
			A	B	C								

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C**Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER						Metallic Paint add to list price
			Basic Model	Trim Color					
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing		
  PTN	3-Way “T” Intersection w/1-Way Cap, Two Different Heights - BBA or BAB • Unupholstered: trim colored • 1-way top cap • One piece of universal trim • Two pieces of universal height change trim • Light block • 3-way base trim • One half-post (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36” 30” 6”	PTPV1W3036	☐ ☐	12.0#	\$	320	\$ 87
			42” 30” 12”	PTPV1W3042	☐ ☐	10.0#		339	92
			48” 30” 18”	PTPV1W3048	☐ ☐	15.0#		387	104
			54” 30” 24”	PTPV1W3054	☐ ☐	14.0#		417	105
			66” 30” 36”	PTPV1W3066	☐ ☐	16.0#		435	110
			72” 30” 42”	PTPV1W3072	☐ ☐	20.0#		471	134
			84” 30” 54”	PTPV1W3084	☐ ☐	20.0#		534	143
			42” 36” 6”	PTPV1W3642	☐ ☐	14.0#		355	87
			48” 36” 12”	PTPV1W3648	☐ ☐	15.0#		373	104
			54” 36” 18”	PTPV1W3654	☐ ☐	16.0#		397	105
			66” 36” 30”	PTPV1W3666	☐ ☐	18.0#		452	110
			72” 36” 36”	PTPV1W3672	☐ ☐	20.0#		497	111
			84” 36” 48”	PTPV1W3684	☐ ☐	23.0#		559	143
			48” 42” 6”	PTPV1W4248	☐ ☐	16.0#		373	100
			54” 42” 12”	PTPV1W4254	☐ ☐	13.0#		395	105
			66” 42” 24”	PTPV1W4266	☐ ☐	15.0#		452	107
			72” 42” 30”	PTPV1W4272	☐ ☐	21.0#		484	111
			84” 42” 42”	PTPV1W4284	☐ ☐	17.0#		538	137
			54” 48” 6”	PTPV1W4854	☐ ☐	17.0#		441	102
			66” 48” 18”	PTPV1W4866	☐ ☐	20.0#		465	107
			72” 48” 24”	PTPV1W4872	☐ ☐	21.0#		473	108
			84” 48” 36”	PTPV1W4884	☐ ☐	23.0#		528	112
			66” 54” 12”	PTPV1W5466	☐ ☐	18.0#		430	107
			72” 54” 18”	PTPV1W5472	☐ ☐	22.0#		471	108
			84” 54” 30”	PTPV1W5484	☐ ☐	20.0#		525	112
			72” 66” 6”	PTPV1W6672	☐ ☐	23.0#		465	105
			84” 66” 18”	PTPV1W6684	☐ ☐	21.0#		484	110
			84” 72” 12”	PTPV1W7284	☐ ☐	26.0#		500	112

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER														
			Basic Model	Trim Color	Fabric Color												
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price					
  PTNF	3-Way “T” Intersection w/1-Way Cap, Two Different Heights - BBA or BAB • Upholstered • 1-way top cap • One fabric-wrapped piece of universal trim • Two fabric-wrapped pieces of universal height change trim • Light block • 3-way base trim • One half-post (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36” 30” 6”	PTPVF1W3036	☐	☐	12.0#	\$ 406	\$ 415	\$ 420	\$ 427	\$ 435	\$ 36					
		42” 30” 12”	PTPVF1W3042	☐	☐	10.0#	505	518	523	534	548	36					
		48” 30” 18”	PTPVF1W3048	☐	☐	15.0#	562	575	581	591	607	36					
		54” 30” 24”	PTPVF1W3054	☐	☐	14.0#	591	602	607	618	637	36					
		66” 30” 36”	PTPVF1W3066	☐	☐	16.0#	619	632	639	656	668	36					
		72” 30” 42”	PTPVF1W3072	☐	☐	20.0#	496	502	509	522	534	36					
		84” 30” 54”	PTPVF1W3084	☐	☐	20.0#	725	734	737	751	766	36					
		42” 36” 6”	PTPVF1W3642	☐	☐	14.0#	442	457	461	471	484	36					
		48” 36” 12”	PTPVF1W3648	☐	☐	15.0#	456	465	467	478	490	36					
		54” 36” 18”	PTPVF1W3654	☐	☐	16.0#	475	485	490	501	516	36					
		66” 36” 30”	PTPVF1W3666	☐	☐	18.0#	496	502	505	519	534	36					
		72” 36” 36”	PTPVF1W3672	☐	☐	20.0#	501	511	518	528	542	36					
		84” 36” 48”	PTPVF1W3684	☐	☐	23.0#	557	569	581	592	615	36					
		48” 42” 6”	PTPVF1W4248	☐	☐	16.0#	461	468	473	484	497	36					
		54” 42” 12”	PTPVF1W4254	☐	☐	13.0#	502	516	519	532	548	36					
		66” 42” 24”	PTPVF1W4266	☐	☐	15.0#	595	606	609	624	643	36					
		72” 42” 30”	PTPVF1W4272	☐	☐	21.0#	639	649	657	664	676	36					
		84” 42” 42”	PTPVF1W4284	☐	☐	17.0#	729	740	751	764	788	36					
		54” 48” 6”	PTPVF1W4854	☐	☐	17.0#	500	509	516	526	541	36					
		66” 48” 18”	PTPVF1W4866	☐	☐	19.0#	516	525	529	541	555	36					
		72” 48” 24”	PTPVF1W4872	☐	☐	21.0#	522	532	537	548	562	36					
		84” 48” 36”	PTPVF1W4884	☐	☐	23.0#	574	582	588	601	616	36					
		66” 54” 12”	PTPVF1W5466	☐	☐	18.0#	602	614	617	630	650	36					
		72” 54” 18”	PTPVF1W5472	☐	☐	22.0#	525	534	538	549	563	36					
		84” 54” 30”	PTPVF1W5484	☐	☐	20.0#	709	725	731	744	766	36					
		72” 66” 6”	PTPVF1W6672	☐	☐	23.0#	525	534	538	549	563	36					
		84” 66” 18”	PTPVF1W6684	☐	☐	21.0#	541	552	562	577	599	36					
		84” 72” 12”	PTPVF1W7284	☐	☐	26.0#	557	568	575	588	602	36					
			A	B	C												

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C**Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER							Metallic Paint add to list price
			Basic Model	Trim Color						
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing			
 PTN	3-Way “T” Intersection w/180° Top Cap, Two Different Heights - ABA • Unupholstered: trim colored • 180° top cap • One piece of universal trim • One piece of universal height change trim • Light block • 3-way base trim • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36” 30” 6”	PTPV1803036	☐	☐	10.0#	\$	315	\$	69
		42” 30” 12”	PTPV1803042	☐	☐	10.0#		327		53
		48” 30” 18”	PTPV1803048	☐	☐	11.0#		353		84
		54” 30” 24”	PTPV1803054	☐	☐	12.0#		417		68
		66” 30” 36”	PTPV1803066	☐	☐	14.0#		432		69
		72” 30” 42”	PTPV1803072	☐	☐	12.0#		428		92
		84” 30” 54”	PTPV1803084	☐	☐	16.0#		534		73
		42” 36” 6”	PTPV1803642	☐	☐	14.0#		366		108
		48” 36” 12”	PTPV1803648	☐	☐	16.0#		391		69
		54” 36” 18”	PTPV1803654	☐	☐	14.0#		420		84
		66” 36” 30”	PTPV1803666	☐	☐	16.0#		432		87
		72” 36” 36”	PTPV1803672	☐	☐	18.0#		433		92
		84” 36” 48”	PTPV1803684	☐	☐	17.0#		501		93
		48” 42” 6”	PTPV1804248	☐	☐	19.0#		391		108
		54” 42” 12”	PTPV1804254	☐	☐	14.0#		420		68
		66” 42” 24”	PTPV1804266	☐	☐	16.0#		467		69
		72” 42” 30”	PTPV1804272	☐	☐	22.0#		492		90
		84” 42” 42”	PTPV1804284	☐	☐	18.0#		543		73
		54” 48” 6”	PTPV1804854	☐	☐	10.0#		426		107
		66” 48” 18”	PTPV1804866	☐	☐	12.0#		436		84
		72” 48” 24”	PTPV1804872	☐	☐	14.0#		436		90
		84” 48” 36”	PTPV1804884	☐	☐	16.0#		503		92
		66” 54” 12”	PTPV1805466	☐	☐	17.0#		424		94
		72” 54” 18”	PTPV1805472	☐	☐	14.0#		436		90
		84” 54” 30”	PTPV1805484	☐	☐	19.0#		522		92
		72” 66” 6”	PTPV1806672	☐	☐	16.0#		433		94
		84” 66” 18”	PTPV1806684	☐	☐	22.0#		466		90
		84” 72” 12”	PTPV1807284	☐	☐	18.0#		496		93

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

3-Way



Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER										Delivered Pricing Fabric Grade 1 & C.O.M.		Delivered Pricing Fabric Grade 2		Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV		Delivered Pricing Pallas Vertical Fabric Grade PV1		Delivered Pricing Pallas Vertical Fabric Grade PV2		Metallic Paint add to list price	
			Basic Model	Trim Color	Fabric Color																			
MODEL			A	B	A-B																			
 PTNF	3-Way “T” Intersection w/180° Top Cap, Two Different Heights - ABA • Upholstered • 180° top cap • One fabric-wrapped piece of universal trim • One fabric-wrapped piece of universal height change trim • Light block • 3-way base trim • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36” 30” 6”	PTPVF1803036	☐	☐	☐	☐	13.0#	\$	414	\$	424	\$	426	\$	433	\$	441	\$	36			
			42” 30” 12”	PTPVF1803042	☐	☐	☐	☐	10.0#		447		458		463		473		484		36			
			48” 30” 18”	PTPVF1803048	☐	☐	☐	☐	16.0#		503		518		522		532		547		36			
			54” 30” 24”	PTPVF1803054	☐	☐	☐	☐	12.0#		534		542		548		561		577		36			
			66” 30” 36”	PTPVF1803066	☐	☐	☐	☐	14.0#		555		565		574		583		601		36			
			72” 30” 42”	PTPVF1803072	☐	☐	☐	☐	23.0#		519		528		534		543		559		36			
			84” 30” 54”	PTPVF1803084	☐	☐	☐	☐	16.0#		663		672		683		695		715		36			
			42” 36” 6”	PTPVF1803642	☐	☐	☐	☐	15.0#		456		463		467		475		487		36			
			48” 36” 12”	PTPVF1803648	☐	☐	☐	☐	17.0#		471		478		484		496		505		36			
			54” 36” 18”	PTPVF1803654	☐	☐	☐	☐	19.0#		498		505		514		525		538		36			
			66” 36” 30”	PTPVF1803666	☐	☐	☐	☐	22.0#		519		529		534		547		561		36			
			72” 36” 36”	PTPVF1803672	☐	☐	☐	☐	24.0#		523		534		537		549		563		36			
			84” 36” 48”	PTPVF1803684	☐	☐	☐	☐	28.0#		599		608		615		627		643		36			
			48” 42” 6”	PTPVF1804248	☐	☐	☐	☐	18.0#		473		483		485		497		511		36			
			54” 42” 12”	PTPVF1804254	☐	☐	☐	☐	14.0#		509		522		525		537		549		36			
			66” 42” 24”	PTPVF1804266	☐	☐	☐	☐	16.0#		568		581		586		597		614		36			
			72” 42” 30”	PTPVF1804272	☐	☐	☐	☐	25.0#		606		615		618		630		648		36			
			84” 42” 42”	PTPVF1804284	☐	☐	☐	☐	18.0#		670		685		694		707		726		36			
			54” 48” 6”	PTPVF1804854	☐	☐	☐	☐	20.0#		505		518		523		534		548		36			
			66” 48” 18”	PTPVF1804866	☐	☐	☐	☐	23.0#		526		535		541		551		565		36			
			72” 48” 24”	PTPVF1804872	☐	☐	☐	☐	26.0#		528		537		542		552		568		36			
			84” 48” 36”	PTPVF1804884	☐	☐	☐	☐	29.0#		601		609		616		629		648		36			
			66” 54” 12”	PTPVF1805466	☐	☐	☐	☐	17.0#		537		548		552		563		582		36			
			72” 54” 18”	PTPVF1805472	☐	☐	☐	☐	10.0#		526		535		541		551		568		36			
			84” 54” 30”	PTPVF1805484	☐	☐	☐	☐	19.0#		648		660		666		676		697		36			
			72” 66” 6”	PTPVF1806672	☐	☐	☐	☐	27.0#		523		534		537		549		563		36			
			84” 66” 18”	PTPVF1806684	☐	☐	☐	☐	22.0#		552		565		575		588		606		36			
			84” 72” 12”	PTPVF1807284	☐	☐	☐	☐	30.0#		582		592		601		608		627		36			
			A	B	C																			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

		MODEL NUMBER							Metallic Paint add to list price
		Basic Model	Assembly	Trim Color					
MODEL		A			Approx. Packaged Weight		Delivered Pricing		
 PTN	4-Way “X” Intersection with 4-Way Top Cap, All Panels Same Height	30”	PXP4W30	☐	☐	10.0#	\$ 282	\$	11
	• Unupholstered: trim colored	36”	PXP4W36	☐	☐	10.0#	293		11
	• 4-way top cap	42”	PXP4W42	☐	☐	14.0#	323		11
	• 4-way light block	48”	PXP4W48	☐	☐	14.0#	366		11
	• Four half-posts	54”	PXP4W54	☐	☐	19.0#	382		11
	• Connecting hardware	60”	PXP4W60	☐	☐	19.0#	349		11
	• SX Starlight Silver finish is only offered on flat aluminum trim	66”	PXP4W66	☐	☐	23.0#	397		11
		72”	PXP4W72	☐	☐	23.0#	398		11
		78”	PXP4W78	☐	☐	23.0#	417		11
		84”	PXP4W84	☐	☐	30.0#	486		11
		A	B	C					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$124 |
| U | - Unassembled |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER							Metallic Paint add to list price	
			Basic Model	Trim Color							
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing				
 PTN	4-Way “X” Intersection with 3-Way Top Cap, Two Different Heights - AAAB • Unupholstered: trim colored • 3-way top cap • 4-way light block • One piece of universal height change trim • One half-post (height B) • Three half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36” 30” 6”		PXPV3W3036	☐ ☐	13.0#	\$	344	\$	36
			42” 30” 12”		PXPV3W3042	☐ ☐	14.0#		355		36
			48” 30” 18”		PXPV3W3048	☐ ☐	17.0#		426		39
			54” 30” 24”		PXPV3W3054	☐ ☐	17.0#		436		39
			66” 30” 36”		PXPV3W3066	☐ ☐	20.0#		463		41
			72” 30” 42”		PXPV3W3072	☐ ☐	23.0#		411		49
			84” 30” 54”		PXPV3W3084	☐ ☐	26.0#		559		52
			42” 36” 6”		PXPV3W3642	☐ ☐	16.0#		355		36
			48” 36” 12”		PXPV3W3648	☐ ☐	17.0#		387		39
			54” 36” 18”		PXPV3W3654	☐ ☐	19.0#		404		39
			66” 36” 30”		PXPV3W3666	☐ ☐	21.0#		426		40
			72” 36” 36”		PXPV3W3672	☐ ☐	23.0#		417		41
			84” 36” 48”		PXPV3W3684	☐ ☐	26.0#		492		49
			48” 42” 6”		PXPV3W4248	☐ ☐	18.0#		385		36
			54” 42” 12”		PXPV3W4254	☐ ☐	18.0#		426		39
			66” 42” 24”		PXPV3W4266	☐ ☐	21.0#		475		39
			72” 42” 30”		PXPV3W4272	☐ ☐	24.0#		505		40
			84” 42” 42”		PXPV3W4284	☐ ☐	27.0#		574		49
			54” 48” 6”		PXPV3W4854	☐ ☐	20.0#		415		36
			66” 48” 18”		PXPV3W4866	☐ ☐	23.0#		432		39
			72” 48” 24”		PXPV3W4872	☐ ☐	25.0#		424		39
			84” 48” 36”		PXPV3W4884	☐ ☐	27.0#		497		41
			66” 54” 12”		PXPV3W5466	☐ ☐	22.0#		452		39
			72” 54” 18”		PXPV3W5472	☐ ☐	26.0#		424		39
			84” 54” 30”		PXPV3W5484	☐ ☐	28.0#		547		40
			72” 66” 6”		PXPV3W6672	☐ ☐	27.0#		420		36
			84” 66” 18”		PXPV3W6684	☐ ☐	29.0#		453		39
			84” 72” 12”		PXPV3W7284	☐ ☐	30.0#		485		39
			A	B							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

MODEL			MODEL NUMBER			Approx. Packaged Weight						Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
			Basic Model	Trim Color	Fabric Color												
 PTF	4-Way “X” Intersection with 3-Way Top Cap, Two Different Heights - AAAB																
		36” 30” 6”	PXPVF3W3036	☐	☐	13.0#						\$ 398	\$ 406	\$ 411	\$ 421	\$ 430	\$ 11
		42” 30” 12”	PXPVF3W3042	☐	☐	14.0#						411	420	424	430	440	11
		48” 30” 18”	PXPVF3W3048	☐	☐	17.0#						483	490	497	505	522	11
		54” 30” 24”	PXPVF3W3054	☐	☐	17.0#						498	505	514	525	537	11
		66” 30” 36”	PXPVF3W3066	☐	☐	20.0#						522	532	537	548	562	11
		72” 30” 42”	PXPVF3W3072	☐	☐	23.0#						471	478	484	496	505	11
		84” 30” 54”	PXPVF3W3084	☐	☐	26.0#						619	634	642	657	669	11
		42” 36” 6”	PXPVF3W3642	☐	☐	16.0#						417	425	427	434	447	11
		48” 36” 12”	PXPVF3W3648	☐	☐	17.0#						433	440	442	457	468	11
		54” 36” 18”	PXPVF3W3654	☐	☐	19.0#						456	463	467	475	490	11
		66” 36” 30”	PXPVF3W3666	☐	☐	21.0#						492	501	503	518	532	11
		72” 36” 36”	PXPVF3W3672	☐	☐	23.0#						511	522	525	535	548	11
		84” 36” 48”	PXPVF3W3684	☐	☐	26.0#						551	563	574	583	601	11
		48” 42” 6”	PXPVF3W4248	☐	☐	18.0#						447	457	461	471	484	11
		54” 42” 12”	PXPVF3W4254	☐	☐	18.0#						475	484	487	500	514	11
		66” 42” 24”	PXPVF3W4266	☐	☐	21.0#						535	543	549	562	579	11
		72” 42” 30”	PXPVF3W4272	☐	☐	24.0#						568	579	582	592	606	11
		84” 42” 42”	PXPVF3W4284	☐	☐	27.0#						632	648	657	664	683	11
		54” 48” 6”	PXPVF3W4854	☐	☐	20.0#						471	482	485	496	509	11
		66” 48” 18”	PXPVF3W4866	☐	☐	23.0#						487	498	502	516	529	11
		72” 48” 24”	PXPVF3W4872	☐	☐	25.0#						482	487	496	503	519	11
		84” 48” 36”	PXPVF3W4884	☐	☐	27.0#						557	565	574	586	601	11
		66” 54” 12”	PXPVF3W5466	☐	☐	22.0#						502	514	519	529	543	11
		72” 54” 18”	PXPVF3W5472	☐	☐	26.0#						482	487	492	502	518	11
		84” 54” 30”	PXPVF3W5484	☐	☐	28.0#						606	617	624	637	657	11
		72” 66” 6”	PXPVF3W6672	☐	☐	27.0#						474	484	486	498	511	11
		84” 66” 18”	PXPVF3W6684	☐	☐	29.0#						505	522	526	538	555	11
		84” 72” 12”	PXPVF3W7284	☐	☐	30.0#						538	551	552	565	582	11
			A	B	C												

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER						Metallic Paint add to list price
			Basic Model	Trim Color					
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing		
 PTN	4-Way “X” Intersection w/90° Top Cap, Two Different Heights - AABB • Unupholstered: trim colored • 90° top cap • 4-way light block • Two pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36” 30” 6”	PXPV903036	☐ ☐	13.0#	\$	346	\$	49
		42” 30” 12”	PXPV903042	☐ ☐	13.0#		359		53
		48” 30” 18”	PXPV903048	☐ ☐	17.0#		424		53
		54” 30” 24”	PXPV903054	☐ ☐	16.0#		435		53
		66” 30” 36”	PXPV903066	☐ ☐	19.0#		498		61
		72” 30” 42”	PXPV903072	☐ ☐	24.0#		424		80
		84” 30” 54”	PXPV903084	☐ ☐	23.0#		559		87
		42” 36” 6”	PXPV903642	☐ ☐	16.0#		360		49
		48” 36” 12”	PXPV903648	☐ ☐	17.0#		385		53
		54” 36” 18”	PXPV903654	☐ ☐	19.0#		403		53
		66” 36” 30”	PXPV903666	☐ ☐	22.0#		427		56
		72” 36” 36”	PXPV903672	☐ ☐	24.0#		430		61
		84” 36” 48”	PXPV903684	☐ ☐	27.0#		498		80
		48” 42” 6”	PXPV904248	☐ ☐	18.0#		384		49
		54” 42” 12”	PXPV904254	☐ ☐	17.0#		421		53
		66” 42” 24”	PXPV904266	☐ ☐	20.0#		482		53
		72” 42” 30”	PXPV904272	☐ ☐	25.0#		503		56
		84” 42” 42”	PXPV904284	☐ ☐	24.0#		565		80
		54” 48” 6”	PXPV904854	☐ ☐	20.0#		420		49
		66” 48” 18”	PXPV904866	☐ ☐	23.0#		436		53
		72” 48” 24”	PXPV904872	☐ ☐	25.0#		435		53
		84” 48” 36”	PXPV904884	☐ ☐	28.0#		501		61
		66” 54” 12”	PXPV905466	☐ ☐	21.0#		458		53
		72” 54” 18”	PXPV905472	☐ ☐	26.0#		435		53
		84” 54” 30”	PXPV905484	☐ ☐	25.0#		549		56
		72” 66” 6”	PXPV906672	☐ ☐	27.0#		430		49
		84” 66” 18”	PXPV906684	☐ ☐	27.0#		456		53
		84” 72” 12”	PXPV907284	☐ ☐	30.0#		474		53

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER															
			Basic Model	Trim Color	Fabric Color													
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price						
 PTNF	4-Way “X” Intersection w/90° Top Cap, Two Different Heights - AAB • Upholstered • 90° top cap • 4-way light block • Two fabric-wrapped pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36” 30” 6”	PXPVF903036	☐	☐	☐	13.0#	\$ 463	\$ 471	\$ 475	\$ 485	\$ 498	\$ 11				
			42” 30” 12”	PXPVF903042	☐	☐	☐	13.0#	468	475	483	492	503	11				
			48” 30” 18”	PXPVF903048	☐	☐	☐	17.0#	537	549	551	563	581	11				
			54” 30” 24”	PXPVF903054	☐	☐	☐	16.0#	555	565	574	583	601	11				
			66” 30” 36”	PXPVF903066	☐	☐	☐	19.0#	617	629	634	649	666	11				
			72” 30” 42”	PXPVF903072	☐	☐	☐	24.0#	542	551	557	568	586	11				
			84” 30” 54”	PXPVF903084	☐	☐	☐	23.0#	683	695	705	718	737	11				
			42” 36” 6”	PXPVF903642	☐	☐	☐	16.0#	475	485	490	501	516	11				
			48” 36” 12”	PXPVF903648	☐	☐	☐	17.0#	497	503	509	522	535	11				
			54” 36” 18”	PXPVF903654	☐	☐	☐	19.0#	518	526	532	542	557	11				
			66” 36” 30”	PXPVF903666	☐	☐	☐	22.0#	555	565	574	583	601	11				
			72” 36” 36”	PXPVF903672	☐	☐	☐	24.0#	575	586	591	603	617	11				
			84” 36” 48”	PXPVF903684	☐	☐	☐	27.0#	614	634	648	667	699	11				
			48” 42” 6”	PXPVF904248	☐	☐	☐	18.0#	502	514	519	529	543	11				
			54” 42” 12”	PXPVF904254	☐	☐	☐	17.0#	529	538	543	555	574	11				
			66” 42” 24”	PXPVF904266	☐	☐	☐	20.0#	597	607	614	624	642	11				
			72” 42” 30”	PXPVF904272	☐	☐	☐	25.0#	624	637	642	657	668	11				
			84” 42” 42”	PXPVF904284	☐	☐	☐	24.0#	686	699	709	722	741	11				
			54” 48” 6”	PXPVF904854	☐	☐	☐	20.0#	535	543	549	561	579	11				
			66” 48” 18”	PXPVF904866	☐	☐	☐	23.0#	557	565	574	586	601	11				
			72” 48” 24”	PXPVF904872	☐	☐	☐	25.0#	557	565	574	586	601	11				
			84” 48” 36”	PXPVF904884	☐	☐	☐	28.0#	620	634	640	658	669	11				
			66” 54” 12”	PXPVF905466	☐	☐	☐	21.0#	565	579	583	597	614	11				
			72” 54” 18”	PXPVF905472	☐	☐	☐	26.0#	552	563	569	583	599	11				
			84” 54” 30”	PXPVF905484	☐	☐	☐	25.0#	667	678	690	704	725	11				
			72” 66” 6”	PXPVF906672	☐	☐	☐	27.0#	547	555	561	575	589	11				
			84” 66” 18”	PXPVF906684	☐	☐	☐	27.0#	565	581	588	601	617	11				
			84” 72” 12”	PXPVF907284	☐	☐	☐	30.0#	586	597	602	615	630	11				
			A	B	C													

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

MODEL			MODEL NUMBER						Metallic Paint add to list price
			Basic Model	Trim Color					
 PTN	A	B	A-B		Approx. Packaged Weight		Delivered Pricing		
	4-Way “X” Intersection w/180° Top Cap, Two Different Heights - ABAB • Unupholstered: trim colored • 180° top cap • 4-way light block • Two pieces of universal height change trim • Two half-posts (height B) • Two half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim			36” 30” 6”	PXPV1803036	☐ ☐	13.0#	\$ 351	\$ 49
				42” 30” 12”	PXPV1803042	☐ ☐	13.0#	361	53
				48” 30” 18”	PXPV1803048	☐ ☐	17.0#	426	53
				54” 30” 24”	PXPV1803054	☐ ☐	16.0#	438	53
				66” 30” 36”	PXPV1803066	☐ ☐	19.0#	468	61
				72” 30” 42”	PXPV1803072	☐ ☐	22.0#	426	80
				84” 30” 54”	PXPV1803084	☐ ☐	23.0#	562	87
				42” 36” 6”	PXPV1803642	☐ ☐	16.0#	364	49
				48” 36” 12”	PXPV1803648	☐ ☐	17.0#	391	53
				54” 36” 18”	PXPV1803654	☐ ☐	19.0#	406	53
				66” 36” 30”	PXPV1803666	☐ ☐	21.0#	430	56
				72” 36” 36”	PXPV1803672	☐ ☐	23.0#	433	61
				84” 36” 48”	PXPV1803684	☐ ☐	26.0#	501	80
				48” 42” 6”	PXPV1804248	☐ ☐	18.0#	387	49
				54” 42” 12”	PXPV1804254	☐ ☐	17.0#	425	53
				66” 42” 24”	PXPV1804266	☐ ☐	20.0#	483	53
				72” 42” 30”	PXPV1804272	☐ ☐	24.0#	509	56
				84” 42” 42”	PXPV1804284	☐ ☐	25.0#	569	80
				54” 48” 6”	PXPV1804854	☐ ☐	20.0#	424	49
				66” 48” 18”	PXPV1804866	☐ ☐	23.0#	441	53
				72” 48” 24”	PXPV1804872	☐ ☐	25.0#	438	53
				84” 48” 36”	PXPV1804884	☐ ☐	27.0#	503	61
				66” 54” 12”	PXPV1805466	☐ ☐	21.0#	463	53
				72” 54” 18”	PXPV1805472	☐ ☐	25.0#	438	53
				84” 54” 30”	PXPV1805484	☐ ☐	26.0#	552	56
				72” 66” 6”	PXPV1806672	☐ ☐	26.0#	432	49
				84” 66” 18”	PXPV1806684	☐ ☐	27.0#	457	53
				84” 72” 12”	PXPV1807284	☐ ☐	30.0#	482	53
				A	B				

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Intersection Conditions

4-Way



Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER																
			Basic Model	Trim Color	Fabric Color														
MODEL			A	B	A-B	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price							
 PTNF	4-Way “X” Intersection w/180° Top Cap, Two Different Heights - AABB • Upholstered • 180° top cap • 4-way light block • Two fabric-wrapped pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36” 30” 6”	PXPVF1803036	☐	☐	13.0#	\$ 395	\$ 403	\$ 406	\$ 417	\$ 427	\$ 11							
		42” 30” 12”	PXPVF1803042	☐	☐	13.0#	473	482	485	497	509	11							
		48” 30” 18”	PXPVF1803048	☐	☐	17.0#	541	549	555	568	583	11							
		54” 30” 24”	PXPVF1803054	☐	☐	16.0#	559	569	577	589	603	11							
		66” 30” 36”	PXPVF1803066	☐	☐	19.0#	591	602	607	618	637	11							
		72” 30” 42”	PXPVF1803072	☐	☐	22.0#	453	461	466	474	486	11							
		84” 30” 54”	PXPVF1803084	☐	☐	23.0#	686	699	709	722	740	11							
		42” 36” 6”	PXPVF1803642	☐	☐	16.0#	414	421	425	432	441	11							
		48” 36” 12”	PXPVF1803648	☐	☐	17.0#	430	436	440	453	466	11							
		54” 36” 18”	PXPVF1803654	☐	☐	19.0#	442	456	461	468	483	11							
		66” 36” 30”	PXPVF1803666	☐	☐	21.0#	463	471	475	485	498	11							
		72” 36” 36”	PXPVF1803672	☐	☐	23.0#	461	468	473	484	497	11							
		84” 36” 48”	PXPVF1803684	☐	☐	26.0#	518	528	532	543	559	11							
		48” 42” 6”	PXPVF1804248	☐	☐	18.0#	434	441	447	461	471	11							
		54” 42” 12”	PXPVF1804254	☐	☐	17.0#	475	485	490	501	519	11							
		66” 42” 24”	PXPVF1804266	☐	☐	20.0#	601	609	616	629	648	11							
		72” 42” 30”	PXPVF1804272	☐	☐	24.0#	602	609	616	624	639	11							
		84” 42” 42”	PXPVF1804284	☐	☐	25.0#	692	705	715	727	748	11							
		54” 48” 6”	PXPVF1804854	☐	☐	20.0#	467	475	483	490	503	11							
		66” 48” 18”	PXPVF1804866	☐	☐	23.0#	484	492	497	505	522	11							
		72” 48” 24”	PXPVF1804872	☐	☐	25.0#	475	485	487	500	516	11							
		84” 48” 36”	PXPVF1804884	☐	☐	27.0#	532	542	547	559	575	11							
		66” 54” 12”	PXPVF1805466	☐	☐	21.0#	569	582	588	601	616	11							
		72” 54” 18”	PXPVF1805472	☐	☐	25.0#	482	487	496	503	519	11							
		84” 54” 30”	PXPVF1805484	☐	☐	26.0#	669	685	694	707	727	11							
		72” 66” 6”	PXPVF1806672	☐	☐	26.0#	482	487	496	503	519	11							
		84” 66” 18”	PXPVF1806684	☐	☐	27.0#	498	511	519	532	549	11							
		84” 72” 12”	PXPVF1807284	☐	☐	30.0#	519	528	534	543	559	11							
					A	B	C												

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.





Preconfigured Stackable Intersection Conditions

180° 2-Way and End-of-Run



Preconfigured Stackable Intersection Conditions

180° 2-Way and End-of-Run

			MODEL NUMBER												
			Basic Model	Trim Color	Fabric Color										
MODEL			H			Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price		
	Stackable Panel-180° 2-Way In-Line Connection, Both Same Height • Unupholstered • One stackable full-post • Black only	12"	PSFP12			3.0#	\$ 100						N/A		
		18"	PSFP18			4.0#	107						N/A		
		24"	PSFP24			5.0#	111						N/A		
PST															
	Stackable Panel-180° 2-Way In-Line Spacer, Both Same Height • Unupholstered: trim colored • Two pieces of stackable universal trim • Stackable in-line trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSSP18012	☐ ☐		3.0#	\$ 339						\$ 40		
		18"	PSSP18018	☐ ☐		4.0#	369							40	
		24"	PSSP18024	☐ ☐		5.0#	382							40	
PST															
	Stackable Panel - End-Of-Run Condition • Unupholstered • Stackable end-of-run trim • Stackable full-post • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSEP12	☐ ☐		2.0#	\$ 111						\$ 14		
		18"	PSEP18	☐ ☐		2.0#	121							14	
		24"	PSEP24	☐ ☐		3.0#	131							14	
PST															
	Stackable Panel-180° 2-Way In-Line Spacer, Both Panels Same Height • Upholstered • Two pieces of fabric-wrapped universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSSPF18012		☐ ☐ ☐ ☐	3.0#	N/A	\$ 415	\$ 424	\$ 426	\$ 433	\$ 442	N/A		
		18"	PSSPF18018		☐ ☐ ☐ ☐	4.0#	N/A	447	458	463	473	485	N/A		
		24"	PSSPF18024		☐ ☐ ☐ ☐	5.0#	N/A	466	474	478	487	501	N/A		
PSTF															

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way and 3-Way



Preconfigured Stackable Intersection Conditions

2-Way and 3-Way

		MODEL NUMBER						Metallic Paint add to list price
		Basic Model	Trim Color					
MODEL		H		Approx. Packaged Weight	Delivered Pricing			
 PST	Stackable Panel-90° 2-Way “L” Corner, Both Panels Same Height • Unupholstered • Two pieces of stackable universal trim • Two stackable full-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12”	PSCP9012	☐ ☐	3.0#	\$ 339		\$ 40
		18”	PSCP9018	☐ ☐	4.0#	369		40
		24”	PSCP9024	☐ ☐	5.0#	382		40
 PST	Stackable Panel - 3-Way “T” Intersection/3-Way, All Panels Same Height • Unupholstered • Stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12”	PSTP3W12	☐ ☐	4.0#	\$ 441		\$ 14
		18”	PSTP3W18	☐ ☐	5.0#	485		14
		24”	PSTP3W24	☐ ☐	7.0#	503		14
 HRDPT	Stackable/Adjustable Wall Mount • Unupholstered • Attaches a stackable panel to a wall at the start of a run • Includes mounting plate and half-post • Steel construction with painted finish • Hardware for wall attachment is not included • Adjustable up to 1” to correct wall deflection	12”	PSWM12		5.0#	\$ 354		\$ 14
		18”	PSWM18		7.0#	364		14
		24”	PSWM24		9.0#	376		14

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersection Conditions

2-Way, 3-Way and 4-Way

		MODEL NUMBER									
		Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 PSTF	Stackable Panel-90° 2-way “L” Corner, Both Panels Same Height • Upholstered • Two pieces of stackable universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12”	PSCPF9012	☐ ☐ ☐ ☐	3.0#	N/A	\$ 415	\$ 424	\$ 426	\$ 433	\$ 441
		18”	PSCPF9018	☐ ☐ ☐ ☐	4.0#	N/A	447	457	463	471	484
		24”	PSCPF9024	☐ ☐ ☐ ☐	5.0#	N/A	465	473	475	486	500
 PSTF	Stackable Panel - 3-Way “T” Intersection/3-Way, All Panels Same Height • Upholstered • Fabric-wrapped stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels	12”	PSTPF3W12	☐ ☐ ☐ ☐	4.0#	N/A	\$ 483	\$ 490	\$ 496	\$ 503	\$ 522
		18”	PSTPF3W18	☐ ☐ ☐ ☐	5.0#	N/A	525	534	538	549	563
		24”	PSTPF3W24	☐ ☐ ☐ ☐	7.0#	N/A	543	555	561	575	589
 PST	Stackable Panel-4Way “X” Intersection/4-Way Top Cap, All Same Height • Unupholstered • Four stackable half-posts • Corner connector block • 4-way light block • Use top caps from existing lower panels	12”	PSXP4W12		5.0#	\$ 549					
		18”	PSXP4W18		7.0#	582					
		24”	PSXP4W24		9.0#	609					
			A	B							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER						Metallic Paint add to list price
MODEL	PANEL WIDTH	Basic Model	Trim Color	Approx. Packaged Weight		Delivered Pricing			
 HRDPT	Power/Data Separation Septum - Steel septum provides separation between power and data in base raceway - Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	12"	PDS8.12.BL	☐ ☐	1.0#	\$	8		N/A
		18"	PDS8.18.BL	☐ ☐	1.0#		8		N/A
		24"	PDS8.24.BL	☐ ☐	1.0#		8		N/A
		30"	PDS8.30.BL	☐ ☐	1.0#		9		N/A
		36"	PDS8.36.BL	☐ ☐	2.0#		13		N/A
		42"	PDS8.42.BL	☐ ☐	2.0#		13		N/A
		48"	PDS8.48.BL	☐ ☐	2.0#		16		N/A
		54"	PDS8.54.BL	☐ ☐	2.0#		16		N/A
		60"	PDS8.60.BL	☐ ☐	2.0#		27		N/A
 HRDPT	Chicago Code Receptacle Kit - Receptacle box - Mounting bracket - Filler plate - Bezel - Levitan 5325 or equivalent receptacle supplied by customer		PRK.HW		0.8#	\$	46		N/A
 HRDPT	Chicago Electrical Mounting Bar - Steel bar construction - Accepts Chicago code receptacle kit - Includes mounting hardware	24"	PCEM.24		1.0#	\$	29		N/A
		30"	PCEM.30		2.0#		34		N/A
		36"	PCEM.36		2.0#		39		N/A
		42"	PCEM.42		2.0#		44		N/A
		48"	PCEM.48		3.0#		49		N/A
		54"	PCEM.54		3.0#		49		N/A
		60"	PCEM.60		3.0#		49		N/A
 HRDPT	Data Feed - Can be used at top of panel only - Includes aluminum power pole, panel trim and ceiling trim - Pole is available in two heights, 7' and 10' - Specify trim color	84"	PDF8.7		7.0#	\$	162		\$ 140
		120"	PDF8.10		10.0#		238		140

A

B

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
 HRDPT	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Rigid Wireway - 6 Circuit	24”	PWET6WW.24	2.0#	\$ 148
	• Distributes 10-wire power and allows receptacle mounting	30”	PWET6WW.30	2.0#	153
	• Non-directional	36”	PWET6WW.36	3.0#	158
	• Includes mounting clips	42’	PWET6WW.42	3.0#	165
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48”	PWET6WW.48	3.0#	172
		54”	PWET6WW.54	4.0#	176
	• Accomodates two duplex receptacles per side. Maximum of four per wireway as standard	60”	PWET6WW.60	4.0#	183
	• Receptacles purchase separately				
	• 24” wireway accommodates one duplex receptacle per side				

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Approx. Packaged Weight	Delivered Pricing	
MODEL						
 HRDPT	Power Pass Through - 6 Circuit	12”	PWET6PP.12	1.0#	\$	153
	• Distributes 10-wire power	18”	PWET6PP.18	1.0#		161
	• Non-directional	24”	PWET6PP.24	1.0#		171
	• Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper	30”	PWET6PP.30	2.0#		172
		36”	PWET6PP.36	2.0#		173
	• Receptacle access is not provided	42”	PWET6PP.42	2.0#		174
	• Pass through is the same length as the corresponding Rigid Wireway	48”	PWET6PP.48	2.0#		176
	• Pass through requires panel to panel jumpers (ordered separately)	54”	PWET6PP.54	3.0#		179
		60”	PWET6PP.60	3.0#		180
 HRDPT	Power/Data Separation Septum	12”	PDS8.12.BL	1.0#	\$	8
	• Steel septum provides separation between power and data in base raceway	18”	PDS8.18.BL	1.0#		8
	• Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	24”	PDS8.24.BL	1.0#		8
		30”	PDS8.30.BL	1.0#		9
		36”	PDS8.36.BL	2.0#		13
		42”	PDS8.42.BL	2.0#		13
		48”	PDS8.48.BL	2.0#		16
		54”	PDS8.54.BL	2.0#		16
		60”	PDS8.60.BL	2.0#		27

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Trim Color		
MODEL			Features		Approx. Packaged Weight	Delivered Pricing
 HRDPT	15 Amp Duplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET6RC.1	☐	1.0#	\$ 41
		Circuit 2	PWET6RC.2	☐	1.0#	41
		Circuit 3	PWET6RC.3	☐	1.0#	41
		Circuit 4	PWET6RC.4I	☐	1.0#	41
		Circuit 5	PWET6RC.5I	☐	1.0#	41
		Circuit 6	PWET6RC.6I	☐	1.0#	41
 HRDPT	20 Amp Simplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET620R.1	☐	1.0#	\$ 65
		Circuit 2	PWET620R.2	☐	1.0#	65
		Circuit 3	PWET620R.3	☐	1.0#	65
		Circuit 4	PWET620R.4I	☐	1.0#	65
		Circuit 5	PWET620R.5I	☐	1.0#	65
		Circuit 6	PWET620R.6I	☐	1.0#	65

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	L	MODEL NUMBER	Approx. Packaged Weight	Delivered Pricing
			Basic Model		
	17” Panel to Panel Jumper - 6 Circuit • Used on in-line intersections • Non-directional	17”	PWET6PJ.17	1.0#	\$ 110
HRDPT					
	20” Panel to Panel Jumper - 6 Circuit • Used on 90° corners and “T” intersections • Non-directional	20”	PWET6PJ.20	1.0#	\$ 111
HRDPT					
	20” Vertical Jumper - 6 Circuit • Jumps power from ADA-height to work-surface-height or worksurface-height to stand-up-height • Non-directional	20”	PWET6VJ.20	1.0#	\$ 111
HRDPT					
	56” Vertical Jumper - 6 Circuit • Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height • Non-directional	56”	PWET6VJ.56	2.0#	\$ 226
HRDPT					
	Internal Duplex Assembly - 6 Circuit • UL listed for use with IT (communications) gear only • Circuit 6 only	16”	PWET6ID	2.0#	\$ 290
HRDPT					

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
--	--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
 HRDPT	MODEL	L		Approx. Packaged Weight	Delivered Pricing
	New York Power Infeed with Bezel - 6 Circuit	72”	PWET6NYBF.72	☐ ☐	6.0#
	• City of New York approved power entry box with panel to panel connectors				\$ 660
	• Can be used at base level only				
	• 72” Whip is color matched to trim				
 HRDPT	New York Power Infeed Kit/Ceiling - 6 Circuit	216”	PWET6NYTF.216		6.0#
	• Order power/data pole (PDF8.size(colors)) separately				\$ 817
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Rigid Wireway - 4 Circuit	24”	PWET4WW.24	2.0#	\$ 148
	• Distributes 10-wire power and allows receptacle mounting	30”	PWET4WW.30	2.0#	153
	• Non-directional	36”	PWET4WW.36	3.0#	158
	• Includes mounting clips	42”	PWET4WW.42	3.0#	165
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48”	PWET4WW.48	3.0#	172
		54”	PWET4WW.54	4.0#	176
	• Accommodates two deuplex receptacles per side. Maximum of two per wireway as standard	60”	PWET4WW.60	4.0#	183
	• 24” wireway accommodates one duplex receptacle per side				
	• Receptacles purchased separately				

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight		Delivered Pricing
 HRDPT	Power Pass Through - 4 Circuit	12”	PWET4PP.12	1.0#		\$ 153
	• Distributes 10-wire power	18”	PWET4PP.18	1.0#		161
	• Non-directional	24”	PWET4PP.24	1.0#		171
	• Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper	30”	PWET4PP.30	2.0#		180
		36”	PWET4PP.36	2.0#		147
	• Receptacle access is not provided	42”	PWET4PP.42	2.0#		147
	• Pass through is the same length as the corresponding Rigid Wireway	48”	PWET4PP.48	2.0#		152
	• Pass through requires panel to panel jumpers (ordered separately)	54”	PWET4PP.54	3.0#		157
		60”	PWET4PP.60	3.0#		158
 HRDPT	Power/Data Separation Septum	12”	PDS8.12.BL	1.0#	\$	8
	• Steel septum provides separation between power and data in base raceway	18”	PDS8.18.BL	1.0#		8
	• Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	24”	PDS8.24.BL	1.0#		8
		30”	PDS8.30.BL	1.0#		9
		36”	PDS8.36.BL	2.0#		13
		42”	PDS8.42.BL	2.0#		13
		48”	PDS8.48.BL	2.0#		16
		54”	PDS8.54.BL	2.0#		16
		60”	PDS8.60.BL	2.0#		27

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
MODEL		Features	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	15 Amp Duplex Receptacle with Bezel - 4 Circuit • Snaps to wireways of powered panels • 3I and 4I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET4RC.1	☐ ☐	1.0#	\$ 42	
		Circuit 2	PWET4RC.2	☐ ☐	1.0#	42	
		Circuit 3	PWET4RC.3I	☐ ☐	1.0#	42	
		Circuit 4	PWET4RC.4I	☐ ☐	1.0#	42	
 HRDPT	20 Amp Simplex Receptacle with Bezel - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET420R.1	☐ ☐	1.0#	\$ 65	
		Circuit 2	PWET420R.2	☐ ☐	1.0#	65	
		Circuit 4	PWET420R.4I	☐ ☐	1.0#	65	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
	MODEL	L	Basic Model	Approx. Packaged Weight	Delivered Pricing
	17” Panel to Panel Jumper - 4 Circuit • Used on in-line and inside 90° corner intersections • Non-directional	17”	PWET4PJ.17	1.0#	\$ 110
HRDPT					
	20” Panel to Panel Jumper - 4 Circuit • Used on outside 90° corners and straight through “T” intersections • Non-directional	20”	PWET4PJ.20	1.0#	\$ 111
HRDPT					
	20” Vertical Jumper - 4 Circuit • Jumps power from ADA-height to work-surface-height or worksurface-height to stand-up-height • Non-directional	20”	PWET4VJ.20	1.0#	\$ 111
HRDPT					
	56” Vertical Jumper - 4 Circuit • Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height • Non-directional	56”	PWET4VJ.56	2.0#	\$ 226
HRDPT					
	Internal Duplex Assembly - 4 Circuit • UL listed for use with IT communica-tions gear only • Circuit 4 only	16”	PWET4ID	2.0#	\$ 290
HRDPT					

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price	
 HRDPT	Top Infeed with 7’ or 10’ Pole - 4 Circuit • Can be used at top of panel only • Connects to either end of Rigid Wireway at any level. Doesn’t occupy space for duplex receptacle • Includes aluminum power pole, panel trim and ceiling trim • Specify trim color	7” 10”	PWET4TF7 PWET4TF10	☐ ☐ ☐ ☐	10.0# 15.0#	\$ 541 674	\$ 140 140
 HRDPT	Data Feed • Can be used at top of panel only • Includes aluminum power pole, panel trim and ceiling trim • Pole is available in two heights, 7’ and 10’ • Specify trim color	84” 120”	PDF8.7 PDF8.10	☐ ☐ ☐ ☐	7.0# 10.0#	\$ 162 238	\$ 140 140
 HRDPT	Universal Base Infeed with Bezel - 4 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • 72” Whip is color matched to trim • Non-directional	72”	PWET4BFU		4.0#	\$ 290	N/A
 HRDPT	Tech Panel Base Infeed - 4 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Designed to lay on floor and fit under lowest tile • 72” Whip is color matched to trim • Non-directional	72”	PWET4TBF		6.0#	\$ 629	N/A

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
 HRDPT	MODEL	L		Approx. Packaged Weight	Delivered Pricing
	New York Power Infeed with Bezel - 4 Circuit	72”	PWET4NYBF.72	☐ ☐	6.0#
	• City of New York approved power entry box with panel to panel connector				\$ 683
	• Can be used at base level only				
	• 72” Whip is color matched to trim				
 HRDPT	New York Power Infeed Kit/Ceiling - 4 Circuit	216”	PWET4NYTF.216		6.0#
	• Order power/data pole (PDF8.size(color)) separately				\$ 817

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER			
		Basic Model	Approx. Packaged Weight		Delivered Pricing
 HRDPT	Acoustical Tile Vertical Cable Guide • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile • Cannot be used with raceway tile • Maximum of two guides behind a 12" high acoustic tile • Ordered in packs of 25	46.0097.PCK	0.2#		\$ 40
 HRDPT	Acoustical Tile Horizontal Cable Support • Clips into bottom midpoint of horizontal rail • Aligns with vertical cable guides to keep cables supported at midpoint of panel • Cable supports gang vertically • Can also support loops of cable • Cannot be used with raceway tile • Ordered in packs of 25	46.0099.PCK	0.2#		\$ 46
 HRDPT	Tile 90 Cable Guard • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile at the inside of a 90° corner • Cannot be used with raceway tile • Need two guides per 12" high tile • Ordered in packs of 25	46.0096.PCK	0.2#		\$ 39

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.