Cable Management



Cable Management

				▼
		MODEL NUMBER		
			Approx.	
		Basic Model	Packaged	Delivered
			Weight	Pricing
\sim	Horizontal Rail Cable Guard	46.0098.PCK	0.2#	\$ 42
	Clips into end notch of horizontal rail Protects and manages cables			
	Protects and manages cablesOrdered in packs of 25			
	·			
HRDPT				
a	Top Cap 90° Cable Guard	46.0200.PCK	1.0#	\$ 27
	 Manages cables between half posts and 			
	under top cap Protects and manages cables			
	Ordered in packs of 25			
HRDPT				
	Cable Management Demo Pack	PCMDP	1.0#	\$ 16
HRDPT	Cable Management Demo Pack Includes a sampling of cable guards and supports to demonstrate WireWorks®			• 1
	supports to demonstrate WireWorks®			
	superior cable handling capabilities			
	Cable Tile Anchor Pad	46.0753.PCK	2.0#	\$ 83
	 4-Way cable tie mounting device (1" x 1" 	, 101070011 011		¥ -00
	base)			
	Mounts to side of vertical post to anchor cable			
HRDPT	Ties and secures vertical runs of cables			
TINDITI	within the panel • Accepts 18-40 lb. cable ties			
	 Accepts 18-40 lb. cable ties 			
	Mounts with adhesive foam tapeRecommend one anchor pad for every			
	12" to 18" of vertical cables within a			
	panel			
	 Ordered in packs of 100 			
		A		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





			MODEL N	NUMBER	l .											
										Approx.		V				
			Basic	Edge	Surface	Trim	Grommet	Edge	Grommet	Packaged	Flat Vinyl T-Edge	74P Edge	Postformed Edge	Knife Edge	Wood Edge Laminate	Wood Edge Veneer
	MODEL	D x W	Model	Style	Finish	Color	Location	Color	Color	Weight	(BN)	(74P)	(PL)	(KN)	(WL)	(WV)
	Rectangular Worksurfaces - 24" D	24 x 24"	PWR2424							23.0#	\$ 349	\$ 364	\$ 433	\$ 381	\$ 498	\$ 990
	 60" worksurfaces contain two steel reinforcing bars 	24 x 30"	PWR2430							28.0#	376	394	471	415	555	1092
	Includes worksurface supports	24 x 36"	PWR2436							33.0#	402	424	500	436	616	1224
Flat Vinyl T-Edge (BN)	All surfaces 66" and longer are provide	ed 24 x 42"	PWR2442							37.0#	457	483	575	501	672	1342
riat villyr i-Luge (DN)	with an additional left-hand cantilever	24 x 48"								42.0#	487	516	609	537	737	1527
PWR	bracketWorksurfaces with 74P, postformed,	24 x 54"	PWR2454							46.0#	509	537	640	634	872	1705
	knife edge and veneer edges have one	24 x 60"	PWR2460							51.0#	532	555	664	659	1018	1934
	2-1/2" x 6" grommet up to 54" wide, 6	0" 24 x 66"	PWR2466							56.0#	541	569	674	674	1050	2047
	- 96" have two grommets	24 x 72"	PWR2472							61.0#	551	581	692	699	1101	2232
	 3" diameter grommet optional on vinyl T-edge worksurfaces only 	24 x 78"	PWR2478							66.0#	568	589	709	720	1191	2444
	1 dage worksariades only	24 x 84"	PWR2484							71.0#	586	614	734	740	1251	2650
		24 x 90"	PWR2490							74.0#	592	620	737	785	1330	2716
		24 x 96"	PWR2496							76.0#	601	630	751	807	1375	2786
	Rectangular Worksurfaces - 30" D	30 x 24"	PWR3024							28.0#	\$ 376	\$ 394	\$ 471	\$ 415	\$ 538	\$ 1092
		30 x 30"	PWR3030							34.0#	402	424	500	402	603	1193
		30 x 36"	PWR3036							40.0#	432	453	538	473	667	1350
74D F-I (74D)		30 x 42"	PWR3042							46.0#	485	505	606	498	739	1492
74P Edge (74P) Postformed Edge (PL)		30 x 48"	PWR3048							57.0#	523	547	650	523	797	1692
Wood Edge (WV)		30 x 54"	PWR3054							62.0#	537	562	668	736	938	1894
PWR		30 x 60"	PWR3060							68.0#	552	582	694	790	1081	2179
		30 x 66"	PWR3066							72.0#	575	602	715	816	1118	2365
		30 x 72"	PWR3072							79.0#	582	609	727	834	1129	2544
		30 x 78"	PWR3078							85.0#	595	624	740	861	1273	2811
		30 x 84"	PWR3084							89.0#	603	634	755	887	1315	3081
		30 x 90"	PWR3090							92.0#	615	648	770	912	1401	3171
		30 x 96"	PWR3096							94.0#	630	663	788	934	1450	3267

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select edge style.

BN - Flat vinyl T-edge 74P

- 74P edge - Knife edge - Postformed edge - Wood edge, laminate surface - Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style

selections.

OSelect trim color.

Refer to the Product Color Options page in this price list.

Select grommet location.

N - No grommet - Grommet : left; add \$57

A Select basic model.

- Grommet : left/right; add \$120 - Grommet: left/center; add \$120 - Grommet: center/right; add \$120 LCR - Grommet : left/center/right; add \$174

O

Grommet location selection is only available for BN edge selection.

- Grommet : Center; add \$57

- Grommet : right; add \$57

Select edge color.

Refer to the **Product Color Options** page in this

GSelect grommet color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

"P" Shaped Peninsula/Piano Peninsula



T Onapour onniouna, i	iano i similana												Tonapou Formidala, Fianto Formidala
			MODEL NUN	/IBER				Approx.					
			Basic	Dir. Edge	Surface	Trim Ed	ge Grommet Ior Color	Packaged	74P Edge	Knife Edge	Wood Edge Laminate	Wood Edge Veneer	
	MODEL	DxWxL	Model	Dir. Style	Finish	Color Co	lor Color	Weight	(74P)	(KN)	(WL)	(WV)	
	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"						65.0#	\$ 1018	\$ 1097	\$ 1766	\$ 6638	
	Includes worksurface supportsPeninsula worksurfaces have one 2-1/2	24 x 48 x 72"	PWPT244872					79.0#	1078	1238	2100	7820	
	x 6" grommet centered on rear edge	30 x 48 x 72"	PWPT304872					88.0#	1111	1240	2049	7883	
	• 72" worksurfaces contain two steel												
U Left shown	reinforcing bars												
PWPR													
	Piano Peninsula Worksurfaces	24 x 48 x 60"	PWPP244860					57.0#	\$ 1018	\$ 1097	\$ 1616	\$ 5039	
	Includes worksurface supports	24 x 48 x 72"	PWPP244872					72.0#	1078	1238	1913	5904	
	 Peninsula worksurfaces have one 2-1/2 x 6" grommet centered on rear edge 	30 x 48 x 72"	PWPP304872					82.0#	1111	1240	1913	6012	
	• 72" worksurfaces contain two steel												
Left shows	reinforcing bars												
Left shown													
PWPR													
			_										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect surface direction. DL - Direction left

- Direction right Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.

Select edge style.

74P - 74P edge - Knife edge - Wood edge, laminate surface WV - Wood edge, veneer surface

①Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select trim color.

Refer to the **Product Color Options** page in this price list.

Select edge color.
Refer to the **Product Color Options** page in this

© Select grommet color. Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Square Shoe/Conference End





									•					
			MODEL NUM	ODEL NUMBER					(
	MODEL	DxWxL	Basic Model	Notch Dir. Type	Edge Style	Surface Finish	Trim Color	Edge Grommet Color Color		Flat Vinyl T-Edge BN)	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (WV)
	Square Shoe Worksurfaces	24 x 48 x 60"	PWSS244860						71.0#	N/A	\$ 930	\$ 969	\$ 1545	\$ 4085
	Includes worksurface supports60" worksurfaces contain two steel	24 x 48 x 66"	PWSS244866						75.0#	N/A	980	990	1555	4489
	reinforcing bars	24 x 48 x 72"	PWSS244872						79.0#	N/A	999	1019	1582	4896
Left shown	All surfaces 66" and longer are provided	24 x 48 x 84"	PWSS244884						87.0#	N/A	1023	1067	1732	5695
	with an additional left-hand cantilever	30 x 48 x 66"	PWSS304866						89.0#	N/A	1021	1048	1582	4489
PWPR	bracketAll surfaces have one 2-1/2 x 6" grom-	30 x 48 x 72"	PWSS304872						93.0#	N/A	1038	1062	1616	4896
	met centered on side and rear edges	30 x 48 x 84"	PWSS304884						101.0#	N/A	1064	1084	1773	5695
	Conference End Worksurface	26 x 52"	PWCE2652						21.0#	574	\$ 599	\$ 897	\$ 1185	\$ 1484
	Includes two 3" diameter metal columns with adjustable slides.	31 x 52"	PWCE3152						41.0#	595	624	906	1340	1662
	with adjustable glides	32 x 64"	PWCE3264						60.0#	615	648	956	1386	3982
		37 x 64"	PWCE3764						32.0#	844	887	976	1415	4744
0														
U														
PWCD														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select surface direction.
 - Direction right
- Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.

- 74P edge - Knife edge
- WV Wood edge, veneer surface

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

DL - Direction left

price list.

Select notch type.

- Notch for standard trim

- Notch for flat aluminum trim

Select edge style.

BN - Flat vinyl T-edge

- Wood edge, laminate surface

Select surface finish.

price list.

selections.

Select trim color.

Refer to the **Product Color Options** page in this

GSelect edge color.

Refer to the Product Color Options page in this

Select grommet color.

Refer to the **Product Color Options** page in this

**Grommet color for 'Conference End Worksurfaces' is for "Notch for standard trim" only.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

"D" Shaped Peninsula





			MODEL NUI	MBER									
									_				
									Approx.	V	₩		
	MODEL		Basic Model	Edge S Style F	Surface 1 Finish (Trim G Color Lo	irommet ocation	Edge Grommet Color	Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Knife Edge (KN)	
^	"D" Shaped Peninsula Worksurfaces	30 x 48"	PWP3048						53.0#	\$ 709	\$ 741	\$ 755	
	Not available with laminate postformed	30 x 60"	PWP3060						63.0#	785	820	931	
	edge • Includes mounting hardware		PWP3072						76.0#	862	906	1129	
	 72" worksurfaces contain two steel 	36 x 60"	PWP3660						75.0#	958	1013	1161	
	reinforcing bars	36 x 72"	PWP3672						89.0#	1041	1094	1412	
U	Round grommets optionalFlat vinyl T-edge is available with 3"												
PWCD	diameter grommets (30" or 36" edge												
	only)												
	_										<u> </u>		
~	"D" Shaped Peninsula Worksurface		PWSMP3048						54.0#	\$ 709	\$ 741	\$ 755	
	Mounts to Another Worksurface Not available with laminate postformed		PWSMP3060						64.0#	785	820	931	
	edge	30 x 72"	PWSMP3072						77.0#	862	906	1129	
	 Does not include wire management 												
	grommet Includes mounting hardware												
PWCD	 72" worksurfaces contain two steel 												
F W ∪ U	reinforcing bars												
			A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	\mathbf{O}	(3	6					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge - 74P edge 74P - Knife edge

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

OSelect trim color.

Refer to the **Product Color Options** page in this

Select grommet location on T-edge (BN) only.

N - No grommet

- Grommet : left; add \$57 - Grommet : Center; add \$57

- Grommet : right; add \$57 LR - Grommet : left/right; add \$120

- Grommet: left/center; add \$120 CR - Grommet: center/right; add \$120 LCR

- Grommet : left/center/right; add \$174

Select edge color.
Refer to the **Product Color Options** page in this price list.

GSelect grommet color.

Refer to the **Product Color Options** page in this price list.

For 'T-Edge (BN) only.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Dual Curvilinear/Diag/Curvilinear 90° Corner



Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

						•						
			MODEL NUMI	BER		(
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Surface Edge Grommet Color Color	F		Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (WV)
	Dual Curvilinear/Diag/Curvilinear 90°	24 x 42 x 42 x 24"	PWDCE244224			75.0#	N/A	\$ 2589	N/A	\$ 2582	\$ 2984	\$ 5742
	Corner	24 x 48 x 48 x 24"	PWDCE244824			84.0#	N/A	2648	N/A	2644	3056	6482
	 Includes mounting hardware Worksurfaces have one 2-1/2" x 6" 	30 x 48 x 48 x 30"	PWDCE304830			98.0#	N/A	2796	N/A	2787	3119	6712
* *	grommet located 12" from rear corner											
PWWC	along right rear edge											
	Diagonal 90° Corner Worksurface	24 x 36 x 36 x 24"	PWD243624			10.0%	\$ 547	\$ 577	\$ 686	\$ 615	N/A	\$ 2681
	 Includes mounting hardware Left-hand cantilever is provided for rear 	24 x 42 x 42 x 24"	PWD244224			55.0#	632	664	789	688	N/A	3633
	corner	24 x 42 x 42 x 30"	PWD244230			51.0#	588	615	N/A	688	N/A	N/A
74P Edge (74P)	 Includes one grommet 	24 x 48 x 48 x 24"	PWD244824			64.0#	731	765	912	739	N/A	4562
THI LUGG (THI)		24 x 48 x 48 x 30"	PWD244830			62.0#	676	714	N/A	739	N/A	N/A
<u>^</u>		30 x 42 x 42 x 24"	PWD304224			51.0#	588	615	N/A	688	N/A	N/A
		30 x 42 x 42 x 30"	PWD304230			69.0#	632	664	789	688	N/A	3752
		30 x 48 x 48 x 24"	PWD304824			62.0#	676	714	N/A	739	N/A	N/A
Flat Vinyl T-Edge (BN)		30 x 48 x 48 x 30"	PWD304830			78.0#	731	765	912	739	N/A	4678
PWWC												
$\overline{}$	Curvlinear 90° Corner Worksurfaces	24 x 36 x 36 x 24"	PWC243624			44.0#	N/A	\$ 630	N/A	\$ 615	\$ 980	\$ 2796
	 Includes mounting hardware Left-hand cantilever is provided for rear 	24 x 42 x 42 x 24"	PWC244224			53.0#	N/A	668	N/A	688	1072	3800
	corner	24 x 42 x 42 x 30"	PWC244230			49.0#	N/A	668	N/A	688	N/A	2849
74P Edge (74P)		24 x 48 x 48 x 24"	PWC244824			62.0#	N/A	834	N/A	739	1106	4659
		24 x 48 x 48 x 30"	PWC244830			60.0#	N/A	834	N/A	739	N/A	3800
PWWC		30 x 36 x 36 x 30"	PWC303630			49.0#	N/A	630	N/A	615	920	2905
		30 x 42 x 42 x 24"	PWC304224			49.0#	N/A	668	N/A	688	N/A	2849
		30 x 42 x 42 x 30"	PWC304230			67.0#	N/A	715	N/A	688	1048	3953
		30 x 48 x 48 x 24"	PWC304824			60.0#	N/A	834	N/A	739	N/A	3800
		30 x 48 x 48 x 30"	PWC304830			76.0#	N/A	878	N/A	739	1127	4794
												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge

- 74P edge 74P - Knife edge - Postformed edge Wood edge, laminate surface
 Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

①Select grommet color.

Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Θ

0

3

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Countertops





MODEL NUMBER Approx. Edge Surface Trim Edge Packaged Flat Vinyl T-Edge 74P Edge Postformed Edge Knife Edge Wood Edge Laminate Wood Edge Veneer Grommet Basic Style Finish Color Color Color MODEL Features D x W Model Weight (RN) (74P) (PL) (KN) (WL) (WV) Straight Countertops
• For notch location of "LS, RS, BS", the 16.0# 16 x 24" PWCT24 \$ 311 \$ 323 385 \$ 327 \$ 505 \$ 1142 16 x 30" PWCT30 19.0# 344 359 426 1342 364 551 notch has a grommet and will require a 16 x 36" PWCT36 22.0# 361 379 453 384 597 1490 grommet color selection 16 x 42" PWCT42 435 523 442 660 1632 25.0# 420 Brackets include steel locking clips to 704 1830 16 x 48" PWCT48 28.0# 442 468 555 475 prevent dislodgement 487 **PWCT** 16 x 54" PWCT54 31.0# 467 586 538 823 2080 Countertops accept task light 16 x 60" PWCT60 34.0# 505 606 559 864 2325 485 16 x 66" PWCT66 37.0# 497 523 620 615 930 2472 16 x 72" PWCT72 40.0# 503 534 634 629 966 2572 16 x 78" PWCT78 43.0# 519 542 648 663 1002 2626 16 x 84" PWCT84 43.0# 532 555 664 683 1037 3114 90° Corner Countertops 16 x 24" PW9024 23.0# 505 535 637 543 N/A 4222 2-piece standard • For notch location of "LS, RS, BS", the 2-piece standard 16 x 30" PW9030 30.0# 649 678 813 694 N/A 4524 notch has a grommet and will require a 2-piece standard 16 x 36" PW9036 37.0# 764 804 955 816 N/A 4734 grommet color selection · Brackets include steel locking clips to prevent dislodgement · PL edge comes with two individual tops and are placed next to each other in field Straight Countertops - ADA Height 16 x 24" PWCTWC24 16.0# \$ 360 \$ 376 \$ 435 \$ 345 \$ 535 \$ 1191 For notch location of "LS BS BS" the 16 x 30" PWCTWC30 19.0# 387 411 475 382 485 1393 notch has a grommet and will require a PWCTWC36 415 432 501 430 532 1537 16 x 36" 22.0# grommet color selection 486 574 16 x 42" PWCTWC42 25.0# 467 456 595 1684 Brackets include steel locking clips to PWCW 16 x 48" PWCTWC48 28 0# 497 519 606 474 637 1883 prevent dislodgement 16 x 54" PWCTWC54 31.0# 518 538 634 575 755 2127 Per the 2010 ADA and ICC A117.1, KI countertops do not extend more than 16 x 60" PWCTWC60 34.0# 535 557 660 597 803 2374 4 inches into a circulation path and 574 668 16 x 66" PWCTWC66 37.0# 543 667 862 2522 meet the requirements for a clear floor 16 x 72" PWCTWC72 40.0# 555 582 683 688 900 2618 space positioned for a parallel approach 16 x 78" | PWCTWC78 43.0# 569 595 697 720 936 2675 adjacent to the accessible counter. 16 x 84" PWCTWC84 46.0# 714 977 581 606 741 3160 686 589 90° Countertops - ADA Height 2-piece standard 16 x 24" PWCTWC9024 23.0# 557 586 N/A \$ 4270 • For notch location of "LS, RS, BS", the 2-piece standard 16 x 30" PWCTWC9030 30.0# 734 861 663 N/A 4570 699 notch has a grommet and will require a 2-piece standard 16 x 36" PWCTWC9036 □□ 813 855 1002 709 4786 37.0# N/A grommet color selection Brackets include steel locking clips to prevent dislodgement PL edge comes with two individual tops and are placed next to each other in field Per the 2010 ADA and ICC A117.1, KI countertops do not extend more than

HOW TO ORDER

Indicate the following information on order form:

Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

4 inches into a circulation path and meet the requirements for a clear floor space positioned for a parallel approach adjacent to the accessible counter.

BSelect notch location.

- Standard
- Left notch for std trim
- Right notch for std trim
- Both notches for std trim
- Left notch for flat trim
- Right notch for flat trim
- Both notches for flat trim

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection

Select edge style.

BN - Flat v

DSelect surface finish.

BN - Flat vinyl T-edge
74P - 74P edge
PL - Postformed edge
KN - Knife edge
WL - Wood edge, laminate surface
WV - Wood edge, veneer surface

grommet co grommet co Refer to the price list.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style

0

0

(3)

(3)

(

(3)

Select trim color.
Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

Select edge color.

A

selections.

Refer to the **Product Color Options** page in this price list.

GSelect grommet color.

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection, otherwise there is no grommet color selection.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.

Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Mobile Teardrop/Mobile Semi-Circle



Worksurfaces

				MODEL NUN	/IBER								
	MODEL	Features	: D x DIA	Basic Model	Edge Style	Height	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	
	Mobile Teardrop Worksurface		24 X 45"	WMTPW2446						98.0#	\$ 1161	\$ 1218	
	 1-1/4" solid particleboard with 		30 X 55"	WMTPW3056						132.0#	1166	1223	
	high-pressure laminateBase consists of three 3" diameter												
	metal support legs with adjustable												
	chrome-plated glides												
	Connects to end of 24" or 30" worksur-												
₩	face • Pointed end is removed to accommodat	.σ											
WMT	corner of two WireWorks panels	.0											
	·												
	Mobile Semi-Circle Worksurface	Std.	24 X 51-1/2"	WMSCPW52		9				69.0#	\$ 1382	\$ 1451	
	1-1/4" solid particleboard with	Std.	30 X 63-1/2"	WMSCPW64		9				88.0#	1409	1481	
	high-pressure laminateBase consists of three 3" diameter	Flat	24 X 51-1/2"	WMSCFW52		9				69.0#	1382	1451	
6	metal support legs with adjustable	Flat	30 X 63-1/2"	WMSCFW64		9				88.0#	1409	1481	
Jan -	chrome-plated glides												
	 Connects to end of 24" or 30" worksurface 												
	 Notched in center for wire management 												
	 Notch enables surface to wrap around 												
WMT	end cap of WireWorks® panel • 51-1/2" diameter accommodates two												
	• 51-1/2 diameter accommodates two 24" deep worksurfaces separated by a												
	WireWorks panel												
	63-1/2" diameter accommodates two												
	30" deep worksurfaces separated by a WireWorks panel												
	ντιοννοικό μαιιοί												
				A	3	•	0	(3	(3				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
BN - Flat vinyl T-edge **74P** - 74P edge

9 - 29" high

①Select trim color (edge/grommet/support

Refer to the **Product Color Options** page in this price list.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

selections.

Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

With specially marked information N/C

Shipping

SPECIAL SERVICES

Special Carton Marking

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Mobile Teardrop/Mobile Semi-Circle



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge **74P** - 74P edge

©Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select edge color.
Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Worksurface Support Panel





			MODEL NUMBE	ER									
MC	ODEL	D x DIA	Basic Model	Su Dir. Fin	ırface Fa	abric Ed	Approx. e Packaged or Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
Wo			PWSSP2426/BN				15.0#	\$ 666	\$ 676	\$ 686	\$ 699	\$ 727	
Lar Lar	minate)	24 x 29"	PWSSP2429/BN				16.0#	674	688	697	714	739	
• 1	Must specify left or right side version by	30 x 26"	PWSSP3026/BN				17.0#	674	688	697	714	739	
a a	adding /L (left) or /R (right) to product number	30 x 29"	PWSSP3029/BN				18.0#	695	707	715	731	756	
• S S S S S S S S S S S S S S S S S S S	Support panel provides additional work- surface support in extensive worksurface loading applications Mounts to panel and worksurface Adjustable glides provide leveling capa- bility 26" worksurface height equals 24-7/8" panel height 29" worksurface height equals 27-7/8" panel height												
			A	B	Θ	0							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect surface direction.
DL - Direction left

DR - Direction right

©Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

OSelect fabric color.
Refer to ki.com/fabrics

Select edge color.
Refer to the **Product Colo**

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.

Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Worksurface Support Panel





		MODEL NUMBER				
		Basic Edge Surface Edge Style Finish Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)
		S" PWSSL2426	15.0# 16.0#	\$ 461 467	\$ 484 487	\$ 577 586
	 Must specify left or right side version by adding /L (left) or /R (right) to product 	6" PWSSL3026	17.0# 18.0#	467 483	487 502	586 601
	Support panel provides additional work-	7 W35L3029 LL LL LLL LLL	10.0#	400	302	001
PWSL	surface support in extensive worksurface loading applications Mounts to panel and worksurface					
	Adjustable glides provide leveling capability					
	26" worksurface height equals 24-7/8" panel height					
	29" worksurface height equals 27-7/8" panel height					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

3 0 D 3

A Select basic model.

BSelect surface direction. DR - Direction right DL - Direction left

Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge - Postformed edge

• Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

With specially marked information N/C

SPECIAL SERVICES **Special Carton Marking**

Shipping Ships knocked down, FOB Manitowoc, WI 54220,

freight prepaid. Freight class 70.

Worksurface Accessories

Worksurface Accessories



Worksurface Accessories Worksurface Accessories

							◇ ▼		
				MODEL NU	IMBER				
						Approx.			
				Basic	Trim Color	Packaged	Delivered		
	MODEL	Features	WxDxH	Model	Color	Approx. Packaged Weight	Pricing		
	Grommets - Field-Installed	Inside - 2-3/4", Outside - 3"		WSG		1.0#	\$ 4		
(\bigcirc)									
HRDPT									
111011	Worksurface Support Bracket		3 x 4"	PWSB.L		1.0#	\$ 29		
	Worksurface Support Bracket					1.0#			
			3 X 4	PWSB.R		1.U#	29		
51									
5									
HRDPT									
~	Worksurface Vertical Filler		3 x 24"	WSVF.24		3.0#	\$ 57		
23			3 x 30"	WSVF.30		3.0#	64		
HRDPT									
TITLETT	Worksurface Wire Manager	W - 2", D - 2-1/2"		WWM		1.0#	\$ 67		
	worksuitace wife mailager	W - Z , D - Z-1/Z		VVVVIVI		1:0#	ψ 07		
HRDPT									
				A	3				
				•	9				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.



Universal Storage and Accessories Overhead Storage

								· · ·	
			MODEL NUMBER						
									Metallic Action of the Control of th
			Basic		Paint	Lock Lo	Approx. ock Packaged	Delivered	Paint add to list
	MODEL	WxHxD	Model	Assembly		Option Co	olor Weight	Pricing	price
		24 x 16-1/2 x 14-1/2"	PRDS24/WW/PM	-			32.0#	\$ 597	\$ 102
	Steel Door Overhead Cabinet-On-Module	30 x 16-1/2 x 14-1/2"	PRDS30/WW/PM				36.0#	658	111
	On-Module overheads (PM) mount into		PRDS36/WW/PM				40.0#	667	112
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDS42/WW/PM				□□□ 44.0#	713	123
V	Does not require a 12" tile for mounting		PRDS48/WW/PM				49.0#	754	130
PRDS	Allows for vertical adjustment in 1"	54 x 16-1/2 x 14-1/2"	PRDS54/WW/PM				□□□ 53.0#	864	152
	increments	60 x 16-1/2 x 14-1/2"	PRDS60/WW/PM				□□□ 57.0#	920	158
	Includes mounting bracketsSteel bottom and top shelf, end panels								
	and front with powder-coated finish								
	Accepts shelf divider								
	 Door stores recessed with plastic trim handle exposed 								
	Double bit lock is included								
	 shelf depth is 13-1/4" 								
	Steel Door Overhead Cabinet-Off-Module	24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM12				□□□ 32.0#	\$ 708	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/0M12				□□□ 36.0#	761	111
	Off-Module overheads (OM12) for WireWorks mount into an integral	36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM12				□□□ 40.0#	771	112
	WireWorks® mount into an integral track in the horizontal rail. Allows shelf	42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM12	I I			□□□ 44.0#	819	123
V	to slide along track. Requires a 12" tile	48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM12				□□□ 49.0#	862	130
PRDS	for mounting (i.e. must be a half or fully	54 x 16-1/2 x 14-1/2"	PRDS54/WW/0M12				□□□ 53.0#	970	152
	segmented panel) • Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDS60/WW/0M12				□□□ 57.0#	1030	158
	Steel bottom and top shelf, end panels								
	and front with powder-coated finish								
	 Accepts shelf divider Door stores recessed with plastic trim 								
	handle exposed								
	Double bit lock is included								
	shelf depth is 13-1/4"								
			A	B	G	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

								-	
			MODEL NUMBER						
									Metallic
						l l	Approx.		Paint
	MODEL	WxHxD	Basic Model	Assembly	Paint	Lock Lock Option Color	Packaged Weight	Delivered Pricing	add to list price
	Steel Door Cabinet-Off-Module			Assembly	_	-	-	· · · · · · · · · · · · · · · · · · ·	·
	Off-Module overheads (OM18) for	24 x 16-1/2 x 14-1/2"					32.0#	\$ 708	\$ 102
	WireWorks® mount into an integral track	30 x 16-1/2 x 14-1/2"	PRDS30/WW/0M18					761	111
	WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slid	le 36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM18				40.0#	771	112
	along track. Requires a 18" tile (OM18)	42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM18				44.0#	819	123
Ť	for mounting (i.e. must be a half or fully	48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM18				49.0#	862	130
PRDS	segmented panel) • Includes mounting brackets	54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM18				53.0#	970	152
	Steel bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM18				57.0#	1030	158
	and front with powder-coated finish								
	 Accepts shelf divider 								
	Door stores recessed with plastic trim								
	handle exposed • Double bit lock is included								
	shelf depth is 13-1/4"								
~~~~	0. 15. 0. 1. 10.1: 11. 15	24 x 16-1/2 x 14-1/2"	PRDS24/WW/LB				32.0#	\$ 708	\$ 102
	Steel Door Overhead Cabinet-Load Bar Mount								
	Load Bar mount overheads (LB) for	30 x 16-1/2 x 14-1/2"	PRDS30/WW/LB				36.0#	761	111
	WireWorks® hang from an externally	36 x 16-1/2 x 14-1/2"	PRDS36/WW/LB					771	112
	mounted load bar	42 x 16-1/2 x 14-1/2"	PRDS42/WW/LB				44.0#	819	123
	<ul> <li>Load Bar purchased separately</li> </ul>	48 x 16-1/2 x 14-1/2"	PRDS48/WW/LB					862	130
PRDS	<ul> <li>Includes mounting brackets</li> <li>Steel bottom and top shelf, end panels</li> </ul>	54 x 16-1/2 x 14-1/2"	PRDS54/WW/LB				53.0#	970	152
	and front with powder-coated finish	60 x 16-1/2 x 14-1/2"	PRDS60/WW/LB				57.0#	1030	158
	Accepts shelf divider								
	<ul> <li>Door stores recessed with plastic trim</li> </ul>								
	handle exposed								
	<ul> <li>Double bit lock is included</li> <li>shelf depth is 13-1/4"</li> </ul>								
	- 3000 ucput is 10-1/4								
							_		
			A	$oldsymbol{eta}$	$\mathbf{\Theta}$	<b>0 3</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBE	R					
	MODEL	WxHxD	Basic Model	Assembly		ock Lock ption Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	Steel Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDS24/WW/UM				32.0#	\$ 761	\$ 102
	Upmount brackets position the storage	30 x 16-1/2 x 14-1/2"	PRDS30/WW/UM				36.0#	820	111
	component on a 54" high panel to the same height as on 66" high panels	36 x 16-1/2 x 14-1/2"	PRDS36/WW/UM				40.0#	830	112
	• On a 54" high panel, clearance between	42 x 16-1/2 x 14-1/2"	PRDS42/WW/UM				44.0#	874	123
	the cabinet and worksurface is 20"	48 x 16-1/2 x 14-1/2"	PRDS48/WW/UM				49.0#	917	130
•	<ul> <li>On a 48" high panel, clearance between the cabinet and worksurface is 14"</li> </ul>	54 x 16-1/2 x 14-1/2"	PRDS54/WW/UM				53.0#	1027	152
PRDS	Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDS60/WW/UM				57.0#	1089	158
	Steel bottom and top shelf, end panels								
	<ul><li>and front with powder-coated finish</li><li>Accepts shelf divider</li></ul>								
	Door stores recessed with plastic trim								
	handle exposed								
	<ul> <li>Double bit lock is included</li> <li>shelf depth is 13-1/4"</li> </ul>								
	Shell deput is 15-1/4								
			A	B	Θ	0 3			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



## Universal Storage and Accessories Overhead Storage

			MODEL NUMBER													
	MODEL	WxHxD	Basic Model	Assembly		Fabric Color	Lock Option	Lock Color	Approx. Package Weight	ed	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	Fabric Door Overhead Cabinet-On-Modul	24 x 16-1/2 x 14-1/2"	PRDF24/WW/PM						32.0#	#	\$ 630	\$ 640	\$ 650	\$ 650	\$ 657	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/PM						36.0≉	#	687	700	709	709	716	111
·V	On-Module overheads (PM) mount into	36 x 16-1/2 x 14-1/2"	PRDF36/WW/PM						40.0 <del>/</del>	#	705	715	725	725	735	112
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDF42/WW/PM						44.0 <del>/</del>	#	747	758	769	769	781	123
	Does not require a 12" tile for mounting	. 48 x 16-1/2 x 14-1/2"	PRDF48/WW/PM						49.0 <i>#</i>	#	794	810	819	819	828	130
PRDF	Allows for vertical adjustment in 1"	54 x 16-1/2 x 14-1/2"	PRDF54/WW/PM						53.0∜	#	905	922	934	934	940	152
	increments Includes mounting brackets Steel bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDF60/WW/PM						57.0 <i>±</i>	#	969	987	995	995	1011	158
	and front with powder-coated finish  Accepts shelf divider  Door stores recessed with plastic trim handle exposed															
	Double bit lock is included     shelf depth is 13-1/4"															
	Fabric Door Overhead Cabinet-Off-Modul	24 x 16-1/2 x 14-1/2"									\$ 738	\$ 747	\$ 755	\$ 755	\$ 761	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM12						36.0≉		794	806	815	815	824	111
	<ul> <li>Off-Module overheads (OM12) for WireWorks® mount into an integral</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM12						40.0#	#	810	820	831	831	837	112
	track in the horizontal rail. Allows shelf	42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM12						44.0#	#	857	865	877	877	886	123
•	to slide along track. Requires a 12" tile	48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM12						49.0#	#	902	916	929	929	936	130
PRDF	for mounting (i.e. must be a half or fully	54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM12						53.0#	#	1016	1030	1041	1041	1048	152
	segmented panel) • Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDF60/WW/0M12						57.0∜	#	1077	1097	1106	1106	1116	158
	Steel bottom and top shelf, end panels															
	<ul> <li>and front with powder-coated finish</li> <li>Accepts shelf divider</li> </ul>															
	Door stores recessed with plastic trim															
	handle exposed															
	<ul><li>Double bit lock is included</li><li>shelf depth is 13-1/4"</li></ul>															
			<b>Q</b>	•	•	<b>o</b>	<b>(</b>	•								

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

### INFORMATION

#### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



## Universal Storage and Accessories Overhead Storage

								· · · · · · · · · · · · · · · · · · ·							
			MODEL NUMBER												
	MODEL	WxHxD	Basic Model	Assembly		Lock Option	Lock Color	Approx. Package Weight	. I ed I	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	5.1.5 B. O. I. 10.1. 10" M. I.I.	24 x 16-1/2 x 14-1/2"	PRDF24/WW/0M18					32.0≉	# 5	\$ 738	\$ 747	\$ 755	\$ 755	\$ 761	\$ 102
	Fabric Door Overhead Cabinet-Off-Module	30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM18					36.0∜	#	794	806	815	815	824	111
	Off-Module overheads (OM18) for	36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM18					40.0 <i>#</i>	#	810	820	831	831	837	112
	WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide	42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM18					44.0#	#	857	865	877	877	886	123
	along track. Requires a 18" tile (OM18)	48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM18					49.0#	#	902	916	929	929	936	130
PRDF	for mounting (i.e. must be a half or fully	54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM18					53.0 <i>#</i>	#	1016	1030	1041	1041	1048	152
	segmented panel)	60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM18					57.0 <i>#</i>	#	1077	1097	1106	1106	1116	158
	<ul><li>Includes mounting brackets</li><li>Steel bottom and top shelf, end panels</li></ul>														
	and front with powder-coated finish														
	Accepts shelf divider														
	<ul> <li>Door stores recessed with plastic trim handle exposed</li> </ul>														
	Double bit lock is included														
	<ul> <li>shelf depth is 13-1/4"</li> </ul>														
		24 x 16-1/2 x 14-1/2"	PRDF24/WW/LB					32.0#	# 5	\$ 738	\$ 747	\$ 755	\$ 755	\$ 761	\$ 102
	Mount	30 x 16-1/2 x 14-1/2"	PRDF30/WW/LB					36.0⊭	#	794	806	815	815	824	111
	<ul> <li>Load Bar mount overheads (LB) for WireWorks[®] hang from an externally</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDF36/WW/LB					40.0#	#	810	820	831	831	837	112
	mounted load bar	42 x 16-1/2 x 14-1/2"	PRDF42/WW/LB					44.0#	#	857	865	877	877	886	123
-	<ul> <li>Load Bar purchased separately</li> </ul>	48 x 16-1/2 x 14-1/2"	PRDF48/WW/LB					49.0#	#	902	916	929	929	936	130
PRDF	Includes mounting brackets	54 x 16-1/2 x 14-1/2"	PRDF54/WW/LB					53.0#	#	1016	1030	1041	1041	1048	152
	<ul> <li>Steel bottom and top shelf, end panels and front with powder-coated finish</li> </ul>	60 x 16-1/2 x 14-1/2"	PRDF60/WW/LB					57.0#	#	1077	1097	1106	1106	1116	158
	Accepts shelf divider														
	Door stores recessed with plastic trim														
	<ul><li>handle exposed</li><li>Double bit lock is included</li></ul>														
	shelf depth is 13-1/4"														
	•														

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

A

0

**(3** 

 $\mathbf{\Theta}$ 

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

### INFORMATION

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Approx.

32.0#

36.0#

40.0#

44.0#

49.0#

53.0#

57.0#

Delivered

1 & C.O.M.

\$ 794

855

866

911

959

1068

1132

Pricing

Packaged Fabric Grade

Delivered

Fabric Grade

862

878

922

972

1090 1153

Pricing

\$ 805

## Universal Storage and Accessories Overhead Storage

Pricing

PV2

\$ 819

Pallas Vertical

Fabric Grade

882

898

945

989

1106

1171

Delivered Pricing

3 & Pallas Vertical

Fabric Grade

Fabric Grade

870

890

936

982

1099

1161

PV

\$ 813

Delivered Pricing

Pallas Vertical

Fabric Grade

870

890

936

982

1099

1161

PV1

\$ 813

Metallic

add to list

\$ 102

111

112

123

130

152

158

Paint

price

			MODEL NUMBER	1					
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Fabric Color	Lock Option	Lock Color	
	Fabric Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDF24/WW/UM						
	<ul> <li>Upmount brackets position the storage component on a 54" high panel to the</li> </ul>	30 x 16-1/2 x 14-1/2"	PRDF30/WW/UM						
	same height as on 66" high panels	36 x 16-1/2 x 14-1/2"	PRDF36/WW/UM						
	On a 54" high panel, clearance between	42 x 16-1/2 x 14-1/2"	PRDF42/WW/UM						
	the cabinet and worksurface is 20"	48 x 16-1/2 x 14-1/2"	PRDF48/WW/UM						
•	<ul> <li>On a 48" high panel, clearance between the cabinet and worksurface is 14"</li> </ul>	54 x 16-1/2 x 14-1/2"	PRDF54/WW/UM						
PRDF	Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDF60/WW/UM						
	Steel bottom and top shelf, end panels and front with powder-coated finish								
	<ul><li>Accepts shelf divider</li><li>Door stores recessed with plastic trim</li></ul>								
	handle exposed								
	Double bit lock is included								
	<ul> <li>shelf depth is 13-1/4"</li> </ul>								
			A	<b>3</b>	Θ	0	<b>(3</b>	<b>(3</b>	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

- Key alike - Key standard

NLC - No lock core Select lock color.

Refer to the **Product Color Options** page in this

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

### INFORMATION

#### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

									* <b>*</b>	
			MODEL NUMBER							
			Basic				Lock	Lock	Approx. Packaged Delivered	
	MODEL	WxHxD	Model	Assembly	Color	Color	Option	Color	Weight Pricing	
<b>1</b>	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/PM						32.0# \$ 807	
	net-On-Module (PM)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/PM						36.0# 886	
	<ul> <li>On-Module overheads mount into slots in vertical posts. Overheads must be</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDL36/WW/PM						40.0# 902	
	same width as panel mounted to. Does	42 x 16-1/2 x 14-1/2"	PRDL42/WW/PM						44.0# 960	
<b>V</b>	not require 12" tile for mounting. Allows	48 x 16-1/2 x 14-1/2"	PRDL48/WW/PM						48.0# 1020	
	for vertical adjustment in 1" increments	54 x 16-1/2 x 14-1/2"	PRDL54/WW/PM						53.0# 1168	
	Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDL60/WW/PM						57.0# 1250	
	<ul> <li>Steel bottom and top shelf, end panels and front with powder-coated finish</li> </ul>									
	Accepts shelf divider									
	<ul> <li>Door stores recessed with plastic trim</li> </ul>									
	handle exposed									
	<ul> <li>Double bit lock is included</li> <li>shelf depth is 13-1/4"</li> </ul>									
	311011 40 11113 10 174									
A	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM12						32.0# \$ 914	
	net-Off-Module (OM12)	30 x 16-1/2 x 14-1/2"		П					36.0# 990	
	<ul> <li>Off-Module overheads for WireWorks®</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM12						40.0# 1012	
	mount into an integral track in the								44.0# 1067	
	horizontal rail. Allows shelf to slide along track. Requires 12" tile for mounting (i.e	48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM12						48.0# 1127	
	must be a half or fully segmented panel)	54 × 16-1/2 × 14-1/2"	PRDL54/WW/OM12						53.0# 1273	
	<ul> <li>Includes mounting brackets</li> </ul>								57.0# 1353	
	Steel bottom and top shelf, end panels	00 X 10-1/2 X 14-1/2	T NDLOO/ WW/OWIZ						37.07 1333	
	<ul><li>and front with powder-coated finish</li><li>Accepts shelf divider</li></ul>									
	Door stores recessed with plastic trim									
	handle exposed									
	Double bit lock is included									
	<ul><li>shelf depth is 13-1/4"</li></ul>									
			A	B	Θ	0	<b>(3</b>	<b>(3</b> )		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

With specially marked information N/C



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBER							
			Basic		Paint	Laminate	Lock	Lock	Approx. Packaged Delivered	
	MODEL	WxHxD	Model	Assembly	Color		Option		Weight Pricing	
<del></del>	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM18						32.0# \$ 914	
	net-Off-Module (OM18)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM18						36.0# 990	
	Off-Module overheads for WireWorks®	36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM18						40.0# 1012	
	mount into an integral track in the horizontal rail. Allows shelf to slide along	42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM18						44.0# 1067	
<b>V</b>	track. Requires 18" tile for mounting (i.e	. 48 X 16-1/2 X 14-1/2"	PRDL48/WW/OM18						48.0# 1127	
)L	must be a half or fully segmented panel)	54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM18						53.0# 1273	
	<ul> <li>Includes mounting brackets</li> <li>Steel bottom and top shelf, end panels</li> </ul>	60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM18						57.0# 1353	
	and front with powder-coated finish									
	<ul> <li>Accepts shelf divider</li> </ul>									
	<ul> <li>Door stores recessed with plastic trim handle exposed</li> </ul>									
	Double bit lock is included									
	<ul> <li>shelf depth is 13-1/4"</li> </ul>									
	Laminate Door Overhead Cabinet-Load								32.0# \$ 914	
	Bar Mount (LB)     Load Bar mount overheads (LB) for	30 x 16-1/2 x 14-1/2"	PRDL30/WW/LB						36.0# 990	
	WireWorks® hang from an externally	36 x 16-1/2 x 14-1/2"							40.0# 1012	
	mounted load bar	42 x 16-1/2 x 14-1/2"	PRDL42/WW/LB						44.0# 1067	
	Load Bar purchased separately	48 x 16-1/2 x 14-1/2"	PRDL48/WW/LB						48.0# 1127	
L	<ul><li>Includes mounting brackets</li><li>Steel bottom and top shelf, end panels</li></ul>	54 x 16-1/2 x 14-1/2"	PRDL54/WW/LB						53.0# 1273	
	and front with powder-coated finish	60 x 16-1/2 x 14-1/2"	PRDL60/WW/LB						57.0# 1353	
	Accepts shelf divider									
	<ul> <li>Door stores recessed with plastic trim handle exposed</li> </ul>									
	Double bit lock is included									
	<ul><li>shelf depth is 13-1/4"</li></ul>									
			A	B	Θ	0	<b>(3</b>	<b>(3</b> )		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBE	R					
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Laminate Color	Lock Color	Approx. Packaged Delivered Weight Pricing	Metallic Paint add to list price
	Laminate Door Overhead Cabinet-Up-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/UM					32.0# \$ 971	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/UM					36.0# 1049	111
	Upmount brackets position the storage     appropriate an a 54" high panel to the	36 x 16-1/2 x 14-1/2"	PRDL36/WW/UM					40.0# 1064	112
	component on a 54" high panel to the same height as on 66" high panels	42 x 16-1/2 x 14-1/2"	PRDL42/WW/UM					44.0# 1126	123
	<ul> <li>On a 54" high panel, clearance between</li> </ul>	48 x 16-1/2 x 14-1/2"	PRDL48/WW/UM					48.0# 1183	130
	the cabinet and worksurface is 20"	54 x 16-1/2 x 14-1/2"	PRDL54/WW/UM					53.0# 1331	152
PRDL	<ul> <li>On a 48" high panel, clearance between the cabinet and worksurface is 14"</li> </ul>	60 x 16-1/2 x 14-1/2"	PRDL60/WW/UM					57.0# 1412	158
	Includes mounting brackets								
	<ul> <li>Steel bottom and top shelf, end panels</li> </ul>								
	<ul><li>and front with powder-coated finish</li><li>Accepts shelf divider</li></ul>								
	Door stores recessed with plastic trim								
	handle exposed								
	Double bit lock is included     The bit departs in 49,44477								
	shelf depth is 13-1/4"								

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select assembly.

F - Fully Assembled; add \$179

- Unassembled

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBER							
									Approx.	Metallic Paint
			Basic Model			Veneer	Lock	Lock	Packaged Delivered	add to list
	MODEL	WxHxD		Assembly	Color	Color	Option	Color	Weight Pricing	price
<b>.</b> **		24 x 16-1/2 x 14-1/2"	PRDV24/WW/PM						34.0# \$ 1750	\$ 102
	ule (PM)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/PM						36.0# 1844	111
	<ul> <li>On-Module overheads mount into slots in vertical posts. Overheads must be</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDV36/WW/PM						44.0# 1921	112
	same width as panel mounted to. Does	42 x 16-1/2 x 14-1/2"	PRDV42/WW/PM						49.0# 2165	123
	not require 12" tile for mounting. Allows	3 48 x 16-1/2 x 14-1/2"	PRDV48/WW/PM						54.0# 2460	130
PRDV	for vertical adjustment in 1" increments	54 x 16-1/2 x 14-1/2"	PRDV54/WW/PM						60.0# 2687	152
	<ul><li>Includes mounting brackets</li><li>Steel bottom and top shelf, end panels</li></ul>	60 x 16-1/2 x 14-1/2"	PRDV60/WW/PM						64.0# 2954	158
	and front with powder-coated finish									
	<ul> <li>Accepts shelf divider</li> </ul>									
	Door stores recessed with plastic trim									
	handle exposed  • Double bit lock is included									
	shelf depth is 13-1/4"									
<u>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</u>	Veneer Door Overhead Cabinet-Off-Mod-	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM12						34.0# \$ 1857	\$ 102
	ule (OM12)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/0M12						36.0# 1950	111
	Off-Module overheads for WireWorks®	36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM12						44.0# 2025	112
	mount into an integral track in the horizontal rail. Allows shelf to slide along	42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM12						49.0# 2270	123
	track. Requires 12" tile for mounting (i.e	e. 48 x 10-1/2 x 14-1/2	PRDV48/WW/OM12						54.0# 2567	130
PRDV	must be a half or fully segmented panel)	54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM12						60.0# 2798	152
	<ul><li>Includes mounting brackets</li><li>Steel bottom and top shelf, end panels</li></ul>	60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM12						64.0# 3057	158
	and front with powder-coated finish									
	<ul> <li>Accepts shelf divider</li> </ul>									
	Door stores recessed with plastic trim									
	<ul><li>handle exposed</li><li>Double bit lock is included</li></ul>									
	shelf depth is 13-1/4"									
	·									
			A	•	•	0	<b>3</b>	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Approx.
Packaged Delivered

34.0#

36.0#

44.0#

49.0# 54.0#

60.0#

64.0#

Pricing

1950

2025

2270

2567

2798

3057

# Universal Storage and Accessories Overhead Storage

Metallic

Paint add to list

price

\$ 102

111

112

123

130 152

158

			MODEL NUMBER						
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Veneer Color	Lock Option	Lock Color	
*\\	Veneer Door Overhead Cabinet-Off-Mod-	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM18						
	ule (OM18)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/OM18						
	<ul> <li>Off-Module overheads for WireWorks[®]</li> </ul>	36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM18						
	mount into an integral track in the horizontal rail. Allows shelf to slide along	42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM18						
	track. Requires 18" tile for mounting (i.e.		PRDV48/WW/OM18						
PRDV	must be a half or fully segmented panel)	54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM18						
	<ul><li>Includes mounting brackets</li><li>Steel bottom and top shelf, end panels</li></ul>	60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM18						
	and front with powder-coated finish								
	Accepts shelf divider								
	<ul> <li>Door stores recessed with plastic trim handle exposed</li> </ul>								
	Double bit lock is included								
	<ul> <li>shelf depth is 13-1/4"</li> </ul>								
			A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	O	<b>(3</b>	<b>(3</b> )	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

		MODEL NUMBER	R						
								Anarov	
		Basic		Paint	Veneer	Lock	Lock	Approx. Packaged Delivered	
MODEL	WxHxD	Model	Assembly		Color	Option	Color	Weight Pricing	
Veneer Door Overhead Ca	abinet-Load Bar 24 x 16-1/2 x 14-1/2"	PRDV24/WW/LB						34.0# \$ 1857	
Mount (LB)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/LB						36.0# 1950	
Load Bar mount overhe		PRDV36/WW/LB						44.0# 2025	
WireWorks® hang from mounted load bar	42 x 16-1/2 x 14-1/2"	PRDV42/WW/LB						49.0# 2270	
Load Bar purchased sep	parately 48 x 16-1/2 x 14-1/2"	PRDV48/WW/LB						54.0# 2567	
<ul> <li>Includes mounting brace</li> </ul>	ckets 54 x 16-1/2 x 14-1/2"	PRDV54/WW/LB						60.0# 2798	
Steel bottom and top shape and for a state of the st		PRDV60/WW/LB						64.0# 3057	
and front with powder-o  • Accepts shelf divider	coated finish								
Door stores recessed w	vith plastic trim								
handle exposed									
Double bit lock is include	ded								
• shelf depth is 13-1/4"									
	24 x 16-1/2 x 14-1/2"	PRDV24/WW/UM						34.0# \$ 1917	
Veneer Door Overhead Ca	30 x 16-1/2 x 14-1/2"	PRDV30/WW/UM						36.0# 2008	
Upmount brackets position	ition the storage 36 x 16 1/2 x 14 1/2"	PRDV36/WW/UM						44.0# 2082	
component on a 54" hig	gh panel to the	PRDV42/WW/UM						49.0# 2328	
same height as on 66" I  On a 54" high panel, cle	myn paneis	PRDV48/WW/UM						54.0# 2623	
On a 54" high panel, cle     the cabinet and worksui		PRDV54/WW/UM						60.0# 2852	
V • On a 48" high panel, cle		PRDV60/WW/UM						64.0# 3115	
the cabinet and worksul	ITTACE IS 14	PRDV00/WW/UW						04.U# 3113	
Includes mounting brace     Steel betters and ten all									
<ul> <li>Steel bottom and top sh and front with powder-or</li> </ul>									
Accepts shelf divider	outou iiiisii								
<ul> <li>Door stores recessed w</li> </ul>	vith plastic trim								
handle exposed									
<ul> <li>Double bit lock is included</li> <li>shelf depth is 13-1/4"</li> </ul>	aea								
- Stiett deptil 15 13-1/4									
		A	ß	•	O	<b>(3</b>	G		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

#### INFORMATION

See color page for coordinated plastic or trim color to the paint color.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBER				
	MODEL	W x H x D	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	Low Shelf-On-Module	24 x 10-1/2 x 13-1/4"	ULSR24/WW/PM		14.0#	\$ 260	\$ 102
	On-Module shelves (PM) mount into	30 x 10-1/2 x 13-1/4"	ULSR30/WW/PM		16.0#	270	111
	slots in vertical posts. Shelves must be same width as panel mounted to. Does	36 x 10-1/2 x 13-1/4"	ULSR36/WW/PM		17.0#	284	112
Julia	not require a 12" tile for mounting.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/PM		19.0#	295	123
ULSR	Allows for vertical adjustment in 1"	48 x 10-1/2 x 13-1/4"	ULSR48/WW/PM		20.0#	300	130
	increments	54 x 10-1/2 x 13-1/4"	ULSR54/WW/PM		22.0#	315	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/PM		24.0#	329	158
<u> </u>	Low Shelf-Off-Module	24 x 10-1/2 x 13-1/4"	ULSR24/WW/0M12		14.0#	\$ 365	\$ 102
	Off-Module shelves (OM12) mount	30 x 10-1/2 x 13-1/4"	ULSR30/WW/0M12		16.0#	377	111
	into the integral track in the horizontal rail. Allows shelf to slide along track.	36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM12		17.0#	389	112
Julia	Requires a 12" tile for mounting (i.e.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/0M12		19.0#	402	123
ULSR	must be a half or fully segmented panel	l) 48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM12		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/0M12		22.0#	424	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/0M12		24.0#	435	158
	Low Shelf-Off-Module	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM18		14.0#	\$ 365	\$ 102
	Off-Module shelves (OM18) mount     into the integral treal, in the haringstell	30 x 10-1/2 x 13-1/4"	ULSR30/WW/0M18		16.0#	377	111
	into the integral track in the horizontal rail. Allows shelf to slide along track.	36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM18		17.0#	389	112
June	Requires a 18" tile for mounting (i.e.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/0M18		19.0#	402	123
ULSR	must be a half or fully segmented panel	l) 48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM18		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM18		22.0#	424	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/0M18		24.0#	435	158
	Low Shelf-Load Bar Mount	24 x 10-1/2 x 13-1/4"	ULSR24/WW/LB		14.0#	\$ 365	\$ 102
	<ul> <li>Load Bar mount overheads (LB) for WireWorks[®] hang from an externally</li> </ul>	30 x 10-1/2 x 13-1/4"	ULSR30/WW/LB		16.0#	377	111
	mounted load bar	36 x 10-1/2 x 13-1/4"	ULSR36/WW/LB		17.0#	389	112
The same of the sa	Load Bar purchased separately	42 x 10-1/2 x 13-1/4"	ULSR42/WW/LB		19.0#	402	123
ULSR		48 x 10-1/2 x 13-1/4"	ULSR48/WW/LB		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/LB		22.0#	424	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/LB		24.0#	435	158
	Low Shelf-Upmount	24 x 10-1/2 x 13-1/4"	ULSR24/WW/UM		14.0#	\$ 424	\$ 102
	<ul> <li>Upmount brackets position the storage component on a 54" high panel to the</li> </ul>	30 X 10-1/2 X 13-1/4	ULSR30/WW/UM		16.0#	432	111
	same height as on 66" high panels	36 x 10-1/2 x 13-1/4"	ULSR36/WW/UM		17.0#	447	112
A	<ul> <li>On a 54" high panel, clearance between</li> </ul>		ULSR42/WW/UM		19.0#	461	123
	the cabinet and worksurface is 20"	48 x 10-1/2 x 13-1/4"	ULSR48/WW/UM		20.0#	465	130
ULSR	<ul> <li>On a 48" high panel, clearance between the cabinet and worksurface is 14"</li> </ul>		ULSR54/WW/UM		22.0#	476	152
	and dubinot and worksurface is 14	60 x 10-1/2 x 13-1/4"	ULSR60/WW/UM		24.0#	497	158
			_	_			

#### **HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A

**(3**)

A Select basic model.

**B**Select paint color. Refer to the **Product Color Options** page in this price list.

#### INFORMATION

Includes 10-1/2" high back Accepts shelf dividers Shelves shipped assembled

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



# Universal Storage and Accessories Overhead Storage

			MODEL NUMBER				
							Metallic
					Approx.		Paint
			Basic	Paint	Packaged	Delivered	add to list
	MODEL	WxHxD	Model	Color	Weight	Pricing	price
.A.	Regular Shelf-On-Module • On-Module shelves mount into slots in	24 x 16-1/2 x 13-1/4"	URSR24/WW/PM		19.0#	\$ 280	\$ 102
	vertical posts. Shelves must be same	30 x 16-1/2 x 13-1/4"	URSR30/WW/PM		20.0#	291	111
· VIII	width as panel mounted to. Does not	36 x 16-1/2 x 13-1/4"	URSR36/WW/PM		22.0#	300	112
Surrent of the same of the sam	require a 12" tile for mounting. Allows	42 x 16-1/2 x 13-1/4"	URSR42/WW/PM		23.0#	309	123
√y	for vertical adjustment in 1" increments		URSR48/WW/PM		25.0#	323	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/PM		27.0#	335	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/PM		28.0#	350	158
	Regular Shelf-Off-Module • Off-Module shelves (OM12) mount	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM12		19.0#	\$ 386	\$ 102
	into the integral track in the horizontal	30 x 16-1/2 x 13-1/4"	URSR30/WW/0M12		20.0#	398	111
	rail. Allows shelf to slide along track.	36 x 16-1/2 x 13-1/4"	URSR36/WW/OM12		22.0#	406	112
January	Requires a 12" tile for mounting (i.e.	42 x 16-1/2 x 13-1/4"	URSR42/WW/0M12		23.0#	420	123
	must be a half or fully segmented panel		URSR48/WW/OM12		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM12		27.0#	441	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/0M12		28.0#	458	158
	Regular Shelf-Off-Module • Off-Module shelves (OM18) mount	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM18		19.0#	\$ 386	\$ 102
	into the integral track in the horizontal	30 x 16-1/2 x 13-1/4"	URSR30/WW/OM18		20.0#	398	111
	rail. Allows shelf to slide along track.	36 x 16-1/2 x 13-1/4"	URSR36/WW/OM18		22.0#	406	112
Julian	Requires a 18" tile for mounting (i.e.	42 x 16-1/2 x 13-1/4"	URSR42/WW/0M18		23.0#	420	123
	must be a half or fully segmented panel		URSR48/WW/OM18		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM18		27.0#	441	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/OM18		28.0#	458	158
in.	Regular Shelf-Load Bar Mount  • Load Bar mount overheads (LB) for	24 x 16-1/2 x 13-1/4"	URSR24/WW/LB		19.0#	\$ 386	\$ 102
	WireWorks® hang from an externally	30 x 16-1/2 x 13-1/4"	URSR30/WW/LB		20.0#	398	111
	mounted load bar	36 x 16-1/2 x 13-1/4"	URSR36/WW/LB		22.0#	406	112
Julius	<ul> <li>Load Bar purchased separately</li> </ul>	42 x 16-1/2 x 13-1/4"	URSR42/WW/LB		23.0#	420	123
<b>V</b>		48 x 16-1/2 x 13-1/4"	URSR48/WW/LB		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/LB		27.0#	441	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/LB		28.0#	458	158
$\wedge$	Regular Shelf-Upmount  • Upmount brackets position the storage	24 x 16-1/2 x 13-1/4"	URSR24/WW/UM		19.0#	\$ 442	\$ 102
<ul><li></li></ul>	component on a 54" high panel to the		URSR30/WW/UM		20.0#	457	111
William	same height as on 66" high nanels	36 x 16-1/2 x 13-1/4"	URSR36/WW/UM		22.0#	465	112
	<ul> <li>On a 54" high panel, clearance between</li> </ul>	42 x 16-1/2 x 13-1/4"	URSR42/WW/UM		23.0#	473	123
	<ul><li>the cabinet and worksurface is 20"</li><li>On a 48" high panel, clearance between</li></ul>	48 x 16-1/2 x 13-1/4"	URSR48/WW/UM		25.0#	485	130
V	the cabinet and worksurface is 14"	01710172710171	URSR54/WW/UM		27.0#	500	152
URSR		60 x 16-1/2 x 13-1/4"	URSR60/WW/UM		28.0#	513	158

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select paint color.

Refer to the **Product Color Options** page in this price list.

A

**3** 

#### INFORMATION

Includes full back Accepts shelf dividers Shelves shipped assembled

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### Universal Storage and Accessories Overhead Accessories



# Universal Storage and Accessories Overhead Accessories

		MODEL NUMBER		
		WODEL NOWDER		
			Anne	
		Basic Trim	Approx. Packaged	Delivered
	MODEL	Model Color	Weight	Pricing Pricin
	Universal Overhead On-Module Mounting Bracket	46.0233.SET	1.0#	\$ 54
	Sold in pairs / Black only			
	<ul><li>Mounts into slots in vertical posts</li><li>Allows for vertical adjustments in 1"</li></ul>			
HRDPT	<ul><li>increments</li><li>Only necessary to order if changing</li></ul>			
нкирт	mounting style			
	Universal Overhead Off-Module Mounting	46.0234.SET	1.0#	\$ 160
	Bracket-12" Tiles  • Sold in pairs / Black only			
	<ul> <li>Mounts into integral track in horizontal</li> </ul>			
	rail, attaches to 12" high tiles <ul><li>Allows cabinet or shelf to slide along</li></ul>			
11222	track • Only necessary to order if changing			
HRDPT	mounting style			
	Universal Overhead Off-Module Mounting	46.1229.SET	1.0#	\$ 160
	Bracket-18" Tiles  • Sold in pairs / Black only			
	Mounts into integral track in horizontal rail, attaches to 18" high tiles			
<u>.</u>	<ul> <li>Allows cabinet or shelf to slide along</li> </ul>			
HRDPT	track • Only necessary to order if changing			
пкирт	mounting style			
	Load Bar Brackets	46.2103	1.0#	\$ 158
	Load Bar mount overheads hang from an externally mounted load bar			
	<ul> <li>Load Bar purchased separately, Sold in pairs</li> </ul>			
HRDPT				
inur i	Upmount Brackets	46.2299	1.0#	\$ 197
	Upmount Brackets  • Upmount brackets position the storage component on a 54" high panel to the			
	same height as on 66" high panels			
une	Sold in pairs			
HRDPT				
		<b>A</b> B		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### Universal Storage and Accessories Overhead Accessories



### Universal Storage and Accessories Overhead Accessories

								<u> </u>							
				MODEL NUN	IBER								Delivered Pricing	Delivered	Delivered
	MODEL	Features	W x H	Basic Model	Trim Color	Mounting	Fabric Color	Approx Packag Weight	ged	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Pricing Pallas Vertical Fabric Grade PV1	Pricing Pallas Veri Fabric Gra PV2
	Universal Shelf Dividers		7-1/4 x 11-1/2"	NSD				1.0	0#	\$ 35					
	<ul> <li>Steel shelf dividers with powder-coated finish</li> </ul>														
	Fits on all shelves and cabinets														
No.	. 10 011 411 01101100 4114 04511100														
RDPT															
	Wall Mounted Load Bar		24"	SWLB.24				5.0	0#	\$ 151					
	Supports overhead storage on drywall o	r	30"	SWLB.30				6.0	0#	161					
	other non-panel applications		36"	SWLB.36				7.0	0#	164					
			42"	SWLB.42				8.0	0#	182					
			48"	SWLB.48				10.0		187					
HRDPT			54"	SWLB.54				13.0		222					
			60"	SWLB.60				12.0		223					
			66"	SWLB.66				13.0	0#	226					
			72"	SWLB.72				14.0		234					
			84"	SWLB.84				17.0		362					
			96"	SWLB.96				19.0		381					
	Overhead Tackboard  • Hangs from bottom of flipper door		24 x 12"	PTB02412				3.0		N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	cabinet or shelf		30 x 12"	PTB03012				3.0		N/A	202	205	208	221	231
	When hanging from Balance® overhead,		36 x 12"	PTB03612				3.0		N/A	223	228	230	236	250
	specify attachment bar BMB (purchase		42 x 12"	PTB04212				4.0		N/A	229	233	236	243	261
	separately) • Includes mounting brackets in black onl	V	48 x 12"	PTB04812				4.0		N/A	232	236	239	250	265
PTB0	Specify 20" high tackboard to cover	у	54 x 12"	PTB05412				4.0		N/A	265	272	278	286	301
	vertical space between bottom of		60 x 12"	PTB06012				4.0		N/A	276	283	285	297	311
	overhead and top of worksurface, when		24 x 20"	PTB02420				4.0		N/A	303	311	320	327	346
	worksurface is positioned at 29" above finished floor		30 x 20"	PTB03020				5.0		N/A	325	335	340	351	373
	Amonou noor		36 x 20"	PTB03620				6.0		N/A	345	354	364	374	391
			42 x 20"	PTB04220				7.0		N/A	354	365	376	385	404
			48 x 20"	PTB04820				8.0		N/A	421	431	438	453	475
			54 x 20" 60 x 20"	PTB05420 PTB06020				9.0 10.0		N/A N/A	425 430	434 438	443 452	458 463	483 487
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome	00 X 20	2.KP20522.SC				0.4		\$ 15	400	430	402	400	407
HRDPT	Double bit decian	·		2.KP20522				0.4		15					
	Range of 200 different core/key number available	S Master Kev		2.KP20550				0.2		11					
	<ul><li>available</li><li>Must specify lock number(s) requested</li></ul>			2.KP20551				0.2		11					
	when ordering cut key or lock core/key			2.KP20552				0.2		3					
	sets	Cut Key		2.KP20557				0.2		4					
				A	B	•	• •								

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

Select load bar mounting.

YLBM - Load bar mounted

NLBM - Not load bar mounted

DSelect fabric color. Refer to ki.com/fabrics

#### INFORMATION

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

## Universal Storage and Accessories LED Task Lights

ullet Alpha-numeric characters in place of  $\Box$ 

indicate that no other alternatives are avail-



## Universal Storage and Accessories LED Task Lights

		MODEL NUMBER		
		MODEL NOMBER		
			Approx.	
		Basic	Packaged	Delivered
	MODEL W	Model	Weight	Pricing
		" LEDTK.12.SGL.GN	1.2#	\$ 147
	Attaches to the bottom of overhead  17			
	ctorage cabinets or shelving		1.6#	188
	Task lights are specified by the cabinet     31'	" LEDTK.31.SGL.GN	2.1#	230
	width to which they are attached. See 44'	LEDTK.44.SGL.GN	2.3#	264
	"INFORMATION" at bottom of price list	ELDTR.44.0GE.GIV	2.0"	201
•	page for sizing chart.			
HRDPT	Slim profile mounts effortlesly via			
	magnets or screw-in bracket			
	Attachment hardware included			
	Touch and hold dimmability with last-			
	state memory Silver anodized aluminum body/black			
	plastic end caps			
	9' power supply     Includes 2 cord managers			
	Includes 2 cord managers			
				A 100
	Starter Unit - Overhead LED Task Light 12'	" LEDTK.12.DCP.GN	1.2#	\$ 192
	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead 17	" LEDTK.12.DCP.GN	1.2# 1.6#	\$ 192 240
	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN	1.6#	240
	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet  31'	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN	1.6#	240
	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket  • Attachment hardware included	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket  • Attachment hardware included  • Touch and hold dimmability with last-	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket  • Attachment hardware included  • Touch and hold dimmability with last-state memory	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included  Touch and hold dimmability with last-state memory  Silver anodized aluminum body/black	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included Touch and hold dimmability with last-state memory Silver anodized aluminum body/black plastic end caps	" LEDTK.12.DCP.GN " LEDTK.17.DCP.GN " LEDTK.31.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included  Touch and hold dimmability with last-state memory  Silver anodized aluminum body/black plastic end caps  Daisy chain with Adder units	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket  • Attachment hardware included  • Touch and hold dimmability with last-state memory  • Silver anodized aluminum body/black plastic end caps  • Daisy chain with Adder units  • 11' power supply	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  • Attaches to the bottom of overhead storage cabinets or shelving  • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  • Slim profile mounts effortlesly via magnets or screw-in bracket  • Attachment hardware included  • Touch and hold dimmability with last-state memory  • Silver anodized aluminum body/black plastic end caps  • Daisy chain with Adder units  • 11' power supply  • Includes 2 cord managers	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included  Touch and hold dimmability with last-state memory  Silver anodized aluminum body/black plastic end caps  Daisy chain with Adder units  11' power supply  Includes 2 cord managers  Refer to Interlinking Combination table	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included Touch and hold dimmability with last-state memory Silver anodized aluminum body/black plastic end caps Daisy chain with Adder units 11' power supply Includes 2 cord managers Refer to Interlinking Combination table below for optimal performance of daisy	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included  Touch and hold dimmability with last-state memory  Silver anodized aluminum body/black plastic end caps  Daisy chain with Adder units  11' power supply  Includes 2 cord managers  Refer to Interlinking Combination table	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included Touch and hold dimmability with last-state memory Silver anodized aluminum body/black plastic end caps Daisy chain with Adder units 11' power supply Includes 2 cord managers Refer to Interlinking Combination table below for optimal performance of daisy	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283
HRDPT	Starter Unit - Overhead LED Task Light  Attaches to the bottom of overhead storage cabinets or shelving  Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.  Slim profile mounts effortlesly via magnets or screw-in bracket  Attachment hardware included Touch and hold dimmability with last-state memory Silver anodized aluminum body/black plastic end caps Daisy chain with Adder units 11' power supply Includes 2 cord managers Refer to Interlinking Combination table below for optimal performance of daisy	LEDTK.12.DCP.GN LEDTK.17.DCP.GN LEDTK.31.DCP.GN LEDTK.44.DCP.GN	1.6# 2.1#	240 283

#### **HOW TO ORDER** HOW TO BUILD A MODEL NUMBER INFORMATION INTERLOCKING SPECIFICATIONS INTERLOCKING SPECIFICATIONS SPECIAL SERVICES INTERLINKING COMBINATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN) LED TASK LIGHT CABINET WIDTH **Special Carton Marking** A Select basic model. Indicate the following information on order form: (DAISY CHAIN) Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 1. Quantity of each item. With specially marked information N/C 12" or 17" 17" 17" 31" 31" 44" 2. Model number, including options. See "How To # of # of # of # of 12" Build a Model Number". 44" 3. Any special service required. Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70. Note: • The ☐ indicates that a choice is required. Specifications and prices are subject to change without prior notice. ullet The absence of the $\square$ indicates that no 44" 44" choice is required.

44"

## Universal Storage and Accessories LED Task Lights



## Universal Storage and Accessories LED Task Lights

				•	
		MODEL NUMBER			
	MODEL W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
		LEDTK.12.DCA.GN	1.2#	\$ 95	
	Attaches to the bottom of overhead     17"	LEDTK.17.DCA.GN	1.6#	109	
	<ul> <li>storage cabinets or shelving</li> <li>Task lights are specified by the cabinet</li> </ul>	LEDTK.31.DCA.GN	2.1#	152	
	width to which they are attached. See 44"		2.3#	188	
	width to which they are attached. See "INFORMATION" below for sizing chart.				
HRDPT	Slim profile mounts effortlesly via				
	magnets or screw-in bracket  • Attachment hardware included				
	Touch and hold dimmability with last-				
	state memory				
	Silver anodized aluminum body/black plastic end caps				
	Daisy chain with Starter units				
	18' jumper cord and connect to starter				
	unit				
	<ul><li>Includes 2 cord managers</li><li>Does not inloude power supply; must</li></ul>				
	purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the				
	<ul> <li>starter unit</li> <li>Refer to Interlinking Combination table</li> </ul>				
	below for optimal performance of daisy				
	chained fixtures				
		A			

#### **HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 12" or 17" 17" 17" 31" 31" 44" 44" 44"

# of	# of	
12"	17"	;
6	0	-
5	1	
5	0	
4	2	
4	1	
4	0	
4	0	
3	2	
3	1	
3	1	
3	0	

44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
	0	0	

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.)

(DAISY CHAIN)

SPECIAL SERVICES	
<b>Special Carton Marking</b>	

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

General Information



### Balance® Storage and Accessories

General Information







Solid Overhead (BLCS)

Fabric Overhead (BLCF)

Laminate Overhead (BLCL)

Features			
Cabinet available in 24 colors	•	•	•
Painted lower door available in 24 colors	•	•	•
Translucent upper door	•		
Fabric upper door		•	
Laminate upper door			•
Fully assembled	•	•	•
Task light	•	•	•
Hanging tackboard	•	•	•
Hanging tool rail	•	•	•
Also available on:			
System 3000® panel system	•	•	•
Genius®	•	•	•
WorkZone®	•	•	•
True® Desking	•	•	•

#### SPECIFICATIONS

#### Cabinet Construction

The overhead cabinet shall be assembled complete and powder-coated in widths of 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 17" high and 16-1/2" deep. The shelf depth shall be 13-1/2". Inside height shall allow for oversize binders, such as Folscap and A4, to be stored vertically. The cabinet top, bottom, and shelf shall be fabricated from 18-gauge steel. Side panels shall be fabricated from 14-gauge steel and attached via resistance welding. Cabinet top, bottom, and shelf shall contain reinforcements fabricated from 18-gauge steel and attached via resistance welding. Pins for door and shroud attachement shall be fabricated from 3/8" diameter steel and attached via resistance welding. Shroud will be black only. All accessible or visible edges shall be smooth and rounded

#### **Door Construction**

The upper door shall be available in colored or translucent extruded rigid polypropylene with spattercoat finish, fabric or laminate applied.

The overall door thickness shall be 3/8" with a .075 wall thickness. The door shall be capped with polycarbonate endcaps and attached to the case with polycarbonate arms. A center lock mechanism will be utilized between the upper and lower doors for security. The lower door shall be an aluminum extrusion with a powder-coat finish. The lower door shall have a .075 thickness and be ergonomic in design. The door shall be capped and attached to the case with polycarbonate arms.

#### Door Operation

The overhead cabinet doors shall be effortlessly operated from either a seated or standing position through use of the upper door or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-guage linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. Either door shall be opened or closed with a closed fist. The upper door shall open over the outside of case.

#### Cabinet Installation

The overhead cabinet shall include separate mounting brackets that allow for assembly to

panels or desk systems. The brackets shall be attached to the back of the overhead via a hook and groove system and two screw fasteners. The hook and groove system shall allow the installer to assemble brackets to a panel before attaching to overhead. The desk supports shall attach to the bottom of overhead via four screw fasteners.

#### Task Lights

Task lights shall be available which suspend from the underside of the cabinet. The task light shall mount flush with the underside of the overhead cabinet via two cantilever brackets. Task light shall be offered fully assembled in black only. The task light shall have an 8' long cord with three-prong grounded plug, and be available in three versions; standard high-power factor ballast, variable (high/low) high-power factor ballast, and electronic ballast. All three options shall include a cool white lamp. Chords shall be routed into and through wire trough located at rear underside of cabinet shelf. Installation and removal shall be accomplished without the use of tools or fasteners.

#### **Shelf Dividers**

Shelf dividers shall be powder-coated, 18-

gauge steel and offered in the same color as the overhead case. Installation and removal shall be accomplished without the use of tools or

#### Tackboard/Tool Rail Mounting Bar

A powder-coated, 14-gauge bracket shall be available for the attachment of a hanging tool rail or tackboard to the underside of the overhead. The bracket shall be specified in the same widths as the overhead and is offered in the same colors as the overhead case.

#### Overhead Hanging Tackboard

Tackboards shall be available in 12" height and in 24", 30", 36", 42", 48", 54", and 60" widths. The tackboard shall be constructed of 3/4" industrial insulation board covered with fabric. The mounting brackets shall be steel powder-coated and attached to the coreboard with T-nuts and machine screws. Fabric shall be attached to the coreboard with staples. A mounting bracket bar is required to attach the tackboard to the overhead cabinet.

#### INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to: KI Attn: C.O.M. Specialist 1330 Bellevue Street Green Bay, WI 54302

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit



# Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER							
				Cabinet	Upper	l		Approx.	- · ·	
	MODEL	WxHxD	Basic Model	Paint Color	Door Solid Color		Lock Color	Packaged Weight	Delivered Pricing	
								-	\$ 1243	
<u>^</u>	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM)	30 x 17 x 19-1/4"	BLCS30/WW/PM					46.0#		
	Colored or translucent extruded polypro	36 x 17 x 19-1/4"	BLCS36/WW/PM					52.0#	1323	
	pylene door		BLCS42/WW/PM					58.0#	1393	
	On-Module overheads mount into slots	48 x 17 x 19-1/4"	BLCS48/WW/PM					64.0#	1441	
		54 x 17 x 19-1/4"	BLCS54/WW/PM					70.0#	1548	
	same width as panel mounted to. Allow	s 60 x 17 x 19-1/4"	BLCS60/WW/PM					78.0#	1606	
ВОН	for vertical adjustment in 1" increments									
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/OM12					46.0#	\$ 1306	
	Upper Door-Off-Module (OM12)	36 x 17 x 19-1/4"	BLCS36/WW/OM12					52.0#	1387	
	Colored or translucent extruded polypro	42 x 17 x 19-1/4"	BLCS42/WW/OM12					58.0#	1453	
	<ul><li>pylene door</li><li>Off-Module overheads mount into an in-</li></ul>	40 - 47 - 40 4/4"	BLCS48/WW/OM12					64.0#	1501	
	tegral track in the horizontal rail. Allows		BLCS54/WW/OM12					70.0#	1610	
BOH	unit to slide along track. Requires 12"	60 x 17 x 19-1/4"	BLCS60/WW/OM12					78.0#	1670	
20	tile for mounting (i.e. must be a half or	00 X 11 X 10 1/1	220000,1111,01112					1 0.0%		
	fully segmented panel)									
	Delega @ Occasioned Online & Online Online	30 x 17 x 19-1/4"	BLCS30/WW/OM18					46.0#	\$ 1306	
<b>f</b>	Balance® Overhead Cabinet-Solid Color Upper Door-Off-Module (OM18)	36 x 17 x 19-1/4"	BLCS36/WW/OM18					52.0#	1387	
	Colored or translucent extruded polypro	30 X 17 X 19-1/4								
	pylene door		BLCS42/WW/OM18					58.0#	1453	
	<ul> <li>Off-Module overheads mount into an</li> </ul>	48 x 17 x 19-1/4"	BLCS48/WW/OM18					64.0#	1501	
	integral track in the horizontal rail.	54 x 17 x 19-1/4"	BLCS54/WW/OM18					70.0#	1610	
ВОН	Allows unit to slide along track. Require	S 60 x 17 x 19-1/4"	BLCS60/WW/OM18					78.0#	1670	
	18" tile for mounting (i.e. must be a half or fully segmented panel)									
	or rany sogmentou paner)									
					_	-				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

Θ

0

**(3** 

Select upper door color. Refer to the **Product Color Options** page in this

#### OSelect lock option.

KA - Key alike - Key standard - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

#### INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



# Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER	R						
				Cabinet	Upper			Approx.		
			Basic	Paint	Door	Lock L	.ock	Packaged	Delivered	
	MODEL	WxHxD	Model	Color	Solid Color	Option C	Color	Weight	Pricing	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/LB					46.0#	\$ 1437	
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCS36/WW/LB					52.0#	1519	
	Colored or translucent extruded polypro	⁹ 42 x 17 x 19-1/4"	BLCS42/WW/LB					58.0#	1583	
	<ul><li>pylene door</li><li>Load Bar Mount overheads hang from a</li></ul>	40 × 17 × 10 1/4"						64.0#	1632	
	externally mounted load bar	54 x 17 x 19-1/4"	BLCS54/WW/LB					70.0#	1739	
ВОН	<ul> <li>Load Bar purchased separately</li> </ul>	60 x 17 x 19-1/4"	BLCS60/WW/LB					78.0#	1798	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/UM					46.0#	\$ 1344	
	Upper Door-Load Bar-Upmount	36 x 17 x 19-1/4"	BLCS36/WW/UM					52.0#	1424	
	Colored or translucent extruded polypro     pulped door.	)- 42 x 17 x 19-1/4"	BLCS42/WW/UM					58.0#	1493	
	<ul><li>pylene door</li><li>Upmount brackets position the storage</li></ul>		BLCS48/WW/UM					64.0#	1541	
	component on a 54" high panel to the	54 x 17 x 19-1/4"	BLCS54/WW/UM					70.0#	1646	
V-3	same height as on 66" high panels	60 x 17 x 19-1/4"	BLCS60/WW/UM					78.0#	1710	
ВОН	On a 54" high panel, clearance between  the achieve and werken in 20".									
	the cabinet and worksurface is 20" • On a 48" high panel, clearance between									
	the cabinet and worksurface is 14"									

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

B

 $\Theta$ 

0

**(3**)

Select upper door color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

#### INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



## Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER									
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Lock Lock Color Option Colo		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricin Fabric Grade 3 & Pallas Verti Fabric Grade PV	Pricing	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet-Fabric Upper	r 30 x 17 x 19-1/4"	BLCF30/WW/PM			46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376	
	Door-On-Module	36 x 17 x 19-1/4"	BLCF36/WW/PM			□ 52.0#	1429	1442	1460	1460	1466	
	On-Module overheads (PM) mount     interplate in control of the control of t	42 x 17 x 19-1/4"	BLCF42/WW/PM			□ 58.0#	1501	1518	1533	1533	1540	
	into slots in vertical posts. Overheads must be same width as panel mounted	48 x 17 x 19-1/4"	BLCF48/WW/PM			□ 64.0#	1557	1570	1584	1584	1591	
	to. Allows for vertical adjustment in 1"	54 x 17 x 19-1/4"	BLCF54/WW/PM			70.0#	1671	1685	1706	1706	1714	
ВОН	increments.	60 x 17 x 19-1/4"	BLCF60/WW/PM			□ 78.0#	1736	1750	1773	1773	1780	
	Balance® Overhead Cabinet-Fabric Upper	r 30 x 17 x 19-1/4"	BLCF30/WW/OM12			46.0#	\$ 1406	\$ 1418	\$ 1436	\$ 1436	\$ 1440	
	Door-Off-Module	36 x 17 x 19-1/4"	BLCF36/WW/OM12			□ 52.0#	1490	1503	1522	1522	1527	
	<ul> <li>Off-Module overheads (OM12) for WireWorks[®] mount into an integral</li> </ul>	42 x 17 x 19-1/4"	BLCF42/WW/OM12			□ 58.0#	1565	1576	1592	1592	1603	
	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCF48/WW/OM12			□ 64.0#	1617	1629	1646	1646	1655	
	to slide along track. Requires a 12" tile	54 x 17 x 19-1/4"	BLCF54/WW/OM12			□ 70.0#	1735	1750	1766	1766	1780	
ВОН	for mounting (i.e. must be a half or fully segmented panel)	60 x 17 x 19-1/4"	BLCF60/WW/OM12			78.0#	1794	1808	1828	1828	1836	
- A	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/OM18			46.0#	\$ 1406	\$ 1418	\$ 1436	\$ 1436	\$ 1440	
	Door-Off-Module		BLCF36/WW/OM18			52.0#	1490	1503	1522	1522	1527	
	<ul> <li>Off-Module overheads (OM18) for WireWorks[®] mount into an integral</li> </ul>	42 x 17 x 19-1/4"	BLCF42/WW/OM18			□ 58.0#	1565	1576	1592	1592	1603	
	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCF48/WW/OM18			□ 64.0#	1617	1629	1646	1646	1655	
	to slide along track. Requires a 18" tile	54 x 17 x 19-1/4"	BLCF54/WW/OM18			70.0#	1735	1750	1766	1766	1780	
ВОН	for mounting (i.e. must be a half or fully segmented panel)		BLCF60/WW/OM18			□ 78.0#	1794	1808	1828	1828	1836	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

0

**(3**)

© Select upper door color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard

NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

#### INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

### INFORMATION

### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

### SPECIAL SERVICES

**Special Carton Marking** With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



# Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER	ì									
	MODEL	WxHxD		Cabinet Paint Color	Fabric Lock Color Option	Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/LB				46.0#	\$ 1533	\$ 1545	\$ 1562	\$ 1562	\$ 1568	
	Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCF36/WW/LB				52.0#	1624	1634	1654	1654	1659	
	<ul> <li>Load Bar Mount overheads (LB) for WireWorks[®] hang from an externally</li> </ul>	42 x 17 x 19-1/4"	BLCF42/WW/LB				58.0#	1695	1710	1728	1728	1735	
	mounted load bar	48 x 17 x 19-1/4"	BLCF48/WW/LB				64.0#	1742	1757	1780	1780	1788	
	<ul> <li>Load Bar purchased separately</li> </ul>	54 x 17 x 19-1/4"	BLCF54/WW/LB				70.0#	1862	1877	1893	1893	1910	
		60 x 17 x 19-1/4"	BLCF60/WW/LB				78.0#	1926	1941	1962	1962	1971	
ВОН													
$\sim$	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/UM				46.0#	\$ 1445	\$ 1455	\$ 1475	\$ 1475	\$ 1479	
	Door-Upmount	36 x 17 x 19-1/4"	BLCF36/WW/UM				52.0#	1529	1542	1562	1562	1568	
	<ul> <li>Upmount brackets position the storage component on a 54" high panel to the</li> </ul>	42 x 17 x 19-1/4"	BLCF42/WW/UM				58.0#	1605	1617	1634	1634	1641	
	same height as on 66" high panels	48 x 17 x 19-1/4"	BLCF48/WW/UM				64.0#	1655	1671	1686	1686	1695	
ß	<ul> <li>On a 54" high panel, clearance between</li> </ul>	54 x 17 x 19-1/4"	BLCF54/WW/UM				70.0#	1775	1790	1807	1807	1817	
V	the cabinet and worksurface is 20"	60 x 17 x 19-1/4"	BLCF60/WW/UM				78.0#	1832	1852	1870	1870	1877	
ВОН	<ul> <li>On a 48" high panel, clearance between the cabinet and worksurface is 14"</li> </ul>												

0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.
- © Select upper door color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike

KS - Key standard

NLC - No lock core

Select lock color. Refer to the Product Color Options page in this price list.

#### INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES **Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



## Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER						
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Lock Option	Lock Color	Approx. Packaged Delivered Weight Pricing
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/PM						46.0# \$ 1524
	Upper Door-On-Module	36 x 17 x 19-1/4"							52.0# 1570
	<ul> <li>On-Module overheads (PM) mount into slots in vertical posts. Overheads must</li> </ul>	72 X 17 X 13 1/4	BLCL42/WW/PM						58.0# 1674
	be same width as panel mounted to. Al-	48 x 17 x 19-1/4"	BLCL48/WW/PM						64.0# 1790
****			BLCL54/WW/PM						70.0# 1968
ВОН	increments	60 x 17 x 19-1/4"							78.0# 2015
P	Balance® Overhead Cabinet-Laminate		BLCL30/WW/OM12						46.0# \$ 1587
	<ul><li>Upper Door-Off-Module</li><li>Off-Module overheads (OM12) for</li></ul>	36 x 17 x 19-1/4"							52.0# 1632
	WireWorks® mount into an integral		BLCL42/WW/OM12						58.0# 1737
, ,	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCL48/WW/OM12						64.0# 1857
DOLL	to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully	54 x 17 x 19-1/4"	BLCL54/WW/OM12						70.0# 2034
ВОН	segmented panel)	60 X 17 X 19-1/4	BLCL60/WW/OM12						78.0# 2080
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/OM18						46.0# \$ 1587
	Upper Door-Off-Module	36 x 17 x 19-1/4"	BLCL36/WW/OM18						52.0# 1632
	Off-Module overheads (OM18) for	42 x 17 x 19-1/4"	BLCL42/WW/OM18						58.0# 1737
	WireWorks® mount into an integral track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCL48/WW/OM18						64.0# 1857
	to slide along track. Requires a 18" tile	54 x 17 x 19-1/4"	BLCL54/WW/OM18						70.0# 2034
ВОН	for mounting (i.e. must be a half or fully segmented panel)	60 x 17 x 19-1/4"	BLCL60/WW/OM18						78.0# 2080

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- Select lock option.
  - KA Key alike
    KS Key standard NLC - No lock core
- Select lock color. Refer to the **Product Color Options** page in this price list.

#### INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



## Balance® Storage and Accessories Overhead Storage

			MODEL NUMBE	R				
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Lock Lock Option Color	Approx. Packaged Delivered Weight Pricing
A	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/LB					46.0# \$ 1716
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"						52.0# 1757
	<ul> <li>Load Bar Mount overheads (LB) for WireWorks[®] hang from an externally</li> </ul>	42 x 17 x 19-1/4"	BLCL42/WW/LB					58.0# 1865
	mounted load bar	48 x 17 x 19-1/4"						64.0# 1981
	<ul> <li>Load Bar purchased separately</li> </ul>	54 x 17 x 19-1/4"						70.0# 2161
ВОН		60 x 17 x 19-1/4"	BLCL60/WW/LB					78.0# 2209
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/UM					46.0# \$ 1628
	Upper Door-Upmount	36 x 17 x 19-1/4"	BLCL36/WW/UM					52.0# 1672
	<ul> <li>Upmount brackets position the storage component on a 54" high panel to the</li> </ul>	42 x 17 x 19-1/4"	BLCL42/WW/UM					58.0# 1777
	same height as on 66" high panels	48 x 17 x 19-1/4"	BLCL48/WW/UM					64.0# 1890
	<ul> <li>On a 54" high panel, clearance between</li> </ul>	54 x 17 x 19-1/4"	BLCL54/WW/UM					70.0# 2071
V		60 x 17 x 19-1/4"	BLCL60/WW/UM					78.0# 2118
ВОН	On a 48" high panel, clearance between the cabinet and worksurface is 14"							

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- Select lock option.

Select lock color. Refer to the **Product Color Options** page in this

price list.

KA - Key alike
KS - Key standard NLC - No lock core

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

#### FINISH INFORMATION

#### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

#### SPECIAL SERVICES **Special Carton Marking**

### With specially marked information N/C

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



### Balance® Storage and Accessories Overhead Accessories

MODEL  Basic Trim Model Color Model Color Model Overhead On-Module Mounting Brader  Mounts into slots in vertical posts Blanker® Overhead Off-Module Mounting Bracker 12* Titles Mounts into slots in vertical posts Slack only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Mounts into slots in vertical posts Slack only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Mounts into slots in vertical posts Mounts into slots in vertical posts Slack only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Mounts into slots in vertical posts Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Sould in pairs Sould in pairs Black only  Balance® Overhead Off-Module Mounting Bracker 12* Titles Sould in pairs Sould in pairs Black only  Balance Black only  Black only  Balance Black only						<b>▼</b>
MODEL  Basic Trim Approx. Model Model Model Model Pricing  Balance® Overhead On-Module Mounting Forcet  Sold in paris Blance® Overhead Off-Module Mounting Bracket 127 Tiles Balance® Overhead Off-Module Mounting Bracket 127 Tiles Sold in paris Mounts into solts in vertical posts Blance® Overhead Off-Module Mounting Bracket 127 Tiles Mounts into solts in vertical posts Mounts into solts in vertical posts Blance® Overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts Mounts into solts in vertical posts Blance® Overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts Blance overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts Blance overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts Blance overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts Blance overhead Off-Module Mounting BoAWW/OM12 Solf in paris Mounts into solts in vertical posts			MODEL NUMBE	ER		
Balance® Overhead On-Module Mounting Bracket  Boar Sold in pairs  Boar Trim Meloph Welght Prining  Sold in pairs  Mounts into slots in vertical posts  Black only  Boar Blance® Overhead Off-Module Mounting Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Black only  Boar WW/OM12  Sold in pairs  Mounts into slots in vertical posts  Black only  Boar WW/OM12  Sold in pairs  Mounts into slots in vertical posts  Black only						
Balance® Overhead On-Module Mounting Bracket Sold in pairs  Balance® Overhead On-Module Mounting Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Balance® Overhead On-Module Mounting Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Balance® Overhead On-Module Mounting Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Black only						
Balance® Overhead On-Module Mounting Bracket Sol di npairs Black only  Balance® Overhead On-Module Mounting Showword Sol pass Black only  Balance® Overhead On-Module Mounting Board Sol pass Black only  Balance® Overhead On-Module Mounting Board Sol pass S					Approx.	
Balance* Overhead On-Module Mounting Bracket Sold in pairs Mounts into slots in vertical posts Balance* Overhead Off-Module Mounting Blockww/OM12 Balance* Overhead Off-Module Mounting Bracket-12" Tiles Sold in pairs Sold in pa		MODEL	Model Basic	Color	Packaged Weight	Delivered Pricing
Bracket  Sold in pairs  Mounts into slots in vertical posts  Balance® Overhead Off-Module Mounting BOA/WW/OM12  Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Black only				00101		
Sold in pairs  Mounts into slots in vertical posts  Balance® Overhead Off-Module Mounting BOA/WW/OM12  Balance® Overhead Off-Module Mounting Bracket-12" Tiles  Sold in pairs  Mounts into slots in vertical posts  Black only  Boardward off-Module Mounting Boardward off-Module M		Bracket	207777777111		0.0	
Balance® Overhead Off-Module Mounting Bracket-12" Tites Sol in pairs Mounts into slots in vertical posts Black only  Black only  BOAWW/OM12  5.0#  \$ 210		<ul> <li>Sold in pairs</li> </ul>				
Balance® Overhead Off-Module Mounting Bracket-12" Tiles  Sold in pairs Mounts into slots in vertical posts Black only  Black only	<b>4</b>	Mounts into slots in vertical posts				
Balance® Overhead Off-Module Mounting Bracket-12" Tiles  • Sold in pairs  • Mounts into slots in vertical posts  • Black only		Black only				
Balance® Overhead Off-Module Mounting Bracket-12" Tiles  • Sold in pairs  • Mounts into slots in vertical posts  • Black only						
Balance® Overhead Off-Module Mounting Bracket-12" Tiles  • Sold in pairs  • Mounts into slots in vertical posts  • Black only  BOAWW/OM12  5.0#  \$ 210	BOA					
Bracket-12" Tiles  • Sold in pairs  • Mounts into slots in vertical posts  • Black only		Ralance® Overhead Off-Module Mounting	BOA/WW/OM12		5.0#	\$ 210
• Sold in pairs • Mounts into slots in vertical posts • Black only		Bracket-12" Tiles				
• Black only		<ul> <li>Sold in pairs</li> </ul>				
		Mounts into slots in vertical posts				
		Black only				
POA.						
DUA	BOA					
Balance® Overhead Off-Module Mounting BOA/WW/OM18 5.0# \$ 228		Balance® Overhead Off-Module Mounting	BOA/WW/OM18		5.0#	\$ 228
Bracket-18" Tiles	_	Bracket-18" Tiles				
• Sold in pairs						
• Mounts into slots in vertical posts • Black only		Mounts into slots in vertical posts     Black only				
		Black only				
BOA	BOA					
Load Bar Brackets BOA/WW/LB □□ 5.0# \$ 264		Load Bar Brackets	BOA/WW/LB		5.0#	\$ 264
Load Bar mount overheads (LB) for  Wire Work & barg from an externally.		Load Bar mount overheads (LB) for  WireWorke® bang from an externally.				
WireWorks® hang from an externally mounted load bar	J-	mounted load bar				
• Load Bar purchased separately		<ul> <li>Load Bar purchased separately</li> </ul>				
• Sold in pairs		<ul> <li>Sold in pairs</li> </ul>				
	VSS .					
BOA	BOA					
$\mathbf{a} \qquad \mathbf{s}$			A	<b>B</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the Product Color Options page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



## Balance® Storage and Accessories Overhead Accessories

							•••	
				MODEL NUM	BER			
				Danie	Daint	Approx.	Delinound	
	MODEL	Features	W	Basic Model	Paint Color	Packaged Weight	Delivered Pricing	
	Upmount Brackets	1 0010100		BOA/WW/UM		5.0#	\$ 325	
	<ul> <li>Upmount brackets position the storage</li> </ul>			BONTOW		0.0#	Ψ 020	
۶.	component on a 54" high panel to the							
	same height as on 66" high panels <ul><li>Sold in pairs</li></ul>							
	• Soid III pairs							
4.								
<del>a</del>								
DO4								
BOA	OL WEST		7.4/4.44.4/07	NOD		10"	A 05	
	<ul><li>Shelf Dividers</li><li>Steel shelf dividers with powder coat</li></ul>		7-1/4 x 11-1/2"	NSD		1.0#	\$ 35	
	finish							
	<ul> <li>Fits on all shelves and cabinets</li> </ul>							
les								
HRDPT								
	Wall Mounted Load Bar		24"	SWLB.24		5.0#	\$ 151	
			30"	SWLB.30		6.0#	161	
			36"	SWLB.36		7.0#	164	
			42"	SWLB.42		8.0#	182	
			48"	SWLB.48		10.0#	187	
HRDPT			54"	SWLB.54		13.0#	222	
			60"	SWLB.60		12.0#	223	
			66"	SWLB.66		13.0#	226	
			72"	SWLB.72		14.0#	234	
			84"	SWLB.84		17.0#	362	
			96"	SWLB.96		19.0#	381	
<u> </u>	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC		0.4#	\$ 15	
HRDPT	Double bit design     Double bit design	Lock Core/2 Key Set - Black		2.KP20522		0.4#	15	
	Range of 200 different core/key numbers available	Master Key		2.KP20550		0.2#	11	
	Must specify lock number(s) requested	Extractor Key		2.KP20551		0.2#	11	
	when ordering cut key or lock core/key	Blank Key		2.KP20552		0.2#	3	
	sets	Cut Key		2.KP20557		0.2#	4	
					_			
				A	$oldsymbol{\Theta}$			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



### Balance® Storage and Accessories Overhead Accessories

			MODEL NU	JMBER							
	MODEL	WxH		Trim Color	Approx Fabric Packag Color Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Overhead Tackboard		PTB02412		3.0	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	<ul> <li>Hangs from bottom of flipper door cabinet or shelf</li> <li>When hanging from Balance® overhead</li> </ul>	30 x 12"	PTB03012		3.0	N/A	202	205	208	221	231
		36 x 12"	PTB03612		3.0	N/A	223	228	230	236	250
	or U-Series™ sliding overhead, specify		PTB04212		□□□□ 4.0	N/A	229	233	236	243	261
	attachment bar BMB (purchase separate	- 48 x 12"	PTB04812		□□□□ 4.0	N/A	232	236	239	250	265
	<ul><li>ly) and a /YLBM mounting option</li><li>Includes mounting brackets in black only</li></ul>	54 x 12"	PTB05412		4.0	N/A	265	272	278	286	301
	Specify 20" high tackboard to cover	60 x 12"	PTB06012		<b></b> 4.0	N/A	276	283	285	297	311
	vertical space between bottom of		PTB02416		3.0	N/A	264	271	276	284	301
	overhead and top of worksurface, when	30 x 16"	PTB03016		□□□□ 4.0	N/A	272	280	285	293	315
	worksurface is positioned at 29" above finished floor	36 x 16"	PTB03616		<b></b> 4.0	N/A	279	285	291	300	322
	illistica ilooi	42 x 16"	PTB04216		□□□□ 5.0	N/A	284	291	297	306	325
		48 x 16"	PTB04816		5.0	N/A	297	306	311	322	344
		54 x 16"	PTB05416		□□□□ 6.0	N/A	309	321	325	335	357
		60 x 16"	PTB06016		□□□□ 6.0	N/A	324	331	340	350	376
		24 x 20"	PTB02420		□□□□ 4.0	N/A	303	311	320	327	346
		30 x 20"			5.0	N/A	325	335	340	351	373
		36 x 20"	PTB03620		□□□□ 6.0	N/A	345	354	364	374	391
		42 x 20"	PTB04220		7.0	N/A	354	365	376	385	404
		48 x 20"	PTB04820			N/A	421	431	438	453	475
		54 x 20"			9.0	N/A	425	434	443	458	483
		60 x 20"	PTB06020			N/A	430	438	452	463	487
	Tackboard/Tool Rail Attachment Bar			BL	 3.0	\$ 52					· · · · · · · · · · · · · · · · · · ·
	<ul> <li>Attachment bracket that attaches to</li> </ul>	36"	BMB36	BL	3.0	52					
	the bottom of a Balance® overhead or			BL	3.0	53					
~	U-Series™ sliding overhead to accept overhead tackboard	48"	BMB48	BL	4.0	62					
	Order same size as overhead cabinet	54"	BMB54	BL	4.0	63					
	18-gauge steel     Reals and the steel	60"	BMB60	BL	4.0	67					
	<ul> <li>Black only</li> </ul>										

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

#### HOW TO BUILD A MODEL NUMBER

**B O** 

0

- A Select basic model.
- BSelect trim color. Refer to the **Product Color Options** page in this price list.
- Select load bar mounting.

YLBM - Load bar mounted NLBM - Not load bar mounted

OSelect fabric color. Refer to ki.com/fabrics

#### INFORMATION

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.