

January 3, 2011

Updated October 2, 2017

800-424-2432



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Fabric Panel - Tackable Acoustic - 3/8" Thick Tiles		Overhead Accessories	220
Face Styles	2	Balance® Storage and Accessories	
Half Segmented/Half Segmented Panel	6	General Information	226
Monolithic/Half Segmented Panel	14	Overhead Storage	228
Glass/Fabric Panel - Acoustic - 3/8" Thick Tiles		Overhead Accessories	240
Monolithic/Glass/Monolithic/Glass Panel	22	Accessories	
Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles		Tackboard	252
Face Styles	26	Brackets	258
Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles		120° Intersections	
Monolithic Panel	30	2-Way	264
Monolithic/Half Segmented Panel	34	3-Way	270
Monolithic/Fully Segmented Panel	38	2-Way and 3-Way Stackable	280
Half Segmented/Half Segmented Panel	42	120° Worksurfaces	
Half Segmented/Fully Segmented Panel	46	Corner Worksurfaces	282
Fully Segmented/Fully Segmented Panel	50	120° Build Your Own Components	284
Glass Panel		Tech Preconfigured Intersection Conditions	
Face Styles	54	90° 2-Way and End-of-Run	288
Full Glass Panel	56	90° 2-Way	290
Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles		180° 2-Way	298
Monolithic/Monolithic/Glass Panel	58	3-Way	304
Monolithic/Fully Segmented/Glass Panel	60	4-Way	310
Fully Segmented/Fully Segmented/Glass Panel	64	Tech Panel Components	316
Open Panel		WireWorks® C.O.M. Yardage Requirements	320
Face Styles	68		
Full Open Panel	70		
Open/Fabric Panel - Acoustic - 3/4" Thick Tiles			
Open/Monolithic/Monolithic Panel	74		
Monolithic/Monolithic/Open Panel	78		
Fabric Stackable Section - Acoustic - 3/4" Tiles	82		
Glass Stackable Section	84		
Open Stackable Section	86		
Doors	88		
Preconfigured Intersection Conditions			
90° 2-Way and End-of-Run	90		
90° 2-Way	92		
Off-Module Post	100		
Adjustable Wall Mount	102		
180° 2-Way	104		
3-Way	112		
4-Way	126		
Preconfigured Stackable Intersection Conditions			
180° 2-Way and End-of-Run	140		
2-Way and 3-Way	142		
2-Way, 3-Way and 4-Way	144		
Electrical			
10-Wire System 6 Circuit "810"	146		
10-Wire System 4 Circuit "810"	158		
8-Wire System	170		
Cable Management	180		
Worksurfaces			
Rectangular	184		
"P" Shaped Peninsula/Piano Peninsula	186		
Square Shoe/Conference End	188		
"D" Shaped Peninsula	190		
Dual Curvilinear/Diag/Curvilinear 90° Corner	192		
Countertops	194		
Mobile Teardrop/Mobile Semi-Circle	196		
Worksurface Support Panel	200		
Universal Storage and Accessories			
Overhead Storage	206		



Half Segmented/Half Segmented panels consist of the following: 24" fabric tile on bottom; 18" segmented tiles on top. Quantity of 18" tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".

The $\frac{3}{8}$ " Tackable/Acoustic tile consists of one piece of $\frac{3}{8}$ " thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

[illegible]


Half Segmented/Half Segmented panels consist of the following: 24" fabric tile on bottom; 12" segmented tiles on top. Quantity of 12" tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".

The $\frac{3}{8}$ " Tackable/Acoustic tile consists of one piece of $\frac{3}{8}$ " thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

STANDARD PANEL SIZES										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
42" H	•	•	•	•	•	•	•	•	•	1	1
54" H	•	•	•	•	•	•	•	•	•	2	2
66" H	N/A	•	•	•	•	•	•	•	•	3	3

Face Styles

Basic Model: PMH8




The 3/8" Tackable/Acoustic tile consists of one piece of 3/8" thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

Side 1	Side 2
Number of	Number of

[illegible]

Basic Model: PMH2



The $\frac{3}{8}$ " Tackable/Acoustic tile consists of one piece of $\frac{3}{8}$ " thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

Side 1 Number of	Side 2 Number of
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100


	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
42" H	•	•	•	•	•	•	•	•	•	N/A	1
54" H	•	•	•	•	•	•	•	•	•	N/A	2
66" H	•	•	•	•	•	•	•	•	•	N/A	3

Fabric Panel -Tackable Acoustic (3/8” Thick Tiles)

Face Styles

Face Style: Monolithic/Glass/
Monolithic/Glass

Basic Model: PMMGB



Monolithic/Glass/Monolithic/Glass panels consist of the following: 24" fabric tile on bottom; Remainder of panel consists of one glass tile utilizing a single pane of 1/4" thick tempered glass. Base is 6". Panel thickness: 3 1/2".

The 3/8" Tackable/Acoustic tile consists of one piece of 3/8" thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

STANDARD PANEL SIZES

	12" W	18" W	24" W	30" W	36" W	42" W	48" W
42" H	•	•	•	•	•	•	•
48" H	•	•	•	•	•	•	•
54" H	•	•	•	•	•	•	•
66" H	•	•	•	•	•	•	•
84" H	•	•	•	•	•	•	•




Fabric Panel -Tackable Acoustic (3/8" Thick Tiles)

Face Styles



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
 PHH8	Half Segmented/Half Segmented Panel - 30"H with 18"H Tiles - Two steel horizontal rails - One to three sets of plastic light blocks - Two 24" high fabric tiles with grey mounting hooks - Two, four or six 18" high fabric tiles with grey mounting hooks - One base/raceway consisting of a raceway pan and two doors - One rounded satin-textured polypropylene top cap with splice plate - Order power separately - Order vertical posts separately - SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PHH81230	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 30"	PHH81830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 30"	PHH82430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 30"	PHH83030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 30"	PHH83630	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 30"	PHH84230	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 30"	PHH84830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 30"	PHH85430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 30"	PHH86030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
PHH8	Half Segmented/Half Segmented Panel - 48"H with 18"H Tiles	12 x 48"	PHH81248	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 48"	PHH81848	☐	☐	☐	☐	☐	☐	☐	☐		
		24 x 48"	PHH82448	☐	☐	☐	☐	☐	☐	☐	☐		
		30 x 48"	PHH83048	☐	☐	☐	☐	☐	☐	☐	☐		
		36 x 48"	PHH83648	☐	☐	☐	☐	☐	☐	☐	☐		
		42 x 48"	PHH84248	☐	☐	☐	☐	☐	☐	☐	☐		
		48 x 48"	PHH84848	☐	☐	☐	☐	☐	☐	☐	☐		
		54 x 48"	PHH85448	☐	☐	☐	☐	☐	☐	☐	☐		
		60 x 48"	PHH86048	☐	☐	☐	☐	☐	☐	☐	☐		
A B C D E F G H													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-18" raceway tile; add \$32

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-18" raceway tile; add \$32

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
19.0#	\$ 192	\$ 201	\$ 208	\$ 212	\$ 226	\$ 47	\$ 31
26.0#	235	241	253	261	276	49	32
34.0#	277	281	298	306	322	52	36
41.0#	344	355	373	381	402	64	46
49.0#	366	378	394	403	432	70	48
56.0#	420	432	450	460	490	79	59
63.0#	433	446	464	474	502	88	62
71.0#	460	473	492	508	537	97	65
80.0#	519	535	553	571	600	104	84
26.0#	\$ 306	\$ 318	\$ 337	\$ 343	\$ 368	\$ 47	\$ 31
36.0#	373	387	409	424	456	49	32
47.0#	420	436	457	475	506	52	36
57.0#	535	553	588	608	650	64	46
68.0#	573	593	629	646	695	70	48
77.0#	632	656	696	716	763	79	59
88.0#	652	673	715	737	786	88	62
98.0#	706	734	775	801	853	97	65
110.0#	799	826	871	896	958	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER									
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1		Fabric Side 2	
	MODEL	W x H										
	Half Segmented/Half Segmented Panel - 66"H with 18"H Tiles - Two steel horizontal rails - One to three sets of plastic light blocks - Two 24" high fabric tiles with grey mounting hooks - Two, four or six 18" high fabric tiles with grey mounting hooks - One base/raceway consisting of a raceway pan and two doors - One rounded satin-textured polypropylene top cap with splice plate - Order power separately - Order vertical posts separately - SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PHH81266	☐	☐	☐	☐	☐	☐	☐		
		18 x 66"	PHH81866	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 66"	PHH82466	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 66"	PHH83066	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 66"	PHH83666	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 66"	PHH84266	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 66"	PHH84866	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 66"	PHH85466	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 66"	PHH86066	☐	☐	☐	☐	☐	☐	☐	☐	
PHH8												
	Half Segmented/Half Segmented Panel - 84"H with 18"H Tiles	12 x 84"	PHH81284	☐	☐	☐	☐	☐	☐	☐		
		18 x 84"	PHH81884	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 84"	PHH82484	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 84"	PHH83084	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 84"	PHH83684	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 84"	PHH84284	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 84"	PHH84884	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 84"	PHH85484	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 84"	PHH86084	☐	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-18" raceway tile; add \$32
- R2** - Side 1 w/2-18" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-18" raceway tile; add \$32

R22 - Side 2 w/2-18" raceway tiles; add \$64

F Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 416	\$ 433	\$ 461	\$ 481	\$ 512	\$ 47	\$ 31
47.0#	510	530	570	587	630	49	32
60.0#	565	588	627	642	693	52	36
73.0#	722	754	805	830	891	64	46
86.0#	777	809	862	890	961	70	48
99.0#	847	883	938	967	1037	79	59
112.0#	871	906	965	992	1067	88	62
125.0#	955	991	1059	1091	1174	97	65
141.0#	1076	1119	1188	1226	1314	104	84
47.0#	\$ 527	\$ 549	\$ 586	\$ 608	\$ 655	\$ 47	\$ 31
65.0#	646	673	721	746	808	49	32
83.0#	708	740	788	813	877	52	36
101.0#	913	953	1019	1052	1138	64	46
116.0#	981	1029	1096	1133	1226	70	48
137.0#	1062	1106	1179	1222	1311	79	59
155.0#	1091	1140	1209	1252	1353	88	62
173.0#	1200	1255	1337	1382	1492	97	65
195.0#	1354	1413	1502	1551	1673	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER							
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	
MODEL	W x H									
	Half Segmented/Half Segmented Panel - 42"H with 12"H Tiles	12 x 42"	PHH21242	☐	☐	☐	☐	☐	☐	☐
		18 x 42"	PHH21842	☐	☐	☐	☐	☐	☐	☐
	• Two steel horizontal rails	24 x 42"	PHH22442	☐	☐	☐	☐	☐	☐	☐
	• One to four sets of plastic light blocks	30 x 42"	PHH23042	☐	☐	☐	☐	☐	☐	☐
	• Two 24" high fabric tiles with grey mounting hooks	36 x 42"	PHH23642	☐	☐	☐	☐	☐	☐	☐
	• Two, four or six 12" high fabric tiles with grey mounting hooks	42 x 42"	PHH24242	☐	☐	☐	☐	☐	☐	☐
	• Two 18" high fabric tiles included with 84" high panel with grey mounting hooks	48 x 42"	PHH24842	☐	☐	☐	☐	☐	☐	☐
	• One base/raceway consisting of a raceway pan and two doors	54 x 42"	PHH25442	☐	☐	☐	☐	☐	☐	☐
	• One rounded satin-textured polypropylene top cap with splice plate	60 x 42"	PHH26042	☐	☐	☐	☐	☐	☐	☐
	• Order power separately									
	• Order vertical posts separately									
	• SX Starlight Silver finish is only offered on flat aluminum trim									
	PHH2									
PHH2	Half Segmented/Half Segmented Panel - 54"H with 12"H Tiles	12 x 54"	PHH21254	☐	☐	☐	☐	☐	☐	☐
		18 x 54"	PHH21854	☐	☐	☐	☐	☐	☐	☐
		24 x 54"	PHH22454	☐	☐	☐	☐	☐	☐	☐
		30 x 54"	PHH23054	☐	☐	☐	☐	☐	☐	☐
		36 x 54"	PHH23654	☐	☐	☐	☐	☐	☐	☐
		42 x 54"	PHH24254	☐	☐	☐	☐	☐	☐	☐
		48 x 54"	PHH24854	☐	☐	☐	☐	☐	☐	☐
		54 x 54"	PHH25454	☐	☐	☐	☐	☐	☐	☐
		60 x 54"	PHH26054	☐	☐	☐	☐	☐	☐	☐
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$32

R22 - Side 2 w/2-12" raceway tiles; add \$64

F Select trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
22.0#	\$ 296	\$ 307	\$ 323	\$ 333	\$ 357	\$ 47	\$ 31
30.0#	353	365	385	398	428	49	32
38.0#	401	417	438	452	484	52	36
47.0#	495	515	544	559	600	64	46
55.0#	529	546	579	595	638	70	48
63.0#	597	617	657	671	715	79	59
71.0#	618	639	675	694	743	88	62
79.0#	656	679	716	739	787	97	65
88.0#	739	758	803	823	878	104	84
24.0#	\$ 397	\$ 412	\$ 438	\$ 454	\$ 488	\$ 47	\$ 31
33.0#	468	485	521	536	574	49	32
43.0#	528	547	580	599	641	52	36
52.0#	651	675	718	743	799	64	46
61.0#	693	719	766	788	849	70	48
70.0#	775	803	856	878	946	79	59
79.0#	834	840	888	914	982	88	62
88.0#	849	883	938	967	1037	97	65
100.0#	956	990	1046	1076	1153	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	1
54"H	2	2
66"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
37.0#	\$ 496	\$ 518	\$ 552	\$ 574	\$ 616	\$ 47	\$ 31
51.0#	580	607	648	670	720	49	32
65.0#	655	682	721	748	806	52	36
79.0#	803	839	891	920	992	64	46
92.0#	854	890	950	980	1057	70	48
106.0#	953	990	1056	1093	1169	79	59
119.0#	991	1032	1099	1135	1217	88	62
133.0#	1045	1091	1158	1199	1290	97	65
150.0#	1172	1223	1293	1336	1429	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	1
54"H	2	2
66"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER											
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2				
	MODEL	W x H	Monolithic/Half Segmented Panel - 48"H with 18"H Tiles	12 x 48"	PMH81248	☐	☐	R0	☐	☐	☐	☐		
			18 x 48"	PMH81848	☐	☐	R0	☐	☐	☐	☐	☐		
			24 x 48"	PMH82448	☐	☐	R0	☐	☐	☐	☐	☐		
			30 x 48"	PMH83048	☐	☐	R0	☐	☐	☐	☐	☐		
			36 x 48"	PMH83648	☐	☐	R0	☐	☐	☐	☐	☐		
			42 x 48"	PMH84248	☐	☐	R0	☐	☐	☐	☐	☐		
			48 x 48"	PMH84848	☐	☐	R0	☐	☐	☐	☐	☐		
			54 x 48"	PMH85448	☐	☐	R0	☐	☐	☐	☐	☐		
			60 x 48"	PMH86048	☐	☐	R0	☐	☐	☐	☐	☐		
PMH8			• Two steel horizontal rails • One to three individual plastic light blocks • One full height tile (6" shorter than height of panel) with blue mounting hooks • One or two 24" high fabric tiles with grey mounting hooks • One, two or three 18" high fabric tiles with grey mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim											
PMH8			Monolithic/Half Segmented Panel - 66"H with 18"H Tiles	12 x 66"	PMH81266	☐	☐	R0	☐	☐	☐	☐	☐	
				18 x 66"	PMH81866	☐	☐	R0	☐	☐	☐	☐	☐	
				24 x 66"	PMH82466	☐	☐	R0	☐	☐	☐	☐	☐	
				30 x 66"	PMH83066	☐	☐	R0	☐	☐	☐	☐	☐	
				36 x 66"	PMH83666	☐	☐	R0	☐	☐	☐	☐	☐	
				42 x 66"	PMH84266	☐	☐	R0	☐	☐	☐	☐	☐	
				48 x 66"	PMH84866	☐	☐	R0	☐	☐	☐	☐	☐	
				54 x 66"	PMH85466	☐	☐	R0	☐	☐	☐	☐	☐	
				60 x 66"	PMH86066	☐	☐	R0	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
E - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
R21 - Side 2 w/1-18" raceway tile; add \$32
R22 - Side 2 w/2-18" raceway tiles; add \$64

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.
 SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
 Grade 2 Fabric
 -Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
 +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
24.0#	\$ 317	\$ 329	\$ 347	\$ 357	\$ 387	\$ 47	\$ 31
33.0#	378	391	415	432	460	49	32
43.0#	424	439	461	483	512	52	36
52.0#	528	547	580	596	639	64	46
61.0#	570	592	628	641	692	70	48
70.0#	638	661	701	721	770	79	59
79.0#	655	677	717	737	788	88	62
88.0#	702	731	771	797	850	97	65
100.0#	797	823	867	894	953	104	84
37.0#	\$ 401	\$ 420	\$ 443	\$ 460	\$ 495	\$ 47	\$ 31
51.0#	482	499	535	549	593	49	32
65.0#	529	549	586	600	642	52	36
79.0#	638	663	708	726	781	64	46
92.0#	691	717	762	786	845	70	48
106.0#	780	810	861	887	951	79	59
120.0#	803	835	887	913	979	88	62
133.0#	874	907	967	993	1068	97	65
150.0#	981	1017	1076	1106	1188	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

48"H	0	1
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

PMH8

MODEL

W x H

MODEL NUMBER

Basic Model

Electrical Code

Horizontal Rail

Number of Raceway Tiles Side 1

Number of Raceway Tiles Side 2

Trim Color

Fabric Side 1

Fabric Side 2

Monolithic/Half Segmented Panel - 84"H with 18"H Tiles

- Two steel horizontal rails
- One to three individual plastic light blocks
- One full height tile (6" shorter than height of panel) with blue mounting hooks
- One or two 24" high fabric tiles with grey mounting hooks
- One, two or three 18" high fabric tiles with grey mounting hooks
- One base/raceway consisting of a raceway pan and two doors
- One rounded satin-textured polypropylene top cap with splice plate
- Order power separately
- Order vertical posts separately
- SX Starlight Silver finish is only offered on flat aluminum trim

12 x 84"

PMH81284

☐

☐

R0

☐

☐

☐

☐

18 x 84"

PMH81884

☐

☐

R0

☐

☐

☐

☐

24 x 84"

PMH82484

☐

☐

R0

☐

☐

☐

☐

30 x 84"

PMH83084

☐

☐

R0

☐

☐

☐

☐

36 x 84"

PMH83684

☐

☐

R0

☐

☐

☐

☐

42 x 84"

PMH84284

☐

☐

R0

☐

☐

☐

☐

48 x 84"

PMH84884

☐

☐

R0

☐

☐

☐

☐

54 x 84"

PMH85484

☐

☐

R0

☐

☐

☐

☐

60 x 84"

PMH86084

☐

☐

R0

☐

☐

☐

☐

A

B

C

D

E

F

G

H

Fabric Disclaimers:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifi-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
45.0#	\$ 482	\$ 501	\$ 535	\$ 549	\$ 593	\$ 47	\$ 31
62.0#	573	595	636	659	710	49	32
79.0#	640	668	713	737	790	52	36
95.0#	768	802	852	881	948	64	46
117.0#	824	860	917	943	1018	70	48
127.0#	912	948	1009	1035	1115	79	59
143.0#	935	976	1036	1069	1147	88	62
160.0#	1023	1064	1133	1171	1260	97	65
180.0#	1151	1196	1268	1306	1402	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

48"H	0	1
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Disclaimers:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
21.0#	\$ 302	\$ 312	\$ 329	\$ 340	\$ 365	\$ 47	\$ 31
29.0#	348	362	382	394	420	49	32
36.0#	396	409	431	444	479	52	36
44.0#	482	495	527	542	577	64	46
51.0#	523	543	574	589	632	70	48
56.0#	587	607	639	660	700	79	59
66.0#	603	624	661	677	719	88	62
74.0#	636	659	695	717	759	97	65
83.0#	709	731	769	791	842	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
48"H	0	1
54"H	0	2
66"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER											
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2				
	MODEL	W x H	Monolithic/Half Segmented Panel - 54"H with 12"H Tiles	12 x 54"	PMH21254	☐	☐	R0	☐	☐	☐	☐		
				18 x 54"	PMH21854	☐	☐	R0	☐	☐	☐	☐	☐	
				24 x 54"	PMH22454	☐	☐	R0	☐	☐	☐	☐	☐	
				30 x 54"	PMH23054	☐	☐	R0	☐	☐	☐	☐	☐	
				36 x 54"	PMH23654	☐	☐	R0	☐	☐	☐	☐	☐	
				42 x 54"	PMH24254	☐	☐	R0	☐	☐	☐	☐	☐	
				48 x 54"	PMH24854	☐	☐	R0	☐	☐	☐	☐	☐	
				54 x 54"	PMH25454	☐	☐	R0	☐	☐	☐	☐	☐	
				60 x 54"	PMH26054	☐	☐	R0	☐	☐	☐	☐	☐	
PMH2														
PMH2	MODEL	W x H	Monolithic/Half Segmented Panel - 66"H with 12"H Tiles	12 x 66"	PMH21266	☐	☐	R0	☐	☐	☐	☐		
				18 x 66"	PMH21866	☐	☐	R0	☐	☐	☐	☐	☐	
				24 x 66"	PMH22466	☐	☐	R0	☐	☐	☐	☐	☐	
				30 x 66"	PMH23066	☐	☐	R0	☐	☐	☐	☐	☐	
				36 x 66"	PMH23666	☐	☐	R0	☐	☐	☐	☐	☐	
				42 x 66"	PMH24266	☐	☐	R0	☐	☐	☐	☐	☐	
				48 x 66"	PMH24866	☐	☐	R0	☐	☐	☐	☐	☐	
				54 x 66"	PMH25466	☐	☐	R0	☐	☐	☐	☐	☐	
				60 x 66"	PMH26066	☐	☐	R0	☐	☐	☐	☐	☐	
		</												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32
- R22** - Side 2 w/2-12" raceway tiles; add \$64

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
27.0#	\$ 373	\$ 387	\$ 411	\$ 426	\$ 456	\$ 47	\$ 31
31.0#	438	454	484	499	535	49	32
48.0#	499	519	549	569	608	52	36
57.0#	597	621	661	680	723	64	46
67.0#	639	664	709	727	780	70	48
77.0#	722	751	797	817	873	79	59
86.0#	750	779	824	849	907	88	62
97.0#	810	842	891	920	986	97	65
108.0#	902	933	986	1015	1083	104	84
34.0#	\$ 448	\$ 467	\$ 495	\$ 511	\$ 551	\$ 47	\$ 31
46.0#	522	542	579	595	640	49	32
56.0#	579	603	640	661	708	52	36
71.0#	686	715	759	783	843	64	46
83.0#	737	762	811	836	899	70	48
95.0#	845	877	930	959	1027	79	59
106.0#	874	907	963	991	1066	88	62
119.0#	931	968	1029	1060	1136	97	65
133.0#	1046	1085	1145	1181	1260	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

48"H	0	1
54"H	0	2
66"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

			MODEL NUMBER							Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2		
 PMGB	Monolithic/Glass/Monolithic/Glass Panel - 42"H	12 x 42"	PMMGB1242	☐	☐	☐	☐	☐	☐	22.0#
		18 x 42"	PMMGB1842	☐	☐	☐	☐	☐	☐	31.0#
		24 x 42"	PMMGB2442	☐	☐	☐	☐	☐	☐	41.0#
		30 x 42"	PMMGB3042	☐	☐	☐	☐	☐	☐	51.0#
		36 x 42"	PMMGB3642	☐	☐	☐	☐	☐	☐	61.0#
		42 x 42"	PMMGB4242	☐	☐	☐	☐	☐	☐	71.0#
		48 x 42"	PMMGB4842	☐	☐	☐	☐	☐	☐	80.0#
PMGB	Monolithic/Glass/Monolithic/Glass Panel - 48"H	12 x 48"	PMMGB1248	☐	☐	☐	☐	☐	☐	22.0#
		18 x 48"	PMMGB1848	☐	☐	☐	☐	☐	☐	31.0#
		24 x 48"	PMMGB2448	☐	☐	☐	☐	☐	☐	41.0#
		30 x 48"	PMMGB3048	☐	☐	☐	☐	☐	☐	51.0#
		36 x 48"	PMMGB3648	☐	☐	☐	☐	☐	☐	61.0#
		42 x 48"	PMMGB4248	☐	☐	☐	☐	☐	☐	71.0#
		48 x 48"	PMMGB4848	☐	☐	☐	☐	☐	☐	80.0#
	PMGB	Monolithic/Glass/Monolithic/Glass Panel - 54"H	12 x 54"	PMMGB1254	☐	☐	☐	☐	☐	☐
		18 x 54"	PMMGB1854	☐	☐	☐	☐	☐	☐	41.0#
		24 x 54"	PMMGB2454	☐	☐	☐	☐	☐	☐	53.0#
		30 x 54"	PMMGB3054	☐	☐	☐	☐	☐	☐	64.0#
		36 x 54"	PMMGB3654	☐	☐	☐	☐	☐	☐	75.0#
		42 x 54"	PMMGB4254	☐	☐	☐	☐	☐	☐	86.0#
		48 x 54"	PMMGB4854	☐	☐	☐	☐	☐	☐	98.0#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-

Monolithic/Glass/Monolithic/Glass Panel

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Special Carton Marking


Shipping

Shipped k.d. freight prepaid f.o.b.
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

			MODEL NUMBER							Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2		
 PMGB	Monolithic/Glass/Monolithic/Glass Panel - 66"H	12 x 66"	PMMGB1266	☐	☐	☐	☐	☐	☐	30.0#
		18 x 66"	PMMGB1866	☐	☐	☐	☐	☐	☐	41.0#
	• Two steel horizontal rails	24 x 66"	PMMGB2466	☐	☐	☐	☐	☐	☐	53.0#
	• One set of plastic light blocks	30 x 66"	PMMGB3066	☐	☐	☐	☐	☐	☐	64.0#
	• Two 24" fabric tiles with grey mounting hooks	36 x 66"	PMMGB3666	☐	☐	☐	☐	☐	☐	75.0#
	• One panel, 1/4" thick glass with aluminum window frame with blue mounting hooks	42 x 66"	PMMGB4266	☐	☐	☐	☐	☐	☐	86.0#
		48 x 66"	PMMGB4866	☐	☐	☐	☐	☐	☐	98.0#
	• One base/raceway consisting of a raceway pan and two doors									
	• One rounded satin-textured polypropylene top cap with splice plate									
	• Order power separately									
PMGB										
	• Order vertical posts separately									
	• Fabric tile is tackable									
	• SX Starlight Silver finish is only offered on flat aluminum trim									
PMGB	Monolithic/Glass/Monolithic/Glass Panel - 84"H	12 x 84"	PMMGB1284	☐	☐	☐	☐	☐	☐	36.0#
		18 x 84"	PMMGB1884	☐	☐	☐	☐	☐	☐	50.0#
		24 x 84"	PMMGB2484	☐	☐	☐	☐	☐	☐	63.0#
		30 x 84"	PMMGB3084	☐	☐	☐	☐	☐	☐	77.0#
		36 x 84"	PMMGB3684	☐	☐	☐	☐	☐	☐	90.0#
		42 x 84"	PMMGB4284	☐	☐	☐	☐	☐	☐	104.0#
		48 x 84"	PMMGB4884	☐	☐	☐	☐	☐	☐	120.0#
A B C D E F G										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will




Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 560	\$ 567	\$ 574	\$ 578	\$ 592	\$ 47	\$ 10	\$ 84	\$ 31
651	658	667	675	692	49	12	98	32
717	723	740	746	766	52	13	107	36
844	853	871	878	902	64	15	127	46
913	925	939	951	979	70	16	137	48
1030	1042	1061	1071	1099	79	21	153	59
1060	1072	1093	1104	1130	88	21	160	62


Basic Model: PMMA



The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Basic Model: PHHA



The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]


Face Styles

The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.


[illegible]



Basic Model: PMFA

Monolithic/Fully Segmented panels consist of the following: Single tile on side one; 12" segmented tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Basic Model: PHFA

Half Segmented/Fully Segmented panels consist of the following: 24" fabric tile on bottom and 12" segmented tiles on top of side one. 12" segmented fabric tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height.
Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.


The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]




Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Face Styles



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
	MODEL	W x H							
	Monolithic Panel - 30"H	12 x 30"	PMMA1230	☐	☐	☐	☐	☐	14.0#
	• Two horizontal rails	18 x 30"	PMMA1830	☐	☐	☐	☐	☐	20.0#
	• Two fabric tiles with mounting hooks	24 x 30"	PMMA2430	☐	☐	☐	☐	☐	25.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 30"	PMMA3030	☐	☐	☐	☐	☐	30.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 30"	PMMA3630	☐	☐	☐	☐	☐	36.0#
	• Order power separately	42 x 30"	PMMA4230	☐	☐	☐	☐	☐	41.0#
	• Order vertical posts separately	48 x 30"	PMMA4830	☐	☐	☐	☐	☐	46.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54 x 30"	PMMA5430	☐	☐	☐	☐	☐	52.0#
		60 x 30"	PMMA6030	☐	☐	☐	☐	☐	58.0#
PMMA									
PMMA	Monolithic Panel - 42"H	12 x 42"	PMMA1242	☐	☐	☐	☐	☐	18.0#
		18 x 42"	PMMA1842	☐	☐	☐	☐	☐	24.0#
		24 x 42"	PMMA2442	☐	☐	☐	☐	☐	30.0#
		30 x 42"	PMMA3042	☐	☐	☐	☐	☐	36.0#
		36 x 42"	PMMA3642	☐	☐	☐	☐	☐	42.0#
		42 x 42"	PMMA4242	☐	☐	☐	☐	☐	51.0#
		48 x 42"	PMMA4842	☐	☐	☐	☐	☐	53.0#
		54 x 42"	PMMA5442	☐	☐	☐	☐	☐	60.0#
		60 x 42"	PMMA6042	☐	☐	☐	☐	☐	67.0#
PMMA	Monolithic Panel - 54"H	12 x 54"	PMMA1254	☐	☐	☐	☐	☐	21.0#
		18 x 54"	PMMA1854	☐	☐	☐	☐	☐	30.0#
		24 x 54"	PMMA2454	☐	☐	☐	☐	☐	35.0#
		30 x 54"	PMMA3054	☐	☐	☐	☐	☐	41.0#
		36 x 54"	PMMA3654	☐	☐	☐	☐	☐	48.0#
		42 x 54"	PMMA4254	☐	☐	☐	☐	☐	54.0#
		48 x 54"	PMMA4854	☐	☐	☐	☐	☐	61.0#
		54 x 54"	PMMA5454	☐	☐	☐	☐	☐	68.0#
		60 x 54"	PMMA6054	☐	☐	☐	☐	☐	75.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |

C Select horizontal rail.

- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 248	\$ 258	\$ 270	\$ 277	\$ 303	\$ 47	\$ 31
278	291	307	314	340	49	32
329	342	363	369	402	52	36
367	383	402	416	451	64	46
396	414	433	446	485	70	48
454	473	501	511	553	79	59
489	512	538	550	594	88	62
522	549	573	586	633	97	65
571	597	627	640	695	104	84
\$ 295	\$ 309	\$ 324	\$ 330	\$ 356	\$ 47	\$ 31
337	352	368	382	410	49	32
368	384	403	417	452	52	36
441	458	487	496	538	64	46
496	521	547	558	605	70	48
553	581	610	629	673	79	59
569	595	624	638	691	88	62
597	629	659	673	728	97	65
642	673	708	728	786	104	84
\$ 327	\$ 341	\$ 362	\$ 368	\$ 401	\$ 47	\$ 31
382	397	417	432	469	49	32
440	457	486	495	537	52	36
508	531	559	575	617	64	46
551	579	606	624	671	70	48
628	658	688	712	767	79	59
656	688	718	741	799	88	62
724	761	801	819	887	97	65
773	811	849	872	943	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

			MODEL NUMBER						Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2		
	Monolithic Panel - 66"H	12 x 66"	PMMA1266	☐	☐	☐	☐	☐	25.0#
	• Two horizontal rails	18 x 66"	PMMA1866	☐	☐	☐	☐	☐	32.0#
	• Two fabric tiles with mounting hooks	24 x 66"	PMMA2466	☐	☐	☐	☐	☐	39.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 66"	PMMA3066	☐	☐	☐	☐	☐	47.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 66"	PMMA3666	☐	☐	☐	☐	☐	54.0#
	• Order power separately	42 x 66"	PMMA4266	☐	☐	☐	☐	☐	61.0#
	• Order vertical posts separately	48 x 66"	PMMA4866	☐	☐	☐	☐	☐	68.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54 x 66"	PMMA5466	☐	☐	☐	☐	☐	75.0#
		60 x 66"	PMMA6066	☐	☐	☐	☐	☐	84.0#
PMMA									
	Monolithic Panel - 84"H	12 x 84"	PMMA1284	☐	☐	☐	☐	☐	30.0#
		18 x 84"	PMMA1884	☐	☐	☐	☐	☐	38.0#
		24 x 84"	PMMA2484	☐	☐	☐	☐	☐	47.0#
		30 x 84"	PMMA3084	☐	☐	☐	☐	☐	55.0#
		36 x 84"	PMMA3684	☐	☐	☐	☐	☐	63.0#
		42 x 84"	PMMA4284	☐	☐	☐	☐	☐	71.0#
		48 x 84"	PMMA4884	☐	☐	☐	☐	☐	79.0#
		54 x 84"	PMMA5484	☐	☐	☐	☐	☐	87.0#
		60 x 84"	PMMA6084	☐	☐	☐	☐	☐	97.0#

A

B

C

D

E

F

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- | | |
|----|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |

C Select horizontal rail.

- | | |
|---|------------|
| E | - Enhanced |
| S | - Standard |

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 366	\$ 382	\$ 401	\$ 415	\$ 450	\$ 47	\$ 31
424	441	464	481	518	49	32
464	487	510	526	567	52	36
521	547	572	584	632	64	46
565	593	621	636	686	70	48
668	701	733	757	813	79	59
696	727	767	787	848	88	62
753	788	827	849	919	97	65
813	854	897	919	991	104	84
\$ 398	\$ 416	\$ 437	\$ 449	\$ 487	\$ 47	\$ 31
462	486	508	524	563	49	32
529	557	581	597	640	52	36
569	595	624	638	691	64	46
613	644	672	694	749	70	48
694	724	763	785	846	79	59
718	751	789	812	873	88	62
779	813	854	877	950	97	65
839	878	925	946	1023	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER								
	MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PMHA	Monolithic/Half Segmented Panel - 42"H with 12"H tiles • Three to six horizontal rails • One, two or three 12" fabric tiles with mounting hooks • One 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42"	PMHA1242	☐	☐	R0	☐	☐	☐	☐	
		18 x 42"	PMHA1842	☐	☐	R0	☐	☐	☐	☐	
		24 x 42"	PMHA2442	☐	☐	R0	☐	☐	☐	☐	
		30 x 42"	PMHA3042	☐	☐	R0	☐	☐	☐	☐	
		36 x 42"	PMHA3642	☐	☐	R0	☐	☐	☐	☐	
		42 x 42"	PMHA4242	☐	☐	R0	☐	☐	☐	☐	
		48 x 42"	PMHA4842	☐	☐	R0	☐	☐	☐	☐	
		54 x 42"	PMHA5442	☐	☐	R0	☐	☐	☐	☐	
		60 x 42"	PMHA6042	☐	☐	R0	☐	☐	☐	☐	
PMHA	Monolithic/Half Segmented Panel - 54"H with 12"H tiles	12 x 54"	PMHA1254	☐	☐	R0	☐	☐	☐	☐	
		18 x 54"	PMHA1854	☐	☐	R0	☐	☐	☐	☐	
		24 x 54"	PMHA2454	☐	☐	R0	☐	☐	☐	☐	
		30 x 54"	PMHA3054	☐	☐	R0	☐	☐	☐	☐	
		36 x 54"	PMHA3654	☐	☐	R0	☐	☐	☐	☐	
		42 x 54"	PMHA4254	☐	☐	R0	☐	☐	☐	☐	
		48 x 54"	PMHA4854	☐	☐	R0	☐	☐	☐	☐	
		54 x 54"	PMHA5454	☐	☐	R0	☐	☐	☐	☐	
		60 x 54"	PMHA6054	☐	☐	R0	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32
- R22** - Side 2 w/2-12" raceway tiles; add \$64

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
21.0#	\$ 356	\$ 372	\$ 388	\$ 401	\$ 432	\$ 47	\$ 31
29.0#	401	420	443	452	490	49	32
36.0#	449	468	493	505	545	52	36
44.0#	517	539	571	581	627	64	46
51.0#	575	606	631	650	699	70	48
56.0#	641	675	706	727	785	79	59
66.0#	673	708	742	762	824	88	62
74.0#	717	750	788	811	872	97	65
83.0#	785	823	861	884	958	104	84
27.0#	\$ 460	\$ 480	\$ 506	\$ 522	\$ 559	\$ 47	\$ 31
37.0#	519	542	571	581	629	49	32
48.0#	587	613	641	662	712	52	36
57.0#	661	695	723	748	806	64	46
67.0#	726	762	802	821	888	70	48
77.0#	818	860	903	924	996	79	59
86.0#	863	911	953	973	1056	88	62
97.0#	935	986	1031	1060	1141	97	65
108.0#	1029	1079	1130	1164	1255	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	0	1
54"H	0	2
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 564	\$ 592	\$ 618	\$ 634	\$ 685	\$ 47	\$ 31
46.0#	632	662	694	716	771	49	32
59.0#	699	733	768	790	852	52	36
71.0#	777	813	857	874	950	64	46
83.0#	862	903	952	971	1051	70	48
95.0#	979	1026	1074	1102	1192	79	59
106.0#	1031	1083	1133	1166	1258	88	62
119.0#	1111	1165	1217	1252	1355	97	65
133.0#	1226	1286	1347	1384	1496	104	84
42.0#	\$ 670	\$ 702	\$ 734	\$ 758	\$ 817	\$ 47	\$ 31
57.0#	754	789	828	850	920	49	32
72.0#	839	878	925	946	1023	52	36
87.0#	930	980	1025	1051	1135	64	46
101.0#	1029	1079	1130	1164	1255	70	48
116.0#	1142	1201	1250	1293	1393	79	59
130.0#	1206	1266	1328	1361	1474	88	62
145.0#	1310	1374	1443	1479	1597	97	65
163.0#	1435	1505	1577	1622	1751	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	0	1
54"H	0	2
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

			MODEL NUMBER									
MODEL		W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
	Monolithic/Fully Segmented Panel - 30"H with 12"H tiles • Three to six horizontal rails • Two, three, four or five 12" fabric tiles with mounting hooks • One 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PMFA1230	☐	☐	R0	☐	☐	☐	☐		
		18 x 30"	PMFA1830	☐	☐	R0	☐	☐	☐	☐	☐	
		24 x 30"	PMFA2430	☐	☐	R0	☐	☐	☐	☐	☐	
		30 x 30"	PMFA3030	☐	☐	R0	☐	☐	☐	☐	☐	
		36 x 30"	PMFA3630	☐	☐	R0	☐	☐	☐	☐	☐	
		42 x 30"	PMFA4230	☐	☐	R0	☐	☐	☐	☐	☐	
		48 x 30"	PMFA4830	☐	☐	R0	☐	☐	☐	☐	☐	
		54 x 30"	PMFA5430	☐	☐	R0	☐	☐	☐	☐	☐	
		60 x 30"	PMFA6030	☐	☐	R0	☐	☐	☐	☐	☐	
PMFA												
	Monolithic/Fully Segmented Panel - 42"H with 12"H tiles	12 x 42"	PMFA1242	☐	☐	R0	☐	☐	☐	☐		
		18 x 42"	PMFA1842	☐	☐	R0	☐	☐	☐	☐	☐	
		24 x 42"	PMFA2442	☐	☐	R0	☐	☐	☐	☐	☐	
		30 x 42"	PMFA3042	☐	☐	R0	☐	☐	☐	☐	☐	
		36 x 42"	PMFA3642	☐	☐	R0	☐	☐	☐	☐	☐	
		42 x 42"	PMFA4242	☐	☐	R0	☐	☐	☐	☐	☐	
		48 x 42"	PMFA4842	☐	☐	R0	☐	☐	☐	☐	☐	
		54 x 42"	PMFA5442	☐	☐	R0	☐	☐	☐	☐	☐	
		60 x 42"	PMFA6042	☐	☐	R0	☐	☐	☐	☐	☐	
PMFA												
A B C D E F G H												

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32
- R22** - Side 2 w/2-12" raceway tiles; add \$64

R23 - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
17.0#	\$ 320	\$ 334	\$ 352	\$ 362	\$ 388	\$ 47	\$ 31
24.0#	358	374	394	403	440	49	32
32.0#	406	424	446	458	496	52	36
38.0#	456	474	502	512	556	64	46
45.0#	506	529	557	573	615	70	48
52.0#	570	596	625	639	694	79	59
59.0#	603	633	663	684	740	88	62
66.0#	641	675	706	727	785	97	65
74.0#	721	757	798	816	883	104	84
24.0#	\$ 431	\$ 449	\$ 472	\$ 485	\$ 526	\$ 47	\$ 31
33.0#	484	506	531	542	588	49	32
43.0#	529	557	581	597	640	52	36
52.0#	602	632	662	683	739	64	46
61.0#	683	716	749	771	830	70	48
70.0#	758	797	835	859	927	79	59
79.0#	790	829	870	893	961	88	62
88.0#	839	878	925	946	1023	97	65
100.0#	933	983	1029	1056	1138	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

			MODEL NUMBER								
MODEL	W x H		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PMFA	Monolithic/Fully Segmented Panel - 54"H with 12"H tiles	12 x 54"	PMFA1254	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		18 x 54"	PMFA1854	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		24 x 54"	PMFA2454	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		30 x 54"	PMFA3054	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		36 x 54"	PMFA3654	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		42 x 54"	PMFA4254	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		48 x 54"	PMFA4854	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		54 x 54"	PMFA5454	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		60 x 54"	PMFA6054	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
PMFA	Monolithic/Fully Segmented Panel - 66"H with 12"H tiles	12 x 66"	PMFA1266	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		18 x 66"	PMFA1866	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		24 x 66"	PMFA2466	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		30 x 66"	PMFA3066	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		36 x 66"	PMFA3666	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		42 x 66"	PMFA4266	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		48 x 66"	PMFA4866	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		54 x 66"	PMFA5466	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
PMFA	Monolithic/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PMFA1284	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		18 x 84"	PMFA1884	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		24 x 84"	PMFA2484	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		30 x 84"	PMFA3084	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		36 x 84"	PMFA3684	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		42 x 84"	PMFA4284	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		48 x 84"	PMFA4884	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		54 x 84"	PMFA5484	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		60 x 84"	PMFA6084	☐	☐	R0	☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
S - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
R21 - Side 2 w/1-12" raceway tile; add \$32
R22 - Side 2 w/2-12" raceway tiles; add \$64

R23 - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.
 SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
 Grade 2 Fabric
 -Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
 +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
54.0#	\$ 535	\$ 563	\$ 588	\$ 603	\$ 646	\$ 47	\$ 31
70.0#	597	629	659	673	728	49	32
87.0#	665	699	728	755	811	52	36
103.0#	748	783	818	845	912	64	46
119.0#	836	877	924	943	1022	70	48
135.0#	932	982	1027	1054	1137	79	59
150.0#	980	1030	1075	1103	1193	88	62
166.0#	1062	1119	1166	1204	1298	97	65
176.0#	1179	1237	1292	1332	1439	104	84
37.0#	\$ 638	\$ 671	\$ 701	\$ 723	\$ 779	\$ 47	\$ 31
51.0#	715	748	783	806	868	49	32
65.0#	779	813	854	877	950	52	36
79.0#	862	903	952	971	1051	64	46
92.0#	973	1021	1069	1098	1188	70	48
106.0#	1094	1148	1201	1238	1338	79	59
120.0#	1144	1203	1252	1295	1396	88	62
133.0#	1232	1293	1353	1391	1501	97	65
150.0#	1376	1440	1512	1554	1674	104	84
45.0#	\$ 747	\$ 782	\$ 817	\$ 844	\$ 911	\$ 47	\$ 31
62.0#	834	874	919	940	1020	49	32
79.0#	918	962	1010	1036	1119	52	36
95.0#	1018	1071	1118	1152	1241	64	46
112.0#	1137	1195	1246	1288	1388	70	48
127.0#	1259	1319	1383	1422	1535	79	59
143.0#	1318	1384	1453	1492	1610	88	62
160.0#	1429	1501	1570	1615	1743	97	65
180.0#	1584	1667	1740	1787	1932	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

MODEL			MODEL NUMBER								
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
	Half Segmented/Half Segmented Panel - 42"H with 12"H tiles • Three to six horizontal rails • Two, four or six 12" fabric tiles with mounting hooks • Two 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42"	PHHA1242	☐	☐	☐	☐	☐	☐	☐	
		18 x 42"	PHHA1842	☐	☐	☐	☐	☐	☐	☐	
		24 x 42"	PHHA2442	☐	☐	☐	☐	☐	☐	☐	
		30 x 42"	PHHA3042	☐	☐	☐	☐	☐	☐	☐	
		36 x 42"	PHHA3642	☐	☐	☐	☐	☐	☐	☐	
		42 x 42"	PHHA4242	☐	☐	☐	☐	☐	☐	☐	
		48 x 42"	PHHA4842	☐	☐	☐	☐	☐	☐	☐	
		54 x 42"	PHHA5442	☐	☐	☐	☐	☐	☐	☐	
		60 x 42"	PHHA6042	☐	☐	☐	☐	☐	☐	☐	
PHHA											
	Half Segmented/Half Segmented Panel - 54"H with 12"H tiles	12 x 54"	PHHA1254	☐	☐	☐	☐	☐	☐	☐	
		18 x 54"	PHHA1854	☐	☐	☐	☐	☐	☐	☐	
		24 x 54"	PHHA2454	☐	☐	☐	☐	☐	☐	☐	
		30 x 54"	PHHA3054	☐	☐	☐	☐	☐	☐	☐	
		36 x 54"	PHHA3654	☐	☐	☐	☐	☐	☐	☐	
		42 x 54"	PHHA4254	☐	☐	☐	☐	☐	☐	☐	
		48 x 54"	PHHA4854	☐	☐	☐	☐	☐	☐	☐	
		54 x 54"	PHHA5454	☐	☐	☐	☐	☐	☐	☐	
PHHA		60 x 54"	PHHA6054	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$32

R22 - Side 2 w/2-12" raceway tiles; add \$64

F Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
22.0#	\$ 399	\$ 417	\$ 440	\$ 450	\$ 488	\$ 47	\$ 31
30.0#	448	467	492	503	544	49	32
38.0#	508	531	559	575	617	52	36
47.0#	564	592	618	634	685	64	46
55.0#	621	652	680	703	757	70	48
63.0#	696	727	767	787	848	79	59
71.0#	747	782	817	844	911	88	62
79.0#	792	832	872	895	969	97	65
88.0#	878	920	968	988	1069	104	84
24.0#	\$ 553	\$ 581	\$ 610	\$ 627	\$ 673	\$ 47	\$ 31
33.0#	616	648	675	698	754	49	32
43.0#	684	717	750	773	834	52	36
52.0#	757	792	834	854	926	64	46
61.0#	845	886	930	952	1030	70	48
70.0#	935	986	1031	1060	1141	79	59
79.0#	998	1050	1098	1130	1212	88	62
88.0#	1064	1119	1169	1204	1298	97	65
100.0#	1183	1242	1300	1337	1446	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Half Segmented Panel

			MODEL NUMBER								
MODEL	W x H		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PHHA	Half Segmented/Half Segmented Panel - 66"H with 12"H tiles	12 x 66"	PHHA1266	☐	☐	☐	☐	☐	☐	☐	
		18 x 66"	PHHA1866	☐	☐	☐	☐	☐	☐	☐	
	• Three to six horizontal rails	24 x 66"	PHHA2466	☐	☐	☐	☐	☐	☐	☐	
	• Two, four or six 12" fabric tiles with mounting hooks	30 x 66"	PHHA3066	☐	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tile included with 84" high panels with mounting hooks	36 x 66"	PHHA3666	☐	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 66"	PHHA4266	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 66"	PHHA4866	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	54 x 66"	PHHA5466	☐	☐	☐	☐	☐	☐	☐	
	• SX Starlight Silver finish is only offered on flat aluminum trim	60 x 66"	PHHA6066	☐	☐	☐	☐	☐	☐	☐	
	• Order power separately										
PHHA	Half Segmented/Half Segmented Panel - 84"H with 12"H tiles	12 x 84"	PHHA1284	☐	☐	☐	☐	☐	☐	☐	
		18 x 84"	PHHA1884	☐	☐	☐	☐	☐	☐	☐	
		24 x 84"	PHHA2484	☐	☐	☐	☐	☐	☐	☐	
		30 x 84"	PHHA3084	☐	☐	☐	☐	☐	☐	☐	
		36 x 84"	PHHA3684	☐	☐	☐	☐	☐	☐	☐	
		42 x 84"	PHHA4284	☐	☐	☐	☐	☐	☐	☐	
		48 x 84"	PHHA4884	☐	☐	☐	☐	☐	☐	☐	
		54 x 84"	PHHA5484	☐	☐	☐	☐	☐	☐	☐	
		60 x 84"	PHHA6084	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$32

R22 - Side 2 w/2-12" raceway tiles; add \$64

F Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
37.0#	\$ 708	\$ 744	\$ 777	\$ 802	\$ 860	\$ 47	\$ 31
51.0#	783	821	860	883	957	49	32
65.0#	863	911	953	973	1056	52	36
79.0#	953	1001	1046	1074	1159	64	46
92.0#	1067	1121	1171	1206	1300	70	48
106.0#	1181	1240	1298	1334	1441	79	59
119.0#	1252	1315	1376	1418	1527	88	62
133.0#	1337	1402	1471	1511	1628	97	65
150.0#	1490	1563	1637	1682	1816	104	84
43.0#	\$ 872	\$ 919	\$ 961	\$ 982	\$ 1063	\$ 47	\$ 31
59.0#	969	1018	1066	1094	1180	49	32
75.0#	1059	1107	1162	1195	1293	52	36
91.0#	1183	1242	1300	1337	1446	64	46
106.0#	1316	1382	1448	1488	1607	70	48
122.0#	1452	1525	1599	1640	1773	79	59
137.0#	1540	1616	1692	1738	1877	88	62
153.0#	1662	1749	1830	1880	2030	97	65
172.0#	1832	1924	2017	2072	2237	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

			MODEL NUMBER								
MODEL	W x H		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PHFA	Half Segmented/Fully Segmented Panel - 42"H with 12"H tiles	12 x 42"	PHFA1242	☐	☐	☐	☐	☐	☐	☐	
		18 x 42"	PHFA1842	☐	☐	☐	☐	☐	☐	☐	
	• Three to seven horizontal rails	24 x 42"	PHFA2442	☐	☐	☐	☐	☐	☐	☐	
	• Four, six or eight 12" fabric tiles with mounting hooks	30 x 42"	PHFA3042	☐	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tiles included with 84" high panels with mounting hooks	36 x 42"	PHFA3642	☐	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 42"	PHFA4242	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 42"	PHFA4842	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	54 x 42"	PHFA5442	☐	☐	☐	☐	☐	☐	☐	
	• Order power separately	60 x 42"	PHFA6042	☐	☐	☐	☐	☐	☐	☐	
	• Order vertical posts separately										
PHFA	Half Segmented/Fully Segmented Panel - 54"H with 12"H tiles	12 x 54"	PHFA1254	☐	☐	☐	☐	☐	☐	☐	
		18 x 54"	PHFA1854	☐	☐	☐	☐	☐	☐	☐	
		24 x 54"	PHFA2454	☐	☐	☐	☐	☐	☐	☐	
		30 x 54"	PHFA3054	☐	☐	☐	☐	☐	☐	☐	
		36 x 54"	PHFA3654	☐	☐	☐	☐	☐	☐	☐	
		42 x 54"	PHFA4254	☐	☐	☐	☐	☐	☐	☐	
		48 x 54"	PHFA4854	☐	☐	☐	☐	☐	☐	☐	
		54 x 54"	PHFA5454	☐	☐	☐	☐	☐	☐	☐	
		60 x 54"	PHFA6054	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$32

R22 - Side 2 w/2-12" raceway tiles; add \$64

R23 - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
23.0#	\$ 475	\$ 499	\$ 524	\$ 537	\$ 579	\$ 47	\$ 31
32.0#	527	553	577	590	638	49	32
41.0#	587	613	644	662	712	52	36
49.0#	652	682	715	740	798	64	46
58.0#	726	762	802	821	888	70	48
66.0#	813	852	897	919	991	79	59
75.0#	860	899	948	969	1048	88	62
84.0#	914	959	1004	1030	1111	97	65
94.0#	1027	1077	1129	1162	1250	104	84
32.0#	\$ 630	\$ 660	\$ 692	\$ 714	\$ 769	\$ 47	\$ 31
45.0#	696	727	767	787	848	49	32
58.0#	766	802	843	865	934	52	36
71.0#	845	886	930	952	1030	64	46
83.0#	955	1002	1048	1075	1160	70	48
96.0#	1056	1106	1159	1194	1286	79	59
108.0#	1115	1167	1223	1257	1358	88	62
120.0#	1188	1245	1303	1342	1448	97	65
136.0#	1333	1396	1467	1504	1625	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	2
54"H	2	3
66"H	2	3
84"H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

			MODEL NUMBER								
MODEL	W x H		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PHFA	Half Segmented/Fully Segmented Panel - 66"H with 12"H tiles	12 x 66"	PHFA1266	☐	☐	☐	☐	☐	☐	☐	
		18 x 66"	PHFA1866	☐	☐	☐	☐	☐	☐	☐	
		24 x 66"	PHFA2466	☐	☐	☐	☐	☐	☐	☐	
		30 x 66"	PHFA3066	☐	☐	☐	☐	☐	☐	☐	
		36 x 66"	PHFA3666	☐	☐	☐	☐	☐	☐	☐	
		42 x 66"	PHFA4266	☐	☐	☐	☐	☐	☐	☐	
		48 x 66"	PHFA4866	☐	☐	☐	☐	☐	☐	☐	
		54 x 66"	PHFA5466	☐	☐	☐	☐	☐	☐	☐	
		60 x 66"	PHFA6066	☐	☐	☐	☐	☐	☐	☐	
PHFA	Half Segmented/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PHFA1284	☐	☐	☐	☐	☐	☐	☐	
		18 x 84"	PHFA1884	☐	☐	☐	☐	☐	☐	☐	
		24 x 84"	PHFA2484	☐	☐	☐	☐	☐	☐	☐	
		30 x 84"	PHFA3084	☐	☐	☐	☐	☐	☐	☐	
		36 x 84"	PHFA3684	☐	☐	☐	☐	☐	☐	☐	
		42 x 84"	PHFA4284	☐	☐	☐	☐	☐	☐	☐	
		48 x 84"	PHFA4884	☐	☐	☐	☐	☐	☐	☐	
		54 x 84"	PHFA5484	☐	☐	☐	☐	☐	☐	☐	
		60 x 84"	PHFA6084	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
S - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
R1 - Side 1 w/1-12" raceway tile; add \$32
R2 - Side 1 w/2-12" raceway tiles; add \$64

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$32

R22 - Side 2 w/2-12" raceway tiles; add \$64

R23 - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
 -Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
 +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
40.0#	\$ 785	\$ 823	\$ 861	\$ 884	\$ 958	\$ 47	\$ 31
56.0#	862	903	952	971	1051	49	32
72.0#	940	989	1035	1063	1146	52	36
87.0#	1036	1088	1138	1173	1263	64	46
102.0#	1179	1235	1292	1332	1439	70	48
117.0#	1298	1359	1431	1469	1584	79	59
132.0#	1366	1438	1504	1545	1662	88	62
148.0#	1458	1531	1606	1646	1780	97	65
166.0#	1639	1723	1805	1850	2000	104	84

46.0#	\$ 951	\$ 998	\$ 1044	\$ 1072	\$ 1157	\$ 47	\$ 31
63.0#	1046	1098	1147	1183	1276	49	32
81.0#	1136	1194	1245	1286	1386	52	36
99.0#	1268	1332	1392	1437	1549	64	46
116.0#	1426	1497	1568	1613	1739	70	48
133.0#	1568	1651	1724	1773	1914	79	59
151.0#	1653	1737	1819	1867	2016	88	62
168.0#	1787	1879	1965	2015	2176	97	65
189.0#	1984	2081	2182	2242	2418	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	2
54"H	2	3
66"H	2	3
84"H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
	Fully Segmented/Fully Segmented Panel - 30"H with 12"H tiles • Three to seven horizontal rails • Four, six or eight 12" fabric tiles with mounting hooks • Two 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PFFA1230	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 30"	PFFA1830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 30"	PFFA2430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 30"	PFFA3030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 30"	PFFA3630	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 30"	PFFA4230	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 30"	PFFA4830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 30"	PFFA5430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 30"	PFFA6030	☐	☐	☐	☐	☐	☐	☐	☐	☐	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64
- R3** - Side 1 w/3 12" raceway tiles; add \$94

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32
- R22** - Side 2 w/2-12" raceway tiles; add \$64
- R23** - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
19.0#	\$ 382	\$ 397	\$ 417	\$ 432	\$ 469	\$ 47	\$ 31
26.0#	420	438	460	475	511	49	32
34.0#	464	487	510	526	567	52	36
41.0#	516	538	570	580	625	64	46
49.0#	584	611	639	660	709	70	48
56.0#	655	686	715	740	798	79	59
63.0#	680	713	746	768	827	88	62
71.0#	720	756	791	814	878	97	65
80.0#	821	862	905	926	1004	104	84
26.0#	\$ 536	\$ 564	\$ 589	\$ 605	\$ 653	\$ 47	\$ 31
36.0#	587	613	641	662	712	49	32
47.0#	639	670	702	724	782	52	36
57.0#	708	744	777	802	862	64	46
68.0#	805	846	889	911	983	70	48
77.0#	896	941	988	1010	1093	79	59
88.0#	932	982	1027	1054	1137	88	62
98.0#	991	1039	1091	1124	1207	97	65
110.0#	1128	1183	1237	1273	1377	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	1	1
42"H	2	2
48"H	3	3
66"H	3	3
84"H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

			MODEL NUMBER								
MODEL	W x H		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PFFA	Fully Segmented/Fully Segmented Panel - 54"H with 12"H tiles	12 x 54"	PFFA1254	☐	☐	☐	☐	☐	☐	☐	
		18 x 54"	PFFA1854	☐	☐	☐	☐	☐	☐	☐	
	• Three to seven horizontal rails	24 x 54"	PFFA2454	☐	☐	☐	☐	☐	☐	☐	
	• Four, six or eight 12" fabric tiles with mounting hooks	30 x 54"	PFFA3054	☐	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tile included with 84" high panels with mounting hooks	36 x 54"	PFFA3654	☐	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 54"	PFFA4254	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 54"	PFFA4854	☐	☐	☐	☐	☐	☐	☐	
	• Order power separately	54 x 54"	PFFA5454	☐	☐	☐	☐	☐	☐	☐	
	• Order vertical posts separately	60 x 54"	PFFA6054	☐	☐	☐	☐	☐	☐	☐	
	• SX Starlight Silver finish is only offered on flat aluminum trim										
PFFA	Fully Segmented/Fully Segmented Panel - 66"H with 12"H tiles	12 x 66"	PFFA1266	☐	☐	☐	☐	☐	☐	☐	
		18 x 66"	PFFA1866	☐	☐	☐	☐	☐	☐	☐	
		24 x 66"	PFFA2466	☐	☐	☐	☐	☐	☐	☐	
		30 x 66"	PFFA3066	☐	☐	☐	☐	☐	☐	☐	
		36 x 66"	PFFA3666	☐	☐	☐	☐	☐	☐	☐	
		42 x 66"	PFFA4266	☐	☐	☐	☐	☐	☐	☐	
		48 x 66"	PFFA4866	☐	☐	☐	☐	☐	☐	☐	
		54 x 66"	PFFA5466	☐	☐	☐	☐	☐	☐	☐	
PFFA	Fully Segmented/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PFFA1284	☐	☐	☐	☐	☐	☐	☐	
		18 x 84"	PFFA1884	☐	☐	☐	☐	☐	☐	☐	
		24 x 84"	PFFA2484	☐	☐	☐	☐	☐	☐	☐	
		30 x 84"	PFFA3084	☐	☐	☐	☐	☐	☐	☐	
		36 x 84"	PFFA3684	☐	☐	☐	☐	☐	☐	☐	
		42 x 84"	PFFA4284	☐	☐	☐	☐	☐	☐	☐	
		48 x 84"	PFFA4884	☐	☐	☐	☐	☐	☐	☐	
		54 x 84"	PFFA5484	☐	☐	☐	☐	☐	☐	☐	
		60 x 84"	PFFA6084	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32
- R2** - Side 1 w/2-12" raceway tiles; add \$64
- R3** - Side 1 w/3 12" raceway tiles; add \$94

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32
- R22** - Side 2 w/2-12" raceway tiles; add \$64
- R23** - Side 2 w/3-12" raceway tiles; add \$94

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 691	\$ 721	\$ 755	\$ 781	\$ 843	\$ 47	\$ 31
47.0#	753	788	827	849	919	49	32
60.0#	819	861	904	925	998	52	36
73.0#	903	950	993	1020	1101	64	46
86.0#	1031	1083	1133	1166	1258	70	48
99.0#	1137	1195	1246	1288	1388	79	59
112.0#	1188	1245	1303	1342	1448	88	62
125.0#	1265	1327	1388	1429	1541	97	65
141.0#	1433	1504	1573	1620	1746	104	84
41.0#	\$ 843	\$ 883	\$ 928	\$ 950	\$ 1027	\$ 47	\$ 31
57.0#	924	969	1016	1042	1124	49	32
74.0#	998	1050	1098	1130	1212	52	36
89.0#	1097	1152	1203	1241	1340	64	46
105.0#	1257	1317	1378	1420	1531	70	48
120.0#	1380	1444	1518	1558	1682	79	59
134.0#	1444	1513	1586	1628	1762	88	62
152.0#	1534	1612	1690	1733	1877	97	65
172.0#	1739	1828	1912	1963	2119	104	84
47.0#	\$ 1006	\$ 1060	\$ 1104	\$ 1138	\$ 1229	\$ 47	\$ 31
65.0#	1104	1159	1212	1249	1349	49	32
83.0#	1190	1249	1306	1344	1450	52	36
101.0#	1330	1392	1464	1500	1622	64	46
119.0#	1502	1579	1654	1697	1832	70	48
137.0#	1653	1737	1819	1867	2016	79	59
155.0#	1729	1818	1901	1952	2103	88	62
173.0#	1863	1956	2051	2106	2274	97	65
195.0#	2084	2186	2290	2355	2542	104	84

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	1	1
42"H	2	2
48"H	3	3
66"H	3	3
84"H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.


Specifications and prices are subject to
change without prior notice.

Glass Panel

Face Styles

Face Style: Full Glass

Basic Model: PG




Full Glass panel consist of a full-sized glass tile.
Consists of one glass tile utilizing a single panel
of 1/4" thick tempered glass. Base is 6" . Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Glass Panels)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A

Face Style: Glass/Monolithic

Basic Model: PMMGA




Glass/Monolithic panels consist of the following: 24" fabric tile on bottom.
Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6" . Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Fabric/Glass–Acoustic and Highly Acoustic)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A



Face Style: Monolithic/Fully Segmented/Glass

Basic Model: PMFGA




Monolithic/Fully Segmented/Glass panels consist of the following:
24" fabric tile on bottom of side one, two 12" segmented fabric tiles on bottom of side two.
Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Fabric/Glass–Acoustic)

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	Side 1 Number of	Side 2 Number of
										12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2

Face Style: Glass/Fully Segmented

Basic Model: PFFGA



Glass/Fully Segmented panels consist of the following:
Two 12" fabric tile on bottom. Remainder of panel consists of
one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Fabric/Glass–Acoustic)

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	Side 1 Number of	Side 2 Number of
										12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	2	2
66" H	•	•	•	•	•	•	•	N/A	N/A	2	2
84" H	•	•	•	•	•	•	•	N/A	N/A	2	2

Glass Panel

Full Glass Panel

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	
	MODEL	W x H						
	Full Glass Panel - 54"H	12 x 54"	PG1254	☐	☐	☐	☐	23.0#
	• Two horizontal rails	18 x 54"	PG1854	☐	☐	☐	☐	32.0#
	• Two aluminum window frames	24 x 54"	PG2454	☐	☐	☐	☐	42.0#
	• One pane, 1/4" thick glass	30 x 54"	PG3054	☐	☐	☐	☐	51.0#
	• One base/raceway consisting of a raceway pan and two doors	36 x 54"	PG3654	☐	☐	☐	☐	60.0#
	• One rounded satin-textured polypropylene top cap with splice plate	42 x 54"	PG4254	☐	☐	☐	☐	69.0#
	• Order power separately	48 x 54"	PG4854	☐	☐	☐	☐	79.0#
	• Order vertical posts separately							
	• SX Starlight Silver finish is only offered on flat aluminum trim							
PG								
PG	Full Glass Panel - 66"H	12 x 66"	PG1266	☐	☐	☐	☐	27.0#
		18 x 66"	PG1866	☐	☐	☐	☐	38.0#
		24 x 66"	PG2466	☐	☐	☐	☐	49.0#
		30 x 66"	PG3066	☐	☐	☐	☐	59.0#
		36 x 66"	PG3666	☐	☐	☐	☐	70.0#
		42 x 66"	PG4266	☐	☐	☐	☐	81.0#
		48 x 66"	PG4866	☐	☐	☐	☐	92.0#
PG	Full Glass Panel - 84"H	12 x 84"	PG1284	☐	☐	☐	☐	33.0#
		18 x 84"	PG1884	☐	☐	☐	☐	46.0#
		24 x 84"	PG2484	☐	☐	☐	☐	59.0#
		30 x 84"	PG3084	☐	☐	☐	☐	72.0#
		36 x 84"	PG3684	☐	☐	☐	☐	85.0#
		42 x 84"	PG4284	☐	☐	☐	☐	98.0#
		48 x 84"	PG4884	☐	☐	☐	☐	111.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
- S** - Standard
- D** Select glass color.
- BRZ** - Tinted/Bronze
- GLA** - Clear
- GLC** - White Laminate
- E** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.



Glass Panel

Full Glass Panel

Clear (C)	Tinted/Bronze (T)	White Laminate (W)	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 535	\$ 560	\$ 695	\$ 47	\$ 31
584	612	756	49	32
639	671	830	52	36
703	742	915	64	46
768	809	998	70	48
865	911	1126	79	59
951	996	1233	88	62
\$ 543	\$ 573	\$ 708	\$ 47	\$ 31
600	630	781	49	32
663	696	863	52	36
733	769	955	64	46
854	897	1107	70	48
957	1003	1242	79	59
992	1042	1294	88	62
\$ 673	\$ 710	\$ 878	\$ 47	\$ 31
790	830	1027	49	32
862	905	1122	52	36
935	986	1222	64	46
1018	1067	1320	70	48
1129	1183	1470	79	59
1174	1232	1526	88	62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Glass Panel

		MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	
 PMGA	Monolithic/Monolithic/Glass Panel - 54"H	12 x 54"	PMMGA1254	☐	☐	☐	☐	☐	26.0#
		18 x 54"	PMMGA1854	☐	☐	☐	☐	☐	36.0#
	• Three horizontal rails • Two powder-coated aluminum window frames • Two 24" fabric tiles with mounting hooks • One pane, 1/4" thick glass • One base/raceway consisting of a raceway pan and two doors • One rounded stain-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • Fabric tile is tackable • SX Starlight Silver finish is only offered on flat aluminum trim	24 x 54"	PMMGA2454	☐	☐	☐	☐	☐	46.0#
		30 x 54"	PMMGA3054	☐	☐	☐	☐	☐	56.0#
		36 x 54"	PMMGA3654	☐	☐	☐	☐	☐	66.0#
		42 x 54"	PMMGA4254	☐	☐	☐	☐	☐	76.0#
		48 x 54"	PMMGA4854	☐	☐	☐	☐	☐	85.0#
PMGA	Monolithic/Monolithic/Glass Panel - 66"H	12 x 66"	PMMGA1266	☐	☐	☐	☐	☐	30.0#
		18 x 66"	PMMGA1866	☐	☐	☐	☐	☐	41.0#
		24 x 66"	PMMGA2466	☐	☐	☐	☐	☐	53.0#
		30 x 66"	PMMGA3066	☐	☐	☐	☐	☐	64.0#
		36 x 66"	PMMGA3666	☐	☐	☐	☐	☐	75.0#
		42 x 66"	PMMGA4266	☐	☐	☐	☐	☐	86.0#
		48 x 66"	PMMGA4866	☐	☐	☐	☐	☐	98.0#
PMGA	Monolithic/Monolithic/Glass Panel - 84"H	12 x 84"	PMMGA1284	☐	☐	☐	☐	☐	36.0#
		18 x 84"	PMMGA1884	☐	☐	☐	☐	☐	50.0#
		24 x 84"	PMMGA2484	☐	☐	☐	☐	☐	63.0#
		30 x 84"	PMMGA3084	☐	☐	☐	☐	☐	77.0#
		36 x 84"	PMMGA3684	☐	☐	☐	☐	☐	90.0#
		42 x 84"	PMMGA4284	☐	☐	☐	☐	☐	104.0#
		48 x 84"	PMMGA4884	☐	☐	☐	☐	☐	120.0#
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select fabric side 2. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 587	\$ 596	\$ 602	\$ 613	\$ 632	\$ 47	\$ 11	\$ 88	\$ 31
646	657	661	677	697	49	11	97	32
717	728	737	750	773	52	13	107	36
783	798	806	818	845	64	14	117	46
854	870	877	895	919	70	15	129	48
960	976	988	1010	1036	79	19	144	59
1017	1033	1046	1067	1098	88	20	151	62
\$ 658	\$ 667	\$ 672	\$ 692	\$ 709	\$ 47	\$ 12	\$ 99	\$ 31
723	740	744	759	781	49	13	108	32
802	813	824	843	862	52	14	119	36
881	895	903	921	950	64	16	132	46
957	971	984	1004	1032	70	19	143	48
1072	1090	1104	1126	1161	79	21	162	59
1133	1157	1166	1190	1226	88	23	170	62
\$ 716	\$ 727	\$ 734	\$ 749	\$ 771	\$ 47	\$ 13	\$ 107	\$ 31
791	805	814	830	853	49	14	118	32
878	894	902	920	949	52	16	132	36
960	976	988	1010	1036	64	19	144	46
1050	1067	1079	1100	1136	70	21	158	48
1224	1245	1258	1284	1318	79	25	182	59
1293	1315	1331	1353	1393	88	26	194	62

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

[illegible]

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifically for that fabric.

Monolithic/Fully Segmented/Glass Panel

Specifications and prices are subject to change without prior notice.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 790	\$ 804	\$ 813	\$ 829	\$ 852	\$ 47	\$ 14	\$ 118	\$ 31
869	884	896	915	939	49	16	130	32
956	970	983	1003	1031	52	19	143	36
1050	1067	1079	1100	1136	64	21	158	46
1159	1181	1192	1212	1251	70	24	174	48
1343	1372	1381	1407	1447	79	28	203	59
1405	1433	1445	1475	1512	88	29	211	62

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

54"H	0	1
66"H	0	1
84"H	0	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
	\$ 718	\$ 731	\$ 739	\$ 751	\$ 775	\$ 47	\$ 13	N/A	\$ 31
	783	798	806	818	845	49	14	117	32
	853	867	876	894	918	52	15	128	36
	929	946	958	979	1001	64	19	140	46
	960	976	988	1010	1036	70	19	144	48
	1162	1187	1195	1217	1257	79	24	174	59
	1205	1230	1241	1265	1301	88	25	25	62

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 848	\$ 861	\$ 871	\$ 889	\$ 913	\$ 47	\$ 15	\$ 128	\$ 31
929	946	958	979	1001	49	19	142	32
1011	1025	1039	1063	1094	52	20	151	36
1105	1124	1140	1160	1199	64	23	167	46
1234	1257	1269	1295	1333	70	25	184	48
1421	1450	1464	1492	1532	79	30	213	59
1480	1509	1529	1555	1598	88	31	221	62

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

54"H	1	1
66"H	1	1
84"H	1	1

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping


Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.



Basic Model: P0

Fully Open panels consist of a full-sized open tile. Base is 6".

[illegible]


Face Style: Open/Monolithic
Basic Model: POMMA

Open/Monolithic panels consist of the following: 24" open tile on bottom. Remainder of panel is a single fabric tile. Base is 6". Panel thickness: 3 1/2".

[illegible]

Basic Model: PMMOA

Monolithic/Open panels consist of the following:
24" fabric tile on bottom and an open frame on top.
Base is 6". Panel thickness: 3 1/2".




Side 2
Number of

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	●	●	●	●	●	●	●	●	●	N/A	N/A
54" H	●	●	●	●	●	●	●	●	●	N/A	N/A
66" H	●	●	●	●	●	●	●	●	●	N/A	N/A
84" H	●	●	●	●	●	●	●	●	●	N/A	N/A

Open Panel

Full Open Panel

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	
MODEL	W x H						
	Full Open Panel - 30"H	12 x 30"	P01230	☐ ☐	☐	☐ ☐	9.0#
	• Two horizontal rails	18 x 30"	P01830	☐ ☐	☐	☐ ☐	13.0#
	• Two powder-coated aluminum window frames	24 x 30"	P02430	☐ ☐	☐	☐ ☐	16.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 30"	P03030	☐ ☐	☐	☐ ☐	20.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 30"	P03630	☐ ☐	☐	☐ ☐	24.0#
	• Order power separately	42 x 30"	P04230	☐ ☐	☐	☐ ☐	27.0#
	• Order vertical posts separately	48 x 30"	P04830	☐ ☐	☐	☐ ☐	31.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim						
P0							
P0	Full Open Panel - 42"H	12 x 42"	P01242	☐ ☐	☐	☐ ☐	10.0#
		18 x 42"	P01842	☐ ☐	☐	☐ ☐	14.0#
		24 x 42"	P02442	☐ ☐	☐	☐ ☐	18.0#
		30 x 42"	P03042	☐ ☐	☐	☐ ☐	21.0#
		36 x 42"	P03642	☐ ☐	☐	☐ ☐	25.0#
		42 x 42"	P04242	☐ ☐	☐	☐ ☐	28.0#
		48 x 42"	P04842	☐ ☐	☐	☐ ☐	32.0#
P0	Full Open Panel - 54"H	12 x 54"	P01254	☐ ☐	☐	☐ ☐	12.0#
		18 x 54"	P01854	☐ ☐	☐	☐ ☐	15.0#
		24 x 54"	P02454	☐ ☐	☐	☐ ☐	19.0#
		30 x 54"	P03054	☐ ☐	☐	☐ ☐	22.0#
		36 x 54"	P03654	☐ ☐	☐	☐ ☐	26.0#
		42 x 54"	P04254	☐ ☐	☐	☐ ☐	30.0#
		48 x 54"	P04854	☐ ☐	☐	☐ ☐	33.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

CN	- Chicago, no cutouts
C1	- Chicago, 1 side w/cutouts
CP	- Chicago, 2 sides w/cutouts
DN	- Domestic, no cutouts
D1	- Domestic, 1 side w/cutouts
D	- Domestic, 2 sides w/cutouts

C Select horizontal rail.

E	- Enhanced
S	- Standard

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Open Panel

Full Open Panel

Delivered Pricing	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 357	\$ 47	\$ 31
388	49	32
425	52	36
464	64	46
507	70	48
584	79	59
594	88	62
\$ 422	\$ 47	\$ 31
449	49	32
489	52	36
529	64	46
574	70	48
655	79	59
663	88	62
\$ 467	\$ 47	\$ 31
495	49	32
536	52	36
575	64	46
621	70	48
699	79	59
728	88	62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Open Panel

Full Open Panel

		MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Trim Color	
	Full Open Panel - 66"H	12 x 66"	P01266	☐	☐	13.0#
	• Two horizontal rails	18 x 66"	P01866	☐	☐	17.0#
	• Two powder-coated aluminum window frames	24 x 66"	P02466	☐	☐	20.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 66"	P03066	☐	☐	24.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 66"	P03666	☐	☐	27.0#
	• Order power separately	42 x 66"	P04266	☐	☐	31.0#
	• Order vertical posts separately	48 x 66"	P04866	☐	☐	34.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim					
PO	Full Open Panel - 84"H	12 x 84"	P01284	☐	☐	15.0#
		18 x 84"	P01884	☐	☐	18.0#
		24 x 84"	P02484	☐	☐	22.0#
		30 x 84"	P03084	☐	☐	25.0#
		36 x 84"	P03684	☐	☐	29.0#
		42 x 84"	P04284	☐	☐	33.0#
		48 x 84"	P04884	☐	☐	36.0#
A B C D						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



Open Panel

Full Open Panel

Delivered Pricing	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 471	\$ 47	\$ 31
503	49	32
541	52	36
580	64	46
646	70	48
722	79	59
739	88	62

\$ 593	\$ 47	\$ 31
642	49	32
683	52	36
722	64	46
767	70	48
846	79	59
859	88	62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Open/Monolithic/Monolithic Panel

	W x H	MODEL NUMBER								Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 POA Open/Monolithic/Monolithic Panel - 42"H • Three horizontal rails • Two aluminum frames • Two full fabric tiles • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • Fabric tile is tackable • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42"	POMMA1242	☐	☐	☐	☐	☐	☐	☐	17.0#
	18 x 42"	POMMA1842	☐	☐	☐	☐	☐	☐	☐	23.0#
	24 x 42"	POMMA2442	☐	☐	☐	☐	☐	☐	☐	30.0#
	30 x 42"	POMMA3042	☐	☐	☐	☐	☐	☐	☐	36.0#
	36 x 42"	POMMA3642	☐	☐	☐	☐	☐	☐	☐	42.0#
	42 x 42"	POMMA4242	☐	☐	☐	☐	☐	☐	☐	49.0#
	48 x 42"	POMMA4842	☐	☐	☐	☐	☐	☐	☐	55.0#
POA Open/Monolithic/Monolithic Panel - 54"H	12 x 54"	POMMA1254	☐	☐			☐	☐	☐	20.0#
	18 x 54"	POMMA1854	☐	☐			☐	☐	☐	27.0#
	24 x 54"	POMMA2454	☐	☐			☐	☐	☐	34.0#
	30 x 54"	POMMA3054	☐	☐			☐	☐	☐	41.0#
	36 x 54"	POMMA3654	☐	☐			☐	☐	☐	48.0#
	42 x 54"	POMMA4254	☐	☐			☐	☐	☐	55.0#
	48 x 54"	POMMA4854	☐	☐			☐	☐	☐	62.0#
		A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$32

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$32

F Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-

Open/Monolithic/Monolithic Panel

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Special Carton Marking


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Open/Monolithic/Monolithic Panel

MODEL		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
	Open/Monolithic/Monolithic Panel - 66"H	12 x 66"	POMMA1266	☐	☐	☐	☐	23.0#
		18 x 66"	POMMA1866	☐	☐	☐	☐	31.0#
		24 x 66"	POMMA2466	☐	☐	☐	☐	39.0#
		30 x 66"	POMMA3066	☐	☐	☐	☐	47.0#
		36 x 66"	POMMA3666	☐	☐	☐	☐	54.0#
		42 x 66"	POMMA4266	☐	☐	☐	☐	62.0#
		48 x 66"	POMMA4866	☐	☐	☐	☐	69.0#
POA								
POA	Open/Monolithic/Monolithic Panel - 84"H	12 x 84"	POMMA1284	☐	☐	☐	☐	28.0#
		18 x 84"	POMMA1884	☐	☐	☐	☐	37.0#
		24 x 84"	POMMA2484	☐	☐	☐	☐	46.0#
		30 x 84"	POMMA3084	☐	☐	☐	☐	55.0#
		36 x 84"	POMMA3684	☐	☐	☐	☐	63.0#
		42 x 84"	POMMA4284	☐	☐	☐	☐	72.0#
		48 x 84"	POMMA4884	☐	☐	☐	☐	81.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Metallic paint requires upcharge.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- E** Select fabric side 1.
- Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

- F** Select fabric side 2.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Open/Monolithic/Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 579	\$ 590	\$ 597	\$ 612	\$ 631	\$ 47	\$ 31
638	650	665	677	695	49	32
691	701	717	728	750	52	36
779	790	809	824	849	64	46
870	886	903	921	952	70	48
971	989	1011	1027	1061	79	59
991	1011	1030	1051	1084	88	62

\$ 624	\$ 633	\$ 646	\$ 659	\$ 677	\$ 47	\$ 31
717	728	746	757	779	49	32
771	785	803	819	844	52	36
853	869	887	904	929	64	46
930	948	967	987	1018	70	48
1051	1068	1091	1115	1144	79	59
1111	1129	1158	1174	1209	88	62

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
 PMOA	Monolithic/Monolithic/Open Panel - 42"H	12 x 42"	PMMOA1242	☐	☐	☐	☐	19.0#
		18 x 42"	PMMOA1842	☐	☐	☐	☐	26.0#
		24 x 42"	PMMOA2442	☐	☐	☐	☐	33.0#
		30 x 42"	PMMOA3042	☐	☐	☐	☐	37.0#
		36 x 42"	PMMOA3642	☐	☐	☐	☐	47.0#
		42 x 42"	PMMOA4242	☐	☐	☐	☐	54.0#
		48 x 42"	PMMOA4842	☐	☐	☐	☐	61.0#
PMOA	Monolithic/Monolithic/Open Panel - 54"H	12 x 54"	PMMOA1254	☐	☐	☐	☐	20.0#
		18 x 54"	PMMOA1854	☐	☐	☐	☐	27.0#
		24 x 54"	PMMOA2454	☐	☐	☐	☐	34.0#
		30 x 54"	PMMOA3054	☐	☐	☐	☐	41.0#
		36 x 54"	PMMOA3654	☐	☐	☐	☐	48.0#
		42 x 54"	PMMOA4254	☐	☐	☐	☐	55.0#
		48 x 54"	PMMOA4854	☐	☐	☐	☐	62.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 506	\$ 517	\$ 524	\$ 537	\$ 551	\$ 47	\$ 31
558	570	576	592	611	49	32
623	632	644	658	675	52	36
680	691	708	717	740	64	46
744	755	773	788	806	70	48
843	857	874	893	917	79	59
888	903	921	940	969	88	62

\$ 531	\$ 542	\$ 549	\$ 563	\$ 579	\$ 47	\$ 31
586	595	603	617	636	49	32
648	658	670	683	706	52	36
706	718	734	747	767	64	46
768	781	800	813	840	70	48
869	884	902	920	951	79	59
914	928	950	969	996	88	62

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

MODEL		W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
	Monolithic/Monolithic/Open Panel - 66"H	12 x 66"	PMMOA1266	☐	☐	☐	☐	☐	21.0#
		18 x 66"	PMMOA1866	☐	☐	☐	☐	☐	28.0#
		24 x 66"	PMMOA2466	☐	☐	☐	☐	☐	36.0#
		30 x 66"	PMMOA3066	☐	☐	☐	☐	☐	43.0#
		36 x 66"	PMMOA3666	☐	☐	☐	☐	☐	50.0#
		42 x 66"	PMMOA4266	☐	☐	☐	☐	☐	57.0#
		48 x 66"	PMMOA4866	☐	☐	☐	☐	☐	64.0#
PMOA									
PMOA	Monolithic/Monolithic/Open Panel - 84"H	12 x 84"	PMMOA1284	☐	☐	☐	☐	☐	23.0#
		18 x 84"	PMMOA1884	☐	☐	☐	☐	☐	30.0#
		24 x 84"	PMMOA2484	☐	☐	☐	☐	☐	38.0#
		30 x 84"	PMMOA3084	☐	☐	☐	☐	☐	44.0#
		36 x 84"	PMMOA3684	☐	☐	☐	☐	☐	51.0#
		42 x 84"	PMMOA4284	☐	☐	☐	☐	☐	58.0#
		48 x 84"	PMMOA4884	☐	☐	☐	☐	☐	65.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- E** Select fabric side 1.
Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

- F** Select fabric side 2.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 596	\$ 607	\$ 618	\$ 632	\$ 651	\$ 47	\$ 31
650	659	671	684	708	49	32
714	724	743	754	775	52	36
771	785	803	819	844	64	46
834	849	868	886	907	70	48
935	953	973	992	1023	79	59
984	999	1022	1039	1073	88	62

\$ 642	\$ 657	\$ 671	\$ 682	\$ 701	\$ 47	\$ 31
699	713	726	742	759	49	32
759	773	790	806	824	52	36
821	834	854	870	895	64	46
884	898	918	933	962	70	48
1009	1025	1048	1068	1099	79	59
1054	1071	1094	1118	1146	88	62

need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Fabric Stackable Section - Acoustic (3/4" Tiles)

			MODEL NUMBER						Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Side 1	Fabric Side 2		
 PSA	Stackable Fabric Section - 12"H	12 x 12"	PSA1212	☐	☐	☐	☐	☐	8.0#
	• One horizontal rail	18 x 12"	PSA1812	☐	☐	☐	☐	☐	10.0#
	• Two full fabric tiles with mounting hooks	24 x 12"	PSA2412	☐	☐	☐	☐	☐	13.0#
	• Use top cap from existing lower panel	30 x 12"	PSA3012	☐	☐	☐	☐	☐	16.0#
	• Order power separately	36 x 12"	PSA3612	☐	☐	☐	☐	☐	19.0#
	• Order stackable vertical posts separately	42 x 12"	PSA4212	☐	☐	☐	☐	☐	22.0#
	• Fabric tile is stackable	48 x 12"	PSA4812	☐	☐	☐	☐	☐	25.0#
		54 x 12"	PSA5412	☐	☐	☐	☐	☐	28.0#
		60 x 12"	PSA6012	☐	☐	☐	☐	☐	31.0#
PSA	Stackable Fabric Section - 18"H	12 x 18"	PSA1218		R0	R20	☐	☐	9.0#
		18 x 18"	PSA1818		R0	R20	☐	☐	12.0#
		24 x 18"	PSA2418		R0	R20	☐	☐	16.0#
		30 x 18"	PSA3018		R0	R20	☐	☐	19.0#
		36 x 18"	PSA3618		R0	R20	☐	☐	22.0#
		42 x 18"	PSA4218		R0	R20	☐	☐	25.0#
		48 x 18"	PSA4818		R0	R20	☐	☐	28.0#
		54 x 18"	PSA5418		R0	R20	☐	☐	31.0#
		60 x 18"	PSA6018		R0	R20	☐	☐	35.0#
PSA	Stackable Fabric Section - 24"H	12 x 24"	PSA1224		R0	R20	☐	☐	11.0#
		18 x 24"	PSA1824		R0	R20	☐	☐	14.0#
		24 x 24"	PSA2424		R0	R20	☐	☐	18.0#
		30 x 24"	PSA3024		R0	R20	☐	☐	21.0#
		36 x 24"	PSA3624		R0	R20	☐	☐	25.0#
		42 x 24"	PSA4224		R0	R20	☐	☐	28.0#
		48 x 24"	PSA4824		R0	R20	☐	☐	32.0#
		54 x 24"	PSA5424		R0	R20	☐	☐	35.0#
		60 x 24"	PSA6024		R0	R20	☐	☐	39.0#
			A	B	C	D	E	F	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select electrical code for base raceway.

CP - Chicago, 2 sides w/cutouts
D - Domestic, 2 sides w/cutouts

- C** Select numbers of raceway tiles side 1

R0 - Side 1 w/no raceway tile
R1 - Side 1 w/1-12" raceway tile; add \$32

- D** Select numbers of raceway tiles side 2

R20 - Side 2 w/no raceway tile
R21 - Side 2 w/1-12" raceway tile; add \$32

- E** Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

- F** Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
 -Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
 +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Stackable Section - Acoustic (3/4" Tiles)

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 153	\$ 164	\$ 173	\$ 184	\$ 207
168	174	190	201	219
178	190	208	214	235
192	204	219	228	253
227	236	260	272	298
238	252	275	288	316
254	268	290	306	339
272	288	313	324	362
307	321	353	365	402
\$ 167	\$ 173	\$ 187	\$ 199	\$ 218
183	194	212	219	239
192	204	219	228	253
232	245	264	277	306
252	264	288	300	330
272	288	313	324	362
286	302	325	344	379
327	343	378	391	430
344	363	396	414	451
\$ 174	\$ 183	\$ 204	\$ 210	\$ 231
198	208	228	235	261
226	235	259	271	296
238	252	275	288	316
262	275	300	313	348
286	302	325	344	379
319	335	367	381	419
344	363	396	414	451
359	379	414	433	472

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass Stackable Section

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Glass Color	Trim Color	
	Stackable Glass Section - 12"H	12 x 12"	PSG1212	☐ ☐ ☐	☐ ☐	7.0#
	• One horizontal rail	18 x 12"	PSG1812	☐ ☐ ☐	☐ ☐	11.0#
	• Two powder-coated aluminum window frames	24 x 12"	PSG2412	☐ ☐ ☐	☐ ☐	14.0#
	• One pane, 1/4" thick glass	30 x 12"	PSG3012	☐ ☐ ☐	☐ ☐	17.0#
	• Use top cap from existing lower panel	36 x 12"	PSG3612	☐ ☐ ☐	☐ ☐	20.0#
	• Order stackable vertical posts separately	42 x 12"	PSG4212	☐ ☐ ☐	☐ ☐	23.0#
		48 x 12"	PSG4812	☐ ☐ ☐	☐ ☐	26.0#
	PSG					
PSG	Stackable Glass Section - 18"H	12 x 18"	PSG1218	☐ ☐ ☐	☐ ☐	9.0#
		18 x 18"	PSG1818	☐ ☐ ☐	☐ ☐	13.0#
		24 x 18"	PSG2418	☐ ☐ ☐	☐ ☐	17.0#
		30 x 18"	PSG3018	☐ ☐ ☐	☐ ☐	21.0#
		36 x 18"	PSG3618	☐ ☐ ☐	☐ ☐	25.0#
		42 x 18"	PSG4218	☐ ☐ ☐	☐ ☐	29.0#
		48 x 18"	PSG4818	☐ ☐ ☐	☐ ☐	33.0#
	PSG					
PSG	Stackable Glass Section - 24"H	12 x 24"	PSG1224	☐ ☐ ☐	☐ ☐	14.0#
		18 x 24"	PSG1824	☐ ☐ ☐	☐ ☐	16.0#
		24 x 24"	PSG2424	☐ ☐ ☐	☐ ☐	22.0#
		30 x 24"	PSG3024	☐ ☐ ☐	☐ ☐	25.0#
		36 x 24"	PSG3624	☐ ☐ ☐	☐ ☐	30.0#
		42 x 24"	PSG4224	☐ ☐ ☐	☐ ☐	34.0#
		48 x 24"	PSG4824	☐ ☐ ☐	☐ ☐	39.0#
	PSG					

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select glass color.

GLA

- Clear

BRZ

- Tinted/Bronze

GLC

- White Laminate

C

Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.



Glass Stackable Section

Clear (C)	Tinted/Bronze (T)	White Laminate (W)	Metallic Paint add to list price
\$ 307	\$ 321	\$ 399	\$ 31
327	344	425	32
346	363	449	36
365	385	479	46
387	406	501	48
449	473	581	59
461	485	597	62
\$ 323	\$ 342	\$ 423	\$ 31
352	367	453	32
367	387	481	36
393	411	511	46
436	456	567	48
484	507	628	59
493	522	642	62
\$ 340	\$ 356	\$ 440	\$ 31
365	385	479	32
388	408	503	36
416	438	538	46
460	484	596	48
508	535	662	59
524	549	682	62

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open Stackable Section

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
	Stackable Open Section - 12"H	12 x 12"	PS01212	☐	4.0#
	• One horizontal rail	18 x 12"	PS01812	☐	6.0#
	• Two aluminum frames	24 x 12"	PS02412	☐	8.0#
	• Use top cap from existing lower panel	30 x 12"	PS03012	☐	10.0#
	• Order stackable vertical posts separately	36 x 12"	PS03612	☐	11.0#
		42 x 12"	PS04212	☐	13.0#
		48 x 12"	PS04812	☐	15.0#
PSO					
PSO	Stackable Open Section - 18"H	12 x 18"	PS01218	☐	5.0#
		18 x 18"	PS01818	☐	7.0#
		24 x 18"	PS02418	☐	9.0#
		30 x 18"	PS03018	☐	10.0#
		36 x 18"	PS03618	☐	12.0#
		42 x 18"	PS04218	☐	14.0#
		48 x 18"	PS04818	☐	15.0#
PSO	Stackable Open Section - 24"H	12 x 24"	PS01224	☐	6.0#
		18 x 24"	PS01824	☐	7.0#
		24 x 24"	PS02424	☐	9.0#
		30 x 24"	PS03024	☐	11.0#
		36 x 24"	PS03624	☐	13.0#
		42 x 24"	PS04224	☐	14.0#
		48 x 24"	PS04824	☐	16.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



Open Stackable Section

Delivered Pricing	Metallic Paint add to list price
\$ 260	\$ 31
277	32
290	36
310	46
346	48
390	59
396	62
\$ 273	\$ 31
294	32
309	36
323	46
359	48
402	59
411	62
\$ 283	\$ 31
306	32
318	36
337	46
369	48
417	59
424	62

SPECIAL SERVICES

Special Carton Marking






With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Doors

	MODEL	Panel Width	W x H	MODEL NUMBER				
				Basic Model	Trim Color	Surface Finish	Frame Color	
 Right shown PDR	Door - Provides visual and acoustical privacy - For use in conjunction with 84" panels - Laminate surface on hollow core door - Locking and non-locking options - Lever handle to meet ADA guidelines - Door hand swing is determined by standing on the side of door that swings toward the user when opening (handle to right is a right hand door) - SX Starlight Silver finish is only offered on flat aluminum trim	36" Right handed Locking	30 x 80"	PDRR36/L	☐	☐		
		36" Right handed Non-Locking	30 x 80"	PDRR36/N	☐	☐		
		36" Left handed Locking	30 x 80"	PDRL36/L	☐	☐		
		36" Left handed Non-Locking	30 x 80"	PDRL36/N	☐	☐		
		42" Right handed Locking	36 x 80"	PDRR42/L	☐	☐		
		42" Right handed Non-Locking	36 x 80"	PDRR42/N	☐	☐		
		42" Left handed Locking	36 x 80"	PDRL42/L	☐	☐		
		42" Left handed Non-Locking	36 x 80"	PDRL42/N	☐	☐		
 PCOT	Door Pass-Through - Trim - SX Starlight Silver finish is only offered on flat aluminum trim	36" x 84" H	30 x 80"	PCOT36	☐			
		42" x 84" H	36 x 80"	PCOT42	☐			
 RSD	Door Sliding - Will cover a 42" opening - Designed to fit any panel 66" high & over - Aluminum frame w/clear poly insert		48 x 66"	RSD4266FHC/CP/WW			☐	
 HRDPT	Door Threshold - Provides extra stability for attaching panels in a continuous run - Available in door widths only - Extruded aluminum door threshold with rubber seal strip - Attaches to bottom of door frame - SX Starlight Silver finish is only offered on flat aluminum trim		36"	PDRTH36	☐			
			42"	PDRTH42	☐			
 HRDPT	Coat Hooks/Picture Hanger - Attaches under the top cap of the panel to support coat hangers - Translucent plastic only - Lock device holds hook securely to panel - Can also be used to hang a picture (30# weight limit)			PCH.CL				

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select frame color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Doors

	Approx. Packaged Weight	Delivered Pricing		Metallic Paint add to list price
	40.0#	\$ 1683		\$ 46
	40.0#	1486		46
	40.0#	1683		46
	40.0#	1486		46
	40.0#	1820		62
	40.0#	1623		62
	40.0#	1820		62
	40.0#	1623		62
	1.0#	\$ 537		\$ 46
	2.0#	541		62
	24.0#	\$ 1003		N/A
	1.0#	\$ 60		\$ 46
	2.0#	61		62
	1.0#	\$ 3		N/A

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C




Shipping

Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

		MODEL NUMBER						
MODEL		H	Basic Model	Trim Color	Fabric Color	Assembly	Approx. Packaged Weight	Delivered Pricing Unupholstered
	End-of-Run Condition • Unupholstered: trim colored • End-of-run trim • Top cap • Full-height post • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PEP30	☐			5.0#	\$ 79
		36"	PEP36	☐			5.0#	85
		42"	PEP42	☐			7.0#	92
		48"	PEP48	☐			7.0#	106
		54"	PEP54	☐			9.0#	108
		60"	PEP60	☐			9.0#	93
		66"	PEP66	☐			11.0#	118
		72"	PEP72	☐			11.0#	144
		78"	PEP78	☐			11.0#	119
		84"	PEP84	☐			13.0#	164
PTN								
	90° 2-Way "L" Corner, Both Panels Same Height • Unupholstered: trim colored • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCP9030	☐		☐	7.0#	\$ 168
		36"	PCP9036	☐		☐	7.0#	177
		42"	PCP9042	☐		☐	10.0#	206
		48"	PCP9048	☐		☐	10.0#	220
		54"	PCP9054	☐		☐	13.0#	245
		60"	PCP9060	☐		☐	13.0#	227
		66"	PCP9066	☐		☐	16.0#	252
		72"	PCP9072	☐		☐	16.0#	264
		78"	PCP9078	☐		☐	16.0#	277
		84"	PCP9084	☐		☐	20.0#	317
PTN								
	90° 2-Way "L" Corner, Both Panels Same Height • Upholsted • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCPF9030	☐	☐	☐	7.0#	N/A
		36"	PCPF9036	☐	☐	☐	7.0#	N/A
		42"	PCPF9042	☐	☐	☐	10.0#	N/A
		48"	PCPF9048	☐	☐	☐	10.0#	N/A
		54"	PCPF9054	☐	☐	☐	13.0#	N/A
		60"	PCPF9060	☐	☐	☐	13.0#	N/A
		66"	PCPF9066	☐	☐	☐	16.0#	N/A
		72"	PCPF9072	☐	☐	☐	16.0#	N/A
		78"	PCPF9078	☐	☐	☐	16.0#	N/A
		84"	PCPF9084	☐	☐	☐	20.0#	N/A
PTNF								
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$58 |
| U | - Unassembled |



Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 29
					30
					36
					36
					38
					39
					44
					46
					47
					48
					\$ 57
					59
					59
					79
					82
					83
					84
					88
					90
					91
\$ 228	\$ 233	\$ 234	\$ 237	\$ 248	\$ 32
235	238	241	248	256	32
294	299	302	309	316	32
307	312	314	318	330	32
333	339	342	348	357	32
303	309	311	317	323	32
341	347	350	357	366	32
357	364	367	378	386	32
359	366	368	379	388	32
416	423	426	437	448	32

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	90° 2-Way "L" Corner, Two Different Heights	36"	30"	6"	PCPV903036	☐ ☐	9.0#
		42"	30"	12"	PCPV903042	☐ ☐	9.0#
	• Unupholstered; trim colored	48"	30"	18"	PCPV903048	☐ ☐	9.0#
	• 1-way cap	54"	30"	24"	PCPV903054	☐ ☐	11.0#
	• 90° corner base trim	60"	30"	30"	PCPV903060	☐ ☐	13.0#
	• Two pieces of universal trim	66"	30"	36"	PCPV903066	☐ ☐	13.0#
	• One piece of universal height change trim	72"	30"	42"	PCPV903072	☐ ☐	13.0#
	• One half-post (height A)	78"	30"	48"	PCPV903078	☐ ☐	13.0#
	• One half-post (height B)	84"	30"	54"	PCPV903084	☐ ☐	16.0#
	• Connecting hardware	42"	36"	6"	PCPV903642	☐ ☐	16.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48"	36"	12"	PCPV903648	☐ ☐	16.0#
		54"	36"	18"	PCPV903654	☐ ☐	16.0#
		60"	36"	24"	PCPV903660	☐ ☐	16.0#
		66"	36"	30"	PCPV903666	☐ ☐	16.0#
		72"	36"	36"	PCPV903672	☐ ☐	16.0#
		78"	36"	42"	PCPV903678	☐ ☐	16.0#
		84"	36"	48"	PCPV903684	☐ ☐	16.0#
		48"	42"	6"	PCPV904248	☐ ☐	12.0#
		54"	42"	12"	PCPV904254	☐ ☐	12.0#
		60"	42"	18"	PCPV904260	☐ ☐	14.0#
		66"	42"	24"	PCPV904266	☐ ☐	14.0#
		72"	42"	30"	PCPV904272	☐ ☐	14.0#
		78"	42"	36"	PCPV904278	☐ ☐	14.0#
		84"	42"	42"	PCPV904284	☐ ☐	17.0#
		54"	48"	6"	PCPV904854	☐ ☐	17.0#
		60"	48"	12"	PCPV904860	☐ ☐	17.0#
		66"	48"	18"	PCPV904866	☐ ☐	17.0#
		72"	48"	24"	PCPV904872	☐ ☐	17.0#
		78"	48"	30"	PCPV904878	☐ ☐	17.0#
		84"	48"	36"	PCPV904884	☐ ☐	17.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 211	\$ 73
226	74
262	93
286	95
290	98
296	98
329	113
352	114
374	116
226	73
235	93
286	95
290	98
295	98
309	100
342	109
378	116
250	92
272	95
294	96
313	97
337	100
358	109
381	115
276	94
294	96
310	97
319	99
342	100
363	104

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

PTN

MODEL

A B A-B

MODEL NUMBER

Basic
Model

Trim
Color

Approx.
Packaged
Weight

90° 2-Way "L" Corner, Two Different Heights

- Unupholstered: trim colored
- 1-way cap
- 90° corner base trim
- Two pieces of universal trim
- One piece of universal height change trim
- One half-post (height A)
- One half-post (height B)
- Connecting hardware
- SX Starlight Silver finish is only offered on flat aluminum trim

60" 54" 6"

PCPV905460

☐

15.0#

66" 54" 12"

PCPV905466

☐

15.0#

72" 54" 18"

PCPV905472

☐

15.0#

78" 54" 24"

PCPV905478

☐

15.0#

84" 54" 30"

PCPV905484

☐

18.0#

66" 60" 6"

PCPV906066

☐

18.0#

72" 60" 12"

PCPV906072

☐

18.0#

78" 60" 18"

PCPV906078

☐

18.0#

84" 60" 24"

PCPV906084

☐

18.0#

72" 66" 6"

PCPV906672

☐

18.0#

78" 66" 12"

PCPV906678

☐

18.0#

84" 66" 18"

PCPV906684

☐

19.0#

78" 72" 12"

PCPV907278

☐

19.0#

84" 72" 12"

PCPV907284

☐

19.0#

84" 78" 6"

PCPV907884

☐

19.0#

A

B

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 276	\$ 97
283	97
319	99
341	100
362	104
256	98
272	100
307	104
327	108
329	104
283	108
346	111
306	112
355	113
323	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	90° 2-Way "L" Corner, Two Different Heights	36"	30"	6"	PCPVF903036	☐	☐ ☐ ☐ ☐	9.0#
		42"	30"	12"	PCPVF903042	☐	☐ ☐ ☐ ☐	9.0#
	• Upholstered	48"	30"	18"	PCPVF903048	☐	☐ ☐ ☐ ☐	9.0#
	• 1-way cap	54"	30"	24"	PCPVF903054	☐	☐ ☐ ☐ ☐	11.0#
	• 90° corner base trim	60"	30"	30"	PCPVF903060	☐	☐ ☐ ☐ ☐	11.0#
	• Two fabric-wrapped pieces of universal trim	66"	30"	36"	PCPVF903066	☐	☐ ☐ ☐ ☐	13.0#
	• One fabric-wrapped piece of universal height change trim	72"	30"	42"	PCPVF903072	☐	☐ ☐ ☐ ☐	13.0#
	• One half-post (height A)	78"	30"	48"	PCPVF903078	☐	☐ ☐ ☐ ☐	13.0#
	• One half-post (height B)	84"	30"	54"	PCPVF903084	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware	42"	36"	6"	PCPVF903642	☐	☐ ☐ ☐ ☐	16.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48"	36"	12"	PCPVF903648	☐	☐ ☐ ☐ ☐	16.0#
		54"	36"	18"	PCPVF903654	☐	☐ ☐ ☐ ☐	16.0#
		60"	36"	24"	PCPVF903660	☐	☐ ☐ ☐ ☐	16.0#
		66"	36"	30"	PCPVF903666	☐	☐ ☐ ☐ ☐	16.0#
		72"	36"	36"	PCPVF903672	☐	☐ ☐ ☐ ☐	16.0#
		78"	36"	42"	PCPVF903678	☐	☐ ☐ ☐ ☐	16.0#
		84"	36"	48"	PCPVF903684	☐	☐ ☐ ☐ ☐	16.0#
		48"	42"	6"	PCPVF904248	☐	☐ ☐ ☐ ☐	16.0#
		54"	42"	12"	PCPVF904254	☐	☐ ☐ ☐ ☐	12.0#
		60"	42"	18"	PCPVF904260	☐	☐ ☐ ☐ ☐	12.0#
		66"	42"	24"	PCPVF904266	☐	☐ ☐ ☐ ☐	14.0#
		72"	42"	30"	PCPVF904272	☐	☐ ☐ ☐ ☐	14.0#
		78"	42"	36"	PCPVF904278	☐	☐ ☐ ☐ ☐	14.0#
		84"	42"	42"	PCPVF904284	☐	☐ ☐ ☐ ☐	17.0#
		54"	48"	6"	PCPVF904854	☐	☐ ☐ ☐ ☐	17.0#
		60"	48"	12"	PCPVF904860	☐	☐ ☐ ☐ ☐	17.0#
		66"	48"	18"	PCPVF904866	☐	☐ ☐ ☐ ☐	17.0#
		72"	48"	24"	PCPVF904872	☐	☐ ☐ ☐ ☐	17.0#
		78"	48"	30"	PCPVF904878	☐	☐ ☐ ☐ ☐	17.0#
		84"	48"	36"	PCPVF904884	☐	☐ ☐ ☐ ☐	17.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 312	\$ 317	\$ 319	\$ 324	\$ 337	\$ 32
355	362	364	373	384	32
388	396	399	408	420	32
416	424	428	437	448	32
358	365	367	378	387	32
432	440	444	452	467	32
467	475	482	488	501	32
431	438	443	451	467	32
519	528	533	543	559	32
357	364	366	376	386	32
362	368	373	381	391	32
414	423	426	437	446	32
358	365	367	378	387	32
430	438	441	450	462	32
443	451	456	467	480	32
424	432	438	445	460	32
521	529	536	544	560	32
378	384	387	396	406	32
398	403	409	419	430	32
378	384	386	394	406	32
449	456	461	471	485	32
474	484	488	495	510	32
424	432	438	445	460	32
524	533	539	549	567	32
406	414	417	426	439	32
356	363	365	373	385	32
441	450	454	464	479	32
454	464	471	481	491	32
423	431	437	444	454	32
506	516	523	531	546	32

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	90° 2-Way "L" Corner, Two Different Heights	60"	54"	6"	PCPVF905460	☐	☐ ☐ ☐ ☐	15.0#
		66"	54"	12"	PCPVF905466	☐	☐ ☐ ☐ ☐	15.0#
	• Upholstered	72"	54"	18"	PCPVF905472	☐	☐ ☐ ☐ ☐	15.0#
	• 1-way cap	78"	54"	24"	PCPVF905478	☐	☐ ☐ ☐ ☐	15.0#
	• 90° corner base trim	84"	54"	30"	PCPVF905484	☐	☐ ☐ ☐ ☐	18.0#
	• Two fabric-wrapped pieces of universal trim	66"	60"	36"	PCPVF906066	☐	☐ ☐ ☐ ☐	18.0#
	• One fabric-wrapped piece of universal height change trim	72"	60"	12"	PCPVF906072	☐	☐ ☐ ☐ ☐	18.0#
	• One half-post (height A)	78"	60"	18"	PCPVF906078	☐	☐ ☐ ☐ ☐	18.0#
	• One half-post (height B)	84"	60"	24"	PCPVF906084	☐	☐ ☐ ☐ ☐	18.0#
	• Connecting hardware	72"	66"	6"	PCPVF906672	☐	☐ ☐ ☐ ☐	19.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	78"	66"	12"	PCPVF906678	☐	☐ ☐ ☐ ☐	19.0#
		84"	66"	18"	PCPVF906684	☐	☐ ☐ ☐ ☐	19.0#
		78"	72"	6"	PCPVF907278	☐	☐ ☐ ☐ ☐	19.0#
		84"	72"	12"	PCPVF907284	☐	☐ ☐ ☐ ☐	19.0#
		84"	78"	6"	PCPVF907884	☐	☐ ☐ ☐ ☐	19.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 356	\$ 363	\$ 365	\$ 373	\$ 385	\$ 32
416	423	426	437	448	32
453	464	470	480	490	32
422	430	436	443	453	32
501	511	519	528	543	32
359	366	368	379	388	32
382	388	391	399	411	32
420	428	433	441	451	32
441	449	453	464	479	32
428	437	440	449	461	32
397	403	410	419	430	32
451	461	469	480	491	32
419	425	432	440	450	32
479	485	490	499	512	32
438	445	449	460	473	32

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

Off-Module Post

		MODEL NUMBER		Approx. Packaged Weight	
MODEL	H	Basic Model	Trim Color		
	Off-Module Post	30"	POMP30	☐ ☐	3.0#
	• Unupholstered: trim colored	36"	POMP36	☐ ☐	3.0#
	• Off-module top trim end cap	42"	POMP42	☐ ☐	4.0#
	• Off-module half-post	48"	POMP48	☐ ☐	4.0#
	• See specifications for applications	54"	POMP54	☐ ☐	5.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	60"	POMP60	☐ ☐	5.0#
		66"	POMP66	☐ ☐	6.0#
		72"	POMP72	☐ ☐	6.0#
		78"	POMP78	☐ ☐	6.0#
		84"	POMP84	☐ ☐	7.0#
PTN					
HRDPT	Off-Module Post	30"	POMPS.30	☐ ☐	4.0#
	• Off module post allows removal of tiles from spine way	36"	POMPS.36	☐ ☐	5.0#
	• Post is offset from spine 3/4"	42"	POMPS.42	☐ ☐	6.0#
	• Unupholstered: trim colored	48"	POMPS.48	☐ ☐	7.0#
	• Includes top cap and halfpost	54"	POMPS.54	☐ ☐	8.0#
	• See specifications for applications	60"	POMPS.60	☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	66"	POMPS.66	☐ ☐	10.0#
		72"	POMPS.72	☐ ☐	11.0#
		78"	POMPS.78	☐ ☐	12.0#
		84"	POMPS.84	☐ ☐	13.0#

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

Off-Module Post

Delivered Pricing	Metallic Paint add to list price
\$ 215	\$ 9
218	9
224	9
231	9
233	9
254	9
237	9
240	9
261	9
250	9
\$ 333	N/A
343	N/A
352	N/A
367	N/A
378	N/A
384	N/A
406	N/A
420	N/A
430	N/A
441	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

Adjustable Wall Mount

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	Wall Track	2 1/2 x 31 x 1"	PWT30	☐	2.0#
	• Double slotted track accommodates wall mounting of overhead components and worksurfaces • Steel construction with painted finish • No hardware for wall attachment is included • See installation guidelines • SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 37 x 1"	PWT36	☐	2.0#
		2 1/2 x 43 x 1"	PWT42	☐	3.0#
		2 1/2 x 49 x 1"	PWT48	☐	3.0#
		2 1/2 x 55 x 1"	PWT54	☐	3.0#
		2 1/2 x 61 x 1"	PWT60	☐	4.0#
		2 1/2 x 67 x 1"	PWT66	☐	4.0#
		2 1/2 x 73 x 1"	PWT72	☐	4.0#
		2 1/2 x 79 x 1"	PWT78	☐	5.0#
		2 1/2 x 85 x 1"	PWT84	☐	5.0#
 HRDPT	Adjustable Wall Mount	2 1/2 x 30 x 1"	PWM30	☐	11.0#
	• Attaches a panel to a wall at the start of a run • Includes mounting plate and half-post • Steel construction with painted finish • Hardware for wall attachment is not included • Adjustable up to 3/4" to correct wall deflection • SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 36 x 1"	PWM36	☐	13.0#
		2 1/2 x 42 x 1"	PWM42	☐	15.0#
		2 1/2 x 48 x 1"	PWM48	☐	17.0#
		2 1/2 x 54 x 1"	PWM54	☐	19.0#
		2 1/2 x 60 x 1"	PWM60	☐	23.0#
		2 1/2 x 66 x 1"	PWM66	☐	23.0#
		2 1/2 x 72 x 1"	PWM72	☐	25.0#
		2 1/2 x 78 x 1"	PWM78	☐	23.0#
		2 1/2 x 84 x 1"	PWM84	☐	30.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

Adjustable Wall Mount

Delivered Pricing	Metallic Paint add to list price
\$ 33	\$ 12
35	12
36	16
37	20
39	25
41	28
46	30
47	31
48	32
49	32
\$ 144	\$ 31
148	31
164	48
168	50
171	50
220	54
220	56
252	58
258	60
269	62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL			A	B	A-B
	180° 2-Way In-Line Connection, Both Panels Same Height • Unupholstered • Full-height post	30"	PFP30		4.0#
		36"	PFP36		5.0#
		42"	PFP42		5.0#
		48"	PFP48		6.0#
		54"	PFP54		6.0#
		66"	PFP66		7.0#
		72"	PFP72		8.0#
		84"	PFP84		9.0#
PTN					
	180° 2-Way In-Line Connection, Two Different Heights • Unupholstered; trim colored • Full height post • In-line height change trim • In-line height change bottom cap • End-of-run top cap • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PFPV3036	☐	4.0#
		42" 30" 12"	PFPV3042	☐	6.0#
		48" 30" 18"	PFPV3048	☐	6.0#
		54" 30" 24"	PFPV3054	☐	7.0#
		66" 30" 36"	PFPV3066	☐	8.0#
		72" 30" 42"	PFPV3072	☐	10.0#
		84" 30" 54"	PFPV3084	☐	11.0#
		42" 36" 6"	PFPV3642	☐	5.0#
		48" 36" 12"	PFPV3648	☐	6.0#
		54" 36" 18"	PFPV3654	☐	7.0#
		66" 36" 30"	PFPV3666	☐	8.0#
		72" 36" 36"	PFPV3672	☐	9.0#
		84" 36" 48"	PFPV3684	☐	11.0#
		48" 42" 6"	PFPV4248	☐	6.0#
		54" 42" 12"	PFPV4254	☐	7.0#
		66" 42" 24"	PFPV4266	☐	8.0#
		72" 42" 30"	PFPV4272	☐	9.0#
		84" 42" 42"	PFPV4284	☐	11.0#
		54" 48" 6"	PFPV4854	☐	6.0#
		66" 48" 18"	PFPV4866	☐	8.0#
		72" 48" 24"	PFPV4872	☐	9.0#
		84" 48" 36"	PFPV4884	☐	11.0#
		66" 54" 12"	PFPV5466	☐	8.0#
		72" 54" 18"	PFPV5472	☐	9.0#
		84" 54" 30"	PFPV5484	☐	11.0#
		72" 66" 6"	PFPV6672	☐	8.0#
		84" 66" 18"	PFPV6684	☐	10.0#
		84" 72" 12"	PFPV7284	☐	10.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 49	N/A
55	N/A
58	N/A
61	N/A
68	N/A
77	N/A
81	N/A
88	N/A
\$ 62	\$ 36
73	38
82	38
90	38
106	40
115	48
132	49
69	36
78	38
85	38
102	39
111	40
128	48
73	36
82	38
98	38
106	39
125	48
78	36
94	38
102	38
121	39
90	38
98	38
115	39
90	36
106	38
102	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing Unupholstered	
		Basic Model	Assembly	Trim Color	Fabric Color		
	MODEL	A					
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSP18030	☐	☐	7.0#	\$ 171
		36"	PSP18036	☐	☐	9.0#	181
	• Unupholstered: trim colored	42"	PSP18042	☐	☐	10.0#	208
	• 180° top cap	48"	PSP18048	☐	☐	13.0#	224
	• Two pieces of universal trim	54"	PSP18054	☐	☐	15.0#	250
	• Two pieces of 3-way base trim	66"	PSP18066	☐	☐	16.0#	254
	• Two half-posts	72"	PSP18072	☐	☐	18.0#	269
	• Connecting hardware	84"	PSP18084	☐	☐	20.0#	319
	• SX Starlight Silver finish is only offered on flat aluminum trim						
PTN							
	MODEL	A					
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSPF18030	☐	☐	7.0#	N/A
		36"	PSPF18036	☐	☐	9.0#	N/A
	• Upholstered	42"	PSPF18042	☐	☐	10.0#	N/A
	• 180° top cap	48"	PSPF18048	☐	☐	13.0#	N/A
	• Two fabric-wrapped pieces of universal trim	54"	PSPF18054	☐	☐	15.0#	N/A
	• Two pieces of 3-way base trim	66"	PSPF18066	☐	☐	16.0#	N/A
	• Two half-posts	72"	PSPF18072	☐	☐	18.0#	N/A
	• Connecting hardware	84"	PSPF18084	☐	☐	20.0#	N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim						
PTNF							
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
F - Fully Assembled; add \$58
U - Unassembled
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- D** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 64
					67
					67
					84
					88
					91
					93
					95
\$ 232	\$ 235	\$ 237	\$ 241	\$ 252	\$ 36
238	245	248	252	260	36
296	302	305	312	319	36
310	314	318	323	335	36
335	342	344	353	362	36
344	352	354	362	369	36
362	367	369	380	390	36
419	426	431	440	450	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	180° 2-Way In-Line Spacer, Two Different Heights	36"	30"	6"	PSPV1803036	☐	10.0#
	• Unupholstered; trim colored	42"	30"	12"	PSPV1803042	☐	9.0#
	• Two pieces of 3-way base trim	48"	30"	18"	PSPV1803048	☐	12.0#
	• 1-way top cap	54"	30"	24"	PSPV1803054	☐	11.0#
	• Two pieces of universal trim	66"	30"	36"	PSPV1803066	☐	13.0#
	• One piece of universal height change trim	72"	30"	42"	PSPV1803072	☐	17.0#
	• One half-post (height A)	84"	30"	54"	PSPV1803084	☐	16.0#
	• One half-post (height B)	42"	36"	6"	PSPV1803642	☐	11.0#
	• Connecting hardware	48"	36"	12"	PSPV1803648	☐	12.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54"	36"	18"	PSPV1803654	☐	14.0#
		66"	36"	30"	PSPV1803666	☐	16.0#
		72"	36"	36"	PSPV1803672	☐	17.0#
		84"	36"	48"	PSPV1803684	☐	19.0#
		48"	42"	6"	PSPV1804248	☐	13.0#
		54"	42"	12"	PSPV1804254	☐	12.0#
		66"	42"	24"	PSPV1804266	☐	14.0#
		72"	42"	30"	PSPV1804272	☐	18.0#
		84"	42"	42"	PSPV1804284	☐	17.0#
		54"	48"	6"	PSPV1804854	☐	14.0#
		66"	48"	18"	PSPV1804866	☐	17.0#
		72"	48"	24"	PSPV1804872	☐	18.0#
		84"	48"	36"	PSPV1804884	☐	20.0#
		66"	54"	12"	PSPV1805466	☐	15.0#
		72"	54"	18"	PSPV1805472	☐	18.0#
		84"	54"	30"	PSPV1805484	☐	18.0#
		72"	66"	6"	PSPV1806672	☐	18.0#
		84"	66"	18"	PSPV1806684	☐	19.0#
		84"	72"	12"	PSPV1807284	☐	21.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 190	\$ 78
228	79
234	97
288	99
298	104
289	117
374	121
228	78
234	97
286	99
295	104
291	108
379	121
234	96
260	99
307	102
333	108
382	119
277	98
311	102
279	106
364	112
283	102
279	106
362	112
277	104
335	109
353	109

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER			Approx. Packaged Weight		
MODEL	A	B A-B	Basic Model	Trim Color	Fabric Color			
 PTNF	180° 2-Way In-Line Spacer, Two Different Heights		36" 30" 6"	PSPVF1803036	☐ ☐ ☐ ☐	10.0#		
			42" 30" 12"	PSPVF1803042	☐ ☐ ☐ ☐	9.0#		
	• Upholstered • Two pieces of 3-way base trim • 1-way top cap • Two fabric-wrapped pieces of universal trim • One fabric-wrapped piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		48" 30" 18"	PSPVF1803048	☐ ☐ ☐ ☐	12.0#		
			54" 30" 24"	PSPVF1803054	☐ ☐ ☐ ☐	11.0#		
			66" 30" 36"	PSPVF1803066	☐ ☐ ☐ ☐	13.0#		
			72" 30" 42"	PSPVF1803072	☐ ☐ ☐ ☐	17.0#		
			84" 30" 54"	PSPVF1803084	☐ ☐ ☐ ☐	16.0#		
			42" 36" 6"	PSPVF1803642	☐ ☐ ☐ ☐	11.0#		
			48" 36" 12"	PSPVF1803648	☐ ☐ ☐ ☐	12.0#		
			54" 36" 18"	PSPVF1803654	☐ ☐ ☐ ☐	14.0#		
			66" 36" 30"	PSPVF1803666	☐ ☐ ☐ ☐	16.0#		
			72" 36" 36"	PSPVF1803672	☐ ☐ ☐ ☐	17.0#		
			84" 36" 48"	PSPVF1803684	☐ ☐ ☐ ☐	19.0#		
			48" 42" 6"	PSPVF1804248	☐ ☐ ☐ ☐	13.0#		
			54" 42" 12"	PSPVF1804254	☐ ☐ ☐ ☐	12.0#		
			66" 42" 24"	PSPVF1804266	☐ ☐ ☐ ☐	14.0#		
			72" 42" 30"	PSPVF1804272	☐ ☐ ☐ ☐	18.0#		
			84" 42" 42"	PSPVF1804284	☐ ☐ ☐ ☐	17.0#		
			54" 48" 6"	PSPVF1804854	☐ ☐ ☐ ☐	14.0#		
			66" 48" 18"	PSPVF1804866	☐ ☐ ☐ ☐	17.0#		
			72" 48" 24"	PSPVF1804872	☐ ☐ ☐ ☐	18.0#		
			84" 48" 36"	PSPVF1804884	☐ ☐ ☐ ☐	20.0#		
			66" 54" 12"	PSPVF1805466	☐ ☐ ☐ ☐	15.0#		
			72" 54" 18"	PSPVF1805472	☐ ☐ ☐ ☐	18.0#		
			84" 54" 30"	PSPVF1805484	☐ ☐ ☐ ☐	18.0#		
			72" 66" 6"	PSPVF1806672	☐ ☐ ☐ ☐	18.0#		
			84" 66" 18"	PSPVF1806684	☐ ☐ ☐ ☐	19.0#		
			84" 72" 12"	PSPVF1807284	☐ ☐ ☐ ☐	21.0#		
			A	B	C			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 261	\$ 267	\$ 268	\$ 272	\$ 280	\$ 36
355	362	365	373	383	36
296	302	305	311	318	36
416	424	428	438	449	36
432	440	444	452	467	36
330	339	341	348	357	36
519	528	535	543	559	36
286	291	295	302	310	36
294	299	302	309	316	36
312	317	319	324	337	36
321	327	333	340	348	36
334	340	343	350	359	36
369	379	382	390	400	36
296	302	305	311	318	36
334	342	346	354	365	36
409	419	424	432	444	36
446	451	454	462	473	36
524	533	539	549	567	36
316	320	322	333	341	36
324	333	335	343	353	36
335	341	344	352	359	36
369	379	382	390	400	36
416	424	428	438	448	36
334	341	343	352	359	36
503	512	519	529	543	36
330	339	341	348	357	36
343	353	357	366	384	36
356	363	365	374	385	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

3-Way

		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing Unupholstered	
		Basic Model	Assembly	Trim Color	Fabric Color		
	MODEL	A					
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA	30"	PTP3W30	☐	☐		9.0# \$ 185
	• Unupholstered • 3-way top cap • 3-way base trim • One piece of universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	PTP3W36	☐	☐		9.0# 201
		42"	PTP3W42	☐	☐		12.0# 224
		48"	PTP3W48	☐	☐		12.0# 250
		54"	PTP3W54	☐	☐		15.0# 264
		60"	PTP3W60	☐	☐		15.0# 235
		66"	PTP3W66	☐	☐		18.0# 273
		72"	PTP3W72	☐	☐		18.0# 280
		78"	PTP3W78	☐	☐		18.0# 286
		84"	PTP3W84	☐	☐		22.0# 340
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA	30"	PTPF3W30	☐	☐	☐	9.0# N/A
	• Upholstered • 3-way top cap • 3-way base trim • One piece of fabric-wrapped universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	PTPF3W36	☐	☐	☐	9.0# N/A
		42"	PTPF3W42	☐	☐	☐	12.0# N/A
		48"	PTPF3W48	☐	☐	☐	12.0# N/A
		54"	PTPF3W54	☐	☐	☐	15.0# N/A
		60"	PTPF3W60	☐	☐	☐	15.0# N/A
		66"	PTPF3W66	☐	☐	☐	18.0# N/A
		72"	PTPF3W72	☐	☐	☐	18.0# N/A
		78"	PTPF3W78	☐	☐	☐	18.0# N/A
		84"	PTPF3W84	☐	☐	☐	22.0# N/A
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
F - Fully Assembled; add \$74
U - Unassembled
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- D** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 38
					39
					39
					48
					49
					49
					50
					52
					52
					54
\$ 217	\$ 220	\$ 224	\$ 229	\$ 235	\$ 26
228	233	234	237	248	26
268	272	275	279	289	26
290	296	299	306	313	26
309	314	317	321	334	26
275	278	280	289	298	26
317	322	324	335	343	26
327	335	339	346	354	26
327	334	337	343	355	26
387	396	399	408	419	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER		Approx. Packaged Weight	
MODEL	A	B	A-B	Basic Model		Trim Color
 PTN 3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA • Unupholstered: trim colored • 90° top cap • 3-way base trim • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PTPV903036	☐ ☐	10.0#
	42"	30"	12"	PTPV903042	☐ ☐	10.0#
	48"	30"	18"	PTPV903048	☐ ☐	11.0#
	54"	30"	24"	PTPV903054	☐ ☐	12.0#
	66"	30"	36"	PTPV903066	☐ ☐	14.0#
	72"	30"	42"	PTPV903072	☐ ☐	12.0#
	84"	30"	54"	PTPV903084	☐ ☐	16.0#
	42"	36"	6"	PTPV903642	☐ ☐	14.0#
	48"	36"	12"	PTPV903648	☐ ☐	16.0#
	54"	36"	18"	PTPV903654	☐ ☐	14.0#
	66"	36"	30"	PTPV903666	☐ ☐	16.0#
	72"	36"	36"	PTPV903672	☐ ☐	18.0#
	84"	36"	48"	PTPV903684	☐ ☐	17.0#
	48"	42"	6"	PTPV904248	☐ ☐	19.0#
	54"	42"	12"	PTPV904254	☐ ☐	14.0#
	66"	42"	24"	PTPV904266	☐ ☐	16.0#
	72"	42"	30"	PTPV904272	☐ ☐	22.0#
	84"	42"	42"	PTPV904284	☐ ☐	18.0#
	54"	48"	6"	PTPV904854	☐ ☐	10.0#
	66"	48"	18"	PTPV904866	☐ ☐	12.0#
	72"	48"	24"	PTPV904872	☐ ☐	14.0#
	84"	48"	36"	PTPV904884	☐ ☐	16.0#
	66"	54"	12"	PTPV905466	☐ ☐	17.0#
	72"	54"	18"	PTPV905472	☐ ☐	14.0#
	84"	54"	30"	PTPV905484	☐ ☐	19.0#
	72"	66"	6"	PTPV906672	☐ ☐	16.0#
	84"	66"	18"	PTPV906684	☐ ☐	22.0#
	84"	72"	12"	PTPV907284	☐ ☐	18.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 231	\$ 50
240	52
258	62
305	64
316	67
342	77
390	79
269	50
286	62
306	64
316	67
334	68
366	79
286	59
300	64
313	65
327	68
398	78
311	62
320	65
342	67
368	69
309	65
320	67
381	69
317	65
342	68
362	68

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

				MODEL NUMBER			Approx. Packaged Weight	
				Basic Model	Trim Color	Fabric Color		
MODEL	A	B	A-B					
 PTNF	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA			PTPVF903036	☐	☐ ☐ ☐ ☐	12.0#	
	• Upholstered			42" 30" 12"	PTPVF903042	☐	☐ ☐ ☐ ☐	11.0#
	• 90° top cap			48" 30" 18"	PTPVF903048	☐	☐ ☐ ☐ ☐	16.0#
	• 3-way base trim			54" 30" 24"	PTPVF903054	☐	☐ ☐ ☐ ☐	14.0#
	• One piece of fabric-wrapped universal trim			66" 30" 36"	PTPVF903066	☐	☐ ☐ ☐ ☐	17.0#
	• One piece of universal height change trim			72" 30" 42"	PTPVF903072	☐	☐ ☐ ☐ ☐	22.0#
	• Light block			84" 30" 54"	PTPVF903084	☐	☐ ☐ ☐ ☐	21.0#
	• Two half-posts (height A)			42" 36" 6"	PTPVF903642	☐	☐ ☐ ☐ ☐	14.0#
	• One half-post (height B)			48" 36" 12"	PTPVF903648	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware			54" 36" 18"	PTPVF903654	☐	☐ ☐ ☐ ☐	17.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim			66" 36" 30"	PTPVF903666	☐	☐ ☐ ☐ ☐	20.0#
				72" 36" 36"	PTPVF903672	☐	☐ ☐ ☐ ☐	22.0#
				84" 36" 48"	PTPVF903684	☐	☐ ☐ ☐ ☐	25.0#
				48" 42" 6"	PTPVF904248	☐	☐ ☐ ☐ ☐	16.0#
				54" 42" 12"	PTPVF904254	☐	☐ ☐ ☐ ☐	15.0#
				66" 42" 24"	PTPVF904266	☐	☐ ☐ ☐ ☐	18.0#
				72" 42" 30"	PTPVF904272	☐	☐ ☐ ☐ ☐	23.0#
				84" 42" 42"	PTPVF904284	☐	☐ ☐ ☐ ☐	22.0#
				54" 48" 6"	PTPVF904854	☐	☐ ☐ ☐ ☐	18.0#
				66" 48" 18"	PTPVF904866	☐	☐ ☐ ☐ ☐	21.0#
				72" 48" 24"	PTPVF904872	☐	☐ ☐ ☐ ☐	23.0#
				84" 48" 36"	PTPVF904884	☐	☐ ☐ ☐ ☐	26.0#
				66" 54" 12"	PTPVF905466	☐	☐ ☐ ☐ ☐	18.0#
				72" 54" 18"	PTPVF905472	☐	☐ ☐ ☐ ☐	23.0#
				84" 54" 30"	PTPVF905484	☐	☐ ☐ ☐ ☐	22.0#
				72" 66" 6"	PTPVF906672	☐	☐ ☐ ☐ ☐	23.0#
				84" 66" 18"	PTPVF906684	☐	☐ ☐ ☐ ☐	23.0#
				84" 72" 12"	PTPVF907284	☐	☐ ☐ ☐ ☐	26.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 302	\$ 307	\$ 310	\$ 316	\$ 322	\$ 26
323	333	335	342	352	26
366	376	379	386	397	26
387	394	398	406	419	26
402	411	416	424	437	26
378	384	387	396	406	26
483	490	495	506	521	26
329	335	340	346	355	26
342	347	352	358	367	26
362	367	373	381	390	26
378	385	387	396	406	26
380	387	390	399	410	26
436	443	446	454	469	26
343	350	353	359	369	26
369	379	381	390	399	26
412	422	425	433	445	26
440	445	448	454	467	26
489	496	505	515	528	26
367	376	380	387	398	26
382	388	393	400	411	26
384	390	394	401	412	26
437	444	448	456	470	26
390	398	401	410	422	26
382	388	393	400	411	26
470	481	485	492	507	26
380	387	390	399	410	26
401	411	417	426	440	26
423	431	436	444	454	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B	A-B		
	3-Way "T" Intersection w/1-Way Cap, Two Different Heights - BBA or BAB				
	• Unupholstered: trim colored • 1-way top cap • One piece of universal trim • Two pieces of universal height change trim • Light block • 3-way base trim • One half-post (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim				
	36" 30" 6"			PTPV1W3036	☐ ☐ 12.0#
	42" 30" 12"			PTPV1W3042	☐ ☐ 10.0#
	48" 30" 18"			PTPV1W3048	☐ ☐ 15.0#
	54" 30" 24"			PTPV1W3054	☐ ☐ 14.0#
	66" 30" 36"			PTPV1W3066	☐ ☐ 16.0#
	72" 30" 42"			PTPV1W3072	☐ ☐ 20.0#
	84" 30" 54"			PTPV1W3084	☐ ☐ 20.0#
	42" 36" 6"			PTPV1W3642	☐ ☐ 14.0#
	48" 36" 12"			PTPV1W3648	☐ ☐ 15.0#
	54" 36" 18"			PTPV1W3654	☐ ☐ 16.0#
	66" 36" 30"			PTPV1W3666	☐ ☐ 18.0#
	72" 36" 36"			PTPV1W3672	☐ ☐ 20.0#
	84" 36" 48"			PTPV1W3684	☐ ☐ 23.0#
	48" 42" 6"			PTPV1W4248	☐ ☐ 16.0#
	54" 42" 12"			PTPV1W4254	☐ ☐ 13.0#
	66" 42" 24"			PTPV1W4266	☐ ☐ 15.0#
	72" 42" 30"			PTPV1W4272	☐ ☐ 21.0#
	84" 42" 42"			PTPV1W4284	☐ ☐ 17.0#
	54" 48" 6"			PTPV1W4854	☐ ☐ 17.0#
	66" 48" 18"			PTPV1W4866	☐ ☐ 20.0#
	72" 48" 24"			PTPV1W4872	☐ ☐ 21.0#
	84" 48" 36"			PTPV1W4884	☐ ☐ 23.0#
	66" 54" 12"			PTPV1W5466	☐ ☐ 18.0#
	72" 54" 18"			PTPV1W5472	☐ ☐ 22.0#
	84" 54" 30"			PTPV1W5484	☐ ☐ 20.0#
	72" 66" 6"			PTPV1W6672	☐ ☐ 23.0#
	84" 66" 18"			PTPV1W6684	☐ ☐ 21.0#
	84" 72" 12"			PTPV1W7284	☐ ☐ 26.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 233	\$ 64
248	67
283	76
305	77
319	81
344	99
390	104
260	64
272	76
290	77
329	81
363	82
409	104
272	73
289	77
329	78
354	82
394	100
323	74
340	78
346	79
386	83
314	78
344	79
384	83
340	77
354	81
365	83

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	3-Way "T" Intersection w/1-Way Cap, Two Different Heights - BBA or BAB		PTPVF1W3036	☐	☐	12.0#
			PTPVF1W3042	☐	☐	10.0#
	• Upholstered		PTPVF1W3048	☐	☐	15.0#
	• 1-way top cap		PTPVF1W3054	☐	☐	14.0#
	• One fabric-wrapped piece of universal trim		PTPVF1W3066	☐	☐	16.0#
	• Two fabric-wrapped pieces of universal height change trim		PTPVF1W3072	☐	☐	20.0#
	• Light block		PTPVF1W3084	☐	☐	20.0#
	• 3-way base trim		PTPVF1W3642	☐	☐	14.0#
	• One half-post (height A)		PTPVF1W3648	☐	☐	15.0#
	• Two half-posts (height B)		PTPVF1W3654	☐	☐	16.0#
	• Connecting hardware		PTPVF1W3666	☐	☐	18.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim		PTPVF1W3672	☐	☐	20.0#
			PTPVF1W3684	☐	☐	23.0#
			PTPVF1W4248	☐	☐	16.0#
			PTPVF1W4254	☐	☐	13.0#
			PTPVF1W4266	☐	☐	15.0#
			PTPVF1W4272	☐	☐	21.0#
			PTPVF1W4284	☐	☐	17.0#
			PTPVF1W4854	☐	☐	17.0#
			PTPVF1W4866	☐	☐	19.0#
			PTPVF1W4872	☐	☐	21.0#
			PTPVF1W4884	☐	☐	23.0#
			PTPVF1W5466	☐	☐	18.0#
			PTPVF1W5472	☐	☐	22.0#
			PTPVF1W5484	☐	☐	20.0#
			PTPVF1W6672	☐	☐	23.0#
			PTPVF1W6684	☐	☐	21.0#
			PTPVF1W7284	☐	☐	26.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 298	\$ 303	\$ 306	\$ 312	\$ 319	\$ 26
369	379	382	390	400	26
411	420	424	432	444	26
432	440	444	452	467	26
453	462	468	479	489	26
362	367	373	381	390	26
529	536	539	549	560	26
324	334	337	344	354	26
333	340	342	350	358	26
348	355	358	366	378	26
362	367	369	380	390	26
366	374	379	386	397	26
408	417	424	433	449	26
337	343	346	354	363	26
367	378	380	388	400	26
436	443	446	456	471	26
468	474	480	486	495	26
533	542	549	558	576	26
365	373	378	385	396	26
378	384	387	396	406	26
381	388	393	400	411	26
419	425	430	439	450	26
440	448	451	461	475	26
384	390	394	401	412	26
519	529	535	544	560	26
384	390	394	401	412	26
396	403	411	422	438	26
408	416	420	430	440	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER		Approx. Packaged Weight	
MODEL	A	B	A-B	Basic Model		Trim Color
 PTN	3-Way "T" Intersection w/180° Top Cap,		36" 30" 6"	PTPV1803036	☐ ☐	10.0#
	Two Different Heights - ABA		42" 30" 12"	PTPV1803042	☐ ☐	10.0#
	• Unupholstered: trim colored		48" 30" 18"	PTPV1803048	☐ ☐	11.0#
	• 180° top cap		54" 30" 24"	PTPV1803054	☐ ☐	12.0#
	• One piece of universal trim		66" 30" 36"	PTPV1803066	☐ ☐	14.0#
	• One piece of universal height change trim		72" 30" 42"	PTPV1803072	☐ ☐	12.0#
	• Light block		84" 30" 54"	PTPV1803084	☐ ☐	16.0#
	• 3-way base trim		42" 36" 6"	PTPV1803642	☐ ☐	14.0#
	• Two half-posts (height A)		48" 36" 12"	PTPV1803648	☐ ☐	16.0#
	• One half-post (height B)		54" 36" 18"	PTPV1803654	☐ ☐	14.0#
	• Connecting hardware		66" 36" 30"	PTPV1803666	☐ ☐	16.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim		72" 36" 36"	PTPV1803672	☐ ☐	18.0#
			84" 36" 48"	PTPV1803684	☐ ☐	17.0#
			48" 42" 6"	PTPV1804248	☐ ☐	19.0#
			54" 42" 12"	PTPV1804254	☐ ☐	14.0#
			66" 42" 24"	PTPV1804266	☐ ☐	16.0#
			72" 42" 30"	PTPV1804272	☐ ☐	22.0#
			84" 42" 42"	PTPV1804284	☐ ☐	18.0#
			54" 48" 6"	PTPV1804854	☐ ☐	10.0#
			66" 48" 18"	PTPV1804866	☐ ☐	12.0#
			72" 48" 24"	PTPV1804872	☐ ☐	14.0#
			84" 48" 36"	PTPV1804884	☐ ☐	16.0#
			66" 54" 12"	PTPV1805466	☐ ☐	17.0#
			72" 54" 18"	PTPV1805472	☐ ☐	14.0#
			84" 54" 30"	PTPV1805484	☐ ☐	19.0#
			72" 66" 6"	PTPV1806672	☐ ☐	16.0#
			84" 66" 18"	PTPV1806684	☐ ☐	22.0#
			84" 72" 12"	PTPV1807284	☐ ☐	18.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 231	\$ 50
240	39
258	62
305	49
316	50
313	67
390	54
269	79
286	50
306	62
316	64
317	67
366	68
286	79
306	49
342	50
359	65
398	54
311	78
320	62
320	65
368	67
309	69
320	65
381	67
317	69
341	65
362	68

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

				MODEL NUMBER			Approx. Packaged Weight	
				Basic Model	Trim Color	Fabric Color		
MODEL				A	B	A-B		
 PTNF	3-Way "T" Intersection w/180° Top Cap, Two Different Heights - ABA			36" 30" 6"	PTPVF1803036	☐	☐ ☐ ☐ ☐	13.0#
				42" 30" 12"	PTPVF1803042	☐	☐ ☐ ☐ ☐	10.0#
	• Upholstered • 180° top cap • One fabric-wrapped piece of universal trim • One fabric-wrapped piece of universal height change trim • Light block • 3-way base trim • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim			48" 30" 18"	PTPVF1803048	☐	☐ ☐ ☐ ☐	16.0#
				54" 30" 24"	PTPVF1803054	☐	☐ ☐ ☐ ☐	12.0#
	66" 30" 36"	PTPVF1803066	☐	☐ ☐ ☐ ☐	14.0#			
	72" 30" 42"	PTPVF1803072	☐	☐ ☐ ☐ ☐	23.0#			
	84" 30" 54"	PTPVF1803084	☐	☐ ☐ ☐ ☐	16.0#			
	42" 36" 6"	PTPVF1803642	☐	☐ ☐ ☐ ☐	15.0#			
	48" 36" 12"	PTPVF1803648	☐	☐ ☐ ☐ ☐	17.0#			
	54" 36" 18"	PTPVF1803654	☐	☐ ☐ ☐ ☐	19.0#			
	66" 36" 30"	PTPVF1803666	☐	☐ ☐ ☐ ☐	22.0#			
	72" 36" 36"	PTPVF1803672	☐	☐ ☐ ☐ ☐	24.0#			
	84" 36" 48"	PTPVF1803684	☐	☐ ☐ ☐ ☐	28.0#			
	48" 42" 6"	PTPVF1804248	☐	☐ ☐ ☐ ☐	18.0#			
	54" 42" 12"	PTPVF1804254	☐	☐ ☐ ☐ ☐	14.0#			
	66" 42" 24"	PTPVF1804266	☐	☐ ☐ ☐ ☐	16.0#			
	72" 42" 30"	PTPVF1804272	☐	☐ ☐ ☐ ☐	25.0#			
	84" 42" 42"	PTPVF1804284	☐	☐ ☐ ☐ ☐	18.0#			
	54" 48" 6"	PTPVF1804854	☐	☐ ☐ ☐ ☐	20.0#			
	66" 48" 18"	PTPVF1804866	☐	☐ ☐ ☐ ☐	23.0#			
	72" 48" 24"	PTPVF1804872	☐	☐ ☐ ☐ ☐	26.0#			
	84" 48" 36"	PTPVF1804884	☐	☐ ☐ ☐ ☐	29.0#			
	66" 54" 12"	PTPVF1805466	☐	☐ ☐ ☐ ☐	17.0#			
	72" 54" 18"	PTPVF1805472	☐	☐ ☐ ☐ ☐	10.0#			
	84" 54" 30"	PTPVF1805484	☐	☐ ☐ ☐ ☐	19.0#			
	72" 66" 6"	PTPVF1806672	☐	☐ ☐ ☐ ☐	27.0#			
	84" 66" 18"	PTPVF1806684	☐	☐ ☐ ☐ ☐	22.0#			
	84" 72" 12"	PTPVF1807284	☐	☐ ☐ ☐ ☐	30.0#			
				A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 302	\$ 309	\$ 311	\$ 317	\$ 323	\$ 26
327	335	339	346	354	26
368	379	381	388	399	26
390	397	400	410	422	26
406	414	419	426	439	26
380	386	390	398	409	26
485	492	499	508	523	26
333	339	342	348	357	26
344	350	354	362	369	26
364	369	376	384	394	26
380	387	390	399	410	26
382	390	393	401	412	26
438	445	449	458	471	26
346	353	355	363	374	26
373	381	384	393	401	26
416	424	428	437	448	26
443	449	452	461	473	26
491	500	507	517	530	26
369	379	382	390	400	26
385	391	396	402	414	26
386	393	397	403	416	26
439	446	450	460	473	26
393	400	403	412	425	26
385	391	396	402	416	26
473	483	487	495	510	26
382	390	393	401	412	26
403	414	420	430	443	26
425	433	439	445	458	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

4-Way

		MODEL NUMBER			Approx. Packaged Weight	
		Basic Model	Assembly	Trim Color		
MODEL	A					
 PTN	4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height • Unupholstered: trim colored • 4-way top cap • 4-way light block • Four half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PXP4W30	☐	☐	10.0#
		36"	PXP4W36	☐	☐	10.0#
		42"	PXP4W42	☐	☐	14.0#
		48"	PXP4W48	☐	☐	14.0#
		54"	PXP4W54	☐	☐	19.0#
		60"	PXP4W60	☐	☐	19.0#
		66"	PXP4W66	☐	☐	23.0#
		72"	PXP4W72	☐	☐	23.0#
		78"	PXP4W78	☐	☐	23.0#
		84"	PXP4W84	☐	☐	30.0#
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$91 |
| U | - Unassembled |
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing		Metallic Paint add to list price
\$	206	\$ 9
	214	9
	236	9
	269	9
	279	9
	254	9
	290	9
	291	9
	305	9
	356	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB • Unupholstered; trim colored • 3-way top cap • 4-way light block • One piece of universal height change trim • One half-post (height B) • Three half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PXPV3W3036	☐	13.0#
		42"	30"	12"	PXPV3W3042	☐	14.0#
		48"	30"	18"	PXPV3W3048	☐	17.0#
		54"	30"	24"	PXPV3W3054	☐	17.0#
		66"	30"	36"	PXPV3W3066	☐	20.0#
		72"	30"	42"	PXPV3W3072	☐	23.0#
		84"	30"	54"	PXPV3W3084	☐	26.0#
		42"	36"	6"	PXPV3W3642	☐	16.0#
		48"	36"	12"	PXPV3W3648	☐	17.0#
		54"	36"	18"	PXPV3W3654	☐	19.0#
		66"	36"	30"	PXPV3W3666	☐	21.0#
		72"	36"	36"	PXPV3W3672	☐	23.0#
		84"	36"	48"	PXPV3W3684	☐	26.0#
		48"	42"	6"	PXPV3W4248	☐	18.0#
		54"	42"	12"	PXPV3W4254	☐	18.0#
		66"	42"	24"	PXPV3W4266	☐	21.0#
		72"	42"	30"	PXPV3W4272	☐	24.0#
		84"	42"	42"	PXPV3W4284	☐	27.0#
		54"	48"	6"	PXPV3W4854	☐	20.0#
		66"	48"	18"	PXPV3W4866	☐	23.0#
		72"	48"	24"	PXPV3W4872	☐	25.0#
		84"	48"	36"	PXPV3W4884	☐	27.0#
		66"	54"	12"	PXPV3W5466	☐	22.0#
		72"	54"	18"	PXPV3W5472	☐	26.0#
		84"	54"	30"	PXPV3W5484	☐	28.0#
		72"	66"	6"	PXPV3W6672	☐	27.0#
		84"	66"	18"	PXPV3W6684	☐	29.0#
		84"	72"	12"	PXPV3W7284	☐	30.0#
				A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 251	\$ 26
260	26
311	28
320	28
339	30
300	36
409	38
260	26
283	28
296	28
311	29
305	30
359	36
281	26
311	28
348	28
369	29
419	36
303	26
316	28
309	28
363	30
329	28
309	28
399	29
306	26
330	28
355	28

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

				MODEL NUMBER			Approx. Packaged Weight	
				Basic Model	Trim Color	Fabric Color		
MODEL	A	B	A-B					
 PTF	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB			PXPVF3W3036	☐	☐ ☐ ☐ ☐	13.0#	
				PXPVF3W3042	☐	☐ ☐ ☐ ☐	14.0#	
	• Upholstered • 3-way top cap • 4-way light block • One fabric-wrapped piece of universal height change trim • One half-post (height B) • Three half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim			PXPVF3W3048	☐	☐ ☐ ☐ ☐	17.0#	
				PXPVF3W3054	☐	☐ ☐ ☐ ☐	17.0#	
				PXPVF3W3066	☐	☐ ☐ ☐ ☐	20.0#	
				PXPVF3W3072	☐	☐ ☐ ☐ ☐	23.0#	
				PXPVF3W3084	☐	☐ ☐ ☐ ☐	26.0#	
				PXPVF3W3642	☐	☐ ☐ ☐ ☐	16.0#	
				PXPVF3W3648	☐	☐ ☐ ☐ ☐	17.0#	
				PXPVF3W3654	☐	☐ ☐ ☐ ☐	19.0#	
				PXPVF3W3666	☐	☐ ☐ ☐ ☐	21.0#	
				PXPVF3W3672	☐	☐ ☐ ☐ ☐	23.0#	
				PXPVF3W3684	☐	☐ ☐ ☐ ☐	26.0#	
				PXPVF3W4248	☐	☐ ☐ ☐ ☐	18.0#	
				PXPVF3W4254	☐	☐ ☐ ☐ ☐	18.0#	
				PXPVF3W4266	☐	☐ ☐ ☐ ☐	21.0#	
				PXPVF3W4272	☐	☐ ☐ ☐ ☐	24.0#	
				PXPVF3W4284	☐	☐ ☐ ☐ ☐	27.0#	
				PXPVF3W4854	☐	☐ ☐ ☐ ☐	20.0#	
				PXPVF3W4866	☐	☐ ☐ ☐ ☐	23.0#	
				PXPVF3W4872	☐	☐ ☐ ☐ ☐	25.0#	
				PXPVF3W4884	☐	☐ ☐ ☐ ☐	27.0#	
				PXPVF3W5466	☐	☐ ☐ ☐ ☐	22.0#	
				PXPVF3W5472	☐	☐ ☐ ☐ ☐	26.0#	
				PXPVF3W5484	☐	☐ ☐ ☐ ☐	28.0#	
				PXPVF3W6672	☐	☐ ☐ ☐ ☐	27.0#	
				PXPVF3W6684	☐	☐ ☐ ☐ ☐	29.0#	
				PXPVF3W7284	☐	☐ ☐ ☐ ☐	30.0#	
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 291	\$ 298	\$ 300	\$ 307	\$ 314	\$ 9
300	306	309	314	322	9
353	358	363	369	381	9
364	369	376	384	393	9
381	388	393	400	411	9
344	350	354	362	369	9
453	464	470	480	490	9
305	310	312	318	327	9
317	322	324	334	343	9
333	339	342	348	358	9
359	366	368	379	388	9
374	381	384	391	400	9
402	412	419	426	439	9
327	334	337	344	354	9
348	354	357	365	376	9
391	398	401	411	423	9
416	423	425	433	443	9
462	473	480	486	499	9
344	352	355	362	373	9
357	364	367	378	387	9
352	357	362	368	380	9
408	414	419	428	439	9
367	376	380	387	398	9
352	357	359	367	379	9
443	451	456	467	480	9
347	354	356	364	374	9
369	381	385	394	406	9
394	402	403	414	425	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB	36"	30"	6"	PXPV903036	☐	13.0#
		42"	30"	12"	PXPV903042	☐	13.0#
	• Unupholstered; trim colored	48"	30"	18"	PXPV903048	☐	17.0#
	• 90° top cap	54"	30"	24"	PXPV903054	☐	16.0#
	• 4-way light block	66"	30"	36"	PXPV903066	☐	19.0#
	• Two pieces of universal height change trim	72"	30"	42"	PXPV903072	☐	24.0#
	• Two half-posts (height A)	84"	30"	54"	PXPV903084	☐	23.0#
	• Two half-posts (height B)	42"	36"	6"	PXPV903642	☐	16.0#
	• Connecting hardware	48"	36"	12"	PXPV903648	☐	17.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54"	36"	18"	PXPV903654	☐	19.0#
		66"	36"	30"	PXPV903666	☐	22.0#
		72"	36"	36"	PXPV903672	☐	24.0#
		84"	36"	48"	PXPV903684	☐	27.0#
		48"	42"	6"	PXPV904248	☐	18.0#
		54"	42"	12"	PXPV904254	☐	17.0#
		66"	42"	24"	PXPV904266	☐	20.0#
		72"	42"	30"	PXPV904272	☐	25.0#
		84"	42"	42"	PXPV904284	☐	24.0#
		54"	48"	6"	PXPV904854	☐	20.0#
		66"	48"	18"	PXPV904866	☐	23.0#
		72"	48"	24"	PXPV904872	☐	25.0#
		84"	48"	36"	PXPV904884	☐	28.0#
		66"	54"	12"	PXPV905466	☐	21.0#
		72"	54"	18"	PXPV905472	☐	26.0#
		84"	54"	30"	PXPV905484	☐	25.0#
		72"	66"	6"	PXPV906672	☐	27.0#
		84"	66"	18"	PXPV906684	☐	27.0#
		84"	72"	12"	PXPV907284	☐	30.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 253	\$ 36
262	39
309	39
319	39
364	44
309	59
409	64
263	36
281	39
295	39
312	41
314	44
364	59
280	36
307	39
352	39
368	41
414	59
306	36
320	39
319	39
366	44
335	39
319	39
401	41
314	36
333	39
347	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB	36"	30"	6"	PXPVF903036	☐	☐ ☐ ☐ ☐	13.0#
		42"	30"	12"	PXPVF903042	☐	☐ ☐ ☐ ☐	13.0#
	• Upholstered	48"	30"	18"	PXPVF903048	☐	☐ ☐ ☐ ☐	17.0#
	• 90° top cap	54"	30"	24"	PXPVF903054	☐	☐ ☐ ☐ ☐	16.0#
	• 4-way light block	66"	30"	36"	PXPVF903066	☐	☐ ☐ ☐ ☐	19.0#
	• Two fabric-wrapped pieces of universal height change trim	72"	30"	42"	PXPVF903072	☐	☐ ☐ ☐ ☐	24.0#
	• Two half-posts (height A)	84"	30"	54"	PXPVF903084	☐	☐ ☐ ☐ ☐	23.0#
	• Two half-posts (height B)	42"	36"	6"	PXPVF903642	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware	48"	36"	12"	PXPVF903648	☐	☐ ☐ ☐ ☐	17.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54"	36"	18"	PXPVF903654	☐	☐ ☐ ☐ ☐	19.0#
		66"	36"	30"	PXPVF903666	☐	☐ ☐ ☐ ☐	22.0#
		72"	36"	36"	PXPVF903672	☐	☐ ☐ ☐ ☐	24.0#
		84"	36"	48"	PXPVF903684	☐	☐ ☐ ☐ ☐	27.0#
		48"	42"	6"	PXPVF904248	☐	☐ ☐ ☐ ☐	18.0#
		54"	42"	12"	PXPVF904254	☐	☐ ☐ ☐ ☐	17.0#
		66"	42"	24"	PXPVF904266	☐	☐ ☐ ☐ ☐	20.0#
		72"	42"	30"	PXPVF904272	☐	☐ ☐ ☐ ☐	25.0#
		84"	42"	42"	PXPVF904284	☐	☐ ☐ ☐ ☐	24.0#
		54"	48"	6"	PXPVF904854	☐	☐ ☐ ☐ ☐	20.0#
		66"	48"	18"	PXPVF904866	☐	☐ ☐ ☐ ☐	23.0#
		72"	48"	24"	PXPVF904872	☐	☐ ☐ ☐ ☐	25.0#
		84"	48"	36"	PXPVF904884	☐	☐ ☐ ☐ ☐	28.0#
		66"	54"	12"	PXPVF905466	☐	☐ ☐ ☐ ☐	21.0#
		72"	54"	18"	PXPVF905472	☐	☐ ☐ ☐ ☐	26.0#
		84"	54"	30"	PXPVF905484	☐	☐ ☐ ☐ ☐	25.0#
		72"	66"	6"	PXPVF906672	☐	☐ ☐ ☐ ☐	27.0#
		84"	66"	18"	PXPVF906684	☐	☐ ☐ ☐ ☐	27.0#
		84"	72"	12"	PXPVF907284	☐	☐ ☐ ☐ ☐	30.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 339	\$ 344	\$ 348	\$ 355	\$ 364	\$ 9
343	348	353	359	368	9
393	401	402	412	424	9
406	414	419	426	439	9
451	460	464	474	487	9
397	402	408	416	428	9
499	508	516	526	539	9
348	355	358	366	378	9
363	368	373	381	391	9
379	385	388	397	408	9
406	414	419	426	439	9
420	428	432	441	451	9
448	464	473	488	511	9
367	376	380	387	398	9
387	394	398	406	419	9
437	444	448	456	470	9
456	467	470	480	489	9
501	511	519	528	543	9
391	398	401	410	423	9
408	414	419	428	439	9
408	414	419	428	439	9
454	464	469	481	490	9
414	423	426	437	448	9
403	412	417	426	438	9
488	496	505	515	529	9
399	406	410	420	431	9
414	424	430	439	451	9
428	437	440	449	461	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

4-Way



PTN

MODEL			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
4-Way "X" Intersection w/180° Top Cap, Two Different Heights - ABAB • Unupholstered; trim colored • 180° top cap • 4-way light block • Two pieces of universal height change trim • Two half-posts (height B) • Two half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	A	B	A-B		
				☐	13.0#
				☐	13.0#
				☐	17.0#
				☐	16.0#
				☐	19.0#
				☐	22.0#
				☐	23.0#
				☐	16.0#
				☐	17.0#
				☐	19.0#
				☐	21.0#
				☐	23.0#
				☐	26.0#
				☐	18.0#
				☐	17.0#
				☐	20.0#
				☐	24.0#
				☐	25.0#
				☐	20.0#
				☐	23.0#
				☐	25.0#
				☐	27.0#
				☐	21.0#
				☐	25.0#
				☐	26.0#
				☐	26.0#
				☐	27.0#
				☐	30.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 256	\$ 36
264	39
311	39
321	39
343	44
311	59
411	64
267	36
286	39
298	39
314	41
317	44
366	59
283	36
310	39
353	39
373	41
417	59
309	36
323	39
321	39
368	44
339	39
321	39
403	41
316	36
334	39
352	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	4-Way "X" Intersection w/180° Top Cap, Two Different Heights - AAB	36"	30"	6"	PXPVF1803036	☐	☐ ☐ ☐ ☐	13.0#
		42"	30"	12"	PXPVF1803042	☐	☐ ☐ ☐ ☐	13.0#
	• Upholstered	48"	30"	18"	PXPVF1803048	☐	☐ ☐ ☐ ☐	17.0#
	• 180° top cap	54"	30"	24"	PXPVF1803054	☐	☐ ☐ ☐ ☐	16.0#
	• 4-way light block	66"	30"	36"	PXPVF1803066	☐	☐ ☐ ☐ ☐	19.0#
	• Two fabric-wrapped pieces of universal height change trim	72"	30"	42"	PXPVF1803072	☐	☐ ☐ ☐ ☐	22.0#
	• Two half-posts (height A)	84"	30"	54"	PXPVF1803084	☐	☐ ☐ ☐ ☐	23.0#
	• Two half-posts (height B)	42"	36"	6"	PXPVF1803642	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware	48"	36"	12"	PXPVF1803648	☐	☐ ☐ ☐ ☐	17.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54"	36"	18"	PXPVF1803654	☐	☐ ☐ ☐ ☐	19.0#
		66"	36"	30"	PXPVF1803666	☐	☐ ☐ ☐ ☐	21.0#
		72"	36"	36"	PXPVF1803672	☐	☐ ☐ ☐ ☐	23.0#
		84"	36"	48"	PXPVF1803684	☐	☐ ☐ ☐ ☐	26.0#
		48"	42"	6"	PXPVF1804248	☐	☐ ☐ ☐ ☐	18.0#
		54"	42"	12"	PXPVF1804254	☐	☐ ☐ ☐ ☐	17.0#
		66"	42"	24"	PXPVF1804266	☐	☐ ☐ ☐ ☐	20.0#
		72"	42"	30"	PXPVF1804272	☐	☐ ☐ ☐ ☐	24.0#
		84"	42"	42"	PXPVF1804284	☐	☐ ☐ ☐ ☐	25.0#
		54"	48"	6"	PXPVF1804854	☐	☐ ☐ ☐ ☐	20.0#
		66"	48"	18"	PXPVF1804866	☐	☐ ☐ ☐ ☐	23.0#
		72"	48"	24"	PXPVF1804872	☐	☐ ☐ ☐ ☐	25.0#
		84"	48"	36"	PXPVF1804884	☐	☐ ☐ ☐ ☐	27.0#
		66"	54"	12"	PXPVF1805466	☐	☐ ☐ ☐ ☐	21.0#
		72"	54"	18"	PXPVF1805472	☐	☐ ☐ ☐ ☐	25.0#
		84"	54"	30"	PXPVF1805484	☐	☐ ☐ ☐ ☐	26.0#
		72"	66"	6"	PXPVF1806672	☐	☐ ☐ ☐ ☐	26.0#
		84"	66"	18"	PXPVF1806684	☐	☐ ☐ ☐ ☐	27.0#
		84"	72"	12"	PXPVF1807284	☐	☐ ☐ ☐ ☐	30.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 289	\$ 295	\$ 298	\$ 305	\$ 312	\$ 9
346	352	355	363	373	9
396	401	406	416	426	9
409	417	422	431	441	9
432	440	444	452	467	9
330	337	341	347	356	9
501	511	519	528	542	9
302	307	310	316	323	9
314	320	322	330	341	9
324	333	337	343	353	9
339	344	348	355	364	9
337	343	346	354	363	9
379	386	388	398	409	9
318	323	327	337	344	9
348	355	358	366	380	9
439	446	450	460	473	9
440	446	450	456	468	9
506	516	523	531	547	9
342	348	353	358	368	9
354	359	363	369	381	9
348	355	357	365	378	9
388	397	399	409	420	9
417	425	430	439	450	9
352	357	362	368	380	9
490	500	507	517	531	9
352	357	362	368	380	9
364	374	380	388	401	9
380	386	390	398	409	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Stackable Intersection Conditions

180° 2-Way and End-of-Run

	MODEL	H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color	Fabric Color		
	Stackable Panel-180° 2-Way In-Line Connection, Both Same Height • Unupholstered • One stackable full-post • Black only	12"	PSFP12			3.0#	\$ 73
		18"	PSFP18			4.0#	78
		24"	PSFP24			5.0#	82
PST							
	Stackable Panel-180° 2-Way In-Line Spacer, Both Same Height • Unupholstered: trim colored • Two pieces of stackable universal trim • Stackable in-line trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSSP18012	☐		3.0#	\$ 248
		18"	PSSP18018	☐		4.0#	270
		24"	PSSP18024	☐		5.0#	279
PST							
	Stackable Panel - End-Of-Run Condition • Unupholstered • Stackable end-of-run trim • Stackable full-post • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSEP12	☐		2.0#	\$ 82
		18"	PSEP18	☐		2.0#	88
		24"	PSEP24	☐		3.0#	96
PST							
	Stackable Panel-180° 2-Way In-Line Spacer, Both Panels Same Height • Upholstered • Two pieces of fabric-wrapped universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSSPF18012		☐ ☐ ☐ ☐	3.0#	N/A
		18"	PSSPF18018		☐ ☐ ☐ ☐	4.0#	N/A
		24"	PSSPF18024		☐ ☐ ☐ ☐	5.0#	N/A
PSTF							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

180° 2-Way and End-of-Run

SPECIAL SERVICES



With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way and 3-Way

		H	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 PST	Stackable Panel-90° 2-Way "L" Corner, Both Panels Same Height • Unupholstered • Two pieces of stackable universal trim • Two stackable full-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSCP9012	☐	3.0#
		18"	PSCP9018	☐	4.0#
		24"	PSCP9024	☐	5.0#
 PST	Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height • Unupholstered • Stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSTP3W12	☐	4.0#
		18"	PSTP3W18	☐	5.0#
		24"	PSTP3W24	☐	7.0#
 HRDPT	Stackable/Adjustable Wall Mount • Unupholstered • Attaches a stackable panel to a wall at the start of a run • Includes mounting plate and half-post • Steel construction with painted finish • Hardware for wall attachment is not included • Adjustable up to 1" to correct wall deflection	12"	PSWM12		5.0#
		18"	PSWM18		7.0#
		24"	PSWM24		9.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Stackable Intersection Conditions

2-Way and 3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 248	\$ 29
270	29
279	29
\$ 323	\$ 11
355	11
368	11
\$ 259	\$ 11
267	11
275	11

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way, 3-Way and 4-Way

			MODEL NUMBER		Approx. Packaged Weight Delivered Pricing	
			Basic Model	Fabric Color		
	MODEL	H				
 PSTF	Stackable Panel-90° 2-way "L" Corner, Both Panels Same Height • Upholstered • Two pieces of stackable universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSCPF9012	□□□□	3.0#	N/A
		18"	PSCPF9018	□□□□	4.0#	N/A
		24"	PSCPF9024	□□□□	5.0#	N/A
 PSTF	Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height • Upholstered • Fabric-wrapped stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSTPF3W12	□□□□	4.0#	N/A
		18"	PSTPF3W18	□□□□	5.0#	N/A
		24"	PSTPF3W24	□□□□	7.0#	N/A
 PST	Stackable Panel-4Way "X" Intersection/4-Way Top Cap, All Same Height • Unupholstered • Four stackable half-posts • Corner connector block • 4-way light block • Use top caps from existing lower panels	12"	PSXP4W12		5.0#	\$ 401
		18"	PSXP4W18		7.0#	425
		24"	PSXP4W24		9.0#	446
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**


2-Way, 3-Way and 4-Way

\$	381
	412
	431

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

			MODEL NUMBER		
			Basic Model	Approx. Packaged Weight	
 HRDPT	MODEL	PANEL WIDTH			
	Rigid Wireway - 6 Circuit	24"	PWET6WW.24	2.0#	
	• Distributes 10-wire power and allows receptacle mounting	30"	PWET6WW.30	2.0#	
	• Non-directional	36"	PWET6WW.36	3.0#	
	• Includes mounting clips	42"	PWET6WW.42	3.0#	
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48"	PWET6WW.48	3.0#	
	• Accommodates two duplex receptacles per side. Maximum of four per wireway as standard	54"	PWET6WW.54	4.0#	
	• Receptacles purchase separately	60"	PWET6WW.60	4.0#	
	• 24" wireway accommodates one duplex receptacle per side				
A					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	108
	112
	115
	121
	126
	129
	133

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

			MODEL NUMBER	Approx. Packaged Weight
MODEL		PANEL WIDTH	Basic Model	
 HRDPT	Power Pass Through - 6 Circuit	12"	PWET6PP.12	1.0#
	• Distributes 10-wire power	18"	PWET6PP.18	1.0#
	• Non-directional	24"	PWET6PP.24	1.0#
	• Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper	30"	PWET6PP.30	2.0#
	• Receptacle access is not provided	36"	PWET6PP.36	2.0#
	• Pass through is the same length as the corresponding Rigid Wireway	42"	PWET6PP.42	2.0#
	• Pass through requires panel to panel jumpers (ordered separately)	48"	PWET6PP.48	2.0#
		54"	PWET6PP.54	3.0#
		60"	PWET6PP.60	3.0#
 HRDPT	Power/Data Separation Septum	12"	PDS8.12.BL	1.0#
	• Steel septum provides separation between power and data in base raceway	18"	PDS8.18.BL	1.0#
	• Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
		60"	PDS8.60.BL	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	112
	118
	125
	126
	127
	128
	129
	131
	132
\$	6
	6
	6
	7
	10
	10
	12
	12
	19

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	15 Amp Duplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET6RC.1	☐	1.0#
		Circuit 2	PWET6RC.2	☐	1.0#
		Circuit 3	PWET6RC.3	☐	1.0#
		Circuit 4	PWET6RC.4I	☐	1.0#
		Circuit 5	PWET6RC.5I	☐	1.0#
		Circuit 6	PWET6RC.6I	☐	1.0#
 HRDPT	20 Amp Simplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET620R.1	☐	1.0#
		Circuit 2	PWET620R.2	☐	1.0#
		Circuit 3	PWET620R.3	☐	1.0#
		Circuit 4	PWET620R.4I	☐	1.0#
		Circuit 5	PWET620R.5I	☐	1.0#
		Circuit 6	PWET620R.6I	☐	1.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	30
	30
	30
	30
	30
	30
\$	47
	47
	47
	47
	47
	47

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

MODEL	L	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	17"	PWET6PJ.17	1.0#
 HRDPT	20"	PWET6PJ.20	1.0#
 HRDPT	20"	PWET6VJ.20	1.0#
 HRDPT	56"	PWET6VJ.56	2.0#
 HRDPT	16"	PWET6ID	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	81
\$	82
\$	82
\$	165
\$	212

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	Top Feed with 7' or 10' Pole - 6 Circuit • Can be used at top of panel only • Connects to either end of Rigid Wireway at any level. Doesn't occupy space for duplex receptacle • Includes aluminum power pole, panel trim and ceiling trim • Specify trim color	7"	PWET6TF7	☐	10.0#
		10"	PWET6TF10	☐	15.0#
 HRDPT	Data Feed • Can be used at top of panel only • Includes aluminum power pole, panel trim and ceiling trim • Pole is available in two heights, 7' and 10' • Specify trim color	84"	PDF8.7	☐	7.0#
		120"	PDF8.10	☐	10.0#
 HRDPT	Universal Base Infeed with Bezel - 6 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • 72" Whip is color matched to trim • Non-directional	72"	PWET6BFU		4.0#
 HRDPT	Tech Panel Base Infeed - 6 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Designed to lay on floor and fit under lowest tile • 72" Whip is color matched to trim • Non-directional	72"	PWET6TBF		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



Electrical
10-Wire System 6 Circuit “810

Delivered Pricing		Metallic Paint add to list price
\$	396	\$ 102
	493	102
\$	119	\$ 102
	174	102
\$	212	N/A
\$	460	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	New York Power Infeed with Bezel - 6 Circuit • City of New York approved power entry box with panel to panel connectors • Can be used at base level only • 72" Whip is color matched to trim • Entry box is mounted to bottom horizontal on left or right side of panel • 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel	72"	PWET6NYBF.72	☐ ☐	6.0#
 HRDPT	New York Power Infeed Kit/Ceiling - 6 Circuit • Order power/data pole (PDF8. size(colors)) separately	216"	PWET6NYTF.216		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	483
\$	597

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER	
MODEL			Basic Model	Approx. Packaged Weight
 HRDPT	Rigid Wireway - 4 Circuit	24"	PWET4WW.24	2.0#
	• Distributes 10-wire power and allows receptacle mounting	30"	PWET4WW.30	2.0#
	• Non-directional	36"	PWET4WW.36	3.0#
	• Includes mounting clips	42"	PWET4WW.42	3.0#
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48"	PWET4WW.48	3.0#
		54"	PWET4WW.54	4.0#
	• Accommodates two deuplex receptacles per side. Maximum of two per wireway as standard	60"	PWET4WW.60	4.0#
	• 24" wireway accommodates one duplex receptacle per side			
	• Receptacles purchased separately			

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	108
	112
	115
	121
	126
	129
	133

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
	MODEL	PANEL WIDTH		
 HRDPT	Power Pass Through - 4 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper • Receptacle access is not provided • Pass through is the same length as the corresponding Rigid Wireway • Pass through requires panel to panel jumpers (ordered separately)	12"	PWET4PP.12	1.0#
		18"	PWET4PP.18	1.0#
		24"	PWET4PP.24	1.0#
		30"	PWET4PP.30	2.0#
		36"	PWET4PP.36	2.0#
		42"	PWET4PP.42	2.0#
		48"	PWET4PP.48	2.0#
		54"	PWET4PP.54	3.0#
 HRDPT	Power/Data Separation Septum • Steel septum provides separation between power and data in base raceway • Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	12"	PDS8.12.BL	1.0#
		18"	PDS8.18.BL	1.0#
		24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
		60"	PDS8.60.BL	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	112
	118
	125
	132
	107
	107
	111
	114
	115
\$	6
	6
	6
	7
	10
	10
	12
	12
	19

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	Features				
 	15 Amp Duplex Receptacle with Bezel - 4 Circuit	Circuit 1	PWET4RC.1	☐	1.0#
	• Snaps to wireways of powered panels • 3I and 4I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 2	PWET4RC.2	☐	1.0#
		Circuit 3	PWET4RC.3I	☐	1.0#
		Circuit 4	PWET4RC.4I	☐	1.0#
 	20 Amp Simplex Receptacle with Bezel - 4 Circuit	Circuit 1	PWET420R.1	☐	1.0#
	• Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 2	PWET420R.2	☐	1.0#
		Circuit 4	PWET420R.4I	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	31
	31
	31
	31
\$	47
	47
	47

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

	MODEL	L	MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
	17" Panel to Panel Jumper - 4 Circuit - Used on in-line and inside 90° corner intersections - Non-directional	17"	PWET4PJ.17	1.0#
HRDPT				
	20" Panel to Panel Jumper - 4 Circuit - Used on outside 90° corners and straight through "T" intersections - Non-directional	20"	PWET4PJ.20	1.0#
HRDPT				
	20" Vertical Jumper - 4 Circuit - Jumps power from ADA-height to worksurface-height or worksurface-height to stand-up-height - Non-directional	20"	PWET4VJ.20	1.0#
HRDPT				
	56" Vertical Jumper - 4 Circuit - Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height - Non-directional	56"	PWET4VJ.56	2.0#
HRDPT				
	Internal Duplex Assembly - 4 Circuit - UL listed for use with IT communications gear only - Circuit 4 only	16"	PWET4ID	2.0#
HRDPT				

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	81
\$	82
\$	82
\$	165
\$	212

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	Top Infeed with 7' or 10' Pole - 4 Circuit • Can be used at top of panel only • Connects to either end of Rigid Wireway at any level. Doesn't occupy space for duplex receptacle • Includes aluminum power pole, panel trim and ceiling trim • Specify trim color	7"	PWET4TF7	☐ ☐	10.0#
		10"	PWET4TF10	☐ ☐	15.0#
 HRDPT	Data Feed • Can be used at top of panel only • Includes aluminum power pole, panel trim and ceiling trim • Pole is available in two heights, 7' and 10' • Specify trim color	84"	PDF8.7	☐ ☐	7.0#
		120"	PDF8.10	☐ ☐	10.0#
 HRDPT	Universal Base Infeed with Bezel - 4 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • 72" Whip is color matched to trim • Non-directional	72"	PWET4BFU		4.0#
 HRDPT	Tech Panel Base Infeed - 4 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Designed to lay on floor and fit under lowest tile • 72" Whip is color matched to trim • Non-directional	72"	PWET4TBF		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



Electrical
10-Wire System 4 Circuit “810

Delivered Pricing		Metallic Paint add to list price
\$	396	\$ 102
	493	102
\$	119	\$ 102
	174	102
\$	212	N/A
\$	460	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

		MODEL NUMBER		Approx. Packaged Weight	
		Basic Model	Trim Color		
 HRDPT	New York Power Infeed with Bezel - 4 Circuit • City of New York approved power entry box with panel to panel connector • Can be used at base level only • 72" Whip is color matched to trim • Entry box is mounted to bottom horizon- tal on left or right side of panel • 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel	72"	PWET4NYBF.72	☐ ☐	6.0#
 HRDPT	New York Power Infeed Kit/Ceiling - 4 Circuit • Order power/data pole (PDF8.size(color)) separately	216"	PWET4NYTF.216		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	499
\$	597

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER	Approx. Packaged Weight
MODEL	PANEL WIDTH	Basic Model		
 HRDPT	Rigid Wireway Add-On Kit	24"	PRW8.24	2.0#
	• Distributes 8-wire power and allows receptacle mounting	30"	PRW8.30	2.0#
	• Includes two nylon mounting clips	36"	PRW8.36	3.0#
	• Wireway can be mounted inside the base raceway or behind any raceway tile	42"	PRW8.42	3.0#
	• Directional	48"	PRW8.48	3.0#
		54"	PRW8.54	4.0#
		60"	PRW8.60	4.0#
 HRDPT	Power Pass Through	12"	PPT8.12	1.0#
	• Provides continuation of power in a non-powered panel when powered panels are on either side	18"	PPT8.18	1.0#
		24"	PPT8.24	1.0#
	• Consists of flexible conduit with eight conductors and a connector on each end	30"	PPT8.30	2.0#
	• Receptacle access is not provided	36"	PPT8.36	2.0#
	• Directional	42"	PPT8.42	2.0#
		48"	PPT8.48	2.0#
		54"	PPT8.54	3.0#
	60"	PPT8.60	3.0#	
 HRDPT	Power/Data Separation Septum	12"	PDS8.12.BL	1.0#
	• Steel septum provides separation between power and data in base raceway	18"	PDS8.18.BL	1.0#
	• Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
	60"	PDS8.60.BL	2.0#	

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	90
	99
	108
	122
	132
	145
	163
\$	73
	77
	79
	84
	87
	90
	93
	96
	99
\$	6
	6
	6
	7
	10
	10
	12
	12
	19

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Receptacle Color	Trim Color	
MODEL	Features					
 HRDPT	15 Amp Duplex Receptacle w/Bezel • Snaps to wireways of powered panels • Rated at 15 amps @ 120 volts • #4 and #5 circuits are stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacles color matches trim color	Circuit 1	PRCP815.1		☐	0.2#
		Circuit 2	PRCP815.2		☐	0.2#
		Circuit 3	PRCP815.3		☐	0.2#
		Circuit 4	PRCP815.4		☐	0.2#
		Circuit 5	PRCP815.5		☐	0.2#
 HRDPT	15 Amp Surge Suppression Module • Snaps to wireways of powered panels • Rated at 15 amps @ 120 volts • #4 and #5 circuits are stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power	Circuit 4	PRCPS815.4		☐	0.2#
		Circuit 5	PRCPS815.5		☐	0.2#
 PRCP	20 Amp Simplex Receptacle and Bezel • Snaps to wireways of powered panels • Rated at 20 amps @ 120 volts • #5 circuit is stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power	Circuit 1	PRCP820.1	☐	☐	0.2#
		Circuit 2	PRCP820.2	☐	☐	0.2#
		Circuit 3	PRCP820.3	☐	☐	0.2#
		Circuit 4	PRCP820.4	☐	☐	0.2#
		Circuit 5	PRCP820.5	☐	☐	0.2#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select receptacle color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic finish not available.



Delivered Pricing	
\$	30
	30
	30
	30
	30
\$	127
	127
\$	114
	114
	114
	114
	114

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C







Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

MODEL	Panel Width	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Receptacle Color	Trim Color	
 HRDPT	Bezel	46.0073		☐ ☐	0.1#
 HRDPT	15 Amp Surge Suppression Module	Circuit 4	46.0206.4	☐ ☐	0.2#
		Circuit 5	46.0206.5	☐ ☐	0.2#
 HRDPT	20 Amp Receptacle	Circuit 1	46.0205.1	☐ ☐	0.2#
		Circuit 2	46.0205.2	☐ ☐	0.2#
		Circuit 3	46.0205.3	☐ ☐	0.2#
		Circuit 4	46.0205.4	☐ ☐	0.2#
		Circuit 5	46.0205.5	☐ ☐	0.2#
 HRDPT	15 Amp Receptacle	Circuit 1	46.0082.1	☐ ☐	0.2#
		Circuit 2	46.0082.2	☐ ☐	0.2#
		Circuit 3	46.0082.3	☐ ☐	0.2#
		Circuit 4	46.0082.4	☐ ☐	0.2#
		Circuit 5	46.0082.5	☐ ☐	0.2#
 HRDPT	Chicago Code Receptacle Kit		PRK.HW	☐ ☐	0.8#
	• Receptacle box				
	• Mounting bracket				
	• Filler plate				
 HRDPT	Chicago Electrical Mounting Bar	24"	PCEM.24		1.0#
	• Steel bar construction	30"	PCEM.30		2.0#
	• Accepts Chicago code receptacle kit	36"	PCEM.36		2.0#
	• Includes mounting hardware	42"	PCEM.42		2.0#
		48"	PCEM.48		3.0#
		54"	PCEM.54		3.0#
		60"	PCEM.60		3.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select receptacle color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- C** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	2
\$	125
	125
\$	111
	111
	111
	111
	111
\$	26
	26
	26
	26
	26
\$	34
\$	21
	25
	28
	33
	36
	36
	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Electrical

8-Wire System

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
 HRDPT	MODEL Top Feed - Includes the following: electrical infeed, extruded aluminium power pole (color specific), panel and ceiling trim - Directional	Panel Width	L			
			84"	PTF8.7	☐ ☐	10.0#
			120"	PTF8.10	☐ ☐	15.0#
 HRDPT	Data Feed Includes the following: extruded aluminium power pole (color specific), panel and ceiling trim		84"	PDF8.7	☐ ☐	7.0#
			120"	PDF8.10	☐ ☐	10.0#
 HRDPT	New York Power Infeed Kit City of New York approved power entry box	24"		PIF.NY.24	☐ ☐	3.0#
		30"		PIF.NY.30	☐ ☐	3.0#
		36"		PIF.NY.36	☐ ☐	4.0#
		42"		PIF.NY.42	☐ ☐	5.0#
		48"		PIF.NY.48	☐ ☐	5.0#
		54"		PIF.NY.54	☐ ☐	6.0#
		60"		PIF.NY.60	☐ ☐	6.0#
				A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



Electrical
8-Wire System

Delivered Pricing	Metallic Paint add to list price
\$ 397	\$ 102
724	102
\$ 119	\$ 102
174	102
\$ 309	\$ 102
324	102
343	102
359	102
379	102
394	102
411	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	Universal Base Infeed • Color specific base infeed • Removable filler plate • Bezel • Field notable for left, right and straight applications • Directional	72"	PBF8	☐ ☐	4.0#
 HRDPT	17" Panel to Panel Jumper • Used on in-line and inside 90° corner intersections • Directional	17"	PHJMP8.17		1.0#
 HRDPT	21" Panel to Panel Jumper • Used on outside 90° corners and straight through "T" intersections • Directional	21"	PHJMP8.21		1.0#
 HRDPT	23" Vertical Jumper • Jumps power from ADA-height to worksurface-height or worksurface-height to stand-up-height • Directional	23"	PVJMP8.23		1.0#
 HRDPT	53" Vertical Jumper • Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height, or ADA-height to stand-up height • Directional	53"	PVJMP8.53		2.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
Metallic finish not available.



Delivered Pricing	
\$	161
\$	65
\$	69
\$	79
\$	96

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Cable Management

	MODEL	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Acoustical Tile Vertical Cable Guide • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile • Cannot be used with raceway tile • Maximum of two guides behind a 12" high acoustic tile • Ordered in packs of 25	46.0097.PCK	0.2#
 HRDPT	Acoustical Tile Horizontal Cable Support • Clips into bottom midpoint of horizontal rail • Aligns with vertical cable guides to keep cables supported at midpoint of panel • Cable supports gang vertically • Can also support loops of cable • Cannot be used with raceway tile • Ordered in packs of 25	46.0099.PCK	0.2#
 HRDPT	Tile 90 Cable Guard • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile at the inside of a 90° corner • Cannot be used with raceway tile • Need two guides per 12" high tile • Ordered in packs of 25	46.0096.PCK	0.2#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	29
\$	34
\$	28

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Cable Management

	MODEL	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Horizontal Rail Cable Guard • Clips into end notch of horizontal rail • Protects and manages cables • Ordered in packs of 25	46.0098.PCK	0.2#
 HRDPT	Top Cap 90° Cable Guard • Manages cables between half posts and under top cap • Protects and manages cables • Ordered in packs of 25	46.0200.PCK	1.0#
HRDPT	Cable Management Demo Pack • Includes a sampling of cable guards and supports to demonstrate WireWorks® superior cable handling capabilities	PCMDP	1.0#
 HRDPT	Cable Tile Anchor Pad • 4-Way cable tie mounting device (1" x 1" base) • Mounts to side of vertical post to anchor cable • Ties and secures vertical runs of cables within the panel • Accepts 18-40 lb. cable ties • Mounts with adhesive foam tape • Recommend one anchor pad for every 12" to 18" of vertical cables within a panel • Ordered in packs of 100	46.0753.PCK	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	31
\$	19
\$	12
\$	61

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Rectangular

			MODEL NUMBER							Approx. Packaged Weight
MODEL	D x W	Basic Model	Edge Style	Surface Finish	Trim Color	Grommet Location	Edge Color	Grommet Color		
 Flat Vinyl T-Edge (BN) PWR	Rectangular Worksurfaces - 24" D	24 x 24"	PWR2424	☐	☐	☐	☐	☐	☐	23.0#
	• 60" worksurfaces contain two steel reinforcing bars • Includes worksurface supports • All surfaces 66" and longer are provided with an additional left-hand cantilever bracket • Worksurfaces with 74P, postformed, knife edge and veneer edges have one 2-1/2" x 6" grommet up to 54" wide, 60" - 96" have two grommets • 3" diameter grommet optional on vinyl T-edge worksurfaces only	24 x 30"	PWR2430	☐	☐	☐	☐	☐	☐	28.0#
		24 x 36"	PWR2436	☐	☐	☐	☐	☐	☐	33.0#
		24 x 42"	PWR2442	☐	☐	☐	☐	☐	☐	37.0#
		24 x 48"	PWR2448	☐	☐	☐	☐	☐	☐	42.0#
		24 x 54"	PWR2454	☐	☐	☐	☐	☐	☐	46.0#
		24 x 60"	PWR2460	☐	☐	☐	☐	☐	☐	51.0#
		24 x 66"	PWR2466	☐	☐	☐	☐	☐	☐	56.0#
		24 x 72"	PWR2472	☐	☐	☐	☐	☐	☐	61.0#
		24 x 78"	PWR2478	☐	☐	☐	☐	☐	☐	66.0#
		24 x 84"	PWR2484	☐	☐	☐	☐	☐	☐	71.0#
		24 x 90"	PWR2490	☐	☐	☐	☐	☐	☐	74.0#
24 x 96"	PWR2496	☐	☐	☐	☐	☐	☐	76.0#		
 74P Edge (74P) Postformed Edge (PL) Wood Edge (WV) PWR	Rectangular Worksurfaces - 30" D	30 x 24"	PWR3024	☐	☐	☐	☐	☐	☐	28.0#
	30 x 30"	PWR3030	☐	☐	☐	☐	☐	☐	34.0#	
	30 x 36"	PWR3036	☐	☐	☐	☐	☐	☐	40.0#	
	30 x 42"	PWR3042	☐	☐	☐	☐	☐	☐	46.0#	
	30 x 48"	PWR3048	☐	☐	☐	☐	☐	☐	57.0#	
	30 x 54"	PWR3054	☐	☐	☐	☐	☐	☐	62.0#	
	30 x 60"	PWR3060	☐	☐	☐	☐	☐	☐	68.0#	
	30 x 66"	PWR3066	☐	☐	☐	☐	☐	☐	72.0#	
	30 x 72"	PWR3072	☐	☐	☐	☐	☐	☐	79.0#	
	30 x 78"	PWR3078	☐	☐	☐	☐	☐	☐	85.0#	
	30 x 84"	PWR3084	☐	☐	☐	☐	☐	☐	89.0#	
	30 x 90"	PWR3090	☐	☐	☐	☐	☐	☐	92.0#	
	30 x 96"	PWR3096	☐	☐	☐	☐	☐	☐	94.0#	
				A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
KN	- Knife edge
PL	- Postformed edge
WE	- Wood edge, laminate surface
WV	- Wood edge, veneer surface

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select grommet location.

N	- No grommet
L	- Grommet : left; add \$42

C	- Grommet : center; add \$42
R	- Grommet : /right; add \$42
LR	- Grommet : left/right; add \$87
LC	- Grommet : left/center; add \$87
CR	- Grommet : center/right; add \$87
LCR	- Grommet : left/center/right; add \$128

F Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces


Rectangular




Flat Vinyl T-Edge
(BN)




74P Edge
(74P)




Postformed Edge
(PL)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

\$ 254	\$ 267	\$ 317	\$ 278	\$ 364	\$ 724
275	288	344	303	406	799
294	309	365	320	450	896
334	353	420	366	492	981
357	378	446	393	539	1117
373	393	469	464	639	1246
388	406	486	482	744	1414
396	417	493	493	768	1497
402	424	506	511	806	1632
416	431	519	527	871	1787
428	448	536	542	915	1938
433	454	539	574	973	1986
439	461	549	590	1006	2038
\$ 275	\$ 288	\$ 344	\$ 303	\$ 394	\$ 799
294	309	365	294	441	872
316	330	394	346	488	987
355	369	443	364	541	1091
382	399	475	382	584	1237
393	411	489	538	686	1385
403	425	507	578	790	1593
420	440	523	596	817	1729
425	446	531	610	826	1861
436	456	542	630	930	2055
441	464	552	648	961	2254
449	473	564	667	1025	2319
461	485	576	683	1060	2388

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

"P" Shaped Peninsula/Piano Peninsula

			MODEL NUMBER							Approx. Packaged Weight
MODEL	D x W x L	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color		
 Left shown	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"	PWPT244860	☐	☐	☐	☐	☐	65.0#	
	Includes worksurface supports	24 x 48 x 72"	PWPT244872	☐	☐	☐	☐	☐	79.0#	
	Peninsula worksurfaces have one 2-1/2" x 6" grommet centered on rear edge	30 x 48 x 72"	PWPT304872	☐	☐	☐	☐	☐	88.0#	
	72" worksurfaces contain two steel reinforcing bars									
PWPR										
 Left shown	Piano Peninsula Worksurfaces	24 x 48 x 60"	PWPP244860	☐	☐	☐	☐	☐	57.0#	
	Includes worksurface supports	24 x 48 x 72"	PWPP244872	☐	☐	☐	☐	☐	72.0#	
	Peninsula worksurfaces have one 2-1/2" x 6" grommet centered on rear edge	30 x 48 x 72"	PWPP304872	☐	☐	☐	☐	☐	82.0#	
	72" worksurfaces contain two steel reinforcing bars									
PWPR										
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select surface direction.

- DL** - Direction left
DR - Direction right

Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.

C Select edge style.

- 74P** - 74P edge
KN - Knife edge
WE - Wood edge, laminate surface
WV - Wood edge, veneer surface

D Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Surface finish offerings are based on edge style selections.

E Select trim color.

Refer to the **KI Color Addendum** or **KI**

Fabrics & Finishes binder.

F Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code





KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces

"P" Shaped Peninsula/Piano Peninsula

			
74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WE)	Wood Edge Veneer (WV)
\$ 744	\$ 802	\$ 1292	\$ 4854
788	905	1535	5718
812	906	1499	5765
\$ 744	\$ 802	\$ 1182	\$ 3685
788	905	1399	4318
812	906	1399	4396

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

			MODEL NUMBER							Approx. Packaged Weight
MODEL	D x W x L	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color		
 Left shown PWPR	Square Shoe Worksurfaces	24 x 48 x 60"	PWSS244860	□□	□□	□□□	□□	□□□	□□□	71.0#
	- Includes worksurface supports 60" worksurfaces contain two steel reinforcing bars - All surfaces 66" and longer are provided with an additional left-hand cantilever bracket - All surfaces have one 2-1/2 x 6" grommet centered on side and rear edges	24 x 48 x 66"	PWSS244866	□□	□□	□□□	□□	□□□	□□□	75.0#
		24 x 48 x 72"	PWSS244872	□□	□□	□□□	□□	□□□	□□□	79.0#
		24 x 48 x 84"	PWSS244884	□□	□□	□□□	□□	□□□	□□□	87.0#
		30 x 48 x 66"	PWSS304866	□□	□□	□□□	□□	□□□	□□□	89.0#
		30 x 48 x 72"	PWSS304872	□□	□□	□□□	□□	□□□	□□□	93.0#
		30 x 48 x 84"	PWSS304884	□□	□□	□□□	□□	□□□	□□□	101.0#
 PWCD	Conference End Worksurface	26 x 52"	PWCE2652		□□	□□□	□□	□□□	□□□	21.0#
	Includes two 3" diameter metal columns with adjustable glides	31 x 52"	PWCE3152		□□	□□□	□□	□□□	□□□	41.0#
		32 x 64"	PWCE3264		□□	□□□	□□	□□□	□□□	60.0#
		37 x 64"	PWCE3764		□□	□□□	□□	□□□	□□□	32.0#

A

B

C

D

E

F


G

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces


Square Shoe/Conference End




Flat Vinyl T-Edge
(BN)




74P Edge
(74P)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

N/A	\$ 680	\$ 709	\$ 1129	\$ 2986
N/A	716	724	1137	3282
N/A	731	745	1157	3581
N/A	749	781	1267	4165
N/A	747	766	1157	3282
N/A	759	777	1182	3581
N/A	779	792	1296	4165

\$ 419	\$ 438	\$ 656	\$ 867	\$ 1086
436	456	663	979	1215
449	473	699	1014	2911
616	648	713	1035	3469

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

"D" Shaped Peninsula

			MODEL NUMBER								
MODEL			D x W	Basic Model	Edge Style	Surface Finish	Trim Color	Grommet Location	Edge Color	Grommet Color	Approx. Packaged Weight
 PWCD	"D" Shaped Peninsula Worksurfaces - Not available with laminate postformed edge - Includes mounting hardware 72" worksurfaces contain two steel reinforcing bars - Round grommets optional - Flat vinyl T-edge is available with 3" diameter grommets (30" or 36" edge only) - Veneer option must be ordered via KI Specials Dept (a. Specify left, right or center b. Specify depth of adjacent worksurface)	30 x 48"	PWP3048	☐	☐	☐	☐	☐	☐	53.0#	
		30 x 60"	PWP3060	☐	☐	☐	☐	☐	☐	☐	63.0#
		30 x 72"	PWP3072	☐	☐	☐	☐	☐	☐	☐	76.0#
		36 x 60"	PWP3660	☐	☐	☐	☐	☐	☐	☐	75.0#
		36 x 72"	PWP3672	☐	☐	☐	☐	☐	☐	☐	89.0#
 PWCD	"D" Shaped Peninsula Worksurface Mounts to Another Worksurface - Not available with laminate postformed edge - Does not include wire management grommet - Includes mounting hardware 72" worksurfaces contain two steel reinforcing bars	30 x 48"	PWSMP3048	☐	☐	☐	☐	☐	☐	54.0#	
		30 x 60"	PWSMP3060	☐	☐	☐	☐	☐	☐	☐	64.0#
		30 x 72"	PWSMP3072	☐	☐	☐	☐	☐	☐	☐	77.0#
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
| KN | - Knife edge |

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select grommet location on T-edge (BN) only.

- | | |
|----------|------------------------------|
| N | - No grommet |
| L | - Grommet : left; add \$42 |
| C | - Grommet : center; add \$42 |
| R | - Grommet : /right; add \$42 |

LR - Grommet : left/right; add \$87

LC - Grommet : left/center; add \$87

CR - Grommet : center/right; add \$87

LCR - Grommet : left/center/right; add \$128

F Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
For 'T-Edge (BN) only.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces
"D" Shaped Peninsula




Flat Vinyl T-Edge
(BN)

\$ 519
574
631
700
761



74P Edge
(74P)

\$ 543
600
663
741
801



Knife Edge
(KN)

\$ 552
681
826
849
1032

\$ 519
574
631

\$ 543
600
663

\$ 552
681
826

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

			MODEL NUMBER					
MODEL		D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Surface Finish	Edge Color	Grommet Color	
 PWWC	Dual Curvilinear/Diag/Curvilinear 90° Corner - Includes mounting hardware - Worksurfaces have one 2-1/2" x 6" grommet located 12" from rear corner along right rear edge	24 x 42 x 42 x 24"	PWDCE244224	☐	☐	☐	☐	
		24 x 48 x 48 x 24"	PWDCE244824	☐	☐	☐	☐	
		30 x 48 x 48 x 30"	PWDCE304830	☐	☐	☐	☐	
 74P Edge (74P)  Flat Vinyl T-Edge (BN) PWWC	Diagonal 90° Corner Worksurface - Includes mounting hardware - Left-hand cantilever is provided for rear corner - Includes one grommet	24 x 36 x 36 x 24"	PWD243624	☐	☐	☐	☐	
		24 x 42 x 42 x 24"	PWD244224	☐	☐	☐	☐	
		24 x 42 x 42 x 30"	PWD244230	☐	☐	☐	☐	
		24 x 48 x 48 x 24"	PWD244824	☐	☐	☐	☐	
		24 x 48 x 48 x 30"	PWD244830	☐	☐	☐	☐	
		30 x 42 x 42 x 24"	PWD304224	☐	☐	☐	☐	
		30 x 42 x 42 x 30"	PWD304230	☐	☐	☐	☐	
		30 x 48 x 48 x 24"	PWD304824	☐	☐	☐	☐	
		30 x 48 x 48 x 30"	PWD304830	☐	☐	☐	☐	
 74P Edge (74P) PWWC	Curvilinear 90° Corner Worksurfaces - Includes mounting hardware - Left-hand cantilever is provided for rear corner	24 x 36 x 36 x 24"	PWC243624	☐	☐	☐	☐	
		24 x 42 x 42 x 24"	PWC244224	☐	☐	☐	☐	
		24 x 42 x 42 x 30"	PWC244230	☐	☐	☐	☐	
		24 x 48 x 48 x 24"	PWC244824	☐	☐	☐	☐	
		24 x 48 x 48 x 30"	PWC244830	☐	☐	☐	☐	
		30 x 36 x 36 x 30"	PWC303630	☐	☐	☐	☐	
		30 x 42 x 42 x 24"	PWC304224	☐	☐	☐	☐	
		30 x 42 x 42 x 30"	PWC304230	☐	☐	☐	☐	
		30 x 48 x 48 x 24"	PWC304824	☐	☐	☐	☐	
		30 x 48 x 48 x 30"	PWC304830	☐	☐	☐	☐	
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
KN	- Knife edge
PL	- Postformed edge
WE	- Wood edge, laminate surface
WV	- Wood edge, veneer surface

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code






KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 74P Edge (74P)	 Postformed Edge (PL)	 Knife Edge (KN)	 Wood Edge Laminate (WE)	 Wood Edge Veneer (WV)
75.0#	N/A	\$ 1893	N/A	\$ 1888	\$ 2183	\$ 4199
84.0#	N/A	1937	N/A	1933	2235	4741
98.0#	N/A	2044	N/A	2039	2281	4909
46.0#	\$ 399	\$ 422	\$ 501	\$ 449	N/A	\$ 1960
55.0#	462	486	577	503	N/A	2657
51.0#	430	449	N/A	503	N/A	N/A
64.0#	535	559	667	541	N/A	3336
62.0#	495	522	N/A	541	N/A	N/A
51.0#	430	449	N/A	503	N/A	N/A
69.0#	462	486	577	503	N/A	2743
62.0#	495	522	N/A	541	N/A	N/A
78.0#	535	559	667	541	N/A	3420
44.0#	N/A	\$ 461	N/A	\$ 449	\$ 716	\$ 2044
53.0#	N/A	489	N/A	503	785	2778
49.0#	N/A	489	N/A	503	N/A	2084
62.0#	N/A	610	N/A	541	809	3407
60.0#	N/A	610	N/A	541	N/A	2778
49.0#	N/A	461	N/A	449	673	2125
49.0#	N/A	489	N/A	503	N/A	2084
67.0#	N/A	523	N/A	503	766	2890
60.0#	N/A	610	N/A	541	N/A	2778
76.0#	N/A	642	N/A	541	824	3505

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Countertops

				MODEL NUMBER							
MODEL	Features	D x W	Basic Model	Notch Location	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color		
 PWCT	Straight Countertops - For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection - Brackets include steel locking clips to prevent dislodgement - Countertops accept task light	16 x 24"	PWCT24	☐	☐	☐	☐	☐	☐		
		16 x 30"	PWCT30	☐	☐	☐	☐	☐	☐		
		16 x 36"	PWCT36	☐	☐	☐	☐	☐	☐		
		16 x 42"	PWCT42	☐	☐	☐	☐	☐	☐		
		16 x 48"	PWCT48	☐	☐	☐	☐	☐	☐		
		16 x 54"	PWCT54	☐	☐	☐	☐	☐	☐		
		16 x 60"	PWCT60	☐	☐	☐	☐	☐	☐		
		16 x 66"	PWCT66	☐	☐	☐	☐	☐	☐		
		16 x 72"	PWCT72	☐	☐	☐	☐	☐	☐		
		16 x 78"	PWCT78	☐	☐	☐	☐	☐	☐		
		16 x 84"	PWCT84	☐	☐	☐	☐	☐	☐		
 PWCT	90° Corner Countertops - For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection - Brackets include steel locking clips to prevent dislodgement - PL edge comes with two individual tops and are placed next to each other in field	2-piece standard 16 x 24"	PW9024	☐	☐	☐	☐	☐	☐		
		2-piece standard 16 x 30"	PW9030	☐	☐	☐	☐	☐	☐		
		2-piece standard 16 x 36"	PW9036	☐	☐	☐	☐	☐	☐		
 PWCW	Straight Countertops - Wheelchair Height - For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection - Brackets include steel locking clips to prevent dislodgement	16 x 24"	PWCTWC24	☐	☐	☐	☐	☐	☐		
		16 x 30"	PWCTWC30	☐	☐	☐	☐	☐	☐		
		16 x 36"	PWCTWC36	☐	☐	☐	☐	☐	☐		
		16 x 42"	PWCTWC42	☐	☐	☐	☐	☐	☐		
		16 x 48"	PWCTWC48	☐	☐	☐	☐	☐	☐		
		16 x 54"	PWCTWC54	☐	☐	☐	☐	☐	☐		
		16 x 60"	PWCTWC60	☐	☐	☐	☐	☐	☐		
		16 x 66"	PWCTWC66	☐	☐	☐	☐	☐	☐		
		16 x 72"	PWCTWC72	☐	☐	☐	☐	☐	☐		
		16 x 78"	PWCTWC78	☐	☐	☐	☐	☐	☐		
		16 x 84"	PWCTWC84	☐	☐	☐	☐	☐	☐		
 PWCW	90° Countertops - Wheelchair Height - For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection - Brackets include steel locking clips to prevent dislodgement - PL edge comes with two individual tops and are placed next to each other in field	2-piece standard 16 x 24"	PWCTWC9024	☐	☐	☐	☐	☐	☐		
		2-piece standard 16 x 30"	PWCTWC9030	☐	☐	☐	☐	☐	☐		
		2-piece standard 16 x 36"	PWCTWC9036	☐	☐	☐	☐	☐	☐		
			A	B	C	D	E	F	G		

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select notch location.

- S** - Standard
- LS** - Left notch for std trim
- RS** - Right notch for std trim
- BS** - Both notches for std trim
- LF** - Left notch for flat trim
- RF** - Right notch for flat trim
- BF** - Both notches for flat trim

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection

C Select edge style.

- BN** - Flat vinyl T-edge
- 74P** - 74P edge
- PL** - Postformed edge
- KN** - Knife edge
- WE** - Wood edge, laminate surface
- WV** - Wood edge, veneer surface

D Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Surface finish offerings are based on edge style selections.

E Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic finish not available.

F Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select grommet color.

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection, otherwise there is no grommet color selection

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:





Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces

Countertops

						
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Wood Edge Laminate (WE)	Wood Edge Veneer (WV)
16.0#	\$ 228	\$ 236	\$ 281	\$ 240	\$ 369	\$ 835
19.0#	251	262	311	267	402	981
22.0#	264	277	330	280	437	1089
25.0#	306	319	382	324	483	1194
28.0#	324	343	406	348	515	1339
31.0#	342	357	428	394	602	1521
34.0#	355	369	443	409	632	1700
37.0#	363	382	454	449	680	1808
40.0#	368	390	464	460	706	1881
43.0#	380	397	473	485	733	1921
43.0#	388	406	486	499	758	2276
23.0#	\$ 369	\$ 391	\$ 467	\$ 398	N/A	\$ 3088
30.0#	474	496	594	507	N/A	3308
37.0#	558	587	698	596	N/A	3463
16.0#	\$ 263	\$ 275	\$ 319	\$ 252	\$ 391	\$ 871
19.0#	283	300	348	279	355	1018
22.0#	303	316	366	314	388	1124
25.0#	342	356	419	333	436	1232
28.0#	363	380	443	347	467	1377
31.0#	379	394	464	420	552	1556
34.0#	391	408	483	437	586	1736
37.0#	398	419	489	488	631	1844
40.0#	406	425	499	503	659	1915
43.0#	417	436	510	527	684	1957
46.0#	424	443	522	543	714	2311
23.0#	\$ 408	\$ 428	\$ 501	\$ 431	N/A	\$ 3123
30.0#	511	536	630	485	N/A	3342
37.0#	594	624	733	519	N/A	3500

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

WMT

KL's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.
Contact KL.



Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)
98.0#	\$ 849	\$ 890
132.0#	852	895

69.0#	\$ 1011	\$ 1061
88.0#	1030	1083
69.0#	1011	1061
88.0#	1030	1083

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Mobile Teardrop/Mobile Semi-Circle

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Edge Style	Surface Finish	Edge Color	
MODEL	D x DIA						
 WCT	Quarter Round Transitional Worksurface	24 X 24" Dia for Panel	WQRPW24	☐	☐	☐	34.0#
	• Two splice plates provided • For use with fixed height workstations only • Available with flat vinyl T-edge or 74P edge • For use as conferencing corner • Modesty panel not required • Wireway option not available • 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" • WQRP version has pointed end removed to accommodate corner of two Wire-Works panels	30 X 30" Dia for Panel	WQRPW30	☐	☐	☐	51.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
- C** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica	- LF/supplier's color pattern code
Nevamar	- LN/supplier's color pattern code
Wilsonart	- LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces

Mobile Teardrop/Mobile Semi-Circle



Flat Vinyl T-Edge
(BN)

\$ 430
446



74P Edge
(74P)

\$ 454
470

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

Worksurface Support Panel

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Dir.	Surface Finish	Trim Color	Fabric Color	Edge Color	
MODEL	D x DIA							
 PWSP Worksurface Support Panel (Fabric/Laminate) • Must specify left or right side version by adding /L (left) or /R (right) to product number • Support panel provides additional work-surface support in extensive worksurface loading applications • Mounts to panel and worksurface • Adjustable glides provide leveling capability • 26" worksurface height equals 24-7/8" panel height • 29" worksurface height equals 27-7/8" panel height	24 x 26"	PWSSP2426/BN	☐	☐		☐	☐	15.0#
	24 x 29"	PWSSP2429/BN	☐	☐		☐	☐	16.0#
	30 x 26"	PWSSP3026/BN	☐	☐		☐	☐	17.0#
	30 x 29"	PWSSP3029/BN	☐	☐		☐	☐	18.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface direction.

DL

DR

- Direction left

- Direction right
- C** Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- D** Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- F** Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 487	\$ 495	\$ 501	\$ 511	\$ 531
493	503	510	522	541
493	503	510	522	541
508	517	523	535	553

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Worksurface Support Panel

			MODEL NUMBER						Approx. Packaged Weight
MODEL	D x DIA	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color		
 PWSL	Worksurface Support Panel (Laminate Both Sides)	24 x 26"	PWSSL2426	☐	☐	☐	☐	☐	15.0#
		24 x 29"	PWSSL2429	☐	☐	☐	☐	☐	16.0#
	• Must specify left or right side version by adding /L (left) or /R (right) to product number • Support panel provides additional work-surface support in extensive worksurface loading applications • Mounts to panel and worksurface • Adjustable glides provide leveling capability • 26" worksurface height equals 24-7/8" panel height • 29" worksurface height equals 27-7/8" panel height	30 x 26"	PWSSL3026	☐	☐	☐	☐	☐	17.0#
		30 x 29"	PWSSL3029	☐	☐	☐	☐	☐	18.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

- A** Select basic model.
- B** Select surface direction.
DR - Direction right
DL - Direction left
- C** Select edge style.
BN - Flat vinyl T-edge
74P - 74P edge
PL - Postformed edge
- D** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge style selections.
- E** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- F** Select edge color.
Refer to the **KI Color Addendum** or **KI**


FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Flat Vinyl T-Edge
(BN)

\$ 337
342
342
353



74P Edge
(74P)

\$ 354
357
357
367



Postformed Edge
(PL)

\$ 422
428
428
439

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Assembly	Paint Color	Key Option	
 PRDS	Steel Door Overhead Cabinet-On-Module • On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDS24/WW/PM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/PM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/PM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/PM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/PM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/PM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/PM	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Off-Module • Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM12	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/OM12	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM12	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM12	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM12	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM12	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM12	☐	☐	☐	57.0#
 PRDS	Steel Door Cabinet-Off-Module • Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile (OM18) for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM18	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/OM18	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM18	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM18	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM18	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM18	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM18	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Load Bar Mount • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDS24/WW/LB	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/LB	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/LB	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/LB	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/LB	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/LB	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/LB	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Upmount • Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • On a 54" high panel, clearance between the cabinet and worksurface is 20" • On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 14-1/2"	PRDS24/WW/UM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/UM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/UM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/UM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/UM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/UM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/UM	☐	☐	☐	57.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$131
U - Unassembled

C Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.

D Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
 Accepts shelf divider
 Door stores recessed with handle exposed
 Double bit lock is included
 Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	
\$	437
	481
	488
	521
	551
	632
	673
\$	518
	557
	565
	599
	631
	710
	753
\$	518
	557
	565
	599
	631
	710
	753
\$	518
	557
	565
	599
	631
	710
	753
\$	557
	600
	607
	640
	671
	752
	796

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Assembly	Paint Color	Fabric Color	Key Option	
 PRDF	Fabric Door Overhead Cabinet-On-Module On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDF24/WW/PM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/PM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/PM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/PM	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/PM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/PM	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Off-Module Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM12	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM12	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM12	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM12	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM12	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM12	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM12	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Off-Module Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile (OM18) for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM18	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM18	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM18	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM18	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM18	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM18	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM18	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDF24/WW/LB	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/LB	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/LB	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/LB	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/LB	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/LB	☐	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 14-1/2"	PRDF24/WW/UM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/UM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/UM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/UM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/UM	☐	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/UM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/UM	☐	☐	☐	☐	57.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$131
U - Unassembled

C Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.

D Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

E Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
 Accepts shelf divider
 Door stores recessed with handle exposed
 Double bit lock is included
 Shelf depth is 13-1/4"

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Universal Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 461	\$ 469	\$ 475	\$ 475	\$ 480
502	512	519	519	524
516	523	529	529	537
546	555	563	563	571
581	592	599	599	605
662	674	683	683	688
709	722	728	728	739
\$ 540	\$ 546	\$ 552	\$ 552	\$ 557
581	589	595	595	603
592	600	608	608	613
626	633	641	641	647
660	670	679	679	684
742	753	761	761	766
787	802	809	809	815
\$ 540	\$ 546	\$ 552	\$ 552	\$ 557
581	589	595	595	603
592	600	608	608	613
626	633	641	641	647
660	670	679	679	684
742	753	761	761	766
787	802	809	809	815
\$ 540	\$ 546	\$ 552	\$ 552	\$ 557
581	589	595	595	603
592	600	608	608	613
626	633	641	641	647
660	670	679	679	684
742	753	761	761	766
787	802	809	809	815
\$ 581	\$ 588	\$ 594	\$ 594	\$ 599
624	631	637	637	644
634	642	651	651	657
666	674	684	684	691
701	712	718	718	723
782	797	804	804	809
828	843	849	849	857

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Assembly	Paint Color	Laminate Color	Key Option	
 PRDL	Laminate Door Overhead Cabinet-On-Module (PM) • On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDL24/WW/PM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/PM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/PM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/PM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/PM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/PM	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Off-Module (OM12) • Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM12	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM12	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM12	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM12	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM12	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM12	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM12	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Off-Module (OM18) • Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM18	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM18	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM18	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM18	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM18	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM18	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM18	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Load Bar Mount (LB) • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDL24/WW/LB	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/LB	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/LB	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/LB	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/LB	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/LB	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Upmount • Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • On a 54" high panel, clearance between the cabinet and worksurface is 20" • On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 14-1/2"	PRDL24/WW/UM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/UM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/UM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/UM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/UM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/UM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/UM	☐	☐	☐	☐	57.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$131
U - Unassembled

C Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.

D Select laminate color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select key alike.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish

Accepts shelf divider

Door stores recessed with handle exposed

Double bit lock is included

Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 590
647
660
702
746
854
914
\$ 668
724
740
781
824
930
989
\$ 668
724
740
781
824
930
989
\$ 668
724
740
781
824
930
989
\$ 711
767
779
823
865
974
1032

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Assembly	Paint Color	Veneer Color	Key Option		
 PRDV	Veneer Door Overhead Cabinet-On-Module (PM) On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDV24/WW/PM	☐	☐	☐	☐	34.0#
		30 x 16-1/2 x 14-1/2"	PRDV30/WW/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/PM	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/PM	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/PM	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/PM	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/PM	☐	☐	☐	☐	64.0#
 PRDV	Veneer Door Overhead Cabinet-Off-Module (OM12) Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM12	☐	☐	☐	☐	34.0#
		30 x 16-1/2 x 14-1/2"	PRDV30/WW/OM12	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM12	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM12	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/OM12	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM12	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM12	☐	☐	☐	☐	64.0#
 PRDV	Veneer Door Overhead Cabinet-Off-Module (OM18) Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM18	☐	☐	☐	☐	34.0#
		30 x 16-1/2 x 14-1/2"	PRDV30/WW/OM18	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM18	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM18	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/OM18	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM18	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM18	☐	☐	☐	☐	64.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- F** - Fully Assembled; add \$131
- U** - Unassembled
- C** Select paint color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Metallic paint requires upcharge.
- D** Select veneer color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select key alike.
- KA** - Key alike
- KS** - Key standard
- NLC** - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish

Accepts shelf divider

Door stores recessed with handle exposed

Double bit lock is included

Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1280
1348
1405
1583
1799
1965
2160
\$ 1358
1426
1480
1660
1877
2046
2236
\$ 1358
1426
1480
1660
1877
2046
2236

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.



Universal Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1358
1426
1480
1660
1877
2046
2236
\$ 1402
1469
1523
1702
1919
2086
2277

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 ULSR	Low Shelf-On-Module On-Module shelves (PM) mount into slots in vertical posts. Shelves must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 10-1/2 x 13-1/4"	ULSR24/WW/PM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/PM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/PM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/PM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/PM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/PM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/PM	☐	24.0#
 ULSR	Low Shelf-Off-Module Off-Module shelves (OM12) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM12	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/OM12	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM12	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/OM12	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM12	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM12	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/OM12	☐	24.0#
 ULSR	Low Shelf-Off-Module Off-Module shelves (OM18) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM18	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/OM18	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM18	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/OM18	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM18	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM18	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/OM18	☐	24.0#
 ULSR	Low Shelf-Load Bar Mount - Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	24 x 10-1/2 x 13-1/4"	ULSR24/WW/LB	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/LB	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/LB	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/LB	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/LB	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/LB	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/LB	☐	24.0#
 ULSR	Low Shelf-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 10-1/2 x 13-1/4"	ULSR24/WW/UM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/UM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/UM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/UM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/UM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/UM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/UM	☐	24.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

INFORMATION

Includes 10-1/2" high back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 190	\$ 74
197	82
208	83
215	90
219	95
231	111
241	115
\$ 268	\$ 74
276	82
284	83
294	90
298	95
309	111
319	115
\$ 268	\$ 74
276	82
284	83
294	90
298	95
309	111
319	115
\$ 268	\$ 74
276	82
284	83
294	90
298	95
309	111
319	115
\$ 309	\$ 74
316	82
327	83
337	90
340	95
349	111
363	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 URSR	Regular Shelf-On-Module On-Module shelves mount into slots in vertical posts. Shelves must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 13-1/4"	URSR24/WW/PM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/PM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/PM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/PM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/PM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/PM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/PM	☐	28.0#
 URSR	Regular Shelf-Off-Module Off-Module shelves (OM12) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM12	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/OM12	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/OM12	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/OM12	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/OM12	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM12	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/OM12	☐	28.0#
 URSR	Regular Shelf-Off-Module Off-Module shelves (OM18) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM18	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/OM18	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/OM18	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/OM18	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/OM18	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM18	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/OM18	☐	28.0#
 URSR	Regular Shelf-Load Bar Mount - Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 13-1/4"	URSR24/WW/LB	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/LB	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/LB	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/LB	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/LB	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/LB	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/LB	☐	28.0#
 URSR	Regular Shelf-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 13-1/4"	URSR24/WW/UM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/UM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/UM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/UM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/UM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/UM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/UM	☐	28.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select paint color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

INFORMATION

Includes full back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 205	\$ 74
213	82
219	83
226	90
236	95
245	111
255	115
\$ 282	\$ 74
291	82
298	83
306	90
313	95
323	111
335	115
\$ 282	\$ 74
291	82
298	83
306	90
313	95
323	111
335	115
\$ 282	\$ 74
291	82
298	83
306	90
313	95
323	111
335	115
\$ 324	\$ 74
334	82
340	83
346	90
355	95
365	111
375	115

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Trim Color	
 HRDPT	Universal Overhead On-Module Mounting Bracket - Sold in pairs / Black only - Mounts into slots in vertical posts - Allows for vertical adjustments in 1" increments - Only necessary to order if changing mounting style	46.0233.SET	1.0#
 HRDPT	Universal Overhead Off-Module Mounting Bracket-12" Tiles - Sold in pairs / Black only - Mounts into integral track in horizontal rail, attaches to 12" high tiles - Allows cabinet or shelf to slide along track - Only necessary to order if changing mounting style	46.0234.SET	1.0#
 HRDPT	Universal Overhead Off-Module Mounting Bracket-18" Tiles - Sold in pairs / Black only - Mounts into integral track in horizontal rail, attaches to 18" high tiles - Allows cabinet or shelf to slide along track - Only necessary to order if changing mounting style	46.1229.SET	1.0#
 HRDPT	Load Bar Brackets - Load Bar mount overheads hang from an externally mounted load bar - Load Bar purchased separately, Sold in pairs	46.2103	☐ ☐ 1.0#
 HRDPT	Upmount Brackets - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - Sold in pairs	46.1234	☐ ☐ 1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Universal Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	40
\$	117
\$	117
\$	117
\$	145

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Trim Color	Mounting	Fabric Color	
	Universal Shelf Dividers - Steel shelf dividers with powder-coated finish - Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐		1.0#	
HRDPT							
	Wall Mounted Load Bar Supports overhead storage on drywall or other non-panel applications	24"	SWLB.24	☐		5.0#	
		30"	SWLB.30	☐		6.0#	
		36"	SWLB.36	☐		7.0#	
		42"	SWLB.42	☐		8.0#	
		48"	SWLB.48	☐		10.0#	
		54"	SWLB.54	☐		13.0#	
		60"	SWLB.60	☐		12.0#	
		66"	SWLB.66	☐		13.0#	
		72"	SWLB.72	☐		14.0#	
		84"	SWLB.84	☐		17.0#	
		96"	SWLB.96	☐		19.0#	
HRDPT							
	Overhead Tackboard - Hangs from bottom of flipper door cabinet or shelf - When hanging from Balance® overhead, specify attachment bar BMB (purchase separately) - Includes mounting brackets in black only - Specify 20" high tackboard to cover vertical space between bottom of overhead and top of worksurface, when worksurface is positioned at 29" above finished floor	24 x 12"	PTB02412	☐	☐	☐	3.0#
		30 x 12"	PTB03012	☐	☐	☐	3.0#
		36 x 12"	PTB03612	☐	☐	☐	3.0#
		42 x 12"	PTB04212	☐	☐	☐	4.0#
		48 x 12"	PTB04812	☐	☐	☐	4.0#
		54 x 12"	PTB05412	☐	☐	☐	4.0#
		60 x 12"	PTB06012	☐	☐	☐	4.0#
		24 x 20"	PTB02420	☐	☐	☐	4.0#
		30 x 20"	PTB03020	☐	☐	☐	5.0#
		36 x 20"	PTB03620	☐	☐	☐	6.0#
		42 x 20"	PTB04220	☐	☐	☐	7.0#
		48 x 20"	PTB04820	☐	☐	☐	8.0#
		54 x 20"	PTB05420	☐	☐	☐	9.0#
		60 x 20"	PTB06020	☐	☐	☐	10.0#
		PTB0					

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C

Select load bar mounting.

YLB

M - Load Bar Mounted

NLB

M - Not load bar mounted
- D

Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Overhead Accessories

SPECIAL SERVICES


With specially marked information	N/C
-----------------------------------	-----

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.


Specifications and prices are subject to change without prior notice.

Balance® Storage and Accessories

General Information



Solid Overhead (BLCs)



Fabric Overhead (BLCF)



Laminate Overhead (BLCL)

Features			
Cabinet available in 24 colors	•	•	•
Painted lower door available in 24 colors	•	•	•
Translucent upper door	•		
Fabric upper door		•	
Laminate upper door			•
Fully assembled	•	•	•
Task light	•	•	•
Hanging tackboard	•	•	•
Hanging tool rail	•	•	•
Also available on:			
System 3000® panel system	•	•	•
Genius®	•	•	•
WorkZone®	•	•	•
True® Desking	•	•	•

SPECIFICATIONS

Cabinet Construction

The overhead cabinet shall be assembled complete and powder-coated in widths of 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 17" high and 16-1/2" deep. The shelf depth shall be 13-1/2". Inside height shall allow for oversize binders, such as Folschap and A4, to be stored vertically. The cabinet top, bottom, and shelf shall be fabricated from 18-gauge steel. Side panels shall be fabricated from 14-gauge steel and attached via resistance welding. Cabinet top, bottom, and shelf shall contain reinforcements fabricated from 18-gauge steel and attached via resistance welding. Pins for door and shroud attachment shall be fabricated from 3/8" diameter steel and attached via resistance welding. Shroud will be black only. All accessible or visible edges shall be smooth and rounded.

Door Construction

The upper door shall be available in colored

or translucent extruded rigid polypropylene with spattercoat finish, fabric or laminate applied. The overall door thickness shall be 3/8" with a .075 wall thickness. The door shall be capped with polycarbonate endcaps and attached to the case with polycarbonate arms. A center lock mechanism will be utilized between the upper and lower doors for security. The lower door shall be an aluminum extrusion with a powder-coat finish. The lower door shall have a .075 thickness and be ergonomic in design. The door shall be capped and attached to the case with polycarbonate arms.

Door Operation

The overhead cabinet doors shall be effortlessly operated from either a seated or standing position through use of the upper door or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. Either door shall be

opened or closed with a closed fist. The upper door shall open over the outside of case.

Cabinet Installation

The overhead cabinet shall include separate mounting brackets that allow for assembly to panels or desk systems. The brackets shall be attached to the back of the overhead via a hook and groove system and two screw fasteners. The hook and groove system shall allow the installer to assemble brackets to a panel before attaching to overhead. The desk supports shall attach to the bottom of overhead via four screw fasteners.

Shelf Dividers

Shelf dividers shall be powder-coated, 18-gauge steel and offered in the same color as the overhead case. Installation and removal shall be accomplished without the use of tools or fasteners.

Tackboard/Tool Rail Mounting Bar

A powder-coated, 14-gauge bracket shall be available for the attachment of a hanging tool rail or tackboard to the underside of the

overhead. The bracket shall be specified in the same widths as the overhead and is offered in the same colors as the overhead case.

Overhead Hanging Tackboard

Tackboards shall be available in 12" height and in 24", 30", 36", 42", 48", 54", and 60" widths. The tackboard shall be constructed of 3/4" industrial insulation board covered with fabric. The mounting brackets shall be steel powder-coated and attached to the coreboard with T-nuts and machine screws. Fabric shall be attached to the coreboard with staples. A mounting bracket bar is required to attach the tackboard to the overhead cabinet.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must



Balance® Storage and Accessories

General Information

be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:
KI
Attn: C.O.M. Specialist
1330 Bellevue Street
Green Bay, WI 54302




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit kistill.com

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D		Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option	
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM)	30 x 17 x 19-1/4"	BLCS30/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
	• On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	48 x 17 x 19-1/4"	BLCS48/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Off-Module (OM12)	30 x 17 x 19-1/4"	BLCS30/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
	• Off-Module overheads mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	48 x 17 x 19-1/4"	BLCS48/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Off-Module (OM18)	30 x 17 x 19-1/4"	BLCS30/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
	• Off-Module overheads mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	48 x 17 x 19-1/4"	BLCS48/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select upper door color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 893
951
1001
1035
1112
1154
\$ 938
996
1044
1077
1157
1199
\$ 938
996
1044
1077
1157
1199

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option		
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCS30/WW/LB	□□□	□□□	46.0#	
		36 x 17 x 19-1/4"	BLCS36/WW/LB	□□□	□□□	52.0#	
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/WW/LB	□□□	□□□	58.0#	
	• Load Bar Mount overhangs hang from an externally mounted load bar	48 x 17 x 19-1/4"	BLCS48/WW/LB	□□□	□□□	64.0#	
	• Load Bar purchased separately	54 x 17 x 19-1/4"	BLCS54/WW/LB	□□□	□□□	70.0#	
		60 x 17 x 19-1/4"	BLCS60/WW/LB	□□□	□□□	78.0#	
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar-Upmount	30 x 17 x 19-1/4"	BLCS30/WW/UM	□□□	□□□	46.0#	
		36 x 17 x 19-1/4"	BLCS36/WW/UM	□□□	□□□	52.0#	
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/WW/UM	□□□	□□□	58.0#	
	• Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels	48 x 17 x 19-1/4"	BLCS48/WW/UM	□□□	□□□	64.0#	
	• On a 54" high panel, clearance between the cabinet and worksurface is 20"	54 x 17 x 19-1/4"	BLCS54/WW/UM	□□□	□□□	70.0#	
	• On a 48" high panel, clearance between the cabinet and worksurface is 14"	60 x 17 x 19-1/4"	BLCS60/WW/UM	□□□	□□□	78.0#	

A

B

C

D



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1032
1091
1137
1172
1249
1292
\$ 965
1023
1072
1106
1183
1228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Key Option		
	Balance® Overhead Cabinet-Fabric Upper Door-On-Module	30 x 17 x 19-1/4"	BLCF30/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
	On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments.	36 x 17 x 19-1/4"	BLCF36/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
	Balance® Overhead Cabinet-Fabric Upper Door-Off-Module	30 x 17 x 19-1/4"	BLCF30/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
	Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	36 x 17 x 19-1/4"	BLCF36/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
	Balance® Overhead Cabinet-Fabric Upper Door-Off-Module	30 x 17 x 19-1/4"	BLCF30/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
	Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	36 x 17 x 19-1/4"	BLCF36/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select upper door color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 964	\$ 973	\$ 984	\$ 984	\$ 988
1027	1036	1049	1049	1052
1077	1090	1101	1101	1105
1119	1127	1138	1138	1143
1200	1211	1225	1225	1232
1246	1257	1272	1272	1278
\$ 1010	\$ 1018	\$ 1031	\$ 1031	\$ 1034
1071	1079	1094	1094	1097
1124	1132	1144	1144	1152
1161	1171	1183	1183	1189
1245	1257	1269	1269	1278
1290	1299	1313	1313	1319
\$ 1010	\$ 1018	\$ 1031	\$ 1031	\$ 1034
1071	1079	1094	1094	1097
1124	1132	1144	1144	1152
1161	1171	1183	1183	1189
1245	1257	1269	1269	1278
1290	1299	1313	1313	1319

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid**
f.o.b. **Manitowoc, Wisconsin 54220** factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Key Option		
	Balance® Overhead Cabinet-Fabric Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCF30/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	46.0#
	- Load Bar Mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	36 x 17 x 19-1/4"	BLCF36/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/LB	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	78.0#
	Balance® Overhead Cabinet-Fabric Upper Door-Upmount	30 x 17 x 19-1/4"	BLCF30/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	46.0#
	- Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	36 x 17 x 19-1/4"	BLCF36/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/UM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select upper door color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 1101	\$ 1109	\$ 1123	\$ 1123	\$ 1126
1166	1174	1188	1188	1192
1217	1228	1242	1242	1245
1252	1263	1278	1278	1284
1338	1348	1360	1360	1371
1384	1394	1410	1410	1415
\$ 1038	\$ 1046	\$ 1059	\$ 1059	\$ 1063
1099	1107	1123	1123	1126
1153	1161	1174	1174	1179
1189	1200	1212	1212	1217
1274	1286	1298	1298	1305
1316	1330	1343	1343	1348

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
 Freight class #77.5

Specifications and prices are subject to
 change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option		
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-On-Module	30 x 17 x 19-1/4"	BLCL30/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
	On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in one-inch increments	36 x 17 x 19-1/4"	BLCL36/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Off-Module	30 x 17 x 19-1/4"	BLCL30/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
	Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	36 x 17 x 19-1/4"	BLCL36/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Off-Module	30 x 17 x 19-1/4"	BLCL30/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
	Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	36 x 17 x 19-1/4"	BLCL36/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

C Select upper door laminate color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select laminate door edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select key option.

KA - Key alike
KS - Key standard
NLC - No lock core

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1096
1127
1202
1286
1414
1447
\$ 1140
1172
1247
1333
1461
1495
\$ 1140
1172
1247
1333
1461
1495

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option		
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount - Load Bar Mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	30 x 17 x 19-1/4"	BLCL30/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#	
		36 x 17 x 19-1/4"	BLCL36/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCL42/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCL48/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCL54/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCL60/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	30 x 17 x 19-1/4"	BLCL30/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#	
		36 x 17 x 19-1/4"	BLCL36/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCL42/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCL48/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCL54/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCL60/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- C** Select upper door laminate color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select laminate door edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- E** Select key option.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1234
1263
1340
1422
1552
1587
\$ 1170
1201
1276
1358
1488
1521

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Trim Color	
 BOA Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/PM		5.0#
 BOA Balance® Overhead Off-Module Mounting Bracket-12" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM12		5.0#
 BOA Balance® Overhead Off-Module Mounting Bracket-18" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM18		5.0#
 BOA Load Bar Brackets • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately • Sold in pairs	BOA/WW/LB	☐ ☐	5.0#
		A	B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	152
\$	152
\$	163
\$	190

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 BOA	Upmount Brackets - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - Sold in pairs		BOA/WW/UM	☐ ☐	5.0#
 HRDPT	Shelf Dividers - Steel shelf dividers with powder coat finish - Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐ ☐	1.0#
 HRDPT	Wall Mounted Load Bar	24"	SWLB.24	☐ ☐	5.0#
		30"	SWLB.30	☐ ☐	6.0#
		36"	SWLB.36	☐ ☐	7.0#
		42"	SWLB.42	☐ ☐	8.0#
		48"	SWLB.48	☐ ☐	10.0#
		54"	SWLB.54	☐ ☐	13.0#
		60"	SWLB.60	☐ ☐	12.0#
		66"	SWLB.66	☐ ☐	13.0#
		72"	SWLB.72	☐ ☐	14.0#
		84"	SWLB.84	☐ ☐	17.0#
		96"	SWLB.96	☐ ☐	19.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	233
\$	26
\$	111
	119
	121
	133
	138
	163
	164
	166
	173
	268
	280

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

		MODEL NUMBER					
MODEL		W x H	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing
 PTBO	Overhead Tackboard	24 x 12"	PTBO2412	☐	☐ ☐ ☐ ☐	3.0#	N/A
	• Hangs from bottom of flipper door cabinet or shelf	30 x 12"	PTBO3012	☐	☐ ☐ ☐ ☐	3.0#	N/A
	• When hanging from Balance® overhead, specify attachment bar BMB (purchase separately)	36 x 12"	PTBO3612	☐	☐ ☐ ☐ ☐	3.0#	N/A
		42 x 12"	PTBO4212	☐	☐ ☐ ☐ ☐	4.0#	N/A
	• Includes mounting brackets in black only	48 x 12"	PTBO4812	☐	☐ ☐ ☐ ☐	4.0#	N/A
	• Specify 20" high tackboard to cover vertical space between bottom of overhead and top of worksurface, when worksurface is positioned at 29" about finished floor	54 x 12"	PTBO5412	☐	☐ ☐ ☐ ☐	4.0#	N/A
		60 x 12"	PTBO6012	☐	☐ ☐ ☐ ☐	4.0#	N/A
		24 x 16"	PTBO2416	☐	☐ ☐ ☐ ☐	3.0#	N/A
		30 x 16"	PTBO3016	☐	☐ ☐ ☐ ☐	4.0#	N/A
		36 x 16"	PTBO3616	☐	☐ ☐ ☐ ☐	4.0#	N/A
		42 x 16"	PTBO4216	☐	☐ ☐ ☐ ☐	5.0#	N/A
		48 x 16"	PTBO4816	☐	☐ ☐ ☐ ☐	5.0#	N/A
		54 x 16"	PTBO5416	☐	☐ ☐ ☐ ☐	6.0#	N/A
		60 x 16"	PTBO6016	☐	☐ ☐ ☐ ☐	6.0#	N/A
		24 x 20"	PTBO2420	☐	☐ ☐ ☐ ☐	4.0#	N/A
		30 x 20"	PTBO3020	☐	☐ ☐ ☐ ☐	5.0#	N/A
		36 x 20"	PTBO3620	☐	☐ ☐ ☐ ☐	6.0#	N/A
		42 x 20"	PTBO4220	☐	☐ ☐ ☐ ☐	7.0#	N/A
		48 x 20"	PTBO4820	☐	☐ ☐ ☐ ☐	8.0#	N/A
		54 x 20"	PTBO5420	☐	☐ ☐ ☐ ☐	9.0#	N/A
		60 x 20"	PTBO6020	☐	☐ ☐ ☐ ☐	10.0#	N/A
 BOA	Tackboard/Tool Rail Attachment Bar	30"	BMB30	BL		3.0#	\$ 37
	• Attachment bracket that attaches to bottom of overhead to accept overhead tackboard	36"	BMB36	BL		3.0#	37
		42"	BMB42	BL		3.0#	38
	• Order same size as overhead cabinet	48"	BMB48	BL		4.0#	44
	• 18-gauge steel	54"	BMB54	BL		4.0#	45
	• Black only	60"	BMB60	BL		4.0#	47

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
C Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 134	\$ 138	\$ 140	\$ 147	\$ 156
148	151	153	161	169
162	166	168	173	182
167	171	173	178	191
170	173	175	182	194
194	199	203	210	220
202	207	209	217	228
193	198	202	208	220
199	205	209	214	231
204	209	213	219	235
208	213	217	224	238
217	224	228	235	251
226	234	238	245	261
237	242	249	255	275
221	228	233	240	253
238	245	249	256	272
252	259	267	273	286
259	268	275	281	296
307	315	321	330	348
310	318	325	335	353
314	321	329	339	357

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #70.


Specifications and prices are subject to
change without prior notice.

Accessories

Tackboard



PTB

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Fabric Color	
MODEL	Features	W x H				
 PTB Tackboard • Tackboards are constructed of 3/4" tackable core and covered with fabric • Includes black mounting brackets • Not available with countertops	Off-Module	24 x 12"	PTB2412/OM	□□□□	3.0#	
	Off-Module	30 x 12"	PTB3012/OM	□□□□	3.0#	
	Off-Module	36 x 12"	PTB3612/OM	□□□□	4.0#	
	Off-Module	42 x 12"	PTB4212/OM	□□□□	4.0#	
	Off-Module	48 x 12"	PTB4812/OM	□□□□	5.0#	
	Off-Module	54 x 12"	PTB5412/OM	□□□□	5.0#	
	Off-Module	60 x 12"	PTB6012/OM	□□□□	6.0#	
	Off-Module	24 x 16"	PTB2416/OM	□□□□	4.0#	
	Off-Module	30 x 16"	PTB3016/OM	□□□□	4.0#	
	Off-Module	36 x 16"	PTB3616/OM	□□□□	5.0#	
	Off-Module	42 x 16"	PTB4216/OM	□□□□	5.0#	
	Off-Module	48 x 16"	PTB4816/OM	□□□□	6.0#	
	Off-Module	54 x 16"	PTB5416/OM	□□□□	6.0#	
	Off-Module	60 x 16"	PTB6016/OM	□□□□	7.0#	
	On-Module	24 x 12"	PTB2412/PM	□□□□	3.0#	
	On-Module	30 x 12"	PTB3012/PM	□□□□	3.0#	
	On-Module	36 x 12"	PTB3612/PM	□□□□	4.0#	
	On-Module	42 x 12"	PTB4212/PM	□□□□	4.0#	
	On-Module	48 x 12"	PTB4812/PM	□□□□	5.0#	
	On-Module	54 x 12"	PTB5412/PM	□□□□	5.0#	
	On-Module	60 x 12"	PTB6012/PM	□□□□	6.0#	
	On-Module	24 x 16"	PTB2416/PM	□□□□	4.0#	
	On-Module	30 x 16"	PTB3016/PM	□□□□	4.0#	
	On-Module	36 x 16"	PTB3616/PM	□□□□	5.0#	
	On-Module	42 x 16"	PTB4216/PM	□□□□	5.0#	
	On-Module	48 x 16"	PTB4816/PM	□□□□	6.0#	
	On-Module	54 x 16"	PTB5416/PM	□□□□	6.0#	
	On-Module	60 x 16"	PTB6016/PM	□□□□	7.0#	

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 145	\$ 148	\$ 150	\$ 146	\$ 169
162	165	168	163	181
173	177	180	176	199
178	183	185	181	207
182	185	190	184	210
210	214	218	213	237
217	222	226	220	248
148	150	153	150	172
162	165	168	163	181
164	168	170	165	183
180	184	187	184	208
187	192	198	193	214
224	229	233	228	254
231	235	238	236	262
145	148	150	146	169
162	165	168	163	181
173	177	180	176	199
178	183	185	181	207
182	185	190	184	210
210	214	218	213	237
217	222	226	220	248
148	150	153	150	172
162	165	168	163	181
164	168	170	165	183
180	184	187	184	208
187	192	198	193	214
224	229	233	228	254
231	235	238	236	262

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Accessories

Tackboard

	MODEL	Features	W x H	MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Fabric Color	
 PTB	Tackboard - Tackboards are constructed of 3/4" tack-able core and covered with fabric - Includes black mounting brackets - Not available with countertops	Off-Module	24 x 20"	PTB2420/OM	☐ ☐ ☐ ☐	4.0#
		Off-Module	30 x 20"	PTB3020/OM	☐ ☐ ☐ ☐	5.0#
		Off-Module	36 x 20"	PTB3620/OM	☐ ☐ ☐ ☐	6.0#
		Off-Module	42 x 20"	PTB4220/OM	☐ ☐ ☐ ☐	7.0#
		Off-Module	48 x 20"	PTB4820/OM	☐ ☐ ☐ ☐	8.0#
		Off-Module	54 x 20"	PTB5420/OM	☐ ☐ ☐ ☐	9.0#
		Off-Module	60 x 20"	PTB6020/OM	☐ ☐ ☐ ☐	10.0#
		Off-Module	24 x 30"	PTB2430/OM	☐ ☐ ☐ ☐	6.0#
		Off-Module	30 x 30"	PTB3030/OM	☐ ☐ ☐ ☐	7.0#
		Off-Module	36 x 30"	PTB3630/OM	☐ ☐ ☐ ☐	8.0#
		Off-Module	42 x 30"	PTB4230/OM	☐ ☐ ☐ ☐	10.0#
		Off-Module	48 x 30"	PTB4830/OM	☐ ☐ ☐ ☐	11.0#
		Off-Module	54 x 30"	PTB5430/OM	☐ ☐ ☐ ☐	12.0#
		Off-Module	60 x 30"	PTB6030/OM	☐ ☐ ☐ ☐	14.0#
		On-Module	24 x 20"	PTB2420/PM	☐ ☐ ☐ ☐	4.0#
		On-Module	30 x 20"	PTB3020/PM	☐ ☐ ☐ ☐	5.0#
		On-Module	36 x 20"	PTB3620/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	42 x 20"	PTB4220/PM	☐ ☐ ☐ ☐	7.0#
		On-Module	48 x 20"	PTB4820/PM	☐ ☐ ☐ ☐	8.0#
		On-Module	54 x 20"	PTB5420/PM	☐ ☐ ☐ ☐	9.0#
		On-Module	60 x 20"	PTB6020/PM	☐ ☐ ☐ ☐	10.0#
		On-Module	24 x 30"	PTB2430/PM	☐ ☐ ☐ ☐	6.0#
		On-Module	30 x 30"	PTB3030/PM	☐ ☐ ☐ ☐	7.0#
		On-Module	36 x 30"	PTB3630/PM	☐ ☐ ☐ ☐	8.0#
		On-Module	42 x 30"	PTB4230/PM	☐ ☐ ☐ ☐	10.0#
		On-Module	48 x 30"	PTB4830/PM	☐ ☐ ☐ ☐	11.0#
		On-Module	54 x 30"	PTB5430/PM	☐ ☐ ☐ ☐	12.0#
		On-Module	60 x 30"	PTB6030/PM	☐ ☐ ☐ ☐	14.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 218	\$ 227	\$ 229	\$ 235	\$ 251
235	241	248	256	269
252	259	263	271	286
260	267	271	279	295
310	318	323	334	353
313	321	329	340	357
317	327	334	343	362
237	247	252	242	273
295	303	310	300	337
312	319	327	319	356
330	340	348	338	378
348	356	365	354	396
356	365	374	364	403
379	390	397	385	431
218	227	229	235	251
235	241	248	256	269
252	259	263	271	286
260	267	271	279	295
310	318	323	334	353
313	321	329	340	357
317	327	334	343	362
237	247	252	242	273
295	303	310	300	337
312	319	327	319	356
330	340	348	338	378
348	356	365	354	396
356	365	374	364	403
379	390	397	385	431

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Tackboard

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Fabric Color	
MODEL	Features	W x H				
 PTB	Tackboard - Tackboards are constructed of 3/4" tack-able core and covered with fabric - Includes mounting brackets - Not available with countertops	Off-Module 24 x 48"	PTB2448/OM	☐ ☐ ☐ ☐	9.0#	
		Off-Module 30 x 48"	PTB3048/OM	☐ ☐ ☐ ☐	11.0#	
		Off-Module 36 x 48"	PTB3648/OM	☐ ☐ ☐ ☐	13.0#	
		Off-Module 42 x 48"	PTB4248/OM	☐ ☐ ☐ ☐	15.0#	
		Off-Module 48 x 48"	PTB4848/OM	☐ ☐ ☐ ☐	17.0#	
		Off-Module 54 x 48"	PTB5448/OM	☐ ☐ ☐ ☐	19.0#	
		On-Module 24 x 48"	PTB2448/PM	☐ ☐ ☐ ☐	9.0#	
		On-Module 30 x 48"	PTB3048/PM	☐ ☐ ☐ ☐	11.0#	
		On-Module 36 x 48"	PTB3648/PM	☐ ☐ ☐ ☐	13.0#	
		On-Module 42 x 48"	PTB4248/PM	☐ ☐ ☐ ☐	15.0#	
		On-Module 48 x 48"	PTB4848/PM	☐ ☐ ☐ ☐	17.0#	
		On-Module 54 x 48"	PTB5448/PM	☐ ☐ ☐ ☐	19.0#	
				A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 305	\$ 312	\$ 319	\$ 311	\$ 347
352	358	367	356	399
399	411	422	408	453
411	424	436	419	469
438	451	460	446	499
446	458	470	454	508
305	312	319	311	347
352	358	367	356	399
399	411	422	408	453
411	424	436	419	469
438	451	460	446	499
446	458	470	454	508

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Brackets

	MODEL	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Tackboard Off-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	46.0371.TB.KIT	1.0#
 HRDPT	Tackboard On-Module Bracket • Order one kit for 12" and 16" high tackboards • Order two kits for 20" and 30" high tackboards • Order three kits for 48" high tackboards • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	46.0078.TB.KIT	1.0#
 HRDPT	Markerboard Off-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	46.0371.MB.KIT	1.0#
 HRDPT	Markerboard On-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	46.0078.MB.KIT	1.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	33
\$	30
\$	30
\$	50

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

2-Way

		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Upholstery Color	Assembly		
	MODEL	H					
	120° 2-Way, Both Panels Same Height	30"	P1202W30		☐	7.0#	\$ 286
	• Upholstered: trim colored	36"	P1202W36	☐	☐	9.0#	303
	• 120° 2-way top cap	42"	P1202W42	☐	☐	10.0#	381
	• Light block	48"	P1202W48	☐	☐	12.0#	414
	• One piece of vertical trim extending to floor	54"	P1202W54	☐	☐	13.0#	419
	• Two half posts	66"	P1202W66	☐	☐	16.0#	428
	• Connecting hardware	72"	P1202W72	☐	☐	17.0#	543
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	P1202W84	☐	☐	20.0#	550
PTN							
	120° 2-Way, Both Panels Same Height	30"	P120F2W30	☐	☐	7.0#	N/A
	• Upholstered: trim colored	36"	P120F2W36	☐	☐	9.0#	N/A
	• 120° 2-way top cap	42"	P120F2W42	☐	☐	10.0#	N/A
	• Light block	48"	P120F2W48	☐	☐	12.0#	N/A
	• One piece of vertical trim extending to floor	54"	P120F2W54	☐	☐	13.0#	N/A
	• Two half posts	66"	P120F2W66	☐	☐	16.0#	N/A
	• Connecting hardware	72"	P120F2W72	☐	☐	17.0#	N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	P120F2W84	☐	☐	20.0#	N/A
PTNF							
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- D** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$58 |
| U | - Unassembled |

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections
2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 29
					29
					36
					38
					38
					40
					40
					42
\$ 398	\$ 403	\$ 409	\$ 419	\$ 430	\$ 9
423	431	436	444	454	9
438	445	451	460	473	9
471	482	486	493	508	9
480	486	491	500	515	9
489	499	506	515	530	9
606	617	625	637	656	9
615	627	632	644	663	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

2-Way



PTN

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
MODEL	A x B			
120° 2-Way, Two Different Heights • Unupholstered: trim colored • 120° 1-way top cap • Light block • One piece of vertical trim extends to floor • One piece of height change trim • One half post A • One half post B • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30"	P120V2W3036	☐ ☐	9.0#
	42" 30"	P120V2W3042	☐ ☐	11.0#
	48" 30"	P120V2W3048	☐ ☐	12.0#
	54" 30"	P120V2W3054	☐ ☐	13.0#
	66" 30"	P120V2W3066	☐ ☐	15.0#
	72" 30"	P120V2W3072	☐ ☐	16.0#
	84" 30"	P120V2W3084	☐ ☐	20.0#
	42" 36"	P120V2W3642	☐ ☐	9.0#
	48" 36"	P120V2W3648	☐ ☐	11.0#
	54" 36"	P120V2W3654	☐ ☐	12.0#
	66" 36"	P120V2W3666	☐ ☐	14.0#
	72" 36"	P120V2W3672	☐ ☐	15.0#
	84" 36"	P120V2W3684	☐ ☐	20.0#
	48" 42"	P120V2W4248	☐ ☐	9.0#
	54" 42"	P120V2W4254	☐ ☐	11.0#
	66" 42"	P120V2W4266	☐ ☐	13.0#
	72" 42"	P120V2W4272	☐ ☐	14.0#
	84" 42"	P120V2W4284	☐ ☐	18.0#
	54" 48"	P120V2W4854	☐ ☐	9.0#
	66" 48"	P120V2W4866	☐ ☐	14.0#
	72" 48"	P120V2W4872	☐ ☐	15.0#
	84" 48"	P120V2W4884	☐ ☐	18.0#
	66" 54"	P120V2W5466	☐ ☐	12.0#
	72" 54"	P120V2W5472	☐ ☐	14.0#
	84" 54"	P120V2W5484	☐ ☐	18.0#
	72" 66"	P120V2W6672	☐ ☐	9.0#
	84" 66"	P120V2W6684	☐ ☐	12.0#
	84" 72"	P120V2W7284	☐ ☐	11.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 240	\$ 39
393	40
423	49
431	50
445	54
553	65
575	68
417	39
422	49
430	50
441	54
559	55
577	68
423	48
425	50
439	52
552	55
565	67
433	49
441	52
553	54
572	56
440	52
552	54
569	54
552	52
564	55
565	55

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

2-Way

	MODEL	A x B	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Trim Color	Upholstery Color	
 PTNF	120° 2-Way, Two Different Heights	36" 30"	P120VF2W3036	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• Unupholstered: trim colored	42" 30"	P120VF2W3042	☐	☐ ☐ ☐ ☐ ☐	11.0#
	• 120° 1-way top cap	48" 30"	P120VF2W3048	☐	☐ ☐ ☐ ☐ ☐	12.0#
	• Light block	54" 30"	P120VF2W3054	☐	☐ ☐ ☐ ☐ ☐	13.0#
	• One piece of vertical trim extends to floor	66" 30"	P120VF2W3066	☐	☐ ☐ ☐ ☐ ☐	15.0#
	• One piece of height change trim	72" 30"	P120VF2W3072	☐	☐ ☐ ☐ ☐ ☐	16.0#
	• One half post A	84" 30"	P120VF2W3084	☐	☐ ☐ ☐ ☐ ☐	20.0#
	• One half post B	42" 36"	P120VF2W3642	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• Connecting hardware	48" 36"	P120VF2W3648	☐	☐ ☐ ☐ ☐ ☐	11.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54" 36"	P120VF2W3654	☐	☐ ☐ ☐ ☐ ☐	13.0#
		66" 36"	P120VF2W3666	☐	☐ ☐ ☐ ☐ ☐	15.0#
		72" 36"	P120VF2W3672	☐	☐ ☐ ☐ ☐ ☐	16.0#
		84" 36"	P120VF2W3684	☐	☐ ☐ ☐ ☐ ☐	20.0#
		48" 42"	P120VF2W4248	☐	☐ ☐ ☐ ☐ ☐	9.0#
		54" 42"	P120VF2W4254	☐	☐ ☐ ☐ ☐ ☐	11.0#
		66" 42"	P120VF2W4266	☐	☐ ☐ ☐ ☐ ☐	14.0#
		72" 42"	P120VF2W4272	☐	☐ ☐ ☐ ☐ ☐	15.0#
		84" 42"	P120VF2W4284	☐	☐ ☐ ☐ ☐ ☐	18.0#
		54" 48"	P120VF2W4854	☐	☐ ☐ ☐ ☐ ☐	9.0#
		66" 48"	P120VF2W4866	☐	☐ ☐ ☐ ☐ ☐	12.0#
		72" 48"	P120VF2W4872	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 48"	P120VF2W4884	☐	☐ ☐ ☐ ☐ ☐	20.0#
		66" 54"	P120VF2W5466	☐	☐ ☐ ☐ ☐ ☐	11.0#
		72" 54"	P120VF2W5472	☐	☐ ☐ ☐ ☐ ☐	12.0#
		84" 54"	P120VF2W5484	☐	☐ ☐ ☐ ☐ ☐	18.0#
		72" 66"	P120VF2W6672	☐	☐ ☐ ☐ ☐ ☐	9.0#
		84" 66"	P120VF2W6684	☐	☐ ☐ ☐ ☐ ☐	16.0#
		84" 72"	P120VF2W7284	☐	☐ ☐ ☐ ☐ ☐	11.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 424	\$ 432	\$ 437	\$ 445	\$ 456	\$ 9
512	523	528	538	552	9
539	550	556	569	581	9
543	553	560	572	588	9
569	577	584	595	612	9
682	694	701	715	737	9
702	717	723	740	758	9
516	526	531	541	557	9
542	551	558	571	586	9
546	557	565	574	592	9
560	573	578	590	608	9
681	693	700	714	734	9
706	720	726	741	759	9
543	552	559	572	587	9
546	557	565	574	592	9
557	570	575	586	603	9
672	685	694	706	724	9
692	702	712	723	747	9
552	565	572	580	597	9
564	574	579	592	609	9
673	686	695	708	726	9
723	741	747	758	782	9
567	576	581	593	610	9
675	688	696	709	728	9
686	701	708	720	742	9
680	692	699	713	733	9
683	698	703	716	740	9
691	701	710	722	745	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

3-Way



PTN

MODEL	H	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color	Assembly	
120° 3-Way, All Panels Same Height • Unupholstered: trim colored • 120° 3-way top cap • Light block • Three half posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	P1203W30	☐ ☐	☐	9.0#
	36"	P1203W36	☐ ☐	☐	11.0#
	42"	P1203W42	☐ ☐	☐	12.0#
	48"	P1203W48	☐ ☐	☐	13.0#
	54"	P1203W54	☐ ☐	☐	15.0#
	66"	P1203W66	☐ ☐	☐	18.0#
	72"	P1203W72	☐ ☐	☐	19.0#
	84"	P1203W84	☐ ☐	☐	22.0#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$74 |
| U | - Unassembled |



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 296	\$ 9
310	9
390	9
414	9
423	9
436	9
537	9
547	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
MODEL	A x B			
 PTN	120° 3-Way, Two Different Heights	36" 30"	P120V1203036	☐ ☐ 9.0#
	• Unupholstered: trim colored	42" 30"	P120V1203042	☐ ☐ 11.0#
	• 2-way top cap	48" 30"	P120V1203048	☐ ☐ 12.0#
	• Light block	54" 30"	P120V1203054	☐ ☐ 13.0#
	• One piece of height change trim	66" 30"	P120V1203066	☐ ☐ 16.0#
	• Two half posts A	72" 30"	P120V1203072	☐ ☐ 17.0#
	• One half post B	84" 30"	P120V1203084	☐ ☐ 20.0#
	• Connecting hardware	42" 36"	P120V1203642	☐ ☐ 9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120V1203648	☐ ☐ 11.0#
		54" 36"	P120V1203654	☐ ☐ 12.0#
		66" 36"	P120V1203666	☐ ☐ 15.0#
		72" 36"	P120V1203672	☐ ☐ 16.0#
		84" 36"	P120V1203684	☐ ☐ 20.0#
		48" 42"	P120V1204248	☐ ☐ 9.0#
		54" 42"	P120V1204254	☐ ☐ 11.0#
		66" 42"	P120V1204266	☐ ☐ 13.0#
		72" 42"	P120V1204272	☐ ☐ 15.0#
		84" 42"	P120V1204284	☐ ☐ 20.0#
		54" 48"	P120V1204854	☐ ☐ 9.0#
		66" 48"	P120V1204866	☐ ☐ 12.0#
		72" 48"	P120V1204872	☐ ☐ 15.0#
		84" 48"	P120V1204884	☐ ☐ 20.0#
		66" 54"	P120V1205466	☐ ☐ 11.0#
		72" 54"	P120V1205472	☐ ☐ 15.0#
		84" 54"	P120V1205484	☐ ☐ 20.0#
		72" 66"	P120V1206672	☐ ☐ 9.0#
		84" 66"	P120V1206684	☐ ☐ 12.0#
		84" 72"	P120V1207284	☐ ☐ 11.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 397	\$ 26
399	28
496	28
508	28
528	29
623	36
644	38
403	26
412	28
507	28
526	29
549	29
648	38
499	26
506	28
597	28
621	29
638	36
512	26
600	28
624	28
641	29
523	28
621	28
638	29
544	26
632	28
636	28

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

		MODEL NUMBER			Approx. Packaged Weight	
MODEL	A x B	Basic Model	Trim Color	Upholstery Color		
 PTNF	120° 3-Way, Two Different Heights	36" 30"	P120VF1203036	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• Upholstered	42" 30"	P120VF1203042	☐	☐ ☐ ☐ ☐ ☐	11.0#
	• 120° 2-way top cap	48" 30"	P120VF1203048	☐	☐ ☐ ☐ ☐ ☐	12.0#
	• Light block	54" 30"	P120VF1203054	☐	☐ ☐ ☐ ☐ ☐	13.0#
	• One piece of height change trim	66" 30"	P120VF1203066	☐	☐ ☐ ☐ ☐ ☐	15.0#
	• Two half posts A	72" 30"	P120VF1203072	☐	☐ ☐ ☐ ☐ ☐	16.0#
	• One half post B	84" 30"	P120VF1203084	☐	☐ ☐ ☐ ☐ ☐	20.0#
	• Connecting hardware	42" 36"	P120VF1203642	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120VF1203648	☐	☐ ☐ ☐ ☐ ☐	10.0#
		54" 36"	P120VF1203654	☐	☐ ☐ ☐ ☐ ☐	11.0#
		66" 36"	P120VF1203666	☐	☐ ☐ ☐ ☐ ☐	13.0#
		72" 36"	P120VF1203672	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 36"	P120VF1203684	☐	☐ ☐ ☐ ☐ ☐	18.0#
		48" 42"	P120VF1204248	☐	☐ ☐ ☐ ☐ ☐	9.0#
		54" 42"	P120VF1204254	☐	☐ ☐ ☐ ☐ ☐	11.0#
		66" 42"	P120VF1204266	☐	☐ ☐ ☐ ☐ ☐	13.0#
		72" 42"	P120VF1204272	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 42"	P120VF1204284	☐	☐ ☐ ☐ ☐ ☐	18.0#
		54" 48"	P120VF1204854	☐	☐ ☐ ☐ ☐ ☐	9.0#
		66" 48"	P120VF1204866	☐	☐ ☐ ☐ ☐ ☐	12.0#
		72" 48"	P120VF1204872	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 48"	P120VF1204884	☐	☐ ☐ ☐ ☐ ☐	18.0#
		66" 54"	P120VF1205466	☐	☐ ☐ ☐ ☐ ☐	11.0#
		72" 54"	P120VF1205472	☐	☐ ☐ ☐ ☐ ☐	12.0#
		84" 54"	P120VF1205484	☐	☐ ☐ ☐ ☐ ☐	16.0#
		72" 66"	P120VF1206672	☐	☐ ☐ ☐ ☐ ☐	9.0#
		84" 66"	P120VF1206684	☐	☐ ☐ ☐ ☐ ☐	11.0#
		84" 72"	P120VF1207284	☐	☐ ☐ ☐ ☐ ☐	11.0#
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 461	\$ 470	\$ 479	\$ 485	\$ 496	\$ 9
417	426	433	443	458	9
558	571	576	587	603	9
565	575	580	593	610	9
587	597	606	616	634	9
684	699	706	718	741	9
713	726	734	748	769	9
468	475	483	489	503	9
485	492	500	508	526	9
569	577	584	595	612	9
580	593	599	610	628	9
608	618	627	637	657	9
714	727	737	749	770	9
564	574	579	592	609	9
570	578	586	596	613	9
623	637	641	656	673	9
675	692	696	710	728	9
773	789	799	811	835	9
575	586	593	603	621	9
661	672	682	694	714	9
680	692	699	713	733	9
777	791	801	816	839	9
586	597	605	615	632	9
681	695	700	714	734	9
695	710	716	727	750	9
608	617	627	637	657	9
693	708	714	724	748	9
698	713	718	733	754	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

3-Way



PTN

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
MODEL	A x B			
120° 3-Way, Two Different Heights • Unupholstered: trim colored • 120° 1-way top cap • Light block • Two pieces of height change trim • One half post A • Two half posts B • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30"	P120V1W3036	☐ ☐	9.0#
	42" 30"	P120V1W3042	☐ ☐	10.0#
	48" 30"	P120V1W3048	☐ ☐	11.0#
	54" 30"	P120V1W3054	☐ ☐	12.0#
	66" 30"	P120V1W3066	☐ ☐	15.0#
	72" 30"	P120V1W3072	☐ ☐	16.0#
	84" 30"	P120V1W3084	☐ ☐	20.0#
	42" 36"	P120V1W3642	☐ ☐	9.0#
	48" 36"	P120V1W3648	☐ ☐	11.0#
	54" 36"	P120V1W3654	☐ ☐	12.0#
	66" 36"	P120V1W3666	☐ ☐	15.0#
	72" 36"	P120V1W3672	☐ ☐	16.0#
	84" 36"	P120V1W3684	☐ ☐	20.0#
	48" 42"	P120V1W4248	☐ ☐	9.0#
	54" 42"	P120V1W4254	☐ ☐	11.0#
	66" 42"	P120V1W4266	☐ ☐	14.0#
	72" 42"	P120V1W4272	☐ ☐	16.0#
	84" 42"	P120V1W4284	☐ ☐	20.0#
	54" 48"	P120V1W4854	☐ ☐	9.0#
	66" 48"	P120V1W4866	☐ ☐	12.0#
	72" 48"	P120V1W4872	☐ ☐	14.0#
	84" 48"	P120V1W4884	☐ ☐	18.0#
	66" 54"	P120V1W5466	☐ ☐	11.0#
	72" 54"	P120V1W5472	☐ ☐	12.0#
	84" 54"	P120V1W5484	☐ ☐	16.0#
	72" 66"	P120V1W6672	☐ ☐	9.0#
	84" 66"	P120V1W6684	☐ ☐	12.0#
	84" 72"	P120V1W7284	☐ ☐	11.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 412	\$ 36
412	39
508	39
521	39
546	41
632	59
667	64
420	36
432	39
519	39
539	41
569	41
673	64
511	36
512	39
611	39
630	41
650	59
527	36
615	39
637	39
663	41
537	39
631	39
655	41
557	36
642	39
650	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

			MODEL NUMBER			Approx. Packaged Weight
MODEL	A x B	Basic Model	Trim Color	Upholstery Color		
 PTNF	120° 3-Way, Two Different Heights	36" 30"	P120VF1W3036	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• Upholstered	42" 30"	P120VF1W3042	☐	☐ ☐ ☐ ☐ ☐	12.0#
	• 120° 1-way top cap	48" 30"	P120VF1W3048	☐	☐ ☐ ☐ ☐ ☐	14.0#
	• Light block	54" 30"	P120VF1W3054	☐	☐ ☐ ☐ ☐ ☐	16.0#
	• Two pieces of height change trim	66" 30"	P120VF1W3066	☐	☐ ☐ ☐ ☐ ☐	20.0#
	• One half post A	72" 30"	P120VF1W3072	☐	☐ ☐ ☐ ☐ ☐	22.0#
	• Two half posts B	84" 30"	P120VF1W3084	☐	☐ ☐ ☐ ☐ ☐	26.0#
	• Connecting hardware	42" 36"	P120VF1W3642	☐	☐ ☐ ☐ ☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120VF1W3648	☐	☐ ☐ ☐ ☐ ☐	12.0#
		54" 36"	P120VF1W3654	☐	☐ ☐ ☐ ☐ ☐	14.0#
		66" 36"	P120VF1W3666	☐	☐ ☐ ☐ ☐ ☐	18.0#
		72" 36"	P120VF1W3672	☐	☐ ☐ ☐ ☐ ☐	20.0#
		84" 36"	P120VF1W3684	☐	☐ ☐ ☐ ☐ ☐	24.0#
		48" 42"	P120VF1W4248	☐	☐ ☐ ☐ ☐ ☐	9.0#
		54" 42"	P120VF1W4254	☐	☐ ☐ ☐ ☐ ☐	12.0#
		66" 42"	P120VF1W4266	☐	☐ ☐ ☐ ☐ ☐	16.0#
		72" 42"	P120VF1W4272	☐	☐ ☐ ☐ ☐ ☐	18.0#
		84" 42"	P120VF1W4284	☐	☐ ☐ ☐ ☐ ☐	22.0#
		54" 48"	P120VF1W4854	☐	☐ ☐ ☐ ☐ ☐	9.0#
		66" 48"	P120VF1W4866	☐	☐ ☐ ☐ ☐ ☐	14.0#
		72" 48"	P120VF1W4872	☐	☐ ☐ ☐ ☐ ☐	16.0#
		84" 48"	P120VF1W4884	☐	☐ ☐ ☐ ☐ ☐	20.0#
		66" 54"	P120VF1W5466	☐	☐ ☐ ☐ ☐ ☐	12.0#
		72" 54"	P120VF1W5472	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 54"	P120VF1W5484	☐	☐ ☐ ☐ ☐ ☐	18.0#
		72" 66"	P120VF1W6672	☐	☐ ☐ ☐ ☐ ☐	9.0#
		84" 66"	P120VF1W6684	☐	☐ ☐ ☐ ☐ ☐	14.0#
		84" 72"	P120VF1W7284	☐	☐ ☐ ☐ ☐ ☐	12.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select upholstery color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 456	\$ 467	\$ 470	\$ 482	\$ 491	\$ 9
456	468	473	483	492	9
543	553	560	573	588	9
547	558	567	575	593	9
569	577	584	595	612	9
658	671	677	691	710	9
715	726	737	747	769	9
464	474	481	488	500	9
475	485	489	499	512	9
552	565	572	580	597	9
565	574	579	592	609	9
661	672	682	694	714	9
686	699	708	720	742	9
553	565	572	580	599	9
557	570	575	586	603	9
638	651	659	670	691	9
657	667	673	688	708	9
672	685	694	706	726	9
572	580	588	599	616	9
652	663	670	683	702	9
679	685	685	698	717	9
682	696	702	715	737	9
579	592	597	609	628	9
667	683	691	701	721	9
680	692	699	713	733	9
600	611	618	630	650	9
681	693	700	714	734	9
694	709	715	726	749	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

2-Way and 3-Way Stackable

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Upholstery Color		
	2-Way Stackable - Unupholstered: trim color - One piece of stackable vertical trim - Two stackable half-posts - One 120° corner connector block - Use top cap from existing lower panel - SX Starlight Silver finish is only offered on flat aluminum trim	12"	PS1202W12	☐		5.0# \$ 278
		18"	PS1202W18	☐		6.0# 368
		24"	PS1202W24	☐		7.0# 384
PST						
	2-Way Stackable - Upholstered - One piece of stackable vertical trim - Two stackable half-posts - One 120° corner connector block - Use top cap from existing lower panel - SX Starlight Silver finish is only offered on flat aluminum trim	12"	PS120F2W12	☐	☐ ☐ ☐ ☐	5.0# N/A
		18"	PS120F2W18	☐	☐ ☐ ☐ ☐	6.0# N/A
		24"	PS120F2W24	☐	☐ ☐ ☐ ☐	7.0# N/A
PSTF						
	3-Way Stackable - Unupholstered - Three stackable half-posts - One 120° corner connector block - Use top cap from existing lower panel - SX Starlight Silver finish is only offered on flat aluminum trim	12"	PS1203W12	☐		7.0# \$ 348
		18"	PS1203W18	☐		8.0# 443
		24"	PS1203W24	☐		9.0# 453
PST						
			A	B	C	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

2-Way and 3-Way Stackable

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 11
					11
					11
\$ 342	\$ 348	\$ 352	\$ 358	\$ 367	N/A
431	439	443	451	464	N/A
439	446	450	460	474	N/A
					N/A
					N/A
					N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Worksurfaces

Corner Worksurfaces

MODEL	MODEL NUMBER								Approx. Packaged Weight
	Basic Model	Edge Style	Surface Finish	Trim Color	Wood Edge Color	Veneer Color	Edge Color	Grommet Color	
 Inside Corner Worksurface with 120° Ends - Includes mounting hardware - Left hand cantilever is provided for rear corner - Includes two 2-1/2" x 6" grommets PWWC	PW120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PW120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PW120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PW120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PW120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PW120304830	☐	☐	☐	☐	☐	☐	☐	76.0#
 Inside Corner Worksurface with 90° Ends PWWC	PWIC120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PWIC120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PWIC120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PWIC120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PWIC120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PWIC120304830	☐	☐	☐	☐	☐	☐	☐	70.0#
 Outside Corner Worksurface with 90° Ends PWWC	PWOC120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PWOC120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PWOC120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PWOC120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PWOC120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PWOC120304830	☐	☐	☐	☐	☐	☐	☐	76.0#
A B C D E F G H									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge
WE	- Wood edge, laminate surface
WV	- Wood edge, veneer surface

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

E Select wood edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select wood veneer color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

H Select grommet color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




120° Worksurfaces


Corner Worksurfaces




74P Edge
(74P)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

\$ 809	\$ 899	\$ 1246	\$ 2634
856	932	1317	3131
973	1023	1481	3722
835	917	1284	2736
925	974	1383	3326
1107	1183	1614	3921
\$ 809	\$ 899	\$ 1246	\$ 1829
856	932	1317	1891
973	1023	1481	1919
835	917	1284	1945
925	974	1383	1978
1107	1183	1614	1988
\$ 809	\$ 899	\$ 1299	\$ 2261
856	932	1371	2309
973	1023	1534	2331
835	917	1337	2366
925	974	1558	2392
1107	1183	1682	2432

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Build Your Own

Components

MODEL	H	MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
		46.0955		1.0#
HRDPT				
		46.1037.12		1.0#
		46.1037.18		1.0#
		46.1037.24		1.0#
		46.1037.30		1.0#
		46.1037.36		1.0#
		46.1037.42		1.0#
		46.1037.48		1.0#
		46.1037.54		1.0#
		46.1037.60		1.0#
		46.1037.66		1.0#
		46.1037.72		1.0#
		46.1037.78		1.0#
		46.1037.84		1.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	20
\$	6
	6
	6
	7
	10
	10
	15
	15
	15
	15
	21
	21
	21

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Build Your Own Components

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	120° Vertical Trim	30"	46.1032.30	☐	1.0#
		36"	46.1032.36	☐	1.0#
		42"	46.1032.42	☐	1.0#
		48"	46.1032.48	☐	1.0#
		54"	46.1032.54	☐	2.0#
		60"	46.1032.60	☐	2.0#
		66"	46.1032.66	☐	2.0#
		72"	46.1032.72	☐	2.0#
		84"	46.1032.84	☐	2.0#
 HRDPT	120° 1-Way Top Cap		46.1027	☐	1.0#
 HRDPT	120° 2-Way Top Cap		46.1028	☐	1.0#
 HRDPT	120° 3-Way Top Cap		46.1029	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.



120° Build Your Own
Components

Delivered Pricing		Metallic Paint add to list price
\$	31	\$ 12
	37	12
	37	26
	55	28
	55	28
	55	28
	55	30
	79	30
	85	32
\$	10	\$ 9
\$	10	N/A
\$	10	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220**
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

		H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing Unupholstered
			Basic Model	Trim Color	Fabric Color		
 TECN	End-of-Run Condition - Unupholstered: trim colored - End-of-run trim (Tech) - Top cap - One full post - End-of-run base tile hooks - SX Starlight Silver finish is only offered on flat aluminum trim	30"	TEP/30	☐		5.0#	\$ 62
		36"	TEP/36	☐		5.0#	77
		42"	TEP/42	☐		7.0#	78
		48"	TEP/48	☐		8.0#	93
		54"	TEP/54	☐		9.0#	94
		60"	TEP/60	☐		10.0#	100
		66"	TEP/66	☐		11.0#	119
		72"	TEP/72	☐		11.0#	123
		78"	TEP/78	☐		12.0#	126
		84"	TEP/84	☐		13.0#	132
 TECN	90° 2-Way "L" Corner, Both Panels Same Height - Unupholstered: trim colored 90° top cap - Two pieces of universal trim (Tech) - Two half-posts - Two sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	30"	TCP90/30	☐		9.0#	\$ 162
		36"	TCP90/36	☐		9.0#	178
		42"	TCP90/42	☐		11.0#	205
		48"	TCP90/48	☐		12.0#	228
		54"	TCP90/54	☐		13.0#	233
		60"	TCP90/60	☐		15.0#	237
		66"	TCP90/66	☐		16.0#	253
		72"	TCP90/72	☐		16.0#	272
		78"	TCP90/78	☐		16.0#	289
		84"	TCP90/84	☐		16.0#	312
 TEF2	90° 2-Way "L" Corner, Both Panels Same Height - Upholstered 90° top cap - Two pieces of universal trim - Two half-posts - Two sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	30"	TCPF90/30	☐	☐ ☐ ☐ ☐	7.0#	N/A
		36"	TCPF90/36	☐	☐ ☐ ☐ ☐	7.0#	N/A
		42"	TCPF90/42	☐	☐ ☐ ☐ ☐	10.0#	N/A
		48"	TCPF90/48	☐	☐ ☐ ☐ ☐	11.0#	N/A
		54"	TCPF90/54	☐	☐ ☐ ☐ ☐	13.0#	N/A
		60"	TCPF90/60	☐	☐ ☐ ☐ ☐	14.0#	N/A
		66"	TCPF90/66	☐	☐ ☐ ☐ ☐	16.0#	N/A
		72"	TCPF90/72	☐	☐ ☐ ☐ ☐	16.0#	N/A
		78"	TCPF90/78	☐	☐ ☐ ☐ ☐	16.0#	N/A
		84"	TCPF90/84	☐	☐ ☐ ☐ ☐	16.0#	N/A

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 28
					29
					33
					34
					36
					39
					44
					44
					44
					46
					\$ 41
					42
					42
					65
					67
					69
					71
					73
					73
					74
\$ 227	\$ 231	\$ 232	\$ 235	\$ 245	\$ 32
241	248	251	256	262	35
272	276	278	288	296	39
302	307	310	317	323	42
310	314	317	323	327	42
316	320	322	333	342	44
330	337	340	348	357	47
356	363	365	374	385	49
369	379	381	390	400	56
430	437	441	451	464	62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	A	B	A-B		
 TECN	90° 2-Way "L" Corner, Two Different Heights		30" 30" 6"	TCPV90/3036	☐ ☐ 9.0#
			42" 30" 12"	TCPV90/3042	☐ ☐ 9.0#
	• Unupholstered • 1-way top cap • Two pieces of universal trim (Tech) • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		48" 30" 18"	TCPV90/3048	☐ ☐ 9.0#
			54" 30" 24"	TCPV90/3054	☐ ☐ 11.0#
			60" 30" 30"	TCPV90/3060	☐ ☐ 11.0#
			66" 30" 36"	TCPV90/3066	☐ ☐ 9.0#
			72" 30" 42"	TCPV90/3072	☐ ☐ 9.0#
			78" 30" 48"	TCPV90/3078	☐ ☐ 9.0#
			84" 30" 54"	TCPV90/3084	☐ ☐ 9.0#
			42" 36" 6"	TCPV90/3642	☐ ☐ 9.0#
			48" 36" 12"	TCPV90/3648	☐ ☐ 9.0#
			54" 36" 18"	TCPV90/3654	☐ ☐ 11.0#
			60" 36" 24"	TCPV90/3660	☐ ☐ 11.0#
			66" 36" 30"	TCPV90/3666	☐ ☐ 9.0#
			72" 36" 36"	TCPV90/3672	☐ ☐ 9.0#
			78" 36" 42"	TCPV90/3678	☐ ☐ 9.0#
			84" 36" 48"	TCPV90/3684	☐ ☐ 9.0#
			48" 42" 6"	TCPV90/4248	☐ ☐ 12.0#
			54" 42" 12"	TCPV90/4254	☐ ☐ 12.0#
			60" 42" 18"	TCPV90/4260	☐ ☐ 11.0#
			66" 42" 24"	TCPV90/4266	☐ ☐ 14.0#
			72" 42" 30"	TCPV90/4272	☐ ☐ 9.0#
			78" 42" 36"	TCPV90/4278	☐ ☐ 9.0#
			84" 42" 42"	TCPV90/4284	☐ ☐ 9.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing	
\$ 236	\$ 70
238	70
263	81
269	83
272	83
270	84
278	87
306	88
317	91
253	70
275	83
277	84
280	83
278	87
294	90
310	91
330	91
357	87
359	90
364	94
363	95
378	95
396	98
408	100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

TECN

MODEL

A B A-B

90° 2-Way "L" Corner, Two Different Heights

- Unupholstered
- 1-way top cap
- Two pieces of universal trim (Tech)
- One piece of universal height change trim
- One half-post (height A)
- One half-post (height B)
- Two sets of half post base tile hooks
- Connecting hardware
- SX Starlight Silver finish is only offered on flat aluminum trim

MODEL NUMBER

Basic Model

Trim Color

Approx. Packaged Weight

54" 48" 6"	TCPV90/4854	☐ ☐	12.0#
60" 48" 12"	TCPV90/4860	☐ ☐	11.0#
66" 48" 18"	TCPV90/4866	☐ ☐	14.0#
72" 48" 24"	TCPV90/4872	☐ ☐	9.0#
78" 48" 30"	TCPV90/4878	☐ ☐	9.0#
84" 48" 36"	TCPV90/4884	☐ ☐	9.0#
60" 54" 6"	TCPV90/5460	☐ ☐	11.0#
66" 54" 12"	TCPV90/5466	☐ ☐	15.0#
72" 54" 18"	TCPV90/5472	☐ ☐	9.0#
78" 54" 24"	TCPV90/5478	☐ ☐	9.0#
84" 54" 30"	TCPV90/5484	☐ ☐	9.0#
66" 60" 6"	TCPV90/6066	☐ ☐	15.0#
72" 60" 12"	TCPV90/6072	☐ ☐	9.0#
78" 60" 18"	TCPV90/6078	☐ ☐	9.0#
84" 60" 24"	TCPV90/6084	☐ ☐	9.0#
72" 66" 6"	TCPV90/6672	☐ ☐	9.0#
78" 66" 12"	TCPV90/6678	☐ ☐	9.0#
84" 66" 18"	TCPV90/6684	☐ ☐	9.0#
78" 72" 6"	TCPV90/7278	☐ ☐	9.0#
84" 72" 12"	TCPV90/7284	☐ ☐	9.0#
84" 78" 6"	TCPV90/7884	☐ ☐	9.0#

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing			
\$	366		\$ 92
	368		92
	366		93
	382		94
	399		92
	419		94
	399		95
	373		95
	387		96
	406		93
	423		94
	381		94
	393		95
	411		95
	430		96
	394		96
	412		97
	436		97
	424		99
	440		99
	441		99

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 TEF2	90° 2-Way "L" Corner, Two Different Heights	36"	30"	6"	TCPVF90/3036	☐	☐ ☐ ☐ ☐	9.0#
		42"	30"	12"	TCPVF90/3042	☐	☐ ☐ ☐ ☐	9.0#
	• Upholstered	48"	30"	18"	TCPVF90/3048	☐	☐ ☐ ☐ ☐	9.0#
	• 1-way top cap	54"	30"	24"	TCPVF90/3054	☐	☐ ☐ ☐ ☐	11.0#
	• Two pieces of universal trim (Tech)	60"	30"	30"	TCPVF90/3060	☐	☐ ☐ ☐ ☐	11.0#
	• One piece of universal height change trim	66"	30"	36"	TCPVF90/3066	☐	☐ ☐ ☐ ☐	16.0#
	• One half-post (height A)	72"	30"	42"	TCPVF90/3072	☐	☐ ☐ ☐ ☐	16.0#
	• One half-post (height B)	78"	30"	48"	TCPVF90/3078	☐	☐ ☐ ☐ ☐	16.0#
	• Two sets of half post base tile hooks	84"	30"	54"	TCPVF90/3084	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware	42"	36"	6"	TCPVF90/3642	☐	☐ ☐ ☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48"	36"	12"	TCPVF90/3648	☐	☐ ☐ ☐ ☐	9.0#
		54"	36"	18"	TCPVF90/3654	☐	☐ ☐ ☐ ☐	11.0#
		60"	36"	24"	TCPVF90/3660	☐	☐ ☐ ☐ ☐	11.0#
		66"	36"	30"	TCPVF90/3666	☐	☐ ☐ ☐ ☐	16.0#
		72"	36"	36"	TCPVF90/3672	☐	☐ ☐ ☐ ☐	16.0#
		78"	36"	42"	TCPVF90/3678	☐	☐ ☐ ☐ ☐	16.0#
		84"	36"	48"	TCPVF90/3684	☐	☐ ☐ ☐ ☐	16.0#
		48"	42"	6"	TCPVF90/4248	☐	☐ ☐ ☐ ☐	12.0#
		54"	42"	12"	TCPVF90/4254	☐	☐ ☐ ☐ ☐	12.0#
		60"	42"	18"	TCPVF90/4260	☐	☐ ☐ ☐ ☐	11.0#
		66"	42"	24"	TCPVF90/4266	☐	☐ ☐ ☐ ☐	14.0#
		72"	42"	30"	TCPVF90/4272	☐	☐ ☐ ☐ ☐	16.0#
		78"	42"	36"	TCPVF90/4278	☐	☐ ☐ ☐ ☐	16.0#
		84"	42"	42"	TCPVF90/4284	☐	☐ ☐ ☐ ☐	16.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 334	\$ 340	\$ 342	\$ 352	\$ 359	\$ 15
330	337	340	348	357	15
365	373	376	385	396	15
373	380	382	391	401	15
381	387	390	399	410	15
382	388	391	400	411	15
398	403	410	420	430	15
423	430	436	444	453	15
471	481	486	493	508	15
369	379	381	390	400	15
379	385	387	397	408	15
384	390	393	401	412	15
388	396	398	408	420	15
391	398	400	410	423	15
411	419	424	433	444	15
425	432	438	448	460	15
485	491	499	508	526	15
461	470	479	486	496	15
468	475	483	490	505	15
470	480	485	492	507	15
471	481	486	493	508	15
492	501	508	521	535	15
511	521	528	537	552	15
559	571	577	588	605	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 TEF2	90° 2-Way "L" Corner, Two Different Heights	54"	48"	6"	TCPVF90/4854	☐	☐ ☐ ☐ ☐	12.0#
		60"	48"	12"	TCPVF90/4860	☐	☐ ☐ ☐ ☐	11.0#
	• Upholstered	66"	48"	18"	TCPVF90/4866	☐	☐ ☐ ☐ ☐	14.0#
	• 1-way top cap	72"	48"	24"	TCPVF90/4872	☐	☐ ☐ ☐ ☐	16.0#
	• Two pieces of universal trim (Tech)	78"	48"	30"	TCPVF90/4878	☐	☐ ☐ ☐ ☐	16.0#
	• One piece of universal height change trim	84"	48"	36"	TCPVF90/4884	☐	☐ ☐ ☐ ☐	16.0#
	• One half-post (height A)	60"	54"	6"	TCPVF90/5460	☐	☐ ☐ ☐ ☐	11.0#
	• One half-post (height B)	66"	54"	12"	TCPVF90/5466	☐	☐ ☐ ☐ ☐	15.0#
	• Two sets of half post base tile hooks	72"	54"	18"	TCPVF90/5472	☐	☐ ☐ ☐ ☐	16.0#
	• Connecting hardware	78"	54"	24"	TCPVF90/5478	☐	☐ ☐ ☐ ☐	16.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	54"	30"	TCPVF90/5484	☐	☐ ☐ ☐ ☐	16.0#
		66"	60"	6"	TCPVF90/6066	☐	☐ ☐ ☐ ☐	15.0#
		72"	60"	12"	TCPVF90/6072	☐	☐ ☐ ☐ ☐	16.0#
		78"	60"	18"	TCPVF90/6078	☐	☐ ☐ ☐ ☐	16.0#
		84"	60"	24"	TCPVF90/6084	☐	☐ ☐ ☐ ☐	16.0#
		72"	66"	6"	TCPVF90/6672	☐	☐ ☐ ☐ ☐	16.0#
		78"	66"	12"	TCPVF90/6678	☐	☐ ☐ ☐ ☐	16.0#
		84"	66"	18"	TCPVF90/6684	☐	☐ ☐ ☐ ☐	16.0#
		78"	72"	6"	TCPVF90/7278	☐	☐ ☐ ☐ ☐	16.0#
		84"	72"	12"	TCPVF90/7284	☐	☐ ☐ ☐ ☐	16.0#
		84"	78"	6"	TCPVF90/7884	☐	☐ ☐ ☐ ☐	16.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 473	\$ 482	\$ 487	\$ 495	\$ 510	\$ 15
475	484	489	499	512	15
475	484	489	499	512	15
495	505	511	523	537	15
516	526	531	541	557	15
569	576	584	595	612	15
484	490	496	507	522	15
484	490	496	507	522	15
501	510	519	528	542	15
519	528	535	543	559	15
574	581	592	602	618	15
488	495	503	515	529	15
508	517	526	535	550	15
523	531	538	549	567	15
576	586	594	605	623	15
510	519	527	536	551	15
524	533	539	550	569	15
579	590	597	609	627	15
537	546	552	565	579	15
587	596	605	616	634	15
588	597	606	617	636	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
MODEL	A	B	A-B			
 TECN	180° 2-Way In-Line Connection, Both Panels Same Height • Unupholstered • One full post • Two sets of half post base tile hooks		30"	TFP/30		5.0#
			36"	TFP/36		5.0#
			42"	TFP/42		6.0#
			48"	TFP/48		6.0#
			54"	TFP/54		7.0#
			60"	TFP/60		7.0#
			66"	TFP/66		8.0#
			72"	TFP/72		9.0#
			78"	TFP/78		10.0#
			84"	TFP/84		11.0#
 TECN	180° 2-Way In-Line Connection, Two Different Heights • Unupholstered; trim colored • One full post • In-line height change trim • In-line height change bottom cap • End-of-run top cap • Two sets of half post base tile hooks • SX Starlight Silver finish is only offered on flat aluminum trim		36" 30" 6"	TFPV/3036	☐	5.0#
			42" 30" 12"	TFPV/3042	☐	6.0#
			54" 30" 24"	TFPV/3054	☐	7.0#
			66" 30" 36"	TFPV/3066	☐	8.0#
			84" 30" 54"	TFPV/3084	☐	11.0#
			66" 42" 24"	TFPV/4266	☐	8.0#
			84" 42" 42"	TFPV/4284	☐	11.0#
			66" 54" 12"	TFPV/5466	☐	8.0#
			84" 54" 30"	TFPV/5484	☐	11.0#
			84" 66" 18"	TFPV/6684	☐	10.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 41	N/A
47	N/A
48	N/A
52	N/A
55	N/A
61	N/A
62	N/A
69	N/A
71	N/A
78	N/A
\$ 69	\$ 33
76	36
88	36
104	39
132	47
96	36
123	47
90	36
118	38
108	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Unupholstered	
		Basic Model	Trim Color	Fabric Color		
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	TSP180/30	☐		4.0# \$ 209
	• Unupholstered: trim colored • 180° top cap • Two pieces of universal trim (Tech) • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	TSP180/36	☐		4.0# 232
		42"	TSP180/42	☐		5.0# 259
		48"	TSP180/48	☐		5.0# 283
		54"	TSP180/54	☐		6.0# 295
		60"	TSP180/60	☐		6.0# 306
		66"	TSP180/66	☐		7.0# 318
		72"	TSP180/72	☐		7.0# 343
		78"	TSP180/78	☐		7.0# 363
		84"	TSP180/84	☐		7.0# 390
TECN						
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	TSPF180/30	☐	☐ ☐ ☐ ☐	4.0# N/A
	• Upholstered • 180° top cap • Two pieces of universal trim (Tech) • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	TSPF180/36	☐	☐ ☐ ☐ ☐	4.0# N/A
		42"	TSPF180/42	☐	☐ ☐ ☐ ☐	5.0# N/A
		48"	TSPF180/48	☐	☐ ☐ ☐ ☐	5.0# N/A
		54"	TSPF180/54	☐	☐ ☐ ☐ ☐	6.0# N/A
		60"	TSPF180/60	☐	☐ ☐ ☐ ☐	6.0# N/A
		66"	TSPF180/66	☐	☐ ☐ ☐ ☐	7.0# N/A
		72"	TSPF180/72	☐	☐ ☐ ☐ ☐	7.0# N/A
		78"	TSPF180/78	☐	☐ ☐ ☐ ☐	7.0# N/A
		84"	TSPF180/84	☐	☐ ☐ ☐ ☐	7.0# N/A
TEF2						

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 41
					41
					42
					44
					54
					56
					71
					71
					74
					74
\$ 278	\$ 283	\$ 288	\$ 294	\$ 302	\$ 15
337	343	346	353	363	15
353	358	362	367	381	15
388	396	399	409	420	15
394	401	401	412	424	15
399	408	411	420	431	15
414	423	426	436	445	15
483	490	493	506	521	15
485	492	499	508	524	15
486	493	500	510	524	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

				MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Unupholstered	
				Basic Model	Trim Color	Fabric Color		
 TECN	MODEL	A	B	A-B				
	180° 2-Way In-Line Spacer, Two Different Heights	36"	30"	6"	TPV180/3036	☐		9.0# \$ 201
		42"	30"	12"	TPV180/3042	☐		9.0# 206
	• Unupholstered: trim colored	54"	30"	24"	TPV180/3054	☐		11.0# 263
	• Dead end top cap	66"	30"	36"	TPV180/3066	☐		13.0# 318
	• Two pieces of universal trim (Tech)	84"	30"	54"	TPV180/3084	☐		16.0# 341
	• One piece of universal height change trim	66"	42"	24"	TPV180/4266	☐		14.0# 272
	• One half-post (height A)	84"	42"	42"	TPV180/4284	☐		17.0# 335
	• One half-post (height B)	66"	54"	12"	TPV180/5466	☐		15.0# 252
	• Two sets of half post base tile hooks	84"	54"	30"	TPV180/5484	☐		18.0# 314
	• Connecting hardware	84"	66"	18"	TPV180/6684	☐		19.0# 312
	• SX Starlight Silver finish is only offered on flat aluminum trim							
 TEF2	180° 2-Way In-Line Spacer, Two Different Heights	36"	30"	6"	TSPVF180/3036	☐	☐ ☐ ☐ ☐	9.0# N/A
		42"	30"	12"	TSPVF180/3042	☐	☐ ☐ ☐ ☐	9.0# N/A
	• Upholstered	54"	30"	24"	TSPVF180/3054	☐	☐ ☐ ☐ ☐	11.0# N/A
	• Dead end top cap	66"	30"	36"	TSPVF180/3066	☐	☐ ☐ ☐ ☐	13.0# N/A
	• Two pieces of universal trim (Tech)	84"	30"	54"	TSPVF180/3084	☐	☐ ☐ ☐ ☐	16.0# N/A
	• One piece of universal height change trim	66"	42"	24"	TSPVF180/4266	☐	☐ ☐ ☐ ☐	14.0# N/A
	• One half-post (height A)	84"	42"	42"	TSPVF180/4284	☐	☐ ☐ ☐ ☐	17.0# N/A
	• One half-post (height B)	66"	54"	12"	TSPVF180/5466	☐	☐ ☐ ☐ ☐	15.0# N/A
	• Two sets of half post base tile hooks	84"	54"	30"	TSPVF180/5484	☐	☐ ☐ ☐ ☐	18.0# N/A
	• Connecting hardware	84"	66"	18"	TSPVF180/6684	☐	☐ ☐ ☐ ☐	19.0# N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim							

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 36
					47
					35
					47
					36
					35
					47
					47
					35
					47
					35
					47
\$ 441	\$ 446	\$ 448	\$ 452	\$ 462	\$ 15
437	443	446	453	464	15
522	529	533	542	553	15
546	553	558	570	579	15
642	655	660	668	685	15
564	573	577	586	597	15
657	664	671	682	698	15
533	541	544	553	567	15
616	627	631	641	658	15
612	623	628	637	655	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Fabric Color		
	MODEL	H				
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	30"	TTP3W/30	☐		10.0# \$ 213
		36"	TTP3W/36	☐		11.0# 236
	• Unupholstered: trim colored	42"	TTP3W/42	☐		12.0# 263
	• 3-way top cap	48"	TTP3W/48	☐		14.0# 290
	• One piece of universal trim (Tech)	54"	TTP3W/54	☐		15.0# 302
	• Three half-posts	60"	TTP3W/60	☐		17.0# 311
	• Three sets of half post base tile hooks	66"	TTP3W/66	☐		18.0# 323
	• Connecting hardware	72"	TTP3W/72	☐		18.0# 347
	• SX Starlight Silver finish is only offered on flat aluminum trim	78"	TTP3W/78	☐		18.0# 367
		84"	TTP3W/84	☐		18.0# 394
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	30"	TTPF3W/30	☐	☐	9.0# N/A
		36"	TTPF3W/36	☐	☐	9.0# N/A
	• Upholstered	42"	TTPF3W/42	☐	☐	12.0# N/A
	• 3-way top cap	48"	TTPF3W/48	☐	☐	12.0# N/A
	• One piece of universal trim (Tech)	54"	TTPF3W/54	☐	☐	15.0# N/A
	• Three half-posts	60"	TTPF3W/60	☐	☐	15.0# N/A
	• Three sets of half post base tile hooks	66"	TTPF3W/66	☐	☐	18.0# N/A
	• Connecting hardware	72"	TTPF3W/72	☐	☐	18.0# N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim	78"	TTPF3W/78	☐	☐	18.0# N/A
		84"	TTPF3W/84	☐	☐	18.0# N/A
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 31
					35
					38
					41
					42
					44
					46
					48
					50
					57
\$ 279	\$ 286	\$ 288	\$ 296	\$ 303	\$ 15
305	310	312	318	324	15
333	340	342	350	358	15
363	368	373	382	391	15
378	384	386	396	406	15
386	393	396	403	416	15
402	411	414	424	437	15
436	443	445	453	468	15
449	456	464	473	485	15
511	522	527	537	552	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

					MODEL NUMBER							
MODEL					A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered
	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - Unupholstered: trim colored 90° top cap - One piece of universal trim (Tech) - One piece of universal height change trim - Light block - Two half-posts (height A) - One half-post (height B) - Three sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPV90/3036	☐		15.0#	\$ 277					
		42" 30" 12"	TTPV90/3042	☐		11.0#	288					
		54" 30" 24"	TTPV90/3054	☐		14.0#	365					
		66" 30" 36"	TTPV90/3066	☐		17.0#	382					
		84" 30" 54"	TTPV90/3084	☐		21.0#	470					
		66" 42" 24"	TTPV90/4266	☐		18.0#	398					
		84" 42" 42"	TTPV90/4284	☐		22.0#	486					
		66" 54" 12"	TTPV90/5466	☐		18.0#	359					
		84" 54" 30"	TTPV90/5484	☐		22.0#	446					
		84" 66" 18"	TTPV90/6684	☐		23.0#	444					
	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - Upholstered 90° top cap - One piece of universal trim (Tech) - One piece of universal height change trim - Light block - Two half-posts (height A) - One half-post (height B) - Three sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPVF90/3036	☐	☐ ☐ ☐ ☐	15.0#	N/A					
		42" 30" 12"	TTPVF90/3042	☐	☐ ☐ ☐ ☐	11.0#	N/A					
		54" 30" 24"	TTPVF90/3054	☐	☐ ☐ ☐ ☐	14.0#	N/A					
		66" 30" 36"	TTPVF90/3066	☐	☐ ☐ ☐ ☐	17.0#	N/A					
		84" 30" 54"	TTPVF90/3084	☐	☐ ☐ ☐ ☐	21.0#	N/A					
		66" 42" 24"	TTPVF90/4266	☐	☐ ☐ ☐ ☐	18.0#	N/A					
		84" 42" 43"	TTPVF90/4284	☐	☐ ☐ ☐ ☐	22.0#	N/A					
		66" 54" 12"	TTPVF90/5466	☐	☐ ☐ ☐ ☐	18.0#	N/A					
		84" 54" 30"	TTPVF90/5484	☐	☐ ☐ ☐ ☐	22.0#	N/A					
		84" 66" 18"	TTPVF90/6684	☐	☐ ☐ ☐ ☐	23.0#	N/A					

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 47
					48
					62
					65
					68
					64
					68
					64
					67
					65
\$ 397	\$ 401	\$ 403	\$ 411	\$ 420	\$ 15
394	401	403	411	422	15
479	484	487	493	507	15
500	508	512	522	533	15
590	599	605	613	628	15
517	526	529	537	549	15
595	603	610	618	632	15
474	483	486	492	505	15
567	575	579	590	603	15
957	965	971	981	993	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

				MODEL NUMBER							
MODEL				A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered
	3-Way "T" Intersection w/180° Top Cap, Two Different Heights • Unupholstered: trim colored • 180° top cap • One piece of universal trim (Tech) • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPV180/3036	☐			10.0#	\$ 277			
		42" 30" 12"	TTPV180/3042	☐			10.0#	290			
		54" 30" 24"	TTPV180/3054	☐			12.0#	367			
		66" 30" 36"	TTPV180/3066	☐			14.0#	388			
		84" 30" 54"	TTPV180/3084	☐			16.0#	473			
		66" 42" 24"	TTPV180/4266	☐			16.0#	408			
		84" 42" 42"	TTPV180/4284	☐			18.0#	488			
		66" 54" 12"	TTPV180/5466	☐			17.0#	366			
		84" 54" 30"	TTPV180/5484	☐			19.0#	449			
		84" 66" 18"	TTPV180/6684	☐			22.0#	446			
	3-Way "T" Intersection w/180° Top Cap, Two Different Heights • Upholstered • 180° top cap • One piece of fabric-wrapped universal trim (Tech) • One piece of fabric-wrapped universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPVF180/3036	☐	☐ ☐ ☐ ☐	10.0#	N/A				
		42" 30" 12"	TTPVF180/3042	☐	☐ ☐ ☐ ☐	10.0#	N/A				
		54" 30" 24"	TTPVF180/3054	☐	☐ ☐ ☐ ☐	12.0#	N/A				
		66" 30" 36"	TTPVF180/3066	☐	☐ ☐ ☐ ☐	14.0#	N/A				
		84" 30" 54"	TTPVF180/3084	☐	☐ ☐ ☐ ☐	16.0#	N/A				
		66" 42" 24"	TTPVF180/4266	☐	☐ ☐ ☐ ☐	16.0#	N/A				
		84" 42" 42"	TTPVF180/4284	☐	☐ ☐ ☐ ☐	18.0#	N/A				
		66" 54" 12"	TTPVF180/5466	☐	☐ ☐ ☐ ☐	17.0#	N/A				
		84" 54" 30"	TTPVF180/5484	☐	☐ ☐ ☐ ☐	19.0#	N/A				
		84" 66" 18"	TTPVF180/6684	☐	☐ ☐ ☐ ☐	22.0#	N/A				

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 59
					74
					65
					78
					70
					68
					79
					78
					69
					79
\$ 399	\$ 408	\$ 410	\$ 420	\$ 431	\$ 15
397	403	409	417	430	15
482	489	493	505	519	15
503	512	521	529	543	15
593	605	611	623	640	15
521	530	536	546	564	15
606	617	625	637	656	15
480	486	491	500	516	15
570	578	586	596	613	15
960	980	989	1009	1037	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER				Approx. Packaged Weight
					Basic Model	Assembly	Trim Color	Fabric Color	
 TECN	4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height • Unupholstered; trim colored • 4-way top cap • Light block • Four half-posts (height A) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"			TXP4W/30	☐	☐		10.0#
		36"			TXP4W/36	☐	☐		10.0#
		42"			TXP4W/42	☐	☐		14.0#
		48"			TXP4W/48	☐	☐		14.0#
		54"			TXP4W/54	☐	☐		19.0#
		60"			TXP4W/60	☐	☐		19.0#
		66"			TXP4W/66	☐	☐		23.0#
		72"			TXP4W/72	☐	☐		23.0#
		78"			TXP4W/78	☐	☐		23.0#
		84"			TXP4W/84	☐	☐		30.0#
 TECN	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights • Unupholstered • 3-way top cap • One piece of universal height change trim • Light block • Three half-posts (height A) • One half-post (height B) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPV3W/3036		☐		18.0#
		42" 30" 12"			TXPV3W/3042		☐		14.0#
		54" 30" 24"			TXPV3W/3054		☐		17.0#
		66" 30" 36"			TXPV3W/3066		☐		20.0#
		84" 30" 54"			TXPV3W/3084		☐		26.0#
		66" 42" 36"			TXPV3W/4266		☐		21.0#
		84" 42" 42"			TXPV3W/4284		☐		27.0#
		66" 54" 12"			TXPV3W/5466		☐		22.0#
		84" 54" 30"			TXPV3W/5484		☐		28.0#
		84" 66" 18"			TXPV3W/6684		☐		29.0#
 TEF2	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights • Upholstered • 3-way top cap • One piece of universal height change trim • Light block • Three half-posts (height A) • One half-post (height B) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPVF3W/3036		☐	☐	18.0#
		42" 30" 12"			TXPVF3W/3042		☐	☐	14.0#
		54" 30" 24"			TXPVF3W/3054		☐	☐	17.0#
		66" 30" 36"			TXPVF3W/3066		☐	☐	20.0#
		84" 30" 54"			TXPVF3W/3084		☐	☐	26.0#
		66" 42" 24"			TXPVF3W/4266		☐	☐	21.0#
		84" 42" 42"			TXPVF3W/4284		☐	☐	27.0#
		66" 54" 12"			TXPVF3W/5466		☐	☐	22.0#
		84" 54" 30"			TXPVF3W/5484		☐	☐	28.0#
		84" 66" 18"			TXPVF3W/6684		☐	☐	29.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$91
U - Unassembled

C Select trim color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Metallic paint requires upcharge.
 SX Starlight Silver finish is only offered on flat aluminum trim.

D Select fabric color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 231						N/A
241						N/A
270						N/A
298						N/A
309						N/A
321						N/A
320						N/A
367						N/A
381						N/A
384						N/A
\$ 283						\$ 25
305						26
381						26
401						29
484						30
420						26
496						35
380						28
460						29
456						28
N/A	\$ 357	\$ 364	\$ 367	\$ 378	\$ 386	\$ 15
N/A	358	365	367	378	387	15
N/A	439	446	450	460	474	15
N/A	460	469	475	484	495	15
N/A	542	552	559	571	587	15
N/A	479	486	490	500	515	15
N/A	558	571	576	587	603	15
N/A	436	443	446	454	469	15
N/A	519	528	535	543	559	15
N/A	515	524	530	539	556	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Unupholstered	
			Basic Model	Trim Color	Fabric Color		
	MODEL	A B A-B					
	4-Way "X" Intersection with 90° Top Cap, Two Different Heights	36" 30" 6"	TXPV90/3036	☐		17.0#	\$ 283
		42" 30" 12"	TXPV90/3042	☐		13.0#	310
	• Unupholstered: trim colored	54" 30" 24"	TXPV90/3054	☐		16.0#	385
	• 90° top cap	66" 30" 36"	TXPV90/3066	☐		19.0#	449
	• Two pieces of universal height change trim	84" 30" 54"	TXPV90/3084	☐		23.0#	490
	• Light block	66" 42" 24"	TXPV90/4266	☐		20.0#	423
	• Two half-posts (height B)	84" 42" 42"	TXPV90/4284	☐		24.0#	500
	• Two half-posts (height A)	66" 54" 12"	TXPV90/5466	☐		21.0#	386
	• Three sets of half post base tile hooks	84" 54" 30"	TXPV90/5484	☐		25.0#	468
	• Connecting hardware	84" 66" 18"	TXPV90/6684	☐		27.0#	460
	• SX Starlight Silver finish is only offered on flat aluminum trim						
	4-Way "X" Intersection with 90° Top Cap, Two Different Heights	36" 30" 6"	TXPVF90/3036	☐	☐ ☐ ☐ ☐	17.0#	N/A
		42" 30" 12"	TXPVF90/3042	☐	☐ ☐ ☐ ☐	13.0#	N/A
	• Upholstered: trim colored	54" 30" 24"	TXPVF90/3054	☐	☐ ☐ ☐ ☐	16.0#	N/A
	• 90° top cap	66" 30" 36"	TXPVF90/3066	☐	☐ ☐ ☐ ☐	19.0#	N/A
	• Two pieces of universal height change trim	84" 30" 54"	TXPVF90/3084	☐	☐ ☐ ☐ ☐	23.0#	N/A
	• Light block	66" 42" 24"	TXPVF90/4266	☐	☐ ☐ ☐ ☐	20.0#	N/A
	• Two half-posts (height A)	84" 42" 42"	TXPVF90/4284	☐	☐ ☐ ☐ ☐	24.0#	N/A
	• Two half-posts (height B)	66" 54" 12"	TXPVF90/5466	☐	☐ ☐ ☐ ☐	21.0#	N/A
	• Four sets of half post base tile hooks	84" 54" 30"	TXPVF90/5484	☐	☐ ☐ ☐ ☐	25.0#	N/A
	• Connecting hardware	84" 66" 18"	TXPVF90/6684	☐	☐ ☐ ☐ ☐	27.0#	N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim						
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 35
					38
					38
					42
					59
					39
					58
					38
					40
					38
\$ 420	\$ 428	\$ 431	\$ 440	\$ 451	\$ 15
420	428	431	440	451	15
499	508	516	526	539	15
570	578	586	596	613	15
612	625	631	642	662	15
538	549	556	567	581	15
621	631	639	651	668	15
493	505	510	521	536	15
584	595	602	612	631	15
575	586	593	603	621	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

			MODEL NUMBER							
MODEL			A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing
	4-Way "X" Intersection with 180° Top Cap, Two Different Heights • Unupholstered; trim colored • 180° top cap • Two pieces of universal height change trim • Light block • Two half-posts (height A) • Two half-posts (height B) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36" 30" 6"	TXPV180/3036	☐			17.0#	\$ 283	
			42" 30" 12"	TXPV180/3042	☐			13.0#	313	
			54" 30" 24"	TXPV180/3054	☐			16.0#	387	
			66" 30" 36"	TXPV180/3066	☐			19.0#	412	
			84" 30" 54"	TXPV180/3084	☐			23.0#	493	
			66" 42" 24"	TXPV180/4266	☐			20.0#	428	
			84" 42" 42"	TXPV180/4284	☐			25.0#	503	
			66" 54" 12"	TXPV180/5466	☐			21.0#	388	
			84" 54" 30"	TXPV180/5484	☐			26.0#	470	
			84" 66" 18"	TXPV180/6684	☐			27.0#	464	
	4-Way "X" Intersection with 180° Top Cap, Two Different Heights • Upholstered • 180° top cap • Two pieces of fabric wrapped universal height change trim • Light block • Two half-posts (height A) • Two half-posts (height B) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim		36" 30" 6"	TXPVF180/3036	☐	☐ ☐ ☐ ☐		17.0#	N/A	
			42" 30" 12"	TXPVF180/3042	☐	☐ ☐ ☐ ☐		13.0#	N/A	
			54" 30" 24"	TXPVF180/3054	☐	☐ ☐ ☐ ☐		16.0#	N/A	
			66" 30" 36"	TXPVF180/3066	☐	☐ ☐ ☐ ☐		19.0#	N/A	
			84" 30" 54"	TXPVF180/3084	☐	☐ ☐ ☐ ☐		23.0#	N/A	
			66" 42" 24"	TXPVF180/4266	☐	☐ ☐ ☐ ☐		20.0#	N/A	
			84" 42" 42"	TXPVF180/4284	☐	☐ ☐ ☐ ☐		25.0#	N/A	
			66" 54" 12"	TXPVF180/5466	☐	☐ ☐ ☐ ☐		21.0#	N/A	
			84" 54" 30"	TXPVF180/5484	☐	☐ ☐ ☐ ☐		26.0#	N/A	
			84" 66" 18"	TXPVF180/6684	☐	☐ ☐ ☐ ☐		27.0#	N/A	

A

B

C

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 35
					38
					38
					40
					59
					38
					58
					38
					40
					38
\$ 341	\$ 347	\$ 352	\$ 357	\$ 367	\$ 15
423	431	436	444	454	15
501	511	519	528	542	15
529	539	544	556	573	15
615	628	634	646	664	15
542	551	558	571	586	15
624	636	641	656	672	15
496	507	515	524	538	15
587	597	605	616	634	15
577	588	595	606	625	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Metalllic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

Tech Panel Components

Delivered Pricing		Metallic Paint add to list price
\$	33	\$ 6
	36	7
	44	9
	50	11
	52	11
	68	15
	68	11
	68	19
	84	26
\$	44	\$ 11
	50	11
	52	11
	68	15
	68	19
	68	11
	84	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

WireWorks® C.O.M. Yardage Requirements

Tile Size	Actual Cut-Size	54" Non- Directional	54" Directional	66" Non- Directional	66" Directional	Tile Size	Actual Cut-Size	54" Non- Directional	54" Directional	66" Non- Directional	66" Directional
12 x 12	16 x 16	0.148	0.148	0.111	0.111	42 x 12	46 x 16	0.444	0.444	0.444	0.444
12 x 18	16 x 22	0.204	0.204	0.153	0.153	42 x 18	46 x 22	0.611	0.611	0.611	0.611
12 x 24	16 x 28	0.259	0.259	0.194	0.194	42 x 24	46 x 28	0.778	0.778	0.778	0.778
12 x 30	16 x 34	0.315	0.315	0.236	0.326	42 x 30	46 x 34	0.944	0.944	0.944	0.944
12 x 36	16 x 40	0.370	0.370	0.278	0.278	42 x 36	46 x 40	1.111	1.111	1.111	1.111
12 x 42	16 x 46	0.426	0.426	0.319	0.319	42 x 42	46 x 46	1.278	1.278	1.278	1.278
12 x 48	16 x 52	0.481	0.481	0.361	0.361	42 x 48	46 x 52	1.444	1.444	1.444	1.444
12 x 54	16 x 58	0.537	0.537	0.403	0.403	42 x 54	46 x 58	1.611	1.611	1.611	1.611
12 x 60	16 x 64	0.593	0.593	0.444	0.444	42 x 60	46 x 64	1.778	1.778	1.778	1.778
12 x 66	16 x 70	0.648	0.648	0.486	0.486	42 x 66	46 x 70	1.944	1.944	1.944	1.944
12 x 72	16 x 76	0.704	0.704	0.528	0.528	42 x 72	46 x 76	2.111	2.111	2.111	2.111
12 x 78	16 x 82	0.759	0.759	0.569	0.569	42 x 78	46 x 82	2.278	2.278	2.278	2.278
18 x 12	22 x 16	0.222	0.222	0.148	0.148	48 x 12	52 x 16	0.444	0.444	0.444	0.444
18 x 18	22 x 22	0.306	0.306	0.204	0.204	48 x 18	52 x 22	0.611	0.611	0.611	0.611
18 x 24	22 x 28	0.389	0.389	0.259	0.259	48 x 24	52 x 28	0.778	0.778	0.778	0.778
18 x 30	22 x 34	0.472	0.472	0.315	0.315	48 x 30	52 x 34	0.944	0.944	0.944	0.944
18 x 36	22 x 40	0.556	0.556	0.370	0.370	48 x 36	52 x 40	1.111	1.111	1.111	1.111
18 x 42	22 x 46	0.639	0.639	0.426	0.426	48 x 42	52 x 46	1.278	1.278	1.278	1.278
18 x 48	22 x 52	0.722	0.722	0.481	0.481	48 x 48	52 x 52	1.444	1.444	1.444	1.444
18 x 54	22 x 58	0.806	0.806	0.537	0.537	48 x 54	52 x 58	1.611	1.611	1.611	1.611
18 x 60	22 x 64	0.889	0.889	0.593	0.593	48 x 60	52 x 64	1.778	1.778	1.778	1.778
18 x 66	22 x 70	0.972	0.972	0.648	0.648	48 x 66	52 x 70	1.944	1.944	1.944	1.944
18 x 72	22 x 76	1.056	1.056	0.704	0.704	48 x 72	52 x 76	2.111	2.111	2.111	2.111
18 x 78	22 x 82	1.139	1.139	0.759	0.759	48 x 78	52 x 82	2.278	2.278	2.278	2.278
24 x 12	28 x 16	0.444	0.444	0.222	0.222	54 x 12	58 x 16			0.444	0.444
24 x 18	28 x 22	0.611	0.611	0.306	0.306	54 x 18	58 x 22			0.611	0.611
24 x 24	28 x 28	0.778	0.778	0.389	0.389	54 x 24	58 x 28			0.778	0.778
24 x 30	28 x 34	0.944	0.944	0.472	0.472	54 x 30	58 x 34			0.944	0.944
24 x 36	28 x 40	1.111	1.111	0.556	0.556	54 x 36	58 x 40			1.111	1.111
24 x 42	28 x 46	1.278	1.278	0.639	0.639	54 x 42	58 x 46			1.278	1.278
24 x 48	28 x 52	1.444	1.444	0.722	0.722	54 x 48	58 x 52			1.444	1.444
24 x 54	28 x 58	1.611	1.611	0.806	0.806	54 x 54	58 x 58			1.611	1.611
24 x 60	28 x 64	1.778	1.778	0.889	0.889	54 x 60	58 x 64			1.778	1.778
24 x 66	28 x 70	1.944	1.944	0.972	0.972	54 x 66	58 x 70			1.944	1.944
24 x 72	28 x 76	2.111	2.111	1.056	1.056	54 x 72	58 x 76			2.111	2.111
24 x 78	28 x 82	2.278	2.278	1.139	1.139	54 x 78	58 x 82			2.278	2.278
30 x 12	34 x 16	0.444	0.444	0.444	0.444	60 x 12	64 x 16			0.444	0.444
30 x 18	34 x 22	0.611	0.611	0.611	0.611	60 x 18	64 x 22			0.611	0.611
30 x 24	34 x 28	0.778	0.778	0.778	0.778	60 x 24	64 x 28			0.778	0.778
30 x 30	34 x 34	0.944	0.944	0.944	0.944	60 x 30	64 x 34			0.944	0.944
30 x 36	34 x 40	1.111	1.111	1.111	1.111	60 x 36	64 x 40			1.111	1.111
30 x 42	34 x 46	1.278	1.278	1.278	1.278	60 x 42	64 x 46			1.278	1.278
30 x 48	34 x 52	1.444	1.444	1.444	1.444	60 x 48	64 x 52			1.444	1.444
30 x 54	34 x 58	1.611	1.611	1.611	1.611	60 x 54	64 x 58			1.611	1.611
30 x 60	34 x 64	1.778	1.778	1.778	1.778	60 x 60	64 x 64			1.778	1.778
30 x 66	34 x 70	1.944	1.944	1.944	1.944	60 x 66	64 x 70			1.944	1.944
30 x 72	34 x 76	2.111	2.111	2.111	2.111	60 x 72	64 x 76			2.111	2.111
30 x 78	34 x 82	2.278	2.278	2.278	2.278	60 x 78	64 x 82			2.278	2.278
36 x 12	40 x 16	0.444	0.444	0.444	0.444	PRTU (Raceway Tiles)					
36 x 18	40 x 22	0.611	0.611	0.611	0.611	12 x 12	18 x 18	0.167	0.167	0.167	0.167
36 x 24	40 x 28	0.778	0.778	0.778	0.778	18 x 12	24 x 18	0.250	0.250	0.250	0.250
36 x 30	40 x 34	0.944	0.944	0.944	0.944	24 x 12	30 x 18	0.500	0.500	0.250	0.250
36 x 36	40 x 40	1.111	1.111	1.111	1.111	30 x 12	36 x 18	0.500	0.500	0.500	0.500
36 x 42	40 x 46	1.278	1.278	1.278	1.278	36 x 12	42 x 18	0.500	0.500	0.500	0.500
36 x 48	40 x 52	1.444	1.444	1.444	1.444	42 x 12	48 x 18	0.500	0.500	0.500	0.500
36 x 54	40 x 58	1.611	1.611	1.611	1.611	48 x 12	54 x 18	0.500	0.500	0.500	0.500
36 x 60	40 x 64	1.778	1.778	1.778	1.778	54 x 12	60 x 18			0.500	0.500
36 x 66	40 x 70	1.944	1.944	1.944	1.944	60 x 12	66 x 18			0.500	0.500
36 x 72	40 x 76	2.111	2.111	2.111	2.111						
36 x 78	40 x 82	2.278	2.278	2.278	2.278						



WireWorks® C.O.M. Yardage Requirements

Tile Size	Actual Cut-Size	54" Non- Directional	54" Directional	66" Non- Directional	66" Directional
TB (Tackboards)					
24 x 12	30 x 18	0.500	0.500	0.250	0.250
30 x 12	36 x 18	0.500	0.500	0.500	0.500
36 x 12	42 x 18	0.500	0.500	0.500	0.500
42 x 12	48 x 18	0.500	0.500	0.500	0.500
48 x 12	54 x 18	0.500	0.500	0.500	0.500
54 x 12	60 x 18			0.500	0.500
60 x 12	66 x 18			0.500	0.500
24 x 16	30 x 22	0.611	0.611	0.306	0.306
30 x 16	36 x 22	0.611	0.611	0.611	0.611
36 x 16	42 x 22	0.611	0.611	0.611	0.611
42 x 16	48 x 22	0.611	0.611	0.611	0.611
48 x 16	54 x 22	0.611	0.611	0.611	0.611
54 x 16	60 x 22			0.611	0.611
60 x 16	66 x 22			0.611	0.611
24 x 30	30 x 36	1.000	1.000	0.500	0.500
30 x 30	36 x 36	1.000	1.000	1.000	1.000
36 x 30	42 x 36	1.000	1.000	1.000	1.000
42 x 30	48 x 36	1.000	1.000	1.000	1.000
48 x 30	54 x 36	1.000	1.000	1.000	1.000
54 x 30	60 x 36			1.000	1.000
60 x 30	66 x 36			1.000	1.000
24 x 48	30 x 54	1.500	1.500	0.750	0.750
30 x 48	36 x 54	1.500	1.500	1.500	1.500
36 x 48	42 x 54	1.500	1.500	1.500	1.500
42 x 48	48 x 54	1.500	1.500	1.500	1.500
48 x 48	54 x 54	1.500	1.500	1.500	1.500
54 x 48	60 x 54			1.500	1.500
60 x 48	66 x 54			1.500	1.500
PRDF (Overhead Cabinet)					
24	30 x 22	0.611	0.611	0.306	0.306
30	36 x 22	0.611	0.611	0.611	0.611
36	42 x 22	0.611	0.611	0.611	0.611
42	48 x 22	0.611	0.611	0.611	0.611
48	54 x 22	0.611	0.611	0.611	0.611
54	60 x 22			0.611	0.611
60	66 x 22			0.611	0.611
UTHF (Universal Trim Height Change)					
6	6 x 8	0.025	0.025	0.020	0.020
12	6 x 14	0.043	0.043	0.035	0.035
18	6 x 20	0.062	0.062	0.051	0.051
24	6 x 26	0.080	0.080	0.066	0.066
30	6 x 32	0.099	0.099	0.081	0.081
36	6 x 38	0.117	0.117	0.096	0.096
42	6 x 44	0.136	0.136	0.111	0.111
48	6 x 50	0.154	0.154	0.126	0.126
54	6 x 56	0.173	0.173	0.141	0.141
UTFF (Universal Trim Full Height)					
12	6 x 14	0.043	0.043	0.035	0.035
18	6 x 20	0.062	0.062	0.051	0.051
24	6 x 26	0.080	0.080	0.066	0.066
30	6 x 32	0.099	0.099	0.081	0.081
36	6 x 38	0.117	0.117	0.096	0.096
42	6 x 44	0.136	0.136	0.111	0.111
48	6 x 50	0.154	0.154	0.126	0.126
54	6 x 56	0.173	0.173	0.141	0.141
60	6 x 62	0.191	0.191	0.157	0.157
72	6 x 74	0.228	0.228	0.187	0.187



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2011 KI
All Rights Reserved.
Litho in USA.
Code KI-11392RI/KI/PDF/211

Printed using only water-based inks,
including metallics. Please recycle.