

Price List Effective Dates:	
Pricing	10.03.22
Revisions	02.06.23



Kimball®

	➤ See page
Statement of Line	WA.2
Planning	WA.5
Overview	WA.5
Work Able Traxx	WA.6
Tiles	WA.9
Technology Tile	WA.10
Pricing	WA.12
Work Able Traxx	WA.12
End Trim	WA.13
Trim Channels	WA.14
Corner Fillers	WA.15
Narrate Traxx Starter	WA.16
Fabric Tiles	WA.17
TFL Tiles	WA.20
Slat Tiles	WA.22
Markerboard Tiles	WA.24
Back-Painted Glass Tiles	WA.27
Chalboard Tiles	WA.29
Cork Tiles	WA.32
Pegboard Tiles	WA.35
PET Tiles	WA.38
Technology Tiles	WA.40
4-Trac Power Components	WA.44
Worksurfaces	WA.46
Worksurface Support	WA.50
Shelves	WA.52
Accessories	WA.53
Wellness Station	WA.56
Surface Materials	WA.59
Paint	WA.59
Wood	WA.60
Laminate	WA.61
Solid Surface	WA.64
Vinyl Edge	WA.65
Textiles	WA.66
COM Yardage	WA.67


WORK|ABLE® WALL SYSTEM
Work|Able Traxx® & Tiles

Statement of Line


Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59




Work|Able Traxx
➤ See page WA.12 to specify.



End Trim
➤ See page WA.13 to specify.




Trim Channels
➤ See page WA.14 to specify.



U Fillers and Corner Fillers
➤ See page WA.15 to specify.




Narrate Traxx Starter
➤ See page WA.16 to specify.



Fabric Tiles
➤ See pages WA.17–WA.19 to specify.




TFL Tiles
➤ See pages WA.20–WA.21 to specify.



Slat Tiles
➤ See pages WA.22–WA.23 to specify.



Markerboard Tiles
➤ See pages WA.24–WA.26 to specify.



Back-Painted Glass Tiles
➤ See pages WA.27–WA.28 to specify.



Chalkboard Tiles
➤ See pages WA.29–WA.31 to specify.




Cork Tiles
➤ See pages WA.32–WA.34 to specify.


WORK|ABLE® WALL SYSTEM
Work|Able Traxx® & Tiles, continued

Statement of Line


Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59




Pegboard Tiles
➤ See pages WA.35–WA.37 to specify.




PET Tiles
➤ See page WA.38 to specify.




Technology Tiles
➤ See pages WA.40–WA.43 to specify



Modular Power Kits
➤ See page WA.44 to specify.



Jumpers
➤ See page WA.44 to specify.




Power In-feeds
➤ See page WA.45 to specify.

WORK|ABLE® WALL SYSTEM

Worksurfaces, Support, & Accessories


Statement of Line

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



Rectangular Worksurfaces

➤ See pages WA.46–WA.47 to specify.




Rectangular Worksurfaces with Soft-Radius Corners

➤ See page WA.48 to specify.




Asymmetric Worksurfaces with Soft-Radius Corners

➤ See page WA.49 to specify.



Support Brackets


➤ See page WA.50 to specify.



Support Legs


Available in wood or metal.

➤ See page WA.51 to specify.




Shelves

➤ See page WA.52 to specify.




Round and Oval Accessory Shelves

➤ See page WA.53 to specify.




Pegboard Accessories

➤ See page WA.54 to specify.



Work|Able Traxx Accessories

➤ See page WA.55 to specify.



Wellness Station Accessories

➤ See pages WA.56–WA.58 to specify.

Narrate® plastic and metal work tools are applicable to Work|Able Traxx.

➤ See the Narrate chapter in the *Kimball Systems Solutions Price List*.

WORK|ABLE® WALL SYSTEM

Overview

Planning

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Work|Able is a wall system that utilizes a unique horizontal rail system.


Work|Able Traxx, when attached to existing architecture, allows free, off-module placement of tiles, worksurfaces, storage, and accessories wherever you need them.

Work|Able Traxx and tiles are sized to align with Narrate panel system.

Upper and mid/lower Work|Able Traxx are available in specific lengths of 18" up to 144". Sets of one upper and mid/lower Work|Able Traxx are also available in 72" and 144" lengths.

Tiles mount between upper and mid/lower Work|Able Traxx or between two mid/lower Work|Able Traxx.

IMPORTANT: While similar in function, Work|Able Traxx are unique and are not interchangeable with other wall-mounted Traxx.



Shelves can hang directly from Work|Able Traxx or from slat tiles.

Worksurfaces attach to Work|Able Traxx with edge support brackets and are supported on the front or extending edge with round support legs.

Worksurfaces are available in the following shapes:

- Rectangular with square corners
- Rectangular with soft-radius corners
- Asymmetric with soft-radius corners

Round support legs are available in wood or metal, and in three heights:

- Low height (21"H)
- Worksurface height (27¾"H)
- Standing bar height (40"H)

WORK|ABLE® WALL SYSTEM


Work|Able Traxx®

Planning


Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Details

Work|Able Traxx are available in specific lengths of 18" to 72" and 144" and are available in upper and mid/lower models.




Upper Traxx




Mid/Lower Traxx

Sets of one upper and one mid/lower Work|Able Traxx are available in 72" and 144" lengths for ease of specification.


Work|Able Traxx can be scribed in the field to the desired length. Kimball recommends that you use a chop saw to cut Traxx.



Splice plates align two sections of Work|Able Traxx in-line or when turning corners. One splice plate is standard with each single length of Work|Able Traxx; two are standard with a set. Additional splice plates can be specified separately if needed.




Narrate Traxx starter is available to allow Narrate panel to connect to a wall-mounted Work|Able Traxx. Work|Able tile heights are the same as Narrate tile heights for a coordinated look.



2-high spacer is available to fill the void between the wall and the Narrate Traxx starter when Work|Able Traxx is installed at the 2-high location on the wall.

Connections



Traxx are mounted horizontally permitting complete tie-in to all studs.


No additional blocking is required to support Traxx, if walls are designed and built to specifications outlined.

➤ See next page for application guidelines.


Planning Factors

IMPORTANT: Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer.


➤ See next page for installation and planning guidelines




If using Work|Able Traxx without a tile above the worksurface, specify an upper Work|Able Traxx so that the screws used to attach the Traxx to the wall will be below the worksurfaces, making them less visible.



Center support bracket can be used for additional support when hanging a 48"–72"W mid/lower Traxx. A half-height tile and another mid/lower Traxx to hold the bottom of the tile and the bracket must be placed below the worksurface. The front edge of the worksurface is supported by round support legs.



Work|Able Traxx extends 1 1/2" from the wall. This dimensional loss should be considered when space planning for components where Work|Able Traxx is being used on two or more walls of a space.



Dimension loss on one side can be reduced to 13/16" if one of the Work|Able Traxx and tile are slid behind the other.

Related Products:



Markerboard/flip chart holder can hang on upper Traxx only; it travels along the groove in the top of upper Traxx.

Footprint overheads can be used with Work|Able Traxx by specifying the overhead mounting brackets for use with Narrate. *Note: Overheads must be the same width as the tiles that will be installed behind the overhead; they must also be hung 60" or more above the floor.*

WORK|ABLE® WALL SYSTEM

Work|Able Traxx® | Installation Heights

Planning

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Actual mounting height for Work|Able Traxx can be varied to meet specific needs.


When not being used to support workspaces, Work|Able Traxx can be hung at any starting height.

Specific spacing between Work|Able Traxx is required for tiles to fit.

Worksurface height and undersurface storage height must be considered when establishing the location for the mid/lower Work|Able Traxx.

Variations in the floor surface (peaks and valleys) should also be considered, especially where horizontal placement is critical.

To coordinate with panel application, Traxx should be installed at heights to correspond with the appropriate application.




Determine proper position of Traxx using centerline of lower Traxx as a reference point.

When installing tiles, the top Work|Able Traxx is always an upper model. All other Traxx will be the mid/lower model. The tile will conceal the screws used to attach Work|Able Traxx to the wall.

Exception: An upper Work|Able Traxx would be used at worksurface-mounting height where no tiles will be used. The screws that attach Work|Able Traxx to the wall will be below the worksurface, making them less visible.

IMPORTANT: Tiles referred to as .5-high are actually taller than half of a 1-high tile. For example, two .5-high tiles stacked will be taller than a 1-high tile.


Similarly, 1.5-high tiles are taller than one and half times that of a 1-high tile; therefore, stacking two 1.5-high tiles will be taller than a 3-high tile.



➤ See assembly instructions for additional details.

WORK|ABLE® WALL SYSTEM

Work|Able Traxx® | Recommended Fasteners



Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Traxx. Kimball defines a structural wall as a loadbearing wall constructed of materials such as poured concrete, concrete block, or studs.

Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer.

Type and Size	Commercial Model #
Steel studs (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	374494
Wood studs (1/4" to 1/2" drywall)	
<i>Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.</i>	
Panhead sheet metal screw	10-2 PHPMS
Hex lag screws (recommended when hanging overheads and surfaces)	1/4"-2
Solid Masonry	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	24385
Masonry Block	
Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	374494
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	24385

➤ See assembly instructions at www.kimball.com.

Minimum Requirements:

- Wood studs must be nominal 2" x 4" minimum.
- Metal studs must be "C" channel, 20 gauge minimum thickness.
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling.
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13).
- Traxx may not extend more than 6" beyond the last solid attachment point.
- Minimum width of Traxx that can be attached to a wall is 16" mounted to studs 16" apart.
- If an overhead is being mounted, the minimum width for Traxx is 24" with the Traxx being centered on studs 16" apart, so as not to extend more than 6" beyond the last solid attachment point.

Planning

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

➤ See assembly instructions for additional details.

WORK|ABLE® WALL SYSTEM

Tiles

Planning


Details

Tiles are available in:


- Fabric
- TFL
- Slat
- Markerboard
- Back-painted glass
- Chalkboard
- Cork
- Pegboard
- PET
- Technology

Tiles are available in 7 heights; however, not all tile types are available in all sizes.

IMPORTANT: .5-high and 1.5-high tiles are more than half the height of 1-high and 3-high tiles, respectively. For example, two .5-high tiles do not equal a 1-high tile.



Two trim channels are standard with fabric, TFL, markerboard, back-painted glass, chalkboard, cork, pegboard, and 1-high technology tiles with fabric or markerboard, providing a small expansion joint to compensate for out-of-plumb walls.




Larger U-trim channels are available separately to provide additional expansion where greater adjustment is required.




Markerboard tiles are available in:

- HPL (Icay White or Off White)
- Magnetic HPL (Crystal White)



Slat tiles are designed to accept Narrate plastic and metal work tools. **▶See the Narrate chapter of the Kimball Systems Solutions Price List.**


Note: Perks monitor arms are not compatible with Work|Able slat tiles.



PET tiles are 100% polyester and have a Class A fire rating. Due to pattern design and tile thickness, .5-high and 1.5-high tiles are not available. PET are available in three colors:

- Cashmere
- Graphite
- Nordic Knit

IMPORTANT: The pattern on PET tiles starts at the bottom, so that the pattern aligns from tile to tile when installed next to each other.



Technology tiles are available in .5-high and 1-high heights. 1-high technology tiles are offered in three upper material options:

- Tackable fabric
- Markerboard (non-magnetic)
- Slat


Technology tiles with cutouts include two 2³/₄" x 1⁷/₁₆" openings to accommodate duplex receptacles.

Technology tiles without cutouts are available for a seamless look.

▶See page WA.10 for additional tile details and for power/data planning information.

Statement of Line	▶See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59


Connections:



Tiles are held in place between Work|Able Traxx on the top and bottom.

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Details




30"-48"W technology tiles with cutouts also include center cutouts for data ports. They include a voice/data adapter to accommodate couplers and jacks from multiple suppliers. Two of each style of adapter are standard in the kit.




Electrical cover plates, specified separately, are recommended to cover cut-outs where power blocks are not being used.

4-Trac, multi-circuit power system provides a 4-wire, 2-circuit power option for use with technology tiles.




Utilizing a single power in-feed, the system powers up two 12 duplex receptacles per circuit or up to 24 duplex receptacles when using both circuits.



Plug-in or hardwire in-feed is available to bring power from wall-mounted power box located behind the technology tile.


In-feeds plug in to the end of the power harness, allowing power to run in the opposite direction.



Side power entry replaces the duplex receptacle on one end of the power harness, with the conduit extending out of the tile, allowing the in-feed to be hardwired to a wall- or floor-mounted power box located below the Work|Able Traxx.

Power can be routed in both directions when a side-power entry is used.


IMPORTANT: All power in-feeds require installation by a licensed electrician.



Modular power kits contain:

- Two 15-amp duplex receptacles
- Power harness between two receptacles (either circuit 1 or circuit 2).


Kits are sized to technology tile widths and attach to Work|Able Traxx with included brackets. Power harness is encased in black liquid-tight conduit.



Tile-to-tile jumpers are available to extend power between duplex receptacles on adjoining tiles. Pass-thru jumpers are also available to span behind a tile to connect to the next tile. Power can only run in straight runs; it cannot turn corners.

All parts are UL183 listed with the exception of the 20-amp power in-feed with plug, which is UL recognized.

Data Plate Adapter Reference:



Manufacturer	Adapter*
Systimax/CommScope	AA
Uniprise/CommScope	AA
L-Com Keystone Modular	BB
Tyco SL and 100 Connect Series Modular	BB
Siemon Keystone Style	BB
Allen Tel Versa Tap Series	BB
Leviton Quick Port® Series	BB
Nordx Keystone Style	BB
Tyco SL Coupler Series	CC
Krone 6000 Series/ADC	CC
Hubbell Xcelerator™ Keystone Series	CC
Blank (no coupler/jack)	DD
Ortronics TracJack Series	EE
Panduit Mini-Com Series	FF
Microphone Jack/3-pin XLR, solder type only	GG
Video Monitor Jack/DB-15, panel-mount solder style	HH


*Adapter identifier is located on the backside of the plate.

WORK|ABLE® WALL SYSTEM

Technology Tile & Power/Data | Application Guidelines


Planning

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



Hardwire power infeed (KSE4THIF) or power infeed with plug (KSE4TIFP) are used to connect power for the Work|Able technology tiles when the power source is located in the wall behind the tiles. Both of these infeeds connects into the end of a modular power kit.

Note: Power only runs horizontally behind technology tiles. It does not run vertically, as it will not pass through the Traxx located above or below the tile.




Receptacle-mount hardwire power infeed replaces one of the receptacles and comes out the front of the technology tile cover to connect to the power source located in the wall or floor. When using the receptacle-mount infeed, power can extend in both directions.

Tile-to-tile jumper (KSE4TJ) connects power from one tile to the next one in a horizontal run. Power does not pass vertically.

WORK|ABLE® WALL SYSTEM

Work|Able Traxx



Work|Able Traxx can be cut to size in the field.

One splice plates is included with each single length of Work|Able Traxx. Specify additional splice plates only if needed for your installation.

End Trim
➤ See page WA.13.

Pricing

GSA SIN 33721

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Set of Two Work Able Traxx				
1½"	72"	1 ²⁷ / ₃₂ "	43P722WMTP	\$453
1½"	144"	1 ²⁷ / ₃₂ "	43P1442WMTP	850
Single Work Able Traxx				
Upper				
1½"	18"	1 ²⁷ / ₃₂ "	43P181UWMTP	\$79
1½"	24"	1 ²⁷ / ₃₂ "	43P241UWMTP	100
1½"	30"	1 ²⁷ / ₃₂ "	43P301UWMTP	127
1½"	36"	1 ²⁷ / ₃₂ "	43P361UWMTP	138
1½"	42"	1 ²⁷ / ₃₂ "	43P421UWMTP	154
1½"	48"	1 ²⁷ / ₃₂ "	43P481UWMTP	176
1½"	54"	1 ²⁷ / ₃₂ "	43P541UWMTP	194
1½"	60"	1 ²⁷ / ₃₂ "	43P601UWMTP	213
1½"	66"	1 ²⁷ / ₃₂ "	43P661UWMTP	233
1½"	72"	1 ²⁷ / ₃₂ "	43P721UWMTP	255
1½"	144"	1 ²⁷ / ₃₂ "	43P1441UWMTP	404
Mid/Lower				
1½"	18"	1 ²⁷ / ₃₂ "	43P181MLWMTP	\$98
1½"	24"	1 ²⁷ / ₃₂ "	43P241MLWMTP	120
1½"	30"	1 ²⁷ / ₃₂ "	43P301MLWMTP	138
1½"	36"	1 ²⁷ / ₃₂ "	43P361MLWMTP	161
1½"	42"	1 ²⁷ / ₃₂ "	43P421MLWMTP	177
1½"	48"	1 ²⁷ / ₃₂ "	43P481MLWMTP	197
1½"	54"	1 ²⁷ / ₃₂ "	43P541MLWMTP	217
1½"	60"	1 ²⁷ / ₃₂ "	43P601MLWMTP	238
1½"	66"	1 ²⁷ / ₃₂ "	43P661MLWMTP	255
1½"	72"	1 ²⁷ / ₃₂ "	43P721MLWMTP	281
1½"	144"	1 ²⁷ / ₃₂ "	43P1441MLWMTP	534
Splice Plates				
1 ¹⁹ / ₃₂ "	3 ¹⁵ / ₁₆ "	1 ⁵ / ₁₆ "	43P04SP	\$18

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Standard Includes

Work|Able Traxx Set

- One upper Traxx: paint
- One mid/lower Traxx: paint
- Two splice plates

Work|Able Traxx Single

- Single Traxx: paint
- One splice plate

Splice Plates

- Set of 2 plates

How to Specify

Work|Able Traxx


- ① Model
- ② Paint price group:
 - STD** = Group 1
 - STD_M** = Group M (+10%)
 - STD₂₁** = Group 21 (+10%)
- ③ Paint designator

Splice Plates

- ① Model

WORK|ABLE® WALL SYSTEM

End Trim



Specify end trim for finish detail when end of Work|Able Traxx and tiles are exposed.

Use full end trim to cover the exposed edge of tile and upper and lower Work|Able Traxx.

Use single end trim to cover the end of a single Traxx.

Pricing

GSA SIN 33721

<i>D</i>	<i>W</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
Full End Trim					
1 ¹⁷ / ₃₂ "	2 ⁷ / ₃₂ "	7 ²⁵ / ₃₂ "	.5-high	43PH06FETP	\$75
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	13 ¹⁵ / ₃₂ "	1-high	43P1FETP	78
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	20 ¹³ / ₃₂ "	1.5-high	43PH18FETP	83
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	26 ¹ / ₁₆ "	2-high	43P2FETP	87
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	38 ²¹ / ₃₂ "	3-high	43P3FETP	91
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	46 ¹⁵ / ₃₂ "	3.5-high	43PH44FETP	96
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	51 ⁹ / ₃₂ "	4-high	43P4FETP	101
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	63 ²⁷ / ₃₂ "	5-high	43P5FETP	105
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	76 ¹⁵ / ₃₂ "	6-high	43P6FETP	110
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	89"	7-high	43P7FETP	117
Single End Trim					
1 ¹⁹ / ₃₂ "	2 ⁷ / ₃₂ "	12 ³ / ₃₂ "	n/a	43PSETP	\$67

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Standard Includes

- End trim

How to Specify

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator


WORK|ABLE® WALL SYSTEM

Trim Channels

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>D</i>	<i>W</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Paint</i>	<i>Fabric</i>
Trim Channels						
17/32"	11/32"	6 11/32"	.5-high	43PH06UTC	\$77	\$136
17/32"	11/32"	12 1/32"	1-high	43P1UTC	85	153
17/32"	11/32"	18 15/16"	1.5-high	43PH18UTC	95	175
17/32"	11/32"	24 19/32"	2-high	43P2UTC	102	188
17/32"	11/32"	37 7/32"	3-high	43P3UTC	120	229
17/32"	11/32"	49 25/32"	4-high	43P4UTC	136	267
17/32"	11/32"	62 18/32"	5-high	43P5UTC	153	303

Standard Includes

- Trim channel

How to Specify

Trim Channels

- ① Model
- ② Material:
P = Paint
N = Fabric
- ③ If paint, paint price group:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
 If fabric, fabric grade
- ④ Paint designator or fabric number

Trim channels are provided as standard with all tiles, except PET tiles, and slat tiles. Specify only if additional trim channels are required.

U Fillers and Corner Fillers
 ➤ See page WA.15.


WORK|ABLE® WALL SYSTEM

U- and Corner Fillers


Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>D</i>	<i>W</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Paint</i>	<i>Fabric</i>
U-Filler						
17 ³² "	25 ³² "	61 ¹³² "	.5-high	43PH06UFTC	\$77	\$136
17 ³² "	25 ³² "	121 ³² "	1-high	43P1UFTC	85	153
17 ³² "	25 ³² "	181 ⁵¹⁶ "	1.5-high	43PH18UFTC	95	175
17 ³² "	25 ³² "	241 ⁹³² "	2-high	43P2UFTC	102	188
17 ³² "	25 ³² "	377 ³² "	3-high	43P3UFTC	120	229
17 ³² "	25 ³² "	492 ⁵³² "	4-high	43P4UFTC	136	267
17 ³² "	25 ³² "	641 ³³² "	5-high	43P5UFTC	153	303



<i>D</i>	<i>W</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
Corner Filler for PET Tiles					
317 ³² "	317 ³² "	177 ¹⁶ "	1-high	43P1HLCFP	\$112
317 ³² "	317 ³² "	301 ¹⁶ "	2-high	43P2HLCFP	134
317 ³² "	317 ³² "	422 ¹³² "	3-high	43P3HLCFP	154
317 ³² "	317 ³² "	559 ³² "	4-high	43P4HLCFP	176
317 ³² "	317 ³² "	672 ⁷³² "	5-high	43P5HLCFP	196

U-filler should be specified if running tiles wall to wall, and need to fill the void at the end of a run due to out-of-plumb walls. U-filler trim channel replaces trim channel to provide 3/4" adjustment.

Corner filler is for use with PET tiles when they meet in the corner of a room. Due to the varying height of the pattern, it is recommended that a corner filler be placed to fill voids that would be seen.

Standard Includes

- Filler

How to Specify

U-Filler

- ① Model
- ② Material:
P = Paint
N = Fabric
- ③ If paint, paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
If fabric, fabric grade
- ④ Finish designator or fabric number

Corner Filler

- ① Model
- ② Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Paint designator


WORK|ABLE® WALL SYSTEM

Narrate Traxx Starters & Spacer

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>D</i>	<i>H</i>	<i>Segment</i>	<i>Model</i>	<i>Price</i>
Narrate Traxx Starter Brackets				
1 ¹¹ / ₁₆ "	25 ³ / ₈ "	2-high	33P2FTSB	\$194
1 ¹¹ / ₁₆ "	37 ¹⁵ / ₁₆ "	3-high	33P3FTSB	199
1 ¹¹ / ₁₆ "	44 ⁷ / ₈ "	3.5-high	33PH50FTSB	235
1 ¹¹ / ₁₆ "	50 ¹ / ₂ "	4-high	33P4FTSB	246
1 ¹¹ / ₁₆ "	63 ¹ / ₈ "	5-high	33P5FTSB	265
1 ¹¹ / ₁₆ "	75 ³ / ₄ "	6-high	33P6FTSB	321
1 ¹¹ / ₁₆ "	88 ³ / ₈ "	7-high	33P7FTSB	412
Spacer				
1 ¹⁵ / ₃₂ "	28 ¹ / ₈ "	2-high	33P2SPCRP	\$87

Standard Includes

Narrate Traxx Starter Bracket

- Bracket: black
- Attachment hardware

Spacer

- Metal spacer: paint

How to Specify

Narrate Traxx Starter Bracket

- ① Model

Spacer

- ① Model
- ② Paint price group:
 - STD** = Group 1
 - STD M** = Group M (+10%)
 - STD21** = Group 21 (+10%)
- ③ Paint designator

WORK|ABLE® WALL SYSTEM

Fabric Tiles | .5-High & 1-High

Pricing

GSA SIN 33721
COM GSA Non-Contract

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Fabric Price Grade	
			A	B/COM
.5-High				
18"	6 ¹¹ / ₃₂ "	43P18H06A	\$424	\$449
24"	6 ¹¹ / ₃₂ "	43P24H06A	448	482
30"	6 ¹¹ / ₃₂ "	43P30H06A	473	515
36"	6 ¹¹ / ₃₂ "	43P36H06A	494	544
42"	6 ¹¹ / ₃₂ "	43P42H06A	620	675
48"	6 ¹¹ / ₃₂ "	43P48H06A	658	721
54"	6 ¹¹ / ₃₂ "	43P54H06A	667	730
60"	6 ¹¹ / ₃₂ "	43P60H06A	689	765
1-High				
18"	12"	43P181A	\$444	\$469
24"	12"	43P241A	472	506
30"	12"	43P301A	497	539
36"	12"	43P361A	520	570
42"	12"	43P421A	655	710
48"	12"	43P481A	685	748
54"	12"	43P541A	707	778
60"	12"	43P601A	725	801

Standard Includes

- Tackable tile
- Two matching trim channels

How to Specify

- ① Model
- ② Fabric grade
- ③ Fabric number

Fabric is applied railrooded.



WORK|ABLE® WALL SYSTEM

Fabric Tiles | 1.5-High & 2-High

Pricing

GSA SIN 33721
COM GSA Non-Contract

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Fabric Price Grade	
			A	B/COM
1.5-High				
18"	18 ¹⁵ / ₁₆ "	43P18H18A	\$471	\$496
24"	18 ¹⁵ / ₁₆ "	43P24H18A	498	532
30"	18 ¹⁵ / ₁₆ "	43P30H18A	528	570
36"	18 ¹⁵ / ₁₆ "	43P36H18A	560	610
42"	18 ¹⁵ / ₁₆ "	43P42H18A	701	756
48"	18 ¹⁵ / ₁₆ "	43P48H18A	733	796
54"	18 ¹⁵ / ₁₆ "	43P54H18A	774	845
60"	18 ¹⁵ / ₁₆ "	43P60H18A	791	867
2-High				
18"	24 ⁵ / ₈ "	43P182A	\$495	\$520
24"	24 ⁵ / ₈ "	43P242A	530	564
30"	24 ⁵ / ₈ "	43P302A	572	614
36"	24 ⁵ / ₈ "	43P362A	606	656
42"	24 ⁵ / ₈ "	43P422A	765	820
48"	24 ⁵ / ₈ "	43P482A	792	855
54"	24 ⁵ / ₈ "	43P542A	827	898
60"	24 ⁵ / ₈ "	43P602A	860	936

Standard Includes

- Tackable tile
- Two matching trim channels

How to Specify

- ① Model
- ② Fabric grade
- ③ Fabric number

Fabric is applied railrooded.




WORK|ABLE® WALL SYSTEM

Fabric Tiles | 3-High, 4-High, & 5-High

Pricing

GSA SIN 33721
COM GSA Non-Contract

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Fabric Price Grade	
			A	B/COM
3-High				
18"	37 ⁷ / ₃₂ "	43P183A	\$534	\$559
24"	37 ⁷ / ₃₂ "	43P243A	591	625
30"	37 ⁷ / ₃₂ "	43P303A	633	675
36"	37 ⁷ / ₃₂ "	43P363A	672	722
42"	37 ⁷ / ₃₂ "	43P423A	845	900
48"	37 ⁷ / ₃₂ "	43P483A	892	955
54"	37 ⁷ / ₃₂ "	43P543A	930	1001
60"	37 ⁷ / ₃₂ "	43P603A	981	1057
4-High				
18"	49 ¹³ / ₁₆ "	43P184A	\$592	\$617
24"	49 ¹³ / ₁₆ "	43P244A	655	689
30"	49 ¹³ / ₁₆ "	43P304A	714	756
36"	49 ¹³ / ₁₆ "	43P364A	768	818
42"	49 ¹³ / ₁₆ "	43P424A	954	1009
48"	49 ¹³ / ₁₆ "	43P484A	1014	1077
5-High				
18"	62 ³ / ₈ "	43P185A	\$615	\$640
24"	62 ³ / ₈ "	43P245A	682	716
30"	62 ³ / ₈ "	43P305A	750	792
36"	62 ³ / ₈ "	43P365A	815	865
42"	62 ³ / ₈ "	43P425A	1027	1082
48"	62 ³ / ₈ "	43P485A	1089	1152

Standard Includes

- Tackable tile
- Two matching trim channels

How to Specify

- ① Model
- ② Fabric grade
- ③ Fabric number

Fabric is applied railroded.

WORK|ABLE® WALL SYSTEM

TFL Tiles | .5-High & 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

W	H	Model	Price
.5-High			
18"	6 ¹¹ / ₃₂ "	43P18H06LL	\$437
24"	6 ¹¹ / ₃₂ "	43P24H06LL	447
30"	6 ¹¹ / ₃₂ "	43P30H06LL	455
36"	6 ¹¹ / ₃₂ "	43P36H06LL	463
42"	6 ¹¹ / ₃₂ "	43P42H06LL	576
48"	6 ¹¹ / ₃₂ "	43P48H06LL	585
54"	6 ¹¹ / ₃₂ "	43P54H06LL	593
60"	6 ¹¹ / ₃₂ "	43P60H06LL	604
1-High			
18"	12"	43P181LL	\$465
24"	12"	43P241LL	479
30"	12"	43P301LL	495
36"	12"	43P361LL	507
42"	12"	43P421LL	630
48"	12"	43P481LL	642
54"	12"	43P541LL	660
60"	12"	43P601LL	678

Standard Includes

- Thermally fused laminate (TFL) tile
- Two trim channels: paint

How to Specify

- ① Model
- ② TFL designator
- ③ Trim channel paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ④ Trim channel paint designator




WORK|ABLE® WALL SYSTEM

TFL Tiles | 1.5-High, 2-High, & 3-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18LL	\$499
24"	18 ¹⁵ / ₁₆ "	43P24H18LL	521
30"	18 ¹⁵ / ₁₆ "	43P30H18LL	541
36"	18 ¹⁵ / ₁₆ "	43P36H18LL	564
42"	18 ¹⁵ / ₁₆ "	43P42H18LL	696
48"	18 ¹⁵ / ₁₆ "	43P48H18LL	718
54"	18 ¹⁵ / ₁₆ "	43P54H18LL	739
60"	18 ¹⁵ / ₁₆ "	43P60H18LL	759
2-High			
18"	24 ⁵ / ₈ "	43P182LL	\$530
24"	24 ⁵ / ₈ "	43P242LL	560
30"	24 ⁵ / ₈ "	43P302LL	589
36"	24 ⁵ / ₈ "	43P362LL	614
42"	24 ⁵ / ₈ "	43P422LL	758
48"	24 ⁵ / ₈ "	43P482LL	785
54"	24 ⁵ / ₈ "	43P542LL	815
60"	24 ⁵ / ₈ "	43P602LL	838
3-High			
18"	37 ⁷ / ₃₂ "	43P183LL	\$592
24"	37 ⁷ / ₃₂ "	43P243LL	635
30"	37 ⁷ / ₃₂ "	43P303LL	678
36"	37 ⁷ / ₃₂ "	43P363LL	719
42"	37 ⁷ / ₃₂ "	43P423LL	887
48"	37 ⁷ / ₃₂ "	43P483LL	927
54"	37 ⁷ / ₃₂ "	43P543LL	967
60"	37 ⁷ / ₃₂ "	43P603LL	1007

Standard Includes

- Thermally fused laminate (TFL) tile
- Two trim channels: paint

How to Specify

- ① Model
- ② TFL designator
- ③ Trim channel paint price group:
STD = Group 1
STDM = Group M (+10%)
STD21 = Group 21 (+10%)
- ④ Trim channel paint designator


WORK|ABLE® WALL SYSTEM

Slat Tiles | .5-High & 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
.5-High			
18"	6 ¹¹ / ₃₂ "	43P18H06SP	\$441
24"	6 ¹¹ / ₃₂ "	43P24H06SP	507
30"	6 ¹¹ / ₃₂ "	43P30H06SP	574
36"	6 ¹¹ / ₃₂ "	43P36H06SP	638
42"	6 ¹¹ / ₃₂ "	43P42H06SP	705
48"	6 ¹¹ / ₃₂ "	43P48H06SP	770
1-High			
18"	12"	43P181SP	\$509
24"	12"	43P241SP	576
30"	12"	43P301SP	642
36"	12"	43P361SP	707
42"	12"	43P421SP	773
48"	12"	43P481SP	840
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18SP	\$590
24"	18 ¹⁵ / ₁₆ "	43P24H18SP	699
30"	18 ¹⁵ / ₁₆ "	43P30H18SP	809
36"	18 ¹⁵ / ₁₆ "	43P36H18SP	920
42"	18 ¹⁵ / ₁₆ "	43P42H18SP	1030
48"	18 ¹⁵ / ₁₆ "	43P48H18SP	1139

Standard Includes

- Slat tile; paint

How to Specify

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator

Plastic and Metal Work Tools
 ➤ See the Narrate chapter of the
 Kimball Systems Solutions
 Price List.



WORK|ABLE® WALL SYSTEM

Slat Tiles | 2-High & 3-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
2-High			
18"	24 ⁵ / ₈ "	43P182SP	\$668
24"	24 ⁵ / ₈ "	43P242SP	823
30"	24 ⁵ / ₈ "	43P302SP	976
36"	24 ⁵ / ₈ "	43P362SP	1131
42"	24 ⁵ / ₈ "	43P422SP	1283
48"	24 ⁵ / ₈ "	43P482SP	1437
3-High			
18"	37 ⁷ / ₃₂ "	43P183SP	\$827
24"	37 ⁷ / ₃₂ "	43P243SP	1069
30"	37 ⁷ / ₃₂ "	43P303SP	1309
36"	37 ⁷ / ₃₂ "	43P363SP	1551
42"	37 ⁷ / ₃₂ "	43P423SP	1791
48"	37 ⁷ / ₃₂ "	43P483SP	2034

Standard Includes

- Slat tile; paint

How to Specify

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator

Plastic and Metal Work Tools
 ➤ See the Narrate chapter of the
 Kimball Systems Solutions
 Price List.

WORK|ABLE® WALL SYSTEM

Markerboard Tiles | .5-High & 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

DRY ERASE

DRY ERASE

W	H	Laminate	Price	Magnetic Laminate	Price
		Model		Model	
.5-High					
18"	6 ¹¹ / ₃₂ "	43P18H06MK	\$480	43P18H06MMK	\$647
24"	6 ¹¹ / ₃₂ "	43P24H06MK	499	43P24H06MMK	774
30"	6 ¹¹ / ₃₂ "	43P30H06MK	528	43P30H06MMK	843
36"	6 ¹¹ / ₃₂ "	43P36H06MK	557	43P36H06MMK	909
42"	6 ¹¹ / ₃₂ "	43P42H06MK	712	43P42H06MMK	1014
48"	6 ¹¹ / ₃₂ "	43P48H06MK	717	43P48H06MMK	1144
54"	6 ¹¹ / ₃₂ "	43P54H06MK	768	43P54H06MMK	1273
60"	6 ¹¹ / ₃₂ "	43P60H06MK	773	43P60H06MMK	1416
1-High					
18"	12"	43P181MK	\$540	43P181MMK	\$809
24"	12"	43P241MK	568	43P241MMK	1011
30"	12"	43P301MK	616	43P301MMK	1115
36"	12"	43P361MK	659	43P361MMK	1221
42"	12"	43P421MK	849	43P421MMK	1335
48"	12"	43P481MK	854	43P481MMK	1538
54"	12"	43P541MK	936	43P541MMK	1744
60"	12"	43P601MK	946	43P601MMK	1891

Standard Includes

- Markerboard tile: laminate or magnetic laminate
- 2 complementary trim channels

How to Specify

Laminate Markerboard

- ① Model
- ② Laminate designator:
409M = Icy White
483M = Off White

Magnetic Laminate Markerboard

- ① Model
- ② Laminate designator:
482 = Crystal White

Expo dry erase markers are recommended for use on markerboards. All other dry erase markers are not recommended, as they may leave undesirable results when erased.

WORK|ABLE® WALL SYSTEM

Markerboard Tiles | 1.5-High & 2-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Laminate		Magnetic Laminate	
		Model	Price	Model	Price
1.5-High					
18"	18 ¹⁵ / ₁₆ "	43P18H18MK	\$620	43P18H18MMK	\$1025
24"	18 ¹⁵ / ₁₆ "	43P24H18MK	666	43P24H18MMK	1327
30"	18 ¹⁵ / ₁₆ "	43P30H18MK	732	43P30H18MMK	1485
36"	18 ¹⁵ / ₁₆ "	43P36H18MK	799	43P36H18MMK	1643
42"	18 ¹⁵ / ₁₆ "	43P42H18MK	1030	43P42H18MMK	1761
48"	18 ¹⁵ / ₁₆ "	43P48H18MK	1038	43P48H18MMK	2066
54"	18 ¹⁵ / ₁₆ "	43P54H18MK	1161	43P54H18MMK	2369
60"	18 ¹⁵ / ₁₆ "	43P60H18MK	1172	43P60H18MMK	2520
2-High					
18"	24 ⁵ / ₈ "	43P182MK	\$699	43P182MMK	\$1239
24"	24 ⁵ / ₈ "	43P242MK	765	43P242MMK	1646
30"	24 ⁵ / ₈ "	43P302MK	850	43P302MMK	1854
36"	24 ⁵ / ₈ "	43P362MK	933	43P362MMK	2059
42"	24 ⁵ / ₈ "	43P422MK	1211	43P422MMK	2185
48"	24 ⁵ / ₈ "	43P482MK	1222	43P482MMK	2592
54"	24 ⁵ / ₈ "	43P542MK	1384	43P542MMK	2996
60"	24 ⁵ / ₈ "	43P602MK	1393	43P602MMK	3144

Standard Includes

- Markerboard tile: laminate or magnetic laminate
- 2 complementary trim channels

How to Specify

Laminate Markerboard

- ① Model
- ② Laminate designator:
409M = Icy White
483M = Off White

Magnetic Laminate Markerboard

- ① Model
- ② Laminate designator:
482 = Crystal White

Expo dry erase markers are recommended for use on markerboards. All other dry erase markers are not recommended, as they may leave undesirable results when erased.

WORK|ABLE® WALL SYSTEM

Markerboard Tiles | 3-High, 4-High, & 5-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Laminate	Price	Magnetic Laminate	Price
		Model		Model	
3-High					
18"	37 ⁷ / ₃₂ "	43P183MK	\$855	43P183MMK	\$1662
24"	37 ⁷ / ₃₂ "	43P243MK	947	43P243MMK	2269
30"	37 ⁷ / ₃₂ "	43P303MK	1078	43P303MMK	2583
36"	37 ⁷ / ₃₂ "	43P363MK	1209	43P363MMK	2895
42"	37 ⁷ / ₃₂ "	43P423MK	1576	43P423MMK	3038
48"	37 ⁷ / ₃₂ "	43P483MK	1592	43P483MMK	3644
54"	37 ⁷ / ₃₂ "	43P543MK	1832	43P543MMK	4250
60"	37 ⁷ / ₃₂ "	43P603MK	1847	43P603MMK	4404
4-High					
18"	49 ¹³ / ₁₆ "	43P184MK	\$981	43P184MMK	\$1991
24"	49 ¹³ / ₁₆ "	43P244MK	1096	43P244MMK	2748
30"	49 ¹³ / ₁₆ "	43P304MK	1256	43P304MMK	3138
36"	49 ¹³ / ₁₆ "	43P364MK	1418	43P364MMK	3528
42"	49 ¹³ / ₁₆ "	43P424MK	1856	43P424MMK	3821
48"	49 ¹³ / ₁₆ "	43P484MK	1880	—	
5-High					
18"	62 ³ / ₈ "	43P185MK	\$1096	43P185MMK	\$2306
24"	62 ³ / ₈ "	43P245MK	1236	43P245MMK	3219
30"	62 ³ / ₈ "	43P305MK	1426	43P305MMK	3691
36"	62 ³ / ₈ "	43P365MK	1628	43P365MMK	4160
42"	62 ³ / ₈ "	43P425MK	2125	43P425MMK	4456
48"	62 ³ / ₈ "	43P485MK	2147	—	

Standard Includes

- Markerboard tile: laminate or magnetic laminate
- 2 complementary trim channels

How to Specify

Laminate Markerboard

- ① Model
- ② Laminate designator:
409M = Icy White
483M = Off White

Magnetic Laminate Markerboard

- ① Model
- ② Laminate designator:
482 = Crystal White

Expo dry erase markers are recommended for use on markerboards. All other dry erase markers are not recommended, as they may leave undesirable results when erased.


WORK|ABLE® WALL SYSTEM

Back-Painted Glass Tiles | 1-High & 1.5-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1-High			
18"	12"	43P181BPG	\$616
24"	12"	43P241BPG	707
30"	12"	43P301BPG	799
36"	12"	43P361BPG	892
42"	12"	43P421BPG	1089
48"	12"	43P481BPG	1180
54"	12"	43P541BPG	1273
60"	12"	43P601BPG	1365
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18BPG	\$776
24"	18 ¹⁵ / ₁₆ "	43P24H18BPG	917
30"	18 ¹⁵ / ₁₆ "	43P30H18BPG	1056
36"	18 ¹⁵ / ₁₆ "	43P36H18BPG	1189
42"	18 ¹⁵ / ₁₆ "	43P42H18BPG	1440
48"	18 ¹⁵ / ₁₆ "	43P48H18BPG	1621
54"	18 ¹⁵ / ₁₆ "	43P54H18BPG	1764
60"	18 ¹⁵ / ₁₆ "	43P60H18BPG	1906

Standard Includes

- Back-painted glass tile
- Two trim channels: paint

How to Specify



- ① Model
- ② Paint designator
 - 405** = Designer White
 - 425** = Shadow
 - 440** = Cloud
 - 450** = Fog
 - 462** = Cinder
 - 501** = Platinum Metallic

WORK|ABLE® WALL SYSTEM

Back-Painted Glass Tiles | 2-High & 3-High

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
2-High			
18"	24 ⁵ / ₈ "	43P182BPG	\$912
24"	24 ⁵ / ₈ "	43P242BPG	1090
30"	24 ⁵ / ₈ "	43P302BPG	1266
36"	24 ⁵ / ₈ "	43P362BPG	1442
42"	24 ⁵ / ₈ "	43P422BPG	1777
48"	24 ⁵ / ₈ "	43P482BPG	1968
54"	24 ⁵ / ₈ "	43P542BPG	2151
60"	24 ⁵ / ₈ "	43P602BPG	2334
3-High			
18"	37 ⁷ / ₃₂ "	43P183BPG	\$1207
24"	37 ⁷ / ₃₂ "	43P243BPG	1469
30"	37 ⁷ / ₃₂ "	43P303BPG	1771
36"	37 ⁷ / ₃₂ "	43P363BPG	2037
42"	37 ⁷ / ₃₂ "	43P423BPG	2421
48"	37 ⁷ / ₃₂ "	43P483BPG	2693
54"	37 ⁷ / ₃₂ "	43P543BPG	2960
60"	37 ⁷ / ₃₂ "	43P603BPG	3223

Standard Includes

- Back-painted glass tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Paint designator
 - 405** = Designer White
 - 425** = Shadow
 - 440** = Cloud
 - 450** = Fog
 - 462** = Cinder
 - 501** = Platinum Metallic

WORK|ABLE® WALL SYSTEM

Chalkboard Tiles | .5-High and 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

CHALK

CHALK

W	H	Model	Price
.5-High			
18"	6 ¹¹ / ₃₂ "	43P18H06CB	\$567
24"	6 ¹¹ / ₃₂ "	43P24H06CB	656
30"	6 ¹¹ / ₃₂ "	43P30H06CB	659
36"	6 ¹¹ / ₃₂ "	43P36H06CB	747
42"	6 ¹¹ / ₃₂ "	43P42H06CB	854
48"	6 ¹¹ / ₃₂ "	43P48H06CB	939
54"	6 ¹¹ / ₃₂ "	43P54H06CB	1029
60"	6 ¹¹ / ₃₂ "	43P60H06CB	1034
1-High			
18"	12"	43P181CB	\$683
24"	12"	43P241CB	818
30"	12"	43P301CB	826
36"	12"	43P361CB	963
42"	12"	43P421CB	1078
48"	12"	43P481CB	1214
54"	12"	43P541CB	1354
60"	12"	43P601CB	1361

Standard Includes

- Chalkboard tile: laminate
- Two trim channels: paint

How to Specify

- ① Model
- ② Laminate:
804C = Graphite Nebula Chalkboard
- ③ Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
- ④ Trim channel paint designator

WORK|ABLE® WALL SYSTEM

Chalkboard Tiles | 1.5-High and 2-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18CB	\$834
24"	18 ¹⁵ / ₁₆ "	43P24H18CB	1038
30"	18 ¹⁵ / ₁₆ "	43P30H18CB	1046
36"	18 ¹⁵ / ₁₆ "	43P36H18CB	1255
42"	18 ¹⁵ / ₁₆ "	43P42H18CB	1375
48"	18 ¹⁵ / ₁₆ "	43P48H18CB	1579
54"	18 ¹⁵ / ₁₆ "	43P54H18CB	1785
60"	18 ¹⁵ / ₁₆ "	43P60H18CB	1797
2-High			
18"	24 ⁵ / ₈ "	43P182CB	\$983
24"	24 ⁵ / ₈ "	43P242CB	1258
30"	24 ⁵ / ₈ "	43P302CB	1273
36"	24 ⁵ / ₈ "	43P362CB	1542
42"	24 ⁵ / ₈ "	43P422CB	1670
48"	24 ⁵ / ₈ "	43P482CB	1943
54"	24 ⁵ / ₈ "	43P542CB	2219
60"	24 ⁵ / ₈ "	43P602CB	2226

Standard Includes

- Chalkboard tile: laminate
- Two trim channels: paint

How to Specify

- ① Model
- ② Laminate:
804C = Graphite Nebula Chalkboard
- ③ Trim channel paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ④ Trim channel paint designator

WORK|ABLE® WALL SYSTEM

Chalkboard Tiles | 3-High, 4-High, & 5-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
3-High			
18"	37 ⁷ / ₃₂ "	43P183CB	\$1283
24"	37 ⁷ / ₃₂ "	43P243CB	1695
30"	37 ⁷ / ₃₂ "	43P303CB	1712
36"	37 ⁷ / ₃₂ "	43P363CB	2123
42"	37 ⁷ / ₃₂ "	43P423CB	2266
48"	37 ⁷ / ₃₂ "	43P483CB	2674
54"	37 ⁷ / ₃₂ "	43P543CB	3083
60"	37 ⁷ / ₃₂ "	43P603CB	3100
4-High			
18"	49 ¹³ / ₁₆ "	43P184CB	\$1504
24"	49 ¹³ / ₁₆ "	43P244CB	2014
30"	49 ¹³ / ₁₆ "	43P304CB	2035
36"	49 ¹³ / ₁₆ "	43P364CB	2549
42"	49 ¹³ / ₁₆ "	43P424CB	2704
48"	49 ¹³ / ₁₆ "	43P484CB	3220
5-High			
18"	62 ³ / ₈ "	43P185CB	\$1722
24"	62 ³ / ₈ "	43P245CB	2338
30"	62 ³ / ₈ "	43P305CB	2360
36"	62 ³ / ₈ "	43P365CB	2984
42"	62 ³ / ₈ "	43P425CB	3143
48"	62 ³ / ₈ "	43P485CB	3755

Standard Includes

- Chalkboard tile: laminate
- Two trim channels: paint

How to Specify

- ① Model
- ② Laminate:
804C = Graphite Nebula Chalkboard
- ③ Trim channel paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ④ Trim channel paint designator

WORK|ABLE® WALL SYSTEM

Cork Tiles | .5-High & 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
.5-High			
18"	6 ¹¹ / ₃₂ "	43P18H06C	\$436
24"	6 ¹¹ / ₃₂ "	43P24H06C	449
30"	6 ¹¹ / ₃₂ "	43P30H06C	462
36"	6 ¹¹ / ₃₂ "	43P36H06C	477
42"	6 ¹¹ / ₃₂ "	43P42H06C	592
48"	6 ¹¹ / ₃₂ "	43P48H06C	607
54"	6 ¹¹ / ₃₂ "	43P54H06C	620
60"	6 ¹¹ / ₃₂ "	43P60H06C	634
1-High			
18"	12"	43P181C	\$475
24"	12"	43P241C	496
30"	12"	43P301C	521
36"	12"	43P361C	542
42"	12"	43P421C	674
48"	12"	43P481C	694
54"	12"	43P541C	719
60"	12"	43P601C	747

Standard Includes

- Cork tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Trim channel paint designator



WORK|ABLE® WALL SYSTEM

Cork Tiles | 1.5-High & 2-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18C	\$524
24"	18 ¹⁵ / ₁₆ "	43P24H18C	558
30"	18 ¹⁵ / ₁₆ "	43P30H18C	591
36"	18 ¹⁵ / ₁₆ "	43P36H18C	629
42"	18 ¹⁵ / ₁₆ "	43P42H18C	773
48"	18 ¹⁵ / ₁₆ "	43P48H18C	817
54"	18 ¹⁵ / ₁₆ "	43P54H18C	851
60"	18 ¹⁵ / ₁₆ "	43P60H18C	891
2-High			
18"	24 ⁵ / ₈ "	43P182C	\$565
24"	24 ⁵ / ₈ "	43P242C	614
30"	24 ⁵ / ₈ "	43P302C	659
36"	24 ⁵ / ₈ "	43P362C	707
42"	24 ⁵ / ₈ "	43P422C	869
48"	24 ⁵ / ₈ "	43P482C	913
54"	24 ⁵ / ₈ "	43P542C	960
60"	24 ⁵ / ₈ "	43P602C	1003

Standard Includes

- Cork tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Trim channel paint designator

WORK|ABLE® WALL SYSTEM

Cork Tiles | 3-High, 4-High, & 5-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
3-High			
18"	37 ⁷ / ₃₂ "	43P183C	\$655
24"	37 ⁷ / ₃₂ "	43P243C	728
30"	37 ⁷ / ₃₂ "	43P303C	799
36"	37 ⁷ / ₃₂ "	43P363C	867
42"	37 ⁷ / ₃₂ "	43P423C	1060
48"	37 ⁷ / ₃₂ "	43P483C	1133
54"	37 ⁷ / ₃₂ "	43P543C	1199
60"	37 ⁷ / ₃₂ "	43P603C	1265
4-High			
18"	49 ¹³ / ₁₆ "	43P184C	\$735
24"	49 ¹³ / ₁₆ "	43P244C	824
30"	49 ¹³ / ₁₆ "	43P304C	911
36"	49 ¹³ / ₁₆ "	43P364C	1009
42"	49 ¹³ / ₁₆ "	43P424C	1231
48"	49 ¹³ / ₁₆ "	43P484C	1331
5-High			
18"	62 ³ / ₈ "	43P185C	\$807
24"	62 ³ / ₈ "	43P245C	921
30"	62 ³ / ₈ "	43P305C	1035
36"	62 ³ / ₈ "	43P365C	1153
42"	62 ³ / ₈ "	43P425C	1405
48"	62 ³ / ₈ "	43P485C	1511

Standard Includes

- Cork tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Trim channel paint designator

WORK|ABLE® WALL SYSTEM

Pegboard Tiles | .5-High & 1-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
.5-High			
18"	6 ¹¹ / ₃₂ "	43P18H06PB	\$595
24"	6 ¹¹ / ₃₂ "	43P24H06PB	620
30"	6 ¹¹ / ₃₂ "	43P30H06PB	646
36"	6 ¹¹ / ₃₂ "	43P36H06PB	669
42"	6 ¹¹ / ₃₂ "	43P42H06PB	694
48"	6 ¹¹ / ₃₂ "	43P48H06PB	718
54"	6 ¹¹ / ₃₂ "	43P54H06PB	744
60"	6 ¹¹ / ₃₂ "	43P60H06PB	768
1-High			
18"	12"	43P181PB	\$641
24"	12"	43P241PB	685
30"	12"	43P301PB	728
36"	12"	43P361PB	773
42"	12"	43P421PB	817
48"	12"	43P481PB	860
54"	12"	43P541PB	904
60"	12"	43P601PB	949

Standard Includes

- Pegboard tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Trim channel paint designator

Pegboard Accessories
 ➤ See page WA.54.



WORK|ABLE® WALL SYSTEM

Pegboard Tiles | 1.5-High & 2-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1.5-High			
18"	18 ¹⁵ / ₁₆ "	43P18H18PB	\$686
24"	18 ¹⁵ / ₁₆ "	43P24H18PB	750
30"	18 ¹⁵ / ₁₆ "	43P30H18PB	815
36"	18 ¹⁵ / ₁₆ "	43P36H18PB	877
42"	18 ¹⁵ / ₁₆ "	43P42H18PB	938
48"	18 ¹⁵ / ₁₆ "	43P48H18PB	1003
54"	18 ¹⁵ / ₁₆ "	43P54H18PB	1066
60"	18 ¹⁵ / ₁₆ "	43P60H18PB	1131
2-High			
18"	24 ⁵ / ₈ "	43P182PB	\$734
24"	24 ⁵ / ₈ "	43P242PB	816
30"	24 ⁵ / ₈ "	43P302PB	899
36"	24 ⁵ / ₈ "	43P362PB	980
42"	24 ⁵ / ₈ "	43P422PB	1063
48"	24 ⁵ / ₈ "	43P482PB	1145
54"	24 ⁵ / ₈ "	43P542PB	1229
60"	24 ⁵ / ₈ "	43P602PB	1309

Standard Includes

- Pegboard tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Trim channel paint designator




Pegboard Accessories
 ➤ See page WA.54.

WORK|ABLE® WALL SYSTEM

Pegboard Tiles | 3-High, 4-High, & 5-High

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
3-High			
18"	37 ⁷ / ₃₂ "	43P183PB	\$825
24"	37 ⁷ / ₃₂ "	43P243PB	921
30"	37 ⁷ / ₃₂ "	43P303PB	1014
36"	37 ⁷ / ₃₂ "	43P363PB	1111
42"	37 ⁷ / ₃₂ "	43P423PB	1205
48"	37 ⁷ / ₃₂ "	43P483PB	1300
54"	37 ⁷ / ₃₂ "	43P543PB	1395
60"	37 ⁷ / ₃₂ "	43P603PB	1491
4-High			
18"	49 ¹³ / ₁₆ "	43P184PB	\$919
24"	49 ¹³ / ₁₆ "	43P244PB	1020
30"	49 ¹³ / ₁₆ "	43P304PB	1121
36"	49 ¹³ / ₁₆ "	43P364PB	1223
42"	49 ¹³ / ₁₆ "	43P424PB	1326
48"	49 ¹³ / ₁₆ "	43P484PB	1428
5-High			
18"	62 ³ / ₈ "	43P185PB	\$1009
24"	62 ³ / ₈ "	43P245PB	1117
30"	62 ³ / ₈ "	43P305PB	1229
36"	62 ³ / ₈ "	43P365PB	1338
42"	62 ³ / ₈ "	43P425PB	1449
48"	62 ³ / ₈ "	43P485PB	1558

Standard Includes

- Pegboard tile
- Two trim channels: paint

How to Specify

- ① Model
- ② Trim channel paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Trim channel paint designator

Pegboard Accessories
➤ See page WA.54.



WORK|ABLE® WALL SYSTEM

PET Tiles | 1-High, 2-High, & 3-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Price
1-High			
18"	12"	43P181PET	\$568
24"	12"	43P241PET	724
30"	12"	43P301PET	878
36"	12"	43P361PET	1034
42"	12"	43P421PET	1188
2-High			
18"	24 ⁵ / ₈ "	43P182PET	\$1010
24"	24 ⁵ / ₈ "	43P242PET	1300
30"	24 ⁵ / ₈ "	43P302PET	1588
36"	24 ⁵ / ₈ "	43P362PET	1879
42"	24 ⁵ / ₈ "	43P422PET	2169
3-High			
18"	37 ⁷ / ₃₂ "	43P183PET	\$1451
24"	37 ⁷ / ₃₂ "	43P243PET	1874
30"	37 ⁷ / ₃₂ "	43P303PET	2301
36"	37 ⁷ / ₃₂ "	43P363PET	2725
42"	37 ⁷ / ₃₂ "	43P423PET	3148

Standard Includes

- PET tile

How to Specify

- ① Model
- ② PET pattern/color:
 - COR_CAS** = Corrugated Cashmere
 - COR_GRA** = Corrugated Graphite
 - COR_NOR** = Corrugated Nordic Knit

PET tiles are not available in .5-high and 1.5-high models due to the pattern, which prevents the tile from fitting into the Work|Able Traxx.



WORK|ABLE® WALL SYSTEM

PET Tiles | 4-High & 5-High

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
4-High			
18"	49 ¹³ / ₁₆ "	43P184PET	\$1891
24"	49 ¹³ / ₁₆ "	43P244PET	2451
30"	49 ¹³ / ₁₆ "	43P304PET	3010
36"	49 ¹³ / ₁₆ "	43P364PET	3568
42"	49 ¹³ / ₁₆ "	43P424PET	4129
5-High			
18"	62 ³ / ₈ "	43P185PET	\$2333
24"	62 ³ / ₈ "	43P245PET	3027
30"	62 ³ / ₈ "	43P305PET	3720
36"	62 ³ / ₈ "	43P365PET	4415
42"	62 ³ / ₈ "	43P425PET	5108

Standard Includes

- PET tile

How to Specify

- ① Model
- ② PET pattern/color:
 - COR_CAS** = Corrugated Cashmere
 - COR_GRA** = Corrugated Graphite
 - COR_NOR** = Corrugated Nordic Knit

WORK|ABLE® WALL SYSTEM

Technology Tiles | .5-High

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
With Cut-Outs			
24"	6 ¹¹ / ₃₂ "	43P24H06PDP	\$146
30"	6 ¹¹ / ₃₂ "	43P30H06PDP	217
36"	6 ¹¹ / ₃₂ "	43P36H06PDP	286
42"	6 ¹¹ / ₃₂ "	43P42H06PDP	355
48"	6 ¹¹ / ₃₂ "	43P48H06PDP	425
Without Cut-Outs			
24"	6 ¹¹ / ₃₂ "	43P24H06BNCP	\$100
30"	6 ¹¹ / ₃₂ "	43P30H06BNCP	163
36"	6 ¹¹ / ₃₂ "	43P36H06BNCP	227
42"	6 ¹¹ / ₃₂ "	43P42H06BNCP	288
48"	6 ¹¹ / ₃₂ "	43P48H06BNCP	421

Related Products:

<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Power/Data Cover Plate			
3 ⁵ / ₃₂ "	3 ²⁵ / ₃₂ "	43PEDTCPP	\$129

Standard Includes

- Technology tile: metal

How to Specify

Technology Tile

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator
- ④ Adapter kit color (omit for tiles without cut-outs):
B = Black
W = White

Power/Data Cover Plate

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator

Electrical components for technology tiles must be specified separately. Specify a power/data cover plate for cut-outs that will not be used.
➤ See page WA.44.

WORK|ABLE® WALL SYSTEM

Technology Tiles | 1-High with Fabric

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



W	H	Model	Fabric Price Grade	
			A	B/COM
With Cut-Outs				
24"	12"	43P241BA	\$521	\$555
30"	12"	43P301BA	574	616
36"	12"	43P361BA	625	675
42"	12"	43P421BA	678	733
48"	12"	43P481BA	727	790
Without Cut-Outs				
24"	12"	43P241BANC	\$521	\$555
30"	12"	43P301BANC	574	616
36"	12"	43P361BANC	625	675
42"	12"	43P421BANC	678	733
48"	12"	43P481BANC	727	790

Related Products:

W	H	Model	Price
Power/Data Cover Plate			
35/32"	325/32"	43PEDTCP	\$129

Standard Includes

- Technology tile: metal lower; fabric upper
- Two matching trim channels on fabric upper

How to Specify

Technology Tile

- ① Model
- ② Fabric grade
- ③ Fabric number
- ④ Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ⑤ Paint designator
- ⑥ Trim material:
F = Fabric
P = Paint
- ⑦ Adapter kit color (omit for tiles without cut-outs):
B = Black
W = White

Power/Data Cover Plate

- ① Model
- ② Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Paint designator

Electrical components for technology tiles must be specified separately. Specify a power/data cover plate for cut-outs that will not be used.
➤ See page WA.44.

WORK|ABLE® WALL SYSTEM

Technology Tiles | 1-High with Markerboard

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
With Cut-Outs			
24"	12"	43P241BK	\$548
30"	12"	43P301BK	609
36"	12"	43P361BK	669
42"	12"	43P421BK	733
48"	12"	43P481BK	793
Without Cut-Outs			
24"	12"	43P241BKNC	\$548
30"	12"	43P301BKNC	609
36"	12"	43P361BKNC	669
42"	12"	43P421BKNC	733
48"	12"	43P481BKNC	793

Related Products:

<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Power/Data Cover Plate			
35 ⁵ / ₃₂ "	32 ⁵ / ₃₂ "	43PEDTCPP	\$129

Standard Includes

- Technology tile: metal lower; laminate markerboard upper
- Two complementary trim channels on markerboard upper

How to Specify

Technology Tile

- ① Model
- ② Laminate designator:
409M = Icey White
483M = Off White
- ③ Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ④ Paint designator
- ⑤ Adapter kit color (omit for tiles without cut-outs):
B = Black
W = White

Power/Data Cover Plate

- ① Model
- ② Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Paint designator

Electrical components for technology tiles must be specified separately. Specify a power/data cover plate for cut-outs that will not be used.
➤ See page WA.44.

WORK|ABLE® WALL SYSTEM

Technology Tiles | 1-High with Slats

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
With Cut-Outs			
24"	12"	43P241BS	\$492
30"	12"	43P301BS	562
36"	12"	43P361BS	631
42"	12"	43P421BS	701
48"	12"	43P481BS	770
Without Cut-Outs			
24"	12"	43P241BSNC	\$492
30"	12"	43P301BSNC	562
36"	12"	43P361BSNC	631
42"	12"	43P421BSNC	701
48"	12"	43P481BSNC	770

Related Products:



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Power/Data Cover Plate			
35 ⁵ / ₃₂ "	32 ⁵ / ₃₂ "	43PEDTCPP	\$129

Standard Includes

- Technology tile: metal lower; slats upper

How to Specify

Technology Tile

- ① Model
- ② Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Paint designator
- ④ Adapter kit color (omit for tiles without cut-outs):
B = Black
W = White

Power/Data Cover Plate

- ① Model
- ② Paint price group:
STD = Group 1
STD_M = Group M (+10%)
STD₂₁ = Group 21 (+10%)
- ③ Paint designator

Electrical components for technology tiles must be specified separately. Specify a power/data cover plate for cut-outs that will not be used.
 ➤ See page WA.44.

WORK|ABLE® WALL SYSTEM

Technology Tiles | 4-Trac® Power System | Power Kits & Jumpers

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

<i>For Use With</i>	<i>Model</i>	<i>Price</i>
Modular Power Kits		
Circuit 1		
24"W technology tiles	KSE4T24M1	\$254
30"W technology tiles	KSE4T30M1	289
36"W technology tiles	KSE4T36M1	301
42"W technology tiles	KSE4T42M1	312
48"W technology tiles	KSE4T48M1	323
Circuit 2		
24"W technology tiles	KSE4T24M2	\$254
30"W technology tiles	KSE4T30M2	289
36"W technology tiles	KSE4T36M2	301
42"W technology tiles	KSE4T42M2	312
48"W technology tiles	KSE4T48M2	323
Jumpers		
Tile-to-Tile Jumper		
Between two technology tiles	KSE4TJ	\$124
Pass-Thru Jumpers		
24"W technology tiles	KSE4T24PTJ	\$144
30"W technology tiles	KSE4T30PTJ	152
36"W technology tiles	KSE4T36PTJ	158
42"W technology tiles	KSE4T42PTJ	171
48"W technology tiles	KSE4T48PTJ	184

Standard Includes

Modular Power Kit

- Two duplex receptacles with connecting black liquid tight conduit
- Attachment brackets

Jumper

- Black liquid tight conduit
- Modular connectors on both ends

How to Specify

- 1 Model

Power In-Feeds
➤ See page WA.45.

WORK|ABLE® WALL SYSTEM

Technology Tiles | 4-Trac® Power System | Power In-Feeds

Pricing

GSA SIN 33721

Statement of Line	➤See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59




Model	Description	Price
KSE4THIF	Hardwire Power In-Feed	\$220

Standard Includes

Hardwire Power In-Feed


- 120" flexible metal conduit
- Modular connector on one end
- Pigtail for hardwiring to building power on the other end



KSE4THIFRM	Receptacle-Mount Hardwire Power In-Feed	\$318
------------	---	-------

Receptacle-Mount Hardwire Power In-Feed

- 6' black liquid tight conduit
- Modular end to replace one end of modular power kit
- Pigtail for hardwiring to building power on the other end



KSE4TIFP	Power In-Feed with Plug	\$403
----------	-------------------------	-------

Power In-Feed with Plug

- Right-angle 20-amp plug
- Modular end connects to modular power kit
- For single-circuit application only
- 10' overall length

How to Specify

1 Model

Modular Power Kits and Jumpers
➤See page WA.44.

WORK|ABLE® WALL SYSTEM


Worksurfaces | Rectangular

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

<i>D</i>	<i>W</i>	<i>Model</i>	<i>TFL</i> (LL) Vinyl P Rim	<i>TFL</i> (LLD) Ply E Rim	<i>HPL</i> (L) Vinyl P Rim	<i>HPL</i> (LD) Ply E Rim	<i>Wood</i> (W) Wood F Rim	<i>Plywood</i> (D) Self No Rim	<i>3D Lam</i> (T) Self No Rim
17"D									
17"	48"	43W1748WSR	\$338	\$365	\$714	\$762	\$903	\$1246	\$1428
17"	54"	43W1754WSR	351	378	726	776	967	1355	1473
17"	60"	43W1760WSR	364	391	739	790	1031	1464	1483
17"	66"	43W1766WSR	377	405	752	802	1093	1572	1585
17"	72"	43W1772WSR	389	418	766	816	1141	1681	1714
23"D									
23"	48"	43W2348WSR	\$376	\$413	\$774	\$827	\$1004	\$1592	\$1526
23"	54"	43W2354WSR	388	424	788	840	1074	1706	1536
23"	60"	43W2360WSR	402	437	800	853	1145	1824	1546
23"	66"	43W2366WSR	414	449	813	866	1214	1905	1603
23"	72"	43W2372WSR	425	461	825	877	1284	2056	1789
29"D									
29"	48"	43W2948WSR	\$408	\$455	\$870	\$927	\$1098	\$1832	\$1627
29"	54"	43W2954WSR	421	470	883	938	1184	1940	1728
29"	60"	43W2960WSR	433	481	895	953	1271	2049	1785
29"	66"	43W2966WSR	447	494	908	964	1355	2157	1764
29"	72"	43W2972WSR	458	506	921	977	1441	2267	2552



IMPORTANT: Height (thickness) for HPL, wood, and plywood tops is 1³/₁₆". Height (thickness) for TFL and 3D laminate tops is 1¹/₈".

Butcher Block Rectangular Worksurfaces
➤ See page WA.47.

Standard Includes

- Worksurface: TFL, HPL, 3D laminate, wood, or plywood

How to Specify




- ① Model
- ② Material/rim material:
LL = TFL with vinyl rim
LLD = TFL with ply rim
L = HPL with vinyl rim
LD = HPL with ply rim
W = Wood with wood rim
D = Plywood
T = 3D laminate
- ③ Rim profile (omit for 3D laminate (T) and plywood (D)):
P = Softened vinyl rim (LL or L)
E = Flat ply rim (LLD or LD)
F = Softened wood rim (W)
- ④ Surface finish price group (include for HPL (L), HPL with ply rim (LD), and wood (W) models only):
STD = Group 1
- ⑤ Surface finish designator
- ⑥ Rim finish designator (omit for 3D laminate (T), wood (W), plywood (D) models)

WORK|ABLE® WALL SYSTEM

Worksurfaces | Rectangular | Butcher Block

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>D</i>	<i>W</i>	<i>Model</i>	<i>Butcher Block (BB)</i>
18"D			
18"	48"	43W1848WS	\$4261
18"	54"	43W1854WS	4451
18"	60"	43W1860WS	4666
18"	66"	43W1866WS	4884
18"	72"	43W1872WS	5102
24"D			
24"	48"	43W2448WS	\$4538
24"	54"	43W2454WS	4756
24"	60"	43W2460WS	4973
24"	66"	43W2466WS	5190
24"	72"	43W2472WS	5409
30"D			
30"	48"	43W3048WS	\$4843
30"	54"	43W3054WS	5063
30"	60"	43W3060WS	5280
30"	66"	43W3066WS	5498
30"	72"	43W3072WS	5715

Standard Includes

- Worksurface with bullnose on front and back edges: butcher block

How to Specify

- ① Model
- ② Material:
BB = Butcher block
- ③ Wood species (include for butcher block (BB) models only:
CBB = Cherry
MBB = Maple
OBB = Oak
WBB = Walnut

IMPORTANT: Height (thickness) for butcher block is 1³/₁₆". Butcher block surfaces are 1" deeper than the worksurfaces on the previous page.

WORK|ABLE® WALL SYSTEM

Worksurfaces | Rectangular with Soft-Radius Corners

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

<i>D</i>	<i>W</i>	<i>Model</i>	<i>TFL</i> (LL) Vinyl P Rim	<i>TFL</i> (LLD) Ply E Rim	<i>HPL</i> (L) Vinyl P Rim	<i>HPL</i> (LD) Ply E Rim	<i>Wood</i> (W) Wood F Rim	<i>Plywood</i> (D) Self No Rim	<i>3D Lam</i> (T) Self No Rim
17"D									
17"	48"	43W1748WSSR	\$486	\$514	\$864	\$910	\$1066	\$1340	\$1428
17"	54"	43W1754WSSR	499	528	877	925	1131	1450	1473
17"	60"	43W1760WSSR	513	540	891	936	1195	1559	1483
17"	66"	43W1766WSSR	526	554	903	952	1255	1667	1585
17"	72"	43W1772WSSR	539	565	917	963	1305	1774	1714
23"D									
23"	48"	43W2348WSSR	\$523	\$558	\$926	\$972	\$1172	\$1636	\$1526
23"	54"	43W2354WSSR	537	573	937	986	1135	1752	1536
23"	60"	43W2360WSSR	549	584	952	998	1198	1867	1546
23"	66"	43W2366WSSR	562	598	963	1010	1258	1948	1603
23"	72"	43W2372WSSR	575	611	976	1023	1452	2100	1789
29"D									
29"	48"	43W2948WSSR	\$556	\$602	\$1021	\$1068	\$1263	\$1931	\$1627
29"	54"	43W2954WSSR	568	616	1034	1080	1348	2039	1728
29"	60"	43W2960WSSR	582	629	1045	1093	1432	2148	1785
29"	66"	43W2966WSSR	595	642	1059	1106	1518	2255	1764
29"	72"	43W2972WSSR	608	656	1070	1117	1603	2364	2478

Standard Includes

- Worksurface with soft-radius corners: TFL, HPL, 3D laminate, wood, or plywood

How to Specify

- ① Model
- ② Material/rim material:
LL = TFL with vinyl rim
LLD = TFL with ply rim
L = HPL with vinyl rim
LD = HPL with ply rim
W = Wood with wood rim
D = Plywood
T = 3D laminate
- ③ Rim profile (omit for 3D laminate (T) and plywood (D)):
P = Softened vinyl rim (LL or L)
E = Flat ply rim (LLD or LD)
F = Softened wood rim (W)
- ④ Surface finish price group (include for HPL (L), HPL with ply rim (LD), and wood (W) models only):
STD = Group 1
- ⑤ Surface finish designator
- ⑥ Rim finish designator (omit for 3D laminate (T), wood (W), plywood (D) models)

IMPORTANT: Height (thickness) for HPL, wood, and plywood tops is 1³/₁₆".
 Height (thickness) for TFL and 3D laminate tops is 1¹/₈".

WORK|ABLE® WALL SYSTEM

Worksurfaces | Asymmetric with Soft-Radius Corners

Pricing

GSA SIN 33721

Statement of Line	➔ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

<i>D</i>	<i>W</i>	<i>Model</i>	<i>TFL</i> (LL) Vinyl P Rim	<i>TFL</i> (LLD) Ply E Rim	<i>HPL</i> (L) Vinyl P Rim	<i>HPL</i> (LD) Ply E Rim	<i>Wood</i> (W) Wood F Rim	<i>Plywood</i> (D) Self No Rim	<i>3D Lam</i> (T) Self No Rim
17"D Left End and 23"D Right End									
23"	48"	43W174823WSASR	\$526	\$563	\$913	\$1012	\$1040	\$1685	—
23"	54"	43W175423WSASR	546	582	933	1031	1148	1795	—
23"	60"	43W176023WSASR	562	600	952	1047	1257	1904	—
23"	66"	43W176623WSASR	581	617	968	1066	1366	2012	—
23"	72"	43W177223WSASR	598	635	987	1085	1476	2120	—
23"D Left End and 17"D Right End									
23"	48"	43W234817WSASR	\$526	\$563	\$913	\$1012	\$1040	\$1685	—
23"	54"	43W235417WSASR	546	582	933	1031	1148	1795	—
23"	60"	43W236017WSASR	562	600	952	1047	1257	1904	—
23"	66"	43W236617WSASR	581	617	968	1066	1366	2012	—
23"	72"	43W237217WSASR	598	635	987	1085	1476	2120	—
23"D Left End and 29"D Right End									
29"	48"	43W234829WSASR	\$554	\$611	\$1014	\$1078	\$1126	\$1949	—
29"	54"	43W235429WSASR	575	629	1036	1096	1236	2060	—
29"	60"	43W236029WSASR	595	647	1057	1113	1344	2169	—
29"	66"	43W236629WSASR	615	664	1077	1132	1452	2277	—
29"	72"	43W237229WSASR	635	683	1097	1148	1561	2386	—
29"D Left End and 23"D Right End									
29"	48"	43W294823WSASR	\$554	\$611	\$1014	\$1078	\$1126	\$1949	—
29"	54"	43W295423WSASR	575	629	1036	1096	1236	2060	—
29"	60"	43W296023WSASR	595	647	1057	1113	1344	2169	—
29"	66"	43W296623WSASR	615	664	1077	1132	1452	2277	—
29"	72"	43W297223WSASR	635	683	1097	1148	1561	2386	—



IMPORTANT: Height (thickness) for HPL, wood, and plywood tops is 1³/₁₆". Height (thickness) for TFL and 3D laminate tops is 1¹/₈".

Standard Includes

- Worksurface with soft-radius corners: TFL, HPL, 3D laminate, wood, or plywood

How to Specify

- ① Model
- ② Material/rim material:
LL = TFL with vinyl rim
LLD = TFL with ply rim
L = HPL with vinyl rim
LD = HPL with ply rim
W = Wood with wood rim
D = Plywood
- ③ Rim profile (omit for 3D laminate (T) and plywood (D)):
P = Softened vinyl rim (LL or L)
E = Flat ply rim (LLD or LD)
F = Softened wood rim (W)
- ④ Surface finish price group (include for HPL (L), HPL with ply rim (LD), and wood (W) models only):
STD = Group 1
- ⑤ Surface finish designator
- ⑥ Rim finish designator (omit for 3D laminate (T), wood (W), plywood (D) models)



WORK|ABLE® WALL SYSTEM

Worksurface Support | Brackets

Pricing

GSA SIN 33721

Statement of Line	➤See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Edge-Support Brackets			
22 ¹ / ₃₂ "	3 ⁵ / ₃₂ "	43WBSA	\$11
Center-Support Brackets			
22 ¹ / ₃₂ "	3 ⁵ / ₃₂ "	43PCSSBP	\$120

Standard Includes

- Bracket: paint

How to Specify


- Model
- Paint price group:
 - STD** = Group 1
 - STD^M** = Group M (+10%)
 - STD²¹** = Group 21 (+10%)
- Paint designator

WORK|ABLE® WALL SYSTEM

Worksurface Support | Round Support Legs

Pricing

GSA SIN 33721



<i>Diameter</i>	<i>H</i>	<i>Model</i>	Material	
			<i>Paint</i>	<i>Wood</i>
Low-Height Leg				
2"	21"	43P0221SLR	\$376	\$682
Worksurface-Height Leg				
2"	27¾"	43P0228SLR	\$413	\$716
Standing Bar-Height Leg				
2"	40"	43P0240SLR	\$461	\$765

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Standard Includes

- Round leg: painted metal or wood

Tips

Support legs support the front edge or end of a worksurface hanging from Traxx. They are not for use to create freestanding tables.

How to Specify

Painted Metal Leg

- ① Model
- ② Material:
P = Paint
- ③ Paint price group:
STD = Group 1
STDC = Clear (+10%)
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ④ Paint designator


Wood Leg

- ① Model
- ② Material:
W = Wood
- ③ Wood finish price group:
STD = Group 1
- ④ Wood finish designator

WORK|ABLE® WALL SYSTEM

Shelves

Pricing
GSA SIN 33721



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>3D Lam (TP)</i>	<i>Wood (WP)</i>	<i>Plywood (DP)</i>	<i>Butcher Block (BBP)</i>
9"D							
9"	24"	4 ⁹ / ₃₂ "	43A0924SH	\$699	\$1316	\$1073	\$2994
9"	36"	4 ⁹ / ₃₂ "	43A0936SH	798	1344	1085	3130
9"	48"	4 ⁹ / ₃₂ "	43A0948SH	897	1374	1097	3265
12"D							
12"	24"	4 ⁹ / ₃₂ "	43A1224SH	\$734	\$1356	\$1431	\$3388
12"	30"	4 ⁹ / ₃₂ "	43A1230SH	784	1385	1440	3523
12"	36"	4 ⁹ / ₃₂ "	43A1236SH	832	1427	1445	3659
12"	42"	4 ⁹ / ₃₂ "	43A1242SH	926	1466	1455	3794
12"	48"	4 ⁹ / ₃₂ "	43A1248SH	1020	1533	1461	3929

Related Products:

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Shelf Spacer				
1½"	2"	1½"	43ASHSPCP	\$175

Recommended Load Capacities:

<i>Shelf width</i>	<i>Weight</i>
24"W shelves	Up to 20 lbs.
36"W shelves	Up to 30 lbs.
48"W shelves	Up to 40 lbs.

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Standard Includes

- Shelf surface: wood, plywood, 3D laminate, or butcher block
- Shelf sides and back: painted metal

How to Specify

Wood Shelf

- ① Model
- ② Shelf materials:
TP = 3D laminate/paint
WP = Wood/paint
DP = Plywood/paint
BBP = Butcher block/paint
- ③ Shelf surface finish price group (omit for TP and BBP models):
STD = Group 1
- ④ Shelf surface finish designator:
For WP models—
 Specify wood finish designator
For DP models—
CR = Clear
For TP models—
 Specify 3D laminate designator
For BBP models—
CBB = Cherry
MBB = Maple
OBB = Oak
WBB = Walnut
- ⑤ Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ⑥ Paint designator

Spacer

- ① Model
- ② Paint designator

WORK|ABLE® WALL SYSTEM

Round & Oval Accessory Shelves

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



D	W	Model	Wood (W)	3D Lam (T)
Round Shelf				
4" diameter		43A04RDSH	\$873	\$242



Oval Shelves				
4"	6"	43A0406OVSH	\$878	\$246
4"	12"	43A0412OVSH	965	307
4"	18"	43A0418OVSH	1052	365



Oval Shelf with Planter				
4"	6"	43A0406OVSHP	\$1136	\$725



Oval Shelf with Utility Cup				
4"	12"	43A0412OVSHC	\$1005	\$347



Oval Shelf with Charging Unit				
4"	12"	43A0412OVSHCHRG	\$1492	\$833

Narrate plastic and metal work tools are applicable to Work|Able Traxx.

➤ See the Narrate chapter of the Kimball Systems Solutions Price List.

Standard Includes

- Shelf: solid hardwood maple or 3D laminate
- Attachment bracket: paint

How to Specify

Wood Shelf

- 1 Model
- 2 Material:
W = Wood
- 3 Wood finish price group:
STD = Group 1
- 4 Wood finish designator
- 5 Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 6 Paint designator

3D Laminate Shelf

- 1 Model
- 2 Material:
T = 3D laminate
- 3 3D laminate color designator
- 4 Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- 5 Paint designator

WORK|ABLE® WALL SYSTEM

Pegboard Accessories

Pricing
GSA SIN 33721


Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



D	W	H	Model	Price
Coat Hook				
3 1/4"	1"	1 1/2"	43ACHP	\$251




Clear Plastic Jar				
2 1/4" diameter		3 3/4"	43A02PJ	\$35



Small Basket				
4 19/32"	8 13/32"	3 7/32"	43A0509PBP	\$160

Large Basket				
8"	14"	3 27/32"	43A0814PBP	\$180



Vertical File Holder				
2 13/32"	5 7/32"	7 15/32"	43A0507PVFHP	\$95



Single Hooks				
4"	7/32"		43A04PSSHP	\$57
6"	7/32"		43A06PMSHP	61
12"	7/32"		43A12PLSHP	65



Double Hook				
1 1/2"	2"		43A0211PDHP	\$69



J Hook				
			43A01PJHP	\$28

How to Specify

Coat Hook

- Model
- Knob type:
P = Wood with paint finish
W = Wood with wood finish
- Wood finish price group (omit for P model):
STD = Group 1
W = Wood finish designator (omit for P model)
- Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
- Paint designator

Clear Plastic Jar

- Model

All Other Pegboard Accessories

- Model
- Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD 21 = Group 21 (+10%)
- Paint designator

WORK|ABLE® WALL SYSTEM

Work|Able Traxx Accessories

Pricing


GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

D	W	H	Model	Description	Price
---	---	---	-------	-------------	-------


Markerboard/Flip Chart Holder

13 ¹ / ₁₆ "	27 ⁹ / ₁₆ "	38 ¹ / ₂ "	43A2739MBFCHK		\$1485
-----------------------------------	-----------------------------------	----------------------------------	---------------	--	--------




Traxx-Mount TV Bracket (set of 2)

25 ³ / ₃₂ "	3 ⁹ / ₃₂ "	23 ⁵ / ₈ "	43ATVBRKTP	Supports up to 100 lbs.	\$288
-----------------------------------	----------------------------------	----------------------------------	------------	-------------------------	-------




Wire Managers

17 ³ / ₄ "	3 ²⁹ / ₃₂ "		43P18TWMP		\$307
29 ³ / ₄ "	3 ²⁹ / ₃₂ "		43P30TWMP		338



Perks® Power/USB Module with 6' Cord

3 ¹⁵ / ₁₆ "	3 ¹⁹ / ₃₂ "	2 ¹ / ₂ "	KCE0204WPDW	Sits on surface. Walnut with zig-zag cord. Includes one simplex power outlet and one USB duplex for charging.	\$782
-----------------------------------	-----------------------------------	---------------------------------	-------------	---	-------



How to Specify

Markerboard/Flip Chart Holder

- ① Model
- ② Laminate designator:
409M = Icey White
483M = Off White

TV Traxx-Mount Bracket

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)

Wire Manager

- ① Model
- ② Paint price group:
STD = Group 1
STD M = Group M (+10%)
STD21 = Group 21 (+10%)
- ③ Paint designator
- ④ Felt designator

Power/USB Module

- ① Model

Narrate plastic and metal work tools are applicable to Work|Able Traxx.

➤ See the Narrate chapter in the *Kimball Systems Solutions Price List*.


WORK|ABLE® WALL SYSTEM

Wellness Station | Laminate (TFL) Worksurface with Integrated Waste Bin

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



Hangs from Work|Able Traxx or Narrate® Traxx.

Model	Dimensions (Inches)						Price	GSA
	Overall			Trash Bin				
	D	W	H	D	W	H		
43P1427WSIWBLLP	14	26 ⁷ / ₈	18 ⁵ / ₁₆	7 ¹³ / ₁₆	12 ³ / ₄	17 ¹ / ₈	\$752	33721

Standard Includes

- Worksurface: TFL with vinyl rim
- Metal waste bin: paint

Installation

- Install Work|Able Traxx and tiles per installation instructions
- Hook edge-support brackets into Work|Able or Narrate Traxx
- Screw support legs to the front edge of the worksurface with hardware provided
- Place worksurface on the edge-support brackets and screw top to brackets with hardware provided

Tips

IMPORTANT: Edge-support brackets, round support legs, and waste ring must be specified separately.

How to Specify

- ① Model
- ② Laminate price group:
STD = Group 1
- ③ Laminate designator
- ④ Paint price group:
STD = Group 1
STD^M = Group M (+10%)
STD²¹ = Group 21 (+10%)
- ⑤ Paint designator


WORK|ABLE® WALL SYSTEM

Wellness Station | Solid Surface Worksurface with Integrated Waste Bin

Pricing

GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



Hangs from Work|Able Traxx or Narrate® Traxx.

Model	Dimensions (Inches)						Price	GSA
	Overall			Trash Bin				
	D	W	H	D	W	H		
43P1427WSIWSSP	14	26 ⁷ / ₈	18 ⁵ / ₁₆	7 ¹³ / ₁₆	12 ³ / ₄	17 ¹ / ₈	\$1331	33721

Standard Includes

- Worksurface: solid surface
- Metal waste bin

Installation

- Install Work|Able Traxx and tiles per installation instructions
- Hook edge-support brackets into Work|Able or Narrate Traxx
- Screw support legs to the front edge of the worksurface with hardware provided
- Place worksurface on the edge-support brackets and screw top to brackets with hardware provided

Tips

IMPORTANT: Edge-support brackets, round support legs, and waste ring must be specified separately.
➤ See the Work|Able section in the *Kimball Systems Solutions Price List* and the Alterna section in the *Interwoven Price List*.

How to Specify




- ① Model
- ② Solid surface price group:
STD = Group 1
- ③ Solid surface designator
- ④ Paint price group:
STD = Group 1
STD^M = Group M (+10%)
STD²¹ = Group 21 (+10%)
- ⑤ Paint designator

WORK|ABLE® WALL SYSTEM

Wellness Station | Traxx-Mount Accessories

Pricing
GSA SIN 33721

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59



Model	Dimensions (Inches)			Price	GSA
	Overall				
	D	W	H		
Solid Surface Panel with Glove/Mask Holder					
43P123HPPEPGMHSSP	4 ⁵ / ₁₆	11 ⁷ / ₈	25 ²⁹ / ₃₂	\$1339	33721
</					

Standard Includes

Solid Surface Panel with Glove/Mask Holder

- Holds two boxes of gloves or masks
- Assembly required
- Space below glove/mask boxes allows field-installation of a self-adhesive dispenser

Waste Bin & Three-Box Glove/Mask Holder

- Attachment brackets are incorporated into the back of the bin
- Paint finish

Healthcare Universal Traxx Bracket

- Paint finish

How to Specify

Solid Surface Panel with Glove/Mask Holder

- Model
- Solid surface price group:
STD = Group 1
- Solid surface designator
- Paint price group:
STD = Group 1
STDM = Group M (+10%)
STD21 = Group 21 (+10%)
- Paint designator

Waste Bin, Three-Box Glove/Mask Holder, and Universal Bracket

- Model
- Paint price group:
STD = Group 1
STDM = Group M (+10%)
STD21 = Group 21 (+10%)
- Paint designator

Wellness station accessories hang from Work|Able Traxx or Narrate® Traxx.

WORK|ABLE® WALL SYSTEM

Paint

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Applies to:

- Traxx
- End trim
- Trim channels
- Corner fillers
- Starter brackets
- Slat tiles
- Technology tiles
- Cover plate
- Worksurface brackets
- Support legs
- Shelves
- Shelf spacers
- Accessories
- Wire managers
- Wellness station accessories

Group 1

- 480 Antique White
- 427 Barley
- 437 Cement
- 403 Chamois
- 462 Cinder
- 440 Cloud
- 485 Dark Chocolate
- 405 Designer White
- 453 Environmental Grey
- 459 Featherstone
- 450 Fog
- 488 Frosty White
- 461 Graphite
- 445 Moon Beam
- 416 Putty
- 420 Sandstone
- 499 Satin¹
- 425 Shadow
- 465 Smoke
- 460 Storm
- 429 Tantalum
- 419 Wallaby

Group 21

- 111 Apricot Orange
- 103 Chive
- 106 Cloud Blue
- 107 Dark Blue
- 113 Golden Rod
- 105 Spinach Green
- 112 Tango Red

Group M

- 514 Carbon Metallic
- 507 Patina Metallic
- 501 Platinum Metallic
- 505 Satin Bronze Metallic
- 544 Silver Pearl
- 504 Taupe Metallic

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

Customer-specified paint (CSP) is available.

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com.

FOOTNOTES:

¹ Available on Traxx only.

Applies to:

- Back-painted glass tiles

Group 1

- 462 Cinder
- 440 Cloud
- 405 Designer White
- 450 Fog
- 425 Shadow

Group M

- 501 Platinum Metallic

WORK|ABLE® WALL SYSTEM

Wood

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Applies to:

- Worksurfaces
- Support legs
- Shelves
- Coat hooks

Group 1

Designator	Color	Species
AD	Almond	Straight Grain
MC	Amber	Cherry
AC	Autumn	Cherry
IM	Brighton	Maple
CO	Canyon	Straight Grain
CL	Caramel	Maple
CC	Cordoba	Cherry
CW	Cordovan	Walnut
DF	Driftwood	Straight Grain
HN	Honey	Maple
TM	Huntington	Maple
DW	Judicial	Walnut
MW	Midtown	Walnut
MH	Mocha	Cherry
YO	Monterey	Straight Grain
NM	Natural	Maple
PB	Portobello	Straight Grain
792	Sable	Straight Grain
SC	Sedona	Cherry
TW	Tribeca	Walnut
TF	Truffle	Cherry
NW	Tuscan	Straight Grain
UW	Urban	Walnut

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

WORK|ABLE® WALL SYSTEM

Laminate | HPL

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Applies to:

- Worksurfaces

Woodgrain Group 1 (STD)

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

Solid Color Group 1 (STD)

480	Antique White
403	Chamois
462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

Pattern Group 1 (STD)

823	Carbon Evolv
818	Crisp Linen
841	Desert Zephyr
821	Elemental Concrete
819	Flax Gauze
862	Grey Glace
843	Misted Zephyr
807	Silcon Evolv
822	Smoke Quarstone
805	Titanium Evolv
802	White Nebula
814	White Tigris

Gallery Group 1 (GAL1)

5% upcharge

G1001	Citadel
G1011	Pepperdust

Gallery Group 2 (GAL2)

6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

WORK|ABLE® WALL SYSTEM

Laminate | TFL

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Applies to:

- Tiles
- Worksurfaces
- Wellness station worksurface with integrated waste bin

Woodgrain Group 1 (STD)

793	Acorn ¹
AD	Almond
MC	Amber
AC2	Autumn 2 ¹
BZ	Brazilwood ¹
IM	Brighton
CO	Canyon
CI	Chai ¹
CC	Cordoba
CW	Cordovan ¹
DF	Driftwood
TM	Huntington
DW	Judicial ¹
KN	Kona ¹
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini ¹
PT	Portico ¹
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline ¹
TW	Tribeca
TF	Truffle ¹
NW	Tuscan
UW	Urban
WL	Willow ¹

Solid Color Group 1 (STD)

480	Antique White
403	Chamois ¹
462	Cinder
492	Cinder Linear ¹
440	Cloud
457	Dapple ¹
405	Designer White
491	Designer White Linear ¹
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey ¹
420	Sandstone
425	Shadow ¹
460	Storm
419	Wallaby

¹ Not available on tiles.

Gallery Group 1 (GAL1)²

5% upcharge

G1001	Citadel
G1011	Pepperdust

Gallery Group 2 (GAL2)²

6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

² Not available on tiles.

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

WORK|ABLE® WALL SYSTEM
Laminate | 3D Laminate

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

<i>Applies to:</i> <ul style="list-style-type: none">Rectangular worksurfaces	Woodgrain MC Amber CO Canyon DF Driftwood MH Mocha YO Monterey NW Tuscan	Solid Color 462 Cinder 405 Designer White 450 Fog
---	---	---

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

<i>Applies to:</i> <ul style="list-style-type: none">ShelvesAccessory shelves		Solid Color 462 Cinder 405 Designer White 450 Fog
--	--	---

WORK|ABLE® WALL SYSTEM
Solid Surface

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

-
- Applies to:* 405 Designer White
- Wellness station worksurface with integrated waste bin
 - Wellness station solid surface panel with glove/mask holder

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

WORK|ABLE® WALL SYSTEM

Vinyl Edge

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Applies to:

- Softened vinyl rim (P)

Woodgrain Group 1 (STD)

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

Solid Color Group 1 (STD)

480	Antique White
403	Chamois
462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

Gallery Group 1 (GAL1)

5% upcharge

G1001	Citadel
G1011	Pepperdust

Gallery Group 2 (GAL2)

6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program.

WORK|ABLE® WALL SYSTEM

Textiles & Wool Felt

Surface Materials

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Vertical Textiles

Applies to:

- Trim channels
- Tiles

Kimball International
Vertical Textiles
Price Grades A–B

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for a complete overview of the surface materials program and for the most up-to-date list of available textiles.

Wool Felt

Applies to:

- Wire managers

- | | |
|-------|-------------------|
| 19111 | Apricot Orange |
| 19103 | Chive |
| 19106 | Cloud Blue |
| 19107 | Dark Blue |
| 19113 | Golden Rod |
| 19117 | Heathered Oatmeal |
| 19119 | Heathered Slate |
| 19118 | Heathered Stone |
| 19105 | Spinach Green |
| 19112 | Tango Red |

WORK|ABLE® WALL SYSTEM

COM Yardage Requirements

Surface Materials

GSA Non-Contract

Statement of Line	➤ See page WA.2
Planning	WA.5
Pricing	WA.12
Surface Materials	WA.59

Kimball has analyzed each model to most accurately reflect the yardage requirements.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required.

➤ Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤ See the *Surface Materials Reference Guide* at www.kimballinternational.com for COM policy and additional information.

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
43P181A	0.6	0.6	0.6	43P36H06A	1.2	1.2	1.2
43P182A	0.6	0.6	0.6	43P36H18A	1.2	1.2	1.2
43P183A	0.6	0.6	0.6	43P421A	1.3	1.3	1.3
43P184A	0.6	0.6	0.6	43P421BA	1.3	1.3	1.3
43P185A	0.6	n/a	0.6	43P421BANC	1.3	1.3	1.3
43P18H06A	0.6	0.6	0.6	43P422A	1.3	1.3	1.3
43P18H18A	0.6	0.6	0.6	43P423A	1.3	1.3	1.3
43P241A	0.8	0.8	0.8	43P424A	1.3	1.3	1.3
43P241BA	0.8	0.8	0.8	43P425A	1.3	n/a	1.3
43P241BANC	0.8	0.8	0.8	43P42H06A	1.3	1.3	1.3
43P242A	0.8	0.8	0.8	43P42H18A	1.3	1.3	1.3
43P243A	0.8	0.8	0.8	43P481A	1.5	1.5	1.5
43P244A	0.8	0.8	0.8	43P481BA	1.5	1.5	1.5
43P245A	0.8	n/a	0.8	43P481BANC	1.5	1.5	1.5
43P24H06A	0.8	0.8	0.8	43P482A	1.5	1.5	1.5
43P24H18A	0.8	0.8	0.8	43P483A	1.5	1.5	1.5
43P301A	1.0	1.0	1.0	43P484A	1.5	1.5	1.5
43P301BA	1.0	1.0	1.0	43P485A	1.5	n/a	1.5
43P301BANC	1.0	1.0	1.0	43P48H06A	1.5	1.5	1.5
43P302A	1.0	1.0	1.0	43P48H18A	1.5	1.5	1.5
43P303A	1.0	1.0	1.0	43P541A	1.7	1.7	1.7
43P304A	1.0	1.0	1.0	43P542A	1.7	1.7	1.7
43P305A	1.0	n/a	1.0	43P543A	1.7	1.7	1.7
43P30H06A	1.0	1.0	1.0	43P54H06A	1.5	1.5	1.5
43P30H18A	1.0	1.0	1.0	43P54H18A	1.7	1.7	1.7
43P361A	1.2	1.2	1.2	43P601A	1.8	1.8	1.8
43P361BA	1.2	1.2	1.2	43P602A	1.8	1.8	1.8
43P361BANC	1.2	1.2	1.2	43P603A	1.8	1.8	1.8
43P362A	1.2	1.2	1.2	43P60H06A	1.8	1.8	1.8
43P363A	1.2	1.2	1.2	43P60H18A	1.8	1.8	1.8
43P364A	1.2	1.2	1.2				
43P365A	1.2	n/a	1.2				

How to Use this Table

- ① Locate the model number
- ② Select yardage from the appropriate column.