

# Kata™EX3



## KataEX3-FMS

Triple fixed + motion + slider monitor arm

\$1,391

MODEL # KATAEX3-DC-FMS-\_\_\_

MODEL # KATAEX3-GM-FMS-\_\_\_

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

26.32" outside arm extension

8.52" center arm extension

4.91" arm retraction

+90°/-45° monitor tilt *(slider & standard mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(center arm)*  
2.5lb.–18.5lb. weight capacity *(per outside arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk  
clamp mount

26.63" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime

### Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

### Available mounting options

- DC - Desk clamp
- GM - Grommet mount

### Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

### Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 25.99" pole *(height includes base)*
- Slider mounts

*Contact our Customer Service Department for compatibility and pricing for custom configurations.*

# Kata™EX4



## KataEX4-FF

Quad fixed + fixed monitor arm

\$1,496

MODEL # KATAEX4-DC-FF-\_\_\_

*Grommet mount not available for this configuration.*

### Features

Manual height adjustment

Recommended for worksurfaces  
36.0" deep or less

24.77" arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

49.54" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.  
Note: monitor height/weight might limit size.*

Warranty: Lifetime



## KataEX4-FM

Quad fixed + motion monitor arm

\$1,939

MODEL # KATAEX4-DC-FM-\_\_\_

*Grommet mount not available for this configuration.*

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

25.26" arm extension

3.49" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

4.0–20.0lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

53.22" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.  
Note: monitor height/weight might limit size.*

Warranty: Lifetime

Kata™EX4



KATAEX4-DC-FMS

KataEX4-FMS

Quad fixed + motion + slider monitor arm

\$2,271

MODEL # KATAEX4-DC-FMS- \_ \_ \_

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

25.26" arm extension

3.49" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

53.22" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime

KataEX4-MS

Quad motion + slider monitor arm

\$1,973

MODEL # KATAEX4-DC-MS- \_ \_ \_

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

16.07" arm extension

5.86" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

42.29" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available mounting options

DC - Desk clamp

Available arm finishes

○ Silver -SLV

● Black -BLK

○ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 15.99" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™EX6



KATAEX6-DC-FF

KataEX6-FF

Six fixed + fixed monitor arm

\$1,858

MODEL # KATAEX6-DC-FF- \_ \_ \_

Grommet mount not available for this configuration.

Features

Manual height adjustment

Recommended for worksurfaces  
30.0" deep or less

24.77" outside arm extension

8.52" center arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity  
*(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

26.14" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime

Kata™EX6



KATAEX6-DC-FMS

KataEX6-FMS

Six fixed + motion + slider monitor arm

\$2,632

MODEL # KATAEX6-DC-FMS- \_ \_ \_

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

26.32" outside arm extension

8.52" center arm extension

4.91" arm retraction

+90°/-45° monitor tilt (slider & standard mounts)

±90° VESA rotation

Up to 20.0lb. weight capacity (per center arm)  
2.5lb.-18.5lb. weight capacity (per outside arm)

25.99" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

26.63" max. monitor width  
Bezel measured left to right.  
Max. width is contingent on weight capacity.  
Note: monitor height/weight might limit size.

Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available mounting options

DC - Desk clamp

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 15.99" pole (height includes base)
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™



KATA-DC

Kata

Single monitor arm

\$486

MODEL # KATA-DC- \_ \_ \_

MODEL # KATA-GM- \_ \_ \_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

13.72" height adjustment range  
7.79"-21.51" (low/high)

22.40" arm extension

3.46" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

4.0lb.-20.0lb. weight capacity

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

Tension adjustment indicator for precision installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

Warranty: Lifetime

Available mounting options

DC - Desk clamp

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Kata2 conversion kit

Converts an existing Kata single monitor arm to a Kata2 dual arm.

Kit includes:

- One static arm
- One motion arm
- One dual base (specify a grommet mount or a desk clamp mount)

\$428

MODEL # KATA2KIT-DC- \_ \_ \_

MODEL # KATA2KIT-GM- \_ \_ \_

Available in silver, black and white

Kata™2



KATA2-DC

Kata2

Dual monitor arm

\$914

MODEL # KATA2-DC- \_ \_ \_

MODEL # KATA2-GM- \_ \_ \_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

13.72" height adjustment range  
7.79-21.47" (low/high)

22.41" arm extension

3.44" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

4.0lb.–20.0lb. weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk  
clamp mount

Tension adjustment indicator for precision  
installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

42.04" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Kata™2-MS



KATA2-MS-DC

Kata2-MS

Dual monitor arm

\$914

MODEL # KATA2-MS-DC- \_ \_ \_

MODEL # KATA2-MS-GM- \_ \_ \_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

13.72" height adjustment range  
3.53"–17.24" (low/high)

16.05" arm extension

6.36" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

2.5lb.–18.5lb. weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk  
clamp mount

Tension adjustment indicator for precision  
installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

36.43" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT





Product shown: Evolve2-FM,  
Designer White worksurface

Monitor Arms

Evolve Series

- Evolve motion arms**  
Evolve configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.
- Evolve fixed arms**  
Evolve configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.
- Flexible growth**  
Because the Evolve is pole mounted, arms can be added as needed to support additional monitors.
- Quality testing**  
Meets or exceeds BIFMA x5.5
- Slider mount**  
Position virtually any monitor side-by-side with a slider. The slider (S) offers eight and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Evolve1



**Evolve Stubby**  
Single short fixed monitor arm  
**\$323**  
MODEL # EVOLVE-STUBBY-\_\_

- Features**  
Manual height adjustment  
Recommended for worksurfaces 24.0" deep or less  
8.0" arm extension  
8.0" arm retraction  
+90°/-25° monitor tilt  
±90° VESA rotation  
Up to 20.0lb. weight capacity  
18.0" pole height *(includes base)*  
VESA 75mm/100mm quick release  
Desk clamp and grommet mount included  
Warranty: Lifetime



**Evolve1-F**  
Single fixed monitor arm  
**\$393**  
MODEL # EVOLVE1-F-\_\_

- Features**  
Manual height adjustment  
Recommended for worksurfaces 30.0" deep or less  
12.82" arm extension  
2.55" arm retraction  
+90°/-25° monitor tilt  
±90° VESA rotation  
Up to 20.0lb. weight capacity  
19.70" pole height *(includes base)*  
VESA 75mm/100mm quick release  
180° lock-out feature  
Desk clamp and grommet mount included  
Warranty: Lifetime





**Evolve1-FF**  
Single fixed + fixed monitor arm  
**\$462**  
MODEL # EVOLVE1-FF-\_-\_-

- Features**
- Manual height adjustment
  - Recommended for worksurfaces 36.0" deep or less
  - 23.10" arm extension
  - 2.55" arm retraction
  - +90°/-25° monitor tilt
  - ±90° VESA rotation
  - Up to 20.0lb. weight capacity
  - 19.70" pole height *(includes base)*
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - Warranty: Lifetime



**Evolve1-FM**  
Single fixed + motion monitor arm  
**\$566**  
MODEL # EVOLVE1-FM-\_-\_-

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 36.0" deep or less
  - 23.17" arm extension
  - 2.55" arm retraction
  - +90°/-25° monitor tilt
  - ±90° VESA rotation
  - 6.5lb.-17.6lb. weight capacity
  - 19.70" pole height *(includes base)*
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - Warranty: Lifetime



**Monitor arm key**

F - Fixed monitor arm  
M - Motion monitor arm  
S - Slider mount

- Available arm finishes**
- ☐ Silver -SLV
  - ☒ Black -BLK
  - ☐ White -WHT

**Customize the Evolve**

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.




**Evolve1-M**  
Single motion monitor arm  
**\$495**  
MODEL # EVOLVE1-M-\_-\_-

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 30.0" deep or less
  - 12.89" arm extension
  - 2.55" arm retraction
  - +90°/-25° monitor tilt
  - ±90° VESA rotation
  - 6.5lb.-17.6lb. weight capacity
  - 19.70" pole height *(includes base)*
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - Warranty: Lifetime



# Evolve1



### Evolve1-MS

Single motion + slider monitor arm

**\$565**

MODEL # EVOLVE1-MS-\_\_\_

#### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

15.41" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime

#### Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

#### Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

#### Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

#### Evolve conversion kit - 1MS2MS

Converts an existing Evolve1-MS single monitor arm to an Evolve2-MS dual arm.

- Kit includes:
- One slider
  - One motion arm
  - One arm stem

**\$428**

MODEL # EVOLVEKIT-1MS2MS-\_\_\_  
*Available in silver, black and white*

# Evolve2



### Evolve2-F

Dual fixed monitor arm

**\$632**

MODEL # EVOLVE2-F-\_\_\_

#### Features

Manual height adjustment

Recommended for worksurfaces  
30.0" deep or less

18.2" arm extension

4.1" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

18.0" pole height *(includes base)*


VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.0" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*

Warranty: Lifetime



### Evolve2-FF

Dual fixed + fixed monitor arm

**\$771**

MODEL # EVOLVE2-FF-\_\_\_

#### Features

Manual height adjustment

Recommended for worksurfaces  
36.0" deep or less

23.10" arm extension

3.40" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

48.98" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*

Warranty: Lifetime





EVOLVE2-FS



EVOLVE2-FM

Evolve2-FS

Dual fixed + slider monitor arm

\$786

MODEL # EVOLVE2-FS-\_\_

Features

Manual height adjustment

Recommended for worksurfaces  
30.0" deep or less

15.35" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

Up to 18.5lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.01" max. monitor width

*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2-FM

Dual fixed + motion monitor arm

\$932

MODEL # EVOLVE2-FM-\_\_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

23.17" arm extension

3.22" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

49.11" max. monitor width

*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

*Contact our Customer Service Department for compatibility and pricing for custom configurations.*



EVOLVE2-FMS



EVOLVE2-M

Evolve2-FMS

Dual fixed + motion + slider monitor arm

\$1,133

MODEL # EVOLVE2-FMS-\_\_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

25.69" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width

*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2-M

Dual motion monitor arm

\$839

MODEL # EVOLVE2-M-\_\_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

18.4" arm extension

4.1" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

18.0" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.0" max. monitor width

*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime





# Evolve2



EVOLVE2-MS

## Evolve2-MS

Dual motion + slider monitor arm

\$995

MODEL # EVOLVE2-MS- \_ \_ \_

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

15.41" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.14" max. monitor width

*Bezel measured left to right.*

*Max. width is contingent on weight capacity.*

Warranty: Lifetime



### Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

### Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

### Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion arms

Fixed arms


Stem arms

29.70" pole *(height includes base)*

Slider mounts

*Contact our Customer Service Department for compatibility and pricing for custom configurations.*

# Evolve3



EVOLVE3-FF

## Evolve3-FF

Triple fixed + fixed monitor arm

\$939

MODEL # EVOLVE3-FF- \_ \_ \_

### Features

Manual height adjustment

Recommended for worksurfaces  
30.0" deep or less

23.10" outside arm extension

6.48" center arm extension

3.40" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

24.11" max. monitor width

*Bezel measured left to right.*

*Max. width is contingent on weight capacity.*

Warranty: Lifetime



# Evolve3



EVOLVE3-FMS

## Evolve3-FMS

Triple fixed + motion + slider monitor arm

\$1,303

MODEL # EVOLVE3-FMS- \_ \_ \_

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

25.69" outside arm extension

6.48" center arm extension

5.74" arm retraction

+80°/-60° monitor tilt *(slider mount)*

+90°/-25° monitor tilt *(center mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(center arm)*

4.4lb.-15.4lb. weight capacity *(per outside arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.80" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*

Warranty: Lifetime

### Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

### Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

### Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion arms

Fixed arms

Stem arms

29.70" pole *(height includes base)*

Slider mounts

*Contact our Customer Service Department for compatibility and pricing for custom configurations.*



# Evolve4



EVOLVE4-FF

## Evolve4-FF

Quad fixed + fixed monitor arm

\$1,402

MODEL # EVOLVE4-FF- \_ \_ \_

### Features

Manual height adjustment

Recommended for worksurfaces  
36.0" deep or less

23.10" arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

48.98" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime



EVOLVE4-FM

## Evolve4-FM

Quad fixed + motion monitor arm

\$1,815

MODEL # EVOLVE4-FM- \_ \_ \_

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

23.17" arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

49.11" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime



Evolve4



EVOLVE4-FMS



EVOLVE4-MS

Evolve4-FMS

Quad fixed + motion + slider monitor arm

\$2,126

MODEL # EVOLVE4-FMS- \_ \_ \_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

25.69" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.61" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime



Evolve4-MS

Quad motion + slider monitor arm

\$1,847

MODEL # EVOLVE4-MS- \_ \_ \_

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

15.41" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.06" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime



Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S- Slider mount

Available arm finishes

 Silver -SLV

 Black -BLK

 White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion arms

Fixed arms


Stem arms

19.70" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Evolve6



EVOLVE6-FF

Evolve6-FF

Six fixed + fixed monitor arm

\$1, 739

MODEL # EVOLVE6-FF- \_ \_ \_

Features

Manual height adjustment

Recommended for worksurfaces  
30.0" deep or less

23.10" outside arm extension

6.48" center arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature


Desk clamp and grommet mount included

24.49" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size.*

Warranty: Lifetime



# Evolve6



EVOLVE6-FMS

**Evolve6-FMS**  
Six fixed + motion + slider monitor arm

**\$2,465**  
MODEL # EVOLVE6-FMS-\_-\_-

**Features**  
Finger touch dynamic height adjustment

Recommended for worksurfaces  
30.0" deep or less

25.69" outside arm extension

6.48" center arm extension

5.07" arm retraction

+80°/-60° monitor tilt *(slider mount)*  
+90°/-25° monitor tilt *(center mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(per center arm)*  
4.4lb.-15.4lb. weight capacity *(per outside arm)*

9.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.81" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.  
Note: monitor height/weight might limit size.*

Warranty: Lifetime

**Monitor arm key**  
F- Fixed monitor arm  
M- Motion monitor arm  
S- Slider mount

**Available arm finishes**

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

**Customize the Evolve**  
As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 19.70" pole *(height includes base)*
- Slider mounts

*Contact our Customer Service Department for compatibility and pricing for custom configurations.*



# Evolve2Combo



EVOLVE2COMBO-SLV

**Evolve2Combo**  
Evolve2-FMS + LTH-Edge

**\$1,369**  
MODEL # EVOLVE2COMBO-SLV

**Features**  
Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

25.69" arm extension

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(monitor supporting arm)*

Up to 10.0lb. weight capacity *(laptop supporting arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime

**Available arm finishes**

☐ Silver -SLV





Evolve3Combo



Evolve3Combo

Evolve3-FMS + LTH-Edge

\$1,539

MODEL # EVOLVE3COMBO-SLV

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 25.69" outside arm extension
- 6.48" center arm extension
- +80°/-60° monitor tilt (slider mount)
- +90°/-25° monitor tilt (center mount)
- ±90° VESA rotation
- 4.4lb.-15.4lb. weight capacity (outside monitor supporting arm)
- Up to 20.0lb. weight capacity (middle monitor supporting arm)
- Up to 10.0lb. weight capacity (laptop supporting arm)
- 19.70" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 28.80" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV



- 180° lock-out**  
Prevents the arm from getting pushed back too far and bumping into a rear cubicle, wall, or glass.
- VESA quick release**  
Quickly install and swap monitors with the quick release VESA plate.
- Conversion**  
Reuse most of the parts in your single Edge arm when you convert up to the dual Edge2 with our simple kit. Conversion kit sold separately.
- Quality testing**  
Meets or exceeds BIFMA x5.5 and CSA CAN/CGSB44.227 guidelines.

Product shown: Edge2-MS,  
Designer White worksurface



Edge®



EDGE

Edge

Single monitor arm

\$455

MODEL # EDGE- \_ \_ \_

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 12.09" height adjustment range 7.68"-19.78" (low/high)
- 21.55" arm extension
- 3.22" arm retraction
- ±90° monitor tilt
- ±90° VESA rotation
- 6.5lb.-17.6lb. weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Edge2 conversion kit

- Converts an existing Edge single monitor arm to an Edge2 dual arm
- Kit includes:
- One fixed arm
- One motion arm
- One dual base
- One clamp mount
- One grommet mount

\$463

MODEL # EDGE2KIT- \_ \_ \_

Available in silver, black and white

Edge® 2



EDGE2

Edge2

Dual monitor arm

\$856

MODEL # EDGE2- \_ \_ \_

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 12.09" height adjustment range 7.68"-19.00" (low/high)
- 21.55" arm extension
- 3.22" arm retraction
- ±90° monitor tilt
- ±90° VESA rotation
- 6.5lb.-17.6lb. weight capacity *(per arm)*
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 41.08" max. monitor width  
*Bezel measured left to right.  
Max width is contingent on weight capacity.*
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Edge2<sup>®</sup>-MS



EDGE2-MS

**Edge2-MS**  
Dual monitor arm  
**\$856**  
MODEL # EDGE2-MS-\_\_\_

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 30.0" deep or less
  - 10.58" height adjustment range 3.76"–14.34" (low/high)
  - 15.41" arm extension
  - 5.74" arm retraction
  - +80°/-60° monitor tilt
  - ±90° VESA rotation
  - 4.4 lb.–15.4 lb. weight capacity *(per arm)*
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - 28.00" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*
  - Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV
  - ☒ Black -BLK
  - ☐ White -WHT

Edge2<sup>®</sup>2-Max



EDGE2-MAX

**Edge2-Max**  
Dual monitor arm  
**\$878**  
MODEL #EDGE2-MAX-\_\_\_

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 36.0" deep or less
  - 14.14" height adjustment range 9.52"–22.80" (low/high)
  - 28.51" arm extension
  - 7.50" arm retraction
  - ±55° monitor tilt
  - ±90° VESA rotation
  - 12.0 lb.–38.5 lb. weight capacity *(combined weight of both monitors)*
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - 25.18" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*
  - Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV
  - ☒ Black -BLK

# Edge®-Max



EDGE-MAX

**Edge-Max**  
Heavy duty single monitor arm  
**\$689**  
MODEL # EDGE-MAX-\_-\_-

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 36.0" deep or less
  - Recommended for heavy monitors and all-in-one computers
  - 14.04" height adjustment range 9.20"–23.30" (low/high)
  - 25.19" arm extension
  - 4.15" arm retraction
  - +85°/-35° monitor tilt
  - ±90° VESA rotation
  - 176 lb.–42.0 lb. weight capacity
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included
  - Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV
  - ☒ Black -BLK


**Edge-Max Dual conversion kit**  
Converts an existing Edge-Max single monitor arm to an Edge-Max-Dual arm.  
Kit includes:

- One fixed arm
- One motion arm
- One dual base
- One clamp mount
- One grommet mount

**\$690**  
MODEL # EDGE-MAX-DUAL-KIT

- Available finishes:**
- ☐ Silver -SLV
  - ☒ Black -BLK

# Edge®-Max Dual



EDGE-MAX-DUAL

**Edge-Max-Dual**  
Heavy duty dual monitor arm  
**\$1,377**  
MODEL # EDGE-MAX-DUAL-SLV

- Features**
- Finger touch dynamic height adjustment
  - Recommended for worksurfaces 36.0" deep or less
  - Recommended for heavy monitors and all-in-one computers
  - 14.16" height adjustment range 9.89"–24.05" (low/high)
  - 25.18" arm extension
  - 4.14" arm retraction
  - +85°/-35° monitor tilt
  - ±90° VESA rotation
  - 176 lb.–42.0 lb. weight capacity *(per arm)*
  - VESA 75mm/100mm quick release
  - 180° lock-out feature
  - Desk clamp and grommet mount included

51.18" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV

# Edge®-Wall



EDGE-WALL

**Edge-Wall**  
Wall-mounted single monitor arm  
**\$455**  
MODEL # EDGE-WALL-SLV

- Features**
- Finger touch dynamic height adjustment
  - For wall mount applications
  - 12.0" height adjustment range
  - 22.0" arm extension
  - 2.6" arm retraction
  - +90°/-25° monitor tilt
  - ±90° VESA rotation
  - 6.5lb.-176lb. weight capacity
  - VESA 75mm/100mm quick release
  - Warranty: Lifetime



**Available arm finishes**

☐ Silver -SLV

# Edge®-Slat



EDGE-SLAT

**Edge-Slat**  
Slat-mounted single monitor arm  
**\$461**  
MODEL # EDGE-SLAT-SLV

- Features**
- Finger touch dynamic height adjustment
  - For slat wall applications 0.8"–2.8" wide
  - 12.0" height adjustment range
  - 13.0" arm extension
  - 2.6" arm retraction
  - +90°/-25° monitor tilt
  - ±90° VESA rotation
  - 6.5lb.-176lb. weight capacity
  - VESA 75mm/100mm quick release
  - Warranty: Lifetime



**Available arm finishes**

☐ Silver -SLV

# Edge2Combo



EDGE2-COMBO

## Edge2Combo

Edge2 + LTH-Edge

\$1,092

MODEL # EDGE2-COMBO-SLV

### Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36.0" deep or less

12.09" height adjustment range  
7.68"-19.00" (low/high)

21.55" arm extension

±90°/-25 monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(monitor supporting arm)*

11lb.-12.2lb. weight capacity *(laptop supporting arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

41.08" max. monitor width  
*Bezel measured left to right.  
Max. width is contingent on weight capacity.*

Warranty: Lifetime



### Available arm finishes

○ Silver -SLV



### Proprietary design

Sena has been uniquely designed by the Fellowes Design Team

### SenaEX motion arms

SenaEX configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

### SenaEX fixed arms

SenaEX configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

### Flexible growth

Because the SenaEX is pole mounted, arms can be added as needed to support additional monitors.

### Quality testing

Meets or exceeds ANSI/BIFMA x5.5 guidelines.

Monitor Arms  
Sena™ Series

Product shown: SenaEX3-FMS,  
Victory-LX 3-Leg, FlexCharge 4



Sena™EX1



SenaEX1-F

Single fixed monitor arm

\$296

MODEL # SENAEX1-F-\_-\_-

Features

Manual height adjustment

Recommended for worksurfaces  
30" deep or less

12.93" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



SenaEX1-FF

Single fixed + fixed monitor arm

\$376

MODEL # SENAEX1-FF-\_-\_-

Features

Manual height adjustment

Recommended for worksurfaces  
36" deep or less

22.97" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Sena™EX1



SenaEX1-FM

Single fixed + motion monitor arm

\$448

MODEL # SENAEX1-FM-\_-\_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36" deep or less

12.68" height adjustment range

12.93" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



SenaEX1-M

Single motion monitor arm

\$381

MODEL # SENAEX1-M-\_-\_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
30" deep or less

12.68" height adjustment range

15.26" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Sena™EX2



SENAEX2-F

SenaEX2-F

Dual fixed monitor arm

\$479

MODEL # SENAEX2-F-\_-\_-

Features

Manual height adjustment

Recommended for worksurfaces  
36" deep or less

12.93" arm extension

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

25.98" max. monitor width

*Bezel measured left to right.*

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.



SENAEX2-FF

SenaEX2-FF

Dual fixed + fixed monitor arm

\$618

MODEL # SENAEX2-FF-\_-\_-

Features

Manual height adjustment

Recommended for worksurfaces  
36" deep or less

22.97" arm extension

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

46.06" max. monitor width

*Bezel measured left to right.*

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.

Sena™EX2



SENAEX2-FM

SenaEX2-FM

Dual fixed + motion monitor arm

\$781

MODEL # SENAEX2-FM-\_-\_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36" deep or less

12.68" height adjustment range

25.30" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

+/-90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

50.7" max. monitor width

*Bezel measured left to right.*

*Max. width is contingent on weight capacity.*

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.



SENAEX2-FMS

SenaEX2-FMS

Dual fixed + motion + slider monitor arm

\$891

MODEL # SENAEX2-FMS-\_-\_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces  
36" deep or less

12.68" height adjustment range

27.15" arm extension

4.7" arm retraction

+/-60° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

56.22" max. monitor width

*Bezel measured left to right.*

*Max. width is contingent on weight capacity.*

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT