

## WORKUP® HEIGHT-ADJUSTABLE TABLES

### **PRICE LIST**

January 3, 2011 Updated March 22, 2023

800.424.2432

## Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

NorkUp® Tables	
General Information	
Product Color Options	
Fixed Height	
Crank Adjustable Height (Sit - Stand)	
ANSI HFES Electric Adjustable Height	
Counter Balance Adjustable Height	1
Accessories	1



#### **CRANK TABLE**

#### General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11" and 44.83" from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A 3/4" diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

#### Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a  $\frac{1}{4}$ " steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14 gauge steel tubing with a  $\frac{1}{4}$ " steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall

be threaded into the foot.

#### **Worksurface Support**

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

#### Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

#### FIXED TABLE

#### General

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

#### Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be ¼" thick steel. The column shall be 2-3/4" square 14-gauge steel tubing with ¼" steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

#### Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

#### Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

#### ANSI HFES TABLE

#### General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 22.35" and 48.33" from the floor by means of electric controls that can be located at either end of the table.

#### Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member, an intermediate member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. The intermediate member shall be 2-1/2" square 14-gauge steel tubing. The inner member shall be 2-1/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

#### **Worksurface Support**

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

#### Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

#### Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of the table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Wire troughs are available on all models.

#### **Polyester Felt Modesty Panel**

Modesty panels are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The panel is 1/2" thick with a density of .05 lb/ft. Panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9.25" high by 34.5", 40.5", 46.5", 52.5", 58.5", 64.5", and 70.5" wide. The mounting brackets are 18-gauge steel and attached to the work surface by 2 steel screws. Panels 34.5", 40.5" and 46.5" wide all use 2 brackets per panel. Panels 52.5", 58.5", 64.5", and 70.5" wide all use 3 brackets per panel.

# WorkUp® Tables Product Color Options



WorkUp® Tables
Product Color Options

						**	
Surface FinishLaminate		Earthen Clay	EY			Rubber Ducky	ERK
Belair	LBQ	Everglade Shade	EV	Edge Color for 54B Edge		Sand	ESA
Biltmore Cherry	LBT	Glitz Metallic	GZ	Black	EBL	Sky Blue	ESK
Black	LBK	Hazy Jade	HJ	Blue Grey	EGR	Sterling Ash	EAZ
Brighton Walnut	LBW	Honey Bee	HY	Cayenne	ECY	Surf's Up	ESP
Canyon Zephyr	LCA	Mardi Gras	MG	Cool Grey	ECG	Twilight Shadow	ETI
Castle Oak	LCO	Misty Brown	MY	Earthen Clay	EEY	Ultra Blue	EUB
Casual Linen	LCU	Nemo	NE	Everglade Shade	EEV	Warm Grey	EWG
Cherry Storm	LCX	Purple Haze	PH	Flannel	EFN	Windsor Mahogany	EWY
Classic Linen	LCI	Rubber Ducky	RK	Frosty White	EFW	Zesty Lime	EZL
Cloud Zephyr	LCL	Starlight Silver Metallic	SX	Hazy Jade	EHJ	,	
Cocobala	LCC	Surf's Up	SP	Honey Bee	EHY	Inner Column Color	
Crisp Linen	LRI	Twilight Shadow	TI	Light Tone	ELG	Black	IBL
Desert Zephyr	LDZ	Ultra Blue	UB	Mardi Gras	EMG	Silver	ISV
	LDG	Warm Grey	WG	Misty Brown	EMY	White	IWH
Dove Grey Fired Steel	LIL	Zesty Lime	ZL	Nemo	ENE		
		Zesty Lime	ZL	Nordic	END	Polyester Felt Modesty Panel	
Flax Linen	LXF	Edge Color for 74P Edge		Poppy Red	EPR	Dandelion	FTDD
Florence Walnut	LFC	Belair	EBQ	Purple Haze	EPH	Fawn	FTFW
Forged Steel	LOL	Biltmore Cherry	EBT			Flannel	FTFN
Friston Ash	LFH	Black	EBL	Rubber Ducky	ERK	Heather	FTHR
Frosty White	LFW	Blue Grey	EGR	Sand	ESA	Lava	FTLV
Graphite Nebula	LGN	Brighton Walnut	EBW	Sky Blue	ESK	Mallard	FTML
Grey	LGE	Castle Oak	ECO	Surf's Up	ESP	Midnight Blue	FTMB
High Rise	LHE			Twilight Shadow	ETI	Pepper	FTPR
Hollyberry	LHY	Cayenne	ECY	Ultra Blue	EUB	Spring	FTSG
Irish Linen	LIH	Cherry Storm	ECX	Warm Grey	EWG	Tidal Wave	FTTW
Island	LID	Cocobala	ECC	Zesty Lime	EZL		
Italian Silver Ash	LIT	Cool Grey	ECG	Edge Color for KN Edge			
Kensington Maple	LKM	Earthen Clay	EEY	Edge Color for KN Edge	FDO		
Lapis Blue	LLB	Everglade Shade	EEV	Belair	EBQ		
Markerboard White	LMK	Flannel	EFN	Biltmore Cherry	EBT		
Misted Zephyr	LMR	Florence Walnut	EFC	Black	EBL		
Monticello Maple	LMT	Friston Ash	EFH	Blue Grey	EGR		
Nickel Evolv	LNV	Frosty White	EFW	Brighton Walnut	EBW		
North Sea	LNA	Hazy Jade	EHJ	Castle Oak	ECO		
Ocean	LON	Honey Bee	EHY	Cayenne	ECY		
Pearl Bisque	LPB	Italian Silver Ash	EIT	Cherry Storm	ECX		
Pearl Silver	LPS	Kensington Maple	EKM	Cocobala	ECC		
	LPR	Light Tone	ELG	Cool Grey	ECG		
Pressed Linen River Cherry		Mardi Gras	EMG	Earthen Clay	EEY		
	LRY	Misty Brown	EMY	Everglade Shade	EEV		
Rugged Linen	LRG	Monticello Maple	EMT	Flannel	EFN		
Satin Stainless	LSS	Multiplex	EMB	Florence Walnut	EFC		
Shadow Zephyr	LSR	Nemo	ENE	Friston Ash	EFH		
Silicon evolv	LSV	Nordic	END	Frosty White	EFW		
Sterling Ash	LAZ	Poppy Red	EPR	Hazy Jade	EHJ		
Tailored Linen	LTL	Purple Haze	EPH	Honey Bee	EHY		
Titanium evolv	LTV	River Cherry	ERY	Italian Silver Ash	EIT		
White Nebula	LWL	Rubber Ducky	ERK	Kensington Maple	EKM		
White Sand	LWN	-	ESA	Light Tone	ELG		
Windsor Mahogany	LWY	Sand Sky Blue	ESK	Mardi Gras	EMG		
Base and Trough Paint Color		Sterling Ash	EAZ	Misty Brown	EMY		
Black	BL	Surf's Up	ESP	Monticello Maple	EMT		
Blue Grey	GR	Twilight Shadow	ETI	Nemo	ENE		
Bronze Metallic	ZM	Ultra Blue	EUB	Nordic	END		
Champagne Metallic	CM	Warm Grey	EWG	Poppy Red	EPR		
Cool Grey	CG	Windsor Mahogany	EWY	Purple Haze	EPH		
July Groy	Ju			River Cherry	ERY		

# WorkUp® Tables





			MODEL N	JMBER			Polyest	or .	C					
			Basic	Edge Modes		Edge Surface	Modest Base Panel	y Approx. Packaged	Bı	1/4" Vinyl ıllnose	74P Edge	Postformed Edge	Knife Edge	
	MODEL	AxBxC	Model	Style Panel	Base	Color Finish	Finish Color	Weight	,	4B)	(74P)	(PL)	(KN)	
<i></i>	Rectangular Tables - 22"D	21-1/2 x 34-1/2"	WU2236FX						\$		\$ 791	\$ 822	\$ 850	
	<ul> <li>29" height</li> <li>Adjustable glides</li> </ul>	21-1/2 x 40-1/2"	WU2242FX							728	839	874	903	
	T , tajaotablo gilado	21-1/2 x 46-1/2"	WU2248FX							735	849	881	908	
		21-1/2 x 52-1/2"	WU2254FX							771	900	936	982	
WUFX		21-1/2 x 58-1/2"	WU2260FX					79.0#		773	903	940	985	
		21-1/2 x 64-1/2"	WU2266FX					□ 91.0#		822	968	1007	1090	
		21-1/2 x 70-1/2"	WU2272FX					95.0#		826	972	1010	1094	
	Rectangular Tables - 24"D	23-1/2 x 34-1/2"	WU2436FX					□ 64.0#	\$	696	\$ 791	\$ 822	\$ 853	
WUFX	29" height     Adjustable clides	23-1/2 x 40-1/2"	WU2442FX					□ 69.0#		728	839	874	903	
	<ul> <li>Adjustable glides</li> </ul>	23-1/2 x 46-1/2"	WU2448FX					□   73.0#		737	848	881	910	
		23-1/2 x 52-1/2"	WU2454FX					78.0#		771	901	936	982	
		23-1/2 x 58-1/2"	WU2460FX					83.0#		773	904	940	985	
		23-1/2 x 64-1/2"	WU2466FX					95.0#		822	970	1007	1090	
		23-1/2 x 70-1/2"	WU2472FX					100.0#		826	972	1013	1094	
	Rectangular Tables - 30"D	29-1/2 x 34-1/2"	WU3036FX					75.0#	\$	731	\$ 834	\$ 865	\$ 939	
WUFX	• 29" height	29-1/2 x 40-1/2"	WU3042FX					81.0#		771	892	928	968	
	<ul> <li>Adjustable glides</li> </ul>	29-1/2 x 46-1/2"	WU3048FX					□ 87.0#		819	940	972	977	
		29-1/2 x 52-1/2"	WU3054FX					93.0#		905	1039	1082	1139	
		29-1/2 x 58-1/2"	WU3060FX					99.0#		906	1042	1086	1144	
		29-1/2 x 64-1/2"	WU3066FX					□ 112.0#		957	1112	1156	1261	
		29-1/2 x 70-1/2"	WU3072FX					□ 118.0#		960	1117	1162	1267	
	Rectangular Tables - 36"D	35-1/2 x 34-1/2"	WU3636FX					32.0#	\$	796	\$ 904	\$ 941	\$ 1007	
VUFX	• 29" height	35-1/2 x 40-1/2"	WU3642FX					□ 89.0#		848	977	1017	1097	
	<ul> <li>Adjustable glides</li> </ul>	35-1/2 x 46-1/2"	WU3648FX					96.0#		858	985	1023	1104	
		35-1/2 x 52-1/2"	WU3654FX							944	1091	1135	1329	
		35-1/2 x 58-1/2"	WU3660FX					□ 110.0#		949	1095	1138	1244	
		35-1/2 x 64-1/2"	WU3666FX							1009	1128	1172	1628	
		35-1/2 x 70-1/2"	WU3672FX							1018	1135	1180	1635	
		00 1,2 1.10 1/2						102.0#					.000	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge - Postformed edge

user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add felt panel is chosen). \$186

• Select base option.

G - Glides

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

A Select basic model.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections. KN - Knife edge

Knife edge (KN) and Postformed edge (PL) on

Select surface finish.

Select base finish.

price list.

Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this

**0 3** 

SPECIAL SERVICES

**Special Carton Marking** 


With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables







#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Knife edge

Knife edge (KN) on user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add felt panel is chosen). \$186

• Select base option.

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

selections.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

Select surface finish.

Refer to the Product Color Options page in this Surface finish offerings are based on edge style

selections.

**G**Select base finish.

Refer to the **Product Color Options** page in this price list.

① Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables Crank Adjustable Height (Sit - Stand)





		MODEL NU	JMBER											
								Polyester	A	4.4/47.16				
		Basic	Edge Modes	tv	Edge Su	ırface Bası	Column	Modesty Panel	Approx. Packaged	1-1/4" Vinyl Bullnose	74P Edge	Postformed Edge	Knife Edge	
	AxBxC		Style Panel		Color Fin			Color	Weight	(54B)	(74P)	(PL)	(KN)	
$\overline{}$	21-1/2 x 46-1/2"	WU2248CR							84.0#	\$ 1468	\$ 1581	\$ 1637	\$ 1641	
	21-1/2 x 52-1/2"	WU2254CR		П					90.0#	1509	1636	1702	1718	
A A	21-1/2 x 58-1/2"	WU2260CR							95.0#	1521	1648	1714	1731	
	21-1/2 x 64-1/2"	WU2266CR							101.0#	1580	1726	1794	1846	
В	21-1/2 x 70-1/2"	WU2272CR							106.0#	1590	1737	1805	1858	
WUCR	2. 1/2 / 10 1/2								100.00	1000		1000		
Rectangular Tables - 22"D														
· ·														
<ul><li>27-44" adjustable heights</li><li>Adjustable glides</li></ul>														
<ul> <li>Adjustable glides</li> <li>Adjusts at a rate of 6-1/3 turns per</li> </ul>														
inch														
	23-1/2 x 46-1/2"	WU2448CR							87.0#	\$ 1468	\$ 1581	\$ 1637	\$ 1641	
WUCR	23-1/2 x 52-1/2"	WU2454CR							93.0#	1510	1637	1702	1722	
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460CR							99.0#	1521	1649	1714	1731	
	23-1/2 x 64-1/2"	WU2466CR							105.0#	1621	1771	1839	1847	
<ul><li>27-44" adjustable heights</li><li>Adjustable glides</li></ul>	23-1/2 x 70-1/2"	WU2472CR							111.0#	1634	1780	1853	1901	
<ul> <li>Adjusts at a rate of 6-1/3 turns per</li> </ul>	20 1/2 1/3 1/2								11110#	1001	1100	1000	100	
inch														
-	29-1/2 x 46-1/2"	WU3048CR							103.0#	\$ 1592	\$ 1709	\$ 1779	\$ 1787	
WUCR	29-1/2 x 52-1/2"	WU3054CR							110.0#	1682	1819	1888	1918	
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060CR							117.0#	1690	1830	1902	1930	
•	29-1/2 x 64-1/2"	WU3066CR							124.0#	1751	1907	1983	2056	
<ul><li>27-44" adjustable heights</li><li>Adjustable glides</li></ul>	29-1/2 x 70-1/2"	WU3072CR							131.0#	1763	1921	1997	2068	
<ul> <li>Adjustable grades</li> <li>Adjusts at a rate of 6-1/3 turns per</li> </ul>	20 1/2 / 1/0 1/2	1100012011							10110#		1021			
inch														
	35-1/2 x 46-1/2"	WU3648CR							112.0#	\$ 1628	\$ 1755	\$ 1826	\$ 1875	
WUCR	35-1/2 x 52-1/2"	WU3654CR							121.0#	1723	1868	1943	2106	
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660CR							129.0#	1734	1879	1957	2028	
· ·	35-1/2 x 64-1/2"	WU3666CR					1		137.0#	1795	1913	1988	2412	
<ul><li>27-44" adjustable heights</li><li>Adjustable glides</li></ul>	35-1/2 x 70-1/2"	WU3672CR							146.0#	1808	1926	2002	2428	
<ul> <li>Adjusts at a rate of 6-1/3 turns per</li> </ul>											1020	2002	<del></del>	
inch														

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge KN - Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add \$186

• Select base option.

G - Glides
R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

price list.

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

**G**Select base finish.

selections.

Refer to the **Product Color Options** page in this price list.

Select inner column finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables Crank Adjustable Height (Sit - Stand)



WorkUp® Tables
Crank Adjustable Height (Sit - Stand)



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Knife edge

Knife edge (KN) on user side only

Select modesty panel. NMP - No modesty panel

PMP - Polyester felt modesty panel; add \$186

• Select base option.

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

**G**Select base finish.

Refer to the **Product Color Options** page in this price list.

Select inner column finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

## SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

## WorkUp® Tables

ANSI HFES Electric Adjustable Height





**MODEL NUMBER** Polvester 1-1/4" Vinyl Modestv Approx. 74P Edge Basic Modesty Edge Electrical Surface Base Column Panel Packaged Bullnose Postformed Edge Knife Edge AxBxC Model Style Panel Base Color Control Finish Finish Finish Color (54B) (74P) (KN) Weight (PL) 21-1/2 x 46-1/2" WU2248HF 95.0# \$ 2881 \$ 2994 \$ 3055 \$ 3111 21-1/2 x 52-1/2" WU2254HF 3049 3131 101.0# 2921 3169 21-1/2 x 58-1/2' WU2260HF 106.0# 2933 3062 3143 3184 21-1/2 x 64-1/2" WU2266HF 112.0# 2992 3140 3258 3261 21-1/2 x 70-1/2" WU2272HF 117.0# 3000 3149 3269 3273 Rectangular Tables - 22"D · 22-48" adjustable heights Adjustable glides 23-1/2 x 46-1/2" WU2448HF 99.0# \$ 2881 \$ 2994 \$ 3055 \$ 3111 WUHF 23-1/2 x 52-1/2" WU2454HF 2921 3050 3131 3169 104.0# 23-1/2 x 58-1/2" WU2460HF \_\_\_\_ aaa la 110.0# 2933 3062 3144 3184 Rectangular Tables - 24"D 23-1/2 x 64-1/2" WU2466HF 116.0# 2992 3141 3258 3263 · 22-48" adjustable heights Adjustable glides 23-1/2 x 70-1/2" WU2472HF 122.0# 3002 3149 3271 3273 29-1/2 x 46-1/2" WU3048HF 114.0# 3002 \$ 3121 \$ 3199 \$ 3245 WUHF 29-1/2 x 52-1/2" WU3054HF 121.0# 3094 3229 3332 3356 29-1/2 x 58-1/2" WU3060HF 128.0# 3105 3241 3343 3372 Rectangular Tables - 30"D 3319 3452 29-1/2 x 64-1/2" WU3066HF 135.0# 3162 3469 · 22-48" adjustable heights Adjustable glides 29-1/2 x 70-1/2" WU3072HF 142.0# 3173 3333 3465 3481 \$ 3167 \$ 3289 35-1/2 x 46-1/2' WU3648HF 123.0# \$ 3040 \$ 3293 WUHF WU3654HF 3520 35-1/2 x 52-1/2' 132.0# 3135 3281 3411 Rectangular Tables - 36"D 35-1/2 x 58-1/2" WU3660HF 140.0# 3147 3293 3425 3442 22-48" adjustable heights 35-1/2 x 64-1/2" WU3666HF 148.0# 3207 3323 3457 3826 Adjustable glides 35-1/2 x 70-1/2" WU3672HF 3469 3837 156.0# 3218 3338 N/A 23-1/2 x 34-1/2 x 37-5/8" WUC2436HF 105.0# \$ 3087 \$ 3229 \$ 3378 29-1/2 x 46-1/2 x 48-7/8" WUC3048HF 3428 N/A 3666 145.0# 3284

#### **HOW TO ORDER**

 120° angle · Adjustable glides

Indicate the following information on order form:

Rectangular 120° Corner Tables • 22-48" adjustable heights

 WUC2436HF includes one 42" modesty panel when specified WUC3048HF includes one 54" modesty panel when specified

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number"

3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

**(3**)

Θ

0

A Select basic model

**B**Select edge style.

54B - 1-1/4" Vinyl bullnose 74P - 74P edge - Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

DSelect base option.

G - Glides

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Œ

**(1)** 

0

•

**(3**)

Select electric control

**(3**)

- Standard switch

- Deluxe switch; add \$138

**G**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the Product Color Options page in this price list.

Select inner column finish.

Refer to the **Product Color Options** page in this price list

Select modesty panel color (only if polyester

felt panel is chosen). Refer to the **Product Color Options** page in this price list

## **SPECIAL SERVICES**

**Special Carton Marking** 

With specially marked information

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables Counter Balance Adjustable Height



WorkUp® Tables
Counter Balance Adjustable Height

												· ·	•			
		MODEL NU	JMBER													
									Frame/ Inner	Polyester Modesty	Approx.		1/4" Vinyl			
	A D O	Basic	Edge	Modesty		Edge			Column	Panel	Packaged		Ilnose	74P Edge	Postformed Edge	Knife Edge
	AxBxC	Model	_	Panel	_		_	Finish		Color	Weight	·	4B)	(74P)	(PL)	(KN)
	21-1/2 x 46-1/2"	WU2248CB									93.0#		2661	\$ 2772	\$ 2778	\$ 2835
	21-1/2 x 52-1/2"	WU2254CB									98.0#		2713	2840	2864	2922
	21-1/2 x 58-1/2"	WU2260CB									102.0#		2732	2860	2883	2938
	21-1/2 x 64-1/2"	WU2266CB									107.0#		2783	2930	2939	3050
~	21-1/2 x 70-1/2"	WU2272CB									112.0#		2796	2944	2958	3064
WUCB																
Rectangular Tables - 22"D																
• Designed to support 15 to 45 lbs																
of equipment (non-standard weight																
ranges available through Product Modification Request)																
28-47" adjustable heights																
<ul> <li>Foot Finish is for foot weldments onl</li> </ul>	у															
Frame/inner column finish is for																
under structure and inner/outer leg																
columns																
	23-1/2 x 46-1/2"	WU2448CB									96.0#	\$	2661	\$ 2772	\$ 2777	\$ 2835
WUCB	23-1/2 x 52-1/2"	WU2454CB									101.0#		2713	2840	2863	2922
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460CB									106.0#		2732	2860	2881	2938
Designed to support 15 to 45 lbs	23-1/2 x 64-1/2"	WU2466CB									111.0#		2783	2930	2938	3050
of equipment (non-standard weight	23-1/2 x 70-1/2"	WU2472CB									116.0#		2796	2944	2957	3064
ranges available through Product																
Modification Request)																
<ul><li>28-47" adjustable heights</li><li>Foot Finish is for foot weldments onl</li></ul>	V															
Frame/inner column finish is for	У															
under structure and inner/outer leg																
columns																
	29-1/2 x 46-1/2"	WU3048CB									109.0#	\$	2712	\$ 2834	\$ 2800	\$ 2912
WUCB	29-1/2 x 52-1/2"	WU3054CB									115.0#		2773	2910	2846	3010
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060CB									122.0#		2786	2925	2864	3024
· ·	29-1/2 x 64-1/2"	WU3066CB									128.0#		2831	2986	2925	3138
<ul> <li>Designed to support 15 to 45 lbs of equipment (non-standard weight</li> </ul>											134.0#		2843	3000	2939	3150
ranges available through Product	20 1/2 X 10 1/2	110001200									104.0#		2010	0000	2000	
Modification Request)																
28-47" adjustable heights																
<ul> <li>Foot Finish is for foot weldments onl</li> <li>Frame/inner column finish is for</li> </ul>	У															
under structure and inner/outer leg																
columns																
		1	1	1	1	1	1	1		1	I					

#### **HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge

- Knife edge Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

OSelect base option.

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.

**3 9 9 9 9 0** 

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style

**G**Select foot finish.

selections.

Refer to the **Product Color Options** page in this price list.

Select frame/inner column finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

With specially marked information N/C

SPECIAL SERVICES

**Special Carton Marking** 

# WorkUp® Tables Counter Balance Adjustable Height





												· · · · · · · · · · · · · · · · · · ·				
		MODEL NUM	MBER						Frame/	Polyester						
	AxBxC	Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Foot Finish	Inner Column Finish	Modesty Panel Color	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	
	35-1/2 x 46-1/2"	WU3648CB									119.0#	\$ 2767	\$ 2893	\$ 2902	\$ 3014	
WUCB	35-1/2 x 52-1/2"	WU3654CB									126.0#	2826	2973	2948	3212	
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660CB									134.0#	2843	2992	2965	3142	
Designed to support 15 to 45 lbs	35-1/2 x 64-1/2"	WU3666CB									141.0#	2922	3042	3088	3541	
of equipment (non-standard weight	35-1/2 x 70-1/2"	WU3672CB									149.0#	2935	3055	3103	3558	
ranges available through Product																
Modification Request)																
<ul> <li>28-47" adjustable heights</li> <li>Foot Finish is for foot weldments onl</li> </ul>	V															
<ul> <li>Frame/inner column finish is for</li> </ul>	,															
under structure and inner/outer leg																
columns																
	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CB									103.0#	\$ 2859	\$ 2999	N/A	\$ 3149	
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048CB									139.0#	3063	3207	N/A	3444	
WUCB																
Rectangular 120° Corner Tables																
Designed to support 15 to 45 lbs of equipment (non-standard weight ranges available through Product																
Modification Request) • 28-47" adjustable heights																
<ul> <li>120° angle</li> <li>Foot Finish is for foot weldments onl</li> </ul>	У															
<ul> <li>Frame/inner column finish is for</li> </ul>																
under structure and inner/outer leg																
columns • WUC2436CB includes one 42"																
modesty panel when specified																
<ul> <li>WUC3048CB includes one 54"</li> </ul>																
modesty panel when specified																

#### **HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge KN - Knife edge

Knife edge (KN) and Postformed edge (PL) on GSelect foot finish. user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add \$186

• Select base option.

foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select surface finish.

selections.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Refer to the Product Color Options page in this price list.

Select frame/inner column finish. Refer to the Product Color Options page in this

price list.

Select modesty panel color (only if polyester felt panel is chosen).

R - Rolling base (1 foot w/rollers, 1 Refer to the **Product Color Options** page in this price list.

## SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables Accessories



WorkUp® Tables
Accessories

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Silver in color	14.1450.SLVR	3.0#	\$ 302
	<ul> <li>Includes 8-15A, 120 VAC receptacles, 2 outer most rotated 90 degrees to</li> </ul>			
	accommodate large plugs • 144" power cord			
HRDPT	Under table mount attaches with 4 screws (included)			
	Module hangs down from surface 1" to allow easier access to plug in/unplug			
	Inlcudes 4 wire management clips     ETL listed for US and Canada			
	• Dimensions are 16.3" x 2.3" x 2.8"			
	Silver in color	47.2320.SLVR	1.0#	\$ 112
	<ul> <li>Multi-directional manager holds wires in static and adjustable tables</li> </ul>			
	<ul> <li>Weighted base keeps manager in positor</li> <li>Includes magnetic link to easily attach to</li> </ul>	1		
	table leg  • Attaches to underside of table with or			
	without wire management trough <ul><li>Includes 63 links, 1-3 link magnetic</li></ul>			
	piece, 1 top connector, 2 screws, 1 base plate			
HRDPT				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# WorkUp® Tables Accessories



WorkUp® Tables
Accessories

					·
		MODEL NUMB	ER		
				Approx.	
		Basic	Paint	Packaged	Delivered
		Model	Color	Weight	Pricing
	Wire Trough 24	4" WU.TROUGH.48		5.0#	\$ 77
	Keeps wires enclosed and tidy				
3	Open design makes it easy to feed cables				
3	through trough • Steel construction				
	Intended for installation into pre-drilled				
HRDPT	pilot holes				
HRUPI	Mounting hardware included				
	• 9.5" wide x 4.2" high x 24" long				
	One kit for 48" rectangle and 24x36				
	corner table				
	Wire Trough 36	6" WU.TROUGH.60		7.0#	\$ 93
	<ul> <li>Keeps wires enclosed and tidy</li> </ul>				
3	<ul> <li>Open design makes it easy to feed cables</li> </ul>				
	<ul><li>through trough</li><li>Steel construction</li></ul>				
3	Intended for installation into pre-drilled				
HRDPT	pilot holes				
HKUPI	<ul> <li>Mounting hardware included</li> </ul>				
	<ul> <li>9.5" wide x 4.2" high x 36" long</li> </ul>				
	One kit for 54" and 60" rectangle and 30x48 corner tables				
	30X40 CUTTET TABLES				
	Wire Trough 48	3" WU.TROUGH.72		10.0#	\$ 109
	<ul> <li>Keeps wires enclosed and tidy</li> </ul>				
	Open design makes it easy to feed cables				
1	through trough • Steel construction				
	Intended for installation into pre-drilled				
HRDPT	pilot holes				
ппрет	<ul> <li>Mounting hardware included</li> </ul>				
	<ul> <li>9.5" wide x 4.2" high x 48" long</li> </ul>				
	One kit for 66" and 72" rectangle tables				
		A	3		
		<b>W</b>	$\mathbf{v}$		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000222/KI/PDF

