

WorkUp® Adjustable Tables Price List ■

March 14, 2012

Updated January 1, 2016

800-424-2432



Furnishing Knowledge®

WorkUp® Tables

General Information

WORKUP® MODEL CRANK TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11" and 44.83" from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A 3/4" diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14 gauge steel tubing with a 1/4" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with 1/4" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed.

WORKUP® MODEL FIXED TABLE

General

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be 1/4" thick steel. The column shall be 2-3/4" square 14-gauge steel tubing with 1/4" steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL ANSI HFES TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 22.35" and 48.33" from the floor by means of electric controls that can be located at either end of the table.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member, an intermediate member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. The intermediate member shall be 2-1/2" square 14-gauge steel tubing. The inner member shall be 2-1/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with 1/4" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL RATCHET TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top TECHNICAL SPECIFICATIONS (CONTINUED) of the worksurface shall adjust to thirteen positions between 27.11" and 36.56" from the floor by manually lifting the worksurface.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14-gauge steel tubing with a 1/4" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with 1/4" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.



Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.



WorkUp® Tables

Fixed Height

			MODEL NUMBER						
MODEL		A x B x C	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight
 WUFX	Rectangular Tables - 22"D • 29" height • Adjustable glides	21-1/2 x 34-1/2"	WU2236FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	69.0#
		21-1/2 x 40-1/2"	WU2242FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	66.0#
		21-1/2 x 46-1/2"	WU2248FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	70.0#
		21-1/2 x 52-1/2"	WU2254FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	75.0#
		21-1/2 x 58-1/2"	WU2260FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	79.0#
		21-1/2 x 64-1/2"	WU2266FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	91.0#
		21-1/2 x 70-1/2"	WU2272FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	95.0#
WUFX	Rectangular Tables - 24"D • 29" height • Adjustable glides	23-1/2 x 34-1/2"	WU2436FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	64.0#
		23-1/2 x 40-1/2"	WU2442FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	69.0#
		23-1/2 x 46-1/2"	WU2448FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	73.0#
		23-1/2 x 52-1/2"	WU2454FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	78.0#
		23-1/2 x 58-1/2"	WU2460FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	83.0#
		23-1/2 x 64-1/2"	WU2466FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	95.0#
		23-1/2 x 70-1/2"	WU2472FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	100.0#
WUFX	Rectangular Tables - 30"D • 29" height • Adjustable glides	29-1/2 x 34-1/2"	WU3036FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	75.0#
		29-1/2 x 40-1/2"	WU3042FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	81.0#
		29-1/2 x 46-1/2"	WU3048FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	87.0#
		29-1/2 x 52-1/2"	WU3054FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	93.0#
		29-1/2 x 58-1/2"	WU3060FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	99.0#
		29-1/2 x 64-1/2"	WU3066FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	112.0#
		29-1/2 x 70-1/2"	WU3072FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	118.0#
WUFX	Rectangular Tables - 36"D • 29" height • Adjustable glides	35-1/2 x 34-1/2"	WU3636FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	82.0#
		35-1/2 x 40-1/2"	WU3642FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	89.0#
		35-1/2 x 46-1/2"	WU3648FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	96.0#
		35-1/2 x 52-1/2"	WU3654FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	103.0#
		35-1/2 x 58-1/2"	WU3660FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	110.0#
		35-1/2 x 64-1/2"	WU3666FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	125.0#
		35-1/2 x 70-1/2"	WU3672FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	132.0#
 WUFX	Rectangular 120° Corner Tables • 29" height • 120° angle • Adjustable glides	23-1/2 x 34-1/2 x 37-5/8"	WUC2436FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	80.0#
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048FX	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	123.0#
			A	B	C	D	E	F	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$47

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select surface finish.



Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

F Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



			
1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
\$ 579	\$ 657	\$ 683	\$ 708
606	698	727	750
612	707	734	756
643	748	779	816
645	750	781	819
683	805	838	906
687	809	840	911
\$ 579	\$ 657	\$ 683	\$ 710
606	698	727	750
613	706	734	757
643	749	779	816
645	752	781	819
683	806	838	906
687	809	842	911
\$ 607	\$ 693	\$ 720	\$ 780
643	742	771	805
681	781	809	813
753	865	899	949
754	867	903	953
796	925	962	1050
799	930	966	1055
\$ 662	\$ 752	\$ 782	\$ 838
706	813	846	914
712	819	852	920
786	907	945	1106
789	912	948	1035
839	937	974	1352
847	945	982	1360
\$ 783	\$ 902	N/A	\$ 1026
903	1023	N/A	1222

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue1, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to
 change without prior notice.

WorkUp® Tables

Ratchet Adjustable Height

			MODEL NUMBER								
MODEL			A x B x C	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish	
	Rectangular Tables - 22"D • 27-36" adjustable heights • Adjustable glides	21-1/2 x 46-1/2"	WU2248RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		21-1/2 x 52-1/2"	WU2254RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		21-1/2 x 58-1/2"	WU2260RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		21-1/2 x 64-1/2"	WU2266RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		21-1/2 x 70-1/2"	WU2272RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
WURT											
	Rectangular Tables - 24"D • 27-36" adjustable heights • Adjustable glides	23-1/2 x 46-1/2"	WU2448RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		23-1/2 x 52-1/2"	WU2454RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		23-1/2 x 58-1/2"	WU2460RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		23-1/2 x 64-1/2"	WU2466RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		23-1/2 x 70-1/2"	WU2472RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
WURT											
	Rectangular Tables - 30"D • 27-36" adjustable heights • Adjustable glides	29-1/2 x 46-1/2"	WU3048RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		29-1/2 x 52-1/2"	WU3054RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		29-1/2 x 58-1/2"	WU3060RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		29-1/2 x 64-1/2"	WU3066RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		29-1/2 x 70-1/2"	WU3072RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
WURT											
	Rectangular Tables - 36"D • 27-36" adjustable heights • Adjustable glides	35-1/2 x 46-1/2"	WU3648RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		35-1/2 x 52-1/2"	WU3654RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		35-1/2 x 58-1/2"	WU3660RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		35-1/2 x 64-1/2"	WU3666RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		35-1/2 x 70-1/2"	WU3672RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
WURT											
	Rectangular 120° Corner Tables • 27-36" adjustable heights • 120° angle • Adjustable glides	23-1/2 x 34-1/2 x 37-5/8"	WUC2436RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048RT	☐ ☐ ☐	☐		☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	
WURT											
				A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

- C** Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$47

- D** Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- E** Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- F** Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- G** Select inner column finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables

Ratchet Adjustable Height

Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
79.0#	\$ 1001	\$ 1094	\$ 1138	\$ 1146
84.0#	1035	1141	1188	1209
90.0#	1046	1152	1198	1218
95.0#	1093	1215	1265	1316
100.0#	1101	1225	1273	1325
82.0#	\$ 1001	\$ 1094	\$ 1139	\$ 1146
88.0#	1037	1142	1189	1209
94.0#	1046	1152	1199	1220
99.0#	1093	1216	1265	1316
105.0#	1139	1261	1311	1362
97.0#	\$ 1102	\$ 1202	\$ 1250	\$ 1266
104.0#	1179	1292	1343	1375
111.0#	1188	1302	1353	1385
118.0#	1236	1367	1420	1491
125.0#	1246	1376	1432	1501
107.0#	\$ 1133	\$ 1240	\$ 1291	\$ 1341
115.0#	1211	1334	1386	1533
123.0#	1223	1344	1399	1469
131.0#	1273	1370	1426	1787
140.0#	1283	1382	1437	1797
88.0#	\$ 1172	\$ 1291	N/A	\$ 1415
128.0#	1337	1456	N/A	1655

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to
 change without prior notice.

WorkUp® Tables

Crank Adjustable Height (Sit - Stand)

			MODEL NUMBER								
			Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish		
 WUCR	Rectangular Tables - 22"D • 27-44" adjustable heights • Adjustable glides • Adjusts at a rate of 6-1/3 turns per inch	21-1/2 x 46-1/2"	WU2248CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		21-1/2 x 52-1/2"	WU2254CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		21-1/2 x 58-1/2"	WU2260CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		21-1/2 x 64-1/2"	WU2266CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		21-1/2 x 70-1/2"	WU2272CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
WUCR	Rectangular Tables - 24"D • 27-44" adjustable heights • Adjustable glides • Adjusts at a rate of 6-1/3 turns per inch	23-1/2 x 46-1/2"	WU2448CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		23-1/2 x 52-1/2"	WU2454CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		23-1/2 x 58-1/2"	WU2460CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		23-1/2 x 64-1/2"	WU2466CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		23-1/2 x 70-1/2"	WU2472CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
WUCR	Rectangular Tables - 30"D • 27-44" adjustable heights • Adjustable glides • Adjusts at a rate of 6-1/3 turns per inch	29-1/2 x 46-1/2"	WU3048CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		29-1/2 x 52-1/2"	WU3054CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		29-1/2 x 58-1/2"	WU3060CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		29-1/2 x 64-1/2"	WU3066CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		29-1/2 x 70-1/2"	WU3072CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
WUCR	Rectangular Tables - 36"D • 27-44" adjustable heights • Adjustable glides • Adjusts at a rate of 6-1/3 turns per inch	35-1/2 x 46-1/2"	WU3648CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		35-1/2 x 52-1/2"	WU3654CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		35-1/2 x 58-1/2"	WU3660CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		35-1/2 x 64-1/2"	WU3666CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		35-1/2 x 70-1/2"	WU3672CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
 WUCR	Rectangular 120° Corner Tables • 27-44" adjustable heights • 120° angle • Adjustable glides • Adjusts at a rate of 6-1/3 turns per inch	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048CR	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$47

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

F Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select inner column finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables

Crank Adjustable Height (Sit - Stand)

Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
84.0#	\$ 1222	\$ 1314	\$ 1362	\$ 1366
90.0#	1256	1361	1416	1429
95.0#	1266	1372	1427	1440
101.0#	1313	1435	1492	1536
106.0#	1323	1444	1502	1545
87.0#	\$ 1222	\$ 1314	\$ 1362	\$ 1366
93.0#	1257	1362	1416	1431
99.0#	1266	1373	1427	1440
105.0#	1349	1473	1532	1537
111.0#	1359	1481	1541	1582
103.0#	\$ 1324	\$ 1422	\$ 1479	\$ 1486
110.0#	1399	1511	1571	1594
117.0#	1407	1521	1583	1605
124.0#	1457	1586	1650	1711
131.0#	1467	1597	1660	1721
112.0#	\$ 1352	\$ 1461	\$ 1518	\$ 1560
121.0#	1432	1553	1616	1752
129.0#	1442	1564	1627	1688
137.0#	1494	1591	1654	2006
146.0#	1504	1602	1666	2019
93.0#	\$ 1392	\$ 1511	N/A	\$ 1636
134.0#	1557	1677	N/A	1876

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to
 change without prior notice.

WorkUp® Tables

ANSI HFES Electric Adjustable Height

		MODEL NUMBER								Approx. Packaged Weight
A x B x C		Basic Model	Edge Style	Base	Edge Color	Electrical Control	Surface Finish	Base Finish	Column Finish	
 WUHF Rectangular Tables - 22"D • 22-48" adjustable heights • Adjustable glides	21-1/2 x 46-1/2"	WU2248HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	95.0#
	21-1/2 x 52-1/2"	WU2254HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	101.0#
	21-1/2 x 58-1/2"	WU2260HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	106.0#
	21-1/2 x 64-1/2"	WU2266HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	112.0#
	21-1/2 x 70-1/2"	WU2272HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	117.0#
WUHF Rectangular Tables - 24"D • 22-48" adjustable heights • Adjustable glides	23-1/2 x 46-1/2"	WU2448HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	99.0#
	23-1/2 x 52-1/2"	WU2454HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	104.0#
	23-1/2 x 58-1/2"	WU2460HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	110.0#
	23-1/2 x 64-1/2"	WU2466HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	116.0#
	23-1/2 x 70-1/2"	WU2472HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	122.0#
WUHF Rectangular Tables - 30"D • 22-48" adjustable heights • Adjustable glides	29-1/2 x 46-1/2"	WU3048HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	114.0#
	29-1/2 x 52-1/2"	WU3054HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	121.0#
	29-1/2 x 58-1/2"	WU3060HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	128.0#
	29-1/2 x 64-1/2"	WU3066HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	135.0#
	29-1/2 x 70-1/2"	WU3072HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	142.0#
WUHF Rectangular Tables - 36"D • 22-48" adjustable heights • Adjustable glides	35-1/2 x 46-1/2"	WU3648HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	123.0#
	35-1/2 x 52-1/2"	WU3654HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	132.0#
	35-1/2 x 58-1/2"	WU3660HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	140.0#
	35-1/2 x 64-1/2"	WU3666HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	148.0#
	35-1/2 x 70-1/2"	WU3672HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	156.0#
 WUHF Rectangular 120° Corner Tables • 22-48" adjustable heights • 120° angle • Adjustable glides	23-1/2 x 34-1/2 x 37-5/8"	WUC2436HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	105.0#
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048HF	☐ ☐ ☐	☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	145.0#
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$47

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select electric control.

S - Standard switch

D - Deluxe switch; add \$114

F Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

G Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

H Select inner column finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.




WorkUp® Tables


ANSI HFES Electric Adjustable Height




1-1/4" Vinyl
Bullnose
(54B)



74P Edge
(74P)



Postformed Edge
(PL)



Knife Edge
(KN)

\$ 2397	\$ 2490	\$ 2541	\$ 2588
2431	2536	2605	2637
2441	2547	2614	2648
2488	2610	2711	2714
2497	2619	2719	2723

\$ 2397	\$ 2490	\$ 2541	\$ 2588
2431	2538	2605	2637
2441	2547	2615	2648
2488	2611	2711	2715
2498	2619	2720	2723
\$ 2498	\$ 2598	\$ 2660	\$ 2701
2574	2685	2770	2792
2582	2696	2781	2804
2632	2760	2871	2886
2641	2771	2882	2895
\$ 2528	\$ 2635	\$ 2736	\$ 2740
2607	2728	2837	2927
2617	2740	2848	2863
2668	2766	2876	3182
2678	2777	2886	3193
\$ 2567	\$ 2685	N/A	\$ 2810
2733	2851	N/A	3051

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

WorkUp® Tables

Counter Balance Adjustable Height

			MODEL NUMBER								
MODEL			A x B x C	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Foot Finish	Frame/ Inner Column Finish	
 WUCB	Rectangular Tables - 22"D - Designed to support 15 to 45 lbs of equipment (special weight ranges available on request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	21-1/2 x 46-1/2"	WU2248CB	☐	☐	☐	☐	☐	☐		
		21-1/2 x 52-1/2"	WU2254CB	☐	☐	☐	☐	☐	☐		
		21-1/2 x 58-1/2"	WU2260CB	☐	☐	☐	☐	☐	☐		
		21-1/2 x 64-1/2"	WU2266CB	☐	☐	☐	☐	☐	☐		
		21-1/2 x 70-1/2"	WU2272CB	☐	☐	☐	☐	☐	☐		
WUCB	Rectangular Tables - 24"D - Designed to support 15 to 45 lbs of equipment (special weight ranges available on request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	23-1/2 x 46-1/2"	WU2448CB	☐	☐	☐	☐	☐	☐		
		23-1/2 x 52-1/2"	WU2454CB	☐	☐	☐	☐	☐	☐		
		23-1/2 x 58-1/2"	WU2460CB	☐	☐	☐	☐	☐	☐		
		23-1/2 x 64-1/2"	WU2466CB	☐	☐	☐	☐	☐	☐		
		23-1/2 x 70-1/2"	WU2472CB	☐	☐	☐	☐	☐	☐		
WUCB	Rectangular Tables - 30"D - Designed to support 15 to 45 lbs of equipment (special weight ranges available on request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	29-1/2 x 46-1/2"	WU3048CB	☐	☐	☐	☐	☐	☐		
		29-1/2 x 52-1/2"	WU3054CB	☐	☐	☐	☐	☐	☐		
		29-1/2 x 58-1/2"	WU3060CB	☐	☐	☐	☐	☐	☐		
		29-1/2 x 64-1/2"	WU3066CB	☐	☐	☐	☐	☐	☐		
		29-1/2 x 70-1/2"	WU3072CB	☐	☐	☐	☐	☐	☐		
WUCB	Rectangular Tables - 36"D - Designed to support 15 to 45 lbs of equipment (special weight ranges available on request) 28-47" adjustable heights - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	35-1/2 x 46-1/2"	WU3648CB	☐	☐	☐	☐	☐	☐		
		35-1/2 x 52-1/2"	WU3654CB	☐	☐	☐	☐	☐	☐		
		35-1/2 x 58-1/2"	WU3660CB	☐	☐	☐	☐	☐	☐		
		35-1/2 x 64-1/2"	WU3666CB	☐	☐	☐	☐	☐	☐		
		35-1/2 x 70-1/2"	WU3672CB	☐	☐	☐	☐	☐	☐		
 WUCB	Rectangular 120° Corner Tables - Designed to support 15 to 45 lbs of equipment (special weight ranges available on request) 28-47" adjustable heights 120° angle - Foot Finish is for foot weldments only - Frame/inner column finish is for under structure and inner/outer leg columns	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CB	☐	☐	☐	☐	☐	☐		
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048CB	☐	☐	☐	☐	☐	☐		
				A	B	C	D	E	F	G	

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

C Select base option.

G - Glides

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$47

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections.

E Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

F Select foot finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select frame/inner column finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables

Counter Balance Adjustable Height

Approx. Packaged Weight				
93.0#	\$ 2213	\$ 2306	\$ 2312	\$ 2358
98.0#	2258	2364	2382	2432
102.0#	2272	2378	2398	2444
107.0#	2314	2438	2446	2538
112.0#	2326	2449	2460	2549
96.0#	\$ 2213	\$ 2306	\$ 2311	\$ 2358
101.0#	2258	2364	2381	2432
106.0#	2272	2378	2397	2444
111.0#	2314	2438	2444	2538
116.0#	2326	2449	2459	2549
109.0#	\$ 2257	\$ 2357	\$ 2330	\$ 2421
115.0#	2307	2418	2367	2503
122.0#	2318	2433	2382	2516
128.0#	2356	2484	2433	2609
134.0#	2366	2497	2446	2620
119.0#	\$ 2300	\$ 2407	\$ 2414	\$ 2508
126.0#	2351	2474	2451	2673
134.0#	2366	2488	2466	2613
141.0#	2432	2530	2568	2946
149.0#	2443	2541	2580	2958
103.0#	\$ 2376	\$ 2496	N/A	\$ 2619
139.0#	2548	2668	N/A	2866

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to
 change without prior notice.



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2012 KI
All Rights Reserved.
Litho in USA.
Code KI-11585/KI/PDF/312