January 3, 2011 Updated June 10, 2016 800-424-2432





Activ8® System

NorkZone® General Information	
Basic Worksurfaces	2
WorkZone® with pow	er 4
WorkZone® Shared L	eg & Laptop Garage® 6
NorkZone® Worksurfaces	

WorkZone® Worksurfaces		
Basic Workstation Ty	pical	
Basic	1	1
Mobile	2	2
Transitional	2	2
Accessories and Wor	ksurface Connectors	1
WorkZone® Components		

WorkZone® Components	
General information	42
Universal Overhead Storage	44
Universal Tasklights	54
Balance® Overhead Storage	56
Balance® Task Lights	62
Privacy Screens	64

WorkZone® Accessories	
General information	66
Tool Rail	70
Paper Management	72
Center Drawer	76
WorkZone® with Power	78
Electrical	82

WorkZone® Shared Leg	88
WorkZone® Shared Leg with Laptop Garage®	92
Index	102

Basic Worksurfaces









Basic Worksurfaces (WBW)

Adjustable Keyboard Pad Worksurfaces (WAK)

Transitional Worksurfaces (WCT)

Features			
Solid core top	•	•	•
Plastic laminate surface	•	•	•
Flat vinyl T-edge	•	•	•
Postformed edge	•		•
74P edge	•	•	•
Elliptical postformed edge	•		•
Powder-coated legs	•	•	•
Seam-welded tubular steel frame	•	•	•
Chrome plated glides	•	•	•









Transitional leg bases are 6 inches shorter than standard leg bases for greater leg room and chair clearance when two surfaces are joined. When seated at the worksurface, "right" or "left" refers to the individual worksurface, not the assembled workstation. Cannot be ordered for an individual, free-standing worksurface.



Streamline Lea







Beam Frame

Modesty Panel Frame

Full Modesty Panel Frame

SPECIFICATIONS

Worksurface Frames

Heavy-gauge seam-welded tubular steel. Horizontal tabletop support tube, 16-ga., 1"x 1" steel. Floor support member, 16-ga., 1-1/8'x 1-3/4' belly rectangular steel tube. Top and floor support tubes are welded with 2 steel tube vertical leg members. The rear vertical support is 16-ga., 1"X2" steel tube. The front vertical support is 16-ga., 1"X2-1/8" bullet oval steel tube. Leg inserts enclose the space between the (2) vertical leg members and provide concealed management of wire from floor to worksurface. Leg inserts are extruded Polypropylene with sprayed clear acrylic scuff-resistant coating. Adjustable chromeplated glides. Powder-coat finish on legs. There are three frame style options. The receptacle clearance beam option (WB) is a 16-ga., 1/2"x 1-1/2" steel tube cross brace, welded to two 14-ga., L-brackets for support. The modesty panel (WM) is 19-ga. steel. It is located 1-1/2" from the rear of the

worksurface. The modesty panel is 15.31" on the 29" tables and 13.31" on 27" tables. The full height modesty panel (WF) is 19-ga. steel It is located 1-1/2" from the rear of the worksurface. The full modesty panel spans the space between the underside of the worksurface and the floor. It is only available on 29" height desks.

Worksurface Top

1-1/4" thick top, .030" high-pressure laminate top surface with .028" phenolic backing sheet. Available with flat-vinvl T-edge, 74P edge or 180° postformed and elliptical postformed front edge with .030" high pressure laminate and .028 phenolic backing sheet. Side and rear edges of postformed tops are finished with either .024" Polypropylene or .030" high-pressure laminate.

Surface Splice Plates

Die-formed steel splice plates attach to underside of units with screws. Two splice plates are provided with all surfaces. Standard connector plate provided when surfaces are of common height. Worksur-

face height change connector provided for connecting 29" to 27" high surfaces. Specify worksurface height change connector for connecting non-transitional worksurfaces of two different heights except when using T6 option..

Adjustable Keyboard Pad Worksurface

Die-formed L-brackets attach to table and keyboard pad with screws. Threaded hand knobs lock keyboard pad in position. Available with flat vinyl T-edge and 74P edge.

Weight Capacity

All WorkZone tables meet or exceed BIFMA 5.5 Standards. Please contact KI Customer Service for additional information.

Horizontal Wire Management Trough

Horizontal wire management trough (WW) connects below the worksurface top and is constructed of rigid Polypropylene with 1" deep by 1-1/2" high openings for cables.

Base Ontions

There are two options for the base, standard

chrome-plated adjustable glides (NC) or four swivel casters (WC). The caster option comes with two casters with locks and two non-locking and it raises worksurface height 2". Caster option not available on Workzone with Power, Shared leg, or Laptop Garage units. Overheads cannot be mounted on tables with caster option.

Guest Modesty Panel

The Guest Modesty Panel for P Shaped, Piano, and Square Shoe, peninsula worksurfaces is constructed of 19-qa. steel. It is located 4.5" from the guest side of the peninsula worksurface and is attached using 6, #10-1" screws. It is 9" high and comes in lengths to fit 60" through 84" peninsula tops. Not for use with peninsula end and side mount worksurfaces

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.



WorkZone® General Information Basic Worksurfaces

The posted standard lead time will apply to the Special Cost Request.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

WorkZone® with power

SPECIFICATIONS

PowerUp® Power/Data Module

The power/data module is inserted into a rectangular hole in the worksurface. The module has a flip-up cover and is 6-1/4" long x 3" wide x 2-1/2" high. It has one duplex receptacle (110 volts), dual data access and a power cord with a 3-prong plug. The cord is 108" long when used without 10-wire (NP) system and 22" long when used with 10-wire (T6) tables. Connections for phones, modems, printers and networks can be incorporated into the system, but must be ordered separately by the customer through a third party source. Communications wiring is completed in the field by the customer. Each unit ships with a data plate tree which provides holders for common jacks produced by AT&T. Panduit, and others. Contact KI Customer Service for more information. The single module is located at the rear right, rear left or center position of the worksurface widths 30" through 54" Two modules are available on 60", 66" and 72" wide rectangular surfaces and are located at the rear left and rear right position of the worksurface.

Data Door

The data door (WT) is constructed of rigid Polypropylene .06 wall thickness with a radius of 2-1/2". The door is 8" deep and 4-1/2" high. It attaches to the underside of the table top. The hanging bracket uses the same hole as the modesty panel and can also be used with WB option. Power and data cables are separated from each other by a 24-gauge steel divider that is 2" high by 2-3/4" deep. There is also space allowed for cord management. Available in black only.

Table-To-Table Wireway

The table-to-table wireway trough is a 16-gauge steel trough that attaches to the underside of the adjoining worksurface. The wireway is 3-3/4" deep by 4-1/4" wide. The wireway routes the 10-wire table-to-table connector and data wires between tables. The wire management trough also includes a splice plate that attaches the front of the adjoining tops together to prevent separation.

10-Wire 6-Circuit Pre-Wired Harness

Single sided, rigid 10-wire harness that holds two duplex receptacles (60", 66" and 72" wide tables provide access for up to four duplex receptacles). Harness contains

6 hot wire, 2 neutral wires an 2 ground wires and is commonly referred to as (6-2-2). The harness has mounting brackets to attach to the underside of the worksurface top with screws. The harness is 2-1/2" wide and the length of the harness varies with the size of the top. Power is obtained by use of the 10-wire Power Infeed Kit. Duplex receptacles are located under the worksurface are specified separately.

10-Wire Table-To-Table Connector

10-wire table-to-table connector consists of flexible mesh conduit which provides power connections from adjoining tables. The jumper is 17-3/4" long and is routed through the table-to-table wireway.

10-Wire Power Infeed Kit

The 10-wire infeed kit provides power from fixed, floor, or wall sources to the 10-wire harness. It includes six feet of plastic covered flexible conduit, and 3/4" waterproof 90° connector. Also included are two steel covers which replace the existing plastic vertical wireway.

UL Listed


The WorkZone® with PowerUp® System is listed to applicable UL standards and requirements by Underwriters Laboratories, Inc.

Two of the standards used to evaluate WorkZone® are UL/286 Office Furnishings and UL/723 Standard for Test for Surface Burning Characteristics of Building Materials.

The standard used to evaluate PowerUp® is UL 1363 Relocatable Power Taps.



WorkZone® with power



WorkZone® Shared Leg & Laptop Garage®



Starter Unit - Each shared leg workplace requires a starter unit to be placed at one end of the table string. The starter unit is comprised of a worksurface, modesty panel, standard leg and transitional leg. Only one starter unit is required in a single table string.


All three units are joined together by the transitional legs, which are centered between the two worksurfaces and attach accordingly. When specifying the shared leg option, it is possible to specify tables with the LapTop Garage® in the same table string as other tables without LapTop Garages.



Adder Unit - When three or more tables make up a table string, an adder unit is used to make up the middle portion of the table string. The adder unit is comprised of a worksurface, modesty panel and transitional leg.



Finisher Unit - The final table specified in a table string is the finisher unit. This unit is comprised of a worksurface, modesty panel and a standard leg.







SPECIFICATIONS

LAPTOP GARAGE

Garage Construction

The two-piece Laptop Garage enclosure and shelf shall be fabricated from 16-gauge steel and have a black powder-coated finish. The door shall be constructed from 5/8" thick MDF board and be covered with .040" thick high-pressure laminate on both sides. The edges shall be painted black. The door when opened by pressing a steel latch and catch assembly shall automatically rise by the force stored in two gas cylinders. These cylinders shall also provide the variable length linkage used to raise the pivot rod which shall activate dual scissors mechanisms hidden beneath a shelf. Each scissors mechanism shall be made from two 14-gauge x 5/8" wide straps, which are punched to accept plastic wear bushings. Upon reaching the maximum open position the cover shall automatically be fixed in that position by an 11-gauge steel gravity-activated lock

bracket. The unit shall allow access to the underside of the shelf if necessary due to the spillage of liquid or for cleaning or retrieval of a lost item in this position only. This shall be accomplished by lifting the shelf.

Garage Operation

The Laptop Garage unit shall be accessed by a simple push of a steel latch located on the front panel of the unit. Two gas cylinders shall raise the cover approximately 20 degrees. Manually lifting the cover to 14 degrees past vertical will automatically engage the gravity lock bar. This motion shall be assisted by (2) compression springs. Closing the unit shall be accomplished by pressing the gravity lever away from the user to release the cover, then pulling it down to the closed position. A rotary motion damper shall dampen the cover's movement. Final latching shall happen when the cover becomes flush with the primary worksurface.

Optional Lock Mechanism

Locking units shall be equipped with an

110/120v keyless operated solenoid. The solenoid shall allow the locking sequence to begin with the unit's cover in any position. Locks shall be programmable to lock and unlock all units within a room at the same time or individually. Keyless remotes ordered separately.



WorkZone® General Information WorkZone® Shared Leg & Laptop Garage®

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Basic Workstation Typical

	MODEL NUI	MDED										
	MODEL NOI	VIBER								I		
	Basic Model	WWay	Paint Color	Insert Color	Laminate Color	Edge Color	Fabric Color	Worksurface Grommet	Pack	Key Option	Grommet Color	Approx. Packaged Weight
8	WKBS30481											170.0#
	WKBS30601											185.0#
	WKBS30721											200.0#
WKBS												
Basic Desk												
29" high Basic Worksurface24" 700 Series Hanging Pedestal,												
box/file • Available in only Flat Vinyl T-Edge												
Packing option pertains to pedestal												
only												
	WKBS30482											290.0#
	WKBS30602											340.0#
	WKBS30722											365.0#
WKBS												
Basic Desk with Overhead												
 29" high Basic Worksurface 												
 24" 700 Series Hanging Pedestal, box/file 												
Painted steel overhead cabinet												
Task light												
 Privacy screen (two screens included in 60" and 72" wide surfaces) 												
 Available in only Flat Vinyl T-Edge 												
48" and 60" stations include one 36"												
light • 72" station includes 2-24" lights												
 Packing option pertains to pedestal 												
only												
	A	ß	0	O	(3	G	G	•	0	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select horizontal wireway. Add upcharge to unit price for WW option.

- No horizontal wireway

WW - Wireway

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Paint color includes pedestal.

DSelect insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect fabric for privacy screen. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select grommet option. Grommets are required for overhead cabinet.

OGN - No worksurface grommet OGY - Yes worksurface grommet Grommets can be used for wire passthrough.

Select pack option.

- Blanket pack - Commercial pack

- No lock core

Select key option.

- Key alike KA - Key standard

The key option is for the overhead. The pedestal is keyed as standard.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



N/A

N/A

4193

4355

WorkZone® Worksurfaces

4314

4481

Basic Workstation Typical

70

75

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Wirewa add to price	
\$ 1487						\$	56
1544							70
1593							75
N/A	\$ 3235	\$ 3252	\$ 3261	\$ 3289	\$ 3318	\$	56

4233

4396

4275

4437

4219

4379

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Basid

MODEL NUMBER Basic Edge Frame Trans. Worksurface Paint Insert Lam. Edge Grommet D x W Model Style Hgt WWay Style Legs Grommet Color Color Base Color Color Color 24 x 30' WBW2430 ПП ПП ПП \Box ПП WBW2436 П $\Box\Box$ $\Box\Box$ $\Box\Box$ ____ 24 x 36' П $\Box\Box$ $\Box\Box$ $\Box\Box$ 24 x 42' WBW2442 WBW2448 24 x 48" 24 x 54" WBW2454 24 x 60" WBW2460 WBW 24 x 66" WBW2466 **Basic Worksurface** 24 x 72" WBW2472 30 x 30" WBW3030 $\Box\Box$ · Adjustable glides or casters 30 x 36" WBW3036 • 66" and 72" wide overhead are not available on WorkZone® frames with 30 x 42" WBW3042 ПП 30 x 48" WBW3048 $\Box\Box$ WBW3054 30 x 54" $\Box\Box$ 30 x 60" WBW3060 30 x 66" WBW3066 $\Box\Box$ WBW3072 30 x 72" **(** 0 0 0 **9 9** O 0 0 0 0 0 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	 Elliptical postformed edge
PF	- Postformed edge

Select height.

7 - 27" high 9 - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29)

high only)

Select location and type of leg.

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Gelect grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select base option.

NC - With glides (standard)
WC - With casters; add \$57

Select laminate surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select grommet color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

14

WorkZone® Worksurfaces

3asic

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
69.0#	\$ 701	\$ 735	\$ 773	\$ 809	\$ 40	\$ 53
76.0#	727	764	800	838	42	62
83.0#	758	796	835	874	49	74
89.0#	781	824	861	905	56	85
96.0#	806	850	890	936	62	93
102.0#	837	881	922	970	70	103
110.0#	864	906	950	997	70	135
116.0#	889	934	976	1026	75	144
76.0#	692	746	783	825	40	53
83.0#	744	800	821	859	42	62
92.0#	773	809	845	888	49	74
100.0#	796	835	874	920	56	85
106.0#	824	864	906	953	62	93
113.0#	853	895	936	983	70	103
120.0#	881	922	964	1016	70	135
126.0#	903	950	995	1046	75	144

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL N	MODEL NUMBER												
	D x W	Basic Model	Edge Style	Key- pad Loc.	Hgt.	WWay	Frame Style	Trans. Legs	Work- Surface Grom.	Paint Color	Insert Color	Base	Lam. Color	Edge Color	Grom. Color
	24 x 36"	WAK2436		С											
	24 x 42"	WAK2442		С											
	24 x 48"	WAK2448													
	24 x 54"	WAK2454													
	24 x 60"	WAK2460													
VAK	24 x 66"	WAK2466													
Adjustable Keyboard Pad Worksurface	24 x 72"	WAK2472													
-,	30 x 36"	WAK3036		-											
Adjustable keyboard pad right,	30 x 42"	WAK3042		-											
centered (shown) or left 10" x 24";	30 x 48"	WAK3048													
3" height adjustments: 1" forward extension adjustment: 15° maximum	30 x 54"	WAK3054													
downward tilt	30 x 60"	WAK3060													
Adjustable glides or casters	30 x 66"	WAK3066													
When adding a pedestal, pad must be RH or LH and worksurface must be at	30 x 72"	WAK3072													
least 60" long Keyboard is located 5-3/4" from edge															
of worksurface on left and right loca-															
tions 66" and 72" wide overhead not avail-															
able on WorkZone frames with beams															
		A	B	e	0	•	•	_G	0	0	•	•	•	O	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- Flat vinyl T-edge BN 74P - 74P edge

Select location of keypad.

- Center - Right - Left

Note: On 36" and 42" wide worksurfaces, "C" is the only option available.

OSelect height.

- 27" high - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

- No horizontal wireway ww - Wireway

Select frame style.

Add upcharge to unit price for WF option.

- w/ Beam WM - w/ Modesty panel WF

- w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs TL - Transition leg (left) - Transition leg (right) TR - Transition leg (both)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option. Grommets are required for overhead

> - No worksurface grommet OGY

- Yes worksurface grommet Grommets can be used for wire passthrough.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select base option.

- With glides (standard) NC WC - With casters; add \$57

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Ragin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wire add price	to list	Full Modesty Panel add to li price	
77.0#	\$ 855	\$ 900	\$	42	\$	62
84.0#	883	925		49		74
90.0#	912	955		56		85
96.0#	934	981		62		93
103.0#	963	1012		70		103
114.0#	985	1034		70		135
126.0#	1012	1060		75		144
84.0#	889	934		42		62
93.0#	921	966		49		74
101.0#	951	997		56		85
110.0#	974	1031		62		93
114.0#	997	1050		70		103
122.0#	1024	1076		70		135
130.0#	1052	1102		75		144

Select grommet color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

Basid

		MODEL NUI	MBER											
		Basic	Edge			Frame	Trans.	Wrksrf.	Paint	Insert		Lam.	Edge	Grom.
	DxWxD	Model	Style	Height	WWay	Style	Legs	Grom.	Color	Color	Base	Color	Color	Color
	24 x 42 x 30"	WRC244230												
	24 x 48 x 30"	WRC244830												
	24 x 54 x 30"	WRC245430												
	24 x 60 x 30"	WRC246030												
	24 x 66 x 30"	WRC246630												
WRC	24 x 72 x 30"	WRC247230												
Curvilinear Worksurface	30 x 42 x 24"	WRC304224												
Joins 24" deep worksurface to 30"	30 x 48 x 24"	WRC304824												
deep worksurface	30 x 54 x 24"	WRC305424												
Available in 27" and 29" height only	30 x 60 x 24"	WRC306024												
Adjustable glides or casters	30 x 66 x 24"	WRC306624												
	30 x 72 x 24"	WRC307224												
	30 x 36"	WSU3036		2			TS				NC			
WCS														
Stand-up Worksurface														
 Available in 42" height only 														
Adjustable glidesOverheads cannot be mounted on														
Overneads cannot be mounted on any stand up worksurface														
, ap														
		A	B	$oldsymbol{\Theta}$	O	(3	(3)	œ	0	0	•	(3)	0	$\mathbf{\Phi}$

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select height.

20100	Lilloig			
7		- 27" high		
9		- 29" High		
2		- 42" high		

42" height only available on Stand-up worksurface.

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam

WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

Select location and type of leg

	iocation and type of leg.
TS	- Standard legs
TL	- Transition leg (left)
TR	- Transition leg (right)
TB	- Transition leg (both)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select base option.

NC - With glides (standard)
WC - With casters; add \$57

Select laminate surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select grommet color.

Refer to color addendum at ki.com or



Ragin

Appro Packa Weigh	ged	Flat Vinyl T-Edge (BN)	74I (74	P Edge P)	liptical Pos	tformed Edge	Postfori (PF)	med Edge	Wirewa add to price		Full Modes Panel add to price	
84	0#	\$ 744	\$	800	N/A		N/	Ά	\$	49	\$	74
91	0#	773		806	N/A		N/	'A		56		85
98	0#	833		873	N/A		N/	'A		62		93
103	0#	837		882	N/A		N/	'A		70		103
110	0#	869		913	N/A		N/	'A		70		135
117.	0#	896		940	N/A		N/	'A		75		144
84	0#	744		800	N/A		N/	'A		49		74
91	0#	773		806	N/A		N/	'A		56		85
98	0#	833		873	N/A		N/	'A		62		93
103	0#	837		882	N/A		N/	'A		70		103
110	0#	869		913	N/A		N/	'A		70		135
117.	0#	896		940	N/A		N/	'A		75		144
94	0#	\$ 787	\$	829	\$ 866		\$ 91	2	\$	42		N/A

KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

		MODEL NU	JMBER											
		Basic	Edge			Frame	Trans.	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.	
	D x W-LEFT x W-RIGHT x D	Model	Style	Hgt.	WWay	Style	Legs	Grom.	Color	Color	Color	Color	Color	
0	24 x 36 x 36 x 24"	WCS2436												
	24 x 42 x 42 x 24"	WCS2442												
	24 x 48 x 48 x 24"	WCS2448												
	30 x 42 x 42 x 30"	WCS3042												
	30 x 48 x 48 x 30"	WCS3048												
WCS														
Stand Alone Corner Worksurface														
Adjustable glides														
• Corner support leg is 7/8" sq. tubular														
steelFront edge dimension is 17" on														
24x36" and 30x42"; 25-1/2" on 24x42"														
and 30x48"; 34" on 24x48"														
Not available with both (TB) transi-														
tional legs														
	24 x 42 x 42 x 24"	WCSK2442												
	24 x 48 x 48 x 24"	WCSK2448												
	30 x 48 x 48 x 30"	WCSK3048												
WAK														
Stand Alone Corner Worksurface with														
Keyboard														
Adjustable glides Keyboard and 10" v 04", 2" beight														
 Keyboard pad: 10" x 24"; 3" height adjustments: 1" forward extension 														
adjustment: 15° maximum downward														
tilt														
 Corner support leg is 7/8" square tubular steel 														
Not available with both (TB) transi-														
tional legs														
		A	B	Θ	O	(3	(3)	Э	0	0	0	0	0	
		•	U	G	U	G	J	U	Ψ	U	•	w	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select height.

- 27" high - 29" High

DSelect horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

- w/ Beam

- w/ Modesty panel WM - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

- Standard legs - Transition leg (left) TR - Transition leg (right)

GSelect grommet option. Grommets are required for overhead

- No worksurface grommet - Yes worksurface grommet Grommets can be used for wire passthrough.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

14

WorkZone® Worksurfaces

Racin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
76.0#	\$ 1050	\$ 1097	\$ 1152	\$ 1209	\$ 82	\$ 127
96.0#	1114	1166	1223	1283	96	147
106.0#	1175	1234	1292	1359	110	170
108.0#	1241	1303	1364	1432	96	147
118.0#	1306	1368	1435	1505	115	170

99.0#	\$ 1222	\$ 1282	N/	'A	N/A	\$ (96	\$ 147
106.0#	1257	1317	N/	'A	N/A	1	10	170
118.0#	1454	1532	N/	'A	N/A	1	15	170

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasio

	MODEL NUMBER												
	D x W-LEFT x W-RIGHT x D	Basic	Edge	Ht	MMMov	Frame	Trans.	Crom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr
	24 x 36 x 36 x 24"	Model WCC243624	Style	П	WWay	Style	Legs	Grom					
	24 x 42 x 42 x 24"	WCC243024 WCC244224											
	24 x 48 x 48 x 24"	WCC244824											
U ' 711	30 x 42 x 42 x 30"	WCC304230											
	30 x 48 x 48 x 30"	WCC304830											
wcs													
Stand Alone Corner Curvilinear													
Worksurface													
Front edge is curved													
Adjustable glidesCorner support leg is 7/8" sq. tubular													
steel													
Not available with both (TB) transi-													
tional legs													
		A	B	0	O	(3	(3)	(0	0	•	(3)	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

7 - 27" high 9 - 29" High

• Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)

GSelect grommet option.
Grommets are required for overhead

cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Basic

108.0# 1241 1303 96 147	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list price	Full Modesty Panel add to list price
106.0# 1175 1234 110 170 108.0# 1241 1303 96 147	76.0#	\$ 1050	\$ 1097	\$ 82	\$ 127
108.0# 1241 1303 96 147	96.0#	1114	1166	96	147
	106.0#	1175	1234	110	170
118.0# 1306 1368 115 170	108.0#	1241	1303	96	147
	118.0#	1306	1368	115	170

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Basic

		MODEL NUM	BER											
		Basic	Edge				Frame	Trans.	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.
	DxWxL	Model	Style	Dir.	Hgt.	WWay	Style	Legs	Grom.	Color	Color	Color	Color	Color
	24 x 48 x 60"	WZPT244860			9									
	24 x 48 x 66"	WZPT244866			9									
	24 x 48 x 72"	WZPT244872			9									
	30 x 48 x 66"	WZPT304866			9									
w U	30 x 48 x 72"	WZPT304872			9									
WZW														
"P" Shaped Peninsula Worksurface (Right Shown)														
,														
 Long surface is supported by 3" diameter metal support leg with 														
adjustable glide														
Connects to either 24" or 30" work-														
surface • Adjustable glides														
Available with 29" height only														
	24 x 48 x 60"	WZPP244860			9									
	24 x 48 x 66"	WZPP244866			9									
	24 x 48 x 72"	WZPP244872			9									
	30 x 48 x 66"	WZPP304866			9									
U	30 x 48 x 72"	WZPP304872			9									
WZW														
Piano Peninsula Worksurface (Right														
Shown)														
Long surface is supported by 3"														
diameter metal support leg with														
adjustable glide • Connects to either 24" or 30" work-														
• Connects to either 24 or 30 work- surface														
Adjustable glides														
 Available with 29" height only 														
		A	B	0	0	(3	(3	О	0	0	0	(3)	0	(
		•	•	•	9	9	•	U	Ψ	v	•	w	•	Ψ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select surface direction.

L - Left R - Right

Direction is determined by the side of the worksurface that has the 3" diameter leg. Calculate side based on user's normal seated position.

OSelect height.

- 29" high

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel

WF - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)
TR - Transition leg (heth)

TB - Transition leg (both)
Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead cabinet

through.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire pass-

- Select paint color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.
- Select grommet color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Rasir

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wirewa add to l price		Full Modes Panel add to price	
134.0#	\$ 1564	\$ 1645	\$	56	\$	85
140.0#	1569	1651		56		85
146.0#	1577	1657		56		85
150.0#	1578	1658		56		85
154.0#	1584	1663		56		85

132.0#	\$ 1482	\$ 1556	\$	56	\$ 85
138.0#	1486	1559		56	85
144.0#	1491	1563		56	85
146.0#	1499	1570		56	85
148.0#	1502	1577		56	85

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasin

		MODEL NUM	IBER											
	D x W x L	Basic Model	Edge Style	Dir.	Hgt.	WWay	Frame Style	Trans. Legs	Wrksrf. Grom.	Paint Color	Insert Color	Lam. Color	Edge Color	Grom. Color
	24 x 48 x 60"	WZSS244860			9									
	24 x 48 x 66"	WZSS244866			9									
	24 x 48 x 72"	WZSS244872			9									
	24 x 48 x 84"	WZSS244884			9									
WZW	30 x 48 x 66"	WZSS304866			9									
Square Shoe Worksurface (Right	30 x 48 x 72"	WZSS304872			9									
Shown)	30 x 48 x 84"	WZSS304884			9									
Long surface is supported by 3" diameter metal support leg with adjustable glide Connects to either 24" or 30" worksurface Adjustable glides Available with 29" height only														
		A	B	0	0	(3)	G	(A)	O	0	0	(3)	0	(1)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select surface direction.

R - Right L - Left

Direction is determined by the side of the worksurface that has the 3" diameter leg. Calculate side based on user's normal seated position.

OSelect height.

9 - 29" high

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty pan

WF - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)
TR - Transition leg (heth)

TB - Transition leg (both)
Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead cabinet

through.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire pass-

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.
- Select grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



Racin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list price	Pan	lesty el to list
133.0#	\$ 1435	\$ 1505	\$ 5	6 \$	85
139.0#	1478	1552	5	6	85
145.0#	1491	1563	5	6	85
157.0#	1552	1628	Ę	6	85
144.0#	1478	1552	5	6	85
150.0#	1491	1563	Ę	6	85
172.0#	1552	1628	5	6	85

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Basi

WPW

MODEL Conference End Worksurface

- WCE36 has a 36" diameter and connects to 24" deep worksurface
- to 24" deep worksurface
 WCE42 has a 42" diameter and connects to 30" deep worksurface
- 3" diameter metal support leg with adjustable glide

	MODEL	NUMBE	R					
	Basic Model	Edge Style	Height	Paint Color	Laminate Color	Edge Color	Approx. Packaged Weight	
	WCE36		9				75.0#	
ts	WCE42		9				85.0#	
ts								
-								
	A	B	O	0	(3	(3)		
	•		•		•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

Select paint color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

- Select laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Edge color offerings are based on
 edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







Flat (BN)	Vinyl T-Edge	74P (74P	_
\$	529	 \$	553
	564		592

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Mohile

				MODEL NUN	IBER					
	MODEL	Features	D x DIA	Basic Model	Edge Style	Height	Paint Color	Base	Laminate Color	Edge Color
	Mobile Teardrop Worksurface		24 x 40"	WMT2440		9				
	 Base consists of 3" diameter metal sup- port leg with adjustable chrome-plated 		30 x 50"	WMT3050		9				
	glide									
	• 3" casters are optional; two are locking									
Ų ∐	 Connects to end of 24" or 30" worksur- face 									
₩	Wireway option not available									
WMT	29" height only with or without casters									
	Mobile Semi-Circle Worksurface • Base consists of 3" diameter metal sup-		24 x 48"	WMSC48						
0	port leg with adjustable chrome-plated		30 x 60"	WMSC60		9				
(a)	glide									
	 Aligns with end of 24" or 30" worksur- face 									
	Notched in center for wire management									
P. M.	Wireway option not available									
/MT	 29" height only with or without casters 3" casters are optional; two are locking 									
IVII	o dustors are optional, two are rooking									
		Std.	24 X 51-1/2"	WMSCPW52		9				
	Mobile Semi-Circle Worksurface w/notch	Std.	30 X 63-1/2"	WMSCPW64		9				
	Use with WireWorks panelsNotch enables surface to wrap around	Flat	24 X 51-1/2"	WMSCFW52		9				
C	Notch enables surface to wrap around end cap of WireWorks panel	Flat	30 X 63-1/2"	WMSCFW64		9				
UOIII	51-1/2" diameter accomodates two									
	24" deep worksurfaces separated by a									
A J	WireWorks panel63-1/2" diameter accomodates two									
₽ €	30" deep worksurfaces separated by a									
MT	WireWorks panel Std. for use with radius WireWorks end									
	Std. for use with radius wireworks end caps									
	Flat for use with WireWorks & Unite flat									
	metal trim									
				A	3	•	0	3	(3)	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Calcat adap atula

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

Select paint color.

Refer to color addendum at ki.com or KI

Select base option.

G - Glides (4 glides)
C - Casters; add \$44

Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Transitional

			MODEL NU	MBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Frame Style	Paint Color	Laminate Color	Edge Color	Approx. Packaged Weight
	Peninsula End Worksurface	24 x 48"	WPW2448		9					44.0#
	 3" diameter metal support leg Wireway option not available	24 x 60"	WPW2460		9					57.0#
	Available with 29" height only	24 x 72"	WPW2472		9					68.0#
		30 x 48"	WPW3048		9					48.0#
		30 x 60"	WPW3060		9					63.0#
		30 x 72"	WPW3072		9					75.0#
U										
WPW										
	Peninsula Side Mount Worksurface	24 x 48"	WPW2448S		9					51.0#
	 3" diameter metal support leg When specifying peninsula side mount	24 x 60"	WPW2460S		9					64.0#
	worksurface a transitional leg must be	24 x 72"	WPW2472S		9					77.0#
	ordered on the basic surface to which it	30 x 48"	WPW3048S		9					59.0#
	will connect	30 x 60"	WPW3060S		9					71.0#
	 Wireway option not available Available with 29" height only 	30 x 72"	WPW3072S		9					83.0#
J	The selection of with Beam, modesty or									
WPW	full modesty is for the 24 or 30" depth									
	If a guest side modesty is desired that would peed to be energified congretable.									
	would need to be specified separately									
			A	B	Θ	0	3	(3	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Colort adap atula

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

• Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam

WM - w/ Modesty panel
WF - w/ Full modesty panel

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Flat Vinyl T-Edge	*			
\$ 632 \$ 664 \$ N/A 672 706 \$ N/A 707 742 \$ N/A 643 674 \$ N/A 683 720 \$ N/A 724 760 \$ N/A 724 760 \$ N/A 724 760 \$ N/A 724 760 \$ \$ 43 732 773 \$ \$ 43 732 778 \$ 817 \$ 43 778 778 778 778 778 778 778 778 778 77	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Mode Panel add to	l o list
707 742 N/A 643 674 N/A 683 720 N/A N/A 724 760 N/A *** A3 732 770 43 778 817 43 701 735 53 745 783 53				
643 674 N/A 683 720 N/A 724 760 N/A * 685 \$ 721 \$ 43 732 770 43 778 817 43 701 735 53 745 783 53	672	706		N/A
683 720 N/A 724 760 N/A ***********************************	707	742		N/A
724 760 N/A 8685 \$ 721 \$ 43 732 770 43 778 817 43 701 735 53 745 783 53	643	674		N/A
\$ 685 \$ 721 \$ 43 732 770 43 778 817 43 701 735 53 745 783	683	720		N/A
732 770 43 778 817 701 735 745 783	724	760		N/A
732 770 43 778 817 701 735 745 783				
732 770 43 778 817 701 735 745 783				
778 817 43 701 735 53 745 783 53	\$ 685	\$ 721	\$	43
701 735 745 783 53 53	732	770		43
745 783 53	778	817		
	701	735		
794 833 53	745	783		
	794	833		53

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Transitional

			MODEL N	UMBER									
	MODEL	D x W	Basic Model	Edge Style	Trans. Dir.	Trans. Height	WWay	Frame Style	Paint Color	Insert Color	Laminate Color	Edge Color	
	- Full was seedeaby seed included	24 x 24"	WST2424										
	 Full wrap modesty panel included For use with fixed height workstations 	30 x 30"	WST3030										
	only												
	• Corner support leg is 7/8" square tubular												
	steel												
WCT													
		24 x 30"	WRT2430										
10	 Full wrap modesty panel included For use with fixed height workstations 	30 x 24"	WRT3024										
	only												
	Corner support leg is 7/8" square tubular												
	steel												
WCT													
			A	B	G	0	(3	(3	G	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction.

X - None
L - Left
R - Right

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All square and rectangular transitional surfaces connected at the same height do not require Right (R) or Left (L) transition direction. Use "X" for transition direction. Transitional direction required for "97" transitional height.

OSelect transition height.

Select	liansilion	116	igiii			
77	- 27"					
97	- 29"	to	27"	high		
99	- 29"	to	29"	high		

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

NW - No horizo

Select frame style.

Add upcharge to unit price for WF option.

WM - w/ Modesty panel

WF - w/ Full modesty panel

w/ Full modesty panel (available on 29" high only)

- Select paint color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select insert color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface.

 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on
edge style selections.



Trancitional

Approx. Packaged Weight	Fla (BN	t Vinyl T-Edge	74P Edge (74P)		Full Modes Panel add to price		Wirewa add to price	
34.0#	\$	386	\$ 409		\$	87	\$	75
51.0#		485	512			103		78
38.0#	\$	477	 \$ 484		\$	95	\$	75
38.0#		477	484			95		75

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Transitiona

		MODEL NUMBER											
	D. W.LEET W. DIQUE D	Basic	Edge	Trans.	Trans.		Frame		Paint	Insrt	Lam	Edge	Grm
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Height	WWay	Style	Grom	Clr	Clr	Clr	Clr	Clr
	24 X 24" Dia for Panel	WQRPW24											
	30 X 30" Dia for Panel	WQRPW30											
-													
<i>₩</i>													
WCT													
Quarter Round Transitional Surface													
Two splice plates providedFor use with fixed height worksta-													
tions only													
Available with flat vinyl T-edge or 74P													
edge • For use as conferencing corner													
Wireway option not available													
Modesty panel not required													
24" surface has radius of 26 2/3" and													
30" surface has a radius of 35"	04 00 00 04	141070.400											
6	24 x 36 x 36 x 24"	WCT2436											
	24 x 42 x 42 x 24"	WCT2442											
	24 x 48 x 48 x 24"	WCT2448											
	30 x 42 x 42 x 30"	WCT3042											
WCT	30 x 48 x 48 x 30"	WCT3048											
WCT													
Corner Transitional Surface													
For use with fixed height worksta													
tions only • Corner support leg is 7/8" sq. tubular													
steel													
Front edge dimension is 17" on													
24x36" and 30x42"; 25-1/2" on 24x42"													
and 30x48"; 34" on 24x48" • Overheads may not be specified													
5.5sado may not bo opcomou													
		A	B	Θ	O	(3	•	(0	0	•	(3)	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

DIN	- Hat villyi i-cuyc
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select transition direction

Select t	ransition direction)П.
L	- Left	
R	- Right	
X	- None	

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use "X" for transition direction. Transition height required for "97" transitional.

• Select transition height.

77 - 27" to 27" high

97	- 29" to 27" high	
99	- 29" to 29" high	Ī

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29' high only)

GSelect grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Oselect insert color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Insert color also includes horizontal
 wireway (WW) if selected.
- Select laminate surface.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections.
- Select grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



rancitional

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Full Modesty Panel add to list price	Wireway add to list price
34.0#	\$ 476	\$ 503	N/A	N/A	N/A	N/A
51.0#	493	520	N/A	N/A	N/A	N/A

72.0# \$ 835 \$ 874 \$ 920	\$ 964	\$ 127 \$	82
80.0# 896 940 989	1035	147	96
96.0# 958 1007 1055	1106	170	110
98.0# 1022 1073 1123	1177	147	96
102.0# 1084 1135 1192	1252	170	115

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Transitional

MODEL NUMBER														
	B W. I SET W BIAUT B	Basic	Edge	Trans.	Trans.		Frame		Paint	Insrt	Lam	Edge	Grm	
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Height	WWay	Style	Grom	Clr	Clr	Clr	Clr	Clr	
8	24 x 42 x 42 x 24"	WCTK2442												
	24 x 48 x 48 x 24"	WCTK2448												
	30 x 48 x 48 x 30"	WCTK3048												
WCT														
Corner Transitional Surface with														
Keyboard Pad														
 Keyboard pad: 10" x 24"; 3" height 														
adjustments: 1" forward extension														
adjustment: 15° maximum downward tilt														
For use with fixed height worksta-														
tions only • Corner support leg is 7/8" sq. tubular														
steel														
Overheads may not be specified														
	24 x 42 x 42 x 30"	WCT244230												
38	24 x 48 x 48 x 30"	WCT244830												
	30 x 42 x 42 x 24"	WCT304224												
	30 x 48 x 48 x 24"	WCT304824												
WCT														
Corner Transitional Reduction Surface														
- Fau usa with fived baimbtus-state														
 For use with fixed height workstations only 														
Corner support leg is 7/8" sq. tubular														
steel • Used to join 24" and 30"deep work-														
Used to join 24' and 30' deep work- surfaces in corner														
Overheads may not be specified														
		A	B	Θ	O	3	G	· O	0	0	0	0	•	
		4	U	G	U	U	J	G	Ψ	U	•	W	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction

L	- Left	
R	- Right	
Y	- None	

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use " X" for transition direction. Transition height required for "97" transitional.

DSelect transition height.

Select	transition	hei	ght		
77	- 27"	to	27"	high	
97	- 29"				
99	- 29"	to:	29"	high	

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

GSelect grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Trancitional

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Full Mode Panel add to price	•	Wirew add to price	
80.0#	\$ 1054	\$ 1105	\$	147	\$	96
91.0#	1147	1204		170		110
102.0#	1241	1303		170		115

96.0#	\$ 1147	\$ 1204	\$ 147	\$ 96
102.0#	1241	1303	170	110
96.0#	1147	1204	147	96
102.0#	1241	1303	170	110

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Transitiona

		MODEL NUM	IBER										
		Basic	Edge	Trans.	Trans.		Frame		Paint	Insrt	Lam	Edge	Grm
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Height	WWay	Style	Grom	Color	Clr	Clr	Clr	Clr
	24 x 36 x 36 x 24"	WCCT2436											
	24 x 42 x 42 x 24"	WCCT2442											
	24 x 48 x 48 x 24"	WCCT2448											
	30 x 42 x 42 x 30"	WCCT3042											
	30 x 48 x 48 x 30"	WCCT3048											
WCT													
Corner Curvilinear Transitional													
Surface													
For use with fixed height worksta-													
tions only • Corner support leg is 7/8" sq. tubular													
steel													
Curved front surface													
Overheads may not be specified	,												
	24 x 42 x 42 x 30"	WCCT244230											
The	24 x 48 x 48 x 30"	WCCT244830											
	30 x 42 x 42 x 24"	WCCT304224											
	30 x 48 x 48 x 24"	WCCT304824											
WCT													
Corner Curvilinear Transitional Reduc-													
tion Surface													
For use with fixed height worksta-													
tions only													
• Corner support leg is 7/8" sq. tubular													
steel • Used to join 24" and 30" worksur-													
faces in corner													
 Curved front surface 													
Overheads may not be specified													
		A	ß	Θ	0	Ð	3	Э	0	0	0	(3)	0
			\mathbf{v}	G	$oldsymbol{v}$	G	U	U	W	U	T.	W	U

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction.

L - Left
R - Right
X - None

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use "X" for transition direction. Transition height required for "97" transitional.

DSelect transition height.

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

GSelect grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Transitional

80.0# 896 940 147 96 102.0# 958 1007 170 110 90.0# 1022 1073 147 96	Approx. Package Weight		74P Edge (74P)	Full Modesty Panel add to list price	Wireway add to list price
102.0# 958 1007 170 110 90.0# 1022 1073 147 96	72.0 _i	# \$ 835	\$ 874	\$ 127	\$ 82
90.0# 1022 1073 147 96	80.0a	# 896	940	147	96
	102.0a	# 958	1007	170	110
102.0# 1084 1135 170 115	90.0a	# 1022	1073	147	96
	102.0	# 1084	1135	170	115

96.0#	\$ 114	17 \$ 1204	\$ 147	\$ 96
102.0#	124	1303	170	110
96.0#	114	17 1204	147	96
102.0#	124	1303	170	110

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

		_										
	MODEL NU	JMBER										
	Basic	Edge	Trans.			Frame	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.
D x W-LEFT x W-RIGHT x C		Style	Dir.	Hgt.	WWay	Style	Grom.	Color	Color	Color	Color	Color
24 x 36 x 36 x 24"	WER2436											
24 x 42 x 42 x 24"	WER2442											
24 x 48 x 48 x 24"	WER2448											
30 x 42 x 42 x 30"	WER3042											
30 x 48 x 48 x 30"	WER3048											
/ER												
nd-of-Run Corner Surface												
For use with fixed height worksta-												
tions only												
Corner support leg is 7/8" square tubular steel												
Corner Overheads (Universal or Bal-												
ance®) may only be specified on the												
full-leg side												
24 x 36 x 36 x 24"	WCCE2436											
24 x 42 x 42 x 24"	WCCE2442											
24 x 48 x 48 x 24"	WCCE2448											
30 x 42 x 42 x 30"	WCCE3042											
30 x 48 x 48 x 30"	WCCE3048											
~ 												
/ER												
nd-of-Run Curvilinear Surface												
For use with fixed height worksta-												
tions only												
Corner support leg is 7/8" square tubular steel												
Corner Overheads (Universal or Bal-												
ance®) may only be specified on the												
full-leg side												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

DIN	- riat villyi i-euge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select transition direction.

- Left - Right

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. When ordering an

End-of-Run worksurface, the adjoining worksurface must have a transitional leg. Order a right or left transitional.

Select height.
7 - 27" high - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

- No horizontal wireway

ww - Wireway

Select frame style.

high only)

Add upcharge to unit price for WF option.

- w/ Beam WM - w/ Modesty panel WF - w/ Full modesty panel w/ Full modesty panel (available on 29"

GSelect grommet option. Grommets are required for overhead cabinet.

No worksurface grommet

- Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Francitional

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
74.0#	\$ 940	\$ 989	\$ 1034	\$ 1089	\$ 191	\$ 127
78.0#	1007	1057	1106	1161	212	147
82.0#	1068	1123	1176	1235	212	170
96.0#	1131	1190	1247	1309	212	147
100.0#	1429	1502	1575	1652	212	170

76.0)# \$	940	\$ 989	N/A	N/A	\$ 191	\$ 127
96.0)#	1007	1057	N/A	N/A	212	147
106.0)#	1068	1248	N/A	N/A	212	170
108.0)#	1131	1190	N/A	N/A	212	147
118.0)#	1198	1257	N/A	N/A	212	170

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Accessories and Worksurface Connectors

				MODEL NUI	MBER			
	MODEL	Size	D x W	Basic Model	Paint Color	Approx. Packaged Weight		
	Full Leg End Panel		24 x 29"	WBW24FEP		3.0#		
	Single end panelNon-handed works as either left or right-		30 x 29"	WBW30FEP		4.0#		
	handed							
	 Attaches over existing desk leg 							
WFEP								
	Guest Modesty Panel		9 x 50"	WZMP60		3.0#		
	 Can be used on any peninsula or square shoe other than WorkZone[®] Instruct 	66"	9 x 56"	WZMP66		3.5#		
	Desk	72"	9 x 62"	WZMP72		4.0#		
	Non-handed works as either left or right-	84"	9 x 74"	WZMP84		4.5#		
HRDPT	handed							
HRDPT	Worksurface Height Change Connectors • Attaches 27" - 29" high worksurfaces • Can't be used with "T6" option			87.4624		2.0#		
	Can the used with 16 Option							
				A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkZone® Worksurfaces Accessories and Worksurface Connectors

Dali	a u a al	
Pric	vered	
	107	
	114	
\$	89	
	102	
	112	
	115	
\$	20	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

WorkZone® Components

General information







Balance Overhead Cabinet (BLCS)



Privacy Screens (WZP)

Features			
Solid color/translucent door		•	
Fabric door	•	•	
Laminate door	•	•	
Steel Door	•		
Fully assembled		•	
Task light	•	•	
Hanging tackboard	•	•	
Hanging tool rail	•	•	
Fabric covered screen			•

BLCS. BLCL. BLCF Models:

Field installable

Overhead Width	Door Overhang In Open Position	No. Of Doors	Inside Width of Ovehead	Dimension Between Side Sets at Worksurface
30"	3"	1	273/4"	27"
36"	3"	1	333/4"	33"
42"	3"	1	393/4"	39"
48"	3"	1	453/4"	45"
54"	3"	1	513/4"	51"
60"	3"	1	573/4"	57"
66"	3"	2	2 x 27 ³ / ₄ "	2 x 28"
72"	3"	2	2 x 33 ³ / ₄ "	2 x 34"

Overall height from worksurface to top of overhead is 36".

Overhead top slants upward 1" from the back to the door.

Overhead allosw for 191/2" clearance from worksurface to underside of shelf.

WZUS, WZUF, WZUL Models:

Overhead Width	Door Overhang In Open Position	No. Of Doors	Inside Width of Overhead	Dimension Between Side Sets at Worksurface
30"	4"	1	291/2"	27"
36"	4"	1	351/2"	33"
42"	4"	1	411/2"	39"
48"	4"	1	471/2"	45"
54"	4"	1	531/2"	51"
60"	4"	1	59 ¹ / ₂ "	57"
66"	4"	2	1 x 29 ¹ / ₂ " 1 x 35 ¹ / ₂ "	1 x 28" 1 X 34"
72"	4"	2	2 x 35 ¹ / ₂ "	2 x 34"

Overall height from worksurface to top of overhead is 36".

Overhead allows for 191/2" clearance from worksurface to underside fo shelf.

SPECIFICATIONS

Universal Overhead Cabinets

Overhead storage shall consist of overhead cabinet(s) and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions for 30", 36", 42", 48", 54" and 60" sizes. Three overhead support stanchions for 66" and 72" sizes. 66"overheads shall consist of a 30" and 36" overhead combination. 72" overheads shall consist of a pair of 36" overheads.

Shelf dividers shall be powder-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be 17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a Polypropylene extrusion handle. Locks shall be randomly assigned or keyed per customer requests. The end panels shall

be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel.

Balance® Overhead Cabinets

Overhead storage shall consist of overhead cabinet. Overhead storage shall attach to worksurface with two overhead support stanchions for 30", 36", 42", 48", 54", 60", 66" and 72" sizes.

Shelf dividers shall be powder-coated steel with installation and removal accomplished without the use of tools or fasteners.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid Polypropylene with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized

between the upper and the lower doors for security. The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

Privacy Screens (WZPR)

Two or three 1/8" cold rolled steel brackets, sandwiched between two 1/2" Gypsum boards joined together with industrial adhesive. The screens attach to the back of the worksurface with fasteners. Steel splice plates are used to align adjoining screens. Privacy screen is 19-1/2" high above worksurface.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple

components of a workstation to be keyed alike. The lock number can be specified. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The no lock core option (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

WorkZone® Components
General information



			MODEL	NUMBER					
									Approx.
			Basic		Overhead	Paint	Insert	Key	Packaged
	MODEL	WxHxD	Model	Assembly	Туре	Color	Color	Option	Weight
	Universal Overhead Cabinet with Steel	30 x 16-1/2 x 14-1/2"	WZUS30						72.0#
	Door	36 x 16-1/2 x 14-1/2"	WZUS36						81.0#
	The KI Universal Overhead allows users the option to interchange from a Work-	42 x 16-1/2 x 14-1/2"	WZUS42						88.0#
	Zone® desk mount solution to a KI office	48 x 16-1/2 x 14-1/2"	WZUS48						99.0#
	panel system	54 x 16-1/2 x 14-1/2"	WZUS54						106.0#
U	Steel end panels, bottom, top shelf, and	60 x 16-1/2 x 14-1/2"	WZUS60						115.0#
WZUS	door with powder-coated finishDouble bit lock is included with key alike	66 x 16-1/2 x 14-1/2"	WZUS66						135.0#
	option	72 x 16-1/2 x 14-1/2"	WZUS72						156.0#
	 Door stores recessed with handle 								
	exposed								
	 Shelf depth is 13-1/4" 66" overhead has one 30" door and one 								
	36" door with a support offset 6" from								
	the center of the worksurface								
	72" overhead has 36" doors and middle								
	support uprightFor use with fixed height worksurfaces								
	Concealed vertical wire management								
	 Secured to steel legs by concealed 								
	mounting brackets • Accepts shelf divider								
	Cannot be mounted on tables with cast-								
	ers								
	 66" and 72" wide overhead are not avail- 								
	able on WorkZone® frames with beams								
	OCR-OCL								
	OCR = Overhead right OCL = Overhead								
	left								
	$ \Lambda $								
OCR	OCL								
			A	•	•	•	A	A	1
				U	•	0	3	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly option.

U - Unassembled

- Fully assembled; add \$142

Select overhead type.

OCL - Corner overhead left - Corner overhead right - Overhead standard

• Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

Grommets are required for overhead cabinet

- Key alike

- Key standard - No lock core

NLC



Delivered	
Pricing	
\$ 906	
930	
955	
974	
1098	
1152	
1645	
1669	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL	MIIMPED						
			MODEL	NUMBER						
	MODEL	WxHxD	Basic Model	Assembly	Overhead	Paint Color	Insert Color	Laminate Color	Key Option	
	-	30 x 16-1/2 x 14-1/2"			Туре					
	Universal Overhead Cabinet with Lami- nate Door		WZUL30							
	The KI Universal Overhead allows users	36 x 16-1/2 x 14-1/2"	WZUL36							
	the option to interchange from a Work-	42 x 16-1/2 x 14-1/2"	WZUL42							
	Zone® desk mount solution to a KI office		WZUL48							
494	panel system	54 x 16-1/2 x 14-1/2"	WZUL54							
•	 Steel end panels, bottom and top shelf with powder-coated finish 	60 x 16-1/2 x 14-1/2"	WZUL60							
WZUL	High-pressure laminate on particleboard	66 x 16-1/2 x 14-1/2"	WZUL66							
	door	72 x 16-1/2 x 14-1/2"	WZUL72							
	Double bit lock is included with key alike									
	optionEnd panel bracket design prevents ac-									
	cidental dislodging of components									
	Shelf depth is 13-1/4"									
	 Door stores recessed with handle 									
	exposed • 66" overhead has one 30" door and one									
	36" door with a support offset 6" from									
	the center of the worksurface									
	 72" overhead has 36" doors and middle 									
	support upright									
	 For use with fixed height worksurfaces Concealed vertical wire management 									
	Secured to steel legs by concealed									
	mounting brackets									
	Cannot be mounted on tables with cast-									
	ers • 66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	and the state of t									
	000 001									
	OCR-OCLOCR = Overhead right OCL = Overhead									
	left									
J X J										
OCR OCL										
3011 00L										
			A	ß	•	0	(3	(3)	G	
			-	-	-	-	-	-	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

BSelect assembly option.
U - Unassembled - Fully assembled; add \$142

Select overhead type.

OCL - Corner overhead left - Corner overhead right - Overhead standard

OSelect paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect key option.

KA	- Key alike
KS	- Key standard
NIC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Approx. Packaged Weight Pricing 73.0# \$ 975 81.0# 1020 89.0# 1059 99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819 157.0# 1862				
73.0# \$ 975 81.0# 1020 89.0# 1059 99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819	Approx.			
73.0# \$ 975 81.0# 1020 89.0# 1059 99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819	Packaged	Del	ivered	
81.0# 1020 89.0# 1059 99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819	Weight	Pri	cing	
89.0# 1059 99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819	73.0#	\$	975	
99.0# 1097 107.0# 1207 116.0# 1264 137.0# 1819	81.0#		1020	
107.0# 1207 116.0# 1264 137.0# 1819	89.0#		1059	
116.0# 1264 137.0# 1819	99.0#		1097	
137.0# 1819	107.0#		1207	
	116.0#		1264	
157.0# 1862	137.0#		1819	
	157.0#		1862	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

	MODEL Universal Overhead Cabinet with Fabric	W. II.	MODEL	NUMBER						
		W. II.								
		Welled								
		W v II v D								
			Basic		Overhead	Paint	Insert	Fabric	Key	
	Universal Overhead Cabinet with Fabric	WxHxD	Model	Assembly	Туре	Color	Color	Color	Option	
		30 x 16-1/2 x 14-1/2"	WZUF30							
	Door	36 x 16-1/2 x 14-1/2"	WZUF36							
	 The KI Universal Overhead allows users the option to interchange from a Work- 	42 x 16-1/2 x 14-1/2"	WZUF42							
	Zone® desk mount solution to a KI office	48 x 16-1/2 x 14-1/2"	WZUF48							
(3m	panel system	54 x 16-1/2 x 14-1/2"	WZUF54							
WZUF	 Steel end panels, bottom and top shelf 	60 x 16-1/2 x 14-1/2"	WZUF60							
	with powder-coated finish • Fabric-covered door	66 x 16-1/2 x 14-1/2"	WZUF66							
	 Pabric-covered door Double bit lock is included with key alike 	72 x 16-1/2 x 14-1/2"	WZUF72							
	option									
	 End panel bracket design prevents ac- 									
	cidental dislodging of components									
	 Shelf depth is 13-1/4" Door stores recessed with handle 									
	exposed									
	66" overhead has one 30" door and one									
	36" door with a support offset 6" from									
	the center of the worksurface • 72" overhead has 36" doors and middle									
	support upright									
	For use with fixed height worksurfaces									
	 Concealed vertical wire management 									
	Secured to steel legs by concealed									
	mounting brackets • Accepts shelf divider									
	Cannot be mounted on tables with cast-									
	ers									
	66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	OCR-OCL									
	OCR = Overhead right OCL = Overhead									
	left									
)									
OCR OCL										
			_			_		•	•	
			A	$oldsymbol{oldsymbol{eta}}$	Θ	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly option.

- Unassembled - Fully assembled; add \$142

Select overhead type.

OCL - Corner overhead left - Corner overhead right - Overhead standard

• Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select ke	y option.	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
73.0#	\$ 984	\$ 993	\$ 1017	\$ 1034	\$ 1055	
81.0#	1016	1024	1042	1064	1085	
89.0#	1035	1046	1067	1088	1110	
99.0#	1064	1075	1094	1118	1138	
107.0#	1190	1204	1225	1249	1274	
116.0#	1243	1255	1280	1306	1329	
136.0#	1806	1822	1861	1896	1932	
157.0#	1834	1854	1892	1926	1964	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL	NUMBER			
	MODEL	WxHxD	Basic Model	Overhead Type	Paint Color	Insert Color	Approx. Packaged Weight
	Universal Shelf	30 x 16-1/2 x 13-1/4"	WUSS30				63.0#
	The KI Universal Shelf allows users the	36 x 16-1/2 x 13-1/4"	WUSS36				69.0#
1111111111	option to interchange from a WorkZone® desk mount solution to a KI office panel	42 x 16-1/2 x 13-1/4"	WUSS42				76.0#
	system	48 x 16-1/2 x 13-1/4"	WUSS48				85.0#
	 Powder-coated steel end panels and 	54 x 16-1/2 x 13-1/4"	WUSS54				90.0#
	bottom shelfAccepts shelf dividers	60 x 16-1/2 x 13-1/4"	WUSS60				99.0#
WUSS	End bracket design prevents accidental	66 x 16-1/2 x 13-1/4"	WUSS66				116.0#
	dislodging of components	72 x 16-1/2 x 13-1/4"	WUSS72				133.0#
	Shelf depth is 13-1/4"Concealed vertical wire management						
	Secured to steel legs by concealed						
	mounting brackets						
	Field installable to compatible WorkZone						
	surfaces • 66" overhead has one 30" door and one						
	36" door with a support offset 6" from						
	the center of the worksurface						
	 72" shelf consists of two 36" shelves supported by middle upright 						
	 Cannot be mounted on tables with cast- 						
	ers						
	 66" and 72" wide overhead are not avail- able on WorkZone[®] frames with beams 						
	able off workzone- frames with beams						
	OCR-OCL OCR = Overhead right OCL = Overhead						
	left						
]							
OCR OCL							
33							
			A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect overhead type.

OS	 Overhead standard
OCL	- Corner overhead left
OCR	- Corner overhead right
กร	- Overhead standard

Select paint color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

• Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered	
Pricing	
\$ 646	
659	
672	
683	
715	
734	
1105	
1118	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

				MBER			
	MODEL	W x H	Basic Model	Paint Color	Approx. Packaged Weight		
	Universal Shelf • Steel shelf dividers with powder-coated finish • Fits shelves and cabinet: WUSS, WZUS, WZUF and WZUL	7-1/4 x 11-1/2"	NSD		1.0#		
HRDPT							
			A	ß			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

\$ 25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

WorkZone® Components Universal Tasklights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Universal Overhead Task Light • Electronic ballast	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
Å						
HRDPT						
			Δ.			



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



WorkZone® Components Universal Tasklights

Delivere
Pricing

\$ 74

81

88

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

			MODEL NUM	BER					
	MODEL	W	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight
	Balance® Overhead Cabinet with Solid	30"	BLCS30/WZ						52.0#
		36"	BLCS36/WZ						52.0#
	 Stanchions and mounting brackets included 	42"	BLCS42/WZ						58.0#
	The KI Balance® Overhead allows users	48"	BLCS48/WZ						64.0#
		54"	BLCS54/WZ						70.0#
· ·	Zone® desk mount solution to a KI office	60"	BLCS60/WZ						78.0#
	panel system Colored or translucent extruded polypro-	66"	BLCS66D/WZ						91.0#
	pylene door	72"	BLCS72D/WZ						104.0#
WZB0	 Painted cabinet and lower door 								
Shelf dividers available separately									
 Cabinet is fully assembled Door stores above top of cabinet 									
	-								
	OCR-OCL								
	 OCR = Overhead right OCL = Overhead left 								
	ieit								
OCR OCL									
33.1 JUL									
			A	B	•	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect overhead type.

- Corner overhead left
- Corner overhead right - Overhead standard

Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select upper door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option. Grommets are required for overhead cabinet - Key alike

- Key standard - No lock core

NLC



Delivere Pricing	ed
\$ 1366	- The state of the
1395	9 5
1427	27
1496	96
1587	37
1610	10
2559	59
2593	93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

			MODEL NUM	IBER						
	MODEL	W	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Laminate Color	Laminate Door Edge Color	Key Option	Approx. Packaged Weight
	Balance® Overhead Cabinet with Lami-	30"	BLCL30/WZ							52.0#
	nate Upper Door	36"	BLCL36/WZ							52.0#
	Stanchions and mounting brackets included.	42"	BLCL42/WZ							58.0#
	included • The KI Balance® Overhead allows users	48"	BLCL48/WZ							64.0#
	the option to interchange from a Work-	54"	BLCL54/WZ							64.0#
	Zone® desk mount solution to a KI office panel system Laminate covered upper door Painted cabinet and lower door Shelf dividers available separately	60"	BLCL60/WZ							78.0#
		66"	BLCL66D/WZ							91.0#
		72"	BLCL72D/WZ							104.0#
WZB0										
	Cabinet is fully assembledDoor stores above top of cabinet									
	66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	• OCR = Overhead right OCL = Overhead left									
OCR OCL										
JUN JUL										
			A	B	•	0	(3	(3)	e	
			-	-	-	_	-	-	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect overhead type.

OCL	 Corner overhead left
OCR	- Corner overhead right
OS	 Overhead standard

- Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect key option.

Grommets are required for overhead

KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing	
\$ 1619	
1678	
1740	
1821	
1971	
2002	
3126	
3187	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

			MODEL NUM	IDED						
			MODEL NUN	IBEK	T					
	MODEL	W	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Fabric Color	Key Option	Approx. Packaged Weight	
	Balance® Overhead Cabinet with Fabric	30"	BLCF30/WZ						46.0#	
	Upper Door	36"	BLCF36/WZ						52.0#	
	 Stanchions and mounting brackets included 	42"	BLCF42/WZ						58.0#	
	The KI Balance® Overhead allows users	48"	BLCF48/WZ						64.0#	
	the option to interchange from a Work-	54"	BLCF54/WZ						70.0#	
	Zone® desk mount solution to a KI office panel system • Fabric covered upper door	60"	BLCF60/WZ						78.0#	
		66"	BLCF66D/WZ						91.0#	
-Us	Painted cabinet and lower door	72"	BLCF72D/WZ						104.0#	
WZB0	Shelf dividers available separately									
	Cabinet is fully assembledDoor stores above top of cabinet									
	66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	OCR-OCL OCR = Overhead right OCL = Overhead									
	left									
J X										
	/									
OCR OCL										
			A	B	Θ	0	a	•		
			•	Ð	9	•	•	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect overhead type.

OCL - Corner overhead left OCR - Corner overhead right OS - Overhead standard

- Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **B**Select upper door fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- Select key option. Grommets are required for overhead cabinet - Key alike

- Key standard - No lock core NLC



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1466	\$ 1476	\$ 1495	\$ 1518	\$ 1540	
1495	1504	1529	1551	1572	
1527	1537	1561	1583	1608	
1597	1610	1630	1658	1681	
1708	1719	1747	1771	1800	
1727	1738	1764	1794	1820	
2754	2779	2818	2866	2910	
2787	2810	2852	2899	2941	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

WorkZone® Components Balance® Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Balance® Overhead Task Light	24"	BTLT5.24	3.9#		
	Electronic ballast	36"	BTLT5.36	5.3#		
		48"	BTLT5.48	6.7#		
45						
HRDPT						
			A	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH

66" 72"

Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48"

(2)24"

(2)24"



WorkZone® Components Balance® Task Lights

Delivered Pricing \$ 99 109 114

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

WorkZone® Components Privacy Screens

			MODEL NU	JMBER				
	MODEL	Features	WxH	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	
	Basic Privacy Screen	Basic	24 x 19"	WZP24			13.0#	
	1" thick screen upholstered with tackable	Basic	30 x 19"	WZP30			15.0#	
	fabric Painted steel mounting brackets Screens available for all worksurfaces and transitional surfaces	Basic	36 x 19"	WZP36			17.0#	
8		Basic	42 x 19"	WZP42			19.0#	
		Basic	48 x 19"	WZP48			21.0#	
R	Field installableProvides seated privacy	Basic	54 x 19"	WZP54			24.0#	
WZP60 has two 30" privacy screens connector	WZP60 has two 30" privacy screens with	Basic	60 x 19"	WZP60			30.0#	
		Basic	66 x 19"	WZP66			32.0#	
	WZP66 has a 30" and 36" privacy screens with connector	Basic	72 x 19"	WZP72			34.0#	
 WZP72 has two 36" privacy screens with connector 								
	 Provides 3/4" space between screen and 							
	worksurface for cables							
	Corner Privacy Screen	Corner (2 screens)	36 x 19"	WZPC2436			45.0#	
set with splice plates		Corner (2 screens)	42 x 19"	WZPC2442			34.0#	
	Square and rectangle screens come as a	Corner (2 screens)	48 x 19"	WZPC3048			40.0#	
	set with splice plates							
	To be used with transitional and stand							
	alone corner worksurfaces							
				A	ß	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



WorkZone® Components Privacy Screens

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 416	\$ 427	\$ 437	\$ 455	\$ 478
427	438	450	471	489
443	453	468	485	510
469	479	492	514	538
495	507	521	544	571
507	521	535	560	585
771	794	806	848	887
780	804	820	856	899
789	817	831	870	912
\$ 1035	\$ 1068	\$ 1090	\$ 1141	\$ 1193
1073	1106	1126	1181	1235
1091	1124	1147	1199	1256

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

WorkZone® Accessories

General information









Tool Rail (PMTR)

Paper Tray (PLL)

Vertical Storage (PVS)

Pencil Cup (PPC)

Features				
Painted aluminum	•			
Plastic construction		•	•	•
Suspends from tool rail		•	•	•
Field installable	•	•	•	•

SPECIFICATIONS

Tool Rail

Aluminum extrusion tool rail, powder-coated finish. Attaches between overhead uprights. Consists of four slots to accept paper management components. To be used on WZUS, WZUF, WZUL, WUSS, BLCS, BLCL and BLCF models.

Paper Tray

Constructed of injection molded plastic. Tray measures 9-1/2" wide by 2" high by 14" deep and accomodates both letter and legal size documents. Includes three hooks to mount on tool rail.

Vertical Storage

Constructed of injection molded plastic. Holder measures 5" wide by 9" high and 10-1/2" deep. Includes two hooks to mount on tool rail.

Pencil Cup

Constructed of injection molded plastic. Cup

measures 4" wide by 3" high by 3-1/2" deep for storage of pens, pencils and highlighters. Includes one hook to mount on tool rail.

Diagonal Storage

Constructed of injection molded plastic. Storage tray consists of three diagonal slats with black dividers to sort files or papers. Tray measures 7" wide by 2-1/2" high by 12-1/2" deep and includes three hooks to mount on tool rail.

Telephone Caddy

Constructed of injection molded plastic.
Caddy measures 8-1/2" wide by 2" high
by 9-1/2" deep. Includes adjustable rail to
accomodate a phone up to 10-3/4" deep.
Includes three hooks to mount on tool rail.

Accessory Tray

Constructed of injection molded plastic. Holder measures 9-1/2" wide by 2" high by 10" deep and includes three hooks to mount to tool rail. Tray includes six compartments for storage of supplies.



WorkZone® Accessories General information







Diagonal Storage (PDS)

Telephone Caddy (PTC)

Accessory Tray (PAT)

Features			
Plastic construction	•	•	•
Suspends from tool rail	•	•	•
Field installable	•		

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

WorkZone® Accessories

General information



Center Drawer (3CMN)

Features	
Plastic/metal construction	•
Powder-coated finish	•
Field installable	•

SPECIFICATIONS

Letter Tray

20-ga. epoxy powder-coated steel, and plastic molded in color, then painted to passed to passed and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail. ID clips included with tray.

Binder Bin

20-ga. epoxy powder-coated steel, and plastic molded in color, then painted to assure color match. Steel and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail. ID clips included with tray.

Slanted Storage

24-ga. epoxy powder-coated-steel, and plastic molded in color, then painted to assure color match. Steel and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The lock number can be specified. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The no lock core option (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

WorkZone® Accessories General information



INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

WorkZone® Accessories

			MODEL NUI	MBER		
	MODEL	H x W	Basic Model	Trim Color	Approx. Packaged Weight	
	Tool Rail	4-1/2 x 30"	PMTR30		4.0#	
	BLCS, BLCL, and BLCF models • Field installable • Painted aluminum construction • 66" rail consists of one 30" and one 36"	4-1/2 x 36"	PMTR36		5.0#	
		4-1/2 x 42"	PMTR42		6.0#	
HRDPT		4-1/2 x 48"	PMTR48		6.0#	
		4-1/2 x 54"	PMTR54		7.0#	
		4-1/2 x 60"	PMTR60		7.0#	
		4-1/2 x 66"	PMTR66		7.0#	
		4-1/2 x 72"	PMTR72		8.0#	
	nents					
			A	ß		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



WorkZone® Accessories

Delivered Pricing	
\$ 117	
122	
129	
137	
157	
173	
179	
191	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUI	MBER			
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight		
		2 x 9-1/2 x 14"	PLL		1.0#		
	Plastic constructionStores letter or legal size documents						
	 Suspends from tool rail 						
	 Suitable for free-standing worksurface or 						
	overhead location						
HRDPT							
	Diagonal Storage Plastic construction	2-1/2 x 7 x 12-1/2"	PDS		4.0#		
	Suspends only from tool rail						
	· Suitable for free-standing worksurface or						
	overhead locationThree slanted partitions per unit						
W. W. W.	Dividers in black only						
HRDPT							
TITIOT I	Vertical Storage	9 x 5 x 10-1/2"	PVS		1.0#		
	 Injection molded plastic construction 	0 / 0 / 10 1/2			110#		
\rangle \r	Suspends only from tool railSuitable for free-standing worksurface or						
	overhead location						
	Stores binders, phone books or periodi-						
	cals						
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Delivered
Pricing

37

37 \$

\$ 35

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUI	MBER		
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	
	Telephone Caddy	2 x 8-1/2 x 9-1/2"	PTC		1.0#	
	Plastic constructionHolds telephone up to 8-1/2" wide and					
	9-1/2" deep					
	 Suspends from tool rail 					
HRDPT						
	Accessory Tray	2 x 9-1/2 x 10"	PAT		6.0#	
	Injection molded plasticStores stamps, tape dispenser, post-it					
	pads and paper clips					
	 Suspends from tool rail 					
HRDPT						
	Pencil Cup	4 x 4 x 3-1/2"	PPC		1.0#	
	Injection molded plasticSuspends from tool rail					
HRDPT						
				-		
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Delivered Pricing
\$ 45
\$ 31
Ф 04
\$ 31

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

WorkZone® Accessories

Center Drawer



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



WorkZone® Accessories

Delivered Pricing

\$ 169

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		T														
		MODEL NUI	MBER													
																P-Up
		Basic	Edge	P-Up		W-	Elct	Frame	Trans.		Paint	Insrt	Lam	Edge	Grm	Mod
	D x W	Model	Style	Mod	Ht	Trgh	Opt	Style	Legs	Grom	Clr	Clr	Clr	Clr	Clr	Clr
	24 x 30"	WBWD2430														
	24 x 36	WBWD2436														
	24 x 42	WBWD2442														
	24 x 48"	WBWD2448														
	24 x 54	WBWD2454														
WBWP	30 x 30"	WBWD3030														
WorkZone® w/Power Worksurface	30 x 36"	WBWD3036														
	30 x 42"	WBWD3042														
	30 x 48"	WBWD3048														
	30 x 54"	WBWD3054														
	24 x 60	WBWD2460														
	24 x 66"	WBWD2466														
	24 x 72"	WBWD2472														
	30 x 60"	WBWD3060														
W	30 x 66"	WBWD3066														
	30 x 72"	WBWD3072														
WBWP																
WorkZone® w/Power Worksurface																
		A	ß	Θ	0	(3	(3	G	0	0	•	(3)	•	(0	0
		•	9	9	9	9	•	G	Ψ	U	•	w	•	Ψ	W	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

RM	- Flat vinyi i-eage
74P	- 74P edge
EP	 Elliptical postformed edge
PF	- Postformed edge

©Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$119
PUR	- Right module; add \$119
PUC	- Center module; add \$119
PUB	- Both left and right modules;
~ 44 CO 44	

PUB option only available on 60", 66" and 72" wide worksurfaces. PUC option: Overhead storage is not available on 66" or 72" basic WorkZone worksurfaces with center location PowerUp modules.

• Select height.

- 27" high

- 29" High

Select wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

NP - No power T6 - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

GSelect frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

- Standard legs

TS

TB - Transition leg (both)
TL - Transition leg (left)

TR - Transition leg (right)

Select grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet

Grommets can be used for wire pass-through.

Select paint color.

Refer to color adden

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select insert color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Insert color also includes wire trough
 (WT) if selected.
- Select laminate surface.



Approx. Packaged Weight	Fla (Bľ	t Vinyl T-Edge	74I (74	P Edge P)	Elli (EF	ptical Postformed Edge	Pos (PF	estformed Edge	Ti a	/ire rough dd to rice		T6 add to price) list	Full Modes Panel add to price	
76.0#	\$	674	\$	705	\$	737	\$	773		\$	225	\$	162	\$	53
83.0#		697		732		766		802			242		167		62
90.0#		726		762		797		836			254		177		74
96.0#		752		785		822		862			262		184		85
103.0#		773		813		849		891			279		192		93
83.0#		686		719		754		787			225		162		53
90.0#		716		752		783		822			242		167		62
99.0#		739		774		813		849			254		177		74
107.0#		762		798		836		874			262		184		85
113.0#		785		823		863		902			279		192		93
109.0#	\$	800	\$	839	\$	879	\$	922		\$	293	\$	426	\$	103
116.0#		825		865		903		948			300		442		135
123.0#		849		891		932		975			304		454		144
120.0#		816		853		894		936			293		426		103
127.0#		837		878		918		962			300		442		135
133.0#		862		900		945		991			304		454		144

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Edge color offerings are based on
 edge style selections.
- Select grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Shipping

Special Carton Marking

With specially marked information

N/C

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMB	ER														
	D x W x L	Basic Model	Edge Style	Dr	P-Up Mod	Ht	W- Trgh	Elct Opt	Frame Style	Leg	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	P-Up Mod Clr
	24 x 48 x 60"	WZPTD244860				9											
	24 x 48 x 72" 30 x 48 x 72"	WZPTD244872 WZPTD304872				9											
	30 X 40 X 72	WZI 10004012				3											
WZWP																	
"P" Shaped Peninsula Worksurface																	
Guest modesty panel (WZMP) may be ordered																	
	24 x 48 x 60"	WZPPD244860				9											
	24 x 48 x 72"	WZPPD244872				9											
	30 x 48 x 72"	WZPPD304872				9											
WZWP																	
Piano Peninsula Worksurface																	
Guest modesty panel (WZMP) may be ordered																	
	24 x 48 x 60"	WZSSD244860				9											
	24 x 48 x 66"	WZSSD244866				9											
	24 x 48 x 72"	WZSSD244872				9											
	24 x 48 x 84"	WZSSD244884				9											
U	30 x 48 x 66"	WZSSD304866				9											
WZWP	30 x 48 x 72"	WZSSD304872				9											
Square Shoe Worksurface	30 x 48 x 84"	WZSSD304884				9											
Guest modesty panel (WZMP) may be ordered																	
		A	B	Θ	0	(3	(3)	G	0	0	•	(3)	0	0	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- Flat vinyl T-edge - 74P edge

Select surface direction.

- Left - Right

OSelect PowerUp® module location.

PUN - No module - Left module; add \$119 PUR - Right module; add \$119 PUC - Center module; add \$119

Select height.

- 29" high

Select wire trough.

Add upcharge to unit price for WT option. - No wire trough - Wire trough

GSelect electrical option.

Add upcharge to unit price for T6 option.

- No power T6 - T6 power

Available in black only.

Select frame style.

Add upcharge to unit price for WF option.

- w/ Modesty panel - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

- Standard legs TB - Transition leg (both) - Transition leg (left) TL - Transition leg (right) TR

Select grommet option.

Grommets are required for overhead cabinet.

OGN No worksurface grommet OGY - Yes worksurface grommet

Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes wire trough (WT) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OSelect grommet color. Refer to color addendum at ki.com or



Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)		Wire Troug add to price		T6 add to price	list	Full Modest Panel add to price	
144.0#	\$ 1476	\$ 1548		\$	262	\$	184	\$	85
156.0#	1483	1556			262		184		85
160.0#	1491	1564			262		184		85
142.0#	\$ 1398	\$ 1465		\$	262	\$	184	\$	85
154.0#	1406	1476			262		184		85
158.0#	1414	1483			262		184		85
143.0#	\$ 1355	\$ 1418		\$	262	\$	184	\$	85
149.0#	1391	1460			262		184		85
155.0#	1406	1475			262		184		85
167.0#	1460	1532			262		184		85
154.0#	1391	1460			262		184		85
160.0#	1406	1475			262		184		85
182.0#	1460	1532			262		184		85

KI Fabrics & Finishes binder.

Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

			MODEL NUM	BER		
			Desta	Tuites	Approx.	
		MODEL	Basic Model	Trim Color	Packaged Weight	
		Floor Infeed (6-Circuit Pre-wired) 6-2-2	WZ.T6PI.27		5.0#	
		Provides power from fixed floor or wall	WZ.T6PI.29		5.0#	
		sources to table distribution system	WZ.T6PI.42		6.0#	
		Select height to match leg height. Frame let 97" 90" or 40". The second of the	WZ.10F1.42		0.0#	
		Example: 27", 29" or 42" • Infeed distributes power in one direction				
		only. Specify two infeeds for middle of				
		row applications so power travels in				
9		both directions				
//		 Electrical does not support back-to-back layouts 				
		layouts				
HRDPT						
		Duplex Receptacle -10-Wire System	WZ.T6RECP.1		0.2#	
	re A	6-2-2	WZ.T6RECP.2		0.2#	
	الما الما الما الما الما الما الما الما	 Convenience circuits share a neutral and ground wire 	WZ.T6RECP.3		0.2#	
		• The 1, 2 or 3 in the basic model number				
		denotes the circuit				
HRDPT		Black only				
		Isolated Receptacle - 10-Wire System	WZ.T6RECP.4I		0.2#	
	<i>a</i> A	6-2-2	WZ.T6RECP.5I		0.2#	
	New Control	Dedicated circuit has its own neutral and	WZ.T6RECP.6I		0.2#	
		ground wire Orange only				
		orange only				
HRDPT						
			A	B		
			•	U		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



De	elivered	
	ricing	
\$	330	
	330	
	354	
\$	25	
φ		
	25	
	25	
\$		
	25	
	25	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	10-Wire Table-to-Table Connector 6-2-2 • Connects the 10-wire power system of	WZ.T6SC18	0.5#
	two adjoining tables		
S Campungan	17-3/4" longIncludes steel wireway and splice plate		
	Black only		
HRDPT			
-	8-Wire to 10-Wire Adaptor	47.0709.30	1.0#
Respect to the second	• 30" long		
M American			
and the same			
HRDPT			
		A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 118

\$ 145

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Activ8® System

			MODEL NUMBER	
			Basic	Approx. Packaged
	MODEL	L	Model	Weight
	Activ8® Infeed		AC8IF.108	2.0#
	108" cord plugs into standard 15 amp			
	outlet • Control module is located 6" from table			
8	connection			
HRDPT	Diagnostic LED indicator shows power			
	status (see details below)			
	 Controller automatically limits number of connections to 8 			
	40 Ft maximum string, not including			
	infeed cord			
	Wire Trough (WT) and No Power (NP)			
	are required to use Activ8			
	Anti-00 Medial and Attaches at Decelar		AC8RPTWZ.12	1.0#
	Activ8® Module and Attachment Bracket			
	 Duplex receptacles provide 2 outlets Power module provides 15 amp power 			
~~	Up to 8 modules may be used per infeed			
	per UL Standard 962			
	Modules may be connected (recon-			
HRDPT	nected in any order without sequential keying)			
	 Modules snap into brackets that are 			
	attached to the InTandem®Table System,			
	WorkZone® and DataLink® Training Table • Jumpers ordered separately			
	Module will snap directly into KI			
	Genesis® troughs and KI True® Desking			
	stanchions No data cord management is provided			
	Attached cord is approximately 9"			
	Wire Trough (WT) and No Power (NP)			
	are required to use Activ8			
	Activ0@ lumnor	29"	AC8JP.29	1.0#
		29 53"	AC8JP.53	1.0#
	Jumpers are all keyed alike	55 77"	AC8JP.77	1.0#
	• Wile Hough (WT) and NO Fower (NF)	11	AUUUF.//	1.0#
HRDPT	are required to use Activ8			
ו יוטווו ו				
			A	

HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Activ8® System

Delivered Pricing

196

\$ 124

62

72

83

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUI	MBER											
	D x W	Basic Model	Edge Style	PowerUp Module	W- Trgh	Elct Opt	Frame Style	Wrksrf. Grom.	Paint Color	Insert Color	Lam. Color	Edge Color	Grom. Color	PowerUp Module Color
	24 x 30"	WBSL2430S												
	24 x 36"	WBSL2436S												
	24 x 42"	WBSL2442S												
	24 x 48"	WBSL2448S												
#	24 x 54"	WBSL2454S												
	24 x 60"	WBSL2460S												
VZSL	24 x 66"	WBSL2466S												
4" Starter	24 x 72"	WBSL2472S												
	24 x 30"	WBSL2430A												
	24 x 36"	WBSL2436A												
	24 x 42"	WBSL2442A												
	24 x 48"	WBSL2448A												
***	24 x 54"	WBSL2454A												
SL	24 x 60"	WBSL2460A												
H" Adder	24 x 66"	WBSL2466A												
	24 x 72"	WBSL2472A												
	24 x 30"	WBSL2430F												
	24 x 36"	WBSL2436F												
	24 x 42"	WBSL2442F												
	24 x 48"	WBSL2448F												
	24 x 54"	WBSL2454F												
SL	24 x 60"	WBSL2460F												
l" Finisher	24 x 66"	WBSL2466F												
	24 x 72"	WBSL2472F												
		A	3	•	0	3	()	Ф	0	0	•	(3)	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style

	ago oty ioi
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$119
PUR	- Right module; add \$119
PUC	- Center module; add \$119
PUB	- Both left and right modules;
add \$241	

PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option.

- No wire trough - Wire trough Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select frame style.

Add upcharge to unit price for WF option. WM - w/ Modesty panel - w/ Full modesty panel

GSelect grommet option. Overhead cabinet can NOT be ordered. OGN - No worksurface grommet

- Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- MSelect PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74F (74	P Edge P)		EP)		(PF)		Wire Trougl add to price		T6 add to price		Full Modes Panel add to price	list
 72.0#	\$	595	9	6	523	\$	655	 \$	225	\$	162	\$	53
79.0#		620		6	551		682		242		167		62
86.0#		639		6	571		702		254		177		74
92.0#		660			693		729		262		184		85
99.0#		687			'23		762		279		192		93
105.0#		715			752		787		293		426		103
113.0#		734		7	771		806		300		442		135
119.0#		762			'98		839		304		454		144
62.0#	\$	595	9			\$	655	\$	225	\$	162	\$	53
69.0#		620			551		682		242		167		62
76.0#		639			571		702		254		177		74
82.0#		660		6	693		729		262		184		85
89.0#		687		7	'23		762		279		192		93
95.0#		715			752		787		293		426		103
103.0#		734			771		806		300		442		135
109.0#		762			'98		839		304		454		144
61.0#	\$	595	\$			\$	655	\$	225	\$	162	\$	53
68.0#		620			551		682		242		167		62
75.0#		639			371		702		254		177		74
81.0#		660			693		729		262		184		85
88.0#		687			'23		762		279		192		93
94.0#		715		7	752		787		293		426		103
102.0#		734		7	71		806		300		442		135
108.0#		762		7	'98		839		304		454		144

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL NUMBER																
D x W Model Style Module Tryth Option Style Grom, Color Colo			MODEL NUI	MBER												
D x W Model Style Module Tryth Option Style Grom, Color Colo																
D x W Model Style Module Tryth Option Style Grom, Color Colo															Dowarlin	
30 x 30' WBSL3030S			Basic	Edge	PowerUp	W-	Power	Frame	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.		
30 x 36' WBSL3048S		D x W	Model	Style	Module	Trgh	Option	Style	Grom.	Color	Color	Color	Color	Color	Color	
30 x 42' WBSL3042S		30 x 30"	WBSL3030S													
30 x 48' WBSL3048S		30 x 36"	WBSL3036S													
30 x 54' WBSL3060S		30 x 42"	WBSL3042S													
WZSL 30 x 66' WBSL3066S		30 x 48"	WBSL3048S													
30 × Starter 30 × 66' WBSL3066S		30 x 54"	WBSL3054S													
30" Starter 30 x 72" WBSL3072S		30 x 60"	WBSL3060S													
30 x 30' WBSL3030A	WZSL	30 x 66"	WBSL3066S													
30 x 36' WBSL3036A	30" Starter	30 x 72"	WBSL3072S													
30 x 42' WBSL3042A		30 x 30"	WBSL3030A													
30 x 48" WBSL3048A		30 x 36"	WBSL3036A													
30 x 54' WBSL3054A IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		30 x 42"	WBSL3042A													
30 * Adder 30 * 66° WBSL3060A 00		30 x 48"	WBSL3048A													
30" Adder 30 x 66" WBSL3066A		30 x 54"	WBSL3054A													
30 x 72" WBSL303F	WZSL	30 x 60"														
30 x 30' WBSL3030F	30" Adder	30 x 66"	WBSL3066A													
30 x 36' WBSL3036F		30 x 72"	WBSL3072A													
30 x 42' WBSL3042F		30 x 30"	WBSL3030F													
30 x 48" WBSL3048F		30 x 36"	WBSL3036F													
30 x 54' WBSL3054F		30 x 42"														
WZSL 30 x 60° WBSL3060F 00		30 x 48"	WBSL3048F													
30 × 66" WBSL3066F		30 x 54"	WBSL3054F													
30 x 72" WBSL3072F	WZSL	30 x 60"	WBSL3060F													
	30" Finisher	30 x 66"	WBSL3066F													
		30 x 72"	WBSL3072F													
			Α	(3)	(0	a	a	A	(h	0	0	(3)	•	$\mathbf{\Phi}$	
			•	•	•	0	9	•	G	Ψ	U	•	w	•	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style

	ago otylo.
74P	- 74P edge
EP	 Elliptical postformed edge
DE	- Doetformed adda

Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$119
PUR	- Right module; add \$119
PUC	- Center module; add \$119
PUB	- Both left and right modules;
044 ¢044	

PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option. - No wire trough - Wire trough Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select frame style.

Add upcharge to unit price for WF option. WM - w/ Modesty panel

- w/ Full modesty panel

GSelect grommet option.

Overhead cabinet can NOT be ordered. OGN - No worksurface grommet - Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- MSelect PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)		Elliptical Postformed Edge (EP)		Po (Pr	<u> </u>	Wire Trough add to list price			T6 add to list price		Full Modesty Panel add to list price		
79.0#	\$	607		\$	639	\$	671		\$	225	\$	162	\$	53
86.0#		629			660		693			242		167		62
95.0#		651			682		720			254		177		74
103.0#		676			715		752			262		184		85
109.0#		697			734		771			279		192		93
116.0#		723			762		798			293		426		103
123.0#		752			787		829			300		442		135
129.0#		775			821		862			304		454		144
69.0#	\$	607		\$	639	\$	671		\$	225	\$	162	\$	53
76.0#		629			660		693			242		167		62
85.0#		651			682		720			254		177		74
93.0#		676			715		752			262		184		85
99.0#		697			734		771			279		192		93
106.0#		723			762		798			293		426		103
113.0#		752			787		829			300		442		135
119.0#		775			821		862			304		454		144
68.0#	\$	607		\$	639	\$	671		\$	225	\$	162	\$	53
75.0#		629			660		693			242		167		62
84.0#		651			682		720			254		177		74
92.0#		676			715		752			262		184		85
98.0#		697			734		771			279		192		93
105.0#		723			762		798			293		426		103
112.0#		752			787		829			300		442		135
118.0#		775			821		862			304		454		144

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

MODEL NUMBER														
		IIIODEL NOI												
							l	_		D	ļ			
	D x W	Basic Model	Edge Style	PowerUp Module	W- Trgh	Laptop Option	Lock Opt	Frame Style	Grom	Paint Clr	Insrt Clr	Lam	Edge	Grm Clr
	24 x 30"	WBLG2430S		PUN	NT									
	24 x 36"	WBLG2436S		PUN	NT									
	24 x 42"	WBLG2442S		PUN	NT									
	24 x 48"	WBLG2448S		PUN	NT									
	24 x 54"	WBLG2454S		PUN	NT									
WZLG														
24" Starter - One Laptop Garage®														
	24 x 30"	WBLG2430A		PUN	NT									
	24 x 36"	WBLG2436A		PUN	NT									
	24 x 42"	WBLG2442A		PUN	NT									
	24 x 48"	WBLG2448A		PUN	NT									
	24 x 54"	WBLG2454A		PUN	NT									
VZLG														
24" Adder - One Laptop Garage®														
	24 x 30"	WBLG2430F		PUN	NT									
	24 x 36"	WBLG2436F		PUN	NT									
	24 x 42"	WBLG2442F		PUN	NT									
	24 x 48"	WBLG2448F		PUN	NT									
	24 x 54"	WBLG2454F		PUN	NT									
NZLG														
24" Finisher - One Laptop Garage®														
		A	B	•	0	(3	(3)	G	0	0	0	(3)	0	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge - Elliptical postformed edge - Postformed edge

Select PowerUp® module location.

PUN - No module Select wire trough.

\$28

- No wire trough

Select lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

- With lock

GSelect frame style.

Add upcharge to unit price for WF option. - w/ Modesty panel

- w/ Full modesty panel

Select grommet option.

Overhead cabinet can NOT be ordered. - No worksurface grommet OGY - Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Elliptical Postformed Edg (EP)	(PF)	Full Modesty Panel add to list price	Lock Option Add to list price
85.0#	\$ 1385	\$ 1415	\$ 1446	\$ 53	\$ 213
92.0#	1410	1442	1475	62	213
99.0#	1432	1463	1499	74	213
105.0#	1451	1486	1524	85	213
112.0#	1481	1518	1557	93	213
75.0#	\$ 1385	\$ 1415	\$ 1446	\$ 53	\$ 213
82.0#	1410	1442	1475	62	213
89.0#	1432	1463	1499	74	213
95.0#	1451	1486	1524	85	213
102.0#	1481	1518	1557	93	213
74.0#	\$ 1385	\$ 1415	\$ 1446	\$ 53	\$ 213
81.0#	1410	1442	1475	62	213
88.0#	1432	1463	1499	74	213
94.0#	1451	1486	1524	85	213
101.0#	1481	1518	1557	93	213

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUM	MODEL NUMBER											
		Basic		Dowerlin	W-	Lantan	Look	Frame		Paint	Inort	Lam	Edgo	Crm
	D x W	Model	Edge Style	PowerUp Module	Trgh	Laptop Option	Lock Opt	Style Style	Grom	Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr
	24 x 60"	WBLG2460S		PUN	NT									
	24 x 66"	WBLG2466S		PUN	NT									
	24 x 72"	WBLG2472S		PUN	NT									

WZLG														
24" Starter - Two Laptop Garage®														
Units														
	24 x 60"	WBLG2460A		PUN	NT									
	24 x 66"	WBLG2466A		PUN	NT									
	24 x 72"	WBLG2472A		PUN	NT									
WZLG														
24" Adder - Two Laptop Garage® Units														
				5										
	24 x 60" 24 x 66"	WBLG2460F WBLG2466F		PUN	NT NT									
	24 x 66" 24 x 72"	WBLG2466F WBLG2472F		PUN	NT									
	24 X 12	WDLUZ41ZF		I UN	INI									
WZLG														
24" Finisher - Two Laptop Garage® Units														
		A	•	•	0	3	G	G	0	0	0	0	0	0
			U	G	\mathbf{v}	G	U	U	Ψ	U	•	W	U	W

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge - Elliptical postformed edge - Postformed edge

Select PowerUp® module location.

PUN - No module

Select wire trough.

- No wire trough

Select Laptop Garage quantity/size.

215 - Two 15" Laptop Garages - Two 17" Laptop Garages; add 217 \$57

Select lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

- With lock

GSelect frame style.

Add upcharge to unit price for WF option. - w/ Modesty panel

- w/ Full modesty panel

Select grommet option.

Overhead cabinet can NOT be ordered. - No worksurface grommet

OGY - Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74I (74	P Edge	Elli (EP	ptical Postformed Edge	Pos (PF	etformed Edge	Full Modes Panel add to price		Lock (Add to price	Option list
133.0#	\$	2267	\$	2304	\$	2343	\$	103	\$	286
141.0#		2290		2327		2366		135		286
147.0#		2318		2356		2400		144		286
123.0#	\$	2267	\$	2304	\$	2343	\$	103	\$	286
131.0#		2290		2327		2366		135		286
137.0#		2318		2356		2400		144		286
122.0#	\$	2267	\$	2304	\$	2343	\$	103	\$	286
130.0#		2290		2327		2366		135		286
136.0#		2318		2356		2400		144		286

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUM	MODEL NUMBER														
	D x W	Basic Model	Edge Style	P-Up Mod	W- Trgh	Elct Opt	Laptop Option	Lock Opt	Frame Style	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	PowerUp Module Color	
	30 x 30"	WBLG3030S				ППП		ПП									
The state of the s	30 x 36"	WBLG3036S															
	30 x 30 30 x 42"	WBLG30303															
	30 x 42 30 x 48"	WBLG3042S WBLG3048S															
	30 x 48 30 x 54"	WBLG3048S WBLG3054S															
	30 X 34	WBLG30343															
WZLG																	
30" Starter - One Laptop Garage®																	
 Remote must be specified separately if lock is selected 																	
ii look is selected	30 x 30"	WBLG3030A															
	30 x 36"	WBLG3036A															
	30 x 30 30 x 42"	WBLG3030A WBLG3042A															
	30 x 42	WBLG3042A															
	30 x 54"	WBLG3040A															
WZLG	30 X 34	WDLG3034A															
30" Adder - One Laptop Garage®																	
 Remote must be specified separately if lock is selected 																	
	30 x 30"	WBLG3030F															
	30 x 36"	WBLG3036F															
	30 x 42"	WBLG3042F															
	30 x 48"	WBLG3048F															
	30 x 54"	WBLG3054F															
WZLG	00 X 07	11000041															
30" Finisher - One Laptop Garage®																	
Remote must be specified separately																	
if lock is selected																	
		_	_	•	_				•			•	•	•	•		1
		A	$oldsymbol{\Theta}$	Θ	0	•	•	(0	0	•	(3)	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select PowerUp® module location.

	- · · · · · · · · · · · · · · · · · · ·
PUN	- No module
PUL	- Left module; add \$119
PUR	- Right module; add \$119
PIIC	- Center module: add \$119

PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

NP - No power
T6 - T6 power
If T6 power is specified, recentacles

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select Laptop Garage quantity/size.

115	- One 15" Laptop Garage
117	- One 17" Laptop Garage; add
\$28	

GSelect lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

- LK With lock
- Select frame style.

Add upcharge to unit price for WF option.

WM - w/ Modesty panel
WF - w/ Full modesty panel

• Select grommet option.

Overhead cabinet can NOT be ordered.

OGN - No worksurface grommet

IGY - Yes worksurface grommet

- Grommets can be used for wire pass-through.
- Select paint color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select insert color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Edge color offerings are based on
 edge style selections.
- Select grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Ec (74P)		Elli _l (EP	ptical Postformed Edge	(PF	stformed Edge	Wire Trough add to price		T6 add to price	list	Full Modesty Panel add to li price		Lock C Add to price	
94.0#	\$ 13	36	\$	1370	\$	1402	\$	225	\$	162	\$	53	\$	213
101.0#	13	61		1389		1422		242		167		62		213
110.0#	13	30		1411		1449		254		177		74		213
118.0#	14	08		1443		1481		262		184		85		213
124.0#	14	28		1465		1503		279		192		93		213
84.0#	\$ 13	36	\$	1370	\$	1402	\$	225	\$	162	\$	53	\$	213
91.0#	13	31		1389		1422		242		167		62		213
100.0#	13	30		1411		1449		254		177		74		213
108.0#	14	08		1443		1481		262		184		85		213
114.0#	14	28		1465		1503		279		192		93		213
83.0#	\$ 13	36	\$	1370	\$	1402	\$	225	\$	162	\$	53	\$	213
90.0#	13	51		1389		1422		242		167		62		213
99.0#	13	30		1411		1449		254		177		74		213
107.0#	14	08		1443		1481		262		184		85		213
113.0#	14:	28		1465		1503		279		192		93		213

Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER														
	D x W	Basic Model	Edge Style	P-Up Mod	W- Trgh	Elct Opt	Laptop Option	Lock Opt	Frame Style	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	PowerUp Module Color
	30 x 60"	WBLG3060S														
	30 x 66"	WBLG3066S														
	30 x 72"	WBLG3072S														
WZLG																
30" Starter - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
	30 x 60"	WBLG3060A														
	30 x 66"	WBLG3066A														
	30 x 72"	WBLG3072A														
WZLG																
30" Adder - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
	30 x 60"	WBLG3060F														
	30 x 66"	WBLG3066F														
	30 x 72"	WBLG3072F														
WZLG																
30" Finisher - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
		A	3	0	0	3	(3	(0	0	0	0	0	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P	- 74P edge
EP	 Elliptical postformed edge
PF	- Postformed edge

Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$119
PUR	- Right module; add \$119
PUC	- Center module; add \$119
PUB	- Both left and right modules;
1109 hho	

PUB option only available on 60", 66" and 72" wide worksurfaces.

DSelect wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power

T6 - T6 power If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select Laptop Garage quantity/size.

215	- Two	15"	Laptop	Garages
217	- Two	17"	Laptop	Garages; add
\$57				

GSelect lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

LK - With lock

Select frame style.

Add upcharge to unit price for WF option.

WM - w/ Modesty panel

WF - w/ Full modesty panel

Select grommet option.

Overhead cabinet can NOT be ordered.

OGN - No worksurface grommet
OGY - Yes worksurface grom-

met Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

- Select insert color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select laminate surface.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Edge color offerings are based on
 edge style selections.
- Select grommet color.



Approx. Packaged Weight	74P Edge (74P)	Elliptical Postformed El	Edge Postformed Edge (PF)	add to list	T6 add to list price	Full Modesty Panel add to list price	Lock Option Add to list price
146.0#	\$ 2187	\$ 2221	\$ 2258	\$ 293	\$ 426	\$ 103	\$ 286
153.0#	2211	2250	2290	300	442	135	286
159.0#	2238	2280	2322	304	454	144	286

136.0#	\$ 2187	\$ 2221	\$ 2258	\$ 293	\$ 426	\$ 103	\$ 286
143.0#	2211	2250	2290	300	442	135	286
149.0#	2238	2280	2322	304	454	144	286

135.0# \$ 2187	\$ 2221	\$ 2258	\$ 293	\$ 426	\$ 103	\$ 286
142.0# 2211	2250	2290	300	442	135	286
148.0# 2238	2280	2322	304	454	144	286

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

● Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

-

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Laptop Lock 1 Unit Control	LTLOCK115	2.0#	
HRDPT	Locks a single garageFor retrofit onto non-locking units	LTLOCK117	2.0#	
	Remote not included			
	Laptop Lock 2 Unit Control	LTLOCK215	4.0#	
HRDPT	Locks two garagesFor retrofit onto non-locking units	LTLOCK217	4.0#	
	Remote not included			
	Laptop Lock Remote	LTREMOTE	0.1#	
HRDPT	Can order one per room or one per control box			
	Only five remotes can be programmed			
	per controller box			
	Laptop Cable/Lock Keyed Alike	LTSK.L.KA	2.0#	
HRDPT				



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Keyless Remote Locking System Not intended to be used with Connect™ System



[livered
	cing
\$	211
	211
\$	298
	298
\$	39
9	152

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Index

23.00M	Model No.	Description	Page	Model No.	Description	Page
\$47,070.00	3CMN	Center Drawer: Center Drawer	76	WKBS30481	Basic Workstation Typical: Basic Desk	8
SPACES Accessories and Worksurface Connectors: Worksurface WisSPAMS Modile: Modile Samic-Grote Worksurface 26				WKBS30482	Basic Workstation Typical: Basic Desk with Overhead	8
Mobile Mobile Seminar Circle Winstant Awwwelders	87.4624			WMSC48	Mobile: Mobile Semi-Circle Worksurface	26
AGB/FPW-12 Active® numper AGB/FPW-12 Active® morper BC650VW self-and Storage Balance® Overhead Cabin with Flather Upper Dror File Common Common Common Common Common Common Common Common Common Recomple Transitional Side Mount Worksurface 28 Common Com			40	WMSCPW52	Mobile: Mobile Semi-Circle Worksurface w/notch	26
Magnetic	AC8IF.108	Activ8® Infeed	86	WMT2440	Mobile: Mobile Teardrop Worksurface	26
AGBRPTWZ 12 Actived* Module and Attachment Branket 86 WFWZ448S Transitional Side Mount Ministrative 28 ELCR30WZ Branker* Overhead Cabinet with Cabinet* Operated Storage Balance* Overhead Cabinet with Laminate Upper Door 8 WFZ2424 WFRZ4300 Branker* Overhead Storage Balance* Overhead Cabinet with Solid Color Upper Door 8 WFZ2424 WFRZ4300 Branker* Overhead Storage Balance* Overhead Cabinet with Solid Color Upper Door 8 WFZ2424 WFRZ4300 Branker* Overhead Storage Balance* Overhead Storage Balance* Overhead Storage Universal Studies* MFZ4300 Universal Overhead Storage Univ	AC8JP.29	Activ8® Jumper	86	WPW2448	Transitional: Peninsula End Worksurface	28
RCL390WZ Balance® Ordered Storage Balance® Overhead Cabiner with Laminate Upper Door Sea WTE2409 Sea S	AC8RPTWZ.12		86	WPW2448S	Transitional: Peninsula Side Mount Worksurface	28
BLCS30WZ Balance® Overhead Storage Balance® Overhead Cabinate with Larinate Upper Door Se	BLCF30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-		WQRPW24	Transitional: Quarter Round Transitional Surface	32
Page		net with Fabric Upper Door	60	WRC244230	Basic: Curvilinear Worksurface	14
BLCS2007 Batance® Overhead Storage: Balance® Overhead Cabrer with Solid Color Leger Door not with Solid Color Leger Door not solid color with Solid Color Leger Door not solid color with Solid Color Leger Door not solid color to the Solid Color Leger Door not solid color to the Solid Color Leger Door not solid color to the Solid Color Leger Door not solid color to the Solid Color Leger Door not solid color to the Solid Color Leger Door not solid color to the Solid Color Leger Door Leger L	BLCL30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-			•	
Net with Solit Color Upper Door		net with Laminate Upper Door	58	WST2424	•	30
BITITS 24 Balance Pack Lights: Balance Poethead Task Light 100 W.T.T.BELD Editical Floor Interface (Fight System 6-2-2 82 11 11 12 12 12 13 13 1	BLCS30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-				
LTLOKITS Lapton Lock 1 Unit Control 100 W.T.TERICP. Electrical: Dulptox Receptade -1 O-Wirn System 6-2-2 82 12 12 12 12 12 12 1		net with Solid Color Upper Door	56			
ILIDICATES Lajntop Lock Z Linit Control 100 W.ZTBECPH Electrical: Isolated Receptade 1-10-Wire System 6-2-2 82 LTRKL.KM Lajntop Cable Lock Keyed Alike 100 WZMP60 Accessories and Worksurface Connectors: Guest WZMP60 WZMP60 WZMP60 Accessories and Worksurface Connectors: Guest WZMP60	BTLT5.24	Balance® Task Lights: Balance® Overhead Task Light	62			
LTREMOTE Laptop Cablet Remote 100 WZTSSC118 Electrical: 10-Wire label-to-Table Connector 62-2 84		· · ·				
Liptop Cabler Lock Keyed Alike			100			
NSD		·				84
PAT Paper Management: Accessory Tray				WZMP60		
PDS	NSD				-	
PLL Paper Management: Paper Tray 72 WZPP244800 Basic: Pino Peninsula Worksurface (Right Shown) 20 PMTR30 Tool Rait: Tool Rail 70 WZPP244800 Basic: Pino Peninsula Worksurface (Right Shown) 20 PPC Paper Management: Telephone Caddy 74 WZPP1244800 Basic: Pino Peninsula Worksurface (Right Shown) 20 PSD Paper Management: Vertical Storage 72 WZP10244800 Basic: Pino Neonisula Worksurface (Right Shown) 22 TLTS 24 Universal Tasklights: Universal Overhead Task Light 54 WZP10244800 Basic: Square Show Worksurface (Right Shown) 22 WBLG24309F 24* Adder - One Laptop Garage* 92 WZUL300 Universal Overhead Storage: Universal Overhead 48 WBLG24605 24* Stater- One Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG24605 24* Stater- One Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG34608 24* Stater- Two Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44						
PMTR30						
PPC Pager Management: Pencil Cup 74 WZPTP244860 Basic: "P* Shaped Peninsula Worksurface (Right Shown) 20 PTC Pager Management: Telipohne Caddy 74 WZPTD244860 P* Shaped Peninsula Worksurface 80 PVS Pager Management: Vertical Storage 72 WZPSS244860 Basic: Square Show Worksurface (Right Shown) 22 TLTS 24 Universal Tasklights: Universal Overhead Task Light 54 WZSS244860 Basic: Adjustable Keyboard Pad Worksurface 80 WBLG24305 24* Adder - One Laptop Garage* 92 WZUL30 Universal Overhead Storage: Universal Overhead 46 WBLG24305 24* Starter - One Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 46 WBLG24605 24* Starter - Two Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 4 WBLG36060 24* Starter - Two Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 4 WBLG36060 30* Adder - Two Laptop Garage* Units 94 WZUS30 Universal Overhead Storage: Universal Overhead Storage: Universal Overhead Storage: Unive					· - /	
PTO Paper Management: Telephone Caddy 74 WZPTD244860 "PS Raped Peninsula Worksurface 80 PVS Paper Management: Vertical Storage 72 WZSSD244860 Basic: Square Shoe Worksurface (Right Shown) 22 UTLTS_24 Universal TaskInglist: Universal Overhead Task Light 54 WZSSD244860 Suguare Shoe Worksurface (Right Shown) 22 WAK2436 Basic: Adjustable Keyboard Pad Worksurface 12 WZUS30 Universal Overhead Storage: Universal Overhead WBLG24605 24' Finisher - One Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead Universal Overhead Universal Overhead Storage: Universal						
PVS		· · · · · · · · · · · · · · · · · · ·				
T1T5.24 Universal Tasklights: Universal Overhead Task Light 54 WZSSD244860 Square Shoe Worksurface 80 WAK2436 Basic: Adjustable Keyboard Pad Worksurface 12 WZUT30 Universal Overhead Storage: Universal Overhead 48 WBLG24305 24* Finisher - One Laptop Garage® 92 WZUL30 Universal Overhead Storage: Universal Overhead 46 WBLG24308 24* Starter - One Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 46 WBLG24606 24* Finisher - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG34050 24* Starter - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG34050 30* Adder - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG34050 30* Initial Proble Laptop Garage® Units 96 44 44 44 44 44 44 44 44 44 44 44 44 44 44 44 44					•	
WAKC436 Basic: Adjustable Keyboard Pad Worksurface 12 WZUF30 Universal Overhead Storage: Universal Overh						
WBLG2430A 24" Adder - One Laptop Garage® 92 Cabinet with Fabric Door 48 WBLG24305 24" Finisher - One Laptop Garage® 92 WZUL30 Universal Overhead Storage: Universal Overhead 46 WBLG2460A 24" Adder - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 41 WBLG2460F 24" Finisher - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 41 WBLG3030A 24" Starter - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 48 WBLG3030A 24" Starter - Two Laptop Garage® Units 96 48 44						80
WBLG2430F 24* Finisher - One Laptop Garage® 92 WZUL30 Universal Overhead Storage: Universal Overhead Storag				WZUF3U		40
WBLG2430S 24" Starter - One Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 46 WBLG2460F 24" Adder - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead 44 WBLG2460S 24" Starter - Two Laptop Garage® Units 94 VZUS30 Cabinet with Steel Door 44 WBLG3030A 30" Adder - One Laptop Garage® 96 VZUS30				W7111 20		40
WBLG2460A 24* Adder - Two Laptop Garage® Units 94 WZUS30 Universal Overhead Storage: Universal Overhead WBLG2460S 24* Flatter - Two Laptop Garage® Units 94 Cabinet with Steel Door 44 WBLG3460S 24* Starter - Two Laptop Garage® Units 94 WBLG3030A 30" Adder - One Laptop Garage® 96 WBLG3030S 30" Flinisher - One Laptop Garage® Units 98 WBLG3060A 30" Adder - Two Laptop Garage® Units 98 WBLG3060S 30" Flinisher - Two Laptop Garage® Units 98 WBLG3060F 30" Flinisher - Two Laptop Garage® Units 98 WBLS2430F 24* Flinisher 88 88 WBLS2430F 24* Flinisher 88 WBSL2430S 24* Starter 88				VVZUL30		46
WBLG2460F 24* Finisher - Two Laptop Garage® Units 94 WBLG3260S 24* Starter - Two Laptop Garage® Units 94 WBLG3030F 30* Adder - One Laptop Garage® 96 WBLG3030S 30* Starter - One Laptop Garage® 96 WBLG3030S 30* Starter - One Laptop Garage® Units 98 WBLG3060S 30* Starter - Vno Laptop Garage® Units 98 WBLG3060S 30* Starter - Two Laptop Garage® Units 98 WBLG3060S 30* Starter - Two Laptop Garage® Units 98 WBSL2430A 24* Adder 88 WBSL2430B 24* Starter 88 WBSL3030A 30* Adder 90 WBSL3030B 30* Finisher 90 WBSL3030B 30* Starter 90 WBW245PP Accessories and Worksurface 10 WBW245PP Accessories and Worksurface Connectors: Full Leg End Panel 40 WBW2248C Basic: Stand Alone Corner Curvilinear Worksurface 78 WCC2438C4 Basic: Stand Alone Corner Curvilinear Surface 36 WCC22438C4 Basic: Stand Alone Corner Curvilinear Transition				W711530		40
WBLG2460S 24* Starter - Two Laptop Garage® Units 94 WBLG3030A 30* Adder - One Laptop Garage® 96 WBLG3030F 30* Finisher - One Laptop Garage® 96 WBLG3030A 30* Adder - Two Laptop Garage® Units 98 WBLG3030B 30* Finisher - Two Laptop Garage® Units 98 WBLG3060F 30* Finisher - Two Laptop Garage® Units 98 WBSL2430A 24* Adder 88 WBSL2430F 24* Finisher 88 WBSL2430S 24* Starter 88 WBSL3030A 30* Adder 90 WBSL3030S 30* Starter 90 WBW2430 Basic: Basic Worksurface 10 WBW247EP Accessories and Worksurface Connectors: Full Leg End Panel 40 WBW247EP Accessories and Worksurface 78 WBWD2430 WorkZone® w/Power Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCC24365 Transitional: Corner Curvilinear Transitional Surface 36 WCC1244230 Transitional: Corner Curvilinear Transitional Reduction Surface <td></td> <td></td> <td></td> <td>VV20330</td> <td></td> <td>44</td>				VV20330		44
WBLG3030A 30° Adder - One Laptop Garage® 96 WBLG3030S 30° Starter - One Laptop Garage® 96 WBLG3030CA 30° Starter - One Laptop Garage® Units 98 WBLG3030CA 30° Adder - Two Laptop Garage® Units 98 WBLG306CA 30° Starter - Two Laptop Garage® Units 98 WBLG306CA 30° Starter - Two Laptop Garage® Units 98 WBSL2430C 24° Adder 88 WBSL2430DF 24° Starter 88 WBSL2430S 24° Starter 88 WBSL3030A 30° Adder 90 WBSL3030S 30° Starter 90 WBW245EP Accessories and Worksurface 10 WBW245EP Accessories and Worksurface Connectors: Full Leg End Panel 40 WBW245EP Basic: Stard Alone Corner Curvilinear Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Surface 38 WCC12436 Transitional: Corner Curvilinear Transitional Surface 36 WCC124420 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCC124421 Basic: Stan					Outsilot With Otool Bool	
WBLG3030F 30° Finisher - One Laptop Garage® 96 WBLG3030S 30° Starter - One Laptop Garage® Units 98 WBLG306DF 30° Adder - Two Laptop Garage® Units 98 WBLG306DS 30° Finisher - Two Laptop Garage® Units 98 WBSL2430D 24° Adder 88 WBSL2430F 24° Finisher 88 WBSL2430S 24° Starter 88 WBSL3030A 30° Adder 90 WBSL3030F 30° Finisher 90 WBSL3030S 30° Starter 90 WBW243D Accessories and Worksurface 10 WBW245PP Accessories and Worksurface Connectors: Full Leg End Panel 40 WBWD2450 WorkZone® w/Power Worksurface 78 WBCC2436E Basic: Stand Alone Corner Curvilinear Transitional Surface 36 WCC12436 Transitional: Corner Curvilinear Transitional Surface 36 WCC2436E Basic: Stand Alone Corner Curvilinear Transitional Surface 36 WCC124430 Transitional: Corner Transitional Surface with Keyboard 16 WCS2436 Basic: Stand Alone Corner Wo						
WBLG3030S 30" Starter - One Laptop Garage® Units 96 WBLG3060A 30" Adder - Two Laptop Garage® Units 98 WBLG306DS 30" Starter - Two Laptop Garage® Units 98 WBSL2430A 24" Adder 88 WBSL2430B 24" Finisher 88 WBSL2430S 24" Starter 88 WBSL3030A 30" Adder 90 WBSL3030F 30" Starter 90 WBSL3030B 30" Starter 90 WBW243D Basic: Basic Worksurface 10 WBW245D WorkZone® wPower Worksurface 78 WBWD245D WorkZone® w/Power Worksurface 78 WBWD246D WorkZone® w/Power Worksurface 18 WCC24362B Basic: Stand Alone Corner Curvilinear Worksurface 18 WCC244242 Transitional: Corner Curvilinear Transitional Surface 36 WCC1244230 Transitional: Corner Curvilinear Transitional Surface 36 WCC24362B Basic: Stand Alone Corner Worksurface 24 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16						
WBLG3060A 30" Adder - Two Laptop Garage® Units 98 WBLG3060S 30" Starter - Two Laptop Garage® Units 98 WBSL2430A 24" Adder 88 WBSL2430F 24" Finisher 88 WBSL2430S 24" Starter 88 WBSL3030A 30" Adder 90 WBSL3030S 30" Finisher 90 WBSL3030S 30" Starter 90 WBW2430 Basic: Basic Worksurface 10 WBW2450 Accessories and Worksurface Connectors: Full Leg End Panel 40 WBWD2430 WorkZone® w/Power Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 38 WCCT24436 Transitional: Corner Curvilinear Transitional Surface 38 WCCT24436 Transitional: Corner Curvilinear Transitional Surface 38 WCCT24436 Transitional: Corner Curvilinear Transitional Surface 36 WCC52436 Basic: Stand Alone Corner Worksurface 4 WCS2436 Basic: Stand Alone Corner Worksurf						
WBLG3060F 30" Finisher - Two Laptop Garage® Units 98 WBLG3060S 30" Starter - Two Laptop Garage® Units 98 WBSL2430A 24" Adder 88 WBSL2430F 24" Finisher 88 WBSL3030 24" Starter 88 WBSL3030A 30" Adder 90 WBSL3030F 30" Finisher 90 WBSL3030B 30" Starter 90 WBW245D Accessories and Worksurface 10 WBW245D Accessories and Worksurface Connectors: Full Leg End Panel 40 WBWD2430 WorkZone® w/Power Worksurface 78 WBWD2450 WorkZone® w/Power Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCC24362 Transitional: Corner Curvilinear Transitional Surface 36 WCC124436 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCS24420 Basic: Stand Alone Corner Tran						
WBLG3060S 30° Starter - Two Laptop Garage® Units 98 WBSL2430A 24° Adder 88 WBSL2430F 24° Finisher 88 WBSL3030A 30° Adder 90 WBSL3030F 30° Finisher 90 WBSL3030S 30° Starter 90 WBW2430 Basic: Basic Worksurface 10 WBW245PEP Accessories and Worksurface Connectors: Full Leg End Panel 40 WBWD2430 WorkZone® w/Power Worksurface 78 WBWD2450 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 36 WCC243624 Transitional: End-of-Run Curvilinear Surface 36 WCC1244230 Transitional: Corner Curvilinear Transitional Surface 36 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCS2436 Transitional: Corner Transitional Surface 32 WCT2436 Transitional: Corner Transitional Reduction Surface 32 WCT2436						
WBSL2430A 24" Adder 88 WBSL2430F 24" Finisher 88 WBSL3030A 24" Starter 88 WBSL3030A 30" Adder 90 WBSL3030F 30" Finisher 90 WBSL3030S 30" Starter 90 WBW2430 Basic: Basic Worksurface 10 WBW2430 WorkZone® w/Power Worksurface 78 WBWD2430 WorkZone® w/Power Worksurface 78 WBWD2430 Basic: Stand Alone Corner Curvilinear Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 38 WCC24363 Transitional: End-of-Run Curvilinear Surface 36 WCC12436 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCS2436 Basic: Stand Alone Corner Worksurface 24 WCS2436 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCS24426 Basic: Stand Alone Corner Worksurface with Keyboard 36 WCT24450 Transitional: Corner Transitional Surface with Keyboard 36 WCT24420 Transitional: Corner Transitional Reduction Surface <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
WBSL2430F24" Finisher88WBSL3030A30" Adder90WBSL3030F30" Finisher90WBSL3030S30" Starter90WBSL3030S30" Starter90WBW2430Basic: Basic Worksurface10WBW2450WorkZone® w/Power Worksurface Connectors: Full Leg End Panel40WBWDP2430WorkZone® w/Power Worksurface78WBWD2430WorkZone® w/Power Worksurface78WBWD2430WorkZone® w/Power Worksurface18WCC243624Basic: Stand Alone Corner Curvilinear Worksurface38WCC243624Transitional: End-of-Run Curvilinear Surface36WCCT24436Transitional: Corner Curvilinear Transitional Surface36WCC3466Basic: Stand Alone Corner Worksurface24WCS2436Basic: Stand Alone Corner Worksurface24WCS2436Basic: Stand Alone Corner Worksurface36WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Surface with Keyboard Pad34						
WBSL2430S24" Starter88WBSL3030A30" Adder90WBSL3030F30" Finisher90WBSL3030S30" Starter90WBW2430Basic: Basic Worksurface10WBW24FEPAccessories and Worksurface Connectors: Full Leg End Panel40WBWD2430WorkZone® w/Power Worksurface78WBWD2460WorkZone® w/Power Worksurface78WCC243624Basic: Stand Alone Corner Curvilinear Worksurface18WCC24365Transitional: End-of-Run Curvilinear Surface38WCC12436Transitional: Corner Curvilinear Transitional Surface36WCC124420Transitional: Corner Curvilinear Transitional Reduction Surface 36WCS2436Basic: Stand Alone Corner Worksurface24WCS2436Basic: Stand Alone Corner Worksurface with Keyboard16WCSY2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT244230Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK24420Transitional: Corner Transitional Surface with Keyboard Pad34						
WBSL3030A30" Adder90WBSL3030F30" Finisher90WBSL3030S30" Starter90WBW2430Basic: Basic Worksurface10WBW24FEPAccessories and Worksurface Connectors: Full Leg End Panel40WBWD2430WorkZone® w/Power Worksurface78WBWD2460WorkZone® w/Power Worksurface78WCC243624Basic: Stand Alone Corner Curvilinear Worksurface18WCC243625Transitional: End-of-Run Curvilinear Surface38WCCT24436Transitional: Corner Curvilinear Transitional Surface36WCC244624Basic: Onference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface16WCS2436Basic: Stand Alone Corner Worksurface with Keyboard16WCT24430Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Reduction Surface34						
WBSL3030S30° Starter90WBW2430Basic: Basic Worksurface10WBW24FEPAccessories and Worksurface Connectors: Full Leg End Panel40WBWD2430WorkZone® w/Power Worksurface78WBWD2460WorkZone® w/Power Worksurface78WCC243624Basic: Stand Alone Corner Curvilinear Worksurface18WCC243625Transitional: End-of-Run Curvilinear Surface38WCC72436Transitional: Corner Curvilinear Transitional Surface36WCC3436Transitional: Corner Curvilinear Transitional Reduction Surface36WCS2436Basic: Conference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface with Keyboard16WCSX2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244200Transitional: Corner Transitional Reduction Surface34WCTX24420Transitional: Corner Transitional Surface with Keyboard Pad34						
WBW2430Basic: Basic Worksurface10WBW24FEPAccessories and Worksurface Connectors: Full Leg End Panel40WBWD2430WorkZone® w/Power Worksurface78WBWD2460WorkZone® w/Power Worksurface78WCC243624Basic: Stand Alone Corner Curvilinear Worksurface18WCC24366Transitional: End-of-Run Curvilinear Surface36WCCT2436Transitional: Corner Curvilinear Transitional Surface36WCC3436Transitional: Corner Curvilinear Transitional Reduction Surface 36WCS436Basic: Stand Alone Corner Worksurface24WCS2436Basic: Stand Alone Corner Worksurface16WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad34	WBSL3030F	30" Finisher	90			
WBW24FEPAccessories and Worksurface Connectors: Full Leg End Panel40WBWD2430WorkZone® w/Power Worksurface78WBWD2460WorkZone® w/Power Worksurface78WCC243624Basic: Stand Alone Corner Curvilinear Worksurface18WCCE2436Transitional: End-of-Run Curvilinear Surface38WCCT2436Transitional: Corner Curvilinear Transitional Surface36WCCT244230Transitional: Corner Curvilinear Transitional Reduction Surface 36WCE36Basic: Conference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface with Keyboard16WCSK2442Basic: Stand Alone Corner Transitional Surface32WCT2436Transitional: Corner Transitional Reduction Surface34WCT244230Transitional: Corner Transitional Surface with Keyboard Pad34	WBSL3030S	30" Starter	90			
WBWD2430 WorkZone® w/Power Worksurface 78 WBWD2460 WorkZone® w/Power Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCCE2436 Transitional: End-of-Run Curvilinear Surface 38 WCCT2436 Transitional: Corner Curvilinear Transitional Surface 36 WCCT244230 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCE36 Basic: Conference End Worksurface 24 WCS2436 Basic: Stand Alone Corner Worksurface 16 WCSK2442 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCT2436 Transitional: Corner Transitional Surface 32 WCT244230 Transitional: Corner Transitional Reduction Surface 32 WCT24424 Transitional: Corner Transitional Reduction Surface 34 WCTX2442 Transitional: Corner Transitional Surface with Keyboard Pad 34	WBW2430	Basic: Basic Worksurface	10			
WBWD2460 WorkZone® w/Power Worksurface 78 WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCCE2436 Transitional: End-of-Run Curvilinear Surface 38 WCCT2436 Transitional: Corner Curvilinear Transitional Surface 36 WCCT244230 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCS2436 Basic: Stand Alone Corner Worksurface 16 WCSK2442 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCT2436 Transitional: Corner Transitional Surface 32 WCT244230 Transitional: Corner Transitional Reduction Surface 32 WCT244242 Transitional: Corner Transitional Reduction Surface 34 WCTX2442 Transitional: Corner Transitional Surface with Keyboard Pad 34	WBW24FEP	Accessories and Worksurface Connectors: Full Leg End P	anel 40			
WCC243624 Basic: Stand Alone Corner Curvilinear Worksurface 18 WCCE2436 Transitional: End-of-Run Curvilinear Surface 38 WCCT2436 Transitional: Corner Curvilinear Transitional Surface 36 WCCT244230 Transitional: Corner Curvilinear Transitional Reduction Surface 36 WCS36 Basic: Conference End Worksurface 24 WCS2436 Basic: Stand Alone Corner Worksurface 16 WCSK2442 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCT2436 Transitional: Corner Transitional Reduction Surface 32 WCT244230 Transitional: Corner Transitional Reduction Surface 34 WCTX2442 Transitional: Corner Transitional Surface with Keyboard Pad 34	WBWD2430	WorkZone® w/Power Worksurface	78			
WCCE2436Transitional: End-of-Run Curvilinear Surface38WCCT2436Transitional: Corner Curvilinear Transitional Surface36WCCT244230Transitional: Corner Curvilinear Transitional Reduction Surface 36WCE36Basic: Conference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface with Keyboard16WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad34	WBWD2460	WorkZone® w/Power Worksurface	78			
WCCT24436Transitional: Corner Curvilinear Transitional Surface36WCCT244230Transitional: Corner Curvilinear Transitional Reduction Surface 36WCE36Basic: Conference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface16WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad34	WCC243624	Basic: Stand Alone Corner Curvilinear Worksurface	18			
WCCT244230Transitional: Corner Curvilinear Transitional Reduction Surface 36WCE36Basic: Conference End Worksurface 24WCS2436Basic: Stand Alone Corner Worksurface 36WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard 36WCT2436Transitional: Corner Transitional Surface 32WCT244230Transitional: Corner Transitional Reduction Surface 34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad 34	WCCE2436	Transitional: End-of-Run Curvilinear Surface	38			
WCE36Basic: Conference End Worksurface24WCS2436Basic: Stand Alone Corner Worksurface16WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad34		Transitional: Corner Curvilinear Transitional Surface	36			
WCS2436 Basic: Stand Alone Corner Worksurface 16 WCSK2442 Basic: Stand Alone Corner Worksurface with Keyboard 16 WCT2436 Transitional: Corner Transitional Surface 32 WCT244230 Transitional: Corner Transitional Reduction Surface 34 WCTK2442 Transitional: Corner Transitional Surface with Keyboard Pad 34						
WCSK2442Basic: Stand Alone Corner Worksurface with Keyboard16WCT2436Transitional: Corner Transitional Surface32WCT244230Transitional: Corner Transitional Reduction Surface34WCTK2442Transitional: Corner Transitional Surface with Keyboard Pad34						
WCT244230 Transitional: Corner Transitional Surface 32 WCTK244230 Transitional: Corner Transitional Reduction Surface 34 WCTK2442 Transitional: Corner Transitional Surface with Keyboard Pad 34						
WCT244230 Transitional: Corner Transitional Reduction Surface 34 WCTK2442 Transitional: Corner Transitional Surface with Keyboard Pad 34		-				
WCTK2442 Transitional: Corner Transitional Surface with Keyboard Pad 34						
WER2436 Iransitional: End-of-Run Corner Surface 38						
	VVER2436	ITANSHIONAI: ENG-OT-KUN GOTNET SUTTACE	38			

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11490R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.