


Equity^{NP}



2016臺 PRICE BOOK




TABLE OF CONTENTS

GENERAL INFORMATION 4 Panels 4 Power 4	
Raceway	
Storage	
SUSTAINABLE DESIGN 5 NP's Green Manufacturing Process 5 NP's Green Shipping Initiatives 5	
TERMS AND CONDITIONS 6	
Ordering 6 Pricing 6	
Taxes	
Storage Fee6	
Shipping 6 Accessorial Charges 6	
Freight Damage	
Warranty Claims	
Delay/force Majeure	
Warranty 8 General Information 8	
Key Alike Program	
GSA Contract Details	
Wall Mounting Details	
FINISHES 14 Fabrics 14	
Laminates	
Edge Bands 14 Paints 15	
Plexiglass 15 Glass 15	
Designer Glass	
CUSTOM FINISHES PROGRAM 16 Customer's Own Fabrics 16	
Customer's Own Laminates16Custom RAL Paint Finishes16	
LEGACY FINISHES	
Legacy – Laminates 17 Legacy – Edge Bands 17	
Legacy – Painted & Plastics 17	

PANELS	18
Features	18
Construction	
Surface Materials	18
Fabric Panels	20
Fabric Panels	21
Insert Panels	22
Insert Panels	23
Post Assemblies	24
Post Assemblies	
End Kits	
Wall Starter/Wall Mounted Channel	27
Posts (Multi-Height)	28
Connectors/Shrouds	29
STACK-ON PANELS	30
Components	30
Stack-on Panel Connectors	30
Specifying Stack-on	30
Stack-on Diagram	31
Stack-on Configurations	32
Stack-on Configurations	33
Fabric with slots	34
Fabric with slots	35
Fabric without slots	36
Fabric without slots	
Insert with slots	
Insert with slots	
Insert without slots	
Insert without slots	
Stack-on Posts	
Panel Accessories	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	45

ELECTRICAL	46
How to Order	46
Infeeds	. 48
Technical Data	. 49
Ceiling Infeeds	. 50
Base Infeeds	. 51
Components	. 52
Knock-out Replacement Cover	. 52
Jumper	. 53
Charge Spot (Wireless Charger)	. 54
Desktop Data & Power	. 55

WORKSURFACES56	
Features 56	
Wiring & Cabling	
Edge Detail	
Surface Materials	5
General Info 58	3
Support Information 59)
Grain Direction 60)
Grain Direction 61	
Straights	2
Straights 63	3
Corners 64	1
Extended Corners 65	5
Corner Peninsulas 66	5
Peninsulas 67	
Half Round & Linking 68	
Blended Double Corner 69	
135° Curved Corner 69	
Supports 70	
Personal Drawer 70	
Supports 71	
• •	
Panel Supported Height Adjustable	
120° layout Comparison	
120° Planning	
120° Planning	
120°	
120°	
Transition Tops	3
CASCADE WORKSURFACES 79	
Cascade Edge	
Straights)
Corners & Extended Corners 81	
Corner Peninsulas 82	2
Waves	3
Rounds	
Accessories 85	1
COUNTER CAPS 86	5
COUNTER CAPS	5 5
	5 5
COUNTER CAPS 86 Straights 86	5 5
COUNTER CAPS 86 Straights 86 Corners 87	5 5 7
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88	5 5 7
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88	5 5 7 8
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89	5 7 8
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90	5 5 7
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92	5 5 7 8 9 9
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90	5 5 7 8 9 9
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93	5 7 8 9 9 9 9
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94	5 7 8 9 9 9 1
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves. 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94	5 7 8 9 9 9 1
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94 Construction 94	5 7 8 9 9 1
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves. 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94	5 7 8 9 9 1
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94 Construction 94 Surface Materials 94 Round & Squares 96	5 5 7 8 9 9 9 1 1 1 1
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94 Construction 94 Surface Materials 94	5 5 7 8 9 9 9 9 1 1 1 1 1 1 5
COUNTER CAPS 86 Straights 86 Corners 87 PANEL SUPPORTED STORAGE 88 Shelves 88 Overheads 89 Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES 94 Features 94 Construction 94 Surface Materials 94 Round & Squares 96	5 5 7 8 8 9 9 9 1 1 1 1 1 5 7
COUNTER CAPS Straights Corners 87 PANEL SUPPORTED STORAGE 88 Shelves Overheads Tackboards 90 Wall Mounted Channel 92 Task Lights 93 TABLES Features 94 Construction 94 Surface Materials 96 Rectangle & Ovals 97	5 5 7 8 9 9 9 9 1 1 1 1 1 1 3 7 3

STORAGE	
Accessories Availability	. 102
PEDESTALS Features Construction Surface Materials Pedestals Pedestals	104 104 104 106
EATERALS Features Construction Surface Materials Laterals Lateral – BF Lateral – 6B, BBF & BBFF Lateral – Common Tops Lateral – Cushions	108 108 108 108 110 111 112
TOWERS Features Construction Surface Materials 24" Wide 24" Wide – Side Access 15" Wide 15" Wide – Side Access	114 114 114 116 117 118
CREDENZAS Features Construction Surface Materials Credenzas Accessories Credenza – Drawers Credenza – Shelves Credenza – Common Tops	120 120 120 122 122 123 123
CABINETS Features Construction Surface Materials Cabinets Cabinets LOCKERS	124 124 124 124 126 127
Features Construction Surface Materials Lockers Lockers – Double Lockers – Quad Lockers – Cubby	128 128 128 130 131
BOOKCASES Features Construction Surface Materials Bookcases Bookcases	. 132 . 132 . 132 . 134

WORKPLACE ACCESSORIES Keyboard Trays	
Keyboard Arms	
Easy Combos	
Monitor Arms	
Monitor Arm Attachments	
CPU Holders.	
Accessories	
Anti-Fatigue Floor Mats	
GRADED IN FABRICS	142
Carnegie	142
C.F. Stinson	143
Designtex	143
KnollTextiles	
Guilford of Maine	143
Luna	144
Maharam	144
Mayer	145
Momentum	145
Victor	145
LEGACY14	6 – 177

General Information

PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

FABRIC PANELS

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

INSERT PANELS

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate or as an open frame for complete accessibility through the panel.

STACK-ON PANELS

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and are also load bearing.

PANEL CONNECTORS

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

CABLE CAPACITY

ELECTRICAL	WITH		WITHOUT	
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

ENVIRONMENTAL IMPACT

Equity takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

STORAGE

All storage components come standard locking.

Master key and key alike are available upon request.

LEGACY CUSTOMERS

Neutral Posture offers legacy products for existing Equity which was ordered before February of 2016. Please contact Sales Support to obtain a copy of the price book which includes these legacy products.

For any code compliance testing data, please contact your Sales Support Representative.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- ISO 9001:2008

GREEN MANUFACTURING PROCESS

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. The company has also established a 100% solid waste diversion goal for its manufacturing process and is very close to reaching it. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 & #7 plastics and can be recycled in many areas.

STEEL & ALUMINUM

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

GREEN SHIPPING INITIATIVES

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used chairs and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainable design, visit Neutral Posture.com/sustainability

TERMS AND CONDITIONS

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

ORDERING

All orders must be in writing; faxed, e-mailed or mailed. The product pattern number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX E-mail: oe@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the customer's acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellations, customer will be liable for reasonable cancellation charges established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

A minimum of 3% of net expedite fee will be charged for orders requiring less than standard lead times.

PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

LEAD TIME

Please contact Sales Support for current lead time at customerservice@neutralposture.com or 979.778.0502.

STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

SHIPPING

Most NP products include free shipping. All standard discount orders are F.O.B destination delivered by parcel or prepaid freight to commercial shipping points located within the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. NP will designate the shipping mode and carrier based on geographical location and best service defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States, District of Columbia and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Even though free shipping does apply to most domestic orders, in some cases accessorial charges may apply for specialized freight services beyond normal pick up, transport, and delivery such as limited access, high security, re-consignment and unusual wait times. Consignee will be responsible for paying accessorial charges relating to their orders. The following list includes, but is not limited to, accessorial charges that will apply to domestic orders. Please contact Sales Support at customerservice@neutralposture.com for a quote.

Accessorial Charges (Net)

Inside Delivery/Pick Up Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

TERMS AND CONDITIONS

FREIGHT DAMAGE

Upon receipt of shipment, check delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise your notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

WARRANTY CLAIMS

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the forty-eight (48) contiguous states, the District of Columbia and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

CUSTOMER'S OWN MATERIAL

A customer who requests a fabric or other surface material not standard to NP's line of products (COM), must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Sales Support. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

DELAY/FORCE MAJEURE

Neutral Posture shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Neutral Posture may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

COMPLIANCE WITH LAW

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

Selling Policy

WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its option, the affected part or parts.

PRODUCT AND PERIOD OF WARRANTY

Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

GENERAL INFORMATION

CERTIFICATION

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at the discretion of NP.

WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 1 certified. For more information, contact Sales Support at customerservice@neutralposture.com.

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STFP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

GSA Contract Overview

GSA CONTRACT

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the Small Business Administration.

WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration (SBA) has issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB similar to those in place for 8a, SDV and HUB Zones businesses.

As a WOSB, woman owned office furniture manufacturer, we have a Packaged Office contract that includes many great manufacturing partners. We are also willing to team with other manufacturers to help support strong GSA Dealers and meet the needs of our customers. As a WOSB, NP is perfectly positioned with a strong Packaged Office contract and partners to capture this business.

For more information please visit NeutralPosture.com/WOSB

GSA OVERVIEW

GSA Contract# GS-27F-0014Y

Schedule 71 - Furniture

SIN 71-1	Dackaged Office
31N / I - I	Packaged Office
SIN 71-205	Chairs-Dining Room, Desk, Side, Period Style and Bar Stools
SIN 711-1	Furniture Systems and Workstation Clusters
SIN 711-11	Tables and Accessories
SIN 711-18	Multipurpose Seating
SIN 711-19	Stacking Chairs and Dollies
SIN 711-2	Worksurfaces, Workstations, Computer
	Furniture and Accessories
SIN 711-3	Filing and Storage Cabinets, Shelves, Mobile
	Carts, Dollies, Racks & Accessories
SIN 711-91	Project Management (Furniture Related)
SIN 711-94	Office Design/Layout Services
SIN 711-95	Installation services

NAICS CODES

337214	Office Furniture (except wood) Manufacturing
337211	Wood Office Furniture Manufacturing
337127	Institutional Furniture Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage and AF Advantage.

GSA Contract Details

1a. Special Item Numbers Awarded SIN 711-1 **Furniture Systems and Workstation Clusters** SIN 711-11 Tables and Accessories SIN 711-18 Multipurpose Seating SIN 711-19 Stacking Chairs and Dollies SIN 711-95 Installation Services Worksurfaces, Workstations, Computer SIN 711-2 **Furniture and Accessories** SIN 711-3 Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories SIN 711-91 Project Management (Furniture Related) SIN 711-94 Office Design/Layout Services SIN 71-1 Packaged Office SIN 71-205 Chairs-Dining Room, Desk, Side, Period Style and Bar Stools 1b. Lowest Priced Item

SIN 71-1	Call Corporate Office
SIN 71-205	ONGO\$336.00
SIN 711-1	EP3P29 Single Post \$32.55
SIN 711-11	Call Corporate Office
SIN 711-18	NCUGG1 Urethane \$151.20
SIN 711-19	NSID115 Grade C\$336.00
SIN 711-2	Call Corporate Office
SIN 711-3	SPTRY Pencil Tray \$5.95
SIN 711-95	Not Applicable

1c. Installation Rate — SIN 711-1, 711-3, 711-11

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

Project Management Fee — SIN 711-91

Senior Project Manager \$75 per hour (inclusive IFF) Project Manager \$55.58 per hour (inclusive IFF) **Project Coordinator** \$50 per hour (inclusive IFF)

Design/Layout Fee - SIN 711-94

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

Maximum Order

SIN 71-1 \$5,000,000
SIN 71–205. \$1,000,000
SIN 711-1\$500,000
SIN 711–11
SIN 711–18
SIN 711–19
SIN 711-2\$200,000
SIN 711-3\$500,000
SIN 711–91\$150,000
SIN 711–94. \$150,000
SIN 711–95 \$150,000

Minimum Order

All SINs\$50

Geographic Coverage

CONUS & OCONUS

5. Point of Production

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

6. **Discount from List Price**

Seating/Workplace Accessories

SIN 711-2, 711-18, 711-19, 711-205 — Discount 58%

Systems

SIN 711-1, 711-3, 711-11 — Discount 65%

Quantity Discounts

No discount tiers have been negotiated.

Prompt Payment Terms

Net 30 Days

Government Purchase Cards Accepted

Visa/Master Card

10. Foreign Item

None

11a. Time of Delivery

5 - 90 days after receipt of order

11b. Expedited Delivery

Expedited delivery available. Contact NP Sales Support.

11c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Sales Support.

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 oe@neutralposture.com

* Authorized Dealers should be cited on order

14. Payment Address:

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

Warranty Provision:

Neutral Posture's commercial warranty applies.

Export Packing Charges:

Contact NP Sales Support for quote

Terms and Conditions of Government Purchase Card:

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

Terms and Conditions Of Rental, Maintenance, and Repair: Not applicable

Terms and Conditions of Installation:

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

20. Terms and Conditions of Repair Parts:

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

20a. Terms and Conditions for Any Other Services:

GSA has accepted all of our standard terms and conditions as noted on page 6-7.

21. List of Service and Distribution Points:

Not applicable

List of Dealers:

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

23. Preventive Maintenance:

Not offered or applicable

Environmental Attributes:

Not applicable

Other Information:

Tax Identification Number (TIN): 74-2983577 DUNS: 61-0339723 Cage Code: 0UTL8 CEC: 61134982 SIC/NAICS: 2522/337214

CCR:

NP is registered in System For Award Management (SAM) and Central Contractor Registration (CCR) database.

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

1		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture supplied wall cleat with	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Finishes

FABRICS		LAMINATES EDGE BANDS				
A			L1			
Aerial	Victor	F1206	Casual Linen	SS-CLN	Asian Sand	EB-ASD
Candid	Guilford of Maine	F3007	Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Cross Check	Mayer	F299	Linen	SS-LN	Beige	EB-BEI
Dune	Victor	F4505	Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Forte	Mayer	F298	Mission Maple	SW-MNM	Casual Linen	EB-CLN
Infinity	Momentum	F0914A	Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Marathon	Momentum	F0914B	Organic Cotton	SS-OC	Custom Laminate	EB-COL
Millennium	Momentum	F0914C	Soft Gold Mesh	SP-SGM	Empire Mahogany	EB-EMH
Netiquette	Victor	F1241	Sterling Ash	SW-STA	Fashion Grey	EB-FGR
Odyssey	Momentum	F0914D	10		Fired Steel	EB-FIS
Off the Grid	Victor	F1233	L2		Forged Steel	EB-FOR
Pact	Momentum	F0911	Asian Sand	PW-ASD	Grey	EB-GRY
Quadrille	Victor	F4701	Astro Strandz	PP-AST	Grey Mesh	EB-GRM
Quasar	Victor	F4226	Biltmore Cherry	PW-BCH	Khaki Brown	EB-BRN
Quattro	Mayer	F300	Cosmic Strandz	PP-CST	Linen	EB-LN
Sprite	Guilford of Maine	F2671	Empire Mahogany	PW-EMH	Mangalore Mango	EB-MGN
Strata	Mayer	F164	Fired Steel	PP-FIS	Mission Maple	EB-MNN
n			Forged Steel	PP-FOS	Nickle Ev	EB-NEV
В			Shaker Cherry	PW-SCH	Organic Cotton	EB-OC
Cape Cod	Guilford of Maine	F3073	Silver Alchemy	PW-SAL	Pepperdust	EB-PPR
Dashing	Victor	F1204	Studio Teak	PW-STK	Platinum	EB-PLT
Grasscloth	Mayer	F137	Vapor Strandz	PP-VST	Sand	EB-SND
Luminary	Mayer	F100			Shadow	EB-SHD
Metallation	Guilford of Maine	F5118			Shaker Cherry	EB-SCH
Metro	Guilford of Maine	F3077			Silver Alchemy	EB-SAL
Rattan	Guilford of Maine	F3087			Slate Grey	EB-SGR
Reverb	Mayer	F421			Soft Gold Mesh	EB-SGM
Tradition	Momentum	F0914E			Sterling Ash	EB-STA
Tweed	Guilford of Maine	F2737			Studio Teak	EB-STK
Verse	Momentum	F0910			Vapor Strandz	EB-VST
D					Virtual Design Laminate	EB-VL
Echo	Mayer	F388				

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS	
P1	
Cream	201
Designer Beige	202
Grey	203
Jet Black	204
Sky White	200
P2	
Brass	303
Champagne	301
Copper	304
Platinum	302

PLEXIGLASS	
 Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSE	RT PANELS
Frost	LF

GLASS	
	CL
Bronzed	BR
Frosted	FR
Smoked	SM

DESIGNER GLASS

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Custom Finishes Program

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

CUSTOMER'S OWN FABRICS

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any suppliers in the industry. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOMER'S OWN LAMINATES

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for their premium laminates and L3 for their custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact your sales representative or Sales Support for more information.

We can also grade-in any laminate from any other supplier. Please contact your sales representative or Sales Support for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

CUSTOM RAL PAINT FINISHES

Whether it is an 8 person or 150 person project, use any RAL powder coat colors on your metal products. If you have any questions, please contact your sales representative or Sales Support for more information.

HOW TO PRICE

For Each Order

Setup fee per RAL color \$1,100 (NET) Each item using an RAL color P3 Pricing

Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANDS		LEGACY – PAINTS & PLAS	TICS
L1				P1	
Jet Black	111	Jet Black	111	Jet Black	111
Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113	Brown	112
Soft Grey (was M42)	117	Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113
Bright White	118	Medium Grey (was Y2)	115	Folkstone Grey (was LA)	114
Pumice (was LF)	119	Soft Grey (was E)	117	Med. Grey (was Y2)	115
Micro Grey	121	Bright White	118	Sandstone	116
Brushed Sand	122	Pumice (was LF)	119	Soft Grey (was E)	117
Brushed Grey	123	Medium Cherry	124	Dark Neutral	D
Medium Cherry	124	Natural Maple	125	Taupe	R
Natural Maple	125	Natural Cherry	126		
Natural Cherry	126	Walnut	127	<u>P2</u>	
Walnut	127	Fog	128	Beige Mist Metallic	611
Fog	128	Dark Neutral	D	Medium Metallic Grey	612
Micro Sand	129	Snow	В	Beige Metallic	Н
Caramel Maple	MC	Taupe	R	Light Tan Metallic	W
Clear Maple	CM	Sand	SD	P3	
Deep Mahogany	MP58	Caramel Maple	MC		
Grey Granite	M95	Clear Maple	CM	Bright White	118
Light Grey	M1	Warm Cherry	WM	Silver	613
Light Oak	MP70				
Markerboard	CP276				
Pearwood	PA			NOTE: EP1 and EP2 panels and	components
Rose Granite	M96			are not available in the followi	-
Sand	SD			Bright White	118
Med. Grey (Slate)	M89			Brown	112
Snow	В			Jet Black	111
Taupe	M80			Jet Black	
Warm Cherry	WM				
White Essence	ES7				
Winter Grey Matrix	MR6				

Panels

General Info

Step 1 - Model

	Тор Сар	Panel Type	w	Н	Raceway
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	N	FA	36	29	К

Stan	2 _	Surface	Finish
วเยม	z –	Surrace	LIIIIZI

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301

FEAIL	JKES
-------	------

HEIGHTS

29" H

41" H 49" H

54" H

61" H

66" H

81" H

WIDTHS

12" W

18" W

24" W 30" W

36" W

42" W

48" W

60" W

THICKNESS

1 1/2"

TOP CAP





3 – Beveled

N – Flat

RACEWAY

(K) with knockouts (N) without knockouts

PANEL RATINGS

NRC	.75
STC	15

CONSTRUCTION

FABRIC PANEL FRAME

Galvaneal roll formed steel frame

FABRIC PANEL CORE

Mineral wool

Fiberglass backer

INSERT PANEL FRAME

Extruded aluminum

INSERT PANEL CORE

1/4" Laminate

1/4" Plexiglass Open Frame

TOP CAP, SLOTTED STANDARDCold rolled roll formed steel

TOP CAP CLIP

Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled roll formed steel

RACEWAY STANCHIONS

Pressed & folded steel

PANEL HOOKS

Steel

POSTS

Steel tube

POST CONNECTORS

Diecast aluminum

SHROUDS

Pressed & folded steel

SURFACE MATERIALS

ALL PANELS

Trim - Paint

FABRIC PANELS (FA)

Fabric

INSERT PANELS

				-	
PI	exi	ala	22F	(P	G)
	-	3.,	100	V-	-,

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

Glass (GL)

Clear	CL
Frosted	FR
Bronzed	BR
Smoked	SM

Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

Laminate (LM)

Laminate


Open Frame (OF)


Paint

POSTS, CONNECTORS & SHROUDS

Paint

PANELS





29" H			PAINT								
W	MODEL#	A	В	c	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1229(K/N)	\$430	\$460	\$500	\$550	\$610	\$680	\$760	\$850	+ \$25	+ \$50
18"	EP(3/N)FA1829(K/N)	\$480	\$510	\$550	\$600	\$660	\$730	\$810	\$900	+ \$25	+ \$50
24"	EP(3/N)FA2429(K/N)	\$530	\$560	\$600	\$650	\$710	\$780	\$860	\$950	+ \$25	+ \$50
30"	EP(3/N)FA3029(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$25	+ \$50
36"	EP(3/N)FA3629(K/N)	\$650	\$710	\$790	\$890	\$1,010	\$1,150	\$1,310	\$1,490	+ \$25	+ \$50
42"	EP(3/N)FA4229(K/N)	\$690	\$750	\$830	\$930	\$1,050	\$1,190	\$1,350	\$1,530	+ \$25	+ \$50
48"	EP(3/N)FA4829(K/N)	\$730	\$790	\$870	\$970	\$1,090	\$1,230	\$1,390	\$1,570	+ \$25	+ \$50
60"	EP(3/N)FA6029(K/N)	\$770	\$830	\$910	\$1,010	\$1,130	\$1,270	\$1,430	\$1,610	+ \$25	+ \$50

	•										
12"	EP(3/N)FA1241(K/N)	\$480	\$520	\$570	\$630	\$710	\$800	\$910	\$1,040	+ \$25	+ \$50
18"	EP(3/N)FA1841(K/N)	\$530	\$570	\$620	\$680	\$760	\$850	\$960	\$1,090	+ \$25	+ \$50
24"	EP(3/N)FA2441(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$25	+ \$50
30"	EP(3/N)FA3041(K/N)	\$630	\$670	\$720	\$780	\$860	\$950	\$1,060	\$1,190	+ \$25	+ \$50
36"	EP(3/N)FA3641(K/N)	\$700	\$780	\$880	\$1,000	\$1,160	\$1,350	\$1,590	\$1,880	+ \$25	+ \$50
42"	EP(3/N)FA4241(K/N)	\$750	\$830	\$930	\$1,050	\$1,210	\$1,400	\$1,640	\$1,930	+ \$25	+ \$50
48"	EP(3/N)FA4841(K/N)	\$800	\$880	\$980	\$1,100	\$1,260	\$1,450	\$1,690	\$1,980	+ \$25	+ \$50
60"	EP(3/N)FA6041(K/N)	\$850	\$930	\$1,030	\$1,150	\$1,310	\$1,500	\$1,740	\$2,030	+ \$25	+ \$50

49" H

	•										
12"	EP(3/N)FA1249(K/N)	\$540	\$580	\$630	\$690	\$770	\$870	\$990	\$1,140	+ \$25	+ \$50
18"	EP(3/N)FA1849(K/N)	\$590	\$630	\$680	\$740	\$820	\$920	\$1,040	\$1,190	+ \$25	+ \$50
24"	EP(3/N)FA2449(K/N)	\$640	\$680	\$730	\$790	\$870	\$970	\$1,090	\$1,240	+ \$25	+ \$50
30"	EP(3/N)FA3049(K/N)	\$690	\$730	\$780	\$840	\$920	\$1,020	\$1,140	\$1,290	+ \$25	+ \$50
36"	EP(3/N)FA3649(K/N)	\$760	\$840	\$940	\$1,060	\$1,230	\$1,440	\$1,710	\$2,030	+ \$25	+ \$50
42"	EP(3/N)FA4249(K/N)	\$810	\$890	\$990	\$1,110	\$1,280	\$1,490	\$1,760	\$2,080	+ \$25	+ \$50
48"	EP(3/N)FA4849(K/N)	\$860	\$940	\$1,040	\$1,160	\$1,330	\$1,540	\$1,810	\$2,130	+ \$25	+ \$50
60"	EP(3/N)FA6049(K/N)	\$930	\$1,010	\$1,110	\$1,230	\$1,400	\$1,610	\$1,880	\$2,200	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Surface finish
- 3. Trim finish

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

Assembly

Included

- Panel
- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







54 " l	Н	•	PAINT									
W	MODEL#	A	A B C D E F G H									
12"	EP(3/N)FA1254(K/N)	\$590	\$630	\$680	\$750	\$850	\$960	\$1,090	\$1,250	+ \$25	+ \$50	
18"	EP(3/N)FA1854(K/N)	\$640	\$680	\$730	\$800	\$900	\$1,010	\$1,140	\$1,300	+ \$25	+ \$50	
24"	EP(3/N)FA2454(K/N)	\$690	\$730	\$780	\$850	\$950	\$1,060	\$1,190	\$1,350	+ \$25	+ \$50	
30"	EP(3/N)FA3054(K/N)	\$740	\$780	\$830	\$900	\$1,000	\$1,110	\$1,240	\$1,400	+ \$25	+ \$50	
36"	EP(3/N)FA3654(K/N)	\$820	\$910	\$1,010	\$1,150	\$1,360	\$1,590	\$1,860	\$2,190	+ \$25	+ \$50	
42"	EP(3/N)FA4254(K/N)	\$870	\$960	\$1,060	\$1,200	\$1,410	\$1,640	\$1,910	\$2,240	+ \$25	+ \$50	
48"	EP(3/N)FA4854(K/N)	\$920	\$1,010	\$1,110	\$1,250	\$1,460	\$1,690	\$1,960	\$2,290	+ \$25	+ \$50	
60"	EP(3/N)FA6054(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$25	+ \$50	

12"	EP(3/N)FA1261(K/N)	\$640	\$690	\$750	\$830	\$940	\$1,060	\$1,200	\$1,370	+ \$25	+ \$50
18"	EP(3/N)FA1861(K/N)	\$690	\$740	\$800	\$880	\$990	\$1,110	\$1,250	\$1,420	+ \$25	+ \$50
24"	EP(3/N)FA2461(K/N)	\$740	\$790	\$850	\$930	\$1,040	\$1,160	\$1,300	\$1,470	+ \$25	+ \$50
30"	EP(3/N)FA3061(K/N)	\$790	\$840	\$900	\$980	\$1,090	\$1,210	\$1,350	\$1,520	+ \$25	+ \$50
36"	EP(3/N)FA3661(K/N)	\$860	\$960	\$1,080	\$1,240	\$1,470	\$1,720	\$2,000	\$2,340	+ \$25	+ \$50
42"	EP(3/N)FA4261(K/N)	\$910	\$1,010	\$1,130	\$1,290	\$1,520	\$1,770	\$2,050	\$2,390	+ \$25	+ \$50
48"	EP(3/N)FA4861(K/N)	\$960	\$1,060	\$1,180	\$1,340	\$1,570	\$1,820	\$2,100	\$2,440	+ \$25	+ \$50
60"	EP(3/N)FA6061(K/N)	\$1,050	\$1,150	\$1,270	\$1,430	\$1,660	\$1,910	\$2,190	\$2,530	+ \$25	+ \$50


66" H

12"	EP(3/N)FA1266(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	\$1,430	+ \$25	+ \$50
18"	EP(3/N)FA1866(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	\$1,480	+ \$25	+ \$50
24"	EP(3/N)FA2466(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	\$1,530	+ \$25	+ \$50
30"	EP(3/N)FA3066(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	\$1,580	+ \$25	+ \$50
36"	EP(3/N)FA3666(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	\$2,530	+ \$25	+ \$50
42"	EP(3/N)FA4266(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	\$2,580	+ \$25	+ \$50
48"	EP(3/N)FA4866(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	\$2,630	+ \$25	+ \$50
60"	EP(3/N)FA6066(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	\$2,720	+ \$25	+ \$50

81" H

12"	EP(3/N)FA1281(K/N)	\$710	\$770	\$830	\$920	\$1,070	\$1,240	\$1,430	\$1,650	+ \$25	+ \$50
18"	EP(3/N)FA1881(K/N)	\$760	\$820	\$880	\$970	\$1,120	\$1,290	\$1,480	\$1,700	+ \$25	+ \$50
24"	EP(3/N)FA2481(K/N)	\$810	\$870	\$930	\$1,020	\$1,170	\$1,340	\$1,530	\$1,750	+ \$25	+ \$50
30"	EP(3/N)FA3081(K/N)	\$860	\$920	\$980	\$1,070	\$1,220	\$1,390	\$1,580	\$1,800	+ \$25	+ \$50
36"	EP(3/N)FA3681(K/N)	\$1,040	\$1,160	\$1,280	\$1,470	\$1,800	\$2,170	\$2,580	\$3,040	+ \$25	+ \$50
42"	EP(3/N)FA4281(K/N)	\$1,160	\$1,280	\$1,400	\$1,590	\$1,920	\$2,290	\$2,700	\$3,160	+ \$25	+ \$50
48"	EP(3/N)FA4881(K/N)	\$1,250	\$1,370	\$1,490	\$1,680	\$2,010	\$2,380	\$2,790	\$3,250	+ \$25	+ \$50
60"	EP(3/N)FA6081(K/N)	\$1,340	\$1,460	\$1,580	\$1,770	\$2,100	\$2,470	\$2,880	\$3,340	+ \$25	+ \$50

		Тор Сар	Panel Type	W	Н	Raceway
EP Equity	panel 3 N	Beveled Flat	FA Fabric panel	36	29	K With knockoutsN Without knockouts
EP	N		FA	36	29	К



29" H			G	LASS INSERT		LAI	MINATE INSE	RT	PAIN	IT
W	MODEL#	0F	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP(3/N)()1229(K/N)	\$697	\$1,097	\$937	\$847	\$897	\$987	\$1,076	+ \$25	+ \$50
18"	EP(3/N)()1829(K/N)	\$707	\$1,197	\$967	\$867	\$947	\$1,042	\$1,136	+ \$25	+ \$50
24"	EP(3/N)()2429(K/N)	\$717	\$1,297	\$997	\$887	\$977	\$1,075	\$1,172	+ \$25	+ \$50
30"	EP(3/N)()3029(K/N)	\$737	\$1,397	\$1,037	\$917	\$1,007	\$1,108	\$1,208	+ \$25	+ \$50
36"	EP(3/N)()3629(K/N)	\$757	\$1,487	\$1,087	\$957	\$1,057	\$1,163	\$1,268	+ \$25	+ \$50
42"	EP(3/N)()4229(K/N)	\$777	\$1,587	\$1,137	\$1,007	\$1,107	\$1,218	\$1,328	+ \$25	+ \$50
48"	EP(3/N)()4829(K/N)	\$797	\$1,697	\$1,197	\$1,067	\$1,167	\$1,284	\$1,400	+ \$25	+ \$50
60"	EP(3/N)()6029(K/N)	\$837	\$1,867	\$1,267	\$1,137	\$1,237	\$1,361	\$1,484	+ \$25	+ \$50

12"	EP(3/N)()1241(K/N)	\$737	\$1,237	\$1,057	\$947	\$947	\$1,042	\$1,136	+ \$25	+ \$50
18"	EP(3/N)()1841(K/N)	\$747	\$1,327	\$1,077	\$967	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
24"	EP(3/N)()2441(K/N)	\$757	\$1,437	\$1,117	\$997	\$1,087	\$1,196	\$1,304	+ \$25	+ \$50
30"	EP(3/N)()3041(K/N)	\$777	\$1,567	\$1,167	\$1,037	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
36"	EP(3/N)()3641(K/N)	\$797	\$1,667	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
42"	EP(3/N)()4241(K/N)	\$817	\$1,777	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
48"	EP(3/N)()4841(K/N)	\$837	\$1,957	\$1,357	\$1,217	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50
60"	EP(3/N)()6041(K/N)	\$877	\$2,247	\$1,447	\$1,297	\$1,417	\$1,559	\$1,700	+ \$25	+ \$50

49" H

.,										
12"	EP(3/N)()1249(K/N)	\$747	\$1,257	\$1,077	\$967	\$997	\$1,097	\$1,196	+ \$25	+ \$50
18"	EP(3/N)()1849(K/N)	\$757	\$1,357	\$1,107	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
24"	EP(3/N)()2449(K/N)	\$767	\$1,477	\$1,157	\$1,037	\$1,127	\$1,240	\$1,352	+ \$25	+ \$50
30"	EP(3/N)()3049(K/N)	\$787	\$1,637	\$1,217	\$1,087	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
36"	EP(3/N)()3649(K/N)	\$807	\$1,797	\$1,277	\$1,147	\$1,247	\$1,372	\$1,496	+ \$25	+ \$50
42"	EP(3/N)()4249(K/N)	\$827	\$1,967	\$1,347	\$1,217	\$1,317	\$1,449	\$1,580	+ \$25	+ \$50
48"	EP(3/N)()4849(K/N)	\$847	\$2,147	\$1,427	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
60"	EP(3/N)()6049(K/N)	\$887	\$2,377	\$1,557	\$1,407	\$1,527	\$1,680	\$1,832	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint trim color

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider.

Plexiglass Finishes

CL . . Clear **IC** . . . lce

SM...Smoked

 ${\bf TR}$. . Translucent

Glass Finishes

CL . . Clear **BR** . . Bronzed **FR** . . Frosted

SM..Smoked

Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, or as an open frame for complete accessibility through the panel.

Assembly

IncludedPanel

- Top cap
- Metal raceway covers

Ordered Separately

- Posts
- Panel connectors
- Electrical components


Top Cap Styles

3 – Beveled

N – Flat







48"

60"

54" H				LASS INSERT		1 A	MINATE INSE	DT	PAINT	
W	MODEL#	OF	DG	GL	PG	L1	MINATE INSE	nı L3	P2	VI P3
12"	EP(3/N)()1254(K/N)	\$777	\$1,267	\$1,087	\$977	\$1,047	\$1,152	\$1,256	+ \$25	+ \$50
18"	EP(3/N)()1854(K/N)	\$787	\$1,207	\$1,007	\$1,017	\$1,047	\$1,132	\$1,316	+ \$25	+ \$50
24"	EP(3/N)()2454(K/N)	\$797	\$1,507	\$1,187	\$1,017	\$1,157	\$1,273	\$1,388	+ \$25	+ \$50
30"	EP(3/N)()3054(K/N)	\$817	\$1,677	\$1,257	\$1,127	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50
36"	EP(3/N)()3654(K/N)	\$837	\$1,847	\$1,327	\$1,197	\$1,297	\$1,427	\$1,556	+ \$25	+ \$50
42"	EP(3/N)()4254(K/N)	\$857	\$2,027	\$1,407	\$1,277	\$1,377	\$1,515	\$1,652	+ \$25	+ \$50
48"	EP(3/N)()4854(K/N)	\$877	\$2,227	\$1,507	\$1,367	\$1,477	\$1,625	\$1,772	+ \$25	+ \$50
60"	EP(3/N)()6054(K/N)	\$917	\$2,447	\$1,627	\$1,477	\$1,597	\$1,757	\$1,916	+ \$25	+ \$50
	(0,11),(,010 1(1111)	****	, , _, ,	4 ./	<i>+ .,</i>	4 1,221	4 . /	7 1,7 1 2	7	
61" H										
12"	EP(3/N)()1261(K/N)	\$787	\$1,307	\$1,107	\$987	\$1,067	\$1,174	\$1,280	+ \$25	+ \$50
18"	EP(3/N)()1861(K/N)	\$797	\$1,407	\$1,157	\$1,037	\$1,117	\$1,229	\$1,340	+ \$25	+ \$50
24"	EP(3/N)()2461(K/N)	\$807	\$1,557	\$1,227	\$1,097	\$1,187	\$1,306	\$1,424	+ \$25	+ \$50
30"	EP(3/N)()3061(K/N)	\$827	\$1,737	\$1,307	\$1,167	\$1,267	\$1,394	\$1,520	+ \$25	+ \$50
36"	EP(3/N)()3661(K/N)	\$847	\$1,917	\$1,387	\$1,247	\$1,347	\$1,482	\$1,616	+ \$25	+ \$50
42"	EP(3/N)()4261(K/N)	\$867	\$2,117	\$1,487	\$1,337	\$1,447	\$1,592	\$1,736	+ \$25	+ \$50
48"	EP(3/N)()4861(K/N)	\$887	\$2,327	\$1,597	\$1,437	\$1,557	\$1,713	\$1,868	+ \$25	+ \$50
60"	EP(3/N)()6061(K/N)	\$937	\$2,657	\$1,717	\$1,547	\$1,677	\$1,845	\$2,012	+ \$25	+ \$50
66" H										
12"	EP(3/N)()1266(K/N)	\$797	\$1,317	\$1,117	\$997	\$1,077	\$1,185	\$1,292	+ \$25	+ \$50
18"	EP(3/N)()1866(K/N)	\$807	\$1,447	\$1,177	\$1,057	\$1,137	\$1,251	\$1,364	+ \$25	+ \$50
24"	EP(3/N)()2466(K/N)	\$817	\$1,607	\$1,257	\$1,127	\$1,217	\$1,339	\$1,460	+ \$25	+ \$50
30"	EP(3/N)()3066(K/N)	\$837	\$1,797	\$1,347	\$1,207	\$1,307	\$1,438	\$1,568	+ \$25	+ \$50
36"	EP(3/N)()3666(K/N)	\$857	\$1,987	\$1,437	\$1,297	\$1,397	\$1,537	\$1,676	+ \$25	+ \$50
42"	EP(3/N)()4266(K/N)	\$877	\$2,197	\$1,547	\$1,397	\$1,507	\$1,658	\$1,808	+ \$25	+ \$50
48"	EP(3/N)()4866(K/N)	\$897	\$2,417	\$1,667	\$1,507	\$1,627	\$1,790	\$1,952	+ \$25	+ \$50
60"	EP(3/N)()6066(K/N)	\$947	\$2,737	\$1,787	\$1,627	\$1,747	\$1,922	\$2,096	+ \$25	+ \$50
81" H										
12"	EP(3/N)()1281(K/N)	\$857	\$1,547	\$1,327	\$1,187	\$1,287	\$1,416	\$1,544	+ \$25	+ \$50
18"	EP(3/N)()1881(K/N)	\$867	\$1,727	\$1,427	\$1,287	\$1,387	\$1,526	\$1,664	+ \$25	+ \$50
24"	EP(3/N)()2481(K/N)	\$877	\$1,927	\$1,527	\$1,387	\$1,487	\$1,636	\$1,784	+ \$25	+ \$50
30"	EP(3/N)()3081(K/N)	\$897	\$2,127	\$1,627	\$1,487	\$1,587	\$1,746	\$1,904	+ \$25	+ \$50
36"	EP(3/N)()3681(K/N)	\$917	\$2,327	\$1,727	\$1,587	\$1,687	\$1,856	\$2,024	+ \$25	+ \$50
42"	EP(3/N)()4281(K/N)	\$937	\$2,527	\$1,827	\$1,687	\$1,787	\$1,966	\$2,144	+ \$25	+ \$50

	Тор Сар	Panel Type	W	н	Raceway
EP Equity panel	3 Beveled	OF Open frame	36	29	K With knockouts
	N Flat	DG Designer glass insert	•	:	N Without knockouts
	•	GL Glass insert		•	:
•	•	PG Plexiglass insert			
•	•	LM Laminate insert			•
•		[
EP	N	PG	36	29	K
	ii	1.1	<u></u>	:i	i

\$1,947

\$2,097

\$1,957 \$2,057

\$1,807

\$1,907

\$2,098

\$2,263

\$2,468

+ \$25

+ \$25

\$2,288

\$1,027 \$3,347

\$957

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

\$2,747

+ \$50

+ \$50

Post Assemblies



			. .		
Stra	ight			PAINT	
Н	MODEL#		P1	P2	Р3
29"	EP(3/N)P29S		\$148	\$155	\$162
41"	EP(3/N)P41S		\$150	\$157	\$164
49"	EP(3/N)P49S		\$152	\$159	\$166
54"	EP(3/N)P54S		\$154	\$161	\$168
61"	EP(3/N)P61S		\$156	\$163	\$170
66"	EP(3/N)P66S		\$158	\$165	\$172
81"	EP(3/N)P81S		\$175	\$182	\$189



		:							
2-wa	ay L		PAINT						
Н	MODEL#	P1	P2	P3					
29"	EP(3/N)P29L	\$148	\$155	\$162					
41"	EP(3/N)P41L	\$150	\$157	\$164					
49"	EP(3/N)P49L	\$153	\$160	\$167					
54"	EP(3/N)P54L	\$157	\$164	\$171					
61"	EP(3/N)P61L	\$165	\$172	\$179					
66"	EP(3/N)P66L	\$172	\$179	\$186					
81"	EP(3/N)P81L	\$185	\$192	\$199					



2-way 120

_ '''	1, 120			
29"	EP(3/N)P29120	\$159	\$166	\$173
41"	EP(3/N)P41120	\$167	\$174	\$181
49"	EP(3/N)P49120	\$171	\$178	\$185
54"	EP(3/N)P54120	\$175	\$182	\$189
61"	EP(3/N)P61120	\$183	\$190	\$197
66"	EP(3/N)P66120	\$190	\$197	\$204
81"	EP(3/N)P81120	\$202	\$209	\$216

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to connect panels of the same height

Bottom glides on post allow for up to 1 $\frac{1}{2}$ " of vertical adjustment.

Assembly

Included

- Single height postPanel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat







		,		• • • • • • • • • • • • • • • • • • •	
3-wa	ay T			PAINT	
Н	MODEL#		P1	P2	P3
29"	EP(3/N)P29T		\$148	\$155	\$162
41"	EP(3/N)P41T		\$150	\$157	\$164
49"	EP(3/N)P49T		\$152	\$159	\$166
54"	EP(3/N)P54T		\$154	\$161	\$168
61"	EP(3/N)P61T		\$157	\$164	\$171
66"	EP(3/N)P66T		\$164	\$171	\$178
81"	EP(3/N)P81T		\$176	\$183	\$190



4-wa	I-way X		PAINT				
Н	MODEL#	P1	P2	P3			
29"	EP(3/N)P29X	\$148	\$155	\$162			
41"	EP(3/N)P41X	\$150	\$157	\$164			
49"	EP(3/N)P49X	\$152	\$159	\$166			
54"	EP(3/N)P54X	\$154	\$161	\$168			
61"	EP(3/N)P61X	\$156	\$163	\$170			
66"	EP(3/N)P66X	\$158	\$165	\$172			
81"	EP(3/N)P81X	\$171	\$178	\$185			



3-wav 120

3-way 120											
29"	EP(3/N)P29Y	\$179	\$188	\$197							
41"	EP(3/N)P41Y	\$181	\$190	\$199							
49"	EP(3/N)P49Y	\$183	\$192	\$201							
54"	EP(3/N)P54Y	\$185	\$194	\$203							
61"	EP(3/N)P61Y	\$187	\$196	\$205							
66"	EP(3/N)P66Y	\$193	\$202	\$211							
81"	EP(3/N)P81Y	\$206	\$215	\$224							



Carpet Gripper

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	EP1CG12	\$38

	Тор Сар		н		Connection Type
EP Equity panel	3 Beveled	P Post	29	120	2-way 120
•	N Flat		<u>:</u>	Е	End w/post
:				ETK	Postless end
1			:	L	2-way L
			•	Т	3-way T
				S	Straight
			:	Χ	4-way
			:	Υ	3-way 120
			:	:	
EP	N	Р	29	S	



End w/Post			PAINT	
Н	MODEL #	P1	P2	Р3
29"	EP(3/N)P29E	\$159	\$166	\$173
41"	EP(3/N)P41E	\$164	\$171	\$178
49"	EP(3/N)P49E	\$168	\$175	\$182
54"	EP(3/N)P54E	\$171	\$178	\$185
61"	EP(3/N)P61E	\$180	\$187	\$194
66"	EP(3/N)P66E	\$186	\$193	\$200
81"	EP(3/N)P81E	\$199	\$206	\$213



Postless End			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)ETK29	\$157	\$160	\$163
41"	EP(3/N)ETK41	\$159	\$162	\$165
49"	EP(3/N)ETK49	\$161	\$164	\$167
54"	EP(3/N)ETK54	\$163	\$166	\$169
61"	EP(3/N)ETK61	\$165	\$168	\$171
66"	EP(3/N)ETK66	\$167	\$170	\$173
81"	EP(3/N)ETK81	\$176	\$179	\$182

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled





Assembly

Included

- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat





Wall Starter/Wall Mounted Channel

Panel \	Wall St	tarter		PAINT			
w	D	Н	H (Actual)	MODEL#	P1	P2	Р3
1 ½"	1/2"	29"	23"	EP(3/N)PWS29	\$44	\$45	\$47
1 ½"	1/2"	41"	35"	EP(3/N)PWS41	\$44	\$45	\$47
1 ½"	1/2"	49"	43"	EP(3/N)PWS49	\$48	\$50	\$55
1 ½"	1/2"	54"	49"	EP(3/N)PWS54	\$50	\$55	\$59
1 ½"	1/2"	61"	55"	EP(3/N)PWS61	\$50	\$55	\$59
1 ½"	1/2"	66"	60"	EP(3/N)PWS66	\$52	\$56	\$62
1 ½"	1/2"	81"	75"	EP(3/N)PWS81	\$59	\$63	\$69

Wall Mounted Channel

Tun mounted endiner							
2 %"	3/4"	29"	23"	EP3WMC29	\$112	\$116	\$122
2 1/8"	3/4"	41"	35"	EP3WMC41	\$112	\$116	\$122
2 %"	3/4"	49"	43"	EP3WMC49	\$114	\$120	\$128
2 %"	3/4"	54"	49"	EP3WMC54	\$116	\$122	\$129
2 %"	3/4"	61"	55"	EP3WMC61	\$130	\$135	\$145
2 %"	3/4"	66"	60"	EP3WMC66	\$133	\$144	\$148
2 %"	3/4"	81"	75"	EP3WMC81	\$162	\$168	\$178
2 %"	3/4"	120"	120"	EP3WMC120	\$249	\$262	\$276

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

N – Flat

Top Cap Styles

3 - Beveled

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Included

- Extruded aluminum
- Insert which snaps into place

Assembly

Posts (Multi-Height)

Single Height			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP3P29	\$93	\$96	\$99
41"	EP3P41	\$94	\$97	\$100
49"	EP3P49	\$96	\$99	\$102
54"	EP3P54	\$99	\$102	\$105
61"	EP3P61	\$105	\$108	\$111
66"	EP3P66	\$107	\$110	\$113
81"	EP3P81	\$117	\$120	\$123

Dual Height

29'	"/41"	EP3DP2941	\$155	\$165	\$175
29'	"/49"	EP3DP2949	\$165	\$175	\$185
29'	"/54"	EP3DP2954	\$165	\$175	\$185
29'	"/61"	EP3DP2961	\$175	\$185	\$195
29'	"/66"	EP3DP2966	\$175	\$185	\$195
29'	"/81"	EP3DP2981	\$195	\$205	\$215
41'	"/49"	EP3DP4149	\$165	\$175	\$185
41'	"/54"	EP3DP4154	\$165	\$175	\$185
41'	"/61"	EP3DP4161	\$175	\$185	\$195
41'	"/66"	EP3DP4166	\$175	\$185	\$195
41'	"/81"	EP3DP4181	\$195	\$205	\$215
49'	"/54"	EP3DP4954	\$165	\$175	\$185
49'	"/61"	EP3DP4961	\$175	\$185	\$195
49'	"/66"	EP3DP4966	\$175	\$185	\$195
49'	"/81"	EP3DP4981	\$195	\$205	\$215
54'	"/61"	EP3DP5461	\$175	\$185	\$195
54'	"/66"	EP3DP5466	\$175	\$185	\$195
54'	"/81"	EP3DP5481	\$195	\$205	\$215
61'	"/66"	EP3DP6166	\$175	\$185	\$195
61'	"/81"	EP3DP6181	\$195	\$205	\$215
66'	"/81"	EP3DP6681	\$195	\$205	\$215

		······	• • • • • • • • • • • • • • • • • • •	••••••
Triple Heig	ht		PAINT	
Н	MODEL#	P1	P2	Р3
29"/41"/49"	EP3TP294149	\$195	\$205	\$215
29"/41"/54"	EP3TP294154	\$195	\$205	\$215
29"/41"/61"	EP3TP294161	\$200	\$210	\$220
29"/41"/66"	EP3TP294166	\$200	\$210	\$220
29"/41"/81"	EP3TP294181	\$230	\$240	\$250
29"/49"/54"	EP3TP294954	\$195	\$205	\$215
29"/49"/61"	EP3TP294961	\$200	\$210	\$220
29"/49"/66"	EP3TP294966	\$200	\$210	\$220
29"/49"/81"	EP3TP294981	\$230	\$240	\$250
29"/54"/61"	EP3TP295461	\$200	\$210	\$220
29"/54"/66"	EP3TP295466	\$200	\$210	\$220
29"/54"/81"	EP3TP295481	\$230	\$240	\$250
29"/61"/66"	EP3TP296166	\$200	\$210	\$220
29"/61"/81"	EP3TP296181	\$230	\$240	\$250
29"/66"/81"	EP3TP296681	\$230	\$240	\$250
41"/49"/54"	EP3TP414954	\$195	\$205	\$215
41"/49"/61"	EP3TP414961	\$200	\$210	\$220
41"/49"/66"	EP3TP414966	\$200	\$210	\$220
41"/49"/81"	EP3TP414981	\$230	\$240	\$250
41"/54"/61"	EP3TP415461	\$200	\$210	\$220
41"/54"/66"	EP3TP415466	\$200	\$210	\$220
41"/54"/81"	EP3TP415481	\$230	\$240	\$250
41"/61"/66"	EP3TP416166	\$200	\$210	\$220
41"/61"/81"	EP3TP416181	\$230	\$240	\$250
41"/66"/81"	EP3TP416681	\$230	\$240	\$250
49"/54"/61"	EP3TP495461	\$200	\$210	\$220
49"/54"/66"	EP3TP495466	\$200	\$210	\$220
49"/54"/81"	EP3TP495481	\$230	\$240	\$250
49"/61"/66"	EP3TP496166	\$200	\$210	\$220
49"/61"/81"	EP3TP496181	\$230	\$240	\$250
49"/66"/81"	EP3TP496681	\$230	\$240	\$250
54"/61"/66"	EP3TP546166	\$200	\$210	\$220
54"/61"/81"	EP3TP546181	\$230	\$240	\$250
54"/66"/81"	EP3TP546681	\$230	\$240	\$250
61"/66"/81"	EP3TP616681	\$230	\$240	\$250

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

Dual Height Posts

Used where 2 monolithic panels of 2 different heights intersect.

Triple Height PostsUsed where 3 monolithic panels of 3 different heights intersect.

Assembly

Included • Muti-height post

Ordered Separately

- Panel Connectors
- Metal shrouds

		:	· · · · · · · · · · · · · · · · · · ·	•••••
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP(3/N)PCS	\$37	\$40	\$43
2-way L	EP(3/N)PCL	\$37	\$40	\$43
2-way 120	EP3PC120	\$37	\$40	\$43
2-way adjustable angle	EPNPCA	\$47	\$50	\$53
3-way T	EP(3/N)PCT	\$47	\$50	\$53
3-way Y 120	EP(3/N)PCY	\$47	\$50	\$53
4-way X	EP(3/N)PCX	\$47	\$50	\$53
End with post	EP(3/N)PCEP	\$37	\$40	\$43
Multi-height filler	EP(3/N)PCMF	\$37	\$40	\$43
Trim filler	EPNCTF	\$37	\$40	\$43

Metal Shrouds		PAINT		
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP3SS	\$27	\$30	\$34
L outside	EP3SL	\$37	\$40	\$44
120 outside	EP3SO120	\$37	\$40	\$44
120 inside	EP3SI120	\$37	\$40	\$44
End w/post	EP3SEP	\$47	\$50	\$54





2-way adjustable angle











End with post













L outside





1.	Model #				

2. Paint trim color

Top Cap Styles

3 – Beveled







COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per lineal inch.

STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


STACK-ON PANEL CONNECTORS

STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


EXTENDED STACK-ON POST

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and Stack-on Panel MUST have flat (N) profile.



Stack-On Configurations Using Standard Stack-on Posts









BEVELED TOP CAPS










FLAT TOP CAPS





















Stack-On Configurations Using Standard Stack-on Posts








BEVELED TOP CAPS


FLAT TOP CAPS

















12" H		FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP1SF1212	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40
18"	EP1SF1812	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
24"	EP1SF2412	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
30"	EP1SF3012	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
36"	EP1SF3612	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40
42"	EP1SF4212	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40
48"	EP1SF4812	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40
60"	EP1SF6012	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40

13"	Н
12"	EP1SF12
10"	ED1CE10

12"	EP1SF1213	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
12	LI 131 1213	3-12-U	Ş-1-TO	Ş-77 U	2310	2220	2222	↓ 0 → <i>J</i>	\$700	1 720	1 3-10
18"	EP1SF1813	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

	· ·										
12"	EP1SF1215	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

Specify

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly	
Included	Ordered Separately
 Stack-on panel 	 Stack-on posts


tack-on panei	• Stack-on posts
lat top cap (N)	 Panel connectors
ttached to the bottom	

		In	sert Type	W	Н	
	EP1S Stack-on panel	F	Fabric	36	15	
	-			•	:	
				i	:	
	EP1S	F	•	36	15	
-	L. 13	i	<u>.</u>			

Not Included

 Top cap (use top cap from base panel)

of stack-on panel



17"	H		FABRIC								
w	MODEL#	A	A B C D E F G H								
12"	EP1SF1217	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

20" H

	• •										
12"	EP1SF1220	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
18"	EP1SF1820	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
24"	EP1SF2420	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
30"	EP1SF3020	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
36"	EP1SF3620	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
42"	EP1SF4220	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
48"	EP1SF4820	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
60"	EP1SF6020	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40

Specity	

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly	
Included	Ordered Separately

- Stack-on panel Flat top cap (N)
 attached to the bottom
- of stack-on panel

• Stack-on posts


- Panel connectors

	Insert Type	W	Н
EP1S Stack-on Panel	F Fabric	36	20
		:	:
		:	:
EP1S	F	36	20
<u></u>	ii	ii	i

Not Included

 Top cap (use top cap from base panel)

Fabric without slots



12"	Н		FABRIC								PAINT	
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3	
12"	EP1SF1212N	\$400	\$420	\$450	\$490	\$530	\$575	\$625	\$680	+ \$20	+ \$40	
18"	EP1SF1812N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40	
24"	EP1SF2412N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40	
30"	EP1SF3012N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40	
36"	EP1SF3612N	\$480	\$510	\$550	\$600	\$670	\$750	\$840	\$950	+ \$20	+ \$40	
42"	EP1SF4212N	\$500	\$530	\$570	\$620	\$690	\$770	\$860	\$970	+ \$20	+ \$40	
48"	EP1SF4812N	\$520	\$550	\$590	\$640	\$710	\$790	\$880	\$990	+ \$20	+ \$40	
60"	EP1SF6012N	\$540	\$570	\$610	\$660	\$730	\$810	\$900	\$1,010	+ \$20	+ \$40	

13" H

12"	EP1SF1213N	\$420	\$440	\$470	\$510	\$550	\$595	\$645	\$700	+ \$20	+ \$40
18"	EP1SF1813N	\$440	\$460	\$490	\$530	\$570	\$615	\$665	\$720	+ \$20	+ \$40
24"	EP1SF2413N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$20	+ \$40
30"	EP1SF3013N	\$480	\$520	\$570	\$630	\$700	\$790	\$890	\$1,010	+ \$20	+ \$40
36"	EP1SF3613N	\$500	\$540	\$590	\$650	\$720	\$810	\$910	\$1,030	+ \$20	+ \$40
42"	EP1SF4213N	\$520	\$560	\$610	\$670	\$740	\$830	\$930	\$1,050	+ \$20	+ \$40
48"	EP1SF4813N	\$540	\$580	\$630	\$690	\$760	\$850	\$950	\$1,070	+ \$20	+ \$40
60"	EP1SF6013N	\$560	\$600	\$650	\$710	\$780	\$870	\$970	\$1,090	+ \$20	+ \$40

15" H

12"	EP1SF1215N	\$440	\$460	\$490	\$530	\$575	\$625	\$680	\$740	+ \$20	+ \$40
18"	EP1SF1815N	\$460	\$480	\$510	\$550	\$595	\$645	\$700	\$760	+ \$20	+ \$40
24"	EP1SF2415N	\$480	\$500	\$530	\$570	\$615	\$665	\$720	\$780	+ \$20	+ \$40
30"	EP1SF3015N	\$500	\$540	\$590	\$650	\$720	\$820	\$930	\$1,050	+ \$20	+ \$40
36"	EP1SF3615N	\$520	\$560	\$610	\$670	\$740	\$840	\$950	\$1,070	+ \$20	+ \$40
42"	EP1SF4215N	\$540	\$580	\$630	\$690	\$760	\$860	\$970	\$1,090	+ \$20	+ \$40
48"	EP1SF4815N	\$560	\$600	\$650	\$710	\$780	\$880	\$990	\$1,110	+ \$20	+ \$40
60"	EP1SF6015N	\$580	\$620	\$670	\$730	\$800	\$900	\$1,010	\$1,130	+ \$20	+ \$40

17" H

• • •	•										
12"	EP1SF1217N	\$460	\$490	\$530	\$575	\$625	\$680	\$740	\$805	+ \$20	+ \$40
18"	EP1SF1817N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$825	+ \$20	+ \$40
24"	EP1SF2417N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$845	+ \$20	+ \$40
30"	EP1SF3017N	\$520	\$570	\$630	\$700	\$790	\$900	\$1,020	\$1,150	+ \$20	+ \$40
36"	EP1SF3617N	\$540	\$590	\$650	\$720	\$810	\$920	\$1,040	\$1,170	+ \$20	+ \$40
42"	EP1SF4217N	\$560	\$610	\$670	\$740	\$830	\$940	\$1,060	\$1,190	+ \$20	+ \$40
48"	EP1SF4817N	\$580	\$630	\$690	\$760	\$850	\$960	\$1,080	\$1,210	+ \$20	+ \$40
60"	EP1SF6017N	\$600	\$650	\$710	\$780	\$870	\$980	\$1,100	\$1,230	+ \$20	+ \$40

Specify

- 1. Model#
- 2. Panel fabric
- 3. Paint trim color

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors




W MODEL A B C D E F C N P2 P2 P2 P2 P3 P2 P3 P3	20"	и	<u></u>									
12" EPISF1220N S480 S510 S550 S595 S645 S700 S760 S830 S20 S400												
18" EPISF1820N 5500 5530 5570 5615 5665 5720 5780 5850 520 5400	W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3
24" EPISF2420N	12"	EP1SF1220N	\$480	\$510	\$550	\$595	\$645	\$700	\$760	\$830	+ \$20	+ \$40
30° EP15F3020N S540 S590 S650 S720 S820 S950 S1,090 S1,240 S20 S400 S400 S400 S970 S1,110 S1,260 S20 S400 S400 S970 S1,110 S1,260 S20 S400 S400 S990 S1,130 S1,280 S20 S400 S400 S990 S1,130 S1,280 S20 S400 S400 S990 S1,130 S1,310 S20 S400 S400 S990 S1,130 S1,310 S20 S400 S400 S990 S1,130 S1,310 S20 S400 S400 S970 S890 S1,120 S1,130 S1,320 S20 S400 S400 S970 S890 S1,130 S1,310 S20 S400	18"	EP1SF1820N	\$500	\$530	\$570	\$615	\$665	\$720	\$780	\$850	+ \$20	+ \$40
36" EP15F3620N \$560 \$610 \$670 \$740 \$840 \$970 \$1,110 \$1,260 \$4520 \$440 \$48" EP15F4220N \$860 \$6530 \$699 \$760 \$860 \$999 \$1,130 \$1,260 \$4520 \$460 \$60" EP15F6020N \$630 \$660 \$720 \$790 \$890 \$1,020 \$1,160 \$1,310 \$4520 \$460 \$60" EP15F6020N \$630 \$660 \$720 \$790 \$890 \$1,020 \$1,160 \$1,310 \$4520 \$460 \$60" EP15F6020N \$630 \$660 \$740 \$810 \$910 \$1,040 \$1,180 \$1,330 \$4520 \$460 \$460 \$1.00	24"	EP1SF2420N	\$520	\$550	\$590	\$635	\$685	\$740	\$800	\$870	+ \$20	+ \$40
42" EP15F4220N	30"	EP1SF3020N	\$540	\$590	\$650	\$720	\$820	\$950	\$1,090	\$1,240	+ \$20	+ \$40
### EPISF4820N \$610 \$660 \$720 \$790 \$890 \$1,020 \$1,160 \$1,310 \$520 \$400 ### EPISF6020N \$630 \$680 \$740 \$810 \$910 \$1,040 \$1,180 \$1,330 \$420 \$440 ### EPISF1825N \$550 \$550 \$550 \$635 \$695 \$765 \$845 \$935 \$420 \$440 ### EPISF825N \$540 \$570 \$610 \$655 \$7715 \$785 \$885 \$995 \$420 \$440 ### EPISF3025N \$560 \$610 \$667 \$750 \$880 \$1,030 \$1,190 \$1,360 \$420 \$440 ### EPISF3025N \$560 \$610 \$667 \$750 \$880 \$1,030 \$1,190 \$1,360 \$420 \$440 ### EPISF4225N \$580 \$630 \$690 \$770 \$900 \$1,050 \$1,210 \$1,380 \$420 \$440 ### EPISF4825N \$630 \$660 \$740 \$820 \$990 \$1,1050 \$1,240 \$1,430 \$420 \$440 ### EPISF6025N \$670 \$720 \$780 \$860 \$990 \$1,140 \$1,300 \$1,470 \$420 \$440 ### EPISF6025N \$670 \$720 \$780 \$860 \$990 \$1,140 \$1,300 \$1,470 \$420 \$440 ### EPISF6025N \$550 \$550 \$550 \$635 \$695 \$785 \$885 \$995 \$420 \$440 ### EPISF6025N \$670 \$720 \$780 \$860 \$990 \$1,140 \$1,300 \$1,470 \$420 \$440 ### EPISF6025N \$560 \$550 \$550 \$635 \$695 \$785 \$885 \$995 \$420 \$440 ### EPISF6025N \$560 \$570 \$610 \$655 \$715 \$805 \$905 \$1,015 \$420 \$440 ### EPISF6032N \$580 \$650 \$770 \$860 \$990 \$1,140 \$1,300 \$1,470 \$420 \$440 ### EPISF3032N \$580 \$630 \$690 \$770 \$860 \$990 \$1,015 \$420 \$440 ### EPISF3032N \$580 \$630 \$690 \$780 \$930 \$1,100 \$1,290 \$1,510 \$420 \$440 ### EPISF4032N \$660 \$650 \$710 \$800 \$990 \$1,140 \$1,330 \$1,550 \$420 \$440 ### EPISF4032N \$660 \$650 \$710 \$800 \$990 \$1,140 \$1,330 \$1,550 \$420 \$440 ### EPISF4032N \$660 \$650 \$770 \$860 \$990 \$1,140 \$1,330 \$1,550 \$420 \$440 ### EPISF4032N \$660 \$650 \$770 \$860 \$990 \$1,140 \$1,330 \$1,550 \$420 \$440 ### EPISF4032N \$660 \$650 \$770 \$860 \$1,000 \$1,170 \$1,370 \$1,640 \$420 \$440 ### EPISF4032N	36"	EP1SF3620N	\$560	\$610	\$670	\$740	\$840	\$970	\$1,110	\$1,260	+ \$20	+ \$40
25" H	42"	EP1SF4220N	\$580	\$630	\$690	\$760	\$860	\$990	\$1,130	\$1,280	+ \$20	+ \$40
25" H 12" EP1SF1225N	48"	EP1SF4820N	\$610	\$660	\$720	\$790	\$890	\$1,020	\$1,160	\$1,310	+ \$20	+ \$40
12" EP1SF122SN 5500 \$530 \$570 \$615 \$675 \$745 \$825 \$915 \$450 \$440 18" EP1SF182SN \$520 \$550 \$590 \$635 \$695 \$765 \$845 \$935 \$450 \$440 24" EP1SF242SN \$540 \$570 \$610 \$655 \$715 \$785 \$865 \$955 \$450 \$440 30" EP1SF302SN \$560 \$610 \$6670 \$750 \$880 \$1,030 \$1,190 \$1,360 \$450 \$440 30" EP1SF302SN \$560 \$610 \$6670 \$770 \$990 \$1,050 \$1,210 \$1,380 \$450 \$440 42" EP1SF422SN \$680 \$630 \$690 \$770 \$990 \$1,050 \$1,210 \$1,380 \$450 \$440 42" EP1SF422SN \$660 \$655 \$710 \$790 \$920 \$1,070 \$1,230 \$1,400 \$450 \$440 48" EP1SF482SN \$630 \$668 \$740 \$820 \$950 \$1,140 \$1,300 \$1,470 \$450 \$440 48" EP1SF802SN \$670 \$720 \$780 \$860 \$990 \$1,140 \$1,300 \$1,470 \$450 \$440	60"	EP1SF6020N	\$630	\$680	\$740	\$810	\$910	\$1,040	\$1,180	\$1,330	+ \$20	+ \$40
18" EP15F1825N 5520 \$550 \$590 \$635 \$6695 \$765 \$845 \$935 \$450 \$440	25 "	Н										
24" EP1SF2425N	12"	EP1SF1225N	\$500	\$530	\$570	\$615	\$675	\$745	\$825	\$915	+ \$20	+ \$40
30" EP15F3025N	18"	EP1SF1825N	\$520	\$550	\$590	\$635	\$695	\$765	\$845	\$935	+ \$20	+ \$40
36" EP15F3625N	24"	EP1SF2425N	\$540	\$570	\$610	\$655	\$715	\$785	\$865	\$955	+ \$20	+ \$40
42" EP15F4225N	30"	EP1SF3025N	\$560	\$610	\$670	\$750	\$880	\$1,030	\$1,190	\$1,360	+ \$20	+ \$40
48" EP15F4825N	36"	EP1SF3625N	\$580	\$630	\$690	\$770	\$900	\$1,050	\$1,210	\$1,380	+ \$20	+ \$40
32" H 12" EP1SF1232N	42"	EP1SF4225N	\$600	\$650	\$710	\$790	\$920	\$1,070	\$1,230	\$1,400	+ \$20	+ \$40
32" H 12" EP15F1232N	48"	EP1SF4825N	\$630	\$680	\$740	\$820	\$950	\$1,100	\$1,260	\$1,430	+ \$20	+ \$40
12" EP1SF1232N \$520 \$550 \$590 \$635 \$695 \$785 \$885 \$995 \$ \$420 \$440 18" EP1SF1832N \$540 \$570 \$610 \$655 \$715 \$805 \$905 \$1,015 \$220 \$440 24" EP1SF2432N \$560 \$590 \$630 \$675 \$735 \$825 \$925 \$1,035 \$420 \$440 30" EP1SF3032N \$580 \$630 \$690 \$780 \$930 \$1,100 \$1,290 \$1,510 \$420 \$440 36" EP1SF3632N \$660 \$650 \$710 \$800 \$950 \$1,120 \$1,310 \$1,530 \$420 \$440 42" EP1SF4232N \$620 \$670 \$730 \$820 \$970 \$1,140 \$1,330 \$1,550 \$420 \$440 48" EP1SF4832N \$650 \$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 \$420 \$440 48" EP1SF6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 \$420 \$440 37" H 12" EP1SF1237N \$540 \$580 \$630 \$660 \$770 \$860 \$960 \$1,070 \$420 \$440 37" EP1SF337N \$550 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 \$420 \$440 30" EP1SF3037N \$580 \$660 \$670 \$730 \$810 \$990 \$1,000 \$1,110 \$420 \$440 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,620 \$420 \$440 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,620 \$420 \$440 42" EP1SF4337N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 \$420 \$440 42" EP1SF4337N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 \$420 \$440 42" EP1SF4337N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 \$420 \$440 48" EP1SF4337N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$440 48" EP1SF4337N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$440 48" EP1SF4337N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$440 48" EP1SF4337N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$440 48" EP1SF4337N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$440	60"	EP1SF6025N	\$670	\$720	\$780	\$860	\$990	\$1,140	\$1,300	\$1,470	+ \$20	+ \$40
18" EP15F1832N \$540 \$570 \$610 \$655 \$715 \$805 \$905 \$1,015 \$\$40	32"	Н										
24" EP15F2432N \$560 \$590 \$630 \$675 \$735 \$825 \$925 \$1,035 +\$20 +\$40 30" EP15F3032N \$580 \$630 \$690 \$780 \$930 \$1,100 \$1,290 \$1,510 +\$20 +\$40 36" EP15F3632N \$600 \$650 \$710 \$800 \$950 \$1,120 \$1,310 \$1,530 +\$20 +\$40 42" EP15F4232N \$620 \$670 \$730 \$820 \$970 \$1,140 \$1,330 \$1,550 +\$20 +\$40 60" EP15F6032N \$680 \$770 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 +\$20 +\$40 60" EP15F6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 +\$20 +\$40 88" EP15F1837N \$560 \$660 \$650 \$710 \$790 \$880 \$980 \$1,090 +\$20 +\$40 88" EP15F1837N \$580 \$620 \$670 \$730 \$810 \$990 \$1,000 \$1,110 +\$20 +\$40 30" EP15F3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,370 \$1,620 +\$20 +\$40 30" EP15F3037N \$600 \$670 \$770 \$860 \$1,000 \$1,170 \$1,370 \$1,370 \$1,620 +\$20 +\$40 36" EP15F3637N \$620 \$690 \$770 \$860 \$1,000 \$1,170 \$1,370 \$1,620 +\$20 +\$40 36" EP15F3637N \$620 \$690 \$770 \$860 \$1,000 \$1,170 \$1,370 \$1,620 +\$20 +\$40 36" EP15F3637N \$620 \$690 \$770 \$880 \$1,000 \$1,170 \$1,370 \$1,620 +\$20 +\$40 36" EP15F3637N \$620 \$690 \$770 \$880 \$1,000 \$1,170 \$1,370 \$1,640 +\$20 +\$40 42" EP15F4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 +\$20 +\$40 48" EP15F4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 +\$20 +\$40 48" EP15F4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 +\$20 +\$40 48" EP15F4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 +\$20 +\$40	12"	EP1SF1232N	\$520	\$550	\$590	\$635	\$695	\$785	\$885	\$995	+ \$20	+ \$40
30" EP1SF3032N \$580 \$630 \$690 \$780 \$930 \$1,100 \$1,290 \$1,510 \$\$40 \$40 \$36" EP1SF3632N \$600 \$650 \$710 \$800 \$950 \$1,120 \$1,310 \$1,530 \$\$420 \$\$40 \$42" EP1SF4232N \$620 \$670 \$730 \$820 \$970 \$1,140 \$1,330 \$1,550 \$\$\$50 \$\$40 \$60" \$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 \$\$\$\$50 \$\$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 \$\$\$\$\$\$\$60" EP1SF6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 \$	18"	EP1SF1832N	\$540	\$570	\$610	\$655	\$715	\$805	\$905	\$1,015	+ \$20	+ \$40
36" EP1SF3632N \$600 \$650 \$710 \$800 \$950 \$1,120 \$1,310 \$1,530 +\$20 +\$40 42" EP1SF4232N \$620 \$670 \$730 \$820 \$970 \$1,140 \$1,330 \$1,550 +\$20 +\$40 48" EP1SF4832N \$650 \$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 +\$20 +\$40 60" EP1SF6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 +\$20 +\$40 \$18" EP1SF1237N \$540 \$580 \$630 \$690 \$770 \$860 \$960 \$1,070 +\$20 +\$40 18" EP1SF1837N \$560 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 +\$20 +\$40 18" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$990 \$1,000 \$1,110 +\$20 +\$40 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,620 +\$20 +\$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,000 \$1,110 +\$20 +\$40 40 40 40 40 40 40 40 40 40 40 40 40 4	24"	EP1SF2432N	\$560	\$590	\$630	\$675	\$735	\$825	\$925	\$1,035	+ \$20	+ \$40
42" EP1SF4232N \$620 \$670 \$730 \$820 \$970 \$1,140 \$1,330 \$1,550 +\$20 +\$40 48" EP1SF4832N \$650 \$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 +\$20 +\$40 60" EP1SF6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 +\$20 +\$40 \$12" EP1SF1237N \$540 \$580 \$630 \$690 \$770 \$860 \$960 \$1,070 +\$20 +\$40 18" EP1SF1837N \$560 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 +\$20 +\$40 18" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$990 \$1,000 \$1,110 +\$20 +\$40 19 10 10 10 10 10 10 10 10 10 10 10 10 10	30"	EP1SF3032N	\$580	\$630	\$690	\$780	\$930	\$1,100	\$1,290	\$1,510	+ \$20	+ \$40
48" EP1SF4832N \$650 \$700 \$760 \$850 \$1,000 \$1,170 \$1,360 \$1,580 +\$20 +\$40 60" EP1SF6032N \$680 \$730 \$790 \$880 \$1,030 \$1,200 \$1,390 \$1,610 +\$20 +\$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40	36"	EP1SF3632N	\$600	\$650	\$710	\$800	\$950	\$1,120	\$1,310	\$1,530	+ \$20	+ \$40
37" H 12" EP1SF1237N \$540 \$580 \$630 \$690 \$770 \$860 \$960 \$1,070 \$20 \$40 18" EP1SF1837N \$560 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 \$1,110 \$20 \$40 24" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$990 \$1,000 \$1,110 \$20 \$40 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,620 \$20 \$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 \$20 \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,000 \$1,110 \$1,370 \$1,640 \$20 \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 \$20 \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$420 \$40	42"	EP1SF4232N	\$620	\$670	\$730	\$820	\$970	\$1,140	\$1,330	\$1,550	+ \$20	+ \$40
37" H 12" EP1SF1237N	48"	EP1SF4832N	\$650	\$700	\$760	\$850	\$1,000	\$1,170	\$1,360	\$1,580	+ \$20	+ \$40
12" EP1SF1237N \$540 \$580 \$630 \$690 \$770 \$860 \$960 \$1,070 + \$20 + \$40 18" EP1SF1837N \$560 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 + \$20 + \$40 24" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$900 \$1,000 \$1,110 + \$20 + \$40 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,370 \$1,620 + \$20 + \$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 + \$20 + \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 + \$20 + \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 + \$20 + \$40 <th>60"</th> <th>EP1SF6032N</th> <th>\$680</th> <th>\$730</th> <th>\$790</th> <th>\$880</th> <th>\$1,030</th> <th>\$1,200</th> <th>\$1,390</th> <th>\$1,610</th> <th>+ \$20</th> <th>+ \$40</th>	60"	EP1SF6032N	\$680	\$730	\$790	\$880	\$1,030	\$1,200	\$1,390	\$1,610	+ \$20	+ \$40
18" EP1SF1837N \$560 \$600 \$650 \$710 \$790 \$880 \$980 \$1,090 + \$40 24" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$900 \$1,000 \$1,110 + \$20 + \$40 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,170 \$1,370 \$1,620 + \$20 + \$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 + \$20 + \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 + \$20 + \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 + \$20 + \$40	37 "	Н										
24" EP1SF2437N \$580 \$620 \$670 \$730 \$810 \$900 \$1,000 \$1,110 + \$20 + \$40 30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,370 \$1,620 + \$20 + \$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 + \$20 + \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 + \$20 + \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 + \$20 + \$40	12"	EP1SF1237N	\$540	\$580	\$630	\$690	\$770	\$860	\$960	\$1,070	+ \$20	+ \$40
30" EP1SF3037N \$600 \$670 \$750 \$840 \$1,000 \$1,370 \$1,620 \$20 \$40 36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 \$20 \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 \$20 \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 \$20 \$40	18"	EP1SF1837N	\$560	\$600	\$650	\$710	\$790	\$880	\$980	\$1,090	+ \$20	+ \$40
36" EP1SF3637N \$620 \$690 \$770 \$860 \$1,020 \$1,190 \$1,390 \$1,640 + \$20 + \$40 42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 + \$20 + \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 + \$20 + \$40	24"	EP1SF2437N	\$580	\$620	\$670	\$730	\$810	\$900	\$1,000	\$1,110	+ \$20	+ \$40
42" EP1SF4237N \$640 \$710 \$790 \$880 \$1,040 \$1,210 \$1,410 \$1,660 + \$20 + \$40 48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 + \$20 + \$40	30"	EP1SF3037N	\$600	\$670	\$750	\$840	\$1,000	\$1,170	\$1,370	\$1,620	+ \$20	+ \$40
48" EP1SF4837N \$670 \$740 \$820 \$910 \$1,070 \$1,240 \$1,440 \$1,690 +\$20 +\$40	36"	EP1SF3637N	\$620	\$690	\$770	\$860	\$1,020	\$1,190	\$1,390	\$1,640	+ \$20	+ \$40
	42"	EP1SF4237N	\$640	\$710	\$790	\$880	\$1,040	\$1,210	\$1,410	\$1,660	+ \$20	+ \$40
60" EP1SF6037N \$700 \$770 \$850 \$940 \$1,100 \$1,270 \$1,470 \$1,720 +\$20 +\$40	48"	EP1SF4837N	\$670	\$740	\$820	\$910	\$1,070	\$1,240	\$1,440	\$1,690	+ \$20	+ \$40
	60"	EP1SF6037N	\$700	\$770	\$850	\$940	\$1,100	\$1,270	\$1,470	\$1,720	+ \$20	+ \$40

	Insert Type	W	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
		:	:	
ED46	_ :	:	:	:
EP1S	F	36	: :	N

Stack-on Panels

Insert with slots



12" H			GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1212	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H		·							
12"	EP2S()1213	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

12" EP2S()1215 \$987 \$767 \$707 \$737 \$811 \$88 18" EP2S()1815 \$1,017 \$797 \$727 \$757 \$833 \$90 24" EP2S()2415 \$1,072 \$832 \$747 \$782 \$860 \$93 30" EP2S()3015 \$1,122 \$862 \$767 \$802 \$882 \$96		
24" EP2S()2415 \$1,072 \$832 \$747 \$782 \$860 \$93	+ \$20	+ \$40
	+ \$20	+ \$40
30" EP2S()3015 \$1,122 \$862 \$767 \$802 \$882 \$96	+ \$20	+ \$40
	+ \$20	+ \$40
36" EP2S()3615 \$1,177 \$897 \$787 \$827 \$910 \$99	+ \$20	+ \$40
42" EP2S()4215 \$1,227 \$927 \$807 \$847 \$932 \$1,01	+ \$20	+ \$40
48" EP2S()4815 \$1,297 \$957 \$817 \$867 \$954 \$1,04	+ \$20	+ \$40
60" EP2S()6015 \$1,417 \$1,017 \$837 \$917 \$1,009 \$1,10	+ \$20	+ \$40

Specify	
1. Model #	

2. Insert color 3. Paint trim color

Plexiglass Finishes

CL . . Clear $\textbf{IC} \dots \mathsf{Ice}$ $\pmb{\mathsf{SM}}..\mathsf{Smoked}$

 ${\bf TR}$. . Translucent

Glass Finishes

CL . . Clear $\textbf{BR} \dots \textbf{Bronzed}$ $\textbf{FR} \dots \textbf{Frosted}$ SM..Smoked

Assembly

Included • Stack-on panel

• Flat top cap (N) attached to the bottom of stack-on panel


Not Included

• Top cap base panel)

Ordered Separately

- Stack-on posts
- Panel connectors

(use top cap from




		············	· · · · · · · · · · · · · · · · · · ·				,		
17" H		G	GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1217	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

12"	EP2S()1220	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$40
18"	EP2S()1820	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$40
24"	EP2S()2420	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$40
30"	EP2S()3020	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$40
36"	EP2S()3620	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
42"	EP2S()4220	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$40
48"	EP2S()4820	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$40
60"	EP2S()6020	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$40

Plexiglass Finishes		Insert Type	w H	
IC lce SM Smoked TR Translucent LF Frost	EP2S Stack-on pane	I OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 15	
	EP2S	PG	36 15	5

Stack-on Panels

Insert without slots



12" H		(LASS INSERT		LAM	INATE INSEI	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$927	\$707	\$647	\$677	\$745	\$812	+ \$20	+ \$40
18"	EP2S()1812N	\$957	\$737	\$667	\$697	\$767	\$836	+ \$20	+ \$40
24"	EP2S()2412N	\$1,002	\$782	\$697	\$732	\$805	\$878	+ \$20	+ \$40
30"	EP2S()3012N	\$1,052	\$812	\$717	\$752	\$827	\$902	+ \$20	+ \$40
36"	EP2S()3612N	\$1,107	\$847	\$737	\$777	\$855	\$932	+ \$20	+ \$40
42"	EP2S()4212N	\$1,157	\$877	\$757	\$797	\$877	\$956	+ \$20	+ \$40
48"	EP2S()4812N	\$1,197	\$917	\$777	\$827	\$910	\$992	+ \$20	+ \$40
60"	EP2S()6012N	\$1,327	\$977	\$797	\$877	\$965	\$1,052	+ \$20	+ \$40

13" H

	· -								
12"	EP2S()1213N	\$967	\$747	\$687	\$717	\$789	\$860	+ \$20	+ \$40
18"	EP2S()1813N	\$997	\$777	\$707	\$737	\$811	\$884	+ \$20	+ \$40
24"	EP2S()2413N	\$1,052	\$812	\$727	\$762	\$838	\$914	+ \$20	+ \$40
30"	EP2S()3013N	\$1,102	\$842	\$747	\$782	\$860	\$938	+ \$20	+ \$40
36"	EP2S()3613N	\$1,157	\$877	\$767	\$807	\$888	\$968	+ \$20	+ \$40
42"	EP2S()4213N	\$1,207	\$907	\$787	\$827	\$910	\$992	+ \$20	+ \$40
48"	EP2S()4813N	\$1,287	\$947	\$807	\$857	\$943	\$1,028	+ \$20	+ \$40
60"	EP2S()6013N	\$1,397	\$997	\$817	\$897	\$987	\$1,076	+ \$20	+ \$40

15" H

12"	EP2S()1215N	\$987	\$767	\$707	\$737	\$811	\$884	+ \$20	+ \$40
18"	EP2S()1815N	\$ 1,017	\$797	\$727	\$757	\$833	\$908	+ \$20	+ \$40
24"	EP2S()2415N	\$ 1,072	\$832	\$747	\$782	\$860	\$938	+ \$20	+ \$40
30"	EP2S()3015N	\$ 1,122	\$862	\$767	\$802	\$882	\$962	+ \$20	+ \$40
36"	EP2S()3615N	\$ 1,177	\$897	\$787	\$827	\$910	\$992	+ \$20	+ \$40
42"	EP2S()4215N	\$ 1,227	\$927	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
48"	EP2S()4815N	\$ 1,297	\$957	\$817	\$867	\$954	\$1,040	+ \$20	+ \$40
60"	EP2S()6015N	\$ 1,417	\$1,017	\$837	\$917	\$1,009	\$1,100	+ \$20	+ \$40

17" H

12"	EP2S()1217N	\$1,007	\$787	\$727	\$747	\$822	\$896	+ \$20	+ \$40
18"	EP2S()1817N	\$1,057	\$817	\$747	\$777	\$855	\$932	+ \$20	+ \$40
24"	EP2S()2417N	\$1,112	\$852	\$767	\$802	\$882	\$962	+ \$20	+ \$40
30"	EP2S()3017N	\$1,162	\$882	\$787	\$822	\$904	\$986	+ \$20	+ \$40
36"	EP2S()3617N	\$1,217	\$917	\$807	\$847	\$932	\$1,016	+ \$20	+ \$40
42"	EP2S()4217N	\$1,277	\$937	\$817	\$857	\$943	\$1,028	+ \$20	+ \$40
48"	EP2S()4817N	\$1,357	\$977	\$837	\$887	\$976	\$1,064	+ \$20	+ \$40
60"	EP2S()6017N	\$1,477	\$1,037	\$857	\$937	\$1,031	\$1,124	+ \$20	+ \$40

Specify

- 1. Model#
- 2. Insert color
- 3. Paint trim color

Plexiglass Finishes

CL . . Clear **IC** . . . lce

SM..Smoked

TR . . Translucent

Glass Finishes

CL . . Clear **BR** . . Bronzed **FR** . . Frosted

SM..Smoked

Assembly

Included


- Stack-on panel
- Flat top cap (N) attached to the bottom of stack-on panel

Not Included

• Top cap (use top cap from base panel)

Ordered Separately

- Stack-on posts
- Panel connectors



30"

36"

42"

48"

60"

EP2S()3037N

EP2S()3637N

EP2S()4237N

EP2S()4837N

EP2S()6037N

20" H		(GLASS INSERT		LA	MINATE INSE	RT	PAII	NT
W	MODEL#	DG	GL	PG	L1	L2	L3	P2	P
12"	EP2S()1220N	\$1,067	\$807	\$747	\$777	\$855	\$932	+ \$20	+ \$4
18"	EP2S()1820N	\$1,097	\$837	\$767	\$797	\$877	\$956	+ \$20	+ \$4
24"	EP2S()2420N	\$1,152	\$872	\$787	\$822	\$904	\$986	+ \$20	+ \$4
30"	EP2S()3020N	\$1,182	\$902	\$807	\$842	\$926	\$1,010	+ \$20	+ \$4
36"	EP2S()3620N	\$1,267	\$927	\$817	\$857	\$943	\$1,028	+ \$20	+ \$4
42"	EP2S()4220N	\$1,337	\$957	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
48"	EP2S()4820N	\$1,417	\$997	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
60"	EP2S()6020N	\$1,537	\$1,057	\$877	\$957	\$1,053	\$1,148	+ \$20	+ \$4
5" H									
12"	EP2S()1225N	\$1,097	\$837	\$777	\$807	\$888	\$968	+ \$20	+ \$4
18"	EP2S()1825N	\$1,127	\$867	\$797	\$827	\$910	\$992	+ \$20	+ \$4
24"	EP2S()2425N	\$1,182	\$902	\$817	\$852	\$937	\$1,022	+ \$20	+ \$4
30"	EP2S()3025N	\$1,232	\$932	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
36"	EP2S()3625N	\$1,307	\$967	\$857	\$897	\$987	\$1,076	+ \$20	+ \$4
42"	EP2S()4225N	\$1,377	\$997	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
48"	EP2S()4825N	\$1,457	\$1,037	\$907	\$947	\$1,042	\$1,136	+ \$20	+ \$4
50"	EP2S()6025N	\$1,617	\$1,097	\$937	\$997	\$1,097	\$1,196	+ \$20	+ \$4
2" H									
12"	EP2S()1232N	\$1,117	\$857	\$797	\$827	\$910	\$992	+ \$20	+ \$4
18"	EP2S()1832N	\$1,167	\$887	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
24"	EP2S()2432N	\$1,222	\$922	\$837	\$872	\$959	\$1,046	+ \$20	+ \$4
30"	EP2S()3032N	\$1,312	\$952	\$857	\$892	\$981	\$1,070	+ \$20	+ \$4
36"	EP2S()3632N	\$1,407	\$987	\$877	\$917	\$1,009	\$1,100	+ \$20	+ \$4
42"	EP2S()4232N	\$1,497	\$1,017	\$897	\$937	\$1,031	\$1,124	+ \$20	+ \$4
48"	EP2S()4832N	\$1,587	\$1,067	\$927	\$977	\$1,075	\$1,172	+ \$20	+ \$4
60"	EP2S()6032N	\$1,757	\$1,157	\$977	\$1,057	\$1,163	\$1,268	+ \$20	+ \$4
7" H									
12"	EP2S()1237N	\$1,157	\$877	\$817	\$847	\$932	\$1,016	+ \$20	+ \$4
18"	EP2S()1837N	\$1,217	\$917	\$837	\$877	\$965	\$1,052	+ \$20	+ \$4
24"	EP2S()2437N	\$1,317	\$957	\$857	\$907	\$998	\$1,088	+ \$20	+ \$4
- •		71,517	,	, , ,	7,07	4,7,0	71,000	720	, 7.

	Insert Type	W	н
EP2S Stack-on p	anel OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15
EP2S	PG	36	15
		EP2S Stack-on panel OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	EP2S Stack-on panel OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert EP2S PG PG PG PG PG PG PG PG PG P

\$1,417

\$1,517

\$1,597

\$1,687

\$1,897

\$997

\$1,037

\$1,077

\$1,127

\$1,197

\$877

\$897

\$917

\$947

\$1,031

\$1,064

\$1,097

\$1,141

\$1,207

\$937

\$967

\$997

\$1,037

\$997 \$1,097

\$1,124

\$1,160

\$1,196

\$1,316

\$1,244

+ \$20

+ \$20

+ \$20

+ \$20

+ \$20

+ \$40

+ \$40

+ \$40

+ \$40

+ \$40



Standard			DAINT	•••••	
Januaru		i	PAINT		
Н	MODEL#	P1	I P2	P3	
12"	EP1SPC12	\$125	\$130	\$135	
13"	EP1SPC13	\$135	\$140	\$145	
15"	EP1SPC15	\$145	\$150	\$155	
17"	EP1SPC17	\$155	\$160	\$165	
20"	EP1SPC20	\$175	\$185	\$195	
25"	EP1SPC25	\$190	\$200	\$210	
32"	EP1SPC32	\$200	\$210	\$220	
37"	EP1SPC37	\$210	\$220	\$230	
Panel connectors must be ordered separately.					



Extended

					
12"	EP1SPC12E	\$125	\$130	\$135	
13"	EP1SPC13E	\$135	\$140	\$145	
15"	EP1SPC15E	\$145	\$150	\$155	
17"	EP1SPC17E	\$155	\$160	\$165	
20"	EP1SPC20E	\$175	\$185	\$195	
25"	EP1SPC25E	\$190	\$200	\$210	
32"	EP1SPC32E	\$200	\$210	\$220	
37"	EP1SPC37E	\$210	\$220	\$230	
Panel connectors must be ordered separately.					

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Stack-on post must be used between adjacent stack-on panels.

Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



Coat Hook Straight						PAINT	
DESCRIPTION	w	D	Н	MODEL#	P1	P2	Р3
5 Pack	1/8"	1 3/8"	2 3/8"	EP3MMCH (B/P)	\$141	N/A	N/A



Coat Hook Postless End							
5 Pack	1 3/8"	3/8"	2 %"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

Specify

- 1. Model#
- 2. Paint trim color

Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

Available in two colors

Black (B) Matte Aluminum (P)



Add-o	n Screens			PAINT	
w	Н	MODEL #	P	P2	P3
12"	15"	EP3AOPG1215	\$602	\$625	\$643
18"	15"	EP3AOPG1815	\$683	\$706	\$725
24"	15"	EP3AOPG2415	\$709	\$732	\$750
30"	15"	EP3AOPG3015	\$749	\$772	\$786
36"	15"	EP3AOPG3615	\$798	\$820	\$838
42"	15"	EP3AOPG4215	\$885	\$910	\$924
48"	15"	EP3AOPG4815	\$966	\$991	\$1,006
60"	15"	EP3AOPG6015	\$988	\$1,010	\$1,028

pecify	Plexiglass Finishes	Application Notes			
. Model # . Insert color . Paint trim color	CLClear ICIce SMSmoked TRTranslucent LFFrost	Add-on screens mount on the slotted standard with (2) die cast stanchion brackets that are included. All attachment hardware is included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.		
		Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection.			




				······································	
Slat R	lail			PAINT	
w	Н	MODEL# MATTE ALI	IM P1	P2	Р3
12"	6"	SR612 \$13	20 \$140	\$154	\$168
18"	6"	SR618 \$1	\$150	\$165	\$180
24"	6"	SR624 \$1	10 \$160	\$176	\$192
30"	6"	SR630 \$1	50 \$170	\$187	\$204
36"	6"	SR636 \$10	50 \$190	\$209	\$228
42"	6"	SR642 \$1	70 \$200	\$220	\$240
48"	6"	SR648 \$1	\$210	\$231	\$252
60"	6"	SR660 \$1	90 \$230	\$253	\$276

Slat Rail Accessories				PAINT	
DESCRIPTION	MODEL#	MATTE ALUM	P1	P2	Р3
File hanger	SRAFLH	\$50	\$75	\$83	\$90
Paper tray	SRAPAT	\$55	\$80	\$88	\$96
Upright tray	SRAUPT	\$35	\$55	\$61	\$66
Small tray	SRASMT	\$30	\$50	\$55	\$60
Pencil holder	SRAPNH	\$30	\$50	\$55	\$60

Specify

- 1. Model # 2. Paint trim color

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
 One for each point of connection to the building power supply.
 Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
 Shrouds are included when post assemblies are ordered.
 Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

Calculate Correct Jumper Length

- Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- 3) Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



 Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

B. Duplex ReceptaclesAlways specified separately according to circuit access.

C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


SPECIAL CONSIDERATIONS

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

ELECTRICAL



BASE INFEED MODULE

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4'6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 51.

Connecting to the building power source must be performed by a licensed electrician.

CEILING INFEED MODULE

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19! Upper tube of module is 6' 7" in length.

RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten %" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

CABLE CAPACITY

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

8-WIRE SYSTEM

2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 – 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

10-WIRE SYSTEM

3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red ISOLATED G G Green/Yellow

COMPATIBILITY

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

ElectricalCeiling Infeeds

Ceiling Infeeds					PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM49M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM54M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM61M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM66M	\$625	\$656	\$689
4"	1 ½"	120"	EE3CM81M	\$625	\$656	\$689

Ceiling Infeed Harness

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$573
E-Series 8-wire	EE1CH-8	\$470

Specify

- 1. Model #
- 2. Paint trim color

Fabric cover modules are not available

Configurations

8-wire

2 + 2

3 + 1

10-wire

3 + 3

Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

Ceiling Infeed Modules

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.


Includes escutcheon plate which is white to

integrate with ceiling. Tube is trim colored to match system trim.





DESCRIPTION	w	MODEL#	LIST
8-wire	54"	EE1BI-8	\$244
8-wire	72"	EE1BI72-8	\$301
10-wire	54"	EE1BI-10	\$295
10-wire	72"	EE1BI72-10	\$358




Base Infeed – New York

DESCRIPTION	MODEL#	LIST
10-wire	EE1BI-10N	\$371
8-wire	EE1BI-8N	\$304



Base Infeed – San Francisco

DESCRIPTION	W	MODEL#	LIST
8-wire (non-handed)	54"	EE1BI-8SF	\$244
8-wire (non-handed)	72"	EE1BI72-8SF	\$301
10-wire (non-handed)	54"	EE1BI-10SF	\$295
10-wire (non-handed)	72"	EE1BI72-10SF	\$358



Jumper End Base Feed

DESCRIPTION	w	MODEL#	LIST
10-wire w/ground	72"	EE1BIJ-10G	\$411
8-wire w/ground	72"	EE1BIJ-8G	\$340
8-wire	72"	EE1BIJ-8	\$313
10-wire	72"	EE1BIJ-10	\$386

Configurations	
8-wire	
2 + 2	
3 + 1	
10-wire	
3 + 3	

Base Infeed Modules

An infeed conduit connects to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry. Can be field-cut to proper lengths. Color is black. A terminal block must be ordered separately.

Jumper End Infeeds

Connects by hardwiring to a building's electrical supply in floor or wall box by a licensed electrician. Plugs into one set of terminal connections at end of terminal block. Terminal block must be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.





Terminal Block		8-WIRE	10-WIRE	
DESCRIPTION	MODEL#			
8-wire or 10-wire	EE1TB(8/10)	\$56	\$72	



Duplex Receptacle		8-WII	RE	10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1	\$50	\$50	\$50
Circuit #2	EE1R2	\$50	\$50	\$50
Circuit #3 dedicated for 2+2	EE1R3D	N/A	\$50	N/A
Circuit #3 for 3+1	EE1R3	\$50	N/A	\$50
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	\$50	\$50	\$50
Circuit #5 dedicated circuit for 3+3	EE1R5D	N/A	N/A	\$50
Circuit #6 dedicated circuit for 3+3	EE1R6D	N/A	N/A	\$50



Duplex Receptacle (10 Pack)		8-WIRE		10-WIRE
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)
Circuit #1	EE1R1 P10	\$411	\$411	\$411
Circuit #2	EE1R2 P10	\$411	\$411	\$411
Circuit #3 dedicated for 2+2	EE1R3D P10	N/A	\$411	N/A
Circuit #3 for 3+1	EE1R3 P10	\$411	N/A	\$411
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	\$411	\$411	\$411
Circuit #5 dedicated circuit for 3+3	EE1R5D P10	N/A	N/A	\$411
Circuit #6 dedicated circuit for 3+3	EE1R6D P10	N/A	N/A	\$411



Receptacle – Side Mount		8-WIRE		10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
10 Pack	EE1SMRB10	\$250	\$250	\$250	

Data Shield		8-WII	RE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	
Terminal block shield	EE15BR	\$77	\$77	\$77	



Knock-out Replacement Cover

DESCRIPTION	MODEL#	LIST
Single	EE1KC	\$15
10 Pack	EE1KC10	\$68

Application Notes

Receptacles are black only. Neutral wires are 10 gauge.

Terminal Block


A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.





Juliipei				
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#	8-WIRE	10-WIRE
18"	11 ½"	EE1C18-(8/10)	\$109	\$129
21"	14 ½"	EE1C21-(8/10)	\$113	\$132
24"	17 ½"	EE1C24-(8/10)	\$116	\$135
27"	20 ½"	EE1C27-(8/10)	\$117	\$144
30"	23 ½"	EE1C30-(8/10)	\$120	\$146
33"	26 ½"	EE1C33-(8/10)	\$123	\$152
36"	29 ½"	EE1C36-(8/10)	\$124	\$154
39"	32 ½"	EE1C39-(8/10)	\$130	\$161
42"	35 ½"	EE1C42-(8/10)	\$133	\$166
45"	38 ½"	EE1C45-(8/10)	\$136	\$168
48"	41 ½"	EE1C48-(8/10)	\$141	\$170
51"	44 1/2"	EE1C51-(8/10)	\$146	\$178
54"	47 ½"	EE1C54-(8/10)	\$146	\$178
57"	50 ½"	EE1C57-(8/10)	\$154	\$185
60"	53 ½"	EE1C60-(8/10)	\$157	\$190
63"	56 ½"	EE1C63-(8/10)	\$162	\$193
66"	59 ½"	EE1C66-(8/10)	\$165	\$201
69"	62 ½"	EE1C69-(8/10)	\$165	\$201
72"	65 ½"	EE1C72-(8/10)	\$170	\$207
75"	68 ½"	EE1C75-(8/10)	\$172	\$210
78"	71 ½"	EE1C78-(8/10)	\$174	\$216
81"	74 ½"	EE1C81-(8/10)	\$177	\$217
84"	77 ½"	EE1C84-(8/10)	\$178	\$219
87"	80 ½"	EE1C87-(8/10)	\$186	\$229
90"	83 ½"	EE1C90-(8/10)	\$190	\$232
93"	86 ½"	EE1C93-(8/10)	\$192	\$235
96"	89 ½"	EE1C96-(8/10)	\$199	\$241
99"	92 ½"	EE1C99-(8/10)	\$202	\$244
102"	95 ½"	EE1C102-(8/10)	\$205	\$249
105"	98 ½"	EE1C105-(8/10)	\$207	\$253
108"	101 ½"	EE1C108-(8/10)	\$208	\$254
111"	104 ½"	EE1C111-(8/10)	\$216	\$259
114"	107 ½"	EE1C114-(8/10)	\$220	\$266
120"	113 ½"	EE1C120-(8/10)	\$230	\$278
126"	119 ½"	EE1C126-(8/10)	\$234	\$283
132"	125 ½"	EE1C132-(8/10)	\$238	\$292
144"	137 ½"	EE1C144-(8/10)	\$253	\$307

Configurations

8-wire 2 + 2

2+2 3+1

10-wire

3+3


Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





Charge Spot

charge spot		
DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$427
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,447
Charge Spot Dongles		
Apple Lightning dongle	AWDCSA	\$77
mUSB dongle	AWDCSU	\$77
Charge Spot Replacement Power		
Single unit power supply	AWDCRPS1	\$57
Multi unit power supply	AWDCRPS4	\$257

Specify

1. Model #



Ashley Duo

DESCRIPTION	W	D	Н	MODEL#	LIST
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$390
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$380



Ashley Duo Air

In-worksurface pop-up power	7"	5"	EPUPM72	\$497



Desktop Power

108" Cord length	3 ¾"	4 1/2"	EE4WSME108	\$177
72" Cord length	3 ¾"	4 1/2"	EE4WSME72	\$157



Desktop Data

3 ¾"	2 ½"	5"	EE4WSMC	\$133
	2 1/2	5	EE4WSMC	\$133



Desktop Power & Data

108" Cord length	EE4WSMED108	\$379
72" Cord length	EE4WSMED72	\$347

Ashley Duo

The Ashely duo features two receptacles and dual USB ports in a convenient 2 piece clamp on surface mount.

The USB charging ports provide 2.1 amps per port, 4.2 amps total. They also feature a Smart Device Recognition Chip that monitors the power request from plugged in devices, self-regulating and supplying the appropriate

amps, up to 2.1 amps, as needed by device. The result is each device receives the appropriate amount of power and charges as fast as possible.

Accommodates surfaces 1" to 1 3/4" thick.

Installation

Clamps to back of worksurface. Bracketry included.

Ashley Duo & Air Outer Finishes

OBLK Black
OWHT White
OSIL Silver

Ashley Duo & Air Face Finishes

FBLK.....Black
FWHT....White
FSIL...Silver

Desktop Modules

Duplex electrical and communications outlets that attach at any point along the rear of a worksurface.

Accommodates surfaces 1" to 1 ¾" thick.

Installation

Clamps to back of worksurface with included bracketry. Available in black only.

Data Wiring

Data wiring and keystones provided by cabling contractor.

Worksurfaces

Step 1 - Model #

					Op	tions		
Worksurface T	ype W	D		Wiring			Extended En	ds
EW1 Recta	ngle 48	24	G G2	Grommets Scallop	\$25 \$50	E EE	One End Both Ends	\$21 \$42
EW1	48	24	G			Е		

Step 2 - Surface Finish

Step 3 – Edge Finish Laminate Laminate PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK**

_			_		•	_	•
_	_	л	Т			_	
_	-	ш			•	-	•

DEPTHS 20" D

24" D 30" D 36" D

WIDTHS

24" W 30" W 36" W 42" W 48" W 54" W 60" W 66" W 72" W 78" W 84" W 90" W 96" W 102" W 108" W 114" W 120" W

THICKNESS

1 1/8"

WIRING & CABLING

GROMMETS



When standard grommets are specified they are in a rear, centered location and are available in black only. Corner worksurfaces provide two edge grommets.

SCALLOP



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

CABLE DROP

3/8" cable management gap

EDGE DETAIL

STANDARD

3mm ABS

WOODGRAIN

2mm PVC

SURFACE MATERIALS

STANDARD WORKSURFACE

High Pressure Laminate

CASCADE WORKSURFACE

Thermafoil (available on Cascade edge only)


EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

SUPPORTS

Under worksurface--Black powdercoat Countercap supports--paint

WORKSURFACES



Worksurface

General Info

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces is predrilled for mounting of the Equity pedestals and support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.


D&PTOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

EXTENDED ENDS TO COVER POSTS

Equity is measured from the center of the posts on each end of the panel. If you would like the worksurface to extend to cover one post, then you will need to add an "E". If you would like the worksurface to extend to cover both posts, then you will need to add "EE" to the worksurface item number.

E....Covers 1 post **EE**...Covers 2 posts



24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

(T) - Available on

		IDIC OII	I / - Availe
	W (actual)	Н	W
EW14824T	43 1/4"	24"	48"
EW15424T	49 1/4"	24"	54"
EW16024T	55 1/4"	24"	60"
EW16624T	61 ¼"	24"	66"
EW17224T	67 1/4"	24"	72"
EW17824T	73 1/4"	24"	78"
EW18424T	79 1/4"	24"	84"


Worksurface Support Information


No. Company	Worksur	face Sizes	Cantile	ver-C	Adjustable Ba	r Support-S	Supporting Pedestal	Supporting Pedestal
24" 24" 200 lbs 2C 200 lbs 25 +1 Support N/A 30" 20" 200 lbs 2C 200 lbs 25 N/A N/A 30" 24" 200 lbs 2C 200 lbs 25 +1 Support N/A 30" 30" 200 lbs 2C 200 lbs 25	W	D	EB1C20	(L/R)	EB1SR((S/L)	24" Deep	30" Deep
30° 20° 200 lbs 2C 200 lbs 2S N/A N/A 30° 24° 200 lbs 2C 200 lbs 2S +1 Support N/A 30° 30° 200 lbs 2C 200 lbs 2S	24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 30" 30" 200 lbs 2C 200 lbs 2S	24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30° 30° 200 lbs 2C 200 lbs 2S — +1 Support	30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36" 20" 200 lbs 2C 200 lbs 2S N/A N/A 36" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 36" 30" 200 lbs 2C 200 lbs 2S N/A N/A 42" 20" 200 lbs 2C 200 lbs 2S N/A N/A 42" 24" 200 lbs 2C 200 lbs 2S N/A N/A 42" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 48" 20" 216 lbs 2C 216 lbs 2S N/A N/A 48" 24" 216 lbs 2C 216 lbs 2S - +1 Support 54" 20" 243 lbs 3C 243 lbs 2S/1C N/A N/A 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 60" 20" 270 lbs 3	30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 36" 30" 200 lbs 2C 200 lbs 2S +1 Support 42" 20" 200 lbs 2C 200 lbs 2S N/A N/A 42" 24" 200 lbs 2C 200 lbs 2S N/A N/A 42" 30" 200 lbs 2C 200 lbs 2S +1 Support 48" 20" 216 lbs 2C 216 lbs 2S N/A N/A 48" 24" 216 lbs 2C 216 lbs 2S N/A N/A 48" 30" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 2S +1 Support 54" 20" 243 lbs 3C 243 lbs 2S/IC N/A N/A 54" 20" 243 lbs 3C 243 lbs 2S/IC N/A N/A 54" 24" 243 lbs 3C 243 lbs 25/IC +2 Support N/A 54" 30" 243 lbs 3C 243 lbs 25/IC +2 Support 66" 20" 270 lbs 3C 270 lbs 25/IC N/A N/A 60" 30" 270 lbs 3C 270 lbs 25/IC +2 Support 66" 24" 270 lbs 3C 270 lbs 25/IC +2 Support 66" 20" 297 lbs 3C 270 lbs 25/IC N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/IC +2 Support 66" 24" 297 lbs 3C 297 lbs 25/IC +2 Support 66" 24" 297 lbs 3C 297 lbs 25/IC +2 Support 72" 20" 324 lbs 3C 324 lbs 25/IC +2 Support 72" 20" 324 lbs 3C 324 lbs 25/IC +2 Support 72" 20" 324 lbs 3C 324 lbs 25/IC +2 Support 78" 24" 351 lbs 3C 351 lbs 25/IC N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/IC N/A N/A 84" 20" 378 lbs 3C 378 lbs 25/IC N/A N/A 96" 24" 405 lbs 3C 405 lbs 25/IC N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/IC +2 Support N/A 96" 24" 432 lbs 3C 432 lbs 25/IC +2 Support N/A 96" 24" 438 lbs 4C 486 lbs 25/2C +2 Support N/A 108" 20" 448 lbs 4C 486 lbs 25/2C N/A N/A 108" 20" 540 lbs 4C 540 lb	30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36° 30° 200 lbs 2C 200 lbs 2S — +1 Support 42° 20° 200 lbs 2C 200 lbs 2S N/A N/A 42° 24° 200 lbs 2C 200 lbs 2S +1 Support N/A 48° 20° 216 lbs 2C 206 lbs 2S N/A N/A 48° 20° 216 lbs 2C 216 lbs 2S N/A N/A 48° 20° 216 lbs 2C 216 lbs 2S +1 Support N/A 48° 20° 243 lbs 3C 243 lbs 2S/1C N/A N/A 54° 20° 243 lbs 3C 243 lbs 25/1C N/A N/A 54° 24° 243 lbs 3C 243 lbs 25/1C N/A N/A 60° 20° 270 lbs 3C 270 lbs 25/1C N/A N/A 60° 20° 270 lbs	36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42" 20" 200 lbs 2C 200 lbs 2S N/A N/A 42" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 42" 30" 200 lbs 2C 200 lbs 2S +1 Support 48" 20" 216 lbs 2C 216 lbs 2S N/A N/A 48" 24" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 20" 243 lbs 3C 243 lbs 25/1C +2 Support N/A 60" 20" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 24" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 30" <t< td=""><td>36"</td><td>24"</td><td>200 lbs</td><td>2C</td><td>200 lbs</td><td>25</td><td>+1 Support</td><td>N/A</td></t<>	36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42" 24" 200 lbs 2C 200 lbs 2S +1 Support N/A 42" 30" 200 lbs 2C 200 lbs 2S — +1 Support 48" 20" 216 lbs 2C 216 lbs 2S N/A N/A 48" 24" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 2S — +1 Support 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 20" 243 lbs 3C 243 lbs 25/1C — +2 Support N/A 60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 20" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 20" 297 lbs 3C 270 lbs 25/1C N/A N/A 66"	36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42" 30" 200 lbs 2C 200 lbs 25 — +1 Support 48" 20" 216 lbs 2C 216 lbs 2S N/A N/A 48" 24" 216 lbs 2C 216 lbs 25 +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 25 — +1 Support 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 24" 243 lbs 3C 243 lbs 25/1C — +2 Support N/A 60" 24" 243 lbs 3C 270 lbs 25/1C — +2 Support N/A 60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 24" 270 lbs 3C 270 lbs 25/1C H2 Support N/A 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A	42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
48" 20" 216 lbs 2C 216 lbs 25 N/A N/A 48" 24" 216 lbs 2C 216 lbs 25 +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 25 — +1 Support 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 30" 243 lbs 3C 243 lbs 25/1C — +2 Support 60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 30" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 30" 270 lbs 3C 270 lbs 25/1C N/A N/A 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 72" 20" 324 lbs	42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
48" 24" 216 lbs 2C 216 lbs 2S +1 Support N/A 48" 30" 216 lbs 2C 216 lbs 2S — +1 Support 54" 20" 243 lbs 3C 243 lbs 2S/1C N/A N/A 54" 24" 243 lbs 3C 243 lbs 25/1C — +2 Support N/A 60" 20" 270 lbs 3C 270 lbs 25/1C — +2 Support N/A 60" 24" 270 lbs 3C 270 lbs 25/1C — +2 Support N/A 60" 30" 270 lbs 3C 270 lbs 25/1C — +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A 72" 20" 324 lbs 3C 324 lbs 25/1C	42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48" 30" 216 lbs 2C 216 lbs 2S — +1 Support 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 24" 243 lbs 3C 243 lbs 25/1C +2 Support N/A 60" 20" 270 lbs 3C 270 lbs 2S/1C — +2 Support 60" 20" 270 lbs 3C 270 lbs 2S/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 2S/1C H2 Support N/A 66" 20" 297 lbs 3C 270 lbs 2S/1C — +2 Support 66" 20" 297 lbs 3C 297 lbs 2S/1C N/A N/A 66" 30" 297 lbs 3C 297 lbs 2S/1C H2 Support N/A 72" 20" 324 lbs 3C 324 lbs 2S/1C N/A N/A 72" 30"	48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
48" 30" 216 lbs 2C 216 lbs 2S — +1 Support 54" 20" 243 lbs 3C 243 lbs 25/1C N/A N/A 54" 24" 243 lbs 3C 243 lbs 25/1C +2 Support N/A 54" 30" 243 lbs 3C 243 lbs 25/1C — +2 Support 60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 66" 20" 297 lbs 3C 270 lbs 25/1C — +2 Support 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 30" 297 lbs 3C 297 lbs 25/1C H2 Support N/A 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 30"	48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
54" 24" 243 lbs 3C 243 lbs 25/1C +2 Support N/A 54" 30" 243 lbs 3C 243 lbs 25/1C — +2 Support 60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 30" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 30" 297 lbs 3C 297 lbs 25/1C N/A N/A 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 30" 32	48"	30"	216 lbs	2C	216 lbs	2S	_	+1 Support
54" 30" 243 lbs 3C 243 lbs 25/1C — +2 Support 60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 30" 270 lbs 3C 270 lbs 25/1C N/A N/A 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C — +2 Support 72" 24" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 84"	54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
60" 20" 270 lbs 3C 270 lbs 25/1C N/A N/A 60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 30" 270 lbs 3C 270 lbs 25/1C — +2 Support 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C N/A N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/2C — +2 Support N/A 108" 20" 486 lbs 4C 486 lbs 25/2C N/A N/A 108" 20" 540 lbs 4C 540 lbs 25/2C N/A N/A	54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
60" 24" 270 lbs 3C 270 lbs 25/1C +2 Support N/A 60" 30" 270 lbs 3C 270 lbs 25/1C — +2 Support 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C — +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support N/A 72" 30" 324 lbs 3C 351 lbs 25/1C — +2 Support N/A 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A	54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60" 30" 270 lbs 3C 270 lbs 25/1C — +2 Support 66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 30" — 378 lbs 25/1C N/A N/A 84" 30" — <td< td=""><td>60"</td><td>20"</td><td>270 lbs</td><td>3C</td><td>270 lbs</td><td>2S/1C</td><td>N/A</td><td>N/A</td></td<>	60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
66" 20" 297 lbs 3C 297 lbs 25/1C N/A N/A 66" 24" 297 lbs 3C 297 lbs 25/1C +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 30" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C N/A N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 30" — 378 lbs 25/1C N/A N/A 84" 30" — 378	60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
66" 24" 297 lbs 3C 297 lbs 25/1C +2 Support N/A 66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 30" — 378 lbs 25/1C +2 Support N/A 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 20" 432 lbs </td <td>60"</td> <td>30"</td> <td>270 lbs</td> <td>3C</td> <td>270 lbs</td> <td>2S/1C</td> <td>_</td> <td>+2 Support</td>	60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66" 30" 297 lbs 3C 297 lbs 25/1C — +2 Support 72" 20" 324 lbs 3C 324 lbs 2S/1C N/A N/A 72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 20" 432 lbs <td>66"</td> <td>20"</td> <td>297 lbs</td> <td>3C</td> <td>297 lbs</td> <td>2S/1C</td> <td>N/A</td> <td>N/A</td>	66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
72" 20" 324 lbs 3C 324 lbs 25/1C N/A N/A 72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 20" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 30" — <	66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
72" 24" 324 lbs 3C 324 lbs 25/1C +2 Support N/A 72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C N/A N/A 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 20" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 30" — 432 lbs	66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72" 30" 324 lbs 3C 324 lbs 25/1C — +2 Support 78" 20" 351 lbs 3C 351 lbs 25/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 25/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 25/1C N/A N/A 84" 30" — 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C +2 Support N/A 84" 30" — 378 lbs 25/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 25/1C N/A N/A 96" 20" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 30" — 432 lbs 25/2C N	72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
78" 20" 351 lbs 3C 351 lbs 2S/1C N/A N/A 78" 24" 351 lbs 3C 351 lbs 2S/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 2S/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 2S/1C +2 Support N/A 84" 30" — 378 lbs 2S/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 20" 486 lbs	72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
78" 24" 351 lbs 3C 351 lbs 2S/1C +2 Support N/A 84" 20" 378 lbs 3C 378 lbs 2S/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 2S/1C +2 Support N/A 84" 30" — 378 lbs 2S/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 108" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 30" — 486 lbs	72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
84" 20" 378 lbs 3C 378 lbs 2S/1C N/A N/A 84" 24" 378 lbs 3C 378 lbs 2S/1C +2 Support N/A 84" 30" — 378 lbs 2S/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540	78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
84" 24" 378 lbs 3C 378 lbs 2S/1C +2 Support N/A 84" 30" — 378 lbs 2S/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/2C — +2 Support 108" 30" — 432 lbs 2S/2C N/A N/A 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 30" — 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C N/A N/A 108" 30" — 486 lbs 2S/2C +3 Support N/A 120" 20" 540 lbs 4C 540 lbs 2S/2C <td>78"</td> <td>24"</td> <td>351 lbs</td> <td>3C</td> <td>351 lbs</td> <td>2S/1C</td> <td>+2 Support</td> <td>N/A</td>	78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84" 30" — 378 lbs 25/1C — +2 Support 90" 20" 405 lbs 3C 405 lbs 25/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 25/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C +2 Support N/A 96" 30" — 432 lbs 25/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 25/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 25/2C +3 Support N/A 108" 30" — 486 lbs 25/2C N/A N/A 108" 30" — 486 lbs 25/2C N/A N/A 120" 20" 540 lbs 4C 540 lbs 25/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs	84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
90" 20" 405 lbs 3C 405 lbs 2S/1C N/A N/A 90" 24" 405 lbs 3C 405 lbs 2S/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support N/A 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support N/A 108" 30" — 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
90" 24" 405 lbs 3C 405 lbs 25/1C +2 Support N/A 96" 20" 432 lbs 3C 432 lbs 25/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 25/1C +2 Support N/A 96" 30" — 432 lbs 25/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 25/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 25/2C +3 Support N/A 108" 30" — 486 lbs 25/2C N/A N/A 120" 20" 540 lbs 4C 540 lbs 25/2C N/A N/A<	84"	30"	_		378 lbs	2S/1C	_	+2 Support
96" 20" 432 lbs 3C 432 lbs 2S/1C N/A N/A 96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
96" 24" 432 lbs 3C 432 lbs 2S/1C +2 Support N/A 96" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96" 30" — 432 lbs 2S/2C — +2 Support 108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
108" 20" 486 lbs 4C 486 lbs 2S/2C N/A N/A 108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
108" 24" 486 lbs 4C 486 lbs 2S/2C +3 Support N/A 108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	96"	30"			432 lbs	2S/2C	_	+2 Support
108" 30" — 486 lbs 2S/2C — +3 Support 120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
120" 20" 540 lbs 4C 540 lbs 2S/2C N/A N/A 120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
120" 24" 540 lbs 4C 540 lbs 2S/2C +3 Support N/A	108"	30"	_		486 lbs	2S/2C	_	+3 Support
	120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120" 30" — 540 lbs 2S/2C — +3 Support	120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
	120"	30"	-		540 lbs	2S/2C	-	+3 Support


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


- Support must be installed for every four feet of width. As indicated,
 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
 As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.







2011			,	•••••••••••••••••••••••••••••••••••••••	
20" [eep			LAMINATE	
W	D	MODEL #	L1	L2	L3
24"	20"	EW12420	\$310	\$341	\$372
30"	20"	EW13020	\$335	\$369	\$402
36"	20"	EW13620	\$365	\$402	\$438
42"	20"	EW14220	\$390	\$429	\$468
48"	20"	EW14820	\$420	\$462	\$504
54"	20"	EW15420	\$445	\$490	\$534
60"	20"	EW16020	\$475	\$523	\$570
66"	20"	EW16620	\$500	\$550	\$600
72"	20"	EW17220	\$510	\$561	\$612
78"	20"	EW17820	\$530	\$583	\$636
84"	20"	EW18420	\$560	\$616	\$672
90"	20"	EW19020	\$585	\$644	\$702
96"	20"	EW19620	\$615	\$677	\$738
102"	20"	EW110220	\$640	\$704	\$768
108"	20"	EW110820	\$670	\$737	\$804
114"	20"	EW111420	\$695	\$765	\$834
120"	20"	EW112020	\$725	\$798	\$870



24" Deep


	P				
24"	24"	EW12424	\$340	\$374	\$408
30"	24"	EW13024	\$360	\$396	\$432
36"	24"	EW13624	\$380	\$418	\$456
42"	24"	EW14224	\$400	\$440	\$480
48"	24"	EW14824	\$420	\$462	\$504
54"	24"	EW15424	\$450	\$495	\$540
60"	24"	EW16024	\$505	\$556	\$606
66"	24"	EW16624	\$555	\$611	\$666
72"	24"	EW17224	\$565	\$622	\$678
78"	24"	EW17824	\$580	\$638	\$696
84"	24"	EW18424	\$590	\$649	\$708
90"	24"	EW19024	\$600	\$660	\$720
96"	24"	EW19624	\$635	\$699	\$762
102"	24"	EW110224	\$670	\$737	\$804
108"	24"	EW110824	\$695	\$765	\$834
114"	24"	EW111424	\$725	\$798	\$870
120"	24"	EW112024	\$750	\$825	\$900

24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options					
Worksu	ırface Type	w	D	Wiring Extended Ends					
EW1	Rectangle	48	24	G	Grommets	\$25	Е	One End	\$21
				G2	Scallop	\$50	EE	Both Ends	\$42
EW1		48	24	G			Е		



2011 6	2011 December 2011									
30" E	eep			LAMINATE						
W	D	MODEL#	L1	L2	L3					
24"	30"	EW12430	\$390	\$429	\$468					
30"	30"	EW13030	\$420	\$462	\$504					
36"	30"	EW13630	\$445	\$490	\$534					
42"	30"	EW14230	\$475	\$523	\$570					
48"	30"	EW14830	\$490	\$539	\$588					
54"	30"	EW15430	\$570	\$627	\$684					
60"	30"	EW16030	\$615	\$677	\$738					
66"	30"	EW16630	\$655	\$721	\$786					
72"	30"	EW17230	\$690	\$759	\$828					
78"	30"	EW17830	\$710	\$781	\$852					
84"	30"	EW18430	\$750	\$825	\$900					
90"	30"	EW19030	\$790	\$869	\$948					
96"	30"	EW19630	\$815	\$897	\$978					
102"	30"	EW110230	\$900	\$990	\$1,080					
108"	30"	EW110830	\$945	\$1,040	\$1,134					
114"	30"	EW111430	\$980	\$1,078	\$1,176					
120"	30"	EW112030	\$1,020	\$1,122	\$1,224					




36" Deep

-	- C-P				
48"	36"	EW14836	\$680	\$748	\$816
54"	36"	EW15436	\$705	\$776	\$846
60"	36"	EW16036	\$735	\$809	\$882
66"	36"	EW16636	\$775	\$853	\$930
72"	36"	EW17236	\$830	\$913	\$996
78"	36"	EW17836	\$875	\$963	\$1,050
84"	36"	EW18436	\$900	\$990	\$1,080
90"	36"	EW19036	\$945	\$1,040	\$1,134
96"	36"	EW19636	\$1,000	\$1,100	\$1,200
102"	' 36"	EW110236	\$1,055	\$1,161	\$1,266
108"	' 36"	EW110836	\$1,115	\$1,227	\$1,338
114"	' 36"	EW111436	\$1,175	\$1,293	\$1,410
120"	' 36"	EW112036	\$1,225	\$1,348	\$1,470

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color





Grommets \$25

Scallop \$50

Support Information

All supports must be ordered separately.

Worksurface Loading & Support See page 59

A center support must be used with a 54" wide or larger worksurface.



Strai	ight l	Front			LAMINATE		
A	L	R	MODEL#	L1	L2	L3	
36"	20"	20"	EW1C3620	\$565	\$622	\$678	
36"	24"	24"	EW1C3624	\$565	\$622	\$678	
36"	30"	30"	EW1C3630	\$635	\$699	\$762	
42"	20"	20"	EW1C4220	\$715	\$787	\$858	
42"	24"	24"	EW1C4224	\$715	\$787	\$858	
42"	30"	30"	EW1C4230	\$775	\$853	\$930	
48"	20"	20"	EW1C4820	\$855	\$941	\$1,026	
48"	24"	24"	EW1C4824	\$855	\$941	\$1,026	
48"	30"	30"	EW1C4830	\$870	\$957	\$1,044	




Curved Front

36"	24"	24"	EW1CC3624	\$620	\$682	\$744
42"	24"	24"	EW1CC4224	\$790	\$869	\$948
48"	24"	24"	EW1CC4824	\$940	\$1,034	\$1,128
60"	24"	24"	EW1CC6024	\$1,050	\$1,155	\$1,260




Corner with Cutout

48" 24" 24" **EW1C4824K** \$850 \$935 \$1,020



Different Returns

36"	24"	30"	EW1C362430	\$760	\$836	\$912
36"	30"	24"	EW1C363024	\$760	\$836	\$912
42"	24"	30"	EW1C422430	\$855	\$941	\$1,026
42"	30"	24"	EW1C423024	\$855	\$941	\$1,026
48"	24"	30"	EW1C482430	\$945	\$1,040	\$1,134
48"	30"	24"	EW1C483024	\$945	\$1,040	\$1,134



Split Corner

36"	24"	24"	EW1SC3624	\$1,885	\$2,074	\$2,262
42"	24"	24"	EW1SC4224	\$1,935	\$2,129	\$2,322
42"	30"	30"	EW1SC4230	\$1,965	\$2,162	\$2,358
48"	24"	24"	EW1SC4824	\$2,045	\$2,250	\$2,454
48"	30"	30"	EW1SC4830	\$2.180	\$2,398	\$2.616

Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Grain direction

Wood Grain L-Left R-Right D-Diagonal

Insert the desired direction after the laminate finish code.

Add \$25 to list price for diagonal grain (D).

Wiring & Cabling





Grommets \$25 Scallop

Scallop \$5

Application Notes


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 59

A center support must be used with a 54" wide or larger worksurface.



Righ	t Ha	nd				LAMINATE	
L	R	A	В	MODEL#	ព	L2	L3
24"	24"	36"	60"	EW1BS3660S(X/L/R/B)	\$845	\$930	\$1,014
24"	24"	48"	60"	EW1BS4860S(X/L/R/B)	\$865	\$952	\$1,038
24"	24"	48"	66"	EW1BS4866S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	36"	72"	EW1BS3672S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	48"	72"	EW1BS4872S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	30"	48"	60"	EW1BS4860D(X/L/R/B)	\$890	\$979	\$1,068
24"	30"	48"	66"	EW1BS4866D(X/L/R/B)	\$910	\$1,001	\$1,092
24"	30"	48"	72"	EW1BS4872D(X/L/R/B)	\$965	\$1,062	\$1,158
30"	24"	48"	60"	EW1BD4860S(X/L/R/B)	\$890	\$979	\$1,068
30"	24"	48"	66"	EW1BD4866S(X/L/R/B)	\$895	\$985	\$1,074
30"	24"	48"	72"	EW1BD4872S(X/L/R/B)	\$940	\$1,034	\$1,128




Left Hand

		_					
24"	24"	60"	36"	EW1BS6036S(X/L/R/B)	\$845	\$930	\$1,014
24"	24"	60"	48"	EW1BS6048S(X/L/R/B)	\$870	\$957	\$1,044
24"	24"	66"	48"	EW1BS6648S(X/L/R/B)	\$890	\$979	\$1,068
24"	24"	72"	36"	EW1BS7236S(X/L/R/B)	\$895	\$985	\$1,074
24"	24"	72"	48"	EW1BS7248S(X/L/R/B)	\$930	\$1,023	\$1,116
24"	30"	60"	48"	EW1BS6048D(X/L/R/B)	\$870	\$957	\$1,044
24"	30"	66"	48"	EW1BS6648D(X/L/R/B)	\$890	\$979	\$1,068
24"	30"	72"	48"	EW1BS7248D(X/L/R/B)	\$940	\$1,034	\$1,128
30"	24"	60"	48"	EW1BD6048S(X/L/R/B)	\$870	\$957	\$1,044
30"	24"	66"	48"	EW1BD6648S(X/L/R/B)	\$910	\$1,001	\$1,092
30"	24"	72"	48"	EW1BD7248S(X/L/R/B)	\$965	\$1,062	\$1,158

					Options
	L	A B	R	Posts Covered	Wiring
EW1BS Blended Worksurface	S 24"	36 72	S 24"	X No Posts Covered	G Grommets \$25
	D 30"		D 30"	L Left Side Post Covered R Right Side Post Covered B Both Side Posts Covered	G2 Scallop \$50
EW1BS	S	36 72	S	x	G

Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color



Grommets \$25 Scallop \$50

Application Notes

Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 59


A center support must be used with a 54" wide or larger worksurface.

Worksurfaces

Corner Peninsulas



Righ	t Ha	nd			LAMINATE			
A	В	C	MODEL#	L1	L2	L3		
60"	48"	24"	EW1BP6048SR	\$975	\$1,073	\$1,170		
72"	48"	24"	EW1BP7248SR	\$995	\$1,095	\$1,194		
72"	48"	30"	EW1BP7248DR	\$1,020	\$1,122	\$1,224		
78"	48"	24"	EW1BP7848SR	\$1,040	\$1,144	\$1,248		
78"	48"	30"	EW1BP7848DR	\$1,040	\$1,144	\$1,248		
84"	48"	24"	EW1BP8448SR	\$1,225	\$1,348	\$1,470		
84"	48"	30"	EW1BP8448DR	\$1,250	\$1,375	\$1,500		




Left Hand

LCIC	Hull	4				
60"	48"	24"	EW1BP6048SL	\$975	\$1,073	\$1,170
72"	48"	24"	EW1BP7248SL	\$995	\$1,095	\$1,194
72"	48"	30"	EW1BP7248DL	\$1,020	\$1,122	\$1,224
78"	48"	24"	EW1BP7848SL	\$1,040	\$1,144	\$1,248
78"	48"	30"	EW1BP7848DL	\$1,040	\$1,144	\$1,248
84"	48"	24"	EW1BP8448SL	\$1,225	\$1,348	\$1,470
84"	48"	30"	EW1BP8448DL	\$1,250	\$1,375	\$1,500

A	В	C	Posts Covered
36	72	S 24" Deep	X No Posts Covered
:	:	D 30" Deep	L Left Side Post Covered
:	:		R Right Side Post Covered
:	:		B Both Side Posts Covered
:	:		
36	72	S	Х
	36	36 72	36 72 S 24" Deep D 30" Deep

Specify

- 1. Model #
- 2. Options
- 3. Surface color
- 4. Edge color



Grommets


Blended peninsulas do not come with grommets. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 59

Center support must be used for all surfaces which exceed 48" in length.



D Peninsula				LAMINATE	
W	D	MODEL#	L1	L2	L3
60"	30"	EW1D6030	\$550	\$605	\$660
72"	30"	EW1D7230	\$955	\$1,051	\$1,146
72"	36"	EW1D7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1D8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1D8436	\$1,390	\$1,529	\$1,668



9 & P Peninsula


72"	30"	EW1(9/P)7230	\$955	\$1,051	\$1,146
72"	36"	EW1(9/P)7236	\$1,115	\$1,227	\$1,338
84"	30"	EW1(9/P)8430	\$1,250	\$1,375	\$1,500
84"	36"	EW1(9/P)8436	\$1,390	\$1,529	\$1,668

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula		
EW1P	P Peninsula		
	•		
EW1BP	1	72	30

Specify

- 1. Model#
- 2. Options
- 3. Surface color

4. Edge color



Application Notes

Designed for use as primary worksurfaces and for conferencing in small groups.

NOTE: P and D worksurfaces cannot be panel wrapped.


Support Information

Column bases and adjustable bar supports must be ordered separately. See page 70 – 71.

Worksurface Loading & Support See page 59

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for

additional stability.



Half Round without Notch				LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$745	\$820	\$894
60"	36"	EW1HR6036	\$934	\$1,027	\$1,121



Half Round Round with Notch

W	D	MODEL#	п	L2	L3
48"	30"	EW1HR4830N	\$745	\$820	\$894
60"	36"	EW1HR6036N	\$934	\$1,027	\$1,121




Corner Round

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$335	\$369	\$402
30"	EW1CR30	\$365	\$402	\$438

			Options
	w	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



Half Round Without Notches

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

Half Round With Notches

Included


Splice plates

Not Included nor Required


Bar support

Support Information

All supports must be ordered separately.




Blended Double Corner			LAMINATE			
A	В	C	MODEL#	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,250	\$1,375	\$1,500



135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$917	\$1,009	\$1,100
42"	24"	EW11354224	\$1,145	\$1,260	\$1,374
48"	24"	EW11354824	\$1,317	\$1,449	\$1,580




135° Cluster Core

A	MODEL#	L1	L2	L3
36"	EW1135C36	\$586	\$645	\$703
42"	EW1135C42	\$647	\$712	\$776
48"	EW1135C48	\$711	\$782	\$853

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



Grommets \$25 Scallop

Wood Grain

Double Corner

Double corner worksurface is designed to take the place of two adjacent corners by combining them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

135° Curved Cluster


Used in 135° planning configurations.

Support Information

All supports must be ordered separately.

Worksurfaces

Supports




Cantilever

DESCRIPTION	D	MODEL #	BLACK	P1	P2	Р3
Left hand	20"	EB1C20L	\$90	\$150	\$165	\$180
Left hand (10 pack)	20"	EB1C20L10	\$700	\$1,000	\$1,100	\$1,200
Right hand	20"	EB1C20R	\$90	\$150	\$165	\$180
Right hand (10 pack)	20"	EB1C20R10	\$700	\$1,000	\$1,100	\$1,200



Adjustable Bar Support

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$200	\$250	\$275	\$300
24", 30" and 36" (10 pack)	EB1SRS10	\$1,900	\$2,400	\$2,640	\$2,880
42", 48" and 60"	EB1SRL	\$225	\$275	\$303	\$330
42", 48" and 60" (10 pack)	EB1SRL10	\$2,000	\$2,600	\$2,860	\$3,120



Bracket/Splice Plate

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
20" flat bracket (20" & 24" tops)	EB1F24	\$45	\$80	\$88	\$96
26" flat bracket (30" & 36" tops)	EB1F3	\$52	\$90	\$99	\$108
Alignment plate	EB1APW	\$14	\$40	\$44	\$48
Panel to worksurface bracket	EB1PWS(L/R)	\$15	\$50	\$55	\$60
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$29	\$90	\$99	\$108



V Channel Support

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
54"	VS54	\$125	\$160	\$176	\$192
100"	VS100	\$240	\$290	\$319	\$348



Worksurface Support Rail

DESCRIPTION	MODEL#	BLACK	P1	P2	P3
46"	WCD46	\$80	\$100	¢110	\$120



Personal Drawer

DESCRIPTION	MODEL #	BLACK ONLY
Personal Drawer	SPD18	\$350

Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

Available in black only.

Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.

Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Column Bases			PAINT		
DESCRIPTION	Н	MODEL#	P1	P2	P3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362




Tapered Legs

- mp					
DESCRIPTION	Н	MODEL#	P1	P2	P3
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480

Specify

- 1. Model # 2. Trim color



Panel S	uppor	ted Height Adjustable		LAMINATE	
W	D	MODEL#	L1	L2	L3
42"	24"	EAW14224	\$2,047	\$2,252	\$2,456
48"	24"	EAW14824	\$2,197	\$2,417	\$2,636
60"	24"	EAW16024	\$2,297	\$2,527	\$2,756
72"	24"	EAW17224	\$2,527	\$2,780	\$3,032
42"	30"	EAW14230	\$2,147	\$2,362	\$2,576
48"	30"	EAW14830	\$2,297	\$2,527	\$2,756
60"	30"	EAW16030	\$2,597	\$2,857	\$3,116
72"	30"	EAW17230	\$2,727	\$3,000	\$3,272

Panel Supported Height Adjustable – Mech Only

			_	•
1	w	D	MODEL#	LIST
	42"	24"	EAW4224M	\$1,797
	42"	30"	EAW4230M	\$1,797
	48"	24"	EAW4824M	\$1,847
	48"	30"	EAW4830M	\$1,847
	60"	24"	EAW6024M	\$1,897
	60"	30"	EAW6030M	\$1,897
	72"	24"	EAW7224M	\$1,947
	72"	30"	EAW7230M	\$1,947

			Options			
Worksurface Type	w	D		Grommet		
EAW1 Height Adjustable	42	24	G G2	Standard Scallop	\$25 \$50	
EAW1	42	24	G			


Specify


- 1. Model#
- 2. Surface color
- 3. Edge color
- 4. Support color Black or Silver

Application Notes

Provides 18" of vertical movement.

Wood Grain





Specification Guidelines

- Order an adjustable height work surface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.
- 2. There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.
- When used as a solitary work surface perpendicular panels of 18" minimum width must be specified on both sides for stability.
- 4. When used in conjunction with a stationary work surface there should be a perpendicular panel at the free end of the adjustable work surface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly





Townhouse

Sq. Feet = 34.1'

3 panels

6' x 6' Sq. Feet = 36' 6 panels

The 120° planning model provides comparable or greater square footage per workstation than typical cubicle layouts (comparisons are illustrated on this page). At the same time, Equity 120° allows for a more natural space, creating a more comfortable place to work. Maintaining a consistent 48 module promotes improved asset management and a reduction of reconfiguration costs.





Apartment


Sq. Feet = 32.1'

2 panels



Sq. Feet = 24'


4 panels



8 Open House Stations

Sq. Feet = 284'

19 panels






Big House

Sq. Feet = 69.8'

7 panels



7 panels







8 Station Cluster (Each station 6' x 6')

Sq. Feet = 288'

28 panels



5 panels







Open House Sq. Feet = 35.5'

4 panels

6' x 6' Sq. Feet = 36' 6 panels


Worksurfaces

120

These worksurfaces are designed specifically for Equity 120° Applications. The (L/R) suffix at the end of a pattern number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.




Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.








Worksurface: W5 (L/R)

With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.






Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."








Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.






Worksurface: W11 / W1118 (L/R)


This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.






Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."





Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









Transition Tops

Transition tops require columns (not included) for support. Flat brackets (not included) are required to attach transition tops to adjacent worksurfaces.



Transition top: T2



Transition top: T3



Transition top: T4



Transition top: T5

Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both.




Peninsula top: P1



Peninsula top: P2 right hand




Peninsula top: P2 left hand



N3					LAMINATE	
w	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,020	\$1,122	\$1,224

Woodgrain Direction






W4

<u></u>						
48"	24"	24"	EW1W44824	\$1,030	\$1,133	\$1,236

Woodgrain Direction






W5

48"	24"	24"	EW1W54824L	\$975	\$1,073	\$1,170
48"	24"	24"	EW1W54824R	\$975	\$1,073	\$1,170

Woodgrain Direction





W6

48"	24"	24"	EW1W64824L	\$1,090	\$1,199	\$1,308
48"	24"	24"	EW1W64824R	\$1,090	\$1,199	\$1,308

Woodgrain Direction



•	nι	:CI	т.
,	μv		ш
	•		

- 1. Model#
- Surface color
 Edge color

Support Information


All supports must be ordered separately.

Application Notes

Refer to the worksurface planning page for worksurface drawings and applications.

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the pattern number and adding \$21.


W3 top may be extended on both ends by adding an "EB" to the end of the pattern number and adding \$42.



W L R MODEL# L1	L2	L3
48" 24" 24" EW1W74824L \$1,085	\$1,194	\$1,302
48" 24" EW1W74824R \$1,085	\$1,194	\$1,302

Woodgrain Direction






W11

48"	24"	18"	EW1W11482418	\$1,280	\$1,408	\$1,536
48"	18"	24"	EW1W11481824	\$1,280	\$1,408	\$1,536

Woodgrain Direction






W12

48"	24"	18"	EW1W12482418	\$1,360	\$1,496	\$1,632
48"	18"	24"	EW1W12481824	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824L	\$1,360	\$1,496	\$1,632
48"	24"	24"	EW1W124824R	\$1,360	\$1,496	\$1,632

Woodgrain Direction





W13

48"	24"	18"	EW1W13482418	\$1,310	\$1,441	\$1,572
48"	18"	24"	EW1W13481824	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824L	\$1,310	\$1,441	\$1,572
48"	24"	24"	EW1W134824R	\$1,310	\$1,441	\$1,572

Woodgrain Direction



Specify

- 1. Model #
- Surface color
 Edge color

Support Information

All supports must be ordered separately.

Application Notes

Refer to the worksurface planning page for worksurface drawings and applications.

Straight ends are available extended by adding an "E" to the end of the pattern number and adding \$21.

Worksurfaces

Transition Tops



T2				LAMINATE	
w	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$655	\$721	\$786
37 ½"	18"	EW1T218	\$615	\$677	\$738



T3
26" 24" EW1T324 \$625 \$688 \$750



T4

26" 24" EW1T424 \$645 \$710 \$774



 T5

 37 ½"
 18"
 EW1T518
 \$675
 \$743
 \$810

 50"
 24"
 EW1T524
 \$660
 \$726
 \$792




Peninsula Tops

35"	52"	EW1P15235	\$725	\$798	\$870
36"	38"	EW1P23836(L/R)	\$700	\$770	\$840

Specify

- 1. Model#
- 2. Surface color
- 3. Edge color



T2 Transition Top

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the pattern number so it is notched for the post.

Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately.

Worksurface Loading & Support See page 59

Cascade Worksurfaces

CASCADE EDGE

Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

AVAILABLE LAMINATES

Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice

Woodgrain


124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut

Cascade Worksurfaces



24" I	Deep		LAM	INATE
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$222	\$255
30"	24"	ECE1R3024N	\$255	\$293
36"	24"	ECE1R3624N	\$281	\$324
42"	24"	ECE1R4224N	\$324	\$373
48"	24"	ECE1R4824N	\$364	\$419
54"	24"	ECE1R5424N	\$391	\$449
60"	24"	ECE1R6024N	\$424	\$488
66"	24"	ECE1R6624N	\$459	\$526
72"	24"	ECE1R7224N	\$479	\$551
78"	24"	ECE1R7824N	\$515	\$591
84"	24"	ECE1R8424N	\$544	\$625
90"	24"	ECE1R9024N	\$614	\$704
96"	24"	ECE1R9624N	\$670	\$770



30" Deep

24"	30"	ECE1R2430N	\$282	\$326
30"	30"	ECE1R3030N	\$317	\$364
36"	30"	ECE1R3630N	\$353	\$406
42"	30"	ECE1R4230N	\$383	\$439
48"	30"	ECE1R4830N	\$424	\$488
54"	30"	ECE1R5430N	\$480	\$552
60"	30"	ECE1R6030N	\$528	\$606
66"	30"	ECE1R6630N	\$589	\$677
72"	30"	ECE1R7230N	\$614	\$704
78"	30"	ECE1R7830N	\$654	\$752
84"	30"	ECE1R8430N	\$696	\$800
90"	30"	ECE1R9030N	\$748	\$860
96"	24"	ECE1R9630N	\$800	\$919
_				

Sample

12"	12"	ECE1R1212G2	\$137	\$159

Specify

- 1. Model#
- 2. Options
- 3. Surface/edge color

Extended Ends

 ${\bf E}\dots$ Covers 1 post





Edge Profile



Wiring & Cabling



Scallop \$50

Available Laminates

Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple 126 Natural Cherry
- 127 Walnut

Support Information


All supports must be ordered separately.

Worksurface Loading & Support See page 59.

A center support must be used with a 54" wide or larger worksurface.




Corner — Curved Front LAMINATE							
A	В	C	MODEL #	SOLID	WOODGRAIN		
36"	24"	24"	ECE1L3636SSN	\$554	\$639		
42"	24"	24"	ECE1L4242SSN	\$670	\$770		
42"	24"	30"	ECE1L4242SDN	\$796	\$913		
42"	30"	24"	ECE1L4242DSN	\$796	\$913		
48"	24"	24"	ECE1L4848SSN	\$752	\$865		
48"	24"	30"	ECE1L4848SDN	\$901	\$1,036		
48"	30"	24"	ECE1L4848DSN	\$901	\$1,036		
48"	30"	30"	ECE1L4848DDN	\$808	\$930		



Right-Hand

A	В	C	D	MODEL#	SOLID	WOODGRAIN
24"	42"	60"	24"	ECE1L4260SS()N	\$919	\$1,058
24"	42"	66"	24"	ECE1L4266SS()N	\$943	\$1,086
24"	42"	72"	24"	ECE1L4272SS()N	\$979	\$1,127
24"	42"	78"	24"	ECE1L4278SS()N	\$991	\$1,138
24"	48"	60"	24"	ECE1L4860SS()N	\$932	\$1,070
30"	48"	60"	24"	ECE1L4860DS()N	\$913	\$1,052
24"	48"	66"	24"	ECE1L4866SS()N	\$965	\$1,109
24"	48"	66"	30"	ECE1L4866SD()N	\$961	\$1,106
30"	48"	66"	24"	ECE1L4866DS()N	\$961	\$1,106
24"	48"	72"	24"	ECE1L4872SS()N	\$1,000	\$1,150
24"	48"	72"	30"	ECE1L4872SD()N	\$1,006	\$1,158
30"	48"	72"	24"	ECE1L4872DS()N	\$1,006	\$1,158
24"	48"	78"	24"	ECE1L4878SS()N	\$1,102	\$1,268
24"	48"	84"	24"	ECE1L4884SS()N	\$1,239	\$1,426
24"	48"	84"	30"	ECE1L4860SD()N	\$913	\$1,052




Left-Hand

гетт-і	ett-nand										
24"	60"	42"	24"	ECE1L6042SS()N	\$919	\$1,058					
24"	60"	48"	24"	ECE1L6048SS()N	\$932	\$1,070					
24"	60"	48"	30"	ECE1L6048SD()N	\$913	\$1,052					
30"	60"	48"	24"	ECE1L6048DS()N	\$913	\$1,052					
24"	66"	42"	24"	ECE1L6642SS()N	\$943	\$1,086					
24"	66"	48"	24"	ECE1L6648SS()N	\$965	\$1,109					
24"	66"	48"	30"	ECE1L6648SD()N	\$961	\$1,106					
30"	66"	48"	24"	ECE1L6648DS()N	\$961	\$1,106					
24"	72"	42"	24"	ECE1L7242SS()N	\$979	\$1,127					
24"	72"	48"	24"	ECE1L7248SS()N	\$1,000	\$1,150					
24"	72"	48"	30"	ECE1L7248SD()N	\$1,006	\$1,158					
30"	72"	48"	24"	ECE1L7248DS()N	\$1,006	\$1,158					
24"	78"	42"	24"	ECE1L7842SS()N	\$991	\$1,138					
24"	78"	48"	24"	ECE1L7848SS()N	\$1,102	\$1,268					
24"	84"	48"	24"	ECE1L8448SS()N	\$1,239	\$1,426					



Righ	t Ha	nded		LAMINATE		
A	C	D	MODEL#	SOLID	WOODGRAIN	
24"	66"	48"	ECE1BD6648SR	\$898	\$1,032	
30"	66"	48"	ECE1BD6648DR	\$943	\$1,086	
24"	72"	48"	ECE1BD7248SR	\$917	\$1,057	
30"	72"	48"	ECE1BD7248DR	\$978	\$1,125	
24"	78"	48"	ECE1BD7848SR	\$1,060	\$1,219	
30"	78"	48"	ECE1BD7848DR	\$1,096	\$1,259	
24"	84"	48"	ECE1BD8448SR	\$1,089	\$1,252	
30"	84"	48"	ECE1BD8448DR	\$1,158	\$1,330	




Left Handed

	···	ucu			
A	C	D	MODEL#	SOLID	WOODGRAIN
24"	48"	66"	ECE1BD6648SL	\$898	\$1,032
30"	48"	66"	ECE1BD6648DL	\$943	\$1,086
24"	48"	72"	ECE1BD7248SL	\$917	\$1,057
30"	48"	72"	ECE1BD7248DL	\$978	\$1,125
24"	48"	78"	ECE1BD7848SL	\$1,060	\$1,219
30"	48"	78"	ECE1BD7848DL	\$1,096	\$1,259
24"	48"	84"	ECE1BD8448SL	\$1,089	\$1,252
30"	48"	84"	ECE1BD8448DL	\$1,158	\$1,330

1. Model# 2. Options 3. Surface/edge color

Specify







Wiring & Cabling

Scallop \$50

G2

Available Laminates

Solid


- 114 Folkstone Grey
- 117 Soft Grey 118 Bright White
- 119 Pumice

Woodgrain


- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately.




Nave	End -	- Left	Hand			LAMINAT	
W	L	R	A	В	MODEL#	SOLID	WOODGRAIN
36"	30"	24"	15"	1 ½"	ECE1W363024N	\$596	\$685
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$626	\$721
48"	30"	24"	15"	15"	ECE1W483024N	\$671	\$772
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$854	\$980



Wave End – Right Hand

W	L	R	A	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$596	\$685
42"	24"	30"	9"	15"	ECE1W422430N	\$626	\$721
48"	24"	30"	15"	15"	ECE1W482430N	\$671	\$772
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$854	\$980



120° Worksurface

W	W	L	R	MODEL#	SOLID	WOODGRAIN
48"	48"	24"	24"	ECE1W34824G	\$979	\$1,127

Specify	Wood Grain	Wiring & Cabling	Available Laminates	Support Information
 Model # Options Surface/edge color 	←	G2 Scallop \$50	Solid 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice	All supports must be ordered separately.
	Edge Profile	Stanop 750	Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	



Half	Round		LAMINAT	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$479	\$551
48"	18"	ECE1H4818PC	\$479	\$551
48"	18"	ECE1H4818PE	\$479	\$551
60"	24"	ECE1H6024P	\$659	\$760
60"	24"	ECE1H6024PC	\$659	\$760
60"	24"	ECE1H6024PE	\$659	\$760



Corner Round

W	D	MODEL# SOLID	WOODGRAIN
24"	24"	ECE1CR24L/R \$255	\$293



Corner Round w/Notch


W	D	MODEL# SOLID	WOODGRAIN
24	" 24"	ECE1CR24N \$255	\$293

Specify

- 1. Model#
- 2. Options
- 3. Surface/edge color

Half Round

- Notched for post
- **PE** Notched for postless end
- **PC** Notched for post with cover





Wiring & Cabling



Scallop \$50

Available Laminates

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

Support Information

All supports must be ordered separately.



Cable Sleeve w/Cover

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$28



Edge Grommet

Н	W	D	MODEL#	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$28



Worksurface Cable Basket

Н	w	D	MODEL#	BLACK	P1	P2	Р3
2"	20"	4"	EW1CB20	\$55	\$100	\$110	\$120
2"	32"	4"	EW1CB32	\$76	\$125	\$138	\$150
2"	42"	4"	FW1CR42	\$82	\$150	\$165	\$180

Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

Edge Grommet


Designed to accommodate various styles and quantities of cords/plugs between rear of worksurfaces and panels for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.

Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.

Available in black only.




Straight					LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	Р3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$320	\$352	\$384	+ \$25	+ \$50
24"	22 ½"	15 1/4"	EW(3/N)2415	\$340	\$374	\$408	+ \$25	+ \$50
30"	28 ½"	15 1/4"	EW(3/N)3015	\$345	\$380	\$414	+ \$25	+ \$50
36"	34 ½"	15 1/4"	EW(3/N)3615	\$350	\$385	\$420	+ \$25	+ \$50
42"	40 ½"	15 1/4"	EW(3/N)4215	\$365	\$402	\$438	+ \$25	+ \$50
48"	46 ½"	15 1/4"	EW(3/N)4815	\$390	\$429	\$468	+ \$25	+ \$50
60"	58 ½"	15 1/4"	EW(3/N)6015	\$425	\$468	\$510	+ \$25	+ \$50
72"	70 ½"	15 1/4"	EW(3/N)7215	\$480	\$528	\$576	+ \$25	+ \$50
84"	82 ½"	15 1/4"	EW(3/N)8415	\$530	\$583	\$636	+ \$25	+ \$50
96"	94 ½"	15 1/4"	EW(3/N)9615	\$570	\$627	\$684	+ \$25	+ \$50
108"	106 ½"	15 1/4"	EW(3/N)10815	\$620	\$682	\$744	+ \$25	+ \$50
120"	118 ½"	15 1/4"	EW(3/N)12015	\$675	\$743	\$810	+ \$25	+ \$50



Straight – Extended One End

Julyin	LACCI	iucu viic i	LIIU					
12"	12"	15 ¼"	EW(3/N)1215E	\$330	\$363	\$396	+ \$25	+ \$50
24"	24"	15 1/4"	EW(3/N)2415E	\$350	\$385	\$420	+ \$25	+ \$50
30"	30"	15 1/4"	EW(3/N)3015E	\$355	\$391	\$426	+ \$25	+ \$50
36"	36"	15 1/4"	EW(3/N)3615E	\$360	\$396	\$432	+ \$25	+ \$50
42"	42"	15 1/4"	EW(3/N)4215E	\$375	\$413	\$450	+ \$25	+ \$50
48"	48"	15 1/4"	EW(3/N)4815E	\$400	\$440	\$480	+ \$25	+ \$50
60"	60"	15 1/4"	EW(3/N)6015E	\$435	\$479	\$522	+ \$25	+ \$50
72"	72"	15 1/4"	EW(3/N)7215E	\$490	\$539	\$588	+ \$25	+ \$50
84"	84"	15 1/4"	EW(3/N)8415E	\$540	\$594	\$648	+ \$25	+ \$50
96"	96"	15 1/4"	EW(3/N)9615E	\$580	\$638	\$696	+ \$25	+ \$50
108"	108"	15 1/4"	EW(3/N)10815E	\$630	\$693	\$756	+ \$25	+ \$50



Straight – Extended Both End

_									
	12"	13 ½"	15 1/4"	EW(3/N)1215EE	\$340	\$374	\$408	+ \$25	+ \$50
	24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$360	\$396	\$432	+ \$25	+ \$50
	30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$365	\$402	\$438	+ \$25	+ \$50
	36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$370	\$407	\$444	+ \$25	+ \$50
	42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$385	\$424	\$462	+ \$25	+ \$50
	48"	49 1/2"	15 1/4"	EW(3/N)4815EE	\$410	\$451	\$492	+ \$25	+ \$50
	60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$445	\$490	\$534	+ \$25	+ \$50
	72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$500	\$550	\$600	+ \$25	+ \$50
	84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$550	\$605	\$660	+ \$25	+ \$50
	96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$590	\$649	\$708	+ \$25	+ \$50
	108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$640	\$704	\$768	+ \$25	+ \$50

Specify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

Extended Ends

 $\mathbf{E} \dots$ Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

Support Information

Steel cantilevers are supplied.


Top Cap Compatibility

3 - Beveled

N – Flat








(Corner				LAMINATE		PAINT	
	W	D	MODEL #	ព	L2	L3		
	24"	15 1/4"	EW(3/N)CC2415	\$420	\$462	\$504	+ \$25	+ \$50
	30"	15 1/4"	EW(3/N)CC3015	\$435	\$479	\$522	+ \$25	+ \$50
	36"	15 1/4"	EW(3/N)CC3615	\$450	\$495	\$540	+ \$25	+ \$50



Corner -	Corner – Extended Left							
24"	15 1/4"	EW(3/N)CC2415LHE	\$430	\$473	\$516	+ \$25	+ \$50	
30"	15 1/4"	EW(3/N)CC3015LHE	\$445	\$490	\$534	+ \$25	+ \$50	
36"	15 1/4"	EW(3/N)CC3615LHE	\$460	\$506	\$552	+ \$25	+ \$50	



Corner – Extended Right							
24"	15 ¼"	EW(3/N)CC2415RHE	\$430	\$473	\$516	+ \$25	+ \$50
30"	15 ¼"	EW(3/N)CC3015RHE	\$445	\$490	\$534	+ \$25	+ \$50
36"	15 1/4"	EW(3/N)CC3615RHE	\$460	\$506	\$552	+ \$25	+ \$50



Corner – Extended Both

24"	15 ¼"	EW(3/N)CC2415EE	\$440	\$484	\$528	+ \$25	+ \$50
30"	15 ¼"	EW(3/N)CC3015EE	\$455	\$501	\$546	+ \$25	+ \$50
36"	15 ¼"	EW(3/N)CC3615EE	\$470	\$517	\$564	+ \$25	+ \$50

Spe	cify

- 1. Model#
- 2. Options
- 3. Surface color
- 4. Edge color
- 5. Cantilever color

Extended Ends

E....Covers 1 post

EE . . Covers 2 posts

Application Notes

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

Support Information

Steel cantilevers are supplied.

Top Cap Compatibility


3 – Beveled

N – Flat






Shelves



Shelf	· · · · · · · · · · · · · · · · · · ·			PAINT		
w	D	Н	MODEL #	P1	P2	Р3
24"	12 ¾"	10 1/4"	ES2OS24	\$232	\$247	\$257
30"	12 ¾"	10 1/4"	ES2OS30	\$254	\$269	\$279
36"	12 ¾"	10 1/4"	ES2OS36	\$254	\$269	\$279
42"	12 3/8"	10 1/4"	ES2OS42	\$266	\$281	\$291
48"	12 ¾"	10 1/4"	ES2OS48	\$278	\$293	\$303
60"	12 ¾"	10 1/4"	ES2OS60	\$298	\$313	\$323
72"	12 3/8"	10 1/4"	ES2OS72	\$322	\$337	\$347



Shelf – Half Height

_							
-	24"	12 ¾"	7 1/4"	ES3OS24	\$280	\$295	\$305
	30"	12 ¾"	7 1/4"	ES3OS30	\$310	\$325	\$335
	36"	12 3/8"	7 1/4"	ES3OS36	\$310	\$325	\$335
	42"	12 ¾"	7 1/4"	ES3OS42	\$322	\$337	\$347
	48"	12 3/8"	7 1/4"	ES3OS48	\$339	\$354	\$364
	60"	12 3/8"	7 1/4"	ES3OS60	\$364	\$379	\$389
	72"	12 %"	7 1/4"	ES3OS72	\$392	\$407	\$417



Shelf – Back

EC2SB24	\$191	\$201	\$207
EC2SB30	\$210	\$220	\$230
EC2SB36	\$210	\$220	\$230
EC2SB42	\$220	\$230	\$237
EC2SB48	\$230	\$237	\$244
EC2SB60	\$259	\$269	\$277
EC2SB72	\$295	\$304	\$313
	EC2SB30 EC2SB36 EC2SB42 EC2SB48 EC2SB60	EC2SB30 \$210 EC2SB36 \$210 EC2SB42 \$220 EC2SB48 \$230 EC2SB60 \$259	EC25B30 \$210 \$220 EC25B36 \$210 \$220 EC25B42 \$220 \$230 EC25B48 \$230 \$237 EC25B60 \$259 \$269



Shelf – Divider

2"	9"	6"	EC2SD	\$133	N/A	N/A

S	pe	ci	fy
			-,

- 1. Model#
- 2. Paint trim color


Application Notes

Open shelf consists of two steel end panels and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.

Shelf Divider	
Available in black only.	

		W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
<u>:</u>	_	
ES2OS		36
i	:	.



Overhead – Side Hinge Laminate Front				LAMINATE			PAINT		
W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	Р3
24"	12 ½"	14 1/4"	2	EC2OL24	\$677	\$745	\$812	+ \$25	+ \$50
30"	12 ½"	14 1/4"	2	EC2OL30	\$727	\$800	\$872	+ \$25	+ \$50
36"	12 ½"	14 1/4"	2	EC2OL36	\$777	\$855	\$932	+ \$25	+ \$50
42"	12 ½"	14 1/4"	2	EC2OL42	\$827	\$910	\$992	+ \$25	+ \$50
48"	12 ½"	14 1/4"	2	EC2OL48	\$877	\$965	\$1,052	+ \$25	+ \$50
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,227	\$1,350	\$1,472	+ \$25	+ \$50
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,327	\$1,460	\$1,592	+ \$25	+ \$50



Overhead – Flipper Door					PAINT			
W	D	Н	# DOORS	MODEL#		P1	P2	Р3
24"	12 ½"	14 1/4"	1	EC2OP24		\$602	\$627	\$652
30"	12 ½"	14 1/4"	1	EC2OP30		\$681	\$706	\$731
36"	12 ½"	14 1/4"	1	EC2OP36		\$681	\$706	\$731
42"	12 ½"	14 1/4"	1	EC2OP42		\$759	\$784	\$809
48"	12 ½"	14 1/4"	1	EC2OP48		\$801	\$826	\$851
60"	12 ½"	14 1/4"	1	EC2OP60		\$913	\$938	\$963
72"	12 ½"	14 1/4"	1	EC2OP72		1,004	\$1,029	\$1,054
72"	12 ½"	14 1/4"	2	EC2OP272		\$1,219	\$1,244	\$1,269



Overhead – Back

24"	5/8"	14"	EC2CB24	\$191	\$201	\$207
30"	5/8"	14"	EC2CB30	\$210	\$220	\$230
36"	5/8"	14"	EC2CB36	\$210	\$220	\$230
42"	5/8"	14"	EC2CB42	\$220	\$230	\$237
48"	5/8"	14"	EC2CB48	\$230	\$237	\$244
60"	5/8"	14"	EC2CB60	\$259	\$269	\$277
72"	5/8"	14"	EC2CB72	\$295	\$304	\$313

-	
Sno	city
Jhe	CITY

- 1. Model#
- 2. Paint trim color
- 3. Optional Laminate

Overhead – Side Hinge


Includes matching ABS edge band

Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

		W
EC2OL	Overhead – Side Hinge	36
EC2OP	Overhead – Flipper Door	
ES2OL		36
	. i	

Tackboards



60"

EP1TB6020

12" H			FABRIC							
W	MODEL#	A	A B C D E F G							
24"	EP1TB2412	\$200	\$225	\$250	\$300	\$400	\$500	\$600	\$700	
30"	EP1TB3012	\$250	\$275	\$300	\$350	\$450	\$550	\$650	\$750	
36"	EP1TB3612	\$300	\$325	\$350	\$400	\$500	\$600	\$700	\$800	
42"	EP1TB4212	\$325	\$350	\$375	\$425	\$525	\$625	\$725	\$825	
48"	EP1TB4812	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850	
60"	EP1TB6012	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900	

20" H EP1TB2420 \$300 \$325 \$350 \$400 \$500 \$600 \$700 \$800 30" EP1TB3020 \$325 \$350 \$375 \$425 \$525 \$625 \$725 \$825 36" EP1TB3620 \$350 \$375 \$400 \$450 \$550 \$650 \$750 \$850 42" EP1TB4220 \$375 \$400 \$425 \$475 \$575 \$675 \$775 \$875 48" EP1TB4820 \$450 \$900 \$400 \$425 \$500 \$600 \$700 \$800

\$475

\$500

\$550

\$650

\$750

\$850

\$950

\$450

Specify					
	Model # Fabric				


Application Notes

Specify in areas where heavy tacking application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

	w	н
EP1TB Tackboard	36	20
EP1TB	36	



36"

42"

48"

60"

EP1TB3636

EP1TB4236

EP1TB4836

EP1TB6036

25" H					FABR	IC			
W	MODEL#	A	В	c	D	E	F	G	Н
24"	EP1TB2425	\$350	\$375	\$400	\$450	\$550	\$650	\$750	\$850
30"	EP1TB3025	\$375	\$400	\$425	\$475	\$575	\$675	\$775	\$875
36"	EP1TB3625	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
42"	EP1TB4225	\$425	\$450	\$475	\$525	\$625	\$725	\$825	\$925
48"	EP1TB4825	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950
60"	EP1TB6025	\$500	\$525	\$550	\$600	\$700	\$800	\$900	\$1,000
36" H									
24"	EP1TB2436	\$400	\$425	\$450	\$500	\$600	\$700	\$800	\$900
30"	EP1TB3036	\$450	\$475	\$500	\$550	\$650	\$750	\$850	\$950

\$500

\$525

\$550

\$600

\$525

\$550

\$575

\$625

\$575

\$600

\$625

\$675

\$675

\$700

\$725

\$775

\$775

\$800

\$825

\$875

\$875

\$900

\$925

\$975

\$975

\$1,000

\$1,025

\$1,075

\$475

\$500

\$525

\$575

Specify					
1. Model #					
2. Fabric					

Application Notes

Specify in areas
where heavy tacking
application is required.

Solid core construction will easily accept T-pins, push pins and thumbtacks.

Clips attach unit to slotted standards.

	W	Н
EP1TB Tackboard	36	20
:		
EP1TB	36	
······································	·········	··········

Wall Mounted Channel

V	Wall Mounted Channel PAINT										
	w	D	Н	H (Actual)	MODEL#		P1	P2	P3		
	2 1/8"	3/4"	29"	23"	EP3WMC29		\$112	\$116	\$122		
	2 %"	3/4"	41"	35"	EP3WMC41		\$112	\$116	\$122		
	2 %"	3/4"	49"	43"	EP3WMC49		\$114	\$120	\$128		
	2 %"	3/4"	54"	49"	EP3WMC54		\$116	\$122	\$129		
	2 %"	3/4"	61"	55"	EP3WMC61		\$130	\$135	\$145		
	2 1/8"	3/4"	66"	60"	EP3WMC66		\$133	\$144	\$148		
	2 %"	3/4"	81"	75"	EP3WMC81		\$162	\$168	\$178		
	2 %"	3/4"	120"	120"	EP3WMC120		\$249	\$262	\$276		

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum channel
- Insert which snaps into place



T5 – Task Light

DESCRIPTION	Н	w	D	MODEL#	LIST
Use with 24" and wider overhead	1 ½"	19"	4"	EL4T5E19S	\$259
Use with 30" and wider overhead	1 ½"	25"	4"	EL4T5E25S	\$268
Use with 42" and wider overhead	1 ½"	37"	4"	EL4T5E37S	\$275
Use with 60" and wider overhead	1 ½"	49"	4"	EL4T5E49S	\$291



LED – Task Light

Use with 24" and wider overhead	1"	16"	1"	EL4LED16	\$495
Use with 30" and wider overhead	1"	25"	1"	EL4LED25	\$595
Use with 42" and wider overhead	1"	31"	1"	EL4LED31	\$655
Use with 60" and wider overhead	1"	37"	1"	EL4LED37	\$727

Specify

1. Model#

Application Notes

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

T5 Task Light

120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cord-set, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

T5 task lights come with mounting supports.

City of Chicago Installations Specify suffix – CH and add \$45 list.

Example: EL4T525S-CH

LED

- Consumes only 9.4 Watts
- Color temperature: 3300 K
- Non-handed toggle switch location
- Cord location can be either end

LED task lights are magnetic and require no mounting supports.

Step 1 - Model

		Shape	D	w	Lamina
TB Table	R	Round	34	69	PW-STK
	S	Square		:	
	RCT	Rectangle	•	:	
	OT	Oval			•
тв	RCT		34	69	PW-STK

Step 1 - Surface Finish

Laı	Laminate					
PW-STK	Studio Teak					
:						
•						
:						
PW-STK	:					
PW-SIK	:					

Step 2 - Edge Finish

Ed	ge Band	
EB-STK	Studio Teak	301
EB-STK		301
	:	i

Step 3 - Trim Finish

	Paints
301	Champagne
•	
į	
į	•
301	
:	:

FEATURES

BASE TYPES

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

BASE OPTIONS

- Bar height
- Flip top
- Casters
- Polished and Satin chrome finishes available in addition to paint

NOTE: not all options are available on all bases

WORKSURFACE TYPES

- Round
- Square
- Rectangular
- Oval

LEVELERS

Adjustable height levelers are included at no additional cost on all models. The levels are 3/8 - 16 x 3/4" long shank. Leveler extensions can be ordered separately. Please contact Sales Support for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS60, TBS48, TBOT54120, TBOT60144.

CUSTOM TABLES

Custom size tables and custom height bases are available upon request, pending engineering approval. Customization charges may apply. Contact Sales Support for additional information and pricing.

CONSTRUCTION

X BASES

X bases are made from cast aluminum with 2 1/4" tubing OD x 13 gauge.

Y BASE

Y base is made from cast aluminum with 2 1/4" steel tube.

X BASE MOUNTING PLATES

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All nonwoodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/4".

WORKSURFACE HEIGHTS

Standard	27 ¾"
Bar Height	40 ¾"

SURFACE MATERIALS

WORKSURFACE

- Laminate
- · Edge band

X BASES

Paint

Y BASE

Paint

TAPERED LEGS

Paint

HEIGHT ADJUSTABLE BASE

White, black or silver

TABLES





Round						LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	29 ¾"	29 ¾"	TBR30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X base	29"	35 ¾"	35 ¾"	TBR36	\$1,150	\$1,265	\$1,380	+ \$100	+ \$200
X base	29"	41 ¾"	41 ¾"	TBR42	\$1,225	\$1,348	\$1,470	+ \$100	+ \$200
X base	29"	47 ¾"	47 ¾"	TBR48	\$1,510	\$1,661	\$1,812	+ \$100	+ \$200
4 Tapered legs	29"	59 ¾"	59 ¾"	TBR60	\$2,680	\$2,948	\$3,216	+ \$200	+ \$300



Square

Square									
X Base	29"	29 ¾"	29 ¾"	TBS30	\$1,125	\$1,238	\$1,350	+ \$100	+ \$200
X Base	29"	35 ¾"	35 ¾"	TBS36	\$1,200	\$1,320	\$1,440	+ \$100	+ \$200
X Base	29"	41 ¾"	41 ¾"	TBS42	\$1,250	\$1,375	\$1,500	+ \$100	+ \$200
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48	\$1,650	\$1,815	\$1,980	+ \$200	+ \$300
4 Tapered Legs	29"	59 ½"	59 ½"	TBS60	\$2,550	\$2,805	\$3,060	+ \$200	+ \$300

Options for Round & Square Tables


•	•	
DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$100
Casters (set of 4)	С	+ \$100
Flip top	FT	+ \$200

Flip top is not available on tapered legs.

Sp	ecify	
1.	Model #	

2. Surface finish3. Edge finish

4. Trim finish



		Shape	D
TB Table	R	Round	30
	S	Square	
	RCT	Rectangle	
•	OT	Oval	
,	į	;	
TB	R		30



Rectangle	-					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
Y base w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048	\$1,415	\$1,557	\$1,698	+ \$200	+ \$300
Y base w/stretcher	29"	58 ½"	35 ½"	TBRCT3660	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060	\$1,725	\$1,898	\$2,070	+ \$200	+ \$300
Y base w/stretcher	29"	69 ¼"	34"	TBRCT3469	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	29 ¾"	TBRCT3072	\$2,035	\$2,239	\$2,442	+ \$200	+ \$300
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBRCT3672	\$2,415	\$2,657	\$2,898	+ \$200	+ \$300
Y base w/stretcher	29"	79 1/4"	34"	TBRCT3479	\$3,065	\$3,372	\$3,678	+ \$200	+ \$300
Y base w/stretcher	29"	83 ¾"	41 ¾"	TBRCT4284	\$3,230	\$3,553	\$3,876	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47 ¾"	TBRCT4896	\$4,165	\$4,582	\$4,998	+ \$200	+ \$300




Oval

o rui									
Y base w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672	\$3,190	\$3,509	\$3,828	+ \$200	+ \$300
Y base w/stretcher	29"	95 ¾"	47"	TBOT4896	\$5,225	\$5,748	\$6,270	+ \$200	+ \$300
Y base w/stretcher	29"	119 ¾"	47"	TBOT48120	\$6,395	\$7,035	\$7,674	+ \$200	+ \$300
6 Tapered legs	29"	119 ¾"	53 ¾"	TBOT54120	\$6,900	\$7,590	\$8,280	+ \$250	+ \$350
6 Tapered legs	29"	143 ¾"	59 ¾"	TBOT60144	\$7,500	\$8,250	\$9,000	+ \$250	+ \$350

Options for Rectangle & Oval Tables

DESCRIPTION	OPTION CODE	UPCHARGE
Bar height	ВН	+ \$300
Casters (set of 4)	c	+ \$100
Flip top	FT	+ \$300

Casters & flip top are not available on tapered legs.





Column Bases				LAMINATE	
DESCRIPTION	Н	MODEL #	L1	L2	L3
Fixed height support column	27 ¾"	EB1FCOL	\$320	\$348	\$362





Tapered Legs				PAINT	
DESCRIPTION	Н	MODEL #	P1	P2	P3
Single leg	27 ¾"	TBTL	\$350	\$385	\$420
Single leg w/caster	27 ¾"	TBTLC	\$375	\$410	\$445
Set of 2	27 ¾"	TBTL2	\$600	\$660	\$720
Set of 2 w/casters	27 ¾"	TBTL2C	\$650	\$710	\$770
Set of 4	27 ¾"	TBTL4	\$1,150	\$1,265	\$1,380
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,250	\$1,365	\$1,480



Height Adjustable Base

DESCRIPTION	D	MODEL#	BLACK OR SILVER
2 legs	23 3/5"	TBAHL224	\$2,200
2 legs	29"	TBAHL230	\$2,200
3 legs	23 3/5"	TBAHL324	\$3,200
3 legs	29"	TBAHL330	\$3,200





Specify

- 1. Model#
- 2. Trim color


Application Notes


Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48 – 84" wide. Adjustable height bases have a capacity of 264 lbs. evenly distributed.


Comes with four position memory controller.

3-stage legs offer a large height adjustment range of 24" – 50".


Privacy/Modesty Panels








Mod	dest	ty Pane	els	INSERT TYPE				LAMINATE			
W	Н	BRACKETS	MODEL#	CR	PC	TC	TP	PG	L1	L2	L3
12"	12"	2	MOD()12	\$167	\$227	\$357	\$357	\$147	\$117	\$250	\$272
18"	12"	2	MOD()18	\$207	\$307	\$487	\$487	\$167	\$137	\$338	\$368
24"	12"	2	MOD()24	\$247	\$387	\$617	\$617	\$197	\$157	\$426	\$464
30"	12"	2	MOD()30	\$287	\$467	\$747	\$747	\$227	\$177	\$514	\$560
36"	12"	2	MOD()36	\$327	\$547	\$887	\$887	\$257	\$197	\$602	\$656
42"	12"	2	MOD()42	\$367	\$627	\$1,017	\$1,017	\$287	\$217	\$690	\$752
48"	12"	2	MOD()48	\$407	\$707	\$1,147	\$1,147	\$317	\$237	\$778	\$848
60"	12"	3	MOD()60	\$507	\$867	\$1,417	\$1,417	\$377	\$277	\$954	\$1,040



Priv	acy	/ Panels	S	II	NSERT TYPE		•	LAMINATE	
W	Н	BRACKETS	MODEL#	CR	PC	PG	L1	L2	L3
12"	12"	2	PRV()12	\$167	\$227	\$147	\$117	\$129	\$140
18"	12"	2	PRV()18	\$207	\$307	\$167	\$137	\$151	\$164
24"	12"	2	PRV()24	\$247	\$387	\$197	\$157	\$173	\$188
30"	12"	2	PRV()30	\$287	\$467	\$227	\$177	\$195	\$212
36"	12"	2	PRV()36	\$327	\$547	\$257	\$197	\$217	\$236
42"	12"	2	PRV()42	\$367	\$627	\$287	\$217	\$239	\$260
48"	12"	2	PRV()48	\$407	\$707	\$317	\$237	\$261	\$284
60"	12"	3	PRV()60	\$507	\$867	\$377	\$277	\$305	\$332



Tacl	Tackable Privacy & Slat Rail Combo												PAINT	
W	Н	BRACKETS	MODEL#	A	В	C	D	E	F	G	Н	P1	P2	P3
12"	12"	2	PRVTKSR1212	\$207	\$257	\$307	\$357	\$407	\$467	\$557	\$707	+ \$25	+ \$50	+ \$75
18"	12"	2	PRVTKSR1218	\$237	\$297	\$347	\$397	\$447	\$507	\$597	\$747	+ \$25	+ \$50	+ \$75
24"	12"	2	PRVTKSR1224	\$267	\$337	\$387	\$437	\$487	\$547	\$637	\$787	+ \$25	+ \$50	+ \$75
30"	12"	2	PRVTKSR1230	\$297	\$377	\$427	\$477	\$557	\$587	\$677	\$827	+ \$25	+ \$50	+ \$75
36"	12"	2	PRVTKSR1236	\$347	\$417	\$467	\$517	\$597	\$757	\$857	\$1,027	+ \$25	+ \$50	+ \$75
42"	12"	2	PRVTKSR1242	\$377	\$457	\$507	\$557	\$637	\$777	\$897	\$1,067	+ \$25	+ \$50	+ \$75
48"	12"	2	PRVTKSR1248	\$407	\$497	\$547	\$597	\$677	\$797	\$957	\$1,107	+ \$25	+ \$50	+ \$75
60"	12"	3	PRVTKSR1260	\$447	\$537	\$587	\$637	\$717	\$817	\$997	\$1,147	+ \$25	+ \$50	+ \$75

-	••
\no	cify
Jhe	CHI
	•

- 1. Model #
- 2. Insert color

Trim - Brushed nickel only

Plexiglass Finishes

IC . . . lce

SM..Smoked

TR . . Translucent

LF...Frost

Insert Type

- CR . . Corian
- **PC** . . Polycarbonate
- **PG** . . Plexiglass
- **TC** . . Textured Corian
- **TP** . . Textured Polycarbonate

Application Notes

Screens are 1/4" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.

These brackets are only available in privacy & modesty sets and cannot be sold separately.

STORAGE

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

TRUE DIMENSIONS

Disclaimer: While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

STORAGE





SPTRY	\$17
SBDD	\$17
SFDD	\$37
SMLB	\$67
SPFF	\$66
SMDDB	\$97
SMSD	\$77
SLFCB	\$77
	SBDD SFDD SMLB SPFF SMDDB



PED ACCESSORY PACKAGE - FF

2 – 12" drawer dividers \$67 SFFA



PED ACCESSORY PACKAGE - BBF

- \$77 2 – 6" drawer dividers SBBFA 1 – 12" drawer dividers 1 – Pencil tray



PED ACCESSORY PACKAGE - BF

- 1 6" drawer divider 1 12" drawer divider SBFA \$67
- 1 Pencil tray

		PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
	Pencil tray	•	•	•				
	Drawer dividers	•		•				
	Magnetic label	•	•	•	•			
	Ped drawer front filler	•		•				
	Magnetic drawer dividers		•		•			
	Magnetic shelf divider			•	•	•		•
Po / Pu-/	Lateral file conversion bar		•					
	Worksurface supporting bracket			•				
	Ped accessory package – FF	•		•				
	Ped accessory package – BBF	•		•				
	Ped accessory package – BF	•						

Step 1 - Model

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	Box Box File	:	В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File	:	R	Radiused Pull
SSPED	Suspended Pedestal	•			:	
SWSPED	Worksurface Supporting Pedestal			:	:	
SWSLKR	Worksurface Supporting Locker			:	:	
SFC	File Center			•	Ė	
	:	•				
SPED		BBF	1	19	J	
•••••	· :	:	. .:	:	:	· · ·

Step 2 – Case Finish

1						
	Paints					
301	Champagne					
•						
	301					
301						
301	!					

Step 3 – Front Finish

Not	Not Available w/J Pull					
	Laminate					
PW-STK Studio Teak						
•						
PW-STK	PW-STK					
:	:					

FEATURES

COUNTER WEIGHTS

- Freestanding, mobile and cushion pedestals include factory installed counterweights
- Counterweights are not necessary for worksurface supporting or suspended pedestals

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

LEVELING GLIDES

4 Leveling glides allow for 1 %" adjustment.

CASTERS - MOBILE PEDS

- 4 Casters black
- 2 Locking

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas

Top channels	18 – 21 gauge
Side channels	18 – 21 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	22 gauge

DRAWER LOAD CAPACITY

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs

DRAWER INNER DIMENSIONS


Height	
Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 %"

PED LOCKER INNER DIMENSIONS

22" Deep pedestal

	Н	W	D
18" Deep	23"	13 ¾"	17"
22" Deep	23"	13 ¾"	21"

PULL STYLES







SURFACE MATERIALS

PEDESTAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

MOBILE PED HANDLE

Satin nickel

LOCK


18 1/4"

Satin nickel

CUSHION TOP

Upholstery

PEDESTALS





Freestanding				PAINT			LAMINATE FRONT (OPTIONAL)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$677	\$745	\$812	+ \$271	+ \$366	+ \$460
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$697	\$767	\$836	+ \$279	+ \$376	+ \$474



Mobile

26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$647	\$712	\$776	+ \$285	+ \$314	+ \$342
21 %"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$577	\$635	\$692	+ \$250	+ \$275	+ \$300
26 %"	15 ¼"	21 %"	SMPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$677	\$745	\$812	+ \$300	+ \$330	+ \$360
21 %"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$587	\$646	\$704	+ \$250	+ \$275	+ \$300
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$687	\$756	\$824	+ \$275	+ \$371	+ \$467
21 %"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$607	\$668	\$728	+ \$243	+ \$328	+ \$413



Mobile w/Cushion


_		,								
_	23"	15 ¼"	18 %"	SCMPEDBF19(J/B/R)	\$777	\$855	\$932	+ \$320	+ \$352	+ \$384
	23"	15 1/4"	21 %"	SCMPEDBF22(J/B/R)	\$787	\$866	\$944	+ \$330	+ \$363	+ \$396

Mobile Cushion Fabric Upcharges

UPHOLSTER	Y GRADES	
SEATING	SYSTEMS	UPCHARGE
1	Α	+ \$120
2	В	+ \$190
3	C	+ \$220
4	D	+ \$290
5	E	+ \$320
6	F	+ \$390
7	G	+ \$450
8	н	+ \$500

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



R – Radiused

Pencil tray

Ordered Separately

Freestanding Peds

Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

Mobile Peds

Included

- Black 37mm plastic casters (2 locking & 2 non-locking)
- Counterweight for stability
- 1 ½" cushion in black Other fabrics available for an upcharge.



Suspended				PAINT		LAMINAT	E FRONT (OPTIO	NAL)	
Н	w	D	MODEL#	P1	P2	Р3	L1	L2	L3
25"	15 ¼"	21 %"	SSPEDFF22(J/B/R)	\$637	\$701	\$764	+ \$280	+ \$308	+ \$336
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$597	\$657	\$716	+ \$260	+ \$286	+ \$312
19 3/8"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$497	\$547	\$596	+ \$215	+ \$237	+ \$258



Worksurface Supporting

27 ¾"	15 ¼"	17 %"	SWSPEDFF18(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 ¼"	21 %"	SWSPEDFF22(J/B/R)	\$577	\$635	\$692	+ \$255	+ \$281	+ \$306
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$617	\$679	\$740	+ \$270	+ \$297	+ \$324
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$597	\$657	\$716	+ \$239	+ \$322	+ \$406
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$657	\$723	\$788	+ \$263	+ \$355	+ \$447



Worksurface Supporting Locker

27 ¾"	15 1/4"	17 %"	SWSLKR18R(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A
27 ¾"	15 1/4"	17 %"	SWSLKR18L(J/B/R)	\$727	\$800	\$872	N/A	N/A	N/A
SWSLKR2	2 (R/L) (J/B/	R) — (R/L)	refers to the hinge location	on					



Worksurface Supporting File Center

27 ¾"	30 ½"	18 ¼"	SFCFFLAT(J/B)	\$1,177	\$1,295	\$1,412	+ \$520	+ \$572	+ \$624
27 ¾"	30 ½"	18 ¼"	SFCBBFLAT(J/B)	\$1,187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648
27 ¾"	30 1/2"	18 1/4"	SFCFBBLAT(J/B)	\$1.187	\$1,306	\$1,424	+ \$540	+ \$594	+ \$648



Freestanding File Center w/Cushion

21" 30 ½"	18 3/8" SCFCBBLAT	\$1	.907 \$2.098	\$2,288	+ \$700	+ \$961	+ \$1,221




Mobile File Center w/Cushion

24 1/8"	18 ¾"	30 ½"	SCMFCBBLAT	\$2,007	\$2,208	\$2,408	+ \$700	+ \$971	+ \$1,241

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J Pull



R – Radiused

Worksurface Supporting Peds

Included

• Leveling glides allow for 1 5%" adjustment

May not be used in freestanding applications.

Worksurface Supporting Locker

Included

- Leveling glides allow for 1 %" adjustment
- 1 adjustable shelf and accommodates binder height storage on 1 shelf

File Center

All drawers include full-extension steel ball bearing slides.

Counter weight is not required when used to support a worksurface.

Step 1 - Model

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J J Pull B Bar Pull
SLAT	3	36	J

Step 2 - Case Finish

	Paint
301	Champagne
301 301	
301	

Step 3 - Front Finish

	Not Available w/J Pull				
	Laminate				
PW-STK	Studio Teak				
PW-STK					

FEATURES

COUNTER WEIGHTS

- Counterweights are not included with laterals
- Counterweights are not necessary for worksurface supporting or suspended pedestals

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request
- Individual locking drawers available upon request, upcharge may apply

DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation
- Drawer fronts include rubber bumpers for quiet operation
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage
- Drawer includes full-height side panels
- 2 file bars are included in each drawer, for side-to-side filing
- Conversion bars for front to back filing are sold separately
- All lateral drawer bins will accommodate A4, letter, and legal size filing

LEVELING GLIDES

4 leveling glides allow for 1 1/4" adjustment.

COUNTERWEIGHTS

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 gauge
Outer panels	22 gauge
Drawer fronts	20 gauge
Drawer bins	20 gauge

DRAWER LOAD CAPACITY

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

DRAWER INNER DIMENSIONS

Height	
Top flipper door	13 1/4"
Drawer immediately below lock strip	9 %"
All other drawers	10 ¾"
Width	
30" Wide lateral	26 7/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 7⁄10"
Depth	
18 ¼" Deep lateral	16"

PULL STYLES







SURFACE MATERIALS

LATERAL

Paint

FRONTS

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin nickel

TOP

Paint or Laminate

LATERALS







2 Draw	er			PAINT			LAMINATE FRONT (OPTIONAL)		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 %"	30"	18 1/4"	SLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
28 %"	36"	18 1/4"	SLAT236(J/B)	\$1,097	\$1,207	\$1,316	+ \$440	+ \$484	+ \$581
28 %"	42"	18 1/4"	SLAT242(J/B)	\$1,147	\$1,262	\$1,376	+ \$480	+ \$528	+ \$634

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



3 Drawer

39 %"	30"	18 1/4"	SLAT330(J/B)	\$1,247	\$1,372	\$1,496	+ \$550	+ \$605	+ \$726
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,397	\$1,537	\$1,676	+ \$590	+ \$649	+ \$779
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,497	\$1,647	\$1,796	+ \$630	+ \$693	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



4 Drawer

51 ¾"	30"	18 ¼"	SLAT430(J/B)	\$1,547	\$1,702	\$1,856	+ \$670	+ \$737	+ \$884
51 %"	36"	18 1/4"	SLAT436(J/B)	\$1,697	\$1,867	\$2,036	+ \$700	+ \$770	+ \$924
51 %"	42"	18 1/4"	SLAT442(J/B)	\$1,797	\$1,977	\$2,156	+ \$730	+ \$803	+ \$964

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$



5 Drawer — fixed top shelf

-										
	65 %"	30"	18 ¼"	SLAT530(J/B)	\$1,847	\$2,032	\$2,216	+ \$740	+ \$814	+ \$977
	65 %"	36"	18 1/4"	SLAT536(J/B)	\$1,997	\$2,197	\$2,396	+ \$760	+ \$836	+ \$1,003
	65 %"	42"	18 ¼"	SLAT542(J/B)	\$2,197	\$2,417	\$2,636	+ \$780	+ \$858	+ \$1,030

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



Worksurface Supporting

27 ¾'	" 30"	18 1/4"	SWSLAT230(J/B)	\$897	\$987	\$1,076	+ \$400	+ \$440	+ \$528
27 ¾	" 36"	18 1/4"	SWSLAT236(J/B)	\$997	\$1,097	\$1,196	+ \$440	+ \$484	+ \$581
27 ¾'	" 42"	18 1/4"	SWSLAT242(J/B)	\$1,097	\$1,207	\$1,316	+ \$480	+ \$528	+ \$634

Specify 1. Model # 2. Case finish 3. Front finish

Pulls	
B – Bar Pull	J – J Pull

				Options
Lateral	# Drawers	w	Pull	Counter Weights
SWSLAT Worksurface Supporting	3	36	J J Pull B Bar Pull	CW Counter Weights \$167
SLAT	3	36	J	CW

Application Notes

Laminate not available on J pull

ncluded

• Leveling glides for 1 1 %" adjustment



${f BF}$ — cushion topped priced with black fabric					PAINT			LAMINATE FRONT (UPCHARGE)		
ТОР	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
Metal	22 %"	30"	18 1/4"	SLAT130(J/B)	\$1,007	\$1,108	\$1,208	+ \$350	+ \$486	+ \$621
Metal	22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,107	\$1,218	\$1,328	+ \$350	+ \$496	+ \$641
Metal	22 %"	42"	18 1/4"	SLAT142(J/B)	\$1,207	\$1,328	\$1,448	+ \$350	+ \$506	+ \$661
Cushion	23 ½"	30"	18 1/4"	SCLAT130(J/B)	\$1,207	\$1,328	\$1,448	+ \$450	+ \$616	+ \$781
Cushion	23 ½"	36"	18 1/4"	SCLAT136(J/B)	\$1,307	\$1,438	\$1,568	+ \$450	+ \$626	+ \$801
Cushion	23 ½"	42"	18 ¼"	SCLAT142(J/B)	\$1,407	\$1,548	\$1,688	+ \$450	+ \$636	+ \$821

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$




$\pmb{\mathsf{BF}}\, \pmb{\mathsf{Shelf}} \! - \! \mathsf{cushion}\, \mathsf{topped}\, \mathsf{priced}\, \mathsf{with}\, \mathsf{black}\, \mathsf{fabric}$

Metal	22 %"	30"	18 1/4"	SLATS130	\$807	\$888	\$968	N/A	N/A	N/A
Metal	22 %"	36"	18 1/4"	SLATS136	\$907	\$998	\$1,088	N/A	N/A	N/A
Metal	22 %"	42"	18 1/4"	SLATS142	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A
Cushion	23 ½"	30"	18 1/4"	SCLATS130	\$1,007	\$1,108	\$1,208	N/A	N/A	N/A
Cushion	23 ½"	36"	18 1/4"	SCLATS136	\$1,107	\$1,218	\$1,328	N/A	N/A	N/A
Cushion	23 ½"	42"	18 1/4"	SCLATS142	\$1,207	\$1,328	\$1,448	N/A	N/A	N/A

Cushion Top Fabric Upcharges

	•	•
SEATING GRADES	SYSTEM GRADES	UPCHARGE
1	Α	+ \$225
2	В	+ \$300
3	c	+ \$400
4	D	+ \$500
5	E	+ \$600
6	F	+ \$700
7	G	+ \$800
8	н	+ \$900

			Options	
Specify	Lateral	W	Pull Counter Weights	
1. Model # 2. Case finish 3. Front finish	SLAT1 BF Lateral w/Metal Top SCLAT1 BF Lateral w/Cushion	36 J JPul B Bar P		\$167
Laminate not available on J pull	SLAT	36 J	CW	



6	B Dra	wer			PAINT		
	Н	W	D	MODEL#	P1	P2	P3
	36 %"	30"	18 1/4"	S6BLAT30(J/B)	\$1,877	\$2,065	\$2,252
	36 %"	36"	18 1/4"	S6BLAT36(J/B)	\$1,977	\$2,175	\$2,372
	36 %"	42"	18 1/4"	S6BLAT42(J/B)	\$2,157	\$2,373	\$2,588

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$

6B Drawer, No Top

Ξ	36 %"	30"	18 ¼"	S6BLAT30NT(J/B)	\$1,807	\$1,988	\$2,168
	36 %"	36"	18 ¼"	S6BLAT36NT(J/B)	\$1,907	\$2,098	\$2,288
	36 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,107	\$2,318	\$2,528

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBF Drawer

28 %"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,207	\$1,328	\$1,448
28 %"	36"	18 1/4"	S2BFLAT36(J/B)	\$1,307	\$1,438	\$1,568
28 %"	42"	18 ¼"	S2BFLAT42(J/B)	\$1,407	\$1,548	\$1,688

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

BBF Drawer, No Top

28 ¾"	30"	18 1⁄4"	S2BFLAT30NT(J/B)	\$1,207	\$1,328	\$1,448
28 ¾"	36"	18 1/4"	S2BFLAT36NT(J/B)	\$1,307	\$1,438	\$1,568
28 ¾"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,407	\$1,548	\$1,688

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$



BBFF Drawer

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$1,607	\$1,768	\$1,928
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$1,707	\$1,878	\$2,048
39 %"	42"	18 ¼"	S2B2FLAT42(J/B)	\$1,807	\$1,988	\$2,168

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.


BBFF Drawer, No Top

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$1,607	\$1,768	\$1,928
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$1,707	\$1,878	\$2,048
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$1,807	\$1,988	\$2,168

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$

Specify
1. Model #
2. Surface/edge color

					Options
	Lateral	# of Drawers	W	Pull	Counter Weights
S6BLAT S2BFLAT S2B2FLAT	6B Drawer Lat BBF Drawer Lat BBFF Drawer Lat	3	36	J JPull B Bar Pull	CW Counter Weights \$167
S6BLAT	•	3	36	J	CW



Common Top – 18" Deep


Н	W	D	MODEL#	ព	L2	L3
5/8"	30"	18 ¼"	LT30	\$350	\$385	\$420
5/8"	36"	18 ¼"	LT36	\$380	\$418	\$456
5/8"	42"	18 ¼"	LT42	\$390	\$429	\$468
5/8"	60"	18 ¼"	LT60	\$410	\$451	\$492
5/8"	66"	18 ¼"	LT66	\$465	\$512	\$558
5/8"	72"	18 1/4"	LT72	\$485	\$534	\$582
5/8"	84"	18 ¼"	LT84	\$480	\$528	\$576
5/8"	90"	18 ¼"	LT90	\$495	\$545	\$594
5/8"	108"	18 ¼"	LT108	\$530	\$583	\$636
5/8"	126"	18 ¼"	LT126	\$705	\$776	\$846

Common Top – 36" Deep

c	:	
20	ecity	

- 1. Model # 2. Surface/edge color

_						
	5/8"	30"	36 ½"	LT3037	\$500 \$550	\$600
	5/8"	36"	36 ½"	LT3637	\$550 \$605	\$660
	5/8"	42"	36 ½"	LT4237	\$625 \$688	\$750
	5/8"	60"	36 ½"	LT6037	\$725 \$798	\$870
	5/8"	66"	36 ½"	LT6637	\$800 \$880	\$960
	5/8"	72"	36 ½"	LT7237	\$850 \$935	\$1,020
	5/8"	84"	36 ½"	LT8437	\$900 \$990	\$1,080
	5/8"	90"	36 ½"	LT9037	\$950 \$1,045	\$1,140
	5/8"	108"	36 ½"	LT10837	\$1,150 \$1,265	\$1,380
	5/8"	126"	36 ½"	LT12637	\$1,250 \$1,375	\$1,500



Cushion – 18" Deep

Н	w	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
2"	30"	18 1/4"	LC30	\$307	\$507	\$782	\$1,157	\$1,632	\$2,207	\$2,882	\$3,757
2"	36"	18 1/4"	LC36	\$377	\$577	\$852	\$1,227	\$1,702	\$2,277	\$2,952	\$3,827
2"	42"	18 1/4"	LC42	\$417	\$617	\$892	\$1,267	\$1,742	\$2,317	\$2,992	\$3,867
2"	60"	18 1/4"	LC60	\$507	\$707	\$982	\$1,357	\$1,832	\$2,407	\$3,082	\$3,957
2"	66"	18 1/4"	LC66	\$527	\$727	\$1,002	\$1,377	\$1,852	\$2,427	\$3,102	\$3,977
2"	72"	18 1/4"	LC72	\$577	\$777	\$1,052	\$1,427	\$1,902	\$2,477	\$3,152	\$4,027
2"	84"	18 1/4"	LC84	\$627	\$827	\$1,102	\$1,477	\$1,952	\$2,527	\$3,202	\$4,077
2"	90"	18 1/4"	LC90	\$677	\$877	\$1,152	\$1,527	\$2,002	\$2,577	\$3,252	\$4,127
2"	108"	18 1/4"	LC108	\$727	\$927	\$1,202	\$1,577	\$2,052	\$2,627	\$3,302	\$4,177
2"	126"	18 1/4"	LC126	\$777	\$977	\$1,252	\$1,627	\$2,102	\$2,677	\$3,352	\$4,227

Cushion – 36" Deep

-		•
۱n	OCI.	TV

- 1. Model#
- 2. Fabric

2"	30"	36 ½"	LC3037	\$387	\$587	\$862	\$1,237	\$1,712	\$2,287	\$2,962	\$3,837
2"	36"	36 ½"	LC3637	\$467	\$667	\$942	\$1,317	\$1,792	\$2,367	\$3,042	\$3,917
2"	42"	36 ½"	LC4237	\$517	\$717	\$992	\$1,367	\$1,842	\$2,417	\$3,092	\$3,967
2"	60"	36 ½"	LC6037	\$627	\$827	\$1,102	\$1,477	\$1,952	\$2,527	\$3,202	\$4,077
2"	66"	36 ½"	LC6637	\$657	\$857	\$1,132	\$1,507	\$1,982	\$2,557	\$3,232	\$4,107
2"	72"	36 ½"	LC7237	\$717	\$917	\$1,192	\$1,567	\$2,042	\$2,617	\$3,292	\$4,167
2"	84"	36 ½"	LC8437	\$787	\$987	\$1,262	\$1,637	\$2,112	\$2,687	\$3,362	\$4,237
2"	90"	36 ½"	LC9037	\$847	\$1,047	\$1,322	\$1,697	\$2,172	\$2,747	\$3,422	\$4,297
2"	108"	36 ½"	LC10837	\$907	\$1,107	\$1,382	\$1,757	\$2,232	\$2,807	\$3,482	\$4,357
2"	126"	36 ½"	LC12637	\$967	\$1,167	\$1,442	\$1,817	\$2,292	\$2,867	\$3,542	\$4,417

Step 1 - Model #

	Н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	FF BBF	L Left R Right	J J Pull B Bar Pull R Radiused Pull
STWR	56	22	FF	L	J

Step 2 - Case Finish

	Paint
301	Champagne
•	
į	
301	:
301	.i

Step 3 – Front Finish

Not Available w/J Pull							
Laminate							
PW-STK	Studio Teak						
PW-STK							

FEATURES

LOCK

- Lock core is removable
- 24" Side access tower includes 2 locks. All others include 1 lock
- Keyed alike available upon request
- · Master and change key available upon request
- Individual locking drawers available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation
- Slides include anti-rebound and quick disconnect features
- File drawer dividers which allow sideto-side filing are sold separately

SHELVES

Shelves are adjustable in 1 ½" increments.

LEVELING GLIDES – TOWER

Leveling glides allow for %" adjustment.

LEVELING GLIDES – SIDE ACCESS TOWER

Leveling glides allow for 1 %" adjustment.

DOORS

Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 gauge
Bottom channel	18 gauge
Side channels	18 gauge
Outer top	21 gauge
Outer back	21 gauge
Outer sides	21 gauge
Outer center	21 gauge
Drawer & door fronts	21 gauge
Shelves	18 gauge
Drawer bins	22 gauge
Drawer fronts	20 gauge

DRAWER LOAD CAPACITY

6"	Bow drawers	50 lbs
12"	File drawers	70 lbs

SHELF LOAD CAPACITY

Shelf 61 lbs

DRAWER INNER DIMENSIONS

Height	
Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

PULL STYLES



SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull (J)	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

DRAWER PULL

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J (J)	Paint

LOCK

Satin nickel

TOWERS





R 46" 23 ½" 23 ½" STWR4624FFR(J/B/R) \$2,097 \$2,307 \$2,516 +\$920 + \$2,097 \$2,307 \$2,516 +\$920 + \$2,097 \$2,362 \$2,576 +\$950 + \$2,147 \$2,362 \$2,576 +\$950 + \$3,097 \$2,362 \$2,576 \$2,576 \$2,576 \$2,576 \$2,147 \$2,362 \$2,576 \$2,576 \$2,576 \$2,147 \$2,362 \$2,576 \$2,	T (OPTIONAL)
DOOR H W D MODEL # P1 P2 P3 L1 L 46" 23 ½" 23 ½" STWR4624FFL(J/B/R) \$2,097 \$2,307 \$2,516 + \$920 + \$ R 46" 23 ½" 23 ½" STWR4624FFR(J/B/R) \$2,097 \$2,307 \$2,516 + \$920 + \$ L 46" 23 ½" STWR4624BBFL(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$ STWR4624BBFR(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$ STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$	
R 46" 23 ½" 23 ½" STWR4624FFR(J/B/R) \$2,097 \$2,307 \$2,516 +\$920 + \$ L 46" 23 ½" 23 ½" STWR4624BBFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$ R 46" 23 ½" 23 ½" STWR4624BBFR(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$ 51" High — includes 2 adj. shelves L 51 ¾" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$	L2 L3
L 46" 23 ½" 23 ½" STWR4624BBFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$ R 46" 23 ½" 23 ½" STWR4624BBFR(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$ 51" High — includes 2 adj. shelves L 51 ¾" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 + \$,012 + \$1,104
R 46" 23 ½" 23 ½" STWR4624BBFR(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$ 51" High — includes 2 adj. shelves L 51 ¾" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$,012 + \$1,104
51" High — includes 2 adj. shelves L 51 %" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 + \$950 + \$,045 + \$1,140
L 51 ¾" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 +	,045 + \$1,140
L 51 ¾" 23 ½" 23 ½" STWR5124FFL(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 +	
D 512/# 221/# 221/# CTWD5124FFD/UD/D\	,045 + \$1,140
R 51 %" 23 ½" STWR5124FFR(J/B/R) \$2,147 \$2,362 \$2,576 +\$950 +\$,045 + \$1,140
L 51 %" 23 ½" 23 ½" STWR5124BBFL(J/B/R) \$2,197 \$2,417 \$2,636 +\$970 +	,067 + \$1,164
R 51 3/8" 23 1/2" 23 1/2" STWR5124BBFR(J/B/R) \$2,197 \$2,417 \$2,636 +\$970 +\$,067 + \$1,164
56" High — includes 2 adj. shelves	
L 56" 23 ½" 23 ½" STWR5624FFL(J/B/R) \$2,197 \$2,417 \$2,636 +\$970 +	,067 + \$1,164
R 56" 23 ½" 23 ½" STWR5624FFR(J/B/R) \$2,197 \$2,417 \$2,636 +\$970 +	,067 + \$1,164
L 56" 23 ½" 23 ½" STWR5624BBFL(J/B/R) \$2,297 \$2,527 \$2,756 +\$1,000 +	,100 + \$1,200
R 56" 23 ½" 23 ½" STWR5624BBFR(J/B/R) \$2,297 \$2,527 \$2,756 +\$1,000 +	,100 + \$1,200
66" High — includes 3 adj. Shelves	
L 65 %" 23 ½" 23 ½" STWR6624FFL(J/B/R) \$2,397 \$2,637 \$2,876 +\$1,200 +\$,320 + \$1,440
R 65 %" 23 ½" 23 ½" STWR6624FFR(J/B/R) \$2,397 \$2,637 \$2,876 +\$1,200 +\$	

\$2,447

\$2,447

\$2,692

\$2,692

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	22	FF	L Left	J J Pull
			BBF	R Right	B Bar Pull
			:		R Radiused Pull
_					
STWR	56	22	FF	1	1
311111		: <u></u> :	ii	- <u>:</u>	ii

65 %" 23 ½" 23 ½" **STWR6624BBFL(B/R)**


65 %" 23 ½" 23 ½" **STWR6624BBFR(B/R)**

1. Model

L

2. Case finish3. Front finishLaminate not

available on J pull



Application Notes

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod

\$2,936

\$2,936

+ \$1,300

+ \$1,300

+ \$1,560

+ \$1,560

+ \$1,430

+ \$1,430

 Leveling glides allow for %" adjustment





46" LI	م ا ند:ا					•••••••••••••••••••••••••••••••••••••••	
+0 п	iign —	does not i	ncludes an ad	j. shelf		PAINT	
COAT DOOR	н	w	D	MODEL#	P1	P2	Р3
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,077	\$2,285	\$2,492
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,077	\$2,285	\$2,492
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,127	\$2,340	\$2,552
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,127	\$2,340	\$2,552
51" H	ligh_	includes 2	adj. shelves				
L	51 %"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,147	\$2,362	\$2,576
R	51 %"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,147	\$2,362	\$2,576
L	51 %"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,197	\$2,417	\$2,636
R	51 ¾"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,197	\$2,417	\$2,636
56" H	ligh_	includes 2	adj. shelves				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,227	\$2,450	\$2,672
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,227	\$2,450	\$2,672
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,327	\$2,560	\$2,792
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,327	\$2,560	\$2,792
66" H	ligh_	includes 3	adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,347	\$2,582	\$2,816
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,347	\$2,582	\$2,816



Worksurface Supporting Bracket

23 ½"

23 ½"

Add at the end of tower model number

23 ½"

23 ½"

65 %"

65 %"

L

SWSSB

SSAT6524BBFL(J/B/R)

SSAT6524BBFR(J/B/R)

\$97

\$2,397

\$2,397

\$2,637

\$2,637

\$2,876

\$2,876

		Н	w	Drawers	Coat Door	Pull
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull
•			•	BBF	R Right	B Bar Pull
						R Radiused Pull
į				,		
SSAT		56	22	FF	L	J

Specify Pulls 1. Model # 2. Case finish B – Bar Pull J – J Pull R – Radiused

Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes side-to-side coat rod
- · Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

Must be ordered with a Side Access Tower. Factory installed.





11					!	·····	
16" H	ıgh_	does not i	ncludes an	adj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P:
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,347	\$1,482	\$1,616
R	46"	15 ¼"	23 ½"	STWR4615FFR(J/B/R)	\$1,347	\$1,482	\$1,616
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,477	\$1,625	\$1,772
51" H	iah_	includes 1	adj. shelf				
L	51 %"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	51 ¾"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	51 %"	15 ¼"	23 ½"	STWR5115BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	51 ¾"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,547	\$1,702	\$1,856
-							
6" H	<u>ıgn —</u>	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	STWR5615FFL(J/B/R)	\$1,477	\$1,625	\$1,772
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$1,477	\$1,625	\$1,772
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	56"	15 ¼"	23 ½"	STWR5615BBFR(J/B/R)	\$1,547	\$1,702	\$1,856
56" H	igh_	includes 2	adj. shelve	s			
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	65 %"	15 ¼"	23 ½"	STWR6615FFR(J/B/R)	\$1,597	\$1,757	\$1,916
L	65 %"	15 1/4"	23 ½"	STWR6615BBFL(J/B/R)	\$1,697	\$1,867	\$2,036
R	65 %"	15 ¼"	23 ½"	STWR6615BBFR(J/B/R)	\$1,697	\$1,867	\$2,036

	Н	W	Drawers	Coat Door	Pull
STWR Tower	56	15	FF	L Left	J J Pull
		:	BBF	R Right	B Bar Pull
•		:			R Radiused Pull
		:			
STWR	56	15	FF	1	1 1
SIWN	50	15	FF	L	<u> </u>

Pulls 1. Model # 2. Case finish B - Bar Pull J - J Pull

R – Radiused

Application Notes

- Single lock for
 Supposed 8 drawn
- cupboard & drawers
 Leveling glides allow for 1/8" adjustment
- Will not accommodate worksurface support bracket



						• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
46" H	ligh	does not i	ncludes an adj.	. shelf		PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	P
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,297	\$1,427	\$1,556
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,297	\$1,427	\$1,556
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	46"	15 ¼"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,397	\$1,537	\$1,676
!! !!							
51" H	igh_	includes 1	adj. shelf				
L	51 ¾"	15 ¼"	23 ½"	SSAT5115FFL(J/B/R)	\$1,397	\$1,537	\$1,676
R	51 ¾"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,397	\$1,537	\$1,676
L	51 3/8"	15 ¼"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	51 ¾"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,497	\$1,647	\$1,796
56" H	ligh	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	SSAT5615FFL(J/B/R)	\$1,497	\$1,647	\$1,796
R	56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$1,497	\$1,647	\$1,796
L	56"	15 1/4"	23 ½"	SSAT5615BBFL(J/B/R)	\$1,597	\$1,757	\$1,916
R	56"	15 ¼"	23 ½"	SSAT5615BBFR(J/B/R)	\$1,597	\$1,757	\$1,916
66" H	ligh_	includes 2	adj. shelves				
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$1,547	\$1,702	\$1,856
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$1,547	\$1,702	\$1,856
L	65 %"	15 1/4"	23 ½"	SSAT6515BBFL(J/B/R)	\$1,647	\$1,812	\$1,976
R	65 %"	15 1/4"	23 ½"	SSAT6515BBFR(J/B/R)	\$1,647	\$1,812	\$1,976



Worksurface Supporting Bracket

Add at the end of tower model number

SWSSB

\$97

WORKSURFACES & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

		Н	w	Drawers	Coat Door	Pull
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull
				BBF	R Right	B Bar Pull
			:			R Radiused Pull
SSAT		56	15	FF	L	J

Specify 1. Model # 2. Case finish B - Bar Pull J - J Pull

R – Radiused

Application Notes

- Single lock for all drawers
 I avaling a plides all available.
- Leveling glides allow for 1 %" adjustment

Worksurface Supporting Bracket

ers Must be ordered with a Side Access Tower. Factory installed.

Step 1 – Model

	Shel	f Width	Drawer Width		Тор	Pull	
SCR Credenza	30	S Shelf	20	D Drawer	MT Metal Top	J J Pull B Bar Pull	
					NT No Top	D Dai Puli	
SCR	30	S	20	D	MT	J	

Step 2 – Case Finish

	Paints
301	Champagne
į	•
301	

Step 3 – Front Finish

Not Available w/J Pull Laminate							
PW-STK							

FEATURES

COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

LOCK

- Available on credenza products which feature drawers
- · Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

SHELF

34" High adjustable shelf

LEVELING GLIDES

4 Leveling glides allow for 1/2" adjustment

TOP

Available in metal, cushion and laminate

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 gauge
Top channels	18 gauge
Shelves	18 gauge
Side channels	20 gauge
Side panels	20 gauge
Тор	20 gauge
Fronts	20 gauge
Drawer bins	22 gauge

DRAWER INNER DIMENSIONS


Height

6" Drawer	4 1/2"
12" Drawer	10 %"
Width	
30" Wide drawer	12 1/8"
36" Wide drawer	32 1/10"
42" Wide drawer	38 7/10"
Depth	
All drawers	15 %0"

SHELF INNER DIMENSIONS

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

PULL STYLES







SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

DRAWER PULL

Bar (B) Satin nickel J (J) Paint


LOCK

Satin Nickel

CUSHION TOP

Upholstery

CREDENZAS





Credenzas					PAINT			LAMINATE FRONT (UPCHARGE)		
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$2,377	\$2,615	\$2,852	+ \$1,300	+ \$1,430	+ \$1,560
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$2,447	\$2,692	\$2,936	+ \$1,300	+ \$1,430	+ \$1,560
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$2,577	\$2,835	\$3,092	+ \$1,400	+ \$1,540	+ \$1,680

Credenza – Cushion Tops

Credenza Cushion Fabric Upcharges


DESCRIPTION	Н	W	D	MODEL#	BLACK	SEATING GRADES	SYSTEM GRADES	UPCHARGE
20"D x 12"W Cushion	1"	12"	20"	SCRC2012	\$207	1	Α	+ \$225
20"D x 18"W Cushion	1"	18"	20"	SCRC2018	\$247	2	В	+ \$300
20"D x 30"W Cushion	1"	30"	20"	SCRC2030	\$327	3	c	+ \$400
20"D x 36"W Cushion	1"	36"	20"	SCRC2036	\$397	4	D	+ \$500
20"D x 42"W Cushion	1"	42"	20"	SCRC2042	\$437	5	E	+ \$600
20"D x 60"W Cushion	1"	60"	20"	SCRC2060	\$527	6	F	+ \$700
20"D x 66"W Cushion	1"	66"	20"	SCRC2066	\$567	7	G	+ \$800
20"D x 72"W Cushion	1"	72"	20"	SCRC2072	\$597	8	н	+ \$900

Credenza – Accesso	ories					PAINT		
DESCRIPTION	Н	W	D	MODEL#	P1	P2	Р3	
Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$247	\$272	\$296	
Credenza center leg support				SCRCLS	\$197	\$217	\$236	
Credenza ganging kit				SCRGK	\$147	\$162	\$176	

		She	lf Width	Dra	wer Width	Тор	Pull
SCR	Credenza	30	S Shelf	20	D Drawer	MT Metal Top	J J Pull
				Ė		NT No Top	B Bar Pull
				•			•
CCD	:	30	c	20	D	NAT	1
SCR		: :	3	: :	ע	MT	: J :

Specify

- 1. Model #
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull



Application Notes

- Credenzas must be assembled in the field
- Cabinets are unhanded
- Shelf units include 1 adjustable shelf
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 %" adjustment
- Drawer units include 1

 6" drawer & 1 12" file
 drawer & counterweight

Credenza Includes

- 2 low storage cabinets
- 1 top & ganging kit
- 1 credenza center support leg



Credenza – Draw			PAINT			LAMINATE FRONT (UPCHARGE)				
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,147	\$1,262	\$1,376	+ \$530	+ \$583	+ \$636
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,197	\$1,317	\$1,436	+ \$550	+ \$605	+ \$660
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,297	\$1,427	\$1,556	+ \$590	+ \$649	+ \$708
30" Drawers, no top	22 1/4"	30"	20"	SCRD3020NT(J/B)	\$1,107	\$1,218	\$1,328	+ \$530	+ \$583	+ \$636
36" Drawers, no top	22 1/4"	36"	20"	SCRD3620NT(J/B)	\$1,157	\$1,273	\$1,388	+ \$550	+ \$605	+ \$660
42" Drawers, no top	22 1/4"	42"	20"	SCRD4220NT(J/B)	\$1,257	\$1,383	\$1,508	+ \$590	+ \$649	+ \$708



Credenza – Shelves

30" Shelf, metal top	22 1/4"	30"	20"	SCRS3020MT	\$917	\$1,009	\$1,100	N/A	N/A	N/A
36" Shelf, metal top	22 1/4"	36"	20"	SCRS3620MT	\$977	\$1,075	\$1,172	N/A	N/A	N/A
42" Shelf, metal top	22 1/4"	42"	20"	SCRS4220MT	\$1,057	\$1,163	\$1,268	N/A	N/A	N/A
30" Shelf, no top	22 1/4"	30"	20"	SCRS3020NT	\$897	\$987	\$1,076	N/A	N/A	N/A
36" Shelf, no top	22 1/4"	36"	20"	SCRS3620NT	\$947	\$1,042	\$1,136	N/A	N/A	N/A
42" Shelf, no top	22 1/4"	42"	20"	SCRS4220NT	\$997	\$1,097	\$1,196	N/A	N/A	N/A



Credenza – Common Tops						LAMINATE	•••••
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	СТ30	\$365	\$402	\$438
Single 36" W credenza top	5/8"	36"	20"	CT36	\$390	\$429	\$468
Single 42" W credenza top	5/8"	42"	20"	CT42	\$420	\$462	\$504
Double 30" W credenza top	5/8"	60"	20"	CT60	\$475	\$523	\$570
Double 30"/36" W credenza top	5/8"	66"	20"	CT66	\$500	\$550	\$600
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	CT72	\$510	\$561	\$612
Double 36"/42" W credenza top	5/8"	78"	20"	CT78	\$530	\$583	\$636
Double 42" W credenza top	5/8"	84"	20"	CT84	\$560	\$616	\$672
Triple 30" W credenza top	5/8"	90"	20"	СТ90	\$590	\$649	\$708

		н	w	Drawers	Pull
SCRD SCRS	Credenza – Drawer Credenza – Shelves	30	20	MT Metal Top NT No Top	J J Pull B Bar Pull
SCRD	:	30	20	МТ	J

Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
 Laminate not
 available on J pull


Pulls B – Bar Pull J – J Pull

Application Notes

- Center leg helps to gang 2 credenza pieces together side by side
- Ganging kit for use when specifying laminate top separately, does not include center leg
- Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

Cabinets

Step 1 – Model #



Step 2 – Case Finish

Paint
Champagne

FEATURES

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

DOORS

 Concealed hinges allow for 110° degrees opening

LEVELING GLIDES

4 Leveling glides allow for 1/4" adjustment

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 gauge
Side panels	20 – 22 gauge
Inner channels	18 gauge
Тор	18 gauge
Doors	18 gauge

SHELF LOAD CAPACITY

Shelf 140 lbs

TOP LOAD CAPACITY

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

INNER DIMENSIONS

Height	
2 High	72 ½"
3 High	61"
4 High	46 ½"
5 High	35"
6 High	23 ½"
Wildel	

Width	
30" Wide cabinets	26 3/4"
36" Wide cabinets	32 ¾"
42" Wide cabinets	38 ¾"

17 ¾10"

Depth All cabinets

PULL STYLES





SURFACE MATERIALS

CASE

Paint

FRONTS

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel

CABINETS





2 Higl	h				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 ¾"	30"	18 1/4"	SCAB293018(J/B)	\$997	\$1,097	\$1,196
28 ¾"	36"	18 1/4"	SCAB293618(J/B)	\$1,097	\$1,207	\$1,316
28 3/8"	42"	18 1/4"	SCAB294218(J/B)	\$1,197	\$1,317	\$1,436
3 Higl	h					
39 %"	30"	18 ¼"	SCAB403018(J/B)	\$1,197	\$1,317	\$1,436



<i>y</i> g						
39 %"	30"	18 1/4"	SCAB403018(J/B)	\$1,197	\$1,317	\$1,436
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,297	\$1,427	\$1,556
39 %"	42"	18 ¼"	SCAB404218(J/B)	\$1,397	\$1,537	\$1,676



4 High 51 %" 30" 18 1/4" SCAB523018(J/B \$1,447 \$1,592 \$1,736 51 %" 36" 18 1/4" SCAB523618(J/B) \$1,547 \$1,702 \$1,856 51 %" 42" 18 1/4" SCAB524218(J/B) \$1,647 \$1,812 \$1,976

Specify	
1 Model #	

2. Case finish

Application Notes	
Leveling glides allow	Shelf load capacity
for ¼" adjustment	is 140 lbs

- Inside depth is 17 3%" and 18 1/2" deep units
- Top weight capacity 30" – 140 lbs 36" – 168 lbs 42" – 197 lbs

	Н	W	D	Pull
SCAB Cabinet	77	30	18	J J Pull B Bar Pull
SCAB	77	30	18	J

Cabinets



5 High	1		PAINT			
Н	W	D	MODEL#	P1	P2	P3
65 %"	30"	18 ¼"	SCAB663018(J/B)	\$1,647	\$1,812	\$1,976
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$1,747	\$1,922	\$2,096
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,147	\$2,362	\$2,576
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$1,847	\$2,032	\$2,216



6 High

<u> </u>	•					
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$1,897	\$2,087	\$2,276
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$1,997	\$2,197	\$2,396
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2,247	\$2,472	\$2,696
77 3/8"	42"	18 1/4"	SCAB774218(J/B)	\$2,097	\$2,307	\$2,516

-	
30	ecity
	,

- 1. Model#
- 2. Case finish

Application	Notes
-------------	-------

- Leveling glides allow for ¼" adjustment
- Inside depth is 17 3/10" and 18 1/2" deep units
- Shelf load capacity is 140 lbs
- Top weight capacity 30" – 140 lbs 36" – 168 lbs 42" – 197 lbs

	Н	W	D	Pull
SCAB Cabinet	77	30	18	J J Pull B Bar Pull
SCAB	77	30	18	J

Step 1 – Model #

	Н	D	Hinge	Pull
SLKR Locker	51	18	L	J J Pull
			R	B Bar Pull
SLKR	51	18	L	J

Step 2 - Case Finish

	Paint
301	Champagne
:	
301	
i	.∔

FEATURES

LOCK

- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request

BODY

 \bullet Available in 2 depths: 18 ¼" and 23 ½"

DOORS

- All lockers come standard with metal doors
- Concealed hinges allow for 100 degree opening

SHELF

- Includes one fixed shelf on top w/ 12" clear height above
- Additional shelves may be ordered separately. Contact Sales Support for additional information and pricing

COAT ROD

Includes side-to-side coat rod beneath shelf

LEVELING GLIDES

- \bullet 4 leveling glides allow for % " adjustment
- Glides are accessible from the inside of the locker

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 gauge
Side panels	21 gauge
Back panel	21 gauge
Center panel	21 gauge
Inner top channel	18 gauge
Inner bottom channel	18 gauge
Inner side channels	18 gauge
Bottom pad	16 gauge
Door fronts	20 – 22 gauge
Shelves	18 gauge

DRAWER INNER DIMENSIONS

Height	
Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/s"
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"
23 1/2" Deep locker	22 ¾"

PULL STYLES





SURFACE MATERIALS

LOCKER

Paint


DRAWER PULL

Bar (B) Satin nickel J (J) Paint

LOCK

Satin nickel

LOCKERS





51" H	igh					PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	51 ¾"	12"	18 1/4"	SLKR5118L(J/B)	\$1,397	\$1,537	\$1,676
R	51 3/8"	12"	18 1/4"	SLKR5118R(J/B)	\$1,397	\$1,537	\$1,676
L	51 %"	12"	23 ½"	SLKR5124L(J/B)	\$1,427	\$1,570	\$1,712
R	51 %"	12"	23 ½"	SLKR5124R(J/B)	\$1,427	\$1,570	\$1,712
66" H	igh						
L	65 %"	12"	18 1/4"	SLKR6618L(J/B)	\$1,477	\$1,625	\$1,772
R	65 %"	12"	18 1/4"	SLKR6618R(J/B)	\$1,477	\$1,625	\$1,772
L	65 %"	12"	23 ½"	SLKR6624L(J/B)	\$1,527	\$1,680	\$1,832
R	65 %"	12"	23 ½"	SLKR6624R(J/B)	\$1,527	\$1,680	\$1,832

Sp	ecify	
_	NAI - I #	

- 1. Model #
- 2. Case finish


Application Notes

- Includes 1 fixed shelf on top with 12" clear height above
- Side to side coat rod under shelf
- Leveling glides allow for 1/8" adjustment

	Н	D	Hinge	Pull
SLKR Locker	51	18	L	J J Pull
:	:		R	B Bar Pull
<u>;</u>	<u>.</u>	<u>;</u>	,	,
SLKR	51	18	L	J
::	:	:	:	:



Double							PAINT	
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3
2 Door	L	65 %"	12"	18 ¼"	SLKR2D6612L(J/B)	\$1,607	\$1,768	\$1,928
2 Door	R	65 %"	12"	18 1/4"	SLKR2D6612R(J/B)	\$1,607	\$1,768	\$1,928
2 Door	L	65 %"	18"	18 1/4"	SLKR2D6618L(J/B)	\$1,707	\$1,878	\$2,048
2 Door	R	65 %"	18"	18 ¼"	SLKR2D6618R(J/B)	\$1,707	\$1,878	\$2,048



Quad

4 door	L	65 %"	23 ½"	18 ¼"	SLKR4D6624L(J/B)	\$2,707	\$2,978	\$3,248
4 door	R	65 %"	23 ½"	18 1/4"	SLKR4D6624R(J/B)	\$2,707	\$2,978	\$3,248



Cubby

4 door	L	34 ¾"	23 ½"	18 ¼"	SLKR4D3524L(J/B)	\$1,907	\$2,098	\$2,288
4 door	R	34 ¾"	23 ½"	18 ¼"	SLKR4D3524R(J/B)	\$1,907	\$2,098	\$2,288
8 door	L	65 %"	23 ½"	18 ¼"	SLKR8D6624L(J/B)	\$3,307	\$3,638	\$3,968
8 door	R	65 %"	23 ½"	18 1/4"	SLKR8D6624R(J/B)	\$3,307	\$3.638	\$3,968

Shelves

Qty 2	12"	SLKRS122	\$257	\$283	\$308
Qty 2	18"	SLKRS182	\$297	\$327	\$356
Qty 4	24"	SLKRS244	\$357	\$393	\$428

Specify	

1. Model#


2. Case finish

- Doors are keyed randomly
- Locking doors hinge left or right
- Leveling glides allow for 1/8" adjustment

	Doors		Н	D	Hinge	Pull
SLKR Locker	2D	2 Doors	66	18	L	J JPull
	4D	4 Doors	•		R	B Bar Pull
•	8D	8 Doors	:			
	:		:			
SLKR	2D			18		J

Bookcases

Step 1 – Model #



Step 2 – Case Finish

	Paint
301	Champagne
301	

FEATURES

SHELVES

- 1" thick
- Adjustable in 1/2" increments
- 2-high bookcases will accommodate binder-height storage on both shelves
- All other bookcases, binder-height storage is available on all but 1 shelf

LEVELING GLIDES

4 Leveling glides allow for 1 %" adjustment.

SAFETY:

- To ensure stability, do not install a 4, 5, or 6 high bookcase in the center of a room
- Bookcases should be installed backto back or against a wall.

NOTE

- 2-high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets
- 2-high bookcases are designed to fit under a worksurface

CONSTRUCTION

OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 gauge
Side panels	22 gauge
Bottom panel	18 gauge
Shelves	18 gauge

SHELF LOAD CAPACITY

All bookcases 140 lbs

INNER DIMENSIONS

Height	
2 High	25 1/5"
3 High	37 ¾10"
4 High	48 1/5"
5 High	63 ¾o"
6 High	74 1/ 5"
Width	
30" Wide bookcases	27 1/10"
36" Wide bookcases	33 1/10"
42" Wide bookcases	39 7/10"
Depth	
All cabinets	13 1/10"

SURFACE MATERIALS


CASE

Paint

TOP

Paint

BOOKCASES





2 High					PAINT	
Н	w	D	MODEL #	P1	P2	Р3
27 ¾"	30"	13 %"	SBC2830	\$827	\$910	\$992
27 ¾"	36"	13 ¾"	SBC2836	\$877	\$965	\$1,052
27 ¾"	42"	13 3/8"	SBC2842	\$977	\$1,075	\$1,172
3 High						
39 %"	30"	13 ¾"	SBC4030	\$897	\$987	\$1,076
39 %"	36"	13 ¾"	SBC4036	\$977	\$1,075	\$1,172
39 %"	42"	13 3/8"	SBC4042	\$1,077	\$1,185	\$1,292



4 High						
51 %"	30"	13 ¾"	SBC5230	\$997	\$1,097	\$1,196
51 %"	36"	13 %"	SBC5236	\$1,077	\$1,185	\$1,292
51 %"	42"	13 3/8"	SBC5242	\$1,177	\$1,295	\$1,412

Specify	
1. Model#	

2. Case finish

Application	Notes
-------------	-------

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5/8" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

	Н	W
SBC Bookcases	66	42
	•	•
		•
SBC	66	42
3DC	00	42

Bookcases



5 High						PAINT	
Н	w	D	MODEL #		P1	P2	P3
65 %"	30"	13 ¾"	SBC6630	\$1,	097	\$1,207	\$1,316
65 %"	36"	13 %"	SBC6636	\$1,	177	\$1,295	\$1,412
65 %"	42"	13 ¾"	SBC6642	\$1,	277	\$1,405	\$1,532



6 High

o mign						
77 %"	30"	13 %"	SBC7730	\$1,197	\$1,317	\$1,436
77 3/8"	36"	13 3/8"	SBC7736	\$1,277	\$1,405	\$1,532
77 3/8"	42"	13 3/8"	SBC7742	\$1,377	\$1,515	\$1,652

Sr	oec	ifv
7	JEC	···y

- 1. Model#
- 2. Case finish

Application Notes

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		П	VV
SBC	Bookcases	66	42
SBC		66	42
:	····••		········


WORKPLACE ACCESSORIES

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

CUSTOMIZE YOUR SPACE WITH:

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

WORKPLACE ACCESSORIES



Keyboard Trays & Arms











Code A C E U Leverless Height \checkmark NA NA Height $-6"-2.5"$ $-6"-8"$ $-5.25"-0"$ $-6.5"-2.38"$ Tilt $-15^{\circ}-0^{\circ}$ $-15^{\circ}-0^{\circ}$ $-15^{\circ}-15^{\circ}$ $-20^{\circ}-10^{\circ}$ Spring Assist \checkmark	
Leverless Height ✓ NA NA Height -6" − 2.5" -6" − 8" -5.25" − 0" -6.5" − 2.38" Tilt -15° − 0° -15° − 0° -15° − 15° -20° − 10°	
Tilt -15° - 0° -15° - 0° -15° - 15° - 20° - 10°	
Carring Assist	
Spring Assist *	
360° Rear Swivel ✓ ✓ ✓	
Track Length 23" 21" 18" 19"	
Short Track (Options) 18" NA NA	
Glide Track ✓ ✓ ✓	
List \$210 \$230 \$160 \$245	



- Straights, corners & natural keyboards
- · Anti-skid neoprene pads hold keyboard securely in place




43 — SofTouch™

- Straight
- Urethane over steel plate
- Includes mouse surface \$230




86 — elementAl®

- Straights, corners and natural keyboards
- Made from strong 100% recycled aluminum
- Polished surface \$295





- Straight
- 20" "green" tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest \$325



21

- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest

Easy Combos

EASY COMBOS										
11		43 – SofTou	ıch™	86 – elem	entAl®	52		21		
• • •)		0)			Leverless (A)
Easy A11	\$365	Easy A43	\$440	Easy A86	\$505	Easy A52	\$535	Easy A21	\$535	
)	:)			Sit/Stand (C)
Easy C11	\$385	Easy C43	\$460	Easy C86	\$525	Easy C52	\$555	Easy C21	\$555	
· · ·))			Econo (E)
Easy E11	\$315	Easy E43	\$390	Easy E86	\$455	Easy E52	\$485	Easy E21	\$485	
Easy U11	\$400	Easy U43	\$475	Easy U86	\$540	Easy U52	\$570	Easy U21	\$570	Dual Indicator (U)



MONITOR ARMS

BOOST™ MONITOR ARM

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate
- Panel, slat wall & desk mounting options

NOTE: For multi-screen solutions, contact cs@np-us.com

Single Arm KCG-110B KCG-110S	Black Silver	List \$455 \$455
Double Arm KCG-110DB KCG-110DS	Black Silver	List \$899 \$899
Wall Mount KCG-WMB KCG-WMS	Black Silver	List \$525 \$525



MONITOR ARM ATTACHMENTS

DOCUMENT HOLDER (ATTACHMENT ONLY)

- Ergonomically correct viewing position of documents for computer users
- Easy adjustment to ensure a comfortable viewing angle
- Helps keep work surface clear
- Stores out of the way when not in use


Model #		List
160236	Black	\$185
160237	Silver	\$185



FREEDOM ARM

- Includes: vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #		List
918001	Silvar	\$405



SIT/STAND MONITOR ARM

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #		List
KCG-SSB	Black	\$575
KCG-SSS	Silver	\$575

CPU HOLDERS



CPU HOLDER

- Mounts easily under work surface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8" & height of 15.5" - 20"

Model #	List
VCPUF	\$175



ACCESSORIES

STANDUP®

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to work surface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo (page 139)

Model #	List
SUP04	\$420



CPU HOLDER W/STRAP

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy as straps adjust & fasten with buckles
- Soft touch anti-slip pads

Model #	List
VCPU	\$195



FOREARM SUPPORTS

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- · Lightweight & portable



w/Hooks	160243 \$240	160241 \$240
w/Screws	160244 \$240	160242 \$240



TABLET HOLDER

- Weight: 12 oz
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- · Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces

Model #	List
TABHLDR	\$137



ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- · Commercial-grade heavyduty polyurethane
- Matt texture provides optimum traction
- Beveled edge reduces tripping potential
- · Black only

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$285
3/4"	48"	20"	EAM4820B	\$435
3/4"	72"	20"	EAM7220B	\$648
3/4"	36"	24"	EAM3624B	\$360
3/4"	60"	36"	EAM6036B	\$828

Graded In Fabrics

GRADED-IN AND COM UPHOLSTERY

Neutral Posture's furniture is manufactured to the highest standards. The unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Our artisans are skilled in creating consistent finishes across all products and materials. However, the individual nature of the materials used in the construction of our furniture means that no two pieces of furniture are exactly alike. Similarly, the images in our publications are as accurate as your monitor is calibrated but customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact the Customer Service Department. Please note: The Finish Codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts C.O.M. for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service Department in order for a quotation to be provided. The customer is responsible for shipping C.O.M. to our Upholstery Department.

CARNEGIE			Manufacturer	Dattown	Grade
				Crosshatch	Grade E
Manufacturer		Grade	Carnegie		F
Carnegie	360	Н	Carnegie	Crossing Cue	r E
Carnegie	Abacus Embroider	Н	Carnegie Carnegie	Current	E
Carnegie	Adagio	F		Current	F
Carnegie	Adrenaline	F	Carnegie		r E
Carnegie	Affirmation	F	Carnegie	Cycle	_
Carnegie	Alchemy	G	Carnegie	Cypress	E
Carnegie	Alex	G	Carnegie	Dash	E
Carnegie	Align	D	Carnegie	Dazzle	Н
Carnegie	Allegro	Н	Carnegie	Delight	G
Carnegie	Allure	E	Carnegie	Deltacoustic	Call -
Carnegie	Alphacoustic	Call	Carnegie	Departure	E
Carnegie	Amulet	G	Carnegie	Don	Call -
Carnegie	Anchor	G	Carnegie	Double Dutch	E
Carnegie	Aria	Call	Carnegie	Drift	E
Carnegie	Artisan Embroider	Н	Carnegie	Eden	Н
Carnegie	Aura	Н	Carnegie	Eden Solid	H
Carnegie	Aves	Н	Carnegie	Edge	F
Carnegie	Awning Graphic	G	Carnegie	Emerald	Call
Carnegie	Axis Embroider	Н	Carnegie	Essence	F
Carnegie	Bangle	G	Carnegie	Essence II	F
Carnegie	Bardot	F	Carnegie	Fields	G
Carnegie	Barre	G	Carnegie	Filigree	E
Carnegie	Basilica	Н	Carnegie	Fizzle Graphic	G
Carnegie	Basilica Paperbacked	Н	Carnegie	Flash Back	E
Carnegie	Bauble	Н	Carnegie	Flax	E
Carnegie	Betacoustic	Call	Carnegie	Flux	E
Carnegie	Billiard	D	Carnegie	Flying Kites	G
Carnegie	Bliss	G	Carnegie	Forecast	Н
Carnegie	Blowing Bubbles	G	Carnegie	Foundation	F
Carnegie	Bounce	E	Carnegie	Four Square	G
Carnegie	Braid	F	Carnegie	Fractal Emboss	F
Carnegie	Brick Lane	F	Carnegie	Fragment Emboss	F
Carnegie	Brimfield	F	Carnegie	Fresco	F
Carnegie	Buff	E	Carnegie	Gamma	E
Carnegie	Buzz	G	Carnegie	Gammacoustic	Call
Carnegie	Cache	Call	Carnegie	Genome Embroider	Н
Carnegie	Cadence	F	Carnegie	Glacier	E
Carnegie	Camden	F	Carnegie	Infinity Flora	Call
Carnegie	Canale	Н	Carnegie	Infinity Plaid	Н
Carnegie	Canopy	F	Carnegie	Infinity Plush	G
Carnegie	Cascade Applique	Call	Carnegie	Infinity Stripe	Н
Carnegie	Chamois	Call	Carnegie	Journey	G
Carnegie	Chamois	Н	Carnegie	Joy	F
Carnegie	Chamois Ivy	 Call	Carnegie	Kaleidoscope	F
Carnegie	Chamois Loop	Call	Carnegie	Kid	E
Carnegie	Chamois Matrix	Call	Carnegie	Koi	G
Carnegie	Chamois Reload	Call	Carnegie	Legacy	Call
Carnegie	Chamois Sky	Call	Carnegie	Lexi	Call
Carnegie	Channel	E	Carnegie	Lithograph	E
Carnegie	Chelsea	E	Carnegie	Malta	Call
Carnegie	Chroma	H	Carnegie	Meta	Call
Carnegie	Circuit	E E	Carnegie	Mist	G
Carnegie	Circuit Cirque Couture	Call	Carnegie	Naxos	H
Carnegie Carnegie	Corque Couture Coil	Call F	Carnegie	Ola	Call
-		r F	Carnegie	Palazzo	Н
Carnegie Carnegie	Conservatory	r Call	Carnegie	Pizazz	 F
Carnegie Carnegie	Corso UN	Call E	Carnegie	Ponte	Н
Carnegie	Craft	C	Carnegie	Porto	н
					••

Graded In Fabrics

Manufacturer	Pattern	Grade
Carnegie	Prima	Call
Carnegie	Prism	E
Carnegie	Quarry	E
Carnegie	Rail Trail	G
Carnegie	Reef	E
Carnegie	Rigato	Н
Carnegie	Saddle	D
Carnegie	Sandstone	F
Carnegie	Santana	Call
Carnegie	Saphir	Н
Carnegie	Semiramis	Call
Carnegie	Sisal	D
Carnegie	Soloc	Call
Carnegie	Soprano	G
Carnegie	Strata	E
Carnegie	Topas	Call
Carnegie	Toronto	Н
Carnegie	Turmalin	Н
Carnegie	Tweed	E
Carnegie	Zephyr	G

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Billiard Panel	E
Designtex	Brunswick	C
Designtex	Bubble Wrap	E
Designtex	Cesta	D
Designtex	Chiyogami	G
Designtex	Clew	E
Designtex	Decibel	D
Designtex	Foxtrot	E
Designtex	Gravity	D
Designtex	Kabuto	G
Designtex	Niche	E
Designtex	Pick Up Sticks	E
Designtex	Plateau	D
Designtex	Rain	E
Designtex	Ringlet	D
Designtex	Rowan	D
Designtex	Shift	E
Designtex	Singing In The Rain	E
Designtex	That Straw Stuff	E
Designtex	Twist	E
Designtex	Union Cloth	D
Designtex	Velocity	D
Designtex	Waste Not Want Not	F

Manufacturer	Pattern	Grade
KnollTextiles	Palladium	E
KnollTextiles	Photon II	D
KnollTextiles	Pivot	В
KnollTextiles	Reflect	D
KnollTextiles	Relay	E
KnollTextiles	Skylark	В
KnollTextiles	Spellbound	C
KnollTextiles	Symbolic Details	В
KnollTextiles	Tailor Made II	C
KnollTextiles	Twister	В
KnollTextiles	Versatility	D
KnollTextiles	Zenith	D

C.F. STINSON		
Manufacturer	Pattern	Grade
Stinson	Acclaim	D
Stinson	Aerie	D
Stinson	Ally	C
Stinson	Array	D
Stinson	Axis Too!	C
Stinson	Backdrop	C
Stinson	Brush Style-54"	D
Stinson	Code	C
Stinson	Dapple	D
Stinson	Del Mar	D
Stinson	Focus	C
Stinson	Galaxy	D
Stinson	Genesis	C
Stinson	Imprint	C
Stinson	Isis	E
Stinson	Linea	E
Stinson	Luther II	D
Stinson	Mira	C
Stinson	Nikko	D
Stinson	Prime	В
Stinson	Repetition	D
Stinson	Ringer	C
Stinson	Sight Line	C
Stinson	Spree	C
Stinson	Surf	C
Stinson	Tally	E
Stinson	Tussah	D
Stinson	Venture	C

KNOLLTEXTII	LES	
Manufacturer	Pattern	Grade
KnollTextiles	Amplify	E
KnollTextiles	Annex	C
KnollTextiles	Bandwidth	E
KnollTextiles	Basket Draft	E
KnollTextiles	Bauhaus Block	D
KnollTextiles	Beacon	В
KnollTextiles	Broadcloth II	C
KnollTextiles	Cable Twist	D
KnollTextiles	Circle Line	C
KnollTextiles	Circuit	В
KnollTextiles	Criss Cross	D
KnollTextiles	Dristi	E
KnollTextiles	Element	C
KnollTextiles	Film Reel	E
KnollTextiles	Flow	C
KnollTextiles	Foil Rap	E
KnollTextiles	Foundation	C
KnollTextiles	Growth Spurt	C
KnollTextiles	Hard Rock	E
KnollTextiles	Heavy Metal	E
KnollTextiles	Logic	C
KnollTextiles	Macro	E
KnollTextiles	Mainframe	C
KnollTextiles	Match Point	C
KnollTextiles	Mezzo	E
KnollTextiles	Micro	E
KnollTextiles	Nematic II	C
KnollTextiles	Ornament	E

GUILFORD O	F MAINE	
Manufacturer		Grade
Guilford of Maine	Anchorage	В
Guilford of Maine	Auster	В
Guilford of Maine	Axiom	В
Guilford of Maine	Bailev	В
Guilford of Maine	Basketweave	В
Guilford of Maine	Beacon	В
Guilford of Maine	BeeHave	В
Guilford of Maine	Belgrade	В
Guilford of Maine	Birdseye	В
Guilford of Maine	Bix	A
Guilford of Maine	Block Party	В
Guilford of Maine	Broadcast	A
Guilford of Maine	Candid	A
Guilford of Maine	Cape Cod	В
Guilford of Maine	Celestial	В
Guilford of Maine	Coastline	В
Guilford of Maine	Coral Reef	A
Guilford of Maine	Cosmos	В
Guilford of Maine	Crescent	В
Guilford of Maine	Crosstown	В
Guilford of Maine	Digit	A
Guilford of Maine	Drift	В
Guilford of Maine	Dune	A
Guilford of Maine	FR701°	В
Guilford of Maine	Framework	A
Guilford of Maine	Galaxy	В
Guilford of Maine	Groove	В
Guilford of Maine	Hatchet	A
Guilford of Maine	Here & Now	В
Guilford of Maine	Highbeams	В
Guilford of Maine	Hopscotch	В
Guilford of Maine	Jane	В
Guilford of Maine	Lido	В
Guilford of Maine	Lily Pad	В
Guilford of Maine	Madison	В
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	В
Guilford of Maine	Metro	В
Guilford of Maine	Mingle	В
Guilford of Maine	Network	В

Call – Call for pricing 979.778.0502

Graded In Fabrics

Manufacturer Pa		Grade
Guilford of Maine Niti	ro	В
Guilford of Maine Ope	en House	В
Guilford of Maine Otto	0	В
Guilford of Maine Par	adise	В
Guilford of Maine Par	ameter	В
Guilford of Maine Pho	ne Tag	В
Guilford of Maine Rat	tan	В
Guilford of Maine Ree	eds	В
Guilford of Maine Reg	atta	В
Guilford of Maine San	d	В
Guilford of Maine Sen	sa	В
Guilford of Maine Sho	reline	A
Guilford of Maine Sna	pshot	В
Guilford of Maine Spir	nel	В
Guilford of Maine Spr	ite	В
Guilford of Maine Stra	nta	A
Guilford of Maine Stre	etwise	В
Guilford of Maine Stu	dio 54	C
Guilford of Maine Ten	npest	В
Guilford of Maine The	ory	A
Guilford of Maine Tide	epool	A
Guilford of Maine Twe	eed	В
Guilford of Maine Ver	tical Surface Blends	В
Guilford of Maine Ver	tical Surface Solids	В
Guilford of Maine Vor	tex	В
Guilford of Maine Wo	odland	В
Guilford of Maine Ziro	onia	В

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Eclipse	E
Luna	Facet	G
Luna	Freehand	E
Luna	Halo	D
Luna	Hammered Metal	E
Luna	HiFi	E
Luna	Horizon	E
Luna	ldyll	E
Luna	Impression	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Linea	D
Luna	Luminescence	E
Luna	Odeon	D
Luna	Quad	E
Luna	Radar	E
Luna	Scintillate	E
Luna	Signal	E
Luna	Sonic	E
Luna	Stepping Stones	E
Luna	Stitch	E
Luna	Struttura	E
Luna	Synthesis	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twilight	E
Luna	Twist	E
Luna	Vega	E

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp Backed	D
Maharam	Field	E
Maharam	Flock	E
Maharam	Gauge	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	D
Maharam	Nano Point	E
Maharam	Parallel	E
Maharam	Reply	D
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Solo	D
Maharam	Spiral	D
Maharam	Unit	E

Graded In Fabrics

MAYER			MOMENTUN			VICTOR		
Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade	Manufacturer	Pattern	Grade
Mayer	Align	C	Momentum	Alpha	В	Victor	Aerial	В
Mayer	Basic	A	Momentum	Backdrop	В	Victor	Asana	C
Mayer	Сора	В	Momentum	Cameo	В	Victor	Avalon	C
Mayer	Cross Check	A	Momentum	Curtain Call	В	Victor	Celestial	В
Mayer	Dazzle	E	Momentum	Edict	В	Victor	Centric	В
Mayer	Echo	D	Momentum	Encore	В	Victor	Colonnade	C
Mayer	Equal	В	Momentum	Extend	В	Victor	Dashing	В
Mayer	Formations	C	Momentum	Inlay	C	Victor	Dune	В
Mayer	Forte	A	Momentum	Meander	В	Victor	Echelon	C
Mayer	Foundation 10	В	Momentum	Overture	Α	Victor	Espalier XPS2	В
Mayer	Fresco	В	Momentum	Pact	A	Victor	Essence	В
Mayer	Grasscloth	В	Momentum	Saga	В	Victor	Fine Point	В
Mayer	Interlude	В	Momentum	Tenor	Α	Victor	Galet	C
Mayer	Luminary	В	Momentum	Universe	В	Victor	Imprint	В
Mayer	Meander	C	Momentum	Verse	A	Victor	Labyrinth	В
Mayer	Melange	C				Victor	Lumiere	C
Mayer	Multi-Crepe	В				Victor	Lupina	C
Mayer	Nexus	В				Victor	Netiquette	В
Mayer	Origin	C				Victor	Nuance	В
Mayer	Ovation	C				Victor	Oasis	В
Mayer	Paragon	C				Victor	Off The Grid	В
Mayer	Pick Up Sticks	C				Victor	Quadrille	В
Mayer	Quattro	A				Victor	Quasar	В
Mayer	Rain Drops	C				Victor	Renaissance	C
Mayer	Reverb	C				Victor	Resonance	C
Mayer	Space Odyssey	C				Victor	Rhythm And Hues	В
Mayer	Spacer Mesh	В				Victor	Ripple	В
Mayer	Spectre	C				Victor	Strata	В
Mayer	Stardust	C				Victor	Stratford E-84	В
Mayer	Strata	A				Victor	Tango	В
Mayer	Terrain	C				Victor	Tivoli	D
Mayer	Volante	H				Victor	Traff1c	В
Mayer	Whirlwind	В				Victor	Treillage	В
Mayer	Zest	В				Victor	Twigs	В
						Victor	Whisper	В

Call – Call for pricing 979.778.0502

LEGACY TABLE OF CONTENTS

LEGACY FINISHES	
Laminates	148
Worksurface Edge	148
Painted Trim	148
Insert Options	149
Fabrics	149
Customer's Own Material	
DANELC	
PANELS. Gen 1 Fabric Panels 28" – 48" High	. 150
Gen 1 Fabric Panels 28" – 48" High	150
Gen 1 Fabric Panels 53" – 80" High	151
Gen 2 Insert Panels 28" – 53" High	
Gen 2 Insert Panels 60" – 80" High.	
Warll Starter & Wall Mount Chanel	154
POST ASSEMBLIES	155
Straight	
Corner (90°)	
End	
3-way (T)	
3-way (Y)	
4-way (X)	
Dual Height Posts	
Triple Height Posts	
Single Height Posts	
Gen 1 Panel Connectors	
Gen 1 Panel Extender Kit	
Fabric Panels	162
Fabric Panels Insert Panels	
Fabric Panels Insert Panels End Kits	163
Insert Panels End Kits Wall Starter/Wall Mounted Channel	163 164
Insert Panels End Kits Wall Starter/Wall Mounted Channel	163 164 165
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL	163 164 165
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components	163 164 165 166
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL	163 164 165 166
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components	. 163 . 164 . 165 . 166 . 166 . 167
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES	. 163 . 164 . 165 . 166 . 166 . 167
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers	163 164 165 166 166 167 168
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager	163 164 165 166 167 168 168 168
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 168 . 169
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper	163 164 165 166 167 168 168 169 169
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS	163 164 165 166 166 167 168 168 169 169
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 169 . 169 . 170
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 169 . 169 . 170
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 169 . 169 . 170 . 170
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners WALL MOUNTING	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 169 . 169 . 170 . 171
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners	. 163 . 164 . 165 . 166 . 167 . 168 . 168 . 169 . 169 . 170 . 171
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners WALL MOUNTING Wall Mounting Suggestions KEY LOCK PROGRAM	163 164 165 166 167 168 169 169 169 170 171 174 175
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners WALL MOUNTING Wall Mounting Suggestions KEY LOCK PROGRAM General Information	163 164 165 166 167 168 168 169 169 170 171 174 175 176
Insert Panels End Kits Wall Starter/Wall Mounted Channel ELECTRIAL Dedicated Neutral System Components Dedicated Neutral Jumpers PANEL ACCESSORIES Vertical Wire Manager Metal Ceiling Module Coat Hook Carpet Gripper COUNTER CAPS Straights Corners WALL MOUNTING Wall Mounting Suggestions KEY LOCK PROGRAM	163 164 165 166 167 168 168 169 169 170 171 174 175 176 176

Legacy finishes are only available for existing customers to match existing installs

LAMINATES		EDGE BANDS	
L1			
Jet Black	111	Jet Black	111
Folkstone Grey (was LA)	114	Dark Grey (was Y3)	113
Soft Grey (was M42)	117	Folkstone Grey (was LA)	114
Bright White	118	Medium Grey (was Y2)	115
Pumice (was LF)	119	Soft Grey (was E)	117
Micro Grey	121	Bright White	118
Brushed Sand	122	Pumice (was LF)	119
Brushed Grey	123	Medium Cherry	124
Medium Cherry	124	Natural Maple	125
Natural Maple	125	Natural Cherry	126
Natural Cherry	126	Walnut	127
Walnut	127	Fog	128
Fog	128	Dark Neutral	D
Micro Sand	129	Snow	В
Caramel Maple	MC	Taupe	R
Clear Maple	CM	Sand	SD
Deep Mahogany	MP58	Caramel Maple	MC
Grey Granite	M95	Clear Maple	CM
Light Grey	M1	Warm Cherry	WM
Light Oak	MP70		
Markerboard	CP276		
Pearwood	PA		
Rose Granite	M96		
Sand	SD		
Med. Grey (Slate)	M89		
Snow	В		
Taupe	M80		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

NOTE: Legacy finishes are only available for existing customers to match existing installs.

PAINTS & PLASTICS P1 Jet Black 111 Brown 112 Dark Grey (was Y3) 113 Folkstone Grey (was LA) 114 Med. Grey (was Y2) 115 Sandstone 116 Soft Grey (was E) 117 Dark Neutral D R Taupe **P2** Beige Mist Metallic 611 Medium Metallic Grey 612 Beige Metallic Н Light Tan Metallic W **P3 Bright White** 118 Silver 613

PLEXIGLASS	
Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSERT PANELS	
Frost	LF

FABRICS		
_		
<u>B</u>		
Symbolic Detail	KnollTextiles	W693
C		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Flow	KnollTextiles	W565
Foundation	KnollTextiles	W351
Growth Spurt	KnollTextiles	W692
Nematic II	KnollTextiles	W1292
D		
Bauhaus Block	KnollTextiles	W296
Criss Cross	KnollTextiles	W305
Photon	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Versatility	KnollTextiles	W432
E		
Amplify	KnollTextiles	W1215
Basket Draft	KnollTextiles	W249
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020

NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.


are not available in the following:				
Bright White	118			
Brown	Brown 112			

Bright White	118
Brown	112
Jet Black	111

NOTE: EP1 and EP2 panels and components

Generation 1 Fabric Panel

28" thru 48" High



								i.	•••••••••••••••••••••••••••••••••••••••	•••••
28" H									PAIN	т
w	MODEL #.	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$654	\$706	\$722	\$739	\$752	\$765	\$784	N/A	+ \$50
18"	EP1FA1828R	\$681	\$735	\$749	\$767	\$779	\$797	\$815	N/A	+ \$50
24"	EP1FA2428R	\$705	\$763	\$776	\$798	\$811	\$825	\$849	N/A	+ \$50
30"	EP1FA3028R	\$726	\$780	\$798	\$819	\$835	\$850	\$872	N/A	+ \$50
36"	EP1FA3628R	\$759	\$818	\$834	\$855	\$873	\$886	\$910	N/A	+ \$50
42"	EP1FA4228R	\$792	\$853	\$872	\$894	\$912	\$925	\$947	N/A	+ \$50
48"	EP1FA4828R	\$820	\$887	\$901	\$927	\$944	\$961	\$986	N/A	+ \$50
60"	EP1FA6028R	\$874	\$941	\$960	\$988	\$1,004	\$1,019	\$1,047	N/A	+ \$50
40" H										
12"	EP1FA1240R	\$687	\$740	\$756	\$776	\$789	\$804	\$821	N/A	+ \$50

40" H										
12"	EP1FA1240R	\$687	\$740	\$756	\$776	\$789	\$804	\$821	N/A	+ \$50
18"	EP1FA1840R	\$720	\$776	\$792	\$811	\$825	\$840	\$860	N/A	+ \$50
24"	EP1FA2440R	\$752	\$811	\$827	\$851	\$865	\$881	\$901	N/A	+ \$50
30"	EP1FA3040R	\$775	\$838	\$852	\$877	\$892	\$907	\$929	N/A	+ \$50
36"	EP1FA3640R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$50
42"	EP1FA4240R	\$893	\$962	\$982	\$1,007	\$1,027	\$1,043	\$1,073	N/A	+ \$50
48"	EP1FA4840R	\$921	\$995	\$1,010	\$1,039	\$1,056	\$1,076	\$1,101	N/A	+ \$50
60"	EP1FA6040R	\$1,034	\$1,117	\$1,136	\$1,168	\$1,189	\$1,208	\$1,242	N/A	+ \$50

48" H 12" EP1FA1248R \$850 + \$50 \$706 \$764 \$777 \$799 \$812 \$827 N/A 18" EP1FA1848R \$741 \$801 \$815 \$839 \$853 \$872 \$892 \$50 \$973 24" EP1FA2448R \$812 \$879 \$895 \$912 \$935 \$953 N/A + \$50 30" EP1FA3048R \$901 \$921 \$978 \$1,004 N/A \$836 \$944 \$961 \$50 \$970 36" EP1FA3648R \$848 \$915 \$930 \$956 \$989 \$1,014 N/A + \$50 42" EP1FA4248R \$941 \$1,016 \$1,037 \$1,063 \$1,083 \$1,101 \$1,130 N/A \$50 48" EP1FA4848R \$1,204 N/A + \$50 \$1,004 \$1,083 \$1,101 \$1,133 \$1,154 \$1,173 N/A 60" EP1FA6048R \$1,141 \$1,235 \$1,256 \$1,288 \$1,312 \$1,335 \$1,370 \$50

Order Code			
e.g.	EP1FA3648R, W3513, 117		
EP1FA	Fabric panel		
36	Width		
48	Height		
R	Raceway		
W351-3	Foundation, Corn Silk		
117	Soft Grey trim		

Specification Information

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.


Pricing listed above is for P1 trim colors. Add the appropriate upcharge if

NOTE: P2 trim colors are not available on EP1 panels and panel components.

using P2 or P3 trim colors.

Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



3" H									•••••••••••	•••••
			-			_	_	_	PAIN	
W	MODEL#	Α .	В .	C	D	E	F	G	P2	P
12"	EP1FA1253R	\$724	\$778	\$796	\$814	\$829	\$844	\$868	N/A	+ \$50
18"	EP1FA1853R	\$760	\$819	\$835	\$856	\$874	\$887	\$912	N/A	+ \$5
24"	EP1FA2453R	\$801	\$868	\$884	\$907	\$923	\$937	\$962	N/A	+ \$5
30"	EP1FA3053R	\$821	\$889	\$904	\$930	\$946	\$962	\$988	N/A	+ \$5
36"	EP1FA3653R	\$946	\$1,021	\$1,042	\$1,073	\$1,088	\$1,109	\$1,136	N/A	+ \$5
42"	EP1FA4253R	\$989	\$1,069	\$1,088	\$1,118	\$1,136	\$1,158	\$1,187	N/A	+ \$5
48"	EP1FA4853R	\$1,045	\$1,129	\$1,150	\$1,182	\$1,202	\$1,222	\$1,254	N/A	+ \$5
60"	EP1FA6053R	\$1,187	\$1,282	\$1,305	\$1,340	\$1,365	\$1,389	\$1,424	N/A	+ \$5
)" H										
12"	EP1FA1260R	\$740	\$800	\$814	\$838	\$852	\$868	\$889	N/A	+ \$5
18"	EP1FA1860R	\$784	\$849	\$863	\$886	\$899	\$918	\$941	N/A	+ \$5
24"	EP1FA2460R	\$800	\$865	\$881	\$904	\$922	\$936	\$961	N/A	+ \$5
30"	EP1FA3060R	\$885	\$956	\$970	\$1,002	\$1,016	\$1,036	\$1,058	N/A	+ \$5
36"	EP1FA3660R	\$966	\$1,043	\$1,061	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$5
42"	EP1FA4260R	\$1,053	\$1,136	\$1,160	\$1,190	\$1,209	\$1,231	\$1,263	N/A	+ \$5
48"	EP1FA4860R	\$1,137	\$1,230	\$1,251	\$1,285	\$1,308	\$1,330	\$1,368	N/A	+ \$5
60"	EP1FA6060R	\$1,307	\$1,413	\$1,438	\$1,477	\$1,503	\$1,529	\$1,569	N/A	+ \$5
5" H										
12"	EP1FA1265R	\$779	\$844	\$858	\$884	\$897	\$916	\$936	N/A	+ \$5
18"	EP1FA1865R	\$799	\$862	\$880	\$901	\$921	\$933	\$959	N/A	+ \$5
24"	EP1FA2465R	\$895	\$967	\$986	\$1,010	\$1,032	\$1,047	\$1,075	N/A	+ \$5
30"	EP1FA3065R	\$947	\$1,024	\$1,043	\$1,074	\$1,091	\$1,110	\$1,137	N/A	+ \$5
36"	EP1FA3665R	\$1,007	\$1,088	\$1,110	\$1,138	\$1,160	\$1,179	\$1,208	N/A	+ \$5
42"	EP1FA4265R	\$1,098	\$1,189	\$1,208	\$1,243	\$1,264	\$1,285	\$1,321	N/A	+ \$5
48"	EP1FA4865R	\$1,190	\$1,284	\$1,308	\$1,343	\$1,369	\$1,393	\$1,428	N/A	+ \$5
60"	EP1FA6065R	\$1,374	\$1,483	\$1,513	\$1,554	\$1,579	\$1,608	\$1,650	N/A	+ \$5
)" H										
<u></u>	EP1FA1280R	\$795	\$855	\$873	\$895	\$913	\$927	\$953	N/A	+ \$5
3"	EP1FA1880R	\$844	\$913	\$929	\$955	\$969	\$988	\$1,012	N/A	+ \$5
ļ"	EP1FA2480R	\$899	\$971	\$992	\$1,018	\$1,037	\$1,054	\$1,080	N/A	+ \$5
)"	EP1FA3080R	\$1,010	\$1,091	\$1,115	\$1,143	\$1,163	\$1,183	\$1,212	N/A	+ \$5
5"	EP1FA3680R	\$1,128	\$1,215	\$1,240	\$1,276	\$1,297	\$1,319	\$1,352	N/A	+ \$5
!"	EP1FA4280R	\$1,242	\$1,340	\$1,365	\$1,401	\$1,428	\$1,452	\$1,488	N/A	+ \$5
3"	EP1FA4880R	\$1,352	\$1,460	\$1,486	\$1,528	\$1,555	\$1,581	\$1,621	N/A	+ \$5
,										

Order Code				
e.g.	EP1FA2460R, W3513, 117			
EP1FA	Fabric panel			
24	Width			
60	Height			
W351-3	Foundation,Corn Silk			
117	Soft Grey trim			

Specification Information

Specify fabric and trim color.

Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

Pricing listed above is for

P1 trim colors. Add the

appropriate upcharge if

NOTE: P2 trim colors are

and panel components.

not available on EP1 panels

using P2 or P3 trim colors.

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

Application Notes

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



28" H				PAINT	
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP2()1228R	\$697	\$936	N/A	+ \$50
18"	EP2()1828R	\$711	\$1,004	N/A	+ \$50
24"	EP2()2428R	\$725	\$1,058	N/A	+ \$50
30"	EP2()3028R	\$740	\$1,121	N/A	+ \$50
36"	EP2()3628R	\$759	\$1,174	N/A	+ \$50
42"	EP2()4228R	\$778	\$1,269	N/A	+ \$50
48"	EP2()4828R	\$797	\$1,293	N/A	+ \$50
60"	EP2()6028R	\$834	\$1,408	N/A	+ \$50
40" H					
12"	EP2()1240R	\$736	\$1,028	N/A	+ \$50
18"	EP2()1840R	\$751	\$1,090	N/A	+ \$50
24"	EP2()2440R	\$763	\$1,154	N/A	+ \$50
30"	EP2()3040R	\$779	\$1,270	N/A	+ \$50
36"	EP2()3640R	\$797	\$1,430	N/A	+ \$50
42"	EP2()4240R	\$818	\$1,460	N/A	+ \$50
48"	EP2()4840R	\$836	\$1,481	N/A	+ \$50
60"	EP2()6040R	\$874	\$1,632	N/A	+ \$50
18" H					
48" H	EP2()1248R	\$751	\$1,057	N/A	+ \$50
12"					+ \$50 + \$50
12" 18"	EP2()1848R	\$766	\$1,165	N/A	+ \$50
12" 18" 24"	EP2()1848R EP2()2448R	\$766 \$777	\$1,165 \$1,248	N/A N/A	+ \$50 + \$50
12" 18" 24" 30"	EP2()1848R EP2()2448R EP2()3048R	\$766 \$777 \$797	\$1,165 \$1,248 \$1,359	N/A N/A N/A	+ \$50 + \$50 + \$50
12" 18" 24" 30" 36"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R	\$766 \$777 \$797 \$811	\$1,165 \$1,248 \$1,359 \$1,382	N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R	\$766 \$777 \$797 \$811 \$834	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522	N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R	\$766 \$777 \$797 \$811	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802	N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R	\$766 \$777 \$797 \$811 \$834 \$852	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522	N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R	\$766 \$777 \$797 \$811 \$834 \$852	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802	N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R	\$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R	\$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1853R	\$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821 \$1,091 \$1,091 \$1,197	N/A N/A N/A N/A N/A N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1853R EP2()2453R	\$766 \$777 \$797 \$811 \$834 \$852 \$887	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821 \$1,091 \$1,197 \$1,279	N/A	+ \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60" 53" H 12" 18" 24" 30"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1853R EP2()2453R EP2()2453R EP2()3053R	\$766 \$777 \$797 \$811 \$834 \$852 \$887 \$776 \$792 \$800 \$820	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821 \$1,091 \$1,197 \$1,279 \$1,393	N/A	+ \$50 + \$50
12" 18" 24" 30" 36" 42" 48" 60" 53" H 12" 18" 24" 30" 36"	EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4848R EP2()6048R EP2()1253R EP2()1853R EP2()1853R EP2()2453R EP2()3053R EP2()3653R	\$766 \$777 \$797 \$811 \$834 \$852 \$887 \$776 \$792 \$800 \$820 \$836	\$1,165 \$1,248 \$1,359 \$1,382 \$1,522 \$1,802 \$1,821 \$1,091 \$1,197 \$1,279 \$1,393 \$1,484	N/A	+ \$50 + \$50

^{*} All Colors

oraer Co	Uraer Coae			
e.g.	EP2PG3648R, PC, 613			
EP2PG	Plexiglass Insert Panel			
36	Width			
48	Height			
R	Raceway			
PC	Clear			
613	Silver trim			

Specification Information

Specify insert type, insert color and trim color.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if using P2 or P3 trim colors.

Application Notes


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

Generation 2 Insert Panel

(compatible with generation 1 panel components only)



^{*} All Colors

Order Code				
e.g.	EP2PG2460R, 613			
EP2PG	Plexiglass Insert Panel			
24	Width			
60	Height			
R	Raceway			
613	Silver trim			

Specification	Information
Specification	minumation

Specify insert type, insert color and trim color.

Pricing listed above is for P1 trim colors. Add the appropriate upcharge if using P2 or P3 trim colors.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately. NOTE: P2 trim colors are not available on EP2 panels or panel components.

Application Notes

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

(S)8/3

Panel Wall Starter

W	D	H*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$44	N/A	\$48
1½"	1/2"	40"	35"	EP1PWS40	\$44	N/A	\$48
11/2"	1/2"	48"	43"	EP1PWS48	\$48	N/A	\$52
1½"	1/2"	53"	48"	EP1PWS53	\$50	N/A	\$56
11/2"	1/2"	60"	55"	EP1PWS60	\$50	N/A	\$56
1½"	1/2"	65"	60"	EP1PWS65	\$52	N/A	\$59
11/2"	1/2"	80"	75"	EP1PWS80	\$59	N/A	\$69

Wall Mounted Channel

21/8"	3/4"	28"	23"	EP1WMC28	\$112	N/A	\$122
21/8"	3/4"	40"	35"	EP1WMC40	\$112	N/A	\$122
21/8"	3/4"	48"	43"	EP1WMC48	\$114	N/A	\$124
21/8"	3/4"	53"	48"	EP1WMC53	\$116	N/A	\$128
21/8"	3/4"	60"	55"	EP1WMC60	\$130	N/A	\$145
21/8"	3/4"	65"	60"	EP1WMC65	\$133	N/A	\$150
21/8"	3/4"	80"	75"	EP1WMC80	\$162	N/A	\$178
21/8"	3/4"	120"	120"	EP1WMC120	\$249	N/A	\$276

^{* -} actual height

Order Co	de	
e.g.	EP1PWS60, 117	
EP1PWS	Panel wall starter	
60	Height	
117	Soft Grey trim	

Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

Application Notes

Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



Straight

w	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$148	N/A	\$164
-	-	40"	EP1P40S	\$150	N/A	\$165
-	-	48"	EP1P48S	\$152	N/A	\$166
-	-	53"	EP1P53S	\$154	N/A	\$168
-	-	60"	EP1P60S	\$156	N/A	\$170
-	-	65"	EP1P65S	\$157	N/A	\$172
-		80"	EP1P80S	\$161	N/A	\$177



Corner (90°)

_	-	28"	EP1P28L	\$144	N/A	\$156
-	-	40"	EP1P40L	\$145	N/A	\$157
-	-	48"	EP1P48L	\$146	N/A	\$161
-	-	53"	EP1P53L	\$148	N/A	\$164
-	-	60"	EP1P60L	\$150	N/A	\$165
-	-	65"	EP1P65L	\$152	N/A	\$166
-	-	80"	EP1P80L	\$156	N/A	\$170



End

LIIU						
_	-	28"	EP1P28E	\$157	N/A	\$172
-	-	40"	EP1P40E	\$159	N/A	\$174
-	_	48"	EP1P48E	\$161	N/A	\$177
-	-	53"	EP1P53E	\$162	N/A	\$178
-	-	60"	EP1P60E	\$164	N/A	\$179
-	-	65"	EP1P65E	\$165	N/A	\$183
-	-	80"	EP1P80E	\$167	N/A	\$187

Order C	Order Code				
e.g.	EP1P48S, 117				
EP1P	Post				
48	Height				
S	Straight assembly				
117	Soft Grey trim				

Specification Information

Specify trim color.
Specify fabric color (if post covers are specified).

Application Notes

Used to connect panels of the same height.

Kit includes single height post, post plug, panel connector and base raceway shroud(s) appropriate for the geometry specified. NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

Generation 1

single height post assemblies three and four way



3-way (T)

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28T	\$144	N/A	\$156
-	-	40"	EP1P40T	\$145	N/A	\$157
-	-	48"	EP1P48T	\$146	N/A	\$161
-	-	53"	EP1P53T	\$148	N/A	\$164
-	-	60"	EP1P60T	\$150	N/A	\$165
-	-	65"	EP1P65T	\$152	N/A	\$166
_	_	80"	EP1P80T	\$156	N/A	\$170



3-wav (Y)

,	(- /					
	-	28"	EP1P28Y	\$179	N/A	\$201
-	-	40"	EP1P40Y	\$183	N/A	\$202
-	-	48"	EP1P48Y	\$185	N/A	\$203
-	-	53"	EP1P53Y	\$186	N/A	\$205
-	-	60"	EP1P60Y	\$187	N/A	\$206
-	-	65"	EP1P65Y	\$190	N/A	\$208
-	-	80"	EP1P80Y	\$192	N/A	\$208



4-way (X)

/ (-	-,					
-	-	28"	EP1P28X	\$124	N/A	\$136
-	-	40"	EP1P40X	\$128	N/A	\$141
-	-	48"	EP1P48X	\$129	N/A	\$144
-	-	53"	EP1P53X	\$130	N/A	\$145
-	-	60"	EP1P60X	\$131	N/A	\$146
-	-	65"	EP1P65X	\$132	N/A	\$147
-	-	80"	EP1P80X	\$135	N/A	\$150

Order Code				
e.g.	EP1P80T, 117			
EP1P	Post			
80	Height			
T	"T" assembly			
117	Soft Grey trim			

Specification Information

Specify trim color.
Specify fabric color (if post covers are specified).

Application Notes

Used to connect panels of the same height.

Kit includes single height post, post plug, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.



W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"	EP1DP2840	\$154	N/A	\$168
-	-	28"/48"	EP1DP2848	\$164	N/A	\$179
-	-	28"/53"	EP1DP2853	\$167	N/A	\$187
-	-	28"/60"	EP1DP2860	\$170	N/A	\$190
-	-	28"/65"	EP1DP2865	\$177	N/A	\$193
-	-	28"/80"	EP1DP2880	\$193	N/A	\$215
-	-	40"/48"	EP1DP4048	\$164	N/A	\$179
-	-	40"/53"	EP1DP4053	\$167	N/A	\$187
-	-	40"/60"	EP1DP4060	\$170	N/A	\$190
-	-	40"/65"	EP1DP4065	\$177	N/A	\$193
-	-	40"/80"	EP1DP4080	\$193	N/A	\$215
-	-	48"/53"	EP1DP4853	\$167	N/A	\$187
-	-	48"/60"	EP1DP4860	\$170	N/A	\$190
-	-	48"/65"	EP1DP4865	\$177	N/A	\$193
-	-	48"/80"	EP1DP4880	\$193	N/A	\$215
-	-	53"/60"	EP1DP5360	\$170	N/A	\$190
-	-	53"/65"	EP1DP5365	\$177	N/A	\$193
-	-	53"/80"	EP1DP5380	\$199	N/A	\$219
-	-	60"/65"	EP1DP6065	\$177	N/A	\$193
-	-	60"/80"	EP1DP6080	\$193	N/A	\$215
-	-	65"/80"	EP1DP6580	\$193	N/A	\$215

Order Code			
e.g.	EP1DP4860, 613		
EP1DP	Dual height post		
48	Height one		
60 Height two			
613	Silver		

Specification	

Specify trim color.

Application Notes

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

Triple Height Post

					•	
W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"/48"	EP1TP284048	\$193	N/A	\$215
-	-	28"/40"/53"	EP1TP284053	\$193	N/A	\$215
-	-	28"/40"/60"	EP1TP284060	\$193	N/A	\$215
-	-	28"/40"/65"	EP1TP284065	\$206	N/A	\$229
-	-	28"/40"/80"	EP1TP284080	\$230	N/A	\$253
-	-	28"/48"/53"	EP1TP284853	\$193	N/A	\$215
-	-	28"/48"/60"	EP1TP284860	\$193	N/A	\$215
-	-	28"/48"/65"	EP1TP284865	\$206	N/A	\$229
-	-	28"/48"/80"	EP1TP284880	\$230	N/A	\$253
-	-	28"/53"/60"	EP1TP285360	\$193	N/A	\$215
-	-	28"/53"/65"	EP1TP285365	\$205	N/A	\$227
-	-	28"/53"/80"	EP1TP285380	\$229	N/A	\$249
-	_	28"/60"/65"	EP1TP286065	\$206	N/A	\$229
-	-	28"/60"/80"	EP1TP286080	\$230	N/A	\$253
-	-	28"/65"/80"	EP1TP286580	\$230	N/A	\$253
-	-	40"/48"/53"	EP1TP404853	\$193	N/A	\$215
-	-	40"/48"/60"	EP1TP404860	\$193	N/A	\$215
-	-	40"/48"/65"	EP1TP404865	\$206	N/A	\$229
-	-	40"/48"/80"	EP1TP404880	\$230	N/A	\$253
-	-	40"/53"/60"	EP1TP405360	\$193	N/A	\$215
-	-	40"/53"/65"	EP1TP405365	\$205	N/A	\$227
-	-	40"/53"/80"	EP1TP405380	\$229	N/A	\$249
-	-	40"/60"/65"	EP1TP406065	\$206	N/A	\$229
-	-	40"/60"/80"	EP1TP406080	\$230	N/A	\$253
-	-	40"/65"/80"	EP1TP406580	\$230	N/A	\$253
-	-	48"/53"/60"	EP1TP485360	\$193	N/A	\$215
_	_	48"/53"/65"	EP1TP485365	\$205	N/A	\$227
_	_	48"/53"/80"	EP1TP485380	\$208	N/A	\$231
_	_	48"/60"/65"	EP1TP486065	\$206	N/A	\$229
_	_	48"/60"/80"	EP1TP486080	\$230	N/A	\$253
_	_	48"/65"/80"	EP1TP486580	\$230	N/A	\$253
_	_	53"/60"/65"	EP1TP536065	\$205	N/A	\$227
_	_	53"/60"/80"	EP1TP536080	\$207	N/A	\$230
_	_	53"/65"/80"	EP1TP536580	\$230	N/A	\$253
_	_	60"/65"/80"	EP1TP606580	\$230	N/A	\$253
		00 / 03 / 00		7230	14//1	7233

Order Code		
e.g.	EP1TP406080, 113	
EP1TP	Triple height post	
40	Height one	
60	Height two	
80	Height three	
113	Dark Grey trim	

Specification	

Specify trim color.

Application Notes

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

Single Height Post

W	D	Н	MODEL #	P1	P2	P3
-	-	28"	EP1P28	\$72	N/A	\$78
-	-	40"	EP1P40	\$73	N/A	\$80
-	-	48"	EP1P48	\$74	N/A	\$83
-	-	53"	EP1P53	\$76	N/A	\$84
-	-	60"	EP1P60	\$77	N/A	\$86
-	-	65"	EP1P65	\$78	N/A	\$87
-	-	80"	EP1P80	\$83	N/A	\$89


Order Code		
e.g.	EP1P48, 177	
EP1P	Post	
48	Height	
117 Soft Grey trim		

Specification Information
Specify trim color.
Danal connectors

Panel connectors and shrouds must be order separately.


Application Notes

Bottom leveler on posts allow for up to 1½" of vertical adjustment.



Panel Connectors

TYPE	MODEL#	P1	P2	P3
End with post	EP1PCEP	\$36	\$38	\$39
End with post (for post covers)	EP1PCEPK	\$36	\$38	\$39
Four-way "X"	EP1PCX	\$52	\$56	\$62
Multi-height filler	EP1PCMF	\$26	\$28	\$29
Post plug (pkg. of 25)	EP1PLUG	\$17	\$23	\$24
Straight	EP1PCS	\$31	\$33	\$35
Three-way "T"	EP1PCT	\$47	\$49	\$52
Three-way "Y" 120°	EP1PCY	\$47	\$49	\$52
Trim filler	EP1PCTF	\$26	\$28	\$29
Two-way "L"	EP1PCL	\$39	\$40	\$41
Two-way "L" (for post covers)	EP1PCLK	\$39	\$40	\$41
Two-way adjustable angle	EP1PCA	\$49	\$56	\$56



Raceway Shrouds

End with post	EP1SEP	\$49	N/A	\$56
End with post (for post covers)	EP1SEPK	\$49	N/A	\$56
Inside 120	EP1SI120	\$17	N/A	\$24
Outside "L"	EP1SL	\$36	N/A	\$39
Outside "L" (for post covers)	EP1SLK	\$36	N/A	\$39
Outside 120	EP1SO120	\$28	N/A	\$31
Outside 135	EP1SO135	\$28	N/A	\$31
Straight	EP1SS	\$26	N/A	\$29

Order Code		
e.g.	EP1SEP	_
EP1S	Post shroud	
EP	End with post	

Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

Application Notes

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

One Post Plug (OPPC) is included with every connector cap ordered. If additional post plugs are required a bag of 25 may be purchased separately.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout. This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.





Panel Extender Kit – 36" Wide

w	D	Н	MODEL#	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$352	N/A	\$50
36"	-	48"	EP1PE3648R	\$392	N/A	\$50
36"	-	53"	EP1PE3653R	\$423	N/A	\$50
36"	-	60"	EP1PE3660R	\$451	N/A	\$50
36"	-	65"	EP1PE3665R	\$477	N/A	\$50
36"	-	80"	EP1PE3680R	\$553	N/A	\$50

Panel Extender Kit – 40" Wide

48"	_	40"	EP1PE4840R	\$366	N/A	\$50
48"	-	48"	EP1PE4848R	\$408	N/A	\$50
48"	-	53"	EP1PE4853R	\$435	N/A	\$50
48"	-	60"	EP1PE4860R	\$469	N/A	\$50
48"	-	65"	EP1PE4865R	\$489	N/A	\$50
48"	-	80"	EP1PE4880R	\$569	N/A	\$50

Panel Extender Kit – 60" Wide

60"	_	40"	EP1PE6040R	\$387	N/A	\$50
60"	-	48"	EP1PE6048R	\$423	N/A	\$50
60"	-	53"	EP1PE6053R	\$452	N/A	\$50
60"	-	60"	EP1PE6060R	\$485	N/A	\$50
60"	-	65"	EP1PE6065R	\$507	N/A	\$50
60"	-	80"	EP1PE6080R	\$582	N/A	\$50

e.g. EP1PE6065R, 117 EP1PE Raceway panel extender kit 60 Width in inches 65 Height R Raceway 117 Soft Grey trim

Specification Information


Specify trim color.

Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used. A kit designed to be field mounted onto panels to extend the width of the panel by 3" (1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

Application Notes

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, an extended communication boot, installation hardware and instructions.


Generation 3 Fabric Panel



64" H							PAIN			
W	MODEL#	A	В	С	D	E	F	G	P2	P3
12"	EP3FA1264(K/N)	\$660	\$710	\$770	\$850	\$970	\$1,100	\$1,250	+ \$25	+ \$50
18"	EP3FA1864(K/N)	\$710	\$760	\$820	\$900	\$1,020	\$1,150	\$1,300	+ \$25	+ \$50
24"	EP3FA2464(K/N)	\$760	\$810	\$870	\$950	\$1,070	\$1,200	\$1,350	+ \$25	+ \$50
30"	EP3FA3064(K/N)	\$810	\$860	\$920	\$1,000	\$1,120	\$1,250	\$1,400	+ \$25	+ \$50
36"	EP3FA3664(K/N)	\$890	\$1,000	\$1,130	\$1,290	\$1,540	\$1,820	\$2,140	+ \$25	+ \$50
42"	EP3FA4264(K/N)	\$940	\$1,050	\$1,180	\$1,340	\$1,590	\$1,870	\$2,190	+ \$25	+ \$50
48"	EP3FA4864(K/N)	\$990	\$1,100	\$1,230	\$1,390	\$1,640	\$1,920	\$2,240	+ \$25	+ \$50
60"	EP3FA6064(K/N)	\$1,080	\$1,190	\$1,320	\$1,480	\$1,730	\$2,010	\$2,330	+ \$25	+ \$50

	Тор Сар	Panel Type	w H	Raceway
EP Equity panel	3 Beveled FA N Flat	Fabric panel	36 29	K With knockouts N Without knockouts
EP	N FA		36 29	K

Generation 3 Insert Panel



64" H	54" H					
w	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3	
12"	EP3()1264(K/N)	\$797	\$1,147	+ \$25	+ \$50	
18"	EP3()1864(K/N)	\$807	\$1,267	+ \$25	+ \$50	
24"	EP3()2464(K/N)	\$817	\$1,397	+ \$25	+ \$50	
30"	EP3()3064(K/N)	\$837	\$1,497	+ \$25	+ \$50	
36"	EP3()3664(K/N)	\$857	\$1,597	+ \$25	+ \$50	
42"	EP3()4264(K/N)	\$877	\$1,697	+ \$25	+ \$50	
48"	EP3()4864(K/N)	\$897	\$1,797	+ \$25	+ \$50	
60"	EP3()6064(K/N)	\$947	\$1,997	+ \$25	+ \$50	

	D I T	14/		D
	Panel Type	W	H	Raceway
EP3 Equity panel	OF Open frame	36	29	K With knockouts
	PG Plexiglass insert		•	N Without knockouts
	<u>;</u>	:	:	‡
	•	<u> </u>	<u> </u>	<u> </u>
		<u> </u>	•	‡
;	,	; ;	; ,	† ,
EP :	PG :	36	29	K

End Kits



End w/Post				PAINT	
Н	MODEL#		P1	P2	Р3
64"	EP3P64E		\$186	\$193	\$200



Post	less End	End PAINT			
Н	MODEL#		P1	P2	P3
64"	EP3ETK64		\$167	\$170	\$173

End w/Post

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

Postless End

Specify

- 1. Model #
- 2. Paint trim color

Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately %" beyond the panel end.

Assembly

Included

- Single height post
- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled





Assembly

Included

- Panel connector
- Appropriate metal shroud

Top Cap Styles

3 – Beveled

N – Flat





Wall Starter/Wall Mounted Channel

Par	el Wal	l Starte	er			PAINT	
W	, E	Н	H (Actual)	MODEL#	P1	P2	P3
1 3	ź" ½	." 64	-" 60"	EP3PWS64	\$52	\$56	\$62

Wall Mounted Channel

2 %"	3/4"	64"	60"	EP3WMC64	\$133	\$144	\$148
_ , -	, .				7	4	7

Panel Wall Starter

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 11/4" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

N – Flat

Top Cap Styles

3 - Beveled

Assembly

Included

- Panel top & bottom hook
- Panel connector

Not Included

• Fasteners to attach to wall

Ordered Separately

- Post
- Shrouds

Wall Mounted Channel

Specify

- 1. Model#
- 2. Paint trim color

Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

Assembly

Included

- Extruded aluminum channel
- Insert which snaps into place



"E" Series electrical

Dedicated Neutral System components

Terminal Block

NOMINAL LENGTH	MODEL#	LIST
	EE1TB-(N3/N4)	\$72



Duplex Receptacle (10 pack)

EE1RIIIN P10	\$437
EE1RIIN P10	\$437
EE1RIN P10	\$437
EE1RIVN P10	\$437



Duplex Receptacle

EE1RIIIN	\$58
EE1RIIN	\$58
EE1RIN	\$58
EE1RIVN	\$58



Base Infeed

54"	EE1BI-(N3/N4)	\$312
72"	EE1BI72-(N3/N4)	\$330



San Francisco Base Infeed

54"	EE1BI-(N3/N4)SF	\$312
72"	EE1BI72-(N3/N4)SF	\$330

Order Code			
e.g.	EE1C30-N3		
EE1C	Conduit jumper		
80	Length		
N3	8-wire dedicated		

Specification Information

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes

Jumpers:

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

To calculate the correct length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.

3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





36"+24"=60" 60"÷2"=30"


30"+48"=78"

Order EE1C78-N3

Dedicated Neutral System conduit jumper

Jumper





EE1C132-(N3/N4)

EE1C144-(N3/N4)

Order Code				
e.g.	EE1C30-N3			
EE1C	Conduit jumper			
80	Length			
N3	8-wire dedicated neutral			

Specification Information

132"

144"

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

Application Notes

Jumpers:

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

To calculate the correct length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.

Example 36 \Box EEC78-8/10

36"+24"=60"

60"÷2"=30"

30"+48"=78" Order EE1C78-N3 \$305

\$322

Legacy

Panel accessories

Cable and Wire Managers

Vertical Wire Manager

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$29	\$31	\$33



Metal Ceiling Module

4"	11/2"	120"	EE1CM40M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM48M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM53M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM60M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM65M	\$625	N/A	\$689
4"	11/2"	120"	EE1CM80M	\$625	N/A	\$689

Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$625	\$656	\$689

Order Cod	le
e.g.	EC1VWM80, 177
EC1VWM	Vertical Wire Manager
80	Length
117	Soft Grey trim

Specification Information

Specify trim color.

Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on' capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support.

Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post. Infeed holds 35 cables with electrical harness installed. Cables/conduit are laid into module by removal of two-piece front 1-½" wide vertical access cover which runs the length of the extrusion. Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.



EP1 Coat Hook (6/carton)

W	D	Н	MODEL #	P1	P2	P3
1/2"	3/4"	5"	EP1CH	\$120	N/A	N/A



Coat Hanger

	17"	3/8"	91/4"	EP1CHG	\$15	N/A	N/A	



Carpet Gripper (12 pack)

EP1CG12	\$38	N/A	N/A



EP3 Coat Hook Straight (5 pack)

16"	13/6"	23/6"	ED3MMCH (R/D)	\$1.41	NI/A	NI/A



EP3 Coat Hook Postless End (5 pack)

			` 1 '			
13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$141	N/A	N/A

oraer Co	oae
e.g.	EP1CH, 117
EP1CH	Coat hook
117	Soft Grev trim

0...l . .. C . .l .

Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Application Notes

Coat Hanger

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.


Coat hook must hang over straight post location if being used w/EP3 panels.

Carpet gripper:12 per package. EP3 Coat hook:

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

Counter Caps, Straight Generation 1 and Generation 2 profiles

Straight



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	Р3
12"	10.5"	15.25"	-	EW(1/2)1215	\$268	\$278	\$284
24"	22.5"	15.25"	-	EW(1/2)2415	\$297	\$303	\$311
30"	28.5"	15.25"	-	EW(1/2)3015	\$323	\$332	\$339
36"	34.5"	15.25"	-	EW(1/2)3615	\$323	\$332	\$339
42"	40.5"	15.25"	-	EW(1/2)4215	\$330	\$336	\$344
48"	46.5"	15.25"	-	EW(1/2)4815	\$333	\$341	\$348
60"	58.5"	15.25"	-	EW(1/2)6015	\$367	\$374	\$382
72"	70.5"	15.25"	-	EW(1/2)7215	\$387	\$392	\$402
84"	82.5"	15.25"	-	EW(1/2)8415	\$419	\$427	\$435
96"	94.5"	15.25"	-	EW(1/2)9615	\$435	\$444	\$451
108"	106.5"	15.25"	-	EW(1/2)10815	\$449	\$456	\$464
120"	118.5"	15.25"	-	EW(1/2)12015	\$500	\$506	\$513

Straight – Extended One End



12"	12"	15.25"	-	EW(1/2)1215E	\$279	\$286	\$296
24"	24"	15.25"	-	EW(1/2)2415E	\$305	\$314	\$322
30"	30"	15.25"	-	EW(1/2)3015E	\$329	\$334	\$342
36"	36"	15.25"	-	EW(1/2)3615E	\$329	\$334	\$342
42"	42"	15.25"	-	EW(1/2)4215E	\$336	\$344	\$351
48"	48"	15.25"	-	EW(1/2)4815E	\$347	\$353	\$361
60"	60"	15.25"	-	EW(1/2)6015E	\$373	\$380	\$388
72"	72"	15.25"	-	EW(1/2)7215E	\$405	\$410	\$418
84"	84"	15.25"	-	EW(1/2)8415E	\$422	\$430	\$438
96"	96"	15.25"	-	EW(1/2)9615E	\$441	\$448	\$455
108"	108"	15.25"	-	EW(1/2)10815E	\$473	\$481	\$489

Straight – Extended Both Ends



5							
12"	13.5"	15.25"	-	EW(1/2)1215EE	\$286	\$296	\$302
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$319	\$325	\$333
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$334	\$342	\$350
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$334	\$342	\$350
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$347	\$353	\$361
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$387	\$392	\$402
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$383	\$390	\$397
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$413	\$420	\$428
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$436	\$445	\$452
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$449	\$456	\$464
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$487	\$494	\$502

Order (Order Code					
e.g.	EW16015,117, 117, 117					
EW1	Worksurface					
60	Width					
15	Depth					
117	Soft Grey laminate					
117	Soft Grey edge					
117	Soft Grey cantilever trim					

Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a duel/triple height connectors.

A counter cap extension (E) covers one post.


A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

Wood Grain and Metal edge bands: When specifying a top with a wood grain edge band add \$26 to the standard list price.

When specifying a top with a metal edge band add \$52 to the standard list price.

NOTE: Add 10% to the list price of any counter cap when specifying a legacy laminate.



Corner

W	D	Н	MODEL #	P1	P2	P3
24"	15.25"	-	EW(1/2)CC2415	\$378	\$392	\$409
30"	15.25"	-	EW(1/2)CC3015	\$406	\$419	\$435
36"	15.25"	-	EW(1/2)CC3615	\$413	\$428	\$445




Corner – Extended Left

24"	15.25"	-	EW(1/2)CC2415LHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015LHE	\$413	\$428	\$445
36"	15.25"	_	EW(1/2)CC3615LHE	\$422	\$438	\$453



Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$387	\$402	\$416
30"	15.25"	-	EW(1/2)CC3015RHE	\$413	\$428	\$445
36"	15.25"	_	EW(1/2)CC3615RHE	\$422	\$438	\$453



Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$402	\$416	\$432
30"	15.25"	-	EW(1/2)CC3015EE	\$436	\$452	\$466
36"	15.25"	_	EW(1/2)CC3615EE	\$445	\$461	\$474

Order Code				
e.g.	EW1CC3015, 117, 117, 117			
EW1	Worksurface			
cc	Curved corner			
30	Width			
15	Depth			
117	Soft Grey laminate			
117	Soft Grey edge			
117	Soft Grey cantilever trim			

Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with

Generation 3 panels only.

Application Notes

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other.

They are non-handed and screw

holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Wood Grain and Metal edge bands: When specifying a top with a wood grain edge band add \$26 to the standard list price.

When specifying a top with a metal edge band add \$52 to the standard list price.

NOTE: Add 10% to the list price of any counter cap when specifying a legacy laminate.

Freestanding support components



Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#.	P1	P2	Р3
	15"			EB1F24	\$45	n/a	n/a
	21"			EB1F30	\$52	n/a	n/a



Column Base

Legacy

Tackable Privacy Screens



Tackable Privacy

W	D	Н	MODEL #.	A	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$392	\$426	\$431	\$443	\$451	\$458	\$472
42"	3/4"	21"	EF2PS42	\$411	\$443	\$452	\$467	\$473	\$483	\$495
48"	3/4"	21"	EF2PS48	\$428	\$461	\$472	\$485	\$491	\$499	\$513
60"	3/4"	21"	EF2PS60	\$459	\$497	\$507	\$519	\$529	\$536	\$553
72"	3/4"	21"	EF2PS72	\$491	\$531	\$541	\$556	\$565	\$574	\$592

Order Co	Order Code					
e.g.	EF2OS60, 117					
EF20S	Equity freestanding privacy screen					
60	Length in inches					
117	Soft Grey trim					

Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

Application Notes

Over-desk storage units build on desk assemblies to form freestanding workstations.

Mounted on freestanding desks, the overall height of an over-desk will line up with a 65" high panel.

Stanchion loads must be carried to the floor by end panel or pedestal directly beneath it.

All freestanding product shipped knocked down (KD). Orchestra load bars will mount on stanchions with or without tack boards.

Task lights for overhead cabinet or shelf less than 60" wide need to be ordered at least 12" less than the width of the cabinet or shelf.

NOTE: Add 10% to the list price when specifying a legacy laminate.

Wall Mounting

WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

New Construction

Existing Construction

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade (ap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture supplied wall cleat with	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

Key Lock Program

GENERAL INFORMATION

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

KEY-ALIKE

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

MASTER KEYING

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

INSTALLING LOCK CORES

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

SERVICE PARTS

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$18
NAKC	Change Key	\$18
NKM	Master Key	\$18

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

HOW TO SPECIFY KEY-ALIKE

Following is an example of how to specify keyalike for a cluster of 10 workstations.

STEP 1

Using the project floor plan, count the number of locks in each workstation.



STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 4

Then enter the pattern number "NSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

EQUITY LOCKING COMPONENTS

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

MULTIPLE KEY-ALIKE PACKAGES

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

LOCK CORES

The same lock core fits all Equity cabinets and pedestals but is different from the "N" series core. Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

MASTER KEY

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$22
Change Key	AKC	18.
Master Key	AKM	18.

SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

^{*}Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.



ISO 9001:2008 Approved NeutralPosture.com Made in the U.S.A. 3904 N. Texas Ave.

Bryan, TX 77803



T 979.778.0502

979.778.0408