Compose 3-Circuit – Electrical Components

Systems Furniture Power Interface Jumper — *3-Circuit*



Adaptable
EUEJ-0064-3WF

Description	Length	Number	Price
3-circuit Adaptable	64″(1625.6mm)	EUEJ-0064-3WF	**$165.49**
3-circuit Adaptable	102″(2590.8mm)	EUEJ-0102-3WF	**191.28**
3-circuit Adaptable	144″(3657.6mm)	EUEJ-0144-3WF	**229.97**
3-circuit Adaptable	300″(7620mm)	EUEJ-0300-3WF	**549.16**

Features

- Includes a two port splitter and a flexible metal conduit infeed with Power Base AI connector at one end and a Power Base connector at the other end.
- Constructed with eight 12-gauge wires for up to three 20-amp circuits of power.
- For use with panels equipped with 3-circuit power components.
- Allows quick connect between Compose and Power Base AI 3-Circuit underfloor modular wiring system.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Connector has integral latching system.
- Power Base connectors are color coded black and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20 Amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per NEC Article 604.

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, or flush floor box connectors.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Excess length can be coiled under the floor.
- Adaptable infeed may be routed under panel base raceway for a concealed feed.
- Not for use with power sources other than 120 volt 60 hertz.

To Order, Specify:

1) Product number.
(No finish specification required.)

Raised Floor Infeed Base Feed Module — *3-Circuit*



EZEJ-0048-3WF

Description	Feed Length	Number	Price
Raised Floor (3-Circuit)	4′(1219mm)	EZEJ-0048-3WF	**$214.69**

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible metal conduit with eight 12-gauge wires for up to three 20-amp circuits of power and a two port splitter.
- For use with panels equipped with 3-circuit power components.
- Allows quick connect between Compose and Power Base AI 3-Circuit underfloor modular wiring system.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

Specification Tips

- Not for use with tile to the floor panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Top Feed Module — *3-Circuit*



VZET-3T
VZET-3W



Base Raceway Connection

Panel Height	Pole Length	Number ❶		Trim A A	Trim A H	Trim B A	Trim B H
10′ Ceiling Height							
34″(864mm)–58″(1473mm)	95″(2413mm)	VZET-3400-3T	■	**$763.17**	**$763.17**	**$939.53**	**$939.53**
66″(1676mm)–90″(2286mm)	66″(1676mm)	VZET-6600-3T	■	**743.70**	**743.70**	**861.32**	**861.32**
12′ Ceiling Height							
34″(864mm)–50″(1270mm)	119″(3023mm)	VZET-3400-3W	■	**$763.17**	**$763.17**	**$980.47**	**$980.47**
58″(1473mm)–90″(2286mm)	95″(2413mm)	VZET-6600-3W	■	**743.70**	**743.70**	**904.04**	**904.04**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway below worksurface, beltline or standing height.
- Electrical harness attaches at right hand side of panel in the flex connector location.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 24″(610mm) wide.
- The power connector requires a flexible power connector location on the right side of the panel for attachment.
- Not for use with glass panel frames or glass stack frames.
- Mounts at the end of the panel frame.
- Does not occupy receptacle port.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Note: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number, including:

❶ **Trim Option**

A Aluminum or Wood
H Steel

Example: VZET-3400-3T**A**

2) Trim color.

Compose 3-Circuit – Electrical Components

Infeed Harness

Number	Length	Price
VZEH-0000-3 ■	15′(4572mm)	**$502.03**
VZEH-0030-3 ■	30′(9144mm)	**908.51**



VZEH-0000-3

Class BC – SIN 711-1;
Discount Group XI

Features

- Includes electrical harness in galvanized metal conduit.
- Provides eight 12-gauge wires for up to three 20 amp circuits of power.
- Attaches on right hand side of powered panel frame to flexible power connector location.
- Routes power to base raceway, below worksurface, beltline or standing height.
- For use with panel frames equipped with 3-circuit power components.
- Can be used with a powered top feed pole to bring an additional set of three circuits into the workstation cluster. Local electrician provides secondary junction box at top of top feed pole.

■ Available on RUSH.

Specification Tips

- Designed to work with top feeds up to 12′ ceilings.
- For internal base feed application use PREMISE top feed harness VNEH-0000-3.
- Not for use with glass panel frames or glass stack frames.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Feed
Field Wired 1 Port

Description	Height	Length	Number	Price
3-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-31	**$71.44**



FBEW

Class SP – SIN 711-99;
Discount Group V

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with Raised Floor Infeed Base Feed Module and Systems Furniture Power Interface Jumper.
- For use with field supplied 4 11/16″(119mm) square junction box.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20 Amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per NEC Article 604.

Specification Tip

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Beltline Power Retrofit Kit for 42″ High Panels — *3-Circuit*



VZEK-3

Panel Width	Number	Price
24″(610mm)	VZEK-4224-3 ■	**$224.90**
30″(762mm)	VZEK-4230-3 ■	**236.00**
36″(914mm)	VZEK-4236-3 ■	**247.10**
42″(1067mm)	VZEK-4242-3 ■	**258.20**
48″(1219mm)	VZEK-4248-3 ■	**269.30**
54″(1372mm)	VZEK-4254-3 ■	**280.40**
60″(1524mm)	VZEK-4260-3 ■	**291.50**

Features

- Includes power distribution assembly (PDA), flexible power connector, and PDA mounting bracket.
- Routes power through panel or provides beltline power access when used with technology tile or field ported fabric tile.

■ Available on RUSH.

Specification Tips

- **Not for use with 8″(203mm) tiles.**
- Retrofit kit attaches to panel frame, does not require crossbar brackets for mounting power.
- For use with matching width tile with technology option.
- Can be used with 58″(1473mm) panel frame for standing height access.
- For vertical routing from base raceway to beltline access, specify vertical power connector which attaches to right-hand flex connection location at beltline and base raceway locations.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Compose 3-Circuit – Electrical Components

	Panel Width	Number	Price
Beltline and Below Worksurface Power Retrofit Kit — *3-Circuit*	24″(610mm)	VZEK-0B24-3 ■	**$270.11**
	30″(762mm)	VZEK-0B30-3 ■	**286.37**
	36″(914mm)	VZEK-0B36-3 ■	**302.63**
	42″(1067mm)	VZEK-0B42-3 ■	**318.89**
	48″(1219mm)	VZEK-0B48-3 ■	**335.15**
	54″(1372mm)	VZEK-0B54-3 ■	**351.41**
	60″(1524mm)	VZEK-0B60-3 ■	**367.67**





VZEK-3

Features

- Includes power distribution assembly (PDA), flexible power connector, and power crossbar. Power crossbar will serve as aligner light block (not repositionable).
- Kits mounted at beltline height on 50″(1270mm) or taller frames allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.
- Kits mounted at below worksurface height on frames with below worksurface height openings allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.

■ Available on RUSH.

Specification Tips

- **Not for use with 8″(203mm) tiles.**
- **Not for use with 42″(1067mm) high panels.**
- Capability to route power at below worksurface height requires it to be specified with Full Panel Frame with Below Worksurface Power.
- For use with matching width tile with technology option.
- Beltline power not available for 34″(864mm) panel frame height.
- For vertical routing from base raceway to beltline or below worksurface, specify vertical power connector which attaches to right-hand flex connection location.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Standing Height Retrofit Kit — *3-Circuit*



VZEP-3

Panel Width	Number	Price
24″(610mm)	VZEP-0024-3	**$256.02**
30″(762mm)	VZEP-0030-3	**270.32**
36″(914mm)	VZEP-0036-3	**284.62**
42″(1067mm)	VZEP-0042-3	**298.92**
48″(1219mm)	VZEP-0048-3	**313.22**
54″(1372mm)	VZEP-0054-3	**327.52**
60″(1524mm)	VZEP-0060-3	**354.93**

Features

- Includes power distribution assembly (PDA) and power crossbar.
- Provides power access at standing height behind a tile with technology option specified or field ported Fabric Tile.

Specification Tips

- Not for use with 8″(203mm) tiles as they cannot be ported. Use with a Fabric Tile to be cut in the field.
- Specify Power Connector Below Worksurface to span power horizontally from one panel equipped without below worksurface cutouts to an adjacent panel.
- For vertical routing from base raceway to below worksurface or standing height, specify vertical power connector which attaches to right-hand flex connection at each location.
- Not for use with 58″(1473mm) panel frame for standing height access.
- Power cannot route horizontally at standing height and requires panel frame to be powered at base raceway.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Raceway Retrofit Kit — *3-Circuit*



VZEK-4BB

Panel Width	Number ❶❷❸	Price
24″(610mm)	VZEK-0R24- ■	**$190.50**
30″(762mm)	VZEK-0R30- ■	**202.09**
36″(914mm)	VZEK-0R36- ■	**213.68**
42″(1067mm)	VZEK-0R42- ■	**225.27**
48″(1219mm)	VZEK-0R48- ■	**236.86**
54″(1372mm)	VZEK-0R54- ■	**248.45**
60″(1524mm)	VZEK-0R60- ■	**260.04**

Features

- Includes one power distribution assembly, one power connector, mounting hardware and optional cover(s).
- Converts non-powered panels to powered panels.

■ Available on RUSH.

Specification Tips

- 8″(203mm) tiles cannot be used in place of base raceway cover.
- 24″(610mm) raceway covers have one knockout located on left side.
- **For single gang option, panel width must be 30″(762mm) or greater; does not include blank plate for a single gang opening.**
- Order single gang adaptor plate separately (VZAP-000-G).
- Refer to Specification Guide for Planning with Utilities.
- When metallic trim is specified on raceway covers, receptacle and data blank plates recommended with the following trim colors:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)
- **Receptacle and data blank covers must be specified separately.**
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number, including:

❶ Power Options

- **3** 3-Circuit ■
- **8** 3-Circuit for Patterns or Enclose interface, add **$139.49** list

❷ Cover Option Side One (see chart below)

- **N** Tile to floor ■
- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single Gang

❸ Cover Option Side Two (see chart below)

- **N** Tile to floor ■
- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single Gang

2) Trim color - cover side 1

3) Trim color - cover side 2

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B
H	**$ 86.89**	**$ 91.04**	**$ 86.89**	**$ 91.04**
B	**86.89**	**91.04**	**86.89**	**91.04**
G	**102.39**	**107.12**	**102.39**	**107.12**

Compose 3-Circuit – Electrical Components

Electrical Accessories

Raceway Covers



VZEK-NBB

Panel Width	Number ❶❷	Price
18″(457mm)	VZEK-0R18-NBB ■	$190.49
24″(610mm)	VZEK-0R24-N ■	115.19
30″(762mm)	VZEK-0R30-N ■	126.78
36″(914mm)	VZEK-0R36-N ■	138.37
42″(1067mm)	VZEK-0R42-N ■	149.96
48″(1219mm)	VZEK-0R48-N ■	161.55
54″(1372mm)	VZEK-0R54-N ■	173.14
60″(1524mm)	VZEK-0R60-N ■	184.73

Feature

- Includes two single covers unless tile to floor option is specified which includes one cover.

■ Available on RUSH.

Specification Tips

- For single gang option, panel width must be 30″(762mm) or greater. Order adaptor plate separately (VZAP-0000-G).
- 8″(203mm) tiles cannot be used in place of base raceway cover.
- 18″(457mm) raceway cover has no knockouts.
- 24″(610mm) raceway covers have one knockout located on left side.
- When metallic trim is specified on raceway covers, receptacle and data blank plates recommended with the following trim colors:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

To Order, Specify:

1) Product number, including:

❶ **Cover Option Side One** (see chart below)

- **N** Tile to Floor ■
- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single gang

❷ **Cover Option Side Two** (see chart below)

- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single gang

2) Trim color - cover side 1

3) Trim color - cover side 2

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B
H	$ 86.89	$ 91.04	$ 86.89	$ 91.04
B	86.89	91.04	86.89	91.04
G	102.39	107.12	102.39	107.12

Compose 3-Circuit – Electrical Components

Vertical Power Connector — *3-Circuit*



VZEJ-3

Description	Conduit Length	Number	Price
Below Worksurface Power Harness	13.5″(343mm)	VZEJ-0U00-3 ■	**$194.86**
Beltline Power Harness	30″(762mm)	VZEJ-0B00-3 ■	**198.30**
Standing Height Power Harness	46″(1168mm)	VZEJ-0S00-3 ■	**202.88**
Below Worksurface to Beltline	16″(406mm)	VZEJ-UB00-3 ■	**194.86**

Features

- Includes one power connector with safety latches for securing connector to power block.
- Transfers power from the base raceway to above base raceway locations (beltline, below worksurface, standing height or beltline to below worksurface).
- The power connectors install on the right-hand side of panel into flexible power connector locations.
- For use with panels equipped with 3-circuit power components.

■ Available on RUSH.

Specification Tips

- No horizontal routing is available at standing height.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Flexible Power Connector – Panel-to-Panel, Raceway — *3-Circuit*

VZEF-0R0P



Base straight condition



Base inside 90° condition



Base inside 120° condition

Length	Number	Price
13 3/4″(349mm)	VZEF-0R0P ■	**$105.45**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit between adjacent powered panels in straight or angled conditions in the base raceway.
- For use with panels equipped with 3-circuit power components.
- May be used in straight panel-to-panel application, inside 90° and inside 120° within the base raceway.
- VZEF-0R0P flexible power connector ships with each powered panel frame as follows: .95 with 3-circuit.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Flexible Power Connector – Panel-to-Panel, Work-height — *3-Circuit*





Beltline or below worksurface height straight condition
VZEF-0B0P

Length	Number	Price
13″(330mm)	VZEF-0B0P ■	$105.45

Features
- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between adjacent powered panels in beltline or below worksurface height straight conditions.
- For use with panels equipped with 3-circuit power components.
- May be used in straight panel-to-panel application at the beltline or below worksurface height.
- VZEF-0B0P flexible power connector ships with each beltline powered panel as follows: .95 with 3-circuit.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips
- Not for use with standing height applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:
1) Product number.
(No finish specification required.)

Flexible Power Connector – Corner Span, Work-height — *3-Circuit*

VZEF-0B0Q



Beltline or below worksurface 90° condition



Beltline or below worksurface 120° condition

Length	Number	Price
14 1/2″(368mm)	VZEF-0B0Q ■	$105.45

Features
- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between adjacent powered panels in beltline or below worksurface 90° and 120° conditions.
- For use with panels equipped with 3-circuit power components.
- Standard in charcoal trim color only.
- May be used in 90° and 120° conditions at the beltline or below worksurface height.

■ Available on RUSH.

Specification Tips
- Not for use with standing height applications.
- Flexible power connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:
1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Flexible Power Connector – Straight Span, Raceway/Work-height — *3-Circuit*

VZEF-0R0S



Base straight span condition



Beltline or below worksurface height straight span condition

Length	Number	Price
15 1/2″(394mm)	VZEF-0R0S ■	**$105.45**

Features

- Includes one straight span flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit across the three-inch space between powered panels in 3-way or 4-way conditions.
- For use with panels equipped with 3-circuit power components.
- May be used at the base raceway, beltline and below worksurface for straight span conditions.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with standing height applications.
- Straight Span flexible power connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Extended Power Connector — *3-Circuit*



VZEJ-0018-3

Panel Width	Number	Price
18″(457mm)	VZEJ-0018-3 ■	**$197.14**

Features

- Spans base power through **one** 18″(457mm) non-powered panel located between two powered panels in any condition.
- For use with panels equipped with 3-circuit power components.
- Extended power connectors cannot be coupled together.
- Standard in charcoal trim with metal conduit.

■ Available on RUSH.

Specification Tips

- **Specify for use in base raceway only.**
- Not for use with power sources other than 120 volt 60 hertz.
- Not for use with tiles to the floor.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Receptacles

Triplex Receptacles – 15 Amp — *3-Circuit*



VZER-0003-M

Class BC – SIN 711-1;
Discount Group XI

Description	Circuit Access	Ground Type	Number	Price
15A Triplex	Circuit 1-3	Common	VZER-0003-M ■	**$208.61**
15A Triplex	Circuit 1-3	Isolated	VZER-0003-I ■	**$222.36**

Features

- Includes box of six receptacles, each receptacle has three 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 3-circuit power components.
- Receptacles are ground type specific.

■ Available on RUSH.

Specification Tips

- **Receptacles are field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Triplex Receptacles – 20 Amp — *3-Circuit*



VZER-0003-M1

Class BC – SIN 711-1;
Discount Group XI

20A Triplex	Circuit 1	Common	VZER-0003-M1	**$614.36**
	Circuit 2		VZER-0003-M2	**614.36**
	Circuit 3		VZER-0003-M3	**614.36**
20A Triplex	Circuit 1	Isolated	VZER-0003-I1	**$628.11**
	Circuit 2		VZER-0003-I2	**628.11**
	Circuit 3		VZER-0003-I3	**628.11**

Features

- Includes box of six receptacles, each receptacle has three 20 Amp outlets (NEMA 5-20R configuration).
- For use with panels equipped with 3-circuit power components.
- Receptacles are circuit and ground type specific.

Specification Tips

- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Power Break Marker



NEP-1

Class FA – SIN 711-1;
Discount Group XI

		Price
NEP-1		**$149.58**

Features

- Includes box of fifty paper labels.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: “Do not remove – Power Break – Consult Electrical Plan.”

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Electrical Accessories

	Height	Width	Number	Price
Receptacle Blank Cover	2 1/4″(57mm)	5″(127mm)	VZAR-0000	**$5.73**

VZAR-0000

Features

- Includes one cover.
- Used to cover unused electrical openings at all receptacle locations.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Data Blank Cover	1 5/8″(41mm)	3 1/8″(79mm)	VZAD-0000-R	**$3.44**



VZAD-0000-R

Features

- Includes one Modular Furniture Telecommunications blank cover.
- Used to cover unused 1.38″ x 2.71″ data openings in tile bezels and base raceway cover.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Compose 3-Circuit – Electrical Components

Electrical Accessories

Adaptor Plate, Single Gang



VZAP-0000-G

Description	Number	Price
Adaptor Plate, Single Gang	VZAP-0000-G ■	$34.38

Features

- Single Gang Adaptor Plate includes one communication adaptor plate.
- Single Gang Plate provides backer plate to mount standard single gang communication outlet plate (NEMA WD-6 configuration) on a raceway cover with single gang option.
- Provides 2 1/4″(57mm) high x 3 3/4″(95mm) wide opening.
- Black finish only.

■ Available on RUSH.

Specification Tips

- Single gang porting of fabric tiles is not recommended.
- Single gang raceway cover 30″(762mm) or wider may be ordered separately.

To Order, Specify:

1) Product number.
(No finish specification required.)

Power and Communication Bezel



VZAP-0000-T

Description	Number	Price
Power and Communication Bezel	VZAP-0000-T	$9.17

Feature

- Power and Communication Bezel includes one bezel and mounting hardware for use with fabric tiles only.

Specification Tips

- Specify receptacles to match bezel.
- Power and communication bezels can be used with wood, laminate slat or fabric tiles.
- For fabric tiles prior to March 2009, refer to eParts for replacement bezels.

To Order, Specify:

1) Product number.
2) Non-Metallic trim color.

Cable Management Bracket



VZBC-0000

Height	Width	Depth	Number	Price
3.8″(97mm)	0.4″(10mm)	1.5″(38mm)	VZBC-0000 ■	$37.82

Features

- Includes 8 cable management brackets.
- Manages communication cables horizontally in the base raceway.
- Works within base raceways only. Not for use with tiles to the floor.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Electrical Accessories

Vertical Wire Manager

Description	Length	Number	Price
Wire Manager, Vertical	17″(432mm)	VZAW-0000-V ■	**$166.20**

VZAW-0000-V

Class BC – SIN 711-1;
Discount Group XI

Features

- Includes package of 10.
- Vertical wire manager conceals task light cord.
- Attaches into panel frame slots.
- Black finish only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**



WUAC-WSG

Class CA – SIN 711-1;
Discount Group I

Features

- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Horizontal Wire Manager

Length	Number	Price
15″(381mm)	WUAW-1500-PNH ■	**$150.80**



WUAW

Class CA – SIN 711-1;
Discount Group I

Features

- Includes package of 10.
- Mounts to bottom of worksurface.
- Black only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Flip Top Units

Flip Top Unit

(1.1) (2.0)

EUE1-1111W



EUE1-1B01W



EUE1-1331W



EUE2-1331W



EUE1-C331W



EUE2-C331W



Fused Plug Detail

	Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets					
	5 5/16″(133mm)	4 3/8″(111mm)	1 Power, 1 Data	EUE1-0000-1111W	**$ 394.78**
			2 Power, 0 Data	EUE1-0000-1B01W	**394.78**
	8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-1221W	**473.48**
			3 Power, 1 Data	EUE1-0000-1311W	**473.48**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-1331W ■	**473.48**
			4 Power, 2 Data	EUE1-0000-1421W	**473.48**
Corded Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-1221W	**$ 946.95**
			3 Power, 1 Data	EUE2-0000-1311W	**946.95**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-1331W ■	**946.95**
			4 Power, 2 Data	EUE2-0000-1421W	**946.95**
Hardwire Single-Sided Outlets					
	8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-C221W	**$ 540.32**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-C331W	**540.32**
Hardwire Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-C221W	**$1080.63**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-C331W	**1080.63**

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

■ Available on RUSH.

Specification Tips

- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- **For use with 120 volt 60 hertz power source only.**
- **Applications should be reviewed by local authorities (electrical inspector) prior to ordering to verify use is acceptable.**
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 3-Circuit – Electrical Components

Electrical Accessories

Desktop Port



BEDP

Class IF – SIN 711-1;
Discount Group XI

Description	Height	Width	Number	Price
Desktop Port with 6′(1829mm) cord	3 1/2″(89mm)	9 5/8″(244mm)	BEDP-6	**$320.46**
Desktop Port with 12′(3658mm) cord			BEDP-12	**320.46**

Features

- 6′(1829mm) or 12′(3658mm) black cord option.
- Three power outlets and one modular furniture telecommunications outlet opening [1.38″(35mm) x 2.71″(69mm)] with blank cover.
- Mounts on worktops from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Not available for use in Los Angeles, Chicago or New York.
- Power can be routed from panel, floor or wall.
- Allows for off-modularity.
- Module and bracket available in graphite finish only with black cord.
- **Not for power sources other than 120 volt 60 hertz.**
- Shipped assembled.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Attaches to back edge of worktop with threaded knob.
- Power cord plugs into receptacle outlet or into a building outlet. Desktop ports cannot be linked together.
- Modular furniture telecommunications outlet must be field supplied.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.
- For worksurfaces without wireway, install desktop port prior to attaching worksurface to panel.
- May cause interference with panel-mounted accessories.

Enhanced Power Module



EUD1-0000-1311V



EUD1-0000-C311V

Class YA – SIN 711-1;
Discount Group XI

Height	Width	Depth	Cord Length	Number ❶	Price
With Plug					
3 1/2″(89mm)	6 3/4″(171mm)	3 1/2″(89mm)-4 1/2″(114mm)	6′(1829mm)	EUD1-0000-1311V	**$431.53**
			12′(3658mm)	EUD1-0000-1311W	**480.41**
Hardwire					
3 1/2″(89mm)	6 3/4″(171mm)	2 1/4″(57mm)	6′(1829mm)	EUD1-0000-C311V	**$492.81**

Features

- Includes power module with three simplex outlets (NEMA 5-15R) and one data location, multiple data jack adapters to accommodate most varieties of field supplied data jacks, mounting hardware, optional standard plug (NEMA 5-15P) or hardwire connection.
- Designed to deliver electrical and data access to the work station.
- Attaches to the back edge of the worksurface.
- Corded power module available with 15amp - 6′(1829mm) or 12′(3658mm) long cord with plug.
- Hardwired power module available with 6′(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:

1) Product number, including:

❶ **Color Option:**

B Black
W White

Specification Tips

- Accommodates worksurface thicknesses from 1 3/16″(30mm) to 2″(51mm).
- Attachment hardware allows for installation above or below work surface, with or without tackboards, to back side of lower storage units, and with vertical storage units that have back edge clearance.
- For use with 120 volt 60 hertz power source only.
- Enhanced Power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Base Feed Module – Hardwire Connection — *4-Circuit (2+2 and 3+1)*



VZEB-0000-H2
VZEB-0000-H4

Description	Feed Length	Number	Price
2+2			
	48″(1219mm)	VZEB-0000-H2	**$305.77**
	72″(1829mm)	VZEB-0006-H2	**350.33**
	120″(3048mm)	VZEB-0010-H2	**439.45**
	180″(4572mm)	VZEB-0015-H2	**550.85**
	300″(7620mm)	VZEB-0025-H2	**773.65**
3+1			
	48″(1219mm)	VZEB-0000-H4	**$305.77**
	72″(1829mm)	VZEB-0006-H4	**350.33**
	120″(3048mm)	VZEB-0010-H4	**439.45**
	180″(4572mm)	VZEB-0015-H4	**550.85**
	300″(7620mm)	VZEB-0025-H4	**773.65**

Features

- Includes one base feed with black 1/2″(13mm) flexible metal conduit with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Base feed module can be field modified to accommodate left or right hand conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with tile to the floor panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *4-Circuit (2+2 and 3+1)*



VZEB-0000-22
VZEB-0000-24

2+2 Cord Feed 20 Amp **(USA Only)**	2′(610mm)	VZEB-0000-22 ■	**$266.78**
3+1 Cord Feed 20 Amp **(USA Only)**	2′(610mm)	VZEB-0000-24 ■	**$266.78**

Features

- Includes a single circuit power connector, 2′(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with tile to the floor panel applications.
- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *4-Circuit (2+2 and 3+1)*



VZEB-0000-12
VZEB-0000-14

Description	Feed Length	Number	Price
2+2 Cord Feed 15 Amp **(Canada Only)**	6′(1829mm)	VZEB-0000-12 ■	**$316.90**
3+1 Cord Feed 15 Amp **(Canada Only)**	6′(1829mm)	VZEB-0000-14 ■	**$316.90**

Features

- Includes a single circuit power connector, 6′(1829mm) cord and 15 amp plug (NEMA 5-15P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any of the four receptacle sites in a powered raceway of a panel frame.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with tile to the floor panel applications.
- **Not for use in USA due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Base Feed Module – Concealed Hardwire Connection — *4-Circuit (2+2 and 3+1)*



VZEB-0000-YH2
VZEB-0000-YH4

2+2 Concealed 4-Circuit		VZEB-0000-YH2 ■	**$462.85**
3+1 Concealed 4-Circuit		VZEB-0000-YH4 ■	**$462.85**

Features

- Includes one junction box with modular connector.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- For floor, column, or wall hardwire connections.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Conforms to New York City electrical code.
- Junction box has three 1/2″ knockouts.

■ Available on RUSH.

Specification Tips

- For installation on panels **no less than** 36″(914mm) wide.
- Connector plugs into receptacle site on left side of panel base.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Base Feed Module – Architectural Concealed Hardwire Connection — *4-Circuit (2+2 and 3+1)*



VZEB-0000-Y2U
VZEB-0000-Y4U

Description	Number	Price
Architectural Concealed 4-Circuit 2+2	VZEB-0000-Y2U	**$517.44**
Architectural Concealed 4-Circuit 3+1	VZEB-0000-Y4U	**$517.44**

Features

- Includes one junction box with modular connector.
- For use when routing power to Patterns or Enclose.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- For floor, column, or wall hardwire connections.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Conforms to New York City electrical code.
- Junction box has three 1/2″ knockouts.

Specification Tips

- Refer to Specification Guide for Patterns and Enclose applications.
- For installation on panels **no less than** 36″(914mm) wide.
- Connector plugs into receptacle site on left side of panel base.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Systems Furniture Power Interface Jumper — *4-Circuit*



Adaptable
EUEJ-0064-2WF
EUEJ-0064-4WF

Description	Length	Number	Price
2+2 Adaptable	64″(1625.6mm)	EUEJ-0064-2WF	**$181.61**
2+2 Adaptable	102″(2590.8mm)	EUEJ-0102-2WF	**207.40**
2+2 Adaptable	144″(3657.6mm)	EUEJ-0144-2WF	**246.09**
2+2 Adaptable	300″(7620mm)	EUEJ-0300-2WF	**565.28**
3+1 Adaptable	64″(1625.6mm)	EUEJ-0064-4WF	**181.61**
3+1 Adaptable	102″(2590.8mm)	EUEJ-0102-4WF	**207.40**
3+1 Adaptable	144″(3657.6mm)	EUEJ-0144-4WF	**246.09**
3+1 Adaptable	300″(7620mm)	EUEJ-0300-4WF	**565.28**

Features

- Includes a two port splitter and a flexible metal conduit infeed with Power Base AI connector at one end and a Power Base connector at the other end.
- Constructed with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Allows quick connect between Compose and Power Base AI 4-circuit underfloor modular wiring system.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Connector has integral latching system.
- Power Base connectors are color coded blue (2+2) or green (3+1) and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per NEC Article 604.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, or flush floor box connectors.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Excess length can be coiled under the floor.
- Adaptable infeed may be routed under panel base raceway for a concealed feed.
- Not for use with power sources other than 120 volt 60 hertz.

Raised Floor Infeed Base Feed Module — *4-Circuit (2+2 and 3+1)*



EZEJ-0048-2WF
EZEJ-0048-4WF

Description	Feed Length	Number	Price
2+2 Raised Floor (4-Circuit)	4′(1219mm)	EZEJ-0048-2WF	**$564.89**
3+1 Raised Floor (4-Circuit)	4′(1219mm)	EZEJ-0048-4WF	**$564.89**

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible metal conduit with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power and a two port splitter.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Allows quick connect between Compose and Power Base AI 4-Circuit underfloor modular wiring system.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Not for use with tile to the floor panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Top Feed Module —
4-Circuit (2+2 and 3+1)



VZET-2T
VZET-4T
VZET-2W
VZET-4W



Base Raceway Connection

Description	Panel Height	Pole Length	Number	❶	Trim A A	Trim A H	Trim B A	Trim B H
10′ Ceiling Height								
2+2	34″(864mm)–58″(1473mm)	95″(2413mm)	VZET-3400-2T	■	**$1518.94**	**$1518.94**	**$1695.30**	**$1695.30**
	66″(1676mm)–90″(2286mm)	66″(1676mm)	VZET-6600-2T	■	**1499.47**	**1499.47**	**1617.09**	**1617.09**
3+1	34″(864mm)–58″(1473mm)	95″(2413mm)	VZET-3400-4T	■	**$1518.94**	**$1518.94**	**$1695.30**	**$1695.30**
	66″(1676mm)–90″(2286mm)	66″(1676mm)	VZET-6600-4T	■	**1499.47**	**1499.47**	**1617.09**	**1617.09**
12′ Ceiling Height								
2+2	34″(864mm)–50″(1270mm)	119″(3023mm)	VZET-3400-2W	■	**$1518.94**	**$1518.94**	**$1736.24**	**$1736.24**
	58″(1473mm)–90″(2286mm)	95″(2413mm)	VZET-6600-2W	■	**1499.47**	**1499.47**	**1659.81**	**1659.81**
3+1	34″(864mm)–50″(1270mm)	119″(3023mm)	VZET-3400-4W	■	**$1518.94**	**$1518.94**	**$1736.24**	**$1736.24**
	58″(1473mm)–90″(2286mm)	95″(2413mm)	VZET-6600-4W	■	**1499.47**	**1499.47**	**1659.81**	**1659.81**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- Wire harness not included. Intended for field supplied conduit and wire applications only.
- For connection to the electrical source located in space above a drop ceiling.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway below worksurface, beltline or standing height.
- Electrical harness attaches at right hand side of panel in the flex connector location.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 24″(610mm) wide.
- The power connector requires a flexible power connector location on the right side of the panel for attachment.
- Not for use with glass panel frames or glass stack frames.
- Mounts at the end of the panel frame.
- Does not occupy receptacle port.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Note: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.

❶ **Trim Option**

A Aluminum and Wood
H Steel

Trim option example: VZET-3400-2TA

2) Trim color.

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Infeed Harness



VZEH-0000-2
VZEH-0000-4

Class BC – SIN 711-1;
Discount Group XI

Description	Length	Number	Price
2+2	15′(4572mm)	VZEH-0000-2 ■	**$575.93**
	30′(9144mm)	VZEH-0030-2	**982.41**
3+1	15′(4572mm)	VZEH-0000-4 ■	**$575.93**
	30′(9144mm)	VZEH-0030-4	**982.41**

Features

- Includes electrical harness in galvanized metal conduit.
- 4-Cirucit provides six 12-gauge wires and two 10-gauge wires for up to four 20 amp circuits of power.
- Attaches on right hand side of powered panel frame to flexible power connector location.
- Routes power to base raceway, below worksurface, beltline or standing height.
- Can be used with a powered top feed pole to bring an additional set of four circuits into the workstation cluster. Local electrician provides secondary junction box at top of top feed pole.

■ Available on RUSH.

Specification Tips

- Designed to work with top feeds up to 12′ ceilings.
- For internal base feed application use PREMISE top feed harness VNEH-0000-2 (2+2) or VNEH-0000-4 (3+1).
- Not for use with glass panel frames or glass stack frames.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm).

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Feed
Field Wired 1 Port



FBEW

Class SP – SIN 711-99;
Discount Group V

Description	Height	Length	Number	Price
3-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-31	**$71.44**

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with raised floor infeed base feed module and systems furniture power interface jumper.
- For use with field supplied 4 11/16″(119mm) square junction box.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed manufactured wiring system rated for 20 AMP 120V/20BY or 120/240V 60 Hz and for use in other air.

Specification Tip

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Beltline Power Retrofit Kit for 42″ High Panels — *4-Circuit (2+2 and 3+1)*



VZEK-2
VZEK-4

Description	Panel Width	Number	Price
2+2	24″(610mm)	VZEK-4224-2 ■	**$224.90**
	30″(762mm)	VZEK-4230-2 ■	**236.00**
	36″(914mm)	VZEK-4236-2 ■	**247.10**
	42″(1067mm)	VZEK-4242-2 ■	**258.20**
	48″(1219mm)	VZEK-4248-2 ■	**269.30**
	60″(1524mm)	VZEK-4260-2 ■	**291.50**
3+1	24″(610mm)	VZEK-4224-4 ■	**$224.90**
	30″(762mm)	VZEK-4230-4 ■	**236.00**
	36″(914mm)	VZEK-4236-4 ■	**247.10**
	42″(1067mm)	VZEK-4242-4 ■	**258.20**
	48″(1219mm)	VZEK-4248-4 ■	**269.30**
	60″(1524mm)	VZEK-4260-4 ■	**291.50**

Features

- Includes power distribution assembly (PDA), flexible power connector, and PDA mounting bracket.
- Routes power through panel or provides beltline power access when used with technology tile or field ported fabric tile.

■ Available on RUSH.

Specification Tips

- **Not for use with 8″(203mm) tiles.**
- Retrofit kit attaches to panel frame, does not require crossbar brackets for mounting power.
- For use with matching width tile with technology option.
- Can be used with 58″(1473mm) panel frame for standing height access.
- For vertical routing from base raceway to beltline access, specify vertical power connector which attaches to right-hand flex connection location at beltline and base raceway locations.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

	Description	Panel Width	Number	Price
Beltline and Below Worksurface Power Retrofit Kit — *4-Circuit (2+2 and 3+1)*	2+2	24″(610mm)	VZEK-0B24-2	**$270.11**
		30″(762mm)	VZEK-0B30-2	**286.37**
		36″(914mm)	VZEK-0B36-2	**302.63**
		42″(1067mm)	VZEK-0B42-2	**318.89**
		48″(1219mm)	VZEK-0B48-2	**335.15**
		60″(1524mm)	VZEK-0B60-2	**367.67**
	3+1	24″(610mm)	VZEK-0B24-4	**$270.11**
		30″(762mm)	VZEK-0B30-4	**286.37**
		36″(914mm)	VZEK-0B36-4	**302.63**
		42″(1067mm)	VZEK-0B42-4	**318.89**
		48″(1219mm)	VZEK-0B48-4	**335.15**
		60″(1524mm)	VZEK-0B60-4	**367.67**





VZEK-2
VZEK-4

Features

- Includes power distribution assembly (PDA), flexible power connector, and power crossbar. Power crossbar will serve as aligner light block (not repositionable).
- Kits mounted at beltline height on 50″(1270mm) or taller frames allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.
- Kits mounted at below worksurface height on frames with below worksurface height openings allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.

Specification Tips

- **Not for use with 8″(203mm) tiles.**
- **Not for use with 42″(1067mm) high panels.**
- Capability to route power at below worksurface height requires it to be specified with Full Panel Frame with Below Worksurface Power.
- For use with matching width tile with technology option.
- Beltline power not available for 34″(864mm) panel frame height.
- For vertical routing from base raceway to beltline or below worksurface, specify vertical power connector which attaches to right-hand flex connection location.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Standing Height Retrofit Kit — *4-Circuit (2+2 and 3+1)*



VZEP-2S
VZEP-4S

Description	Panel Width	Number	Price
2+2	24″(610mm)	VZEP-0024-2	**$256.02**
	30″(762mm)	VZEP-0030-2	**270.32**
	36″(914mm)	VZEP-0036-2	**284.62**
	42″(1067mm)	VZEP-0042-2	**298.92**
	48″(1219mm)	VZEP-0048-2	**313.22**
	60″(1524mm)	VZEP-0060-2	**354.93**
3+1	24″(610mm)	VZEP-0024-4	**$256.02**
	30″(762mm)	VZEP-0030-4	**270.32**
	36″(914mm)	VZEP-0036-4	**284.62**
	42″(1067mm)	VZEP-0042-4	**298.92**
	48″(1219mm)	VZEP-0048-4	**313.22**
	60″(1524mm)	VZEP-0060-4	**354.93**

Features

- Includes power distribution assembly (PDA) and power crossbar.
- Provides power access at standing height behind a tile with technology option specified or field ported Fabric Tile.

Specification Tips

- Not for use with 8″(203mm) tiles as they cannot be ported. Use with a Fabric Tile to be cut in the field.
- Specify Power Connector Below Worksurface to span power horizontally from one panel equipped without below worksurface cutouts to an adjacent panel.
- For vertical routing from base raceway to below worksurface or standing height, specify vertical power connector which attaches to right-hand flex connection at each location.
- Not for use with 58″(1473mm) panel frame for standing height access.
- Power cannot route horizontally at standing height and requires panel frame to be powered at base raceway.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Raceway Retrofit Kit —
4-Circuit (2+2 and 3+1)



VZEK-4BB

Panel Width	Number ❶❷❸	Price
24″(610mm)	VZEK-0R24- ■	**$213.68**
30″(762mm)	VZEK-0R30- ■	**225.27**
36″(914mm)	VZEK-0R36- ■	**236.86**
42″(1067mm)	VZEK-0R42- ■	**248.45**
48″(1219mm)	VZEK-0R48- ■	**260.04**
54″(1372mm)	VZEK-0R54- ■	**271.63**
60″(1524mm)	VZEK-0R60- ■	**283.22**

Features

- Includes one power distribution assembly, one power connector, mounting hardware and optional cover(s).
- Converts non-powered panels to powered panels.

■ Available on RUSH.

Specification Tips

- 8″(203mm) tiles cannot be used in place of base raceway cover.
- 24″(610mm) raceway covers have one knockout located on left side.
- **For single gang option, panel width must be 30″(762mm) or greater; does not include blank plate for a single gang opening.**
- Order single gang adaptor plate separately (VZAP-000-G).
- Refer to Specification Guide for Planning with Utilities.
- When metallic trim is specified on raceway covers, receptacle and data blank plates recommended with the following trim colors:
  –Silver (TR-LE) = Smoke (TR-E)
  –Champagne (TR-MC) = Smoke (TR-E)
  –Gunmetal (TR-MG) = Graphite (TR-J)
- **Receptacle and data blank covers must be specified separately.**
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number, including:

❶ Power Options

4-Circuit, 2+2

- **2** 4-Circuit 2+2
- **9** 4-Circuit 2+2 for Architectural Power, add **$139.59** list

4-Circuit 3+1

- **4** 4-Circuit 3+1
- **7** 4-Circuit 3+1 for Architectural Power, add **$139.59** list

❷ Cover Option Side One (see chart below)

- **N** Tile to floor
- **H** Cover with knockouts
- **B** Cover without knockouts
- **G** Single Gang

❸ Cover Option Side Two (see chart below)

- **N** Tile to floor
- **H** Cover with knockouts
- **B** Cover without knockouts
- **G** Single Gang

2) Trim color - cover side 1

3) Trim color - cover side 2

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B
H	**$ 86.89**	**$ 91.04**	**$ 86.89**	**$ 91.04**
B	**86.89**	**91.04**	**86.89**	**91.04**
G	**102.39**	**107.12**	**102.39**	**107.12**

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Raceway Covers



VZEK-NBB

Panel Width	Number ❶❷	Price
18″(457mm)	VZEK-0R18-NBB ■	$190.49
24″(610mm)	VZEK-0R24-N ■	115.19
30″(762mm)	VZEK-0R30-N ■	126.78
36″(914mm)	VZEK-0R36-N ■	138.37
42″(1067mm)	VZEK-0R42-N ■	149.96
48″(1219mm)	VZEK-0R48-N ■	161.55
54″(1372mm)	VZEK-0R54-N ■	173.14
60″(1524mm)	VZEK-0R60-N ■	184.73

Feature

- Includes two single covers unless tile to floor option is specified which includes one cover.

■ Available on RUSH.

Specification Tips

- For single gang option, panel width must be 30″(762mm) or greater. Order adaptor plate separately (VZAP-0000-G).
- 8″(203mm) tiles cannot be used in place of base raceway cover.
- 18″(457mm) raceway cover has no knockouts.
- 24″(610mm) raceway covers have one knockout located on left side.
- When metallic trim is specified on raceway covers, receptacle and data blank plates recommended with the following trim colors:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

To Order, Specify:

1) Product number, including:

❶ **Cover Option Side One** (see chart below)

- **N** Tile to Floor
- **H** Cover with knockouts
- **B** Cover without knockouts
- **G** Single gang

❷ **Cover Option Side Two** (see chart below)

- **H** Cover with knockouts
- **B** Cover without knockouts
- **G** Single gang

2) Trim color - cover side 1

3) Trim color - cover side 2

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B,
H	$ 86.89	$ 91.04	$ 86.89	$ 91.04
B	86.89	91.04	86.89	91.04
G	102.39	107.12	102.39	107.12

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Vertical Power Connector — *4-Circuit (2+2 and 3+1)*



VZEJ-2
VZEJ-4

Description	Conduit Length	Number	Price
2+2 Below Worksurface Power Harness	13.5″(343mm)	VZEJ-0U00-2 ■	**$194.86**
2+2 Below Worksurface to Beltline Power	16″(406mm)	VZEJ-UB00-2 ■	**194.86**
2+2 Beltline Power Harness	30″(762mm)	VZEJ-0B00-2 ■	**198.30**
2+2 Standing Height Power Harness	46″(1168mm)	VZEJ-0S00-2 ■	**202.88**
3+1 Below Worksurface Power Harness	13.5″(343mm)	VZEJ-0U00-4 ■	**$194.86**
3+1 Below Worksurface to Beltline Power	16″(406mm)	VZEJ-UB00-4 ■	**194.86**
3+1 Beltline Power Harness	30″(762mm)	VZEJ-0B00-4 ■	**198.30**
3+1 Standing Height Power Harness	46″(1168mm)	VZEJ-0S00-4 ■	**202.88**

Features

- Includes one power connector with safety latches for securing connector to power block.
- Transfers power from the base raceway to above base raceway locations (beltline, below worksurface or standing height).
- The power connectors install on the right-hand side of panel into flexible power connector locations.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- No horizontal routing is available at standing height.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Flexible Power Connector – Panel-to-Panel, Raceway — *4-Circuit (2+2 and 3+1)*

VZEF-0R0P-2
VZEF-0R0P-4



Base straight condition



Base inside 90° condition



Base inside 120° condition

Description	Length	Number	Price
2+2	13 3/4″(349mm)	VZEF-0R0P-2 ■	**$105.45**
3+1	13 3/4″(349mm)	VZEF-0R0P-4 ■	**$105.45**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit between adjacent powered panels in straight or angled conditions in the base raceway.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- May be used in straight panel-to-panel application, inside 90° and inside 120° within the base raceway.
- VZEF-0R0P flexible power connector ships with each powered panel frame as follows: .95 with 4-circuit.
- Standard in charcoal trim color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Flexible Power Connector – Panel-to-Panel, Work-height — *4-Circuit (2+2 and 3+1)*

Description	Length	Number	Price
2+2	13″(330mm)	VZEF-0B0P-2 ■	**$105.45**
3+1	13″(330mm)	VZEF-0B0P-4 ■	**$105.45**





Beltline or below worksurface straight condition
VZEF-0B0P-2
VZEF-0B0P-4

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between adjacent powered panels in beltline or below worksurface straight conditions.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- May be used in straight panel-to-panel application at the beltline.
- VZEF-0B0P flexible power connector ships with each beltline powered panel as follows: .95 with 4-circuit.
- Standard in charcoal trim color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Not for use with standing height applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Flexible Power Connector – Corner Span, Work-height — *4-Circuit (2+2 and 3+1)*

VZEF-0B0Q-2
VZEF-0B0Q-4





Beltline or below worksurface 90° condition





Beltline or below worksurface 120° condition

Description	Length	Number	Price
2+2	14 1/2″(368mm)	VZEF-0B0Q-2 ■	**$105.45**
3+1	14 1/2″(368mm)	VZEF-0B0Q-4 ■	**$105.45**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between adjacent powered panels in beltline 90° and 120° conditions.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- May be used in 90° and 120° conditions at the beltline or below worksurface height.
- Standard in charcoal trim color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Not for use with below worksurface and standing height applications.
- Flexible power connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Flexible Power Connector – Straight Span, Raceway/Work-height — *4-Circuit (2+2 and 3+1)*

VZEF-0R0S-2
VZEF-0R0S-4



Base straight span condition



Beltline or below worksurface straight span condition

Description	Length	Number	Price
2+2	15 1/2″(394mm)	VZEF-0R0S-2 ■	**$105.45**
3+1	15 1/2″(394mm)	VZEF-0R0S-4 ■	**$105.45**

Features

- Includes one straight span flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit across the three-inch space between powered panels in 3-way or 4-way conditions.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- May be used at the base raceway, beltline or below worksurface for straight span conditions.
- Standard in charcoal trim color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Not for use with standing height applications.
- Straight Span flexible power connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Extended Power Connector — *4-Circuit (2+2 and 3+1)*



VZEJ-0018-2
VZEJ-0018-4

Description	Panel Width	Number	Price
2+2	18″(457mm)	VZEJ-0018-2	**$203.09**
3+1	18″(457mm)	VZEJ-0018-4	**$203.09**

Features

- Spans base power through **one** 18″(457mm) non-powered panel located between two powered panels in any condition.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Extended power connectors cannot be coupled together.
- Standard in charcoal trim with metal conduit.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- **Specify for use in base raceway only.**
- Not for use with power sources other than 120 volt 60 hertz.
- Not for use with tiles to the floor.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacles

Triplex Receptacles – 15 Amp
— 4-Circuit (2+2 and 3+1)



VZER-1500

Description	Width	Receptacle Identifier	Ground Type	Number	Price
2+2 15A Triplex	Circuit 1	1	Common	VZER-1500-M12 ■	**$434.41**
	Circuit 2	2		VZER-1500-M22 ■	**434.41**
	Circuit 3	3		VZER-1500-M32 ■	**434.41**
	Circuit 4	4		VZER-1500-M42 ■	**434.41**
2+2 15A Triplex	Circuit 1	1	Isolated	VZER-1500-I12 ■	**$448.16**
	Circuit 2	2		VZER-1500-I22 ■	**448.16**
	Circuit 3	3		VZER-1500-I32 ■	**448.16**
	Circuit 4	4		VZER-1500-I42 ■	**448.16**
3+1 15A Triplex	Circuit 1	A	Common	VZER-1500-M14 ■	**$434.41**
	Circuit 2	B		VZER-1500-M24 ■	**434.41**
	Circuit 3	C		VZER-1500-M34 ■	**434.41**
	Circuit 4	D		VZER-1500-M44 ■	**434.41**
3+1 15A Triplex	Circuit 1	A	Isolated	VZER-1500-I14 ■	**$448.16**
	Circuit 2	B		VZER-1500-I24 ■	**448.16**
	Circuit 3	C		VZER-1500-I34 ■	**448.16**
	Circuit 4	D		VZER-1500-I44 ■	**448.16**

Features

- Includes box of six receptacles, each receptacle has three 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are circuit and ground type specific.

■ Available on RUSH.

Specification Tips

- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacles

	Description	Width	Receptacle Identifier	Ground Type	Number	Price
Triplex Receptacles – 20 Amp *— 4-Circuit (2+2 and 3+1)*	2+2 20A Triplex	Circuit 1	1	Common	VZER-2000-M12	**$670.53**
		Circuit 2	2		VZER-2000-M22	**670.53**
		Circuit 3	3		VZER-2000-M32	**670.53**
		Circuit 4	4		VZER-2000-M42	**670.53**
	2+2 20A Triplex	Circuit 1	1	Isolated	VZER-2000-I12	**$684.28**
		Circuit 2	2		VZER-2000-I22	**684.28**
		Circuit 3	3		VZER-2000-I32	**684.28**
		Circuit 4	4		VZER-2000-I42	**684.28**
	3+1 20A Triplex	Circuit 1	A	Common	VZER-2000-M14	**$670.53**
		Circuit 2	B		VZER-2000-M24	**670.53**
		Circuit 3	C		VZER-2000-M34	**670.53**
		Circuit 4	D		VZER-2000-M44	**670.53**
	3+1 20A Triplex	Circuit 1	A	Isolated	VZER-2000-I14	**$684.28**
		Circuit 2	B		VZER-2000-I24	**684.28**
		Circuit 3	C		VZER-2000-I34	**684.28**
		Circuit 4	D		VZER-2000-I44	**684.28**



VZER-2000

Class BC – SIN 711-1;
Discount Group XI

Features

- Includes box of six receptacles, each receptacle has three 20 Amp outlets (NEMA 5-20R configuration).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are circuit and ground type specific.

Specification Tips

- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Power Break Marker — NEP-1 — **$149.58**



NEP-1

Class FA – SIN 711-1;
Discount Group XI

Features

- Includes box of fifty paper labels.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: “Do not remove – Power Break – Consult Electrical Plan.”

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

	Height	Width	Number	Price
Receptacle Blank Cover	2 1/4″(57mm)	5″(127mm)	VZAR-0000 ■	**$5.73**



VZAR-0000

Features

- Includes one cover.
- Used to cover unused electrical openings at all receptacle locations.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Data Blank Cover	1 5/8″(41mm)	3 1/8″(79mm)	VZAD-0000-R ■	**$3.44**



VZAD-0000-R

Features

- Includes one Modular Furniture Telecommunications blank cover.
- Used to cover unused 1.38″ x 2.71″ data openings in tile bezels and base raceway cover.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Adaptor Plate, Single Gang



VZAP-0000-G

Description	Number	Price
Adaptor Plate, Single Gang	VZAP-0000-G ■	$34.38

Features

- Single Gang Adaptor Plate includes one communication adaptor plate.
- Single Gang Plate provides backer plate to mount standard single gang communication outlet plate (NEMA WD-6 configuration) on a raceway cover with single gang option.
- Provides 2 1/4″(57mm) high x 3 3/4″(95mm) wide opening.
- Black finish only.

■ Available on RUSH.

Specification Tips

- Single gang porting of fabric tiles is not recommended.
- Single gang raceway cover 30″(762mm) or wider may be ordered separately.

To Order, Specify:

1) Product number.
(No finish specification required.)

Power and Communication Bezel



VZAP-0000-T

Description	Number	Price
Power and Communication Bezel	VZAP-0000-T	$9.17

Feature

- Power and Communication Bezel includes one bezel and mounting hardware for use with fabric tiles only.

Specification Tips

- Specify receptacles to match bezel.
- Power and communication bezels can be used with wood, laminate slat or fabric tiles.
- For fabric tiles prior to March 2009, refer to eParts for replacement bezels.

To Order, Specify:

1) Product number.
2) Non-Metallic trim color.

Cable Management Bracket



VZBC-0000

Height	Width	Depth	Number	Price
3.8″(97mm)	0.4″(10mm)	1.5″(38mm)	VZBC-0000	$37.82

Features

- Includes 8 cable management brackets.
- Manages communication cables horizontally in the base raceway.
- Works within base raceways only. Not for use with tiles to the floor.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Vertical Wire Manager

Description	Length	Number	Price
Wire Manager, Vertical	17″(432mm)	VZAW-0000-V ■	**$166.20**

VZAW-0000-V

Class BC – SIN 711-1;
Discount Group XI

Features

- Includes package of 10.
- Vertical wire manager conceals task light cord.
- Attaches into panel frame slots.
- Black finish only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**



WUAC-WSG

Class CA – SIN 711-1;
Discount Group I

Features

- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Horizontal Wire Manager

Length	Number	Price
15″(381mm)	WUAW-1500-PNH ■	**$150.80**



WUAW

Class CA – SIN 711-1;
Discount Group I

Features

- Includes package of 10.
- Mounts to bottom of worksurface.
- Black only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Flip Top Units

Flip Top Unit

(1.1)

EUE1-1111W

(2.0)

EUE1-1B01W



EUE1-1331W



EUE2-1331W



EUE1-C331W



EUE2-C331W

Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets				
5 5/16″(133mm)	4 3/8″(111mm)	1 Power, 1 Data	EUE1-0000-1111W	**$ 394.78**
		2 Power, 0 Data	EUE1-0000-1B01W	**394.78**
8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-1221W	**473.48**
		3 Power, 1 Data	EUE1-0000-1311W	**473.48**
11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-1331W ■	**473.48**
		4 Power, 2 Data	EUE1-0000-1421W	**473.48**
Corded Double-Sided Outlets				
8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-1221W	**$ 946.95**
		3 Power, 1 Data	EUE2-0000-1311W	**946.95**
11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-1331W ■	**946.95**
		4 Power, 2 Data	EUE2-0000-1421W	**946.95**
Hardwire Single-Sided Outlets				
8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-C221W	**$ 540.32**
11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-C331W	**540.32**
Hardwire Double-Sided Outlets				
8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-C221W	**$1080.63**
11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-C331W	**1080.63**

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

■ Available on RUSH.

Specification Tips

- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- **For use with 120 volt 60 hertz power source only.**
- **Applications should be reviewed by local authorities (electrical inspector) prior to ordering to verify use is acceptable.**
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.



Fused Plug Detail

To Order, Specify:

1) Product number.
(No finish specification required.)

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Electrical Accessories

Desktop Port



BEDP

Class IF – SIN 711-1;
Discount Group XIII

Description	Height	Width	Number	Price
Desktop Port with 6′(1829mm) cord	3 1/2″(89mm)	9 5/8″(244mm)	BEDP-6	**$320.46**
Desktop Port with 12′(3658mm) cord			BEDP-12	**320.46**

Features

- 6′(1829mm) or 12′(3658mm) black cord option.
- Three power outlets and one modular furniture telecommunications outlet opening [1.38″(35mm) x 2.71″(69mm)] with blank cover.
- Mounts on worktops from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Not available for use in Los Angeles, Chicago or New York.
- Power can be routed from panel, floor or wall.
- Allows for off-modularity.
- Module and bracket available in graphite finish only with black cord.
- **Not for power sources other than 120 volt 60 hertz.**
- Shipped assembled.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Attaches to back edge of worktop with threaded knob.
- Power cord plugs into receptacle outlet or into a building outlet. Desktop ports cannot be linked together.
- Modular furniture telecommunications outlet must be field supplied.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.
- For worksurfaces without wireway, install desktop port prior to attaching worksurface to panel.
- May cause interference with panel-mounted accessories.

Enhanced Power Module



EUD1-0000-1311V



EUD1-0000-C311V

Class YA – SIN 711-1;
Discount Group XIII

Height	Width	Depth	Cord Length	Number ❶	Price
With Plug					
3 1/2″(89mm)	6 3/4″(171mm)	3 1/2″(89mm)-4 1/2″(114mm)	6′(1829mm)	EUD1-0000-1311V	**$431.53**
			12′(3658mm)	EUD1-0000-1311W	**480.41**
Hardwire					
3 1/2″(89mm)	6 3/4″(171mm)	2 1/4″(57mm)	6′(1829mm)	EUD1-0000-C311V	**$492.81**

Features

- Includes power module with three simplex outlets (NEMA 5-15R) and one data location, multiple data jack adapters to accommodate most varieties of field supplied data jacks, mounting hardware, optional standard plug (NEMA 5-15P) or hardwire connection.
- Designed to deliver electrical and data access to the work station.
- Attaches to the back edge of the worksurface.
- Corded power module available with 15amp - 6′(1829mm) or 12′(3658mm) long cord with plug.
- Hardwired power module available with 6′(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:

1) Product number, including:

❶ **Color Option:**

B Black
W White

Specification Tips

- Accommodates worksurface thicknesses from 1 3/16″(30mm) to 2″(51mm).
- Attachment hardware allows for installation above or below work surface, with or without tackboards, to back side of lower storage units, and with vertical storage units that have back edge clearance.
- For use with 120 volt 60 hertz power source only.
- Enhanced Power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

Power Distribution for Hardwire Applications

Hardwire power applications are designed to address non-modular power planning solutions.

1. Power distribution from building-to-panel.
2. Vertical power distribution.
3. Horizontal power distribution.

Infeeds		Applications
❶	Base Feed	48" (1219mm) or as required
❷	Top Feed	Ceiling Height (H) + 18" (457mm)

Panel Applications		Panel Applications
❸	Between two junction boxes on one panel	Panel Width (W) – 21" (533mm)
❹	Between junction boxes if one per panel	Panel Width (W) –5" (127mm)
❺	Across panel connection	12" (305mm)
❻	Across 3- or 4-Way connection	16" (406mm)
❼	Base to Beltline	40" (1016mm)
❽	Base to under worksurface	24" (610mm)
❾	Base to standing height	56" (1422mm)



Compose Hardwire — Electrical Components

	Description	Number	Price
Base Feed Hardwire Plate	Hardwire (Chicago)	VZEB-0000-C ■	**$64.19**



VZEB-0000-C

Features
- Includes 1 junction box cover plate with 1/2″(13mm) hole.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips
- For floor, column, or wall hardwire connections to fixed power installations.
- Conduit and fillings are field supplied.

To Order, Specify:
1) Product number.
2) Non-metallic trim color.

Top Feed Module, Hardwired (Pole Only)

Panel Height	Pole Length	Number ❶	Price A	Price B
10′ Ceiling Height				
34″(864mm)–58″(1473mm)	95″(2413mm)	VZET-3400-NT ■	**$485.44**	**$661.80**
66″(1676mm)–90″(2286mm)	66″(1676mm)	VZET-6600-NT ■	**465.97**	**583.59**
12′ Ceiling Height				
34″(864mm)–50″(1270mm)	119″(3023mm)	VZET-3400-NW ■	**$485.44**	**$702.74**
58″(1473mm)–90″(2286mm)	95″(2413mm)	VZET-6600-NW ■	**465.97**	**626.31**



VZET-NT
VZET-NW

Features
- Includes one electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Routes power to base raceway, below worksurface, beltline or standing height.

■ Available on RUSH.

Specification Tips
- For installation on panel frames no less than 24″(610mm) wide.
- Not for use with glass panel frames or glass stack frames.
- Mounts at the end of the panel frame.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:
1) Product number, including:

❶ **Trim Option**
- **A** Aluminum or Wood
- **H** Steel

Example: VZET-3400-NT**A**

2) Trim color.

Compose Hardwire — Electrical Components

	Panel Width	Number ❶❷	Price
Raceway Retrofit Kits	24″(610mm)	VZEK-0R24-C ■	**$410.63**
	30″(762mm)	VZEK-0R30-C ■	**422.22**
	36″(914mm)	VZEK-0R36-C ■	**433.81**
	42″(1067mm)	VZEK-0R42-C ■	**445.40**
	48″(1219mm)	VZEK-0R48-C ■	**456.99**
	54″(1372mm)	VZEK-0R54-C ■	**468.58**
	60″(1524mm)	VZEK-0R60-C ■	**480.17**



VZEK

Features

- Hardwired power option kits includes two junction boxes, four blank plates and optional base covers. (Conduit and wiring field supplied)
- Converts non-powered panels to powered panels.

Specification Tips

- 8″(203mm) tiles cannot be used in place of base raceway cover.
- Not for use with tile to floor applications.
- 24″(610mm) raceway covers provide only one opening for power and data access on left side.
- **For single gang option, panel width must be 30″(762mm) or greater.**
- Order single gang adaptor plate separately (VZAP-000-G).
- Refer to Specification Guide for Planning with Utilities.
- When metallic trim is specified on raceway covers, receptacle and data blank plates will default to the following:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)
- **Receptacle and data blank covers must be specified separately.**

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Cover Option Side One** (see chart below)

- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single Gang

❷ **Cover Option Side Two** (see chart below)

- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single Gang

2) Trim color for cover side 1.

3) Trim color for cover side 2.

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B
H	**$ 0.00**	**$ 4.73**	**$ 0.00**	**$ 4.73**
B	**0.00**	**4.73**	**0.00**	**4.73**
G	**15.50**	**20.23**	**15.50**	**20.23**

Compose Hardwire — Electrical Components

Raceway Covers



VZEK

Panel Width	Number ❶❷	Price
18″(457mm)	VZEK-0R18-NBB ■	$190.49
24″(610mm)	VZEK-0R24-N ■	115.19
30″(762mm)	VZEK-0R30-N ■	126.78
36″(914mm)	VZEK-0R36-N ■	138.37
42″(1067mm)	VZEK-0R42-N ■	149.96
48″(1219mm)	VZEK-0R48-N ■	161.55
54″(1372mm)	VZEK-0R54-N ■	173.14
60″(1524mm)	VZEK-0R60-N ■	184.73

Features

- Includes two single covers unless tile to floor option is specified which includes one cover.
- Not for use with power sources other than 120 volt 60 hertz.

■ Available on RUSH.

Specification Tips

- For single gang option, panel width must be 30″(762mm) or greater. Order adaptor plate separately (VZAP-0000-G).
- 8″(203mm) tiles cannot be used in place of base raceway cover.
- 18″(457mm) raceway cover has no knockouts.
- 24″(610mm) raceway covers provide only one opening for power and data access on left side.
- When metallic trim is specified on raceway covers, receptacle and data blank plates will default to the following:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

To Order, Specify:

1) Product number, including:

❶ **Cover Option Side One** (see chart below)

- **N** Tile to Floor ■
- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single gang

❷ **Cover Option Side Two** (see chart below)

- **H** Cover with knockouts ■
- **B** Cover without knockouts ■
- **G** Single gang

2) Trim color for cover side 1.

3) Trim color for cover side 2.

	Side One		Side Two	
Cover Option	Trim A	Trim B	Trim A	Trim B
H	$ 86.89	$ 91.04	$ 86.89	$ 91.04
B	86.89	91.04	86.89	91.04
G	102.39	107.12	102.39	107.12

Compose Hardwire — Electrical Components

Hardwire Power Kit for 42″ High Panels at Beltline



VZEK

Panel Width	Number	Price
24″(610mm)-60″(1524mm)	VZEK-4200-C	**$143.53**

Features

- Includes two junction boxes and four blank plates (conduit field supplied).
- Provides Power access at the beltline behind a tile with technology option or field ported Fabric Tile.
- 24″(610mm) hardwire kit includes one junction box, and 2 blank plates.
- For use with matching width tile with technology option or field ported Fabric Tile.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Specification Tips

- **For use with Fabric Tiles only.**
- **Not for use with 8″(203mm) high tiles.**
- Match tile height on both sides of the frame.
- 42″(1067mm) panel frame does not require crossbar brackets and aligner light block.
- Used on tile with technology option to upgrade panel to beltline power and data capability.
- Specify bezels separately for field ported tiles.
- Power can route horizontally at the beltline level only.
- Hardwire receptacles supplied by customer.

Hardwire Power Kit for Beltline, 50″ high or greater, Below Worksurface and Standing Height



VZEK-C

24″(610mm)	VZEK-0B24-C ■	**$209.08**
30″(762mm)	VZEK-0B30-C ■	**214.12**
36″(914mm)	VZEK-0B36-C ■	**219.16**
42″(1067mm)	VZEK-0B42-C ■	**224.20**
48″(1219mm)	VZEK-0B48-C ■	**229.24**
54″(1372mm)	VZEK-0B54-C ■	**234.28**
60″(1524mm)	VZEK-0B60-C ■	**239.32**

Features

- Includes two junction boxes, four blank plates, crossbar brackets and aligner light block (conduit field supplied).
- Provides Power access at the beltline, below beltline or standing height, behind a tile with technology option or field ported Fabric Tile.
- 24″(610mm) hardwire kit includes one junction box, 2 blank plates and data plate mounting brackets.
- For use with matching width tile with technology option or field ported Fabric Tile.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Specification Tips

- **For use with Fabric Tiles only.**
- **Not for use with 8″(203mm) high tiles.**
- Match tile height on both sides of the frame.
- Used on tile with technology option to upgrade panel to beltline power and data capability. Non-beltline requires field porting of fabric tile.
- Specify bezels separately for field ported tiles.
- Power can route horizontally at the beltline level only.
- Beltline power is not available for 34″(864mm) high panel frames.
- Hardwire receptacles supplied by customer.

Compose Hardwire – Electrical Components

	Description	Number	Price
Receptacle Plate, Hardwired	Receptacle Plate, Hardwired	VZAP-0000-C ■	**$34.38**



VZAP-0000-C

Features

- Receptacle Plate, Hardwired includes 4 receptacle plates.
- Receptacle Plate mounts to hardwired junction box to allow mounting of a duplex receptacle with NEMA 5-15R configuration. Hardwired Plate aligns receptacle with opening of bezel in Technology Tile or Base Raceway Cover.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Non-Metallic trim color.

International Power Components

For power applications outside North America we recommend the use of **Power Logic** soft wiring components. Power Logic offers a system of single circuit power cords and receptacle modules that fit into our non-powered base raceway. Receptacle modules are offered with two sockets (3 and 4 socket versions also available). Each receptacle module has sockets, switches and fuses that are appropriate for each country around the world. Contact the Power Logic regional sales office in your area to help with planning details to assure local electrical code compliance. Contact Power Logic via the Haworth/Power Logic website, (www.powerlogic.net), or through their corporate offices in Cape Town, South Africa at 27-21-704-1450. Power Logic also offers power solutions for desktop, conference table or freestanding power applications.

Power Entry Cord

Cord



Receptacle

Splitter

To route a Power Logic power entry cord from a ceiling, order a hardwire top feed module to conceal the cord.
To mount a Power Logic receptacle at the base raceway, order a non-powered raceway cover and cut appropriate-sized knockout in the field. To mount a Power Logic receptacle in a fabric tile, order standard fabric tile and cut appropriate-sized knockout in the field.

Benching — Full Panel Frames

	Nominal Height	Width	Number	Trim A	Trim B
Full Panel Frames — No Power	29″(737mm)	18″(457mm)	VZFF-2918 ■	**$546.73**	**$550.17**
		24″(610mm)	VZFF-2924 ■	**563.92**	**568.50**
		30″(762mm)	VZFF-2930 ■	**581.11**	**586.83**
		36″(914mm)	VZFF-2936 ■	**598.30**	**605.16**
		42″(1067mm)	VZFF-2942 ■	**615.49**	**623.49**
		48″(1219mm)	VZFF-2948 ■	**632.68**	**641.82**
		54″(1372mm)	VZFF-2954 ■	**649.87**	**660.15**
		60″(1524mm)	VZFF-2960 ■	**667.06**	**678.48**



VZFF

Features

- Includes non-powered frame assembly, connection hardware, leveling glides, carpet gripper and pan.
- Does not include raceway covers or top trim.
- Frame thickness is 2″(51mm); overall panel thickness is 3″(76mm).
- Black finish on frame.
- Shipped assembled with pan and glides.

■ Available on RUSH.

Specification Tips

- Requires separately specified full profile aluminum and wood top trim; not for use with thin profile steel top trim.
- Requires one separately specified tile for each side.
- Optional 3-, 4-circuit or Hardwire power and communication access is available at base raceway or below worksurface; requires separately specified electrical components.
  - –Below worksurface power and communication access requires separately specified technology tile(s) and a Below Worksurface Benching Power and Data Kit for use with 29″(737mm)-high Benching panel frame only.
  - –Base raceway power and communication access requires separately specified 19″(483mm)-high tile(s) and Raceway Retrofit Kit.
  - –All Benching power applications require separately specified receptacles, data blank covers and electrical components as needed per application.
- **Not intended for use with panel stacks.**
  - **–Benching panel height does not align with Compose standard panel heights and trim; aesthetically or functionally not intended for use with each other.**
- Frame provides an integral in-line panel connection; requires separately specified panel intersections and trim for all other panel applications, 2-way, 3-way, 4-way and End of Run.
- Aligner/light block not required for 29″(737mm)-high Benching panel frame; a single tile application per side does not require an aligner/light block.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Trim color for pan.

Benching — Top Trim

Top Trim



VZCC

Width	Number ❶	Aluminum Trim A A	Trim B A	Wood Group A W	Wood Group B W
18″(457mm)	VZCC-0018- ■	$ 69.92	$ 71.06	$206.31	$ 230.38
24″(610mm)	VZCC-0024- ■	76.80	79.10	242.99	271.64
30″(762mm)	VZCC-0030- ■	83.68	87.14	279.67	312.90
36″(914mm)	VZCC-0036- ■	90.56	95.18	316.35	354.16
42″(1067mm)	VZCC-0042- ■	97.44	103.22	353.03	395.42
48″(1219mm)	VZCC-0048- ■	104.32	111.26	389.71	436.68
51″(1295mm)	VZCC-0051- ■	107.76	115.28	408.05	457.31
54″(1372mm)	VZCC-0054- ■	111.20	119.30	426.39	477.94
60″(1524mm)	VZCC-0060- ■	118.08	127.34	463.07	519.20
63″(1600mm)	VZCC-0063- ■	155.58	165.42	515.47	573.89
66″(1676mm)	VZCC-0066- ■	160.45	170.87	535.24	595.95
72″(1829mm)	VZCC-0072- ■	170.19	181.77	574.78	640.07
75″(1905mm)	VZCC-0075- ■	175.06	187.22	594.55	662.13
78″(1981mm)	VZCC-0078- ■	179.93	192.67	614.32	684.19
84″(2134mm)	VZCC-0084- ■	189.67	203.57	653.86	728.31
90″(2286mm)	VZCC-0090- ■	199.41	214.47	693.40	772.43
96″(2438mm)	VZCC-0096- ■	209.15	225.37	732.94	816.55
102″(2591mm)	VZCC-0102- ■	218.89	236.27	772.48	860.67
108″(2743mm)	VZCC-0108- ■	228.63	247.17	812.02	904.79
114″(2896mm)	VZCC-0114- ■	254.13	273.83	867.32	964.67
120″(3048mm)	VZCC-0120- ■	263.87	284.73	906.86	1008.79

Features

- Includes full profile 1/4″(6mm) aluminum or full profile wood top trim.
- Designed to span in-line 3- and 4-way panel connections.
- Aluminum and wood top trim 1/4″(6mm) thick.
- 3″(76mm) deep.
- Trim is bolted on Benching panel frame.

■ Available on RUSH; Aluminum (A).

Specification Tips

- Not for use with 2-way intersections.
- Required for use with Benching panel frame; may be same width as panel frame or span more than one panel frame or on intersection.
- Woodgrain direction is same direction as width.

To Order, Specify:

1) Product number, including:

❶ **Trim Option:**

- **A** Aluminum
- **W** Wood

2) Trim or wood finish color.

Benching — Individual Tiles

Fabric Tile — Standard Core



VZTI-FNN

Nominal Height	Nominal Width	Number	Fabric Grade A	B	C	E	F	G
19″(483mm)	18″(457mm)	VZTI-1918-FNN ■	$110.45	$127.34	$146.51	$187.05	$215.24	$232.12
	24″(610mm)	VZTI-1924-FNN ■	120.59	139.00	159.91	204.07	234.82	253.20
	30″(762mm)	VZTI-1930-FNN ■	130.73	150.66	173.31	221.09	254.40	274.28
	36″(914mm)	VZTI-1936-FNN ■	140.87	162.32	186.71	238.11	273.98	295.36
	42″(1067mm)	VZTI-1942-FNN ■	151.01	173.98	200.11	255.13	293.56	316.44
	48″(1219mm)	VZTI-1948-FNN ■	161.15	185.64	213.51	272.15	313.14	337.52
	54″(1372mm)	VZTI-1954-FNN ■	171.29	197.30	226.91	289.17	332.72	358.60
	60″(1524mm)	VZTI-1960-FNN ■	181.43	208.96	240.31	306.19	352.30	379.68
27″(686mm)	18″(457mm)	VZTI-2718-FNN ■	$144.01	$165.94	$190.82	$243.47	$280.00	$301.97
	24″(610mm)	VZTI-2724-FNN ■	157.91	181.92	209.18	266.83	306.82	330.89
	30″(762mm)	VZTI-2730-FNN ■	171.81	197.90	227.54	290.19	333.64	359.81
	36″(914mm)	VZTI-2736-FNN ■	185.71	213.88	245.90	313.55	360.46	388.73
	42″(1067mm)	VZTI-2742-FNN ■	199.61	229.86	264.26	336.91	387.28	417.65
	48″(1219mm)	VZTI-2748-FNN ■	213.51	245.84	282.62	360.27	414.10	446.57
	54″(1372mm)	VZTI-2754-FNN ■	227.41	261.82	300.98	383.63	440.92	475.49
	60″(1524mm)	VZTI-2760-FNN ■	241.31	277.80	319.34	406.99	467.74	504.41

Features

- Includes one Benching tile and attachment clips.
- Fabric Tiles are tackable with standard core.

■ Available on RUSH.

Specification Tips

- For use with 29″(737mm)-high Benching panel frame.
- Requires one separately specified tile for each side of the panel frame:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Fabric color.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Benching — Individual Tiles

Fabric Tile — Standard Core, Technology Access / Single or Double



VZTI-FLN
Left Port



VZTI-FRN
Right Port



VZTI-F2N
Double Port

Features

- Includes one Benching tile, one or two utility bezels and attachment clips.
- Fabric Tiles are tackable with standard core.
- 24″(610mm)-60″(1524mm)-widths available with one a single port; right-hand or left-hand.
- 30″(762mm)-60″(1524mm)-widths available with a double port; with one right and left hand port.
- Ports may be located back-to-back on a panel frame.
- Below Worksurface Benching Power and Data Kit, Receptacles and Data Blank Plate must be separately specified.

■ Available on RUSH.

Specification Tips

- For use with 29″(737mm) Benching Panel frame.
- Panel frame requires one separately specified tile for each side:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- Technology tile allows for below worksurface power and data access; **for use with separately specified Below Worksurface Benching Power and Data Kit for use with a 29″(737mm)-high Benching panel frame only. Separately specified Receptacles and Data Blank Plate are also required;** power routing may require additional separately specified electrical components; application specific.
- 29″(737mm)-high Benching panel frame allows power to be horizontally routed below worksurface height; internally through the panel and from panel-to-panel.
- Power routing below worksurface through panel intersections may require separately specified Flexible Power Connectors; see the Compose Price List and Specification Guide; refer to beltline power planning guidelines for a Benching below worksurface power application.
- When metallic trim color is specified on panel frames, specify the following paint colors for the bezel to match:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number, including:

❶ Single Port Location:

- **L** Left
- **R** Right

2) Fabric color.

3) Non-metallic trim color for bezels.

Benching — Individual Tiles

	Description	Nominal Height	Nominal Width	Number ❶	Fabric Grade A	B	C	E	F	G
Fabric Tile — Standard Core, Technology Access / Single or Double	Single Port: Left or Right	19″(483mm)	24″(610mm)	VZTI-1924-F N ■	**$180.21**	**$198.62**	**$219.53**	**$263.69**	**$294.44**	**$312.82**
			30″(762mm)	VZTI-1930-F N ■	**190.35**	**210.28**	**232.93**	**280.71**	**314.02**	**333.90**
			36″(914mm)	VZTI-1936-F N ■	**200.49**	**221.94**	**246.33**	**297.73**	**333.60**	**354.98**
			42″(1067mm)	VZTI-1942-F N ■	**210.63**	**233.60**	**259.73**	**314.75**	**353.18**	**376.06**
			48″(1219mm)	VZTI-1948-F N ■	**220.77**	**245.26**	**273.13**	**331.77**	**372.76**	**397.14**
			54″(1372mm)	VZTI-1954-F N ■	**230.91**	**256.92**	**286.53**	**348.79**	**392.34**	**418.22**
			60″(1524mm)	VZTI-1960-F N ■	**241.05**	**268.58**	**299.93**	**365.81**	**411.92**	**439.30**
		27″(686mm)	24″(610mm)	VZTI-2724-F N ■	**$217.53**	**$241.54**	**$268.80**	**$326.45**	**$366.44**	**$390.51**
			30″(762mm)	VZTI-2730-F N ■	**231.43**	**257.52**	**287.16**	**349.81**	**393.26**	**419.43**
			36″(914mm)	VZTI-2736-F N ■	**245.33**	**273.50**	**305.52**	**373.17**	**420.08**	**448.35**
			42″(1067mm)	VZTI-2742-F N ■	**259.23**	**289.48**	**323.88**	**396.53**	**446.90**	**477.27**
			48″(1219mm)	VZTI-2748-F N ■	**273.13**	**305.46**	**342.24**	**419.89**	**473.72**	**506.19**
			54″(1372mm)	VZTI-2754-F N ■	**287.03**	**321.44**	**360.60**	**443.25**	**500.54**	**535.11**
			60″(1524mm)	VZTI-2760-F N ■	**300.93**	**337.42**	**378.96**	**466.61**	**527.36**	**564.03**
	Double Port	19″(483mm)	30″(762mm)	VZTI-1930-F2N ■	**$273.80**	**$293.73**	**$316.38**	**$364.16**	**$397.47**	**$417.35**
			36″(914mm)	VZTI-1936-F2N ■	**283.94**	**305.39**	**329.78**	**381.18**	**417.05**	**438.43**
			42″(1067mm)	VZTI-1942-F2N ■	**294.08**	**317.05**	**343.18**	**398.20**	**436.63**	**459.51**
			48″(1219mm)	VZTI-1948-F2N ■	**304.22**	**328.71**	**356.58**	**415.22**	**456.21**	**480.59**
			54″(1372mm)	VZTI-1954-F2N ■	**314.36**	**340.37**	**369.98**	**432.24**	**475.79**	**501.67**
			60″(1524mm)	VZTI-1960-F2N ■	**324.50**	**352.03**	**383.38**	**449.26**	**495.37**	**522.75**
		27″(686mm)	30″(762mm)	VZTI-2730-F2N ■	**$314.88**	**$340.97**	**$370.61**	**$433.26**	**$476.71**	**$502.88**
			36″(914mm)	VZTI-2736-F2N ■	**328.78**	**356.95**	**388.97**	**456.62**	**503.53**	**531.80**
			42″(1067mm)	VZTI-2742-F2N ■	**342.68**	**372.93**	**407.33**	**479.98**	**530.35**	**560.72**
			48″(1219mm)	VZTI-2748-F2N ■	**356.58**	**388.91**	**425.69**	**503.34**	**557.17**	**589.64**
			54″(1372mm)	VZTI-2754-F2N ■	**370.48**	**404.89**	**444.05**	**526.70**	**583.99**	**618.56**
			60″(1524mm)	VZTI-2760-F2N ■	**384.38**	**420.87**	**462.41**	**550.06**	**610.81**	**647.48**

Benching — Individual Tiles

Laminate Tile



VZTI-DNN

Wood Grain Laminate

Nominal Height	Nominal Width	Number	Laminate A	Laminate B
19″(483mm)	18″(457mm)	VZTI-1918-DNN ■	$247.97	$264.26
	24″(610mm)	VZTI-1924-DNN ■	272.83	291.10
	30″(762mm)	VZTI-1930-DNN ■	297.69	317.94
	36″(914mm)	VZTI-1936-DNN ■	322.55	344.78
	42″(1067mm)	VZTI-1942-DNN ■	347.41	371.62
	48″(1219mm)	VZTI-1948-DNN ■	372.27	398.46
	54″(1372mm)	VZTI-1954-DNN ■	397.13	425.30
	60″(1524mm)	VZTI-1960-DNN ■	421.99	452.14
27″(686mm)	18″(457mm)	VZTI-2718-DNN ■	$296.01	$316.35
	24″(610mm)	VZTI-2724-DNN ■	325.99	348.79
	30″(762mm)	VZTI-2730-DNN ■	355.97	381.23
	36″(914mm)	VZTI-2736-DNN ■	385.95	413.67
	42″(1067mm)	VZTI-2742-DNN ■	415.93	446.11
	48″(1219mm)	VZTI-2748-DNN ■	445.91	478.55
	54″(1372mm)	VZTI-2754-DNN ■	573.66	608.76
	60″(1524mm)	VZTI-2760-DNN ■	603.64	641.20

Feature

- Includes one Benching laminate tile with 1mm edgeband and attachment brackets.

■ Available on RUSH.

Specification Tips

- For use with 29″(737mm)-high Benching panel frame.
- Requires one separately specified tile for each side:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- All wood grain laminate tile widths will have vertical grain direction.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edgeband trim color.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Benching — Individual Tiles

Laminate Tile — Technology Access / Single or Double



VZTI-DLN
Left Port



VZTI-DRN
Right Port



VZTI-D2N
Double Port

Wood Grain Laminate

Features

- Includes one Benching laminate tile with 1mm edgeband, one or two utility bezels and attachment brackets.
- Fabric Tiles are tackable with standard core.
- 24″(610mm)-60″(1524mm)-widths available with one a single port; right-hand or left-hand.
- 30″(762mm)-60″(1524mm)-widths available with a double port; with one right and left hand port.
- Ports may be located back-to-back on a panel frame.
- Below Worksurface Benching Power and Data Kit, Receptacles and Data Blank Plate must be separately specified.

■ Available on RUSH.

Specification Tips

- For use with 29″(737mm) Benching Panel frame.
- Panel frame requires one separately specified tile for each side:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- Technology tile allows for below worksurface power and data access; **for use with separately specified Below Worksurface Benching Power and Data Kit for use with a 29″(737mm)-high. Benching panel frame only. Separately specified Receptacles and Data Blank Plate are also required;** power routing may require additional separately specified electrical components; application specific.
- 29″(737mm)-high Benching panel frame allows power to be horizontally routed below worksurface height; internally through the panel and from panel-to-panel.
- Power routing below worksurface through panel intersections may require separately specified Flexible Power Connectors; see the Compose Price List and Specification Guide; refer to beltline power planning guidelines for a Benching below worksurface power application.
- When metallic trim color is specified on panel frames, specify the following paint colors for the bezel to match:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number, including:

❶ Single Port Location:

- **L** Left
- **R** Right

2) Laminate surface color.
3) Edgeband trim color.
4) Non-metallic trim color for bezels.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Benching — Individual Tiles

	Description	Nominal Height	Nominal Width	Number [1]	Laminate A	Laminate B
Laminate Tile — Technology Access / Single or Double	Single Port: Left or Right	19″(483mm)	24″(610mm)	VZTI-1924-D N	**$332.45**	**$350.72**
			30″(762mm)	VZTI-1930-D N	**357.31**	**377.56**
			36″(914mm)	VZTI-1936-D N	**382.17**	**404.40**
			42″(1067mm)	VZTI-1942-D N	**407.03**	**431.24**
			48″(1219mm)	VZTI-1948-D N	**431.89**	**458.08**
			54″(1372mm)	VZTI-1954-D N	**456.75**	**484.92**
			60″(1524mm)	VZTI-1960-D N	**481.61**	**511.76**
		27″(686mm)	24″(610mm)	VZTI-2724-D N	**$385.61**	**$408.41**
			30″(762mm)	VZTI-2730-D N	**415.59**	**440.85**
			36″(914mm)	VZTI-2736-D N	**445.57**	**473.29**
			42″(1067mm)	VZTI-2742-D N	**475.55**	**505.73**
			48″(1219mm)	VZTI-2748-D N	**505.53**	**538.17**
			54″(1372mm)	VZTI-2754-D N	**633.28**	**668.38**
			60″(1524mm)	VZTI-2760-D N	**663.26**	**700.82**
	Double Port	19″(483mm)	30″(762mm)	VZTI-1930-D2N	**$440.76**	**$461.01**
			36″(914mm)	VZTI-1936-D2N	**465.62**	**487.85**
			42″(1067mm)	VZTI-1942-D2N	**490.48**	**514.69**
			48″(1219mm)	VZTI-1948-D2N	**515.34**	**541.53**
			54″(1372mm)	VZTI-1954-D2N	**540.20**	**568.37**
			60″(1524mm)	VZTI-1960-D2N	**565.06**	**595.21**
		27″(686mm)	30″(762mm)	VZTI-2730-D2N	**$499.04**	**$524.30**
			36″(914mm)	VZTI-2736-D2N	**529.02**	**556.74**
			42″(1067mm)	VZTI-2742-D2N	**559.00**	**589.18**
			48″(1219mm)	VZTI-2748-D2N	**588.98**	**621.62**
			54″(1372mm)	VZTI-2754-D2N	**716.73**	**751.83**
			60″(1524mm)	VZTI-2760-D2N	**746.71**	**784.27**

Benching — Individual Tiles

Steel Tile



VZTI-PNN

Nominal Height	Nominal Width	Number	Trim A	Trim B
19″(483mm)	18″(457mm)	VZTI-1918-PNN ■	**$148.00**	**$158.47**
	24″(610mm)	VZTI-1924-PNN ■	**163.02**	**177.71**
	30″(762mm)	VZTI-1930-PNN ■	**178.04**	**196.95**
	36″(914mm)	VZTI-1936-PNN ■	**193.06**	**216.19**
	42″(1067mm)	VZTI-1942-PNN ■	**208.08**	**235.43**
	48″(1219mm)	VZTI-1948-PNN ■	**223.10**	**254.67**
	54″(1372mm)	VZTI-1954-PNN ■	**238.12**	**273.91**
	60″(1524mm)	VZTI-1960-PNN ■	**253.14**	**293.15**
27″(686mm)	18″(457mm)	VZTI-2718-PNN ■	**$176.59**	**$190.43**
	24″(610mm)	VZTI-2724-PNN ■	**194.81**	**214.13**
	30″(762mm)	VZTI-2730-PNN ■	**213.03**	**237.83**
	36″(914mm)	VZTI-2736-PNN ■	**231.25**	**261.53**
	42″(1067mm)	VZTI-2742-PNN ■	**249.47**	**285.23**
	48″(1219mm)	VZTI-2748-PNN ■	**267.69**	**308.93**
	54″(1372mm)	VZTI-2754-PNN ■	**285.91**	**332.63**
	60″(1524mm)	VZTI-2760-PNN ■	**304.13**	**356.33**

Feature

- Includes one Benching painted steel tile and attachment brackets.

■ Available on RUSH.

Specification Tips

- For use with 29″(737mm)-high Benching panel frame.
- Requires one separately specified tile for each side:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Trim color.

Benching — Individual Tiles

	Nominal Height	Nominal Width	Number	Wood Group A	Wood Group B
Wood Tile	19″(483mm)	18″(457mm)	VZTI-1918-WNN	**$421.52**	**$489.22**
		24″(610mm)	VZTI-1924-WNN	**460.16**	**534.76**
		30″(762mm)	VZTI-1930-WNN	**498.80**	**580.30**
		36″(914mm)	VZTI-1936-WNN	**537.44**	**625.84**
		42″(1067mm)	VZTI-1942-WNN	**576.08**	**671.38**
		48″(1219mm)	VZTI-1948-WNN	**614.72**	**716.92**
		54″(1372mm)	VZTI-1954-WNN	**686.74**	**N/A**
		60″(1524mm)	VZTI-1960-WNN	**725.38**	**N/A**
	27″(686mm)	18″(457mm)	VZTI-2718-WNN	**$463.10**	**$537.77**
		24″(610mm)	VZTI-2724-WNN	**507.56**	**590.13**
		30″(762mm)	VZTI-2730-WNN	**552.02**	**642.49**
		36″(914mm)	VZTI-2736-WNN	**596.48**	**694.85**
		42″(1067mm)	VZTI-2742-WNN	**640.94**	**747.21**
		48″(1219mm)	VZTI-2748-WNN	**685.40**	**799.57**
		54″(1372mm)	VZTI-2754-WNN	**783.26**	**N/A**
		60″(1524mm)	VZTI-2760-WNN	**827.72**	**N/A**



VZTI-WNN

Double-Cut Veneer (Wood Group A)

Natural Veneer (Wood Group B)

Feature

- Includes one Benching wood tile and attachment brackets.

Specification Tips

- For use with 29″(737mm)-high Benching panel frame.
- Requires one separately specified tile for each side or the panel frame:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- Low gloss finish for double-cut veneer wood tiles.
- Standard gloss finish for natural wood tiles.
- All wood tile widths will have horizontal grain direction for Double Cut Veneer.
- All wood tile widths will have vertical grain direction for Natural Veneer.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Wood finish color.

Benching — Individual Tiles

Wood Tile — Technology Access / Single or Double



VZTI-WLN
Left Port



VZTI-WRN
Right Port



VZTI-W2N
Double Port

Double-Cut Veneer
(Wood Group I)

Natural Veneer
(Wood Group II)

Features

- Includes one Benching wood tile, one or two utility bezels and attachment brackets.
- 24″(610mm)-60″(1524mm)-widths available with one a single port; right-hand or left-hand.
- 30″(762mm)-60″(1524mm)-widths available with a double port; with one right and left hand port.
- Ports may be located back-to-back on a panel frame.
- Below Worksurface Benching Power and Data Kit, Receptacles and Data Blank Plate must be separately specified.

Specification Tips

- For use with 29″(737mm) Benching panel frame.
- Panel frame requires one separately specified tile for each side:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway Covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- Low gloss finish for double-cut veneer wood tiles.
- All wood tile widths will have horizontal grain direction for Double Cut Veneer.
- All wood tile widths will have vertical grain direction for Natural Veneer.
- Standard gloss finish for natural wood tiles.
- Technology tile allows for below worksurface power and data access; **for use with separately specified Below Worksurface Benching Power and Data Kit for use with a 29″(737mm)-high Benching panel frame only. Separately specified Receptacles and Data Blank Plate are also required;** power routing may require additional separately specified electrical components; application specific.
- 29″(737mm)-high Benching panel frame allows power to be horizontally routed below worksurface height; internally through the panel and from panel-to-panel.
- Power routing below worksurface through panel intersections may require separately specified Flexible Power Connectors; see the Compose Price List and Specification Guide; refer to beltline power planning guidelines for a Benching below worksurface power application.
- When metallic trim color is specified on panel frames, specify the following paint colors for the bezel to match:
  - –Silver (TR-LE) = Smoke (TR-E)
  - –Champagne (TR-MC) = Smoke (TR-E)
  - –Gunmetal (TR-MG) = Graphite (TR-J)

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number, including:

❶ Single Port Location:

- **L** Left
- **R** Right

2) Wood finish color.

3) Non-metallic trim color for bezels.

Benching — Individual Tiles

	Description	Nominal Height	Nominal Width	Number [1]	Wood Group A	Wood Group B
Wood Tile — Technology Access / Single or Double	Single Port: Left or Right	19″(483mm)	24″(610mm)	VZTI-1924-W ☐ N	**$519.78**	**$594.38**
			30″(762mm)	VZTI-1930-W ☐ N	**558.42**	**639.92**
			36″(914mm)	VZTI-1936-W ☐ N	**597.06**	**685.46**
			42″(1067mm)	VZTI-1942-W ☐ N	**635.70**	**731.00**
			48″(1219mm)	VZTI-1948-W ☐ N	**674.34**	**776.54**
			54″(1372mm)	VZTI-1954-W ☐ N	**746.36**	**N/A**
			60″(1524mm)	VZTI-1960-W ☐ N	**785.00**	**N/A**
		27″(686mm)	24″(610mm)	VZTI-2724-W ☐ N	**$567.18**	**$649.75**
			30″(762mm)	VZTI-2730-W ☐ N	**611.64**	**702.11**
			36″(914mm)	VZTI-2736-W ☐ N	**656.10**	**754.47**
			42″(1067mm)	VZTI-2742-W ☐ N	**700.56**	**806.83**
			48″(1219mm)	VZTI-2748-W ☐ N	**745.02**	**859.19**
			54″(1372mm)	VZTI-2754-W ☐ N	**842.88**	**N/A**
			60″(1524mm)	VZTI-2760-W ☐ N	**887.34**	**N/A**
	Double Port	19″(483mm)	30″(762mm)	VZTI-1930-W2N	**$641.87**	**$723.37**
			36″(914mm)	VZTI-1936-W2N	**680.51**	**768.91**
			42″(1067mm)	VZTI-1942-W2N	**719.15**	**814.45**
			48″(1219mm)	VZTI-1948-W2N	**757.79**	**859.99**
			54″(1372mm)	VZTI-1954-W2N	**829.81**	**N/A**
			60″(1524mm)	VZTI-1960-W2N	**868.45**	**N/A**
		27″(686mm)	30″(762mm)	VZTI-2730-W2N	**$695.09**	**$785.56**
			36″(914mm)	VZTI-2736-W2N	**739.55**	**837.92**
			42″(1067mm)	VZTI-2742-W2N	**784.01**	**890.28**
			48″(1219mm)	VZTI-2748-W2N	**828.47**	**942.64**
			54″(1372mm)	VZTI-2754-W2N	**926.33**	**N/A**
			60″(1524mm)	VZTI-2760-W2N	**970.79**	**N/A**

Benching — Individual Tiles

	Nominal Height	Nominal Width	Number	Fabric Grade A	B	C	D	E	F	G
Intersection Spanning Fabric Tile — Standard Core	27″(686mm)	51″(1295mm)	VZTI-2751-FNN ◆	**$220.46**	**$253.83**	**$291.80**	**$331.87**	**$371.95**	**$427.51**	**$461.03**
		63″(1600mm)	VZTI-2763-FNN ◆	**248.26**	**285.79**	**328.52**	**373.59**	**418.67**	**481.15**	**518.87**



VZTI-FNN

Features

- Includes one intersection spanning fabric tile and attachment clips.
- Fabric Tiles are tackable with standard core.

◆ Available on RUSH.

Specification Tips

- For use with two 29″(737mm)-high Benching panel frames, spanning corner blocks and 51″(1295mm)- or 63″(1600mm)-wide top trim; separately specified.
- Designed for use at 3-Way panel intersection; spans two 29″(737mm)-high Benching Panel Frames and 3″(76mm) panel spine.
- 51″(1295mm)-wide tile spans 2-24″(610mm) panels and 3″(76mm) panel spine.
- 63″(1600mm)-wide tile spans 2-30″(762mm) panels and 3″(76mm) panel spine.
- The Intersection Spanning Tile is not for use with base raceway or below worksurface power and communication access; separately specified tiles on the opposite side may have power and communication access.
- Each panel frame requires a separately specified tile for the opposite side of the Intersection Spanning Tile:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway cover; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- **Not for use with standard 3-Way Intersection Panel Trim and Corner connector; requires separately specified:**
  - –Full profile Aluminum Top Trim - 51″(1295mm)- or 63″(1600mm)-wide; same width as Intersection Spanning Tile.
  - –3-Way Intersection Spanning Blocks.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Fabric color.

Benching — Individual Tiles

Laminate Intersection Spanning Tile



VZTI-DNN

Wood Grain Laminate
51″ wide

Wood Grain Laminate
63″ and 75″ wide

Nominal Height	Nominal Width	Number	Laminate A	Laminate B
27″(686mm)	51″(1295mm)	VZTI-2751-DNN ■	$558.67	$592.54
	63″(1600mm)	VZTI-2763-DNN ■	618.63	657.42
	75″(1905mm)	VZTI-2775-DNN ■	678.59	722.30

Feature

- Includes one intersection spanning laminate tile with 1mm edgeband and attachment brackets.

■ Available on RUSH.

Specification Tips

- For use with two 29″(737mm)-high Benching panel frames, spanning corner blocks and 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide top trim; separately specified.
- Designed for use at 3-Way panel intersection; spans two 29″(737mm)-high Benching Panel Frames and 3″(76mm) panel spine.
- 51″(1295mm)-wide tile spans 2-24″(610mm) panels and 3″(76mm) panel spine.
- 63″(1600mm)-wide tile spans 2-30″(762mm) panels and 3″(76mm) panel spine.
- 75″(1905mm)-wide tile spans 2-36″(914mm) panels and 3″(76mm) panel spine.
- 51″(1295mm)-wide wood grain laminate tile will have a vertical grain pattern.
- 63″(1600mm) and 75″(1905mm)-wide wood grain laminate tile will have a horizontal grain pattern.
- The Intersection Spanning Tile is not for use with base raceway or below worksurface power and communication access; separately specified tiles on the opposite side may have power and communication access.
- Each panel frame requires a separately specified tile for the opposite side of the Intersection Spanning Tile:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- **Not for use with standard 3-Way Intersection Panel Trim and Corner connector; requires separately specified:**
  - –Full profile Aluminum Top Trim - 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide; same width as Intersection Spanning Tile.
  - –3-Way Intersection Spanning Blocks.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edgeband trim color.

Benching — Individual Tiles

Steel Intersection Spanning Tile



VZTI-PNN

Nominal Height	Nominal Width	Number	Trim A	Trim B
27″(686mm)	51″(1295mm)	VZTI-2751-PNN	**$276.80**	**$320.78**
	63″(1600mm)	VZTI-2763-PNN	**313.24**	**368.18**
	75″(1905mm)	VZTI-2775-PNN	**349.68**	**415.58**

Feature

- Includes one intersection spanning painted steel tile and attachment brackets.

Specification Tips

- For use with two 29″(737mm)-high Benching panel frames, spanning corner blocks and 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide top trim; separately specified.
- Designed for use at 3-Way panel intersection; spans two 29″(737mm)-high Benching Panel Frames and 3″(76mm) panel spine.
- 51″(1295mm)-wide tile spans 2-24″(610mm) panels and 3″(76mm) panel spine.
- 63″(1600mm)-wide tile spans 2-30″(762mm) panels and 3″(76mm) panel spine.
- 75″(1905mm)-wide tile spans 2-36″(914mm) panels and 3″(76mm) panel spine.
- The Intersection Spanning Tile is not for use with base raceway or below worksurface power and communication access; separately specified tiles on the opposite side may have power and communication access.
- Each panel frame requires a separately specified tile for the opposite side of the Intersection Spanning Tile:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- **Not for use with standard 3-Way Intersection Panel Trim and Corner connector; requires separately specified:**
  - –Full profile Aluminum Top Trim - 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide; same width as Intersection Spanning Tile.
  - –3-Way Intersection Spanning Blocks.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Trim color.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Benching — Individual Tiles

	Nominal Height	Nominal Width	Number	Wood Group A
Wood Intersection Spanning Tile	27″(686mm)	51″(1295mm)	VZTI-2751-WNN	**$761.03**
		63″(1600mm)	VZTI-2763-WNN	**849.95**
		75″(1905mm)	VZTI-2775-WNN	**938.87**



VZTI-WNN

Double-Cut Veneer
(Wood Group I)

Features

- Includes one intersection spanning wood tile and attachment brackets.
- For use with two 29″(737mm)-high Benching panel frames, spanning corner blocks and 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide top trim; separately specified.
- Designed for use at 3-Way panel intersection; spans two 29″(737mm)-high Benching Panel Frames and 3″(76mm) panel spine.
- 51″(1295mm)-wide tile spans 2-24″(610mm) panels and 3″(76mm) panel spine.
- 63″(1600mm)-wide tile spans 2-30″(762mm) panels and 3″(76mm) panel spine.
- 75″(1905mm)-wide tile spans 2-36″(914mm) panels and 3″(76mm) panel spine.
- Low gloss finish for double-cut veneer wood tiles.
- All tile widths will have a horizontal grain pattern.
- The Intersection Spanning Tile is not for use with base raceway or below worksurface power and communication access; separately specified tiles on the opposite side may have power and communication access.
- Each panel frame requires a separately specified tile for the opposite side of the Intersection Spanning Tile:
  - –27″(686mm)-high tile provides a continuous surface from the top of the panel frame to the floor; does not allow for a base raceway cover.
  - –19″(483mm)-high tile is for use with a Raceway Retrofit Kit or Raceway covers; separately specified.
- Panel frame allows for independent planning options for each side of the panel; tile type and height may be the same or different per side.
- **Not for use with standard 3-Way Intersection Panel Trim and Corner connector; requires separately specified:**
  - –Full profile Aluminum Top Trim - 51″(1295mm)-, 63″(1600mm)- or 75″(1905mm)-wide; same width as Intersection Spanning Tile.
  - –3-Way Intersection Spanning Blocks.

Note: Benching applications may require product specification of select items located in the standard Compose Price List. The panel related components are application specific, refer to Compose Electrical and Cable Management Section for 3-, 4-circuit or Hardwire. (Common components include but are not limited to: Raceway Retrofit Kits, Raceway Covers, Receptacles, Receptacle Blank Covers, Data Blank Covers, Electrical Accessories, Vertical Power Harness for Below Worksurface Height only, Flexible Power Connectors, Top Feed Module.)

To Order, Specify:

1) Product number.
2) Wood finish color (Group A only).

Benching — Panel Accessories

Full Height Trim and Corner Connectors

VZCE-2900



VZCL-2900



VZCT-2900



VZCX-2900

Height	Number	Aluminum Price A	Price B	Wood Group A	Wood Group B
End of Run					
29″(737mm)	VZCE-2900-A ■	$159.61	$172.49		
	VZCE-2900-W			$377.35	$404.77

Feature
- Includes full profile aluminum end-of-run cover, attachment hardware and alignment tab.

2-Way Intersection					
29″(737mm)	VZCL-2900-A ■	$357.35	$395.42		
	VZCL-2900-W			$644.91	$724.41

Feature
- Includes full profile aluminum 2-way trim cover, corner top cap, attachment hardware, corner blocks, spacers and light blocks.

3-Way Intersection					
29″(737mm)	VZCT-2900-A ■	$336.99	$391.28		
	VZCT-2900-W			$654.51	$727.77

Feature
- Includes full profile aluminum 3-way trim cover, corner top cap, attachment hardware, corner blocks, spacers and light blocks.

3-Way Intersection					
29″(737mm)	VZCT-2900-WN			$600.77	$665.08

Feature
- Includes full profile aluminum 3-way trim cover, attachment hardware, corner blocks, spacers and light blocks.

4-Way Intersection					
29″(737mm)	VZCX-2900-A ■	$247.41	$248.75		
	VZCX-2900-W			$325.78	$350.39

Feature
- Includes full profile aluminum or wood corner top cap, attachment hardware, corner blocks, spacers and light blocks.

■ Available on RUSH.

Specification Tips
- Separately specified trim and corner connectors are required, exceptions to this guideline include:
  - –End-of-Run trim not required if using a Spanning Worksurface Support Panel – Benching.
  - –3-Way Intersection not required if using a Intersection Spanning Tile – Benching.
- The top corner block is not interchangeable in a standard Compose application.

To Order, Specify:
1) Product number.
2) Trim color or wood finish color for vertical cover, if applicable.
3) Trim color or wood finish color for top trim, if applicable.

3-Way Intersection — Spanning Blocks



VZCT

Height	Number	A	B
29″(737mm)	VZCT-2900-AB ■	$203.43	$223.77

Feature
- Includes attachment hardware, corner blocks, light blocks and spanning raceway pans.

■ Available on RUSH.

Specification Tips
- Required for use with the Intersection Spanning Tile only; specify a quantity of one for each Intersection Spanning Tile.
- Not for use with standard corner connections.

To Order, Specify:
1) Product number.
2) Trim color for pan.

Benching — Electrical and Cable Management — 3-Circuit

	Description	Feed Length	Number	Price
Base Feed Module — Hardwire Connection — *3-Circuit*	3-Circuit	4′(1219mm)	VZEB-0000-3 ■	**$305.77**



VZEB-0000-3

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible conduit with eight 12-gauge lead wires for up to three 20-amp circuits of power.
- For floor, column or wall hardwire connections to fixed power installations.
- Base feed module can be field modified to accommodate left or right conditions.
- Standard in charcoal trim color connector with black conduit cover only.
- 3-circuit base feed attaches at one of receptacle sites at the below worksurface or base raceway power location. This feed provides four feet of 1/2″(13mm) flexible conduit and eight 12-gauge wires.

■ Available on RUSH.

Specification Tips

- Not for use with tile to the floor in a powered base raceway application.
- **Not for use with power sources other than 120 volt 60 hertz.**
- In a benching application, base feed may be used at base raceway or below worksurface location; attaches to one of the four receptacles sites. Exception: on a 24″(610mm)-wide panel attaches to left-hand receptacle site, only in a powered base raceway application.
- **Base feed is an external mount; conduit will be exposed.**

To Order, Specify:

1) Product number.
(No finish specification required.)

Benching Base Feed Module — Concealed Hardwire Connection — *3 Circuit*	3-Circuit		VZEB-0000-YB ■	**$673.40**



VZEB-0000-YB

Features

- Includes one benching base feed.
- For floor, column or wall hardwire connections.
- Provides eight 12-gauge lead wires for up to three 20-amp circuits of power.
- 3-circuit concealed base feed provides junction box attachment to panel frame.
  - –24″(610mm)-60″(1524mm) panel width base feed attach to receptacle site on right side of powered base raceway or;
  - –Base feed attaches to right or left receptacle site of Below Worksurface Benching Power and Data Kit.
- **Not for use with power sources other than 120 volt 60 hertz.**
- Conforms to New York City electrical code.

■ Available on RUSH.

Specification Tips

- Not for use with 18″(457mm)-wide panels.
- Base feed is an internal mount; conduit may be routed to limit exposure.

To Order, Specify:

1) Product number.
(No finish specification required.)

Benching — Electrical and Cable Management — 3-Circuit

Below Worksurface Benching Power Kit — *3-Circuit*



VZEK

Panel Width	Number	Price
24″(610mm)	VZEK-2924-3 ■	**$262.20**
30″(762mm)	VZEK-2930-3 ■	**276.18**
36″(914mm)	VZEK-2936-3 ■	**290.16**
42″(1067mm)	VZEK-2942-3 ■	**304.14**
48″(1219mm)	VZEK-2948-3 ■	**318.12**
54″(1372mm)	VZEK-2954-3 ■	**332.10**
60″(1524mm)	VZEK-2960-3 ■	**346.08**

Features

- Provides power access at below worksurface height. Technology tiles or field ported tiles are required for power and/or data access; separately specified.
- 3-Circuit kit includes PDA, flexible power, and PDA mounting bracket.
- For use with separately specified matching width tile with technology option.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- 29″(737mm) panel frame does not require crossbar brackets for mounting power.
- Used on tile with technology option to upgrade panel to below worksurface power and data capability.
- Power can be routed horizontally at the below worksurface level when used with 29″(737mm)-high Benching panel frames.
- For vertical routing from base, separately specify vertical power harness.
- Vertical power harness occupies a right-hand flex connector location at below worksurface and base raceway locations.
- Requires separately specified 3-circuit Triplex Receptacles.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel technology tile.

Below Worksurface Benching Power Kit — Hardwire



VZEK-2900-C

24″(610mm)-60″(1524mm)	VZEK-2900-C ■	**$143.53**

Features

- Provides Power access below worksurface behind a tile with technology option specified or field ported tile.
- Hardwire kit includes two junction boxes and four blank plates (conduit field supplied).
- 24″(610mm) hardwire kit includes one junction box and two blank plates.
- For use with separately specified matching width tile with technology option.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- 29″(737mm) panel frame does not require crossbar brackets for mounting power.
- Used on tile with technology option to upgrade panel to below worksurface power and data capability.
- Specify bezels separately for field ported tiles.
- Power can be routed horizontally at the below worksurface level.
- For hardwire applications, conduit, fittings and receptacles are supplied by local electricians.

Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1)

Base Feed Module — Hardwire Connection — *4-Circuit (2+2 and 3+1)*



VZEB-0000-H2
VZEB-0000-H4

Description	Feed Length	Number	Price
2+2	4′(1219mm)	VZEB-0000-H2 ■	**$305.77**
3+1	4′(1219mm)	VZEB-0000-H4 ■	**305.77**

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible conduit with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For floor, column or wall hardwire connections.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Base feed module can be field modified to accommodate left or right hand conditions.
- 4-Circuit base feed attaches at one of receptacle sites at the Below Worksurface or base raceway power location. This feed provides four feet of 1/2″(13mm) flexible conduit and eight 12-gauge wires.
- Standard in charcoal trim only.

■ Available on RUSH.

Specification Tips

- Not for use with tile to the floor in a powered base raceway application.
- **Not for use with power sources other than 120 volt 60 hertz.**
- In a benching application base feed may be used at base raceway or below worksurface location; attaches to one of the four receptacles sites. Exception: on a 24″(610mm)-wide panel attaches to left-hand receptacle site, only in a base raceway application.
- **Base feed is an external mount; conduit will be exposed.**

To Order, Specify:

1) Product number.
(No finish specification required.)

Benching Base Feed Module — Concealed Hardwire Connection — *4-Circuit (2+2 and 3+1)*



VZEB-0000-YB2
VZEB-0000-YB4

2+2 Concealed 4-Circuit	VZEB-0000-YB2 ■	**$673.40**
3+1 Concealed 4-Circuit	VZEB-0000-YB4 ■	**673.40**

Features

- Includes one benching base feed.
- For floor, column or wall hardwire connections.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- 4-circuit concealed base feed provides junction box attachment to panel frame
  - –24″(610mm)-60″(1524mm)-panel width base feed attach to receptacle site on right side of powered base raceway or;
  - –Base feed attaches to right or left receptacle site of Below Worksurface Benching Power.
- **Not for use with power sources other than 120 volt 60 hertz.**
- Conforms to New York City electrical code.

■ Available on RUSH.

Specification Tips

- Not for use with 18″(457mm)-wide panels.
- Base feed is an internal mount; conduit may be routed to limit exposure.
- Do not mix 3-circuit and 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit = black, 2+2 = blue and 3+1 = green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1)

	Description	Panel Width	Number	Price
Below Worksurface Benching Power Kit — *4-Circuit*	2+2	24″(610mm)	VZEK-2924-2	**$262.20**
		30″(762mm)	VZEK-2930-2	**276.18**
		36″(914mm)	VZEK-2936-2	**290.16**
		42″(1067mm)	VZEK-2942-2	**304.14**
		48″(1219mm)	VZEK-2948-2	**318.12**
		54″(1372mm)	VZEK-2954-2	**332.10**
		60″(1524mm)	VZEK-2960-2	**346.08**
	3+1	24″(610mm)	VZEK-2924-4	**$262.20**
		30″(762mm)	VZEK-2930-4	**276.18**
		36″(914mm)	VZEK-2936-4	**290.16**
		42″(1067mm)	VZEK-2942-4	**304.14**
		48″(1219mm)	VZEK-2948-4	**318.12**
		54″(1372mm)	VZEK-2954-4	**332.10**
		60″(1524mm)	VZEK-2960-4	**346.08**



VZEK

Features

- Provides power access at below worksurface height. Technology tiles or field ported tiles are required for power and/or data access.
- 4-Circuit kit includes PDA, flexible power, and PDA mounting bracket.
- For use with matching width tile with technology option.

Specification Tips

- 29″(737mm) panel frame does not require crossbar brackets for mounting power.
- Used on tile with technology option to upgrade panel to below worksurface power and data capability.
- Power can be routed horizontally at the below worksurface level when used with 29″(737mm)-high Benching panel frames.
- For vertical routing from base, separately specify vertical power connector.
- Vertical power harness occupies a right hand flex connector location at below worksurface and base raceway locations.
- Requires separately specified 4-circuit Triplex Receptacles.
- Modular Furniture Telecommunications outlet (field supplied) mounts directly to bezel of technology tile.
- Do not mix 3-circuit and 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit = black, 2+2 = blue and 3+1 = green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

This page intentionally blank

Benching — Worksurfaces — Laminate

Rectangular





WURA-C

Features

- Includes 1 3/16″ thick Benching worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36″(914mm)-wide and wider are drilled for pedestals.

■ Available on RUSH.

Specification Tips

- 23″(584mm) and 29″(737mm) Benching worksurface depths are designed to allow for a 1″(25mm) space between the worksurface back edge and the panel; intended for cord drop.
- Benching worksurfaces are not for use with Compose Standard Cantilever Bracket (ZZBD-1600), Side/Corner Bracket (ZZBA-0000), Standard Link Cantilever, Pedestal-to-Panel Bracket, P-Leg, Standard Depth Worksurface Support Panels – 18″(457mm)-, 24″(610mm)- and 30″(762mm)-deep.
- Benching worksurfaces are not intended to align with Adaptable worksurfaces.
- Benching worksurfaces are designed for use with designated Benching supports option.
- Separately specified Benching worksurface support is required; support brackets designated for a Benching application include:
  - –Benching Cantilever Bracket
  - –Benching Clear Access/Shared Cantilever Bracket
  - –Benching Side/Corner Brackets
  - –Spanning Worksurface Support Panel – Benching
  - –Worksurface Support Panel – Benching
- Separately specified Adaptable worksurface support for a Benching application may include:
  - –Flush Mount Plate
  - –Double Support Leg
  - –Support Column
  - –Adjustable Height Disc Base
  - –Single Support Leg
  - –Support Post
  - –Countertop Bracket Kit (for use with a standard Compose countertop)
  - –Reinforcement Channel
- Adaptable worksurface planning guidelines apply – floor support is required every 10′ – maximum distance.
- Intermediate supports are required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

❶ Edge Option:

- **J** Edgeband
- **F** Knife

❷ Core Option:

- **S** Standard
- **G** Green, add **$109.26** list

2) Laminate surface color.

3) Edge trim color.

Benching — Worksurfaces — Laminate

	Nominal Depth	Width	Number ❶❷	Laminate A J	Laminate A F	Laminate B J	Laminate B F
Rectangular	23″(584mm)	24″(610mm)	WURA-2324-L C	$213.76	$ 315.22	$228.47	$ 329.93
		30″(762mm)	WURA-2330-L C	246.35	356.16	263.28	373.09
		36″(914mm)	WURA-2336-L C	279.47	399.30	298.62	418.45
		42″(1067mm)	WURA-2342-L C	312.59	442.44	333.96	463.81
		48″(1219mm)	WURA-2348-L C	379.32	519.19	402.91	542.78
		54″(1372mm)	WURA-2354-L C	412.44	562.33	438.25	588.14
		60″(1524mm)	WURA-2360-L C	445.56	605.47	473.59	633.50
		66″(1676mm)	WURA-2366-L C	478.68	648.61	508.93	678.86
		72″(1829mm)	WURA-2372-L C	511.80	691.75	544.27	724.22
		78″(1981mm)	WURA-2378-L C	544.92	734.89	579.61	769.58
		84″(2134mm)	WURA-2384-L C	578.04	778.03	614.95	814.94
		90″(2286mm)	WURA-2390-L C	611.16	821.17	650.29	860.30
		96″(2438mm)	WURA-2396-L C	644.28	864.31	685.63	905.66
		102″(2591mm)	WURA-23A2-L C	677.40	907.45	720.97	951.02
		108″(2743mm)	WURA-23A8-L C	710.52	950.59	756.31	996.38
		114″(2896mm)	WURA-23B4-L C	743.64	993.73	791.65	1041.74
		120″(3048mm)	WURA-23C0-L C	776.76	1036.87	826.99	1087.10
	29″(737mm)	24″(610mm)	WURA-2924-L C	$271.53	$ 409.75	$286.24	$ 424.46
		30″(762mm)	WURA-2930-L C	307.24	453.81	324.17	470.74
		36″(914mm)	WURA-2936-L C	343.48	500.07	362.63	519.22
		42″(1067mm)	WURA-2942-L C	379.72	546.33	401.09	567.70
		48″(1219mm)	WURA-2948-L C	449.57	626.20	473.16	649.79
		54″(1372mm)	WURA-2954-L C	485.81	672.46	511.62	698.27
		60″(1524mm)	WURA-2960-L C	522.05	718.72	550.08	746.75
		66″(1676mm)	WURA-2966-L C	558.29	764.98	588.54	795.23
		72″(1829mm)	WURA-2972-L C	594.53	811.24	627.00	843.71
		78″(1981mm)	WURA-2978-L C	630.77	857.50	665.46	892.19
		84″(2134mm)	WURA-2984-L C	667.01	903.76	703.92	940.67
		90″(2286mm)	WURA-2990-L C	703.25	950.02	742.38	989.15
		96″(2438mm)	WURA-2996-L C	739.49	996.28	780.84	1037.63
		102″(2591mm)	WURA-29A2-L C	775.73	1042.54	819.30	1086.11
		108″(2743mm)	WURA-29A8-L C	811.97	1088.80	857.76	1134.59
		114″(2896mm)	WURA-29B4-L C	848.21	1135.06	896.22	1183.07
		120″(3048mm)	WURA-29C0-L C	884.45	1181.32	934.68	1231.55

Benching — Worksurfaces — Wood

Rectangular



WURA-WC

Features

- Includes 1 3/16″ Benching wood veneer worksurface and tie plate.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36″(914mm)-wide and wider are drilled for pedestals.

Specification Tips

- 23″(584mm) and 29″(737mm) Benching worksurface depths are designed to allow for a 1″(25mm) space between the worksurface back edge and the panel; intended for cord drop.
- Benching worksurfaces are not for use with Compose Standard Cantilever Bracket (ZZBD-1600), Side/Corner Bracket (ZZBA-0000), Standard Link Cantilever, Pedestal-to-Panel Bracket, P-Leg, Standard Depth Worksurface Support Panels – 18″(457mm)-, 24″(610mm)- and 30″(762mm)-deep.
- Benching worksurfaces are not intended to align with Adaptable worksurfaces.
- Benching worksurfaces are designed for use with designated Benching supports option.
- Separately specified Benching worksurface support is required; support brackets designated for a Benching application include:
  - –Benching Cantilever Bracket
  - –Benching Clear Access/Shared Cantilever Bracket
  - –Benching Side/Corner Brackets
  - –Spanning Worksurface Support Panel – Benching
  - –Worksurface Support Panel – Benching
- Separately specified Adaptable worksurface support for a Benching application may include:
  - –Flush Mount Plate
  - –Double Support Leg
  - –Support Column
  - –Adjustable Height Disc Base
  - –Single Support Leg
  - –Support Post
  - –Countertop Bracket Kit (for use with a standard Compose countertop)
  - –Reinforcement Channel
- Adaptable worksurface planning guidelines apply – floor support is required every 10′ – maximum distance.
- Intermediate supports are required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

❶ Edge Option:

- **K** Edgeband
- **U** Knife

❷ Core Option:

- **S** Standard
- **G** Green, add **$109.26** list

2) Wood finish color.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Benching — Worksurfaces — Wood

	Nominal Depth	Width	Number ❶❷	Wood Group A K	Wood Group A U	Wood Group B K	Wood Group B U
Rectangular	23″(584mm)	24″(610mm)	WURA-2324-W C	$ 439.06	$ 594.31	$ 465.32	$ 620.57
		30″(762mm)	WURA-2330-W C	505.24	675.19	534.68	704.63
		36″(914mm)	WURA-2336-W C	571.42	759.01	604.04	791.63
		42″(1067mm)	WURA-2342-W C	637.60	842.83	673.40	878.63
		48″(1219mm)	WURA-2348-W C	772.06	994.93	811.04	1033.91
		54″(1372mm)	WURA-2354-W C	838.24	1078.75	880.40	1120.91
		60″(1524mm)	WURA-2360-W C	904.42	1162.57	949.76	1207.91
		66″(1676mm)	WURA-2366-W C	970.60	1246.39	1019.12	1294.91
		72″(1829mm)	WURA-2372-W C	1036.78	1330.21	1088.48	1381.91
		78″(1981mm)	WURA-2378-W C	1102.96	1414.03	1157.84	1468.91
		84″(2134mm)	WURA-2384-W C	1169.14	1497.85	1227.20	1555.91
		90″(2286mm)	WURA-2390-W C	1235.32	1581.67	1296.56	1642.91
		96″(2438mm)	WURA-2396-W C	1301.50	1665.49	1365.92	1729.91
		102″(2591mm)	WURA-23A2-W C	1367.68	1749.31	1435.28	1816.91
		108″(2743mm)	WURA-23A8-W C	1433.86	1833.13	1504.64	1903.91
		114″(2896mm)	WURA-23B4-W C	1500.04	1916.95	1574.00	1990.91
		120″(3048mm)	WURA-23C0-W C	1566.22	2000.77	1643.36	2077.91
	29″(737mm)	24″(610mm)	WURA-2924-W C	$ 633.39	$ 846.41	$ 659.65	$ 872.67
		30″(762mm)	WURA-2930-W C	705.87	933.59	735.31	963.03
		36″(914mm)	WURA-2936-W C	778.35	1023.71	810.97	1056.33
		42″(1067mm)	WURA-2942-W C	850.83	1113.83	886.63	1149.63
		48″(1219mm)	WURA-2948-W C	991.59	1272.23	1030.57	1311.21
		54″(1372mm)	WURA-2954-W C	1064.07	1362.35	1106.23	1404.51
		60″(1524mm)	WURA-2960-W C	1136.55	1452.47	1181.89	1497.81
		66″(1676mm)	WURA-2966-W C	1209.03	1542.59	1257.55	1591.11
		72″(1829mm)	WURA-2972-W C	1281.51	1632.71	1333.21	1684.41
		78″(1981mm)	WURA-2978-W C	1353.99	1722.83	1408.87	1777.71
		84″(2134mm)	WURA-2984-W C	1426.47	1812.95	1484.53	1871.01
		90″(2286mm)	WURA-2990-W C	1498.95	1903.07	1560.19	1964.31
		96″(2438mm)	WURA-2996-W C	1571.43	1993.19	1635.85	2057.61
		102″(2591mm)	WURA-29A2-W C	1643.91	2083.31	1711.51	2150.91
		108″(2743mm)	WURA-29A8-W C	1716.39	2173.43	1787.17	2244.21
		114″(2896mm)	WURA-29B4-W C	1788.87	2263.55	1862.83	2337.51
		120″(3048mm)	WURA-29C0-W C	1861.35	2353.67	1938.49	2430.81

Benching — Worksurface Supports

Benching Cantilever Bracket



ZZBD-1500-PR
ZZBD-1500-PL

Description	Height	Depth	Number ❶	Price P	Price A C	Price B C
Right-hand	9″(229mm)	15″(381mm)	ZZBD-1500- R ■	$121.27	$138.95	$141.03
Left-hand			ZZBD-1500- L ■	121.27	138.95	141.03

Features

- Includes one right- or left-handed Benching Cantilever Bracket and mounting screws.
- Provides cantilever support for the left or right side of Benching worksurface.
- Cantilever bracket can be used on either a 23″(584mm)- or 29″(737mm)-deep Benching worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- Standard in charcoal finish only.

■ Available on RUSH.

Specification Tips

- For use with 23″(584mm)- or 29″(737mm)-deep Benching worksurfaces; not intended for use with Adaptable worksurfaces.
- In an In-Line condition a right-hand and a left-hand Benching Cantilever Bracket may be installed in a side-by-side condition between worksurfaces.

To Order, Specify:

1) Product number.

❶ **Finish Option:**

- **P** No finish
- **C** Trim colors

Benching Clear Access/Shared Cantilever Bracket



ZZBD-0060-PN

Height	Depth	Number	Price
9″(229mm)	6″(152mm)	ZZBD-0600-PN ■	$186.63

Features

- Includes one non-handed Benching Clear Access/Shared Cantilever Bracket and mounting screws.
- Provides cantilever support between Benching worksurfaces in a shared condition or as a mid-span support.
- Cantilever bracket can be used on either a 23″(584mm)- or 29″(737mm)-deep Benching worksurface.
- Mounts Benching worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- Provides clear access leg swing when supporting 23″(584mm)- and 29″(737mm)-deep Benching worksurfaces at standard 29″(737mm) height.
- Standard in charcoal finish only.

■ Available on RUSH.

Specification Tips

- For use with 23″(584mm)- or 29″(737mm)-deep Benching worksurfaces not intended for use with Adaptable worksurfaces.
- Provides greater knee space and storage clearance than the Benching Cantilever Bracket.

To Order, Specify:

1) Product number.
(No finish specification required.)

Benching — Worksurface Supports

Height	Depth	Laminate Number ❶	Laminate A	B	Wood Number ❷	Wood Group A	Group B
29″(737mm)	51″(1295mm)	ZZFS-5100-LNE	**$1073.91**	**$1085.49**	ZZFS-5100-WNE	**$2494.66**	**$2565.30**
	63″(1600mm)	ZZFS-6300-LNE	**1118.91**	**1127.13**	ZZFS-6300-WNE	**2552.62**	**2630.82**

Spanning Worksurface Support Panel — Benching



ZZFS

51″-Deep:

- Wood Grain Laminate
- Double Cut Veneer (Wood Group I)
- Natural Veneer (Wood Group II)

63″-Deep:

- Double Cut Veneer (Wood Group I)
- Natural Veneer (Wood Grain Group II)

- Wood Grain Laminate

Features

- Includes 2″(51mm)-thick Benching Spanning Worksurface Support Panel with glides and mounting hardware.
- Use in place of two return panels in a 3-Way panel intersection; spans two same depth Benching worksurfaces and 3″(76mm) panel spine.
- Provides full support for Benching worksurfaces.
- Laminate or wood surfaces have 3mm radiused user edge; provides soft access to knee space.
- Adjustable glides provide a maximum of 2 1/2″(63mm) of height adjustment.

Specification Tips

- For use with 23″(584mm)- or 29″(737mm)-deep Benching worksurfaces; not intended for use with Adaptable worksurfaces.
- Specify spanning worksurface support panel to match Benching worksurface edge option.
- Mounts proud to side edge of Benching worksurfaces; will add 2″(51mm) to overall length of panel spine per each location.
- 51″-wide Spanning worksurface support panel spans 2-23″-deep Benching worksurfaces and 3″(76mm) panel spine.
- 63″-wide Spanning worksurface support panel spans 2-29″-deep Benching worksurfaces and 3″(76mm) panel spine.
- 51″-deep will have a vertical grain direction for wood/wood grain laminate.
- 63″-deep will have a vertical grain direction for Double Cut and Natural Veneer; and a horizontal grain direction for wood grain laminate.

To Order, Specify:

Laminate

1) Product number including worksurface edge option.

❶ Edge Options:

- **J** Edgeband
- **F** Knife

2) Laminate surface color.

3) Edge trim color.

Wood

1) Product number including worksurface edge option.

❷ Edge Options:

- **K** Wood Edgeband
- **U** Knife

2) Wood finish color.

Height	Depth	Laminate Number ❶	Laminate A	B	Wood Number ❷	Wood Group A	Group B
27 1/2″(699mm)	17″(432mm)	ZZFS-1700-LNE	**$501.86**	**$522.96**	ZZFS-1700-WNE	**$716.14**	**$765.36**
	23″(584mm)	ZZFS-2300-LNE	**524.36**	**543.78**	ZZFS-2300-WNE	**745.12**	**798.12**
	29″(737mm)	ZZFS-2900-LNE	**546.86**	**564.60**	ZZFS-2900-WNE	**774.10**	**830.88**

Worksurface Support Panel — Benching



ZZFS

Edgeband

Knife

All Depths:

- Wood Grain Laminate
- Double Cut Veneer (Wood Group I)
- Natural Veneer (Wood Group II)

Features

- Includes 1 1/2″(38mm) thick Benching worksurface support panel with glides and mounting hardware.
- Installs in Benching panel frame component slots and attaches under the end of a Benching worksurface.
- Provides full support for one end of equal depth Benching worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Laminate or wood surfaces have 3mm radiused user edge; provides soft access to knee space.
- Adjustable glides provide a maximum of 2 1/2″(63mm) of height adjustment.

Specification Tips

- For use with 23″(584mm)- or 29″(737mm)-deep Benching worksurfaces; not intended for use with Adaptable worksurfaces.
- Specify Benching worksurface support panel to match Benching worksurface edge option.
- All depths will have vertical grain direction.

To Order, Specify:

Laminate

1) Product number including worksurface edge option.

❶ Edge Options:

- **J** Edgeband
- **F** Knife

2) Laminate surface color.

3) Edge trim color.

Wood

1) Product number including worksurface edge option.

❷ Edge Options:

- **K** Wood Edgeband
- **U** Knife

2) Wood finish color.

Adaptable Worksurfaces — Laminate

Rectangular







WURA

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36″(914mm) wide and above are drilled for pedestals.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support panel
  - –Support post or support column
  - –Attached lower storage
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	24″(610mm)	WURA-1824-L	$182.37	$187.50	$223.53	$253.99	$ 283.70	$197.08	$202.21	$238.24	$268.70	$ 298.41
	27″(686mm)	WURA-1827-L	196.65	201.94	239.81	270.27	301.48	212.47	217.76	255.63	286.09	317.30
	30″(762mm)	WURA-1830-L	211.38	216.91	257.54	288.00	321.46	228.31	233.84	274.47	304.93	338.39
	33″(838mm)	WURA-1833-L	226.11	231.88	275.27	305.73	341.44	244.15	249.92	293.31	323.77	359.48
	36″(914mm)	WURA-1836-L	240.84	246.85	293.00	323.46	361.42	259.99	266.00	312.15	342.61	380.57
	39″(991mm)	WURA-1839-L	255.57	261.82	310.73	341.19	381.40	275.83	282.08	330.99	361.45	401.66
	42″(1067mm)	WURA-1842-L	270.30	276.79	328.46	358.92	401.38	291.67	298.16	349.83	380.29	422.75
	45″(1143mm)	WURA-1845-L	285.03	291.76	346.19	376.65	421.36	307.51	314.24	368.67	399.13	443.84
	48″(1219mm)	WURA-1848-L	333.37	340.34	397.53	427.99	474.95	356.96	363.93	421.12	451.58	498.54
	51″(1295mm)	WURA-1851-L	348.10	355.31	415.26	445.72	494.93	372.80	380.01	439.96	470.42	519.63
	54″(1372mm)	WURA-1854-L	362.83	370.28	432.99	463.45	514.91	388.64	396.09	458.80	489.26	540.72
	57″(1448mm)	WURA-1857-L	377.56	385.25	450.72	481.18	534.89	404.48	412.17	477.64	508.10	561.81
	60″(1524mm)	WURA-1860-L	392.29	400.22	468.45	498.91	554.87	420.32	428.25	496.48	526.94	582.90
	63″(1600mm)	WURA-1863-L	407.02	415.19	486.18	516.64	574.85	436.16	444.33	515.32	545.78	603.99
	66″(1676mm)	WURA-1866-L	421.75	430.16	503.91	534.37	594.83	452.00	460.41	534.16	564.62	625.08
	69″(1753mm)	WURA-1869-L	436.48	445.13	521.64	552.10	614.81	467.84	476.49	553.00	583.46	646.17
	72″(1829mm)	WURA-1872-L	451.21	460.10	539.37	569.83	634.79	483.68	492.57	571.84	602.30	667.26
	75″(1905mm)	WURA-1875-L	465.94	475.07	557.10	587.56	654.77	499.52	508.65	590.68	621.14	688.35
	78″(1981mm)	WURA-1878-L	480.67	490.04	574.83	605.29	674.75	515.36	524.73	609.52	639.98	709.44
	81″(2057mm)	WURA-1881-L	495.40	505.01	592.56	623.02	694.73	531.20	540.81	628.36	658.82	730.53
	84″(2134mm)	WURA-1884-L	510.13	519.98	610.29	640.75	714.71	547.04	556.89	647.20	677.66	751.62
	87″(2210mm)	WURA-1887-L	524.86	534.95	628.02	658.48	734.69	562.88	572.97	666.04	696.50	772.71
	90″(2286mm)	WURA-1890-L	539.59	549.92	645.75	676.21	754.67	578.72	589.05	684.88	715.34	793.80
	93″(2362mm)	WURA-1893-L	554.32	564.89	663.48	693.94	774.65	594.56	605.13	703.72	734.18	814.89
	96″(2438mm)	WURA-1896-L	569.05	579.86	681.21	711.67	794.63	610.40	621.21	722.56	753.02	835.98
	99″(2515mm)	WURA-1899-L	583.78	594.83	698.94	729.40	814.61	626.24	637.29	741.40	771.86	857.07
	102″(2591mm)	WURA-18A2-L	598.51	609.80	716.67	747.13	834.59	642.08	653.37	760.24	790.70	878.16
	105″(2667mm)	WURA-18A5-L	613.24	624.77	734.40	764.86	854.57	657.92	669.45	779.08	809.54	899.25
	108″(2743mm)	WURA-18A8-L	627.97	639.74	752.13	782.59	874.55	673.76	685.53	797.92	828.38	920.34
	111″(2819mm)	WURA-18B1-L	642.70	654.71	769.86	800.32	894.53	689.60	701.61	816.76	847.22	941.43
	114″(2890mm)	WURA-18B4-L	657.43	669.68	787.59	818.05	914.51	705.44	717.69	835.60	866.06	962.52
	117″(2972mm)	WURA-18B7-L	672.16	684.65	805.32	835.78	934.49	721.28	733.77	854.44	884.90	983.61
	120″(3048mm)	WURA-18C0-L	686.89	699.62	823.05	853.51	954.47	737.12	749.85	873.28	903.74	1004.70
24″(610mm)	24″(610mm)	WURA-2424-L	$205.40	$213.76	$252.64	$283.10	$ 315.22	$220.11	$228.47	$267.35	$297.81	$ 329.93
	27″(686mm)	WURA-2427-L	221.27	229.79	270.51	300.97	334.59	237.09	245.61	286.33	316.79	350.41
	30″(762mm)	WURA-2430-L	237.59	246.35	289.83	320.29	356.16	254.52	263.28	306.76	337.22	373.09
	33″(838mm)	WURA-2433-L	253.91	262.91	309.15	339.61	377.73	271.95	280.95	327.19	357.65	395.77
	36″(914mm)	WURA-2436-L	270.23	279.47	328.47	358.93	399.30	289.38	298.62	347.62	378.08	418.45
	39″(991mm)	WURA-2439-L	286.55	296.03	347.79	378.25	420.87	306.81	316.29	368.05	398.51	441.13
	42″(1067mm)	WURA-2442-L	302.87	312.59	367.11	397.57	442.44	324.24	333.96	388.48	418.94	463.81
	45″(1143mm)	WURA-2445-L	319.19	329.15	386.43	416.89	464.01	341.67	351.63	408.91	439.37	486.49
	48″(1219mm)	WURA-2448-L	369.12	379.32	439.36	469.82	519.19	392.71	402.91	462.95	493.41	542.78
	51″(1295mm)	WURA-2451-L	385.44	395.88	458.68	489.14	540.76	410.14	420.58	483.38	513.84	565.46
	54″(1372mm)	WURA-2454-L	401.76	412.44	478.00	508.46	562.33	427.57	438.25	503.81	534.27	588.14
	57″(1448mm)	WURA-2457-L	418.08	429.00	497.32	527.78	583.90	445.00	455.92	524.24	554.70	610.82
	60″(1524mm)	WURA-2460-L	434.40	445.56	516.64	547.10	605.47	462.43	473.59	544.67	575.13	633.50
	63″(1600mm)	WURA-2463-L	450.72	462.12	535.96	566.42	627.04	479.86	491.26	565.10	595.56	656.18
	66″(1676mm)	WURA-2466-L	467.04	478.68	555.28	585.74	648.61	497.29	508.93	585.53	615.99	678.86
	69″(1753mm)	WURA-2469-L	483.36	495.24	574.60	605.06	670.18	514.72	526.60	605.96	636.42	701.54
	72″(1829mm)	WURA-2472-L	499.68	511.80	593.92	624.38	691.75	532.15	544.27	626.39	656.85	724.22
	75″(1905mm)	WURA-2475-L	516.00	528.36	613.24	643.70	713.32	549.58	561.94	646.82	677.28	746.90
	78″(1981mm)	WURA-2478-L	532.32	544.92	632.56	663.02	734.89	567.01	579.61	667.25	697.71	769.58
	81″(2057mm)	WURA-2481-L	548.64	561.48	651.88	682.34	756.46	584.44	597.28	687.68	718.14	792.26
	84″(2134mm)	WURA-2484-L	564.96	578.04	671.20	701.66	778.03	601.87	614.95	708.11	738.57	814.94
	87″(2210mm)	WURA-2487-L	581.28	594.60	690.52	720.98	799.60	619.30	632.62	728.54	759.00	837.62
	90″(2286mm)	WURA-2490-L	597.60	611.16	709.84	740.30	821.17	636.73	650.29	748.97	779.43	860.30
	93″(2362mm)	WURA-2493-L	613.92	627.72	729.16	759.62	842.74	654.16	667.96	769.40	799.86	882.98
	96″(2438mm)	WURA-2496-L	630.24	644.28	748.48	778.94	864.31	671.59	685.63	789.83	820.29	905.66
	99″(2515mm)	WURA-2499-L	646.56	660.84	767.80	798.26	885.88	689.02	703.30	810.26	840.72	928.34
	102″(2591mm)	WURA-24A2-L	662.88	677.40	787.12	817.58	907.45	706.45	720.97	830.69	861.15	951.02
	105″(2667mm)	WURA-24A5-L	679.20	693.96	806.44	836.90	929.02	723.88	738.64	851.12	881.58	973.70
	108″(2743mm)	WURA-24A8-L	695.52	710.52	825.76	856.22	950.59	741.31	756.31	871.55	902.01	996.38
	111″(2819mm)	WURA-24B1-L	711.84	727.08	845.08	875.54	972.16	758.74	773.98	891.98	922.44	1019.06
	114″(2890mm)	WURA-24B4-L	728.16	743.64	864.40	894.86	993.73	776.17	791.65	912.41	942.87	1041.74
	117″(2972mm)	WURA-24B7-L	744.48	760.20	883.72	914.18	1015.30	793.60	809.32	932.84	963.30	1064.42
	120″(3048mm)	WURA-24C0-L	760.80	776.76	903.04	933.50	1036.87	811.03	826.99	953.27	983.73	1087.10

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
30″(762mm)	24″(610mm)	WURA-3024-L	$262.97	$271.53	$ 327.49	$ 357.95	$ 409.75	$277.68	$286.24	$ 342.20	$ 372.66	$ 424.46
	27″(686mm)	WURA-3027-L	280.40	289.12	346.92	377.38	430.68	296.22	304.94	362.74	393.20	446.50
	30″(762mm)	WURA-3030-L	298.28	307.24	367.80	398.26	453.81	315.21	324.17	384.73	415.19	470.74
	33″(838mm)	WURA-3033-L	316.16	325.36	388.68	419.14	476.94	334.20	343.40	406.72	437.18	494.98
	36″(914mm)	WURA-3036-L	334.04	343.48	409.56	440.02	500.07	353.19	362.63	428.71	459.17	519.22
	39″(991mm)	WURA-3039-L	351.92	361.60	430.44	460.90	523.20	372.18	381.86	450.70	481.16	543.46
	42″(1067mm)	WURA-3042-L	369.80	379.72	451.32	481.78	546.33	391.17	401.09	472.69	503.15	567.70
	45″(1143mm)	WURA-3045-L	387.68	397.84	472.20	502.66	569.46	410.16	420.32	494.68	525.14	591.94
	48″(1219mm)	WURA-3048-L	439.17	449.57	526.69	557.15	626.20	462.76	473.16	550.28	580.74	649.79
	51″(1295mm)	WURA-3051-L	457.05	467.69	547.57	578.03	649.33	481.75	492.39	572.27	602.73	674.03
	54″(1372mm)	WURA-3054-L	474.93	485.81	568.45	598.91	672.46	500.74	511.62	594.26	624.72	698.27
	57″(1448mm)	WURA-3057-L	492.81	503.93	589.33	619.79	695.59	519.73	530.85	616.25	646.71	722.51
	60″(1524mm)	WURA-3060-L	510.69	522.05	610.21	640.67	718.72	538.72	550.08	638.24	668.70	746.75
	63″(1600mm)	WURA-3063-L	528.57	540.17	631.09	661.55	741.85	557.71	569.31	660.23	690.69	770.99
	66″(1676mm)	WURA-3066-L	546.45	558.29	651.97	682.43	764.98	576.70	588.54	682.22	712.68	795.23
	69″(1753mm)	WURA-3069-L	564.33	576.41	672.85	703.31	788.11	595.69	607.77	704.21	734.67	819.47
	72″(1829mm)	WURA-3072-L	582.21	594.53	693.73	724.19	811.24	614.68	627.00	726.20	756.66	843.71
	75″(1905mm)	WURA-3075-L	600.09	612.65	714.61	745.07	834.37	633.67	646.23	748.19	778.65	867.95
	78″(1981mm)	WURA-3078-L	617.97	630.77	735.49	765.95	857.50	652.66	665.46	770.18	800.64	892.19
	81″(2057mm)	WURA-3081-L	635.85	648.89	756.37	786.83	880.63	671.65	684.69	792.17	822.63	916.43
	84″(2134mm)	WURA-3084-L	653.73	667.01	777.25	807.71	903.76	690.64	703.92	814.16	844.62	940.67
	87″(2210mm)	WURA-3087-L	671.61	685.13	798.13	828.59	926.89	709.63	723.15	836.15	866.61	964.91
	90″(2286mm)	WURA-3090-L	689.49	703.25	819.01	849.47	950.02	728.62	742.38	858.14	888.60	989.15
	93″(2362mm)	WURA-3093-L	707.37	721.37	839.89	870.35	973.15	747.61	761.61	880.13	910.59	1013.39
	96″(2438mm)	WURA-3096-L	725.25	739.49	860.77	891.23	996.28	766.60	780.84	902.12	932.58	1037.63
	99″(2515mm)	WURA-3099-L	743.13	757.61	881.65	912.11	1019.41	785.59	800.07	924.11	954.57	1061.87
	102″(2591mm)	WURA-30A2-L	761.01	775.73	902.53	932.99	1042.54	804.58	819.30	946.10	976.56	1086.11
	105″(2667mm)	WURA-30A5-L	778.89	793.85	923.41	953.87	1065.67	823.57	838.53	968.09	998.55	1110.35
	108″(2743mm)	WURA-30A8-L	796.77	811.97	944.29	974.75	1088.80	842.56	857.76	990.08	1020.54	1134.59
	111″(2819mm)	WURA-30B1-L	814.65	830.09	965.17	995.63	1111.93	861.55	876.99	1012.07	1042.53	1158.83
	114″(2890mm)	WURA-30B4-L	832.53	848.21	986.05	1016.51	1135.06	880.54	896.22	1034.06	1064.52	1183.07
	117″(2972mm)	WURA-30B7-L	850.41	866.33	1006.93	1037.39	1158.19	899.53	915.45	1056.05	1086.51	1207.31
	120″(3048mm)	WURA-30C0-L	868.29	884.45	1027.81	1058.27	1181.32	918.52	934.68	1078.04	1108.50	1231.55

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Key

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
30″(762mm)	36″(914mm)	WURY-3036-L ■	$591.63	$592.99	$698.38	$729.14	$ 814.70	$635.12	$636.48	$741.87	$ 772.63	$ 858.19
	48″(1219mm)	WURY-3048-L ■	625.22	630.34	735.97	766.73	865.21	671.24	676.36	781.99	812.75	911.23
36″(914mm)	48″(1219mm)	WURY-3648-L ■	$660.48	$668.95	$777.89	$808.65	$ 916.02	$709.26	$717.73	$826.67	$ 857.43	$ 964.80
	60″(1524mm)	WURY-3660-L ■	694.07	706.30	815.48	846.24	966.53	745.38	757.61	866.79	897.55	1017.84
	72″(1829mm)	WURY-3672-L ■	727.66	743.65	853.07	883.83	1017.04	781.50	797.49	906.91	937.67	1070.88
42″(1067mm)	60″(1524mm)	WURY-4260-L ■	$729.33	$744.91	$857.40	$888.16	$1017.34	$783.40	$798.98	$911.47	$ 942.23	$1071.41
	72″(1829mm)	WURY-4272-L ■	762.92	782.26	894.99	925.75	1067.85	819.52	838.86	951.59	982.35	1124.45
48″(1219mm)	60″(1524mm)	WURY-4860-L ■	$764.59	$783.52	$899.32	$930.08	$1068.15	$821.42	$840.35	$956.15	$ 986.91	$1124.98
	72″(1829mm)	WURY-4872-L ■	798.18	820.87	936.91	967.67	1118.66	857.54	880.23	996.27	1027.03	1178.02





WURY

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) wide worksurfaces have two wireways when 'A' option ordered.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Flush mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- **Support post or height adjustment disc base is required.**

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-L ■	$262.62	$266.76	$315.03	$345.19	$386.98	$281.34	$285.48	$333.75	$363.91	$405.70
		30″(762mm)	WURS-1830-L ■	289.68	294.32	346.74	376.90	422.84	310.38	315.02	367.44	397.60	443.54
		36″(914mm)	WURS-1836-L ■	317.16	322.40	379.80	409.96	460.88	339.84	345.08	402.48	432.64	483.56
		42″(1067mm)	WURS-1842-L ■	344.64	350.48	412.86	443.02	498.92	369.30	375.14	437.52	467.68	523.58
		48″(1219mm)	WURS-1848-L ■	372.12	378.56	445.92	476.08	536.96	398.76	405.20	472.56	502.72	563.60
		54″(1372mm)	WURS-1854-L ■	399.60	406.64	478.98	509.14	575.00	428.22	435.26	507.60	537.76	603.62
		60″(1524mm)	WURS-1860-L ■	427.08	434.72	512.04	542.20	613.04	457.68	465.32	542.64	572.80	643.64
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-L ■	$271.74	$276.12	$325.64	$355.80	$400.50	$290.46	$294.84	$344.36	$374.52	$419.22
		30″(762mm)	WURS-2430-L ■	298.80	303.68	357.35	387.51	436.36	319.50	324.38	378.05	408.21	457.06
		36″(914mm)	WURS-2436-L ■	326.28	331.76	390.41	420.57	474.40	348.96	354.44	413.09	443.25	497.08
		42″(1067mm)	WURS-2442-L ■	353.76	359.84	423.47	453.63	512.44	378.42	384.50	448.13	478.29	537.10
		48″(1219mm)	WURS-2448-L ■	381.24	387.92	456.53	486.69	550.48	407.88	414.56	483.17	513.33	577.12
		54″(1372mm)	WURS-2454-L ■	408.72	416.00	489.59	519.75	588.52	437.34	444.62	518.21	548.37	617.14
		60″(1524mm)	WURS-2460-L ■	436.20	444.08	522.65	552.81	626.56	466.80	474.68	553.25	583.41	657.16
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-L ■	$357.24	$361.40	$425.26	$455.42	$512.82	$375.96	$380.12	$443.98	$474.14	$531.54
		30″(762mm)	WURS-3030-L ■	384.30	388.96	456.97	487.13	548.68	405.00	409.66	477.67	507.83	569.38
		36″(914mm)	WURS-3036-L ■	411.78	417.04	490.03	520.19	586.72	434.46	439.72	512.71	542.87	609.40
		42″(1067mm)	WURS-3042-L ■	439.26	445.12	523.09	553.25	624.76	463.92	469.78	547.75	577.91	649.42
		48″(1219mm)	WURS-3048-L ■	466.74	473.20	556.15	586.31	662.80	493.38	499.84	582.79	612.95	689.44
		54″(1372mm)	WURS-3054-L ■	494.22	501.28	589.21	619.37	700.84	522.84	529.90	617.83	647.99	729.46
		60″(1524mm)	WURS-3060-L ■	521.70	529.36	622.27	652.43	738.88	552.30	559.96	652.87	683.03	769.48



WURS

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-L	$262.62	$266.76	$315.11	$345.27	$386.98	$281.34	$285.48	$333.83	$363.99	$405.70
		30″(762mm)	WURW-1830-L	289.68	294.32	347.22	377.38	422.84	310.38	315.02	367.92	398.08	443.54
		36″(914mm)	WURW-1836-L	317.16	322.40	380.76	410.92	460.88	339.84	345.08	403.44	433.60	483.56
		42″(1067mm)	WURW-1842-L	344.64	350.48	414.30	444.46	498.92	369.30	375.14	438.96	469.12	523.58
		48″(1219mm)	WURW-1848-L	372.12	378.56	447.84	478.00	536.96	398.76	405.20	474.48	504.64	563.60
		54″(1372mm)	WURW-1854-L	399.60	406.64	481.38	511.54	575.00	428.22	435.26	510.00	540.16	603.62
		60″(1524mm)	WURW-1860-L	427.08	434.72	514.92	545.08	613.04	457.68	465.32	545.52	575.68	643.64
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-L	$271.74	$276.12	$324.72	$354.88	$400.50	$290.46	$294.84	$343.44	$373.60	$419.22
		30″(762mm)	WURW-2430-L	298.80	303.68	356.83	386.99	436.36	319.50	324.38	377.53	407.69	457.06
		36″(914mm)	WURW-2436-L	326.28	331.76	390.37	420.53	474.40	348.96	354.44	413.05	443.21	497.08
		42″(1067mm)	WURW-2442-L	353.76	359.84	423.91	454.07	512.44	378.42	384.50	448.57	478.73	537.10
		48″(1219mm)	WURW-2448-L	381.24	387.92	457.45	487.61	550.48	407.88	414.56	484.09	514.25	577.12
		54″(1372mm)	WURW-2454-L	408.72	416.00	490.99	521.15	588.52	437.34	444.62	519.61	549.77	617.14
		60″(1524mm)	WURW-2460-L	436.20	444.08	524.53	554.69	626.56	466.80	474.68	555.13	585.29	657.16
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-L	$357.24	$361.40	$425.45	$455.61	$512.82	$375.96	$380.12	$444.17	$474.33	$531.54
		30″(762mm)	WURW-3030-L	384.30	388.96	457.56	487.72	548.68	405.00	409.66	478.26	508.42	569.38
		36″(914mm)	WURW-3036-L	411.78	417.04	491.10	521.26	586.72	434.46	439.72	513.78	543.94	609.40
		42″(1067mm)	WURW-3042-L	439.26	445.12	524.64	554.80	624.76	463.92	469.78	549.30	579.46	649.42
		48″(1219mm)	WURW-3048-L	466.74	473.20	558.18	588.34	662.80	493.38	499.84	584.82	614.98	689.44
		54″(1372mm)	WURW-3054-L	494.22	501.28	591.72	621.88	700.84	522.84	529.90	620.34	650.50	729.46
		60″(1524mm)	WURW-3060-L	521.70	529.36	625.26	655.42	738.88	552.30	559.96	655.86	686.02	769.48



WURW

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support panel
  - –Worksurface support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/24″(610mm)	24″(610mm)	WURT-2424-L	N34 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N34 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N34 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N34 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N34 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N34 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N34 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/18″(457mm)	24″(610mm)	WURT-2424-L	N43 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N43 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N43 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N43 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N43 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N43 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N43 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/30″(762mm)	24″(610mm)	WURT-3024-L	N45 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N45 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N45 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N45 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N45 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N45 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N45 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86
30″(762mm)/24″(610mm)	24″(610mm)	WURT-3024-L	N54 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N54 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N54 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N54 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N54 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N54 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N54 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86



WURT-N43



WURT-N34

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support panel
  - –Worksurface support post or support column
  - –P-Leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm)-wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm)-wide, attached pedestal may be installed on deepest side.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

Wedge





WURE-N34



WURE-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Wedge

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-L	N43	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N43	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N43	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N43	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N43	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N43	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N43	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N43	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N43	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N43	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N43	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N43	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N43	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N43	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N43	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N43	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N43	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-L	N34	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N34	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N34	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N34	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N34	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N34	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N34	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N34	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N34	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N34	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N34	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N34	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N34	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N34	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N34	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N34	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N34	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-L	N54	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N54	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N54	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N54	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N54	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N54	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N54	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N54	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N54	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N54	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N54	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N54	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N54	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N54	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N54	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N54	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N54	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-L	N45	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N45	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N45	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N45	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N45	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N45	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N45	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N45	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N45	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N45	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N45	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N45	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N45	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N45	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N45	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N45	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N45	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93

Adaptable Worksurfaces — Laminate

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-L	N43 ■	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L	N43 ■	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L	N43 ■	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L	N43 ■	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L	N43 ■	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L	N43 ■	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L	N43 ■	544.00	551.46	764.26	567.70	575.16	787.96
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-L	N34 ■	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L	N34 ■	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L	N34 ■	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L	N34 ■	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L	N34 ■	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L	N34 ■	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L	N34 ■	544.00	551.46	764.26	567.70	575.16	787.96
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-L	N54 ■	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L	N54 ■	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L	N54 ■	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L	N54 ■	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L	N54 ■	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L	N54 ■	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L	N54 ■	548.18	557.27	775.13	572.19	581.28	799.14
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-L	N45 ■	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L	N45 ■	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L	N45 ■	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L	N45 ■	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L	N45 ■	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L	N45 ■	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L	N45 ■	548.18	557.27	775.13	572.19	581.28	799.14





WURG-N34

WURG-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support post or support column
  - –**P-Leg not recommended**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Radius End

Depth	Width	Number ❶❷❸❹	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	24″(610mm)	WURR-1824-L ■	$311.78	$311.48	$364.50	$394.66	$429.62	$330.50	$330.20	$383.22	$413.38	$448.34
	30″(762mm)	WURR-1830-L ■	348.30	347.80	405.72	435.88	474.24	369.42	368.92	426.84	457.00	495.36
	36″(914mm)	WURR-1836-L ■	385.38	384.64	448.44	478.60	521.04	408.90	408.16	471.96	502.12	544.56
	42″(1067mm)	WURR-1842-L ■	422.46	421.48	491.16	521.32	567.84	448.38	447.40	517.08	547.24	593.76
	48″(1219mm)	WURR-1848-L ■	459.54	458.32	533.88	564.04	614.64	487.86	486.64	562.20	592.36	642.96
	54″(1372mm)	WURR-1854-L ■	496.62	495.16	576.60	606.76	661.44	527.34	525.88	607.32	637.48	692.16
	60″(1524mm)	WURR-1860-L ■	533.70	532.00	619.32	649.48	708.24	566.82	565.12	652.44	682.60	741.36
24″(610mm)	24″(610mm)	WURR-2424-L ■	$319.76	$318.76	$372.20	$402.36	$438.98	$338.48	$337.48	$390.92	$421.08	$457.70
	30″(762mm)	WURR-2430-L ■	356.28	355.08	413.42	443.58	483.60	377.40	376.20	434.54	464.70	504.72
	36″(914mm)	WURR-2436-L ■	393.36	391.92	456.14	486.30	530.40	416.88	415.44	479.66	509.82	553.92
	42″(1067mm)	WURR-2442-L ■	430.44	428.76	498.86	529.02	577.20	456.36	454.68	524.78	554.94	603.12
	48″(1219mm)	WURR-2448-L ■	467.52	465.60	541.58	571.74	624.00	495.84	493.92	569.90	600.06	652.32
	54″(1372mm)	WURR-2454-L ■	504.60	502.44	584.30	614.46	670.80	535.32	533.16	615.02	645.18	701.52
	60″(1524mm)	WURR-2460-L ■	541.68	539.28	627.02	657.18	717.60	574.80	572.40	660.14	690.30	750.72
30″(762mm)	24″(610mm)	WURR-3024-L ■	$414.38	$416.52	$488.02	$518.18	$575.22	$433.10	$435.24	$506.74	$536.90	$593.94
	30″(762mm)	WURR-3030-L ■	450.90	452.84	529.24	559.40	619.84	472.02	473.96	550.36	580.52	640.96
	36″(914mm)	WURR-3036-L ■	487.98	489.68	571.96	602.12	666.64	511.50	513.20	595.48	625.64	690.16
	42″(1067mm)	WURR-3042-L ■	525.06	526.52	614.68	644.84	713.44	550.98	552.44	640.60	670.76	739.36
	48″(1219mm)	WURR-3048-L ■	562.14	563.36	657.40	687.56	760.24	590.46	591.68	685.72	715.88	788.56
	54″(1372mm)	WURR-3054-L ■	599.22	600.20	700.12	730.28	807.04	629.94	630.92	730.84	761.00	837.76
	60″(1524mm)	WURR-3060-L ■	636.30	637.04	742.84	773.00	853.84	669.42	670.16	775.96	806.12	886.96



(Right-hand orientation)

(Left-hand orientation)

WURR

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Separately specified floor support required on radius end:
  - –Side/corner bracket with worksurface support leg or column
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side/corner brackets
  - –Worksurface support post or leg - REQUIRED
  - –Worksurface support panel
  - –Attached pedestal (for worksurfaces greater than 36″(914mm)-wide)
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Rectangular – Split Top

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2
24″(610mm)	36″(914mm)	WURK-2436-L ■	$1556.44	$1665.09	$1954.28	$1985.20	$1700.36	$1809.01	$2098.20	$2129.12
	42″(1067mm)	WURK-2442-L ■	1619.40	1731.39	2037.35	2068.27	1767.91	1879.90	2185.86	2216.78
	48″(1219mm)	WURK-2448-L ■	1682.36	1797.69	2120.42	2151.34	1835.46	1950.79	2273.52	2304.44
30″(762mm)	36″(914mm)	WURK-3036-L ■	$1643.64	$1752.29	$2041.48	$2072.40	$1794.49	$1903.14	$2192.33	$2223.25
	42″(1067mm)	WURK-3042-L ■	1706.60	1818.59	2124.55	2155.47	1862.04	1974.03	2279.99	2310.91
	48″(1219mm)	WURK-3048-L ■	1769.56	1884.89	2207.62	2238.54	1929.59	2044.92	2367.65	2398.57





WURK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  - –3mm full perimeter T-mold (T), or
  - –3mm edgeband (J) or Cascade (V) edge on front and rear front edge, and 1mm on back and side edge of front worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets.
- Front user edge of front worksurface designed to align with 24″(610mm) or 30″(762mm)-depth worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Straight Front

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCA-3636-L ▪ ▪ ▪ N33 ■	$474.62	$480.96	$ 668.42	$506.76	$513.10	$ 700.56
	42″(1067mm)	WUCA-4242-L ▪ ▪ ▪ N33 ■	513.35	519.96	728.20	550.41	557.02	765.26
	48″(1219mm)	WUCA-4848-L ▪ ▪ ▪ N33 ■	612.07	618.95	847.97	654.05	660.93	889.95
	54″(1372mm)	WUCA-5454-L ▪ ▪ ▪ N33 ■	646.51	653.66	903.46	693.41	700.56	950.36
24″(610mm)	36″(914mm)	WUCA-3636-L ▪ ▪ ▪ N44 ■	$493.90	$500.24	$ 687.70	$526.04	$532.38	$ 719.84
	42″(1067mm)	WUCA-4242-L ▪ ▪ ▪ N44 ■	532.63	539.24	747.48	569.69	576.30	784.54
	48″(1219mm)	WUCA-4848-L ▪ ▪ ▪ N44 ■	631.35	638.23	867.25	673.33	680.21	909.23
	54″(1372mm)	WUCA-5454-L ▪ ▪ ▪ N44 ■	665.79	672.94	922.74	712.69	719.84	969.64
30″(762mm)	36″(914mm)	WUCA-3636-L ▪ ▪ ▪ N55 ■	$575.31	$581.65	$ 769.11	$607.45	$613.79	$ 801.25
	42″(1067mm)	WUCA-4242-L ▪ ▪ ▪ N55 ■	614.04	620.65	828.89	651.10	657.71	865.95
	48″(1219mm)	WUCA-4848-L ▪ ▪ ▪ N55 ■	712.76	719.64	948.66	754.74	761.62	990.64
	54″(1372mm)	WUCA-5454-L ▪ ▪ ▪ N55 ■	747.20	754.35	1004.15	794.10	801.25	1051.05





WUCA-L

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▪ N or KU3A-0023-▪ ▪ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCR-3636-L ■■■ N33 ■	$409.84	$420.30	$482.40	$513.46	$ 595.77	$439.70	$450.16	$512.26	$543.32	$ 625.63
	42″(1067mm)	WUCR-4242-L ■■■ N33 ■	480.76	499.92	570.72	601.78	687.75	515.84	535.00	605.80	636.86	722.83
	48″(1219mm)	WUCR-4848-L ■■■ N33 ■	551.68	579.54	659.04	690.10	779.73	591.98	619.84	699.34	730.40	820.03
	54″(1372mm)	WUCR-5454-L ■■■ N33 ■	622.60	659.16	747.36	778.42	871.71	668.12	704.68	792.88	823.94	917.23
24″(610mm)	36″(914mm)	WUCR-3636-L ■■■ N44 ■	$475.96	$481.12	$552.38	$583.44	$ 661.45	$510.68	$515.84	$587.10	$618.16	$ 696.17
	42″(1067mm)	WUCR-4242-L ■■■ N44 ■	546.88	560.74	640.70	671.76	753.43	586.82	600.68	680.64	711.70	793.37
	48″(1219mm)	WUCR-4848-L ■■■ N44 ■	617.80	640.36	729.02	760.08	845.41	662.96	685.52	774.18	805.24	890.57
	54″(1372mm)	WUCR-5454-L ■■■ N44 ■	688.72	719.98	817.34	848.40	937.39	739.10	770.36	867.72	898.78	987.77
30″(762mm)	36″(914mm) (1)	WUCR-3636-L ■■■ N55 ■	$542.08	$541.94	N/A	N/A	$ 727.13	$581.66	$581.52	N/A	N/A	$ 766.71
	42″(1067mm)	WUCR-4242-L ■■■ N55 ■	613.00	621.56	710.68	741.74	819.11	657.80	666.36	755.48	786.54	863.91
	48″(1219mm)	WUCR-4848-L ■■■ N55 ■	683.92	701.18	799.00	830.06	911.09	733.94	751.20	849.02	880.08	961.11
	54″(1372mm)	WUCR-5454-L ■■■ N55 ■	754.84	780.80	887.32	918.38	1003.07	810.08	836.04	942.56	973.62	1058.31

(1)Cascade edge option not available in this size.



WUCR

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Notched

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCN-3636-L N33 ■	$449.19	$456.92	$533.15	$563.61	$ 641.00	$480.70	$488.43	$564.66	$595.12	$ 672.51
	42″(1067mm)	WUCN-4242-L N33 ■	524.29	531.47	617.45	647.91	737.85	562.10	569.28	655.26	685.72	775.66
	48″(1219mm)	WUCN-4848-L N33 ■	600.55	607.07	704.75	735.21	840.21	644.66	651.18	748.86	779.32	884.32
	54″(1372mm)	WUCN-5454-L N33 ■	702.02	707.88	817.26	847.72	967.78	752.43	758.29	867.67	898.13	1018.19
24″(610mm)	36″(914mm)	WUCN-3636-L N44 ■	$466.00	$473.73	$549.96	$580.42	$ 657.81	$497.51	$505.24	$581.47	$611.93	$ 689.32
	42″(1067mm)	WUCN-4242-L N44 ■	541.10	548.28	634.26	664.72	754.66	578.91	586.09	672.07	702.53	792.47
	48″(1219mm)	WUCN-4848-L N44 ■	617.36	623.88	721.56	752.02	857.02	661.47	667.99	765.67	796.13	901.13
	54″(1372mm)	WUCN-5454-L N44 ■	718.83	724.69	834.07	864.53	984.59	769.24	775.10	884.48	914.94	1035.00
30″(762mm)	36″(914mm) [1]	WUCN-3636-L N55 ■	$482.80	$490.53	N/A	N/A	$ 674.61	$514.31	$522.04	N/A	N/A	$ 706.12
	42″(1067mm)	WUCN-4242-L N55 ■	557.90	565.08	651.06	681.52	771.46	595.71	602.89	688.87	719.33	809.27
	48″(1219mm)	WUCN-4848-L N55 ■	634.16	640.68	738.36	768.82	873.82	678.27	684.79	782.47	812.93	917.93
	54″(1372mm)	WUCN-5454-L N55 ■	735.63	741.49	850.87	881.33	1001.39	786.04	791.90	901.28	931.74	1051.80

[1] Cascade edge option not available in this size.



WUCN

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Angled

Depth	Width	Number ❶❷❸❹	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCU-3636-L ☐☐☐☐ 33 ■	$456.73	$462.51	$ 607.84	$486.43	$492.21	$ 637.54
	42″(1067mm)	WUCU-4242-L ☐☐☐☐ 33 ■	500.08	505.08	687.43	536.77	541.77	724.12
	48″(1219mm)	WUCU-4848-L ☐☐☐☐ 33 ■	596.47	600.69	820.06	640.15	644.37	863.74
	54″(1372mm)	WUCU-5454-L ☐☐☐☐ 33 ■	692.86	696.30	952.69	743.53	746.97	1003.36
24″(610mm)	36″(914mm)	WUCU-3636-L ☐☐☐☐ 44 ■	$481.23	$484.79	$ 636.98	$512.71	$516.27	$ 668.46
	42″(1067mm)	WUCU-4242-L ☐☐☐☐ 44 ■	524.58	527.36	716.57	563.05	565.83	755.04
	48″(1219mm)	WUCU-4848-L ☐☐☐☐ 44 ■	620.97	622.97	849.20	666.43	668.43	894.66
	54″(1372mm)	WUCU-5454-L ☐☐☐☐ 44 ■	717.36	718.58	981.83	769.81	771.03	1034.28
30″(762mm)	36″(914mm)	WUCU-3636-L ☐☐☐☐ 55 ■	$505.73	$507.07	$ 666.12	$538.99	$540.33	$ 699.38
	42″(1067mm)	WUCU-4242-L ☐☐☐☐ 55 ■	549.08	549.64	745.71	589.33	589.89	785.96
	48″(1219mm)	WUCU-4848-L ☐☐☐☐ 55 ■	645.47	645.25	878.34	692.71	692.49	925.58
	54″(1372mm)	WUCU-5454-L ☐☐☐☐ 55 ■	741.86	740.86	1010.97	796.09	795.09	1065.20



(Left-hand orientation)



(Right-hand orientation)
WUCU

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-L ▪ N34 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L ▪ N34 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L ▪ N34 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L ▪ N34 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-L ▪ N43 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L ▪ N43 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L ▪ N43 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L ▪ N43 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/30″(762mm)	36″(914mm)[1]	WUCT-3636-L ▪ N45 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L ▪ N45 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L ▪ N45 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L ▪ N45 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04
30″(762mm)/24″(610mm)	36″(914mm)[1]	WUCT-3636-L ▪ N54 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L ▪ N54 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L ▪ N54 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L ▪ N54 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04

[1]Cascade edge option not available in this size.





WUCT-N34



WUCT-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▪N or KU3A-0023-▪▪ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-L	N34 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L	N34 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L	N34 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L	N34 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-L	N43 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L	N43 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L	N43 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L	N43 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/30″(762mm)	36″(914mm) (1)	WUCH-3636-L	N45 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L	N45 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L	N45 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L	N45 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30
30″(762mm)/24″(610mm)	36″(914mm) (1)	WUCH-3636-L	N54 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L	N54 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L	N54 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L	N54 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30

(1)Cascade edge option not available in these sizes.



WUCH-N34



WUCH-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Angled – Transitional

Left/Right Depth	Width	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-L	34 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L	34 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L	34 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L	34 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-L	43 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L	43 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L	43 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L	43 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-L	45 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L	45 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L	45 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L	45 ■	729.61	729.72	996.40	782.95	783.06	1049.74
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-L	54 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L	54 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L	54 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L	54 ■	729.61	729.72	996.40	782.95	783.06	1049.74



(Left-hand orientation)

WUCF-L34



(Right-hand orientation)

WUCF-L43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner brackets - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Split Top

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	Laminate B T	J	V1	V2
24″(610mm)	48″(1219mm)	WUCK-4848-L ▪ ▪ ▪ N44 ■	$1916.30	$1983.86	$2336.97	$2372.31	$1984.86	$2052.42	$2405.53	$2440.87
30″(762mm)	48″(1219mm)	WUCK-4848-L ▪ ▪ ▪ N55 ■	$1974.14	$2041.70	$2394.81	$2437.65	$2057.70	$2125.26	$2478.37	$2521.21



WUCK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  - –3mm full perimeter T-mold (T), or
  - –3mm edgeband (J) or Cascade (V) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- Worksurface support must be separately specified. Select one of the following:
  - –Cantilever bracket
  - –Worksurface support panel/corner brackets - REQUIRED
- Front user edge of front worksurface designed to align with 24″(610mm) or 30″(762mm)-depth worksurfaces

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

This page intentionally blank

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended





(Right-hand orientation)

WUCE-R44



(Left-hand orientation)

WUCE-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –P-Leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	33	$ 732.54	$ 757.41	$ 886.20	$ 916.96	$1017.31	$ 778.15	$ 803.02	$ 931.81	$ 962.57	$1062.92
		48″(1219mm)	WUCE-3648-L	33	739.74	767.36	898.51	929.27	1037.45	785.88	813.50	944.65	975.41	1083.59
		54″(1372mm)	WUCE-3654-L	33	746.94	777.31	910.82	941.58	1057.59	793.61	823.98	957.49	988.25	1104.26
		60″(1524mm)	WUCE-3660-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		66″(1676mm)	WUCE-3666-L	33	834.62	870.49	1008.72	1039.48	1171.15	882.35	918.22	1056.45	1087.21	1218.88
		72″(1829mm)	WUCE-3672-L	33	902.57	941.19	1081.78	1112.54	1252.04	950.83	989.45	1130.04	1160.80	1300.30
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	44	$ 760.68	$ 785.55	$ 914.34	$ 945.10	$1045.45	$ 808.53	$ 833.40	$ 962.19	$ 992.95	$1093.30
		48″(1219mm)	WUCE-3648-L	44	767.88	795.50	926.65	957.41	1065.59	816.26	843.88	975.03	1005.79	1113.97
		54″(1372mm)	WUCE-3654-L	44	775.08	805.45	938.96	969.72	1085.73	823.99	854.36	987.87	1018.63	1134.64
		60″(1524mm)	WUCE-3660-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		66″(6764mm)	WUCE-3666-L	44	862.76	898.63	1036.86	1067.62	1199.29	912.73	948.60	1086.83	1117.59	1249.26
		72″(1829mm)	WUCE-3672-L	44	930.71	969.33	1109.92	1140.68	1280.18	981.21	1019.83	1160.42	1191.18	1330.68
30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCE-3642-L	55	$ 907.63	$ 932.50	N/A	N/A	$1192.40	$ 957.72	$ 982.59	N/A	N/A	$1242.49
		48″(1219mm)[1]	WUCE-3648-L	55	914.83	942.45	N/A	N/A	1212.54	965.45	993.07	N/A	N/A	1263.16
		54″(1372mm)[1]	WUCE-3654-L	55	922.03	952.40	N/A	N/A	1232.68	973.18	1003.55	N/A	N/A	1283.83
		60″(1524mm)[1]	WUCE-3660-L	55	929.23	962.35	N/A	N/A	1252.82	980.91	1014.03	N/A	N/A	1304.50
		66″(1676mm)[1]	WUCE-3666-L	55	1009.71	1045.58	N/A	N/A	1346.24	1061.92	1097.79	N/A	N/A	1398.45
		72″(1829mm)[1]	WUCE-3672-L	55	1077.66	1116.28	N/A	N/A	1427.13	1130.40	1169.02	N/A	N/A	1479.87
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	33	$ 746.94	$ 777.31	$ 910.82	$ 941.58	$1057.59	$ 793.61	$ 823.98	$ 957.49	$ 988.25	$1104.26
		54″(1372mm)	WUCE-4254-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		60″(1524mm)	WUCE-4260-L	33	761.34	797.21	935.44	966.20	1097.87	809.07	844.94	983.17	1013.93	1145.60
		66″(1676mm)	WUCE-4266-L	33	860.14	898.76	1039.35	1070.11	1209.61	908.40	947.02	1087.61	1118.37	1257.87
		72″(1829mm)	WUCE-4272-L	33	928.09	969.46	1112.41	1143.17	1290.50	976.88	1018.25	1161.20	1191.96	1339.29
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	44	$ 775.08	$ 805.45	$ 938.96	$ 969.72	$1085.73	$ 823.99	$ 854.36	$ 987.87	$1018.63	$1134.64
		54″(1372mm)	WUCE-4254-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		60″(1524mm)	WUCE-4260-L	44	789.48	825.35	963.58	994.34	1126.01	839.45	875.32	1013.55	1044.31	1175.98
		66″(1676mm)	WUCE-4266-L	44	888.28	926.90	1067.49	1098.25	1237.75	938.78	977.40	1117.99	1148.75	1288.25
		72″(1829mm)	WUCE-4272-L	44	956.23	997.60	1140.55	1171.31	1318.64	1007.26	1048.63	1191.58	1222.34	1369.67
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-L	55	$ 922.03	$ 952.40	$1085.91	$1116.67	$1232.68	$ 973.18	$1003.55	$1137.06	$1167.82	$1283.83
		54″(1372mm)	WUCE-4254-L	55	929.23	962.35	1098.22	1128.98	1252.82	980.91	1014.03	1149.90	1180.66	1304.50
		60″(1524mm)	WUCE-4260-L	55	936.43	972.30	1110.53	1141.29	1272.96	988.64	1024.51	1162.74	1193.50	1325.17
		66″(1676mm)	WUCE-4266-L	55	1035.23	1073.85	1214.44	1245.20	1384.70	1087.97	1126.59	1267.18	1297.94	1437.44
		72″(1829mm)	WUCE-4272-L	55	1103.18	1144.55	1287.50	1318.26	1465.59	1156.45	1197.82	1340.77	1371.53	1518.86
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	33	$ 761.34	$ 797.21	$ 935.44	$ 966.20	$1097.87	$ 809.07	$ 844.94	$ 983.17	$1013.93	$1145.60
		60″(1524mm)	WUCE-4860-L	33	768.54	807.16	947.75	978.51	1118.01	816.80	855.42	996.01	1026.77	1166.27
		66″(1676mm)	WUCE-4866-L	33	885.66	927.03	1069.98	1100.74	1248.07	934.45	975.82	1118.77	1149.53	1296.86
		72″(1829mm)	WUCE-4872-L	33	953.61	997.73	1143.04	1173.80	1328.96	1002.93	1047.05	1192.36	1223.12	1378.28
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	44	$ 789.48	$ 825.35	$ 963.58	$ 994.34	$1126.01	$ 839.45	$ 875.32	$1013.55	$1044.31	$1175.98
		60″(1524mm)	WUCE-4860-L	44	796.68	835.30	975.89	1006.65	1146.15	847.18	885.80	1026.39	1057.15	1196.65
		66″(1676mm)	WUCE-4866-L	44	913.80	955.17	1098.12	1128.88	1276.21	964.83	1006.20	1149.15	1179.91	1327.24
		72″(1829mm)	WUCE-4872-L	44	981.75	1025.87	1171.18	1201.94	1357.10	1033.31	1077.43	1222.74	1253.50	1408.66
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	55	$ 936.43	$ 972.30	$1110.53	$1141.29	$1272.96	$ 988.64	$1024.51	$1162.74	$1193.50	$1325.17
		60″(1524mm)	WUCE-4860-L	55	943.63	982.25	1122.84	1153.60	1293.10	996.37	1034.99	1175.58	1206.34	1345.84
		66″(1676mm)	WUCE-4866-L	55	1060.75	1102.12	1245.07	1275.83	1423.16	1114.02	1155.39	1298.34	1329.10	1476.43
		72″(1829mm)	WUCE-4872-L	55	1128.70	1172.82	1318.13	1348.89	1504.05	1182.50	1226.62	1371.93	1402.69	1557.85
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	33	$ 775.74	$ 817.11	$ 960.06	$ 990.82	$1138.15	$ 824.53	$ 865.90	$1008.85	$1039.61	$1186.94
		66″(1676mm)	WUCE-5466-L	33	911.18	955.30	1100.61	1131.37	1286.53	960.50	1004.62	1149.93	1180.69	1335.85
		72″(1829mm)	WUCE-5472-L	33	979.13	1026.00	1173.67	1204.43	1367.42	1028.98	1075.85	1223.52	1254.28	1417.27
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	44	$ 803.88	$ 845.25	$ 988.20	$1018.96	$1166.29	$ 854.91	$ 896.28	$1039.23	$1069.99	$1217.32
		66″(1676mm)	WUCE-5466-L	44	939.32	983.44	1128.75	1159.51	1314.67	990.88	1035.00	1180.31	1211.07	1366.23
		72″(1829mm)	WUCE-5472-L	44	1007.27	1054.14	1201.81	1232.57	1395.56	1059.36	1106.23	1253.90	1284.66	1447.65
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	55	$ 950.83	$ 992.20	$1135.15	$1165.91	$1313.24	$1004.10	$1045.47	$1188.42	$1219.18	$1366.51
		66″(1676mm)	WUCE-5466-L	55	1086.27	1130.39	1275.70	1306.46	1461.62	1140.07	1184.19	1329.50	1360.26	1515.42
		72″(1829mm)	WUCE-5472-L	55	1154.22	1201.09	1348.76	1379.52	1542.51	1208.55	1255.42	1403.09	1433.85	1596.84
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	33	$ 936.70	$ 983.57	$1131.24	$1162.00	$1324.99	$ 986.55	$1033.42	$1181.09	$1211.85	$1374.84
		72″(1829mm)	WUCE-6072-L	33	1004.65	1054.27	1204.30	1235.06	1405.88	1055.03	1104.65	1254.68	1285.44	1456.26
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	44	$ 964.84	$1011.71	$1159.38	$1190.14	$1353.13	$1016.93	$1063.80	$1211.47	$1242.23	$1405.22
		72″(1829mm)	WUCE-6072-L	44	1032.79	1082.41	1232.44	1263.20	1434.02	1085.41	1135.03	1285.06	1315.82	1486.64
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	55	$1111.79	$1158.66	$1306.33	$1337.09	$1500.08	$1166.12	$1212.99	$1360.66	$1391.42	$1554.41
		72″(1829mm)	WUCE-6072-L	55	1179.74	1229.36	1379.39	1410.15	1580.97	1234.60	1284.22	1434.25	1465.01	1635.83

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended





(Right-hand orientation)

WUCP-R44



(Left-hand orientation)

WUCP-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Support post or support column
  - –Disc base
  - –Double support leg
  - –P-Leg
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	33	$ 750.32	$ 757.34	$ 885.66	$ 916.72	$1026.21	$ 804.95	$ 811.97	$ 940.29	$ 971.35	$1080.84
		48″(1219mm)	WUCP-3648-L	33	770.23	778.78	909.86	940.92	1058.24	826.30	834.85	965.93	996.99	1114.31
		54″(1372mm)	WUCP-3654-L	33	790.14	800.22	934.06	965.12	1090.27	847.65	857.73	991.57	1022.63	1147.78
		60″(1524mm)	WUCP-3660-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		66″(1676mm)	WUCP-3666-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		72″(1829mm)	WUCP-3672-L	33	966.63	981.30	1123.42	1154.48	1303.12	1028.46	1043.13	1185.25	1216.31	1364.95
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	44	$ 774.52	$ 781.54	$ 909.86	$ 940.92	$1050.41	$ 831.09	$ 838.11	$ 966.43	$ 997.49	$1106.98
		48″(1219mm)	WUCP-3648-L	44	794.43	802.98	934.06	965.12	1082.44	852.44	860.99	992.07	1023.13	1140.45
		54″(1372mm)	WUCP-3654-L	44	814.34	824.42	958.26	989.32	1114.47	873.79	883.87	1017.71	1048.77	1173.92
		60″(1524mm)	WUCP-3660-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		66″(1676mm)	WUCP-3666-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		72″(1829mm)	WUCP-3672-L	44	990.83	1005.50	1147.62	1178.68	1327.32	1054.60	1069.27	1211.39	1242.45	1391.09
30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCP-3642-L	55	$ 798.72	$ 805.74	N/A	N/A	$1074.61	$ 857.23	$ 864.25	N/A	N/A	$1133.12
		48″(1219mm)[1]	WUCP-3648-L	55	818.63	827.18	N/A	N/A	1106.64	878.58	887.13	N/A	N/A	1166.59
		54″(1372mm)[1]	WUCP-3654-L	55	838.54	848.62	N/A	N/A	1138.67	899.93	910.01	N/A	N/A	1200.06
		60″(1524mm)[1]	WUCP-3660-L	55	858.45	870.06	N/A	N/A	1170.70	921.28	932.89	N/A	N/A	1233.53
		66″(1676mm)[1]	WUCP-3666-L	55	878.36	891.50	N/A	N/A	1202.73	942.63	955.77	N/A	N/A	1267.00
		72″(1829mm)[1]	WUCP-3672-L	55	1015.03	1029.70	N/A	N/A	1351.52	1080.74	1095.41	N/A	N/A	1417.23
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	33	$ 790.14	$ 800.22	$ 934.06	$ 965.12	$1090.27	$ 847.65	$ 857.73	$ 991.57	$1022.63	$1147.78
		54″(1372mm)	WUCP-4254-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		60″(1524mm)	WUCP-4260-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		66″(1676mm)	WUCP-4266-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		72″(1829mm)	WUCP-4272-L	33	986.54	1002.74	1147.62	1178.68	1335.15	1049.81	1066.01	1210.89	1241.95	1398.42
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	44	$ 814.34	$ 824.42	$ 958.26	$ 989.32	$1114.47	$ 873.79	$ 883.87	$1017.71	$1048.77	$1173.92
		54″(1372mm)	WUCP-4254-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		60″(1524mm)	WUCP-4260-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		66″(1676mm)	WUCP-4266-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		72″(1829mm)	WUCP-4272-L	44	1010.74	1026.94	1171.82	1202.88	1359.35	1075.95	1092.15	1237.03	1268.09	1424.56
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	55	$ 838.54	$ 848.62	$ 982.46	$1013.52	$1138.67	$ 899.93	$ 910.01	$1043.85	$1074.91	$1200.06
		54″(1372mm)	WUCP-4254-L	55	858.45	870.06	1006.66	1037.72	1170.70	921.28	932.89	1069.49	1100.55	1233.53
		60″(1524mm)	WUCP-4260-L	55	878.36	891.50	1030.86	1061.92	1202.73	942.63	955.77	1095.13	1126.19	1267.00
		66″(1676mm)	WUCP-4266-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		72″(1829mm)	WUCP-4272-L	55	1034.94	1051.14	1196.02	1227.08	1383.55	1102.09	1118.29	1263.17	1294.23	1450.70
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	33	$ 829.96	$ 843.10	$ 982.46	$1013.52	$1154.33	$ 890.35	$ 903.49	$1042.85	$1073.91	$1214.72
		60″(1524mm)	WUCP-4860-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		66″(1676mm)	WUCP-4866-L	33	869.78	885.98	1030.86	1061.92	1218.39	933.05	949.25	1094.13	1125.19	1281.66
		72″(1829mm)	WUCP-4872-L	33	1006.45	1024.18	1171.82	1202.88	1367.18	1071.16	1088.89	1236.53	1267.59	1431.89
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	44	$ 854.16	$ 867.30	$1006.66	$1037.72	$1178.53	$ 916.49	$ 929.63	$1068.99	$1100.05	$1240.86
		60″(1524mm)	WUCP-4860-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		66″(1676mm)	WUCP-4866-L	44	893.98	910.18	1055.06	1086.12	1242.59	959.19	975.39	1120.27	1151.33	1307.80
		72″(1829mm)	WUCP-4872-L	44	1030.65	1048.38	1196.02	1227.08	1391.38	1097.30	1115.03	1262.67	1293.73	1458.03
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	55	$ 878.36	$ 891.50	$1030.86	$1061.92	$1202.73	$ 942.63	$ 955.77	$1095.13	$1126.19	$1267.00
		60″(1524mm)	WUCP-4860-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		66″(1676mm)	WUCP-4866-L	55	918.18	934.38	1079.26	1110.32	1266.79	985.33	1001.53	1146.41	1177.47	1333.94
		72″(1829mm)	WUCP-4872-L	55	1054.85	1072.58	1220.22	1251.28	1415.58	1123.44	1141.17	1288.81	1319.87	1484.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	33	$ 869.78	$ 885.98	$1030.86	$1061.92	$1218.39	$ 933.05	$ 949.25	$1094.13	$1125.19	$1281.66
		66″(1676mm)	WUCP-5466-L	33	889.69	907.42	1055.06	1086.12	1250.42	954.40	972.13	1119.77	1150.83	1315.13
		72″(1829mm)	WUCP-5472-L	33	1026.36	1045.62	1196.02	1227.08	1399.21	1092.51	1111.77	1262.17	1293.23	1465.36
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	44	$ 893.98	$ 910.18	$1055.06	$1086.12	$1242.59	$ 959.19	$ 975.39	$1120.27	$1151.33	$1307.80
		66″(1676mm)	WUCP-5466-L	44	913.89	931.62	1079.26	1110.32	1274.62	980.54	998.27	1145.91	1176.97	1341.27
		72″(1829mm)	WUCP-5472-L	44	1050.56	1069.82	1220.22	1251.28	1423.41	1118.65	1137.91	1288.31	1319.37	1491.50
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	55	$ 918.18	$ 934.38	$1079.26	$1110.32	$1266.79	$ 985.33	$1001.53	$1146.41	$1177.47	$1333.94
		66″(1676mm)	WUCP-5466-L	55	938.09	955.82	1103.46	1134.52	1298.82	1006.68	1024.41	1172.05	1203.11	1367.41
		72″(1829mm)	WUCP-5472-L	55	1074.76	1094.02	1244.42	1275.48	1447.61	1144.79	1164.05	1314.45	1345.51	1517.64
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	33	$ 909.60	$ 928.86	$1079.26	$1110.32	$1282.45	$ 975.75	$ 995.01	$1145.41	$1176.47	$1348.60
		72″(1829mm)	WUCP-6072-L	33	1046.27	1067.06	1220.22	1251.28	1431.24	1113.86	1134.65	1287.81	1318.87	1498.83
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	44	$ 933.80	$ 953.06	$1103.46	$1134.52	$1306.65	$1001.89	$1021.15	$1171.55	$1202.61	$1374.74
		72″(1829mm)	WUCP-6072-L	44	1070.47	1091.26	1244.42	1275.48	1455.44	1140.00	1160.79	1313.95	1345.01	1524.97
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	55	$ 958.00	$ 977.26	$1127.66	$1158.72	$1330.85	$1028.03	$1047.29	$1197.69	$1228.75	$1400.88
		72″(1829mm)	WUCP-6072-L	55	1094.67	1115.46	1268.62	1299.68	1479.64	1166.14	1186.93	1340.09	1371.15	1551.11

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-R34



(Left-hand orientation)

WUCX-L43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Support post or support column
  - –P-Leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/ 24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L	34	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L	34	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L	34	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L	34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(1676mm)	WUCX-3666-L	34	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L	34	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L	43	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L	43	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L	43	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L	43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(6764mm)	WUCX-3666-L	43	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L	43	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L	45	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L	45	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L	45	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L	45	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(6764mm)[1]	WUCX-3666-L	45	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L	45	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L	54	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L	54	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L	54	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L	54	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(1676mm)[1]	WUCX-3666-L	54	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L	54	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	34	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L	34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L	34	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L	34	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L	34	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	43	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L	43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L	43	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L	43	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L	43	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	45	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L	45	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L	45	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L	45	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L	45	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-L	54	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L	54	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L	54	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L	54	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L	54	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	34	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L	34	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L	34	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L	34	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	43	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L	43	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L	43	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L	43	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	45	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L	45	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L	45	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L	45	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Lam. A T	Lam. A J	Lam. A V1	Lam. A V2	Lam. A F	Lam. B T	Lam. B J	Lam. B V1	Lam. B V2	Lam. B F
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	54	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L	54	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L	54	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L	54	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59
18″(457mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	34	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L	34	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L	34	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 18″(457mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	43	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L	43	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L	43	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 30″(762mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	45	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L	45	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L	45	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
30″(762mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	54	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L	54	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L	54	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
18″(457mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	34	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L	34	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 18″(457mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	43	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L	43	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 30″(762mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	45	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L	45	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57
30″(762mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	54	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L	54	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

90° Merger

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCQ-3636-L ■■■ N33 ■	$453.38	$460.51	$ 642.81	$484.10	$491.23	$ 673.53
	42″(1067mm)	WUCQ-4242-L ■■■ N33 ■	501.36	508.49	713.18	532.08	539.21	743.90
	48″(1219mm)	WUCQ-4848-L ■■■ N33 ■	601.85	614.02	845.36	632.57	644.74	876.08
	54″(1372mm)	WUCQ-5454-L ■■■ N33 ■	688.97	720.62	986.07	719.69	751.34	1016.79
24″(610mm)	36″(914mm)	WUCQ-3636-L ■■■ N44 ■	$472.57	$479.70	$ 662.00	$503.29	$510.42	$ 692.72
	42″(1067mm)	WUCQ-4242-L ■■■ N44 ■	520.55	527.68	732.37	551.27	558.40	763.09
	48″(1219mm)	WUCQ-4848-L ■■■ N44 ■	621.04	633.21	864.55	651.76	663.93	895.27
	54″(1372mm)	WUCQ-5454-L ■■■ N44 ■	708.16	739.81	1005.26	738.88	770.53	1035.98
30″(762mm)	36″(914mm)	WUCQ-3636-L ■■■ N55 ■	$553.58	$560.71	$ 743.01	$584.30	$591.43	$ 773.73
	42″(1067mm)	WUCQ-4242-L ■■■ N55 ■	601.56	608.69	813.38	632.28	639.41	844.10
	48″(1219mm)	WUCQ-4848-L ■■■ N55 ■	702.05	714.22	945.56	732.77	744.94	976.28
	54″(1372mm)	WUCQ-5454-L ■■■ N55 ■	789.17	820.82	1086.27	819.89	851.54	1116.99





WUCQ-N44

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Side brackets
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with an adjustable keyboard pad.**
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 120° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCZ-3636-L N33	■	$ 578.62	$ 593.66	$ 700.62	$ 731.24	$ 823.33	$ 620.99	$ 636.03	$ 742.99	$ 773.61	$ 865.70
	42″(1067mm)	WUCZ-4242-L N33	■	666.76	682.88	800.82	831.44	940.09	715.52	731.64	849.58	880.20	988.85
	48″(1219mm)	WUCZ-4848-L N33	■	754.90	772.10	901.02	931.64	1056.85	810.05	827.25	956.17	986.79	1112.00
	54″(1372mm)	WUCZ-5454-L N33	■	843.04	861.32	1001.22	1031.84	1173.61	904.58	922.86	1062.76	1093.38	1235.15
	60″(1524mm)	WUCZ-6060-L N33	■	931.18	950.54	1101.42	1132.04	1290.37	999.11	1018.47	1169.35	1199.97	1358.30
24″(610mm)	36″(914mm)	WUCZ-3636-L N44	■	$ 662.76	$ 677.80	$ 784.76	$ 815.38	$ 907.47	$ 711.85	$ 726.89	$ 833.85	$ 864.47	$ 956.56
	42″(1067mm)	WUCZ-4242-L N44	■	750.90	767.02	884.96	915.58	1024.23	806.38	822.50	940.44	971.06	1079.71
	48″(1219mm)	WUCZ-4848-L N44	■	839.04	856.24	985.16	1015.78	1140.99	900.91	918.11	1047.03	1077.65	1202.86
	54″(1372mm)	WUCZ-5454-L N44	■	927.18	945.46	1085.36	1115.98	1257.75	995.44	1013.72	1153.62	1184.24	1326.01
	60″(1524mm)	WUCZ-6060-L N44	■	1015.32	1034.68	1185.56	1216.18	1374.51	1089.97	1109.33	1260.21	1290.83	1449.16
30″(762mm)	36″(914mm)	WUCZ-3636-L N55	■	$ 746.90	$ 761.94	$ 868.90	$ 899.52	$ 991.61	$ 802.71	$ 817.75	$ 924.71	$ 955.33	$1047.42
	42″(1067mm)	WUCZ-4242-L N55	■	835.04	851.16	969.10	999.72	1108.37	897.24	913.36	1031.30	1061.92	1170.57
	48″(1219mm)	WUCZ-4848-L N55	■	923.18	940.38	1069.30	1099.92	1225.13	991.77	1008.97	1137.89	1168.51	1293.72
	54″(1372mm)	WUCZ-5454-L N55	■	1011.32	1029.60	1169.50	1200.12	1341.89	1086.30	1104.58	1244.48	1275.10	1416.87
	60″(1524mm)	WUCZ-6060-L N55	■	1099.46	1118.82	1269.70	1300.32	1458.65	1180.83	1200.19	1351.07	1381.69	1540.02



WUCZ-N44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Side brackets
  - –P-leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

D-Shaped Convergent

Width	Length	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)	36″(914mm)	WURD-2436-L ■	$295.02	$297.13	$346.32	$376.48	$422.24	$314.78	$316.89	$366.08	$396.24	$442.00
	42″(1067mm)	WURD-2442-L ■	338.48	340.74	393.18	423.34	477.80	361.36	363.62	416.06	446.22	500.68
	48″(1219mm)	WURD-2448-L ■	383.34	385.81	442.80	472.96	539.60	409.86	412.33	469.32	499.48	566.12
	54″(1372mm)	WURD-2454-L ■	426.80	429.42	489.66	519.82	595.16	455.92	458.54	518.78	548.94	624.28
	60″(1524mm)	WURD-2460-L ■	471.66	474.49	539.28	569.44	656.96	504.42	507.25	572.04	602.20	689.72
	66″(1676mm)	WURD-2466-L ■	515.82	518.83	587.52	617.68	715.64	551.70	554.71	623.40	653.56	751.52
	72″(1829mm)	WURD-2472-L ■	559.28	562.44	634.38	664.54	771.20	597.76	600.92	672.86	703.02	809.68
30″(762mm)	36″(914mm)	WURD-3036-L ■	$398.66	$401.13	$469.27	$499.43	$559.52	$418.42	$420.89	$489.03	$519.19	$579.28
	42″(1067mm)	WURD-3042-L ■	440.20	442.82	514.21	544.37	613.16	463.08	465.70	537.09	567.25	636.04
	48″(1219mm)	WURD-3048-L ■	483.14	485.97	561.91	592.07	673.04	509.66	512.49	588.43	618.59	699.56
	54″(1372mm)	WURD-3054-L ■	524.68	527.66	606.85	637.01	726.68	553.80	556.78	635.97	666.13	755.80
	60″(1524mm)	WURD-3060-L ■	567.62	570.81	654.55	684.71	786.56	600.38	603.57	687.31	717.47	819.32
	66″(1676mm)	WURD-3066-L ■	609.86	613.23	700.87	731.03	843.32	645.74	649.11	736.75	766.91	879.20
	72″(1829mm)	WURD-3072-L ■	651.40	654.92	745.81	775.97	896.96	689.88	693.40	784.29	814.45	935.44
36″(914mm)	36″(914mm)	WURD-3636-L ■	$409.98	$410.49	$480.73	$510.89	$572.00	$429.74	$430.25	$500.49	$530.65	$591.76
	42″(1067mm)	WURD-3642-L ■	453.44	454.10	527.59	557.75	627.56	476.32	476.98	550.47	580.63	650.44
	48″(1219mm)	WURD-3648-L ■	498.30	499.17	577.21	607.37	689.36	524.82	525.69	603.73	633.89	715.88
	54″(1372mm)	WURD-3654-L ■	541.76	542.78	624.07	654.23	744.92	570.88	571.90	653.19	683.35	774.04
	60″(1524mm)	WURD-3660-L ■	586.62	587.85	673.69	703.85	806.72	619.38	620.61	706.45	736.61	839.48
	66″(1676mm)	WURD-3666-L ■	630.78	632.19	721.93	752.09	865.40	666.66	668.07	757.81	787.97	901.28
	72″(1829mm)	WURD-3672-L ■	674.24	675.80	768.79	798.95	920.96	712.72	714.28	807.27	837.43	959.44







WURD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- **Must be attached to a panel or face of a straight worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Worksurface support must be separately specified. Select one of the following required floor support options:
  - –Worksurface support post or column
  - –Attached lower storage
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Side bracket
  - –Worksurface support panel
  - –Flush mount plates
  - –P-Leg
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Convergent

Width	Length	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)	36″(914mm)	WURV-2436-L ■	$271.95	$276.33	$325.18	$355.34	$401.34	$291.71	$296.09	$344.94	$375.10	$421.10
	42″(1067mm)	WURV-2442-L ■	315.06	319.94	375.34	405.50	456.40	337.94	342.82	398.22	428.38	479.28
	48″(1219mm)	WURV-2448-L ■	359.43	365.01	429.58	459.74	517.50	385.95	391.53	456.10	486.26	544.02
	54″(1372mm)	WURV-2454-L ■	402.54	408.62	479.74	509.90	572.56	431.66	437.74	508.86	539.02	601.68
	60″(1524mm)	WURV-2460-L ■	446.91	453.69	533.98	564.14	633.66	479.67	486.45	566.74	596.90	666.42
	66″(1676mm)	WURV-2466-L ■	490.65	498.03	586.18	616.34	691.74	526.53	533.91	622.06	652.22	727.62
	72″(1829mm)	WURV-2472-L ■	533.76	541.64	636.34	666.50	746.80	572.24	580.12	674.82	704.98	785.28
30″(762mm)	36″(914mm)	WURV-3036-L ■	$364.29	$369.93	$435.73	$465.89	$528.22	$384.05	$389.69	$455.49	$485.65	$547.98
	42″(1067mm)	WURV-3042-L ■	405.48	411.62	483.97	514.13	581.36	428.36	434.50	506.85	537.01	604.24
	48″(1219mm)	WURV-3048-L ■	447.93	454.77	536.29	566.45	640.54	474.45	481.29	562.81	592.97	667.06
	54″(1372mm)	WURV-3054-L ■	489.12	496.46	584.53	614.69	693.68	518.24	525.58	613.65	643.81	722.80
	60″(1524mm)	WURV-3060-L ■	531.57	539.61	636.85	667.01	752.86	564.33	572.37	669.61	699.77	785.62
	66″(1676mm)	WURV-3066-L ■	573.39	582.03	687.13	717.29	809.02	609.27	617.91	723.01	753.17	844.90
	72″(1829mm)	WURV-3072-L ■	614.58	623.72	735.37	765.53	862.16	653.06	662.20	773.85	804.01	900.64
36″(914mm)	36″(914mm)	WURV-3636-L ■	$373.41	$379.29	$448.19	$478.35	$540.70	$393.17	$399.05	$467.95	$498.11	$560.46
	42″(1067mm)	WURV-3642-L ■	416.52	422.90	498.35	528.51	595.76	439.40	445.78	521.23	551.39	618.64
	48″(1219mm)	WURV-3648-L ■	460.89	467.97	552.59	582.75	656.86	487.41	494.49	579.11	609.27	683.38
	54″(1372mm)	WURV-3654-L ■	504.00	511.58	602.75	632.91	711.92	533.12	540.70	631.87	662.03	741.04
	60″(1524mm)	WURV-3660-L ■	548.37	556.65	656.99	687.15	773.02	581.13	589.41	689.75	719.91	805.78
	66″(1676mm)	WURV-3666-L ■	592.11	600.99	709.19	739.35	831.10	627.99	636.87	745.07	775.23	866.98
	72″(1829mm)	WURV-3672-L ■	635.22	644.60	759.35	789.51	886.16	673.70	683.08	797.83	827.99	924.64







WURV

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edges and 1mm edgeband on front and back (width), or
  - –Cascade (V) on user edges and 1mm edgeband on front and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Worksurface support must be separately specified. Select one of the following required floor support options:
  - –Worksurface support post or column
  - –Attached lower storage
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side bracket
  - –Standard link cantilever bracket
  - –Flush mount plates
  - –P-Leg
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around





(Right-hand orientation)



(Left-hand orientation)

WUCD-L

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on side and back, or
  - –Cascade (V) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) diameter D-shaped radius.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) diameter D-shaped radius.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line; must be separately specified.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Side bracket
  - –Worksurface support panel
  - –P-Leg
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	3	$ 865.52	$ 875.04	$1035.87	$1066.93	$1081.26	$ 928.40	$ 937.92	$1098.75	$1129.81	$1144.14
		66″(1676mm)	WUCD-3666-L	3	893.12	903.36	1072.95	1104.01	1121.10	957.98	968.22	1137.81	1168.87	1185.96
		72″(1829mm)	WUCD-3672-L	3	974.28	985.24	1163.59	1194.65	1214.50	1041.12	1052.08	1230.43	1261.49	1281.34
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	4	$ 890.87	$ 899.57	$1060.64	$1091.70	$1101.93	$ 955.33	$ 964.03	$1125.10	$1156.16	$1166.39
		66″(1676mm)	WUCD-3666-L	4	918.47	927.89	1097.72	1128.78	1141.77	984.91	994.33	1164.16	1195.22	1208.21
		72″(1829mm)	WUCD-3672-L	4	999.63	1009.77	1188.36	1219.42	1235.17	1068.05	1078.19	1256.78	1287.84	1303.59
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	5	$ 916.22	$ 924.10	$1085.41	$1116.47	$1122.60	$ 982.26	$ 990.14	$1151.45	$1182.51	$1188.64
		66″(1676mm)	WUCD-3666-L	5	943.82	952.42	1122.49	1153.55	1162.44	1011.84	1020.44	1190.51	1221.57	1230.46
		72″(1829mm)	WUCD-3672-L	5	1024.98	1034.30	1213.13	1244.19	1255.84	1094.98	1104.30	1283.13	1314.19	1325.84
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	3	$ 918.47	$ 927.89	$1097.72	$1128.78	$1141.77	$ 984.91	$ 994.33	$1164.16	$1195.22	$1208.21
		66″(1676mm)	WUCD-4266-L	3	946.07	956.21	1134.80	1165.86	1181.61	1014.49	1024.63	1203.22	1234.28	1250.03
		72″(1829mm)	WUCD-4272-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	4	$ 943.82	$ 952.42	$1122.49	$1153.55	$1162.44	$1011.84	$1020.44	$1190.51	$1221.57	$1230.46
		66″(1676mm)	WUCD-4266-L	4	971.42	980.74	1159.57	1190.63	1202.28	1041.42	1050.74	1229.57	1260.63	1272.28
		72″(1829mm)	WUCD-4272-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	5	$ 969.17	$ 976.95	$1147.26	$1178.32	$1183.11	$1038.77	$1046.55	$1216.86	$1247.92	$1252.71
		66″(1676mm)	WUCD-4266-L	5	996.77	1005.27	1184.34	1215.40	1222.95	1068.35	1076.85	1255.92	1286.98	1294.53
		72″(1829mm)	WUCD-4272-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	3	$ 946.07	$ 956.21	$1134.80	$1165.86	$1181.61	$1014.49	$1024.63	$1203.22	$1234.28	$1250.03
		66″(1676mm)	WUCD-4866-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
		72″(1829mm)	WUCD-4872-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	4	$ 971.42	$ 980.74	$1159.57	$1190.63	$1202.28	$1041.42	$1050.74	$1229.57	$1260.63	$1272.28
		66″(1676mm)	WUCD-4866-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
		72″(1829mm)	WUCD-4872-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	5	$ 996.77	$1005.27	$1184.34	$1215.40	$1222.95	$1068.35	$1076.85	$1255.92	$1286.98	$1294.53
		66″(1676mm)	WUCD-4866-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
		72″(1829mm)	WUCD-4872-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	3	$ 973.67	$ 984.53	$1171.88	$1202.94	$1221.45	$1044.07	$1054.93	$1242.28	$1273.34	$1291.85
		66″(1676mm)	WUCD-5466-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
		72″(1829mm)	WUCD-5472-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	4	$ 999.02	$1009.06	$1196.65	$1227.71	$1242.12	$1071.00	$1081.04	$1268.63	$1299.69	$1314.10
		66″(1676mm)	WUCD-5466-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
		72″(1829mm)	WUCD-5472-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	5	$1024.37	$1033.59	$1221.42	$1252.48	$1262.79	$1097.93	$1107.15	$1294.98	$1326.04	$1336.35
		66″(1676mm)	WUCD-5466-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
		72″(1829mm)	WUCD-5472-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
18″(457mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	3	$1001.27	$1012.85	$1208.96	$1240.02	$1261.29	$1073.65	$1085.23	$1281.34	$1312.40	$1333.67
		66″(1676mm)	WUCD-6066-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
		72″(1829mm)	WUCD-6072-L	3	1056.47	1069.49	1283.12	1314.18	1340.97	1132.81	1145.83	1359.46	1390.52	1417.31
24″(610mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	4	$1026.62	$1037.38	$1233.73	$1264.79	$1281.96	$1100.58	$1111.34	$1307.69	$1338.75	$1355.92
		66″(1676mm)	WUCD-6066-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
		72″(1829mm)	WUCD-6072-L	4	1081.82	1094.02	1307.89	1338.95	1361.64	1159.74	1171.94	1385.81	1416.87	1439.56
30″(762mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	5	$1051.97	$1061.91	$1258.50	$1289.56	$1302.63	$1127.51	$1137.45	$1334.04	$1365.10	$1378.17
		66″(1676mm)	WUCD-6066-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
		72″(1829mm)	WUCD-6072-L	5	1107.17	1118.55	1332.66	1363.72	1382.31	1186.67	1198.05	1412.16	1443.22	1461.81

Adaptable Worksurfaces — Laminate

D-Shaped Ender

Depth	Length	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUDD-1836-L C ■	$241.84	$244.91	$289.07	$319.69	$357.86	$259.79	$262.86	$307.02	$337.64	$375.81
	42″(1067mm)	WUDD-1842-L C ■	275.98	280.37	327.05	357.67	405.98	296.87	301.26	347.94	378.56	426.87
	48″(1219mm)	WUDD-1848-L C ■	310.12	315.83	365.03	395.65	454.10	333.95	339.66	388.86	419.48	477.93
	54″(1372mm)	WUDD-1854-L C ■	344.26	351.29	403.01	433.63	502.22	371.03	378.06	429.78	460.40	528.99
	60″(1524mm)	WUDD-1860-L C ■	378.40	386.75	440.99	471.61	550.34	408.11	416.46	470.70	501.32	580.05
	66″(1676mm)	WUDD-1866-L C ■	412.54	422.21	478.97	509.59	598.46	445.19	454.86	511.62	542.24	631.11
	72″(1829mm)	WUDD-1872-L C ■	446.68	457.67	516.95	547.57	646.58	482.27	493.26	552.54	583.16	682.17
24″(610mm)	36″(914mm)	WUDD-2436-L C ■	$275.41	$279.76	$329.67	$360.29	$404.32	$293.36	$297.71	$347.62	$378.24	$422.27
	42″(1067mm)	WUDD-2442-L C ■	319.09	324.76	377.19	407.81	461.98	339.98	345.65	398.08	428.70	482.87
	48″(1219mm)	WUDD-2448-L C ■	362.77	369.76	424.71	455.33	519.64	386.60	393.59	448.54	479.16	543.47
	54″(1372mm)	WUDD-2454-L C ■	406.45	414.76	472.23	502.85	577.30	433.22	441.53	499.00	529.62	604.07
	60″(1524mm)	WUDD-2460-L C ■	450.13	459.76	519.75	550.37	634.96	479.84	489.47	549.46	580.08	664.67
	66″(1676mm)	WUDD-2466-L C ■	493.81	504.76	567.27	597.89	692.62	526.46	537.41	599.92	630.54	725.27
	72″(1829mm)	WUDD-2472-L C ■	537.49	549.76	614.79	645.41	750.28	573.08	585.35	650.38	681.00	785.87
30″(762mm)	36″(914mm)	WUDD-3036-L C ■	$364.49	$370.52	$404.52	$435.14	$528.86	$382.44	$388.47	$422.47	$453.09	$546.81
	42″(1067mm)	WUDD-3042-L C ■	406.25	413.60	450.12	480.74	584.60	427.14	434.49	471.01	501.63	605.49
	48″(1219mm)	WUDD-3048-L C ■	448.01	456.68	495.72	526.34	640.34	471.84	480.51	519.55	550.17	664.17
	54″(1372mm)	WUDD-3054-L C ■	489.77	499.76	541.32	571.94	696.08	516.54	526.53	568.09	598.71	722.85
	60″(1524mm)	WUDD-3060-L C ■	531.53	542.84	586.92	617.54	751.82	561.24	572.55	616.63	647.25	781.53
	66″(1676mm)	WUDD-3066-L C ■	573.29	585.92	632.52	663.14	807.56	605.94	618.57	665.17	695.79	840.21
	72″(1829mm)	WUDD-3072-L C ■	615.05	629.00	678.12	708.74	863.30	650.64	664.59	713.71	744.33	898.89





WUDD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line; must be separately specified.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Worksurface support panel
  - –Flush mount plate
  - –Standard link cantilever bracket
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Bent

Left/Right Depth	Width	Length	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-L ■■■ R45 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L ■■■ R45 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L ■■■ R45 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L ■■■ R45 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-L ■■■ R45 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L ■■■ R45 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L ■■■ R45 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L ■■■ R45 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-L ■■■ L54 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L ■■■ L54 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L ■■■ L54 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L ■■■ L54 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-L ■■■ L54 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L ■■■ L54 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L ■■■ L54 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L ■■■ L54 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08



(Right-hand orientation)

WUCB-R45



(Left-hand orientation)

WUCB-L54

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Support post, column, double support leg, or 21″(533mm) adjustable height disc base
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Countertop



WUTS

Features

- Includes countertop and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on ends, or
  - –Cascade (V) on user edges and 1mm edgeband on ends.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- For use in applications that match panel width or multiple panel widths.
- **Countertop support specific to product line; must be separately specified.**

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Laminate

Countertop

Depth	Width	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
12″(305mm)	23″(584mm)	WUTS-1223-L C	$310.76	$314.16	$365.07	$395.53	$440.76	$333.82	$337.22	$388.13	$418.59	$463.82
	24″(610mm)	WUTS-1224-L C	313.50	316.91	368.25	398.71	444.46	336.76	340.17	391.51	421.97	467.72
	29″(737mm)	WUTS-1229-L C	327.20	330.66	384.15	414.61	462.96	351.46	354.92	408.41	438.87	487.22
	30″(762mm)	WUTS-1230-L C	329.94	333.41	387.33	417.79	466.66	354.40	357.87	411.79	442.25	491.12
	35″(889mm)	WUTS-1235-L C	343.64	347.16	403.23	433.69	485.16	369.10	372.62	428.69	459.15	510.62
	36″(914mm)	WUTS-1236-L C	346.38	349.91	406.41	436.87	488.86	372.04	375.57	432.07	462.53	514.52
	41″(1041mm)	WUTS-1241-L C	360.08	363.66	422.31	452.77	507.36	386.74	390.32	448.97	479.43	534.02
	42″(1067mm)	WUTS-1242-L C	362.82	366.41	425.49	455.95	511.06	389.68	393.27	452.35	482.81	537.92
	47″(1194mm)	WUTS-1247-L C	376.52	380.16	441.39	471.85	529.56	404.38	408.02	469.25	499.71	557.42
	48″(1219mm)	WUTS-1248-L C	379.26	382.91	444.57	475.03	533.26	407.32	410.97	472.63	503.09	561.32
	53″(1346mm)	WUTS-1253-L C	392.96	396.66	460.47	490.93	551.76	422.02	425.72	489.53	519.99	580.82
	54″(1372mm)	WUTS-1254-L C	395.70	399.41	463.65	494.11	555.46	424.96	428.67	492.91	523.37	584.72
	59″(1499mm)	WUTS-1259-L C	409.40	413.16	479.55	510.01	573.96	439.66	443.42	509.81	540.27	604.22
	60″(1524mm)	WUTS-1260-L C	412.14	415.91	482.73	513.19	577.66	442.60	446.37	513.19	543.65	608.12
	65″(1651mm)	WUTS-1265-L C	425.84	429.66	498.63	529.09	596.16	457.30	461.12	530.09	560.55	627.62
	66″(1676mm)	WUTS-1266-L C	428.58	432.41	501.81	532.27	599.86	460.24	464.07	533.47	563.93	631.52
	71″(1803mm)	WUTS-1271-L C	442.28	446.16	517.71	548.17	618.36	474.94	478.82	550.37	580.83	651.02
	72″(1829mm)	WUTS-1272-L C	445.02	448.91	520.89	551.35	622.06	477.88	481.77	553.75	584.21	654.92
	77″(1956mm)	WUTS-1277-L C	458.72	462.66	536.79	567.25	640.56	492.58	496.52	570.65	601.11	674.42
	78″(1981mm)	WUTS-1278-L C	461.46	465.41	539.97	570.43	644.26	495.52	499.47	574.03	604.49	678.32
	83″(2108mm)	WUTS-1283-L C	475.16	479.16	555.87	586.33	662.76	510.22	514.22	590.93	621.39	697.82
	84″(2134mm)	WUTS-1284-L C	477.90	481.91	559.05	589.51	666.46	513.16	517.17	594.31	624.77	701.72
	89″(2261mm)	WUTS-1289-L C	491.60	495.66	574.95	605.41	684.96	527.86	531.92	611.21	641.67	721.22
	90″(2286mm)	WUTS-1290-L C	494.34	498.41	578.13	608.59	688.66	530.80	534.87	614.59	645.05	725.12
	95″(2413mm)	WUTS-1295-L C	508.04	512.16	594.03	624.49	707.16	545.50	549.62	631.49	661.95	744.62
	96″(2438mm)	WUTS-1296-L C	510.78	514.91	597.21	627.67	710.86	548.44	552.57	634.87	665.33	748.52
	101″(2565mm)	WUTS-12A1-L C	524.48	528.66	613.11	643.57	729.36	563.14	567.32	651.77	682.23	768.02
	102″(2591mm)	WUTS-12A2-L C	527.22	531.41	616.29	646.75	733.06	566.08	570.27	655.15	685.61	771.92
	107″(2718mm)	WUTS-12A7-L C	540.92	545.16	632.19	662.65	751.56	580.78	585.02	672.05	702.51	791.42
	108″(2743mm)	WUTS-12A8-L C	543.66	547.91	635.37	665.83	755.26	583.72	587.97	675.43	705.89	795.32
	113″(2870mm)	WUTS-12B3-L C	557.36	561.66	651.27	681.73	773.76	598.42	602.72	692.33	722.79	814.82
	114″(2896mm)	WUTS-12B4-L C	560.10	564.41	654.45	684.91	777.46	601.36	605.67	695.71	726.17	818.72
	119″(3023mm)	WUTS-12B9-L C	573.80	578.16	670.35	700.81	795.96	616.06	620.42	712.61	743.07	838.22
	120″(3048mm)	WUTS-12C0-L C	576.54	580.91	673.53	703.99	799.66	619.00	623.37	715.99	746.45	842.12

Adaptable Worksurfaces — Laminate

Conference End

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
39″(991mm)	30″(762mm)	WUDC-3930-L ■	$560.76	$602.29	$690.25	$721.17	$820.82	$602.34	$643.87	$731.83	$762.75	$862.40
51″(1295mm)		WUDC-5130-L ■	603.66	631.15	732.50	763.42	860.73	646.15	673.64	774.99	805.91	903.22
63″(1600mm)		WUDC-6330-L ■	643.26	657.79	771.50	802.42	897.57	686.59	701.12	814.83	845.75	940.90





WUDC-3930 WUDC-5130



WUDC-6330

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway can be specified to accommodate panel end-of-run trim.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Conference ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the conference end must be supported by either
  - –Two FMK brackets (51″(1295mm)/63″(1600mm) depths)
  - –A standard link cantilever (pair)
  - –Worksurface support panel
  - –A combination of the previous three
- The front of the conference end must be supported by one of the following:
  - –Support post, column, or 21″(533mm) adjustable height disc base - REQUIRED
  - –(D) wireway option specific to Compose end-of-run applications

Note: Grain direction will run across 63″(1600mm)-wide conference end worksurface.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **D** Compose end-of-run

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Key Conference End

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
39″(991mm)	30″(762mm)	WURY-3930-L ■	$717.46	$729.14	$858.00	$888.92	$ 999.90	$769.70	$781.38	$910.24	$ 941.26	$1052.14
51″(1295mm)	30″(762mm)	WURY-5130-L ■	$721.45	$733.12	$862.65	$893.57	$1005.27	$773.97	$785.64	$915.17	$ 946.09	$1057.79
	36″(914mm)	WURY-5136-L ■	737.28	748.88	879.48	910.40	1025.24	790.98	802.58	933.18	964.10	1078.94
63″(1600mm)	36″(914mm)	WURY-6336-L ■	$741.27	$752.86	$884.13	$915.05	$1030.61	$795.25	$806.84	$938.11	$ 969.03	$1084.59
	42″(1067mm)	WURY-6342-L ■	757.10	768.62	900.96	931.88	1050.58	812.26	823.78	956.12	987.04	1105.74
	48″(1219mm)	WURY-6348-L ■	772.93	784.38	917.79	948.71	1070.55	829.27	840.72	974.13	1005.05	1126.89





WURY-3930



WURY-5130
WURY-5136



WURY-6336
WURY-6342
WURY-6348

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end-of-run trim.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
  - –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Key ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the key end must be supported by either
  - –Two FMK brackets (51″(1295mm)/63″(1600mm) depths)
  - –A standard link bracket (pair)
  - –Another component with shared worksurface support (Worksurface support panel, P-leg)
  - –A combination of the previous three
- The front of the key end must be supported by one of the following:
  - –Support post, column, or 21″(533mm) adjustable height disc base - REQUIRED
- To be used in conference end application.
  - –(D) wireway option specific to Compose end-of-run applications

Note: Grain direction for laminate Key End over 63″(1600mm)-deep will be reversed.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **D** Compose end-of-run

Adaptable Worksurfaces — Laminate

120° Link

Depth	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	WZDZ-1821-L C ■	$269.93	$279.30	$333.57	$364.49	$402.96	$290.19	$299.56	$353.83	$384.75	$423.22
24″(610mm)	WZDZ-2427-L C ■	299.57	306.34	363.61	394.53	430.00	319.83	326.60	383.87	414.79	450.26
30″(762mm)	WZDZ-3033-L C ■	434.69	432.80	504.75	535.67	605.50	466.67	464.78	536.73	567.65	637.48





WZDZ

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –P-Leg
  - –Support post
  - –Support column
  - –Worksurface support panel
  - –Tie plate with 18″(457mm) depth
  - –Flush mount plates with 24″(610mm) and 30″(762mm) depths
  - –Standard link cantilevers
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

To Order, Specify:

T-Mold, Edgeband or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Rectangular





WURA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Support post or support column
  - –Attached lower storage
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For additional widths to span a 3-way panel condition, refer to panel-specific worksurface section.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURA-1824-W	$ 397.05	$ 423.31	$ 504.83	$ 531.09	$ 536.54	$ 562.80
	27″(686mm)	WURA-1827-W	426.99	454.84	540.25	568.10	572.36	600.21
	30″(762mm)	WURA-1830-W	456.93	486.37	578.41	607.85	611.12	640.56
	33″(838mm)	WURA-1833-W	486.87	517.90	616.57	647.60	649.88	680.91
	36″(914mm)	WURA-1836-W	516.81	549.43	654.73	687.35	688.64	721.26
	39″(991mm)	WURA-1839-W	546.75	580.96	692.89	727.10	727.40	761.61
	42″(1067mm)	WURA-1842-W	576.69	612.49	731.05	766.85	766.16	801.96
	45″(1143mm)	WURA-1845-W	606.63	644.02	769.21	806.60	804.92	842.31
	48″(1219mm)	WURA-1848-W	704.85	743.83	875.65	914.63	911.96	950.94
	51″(1295mm)	WURA-1851-W	734.79	775.36	913.81	954.38	950.72	991.29
	54″(1372mm)	WURA-1854-W	764.73	806.89	951.97	994.13	989.48	1031.64
	57″(1448mm)	WURA-1857-W	794.67	838.42	990.13	1033.88	1028.24	1071.99
	60″(1524mm)	WURA-1860-W	824.61	869.95	1028.29	1073.63	1067.00	1112.34
	63″(1600mm)	WURA-1863-W	854.55	901.48	1066.45	1113.38	1105.76	1152.69
	66″(1676mm)	WURA-1866-W	884.49	933.01	1104.61	1153.13	1144.52	1193.04
	69″(1753mm)	WURA-1869-W	914.43	964.54	1142.77	1192.88	1183.28	1233.39
	72″(1829mm)	WURA-1872-W	944.37	996.07	1180.93	1232.63	1222.04	1273.74
	75″(1905mm)	WURA-1875-W	974.31	1027.60	1219.09	1272.38	1260.80	1314.09
	78″(1981mm)	WURA-1878-W	1004.25	1059.13	1257.25	1312.13	1299.56	1354.44
	81″(2057mm)	WURA-1881-W	1034.19	1090.66	1295.41	1351.88	1338.32	1394.79
	84″(2134mm)	WURA-1884-W	1064.13	1122.19	1333.57	1391.63	1377.08	1435.14
	87″(2210mm)	WURA-1887-W	1094.07	1153.72	1371.73	1431.38	1415.84	1475.49
	90″(2286mm)	WURA-1890-W	1124.01	1185.25	1409.89	1471.13	1454.60	1515.84
	93″(2362mm)	WURA-1893-W	1153.95	1216.78	1448.05	1510.88	1493.36	1556.19
	96″(2438mm)	WURA-1896-W	1183.89	1248.31	1486.21	1550.63	1532.12	1596.54
	99″(2515mm)	WURA-1899-W	1213.83	1279.84	1524.37	1590.38	1570.88	1636.89
	102″(2591mm)	WURA-18A2-W	1243.77	1311.37	1562.53	1630.13	1609.64	1677.24
	105″(2667mm)	WURA-18A5-W	1273.71	1342.90	1600.69	1669.88	1648.40	1717.59
	108″(2743mm)	WURA-18A8-W	1303.65	1374.43	1638.85	1709.63	1687.16	1757.94
	111″(2819mm)	WURA-18B1-W	1333.59	1405.96	1677.01	1749.38	1725.92	1798.29
	114″(2890mm)	WURA-18B4-W	1363.53	1437.49	1715.17	1789.13	1764.68	1838.64
	117″(2972mm)	WURA-18B7-W	1393.47	1469.02	1753.33	1828.88	1803.44	1878.99
	120″(3048mm)	WURA-18C0-W	1423.41	1500.55	1791.49	1868.63	1842.20	1919.34
24″(610mm)	24″(610mm)	WURA-2424-W	$ 439.06	$ 465.32	$ 557.34	$ 583.60	$ 594.31	$ 620.57
	27″(686mm)	WURA-2427-W	472.15	500.00	595.91	623.76	633.28	661.13
	30″(762mm)	WURA-2430-W	505.24	534.68	637.22	666.66	675.19	704.63
	33″(839mm)	WURA-2433-W	538.33	569.36	678.53	709.56	717.10	748.13
	36″(914mm)	WURA-2436-W	571.42	604.04	719.84	752.46	759.01	791.63
	39″(991mm)	WURA-2439-W	604.51	638.72	761.15	795.36	800.92	835.13
	42″(1067mm)	WURA-2442-W	637.60	673.40	802.46	838.26	842.83	878.63
	45″(1143mm)	WURA-2445-W	670.69	708.08	843.77	881.16	884.74	922.13
	48″(1219mm)	WURA-2448-W	772.06	811.04	953.36	992.34	994.93	1033.91
	51″(1295mm)	WURA-2451-W	805.15	845.72	994.67	1035.24	1036.84	1077.41
	54″(1372mm)	WURA-2454-W	838.24	880.40	1035.98	1078.14	1078.75	1120.91
	57″(1448mm)	WURA-2457-W	871.33	915.08	1077.29	1121.04	1120.66	1164.41
	60″(1524mm)	WURA-2460-W	904.42	949.76	1118.60	1163.94	1162.57	1207.91
	63″(1600mm)	WURA-2463-W	937.51	984.44	1159.91	1206.84	1204.48	1251.41
	66″(1676mm)	WURA-2466-W	970.60	1019.12	1201.22	1249.74	1246.39	1294.91
	69″(1753mm)	WURA-2469-W	1003.69	1053.80	1242.53	1292.64	1288.30	1338.41
	72″(2429mm)	WURA-2472-W	1036.78	1088.48	1283.84	1335.54	1330.21	1381.91
	75″(1905mm)	WURA-2475-W	1069.87	1123.16	1325.15	1378.44	1372.12	1425.41
	78″(1981mm)	WURA-2478-W	1102.96	1157.84	1366.46	1421.34	1414.03	1468.91
	81″(2057mm)	WURA-2481-W	1136.05	1192.52	1407.77	1464.24	1455.94	1512.41
	84″(2134mm)	WURA-2484-W	1169.14	1227.20	1449.08	1507.14	1497.85	1555.91
	87″(2210mm)	WURA-2487-W	1202.23	1261.88	1490.39	1550.04	1539.76	1599.41
	90″(2286mm)	WURA-2490-W	1235.32	1296.56	1531.70	1592.94	1581.67	1642.91
	93″(2362mm)	WURA-2493-W	1268.41	1331.24	1573.01	1635.84	1623.58	1686.41
	96″(2438mm)	WURA-2496-W	1301.50	1365.92	1614.32	1678.74	1665.49	1729.91
	99″(2489mm)	WURA-2499-W	1334.59	1400.60	1655.63	1721.64	1707.40	1773.41
	102″(2591mm)	WURA-24A2-W	1367.68	1435.28	1696.94	1764.54	1749.31	1816.91
	105″(2667mm)	WURA-24A5-W	1400.77	1469.96	1738.25	1807.44	1791.22	1860.41
	108″(2743mm)	WURA-24A8-W	1433.86	1504.64	1779.56	1850.34	1833.13	1903.91
	111″(2819mm)	WURA-24B1-W	1466.95	1539.32	1820.87	1893.24	1875.04	1947.41
	114″(2890mm)	WURA-24B4-W	1500.04	1574.00	1862.18	1936.14	1916.95	1990.91
	117″(2972mm)	WURA-24B7-W	1533.13	1608.68	1903.49	1979.04	1958.86	2034.41
	120″(3048mm)	WURA-24C0-W	1566.22	1643.36	1944.80	2021.94	2000.77	2077.91

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	24″(610mm)	WURA-3024-W	$ 633.39	$ 659.65	$ 798.94	$ 825.20	$ 846.41	$ 872.67
	27″(686mm)	WURA-3027-W	669.63	697.48	840.66	868.51	888.53	916.38
	30″(762mm)	WURA-3030-W	705.87	735.31	885.12	914.56	933.59	963.03
	33″(838mm)	WURA-3033-W	742.11	773.14	929.58	960.61	978.65	1009.68
	36″(914mm)	WURA-3036-W	778.35	810.97	974.04	1006.66	1023.71	1056.33
	39″(991mm)	WURA-3039-W	814.59	848.80	1018.50	1052.71	1068.77	1102.98
	42″(1067mm)	WURA-3042-W	850.83	886.63	1062.96	1098.76	1113.83	1149.63
	45″(1143mm)	WURA-3045-W	887.07	924.46	1107.42	1144.81	1158.89	1196.28
	48″(1219mm)	WURA-3048-W	991.59	1030.57	1220.16	1259.14	1272.23	1311.21
	51″(1295mm)	WURA-3051-W	1027.83	1068.40	1264.62	1305.19	1317.29	1357.86
	54″(1372mm)	WURA-3054-W	1064.07	1106.23	1309.08	1351.24	1362.35	1404.51
	57″(1448mm)	WURA-3057-W	1100.31	1144.06	1353.54	1397.29	1407.41	1451.16
	60″(1524mm)	WURA-3060-W	1136.55	1181.89	1398.00	1443.34	1452.47	1497.81
	63″(1600mm)	WURA-3063-W	1172.79	1219.72	1442.46	1489.39	1497.53	1544.46
	66″(1676mm)	WURA-3066-W	1209.03	1257.55	1486.92	1535.44	1542.59	1591.11
	69″(1753mm)	WURA-3069-W	1245.27	1295.38	1531.38	1581.49	1587.65	1637.76
	72″(1829mm)	WURA-3072-W	1281.51	1333.21	1575.84	1627.54	1632.71	1684.41
	75″(1905mm)	WURA-3075-W	1317.75	1371.04	1620.30	1673.59	1677.77	1731.06
	78″(1981mm)	WURA-3078-W	1353.99	1408.87	1664.76	1719.64	1722.83	1777.71
	81″(2057mm)	WURA-3081-W	1390.23	1446.70	1709.22	1765.69	1767.89	1824.36
	84″(2134mm)	WURA-3084-W	1426.47	1484.53	1753.68	1811.74	1812.95	1871.01
	87″(2210mm)	WURA-3087-W	1462.71	1522.36	1798.14	1857.79	1858.01	1917.66
	90″(2286mm)	WURA-3090-W	1498.95	1560.19	1842.60	1903.84	1903.07	1964.31
	93″(2362mm)	WURA-3093-W	1535.19	1598.02	1887.06	1949.89	1948.13	2010.96
	96″(2438mm)	WURA-3096-W	1571.43	1635.85	1931.52	1995.94	1993.19	2057.61
	99″(2515mm)	WURA-3099-W	1607.67	1673.68	1975.98	2041.99	2038.25	2104.26
	102″(2591mm)	WURA-30A2-W	1643.91	1711.51	2020.44	2088.04	2083.31	2150.91
	105″(2667mm)	WURA-30A5-W	1680.15	1749.34	2064.90	2134.09	2128.37	2197.56
	108″(2743mm)	WURA-30A8-W	1716.39	1787.17	2109.36	2180.14	2173.43	2244.21
	111″(2819mm)	WURA-30B1-W	1752.63	1825.00	2153.82	2226.19	2218.49	2290.86
	114″(2890mm)	WURA-30B4-W	1788.87	1862.83	2198.28	2272.24	2263.55	2337.51
	117″(2972mm)	WURA-30B7-W	1825.11	1900.66	2242.74	2318.29	2308.61	2384.16
	120″(3048mm)	WURA-30C0-W	1861.35	1938.49	2287.20	2364.34	2353.67	2430.81

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Key

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	36″(914mm)	WURY-3036-W	**$1617.72**	**$1714.26**	**$1998.55**	**$2095.09**	**$2131.15**	**$2227.69**
	48″(1219mm)	WURY-3048-W	**1704.18**	**1816.10**	**2100.92**	**2212.84**	**2242.75**	**2354.67**
36″(914mm)	48″(1219mm)	WURY-3648-W	**$1804.43**	**$1934.17**	**$2236.07**	**$2365.81**	**$2371.11**	**$2500.85**
	60″(1524mm)	WURY-3660-W	**1890.89**	**2036.01**	**2338.44**	**2483.56**	**2482.71**	**2627.83**
	72″(1829mm)	WURY-3672-W	**1977.35**	**2137.85**	**2440.81**	**2601.31**	**2594.31**	**2754.81**
42″(1067mm)	60″(1524mm)	WURY-4260-W	**$1991.14**	**$2154.08**	**$2473.59**	**$2636.53**	**$2611.07**	**$2774.01**
	72″(1829mm)	WURY-4272-W	**2077.60**	**2255.92**	**2575.96**	**2754.28**	**2722.67**	**2900.99**
48″(1219mm)	60″(1524mm)	WURY-4860-W	**$2091.39**	**$2272.15**	**$2608.74**	**$2789.50**	**$2739.43**	**$2920.19**
	72″(1829mm)	WURY-4872-W	**2177.85**	**2373.99**	**2711.11**	**2907.25**	**2851.03**	**3047.17**





WURY

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) worksurface has two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Flush-mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- **Support post or height adjustable disk base is required.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURS-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURS-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURS-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURS-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURS-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURS-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURS-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURS-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURS-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURS-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURS-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURS-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURS-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURS-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURS-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURS-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURS-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURS-3060-W	1108.36	1158.28	1441.92	1491.84



WURS-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURW-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURW-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURW-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURW-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURW-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURW-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURW-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURW-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURW-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURW-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURW-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURW-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURW-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURW-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURW-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURW-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURW-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURW-3060-W	1108.36	1158.28	1441.92	1491.84



WURW-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) of knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever bracket
  - –Side/corner brackets
  - –Worksurface support panel
  - –Worksurface support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	24″(610mm)	WURT-2424-W N34	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N34	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N34	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N34	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N34	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N34	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N34	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/18″(457mm)	24″(610mm)	WURT-2424-W N43	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N43	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N43	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N43	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N43	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N43	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N43	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/30″(762mm)	24″(610mm)	WURT-3024-W N45	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N45	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N45	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N45	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N45	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N45	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N45	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20
30″(762mm)/24″(610mm)	24″(610mm)	WURT-3024-W N54	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N54	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N54	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N54	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N54	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N54	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N54	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20





WURT-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever bracket
  - –Side/corner brackets
  - –Worksurface support panel
  - –Worksurface support post or support column
  - –P-Leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm)-wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm)-wide, attached pedestal may be installed on deepest side.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Wedge





WURE-WN34



WURE-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Side/corner brackets
  - –Standard cantilever bracket
  - –Worksurface support post or support column
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Worksurface support must be separately specified. Select one of the following:
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Wedge

Left/Right Depth	Width	Number ❶❷❸		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-W	N43	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N43	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N43	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N43	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N43	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N43	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N43	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N43	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N43	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N43	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N43	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N43	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N43	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N43	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N43	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N43	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N43	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-W	N34	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N34	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N34	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N34	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N34	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N34	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N34	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N34	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N34	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N34	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N34	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N34	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N34	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N34	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N34	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N34	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N34	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-W	N54	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N54	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N54	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N54	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N54	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N54	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N54	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N54	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N54	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N54	1310.63	1412.76	1606.84	1708.97	1699.11	1801.24
	84″(2134mm)	WURE-3084-W	N54	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N54	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N54	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N54	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N54	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N54	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N54	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-W	N45	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N45	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N45	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N45	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N45	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N45	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N45	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N45	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N45	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N45	1310.63	1412.76	1606.84	1708.97	1699.11	1801.24
	84″(2134mm)	WURE-3084-W	N45	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N45	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N45	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N45	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N45	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N45	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N45	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98

Adaptable Worksurfaces — Wood

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-W N43	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W N43	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W N43	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W N43	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W N43	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W N43	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W N43	1145.12	1298.20	1482.26	1635.34
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-W N34	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W N34	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W N34	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W N34	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W N34	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W N34	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W N34	1145.12	1298.20	1482.26	1635.34
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-W N54	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W N54	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W N54	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W N54	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W N54	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W N54	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W N54	1160.64	1316.48	1497.78	1653.62
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-W N45	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W N45	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W N45	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W N45	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W N45	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W N45	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W N45	1160.64	1316.48	1497.78	1653.62





WURG-WN34



WURG-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
  - –Side/corner brackets
  - –Standard cantilever bracket
  - –Worksurface support post or support column
  - –**P-Leg not recommended**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Worksurface support must be separately specified. Select one of the following:
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Radius End

Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURR-1824-W	$ 582.40	$ 610.48	$ 717.29	$ 745.37	$ 760.55	$ 788.63
	30″(762mm)	WURR-1830-W	656.68	687.88	805.62	836.82	867.58	898.78
	36″(914mm)	WURR-1836-W	730.96	765.28	896.76	931.08	981.16	1015.48
	42″(1067mm)	WURR-1842-W	805.24	842.68	987.90	1025.34	1094.74	1132.18
	48″(1219mm)	WURR-1848-W	879.52	920.08	1079.04	1119.60	1208.32	1248.88
	54″(1372mm)	WURR-1854-W	953.80	997.48	1170.18	1213.86	1321.90	1365.58
	60″(1524mm)	WURR-1860-W	1028.08	1074.88	1261.32	1308.12	1435.48	1482.28
24″(610mm)	24″(610mm)	WURR-2424-W	$ 590.72	$ 618.80	$ 729.77	$ 757.85	$ 774.07	$ 802.15
	30″(762mm)	WURR-2430-W	666.86	698.06	819.96	851.16	882.96	914.16
	36″(914mm)	WURR-2436-W	743.00	777.32	912.96	947.28	998.40	1032.72
	42″(1067mm)	WURR-2442-W	819.14	856.58	1005.96	1043.40	1113.84	1151.28
	48″(1219mm)	WURR-2448-W	895.28	935.84	1098.96	1139.52	1229.28	1269.84
	54″(1372mm)	WURR-2454-W	971.42	1015.10	1191.96	1235.64	1344.72	1388.40
	60″(1524mm)	WURR-2460-W	1047.56	1094.36	1284.96	1331.76	1460.16	1506.96
30″(762mm)	24″(610mm)	WURR-3024-W	$ 725.92	$ 754.00	$ 925.29	$ 953.37	$ 973.75	$1001.83
	30″(762mm)	WURR-3030-W	803.92	835.12	1017.34	1048.54	1084.50	1115.70
	36″(914mm)	WURR-3036-W	881.92	916.24	1112.20	1146.52	1201.80	1236.12
	42″(1067mm)	WURR-3042-W	959.92	997.36	1207.06	1244.50	1319.10	1356.54
	48″(1219mm)	WURR-3048-W	1037.92	1078.48	1301.92	1342.48	1436.40	1476.96
	54″(1372mm)	WURR-3054-W	1115.92	1159.60	1396.78	1440.46	1553.70	1597.38
	60″(1524mm)	WURR-3060-W	1193.92	1240.72	1491.64	1538.44	1671.00	1717.80



(Right-hand orientation)

(Left-hand orientation)

WURR-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on side and back, or
  - –Cascade (M) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Separately specified floor support required on radius end:
  - –Side/corner bracket with worksurface support leg or column.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever bracket
  - –Side/corner brackets
  - –Worksurface support post or leg - REQUIRED
  - –Worksurface support panel
  - –Attached pedestal (for worksurfaces greater than 36″(914mm)-wide)
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Rectangular – Split Top

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	36″(914mm)	WURK-2436-W	**$3413.33**	**$3582.83**	**$4267.20**	**$4436.70**
	42″(1067mm)	WURK-2442-W	**3549.25**	**3742.95**	**4437.02**	**4630.72**
	48″(1219mm)	WURK-2448-W	**3685.17**	**3903.07**	**4606.84**	**4824.74**
30″(762mm)	36″(914mm)	WURK-3036-W	**$3591.14**	**$3792.30**	**$4488.72**	**$4689.88**
	42″(1067mm)	WURK-3042-W	**3727.06**	**3952.42**	**4658.54**	**4883.90**
	48″(1219mm)	WURK-3048-W	**3862.98**	**4112.54**	**4828.36**	**5077.92**





WURK-W

Features

- Includes rear worksurface, front worksurface, mechanism and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets.
- Front user edge of front worksurface designed to align with 24″(610mm) or 30″(762mm)-depth worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever brackets
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Straight Front

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N33	$ 718.77	$ 755.19	$ 944.79	$ 981.21
	42″(1067mm)	WUCA-4242-W ☐☐☐ N33	793.76	848.39	1049.24	1103.87
	48″(1219mm)	WUCA-4848-W ☐☐☐ N33	928.74	1001.58	1213.68	1286.52
24″(610mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N44	$ 738.05	$ 774.47	$ 964.07	$1000.49
	42″(1067mm)	WUCA-4242-W ☐☐☐ N44	813.04	867.67	1068.52	1123.15
	48″(1219mm)	WUCA-4848-W ☐☐☐ N44	948.02	1020.86	1232.96	1305.80
30″(762mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N55	$ 819.46	$ 855.88	$1045.48	$1081.90
	42″(1067mm)	WUCA-4242-W ☐☐☐ N55	894.45	949.08	1149.93	1204.56
	48″(1219mm)	WUCA-4848-W ☐☐☐ N55	1029.43	1102.27	1314.37	1387.21



WUCA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCR-3636-W ☐☐☐ N33	$644.96	$ 675.05	$ 818.76	$ 848.85	$ 856.64	$ 886.73
	42″(1067mm)	WUCR-4242-W ☐☐☐ N33	752.18	801.65	960.42	1009.89	991.94	1041.41
	48″(1219mm)	WUCR-4848-W ☐☐☐ N33	859.40	928.25	1102.08	1170.93	1127.24	1196.09
24″(610mm)	36″(914mm)	WUCR-3636-W ☐☐☐ N44	$708.86	$ 748.81	$ 874.02	$ 913.97	$ 920.54	$ 960.49
	42″(1067mm)	WUCR-4242-W ☐☐☐ N44	816.08	875.41	1015.68	1075.01	1055.84	1115.17
	48″(1219mm)	WUCR-4848-W ☐☐☐ N44	923.30	1002.01	1157.34	1236.05	1191.14	1269.85
30″(762mm)	36″(914mm)	(1) WUCR-3636-W ☐☐☐ N55	$772.76	$ 822.57	N/A	N/A	N/A	N/A
	42″(1067mm)	WUCR-4242-W ☐☐☐ N55	879.98	949.17	1070.94	1140.13	1119.74	1188.93
	48″(1219mm)	WUCR-4848-W ☐☐☐ N55	987.20	1075.77	1212.60	1301.17	1255.04	1343.61

(1)Cascade edge option not available in this size.





WUCR-W

Features

- Includes worksurface.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Notched

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCN-3636-W ▢▢▢ N33	$684.85	$709.01	$ 861.32	$ 885.48	$ 905.43	$ 929.59
	42″(1067mm)	WUCN-4242-W ▢▢▢ N33	798.31	825.65	995.78	1023.12	1045.14	1072.48
	48″(1219mm)	WUCN-4848-W ▢▢▢ N33	911.77	942.29	1134.44	1164.96	1190.10	1220.62
24″(610mm)	36″(914mm)	WUCN-3636-W ▢▢▢ N44	$701.66	$725.82	$ 878.13	$ 902.29	$ 922.24	$ 946.40
	42″(1067mm)	WUCN-4242-W ▢▢▢ N44	815.12	842.46	1012.59	1039.93	1061.95	1089.29
	48″(1219mm)	WUCN-4848-W ▢▢▢ N44	928.58	959.10	1151.25	1181.77	1206.91	1237.43
30″(762mm)	36″(914mm)	(1) WUCN-3636-W ▢▢▢ N55	$718.46	$742.62	N/A	N/A	$ 939.04	$ 963.20
	42″(1067mm)	WUCN-4242-W ▢▢▢ N55	831.92	859.26	1029.39	1056.73	1078.75	1106.09
	48″(1219mm)	WUCN-4848-W ▢▢▢ N55	945.38	975.90	1168.05	1198.57	1223.71	1254.23

(1) Cascade edge option not available in this size.



WUCN-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Angled

Left/Right Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 33	$658.76	$ 701.19	$ 849.70	$ 892.13
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 33	752.54	821.13	991.27	1059.86
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 33	899.36	994.11	1185.88	1280.63
24″(610mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 44	$690.70	$ 737.43	$ 873.80	$ 920.53
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 44	784.48	857.37	1015.37	1088.26
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 44	931.30	1030.35	1209.98	1309.03
30″(762mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 55	$722.64	$ 773.67	$ 897.90	$ 948.93
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 55	816.42	893.61	1039.47	1116.66
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 55	963.24	1066.59	1234.08	1337.43



(Left-hand orientation)



(Right-hand orientation)
WUCU-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-W ☐☐☐ N34	$676.91	$ 711.93	$ 846.39	$ 881.41	$ 888.59	$ 923.61
	42″(1067mm)	WUCT-4242-W ☐☐☐ N34	784.13	838.53	988.05	1042.45	1023.89	1078.29
	48″(1219mm)	WUCT-4848-W ☐☐☐ N34	891.35	965.13	1129.71	1203.49	1159.19	1232.97
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-W ☐☐☐ N43	$676.91	$ 711.93	$ 846.39	$ 881.41	$ 888.59	$ 923.61
	42″(1067mm)	WUCT-4242-W ☐☐☐ N43	784.13	838.53	988.05	1042.45	1023.89	1078.29
	48″(1219mm)	WUCT-4848-W ☐☐☐ N43	891.35	965.13	1129.71	1203.49	1159.19	1232.97
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCT-3636-W ☐☐☐ N45	$740.81	$ 785.69	N/A	N/A	$ 952.49	$ 997.37
	42″(1067mm)	WUCT-4242-W ☐☐☐ N45	848.03	912.29	1043.31	1107.57	1087.79	1152.05
	48″(1219mm)	WUCT-4848-W ☐☐☐ N45	955.25	1038.89	1184.97	1268.61	1223.09	1306.73
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCT-3636-W ☐☐☐ N54	$740.81	$ 785.69	N/A	N/A	$ 952.49	$ 997.37
	42″(1067mm)	WUCT-4242-W ☐☐☐ N54	848.03	912.29	1043.31	1107.57	1087.79	1152.05
	48″(1219mm)	WUCT-4848-W ☐☐☐ N54	955.25	1038.89	1184.97	1268.61	1223.09	1306.73

(1)Cascade edge option not available in these sizes.





WUCT-WN34



WUCT-WN43

Features

- Includes worksurface.
- Wood veneer worksurface with:
  - –3mm edgeband (K) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-W ▢▢▢ N34	$674.35	$698.51	$ 850.82	$ 874.98	$ 894.93	$ 919.09
	42″(1067mm)	WUCH-4242-W ▢▢▢ N34	787.81	815.15	985.28	1012.62	1034.64	1061.98
	48″(1219mm)	WUCH-4848-W ▢▢▢ N34	901.27	931.79	1123.94	1154.46	1179.60	1210.12
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-W ▢▢▢ N43	$674.35	$698.51	$ 850.82	$ 874.98	$ 894.93	$ 919.09
	42″(1067mm)	WUCH-4242-W ▢▢▢ N43	787.81	815.15	985.28	1012.62	1034.64	1061.98
	48″(1219mm)	WUCH-4848-W ▢▢▢ N43	901.27	931.79	1123.94	1154.46	1179.60	1210.12
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCH-3636-W ▢▢▢ N45	$707.96	$732.12	N/A	N/A	$ 928.54	$ 952.70
	42″(1067mm)	WUCH-4242-W ▢▢▢ N45	821.42	848.76	1018.89	1046.23	1068.25	1095.59
	48″(1219mm)	WUCH-4848-W ▢▢▢ N45	934.88	965.40	1157.55	1188.07	1213.21	1243.73
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCH-3636-W ▢▢▢ N54	$707.96	$732.12	N/A	N/A	$ 928.54	$ 952.70
	42″(1067mm)	WUCH-4242-W ▢▢▢ N54	821.42	848.76	1018.89	1046.23	1068.25	1095.59
	48″(1219mm)	WUCH-4848-W ▢▢▢ N54	934.88	965.40	1157.55	1188.07	1213.21	1243.73

(1)Cascade edge option not available in these sizes.



WUCH-WN34



WUCH-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Angled Transitional

Left/Right Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ☐☐☐☐ 34	**$621.69**	**$ 666.27**	**$ 808.71**	**$ 853.29**
	42″(1067mm)	WUCF-4242-W ☐☐☐☐ 34	**768.51**	**839.25**	**1003.32**	**1074.06**
	48″(1219mm)	WUCF-4848-W ☐☐☐☐ 34	**915.33**	**1012.23**	**1197.93**	**1294.83**
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-W ☐☐☐☐ 43	**$621.69**	**$ 666.27**	**$ 808.71**	**$ 853.29**
	42″(1067mm)	WUCF-4242-W ☐☐☐☐ 43	**768.51**	**839.25**	**1003.32**	**1074.06**
	48″(1219mm)	WUCF-4848-W ☐☐☐☐ 43	**915.33**	**1012.23**	**1197.93**	**1294.83**
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-W ☐☐☐☐ 45	**$653.63**	**$ 702.51**	**$ 832.81**	**$ 881.69**
	42″(1067mm)	WUCF-4242-W ☐☐☐☐ 45	**800.45**	**875.49**	**1027.42**	**1102.46**
	48″(1219mm)	WUCF-4848-W ☐☐☐☐ 45	**947.27**	**1048.47**	**1222.03**	**1323.23**
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ☐☐☐☐ 54	**$653.63**	**$ 702.51**	**$ 832.81**	**$ 881.69**
	42″(1067mm)	WUCF-4242-W ☐☐☐☐ 54	**800.45**	**875.49**	**1027.42**	**1102.46**
	48″(1219mm)	WUCF-4848-W ☐☐☐☐ 54	**947.27**	**1048.47**	**1222.03**	**1323.23**



(Left-hand orientation)
WUCF-W34



(Right-hand orientation)
WUCF-W43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Split Top

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	48″(1219mm)	WUCK-4848-W ☐ ☐ ☐ N44	**$2826.90**	**$3138.62**	**$3573.53**	**$3885.25**
30″(762mm)	48″(1219mm)	WUCK-4848-W ☐ ☐ ☐ N55	**$2884.74**	**$3207.17**	**$3631.37**	**$3953.80**



WUCK-W

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- Worksurface support must be separately specified. Select one of the following:
  - –Cantilever bracket
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
- Front user edge of front worksurface designed to align with 24″(610mm) or 30″(762mm)-depth worksurfaces

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

This page intentionally blank

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended





(Right-hand orientation)

WUCE-WR44



(Left-hand orientation)

WUCE-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –P-Leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	33	$1162.64	$1247.50	$1479.82	$1564.68	$1485.12	$1569.98
		48″(1219mm)	WUCE-3648-W	33	1173.01	1259.74	1498.83	1585.56	1507.79	1594.52
		54″(1372mm)	WUCE-3654-W	33	1183.38	1271.98	1517.84	1606.44	1530.46	1619.06
		60″(1524mm)	WUCE-3660-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		66″(1676mm)	WUCE-3666-W	33	1322.93	1415.27	1674.67	1767.01	1694.61	1786.95
		72″(1829mm)	WUCE-3672-W	33	1455.29	1549.50	1815.67	1909.88	1839.27	1933.48
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	44	$1188.64	$1278.24	$1505.82	$1595.42	$1511.12	$1600.72
		48″(1219mm)	WUCE-3648-W	44	1199.01	1290.48	1524.83	1616.30	1533.79	1625.26
		54″(1372mm)	WUCE-3654-W	44	1209.38	1302.72	1543.84	1637.18	1556.46	1649.80
		60″(1524mm)	WUCE-3660-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		66″(6764mm)	WUCE-3666-W	44	1348.93	1446.01	1700.67	1797.75	1720.61	1817.69
		72″(1829mm)	WUCE-3672-W	44	1481.29	1580.24	1841.67	1940.62	1865.27	1964.22
30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCE-3642-W	55	$1333.45	$1427.79	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCE-3648-W	55	1343.82	1440.03	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCE-3654-W	55	1354.19	1452.27	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCE-3660-W	55	1364.56	1464.51	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCE-3666-W	55	1493.74	1595.56	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCE-3672-W	55	1626.10	1729.79	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	33	$1183.38	$1271.98	$1517.84	$1606.44	$1530.46	$1619.06
		54″(1372mm)	WUCE-4254-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		60″(1524mm)	WUCE-4260-W	33	1204.12	1296.46	1555.86	1648.20	1575.80	1668.14
		66″(1676mm)	WUCE-4266-W	33	1333.30	1427.51	1693.68	1787.89	1717.28	1811.49
		72″(1829mm)	WUCE-4272-W	33	1465.66	1561.74	1834.68	1930.76	1861.94	1958.02
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	44	$1209.38	$1302.72	$1543.84	$1637.18	$1556.46	$1649.80
		54″(1372mm)	WUCE-4254-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		60″(1524mm)	WUCE-4260-W	44	1230.12	1327.20	1581.86	1678.94	1601.80	1698.88
		66″(1676mm)	WUCE-4266-W	44	1359.30	1458.25	1719.68	1818.63	1743.28	1842.23
		72″(1829mm)	WUCE-4272-W	44	1491.66	1592.48	1860.68	1961.50	1887.94	1988.76
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-W	55	$1354.19	$1452.27	$1688.65	$1786.73	$1701.27	$1799.35
		54″(1372mm)	WUCE-4254-W	55	1364.56	1464.51	1707.66	1807.61	1723.94	1823.89
		60″(1524mm)	WUCE-4260-W	55	1374.93	1476.75	1726.67	1828.49	1746.61	1848.43
		66″(1676mm)	WUCE-4266-W	55	1504.11	1607.80	1864.49	1968.18	1888.09	1991.78
		72″(1829mm)	WUCE-4272-W	55	1636.47	1742.03	2005.49	2111.05	2032.75	2138.31
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	33	$1204.12	$1296.46	$1555.86	$1648.20	$1575.80	$1668.14
		60″(1524mm)	WUCE-4860-W	33	1214.49	1308.70	1574.87	1669.08	1598.47	1692.68
		66″(1676mm)	WUCE-4866-W	33	1343.67	1439.75	1712.69	1808.77	1739.95	1836.03
		72″(1829mm)	WUCE-4872-W	33	1476.03	1573.98	1853.69	1951.64	1884.61	1982.56
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	44	$1230.12	$1327.20	$1581.86	$1678.94	$1601.80	$1698.88
		60″(1524mm)	WUCE-4860-W	44	1240.49	1339.44	1600.87	1699.82	1624.47	1723.42
		66″(1676mm)	WUCE-4866-W	44	1369.67	1470.49	1738.69	1839.51	1765.95	1866.77
		72″(1829mm)	WUCE-4872-W	44	1502.03	1604.72	1879.69	1982.38	1910.61	2013.30
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	55	$1374.93	$1476.75	$1726.67	$1828.49	$1746.61	$1848.43
		60″(1524mm)	WUCE-4860-W	55	1385.30	1488.99	1745.68	1849.37	1769.28	1872.97
		66″(1676mm)	WUCE-4866-W	55	1514.48	1620.04	1883.50	1989.06	1910.76	2016.32
		72″(1829mm)	WUCE-4872-W	55	1646.84	1754.27	2024.50	2131.93	2055.42	2162.85

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended





(Right-hand orientation)

WUCP-WR44



(Left-hand orientation)

WUCP-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Side post or support column
  - –Disc base
  - –Double support leg
  - –P-Leg
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for laminate worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	33	$1147.26	$1229.74	$1400.06	$1482.54	$1479.33	$1561.81
		48″(1219mm)	WUCP-3648-W	33	1185.29	1274.53	1457.21	1546.45	1533.68	1622.92
		54″(1372mm)	WUCP-3654-W	33	1223.32	1319.32	1514.36	1610.36	1588.03	1684.03
		60″(1524mm)	WUCP-3660-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		66″(1676mm)	WUCP-3666-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		72″(1829mm)	WUCP-3672-W	33	1454.17	1570.45	1802.57	1918.85	1867.84	1984.12
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	44	$1166.48	$1252.37	$1419.28	$1505.17	$1498.55	$1584.44
		48″(1219mm)	WUCP-3648-W	44	1204.51	1297.16	1476.43	1569.08	1552.90	1645.55
		54″(1372mm)	WUCP-3654-W	44	1242.54	1341.95	1533.58	1632.99	1607.25	1706.66
		60″(1524mm)	WUCP-3660-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		66″(1676mm)	WUCP-3666-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		72″(1829mm)	WUCP-3672-W	44	1473.39	1593.08	1821.79	1941.48	1887.06	2006.75
30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCP-3642-W	55	$1185.70	$1275.00	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCP-3648-W	55	1223.73	1319.79	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCP-3654-W	55	1261.76	1364.58	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCP-3660-W	55	1299.79	1409.37	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCP-3666-W	55	1337.82	1454.16	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCP-3672-W	55	1492.61	1615.71	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	33	$1223.32	$1319.32	$1514.36	$1610.36	$1588.03	$1684.03
		54″(1372mm)	WUCP-4254-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		60″(1524mm)	WUCP-4260-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		66″(1676mm)	WUCP-4266-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		72″(1829mm)	WUCP-4272-W	33	1492.20	1615.24	1859.72	1982.76	1922.19	2045.23
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	44	$1242.54	$1341.95	$1533.58	$1632.99	$1607.25	$1706.66
		54″(1372mm)	WUCP-4254-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		60″(1524mm)	WUCP-4260-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		66″(1676mm)	WUCP-4266-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		72″(1829mm)	WUCP-4272-W	44	1511.42	1637.87	1878.94	2005.39	1941.41	2067.86
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	55	$1261.76	$1364.58	$1552.80	$1655.62	$1626.47	$1729.29
		54″(1372mm)	WUCP-4254-W	55	1299.79	1409.37	1609.95	1719.53	1680.82	1790.40
		60″(1524mm)	WUCP-4260-W	55	1337.82	1454.16	1667.10	1783.44	1735.17	1851.51
		66″(1676mm)	WUCP-4266-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		72″(1829mm)	WUCP-4272-W	55	1530.64	1660.50	1898.16	2028.02	1960.63	2090.49
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	33	$1299.38	$1408.90	$1628.66	$1738.18	$1696.73	$1806.25
		60″(1524mm)	WUCP-4860-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		66″(1676mm)	WUCP-4866-W	33	1375.44	1498.48	1742.96	1866.00	1805.43	1928.47
		72″(1829mm)	WUCP-4872-W	33	1530.23	1660.03	1916.87	2046.67	1976.54	2106.34
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	44	$1318.60	$1431.53	$1647.88	$1760.81	$1715.95	$1828.88
		60″(1524mm)	WUCP-4860-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		66″(1676mm)	WUCP-4866-W	44	1394.66	1521.11	1762.18	1888.63	1824.65	1951.10
		72″(1829mm)	WUCP-4872-W	44	1549.45	1682.66	1936.09	2069.30	1995.76	2128.97
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	55	$1337.82	$1454.16	$1667.10	$1783.44	$1735.17	$1851.51
		60″(1524mm)	WUCP-4860-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		66″(1676mm)	WUCP-4866-W	55	1413.88	1543.74	1781.40	1911.26	1843.87	1973.73
		72″(1829mm)	WUCP-4872-W	55	1568.67	1705.29	1955.31	2091.93	2014.98	2151.60

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-WR34



(Left-hand orientation)

WUCX-WL43

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) of knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Corner brackets - REQUIRED
  - –Worksurface support panel
  - –Support post or support column
  - –P-Leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Wood Group B K	Wood Group A M	Group B M	Group A U	Group B U
18″(457mm)/ 24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	34	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	34	1323.91	1413.01	1649.73	1738.83	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	34	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(1676mm)	WUCX-3666-W	34	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	34	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	43	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	43	1323.91	1413.01	1649.73	1738.83	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	43	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(6764mm)	WUCX-3666-W	43	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	43	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	45	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	45	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	45	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	45	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(6764mm)	(1) WUCX-3666-W	45	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	45	1632.19	1733.51	N/A	N/A	N/A	N/A
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	54	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	54	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	54	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	54	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCX-3666-W	54	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	54	1632.19	1733.51	N/A	N/A	N/A	N/A
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	34	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	34	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	34	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	34	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	43	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	43	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	43	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	43	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	45	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	45	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	45	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	45	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	45	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-W	54	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	54	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	54	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	54	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	54	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	34	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	34	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	34	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	34	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	43	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	43	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	43	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	43	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	45	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	45	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	45	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	45	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	54	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	54	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	54	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	54	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

90° Merger

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCQ-3636-W N33	$ 723.82	$ 748.34	$ 942.35	$ 966.87
	42″(1067mm)	WUCQ-4242-W N33	808.04	832.56	990.33	1014.85
	48″(1219mm)	WUCQ-4848-W N33	940.22	964.74	1221.65	1246.17
24″(610mm)	36″(914mm)	WUCQ-3636-W N44	$ 743.01	$ 767.53	$ 961.54	$ 986.06
	42″(1067mm)	WUCQ-4242-W N44	827.23	851.75	1009.52	1034.04
	48″(1219mm)	WUCQ-4848-W N44	959.41	983.93	1240.84	1265.36
30″(762mm)	36″(914mm)	WUCQ-3636-W N55	$ 824.02	$ 848.54	$1042.55	$1067.07
	42″(1067mm)	WUCQ-4242-W N55	908.24	932.76	1090.53	1115.05
	48″(1219mm)	WUCQ-4848-W N55	1040.42	1064.94	1321.85	1346.37





WUCQ-WN44

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Side brackets
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with adjustable keyboard pad.**
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.
3) Edge trim color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 120° Wrap-Around

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCZ-3636-W ☐☐☐ N33	$ 940.36	$1025.14	$1231.77	$1316.55
	42″(1067mm)	WUCZ-4242-W ☐☐☐ N33	1076.86	1185.91	1403.13	1512.18
	48″(1219mm)	WUCZ-4848-W ☐☐☐ N33	1213.36	1346.68	1574.49	1707.81
	54″(1372mm)	WUCZ-5454-W ☐☐☐ N33	1349.86	1507.45	1745.85	1903.44
	60″(1524mm)	WUCZ-6060-W ☐☐☐ N33	1486.36	1668.22	1917.21	2099.07
24″(610mm)	36″(914mm)	WUCZ-3636-W ☐☐☐ N44	$1025.03	$1124.89	$1316.44	$1416.30
	42″(1067mm)	WUCZ-4242-W ☐☐☐ N44	1161.53	1285.66	1487.80	1611.93
	48″(1219mm)	WUCZ-4848-W ☐☐☐ N44	1298.03	1446.43	1659.16	1807.56
	54″(1372mm)	WUCZ-5454-W ☐☐☐ N44	1434.53	1607.20	1830.52	2003.19
	60″(1524mm)	WUCZ-6060-W ☐☐☐ N44	1571.03	1767.97	2001.88	2198.82
30″(762mm)	36″(914mm)	WUCZ-3636-W ☐☐☐ N55	$1109.70	$1224.64	$1401.11	$1516.05
	42″(1067mm)	WUCZ-4242-W ☐☐☐ N55	1246.20	1385.41	1572.47	1711.68
	48″(1219mm)	WUCZ-4848-W ☐☐☐ N55	1382.70	1546.18	1743.83	1907.31
	54″(1372mm)	WUCZ-5454-W ☐☐☐ N55	1519.20	1706.95	1915.19	2102.94
	60″(1524mm)	WUCZ-6060-W ☐☐☐ N55	1655.70	1867.72	2086.55	2298.57





WUCZ-W44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Corner bracket - REQUIRED
  - –Worksurface support panel
  - –Side brackets
  - –P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURD-2436-W	$ 718.64	$ 752.96	$ 893.26	$ 927.58	$ 941.30	$ 975.62
	42″(1067mm)	WURD-2442-W	835.64	876.20	1040.96	1081.52	1084.80	1125.36
	48″(1219mm)	WURD-2448-W	952.64	1000.48	1200.94	1248.78	1238.90	1286.74
	54″(1372mm)	WURD-2454-W	1069.64	1122.68	1348.64	1401.68	1382.40	1435.44
	60″(1524mm)	WURD-2460-W	1186.64	1246.96	1508.62	1568.94	1536.50	1596.82
	66″(1676mm)	WURD-2466-W	1303.64	1370.20	1662.46	1729.02	1685.30	1751.86
	72″(1829mm)	WURD-2472-W	1420.64	1492.40	1810.16	1881.92	1828.80	1900.56
30″(762mm)	36″(914mm)	WURD-3036-W	$ 837.20	$ 871.52	$1015.98	$1050.30	$1091.06	$1125.38
	42″(1067mm)	WURD-3042-W	955.76	996.32	1165.24	1205.80	1236.12	1276.68
	48″(1219mm)	WURD-3048-W	1074.32	1122.16	1326.78	1374.62	1391.78	1439.62
	54″(1372mm)	WURD-3054-W	1192.88	1245.92	1476.04	1529.08	1536.84	1589.88
	60″(1524mm)	WURD-3060-W	1311.44	1371.76	1637.58	1697.90	1692.50	1752.82
	66″(1676mm)	WURD-3066-W	1430.00	1496.56	1792.98	1859.54	1842.86	1909.42
	72″(1829mm)	WURD-3072-W	1548.56	1620.32	1942.24	2014.00	1987.92	2059.68
36″(914mm)	36″(914mm)	WURD-3636-W	$ 860.08	$ 894.40	$1045.10	$1079.42	$1120.18	$1154.50
	42″(1067mm)	WURD-3642-W	980.20	1020.76	1195.92	1236.48	1266.80	1307.36
	48″(1219mm)	WURD-3648-W	1100.32	1148.16	1359.02	1406.86	1424.02	1471.86
	54″(1372mm)	WURD-3654-W	1220.44	1273.48	1509.84	1562.88	1570.64	1623.68
	60″(1524mm)	WURD-3660-W	1340.56	1400.88	1672.94	1733.26	1727.86	1788.18
	66″(1676mm)	WURD-3666-W	1460.68	1527.24	1829.90	1896.46	1879.78	1946.34
	72″(1829mm)	WURD-3672-W	1580.80	1652.56	1980.72	2052.48	2026.40	2098.16







WURD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Worksurface support must be separately specified. Select one of the following required floor support options:
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Side bracket
  - –Worksurface support panel
  - –Flush mount plates
  - –P-Leg
- For aesthetic reasons, when using Cascade edge or edgeband option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURV-2436-W	$ 697.84	$ 732.16	$ 871.52	$ 905.84	$ 918.94	$ 953.26
	42″(1067mm)	WURV-2442-W	762.76	801.46	962.44	1001.14	1002.56	1041.26
	48″(1219mm)	WURV-2448-W	827.68	871.49	1063.76	1107.57	1093.66	1137.47
	54″(1372mm)	WURV-2454-W	892.60	940.06	1154.68	1202.14	1177.28	1224.74
	60″(1524mm)	WURV-2460-W	957.52	1010.09	1256.00	1308.57	1268.38	1320.95
	66″(1676mm)	WURV-2466-W	1022.44	1079.39	1352.12	1409.07	1355.74	1412.69
	72″(1829mm)	WURV-2472-W	1087.36	1147.96	1443.04	1503.64	1439.36	1499.96
30″(762mm)	36″(914mm)	WURV-3036-W	$ 774.80	$ 809.12	$ 952.64	$ 986.96	$1027.10	$1061.42
	42″(1067mm)	WURV-3042-W	849.68	888.38	1053.52	1092.22	1120.68	1159.38
	48″(1219mm)	WURV-3048-W	924.56	968.37	1164.80	1208.61	1221.74	1265.55
	54″(1372mm)	WURV-3054-W	999.44	1046.90	1265.68	1313.14	1315.32	1362.78
	60″(1524mm)	WURV-3060-W	1074.32	1126.89	1376.96	1429.53	1416.38	1468.95
	66″(1676mm)	WURV-3066-W	1149.20	1206.15	1483.04	1539.99	1513.70	1570.65
	72″(1829mm)	WURV-3072-W	1224.08	1284.68	1583.92	1644.52	1607.28	1667.88
36″(914mm)	36″(914mm)	WURV-3636-W	$ 829.92	$ 864.24	$1014.00	$1048.32	$1088.46	$1122.78
	42″(1067mm)	WURV-3642-W	938.52	977.22	1148.60	1187.30	1215.76	1254.46
	48″(1219mm)	WURV-3648-W	1047.12	1090.93	1293.60	1337.41	1350.54	1394.35
	54″(1372mm)	WURV-3654-W	1155.72	1203.18	1428.20	1475.66	1477.84	1525.30
	60″(1524mm)	WURV-3660-W	1264.32	1316.89	1573.20	1625.77	1612.62	1665.19
	66″(1676mm)	WURV-3666-W	1372.92	1429.87	1713.00	1769.95	1743.66	1800.61
	72″(1829mm)	WURV-3672-W	1481.52	1542.12	1847.60	1908.20	1870.96	1931.56







WURV-W

Features

- Wood veneer worksurface:
  - –3mm edgeband (K) or knife (U) on user edges and 1mm edgeband on front and back (width), or
  - –Cascade (M) on user edges and 1mm edgeband on front and back (width).
- **Must be attached to a panel or face of a straight worksurface.**
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Worksurface support must be separately specified. Select one of the following required floor support options:
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side bracket
  - –Standard link cantilever bracket
  - –Flush mount plates
  - –P-Leg
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	3	$1339.51	$1447.14	$1685.03	$1792.66	$1616.73	$1724.36
		66″(1676mm)	WUCD-3666-W	3	1392.25	1509.24	1752.53	1869.52	1684.89	1801.88
		72″(1829mm)	WUCD-3672-W	3	1498.55	1624.90	1873.59	1999.94	1806.61	1932.96
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	4	$1355.14	$1465.41	$1700.03	$1810.30	$1631.51	$1741.78
		66″(1676mm)	WUCD-3666-W	4	1407.88	1527.51	1767.53	1887.16	1699.67	1819.30
		72″(1829mm)	WUCD-3672-W	4	1514.18	1643.17	1888.59	2017.58	1821.39	1950.38
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	5	$1370.77	$1483.68	$1715.03	$1827.94	$1646.29	$1759.20
		66″(1676mm)	WUCD-3666-W	5	1423.51	1545.78	1782.53	1904.80	1714.45	1836.72
		72″(1829mm)	WUCD-3672-W	5	1529.81	1661.44	1903.59	2035.22	1836.17	1967.80
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	3	$1407.88	$1527.51	$1767.53	$1887.16	$1699.67	$1819.30
		66″(1676mm)	WUCD-4266-W	3	1460.62	1589.61	1835.03	1964.02	1767.83	1896.82
		72″(1829mm)	WUCD-4272-W	3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	4	$1423.51	$1545.78	$1782.53	$1904.80	$1714.45	$1836.72
		66″(1676mm)	WUCD-4266-W	4	1476.25	1607.88	1850.03	1981.66	1782.61	1914.24
		72″(1829mm)	WUCD-4272-W	4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	5	$1439.14	$1564.05	$1797.53	$1922.44	$1729.23	$1854.14
		66″(1676mm)	WUCD-4266-W	5	1491.88	1626.15	1865.03	1999.30	1797.39	1931.66
		72″(1829mm)	WUCD-4272-W	5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	3	$1460.62	$1589.61	$1835.03	$1964.02	$1767.83	$1896.82
		66″(1676mm)	WUCD-4866-W	3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
		72″(1829mm)	WUCD-4872-W	3	1566.10	1713.81	1970.03	2117.74	1904.15	2051.86
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	4	$1476.25	$1607.88	$1850.03	$1981.66	$1782.61	$1914.24
		66″(1676mm)	WUCD-4866-W	4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
		72″(1829mm)	WUCD-4872-W	4	1581.73	1732.08	1985.03	2135.38	1918.93	2069.28
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	5	$1491.88	$1626.15	$1865.03	$1999.30	$1797.39	$1931.66
		66″(1676mm)	WUCD-4866-W	5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
		72″(1829mm)	WUCD-4872-W	5	1597.36	1750.35	2000.03	2153.02	1933.71	2086.70





(Right-hand orientation)



(Left-hand orientation)

WUCD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on side and back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on side and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) diameter D-shaped radius.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) diameter D-shaped radius.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever brackets
  - –Side bracket
  - –Worksurface support panel
  - –P-Leg
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

D-Shaped Ender

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUDD-1836-W C	$ 661.87	$ 696.71	$ 828.65	$ 863.49	$ 869.83	$ 904.67
	42″(1067mm)	WUDD-1842-W C	769.57	810.77	968.03	1009.23	1009.21	1050.41
	48″(1219mm)	WUDD-1848-W C	877.27	924.83	1107.41	1154.97	1148.59	1196.15
	54″(1372mm)	WUDD-1854-W C	984.97	1038.89	1246.79	1300.71	1287.97	1341.89
	60″(1524mm)	WUDD-1860-W C	1092.67	1152.95	1386.17	1446.45	1427.35	1487.63
	66″(1676mm)	WUDD-1866-W C	1200.37	1267.01	1525.55	1592.19	1566.73	1633.37
	72″(1829mm)	WUDD-1872-W C	1308.07	1381.07	1664.93	1737.93	1706.11	1779.11
24″(610mm)	36″(914mm)	WUDD-2436-W C	$ 698.82	$ 733.66	$ 869.83	$ 904.67	$ 919.45	$ 954.29
	42″(1067mm)	WUDD-2442-W C	819.18	860.38	1021.87	1063.07	1071.49	1112.69
	48″(1219mm)	WUDD-2448-W C	939.54	987.10	1173.91	1221.47	1223.53	1271.09
	54″(1372mm)	WUDD-2454-W C	1059.90	1113.82	1325.95	1379.87	1375.57	1429.49
	60″(1524mm)	WUDD-2460-W C	1180.26	1240.54	1477.99	1538.27	1527.61	1587.89
	66″(1676mm)	WUDD-2466-W C	1300.62	1367.26	1630.03	1696.67	1679.65	1746.29
	72″(1829mm)	WUDD-2472-W C	1420.98	1493.98	1782.07	1855.07	1831.69	1904.69
30″(762mm)	36″(914mm)	WUDD-3036-W C	$ 796.99	$ 831.83	$ 972.22	$1007.06	$1049.28	$1084.12
	42″(1067mm)	WUDD-3042-W C	917.35	958.55	1124.26	1165.46	1201.32	1242.52
	48″(1219mm)	WUDD-3048-W C	1037.71	1085.27	1276.30	1323.86	1353.36	1400.92
	54″(1372mm)	WUDD-3054-W C	1158.07	1211.99	1428.34	1482.26	1505.40	1559.32
	60″(1524mm)	WUDD-3060-W C	1278.43	1338.71	1580.38	1640.66	1657.44	1717.72
	66″(1676mm)	WUDD-3066-W C	1398.79	1465.43	1732.42	1799.06	1809.48	1876.12
	72″(1829mm)	WUDD-3072-W C	1519.15	1592.15	1884.46	1957.46	1961.52	2034.52





WUDD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Worksurface support panel
  - –Flush mount plate
  - –Standard link cantilever
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Bent

Left/Right Depth	Width	Length	Number ❶❷❸		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-W	R45	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W	R45	1089.17	1178.63	1365.52	1454.98	1417.10	1506.56
		48″(1219mm)	WUCB-2448-W	R45	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W	R45	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-W	R45	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W	R45	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W	R45	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W	R45	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-W	L54	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W	L54	1089.17	1178.63	1365.52	1454.98	1417.10	1506.56
		48″(1219mm)	WUCB-2448-W	L54	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W	L54	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-W	L54	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W	L54	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W	L54	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W	L54	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44



(Right-hand orientation)

WUCB-WR45



(Left-hand orientation)

WUCB-WL54

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Support post, column, double support leg, or 21″(533mm) adjustable height disc base
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Countertop

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
12″(305mm)	23″(584mm)	WUTS-1223-W C	$506.88	$ 527.64	$ 633.43	$ 654.19	$ 673.69	$ 694.45
	24″(610mm)	WUTS-1224-W C	511.41	532.96	639.11	660.66	679.44	700.99
	29″(737mm)	WUTS-1229-W C	534.06	559.56	667.51	693.01	708.19	733.69
	30″(762mm)	WUTS-1230-W C	538.59	564.88	673.19	699.48	713.94	740.23
	35″(889mm)	WUTS-1235-W C	561.24	591.48	701.59	731.83	742.69	772.93
	36″(914mm)	WUTS-1236-W C	565.77	596.80	707.27	738.30	748.44	779.47
	41″(1041mm)	WUTS-1241-W C	588.42	623.40	735.67	770.65	777.19	812.17
	42″(1067mm)	WUTS-1242-W C	592.95	628.72	741.35	777.12	782.94	818.71
	47″(1194mm)	WUTS-1247-W C	615.60	655.32	769.75	809.47	811.69	851.41
	48″(1219mm)	WUTS-1248-W C	620.13	660.64	775.43	815.94	817.44	857.95
	53″(1346mm)	WUTS-1253-W C	642.78	687.24	803.83	848.29	846.19	890.65
	54″(1372mm)	WUTS-1254-W C	647.31	692.56	809.51	854.76	851.94	897.19
	59″(1499mm)	WUTS-1259-W C	669.96	719.16	837.91	887.11	880.69	929.89
	60″(1524mm)	WUTS-1260-W C	674.49	724.48	843.59	893.58	886.44	936.43
	65″(1651mm)	WUTS-1265-W C	697.14	751.08	871.99	925.93	915.19	969.13
	66″(1676mm)	WUTS-1266-W C	701.67	756.40	877.67	932.40	920.94	975.67
	71″(1803mm)	WUTS-1271-W C	724.32	783.00	906.07	964.75	949.69	1008.37
	72″(1829mm)	WUTS-1272-W C	728.85	788.32	911.75	971.22	955.44	1014.91
	77″(1956mm)	WUTS-1277-W C	751.50	814.92	940.15	1003.57	984.19	1047.61
	78″(1981mm)	WUTS-1278-W C	756.03	820.24	945.83	1010.04	989.94	1054.15
	83″(2108mm)	WUTS-1283-W C	778.68	846.84	974.23	1042.39	1018.69	1086.85
	84″(2134mm)	WUTS-1284-W C	783.21	852.16	979.91	1048.86	1024.44	1093.39
	89″(2261mm)	WUTS-1289-W C	805.86	878.76	1008.31	1081.21	1053.19	1126.09
	90″(2286mm)	WUTS-1290-W C	810.39	884.08	1013.99	1087.68	1058.94	1132.63
	95″(2413mm)	WUTS-1295-W C	833.04	910.68	1042.39	1120.03	1087.69	1165.33
	96″(2438mm)	WUTS-1296-W C	837.57	916.00	1048.07	1126.50	1093.44	1171.87
	101″(2565mm)	WUTS-12A1-W C	860.22	942.60	1076.47	1158.85	1122.19	1204.57
	102″(2591mm)	WUTS-12A2-W C	864.75	947.92	1082.15	1165.32	1127.94	1211.11
	107″(2718mm)	WUTS-12A7-W C	887.40	974.52	1110.55	1197.67	1156.69	1243.81
	108″(2743mm)	WUTS-12A8-W C	891.93	979.84	1116.23	1204.14	1162.44	1250.35
	113″(2870mm)	WUTS-12B3-W C	914.58	1006.44	1144.63	1236.49	1191.19	1283.05
	114″(2896mm)	WUTS-12B4-W C	919.11	1011.76	1150.31	1242.96	1196.94	1289.59
	119″(3023mm)	WUTS-12B9-W C	941.76	1038.36	1178.71	1275.31	1225.69	1322.29
	120″(3048mm)	WUTS-12C0-W C	946.29	1043.68	1184.39	1281.78	1231.44	1328.83



WUTS-W

Features

- Includes countertop and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife (U) on user edges and 1mm edgeband on ends, or
  - –Cascade (M) user edges and 1mm edgeband on ends.
- Widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line; must be separately specified.**
- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- For use in applications that match panel width or multiple panel widths.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
39″(991mm)	30″(762mm)	WUDC-3930-W	$1588.34	$1672.56	$1975.30	$2059.52	$2035.00	$2119.22
51″(1295mm)		WUDC-5130-W	1681.42	1782.02	2093.86	2194.46	2154.73	2255.33
63″(1600mm)		WUDC-6330-W	1767.34	1883.06	2203.30	2319.02	2265.25	2380.97





WUDC-3930-W WUDC-5130-W



WUDC-6330-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway must be specified to accommodate panel end-of-run trim.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Conference ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the conference end must be supported by either
  - –Two FMK brackets (51″(1295mm)/63″(1600mm) depths)
  - –A standard link cantilever (pair)
  - –Worksurface support panel
  - –A combination of the previous three
- The front of the conference end must be supported by one of the following:
  - –Support post, column, or 21″(533mm) adjustable height disc base - REQUIRED
  - –(D) wireway option specific to Compose end-of-run applications

Note: Grain direction will run across 63″(1600mm)-wide conference end worksurface.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **D** Compose end-of-run

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Key Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
39″(991mm)	30″(762mm)	WURY-3930-W	$1976.36	$2116.01	$2514.70	$2654.35	$2546.68	$2686.33
51″(1295mm)	30″(762mm)	WURY-5130-W	$1979.99	$2120.27	$2576.54	$2716.82	$2550.31	$2690.59
	36″(914mm)	WURY-5136-W	2026.47	2175.07	2628.36	2776.96	2610.33	2758.93
63″(1600mm)	36″(914mm)	WURY-6336-W	$2030.10	$2179.33	$2690.20	$2839.43	$2613.96	$2763.19
	42″(1067mm)	WURY-6342-W	2076.58	2234.13	2742.02	2899.57	2673.98	2831.53
	48″(1219mm)	WURY-6348-W	2123.06	2288.93	2793.84	2959.71	2734.00	2899.87





WURY-3930-W



WURY-5130-W
WURY-5136-W



WURY-6336-W
WURY-6342-W
WURY-6348-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end of run trim.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Key ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the key end must be supported by either:
  - –Two FMK brackets (51″(1295mm)/63″(1600mm) depths)
  - –A standard link bracket (pair)
  - –Another component with shared worksurface support (Worksurface support panel, P-leg)
  - –A combination of the previous three
- The front of the key end must be supported by one of the following:
  - –Support post, column, or 21″(533mm) adjustable height disc base - REQUIRED
- To be used in conference end application.
  - –(D) wireway option specific to Compose end-of-run applications

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **D** Compose end-of-run

Adaptable Worksurfaces — Wood

120° Link

Depth	Number ❶❷	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	WZDZ-1821-W ☐☐ C	$ 750.47	$ 813.36	$ 981.80	$1044.69
24″(610mm)	WZDZ-2427-W ☐☐ C	834.01	875.59	1065.34	1106.92
30″(762mm)	WZDZ-3033-W ☐☐ C	1164.08	1241.90	1507.33	1585.15





WZDZ-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –P-Leg
  - –Support post
  - –Support column
  - –Standard link cantilever
  - –Worksurface support panel
  - –Tie plate with 18″(457mm) depths
  - –Flush mount plates with 24″(610mm) and 30″(762mm) depths
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Support

Countertop Bracket Kit



ZZBT

Height	Width	Depth	Description	Number	Price A	Price B
3″(76mm)	3″(76mm)	1 1/2″(38mm)	For use with Aluminum trim and wood	ZZBT-0000-PNE ■	$34.87	$35.94
3″(76mm)	3″(76mm)	1 1/2″(38mm)	For use with thin profile steel trim	ZZBT-0000-PNH ■	95.61	96.68

Feature
- Includes two left-hand and two right-hand countertop brackets and mounting screws.

■ Available on RUSH.

Specification Tips
- Not for use with glass panels or glass stacks.
- For countertop widths larger than 60″(1524mm), order two countertop bracket kits.

To Order, Specify:
1) Product number.
2) Trim color.

Standard Cantilever Bracket


ZZBD

Height	Width	Depth	Description	Number ❶	Price P	Price A C	Price B C
9″(229mm)	1 5/8″(41mm)	16″(406mm)	Right-hand	ZZBD-1600- R ■	$53.67	$ 71.35	$ 73.43
			Left-hand	ZZBD-1600- L ■	53.67	71.35	73.43
			Pair	ZZBD-1600- P ■	96.68	114.36	116.44

Features
- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

To Order, Specify:
1) Product number, including:

❶ **Finish Option:**
- **P** No finish specification required.
- **C** Trim colors for A and B.

2) Trim color (Option C).

Standard Mini Cantilever Bracket


ZZBD-1000

9″(229mm)	1 5/8″(41mm)	10″(254mm)	Right-hand	ZZBD-1000- R	$ 61.22	$ 78.90	$ 80.98
			Left-hand	ZZBD-1000- L	61.22	78.90	80.98
			Pair	ZZBD-1000- P	104.23	121.91	123.99

Features
- Includes one right- and/or one left-handed bracket and mounting screws.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- (P) finish option standard in black.

Specification Tip
- **Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.**

To Order, Specify:
1) Product number, including:

❶ **Finish Option:**
- **P** No finish specification required.
- **C** Trim colors for A and B.

2) Trim color (Option C).

Worksurface Support

Standard Link Cantilever Bracket



ZZBL- 1600



Left



Right

Height	Width	Depth	Description	Number	Price P	Price A C	Price B C
9″(229mm)	3 3/4″(95mm)	161/2″(419mm)	Pair	ZZBL-1600- P ■	$124.46	$142.14	$144.22
			Left-hand	ZZBL-1600- L ■	81.45	99.13	101.21
			Right-hand	ZZBL-1600- R ■	81.45	99.13	101.21

Features

- Includes one right- and/or one left-handed bracket, with attached angle bracket and mounting screws.
- Provides cantilever support for the left or right side of conference end and key conference end and the adjoining worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

Specification Tip

- **To be used with conference end, key conference end, 120° link and D-shaped ender only.**

To Order, Specify:

1) Product number.

❶ **Finish Option:**

P No finish specification required.

C Trim colors for A and B.

2) Trim color (Option C).

Side/Corner Bracket



Right-hand Left-hand

ZZBA-0000-PR
ZZBA-0000-PL

Right-hand	ZZBA-0000-PR	$17.14
Left-hand	ZZBA-0000-PL	17.14

Features

- Includes one left or right hand bracket and mounting screws and dislodgement clip.
- Standard in black finish color only
- Installs into panel side trim rail and attaches to worksurface.
- Not for use with front corner of worksurfaces with knife edge.

To Order, Specify:

1) Product number.
(No finish specification required.)

Flush Mount Plate



ZUBF-0000-PN

4″(102mm)	3″(76mm)	ZUBF-0000-PN ■	$21.63

Features

- Includes one bracket and mounting screws.
- Mounts straight end of convergent worksurfaces or conference end worksurfaces to panel-hung worksurfaces.
- Standard in black finish color only.
- Provides attachment of two worksurfaces at the same height.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Side Bracket for use with Knife Edge



Left-hand Right-hand

ZZBA-0000-PRF
ZZBA-0000-PLF

Description		A	B
Right	ZZBA-0000-PRF	$55.70	$70.70
Left	ZZBA-0000-PLF	55.70	70.70

Features

- Includes one left- or right-hand bracket, mounting screws.
- Attaches to front corner of worksurface with knife edge.

To Order, Specify:

1) Product number.
2) Trim color.

Class CA – SIN 711-1; Discount Group VIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Support

Pedestal-to-Panel Bracket



ZZBN
Class CA

Number	❶	Price A	B
ZZBN-0000-PN		$163.89	$176.74

Features
- Includes one bracket and mounting screws.
- Install in panel side rail and attached to the back side of an attached pedestal.
- Does not attach to two-high lateral files.
- Worksurface and pedestal must be same nominal depth.
- Not for use with t-mold worksurfaces.
- Non-handed.
- Specify pedestal-to-panel bracket to match worksurface edge option.

To Order, Specify:

1) Product number, including:

❶ **Edge Options:**

J 3mm edgeband
V Cascade

2) Trim color.

Worksurface Height Adjustment Kit



JAKA
Class FP

Height (Adjustable)	Number	Price A	B
1-2″(25-51mm)	JAKA-18	$167.44	$170.56
	JAKA-24	177.84	182.00
	JAKA-30	188.24	193.44

Features
- Includes top, eight height adjustment spacers and attachment hardware.
- Provides height adjustment for pedestal supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.

To Order, Specify:

1) Product number.
2) Trim color.

P-Leg



ZZFJ
Class CA

Height (Adjustable)	Depth	Aluminum Number	Aluminum Price A	B
26″-32″(660mm-813mm)	18″(457mm)	ZZFJ-1800-PNE	$421.79	$436.69
	24″(610mm)	ZZFJ-2400-PNE	452.74	467.64
	30″(762mm)	ZZFJ-3000-PNE	483.69	498.59

Height (Fixed)	Depth	Aluminum Number	Aluminum Price A	B	Number	Steel Price A	B
28″(711mm)	18″(457mm)	ZZFJ-1800-PNEF	$421.79	$436.69	ZZFP-1800-PNEF ■	$302.59	$317.49
	24″(610mm)	ZZFJ-2400-PNEF	452.74	467.64	ZZFP-2400-PNEF ■	333.54	348.44
	30″(762mm)	ZZFJ-3000-PNEF	483.69	498.59	ZZFP-3000-PNEF ■	364.49	379.39

Features
- Includes mounting bracket and mounting hardware with one adjustable or fixed height aluminum P-leg, or one fixed height steel P-leg.
- Installs in panel frame component slots.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Provides full support for one end of equal depth worksurface.
- 6″ adjustment range on adjustable height P-leg allows worksurface heights from 26″(660mm) to 32″(813mm).
- 1″(25mm) adjustment glide on fixed leg.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips
- Not intended to support overhead storage unit at end of run.
- Not designed to be used with knife edge.

Worksurface Support

Worksurface Support Panels

Laminate Height	Thickness	Depth	Number ❶	Laminate A	Laminate B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZZFS-1200-LNE ■	$268.87	$291.37
		18″(457mm)	ZZFS-1800-LNE ■	291.37	312.19
		24″(610mm)	ZZFS-2400-LNE ■	313.87	333.01
		30″(762mm)	ZZFS-3000-LNE ■	336.37	353.83



ZZFS

T-Mold



Edgeband

Cascade



Knife

Features

- Includes support panel with glides and mounting hardware.
- Installs in panel frame component slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Laminate or wood surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Adjustable glides provide a maximum of 2 1/2″(63mm) of height adjustment.

■ Available on RUSH.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Separately specify Anti-Dislodgement Bracket for additional support. Please refer to Anti-Dislodgement Bracket price list page for specification tips.

To Order, Specify:

1) Product number, including:

❶ **Edge Options:**

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

2) Laminate color.

3) Edge trim color.

Wood Height	Thickness	Depth	Number ❶	Wood Group A	Group B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZZFS-1200-WNE ■	$477.75	$523.82
		18″(457mm)	ZZFS-1800-WNE ■	506.73	556.58
		24″(610mm)	ZZFS-2400-WNE ■	535.71	589.34
		30″(762mm)	ZZFS-3000-WNE ■	564.69	622.10



ZZFS

Edgeband



Cascade



Knife

Features

- Includes support panel with glides and mounting hardware.
- Installs in panel frame component slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Laminate or wood surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Adjustable glides provide a maximum of 2 1/2″(63mm) of height adjustment.

■ Available on RUSH.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Separately specify Anti-Dislodgement Bracket for additional support. Please refer to Anti-Dislodgement Bracket price list page for specification tips.

To Order, Specify:

1) Product number, including:

❶ **Edge Options:**

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Knife Edge

2) Wood finish color.

Class CA – SIN 711-1; Discount Group VIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Support

Anti Dislodgement Bracket for use with Worksurface Support Panels



ZZBF-0000-P

Height	Description	For use with	Number ❶	Price
0.9″(23mm)	Non-shared	End condition	ZZBF-0000-P	**$91.05**
	Shared	Panel seams	ZZBF-0000-P S	**$91.05**

Features

- Includes one left or right-hand shared or non-shared anti-dislodgement bracket and mounting screws.
- Standard in black finish only.

Specification Tips

- **Anti-Dislodgement Bracket only for use with worksurface support panels used in conjunction with a worksurface.**
- Worksurface support panel with anti-dislodgement bracket can be used in place of a return panel in some applications.
- Panel runs with worksurface support panels: minimum of one anti-dislodgement bracket needed per side.
- See Load and Support guidelines for details.

To Order, Specify:

1) Product number, including:

❶ **Handedness:**

R Right

L Left

(No finish specification required.)

Double Support Leg



ZZFK
ZZFD

Height (Adjustable)	Depth	Aluminum Number	Aluminum Price A	B
26″-32″(660mm-813mm)	18″(457mm)	ZZFK-1800-PNFG	**$446.66**	**$460.52**
	24″(610mm)	ZZFK-2400-PNFG	**473.32**	**487.18**
	30″(762mm)	ZZFK-3000-PNFG	**499.98**	**513.84**

Height (Fixed)	Depth	Aluminum Number	Aluminum Price A	B	Number	Steel Price A	B
28″(711mm)	18″(457mm)	ZZFK-1800-PNFF	**$446.66**	**$460.52**	ZZFD-1800-PNFF ■	**$335.80**	**$349.66**
	24″(610mm)	ZZFK-2400-PNFF	**473.32**	**487.18**	ZZFD-2400-PNFF ■	**362.46**	**376.32**
	30″(762mm)	ZZFK-3000-PNFF	**499.98**	**513.84**	ZZFD-3000-PNFF ■	**389.12**	**402.98**

Features

- Includes mounting hardware with one adjustable height aluminum double support leg, or one fixed height steel or aluminum double support leg.
- Leg may be installed in left-hand or right-hand configuration.
- 6″(152mm) adjustment range on adjustable double support leg allows worksurface heights from 26″(660mm) to 32″(813mm).
- 1″(25mm) adjustment glide on fixed leg.
- Provides full support for one end of equal depth worksurface.

■ Available on RUSH.

Specification Tips

- Typically used to support one end of panel attached convergent worksurface.
- Double leg with glide can be used to replace support post or support column.
- Use reduced depth support leg below worksurface. Example: 24″ deep worksurface - use 18″ deep double support leg.
- Can be used in Freestanding applications.
  - –Each leg must be within 6 inches of side edge of worksurface.
  - –Span between legs must not exceed 60 inches.

To Order, Specify:

1) Product number.
2) Trim color.

Worksurface Support

Support Column



WUCC-0004

Number	Price A	Price B
WUCC-0004 ■	$262.44	$275.29

Features
- Includes one column and mounting screws.
- Column adjusts vertically for worksurface heights from 26″(660mm) to 32″(813mm).
- 3″(76mm)-diameter column includes 6″(152mm)- square top plate.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Adjustable Height Disc Base



ZZFZ

Diameter	Number	Price A	Price B
21″(533mm)	ZZFZ-2121-PNF ■	$623.44	$637.37

Features
- Includes base, column and mounting screws.
- For use in panel mounted applications only.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Specification Tips
- Do not use as freestanding table base.
- 5″ adjustment range allows worksurface heights of 27″(686mm) to 32″(813mm).

Single Support Leg



ZUFJ
Class CA

Height	Width	Depth	Number	Price A	Price B
28″(711mm)	1 1/8″(29mm)	3 1/4″(83mm)	ZUFJ-0101-PNFG ■	$169.25	$183.72

Features
- Includes one support leg and mounting hardware.
- Glide provides 1/2″(13mm) of height adjustment.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Specification Tips
- May be used with worksurfaces in 90° or 45° applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

Support Post



ZZFJ

Height (Adjustable)	Description	Number	Price A	Price B
26″(660mm)/30″(762mm)	Single post with glide, adjustable	ZZFJ-0101-PNFG	$239.95	$253.88

Features
- Includes one single post and mounting hardware.
- 6″ height adjustment (26″(660mm)-32″(813mm)).

To Order, Specify:
1) Product number.
2) Trim color.

Specification Tips
- May be used with worksurfaces in 90° or 45° applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

Class CA – SIN 711-1; Discount Group VIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Accessories

Worksurface Reinforcement Channel



WUAR

Length	Number	Price
16″(406mm)	WUAR-1600-PH ■	**$26.66**
24″(610mm)	WUAR-2400-PH ■	**29.06**
32″(813mm)	WUAR-3200-PH ■	**31.46**
39″(991mm)	WUAR-3900-PH ■	**33.56**
47″(1194mm)	WUAR-4700-PH ■	**35.96**
54″(1372mm)	WUAR-5400-PH ■	**38.06**

Features

- Includes metal, U-shaped channel and mounting screws.
- Field installed, located and drilled per installation instructions.
- Worksurface reinforcement channels must be specified to provide additional support for laminate or wood worksurfaces with 50″ or larger spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface supports, legs, or under-worksurface storage.
- Specify worksurface reinforcement channel in length that won't interfere with lower storage.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Application Guidelines

Laminate or Wood Panel Hung Worksurface Applications (for standard 29″ high worksurfaces)

General Application/Number:

- 54″ wide with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-1600-PH.
- 60″ wide top with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-2400-PH.
- 54″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3200-PH.
- 50″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3900-PH.
- 54″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-4700-PH.
- 60″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-5400-PH.

Worksurface reinforcement channels can provide additional strengthening to 54″ and 60″ worksurfaces on like-sized panels where heavy loads are anticipated. Depending on application, heavily loaded worksurfaces may not need a worksurface reinforcement channel when:

- Support is provided by a third cantilever on 54″ and 60″ worksurfaces (spanning multiple panels) or by using other under-worksurface support methods.
- Fixed/attached pedestals provide under- worksurface support.
- Panel hung worksurfaces wider than 60″ require more than two cantilevers.

Laminate or Wood Convergent Tops and Convergent Freestanding Units

- 72″ convergent worksurfaces and wrap-around convergent worksurfaces, panel hung, or freestanding, use WUAR-3900-PH.

Application Guidelines for using Worksurface Reinforcement Channel with Under-Worksurface Storage

For worksurfaces at the standard 29″ height.

- All pedestals under 25″ in height can be used under a worksurface with a worksurface reinforcement channel.
- Mobile pedestals over 27″ in height cannot be used under a worksurface with a worksurface reinforcement channel. By increasing worksurface height to 30″, mobile pedestals can be used with a worksurface reinforcement channel.
- Stationary pedestals can be used in applications with worksurface reinforcement channels. Refer to Laminate or Wood Panel Hung Worksurface Applications matrix information above regarding suspended and stationary pedestals.
- In most applications, lateral files or fixed pedestals supply adequate support so that worksurface reinforcement channels are not needed.

Worksurface Accessories

Worksurface Grommet

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**



WUAC-WSG
Class CA

Features
- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Make-A-Corner

Height	Width	Number	Price
21 1/8″(537mm)	26 1/8″(664mm)	MAC-0001	**$157.63**



MAC-0001
Class AA

Features
- Creates an angled edge between two (2) perpendicular regular worksurfaces.
- Slides over the top of 1 3/16″(30mm) worksurfaces.
- Accommodates an adjustable keyboard or mouse pad track (screws included).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Horizontal Wire Manager

Length	Number	Price
15″(381mm)	WUAW-1500-PNH ■	**$150.80**



WUAW
Class CA

Features
- Includes package of 10.
- Mounts to bottom of worksurface.
- Black only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Accessories

Shallow Drawer

Height	Depth	Width	Number	Price
3″(76mm)	15 3/8″(391mm)	18 1/4″(464mm)	DS-3	**$45.43**



DS-3

Class AA – SIN 711-1;
Discount Group I

Features
- Shallow drawer has four compartments.
- Drawer does not stack.
- Available in charcoal or gray tone finish colors only.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-G Gray Tone

Pencil Drawer

Height	Depth	Width	Number	Price
1 5/8″(41mm)	19″(483mm)	18″(457mm)	PPD-18 ■	**$101.87**



PPD-18

Class BA – SIN 711-1;
Discount Group I

Features
- Includes mounting hardware.
- Mounts separately under worksurface.
- Standard in black finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Steel Center Drawer

Height	Depth	Width	Number	Price
2″(51mm)	17 1/2″(445mm)	19 1/8″(486mm)	SCD-19 ■	**$261.87**



SCD-19

Class MA – SIN 711-3;
Discount Group II

Features
- Includes mounting hardware.
- Standard with lock.
- Standard in charcoal finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Pencil + Drawer

Height	Depth	Width	Number	Price
11″(279mm)	24″(610mm)	19 1/2″(495mm)	KUDP-2420 ■	**$308.59**





KUDP

Class YA – SIN 711-1;
Discount Group XIII

Features
- Multi-purpose drawer provides organization, hanging filing along with laptop storage.
- Knock-outs at rear of drawer provide electronic charging access while contents are locked.
- Removable organizing tray.
- Thin profile maximizes knee clearance under front of drawer.
- Standard in black trim color with black locks.
- For lock options, refer to Lock Program Price List.

■ Available on RUSH.

Specification Tips
- To be mounted below worksurfaces 24″(610mm) or deeper.
- **Not for use with 24″ deep knife edge worksurface.**
- Pencil + drawer must be used adjacent to worksurface floor support when specified for use with panel system.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Upper Storage — Laminate Storage Box

Storage Box — Laminate



UQFS-LN



UQFS-LL
UQFS-LW
UQFS-LG



(Light Option)

Features

- Includes laminate storage box with back, attachment hardware and if specified door track with doors.
- Storage Boxes 48″(1219mm)-wide and greater have a center divider.
- Laminate storage box with 1mm edgeband edges.
- If door option is chosen, two doors with pulls and door track included. Door track is not included when doors are not specified.
- Door track is metallic silver plastic.
- Optional light shield is available in trim colors.
- If light option is chosen, includes light, skirt and attachment hardware.
  - –Light Option 1 adaptable task light includes black power cord, prismatic lens, low mercury content and T-8 optic fluorescent lamp with 3500K color temperature.
    - Six foot task light cord is factory installed on right side and may be field installed on left-hand side of 42″(1067mm) and 54″(1372mm) storage boxes.
    - Adaptable task light is charcoal color.
  - –Light Option 5, T-5 task light, includes lamp, lens, daisy chain, 5 foot white cord with 15-amp plug, mounting channel and attachment hardware.
    - Lamp includes lens, lower mercury content T-5 optic fluorescent lamp with 3500K color electronic and ballast.
    - 35″(889mm) light fixture is adjustable side-to-side within mounting channel.
    - Not available on 30″(762mm) box.
  - –**For use with 120 volt 60 hertz electrical systems only.**
- Storage Box inside dimensions:
  - –Height: 14″(356mm)
  - –Depth: 13″(330mm)
- Optional sliding doors:
  - –Available in laminate, wood veneer, glass or acrylic.
  - –Doors are standard as half-widths; (i.e.: 96″(2438mm) = two 48″(1219mm) doors
  - –Right-hand door slides behind left-hand door.
  - –Doors overlap 1″(25mm) with the following opening sizes:

.30″ - 14 3/4″	.48″ - 23 3/4″	.72″ - 35 3/4″
.36″ - 17 3/4″	.54″ - 26 3/4″	.80″ - 39 3/4″
.40″ - 19 3/4″	.60″ - 29 3/4″	.84″ - 41 3/4″
.42″ - 20 3/4″	.66″ - 32 3/4″	.96″ - 47 3/4″

  - –Bar pulls available in trim colors.
  - –Optional door lock is located in right door and available in black or chrome.
  - –For lock options, refer to Lock Program Price List.
- Safety interlock prevents dislodgment of storage box from panel component slots.
- Storage Box ships assembled or unassembled. Optional doors ship separate.

Specification Tips

- One row of 16″(406mm) storage boxes can be used on each panel.
- Laminate or wood doors can be retrofitted with locks.
- Not designed for use with wall track.
- Mounting Option (V) can be mounted on Compose wall track - up to 60″(1524mm) wide storage box.

To Order, Specify:

1) Product number.

❶ Mounting Option:

- **V** Compose
- **W** Wall Mount (drywall)

❷ Locking Option:

- **N** None
- **L** Locking, add **$77.13** list

❸ Light Option:

- **N** None
- **1** Adaptable, see upcharge chart
- **5** T-5, see upcharge chart (not available on 30″ box)

❹ Assembled Option:

- **N** Not assembled
- **A** Assembled, add **$267.80** list

2) Box laminate surface color.

3) Box laminate edge trim color.

4) Light shield trim color (with light option only). Refer to chart for upcharge Grade B trim.

5) Door surface color/finish.

6) Pull trim color.

7) Lock Plug finish color.
Black – LR-BL
Chrome – LR-BP

Light Option Upcharges (list)

Size	Option 1	Option 5	Trim B (Door Track/Light Shield Upcharge List)
30″(762mm)	**$242.09**	**N/A**	**$25.71**
36″(914mm)	**$248.51**	**$638.44**	**$41.79**
40″(1016mm)	**$252.79**	**$653.44**	**$52.51**
42″(1067mm)	**$254.93**	**$660.94**	**$57.87**
48″(1219mm)	**$261.35**	**$683.44**	**$73.95**
54″(1372mm)	**$267.77**	**$705.94**	**$90.03**
60″(1524mm)	**$274.19**	**$728.44**	**$106.11**
66″(1676mm)	**$280.61**	**$750.94**	**$122.19**
72″(1829mm)	**$287.03**	**$773.44**	**$138.27**
80″(2032mm)	**$295.59**	**$803.44**	**$159.71**
84″(2134mm)	**$299.87**	**$818.44**	**$170.43**
96″(2438mm)	**$312.71**	**$863.44**	**$202.59**

Class CA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Storage — Laminate Storage Box

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Laminate A Trim A	Case Laminate A Trim B	Case Laminate B Trim A	Case Laminate B Trim B
Without Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-LN N	$ 936.23	N/A	$1011.21	N/A
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-LN N	987.65	N/A	1065.84	N/A
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-LN N	1021.93	N/A	1102.26	N/A
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-LN N	1039.07	N/A	1120.47	N/A
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-LN N	1090.49	N/A	1175.10	N/A
	54″(1372mm)	25 3/4″(654mm)/ 25 3/4″(654mm)	UQFS-1654-LN N	1141.91	N/A	1229.73	N/A
	60″(1524mm)	28 3/4″(730mm)/ 28 3/4″(730mm)	UQFS-1660-LN N	1209.38	N/A	1300.41	N/A
	66″(1676mm)	31 3/4″(806mm)/ 31 3/4″(806mm)	UQFS-1666-LN N	1264.01	N/A	1358.25	N/A
	72″(1829mm)	34 3/4″(883mm)/ 34 3/4″(883mm)	UQFS-1672-LN N	1318.64	N/A	1416.09	N/A
	80″(2032mm)	38 3/4″(984mm)/ 38 3/4″(984mm)	UQFS-1680-LN N	1391.48	N/A	1493.21	N/A
	84″(2134mm)	40 3/4″(1035mm)/ 40 3/4″(1035mm)	UQFS-1684-LN N	1427.90	N/A	1531.77	N/A
	96″(2438mm)	46 3/4″(1187mm)/ 46 34″(1187mm)	UQFS-1696-LN N	1595.00	N/A	1705.29	N/A

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Laminate A Door Laminate A Trim A	Case Laminate A Door Laminate A Trim B	Door Laminate B Trim A	Door Laminate B Trim B
With Laminate Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-LL B	$1355.07	$1361.50	$1388.28	$1394.71
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-LL B	1438.62	1445.05	1475.04	1481.47
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-LL B	1494.32	1500.75	1532.88	1539.31
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-LL B	1522.17	1528.60	1561.80	1568.23
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-LL B	1605.72	1612.15	1648.56	1654.99
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-LL B	1608.18	1614.61	1735.32	1741.75
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-LL B	1788.87	1795.30	1838.13	1844.56
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-LL B	1875.63	1882.06	1928.10	1934.53
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-LL B	1996.67	2003.10	2018.07	2024.50
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-LL B	2112.35	2118.78	2138.03	2144.46
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-LL B	2170.19	2176.62	2198.01	2204.44
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-LL B	2401.55	2407.98	2435.79	2442.22

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Laminate B Door Laminate A Trim A	Case Laminate B Door Laminate A Trim B	Door Laminate B Trim A	Door Laminate B Trim B
With Laminate Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-LL B	$1430.05	$1436.48	$1463.26	$1469.69
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-LL B	1516.81	1523.24	1553.23	1559.66
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-LL B	1574.65	1581.08	1613.21	1619.64
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-LL B	1603.57	1610.00	1643.20	1649.63
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-LL B	1690.33	1696.76	1733.17	1739.60
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-LL B	1777.09	1783.52	1823.14	1829.57
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-LL B	1879.90	1886.33	1929.16	1935.59
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-LL B	1969.87	1976.30	2022.34	2028.77
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-LL B	2059.84	2066.27	2115.52	2121.95
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-LL B	2179.80	2186.23	2239.76	2246.19
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-LL B	2239.78	2246.21	2301.88	2308.31
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-LL B	2477.56	2483.99	2546.08	2552.51

Upper Storage — Laminate Storage Box

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Laminate A Door Wood Group A Trim A	Case Laminate A Door Wood Group A Trim B	Case Laminate A Door Wood Group B Trim A	Case Laminate A Door Wood Group B Trim B
With Wood Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-LW B	**$1499.68**	**$1506.11**	**$1599.30**	**$1605.73**
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-LW B	**1602.52**	**1608.95**	**1711.77**	**1718.20**
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-LW B	**1671.08**	**1677.51**	**1739.97**	**1746.40**
	42″ (1067mm)	40 1/4″(1022mm)	UQFS-1642-LW B	**1705.36**	**1711.79**	**1777.46**	**1783.89**
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-LW B	**1808.20**	**1814.63**	**1889.93**	**1896.36**
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-LW B	**1911.04**	**1917.47**	**2002.40**	**2008.83**
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-LW B	**2029.93**	**2036.36**	**2130.92**	**2137.35**
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-LW B	**2135.98**	**2142.41**	**2246.60**	**2253.03**
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-LW B	**2242.03**	**2248.46**	**2362.28**	**2368.71**
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-LW B	**2383.43**	**2389.86**	**2516.52**	**2522.95**
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-LW B	**2454.13**	**2460.56**	**2593.64**	**2600.07**
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-LW B	**2724.07**	**2730.50**	**2882.84**	**2889.27**

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Laminate B Door Wood Group A Trim A	Case Laminate B Door Wood Group A Trim B	Case Laminate B Door Wood Group B Trim A	Case Laminate B Door Wood Group B Trim B
With Wood Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-LW B	**$1574.66**	**$1581.09**	**$1674.28**	**$1680.71**
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-LW B	**1680.71**	**1687.14**	**1789.96**	**1796.39**
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-LW B	**1751.41**	**1757.84**	**1867.08**	**1873.51**
	42″ (1067mm)	40 1/4″(1022mm)	UQFS-1642-LW B	**1786.76**	**1793.19**	**1905.64**	**1912.07**
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-LW B	**1892.81**	**1899.24**	**2021.32**	**2027.75**
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-LW B	**1998.86**	**2005.29**	**2137.00**	**2143.43**
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-LW B	**2120.96**	**2127.39**	**2268.73**	**2275.16**
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-LW B	**2230.22**	**2236.65**	**2387.62**	**2394.05**
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-LW B	**2339.48**	**2345.91**	**2506.51**	**2512.94**
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-LW B	**2485.16**	**2491.59**	**2665.03**	**2671.46**
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-LW B	**2558.00**	**2564.43**	**2744.29**	**2750.72**
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-LW B	**2834.36**	**2840.79**	**3039.91**	**3046.34**

Class CA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Storage — Laminate Storage Box

Outside Width	Number	❶ ❷❸❹	Case Laminate A Door Glass A Trim A	Trim B	Door Glass C Trim A	Trim B	Door Glass D Trim A	Trim B	Door Glass F Trim A	Trim B	Door Acrylic Trim A	Trim B
With Glass or Acrylic Doors/16 1/2″(419mm) Outside Height – 15 3/4″(400mm) Outside Depth												
30″(762mm)	UQFS-1630-LG	B	$1666.79	$1673.22	$2400.56	$2406.99	$2621.23	$2627.66	$2932.95	$2939.38	$1666.79	$1673.22
36″(914mm)	UQFS-1636-LG	B	1766.42	1772.85	2564.45	2570.88	2801.20	2807.63	3138.63	3145.06	1718.21	1724.64
40″(1016mm)	UQFS-1640-LG	B	1832.84	1839.27	2673.71	2680.14	2921.18	2927.61	3275.75	3282.18	1752.49	1758.92
42″(1067mm)	UQFS-1642-LG	B	1866.05	1872.48	2728.34	2734.77	2981.17	2987.60	3344.31	3350.74	1769.63	1776.06
48″(1219mm)	UQFS-1648-LG	B	1963.29	1969.72	2829.85	2836.28	3098.76	3105.19	3487.61	3494.04	1821.05	1827.48
54″(1372mm)	UQFS-1654-LG	B	2070.42	2076.85	2993.74	3000.17	3278.73	3285.16	3693.29	3699.72	1872.47	1878.90
60″(1524mm)	UQFS-1660-LG	B	2206.67	2213.10	3261.74	3268.17	3562.81	3569.24	4003.08	4009.51	1939.94	1946.37
66″(1676mm)	UQFS-1666-LG	B	2335.19	2341.62	3454.52	3460.95	3771.67	3778.10	4237.65	4244.08	1994.57	2001.00
72″(1829mm)	UQFS-1672-LG	B	2463.71	2470.14	3647.30	3653.73	3980.53	3986.96	4472.22	4478.65	2049.20	2055.63
80″(2032mm)	UQFS-1680-LG	B	2635.07	2641.50	3904.34	3910.77	4259.01	4265.44	4784.98	4791.41	2122.04	2128.47
84″(2134mm)	UQFS-1684-LG	B	2720.75	2727.18	4032.86	4039.29	4398.25	4404.68	4941.36	4947.79	2158.46	2164.89
96″(2438mm)	UQFS-1696-LG	B	3035.63	3042.06	4476.26	4482.69	4873.81	4880.24	5468.34	5474.77	2325.56	2331.99

Refer to page 468 for outside width and inside width dimensions.

Outside Width	Number	❶ ❷❸❹	Case Laminate B Door Glass A Trim A	Trim B	Door Glass C Trim A	Trim B	Door Glass D Trim A	Trim B	Door Glass F Trim A	Trim B	Door Acrylic Trim A	Trim B
With Glass or Acrylic Doors/16 1/2″(419mm) Outside Height – 15 3/4″(400mm) Outside Depth												
30″(762mm)	UQFS-1630-LG	B	$1741.77	$1748.20	$2475.54	$2481.97	$2696.21	$2702.64	$3007.93	$3014.36	$1741.77	$1748.20
36″(914mm)	UQFS-1636-LG	B	1844.61	1851.04	2642.64	2649.07	2879.39	2885.82	3216.82	3223.25	1796.40	1802.83
40″(1016mm)	UQFS-1640-LG	B	1913.17	1919.60	2754.04	2760.47	3001.51	3007.94	3356.08	3362.51	1832.82	1839.25
42″(1067mm)	UQFS-1642-LG	B	1947.45	1953.88	2809.74	2816.17	3062.57	3069.00	3425.71	3432.14	1851.03	1857.46
48″(1219mm)	UQFS-1648-LG	B	2050.29	2056.72	2976.84	2983.27	3245.75	3252.18	3634.60	3641.03	1905.66	1912.09
54″(1372mm)	UQFS-1654-LG	B	2153.13	2159.56	3143.94	3150.37	3428.93	3435.36	3843.49	3849.92	1960.29	1966.72
60″(1524mm)	UQFS-1660-LG	B	2297.70	2304.13	3352.77	3359.20	3653.84	3660.27	4094.11	4100.54	2030.97	2037.40
66″(1676mm)	UQFS-1666-LG	B	2429.43	2435.86	3548.76	3555.19	3865.91	3872.34	4331.89	4338.32	2088.81	2095.24
72″(1829mm)	UQFS-1672-LG	B	2561.16	2567.59	3744.75	3751.18	4077.98	4084.41	4569.67	4576.10	2146.65	2153.08
80″(2032mm)	UQFS-1680-LG	B	2736.80	2743.23	4006.07	4012.50	4360.74	4367.17	4886.71	4893.14	2223.77	2230.20
84″(2134mm)	UQFS-1684-LG	B	2824.62	2831.05	4136.73	4143.16	4502.12	4508.55	5045.23	5051.66	2262.33	2268.76
96″(2438mm)	UQFS-1696-LG	B	3145.92	3152.35	4586.55	4592.98	4984.10	4990.53	5578.63	5585.06	2435.85	2442.28

Refer to page 468 for outside width and inside width dimensions.

Upper Storage — Wood Storage Box

Storage Box — Wood



UQFS-WN



UQFS-WL
UQFS-WW
UQFS-WG



(Light Option)

Features

- Includes wood storage box with back, attachment hardware and if specified door track with doors.
- Storage Boxes 48″(1219mm)-wide and greater have a center divider.
- Wood veneer storage box with 1mm edgeband edges.
- If door option is chosen, two doors with pulls and door track included. Door track is not included when doors are not specified.
- Door track is metallic silver plastic.
- Optional light shield is available in trim colors.
- If light option is chosen, includes light, skirt and attachment hardware.
  - –Light Option 1, adaptable task light includes black power cord, prismatic lens, low mercury content and T-8 optic fluorescent lamp with 3500K color temperature.
    - Six foot task light cord is factory installed on right side and may be field installed on left-hand side of 42″(1067mm) and 54″(1372mm) storage boxes.
    - Adaptable task light is charcoal color.
  - –Light Option 5, T-5 task light, includes lamp, lens, daisy chain, 5 foot white cord with 15-amp plug, mounting channel and attachment hardware.
    - Lamp includes lens, lower mercury content T-5 optic fluorescent lamp with 3500K color electronic and ballast.
    - 35″(889mm) light fixture is adjustable side-to-side within mounting channel.
    - Not available on 30″(762mm) box.
  - –**For use with 120 volt 60 hertz electrical systems only.**
- Storage Box inside dimensions:
  - –Height: 14″(356mm)
  - –Depth: 13″(330mm)
- Optional sliding doors:
  - –Available in laminate, wood veneer, glass or acrylic.
  - –Doors are standard as half-widths; (i.e.: 96″(2438mm) = two 48″(1219mm) doors)
  - –Right-hand door slides behind left-hand door.
  - –Doors overlap 1″(25mm) with the following opening sizes:

.30″ - 14 3/4″	.48″ - 23 3/4″	.72″ - 35 3/4″
.36″ - 17 3/4″	.54″ - 26 3/4″	.80″ - 39 3/4″
.40″ - 19 3/4″	.60″ - 29 3/4″	.84″ - 41 3/4″
.42″ - 20 3/4″	.66″ - 32 3/4″	.96″ - 47 3/4″

  - –Bar pulls available in trim colors.
  - –Optional door lock is located in right door and available in black or chrome.
  - –For lock options, refer to Lock Program Price List.
- Safety interlock prevents dislodgment of storage box from panel component slots.
- Storage Box ships assembled or unassembled. Optional doors ship separate.

Specification Tips

- One row of 16″(406mm) storage boxes can be used on each panel.
- Laminate or wood doors can be retrofitted with locks.
- Not designed for use with wall track.
- Mounting Option (V) can be mounted on Compose wall track - up to 60″(1524mm) wide storage box.

To Order, Specify:

1) Product number.

❶ Mounting Option:

- **V** Compose
- **W** Wall Mount (drywall)

❷ Locking Option:

- **N** None
- **L** Locking, add **$77.13** list

❸ Light Option:

- **N** None
- **1** Adaptable, see upcharge chart
- **5** T-5, see upcharge chart (not available on 30″ box)

❹ Assembled Option:

- **N** Not assembled
- **A** Assembled, add **$267.80** list

2) Box wood finish.

3) Light shield trim color (with light option only). Refer to chart for upcharge Grade B trim.

4) Door surface color/finish.

5) Pull trim color.

6) Lock Plug finish color.
Black – LR-BL
Chrome – LR-BP

Size	Option 1	Option 5	Trim B (Door Track/Light Shield Upcharge List)
30″(762mm)	**$242.09**	**N/A**	**$25.71**
36″(914mm)	**$248.51**	**$638.44**	**$41.79**
40″(1016mm)	**$252.79**	**$653.44**	**$52.51**
42″(1067mm)	**$254.93**	**$660.94**	**$57.87**
48″(1219mm)	**$261.35**	**$683.44**	**$73.95**
54″(1372mm)	**$267.77**	**$705.94**	**$90.03**
60″(1524mm)	**$274.19**	**$728.44**	**$106.11**
66″(1676mm)	**$280.61**	**$750.94**	**$122.19**
72″(1829mm)	**$287.03**	**$773.44**	**$138.27**
80″(2032mm)	**$295.59**	**$803.44**	**$159.71**
84″(2134mm)	**$299.87**	**$818.44**	**$170.43**
96″(2438mm)	**$312.71**	**$863.44**	**$202.59**

Class CA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Storage — Wood Storage Box

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Wood Group A Trim A	Case Wood Group A Trim B	Case Wood Group B Trim A	Case Wood Group B Trim B
Without Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-WN N	$1685.00	N/A	$1765.85	N/A
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-WN N	1774.97	N/A	1865.45	N/A
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-WN N	1834.95	N/A	1931.85	N/A
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-WN N	1864.94	N/A	1965.05	N/A
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-WN N	1954.91	N/A	2064.65	N/A
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-WN N	2044.88	N/A	2164.25	N/A
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-WN N	2150.90	N/A	2279.90	N/A
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-WN N	2244.08	N/A	2382.71	N/A
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-WN N	2337.26	N/A	2537.50	N/A
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-WN N	2568.62	N/A	2674.58	N/A
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-WN N	2630.74	N/A	2743.12	N/A
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-WN N	2874.94	N/A	3006.58	N/A

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Wood Group A Door Laminate A Trim A	Case Wood Group A Door Laminate A Trim B	Door Laminate B Trim A	Door Laminate B Trim B
With Laminate Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-WL B	$2103.84	$2110.27	$2137.05	$2143.48
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-WL B	2225.94	2232.37	2262.36	2268.79
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-WL B	2307.34	2313.77	2345.90	2352.33
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-WL B	2348.04	2354.47	2387.67	2394.10
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-WL B	2470.14	2476.57	2512.98	2519.41
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-WL B	2592.24	2598.67	2638.29	2644.72
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-WL B	2730.39	2736.82	2779.65	2786.08
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-WL B	2907.12	2913.55	2908.17	2914.60
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-WL B	3032.43	3038.86	3036.69	3043.12
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-WL B	3284.13	3290.56	3208.05	3214.48
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-WL B	3367.67	3374.10	3293.73	3300.16
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-WL B	3676.13	3682.56	3608.61	3615.04

Outside Depth	Outside Width	Inside Width	Number ❶ ❷❸❹	Case Wood Group B Door Laminate A Trim A	Case Wood Group B Door Laminate A Trim B	Door Laminate B Trim A	Door Laminate B Trim B
With Laminate Doors/16 1/2″(419mm) Outside Height							
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-WL B	$2184.69	$2191.12	$2217.90	$2224.33
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-WL B	2316.42	2322.85	2352.84	2359.27
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-WL B	2404.24	2410.67	2442.80	2449.23
	42″(1067mm)	40 1/4″(1022mm)	UQFS-1642-WL B	2448.15	2454.58	2487.78	2494.21
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-WL B	2579.88	2586.31	2622.72	2629.15
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-WL B	2711.61	2718.04	2757.66	2764.09
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-WL B	2859.39	2865.82	2908.65	2915.08
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-WL B	2994.33	3000.76	3046.80	3053.23
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-WL B	3181.25	3187.68	3236.93	3243.36
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-WL B	3361.17	3367.60	3421.13	3427.56
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-WL B	3507.90	3514.33	3513.23	3519.66
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-WL B	3835.62	3842.05	3847.37	3853.80

Upper Storage — Wood Storage Box

Outside Depth	Outside Width	Inside Width	Number	❶ ❷❸❹	Case Wood Group A / Door Wood Group A Trim A	Case Wood Group A / Door Wood Group A Trim B	Door Wood Group B Trim A	Door Wood Group B Trim B
With Wood Doors/16 1/2″(419mm) Outside Height								
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-WW	B	$2248.45	$2254.88	$2348.07	$2354.50
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-WW	B	2389.84	2396.27	2499.09	2505.52
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-WW	B	2484.10	2490.53	2599.77	2606.20
	42″ (1067mm)	40 1/4″(1022mm)	UQFS-1642-WW	B	2531.23	2537.66	2650.11	2656.54
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-WW	B	2672.62	2679.05	2801.13	2807.56
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-WW	B	2814.01	2820.44	2952.15	2958.58
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-WW	B	2971.45	2977.88	3119.22	3125.65
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-WW	B	3116.05	3122.48	3273.45	3279.88
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-WW	B	3260.65	3267.08	3427.68	3434.11
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-WW	B	3534.86	3541.29	3633.32	3639.75
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-WW	B	3667.68	3674.11	3736.14	3742.57
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-WW	B	4014.72	4021.15	4102.44	4108.87

Outside Depth	Outside Width	Inside Width	Number	❶ ❷❸❹	Case Wood Group B / Door Wood Group A Trim A	Case Wood Group B / Door Wood Group A Trim B	Door Wood Group B Trim A	Door Wood Group B Trim B
With Wood Doors/16 1/2″(419mm) Outside Height								
15 3/4″(400mm)	30″(762mm)	28 1/4″(718mm)	UQFS-1630-WW	B	$2329.30	$2335.73	$2428.92	$2435.35
	36″(914mm)	34 1/4″(870mm)	UQFS-1636-WW	B	2480.32	2486.75	2589.57	2596.00
	40″(1016mm)	28 1/4″(718mm)	UQFS-1640-WW	B	2581.00	2587.43	2696.67	2703.10
	42″ (1067mm)	40 1/4″(1022mm)	UQFS-1642-WW	B	2631.34	2637.77	2750.22	2756.65
	48″(1219mm)	22 3/4″(578mm)/22 3/4″(578mm)	UQFS-1648-WW	B	2782.36	2788.79	2776.75	2783.18
	54″(1372mm)	25 3/4″(654mm)/25 3/4″(654mm)	UQFS-1654-WW	B	2933.38	2939.81	2937.40	2943.83
	60″(1524mm)	28 3/4″(730mm)/28 3/4″(730mm)	UQFS-1660-WW	B	3100.45	3106.88	3248.22	3254.65
	66″(1676mm)	31 3/4″(806mm)/31 3/4″(806mm)	UQFS-1666-WW	B	3254.68	3261.11	3412.08	3418.51
	72″(1829mm)	34 3/4″(883mm)/34 3/4″(883mm)	UQFS-1672-WW	B	3460.89	3467.32	3562.42	3568.85
	80″(2032mm)	38 3/4″(984mm)/38 3/4″(984mm)	UQFS-1680-WW	B	3666.53	3672.96	3780.90	3787.33
	84″(2134mm)	40 3/4″(1035mm)/40 3/4″(1035mm)	UQFS-1684-WW	B	3769.35	3775.78	3890.14	3896.57
	96″(2438mm)	46 3/4″(1187mm)/46 34″(1187mm)	UQFS-1696-WW	B	4135.65	4142.08	4341.20	4347.63

Class CA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Storage — Wood Storage Box

Outside Width	Number	❶ ❷❸❹	Case Wood Group A Door Glass A Trim A	Trim B	Door Glass C Trim A	Trim B	Door Glass D Trim A	Trim B	Door Glass F Trim A	Trim B	Door Acrylic Trim A	Trim B
With Glass or Acrylic Doors/16 1/2″(419mm) Outside Height												
30″(762mm)	UQFS-1630-WG	B	$2415.56	$2421.99	$3149.33	$3155.76	$3370.00	$3376.43	$3681.72	$3688.15	$2415.56	$2421.99
36″(914mm)	UQFS-1636-WG	B	2553.74	2560.17	3351.77	3358.20	3588.52	3594.95	3925.95	3932.38	2505.53	2511.96
40″(1016mm)	UQFS-1640-WG	B	2645.86	2652.29	3486.73	3493.16	3734.20	3740.63	4088.77	4095.20	2565.51	2571.94
42″(1067mm)	UQFS-1642-WG	B	2704.15	2710.58	3504.31	3510.74	3757.14	3763.57	4120.28	4126.71	2595.50	2601.93
48″(1219mm)	UQFS-1648-WG	B	2842.33	2848.76	3706.75	3713.18	3975.66	3982.09	4364.51	4370.94	2685.47	2691.90
54″(1372mm)	UQFS-1654-WG	B	2980.51	2986.94	3909.19	3915.62	4194.18	4200.61	4608.74	4615.17	2775.44	2781.87
60″(1524mm)	UQFS-1660-WG	B	3161.09	3167.52	4216.16	4222.59	4517.23	4523.66	4957.50	4963.93	2881.46	2887.89
66″(1676mm)	UQFS-1666-WG	B	3341.06	3347.49	4460.39	4466.82	4777.54	4783.97	5243.52	5249.95	2974.64	2981.07
72″(1829mm)	UQFS-1672-WG	B	3521.03	3527.46	4704.62	4711.05	5037.85	5044.28	5529.54	5535.97	3135.31	3141.74
80″(2032mm)	UQFS-1680-WG	B	3760.99	3767.42	5030.26	5036.69	5384.93	5391.36	5910.90	5917.33	3299.18	3305.61
84″(2134mm)	UQFS-1684-WG	B	3880.97	3887.40	5193.08	5199.51	5558.47	5564.90	6101.58	6108.01	3361.30	3367.73
96″(2438mm)	UQFS-1696-WG	B	4298.75	4305.18	5739.38	5745.81	6136.93	6143.36	6731.46	6737.89	3605.50	3611.93

Refer to page 469 for outside width and inside width dimensions.

Outside Width	Number	❶ ❷❸❹	Case Wood Group B Door Glass A Trim A	Trim B	Door Glass C Trim A	Trim B	Door Glass D Trim A	Trim B	Door Glass F Trim A	Trim B	Door Acrylic Trim A	Trim B
With Glass or Acrylic Doors/16 1/2″(419mm) Outside Height												
30″(762mm)	UQFS-1630-WG	B	$2496.41	$2502.84	$3230.18	$3236.61	$3450.85	$3457.28	$3762.57	$3769.00	$2496.41	$2502.84
36″(914mm)	UQFS-1636-WG	B	2644.22	2650.65	3442.25	3448.68	3679.00	3685.43	4016.43	4022.86	2596.01	2602.44
40″(1016mm)	UQFS-1640-WG	B	2742.76	2749.19	3583.63	3590.06	3831.10	3837.53	4185.67	4192.10	2662.41	2668.84
42″(1067mm)	UQFS-1642-WG	B	2791.41	2797.84	3589.43	3595.86	3842.26	3848.69	4205.40	4211.83	2695.61	2702.04
48″(1219mm)	UQFS-1648-WG	B	2939.22	2945.65	3801.50	3807.93	4070.41	4076.84	4459.26	4465.69	2795.21	2801.64
54″(1372mm)	UQFS-1654-WG	B	3087.03	3093.46	4013.57	4020.00	4298.56	4304.99	4713.12	4719.55	2894.81	2901.24
60″(1524mm)	UQFS-1660-WG	B	3251.51	3257.94	4306.58	4313.01	4607.65	4614.08	5047.92	5054.35	3010.46	3016.89
66″(1676mm)	UQFS-1666-WG	B	3463.59	3470.02	4582.92	4589.35	4900.07	4906.50	5366.05	5372.48	3113.27	3119.70
72″(1829mm)	UQFS-1672-WG	B	3605.53	3611.96	4789.12	4795.55	5122.35	5128.78	5614.04	5620.47	3268.06	3274.49
80″(2032mm)	UQFS-1680-WG	B	3866.89	3873.32	5136.16	5142.59	5490.83	5497.26	6016.80	6023.23	3405.14	3411.57
84″(2134mm)	UQFS-1684-WG	B	3997.57	4004.00	5309.68	5316.11	5675.07	5681.50	6218.18	6224.61	3473.68	3480.11
96″(2438mm)	UQFS-1696-WG	B	4447.45	4453.88	5888.08	5894.51	6285.63	6292.06	6880.16	6886.59	3737.14	3743.57

Refer to page 469 for outside width and inside width dimensions.

Storage Box Accessories

Storage Box Retrofit Light Kit — Adaptable



VZQK

Nominal Width	Number	Trim A	Trim B
30″(762mm)	VZQK-0030-1 ■	$278.94	$287.94
36″(914mm)	VZQK-0036-1 ■	295.80	304.80
40″(1016mm)	VZQK-0040-1 ■	307.04	316.04
42″(1067mm)	VZQK-0042-1 ■	312.66	321.66
48″(1219mm)	VZQK-0048-1 ■	329.52	338.52
54″(1372mm)	VZQK-0054-1 ■	346.38	355.38
60″(1524mm)	VZQK-0060-1 ■	363.24	372.24
66″(1676mm)	VZQK-0066-1 ■	380.10	389.10
72″(1829mm)	VZQK-0072-1 ■	396.96	405.96
78″(1981mm)	VZQK-0078-1 ■	515.05	524.05
80″(2032mm)	VZQK-0080-1 ■	520.67	529.67
84″(2134mm)	VZQK-0084-1 ■	584.78	593.78
90″(2286mm)	VZQK-0090-1 ■	601.64	610.64
96″(2438mm)	VZQK-0096-1 ■	618.50	627.50

Features

- Includes light, shield and attachment hardware.
- Adaptable task light includes black power cord, prismatic lens, low mercury content and T-8 optic fluorescent lamp with 3500K color temperature.
  - –Six foot task light cord is factory installed on right side and may be field installed on left-hand side of 42″(1067mm) and 54″(1372mm) storage boxes.
  - –Light shield is available in all trim colors.
- **For use with 120 volt 60 hertz electrical systems only.**

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tip

- For use with Storage Box.

Ganging Flat Bracket for Storage Box



ZUUG

Number	Trim A	Trim B
ZUUG-0000	$44.99	$48.36

Feature

- Includes one bracket and attachment hardware.

To Order, Specify:

1) Product number.
2) Trim Color

Specification Tip

- Provides additional stability in unbalanced panel. Applications with adjacent storage boxes.
- Required for all adjacent storage boxes in an unbalanced condition.

Storage Box Accessories

Storage Box Retrofit Light Kit — T-5



VZQK

Nominal Width	Number	Trim A	Trim B
36″(914mm)	VZQK-0036-5 ■	$909.94	$918.94
40″(1016mm)	VZQK-0040-5 ■	914.44	923.44
42″(1067mm)	VZQK-0042-5 ■	916.69	925.69
48″(1219mm)	VZQK-0048-5 ■	923.44	932.44
54″(1372mm)	VZQK-0054-5 ■	930.19	939.19
60″(1524mm)	VZQK-0060-5 ■	936.94	945.94
66″(1676mm)	VZQK-0066-5 ■	943.69	952.69
72″(1829mm)	VZQK-0072-5 ■	950.44	959.44
78″(1981mm)	VZQK-0078-5 ■	957.19	966.19
80″(2032mm)	VZQK-0080-5 ■	959.44	968.44
84″(2134mm)	VZQK-0084-5 ■	963.94	972.94
90″(2286mm)	VZQK-0090-5 ■	970.69	979.69
96″(2438mm)	VZQK-0096-5 ■	977.44	986.44

Features

- Includes lamp, lens, daisy chain, 5 foot white cord with 15-amp plug, mounting channel and attachment hardware.
  - –Lamp includes lens, lower mercury content T-5 optic fluorescent lamp with 3500K color electronic and ballast.
  - –35″(889mm) light fixture is adjustable side-to-side within mounting channel.
- **For use with 120 volt 60 hertz electrical systems only.**

■ Available on RUSH.

Specification Tip

- For use with Storage Box.
- Not available on 30″(762mm) storage box.

To Order, Specify:

1) Product number.
2) Trim color.

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Painted Door



UZFS-PM

Height	Depth	Width	Flipper Door Number ❶❷	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZFS-1624-PM ■	$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UZFS-1630-PM ■	589.22	593.12	599.24	603.14
		36″(914mm)	UZFS-1636-PM ■	615.95	620.41	627.08	631.54
		42″(1067mm)	UZFS-1642-PM ■	642.68	647.70	654.92	659.94
		48″(1219mm)	UZFS-1648-PM ■	669.41	674.99	682.76	688.34
		54″(1372mm)	UZFS-1654-PM ■	696.14	702.28	710.60	716.74
		60″(1524mm)	UZFS-1660-PM ■	788.57	795.27	804.14	810.84
		66″(1676mm)	UZFS-1666-PM ■	961.16	968.42	977.84	985.10
		72″(1829mm)	UZFS-1672-PM ■	1143.79	1151.61	1161.58	1169.40



UZKS-PM

Height	Depth	Width	Cabinet Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZKS-1624-PM	$ 948.88	$ 952.22	$ 957.79	$ 961.13
		30″(762mm)	UZKS-1630-PM	975.61	979.51	985.63	989.53
		36″(914mm)	UZKS-1636-PM	1002.34	1006.80	1013.47	1017.93
		42″(1067mm)	UZKS-1642-PM	1029.07	1034.09	1041.31	1046.33
		48″(1219mm)	UZKS-1648-PM	1093.66	1099.24	1107.01	1112.59
		54″(1372mm)	UZKS-1654-PM	1197.22	1203.36	1211.68	1217.82
		60″(1524mm)	UZKS-1660-PM	1308.57	1315.27	1324.14	1330.84
		66″(1676mm)	UZKS-1666-PM	1592.52	1599.78	1609.20	1616.46
		72″(1829mm)	UZKS-1672-PM	1865.35	1873.17	1883.14	1890.96



UZHS-PM

Height	Depth	Width	Single Slider Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZHS-1624-PM	$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UZHS-1630-PM	589.22	593.12	599.24	603.14
		36″(914mm)	UZHS-1636-PM	615.95	620.41	627.08	631.54
		42″(1067mm)	UZHS-1642-PM	642.68	647.70	654.92	659.94
		48″(1219mm)	UZHS-1648-PM	669.41	674.99	682.76	688.34
		54″(1372mm)	UZHS-1654-PM	696.14	702.28	710.60	716.74
		60″(1524mm)	UZHS-1660-PM	788.57	795.27	804.14	810.84
		66″(1676mm)	UZHS-1666-PM	961.16	968.42	977.84	985.10
		72″(1829mm)	UZHS-1672-PM	1143.79	1151.61	1161.58	1169.40

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

■ Available on RUSH with standard close only.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close. ■

2) Trim color for shelf and end panels.

3) Trim color for door.

4) Trim color for lock housing, if applicable.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; i.e., flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

Class CA – SIN 711-1; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Laminate Door



UZFS-LM

Height	Depth	Width	Flipper Door Number ❶❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZFS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UZFS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UZFS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UZFS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UZFS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UZFS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UZFS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UZFS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UZFS-1672-LM	1625.91	1643.70	1642.62	1660.41



UZKS-LM

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZKS-1624-LM	$1321.90	$1330.81	$1338.61	$1347.52
		30″(762mm)	UZKS-1630-LM	1368.67	1378.69	1385.38	1395.40
		36″(914mm)	UZKS-1636-LM	1415.44	1426.57	1432.15	1443.28
		42″(1067mm)	UZKS-1642-LM	1462.21	1474.45	1478.92	1491.16
		48″(1219mm)	UZKS-1648-LM	1529.01	1542.36	1545.72	1559.07
		54″(1372mm)	UZKS-1654-LM	1688.25	1702.71	1704.96	1719.42
		60″(1524mm)	UZKS-1660-LM	1845.25	1860.82	1861.96	1877.53
		66″(1676mm)	UZKS-1666-LM	2245.00	2261.68	2261.71	2278.39
		72″(1829mm)	UZKS-1672-LM	2630.30	2648.09	2647.01	2664.80



UZHS-LM

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZHS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UZHS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UZHS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UZHS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UZHS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UZHS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UZHS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UZHS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UZHS-1672-LM	1625.91	1643.70	1642.62	1660.41

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  - –Height: 12 3/4″(324mm)
  - –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; i.e., flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Laminate color for door.

4) Edgeband color for door.

5) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Translucent Door



UZFF-QM

Height	Depth	Width	Flipper Door Number ❶ ❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZFF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UZFF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UZFF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UZFF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UZFF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UZFF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UZFF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UZFF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UZFF-1672-QM	1741.75	1759.54	2009.07	2026.86



UZKF-QM

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZKF-1624-QM	$1441.14	$1450.05	$1708.46	$1717.37
		30″(762mm)	UZKF-1630-QM	1497.93	1507.95	1765.25	1775.27
		36″(914mm)	UZKF-1636-QM	1554.72	1565.85	1822.04	1833.17
		42″(1067mm)	UZKF-1642-QM	1611.51	1623.75	1878.83	1891.07
		48″(1219mm)	UZKF-1648-QM	1687.22	1700.57	1954.54	1967.89
		54″(1372mm)	UZKF-1654-QM	1853.15	1867.61	2120.47	2134.93
		60″(1524mm)	UZKF-1660-QM	2021.28	2036.85	2288.60	2304.17
		66″(1676mm)	UZKF-1666-QM	2449.97	2466.65	2717.29	2733.97
		72″(1829mm)	UZKF-1672-QM	2862.00	2879.79	3129.32	3147.11



UZHF-QM

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZHF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UZHF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UZHF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UZHF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UZHF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UZHF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UZHF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UZHF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UZHF-1672-QM	1741.75	1759.54	2009.07	2026.86

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; i.e., flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Translucent color for door.

4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Wood Door



UZFS-WM

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZFS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UZFS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UZFS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UZFS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UZFS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UZFS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UZFS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UZFS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UZFS-1672-WM	1889.91	1907.70	1954.50	1972.29



UZKS-WM

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZKS-1624-WM	$1525.68	$1534.59	$1590.27	$1599.18
		30″(762mm)	UZKS-1630-WM	1575.81	1585.83	1640.40	1650.42
		36″(914mm)	UZKS-1636-WM	1625.94	1637.07	1690.53	1701.66
		42″(1067mm)	UZKS-1642-WM	1676.07	1688.31	1740.66	1752.90
		48″(1219mm)	UZKS-1648-WM	1746.23	1759.58	1810.82	1824.17
		54″(1372mm)	UZKS-1654-WM	1927.77	1942.23	1992.36	2006.82
		60″(1524mm)	UZKS-1660-WM	2112.64	2128.21	2177.23	2192.80
		66″(1676mm)	UZKS-1666-WM	2563.62	2580.30	2628.21	2644.89
		72″(1829mm)	UZKS-1672-WM	3003.50	3021.29	3068.09	3085.88



UZHS-WM

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZHS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UZHS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UZHS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UZHS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UZHS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UZHS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UZHS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UZHS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UZHS-1672-WM	1889.91	1907.70	1954.50	1972.29

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  - –Height: 12 3/4″(324mm)
  - –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; i.e., flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Wood finish for door.

4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage with Task Light Standard Mount – Painted



UZFS

Outside Height	Width	Task Light Width	Painted Number ❶❷		Light Option 1 Trim A / Trim A	Light Option 1 Trim A / Trim B	Light Option C Trim B / Trim A	Light Option C Trim B / Trim B
14″(356mm) Outside Depth								
16″(406mm)	24″(610mm)	24″(610mm)	UZFS-1624-PM	■	**$ 677.18**	**$ 680.52**	**$ 686.09**	**$ 689.43**
	30″(762mm)	30″(762mm)	UZFS-1630-PM	■	**707.24**	**711.14**	**717.26**	**721.16**
	36″(914mm)	30″(762mm)	UZFS-1636-PM	■	**737.30**	**741.76**	**748.43**	**752.89**
	42″(1067mm)	42″(1067mm)	UZFS-1642-PM	■	**767.36**	**772.38**	**779.60**	**784.62**
	48″(1219mm)	42″(1067mm)	UZFS-1648-PM	■	**797.42**	**803.00**	**810.77**	**816.35**
	54″(1372mm)	54″(1372mm)	UZFS-1654-PM	■	**827.48**	**833.62**	**841.94**	**848.08**
	60″(1524mm)	54″(1372mm)	UZFS-1660-PM	■	**923.24**	**929.94**	**938.81**	**945.51**
	66″(1676mm)	54″(1372mm)	UZFS-1666-PM	■	**1099.16**	**1106.42**	**1115.84**	**1123.10**
	72″(1829mm)	54″(1372mm)	UZFS-1672-PM	■	**1285.12**	**1292.94**	**1302.91**	**1310.73**

Features

- Includes door front with or without lock, shelf with back stop, end panels, and hardware.
- Inside dimensions:
  - –Height: 12 3/4″(324mm)
  - –Depth: 12 1/4″(311mm)
- Locks are available black or chrome.
- For lock options, refer to Lock Program Price List.
- Task light includes mounting brackets, black power cord, prismatic lens, low mercury content, and T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot task light cord is factory installed on right side; may be field-installed on left-hand side of 42″(1067mm) and 54″(1372mm) units.
- For use with 120 volt 60 hertz electrical systems only.
- Chicago plug includes 3 amp. resettable circuit breaker.
- Task light is charcoal color.
- Door stores on top of unit.
- Safety interlock prevents dislodgment from panel component slots.
- 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- To be installed in component mounting slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to upmount overhead storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of storage units.
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Task Light Option:

- **1** Adaptable Electronic Ballast
- **C** Adaptable Electronic Ballast, Chicago, add **$84.63** list.

2) Trim color for case.

3) Trim color for door.

4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Painted Door



UZGS-PM



UZLS-PM



UZJS-PM

Height	Depth	Width	Flipper Door Number ❶ ❷			Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZGS-1624-PM		■	$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UZGS-1630-PM		■	824.18	828.08	834.20	838.10
		36″(914mm)	UZGS-1636-PM		■	850.91	855.37	862.04	866.50
		42″(1067mm)	UZGS-1642-PM		■	877.64	882.66	889.88	894.90
		48″(1219mm)	UZGS-1648-PM		■	904.37	909.95	917.72	923.30

Height	Depth	Width	Cabinet Door Number ❶		Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZLS-1624-PM		$1359.77	$1363.11	$1368.68	$1372.02
		30″(762mm)	UZLS-1630-PM		1386.50	1390.40	1396.52	1400.42
		36″(914mm)	UZLS-1636-PM		1413.23	1417.69	1424.36	1428.82
		42″(1067mm)	UZLS-1642-PM		1439.96	1444.98	1452.20	1457.22
		48″(1219mm)	UZLS-1648-PM		1504.55	1510.13	1517.90	1523.48

Height	Depth	Width	Single Slider Door Number ❶		Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZJS-1624-PM		$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UZJS-1630-PM		824.18	828.08	834.20	838.10
		36″(914mm)	UZJS-1636-PM		850.91	855.37	862.04	866.50
		42″(1067mm)	UZJS-1642-PM		877.64	882.66	889.88	894.90
		48″(1219mm)	UZJS-1648-PM		904.37	909.95	917.72	923.30

Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - ships unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up-mount overhead storage unit cannot be retrofitted to standard mount overhead storage unit.
- Recommended for single row application.
- Recommended for use with 50″(1270mm) or 58″(1473mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Up-mount overhead storage cannot be installed above an external mount slat tile, tackboard, markerboard, glass stack or glass panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close. ■

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Laminate Door



UZGS-LM



UZLS-LM



UZJS-LM

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZGS-1624-LM	$1105.89	$1114.80	$1122.60	$1131.51
		30″(762mm)	UZGS-1630-LM	1152.66	1162.68	1169.37	1179.39
		36″(914mm)	UZGS-1636-LM	1199.43	1210.56	1216.14	1227.27
		42″(1067mm)	UZGS-1642-LM	1246.20	1258.44	1262.91	1275.15
		48″(1219mm)	UZGS-1648-LM	1292.97	1306.32	1309.68	1323.03

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZLS-1624-LM	$1909.84	$1918.75	$1926.55	$1935.46
		30″(762mm)	UZLS-1630-LM	1956.61	1966.63	1973.32	1983.34
		36″(914mm)	UZLS-1636-LM	2003.38	2014.51	2020.09	2031.22
		42″(1067mm)	UZLS-1642-LM	2050.15	2062.39	2066.86	2079.10
		48″(1219mm)	UZLS-1648-LM	2116.95	2130.30	2133.66	2147.01

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZJS-1624-LM	$1105.89	$1114.80	$1122.60	$1131.51
		30″(762mm)	UZJS-1630-LM	1152.66	1162.68	1169.37	1179.39
		36″(914mm)	UZJS-1636-LM	1199.43	1210.56	1216.14	1227.27
		42″(1067mm)	UZJS-1642-LM	1246.20	1258.44	1262.91	1275.15
		48″(1219mm)	UZJS-1648-LM	1292.97	1306.32	1309.68	1323.03

Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - ships unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up-mount overhead storage unit cannot be retrofitted to standard mount overhead storage unit.
- Recommended for single row application.
- Recommended for use with 50″(1270mm) or 58″(1473mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Up-mount overhead storage cannot be installed above an external mount slat tile, tackboard, markerboard, glass stack or glass panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Translucent Door



UZGF-QM



UZLF-QM



UZJF-QM

Height	Depth	Width	Flipper Door Number ❶❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZGF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UZGF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UZGF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UZGF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UZGF-1648-QM	1417.73	1431.08	1685.05	1698.40

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZLF-1624-QM	$2075.84	$2084.75	$2343.16	$2352.07
		30″(762mm)	UZLF-1630-QM	2132.63	2142.65	2399.95	2409.97
		36″(914mm)	UZLF-1636-QM	2189.42	2200.55	2456.74	2467.87
		42″(1067mm)	UZLF-1642-QM	2246.21	2258.45	2513.53	2525.77
		48″(1219mm)	UZLF-1648-QM	2321.92	2335.27	2589.24	2602.59

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZJF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UZJF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UZJF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UZJF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UZJF-1648-QM	1417.73	1431.08	1685.05	1698.40

Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - ships unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up-mount overhead storage unit cannot be retrofitted to standard mount overhead storage unit.
- Recommended for single row application.
- Recommended for use with 50″(1270mm) or 58″(1473mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Up-mount overhead storage cannot be installed above an external mount slat tile, tackboard, markerboard, glass stack or glass panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Translucent color for door.

4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Wood Door



UZGF-WM



UZLS-WM



UZJS-WM

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZGS-1624-WM	**$1278.48**	**$1287.39**	**$1343.07**	**$1351.98**
		30″(762mm)	UZGS-1630-WM	**1321.92**	**1331.94**	**1386.51**	**1396.53**
		36″(914mm)	UZGS-1636-WM	**1365.36**	**1376.49**	**1429.95**	**1441.08**
		42″(1067mm)	UZGS-1642-WM	**1408.80**	**1421.04**	**1473.39**	**1485.63**
		48″(1219mm)	UZGS-1648-WM	**1452.24**	**1465.59**	**1516.83**	**1530.18**

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZLS-1624-WM	**$2196.00**	**$2204.91**	**$2260.59**	**$2269.50**
		30″(762mm)	UZLS-1630-WM	**2246.13**	**2256.15**	**2310.72**	**2320.74**
		36″(914mm)	UZLS-1636-WM	**2296.26**	**2307.39**	**2360.85**	**2371.98**
		42″(1067mm)	UZLS-1642-WM	**2346.39**	**2358.63**	**2410.98**	**2423.22**
		48″(1219mm)	UZLS-1648-WM	**2416.55**	**2429.90**	**2481.14**	**2494.49**

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UZJS-1624-WM	**$1278.48**	**$1287.39**	**$1343.07**	**$1351.98**
		30″(762mm)	UZJS-1630-WM	**1321.92**	**1331.94**	**1386.51**	**1396.53**
		36″(914mm)	UZJS-1636-WM	**1365.36**	**1376.49**	**1429.95**	**1441.08**
		42″(1067mm)	UZJS-1642-WM	**1408.80**	**1421.04**	**1473.39**	**1485.63**
		48″(1219mm)	UZJS-1648-WM	**1452.24**	**1465.59**	**1516.83**	**1530.18**

Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - ships unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up-mount overhead storage unit cannot be retrofitted to standard mount overhead storage unit.
- Recommended for single row application.
- Recommended for use with 50″(1270mm) or 58″(1473mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Up-mount overhead storage cannot be installed above an external mount slat tile, tackboard, markerboard, glass stack or glass panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Wood finish for door.

4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Open Shelf Standard Mount



UZSN

Height	Depth	Width	Number	Trim A	Trim B
8″(203mm)	14″(356mm)	24″(610mm)	UZSN-0824-PM ■	$208.59	$219.04
		30″(762mm)	UZSN-0830-PM ■	216.06	229.12
		36″(914mm)	UZSN-0836-PM ■	223.53	239.20
		42″(1067mm)	UZSN-0842-PM ■	231.00	249.28
		48″(1219mm)	UZSN-0848-PM ■	238.47	259.36
		54″(1372mm)	UZSN-0854-PM ■	245.94	269.44
		60″(1524mm)	UZSN-0860-PM ■	253.41	279.52
		66″(1676mm)	UZSN-0866-PM ■	260.88	289.60
		72″(1829mm)	UZSN-0872-PM ■	268.35	299.68

Features

- Includes shelf with back stop, end panels and hardware.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgment from panel connector slots.
- Shelf thickness is 2″(51mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Specify separate shelf gang clip for unbalanced configurations with greater than one row of shelves.
- To be installed in component mounting rails on same size panel or on a combination of panels that equals the shelf width.

To Order, Specify:

1) Product number.
2) Trim color.

Shelf Divider



NADR-8

				Trim A	Trim B
4″(102mm)	13 1/4″(337mm)	1 3/4″(44mm)	NADR-8 ■	$193.46	$206.95

Features

- To be used to divide space laterally on overhead storage units and open shelves.
- Includes box of eight shelf dividers.
- May be used on all Compose shelves or standard mount or up-mount overhead storage units.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Overhead Storage Unit / Shelf Gang Clip



NUB-1

Number	Price
NUB-1 ■	$42.75

Features

- Includes one ganging clip.
- Provides additional stability in unbalanced panel configurations with adjacent shelves and overheads.
- Required for all adjacent shelves and unbalanced panel configurations.
- Standard in black finish.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Mount Components

Overhead Storage Unit, Wall Mount – Painted Door



UUFS-PW

Height	Depth	Width	Flipper Door Number ❶❷	Trim A Trim A	Trim B	Trim B Trim A	Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-PW ■	$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUFS-1630-PW ■	634.87	638.77	644.89	648.79
		36″(914mm)	UUFS-1636-PW ■	661.60	666.06	672.73	677.19
		42″(1067mm)	UUFS-1642-PW ■	688.33	693.35	700.57	705.59
		48″(1219mm)	UUFS-1648-PW ■	715.06	720.64	728.41	733.99
		54″(1372mm)	UUFS-1654-PW ■	741.79	747.93	756.25	762.39
		60″(1524mm)	UUFS-1660-PW ■	834.22	840.92	849.79	856.49
		66″(1676mm)	UUFS-1666-PW ■	1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUFS-1672-PW ■	1189.44	1197.26	1207.23	1215.05



UUKS-PW

Height	Depth	Width	Cabinet Door Number ❶	Trim A Trim A	Trim B	Trim B Trim A	Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-PW	$ 994.53	$ 997.87	$1003.44	$1006.78
		30″(762mm)	UUKS-1630-PW	1021.26	1025.16	1031.28	1035.18
		36″(914mm)	UUKS-1636-PW	1047.99	1052.45	1059.12	1063.58
		42″(1067mm)	UUKS-1642-PW	1074.72	1079.74	1086.96	1091.98
		48″(1219mm)	UUKS-1648-PW	1139.31	1144.89	1152.66	1158.24
		54″(1372mm)	UUKS-1654-PW	1242.87	1249.01	1257.33	1263.47
		60″(1524mm)	UUKS-1660-PW	1354.22	1360.92	1369.79	1376.49
		66″(1676mm)	UUKS-1666-PW	1638.17	1645.43	1654.85	1662.11
		72″(1829mm)	UUKS-1672-PW	1911.00	1918.82	1928.79	1936.61



UUHS-PW

Height	Depth	Width	Single Slider Door Number ❶	Trim A Trim A	Trim B	Trim B Trim A	Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-PW	$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUHS-1630-PW	634.87	638.77	644.89	648.79
		36″(914mm)	UUHS-1636-PW	661.60	666.06	672.73	677.19
		42″(1067mm)	UUHS-1642-PW	688.33	693.35	700.57	705.59
		48″(1219mm)	UUHS-1648-PW	715.06	720.64	728.41	733.99
		54″(1372mm)	UUHS-1654-PW	741.79	747.93	756.25	762.39
		60″(1524mm)	UUHS-1660-PW	834.22	840.92	849.79	856.49
		66″(1676mm)	UUHS-1666-PW	1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUHS-1672-PW	1189.44	1197.26	1207.23	1215.05

Features

- Includes door front with lock option, top shelf, bottom shelf with back stop, end panels, mounting bar and hardware. Optional locks and non-structural back are available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close. ■

2) Trim color for shelf and end panels.

3) Trim color for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Laminate Door



UUFS-LW

Height	Depth	Width	Flipper Door Number ❶❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUFS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUFS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUFS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUFS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUFS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUFS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUFS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUFS-1672-LW	1776.24	1794.03	1792.95	1810.74



UUKS-LW

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-LW	$1472.23	$1481.14	$1488.94	$1497.85
		30″(762mm)	UUKS-1630-LW	1519.00	1529.02	1535.71	1545.73
		36″(914mm)	UUKS-1636-LW	1565.77	1576.90	1582.48	1593.61
		42″(1067mm)	UUKS-1642-LW	1612.54	1624.78	1629.25	1641.49
		48″(1219mm)	UUKS-1648-LW	1679.34	1692.69	1696.05	1709.40
		54″(1372mm)	UUKS-1654-LW	1838.58	1853.04	1855.29	1869.75
		60″(1524mm)	UUKS-1660-LW	1995.58	2011.15	2012.29	2027.86
		66″(1676mm)	UUKS-1666-LW	2395.33	2412.01	2412.04	2428.72
		72″(1829mm)	UUKS-1672-LW	2780.63	2798.42	2797.34	2815.13



UUHS-LW

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUHS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUHS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUHS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUHS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUHS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUHS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUHS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUHS-1672-LW	1776.24	1794.03	1792.95	1810.74

Features

- Includes door front with lock option, top shelf, bottom shelf with back stop, end panels, mounting bar and hardware. Optional locks and non-structural back are available.
- Inside dimensions:
  - –Height: 12 3/4″(324mm)
  - –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Laminate color for door.

4) Edgeband color.

5) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Translucent Door



UUFF-QW

Height	Depth	Width	Flipper Door Number ❶ ❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUFF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUFF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUFF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUFF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUFF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUFF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUFF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUFF-1672-QW	1951.09	1968.88	2218.41	2236.20



UUKF-QW

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKF-1624-QW	$1650.48	$1659.39	$1917.80	$1926.71
		30″(762mm)	UUKF-1630-QW	1707.27	1717.29	1974.59	1984.61
		36″(914mm)	UUKF-1636-QW	1764.06	1775.19	2031.38	2042.51
		42″(1067mm)	UUKF-1642-QW	1820.85	1833.09	2088.17	2100.41
		48″(1219mm)	UUKF-1648-QW	1896.56	1909.91	2163.88	2177.23
		54″(1372mm)	UUKF-1654-QW	2062.49	2076.95	2329.81	2344.27
		60″(1524mm)	UUKF-1660-QW	2230.62	2246.19	2497.94	2513.51
		66″(1676mm)	UUKF-1666-QW	2659.31	2675.99	2926.63	2943.31
		72″(1829mm)	UUKF-1672-QW	3071.34	3089.13	3338.66	3356.45



UUHF-QW

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUHF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUHF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUHF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUHF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUHF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUHF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUHF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUHF-1672-QW	1951.09	1968.88	2218.41	2236.20

Features

- Includes door front with lock option, top shelf, bottom shelf with back stop, end panels, mounting bar and hardware. Optional locks and non-structural back are available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list.
  66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Translucent color for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Wood Door



UUFS-WW

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUFS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUFS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUFS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUFS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUFS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUFS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUFS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUFS-1672-WW	2034.66	2052.45	2099.25	2117.04



UUKS-WW

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-WW	$1779.56	$1788.47	$1844.15	$1853.06
		30″(762mm)	UUKS-1630-WW	1829.69	1839.71	1894.28	1904.30
		36″(914mm)	UUKS-1636-WW	1879.82	1890.95	1944.41	1955.54
		42″(1067mm)	UUKS-1642-WW	1929.95	1942.19	1994.54	2006.78
		48″(1219mm)	UUKS-1648-WW	2000.11	2013.46	2064.70	2078.05
		54″(1372mm)	UUKS-1654-WW	2181.65	2196.11	2246.24	2260.70
		60″(1524mm)	UUKS-1660-WW	2366.52	2382.09	2431.11	2446.68
		66″(1676mm)	UUKS-1666-WW	2817.50	2834.18	2882.09	2898.77
		72″(1829mm)	UUKS-1672-WW	3257.38	3275.17	3321.97	3339.76



UUHS-WW

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUHS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUHS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUHS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUHS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUHS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUHS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUHS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUHS-1672-WW	2034.66	2052.45	2099.25	2117.04

Features

- Includes door front with lock option, top shelf, bottom shelf with back stop, end panels, mounting bar and hardware. Optional locks and non-structural back are available.
- Inside dimensions:
  - –Height: 12 3/4″(324mm)
  - –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close 24″-60″ wide units, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Wood finish for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Wall Track



VZAT

SIN 711-1; Discount Group XI

Height	Width	Depth Locations	Wall Attachment	Number	Price
30″(762mm)	1″(25mm)	3/4″(19.05mm)	4 holes	VZAT-3000 ■	**$32.94**
66″(1676mm)			10 holes	VZAT-6600 ■	**68.60**
74″(1880mm)			11 holes	VZAT-7400 ■	**76.52**

Features

- Includes one two-sided wall track and screws.
- One wall track will mount two adjacent components.
  - –Side one will accommodate mounting of two components in a side-by-side shared condition.
  - –Side two will accommodate mounting of one component.
- For attachment of the following components to structural walls:
  - –panel-hung storage
  - –tack strips, tackboards, markerboards
  - –worksurface and supports

■ Available on RUSH.

Specification Tips

- A wall-mounted Compose panel may require a field-installed shim when used with wall track to support a corner or transitional worksurface. Refer to Specification Guide.
- In a component end mount condition, wall track will not add additional width.

To Order, Specify:

1) Product number.
2) Trim color.

Note: **$16.48** upcharge list for Metallic and accent trim color.

NOTE:
Mounting holes begin 1/2″(13mm) from the top and continue every 6″(152mm) on center. Wall track is designed to be field-cut from the bottom of the track. See installation instructions for detail.

Back for Wall Mounted Overhead Storage Unit



UUFB-P

SIN 711-1; Discount Group XI

Outside Height	Width	Number	Price
16″(406mm)	24″(610mm)	UUFB-0024-P	**$ 78.74**
	30″(762mm)	UUFB-0030-P	**84.45**
	36″(914mm)	UUFB-0036-P	**90.16**
	42″(1067mm)	UUFB-0042-P	**95.87**
	48″(1219mm)	UUFB-0048-P	**101.58**
	54″(1372mm)	UUFB-0054-P	**107.29**
	60″(1524mm)	UUFB-0060-P	**113.00**
	66″(1676mm)	UUFB-0066-P	**118.71**
	72″(1829mm)	UUFB-0072-P	**124.42**

Features

- Includes one painted back and mounting hardware.
- Used to cover wall mount attachment brackets.

Specification Tips

- For use on Wall Mount Overhead Storage Units only.
- Back must match width of Wall Mounted Overhead Storage Units.

To Order, Specify:

1) Product number.
2) Trim color.

Note: **$23.97** upcharge list for Metallic and accent trim color.

Worksurface Wall Bracket



ZUBW-PN

SIN 711-1; Discount Group VIII

Number	Price
ZUBW-0000-PN	**$22.50**

Features

- Includes one bracket and worksurface or worksurface support panel mounting screws.
- **Screws/anchors for attachment to wall are field supplied.**
- Worksurface to wall application
  - –Partially supports the back of a worksurface in wall mount application when a vertical wall track is not desired.
- Worksurface Support Panel to wall application
  - –Attaches a worksurface support panel (ZZFS) to a building wall in a wall mount application when a vertical wall track is not desired.
- Standard in black finish only.

Specification Tips

- **Must be properly anchored to a structural wall.**
- Worksurface front corners support requirements:
  - –One corner must be floor supported.
  - –Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
  - –The distance between these floor supports may not exceed 10 feet.

To Order, Specify:

1) Product number.
(No finish specification required.)

Bracket Requirements

Length of a particular worksurface adjacent to the wall (inches)	Min # of Brackets Required (qty)
24-42	2
48-78	3
84-120	4

Wall Mount Components

Tackboard, Wall Mount



KUAF

Nominal Height	Width	Number	Fabric Grade A	B	C	E	F	G
16″(406mm)	24″(610mm)	KUAF-1624 ■	$199.26	$209.34	$210.82	$225.18	$272.14	$289.13
	30″(762mm)	KUAF-1630 ■	209.34	221.09	224.48	242.87	292.64	311.31
	36″(914mm)	KUAF-1636 ■	219.42	232.84	238.14	260.56	313.14	333.49
	42″(1067mm)	KUAF-1642 ■	229.50	244.59	251.80	278.25	333.64	355.67
	48″(1219mm)	KUAF-1648 ■	239.58	256.34	265.46	295.94	354.14	377.85
	54″(1372mm)	KUAF-1654 ■	249.66	268.09	279.12	313.63	374.64	400.03
	60″(1524mm)	KUAF-1660 ■	259.74	279.84	292.78	331.32	395.14	422.21

Feature

- Includes one tackboard and attachment hardware for structural wall.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Specification Tips

- Designed to be used under wall mounted overhead storage units.
- **Not for use with wall track.**

Markerboard, Wall Mount



KUAM

Nominal Height	Width	Number	Price
16″(406mm)	24″(610mm)	KUAM-1624 ■	$251.77
	30″(762mm)	KUAM-1630 ■	268.48
	36″(914mm)	KUAM-1636 ■	285.19
	42″(1067mm)	KUAM-1642 ■	301.90
	48″(1219mm)	KUAM-1648 ■	318.61
	54″(1372mm)	KUAM-1654 ■	335.32
	60″(1524mm)	KUAM-1660 ■	352.03
24″(610mm)	24″(610mm)	KUAM-2424 ■	$345.35
	30″(762mm)	KUAM-2430 ■	362.06
	36″(914mm)	KUAM-2436 ■	378.77
	42″(1067mm)	KUAM-2442 ■	395.48
	48″(1219mm)	KUAM-2448 ■	412.19
	54″(1372mm)	KUAM-2454 ■	428.90
	60″(1524mm)	KUAM-2460 ■	445.61
32″(813mm)	24″(610mm)	KUAM-3224 ■	$438.93
	30″(762mm)	KUAM-3230 ■	455.64
	36″(914mm)	KUAM-3236 ■	472.35
	42″(1067mm)	KUAM-3242 ■	489.06
	48″(1219mm)	KUAM-3248 ■	505.77
	54″(1372mm)	KUAM-3254 ■	522.48
	60″(1524mm)	KUAM-3260 ■	539.19

Features

- Includes non-magnetic white laminate erasable writing surface with tray and attachment hardware for structural wall.
- Markers and erasers not included.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Designed to be used under wall mounted overhead storage units.
- Does not allow task light cord to pass behind.
- **Not for use with wall track.**
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

Wall Mount Componets

	Nominal Height	Width	Number	Trim A	Trim B
Slat, Wall Mount	16″(406mm)	18″(457mm)	KUPY-1618	**$238.30**	**$242.71**
		24″(610mm)	KUPY-1624	**257.97**	**263.48**
		30″(762mm)	KUPY-1630	**277.64**	**284.25**
		36″(914mm)	KUPY-1636	**297.31**	**305.02**
		42″(1067mm)	KUPY-1642	**316.98**	**325.79**
		48″(1219mm)	KUPY-1648	**336.65**	**346.56**
		54″(1372mm)	KUPY-1654	**356.32**	**367.33**
		60″(1524mm)	KUPY-1660	**375.99**	**388.10**



KUPY

Features

- Includes slat tile & attachment brackets for structural wall.
- Jump Stuff slat tile tools may be used.

Specification Tips

- Designed to be used under wall mounted overhead storage units.
- Allows space for task light cord routing.
- **Not for use with wall track.**

To Order, Specify:

1) Product number.
2) Trim color.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Lighting

Reed Premier™ Stand-Alone LED Task Light



LUTS-0017-19ULD5

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTS-0017-19ULD5	**$210.00**

Features
- Includes 17″(432mm) LED fixture, 15 watt power supply with nine foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Length: 16.4″(417mm).

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Not intended for daisy chaining.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:
1) Product number.
(No finish specification required.)

Reed Premier™ Starter LED Task Light



LUTS-0017-12ULD6

16.4″(417mm)	7.8	LUTS-0017-12ULD6	**$288.75**
30.1″(765mm)	17.6	LUTS-0031-12ULD6	**420.07**
43.7″(1110mm)	25.9	LUTS-0044-12ULD6	**542.01**
57.4″(1458mm)	33.6	LUTS-0058-12ULD6	**673.33**

Features
- Includes LED fixture, 60 watt power supply with twelve foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:
1) Product number.
(No finish specification required.)

Lighting

Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights



LUTD-0017-1NULDN

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTD-0017-1NULDN	**$210.00**
30.1″(765mm)	17.6	LUTD-0031-1NULDN	**341.32**
43.7″(1110mm)	25.9	LUTD-0044-1NULDN	**463.26**
57.4″(1458mm)	33.6	LUTD-0058-1NULDN	**594.58**

Features

- Includes LED fixture, 8″(203mm) and 30″(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number. (No finish specification required.)

Reed Premier™ Add-On Occupancy Sensor



LUTS-0000

		LUTS-0000	**$236.25**

Features

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7″(17.8mm); Width: 2.0″(51mm); Length: 2.3″(58mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number. (No finish specification required.)

Lighting

Adaptable Electronic Ballast Task Light



LUTS-16UEP

Height	Depth	Width	Actual Width	Number	Price
1.375″(25mm)	4 1/4″(105mm)	24″(610mm)	19″(483mm)	LUTS-0024-16UEP ■	**$203.11**
		30″(762mm)	25″(635mm)	LUTS-0030-16UEP ■	**209.66**
		42″(1067mm)	37″(940mm)	LUTS-0042-16UEP ■	**222.76**
		54″(1372mm)	49″(1245mm)	LUTS-0054-16UEP ■	**235.86**

Features

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42″(1067mm) and 54″(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

■ Available on RUSH.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTS-0030-16UE**B**

Chicago Specification:

To specify, replace **1** with **C** in the product number and add **$85.18** list.

Example: LUTS-0030-**C**6UEP

Chicago only: Plug includes 3 AMP resettable circuit breaker.

9′ Cord Option

To specify, replace **6** with **9** in the product number and add **$37.13** list. ■

Example: LUTS-0030-1**9**UEP

Adaptable Electronic Ballast Task Light (Starter Light)



LUTR

Height	Depth	Width	Description	Number	Price
1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	6′ Cord	LUTR-0042-16UEP	**$243.51**
			9′ Cord	LUTR-0042-19UEP	**280.64**
		54″(1372mm)	6′ Cord	LUTR-0054-16UEP	**$256.61**
			9′ Cord	LUTR-0054-19UEP	**293.74**

Features

- Includes mounting brackets, .33″(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTR-0042-16UE**B**

Adaptable Electronic Ballast Task Light (Add-On Light)



LUTD

NOTE:
Must be attached to a starter light or another add-on light.

1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	15″ Linking Cord	LUTD-0042-11UEP	**$242.42**
			48″ Linking Cord	LUTD-0042-14UEP	**247.88**
		54″(1372mm)	15″ Linking Cord	LUTD-0054-11UEP	**$255.52**
			48″ Linking Cord	LUTD-0054-14UEP	**260.98**

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20′ of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.
- Does not include a power plug.
- Available in charcoal only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTD-0042-11UE**B**



Lighting

	Number ❶	Price
Pixo	LUPT-0016-05FL	**$389.38**



LUPT

Features
- Includes base/mount with USB charging port, 16.5″(419mm) arm with LED light and 6′(182cm) attached cord.
- Available with optional integrated occupancy sensor.
- Available in supplier silver, white or black.
- Hi-low dim control.
- 360° arm rotation.
- 180° arm tilt.
- 360° shade rotation.
- USB port for charging cell phones.
- Advanced LED array eliminates multiple shadows.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 6W.
- Color temperature: 3000K.
- Luminosity: 285 Lumens.
- Color Rendition Index: 90 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number.

❶ **Occupancy Sensor:**
- **C** No Occupancy Sensor ■
- **O** Occupancy Sensor, add **$249.60** list

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage without Occupancy Sensor	LUV1-0012-07 LC ■	**$459.68**



LUV1

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- Auto turn off after 10 hours of use.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Attachment:**
- **F** Freestanding
- **G** Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage with Occupancy Sensor	LUV2-0012-07 LO ■	**$676.00**



LUV2

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Attachment:**
- **F** Freestanding
- **G** Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

Freestanding Lighting



LBJ1

Class CH

LBJ2

Base Diameter	Model	Number ❶	Price
8 1/2″(216mm)	Desk	LBJ1-0026-19FLC ■	$696.28
	Floor	LBJ2-0026-19FLC	837.68

Features

- Includes base, adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14″-22″(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48″-56″(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- **For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41″(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4″(1899mm).
- Minor assembly required.

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ Finish Color

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

Mounted Lighting



LBJ3 LBJ4

Class CH

Grommet/Hole Diameter	Model	Number ❶❷	Price
3″(76mm)	Grommet Mount	LBJ3-0026-19GLC	$696.28
1″(25mm)	Fixed Mount	LBJ4-0026-19GLC	723.06

Features

- Grommet Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13″-21″(330mm-533mm) from desktop.
- **For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40″(1016mm).
- Minor assembly required.

Specification Tips

- **Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

To Order, Specify:

1) Product number, including:

❶ Finish Color

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

❷ Worksurface Thickness

- **S** 1 3/16″(30mm)
- **M** 2″(51mm)
- **Q** 3″(76mm)

Grommet — For Use with BRAZO Grommet Mounted Light Only

WQAG

Class PT

Top Thickness	Number	Price
1 3/16″(30mm)	WQAG-0303-PSN	$29.46
2″(51mm)	WQAG-0303-PMN	29.46
3″(76mm)	WQAG-0303-PQN	29.46

Feature

- Includes one 3″(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4″(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:

1) Product number.

2) Trim color.
Plaster – TR-TW
Metallic Silver – TR-LE, add **$5.90** list.
Metallic Champagne – TR-MC, add **$5.90** list.
Metallic Gunmetal – TR-MG, add **$5.90** list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM L



Freestanding Block
LLL1



Freestanding Pivot
LLL2



Freestanding Floor
LLL3



Freestanding Add-On
LLLA

Base/Mount	Number	Price
Freestanding Block	LLL1-0022-19FLC	**$593.44**
Freestanding Pivot	LLL2-0022-19FLC ■	**536.67**
Freestanding Floor	LLL3-0022-19FLC	**650.21**
Freestanding Add-On	LLLA-0022-19FLC	**395.27**

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Freestanding Block:**
  - –**Available in Textured White, Textured Black and Brushed Aluminum.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Desk light adjustable height fixture range is 12″-15.75″(305mm-400mm) from desktop.
  - –Base includes scratch-resistant bottom with cord management.
  - –Can be used on any horizontal surface.
  - –Freestanding Block Base size: 6.63″(168mm) height, 3″(76mm) width, 3.5″(89mm) depth.
- **Freestanding Pivot:**
  - –**Available in Textured White and Textured Black.**
  - –Desk Pivot rotates 360° around the base.
  - –Arm rotates around magnetic connection between base and light arm.
  - –Pivot light does not have adjustable height.
  - –Base includes scratch-resistant bottom.
  - –Can be used on any horizontal surface.
  - –Freestanding Pivot Base size: 5″(127mm) height, 4.5″(114mm) width, 5.5″(140mm) depth.
- **Freestanding Floor:**
  - –**Available in Textured White and Textured Black.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Floor light adjustable height fixture range is 13″-50.75″(330mm-1289mm) from floor.
  - –Base includes scratch-resistant bottom.
  - –Floor Base size: 38″(965mm) height, 9″(229mm) width, 9″(229mm) depth.
- **Freestanding Add-On:**
  - –**Available in Textured White, Textured Black and Brushed Aluminum.**

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color:

Pivot/Floor available in:
Textured White TR-L2
Textured Black TR-L3

Block/Add-On available in:
Textured White TR-L2
Textured Black TR-L3
Brushed Aluminum, TR-L1 add **$27.85** list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM C

Base/Mount	Average Height	Number	Price
Worksurface Mount	18 1/2″(470mm)	LLC1-0022-19WLC	**$508.82**
Grommet Mount	18 1/2″(470mm)	LLC2-0022-19GLC	**508.82**



Worksurface Mount
LLC1



Grommet Mount
LLC2

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
  - –**Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Worksurface attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes a 11″(279mm) flat bracket with adhesive.
- **Grommet Mount:**
  - –**Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Grommet attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Y

Worksurface Mount	20.4″(518mm)	LLY1-0013-19WLC	**$847.32**



Worksurface Mount
LLY1

Features

- Includes base/mount, 14″(356mm) depth by 35″(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
  - –Arm does not rotate and uses fixed mount bracket.
  - –Light does not have adjustable height.
  - –Fixed mount bracket is scratch-resistant.
  - –Mount includes bracket with hardware.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM Mounted



Slat
LLM1



Belong Rail
LLM1



Panel
LLM2

Base/Mount	Panel System	Number	Price
Slat/Rail		LLM1-0023-19MLC	**$424.19**
Panel	for PREMISE	LLM2-0023-19MLCN	**$424.19**
	for Compose	LLM2-0023-19MLCZ	**424.19**
	for UniGroup Too	LLM2-0023-19MLCE	**424.19**

Features

- Includes base/mount, 23 1/4″(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- *Overall height ranges dependent on the mount.*
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Slat:**
  - –**Available in Textured White and Textured Black.**
  - –Rotates 180 degrees horizontally around the mount.
  - –Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
  - –Mount is scratch-resistant.
  - –Can be used on any Haworth slat tile.
  - –Slat Tile Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.
- **Panel:**
  - –**Available in Textured White and Textured Black.**
  - –Rotates 180 degrees horizontally around the mount.
  - –Panel Mount can be adjusted within the panel slot profiles.
  - –Mount is scratch-resistant.
  - –Can be used on any Haworth Panel System.
  - –Panel Mount Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3

LIM

Haworth Collection

LIM Mounted

Base/Mount	Number	Price
Under Shelf Flat	LLU1-0023-19ULC	**$424.19**
Under Shelf Proud	LLU2-0023-19ULC	**424.19**
Under Shelf Proud–Wood Casegoods	LLU3-0023-19ULC	**424.19**





LLU1



LLU2

Features

- Includes base/mount, 23 1/4″(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to complement the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Under Shelf Flat:**
  - –**Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket with adhesive.
  - –**Can be used on: Storage Box.**
- **Under Shelf Proud:**
  - –**Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –**Can be used on: Adaptable Upper Storage.**
- **Under Shelf Proud - Wood Casegoods:**
  - –**Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket.
  - –**Can be used on: Wood Casegoods Vertical Storage Unit.**

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Hardware

Base/Mount	Panel System	Units	Number	Price
Slat Mount Bracket		1	LLH1-0000	**$ 56.77**
Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	**$ 56.77**
	for Compose	1	LLH2-0000-Z	**56.77**
	for UniGroup Too	1	LLH2-0000-E	**56.77**
Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	**$146.75**
Under Shelf Proud - Casegood Bracket		5	LLH4-0000	**146.75**
Grommet Bracket		1	LLH5-0000	**29.99**
Wire Management Clips		10	LLH6-0000	**$ 71.76**

Features

- Hardware for use with LIM lights to provide additional attachment.
- Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
- For use if greater user adjustment is required.
- Slat and Panel Mount available in Textured White and Textured Black.
- Under Shelf available in Textured White, Textured Black and Brushed Aluminum.
- Grommet bracket available in Textured White, Textured Black and Brushed Aluminum.
- Wire management clips are standard in White.

***Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.**

To Order, Specify:

1) Product number.
2) Trim color for brackets:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

Belong Work Tools — Accessories

Open C Cubby

Height	Depth	Width	Description	Number	Price A	Price B
9″(229mm)	10″(254mm)	15″(381mm)	No Slots	KUCU-0915-BNN ■	$ 90.85	$101.67
12″(305mm)	10″(254mm)	15″(381mm)	No Slots	KUCU-1215-BNN ■	95.18	106.00
12″(305mm)	10″(254mm)	15″(381mm)	With Slots	KUCU-1215-BNS ■	106.00	116.82



KUCU-0915-BNN



KUCU-1215-BNS

Features

- Includes one freestanding Open C Cubby.
- Freestanding Open C Cubby's are designed for supporting binders and books.
- Open C Cubby with slots allows use of Belong Work Tools or Jump Stuff Slat Pad Tools; separately specified.
- Open C Cubby's can be used in Beside Overhead Storage.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Blotter

Depth	Width	Edge	Number	Fabric Grade E
19.7″(500mm)	29.5″(749mm)	3mm	KUBL-2030-FJ ■	$464.01
19.7″(500mm)	35.4″(899mm)		KUBL-2036-FJ ■	476.99
23.6″(599mm)	35.4″(899mm)		KUBL-2436-FJ ■	489.97
19.7″(500mm)	29.5″(749mm)	Knife	KUBL-2030-FF ■	$464.01
19.7″(500mm)	35.4″(899mm)		KUBL-2036-FF ■	476.99
23.6″(599mm)	35.4″(899mm)		KUBL-2436-FF ■	489.97



KUBL-2030-FJ

Features

- Includes one blotter with protective back.
- Specify blotter profile to match desking edge:
  - –3mm Edgeband
  - –Knife edge
- Belong Blotter radius is 1/2″(13mm).

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric
   Brisa Faux Leather (Grade E)

Specification Tips

- 20″(508mm) deep blotter can be used on 24″(610mm) deep desking without hatch.
- 20″(508mm) deep blotter can be used on 30″(762mm) deep desking with hatch.
- 24″(610mm) deep blotter can be used on 36″(914mm) deep desking with hatch.

Paper Tray — Landscape

Height	Depth	Width	Description	Number	Price
1 1/2″(38mm)	8 7/8″(225mm)	12 3/4″(324mm)	Slat — Document Tray	KUPT-0913-H ■	$22.71
2 1/2″(38mm)	8 7/8″(225mm)	12 3/4″(324mm)	Freestanding — Stacking Tray	KUPT-0913-F ■	27.04



KUPT-0913-H



KUPT-0913-F

Features

- Includes one plastic tray.
- Slat document tray mounts on Belong rail, Belong slat tile and Beside stanchion.
- Slat document tray supports maximum of one ream (5 pounds/2.3kg) of paper.
- Freestanding stacking tray is freestanding and stacks 4 high.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Tool Cup

			Number	Price
3 1/2″(90mm)	2 1/2″(38mm)	2 1/2″(38mm)	KUTC-0000-H ■	$19.47



KUTC-0000-H

Features

- Includes one plastic tool cup.
- Tool cup mounts on:
  - –Belong rail
  - –Belong slat tile
  - –Beside stanchion
  - –Open C Cubby with slots
- Can also be used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Belong Work Tools — Accessories

Hanging Sorter

Height	Depth	Width	Number	Price
8 1/2″(216mm)	2 1/2″(64mm)	12 3/4″(324mm)	KUHS-0000-H ■	$53.00



KUHS-0000-H

Features

- Includes one hanging sorter with two paper sorters.
- Interior depth of each sorter is 1″(25mm).
- Hanging sorter mounts on:
  - –Belong rail
  - –Belong slat tile
  - –Beside stanchion
  - –Open C Cubby with slots

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Mini Shelf

Height	Depth	Width	Number	Price
1″(25mm)	4″(102mm)	8″(203mm)	KUSH-0408-H ■	$19.47



KUSH-0408-H

Features

- Includes one plastic shelf.
- Mini shelf mounts on:
  - –Belong rail
  - –Belong slat tile
  - –Beside stanchion
  - –Open C Cubby with slots

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Reference Shelves

Height	Width	Description	Number	Price A	Price B
11 1/4″(286mm)	9 7/8″(251mm)	Reference — Small	KURS-0010-H ■	$54.08	$59.49
	18 1/2″(470mm)	Reference — Large	KURS-0019-H ■	81.12	86.53
9 7/8″(251mm)	11 5/8″(295mm)	Blotter Reference Shelf	KURS-0012-B ■	$54.08	$59.49



KURS-0010-H



KURS-0019-H



KURS-0012-B

Features

- Includes one metal reference shelf
- Large and Small Reference shelves mount on:
  - –Belong rail
  - –Belong slat tile
  - –Beside stanchion
  - –Open C Cubby with slots
- Blotter Reference Shelf slides under blotter for support.

■ Available on RUSH.

Specification Tips

- In installed position large and small referencing shelves are 0.88″(22mm) high and 4.3″(109mm) deep.
- Reference shelf lip is 1.375″(35mm) deep.

To Order, Specify:

1) Product number.
2) Trim color.

Belong Work Tools

Base Tray



KUBT

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Price A	Price B
2.09″(53mm)	3.55″(90mm)	23.75″(603mm)	5.0 (2.3kg)	With Accessory Kit	KUBT-0224-A	**$151.43**	**$162.25**
				Without Accessory Kit	KUBT-0224-N	**113.57**	**124.39**

Features
- Includes one freestanding steel Base Tray with aluminum insert rail.
- Base Tray is available with or without Accessory Kit.

Specification Tips
- Designed for use with L-Screen, Reference Shelf and Accessory Kit.
- L-Screen and Reference Shelf slide into space between steel back and aluminum insert.
- Base Tray accommodates one Reference Shelf and one L-Screen.
- Accessory Kit is designed to sit on 2.84″(72mm) deep base tray ledge.

To Order, Specify:
1) Product number.
2) Trim color.

Desk Top L-Screen

Left Hand



Right Hand

KULS

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Price A	Price B
11.87″(301mm)	10″(254mm)	23.75″(603mm)	9.7 (4.4kg)	Right-Hand	KULS-0000-TR	**$104.92**	**$115.74**
				Left-Hand	KULS-0000-TL	**104.92**	**115.74**

Features
- Includes one steel Desk Top L-screen with semi-transparent plastic feet.
- Non-writable, magnetic surface.
- Desk Top L-Screen is handed.
- Supports maximum weight of 5 pounds (2.3kg).

Specification Tips
- Designed for use with Base Tray or as freestanding
- Desk Top L-Screen may be used alone in Base Tray or with Reference Shelf.
- Depth portion of L-Screen, when used adjacent to Reference Shelf, is the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge.
- Width portion of Desk Top L-Screen may be positioned to fill Base Tray or a portion may overhang past end of Base Tray to accommodate Reference Shelf.

To Order, Specify:
1) Product number.
2) Trim color.

Desk Top Reference Shelf



KURS

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Price A	Price B
12.03″(306mm)	4.25″(108mm)	14.5″(368mm)	8.1 (3.7kg)		KURS-0014-T	**$54.08**	**$59.49**

Features
- Includes one steel desk Top Reference Shelf
- Desk Top Reference Shelf lip is 1″(25mm) deep with a 15 degree angle.
- Includes a cutout for cord drop if used for charging of electronic devices.
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

Specification Tips
- Desk Top Reference Shelf may not be used alone in Base Tray; must be used together with Desk Top L-Screen for support purposes.
- Desk Top Reference Shelf is not freestanding.
- Desk Top Reference Shelf adjacent to depth portion of L-Screen are the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge.
- Desk Top Reference Shelf adjacent to width portion of L-Screen will overhang past end of Base Tray.

To Order, Specify:
1) Product number.
2) Trim color.

Belong Work Tools

Accessory Kit

Number	Price
KUAK-0000-BSR ■	$44.35



KUAK

Features

- Includes one square tray, one rectangular tray and bud vase with square base. All items are plastic.
- Sizes:
  - –Square tray: 2.75″(70mm).
  - –Rectangular tray: 2.75″ x 5.5″(70mm x 140mm).
  - –Bud Vase: 4″(102mm) tall, 0.75″(19mm) inside diameter, 2.75″(70mm) square base.
- Designed for use with the Base Tray, Territory Screen or as freestanding pieces.
- Standard in snow trim color.

■ Available on RUSH.

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

To Order, Specify:

1) Product number.
(No finish specification required)

Screen Rail

Double Sided



Single Sided



KUSR

Actual Height	Actual Width	Weight Pounds	Description	Number	Price A	Price B
2.19″(56mm)	23.75″(603mm)	2.8 (1.3kg)	Single Sided	KUSR-0224-S ■	$59.49	$70.31
		2.8 (1.3kg)	Double Sided	KUSR-0224-D ■	70.31	81.13

Features

- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19″(208mm) and 12.94″(329mm).
- Supports maximum weight of:
  - –Single Sided: 5 pounds (2.3kg).
  - –Double Sided: 5 pounds (2.3kg) each side.
- Non-writable, magnetic surface.

■ Available on RUSH.

Specification Tips

- For use with separately specified Belong hanging accessories or Jump Stuff accessories.
- For use on top of fabric, laminate or wood Belong Screens.
- Not for use on Glass Screens, Structural L-screens or Territory Screens.

To Order, Specify:

1) Product number.
2) Trim color.

Belong Work Tools

Territory Screen — End-of Run

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	❶	Price A	Price B
11.78″(299mm)	3″(76mm)	23.75″(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-ESN	■	$142.77	$149.26
			8.7 (3.9kg)	Without Slots	KUTS-1224-ENN	■	108.16	114.65





KUTS-E

Features

- Includes one freestanding steel End-of-Run Territory Screen with double sided attachment material.
- End-of-Run Territory Screen Options:
  - –With Slots (S); without Slots (N).
  - –With Accessory Kit (A) (square and rectangular trays with bud base).
  - –Without Accessory Kit (N).
- Optional Slotted Territory Screen includes three rows of two slots; 2″(51mm) between rows (centerline-to-centerline):
- Slot Widths:
  - –Top Row: 5.25″(133mm) and 15.31″(389mm).
  - –Middle Row: 10.28″(261mm) and 10.28″(261mm).
  - –Bottom Row: 15.31″(389mm) and 5.25″(133mm).
- Supports maximum weight of 5 pounds (2.3kg) on side with ledge.
- Non-writable, magnetic surface.

■ Available on RUSH.

Specification Tips

- End-of-Run Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong hanging accessories or Jump Stuff accessories.
- Accessory Kit is designed to sit on ledge of End-of-Run Territory Screen.
- Hanging accessories should be mounted in ledge side of End-of-Run Territory Screen with slots.

To Order, Specify:

1) Product number including:

❶ Accessory Kit Option:

- **A** Accessory Kit, add **$37.86** list
- **N** No Accessory Kit

2) Trim color.

Territory Screen — Shared

11.78″(299mm)	6″(152mm)	23.75″(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-SSN	■	$153.59	$160.08
			8.7 (3.9kg)	Without Slots	KUTS-1224-SNN	■	118.98	125.47





KUTS-S

Features

- Includes one freestanding steel Shared Territory Screen with double sided attachment material.
- Shared Territory Screen Options:
  - –With Slots (S); without Slots (N).
  - –With Accessory Kit (A) (square and rectangular trays with bud base).
  - –Without Accessory Kit (N).
- Optional Slotted Territory Screen includes three rows of two slots; 2″(51mm) between rows (centerline-to-centerline):
  - –Slot Widths:
    - –Top Row: 5.25″(133mm) and 15.31″(389mm).
    - –Middle Row: 10.28″(261mm) and 10.28″(261mm).
    - –Bottom Row: 15.31″(389mm) and 5.25″(133mm).
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

■ Available on RUSH.

Specification Tips

- Shared Territory Screen is not designed for use with Base Tray
- For use with separately specified Belong hanging accessories or Jump Stuff accessories.
- Accessory Kit is designed to sit on 11.8″(300mm) wide ledges of Shared Territory Screen.
- Hanging accessories may be mounted from either side of Shared Territory Screen with slots.

To Order, Specify:

1) Product number including:

❶ Accessory Kit Option:

- **A** Accessory Kit, add **$37.86** list
- **N** No Accessory Kit

2) Trim color.

Belong Work Tools

Territory L-Screen



Left Hand



Right Hand





KUTS-L

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	❶	Price A	Price B
Right Hand								
11.78″(299mm)	10″(254mm)	23.75″(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSR	■	**$175.22**	**$181.71**
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNR	■	**140.61**	**147.10**
Left Hand								
11.78″(299mm)	10″(254mm)	23.75″(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSL	■	**$175.22**	**$181.71**
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNL	■	**140.61**	**147.10**

Features

- Includes one freestanding steel Territory L- Screen with double sided attachment material.
- Territory L-Screen Options:
  - –With Slots (S); without Slots (N).
  - –With Accessory Kit (A) (square and rectangular trays with bud base).
  - –Without Accessory Kit (N).
- Optional Slotted Territory L-Screen includes three rows of two slots; 2″(51mm) between rows (centerline-to-centerline):
  - –Slot Widths on 23.75″ portion:
  - –Top Row: 5.25″(133mm) and 15.31″(388mm).
  - –Middle Row: 10.28″(261mm) and 10.28″(261mm).
  - –Bottom Row: 15.31″(389mm) and 5.25″(133mm).
  - –Slot widths on 10″(254mm) portion: three rows of 8.25″(210mm).
- Supports maximum weight of 5 pounds (2.3kg) on inside of Territory L-Screen.
- Non-writable, magnetic surface.

■ Available on RUSH.

Specification Tips

- Territory L-Screen is not designed for use with Base Tray.
- For use with separately specified Belong hanging accessories or Jump Stuff accessories.
- Accessory Kit is designed to sit on ledge of Territory L-Screen.
- Hanging accessories should be mounted on inside of Territory L-Screen with slots.

To Order, Specify:

1) Product number, including:

❶ Accessory Kit Option:

- **A** Accessory Kit, add **$37.86** list.
- **N** No Accessory Kit

2) Trim color.

Belong Work Tools

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Price A	Price B
Structural Screen Tile	12″(305mm)	0.67″(17mm)	18″(457mm)	7.1 (3.2kg)	With Slots	KUTB-1218-S	**$138.18**	**$142.50**
			22.5″(572mm)	8.9 (4.0kg)	With Slots	KUTB-1222-S	**143.85**	**151.41**
			27″(686mm)	10.6 (4.8kg)	With Slots	KUTB-1227-S	**153.30**	**166.26**
			31.5″(800mm)	12.5 (5.7kg)	With Slots	KUTB-1232-S	**162.75**	**181.11**
			36″(914mm)	14.2 (6.4kg)	With Slots	KUTB-1236-S	**170.31**	**192.99**
	12″(305mm)	0.67″(17mm)	18″(457mm)	7.5 (3.4kg)	Without Slots	KUTB-1218-N	**$ 92.75**	**$ 97.07**
			22.5″(572mm)	9.4 (4.3kg)	Without Slots	KUTB-1222-N	**98.42**	**105.98**
			27″(686mm)	11.2 (5.1kg)	Without Slots	KUTB-1227-N	**107.87**	**120.83**
			31.5″(800mm)	13.1 (5.9kg)	Without Slots	KUTB-1232-N	**117.32**	**135.68**
			36″(914mm)	15.0 (6.8kg)	Without Slots	KUTB-1236-N	**124.88**	**147.56**



KUTB

Features

- Includes one steel Structural Screen Tile with or without slats and attachment hardware.
- Supports maximum weights of:
  - –18″(457mm) - 10 pounds (4.5kg).
  - –22.5″(572mm) - 10 pounds (4.5kg).
  - –27″(686mm) - 15 pounds (6.8kg).
  - –31.5″(800mm) - 17 pounds (7.7kg).
  - –36″(914mm) - 20 pounds (9.0kg).
- Non-writable, magnetic surface.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- Designed for use on Belong Structural Screen (defaces screen) or structural building wall.
- May be wall mounted to structural building wall if properly mounted;
  - –Anchors are not provided, must be field supplied.
- Cords cannot be passed behind the Structural Screen Tile.
- Not for use with Wall Track.
- For use with separately specified Belong hanging accessories or Jump Stuff accessories.

Belong Systems Tile — External Mount for use with Compose Panels	7.87″(200mm)	1.36″(35mm)	24″(610mm)	4.8 (2.2kg)	With Slots	KZTB-0824-S	**$121.67**	**$131.39**
			30″(762mm)	6.0 (2.7kg)	With Slots	KZTB-0830-S	**133.01**	**149.21**
			36″(914mm)	7.1 (3.2kg)	With Slots	KZTB-0836-S	**144.35**	**167.03**
			42″(1067mm)	8.2 (3.7kg)	With Slots	KZTB-0842-S	**155.69**	**184.85**
			48″(1219mm)	9.3 (4.2kg)	With Slots	KZTB-0848-S	**167.03**	**202.67**
	7.87″(200mm)	1.36″(35mm)	24″(610mm)	5.4 (2.4kg)	Without Slots	KZTB-0824-N	**$ 76.24**	**$ 85.96**
			30″(762mm)	6.6 (3.0kg)	Without Slots	KZTB-0830-N	**87.58**	**103.78**
			36″(914mm)	7.8 (3.5kg)	Without Slots	KZTB-0836-N	**98.92**	**121.60**
			42″(1067mm)	9.1 (4.1kg)	Without Slots	KZTB-0842-N	**110.26**	**139.42**
			48″(1219mm)	10.3 (4.7kg)	Without Slots	KZTB-0848-N	**121.60**	**157.24**



KZTB

Features

- Includes one steel external mount Systems Tile with or without slots with integrated attachment brackets for use with Compose Panel Frames with Tiles.
- Supports maximum weights of:
  - –24″(610mm) - 15 pounds (6.8kg).
  - –30″(762mm) - 17 pounds (7.7kg).
  - –36″(914mm) - 17 pounds (7.7kg).
  - –42″(1067mm) - 20 pounds (9.0kg).
  - –48″(1219mm) - 20 pounds (9.0kg).
- Non-writable, magnetic surface.

To Order, Specify:

1) Product number.
1) Trim color.

Specification Tips

- Designed for use with Compose Panel Frames with Tiles only.
- Nominal height is 8″(203mm).
- To be installed in panel frame slots on same width panel, a combination of panels equal to tile width.
- Vertical panel frame face dimensions:
  - –Panel frame/non-raceway cover = frame height minus 2″(51mm).
  - –Panel frame with raceway cover = frame height minus 10″(254mm).
- For use with separately specified Belong hanging accessories or Jump Stuff accessories.

Belong Work Tools Mounting Rails

Tool Rail — Panel Mount — Single Side



KUR1-0424-PZN

	Height	Depth	Width	Number	Price A	B
Compose						
	4″(102mm)	1″(25mm)	24″(610mm)	KUR1-0424-PZN	**$139.96**	**$151.86**
			30″(762mm)	KUR1-0430-PZN	**150.04**	**163.02**
			36″(914mm)	KUR1-0436-PZN	**160.12**	**174.18**
			42″(1067mm)	KUR1-0442-PZN	**170.20**	**185.34**
			48″(1219mm)	KUR1-0448-PZN	**180.28**	**196.50**
			54″(1372mm)	KUR1-0454-PZN	**190.36**	**207.66**
			60″(1524mm)	KUR1-0460-PZN	**272.91**	**291.29**
PREMISE						
	4″(102mm)	1″(25mm)	24″(610mm)	KUR1-0424-PNN	**$139.96**	**$151.86**
			30″(762mm)	KUR1-0430-PNN	**150.04**	**163.02**
			36″(914mm)	KUR1-0436-PNN	**160.12**	**174.18**
			42″(1067mm)	KUR1-0442-PNN	**170.20**	**185.34**
			48″(1219mm)	KUR1-0448-PNN	**180.28**	**196.50**
			60″(1524mm)	KUR1-0460-PNN	**272.91**	**291.29**
UniGroup						
	4″(102mm)	1″(25mm)	24″(610mm)	KUR1-0424-PEN	**$139.96**	**$151.86**
			30″(762mm)	KUR1-0430-PEN	**150.04**	**163.02**
			36″(914mm)	KUR1-0436-PEN	**160.12**	**174.18**
			42″(1067mm)	KUR1-0442-PEN	**170.20**	**185.34**
			48″(1219mm)	KUR1-0448-PEN	**180.28**	**196.50**
			60″(1524mm)	KUR1-0460-PEN	**272.91**	**291.29**

Features

- Includes one rail with panel attachment brackets.
- Mounts to panel side trim rails/connectors/slotted frame/wall track to support rail tools.
- Tool Rail is 5/8″(16mm) thick; brackets provide 3/8″(10mm) gap for cord management.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.

Specification Tips

- **Supports maximum load of 40 pounds of Paper Management evenly distributed.**
- Panel mounted rail may span one or more panels equivalent to rail width.
- Recommended mounting position is approximately 9″(229mm) above worksurface.
- Rail is for use with specific product lines: Compose®, PREMISE® and UniGroup Too®.

To Order, Specify:

1) Product number.
2) Trim Color for rail/brackets (product line specific; refer) to appropriate price list).

Belong Work Tools

	Height	Width	Number	Price
iPad Attachment	7.88″(200mm)	8″(203mm)	KU6T-0000	**$270.40**



KU6T

Features

- Includes one steel tablet holder with cutouts and mounting hardware.
- Works with tablets size 6.75″-7.5″(171-191mm) wide and at least 7″(178mm) high with a 1/2″(13mm) maximum thickness.
- Mounts directly onto the Extend Arm with standard VESA 100mm connection.
- Rotates from landscape orientation to portrait orientation.
- Cutouts allow for use of cables.

Specification Tips

- Designed to be used with Extend Arm.
- iPad not included.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

Work Tools

Jump Stuff Rail Mounting Systems

Panel Mount Rail



DSR-HZ

Height	Depth	Width	Description	Number	Price
4 1/2″(114mm)	7″(178mm)	24″(610mm)	Two Supports	DSR-24-H	**$ 85.18**
		30″(762mm)		DSR-30-H	**90.86**
		36″(914mm)		DSR-36-H	**96.54**
		42″(1067mm)		DSR-42-H	**102.22**
		48″(1219mm)		DSR-48-H	**107.90**
		60″(1524mm)		DSR-60-H	**119.26**

Features

- Includes two supports, one rail with two end caps.
- Mounts to panel side rails to support rail tools.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Can be mounted on Haworth wall track.
- Can span one or more panels equivalent to rail width.
- Rail should not be mounted directly in front of tackboards.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Worksurface Mount Rail



DSR-W

7″(178mm)	7″(178mm)	24″(610mm)	One Support	DSR-24-W	**$160.13**
		30″(762mm)		DSR-30-W	**165.81**
		36″(914mm)	Two Supports	DSR-36-W	**$171.49**
		42″(1067mm)		DSR-42-W	**177.17**
		48″(1219mm)		DSR-48-W	**182.85**
		60″(1524mm)		DSR-60-W	**194.21**

Features

- Includes support(s) with mounting clamp(s) and one rail with two end caps.
- Mounts to worksurface to support rail tools.
- Mounts on worksurfaces from 3/4″(19mm) to 1 3/4″(44mm) thick. With minimum of 1/4″(6mm) of clearance depth does not require worksurface removal.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Single support holds up to a maximum of 25 pounds (11kg), evenly distributed. Double support holds up to a maximum of 50 pounds (23kg), evenly distributed.
- Can be installed off modular.
- Rail should not be mounted directly in front of tackboards.
- Under worksurface 4″(102mm) of clearance is necessary between back of worksurface and pedestal for clamp.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Rail Mounting Systems

	Height	Depth	Width	Description	Number	Price
Freestanding Mount Rail	7″(178mm)	9″(229mm)	24″(610mm)	Two Supports	DSR-24-F	**$198.75**
			30″(762mm)		DSR-30-F	**204.43**
			36″(914mm)		DSR-36-F	**210.11**
			42″(1067mm)		DSR-42-F	**215.79**
			48″(1219mm)		DSR-48-F	**221.47**
			60″(1524mm)		DSR-60-F	**232.83**



DSR-F

Features

- Includes two supports with feet, one rail with two end caps.
- Freestanding mount rail supports rail tools on most flat surfaces.
- Rail tools ordered separately.
- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Rail is standard in brushed aluminum.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Class YA – SIN 711-2; Discount Group VII
Canadian Conversion Factor: Refer to haworth.com/Canada

Work Tools

Jump Stuff Slat Tile Tools

Binder Bin

Height	Depth	Width	Number	Price
12 1/2″(318mm)	10 1/2″(267mm)	6 1/2″(165mm)	DTSB-3 ■	$47.90



DTSB-3

Features
- Mounts on slat pad. Can also be used in freestanding applications.
- Bin accommodates two 3″(76mm) thick binders.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Tote

Height	Depth	Width	Description	Number	Price
10″(254mm)	4″(102mm)	13″(330mm)	Tote	DTTE-3 ■	$55.70
			Tote, clips, and strap	DTTH-3 ■	79.10



DTTE-3



DTTH-3

Features
- Mounts on slat pad.
- Clip and strap standard in black.
- Fits in lateral files.
- Accommodates hanging files.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Tote Strap

DTHT-1 ■ $25.63



DTHT-1

Features
- Includes strap and two clips.
- Strap is 27″(686mm) long and non-adjustable.
- Converts DTTE-3 to DTTH-3.
- Standard in black.

■ Available on RUSH.

To Order, Specify:
1) Product number.
(No finish specification required.)

Tack Strip

Height	Depth	Width	Number	Price
2 1/2″(64mm)	1/2″(13mm)	12″(305mm)	DTTS-12 ■	$27.85
		24″(610mm)	DTTS-24 ■	33.42



DTTS-12
DTTS-24

Features
- Mounts on slat pad.
- Brown and black cork and rubber composite material.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bracket.

Gooseneck Kit

DTGK-3 ■ $58.41



DTGK-3

Features
- Includes two flex arms, two base clips, assortment of three tops (one grip clip, one round top, and one flower top) and two stick-on clips.
- Mounts on slat pad to display miscellaneous notes/items or anywhere with stick-on clips.
- Stick-on clips include double-sided tape.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Slat Tile Tools

Mini Shelf



DMSP

Height	Depth	Width	Number	Laminate A	Laminate B
1 3/4″(44mm)	6 1/4″(159mm)	18″(457mm)	DMSP-18 ■	$ 97.56	$105.35
		24″(610mm)	DMSP-24 ■	102.01	109.80
		30″(762mm)	DMSP-30 ■	106.43	114.22
		36″(914mm)	DMSP-36 ■	110.87	118.66
		42″(1067mm)	DMSP-42 ■	115.29	123.08
		48″(1219mm)	DMSP-48 ■	119.71	127.50

Features

- Includes shelf and brackets.
- Mounts on slat pad.
- Shelf thickness 3/4″(19mm)
- Designed for lightweight accessories.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for bracket. Trim B, add **$2.23** list.

Phone Shelf



DTPT-3

Height	Depth	Width	Number	
2 1/2″(64mm)	11 1/4″(286mm)	9″(229mm)	DTPT-3 ■	$75.75

Features

- Includes phone shelf and bracket.
- Mounts on slat pad at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Phone Shelf Bracket



DTBS-3

Height	Depth	Width	Number	
1 1/2″(38mm)	11″(279mm)	7 1/2″(191mm)	DTBS-3 ■	$46.79

Feature

- Used to convert DTPT-1 for mounting rail phone shelf to slat pad.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color for bracket. Trim B, add **$2.23** list.

Personal Shelf



DTES-3

Height	Depth	Width	Number	
1 3/4″(44mm)	11″(279mm)	8″(203mm)	DTES-3	$52.36

Features

- Includes mounting bracket and personal shelf.
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Personal Shelf Bracket				DTAR-3 ■	**$34.54**



DTAR-3

Feature

- Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat pad.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Paper Sorter	9 1/4″(235mm)	11″(279mm)	9″-12″(229mm-305mm)	DTPR-3 ■	**$63.50**



DTPR-3

Features

- Includes three dividers, one shelf, and mounting bracket.
- Mounts on slat pad.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Tool Cup	5 1/2″(140mm)	3 1/2″(89mm)	4″(102mm)	DTWC-2 ■	**$20.05**



DTWC-2

Feature

- Mounts on rail and slat pad. Can also be used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Letter Tray	2 1/2″(64mm)	12″(305mm)	10 1/2″(267mm)	DTLT-2 ■	**$23.40**



DTLT-2

Features

- Mounts on rail at 60° angle or horizontally.
- Mounts on slat pad horizontally.
- Can also be used in freestanding applications.
- Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays.
- Supports maximum of one ream (five pounds/2.3 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Description	Number	Price
Waste Bin	15 1/2″(394mm)	12″(305mm)	13″(330mm)	Black	DTRB-1B ■	**$44.56**
					DTRB-1 ■	**59.05**



DTRB

Features
- Used in freestanding applications.
- Five gallon capacity.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Letter Tray Stacking Kit

8″(203mm)	12″(305mm)	10 1/2″(267mm)	DTLS-2 ■	**$60.16**



DTLS-2

Features
- Includes three letter trays and two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Letter Tray Stacking Bracket

2 1/4″(57mm)	5″(127mm)	9 1/2″(241mm)	DTSB-1 ■	**$16.71**



DTSB-1

Features
- Includes two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Rail Work Style Kits

Team Master Kit



DPKC-48
DBKC-48

Mounting System	Packaging	Number	Price
Panel Mount*	Pre-Packaged	DPKC-48-H	**$641.69**
Worksurface Mount		DPKC-48-W	**817.71**
Freestanding Mount		DPKC-48-F	**770.92**
Panel Mount*	Bulk-Packaged	DBKC-48-H	**$544.77**
Worksurface Mount		DBKC-48-W	**720.79**
Freestanding Mount		DBKC-48-F	**674.00**

Feature

- Kit includes gooseneck kit, paper sorter, file frame, two pile dividers, disk box, phone caddy, sketch pad kit, 2-way display, catch-all tray, wire wraps, and one 48″(1219mm) wide rail mount with appropriate supports.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

File Master Kit



DPKP-48
DBKP-48

Panel Mount*	Pre-Packaged	DPKP-48-H ■	**$551.81**
Worksurface Mount		DPKP-48-W ■	**727.83**
Freestanding Mount		DPKP-48-F ■	**681.04**
Panel Mount*	Bulk-Packaged	DBKP-48-H	**$480.51**
Worksurface Mount		DBKP-48-W	**627.57**
Freestanding Mount		DBKP-48-F	**609.74**

Feature

- Kit includes 2-way tray, two paper sorters, phone caddy, gooseneck kit, sketch pad kit, file frame, catch-all tray, and one 48″(1219mm) wide mounting rail with appropriate supports.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Task Master Kit

DPKT-48
DBKT-48

Panel Mount*	Pre-Packaged	DPKT-48-H ■	**$624.31**
Worksurface Mount		DPKT-48-W	**806.75**
Freestanding Mount		DPKT-48-F ■	**751.03**
Panel Mount*	Bulk-Packaged	DBKT-48-H	**$571.87**
Worksurface Mount		DBKT-48-W	**754.31**
Freestanding Mount		DBKT-48-F	**698.59**

Feature

- Kit includes gooseneck kit, two grip clips, paper sorter, file frame, two pile dividers, disk box, catch-all tray, 3-layer tray, sketch pad kit, phone caddy, wire wraps, and one 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

***Note:** Mounts to Compose, PREMISE, PLACES, and UniGroup panel frame slots/side rails to support rail tools.

Work Tools

Jump Stuff Rail Work Style Kits

Mini Master Kit



DPKS
DBKS

Mounting System	Rail Width	Packaging	Number	Price
Panel Mount	36″(914mm)	Pre-Packaged	DPKS-36-H ■	**$392.14**
Worksurface Mount			DPKS-36-W ■	**536.96**
Freestanding Mount			DPKS-36-F ■	**502.43**
Panel Mount	36″(914mm)	Bulk-Packaged	DBKS-36-H	**$349.80**
Worksurface Mount			DBKS-36-W	**494.62**
Freestanding Mount			DBKS-36-F	**460.09**
Panel Mount	48″(1219mm)	Pre-Packaged	DPKS-48-H ■	**$412.18**
Worksurface Mount			DPKS-48-W ■	**557.00**
Freestanding Mount			DPKS-48-F ■	**522.47**
Panel Mount	48″(1219mm)	Bulk-Packaged	DBKS-48-H	**$369.84**
Worksurface Mount			DBKS-48-W	**514.66**
Freestanding Mount			DBKS-48-F	**480.13**

Feature

- Kit includes paper sorter, catch-all tray, 2-way tray, gooseneck kit, phone caddy and one 36″(914mm) or 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

Specification Tips

- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

***Note:** Mounts to Compose, PREMISE, PLACES and UniGroup panel frame slots/side rails to support rail tools.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Work Style Kits — Slat Tile Mounted

File Master Kit



DPKP-S
DBKP-S

Mounting System	Slat Pad Width	Packaging	Number	Price
Slat Tile	69″(1753mm)	Pre-Packaged	DPKP-S	**$437.82**
Slat Tile		Bulk-Packaged	DBKP-S	**383.23**

Features

- Kit includes gooseneck kit, two paper sorters, two letter trays, phone shelf, tote, tool cup, and binder bin.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$9.28** list.

Task Master Kit



DPKT-S
DBKT-S

Mounting System	Slat Pad Width	Packaging	Number	Price
Slat Tile	51″(1295mm)	Pre-Packaged	DPKT-S	**$419.49**
Slat Tile		Bulk-Packaged	DBKT-S	**367.05**

Features

- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, tote, two grip clips, two pile dividers, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$9.28** list.

Mini Master Kit



DPKS-S
DBKS-S

Mounting System	Slat Pad Width	Packaging	Number	Price
Slat Tile	49″(1245mm)	Pre-Packaged	DPKS-S	**$278.51**
Slat Tile		Bulk-Packaged	DBKS-S ■	**236.17**

Features

- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

■ Available on RUSH.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$6.68** list.

Boogie Board

Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad



HKTC-M
HKTE-M

Height	Depth	Width	Description	Number	Price
5.3″(135mm)	12″(305mm)	28″(711mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-M ■	**$560.37**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-M ■	**560.37**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-M ■	**560.37**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-M ■	**560.37**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurface or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurface and 4″(102mm) below.
- Integrated mouse pad tilts independently of keyboard tray.
- Includes mouse pad insert (not shown) for optional use.
- Mouse pad is interchangeable between right and left hand applications.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper.

■ Available on RUSH. Does not include positive tilt lock-out option. Recommended for most corner applications.

To Order, Specify:

1) Product number.
2) Translucent finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue) Keyboard tray in smoke with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal) Keyboard tray in charcoal with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.
Example: HKTC-17-M**P**

Boogie Board Keyboard Tray with Palm Rest



HKTC-N
HKTE-N

5.3″(135mm)	12″(305mm)	21″(533mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-N	**$530.29**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-N	**530.29**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-N	**530.29**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-N	**530.29**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurface or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurface and 4″(102mm) below.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper. Recommended for most corner applications.

To Order, Specify:

1) Product number.
2) Translucent finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue) Keyboard tray in smoke with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal) Keyboard tray in charcoal with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.
Example: HKTC-17-M**P**

Boogie Board Mouse Pad



HKMP-1

1″(25mm)	11″(279mm)	8″(203mm)	HKMP-1 ■	**$56.82**

Features

- For use with Boogie Board AKP or on top of worksurface.
- Integrated teeth allow right- or left-handed keyboard applications.
- Easily attaches to keyboard tray.
- Includes mouse pad insert (not shown) for optional use.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent finish color.

Boogie Board mouse pad is available in the following finish colors:

- TR-0LX Ice (translucent blue) Mouse pad insert standard in graphite.
- TR-0LU Shadow (translucent charcoal) Mouse pad insert standard in graphite.

Adjustable Keyboard Pads

Locking Tilt AKP

Description	Height Adjustment	Number ❶	Price
17″(432mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0017- N ■	**$314.75**
21″(533mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0021- N ■	**314.75**



KU1A-0017

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″ above/5.9″ below worksurface.
- Soft-touch knob for locking tilt adjustment -15°/+15°.
- 360° rotation.
- In/Out travel:
  - –17″ track length - 12″
  - –21″ track length - 16.8″
- Track allows Keyboard Tray to be fully retracted under worksurface.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

■ Available on RUSH: 21″ keyboard tray options.

Specification Tips

- 17″ long (432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″ long (533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list. ■
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with built-in Mouse Pad, add **$67.06** list.

(No finish specification required.)

Dial Tilt AKP

Description	Height Adjustment	Number ❶❷	Price
17″(432mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0017- ■	**$337.46**
21″(533mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0021- ■	**337.46**



KU2A-0017

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″ above/6.1″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 5.5″(140mm) standard arm length.
- In/Out travel:
  - –17″ track length - 12″
  - –21″ track length - 16.8″
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

■ Available on RUSH: KU2A-0017-1P.

Specification Tips

- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list.
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

- **P** Positive Tilt Lock ■
- **N** None

(No finish specification required.)

Adjustable Keyboard Pads

Dial Tilt AKP - Extended Arm

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Extended Track/Dial Tilt	2.75″ Above/8″ Below	KU3A-0023- ■	$365.59



KU3A-0023

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.75″ above/8″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

■ Available on RUSH.

Specification Tips

- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list.
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with space for mousing, add **$67.06** list

❷ Positive Tilt Lock Option

- **P** Positive Tilt Lock
- **N** None

(No finish specification required.)

Sit-to-Stand AKP

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Track/Sit-to-Stand	8.25″ Above/5.9″ Below	KU4A-0023- ■	$388.30



KU4A-0023

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 8.25″ above/5.9″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

■ Available on RUSH.

Specification Tips

- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list.
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

- **P** Positive Tilt Lock
- **N** None

(No finish specification required.)

Adjustable Keyboard Pads

Keyboard Trays – included with Number KU AKP Arm



21″ Keyboard Tray
with swivel mouse pad (1)



21″ Keyboard Tray
without mouse pad (2)



27″ Keyboard Tray
with space for mousing (3)

Features

- Includes one Keyboard Tray in different configurations.
- Sizes: 20″(508mm) wide x 11″(279mm) deep;
  Mouse Pad adds 8.4″(213mm) to width
  26″(660mm) wide x 11″(279mm) deep
- Keyboard Tray Options:
  - –(1) 21″ wide Keyboard Tray with 360° swivel Mouse Pad with mouse edge guard and cable manager
  - –(2) 21″ wide Keyboard tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Keyboards are made from 1/2″ thick HDPE (High Density Polyethylene) in textured supplier black.
- Keyboard Trays include anti-skid strips to hold keyboard in place.
- Standard with removable palm rest.
- Keyboard with mouse pad; Mouse Pad can be attached on either right or left side of Keyboard Tray; rotates 360° independent of keyboard tray.
- Field installed.

Specification Tips

- Keyboard Tray has mounting holes for attachment to AKP numbers: KU1A, KU2A, KU3A and KU4A.
- 21″ Keyboard Tray recommended for use with most corner worksurfaces.
- 27″ Keyboard Tray recommended for rectangular worksurfaces with flat edges; not recommended for corner worksurfaces.

Adjustable Keyboard Pads

Thin Profile AKP



KU5A

Description	Number ❶❷	Price
17″(432mm) Thin Profile	KU5A-0017-__	**$314.75**
21″(533mm) Thin Profile	KU5A-0021-__	**314.75**

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Gauges show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray .
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 1.19″(30mm) above/6.5″(165mm) below worksurface.
- Tilt allows adjustment -20°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -20°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 12″(305mm) for 17″(432mm) and 16.75″(419mm) for 21″(533mm) track.
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″(533mm) wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″(533mm) wide Keyboard Tray without Mouse Pad
  - –(3) 27″(686mm) wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

To Order, Specify:

1) Product number, including:

❶ Tray Option:

- **1** Keyboard with Mouse Pad, add **$33.53** list.
- **2** Keyboard without Mouse Pad, no upcharge.
- **3** Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option:

- **P** Positive Tilt Lock
- **N** None

(No finish specification required.)

Monitor Arms

	Description	Number ❶	Price
Advanced Adjustable Monitor Arms	Single Arm	KU4M-0000-1NN	**$448.86**
	Double Arm	KU4M-0000-2NN	**995.07**



KU4M-1NNN



KU4M-2NNN

Features

- Includes one or two advanced adjustable height Monitor Arm with desk clamp mounting and through-desk clamp mounting hardware.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arm:
  - –Accommodates monitors from 6-20 lbs. per Monitor Arm
  - –Extension 18.6″(472mm)
  - –Height adjustment range of 10.4″(264mm)
  - –Two joints rotate 360°/Base rotates 180°
  - –Pivots from landscape to portrait positions
  - –Tilts 90° up and 20° down from center
- Double arm will display screens up to 27″(686mm).
- One clamp is used for both grommet and desk mounted applications. Grommet must be 2 1/8″(54mm) or greater in diameter.
- Monitor Arms available in supplier silver or vista black.

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick .
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to Belong tool rail specification tips for weight restrictions of Belong rail mount attachment.

To Order, Specify:

1) Product number.

❶ **Mounting Option:**

- **K** Desk Clamp
- **R** Rail Mount, add **$52.00** list.

2) Trim Color (Supplier Colors)
TR-ES Silver
TR-EB Vista Black

Monitor Arms

Post and Link Monitor Arms

Description	Post Height	Number	Price
Single Arm	14″(356mm)	KU1M-0000-1NN	**$439.13**
Double Arm	14″(356mm)	KU1M-0000-2NN	**731.16**



KU1M-1NN



KU1M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides adjustment of monitor height with supplied allen wrench.
- Limited vertical adjustment range based upon the size of the monitor.
- Integrated cord management.
- Monitor Arm extension:
  - –14″(356mm) on single monitor arm
  - –17.5″(445mm) on double monitor arm
- Monitor Arm:
  - –Joints rotate 360° at three points
  - –Pivots from landscape to portrait positions
  - –Tilts up/down 200°
- Each Monitor Arm holds up to 40 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  - –Desk clamp
  - –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  - –Field drilled mounting hole
  - –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

Heavy Duty Adjustable Monitor Arms

Single Arm	12″(305mm)	KU3M-0000-1NN	**$ 617.60**
Double Arm	12″(305mm)	KU3M-0000-2NN	**$1039.42**



KU3M-1NN



KU3M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 24″(610mm)
  - –Height adjustment range: 15.9″(404mm)
  - –Joints rotate 360° at three joints
  - –Pivots from landscape to portrait positions
  - –Tilts up/down 200°
- Each Monitor Arm holds 9-24 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  - –Desk clamp
  - –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  - –Field drilled mounting hole
  - –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

Monitor Arms

Adjustable Post Arm



KU5M-1NNN



KU5M-2NNN

Description	Number	Price
Single Arm	KU5M-0000-1NNN	**$486.72**
Double Arm	KU5M-0000-2NNN	**811.20**

Features

- Includes one single or double Monitor Arm with quick connect bracket, desk clamp and grommet mount.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 24″(610mm)
  - –Height Adjustment range: 13″(330mm)counter balance adjustable arm and 9″(229mm) post adjustment.
  - –Joint rotation 360° at three joints
  - –Pivots from landscape to portrait positions
  - –180° of tilt
  - –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens 5-20 lbs per Monitor Arm.
- Double Monitor Arms attach to central post.
- Monitor Arms available in supplier silver, black, white, or polished.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White
   TR-PD Polished

Specification Tip

- Certified VESA plate includes 75mm and 100mm hole patterns.

Extend Arm



KU6M-1NNN



KU6M-2NNN

Single Arm	KU6M-0000-1NNN	**$270.40**
Double Arm	KU6M-0000-2NNN	**486.72**

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 26″(660mm)
  - –Height Adjustment range: 13″(330mm)
  - –Joint rotation 360° at three joints
  - –Pivots from landscape to portrait positions
  - –180° degrees of tilt
  - –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens up to 2 lbs – 14 lbs per arm.
- Double Monitors Arms attach to central post.
- Monitor Arms available in supplier silver, black, or white.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

Specification Tip

- Certified VESA plate includes 75mm x 75mm and 100mm x 100mm hole patterns.

CPU Holders

Fixed Mount CPU Holder

Description	Number	Price
Fixed Mount CPU Holder	KU1C-0000-N	**$101.67**



KU1C - Vertical



KU1C - Horizontal
Class YA – GSA: Open Market

Features

- Includes one fixed mount CPU holder.
- Mounts under tops in either vertical or horizontal position.
- Vertical Mount adjustment ranges:
  - –Height adjustment for CPU: 15.5″ to 20″
  - –Width adjustment for CPU: 5.5″ to 9.8″
  - –Overall height adjustment: 17.5″ to 22″
  - –Overall width adjustment: 9.25″ to 13.5″
- Horizontal Mount adjustment ranges:
  - –Height adjustment for CPU: 7.3″ to 11.3″
  - –Width adjustment for CPU: 13.8″ to 18.8″
  - –Overall height adjustment: 9.25″ to 13.5″
  - –Overall width adjustment: 17.5″ to 22.5″
- Control knobs allow adjustments as needed.
- Standard in supplier black.
- Field installed.

Specification Tips

- 85 lbs. maximum weight load.
- Fits under tops 18″(457mm) or deeper.
- Mounting Plate Size:
  - –5.35″(136mm) deep x 3.94″(100mm) wide

Note: Recommended for use with:
- –UniGroup® Too applications.
- –PREMISE® and Compose® applications directly adjacent to floor support.
- –X Series Casegoods.
- –Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable CPU Holder



KU2C-L

Class YA – SIN 711-2;
Discount Group X

Description	Track Length	Number	Price
Adjustable Mount CPU Holder	17″(432mm)	KU2C-0000-N	**$146.02**
Adjustable Mount CPU Holder - Locking	17″(432mm)	KU2C-0000-L	**$247.69**

Features

- Includes one adjustable mount CPU Holder with or without lock.
- Mounts under tops.
- CPU holder mechanism 360° rotation dependent upon track location.
- Plastic side clamp with bumpers; control knob adjusts clamp.
- Adjustment Ranges:
  - –Height: 13.5″ to 22.5″
  - –Width: 3.5″ to 9.3″
  - –Depth: 14.75″ to 22.3″
- 17″(432mm) adjustable track with plastic glides.
- Locks cannot be retrofitted nor keyed-alike to match Haworth lock plugs or keys.
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 85 lbs. maximum weight load.
- 17″(432mm) track fits under tops 18″(457mm) or deeper.

Note: Recommended for use with:
- –UniGroup® Too applications.
- –PREMISE® and Compose® applications directly adjacent to floor support.
- –X Series Casegoods.
- –Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Accessories

	Description	Number	Price
Adjustable Laptop Holder	Laptop Holder with 4-port USB	KU1L-0000-U	**$134.12**



KU1L-U

Features
- Includes adjustable Laptop Holder with or without built-in 4-port USB hub (2.0).
- Accommodates laptops 16″(406mm) wide x 12″(305mm) deep.
- Five laptop angle adjustments: 4°, 14°, 23°, 33° and 43°.
- Size: 12.75″ wide x 10″ deep. 1.25″ high in stored position.
- Protective pads on bottom.
- Standard in supplier black with silver accent.

Specification Tips
- Hub Specifications:
  - –Fully compliant with universal serial bus specification revision 2.0 (data rate 1.5/12/480 Mbps)
  - –LED indicates the hub is ready
  - –Direct bus power mode eliminates need for external power
  - –Over-current detection and protection for each downstream port
  - –Plug and play and hot swap function supported
  - –Windows and Mac compatible
  - –CE/US/FCC approved
  - –RoHS compliant

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Document Holder	Document Holder	KU1D-0000	**$112.49**



KU1D

Features
- Includes painted steel Adjustable Document Holder with magnetic attached line guide.
- Infinite angle adjustment up to 80° with tension adjustment lever.
- Accommodates papers or books.
- Size: 16.7″(425mm) wide x 7.5″(191mm) deep x 9.75″(215mm) high.
- Standard in supplier black.
- Protection pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Footrest	Footrest	KU1F-0000	**$112.49**



KU1F

Features
- Includes Adjustable Foot Rest with anti-slip rubber mat on top.
- Angle adjustment by hand: 6°, 12°, 16° and 25°
- Size: 15.75″(400mm) wide x 14.75″(375mm) deep x 3.25″-5″(83mm-127mm) high.
- Folds flat for easy storage.
- Standard in supplier black with silver accent.
- Protective pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Accessories

	Description	Number	Price
Markerboard Accesssories	Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	**$115.73**
	Cleaner and Conditioner	7031-7001	**125.58**
	Spray Cleaner	7031-7002	**42.18**



7062-8001

7031-7002

7031-7001

Feature

- Recommended dry erase marker products to maintain, clean & condition markerboards.

To Order, Specify:

1) Product number
(No finish specification required.)

Tables — Laminate

Round — Disc Base



TZRN-L

Diameter	Number ❶	Laminate A T	Laminate A V	Laminate B T	Laminate B V
30″(762mm)	TZRN-3030-L SCZ ■	$1068.80	$1232.00	$1137.50	$1300.70
36″(914mm)	TZRN-3636-L SCZ ■	1087.74	1283.58	1157.98	1353.82
42″(1067mm)	TZRN-4242-L SCZ ■	1109.12	1337.60	1181.18	1409.66
48″(1219mm)	TZRN-4848-L SCZ ■	1132.94	1394.06	1207.10	1468.22

Features

- Includes top and disc base.
- 30″(762mm) and 36″(914mm) includes 21″(533mm) disc base.
- 42″(1067mm) and 48″(1219mm) includes 27″(686mm) disc base.
- Fixed height base: 29 1/4″(743mm).

■ Available on RUSH.

To Order, Specify:

T-Mold or Cascade

1) Product number, including:

❶ **Edge Option:**

- **T** T-Mold
- **V** Cascade

2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

Round — Post Base



TZRN-LG

48″(1219mm)	TZRN-4848-L SCJG ■	$1132.94	$1394.06	$1207.10	$1468.22
60″(1524mm)	TZRN-6060-L SCJG ■	1310.39	1636.79	1389.59	1715.99

Features

- Includes top and four post legs with glides.
- Height adjustable- 26″(660mm)-32″(813mm) in 1/2″ increments.

■ Available on RUSH.

To Order, Specify:

T-Mold or Cascade

1) Product number, including:

❶ **Edge Option:**

- **T** T-Mold
- **V** Cascade

2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

Tables — Wood

Round — Disc Base



TZRN-W

Diameter	Number ❶		Wood Group A K	Wood Group A M	Wood Group B K	Wood Group B M
30″(762mm)	TZRN-3030-W	SCZ	$1860.11	$2060.51	$1908.10	$2120.50
36″(914mm)	TZRN-3636-W	SCZ	1895.22	2135.70	1945.21	2200.09
42″(1067mm)	TZRN-4242-W	SCZ	1935.71	2216.27	1988.02	2285.38
48″(1219mm)	TZRN-4848-W	SCZ	1981.58	2302.22	2036.53	2376.37

Features

- Includes top and disc base.
- 30″(762mm) and 36″(914mm) includes 21″(533mm) disc base.
- 42″(1067mm) and 48″(1219mm) includes 27″(686mm) disc base.
- Fixed height base: 29 1/4″.

To Order, Specify:

Wood Edgeband or Wood Cascade

1) Product number, including:

❶ Edge Option:

- **K** Wood Edgeband
- **M** Wood Cascade

2) Wood finish color.

3) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

Round — Post Base



TZRN-WG

Diameter	Number		Wood Group A K	Wood Group A M	Wood Group B K	Wood Group B M
48″(1219mm)	TZRN-4848-W	SCJG	$1981.58	$2302.22	$2036.53	$2376.37

Features

- Includes top and four post legs with glides.
- Height adjustable- 26″(660mm)-32″(813mm) in 1/2″ increments.

To Order, Specify:

Wood Edgeband or Wood Cascade

1) Product number, including:

❶ Edge Option:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Option:

- **S** Standard

2) Wood finish color.

3) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

Tables — Laminate / Wood

Octagon — Disc Base



TZRG-L

Width	Length	Number ❶		Laminate A T	Laminate A V	Laminate B T	Laminate B V
Laminate							
36″(914mm)	72″(1829mm)	TZRG-3672-L	SCZ	**$2211.35**	**$2588.72**	**$2388.25**	**$2765.62**
42″(1067mm)	84″(2134mm)	TZRG-4284-L	SCZ	**2272.64**	**2650.01**	**2454.45**	**2831.82**
48″(1219mm)	96″(2438mm)	TZRG-4896-L	SCZ	**2333.93**	**2711.30**	**2520.65**	**2898.02**

Features

- Includes top and disc bases.
- 72″(1829mm) includes two 21″(533mm) disc bases.
- 84″(2134mm) and 96″(2438mm) include two 27″(686mm) disc bases.
- Fixed height base: 29 1/4″(743mm).

To Order, Specify:

T-Mold or Cascade

1) Product number, including:

❶ **Edge Option:**

- **T** T-Mold
- **V** Cascade

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

Octagon — Disc Base



TZRG-W

Width	Length	Number ❶		Wood Group A K	Wood Group A M	Wood Group B K	Wood Group B M
Wood							
36″(914mm)	72″(1829mm)	TZRG-3672-W	SCZ	**$3868.66**	**$4253.25**	**$3945.46**	**$4330.05**
42″(1067mm)	84″(2134mm)	TZRG-4284-W	SCZ	**3929.95**	**4314.54**	**4010.42**	**4395.01**
48″(1219mm)	96″(2438mm)	TZRG-4896-W	SCZ	**3991.24**	**4375.83**	**4075.38**	**4459.97**

Features

- Includes top and disc bases.
- 72″(1829mm) includes two 21″(533mm) disc bases.
- 84″(2134mm) and 96″(2438mm) include two 27″(686mm) disc bases.
- Fixed height base: 29 1/4″(743mm).

To Order, Specify:

Wood Edgeband or Wood Cascade

1) Product number, including:

❶ **Edge Option:**

- **K** Wood Edgeband
- **M** Wood Cascade

2) Wood finish color.

3) Base trim color.

Note: **$17.15** upcharge list for Metallic and accent trim color.

X Series Pedestals — Attached

Pencil/Pencil/Box/File — Attached

JPAQ-24

Box/Box/File — Attached

JPAH-24

File/File — Attached

JPAJ-24

❷ Pull Styles

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic



J J-Pull (Steel Fronts)



K J-Pull (Wood Fronts)

G Integral (Steel Fronts)

Features

- Includes steel pedestal and attachment hardware.
- Pencil drawers include one pencil tray for each pedestal.
- Box drawers include one divider in each drawer.
- File drawers include one compressor in each drawer.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Standard with lock.
- For lock options, refer to Lock Program Price List.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, J-Pull and Integral.
  - –Integral pull (G) available with painted steel fronts only.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper, J-Pull and Integral pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

■ Available on RUSH.

Specification Tips

- Refer to appropriate price book for specification requirements.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- When specifying worksurface with knife edge;
  - –18″(457mm) deep worksurface – pedestal cannot be used.
  - –24″(610mm) deep worksurface – use 18″(457mm) deep pedestal.
  - –30″(762mm) deep worksurface – use 24″(610mm) deep pedestal.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted ■

❷ **Pull:** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$83.20** list.

❷ **Pull:** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

Class FP – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Pedestals — Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G(1)	JPAQ-18-	$655.20	$712.40	N/A	N/A	N/A	N/A
				1	JPAQ-18- 1	N/A	N/A	$1027.52	$1084.72	$1050.40	$1107.60
				K	JPAQ-18- K	N/A	N/A	1277.12	1334.32	1300.00	1357.20
				2, 3	JPAQ-18-	759.20	816.40	1131.52	1188.72	1154.40	1211.60
				7, 8, 9	JPAQ-18-	784.16	841.36	1156.48	1213.68	1179.36	1236.56
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G(1)	JPAQ-24-	$681.20	$746.72	N/A	N/A	N/A	N/A
				1	JPAQ-24- 1	N/A	N/A	$1053.52	$1119.04	$1076.40	$1141.92
				K	JPAQ-24- K	N/A	N/A	1303.12	1368.64	1326.00	1391.52
				2, 3	JPAQ-24-	785.20	850.72	1157.52	1223.04	1180.40	1245.92
				7, 8, 9	JPAQ-24-	810.16	875.68	1182.48	1248.00	1205.36	1270.88
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G(1)	JPAQ-30-	$707.20	$781.04	N/A	N/A	N/A	N/A
				1	JPAQ-30- 1	N/A	N/A	$1079.52	$1153.36	$1102.40	$1176.24
				K	JPAQ-30- K	N/A	N/A	1329.12	1402.96	1352.00	1425.84
				2, 3	JPAQ-30-	811.20	885.04	1183.52	1257.36	1206.40	1280.24
				7, 8, 9	JPAQ-30-	836.16	910.00	1208.48	1282.32	1231.36	1305.20
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Box/Box/File	1, J, G(1)	JPAH-18-	$553.28	$610.48	N/A	N/A	N/A	N/A
				1	JPAH-18- 1	N/A	N/A	$ 861.12	$ 918.32	$ 886.08	$ 943.28
				K	JPAH-18- K	N/A	N/A	1048.32	1105.52	1073.28	1130.48
				2, 3	JPAH-18-	631.28	688.48	939.12	996.32	964.08	1021.28
				7, 8, 9	JPAH-18-	650.00	707.20	957.84	1015.04	982.80	1040.00
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Box/Box/File	1, J, G(1)	JPAH-24- ■	$579.28	$644.80	N/A	N/A	N/A	N/A
				1	JPAH-24- 1	N/A	N/A	$ 887.12	$ 952.64	$ 912.08	$ 977.60
				K	JPAH-24- K	N/A	N/A	1074.32	1139.84	1099.28	1164.80
				2, 3	JPAH-24- ■	657.28	722.80	965.12	1030.64	990.08	1055.60
				7, 8, 9	JPAH-24-	676.00	741.52	983.84	1049.36	1008.80	1074.32
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Box/Box/File	1, J, G(1)	JPAH-30- ■	$605.28	$679.12	N/A	N/A	N/A	N/A
				1	JPAH-30- 1	N/A	N/A	$ 913.12	$ 986.96	$ 938.08	$1011.92
				K	JPAH-30- K	N/A	N/A	1100.32	1174.16	1125.28	1199.12
				2, 3	JPAH-30- ■	683.28	757.12	991.12	1064.96	1016.08	1089.92
				7, 8, 9	JPAH-30-	702.00	775.84	1009.84	1083.68	1034.80	1108.64
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	File/File	1, J, G(1)	JPAJ-18-	$516.88	$574.08	N/A	N/A	N/A	N/A
				1	JPAJ-18- 1	N/A	N/A	$ 804.96	$ 862.16	$ 829.92	$ 887.12
				K	JPAJ-18- K	N/A	N/A	929.76	986.96	954.72	1011.92
				2, 3	JPAJ-18-	568.88	626.08	856.96	914.16	881.92	939.12
				7, 8, 9	JPAJ-18-	581.36	638.56	869.44	926.64	894.40	951.60
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	File/File	1, J, G(1)	JPAJ-24- ■	$542.88	$608.40	N/A	N/A	N/A	N/A
				1	JPAJ-24- 1	N/A	N/A	$ 830.96	$ 896.48	$ 855.92	$ 921.44
				K	JPAJ-24- K	N/A	N/A	955.76	1021.28	980.72	1046.24
				2, 3	JPAJ-24- ■	594.88	660.40	882.96	948.48	907.92	973.44
				7, 8, 9	JPAJ-24-	607.36	672.88	895.44	960.96	920.40	985.92
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	File/File	1, J, G(1)	JPAJ-30- ■	$568.88	$642.72	N/A	N/A	N/A	N/A
				1	JPAJ-30- 1	N/A	N/A	$ 856.96	$ 930.80	$ 881.92	$ 955.76
				K	JPAJ-30- K	N/A	N/A	981.76	1055.60	1006.72	1080.56
				2, 3	JPAJ-30- ■	620.88	694.72	908.96	982.80	933.92	1007.76
				7, 8, 9	JPAJ-30-	633.36	707.20	921.44	995.28	946.40	1020.24

(1)Integral pull (G) not available with perforated option.

X Series Lateral Files — Attached

Two-High Lateral File – Proud Style – Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
12″ Drawers										
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	1, J	JLPD-0230- A ■	$ 788.32	$ 867.36	N/A	N/A	N/A	N/A
			1	JLPD-0230- 1A	N/A	N/A	$ 972.40	$1030.64	$1008.80	$1067.04
			K	JLPD-0230- KA	N/A	N/A	1170.00	1228.24	1206.40	1264.64
			2, 3	JLPD-0230- A ■	840.32	919.36	1024.40	1082.64	1060.80	1119.04
			7, 8, 9	JLPD-0230- A	850.72	929.76	1034.80	1093.04	1071.20	1129.44
27 1/2″ (699mm)	18 3/4″ (476mm)	35 7/8″ (911mm)	1, J	JLPD-0236- A ■	$ 921.44	$1010.88	N/A	N/A	N/A	N/A
			1	JLPD-0236- 1A	N/A	N/A	$1141.92	$1206.40	$1183.52	$1248.00
			K	JLPD-0236- KA	N/A	N/A	1339.52	1404.00	1381.12	1445.60
			2, 3	JLPD-0236- A ■	973.44	1062.88	1193.92	1258.40	1235.52	1300.00
			7, 8, 9	JLPD-0236- A	983.84	1073.28	1204.32	1268.80	1245.92	1310.40
27 1/2″ (699mm)	18 3/4″ (476mm)	41 7/8″ (1064mm)	1, J	JLPD-0242- A ■	$1054.56	$1154.40	N/A	N/A	N/A	N/A
			1	JLPD-0242- 1A	N/A	N/A	$1311.44	$1382.16	$1358.24	$1428.96
			K	JLPD-0242- KA	N/A	N/A	1509.04	1579.76	1555.84	1626.56
			2, 3	JLPD-0242- A ■	1106.56	1206.40	1363.44	1434.16	1410.24	1480.96
			7, 8, 9	JLPD-0242- A	1116.96	1216.80	1373.84	1444.56	1420.64	1491.36



JLPD-S1A

❷ Pull Styles



1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic

J J-Pull (Steel Fronts)

K J-Pull (Wood Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Drawer interiors and accessories are black finish color.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper and J-Pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

■ Available on RUSH.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted ■

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ **Pull** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Lateral Files — Attached

Two-High Lateral File – Inset Style – Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Trim B
27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	J, G	JLRD-0230- A	**$ 788.32**	**$ 867.36**
		35 7/8″(911mm)	J, G	JLRD-0236- A	**921.44**	**1010.88**
		41 7/8″(1064mm)	J, G	JLRD-0242- A	**1054.56**	**1154.40**



JLRD-SJA

❷ Pull Styles



J J-Pull (Steel Fronts)

G Integral (Steel Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Drawer interiors and accessories are black finish color.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer pulls include J-Pull and Integral; pull trim color matches case trim color.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for lock plug.

X Series Combination Units — Attached

Two-High Combination – Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/Box/Box/ Lateral	1, J	JCPT-0230- A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPT-0230- 1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPT-0230- KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPT-0230- A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPT-0230- A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File Lateral	1, J	JCPR-0230- A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPR-0230- 1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPR-0230- KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPR-0230- A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPR-0230- A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**



JCPT-S1A



JCPR-S1A

❷ Pull Styles



1 Ellipse
7 Crescent
2 Radius
8 Linear
3 Taper
9 Classic
J J-Pull (Steel Fronts)
K J-Pull (Wood Fronts)

Features

- Includes attachment hardware and 12″(305mm)-high lateral drawer with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with the use of legal filing kit, separately specified.
- Standard with lock centered in front edge of top; locks all drawers.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper and J-Pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted

❷ **Pull:** (see side bar)

2) Trim color for door fronts and case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

W Wood/steel lockbar
R Wood/wood lockbar, add **$60.32** list

❷ **Pull:** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

X Series Combination Units — Attached

Two-High Combination – Attached



JCPB-SS1A (Right)



JCPE-SS1A (Left)



JCPG-SS1A (Right)



JCPJ-SS1A (Left)

Features

- Includes attachment hardware.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with use of legal filing kit, separately specified.
- 2 – 12″ pedestal style drawer can accommodate legal filing front to back with the use of kit #JCPL-12, separately specified.
- Door unit includes one adjustable shelf.
- Specify additional shelves separately.
- Shelves adjust in increments of 6″(152mm).
- Standard with lock; locks drawers and door.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Shelves and storage interiors are color matched to case.
- Optional drawer/door fronts include painted or wood.
- J-Pulls are available with touch latch doors only.
- Standard door or touch latch door choice is determined by pull style code.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper and J-Pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer and storage accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer/Door Fronts

1) Product number, including:

❶ **Drawer/Door Front Style:**

SS Painted

❷ **Pull:** (see side bar)
$27.04 upcharge list for touch latch door.

2) Trim color for drawer/door case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer/Door Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

WW Wood/steel lockbar

RR Wood/wood lockbar, add **$60.32** list

❷ **Pull:** (see side bar)
$27.04 upcharge list for touch latch door.

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer/door fronts.

5) Trim color for lock plug.

❷ Pull Styles with Standard Doors

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic

❷ Pull Styles with Touch Latch Door

A Ellipse

D Crescent

B Radius

E Linear

C Taper

F Classic



J J-Pull (Steel Fronts)



K J-Pull (Wood Fronts)

Class FM – SIN 711-3: Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Combination Units — Attached

Two-High Combination – Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File/ Door(R)	1, J	JCPB-0230- A	$1609.92	$1688.96	N/A	N/A	N/A	N/A
				1	JCPB-0230- 1A	N/A	N/A	$2038.40	$2096.64	$2097.68	$2155.92
				K	JCPB-0230- KA	N/A	N/A	2254.72	2312.96	2314.00	2372.24
				2, 3	JCPB-0230- A	1713.92	1792.96	2142.40	2200.64	2201.68	2259.92
				7, 8, 9	JCPB-0230- A	1738.88	1817.92	2167.36	2225.60	2226.64	2284.88
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ Box/Box/File	1, J	JCPE-0230- A	$1609.92	$1688.96	N/A	N/A	N/A	N/A
				1	JCPE-0230- 1A	N/A	N/A	$2038.40	$2096.64	$2097.68	$2155.92
				K	JCPE-0230- KA	N/A	N/A	2254.72	2312.96	2314.00	2372.24
				2, 3	JCPE-0230- A	1713.92	1792.96	2142.40	2200.64	2201.68	2259.92
				7, 8, 9	JCPE-0230- A	1738.88	1817.92	2167.36	2225.60	2226.64	2284.88
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/File/ Door(R)	1, J	JCPG-0230- A	$1569.36	$1648.40	N/A	N/A	N/A	N/A
				1	JCPG-0230- 1A	N/A	N/A	$1979.12	$2037.36	$2037.36	$2095.60
				K	JCPG-0230- KA	N/A	N/A	2195.44	2253.68	2253.68	2311.92
				2, 3	JCPG-0230- A	1647.36	1726.40	2057.12	2115.36	2115.36	2173.60
				7, 8, 9	JCPG-0230- A	1666.08	1745.12	2075.84	2134.08	2134.08	2192.32
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ File/File	1, J	JCPJ-0230- A	$1569.36	$1648.40	N/A	N/A	N/A	N/A
				1	JCPJ-0230- 1A	N/A	N/A	$1979.12	$2037.36	$2037.36	$2095.60
				K	JCPJ-0230- KA	N/A	N/A	2195.44	2253.68	2253.68	2311.92
				2, 3	JCPJ-0230- A	1647.36	1726.40	2057.12	2115.36	2115.36	2173.60
				7, 8, 9	JCPJ-0230- A	1666.08	1745.12	2075.84	2134.08	2134.08	2192.32

X Series Storage Cabinets — Attached

Two-High Storage – Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	1, J	JSPY-0230- A	$ 856.96	$ 936.00	$1064.96	$1123.20	$1096.16	$1154.40
			2,3	JSPY-0230- A	908.96	988.00	1116.96	1175.20	1148.16	1206.40
			7, 8, 9	JSPY-0230- A	921.44	1000.48	1129.44	1187.68	1160.64	1218.88
27 1/2″ (699mm)	18 3/4″ (476mm)	35 7/8″ (911mm)	1, J	JSPY-0236- A	$1005.68	$1095.12	$1245.92	$1310.40	$1288.68	$1353.16
			2, 3	JSPY-0236- A	1057.68	1147.12	1297.92	1362.40	1340.68	1405.16
			7, 8, 9	JSPY-0236- A	1070.16	1159.60	1310.40	1374.88	1353.16	1417.64
27 1/2″ (699mm)	18 3/4″ (476mm)	41 7/8″ (1064mm)	1, J	JSPY-0242- A	$1055.60	$1155.44	$1319.76	$1390.48	$1366.78	$1437.50
			2, 3	JSPY-0242- A	1107.60	1207.44	1371.76	1442.48	1418.78	1489.50
			7, 8, 9	JSPY-0242- A	1120.08	1219.92	1384.24	1454.96	1431.26	1501.98



JSPY-S1A

❷ Pull Styles with Standard Doors

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic

❷ No Pulls

J Touch Latch Doors

Features

- Includes hinged doors, shelf and attachment hardware.
- Hinged doors with full access hinges.
- Shelf and cabinet interiors are color matched to case.
- Shelves adjust in increments of 6″(152mm).
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional door fronts include painted or wood.
- Touch latch door option (J) is available.
- Double doors with touch latch option include touch latch mechanism on right door and interior finger latch on left door.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear and Classic.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- **Attached cabinets must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Door Fronts

1) Product number, including:

❶ **Door Front Style:**

S Painted

❷ **Pull:** (see side bar)

$27.04 upcharge list for touch latch door.

2) Trim color for door fronts and case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Door Fronts

1) Product number, including:

❶ **Door Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ **Pull:** (see side bar)

$27.04 upcharge list for touch latch door.

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for door fronts.

5) Trim color for lock plug.

X Series and V Series Accessories

Worksurface Height Adjustment Kit for Attached Pedestal

Height	Number	Trim A	Trim B
1-2″(25-51mm)	JAKA-18	$167.44	$170.56
	JAKA-24	177.84	182.00
	JAKA-30	188.24	193.44



JAKA-18

Features
- Includes top and eight height adjustment spacers and attachment hardware.
- Provides height adjustment for pedestal-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Adjustment spacers are standard in charcoal finish color only.

Note: For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:
1) Product number.
2) Trim color for top.

Filing Kits

Description	Number	Price
12″(305mm) STS file conversion bars	VPL2-12	$36.40



VPL2-12

Features
- Includes two bars for two rows of side-to-side filing in X Series 29″(737mm) deep pedestal drawers; only one bar is needed for each drawer.

To Order, Specify:
1) Product number.
(No finish specification required.)

Worksurface Height Adjustment Kit for Attached Storage Cabinet

1-2″(25-51mm)	JSHA-1	$26.00



JSHA-1

Features
- Includes eight height adjustment spacers and attachment hardware.
- Provides height adjustment for file-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Standard in charcoal finish color only.

Note: For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:
1) Product number.
(No finish specification required.)

Filing Kit

	JCPL-12	$36.40



JCPL-12

Features
- Includes one steel drawer back extension and one side-to-side file hanging bar.
- Black finish only.

Specification Tips
- For use in X Series Combination Units only.
- Required for filing side-to-side or legal in 12″(305mm) Combination Unit pedestal style drawers.

To Order, Specify:
1) Product number.
(No finish specification required.)

V Series Pedestals/Lateral Files — Attached

Box/Box/File — Attached

VPAH-24-5

File/File — Attached



VPAJ-24-5

❷ Pull Style



L Full Pull

Actual Height	Actual Depth	Actual Width	Description	Number ❶	Trim A	Trim B
27 1/2″(699mm)	17″(432mm)	15″(381mm)	Box/Box/File	VPAH-18- ■	$431.44	$488.64
	23″(584mm)			VPAH-24- ■	457.58	525.18
	29″(737mm)			VPAH-30- ■	499.38	577.38
27 1/2″(699mm)	17″(432mm)	15″(381mm)	File/File	VPAJ-18- ■	$401.96	$459.16
	23″(584mm)			VPAJ-24- ■	428.10	495.70
	29″(737mm)			VPAJ-30- ■	469.90	547.90

Features

- Includes attachment hardware.
- See appropriate price list for specification requirements.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- All drawers have full extension steel ball-bearing slides.
- Drawer interiors and accessories are black finish color.
- File drawer can accommodate legal filing front to back with the use of legal filing kits (VPL1-12, VPL2-12), separately specified.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

■ Available on RUSH.

Specification Tips

- Specify accessories separately.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Usable drawer is less than actual drawer depth. See Specification Guide for details.
- When specifying worksurface with knife edge;
  - –18″(457mm) deep worksurface – pedestal cannot be used.
  - –24″(610mm) deep worksurface – use 17″(432mm) deep pedestal.
  - –30″(762mm) deep worksurface – use 29″(737mm) deep pedestal.

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.
3) Trim color for standard pull (Non-Metallic colors only).
4) Trim color for lock plug.

Two-High — Attached



VLRD-0230-5A

❷ Pull Style



L Full Pull

Actual Height	Actual Depth	Actual Width	Number ❶	Trim A	Trim B
27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	VLRD-0230- A ■	$689.52	$ 768.56
		35 7/8″(911mm)	VLRD-0236- A ■	816.40	905.84
		41 7/8″(1064mm)	VLRD-0242- A ■	943.28	1043.12

Features

- Includes attachment hardware and adjustable side-to-side hanging bars.
- 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- Drawer interiors and accessories are black finish color.
- Standard with lock.
- For lock options, refer to Lock Program Price List.
- Lock plugs available in black or chrome.
- Glides provide 1 1/2″(38mm) adjustment range.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

■ Available on RUSH.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- See appropriate price list for specification requirements.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.
3) Trim color for standard pull (Non-Metallic colors only).
4) Trim color for lock plug.

Class VS – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

One and One-Half High Credenzas with Drawers

48″ Wide — Laminate Case with Steel Front









GCLS-2148

❸ Pull Styles

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic



J
(Steel Fronts)

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider.
  - –Painted steel drawer fronts, back panel, bottom panel, and one adjustable shelf for the open section.
  - –Counterweight (when applicable).
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical divider have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the drawer section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Available with or without lock; single lock is chrome and locks both drawers.
- Drawers have full extension ball-bearing slides.
- Drawer interiors are black.
- File drawer includes side-to-side hanging file bars.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and J-Pull.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –J-Pull trim color matches painted steel front.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
- Open section has three shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- 48″(1219mm) wide credenza is freestanding; unit with 24″(610mm) wide drawers does not require a counterweight, unit with 30″(762mm) wide drawers includes a counterweight for proper stability.
- File drawer does not accommodate the File Drawer Insert.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf
- –Drawer Liner
- –Recycle Bin
- –Personal Tray
- –Front-to-Back File Bars

To Order, Specify:

1) Product number, including:

❶ Back Panel Type:
- **C** Storage Back Panel
- **F** Full Back Panel, add **$27.00** list

❷ Base Type:
- **S** Standard Base
- **T** Base with Toe Kick, add **$16.00** list

❸ Pull (see side bar):

❹ Lock Option:
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for drawer fronts.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Drawers

48″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A Left-Hand								
24″(610mm) Box/File Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-BUN	$1199.52	$1207.02	$1216.52	$1224.02
			2, 3	GCLS-2148-BUN	1249.52	1257.02	1266.52	1274.02
			7, 8, 9	GCLS-2148-BUN	1259.52	1267.02	1276.52	1284.02
30″(762mm) Box/File Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-CTN	$1217.52	$1225.02	$1234.52	$1242.02
			2, 3	GCLS-2148-CTN	1267.52	1275.02	1284.52	1292.02
			7, 8, 9	GCLS-2148-CTN	1277.52	1285.02	1294.52	1302.02
Right-Hand								
24″(610mm) Open Left/24″(610mm) Box/File Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-UBN	$1199.52	$1207.02	$1216.52	$1224.02
			2, 3	GCLS-2148-UBN	1249.52	1257.02	1266.52	1274.02
			7, 8, 9	GCLS-2148-UBN	1259.52	1267.02	1276.52	1284.02
18″(457mm) Open Left/30″(762mm) Box/File Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-TCN	$1217.52	$1225.02	$1234.52	$1242.02
			2, 3	GCLS-2148-TCN	1267.52	1275.02	1284.52	1292.02
			7, 8, 9	GCLS-2148-TCN	1277.52	1285.02	1294.52	1302.02
Case — Laminate B Left-Hand								
24″(610mm) Box/File Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-BUN	$1259.76	$1267.26	$1276.76	$1284.26
			2, 3	GCLS-2148-BUN	1309.76	1317.26	1326.76	1334.26
			7, 8, 9	GCLS-2148-BUN	1319.76	1327.26	1336.76	1344.26
30″(762mm) Box/File Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-CTN	$1277.76	$1285.26	$1294.76	$1302.26
			2, 3	GCLS-2148-CTN	1327.76	1335.26	1344.76	1352.26
			7, 8, 9	GCLS-2148-CTN	1337.76	1345.26	1354.76	1362.26
Right-Hand								
24″(610mm) Open Left/24″(610mm) Box/File Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-UBN	$1259.76	$1267.26	$1276.76	$1284.26
			2, 3	GCLS-2148-UBN	1309.76	1317.26	1326.76	1334.26
			7, 8, 9	GCLS-2148-UBN	1319.76	1327.26	1336.76	1344.26
18″(457mm) Open Left/30″(762mm) Box/File Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1, J	GCLS-2148-TCN	$1277.76	$1285.26	$1294.76	$1302.26
			2, 3	GCLS-2148-TCN	1327.76	1335.26	1344.76	1352.26
			7, 8, 9	GCLS-2148-TCN	1337.76	1345.26	1354.76	1362.26

One and One-Half High Credenzas with Drawers

60″ Wide — Laminate Case with Steel Front











GCLS-2160

❸ Pull Styles

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic


J J-Pull
(Steel Fronts)

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider(s).
  - –Painted steel drawer fronts, back panel, bottom panel, and one adjustable shelf for each open section.
  - –Counterweight (when applicable).
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical dividers have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the drawer section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Available with or without lock; single lock is chrome and locks both drawers.
- Drawers have full extension ball-bearing slides.
- Drawer interiors are black.
- File drawer includes side-to-side hanging file bars.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and J-Pull.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –J-Pull trim color matches painted steel front.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
- Each open section has three shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- 60″(1524mm) wide credenza is freestanding; unit with 30″(762mm) wide drawers does not require a counterweight, unit with 36″(914mm) wide drawers includes a counterweight for proper stability.
- File drawer does not accommodate the File Drawer Insert.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf
- –Drawer Liner
- –Recycle Bin
- –Personal Tray
- –Front-to-Back File Bars

To Order, Specify:

1) Product number, including:

❶ Back Panel Type:
- **C** Storage Back Panel
- **F** Full Back Panel, add **$39.00** list

❷ Base Type:
- **S** Standard Base
- **T** Base with Toe Kick, add **$22.00** list

❸ Pull (see side bar):

❹ Lock Option:
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for drawer fronts.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Drawers

60″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A **Left-Hand**								
30″(762mm) Box/File Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-CVN	**$1249.92**	**$1257.42**	**$1272.92**	**$1280.42**
			2, 3	GCLS-2160-CVN	**1299.92**	**1307.42**	**1322.92**	**1330.42**
			7, 8, 9	GCLS-2160-CVN	**1309.92**	**1317.42**	**1332.92**	**1340.42**
36″(914mm) Box/File Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-DUN	**$1267.92**	**$1275.42**	**$1290.92**	**$1298.42**
			2, 3	GCLS-2160-DUN	**1317.92**	**1325.42**	**1340.92**	**1348.42**
			7, 8, 9	GCLS-2160-DUN	**1327.92**	**1335.42**	**1350.92**	**1358.42**
Right-Hand								
30″(762mm) Open Left/30″(762mm) Box/File Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-VCN	**$1249.92**	**$1257.42**	**$1272.92**	**$1280.42**
			2, 3	GCLS-2160-VCN	**1299.92**	**1307.42**	**1322.92**	**1330.42**
			7, 8, 9	GCLS-2160-VCN	**1309.92**	**1317.42**	**1332.92**	**1340.42**
24″(610mm) Open Left/36″(914mm) Box/File Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-UDN	**$1267.92**	**$1275.42**	**$1290.92**	**$1298.42**
			2, 3	GCLS-2160-UDN	**1317.92**	**1325.42**	**1340.92**	**1348.42**
			7, 8, 9	GCLS-2160-UDN	**1327.92**	**1335.42**	**1350.92**	**1358.42**
Non-Handed								
15″(381mm) Open Left/30″(762mm) Box/File Center/15″(381mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-RCR	**$1279.92**	**$1287.42**	**$1302.92**	**$1310.42**
			2, 3	GCLS-2160-RCR	**1329.92**	**1337.42**	**1352.92**	**1360.42**
			7, 8, 9	GCLS-2160-RCR	**1339.92**	**1347.42**	**1362.92**	**1370.42**
Case — Laminate B **Left-Hand**								
30″(762mm) Box/File Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-CVN	**$1312.80**	**$1320.30**	**$1335.80**	**$1343.30**
			2, 3	GCLS-2160-CVN	**1362.80**	**1370.30**	**1385.80**	**1393.30**
			7, 8, 9	GCLS-2160-CVN	**1372.80**	**1380.30**	**1395.80**	**1403.30**
36″(914mm) Box/File Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-DUN	**$1330.80**	**$1338.30**	**$1353.80**	**$1361.30**
			2, 3	GCLS-2160-DUN	**1380.80**	**1388.30**	**1403.80**	**1411.30**
			7, 8, 9	GCLS-2160-DUN	**1390.80**	**1398.30**	**1413.80**	**1421.30**
Right-Hand								
30″(762mm) Open Left/30″(762mm) Box/File Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-VCN	**$1312.80**	**$1320.30**	**$1335.80**	**$1343.30**
			2, 3	GCLS-2160-VCN	**1362.80**	**1370.30**	**1385.80**	**1393.30**
			7, 8, 9	GCLS-2160-VCN	**1372.80**	**1380.30**	**1395.80**	**1403.30**
24″(610mm) Open Left/36″(914mm) Box/File Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-UDN	**$1330.80**	**$1338.30**	**$1353.80**	**$1361.30**
			2, 3	GCLS-2160-UDN	**1380.80**	**1388.30**	**1403.80**	**1411.30**
			7, 8, 9	GCLS-2160-UDN	**1390.80**	**1398.30**	**1413.80**	**1421.30**
Non-Handed								
15″(381mm) Open Left/30″(762mm) Box/File Center/15″(381mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1, J	GCLS-2160-RCR	**$1342.80**	**$1350.30**	**$1365.80**	**$1373.30**
			2, 3	GCLS-2160-RCR	**1392.80**	**1400.30**	**1415.80**	**1423.30**
			7, 8, 9	GCLS-2160-RCR	**1402.80**	**1410.30**	**1425.80**	**1433.30**

One and One-Half High Credenzas with Drawers

72″ Wide — Laminate Case with Steel Front







GCLS-2172

❸ Pull Styles

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic


J J-Pull
(Steel Fronts)

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider(s).
  - –Painted steel drawer fronts, back panel, bottom panel, and one adjustable shelf for each open section.
  - –Counterweight (when applicable).
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical dividers have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the drawer section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Available with or without lock; single lock is chrome and locks both drawers.
- Drawers have full extension ball-bearing slides.
- Drawer interiors are black.
- File drawer includes side-to-side hanging file bars.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and J-Pull.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –J-Pull trim color matches painted steel front.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
- Each open section has 3 shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- 72″(1829mm) wide credenza is freestanding and does not require a counterweight.
- File drawer does not accommodate the File Drawer Insert.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf
- –Drawer Liner
- –Recycle Bin
- –Personal Tray
- –Front-to-Back File Bars

To Order, Specify:

1) Product number, including:

❶ **Back Panel Type:**
- **C** Storage Back Panel
- **F** Full Back Panel, add **$51.00** list

❷ **Base Type:**
- **S** Standard Base
- **T** Base with Toe Kick, add **$28.00** list

❸ **Pull** (see side bar):

❹ **Lock Option:**
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for drawer fronts.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Drawers

72″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A **Left-Hand**								
36″(914mm) Box/File Left/36″(914mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-DXN	**$1300.32**	**$1307.82**	**$1329.32**	**$1336.82**
			2, 3	GCLS-2172-DXN	**1350.32**	**1357.82**	**1379.32**	**1386.82**
			7, 8, 9	GCLS-2172-DXN	**1360.32**	**1367.82**	**1389.32**	**1396.82**
Right-Hand								
36″(914mm) Open Left/36″(914mm) Box/File Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-XDN	**$1300.32**	**$1307.82**	**$1329.32**	**$1336.82**
			2, 3	GCLS-2172-XDN	**1350.32**	**1357.82**	**1379.32**	**1386.82**
			7, 8, 9	GCLS-2172-XDN	**1360.32**	**1367.82**	**1389.32**	**1396.82**
Non-Handed								
18″(457mm) Open Left/36″(914mm) Box/File Center/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-TDT	**$1330.32**	**$1337.82**	**$1359.32**	**$1366.82**
			2, 3	GCLS-2172-TDT	**1380.32**	**1387.82**	**1409.32**	**1416.82**
			7, 8, 9	GCLS-2172-TDT	**1390.32**	**1397.82**	**1419.32**	**1426.82**
Case — Laminate B **Left-Hand**								
36″(914mm) Box/File Left/36″(914mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-DXN	**$1365.84**	**$1373.34**	**$1394.84**	**$1402.34**
			2, 3	GCLS-2172-DXN	**1415.84**	**1423.34**	**1444.84**	**1452.34**
			7, 8, 9	GCLS-2172-DXN	**1425.84**	**1433.34**	**1454.84**	**1462.34**
Right-Hand								
36″(914mm) Open Left/36″(914mm) Box/File Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-XDN	**$1365.84**	**$1373.34**	**$1394.84**	**$1402.34**
			2, 3	GCLS-2172-XDN	**1415.84**	**1423.34**	**1444.84**	**1452.34**
			7, 8, 9	GCLS-2172-XDN	**1425.84**	**1433.34**	**1454.84**	**1462.34**
Non-Handed								
18″(457mm) Open Left/36″(914mm) Box/File Center/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1, J	GCLS-2172-TDT	**$1395.84**	**$1403.34**	**$1424.84**	**$1432.34**
			2, 3	GCLS-2172-TDT	**1445.84**	**1453.34**	**1474.84**	**1482.34**
			7, 8, 9	GCLS-2172-TDT	**1455.84**	**1463.34**	**1484.84**	**1492.34**

One and One-Half High Credenzas with Hinged Doors

48″ Wide — Laminate Case with Steel Front



GCLS-2148

❸ Pull Styles

1 Ellipse

7 Crescent

2 Radius

8 Linear

3 Taper

9 Classic

❸ No Pulls

Touch Latch Doors = (N)

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider.
  - –Painted steel doors, back panel, bottom panel, and one adjustable shelf for each open section.
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical dividers have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the hinged door section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Hinged doors feature full access hinges, allowing the doors to open 100°.
- Available with or without lock; single lock is chrome and locks both doors; lock is located in upper left corner of right-hand door.
- Optional door pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and No Pull touch latch.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
  - –Pulls are oriented vertically on the doors.
  - –No Pull touch latch option has a touch latch on the right-hand door; left-hand door opens when right-hand door is open.
- Each open section has three shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- Credenza is freestanding and does not require a counterweight.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- Accommodates binder height storage.
- Hinged door storage section does not accept separately specified shelves.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf

To Order, Specify:

1) Product number, including:

❶ Back Panel Type:
- **C** Storage Back Panel
- **F** Full Back Panel, add **$27.00** list

❷ Base Type:
- **S** Standard Base
- **T** Base with Toe Kick, add **$16.00** list

❸ Pull (see side bar):

❹ Lock Option:
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for doors.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Hinged Doors

48″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A Left-Hand								
24″(610mm) Doors Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	2, 3	GCLS-2148-HUN	$ 990.52	$ 998.02	$1007.52	$1015.02
			7, 8, 9	GCLS-2148-HUN	1000.52	1008.02	1017.52	1025.02
			N	GCLS-2148-HUN N	940.52	948.02	957.52	965.02
30″(762mm) Doors Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1	GCLS-2148-ITN 1	$ 949.52	$ 957.02	$ 966.52	$ 974.02
			2, 3	GCLS-2148-ITN	999.52	1007.02	1016.52	1024.02
			7, 8, 9	GCLS-2148-ITN	1009.52	1017.02	1026.52	1034.02
			N	GCLS-2148-ITN N	949.52	957.02	966.52	974.02
Right-Hand								
24″(610mm) Open Left/24″(610mm) Doors Right								
21″(533mm)	18″(457mm)	48″(1219mm)	2, 3	GCLS-2148-UHN	$ 990.52	$ 998.02	$1007.52	$1015.02
			7, 8, 9	GCLS-2148-UHN	1000.52	1008.02	1017.52	1025.02
			N	GCLS-2148-UHN N	940.52	948.02	957.52	965.02
18″(457mm) Open Left/30″(762mm) Doors Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1	GCLS-2148-TIN 1	$ 949.52	$ 957.02	$ 966.52	$ 974.02
			2, 3	GCLS-2148-TIN	999.52	1007.02	1016.52	1024.02
			7, 8, 9	GCLS-2148-TIN	1009.52	1017.02	1026.52	1034.02
			N	GCLS-2148-TIN N	949.52	957.02	966.52	974.02
Case — Laminate B Left-Hand								
24″(610mm) Doors Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	2, 3	GCLS-2148-HUN	$1050.76	$1058.26	$1067.76	$1075.26
			7, 8, 9	GCLS-2148-HUN	1060.76	1068.26	1077.76	1085.26
			N	GCLS-2148-HUN N	1000.76	1008.26	1017.76	1025.26
30″(762mm) Doors Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1	GCLS-2148-ITN 1	$1009.76	$1017.26	$1026.76	$1034.26
			2, 3	GCLS-2148-ITN	1059.76	1067.26	1076.76	1084.26
			7, 8, 9	GCLS-2148-ITN	1069.76	1077.26	1086.76	1094.26
			N	GCLS-2148-ITN N	1009.76	1017.26	1026.76	1034.26
Right-Hand								
24″(610mm) Open Left/24″(610mm) Doors Right								
21″(533mm)	18″(457mm)	48″(1219mm)	2, 3	GCLS-2148-UHN	$1050.76	$1058.26	$1067.76	$1075.26
			7, 8, 9	GCLS-2148-UHN	1060.76	1068.26	1077.76	1085.26
			N	GCLS-2148-UHN N	1000.76	1008.26	1017.76	1025.26
18″(457mm) Open Left/30″(762mm) Doors Right								
21″(533mm)	18″(457mm)	48″(1219mm)	1	GCLS-2148-TIN 1	$1009.76	$1017.26	$1026.76	$1034.26
			2, 3	GCLS-2148-TIN	1059.76	1067.26	1076.76	1084.26
			7, 8, 9	GCLS-2148-TIN	1069.76	1077.26	1086.76	1094.26
			N	GCLS-2148-TIN N	1009.76	1017.26	1026.76	1034.26

One and One-Half High Credenzas with Hinged Doors

60″ Wide — Laminate Case with Steel Front



GCLS-2160

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider(s).
  - –Painted steel doors, back panel, bottom panel, and one adjustable shelf for each open section.
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical dividers have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the hinged door section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Hinged doors feature full access hinges, allowing the doors to open 100°.
- Available with or without lock; single lock is chrome and locks both doors; lock is located in upper left corner of right-hand door.
- Optional door pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and No Pull touch latch.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
  - –Pulls are oriented vertically on the doors.
  - –No Pull touch latch option has a touch latch on the right-hand door; left-hand door opens when right-hand door is open.
- Each open section has three shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- Credenza is freestanding and does not require a counterweight.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- Accommodates binder height storage.
- Hinged door storage section does not accept separately specified shelves.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf

To Order, Specify:

1) Product number, including:

❶ Back Panel Type:
- **C** Storage Back Panel
- **F** Full Back Panel, add **$39.00** list

❷ Base Type:
- **S** Standard Base
- **T** Base with Toe Kick, add **$22.00** list

❸ Pull (see side bar):

❹ Lock Option:
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for doors.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

❸ Pull Styles



1 Ellipse
7 Crescent
2 Radius
8 Linear
3 Taper
9 Classic

❸ No Pulls

Touch Latch Doors = (N)

One and One-Half High Credenzas with Hinged Doors

60″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A **Left-Hand**								
30″(762mm) Doors Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-IVN 1	$ 981.92	$ 989.42	$1004.92	$1012.42
			2, 3	GCLS-2160-IVN	1031.92	1039.42	1054.92	1062.42
			7, 8, 9	GCLS-2160-IVN	1041.92	1049.42	1064.92	1072.42
			N	GCLS-2160-IVN N	981.92	989.42	1004.92	1012.42
36″(914mm) Doors Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-JUN 1	$ 990.92	$ 998.42	$1013.92	$1021.42
			2, 3	GCLS-2160-JUN	1040.92	1048.42	1063.92	1071.42
			7, 8, 9	GCLS-2160-JUN	1050.92	1058.42	1073.92	1081.42
			N	GCLS-2160-JUN N	990.92	998.42	1013.92	1021.42
42″(1067mm) Doors Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-LTN 1	$ 999.92	$1007.42	$1022.92	$1030.42
			2, 3	GCLS-2160-LTN	1049.92	1057.42	1072.92	1080.42
			7, 8, 9	GCLS-2160-LTN	1059.92	1067.42	1082.92	1090.42
			N	GCLS-2160-LTN N	999.92	1007.42	1022.92	1030.42
Right-Hand								
30″(762mm) Open Left/30″(762mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-VIN 1	$ 981.92	$ 989.42	$1004.92	$1012.42
			2, 3	GCLS-2160-VIN	1031.92	1039.42	1054.92	1062.42
			7, 8, 9	GCLS-2160-VIN	1041.92	1049.42	1064.92	1072.42
			N	GCLS-2160-VIN N	981.92	989.42	1004.92	1012.42
24″(610mm) Open Left/36″(914mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-UJN 1	$ 990.92	$ 998.42	$1013.92	$1021.42
			2, 3	GCLS-2160-UJN	1040.92	1048.42	1063.92	1071.42
			7, 8, 9	GCLS-2160-UJN	1050.92	1058.42	1073.92	1081.42
			N	GCLS-2160-UJN N	990.92	998.42	1013.92	1021.42
18″(457mm) Open Left/42″(1067mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-TLN 1	$ 999.92	$1007.42	$1022.92	$1030.42
			2, 3	GCLS-2160-TLN	1049.92	1057.42	1072.92	1080.42
			7, 8, 9	GCLS-2160-TLN	1059.92	1067.42	1082.92	1090.42
			N	GCLS-2160-TLN N	999.92	1007.42	1022.92	1030.42
Non-Handed								
15″(381mm) Open Left/30″(762mm) Doors Center/15″(381mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-RIR 1	$1011.92	$1019.42	$1034.92	$1042.42
			2, 3	GCLS-2160-RIR	1061.92	1069.42	1084.92	1092.42
			7, 8, 9	GCLS-2160-RIR	1071.92	1079.42	1094.92	1102.42
			N	GCLS-2160-RIR N	1011.92	1019.42	1034.92	1042.42

One and One-Half High Credenzas with Hinged Doors

60″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate B **Left-Hand**								
30″(762mm) Doors Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-IVN 1	**$1044.80**	**$1052.30**	**$1067.80**	**$1075.30**
			2, 3	GCLS-2160-IVN	**1094.80**	**1102.30**	**1117.80**	**1125.30**
			7, 8, 9	GCLS-2160-IVN	**1104.80**	**1112.30**	**1127.80**	**1135.30**
			N	GCLS-2160-IVN N	**1044.80**	**1052.30**	**1067.80**	**1075.30**
36″(914mm) Doors Left/24″(610mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-JUN 1	**$1053.80**	**$1061.30**	**$1076.80**	**$1084.30**
			2, 3	GCLS-2160-JUN	**1103.80**	**1111.30**	**1126.80**	**1134.30**
			7, 8, 9	GCLS-2160-JUN	**1113.80**	**1121.30**	**1136.80**	**1144.30**
			N	GCLS-2160-JUN N	**1053.80**	**1061.30**	**1076.80**	**1084.30**
42″(1067mm) Doors Left/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-LTN 1	**$1062.80**	**$1070.30**	**$1085.80**	**$1093.30**
			2, 3	GCLS-2160-LTN	**1112.80**	**1120.30**	**1135.80**	**1143.30**
			7, 8, 9	GCLS-2160-LTN	**1122.80**	**1130.30**	**1145.80**	**1153.30**
			N	GCLS-2160-LTN N	**1062.80**	**1070.30**	**1085.80**	**1093.30**
Right-Hand								
30″(762mm) Open Left/30″(762mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-VIN 1	**$1044.80**	**$1052.30**	**$1067.80**	**$1075.30**
			2, 3	GCLS-2160-VIN	**1094.80**	**1102.30**	**1117.80**	**1125.30**
			7, 8, 9	GCLS-2160-VIN	**1104.80**	**1112.30**	**1127.80**	**1135.30**
			N	GCLS-2160-VIN N	**1044.80**	**1052.30**	**1067.80**	**1075.30**
24″(610mm) Open Left/36″(914mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-UJN 1	**$1053.80**	**$1061.30**	**$1076.80**	**$1084.30**
			2, 3	GCLS-2160-UJN	**1103.80**	**1111.30**	**1126.80**	**1134.30**
			7, 8, 9	GCLS-2160-UJN	**1113.80**	**1121.30**	**1136.80**	**1144.30**
			N	GCLS-2160-UJN N	**1053.80**	**1061.30**	**1076.80**	**1084.30**
18″(457mm) Open Left/42″(1067mm) Doors Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-TLN 1	**$1062.80**	**$1070.30**	**$1085.80**	**$1093.30**
			2, 3	GCLS-2160-TLN	**1112.80**	**1120.30**	**1135.80**	**1143.30**
			7, 8, 9	GCLS-2160-TLN	**1122.80**	**1130.30**	**1145.80**	**1153.30**
			N	GCLS-2160-TLN N	**1062.80**	**1070.30**	**1085.80**	**1093.30**
Non-Handed								
15″(381mm) Open Left/30″(762mm) Doors Center/15″(381mm) Open Right								
21″(533mm)	18″(457mm)	60″(1524mm)	1	GCLS-2160-RIR 1	**$1074.80**	**$1082.30**	**$1097.80**	**$1105.30**
			2, 3	GCLS-2160-RIR	**1124.80**	**1132.30**	**1147.80**	**1155.30**
			7, 8, 9	GCLS-2160-RIR	**1134.80**	**1142.30**	**1157.80**	**1165.30**
			N	GCLS-2160-RIR N	**1074.80**	**1082.30**	**1097.80**	**1105.30**

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Hinged Doors

72″ Wide — Laminate Case with Steel Front



GCLS-2172

❸ Pull Styles



1	Ellipse	7	Crescent
2	Radius	8	Linear
3	Taper	9	Classic

❸ No Pulls

Touch Latch Doors = (N)

Features

- Includes:
  - –Laminate top, end panels, and interior vertical divider(s).
  - –Painted steel doors, back panel, bottom panel, and one adjustable shelf for each open section.
- 1 3/16″(30mm) thick laminate top has 3mm edgeband on front and back, 1mm edgeband on the sides.
- Laminate end panels and interior vertical dividers have 1mm edgeband on all sides.
- Available with storage back panel or full back panel:
  - –Storage back panel provides enclosure to the hinged door section only.
  - –Full back panel provides enclosure along the entire back.
- Available with a standard side panel base, or base with toe kick panel:
  - –Standard base; credenza end panels extend past the bottom panel to the floor, leaving 1 3/4″(30mm) open space below the bottom panel.
  - –Base with toe kick; encloses the open space below the bottom panel (front only).
- Hinged doors feature full access hinges, allowing the doors to open 100°.
- Available with or without lock; single lock is chrome and locks both doors; lock is located in upper left corner of right-hand door.
- Optional door pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, and No Pull touch latch.
  - –Ellipse pull available in non-metallic trim colors only.
  - –Radius pull available in metallic trim colors only.
  - –Taper pull color matches painted steel back, bottom, and shelf.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.
  - –Pulls are oriented vertically on the doors.
  - –No Pull touch latch option has a touch latch on the right-hand door; left-hand door opens when right-hand door is open.
- Each open section has three shelf mounting locations; hole locations are in 1 1/4″(32mm) increments, with the lowest location 10 1/4″(260mm) above bottom panel.
- Shelves are 3/4″(19mm) thick and 16 1/2″(419mm) deep.
- Interior height of open section is 17 1/2″(445mm).
- Glides provide 1″(25mm) adjustment range.
- Ships fully assembled.

Specification Tips

- Credenza units are not field retrofitable.
- Designed to be used with Haworth's Integrated Palette; UniGroup Too, PREMISE, Reside Desking, and Intuity Bench.
- Credenza is freestanding and does not require a counterweight.
- Bookcase section with shelf is open at the back unless the credenza is specified with a full back panel.
- Accommodates binder height storage.
- Hinged door storage section does not accept separately specified shelves.
- If credenza is used in a nested application, verify clearance heights.

Note: The following products can be separately specified and field installed:
- –Grommet
- –File/Storage Cushion
- –Adjustable Shelf

To Order, Specify:

1) Product number, including:

❶ Back Panel Type:
- **C** Storage Back Panel
- **F** Full Back Panel, add **$51.00** list

❷ Base Type:
- **S** Standard Base
- **T** Base with Toe Kick, add **$28.00** list

❸ Pull (see side bar):

❹ Lock Option:
- **N** No Lock
- **Y** Lock, add **$25.00** list

2) Laminate color for top and end panels.
3) Edge trim color for top and end panels.
4) Trim color for doors.
5) Trim color for back/bottom/shelf.
6) Trim color for pull (Ellipse and Radius only).

One and One-Half High Credenzas with Hinged Doors

72″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate A **Left-Hand**								
36″(914mm) Doors Left/36″(914mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-JXN 1	**$1023.32**	**$1030.82**	**$1052.32**	**$1059.82**
			2, 3	GCLS-2172-JXN	**1073.32**	**1080.82**	**1102.32**	**1109.82**
			7, 8, 9	GCLS-2172-JXN	**1083.32**	**1090.82**	**1112.32**	**1119.82**
			N	GCLS-2172-JXN N	**1023.32**	**1030.82**	**1052.32**	**1059.82**
42″(1067mm) Doors Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-LVN 1	**$1032.32**	**$1039.82**	**$1061.32**	**$1068.82**
			2, 3	GCLS-2172-LVN	**1082.32**	**1089.82**	**1111.32**	**1118.82**
			7, 8, 9	GCLS-2172-LVN	**1092.32**	**1099.82**	**1121.32**	**1128.82**
			N	GCLS-2172-LVN N	**1032.32**	**1039.82**	**1061.32**	**1068.82**
Right-Hand								
36″(914mm) Open Left/36″(914mm) Doors Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-XJN 1	**$1023.32**	**$1030.82**	**$1052.32**	**$1059.82**
			2, 3	GCLS-2172-XJN	**1073.32**	**1080.82**	**1102.32**	**1109.82**
			7, 8, 9	GCLS-2172-XJN	**1083.32**	**1090.82**	**1112.32**	**1119.82**
			N	GCLS-2172-XJN N	**1023.32**	**1030.82**	**1052.32**	**1059.82**
30″(762mm) Open Left/42″(1067mm) Doors Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-VLN 1	**$1032.32**	**$1039.82**	**$1061.32**	**$1068.82**
			2, 3	GCLS-2172-VLN	**1082.32**	**1089.82**	**1111.32**	**1118.82**
			7, 8, 9	GCLS-2172-VLN	**1092.32**	**1099.82**	**1121.32**	**1128.82**
			N	GCLS-2172-VLN N	**1032.32**	**1039.82**	**1061.32**	**1068.82**
Non-Handed								
18″(457mm) Open Left/36″(914mm) Doors Center/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-TJT 1	**$1053.32**	**$1060.82**	**$1082.32**	**$1089.82**
			2, 3	GCLS-2172-TJT	**1103.32**	**1110.82**	**1132.32**	**1139.82**
			7, 8, 9	GCLS-2172-TJT	**1113.32**	**1120.82**	**1142.32**	**1149.82**
			N	GCLS-2172-TJT N	**1053.32**	**1060.82**	**1082.32**	**1089.82**

Class AT – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

One and One-Half High Credenzas with Hinged Doors

72″ Wide — Laminate Case with Steel Front

Height	Depth	Width	Pull	Number ❶❷❸❹	Front - Steel Trim A Shelf & Back - Steel Trim A	Front - Steel Trim A Shelf & Back - Steel Trim B	Front - Steel Trim B Shelf & Back - Steel Trim A	Front - Steel Trim B Shelf & Back - Steel Trim B
Case — Laminate B **Left-Hand**								
36″(914mm) Doors Left/36″(914mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-JXN 1	**$1088.84**	**$1096.34**	**$1117.84**	**$1125.34**
			2, 3	GCLS-2172-JXN	**1138.84**	**1146.34**	**1167.84**	**1175.34**
			7, 8, 9	GCLS-2172-JXN	**1148.84**	**1156.34**	**1177.84**	**1185.34**
			N	GCLS-2172-JXN N	**1088.84**	**1096.34**	**1117.84**	**1125.34**
42″(1067mm) Doors Left/30″(762mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-LVN 1	**$1097.84**	**$1105.34**	**$1126.84**	**$1134.34**
			2, 3	GCLS-2172-LVN	**1147.84**	**1155.34**	**1176.84**	**1184.34**
			7, 8, 9	GCLS-2172-LVN	**1157.84**	**1165.34**	**1186.84**	**1194.34**
			N	GCLS-2172-LVN N	**1097.84**	**1105.34**	**1126.84**	**1134.34**
Right-Hand								
36″(914mm) Open Left/36″(914mm) Doors Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-XJN 1	**$1088.84**	**$1096.34**	**$1117.84**	**$1125.34**
			2, 3	GCLS-2172-XJN	**1138.84**	**1146.34**	**1167.84**	**1175.34**
			7, 8, 9	GCLS-2172-XJN	**1148.84**	**1156.34**	**1177.84**	**1185.34**
			N	GCLS-2172-XJN N	**1088.84**	**1096.34**	**1117.84**	**1125.34**
30″(762mm) Open Left/42″(1067mm) Doors Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-VLN 1	**$1097.84**	**$1105.34**	**$1126.84**	**$1134.34**
			2, 3	GCLS-2172-VLN	**1147.84**	**1155.34**	**1176.84**	**1184.34**
			7, 8, 9	GCLS-2172-VLN	**1157.84**	**1165.34**	**1186.84**	**1194.34**
			N	GCLS-2172-VLN N	**1097.84**	**1105.34**	**1126.84**	**1134.34**
Non-Handed								
18″(457mm) Open Left/36″(914mm) Doors Center/18″(457mm) Open Right								
21″(533mm)	18″(457mm)	72″(1829mm)	1	GCLS-2172-TJT 1	**$1118.84**	**$1126.34**	**$1147.84**	**$1155.34**
			2, 3	GCLS-2172-TJT	**1168.84**	**1176.34**	**1197.84**	**1205.34**
			7, 8, 9	GCLS-2172-TJT	**1178.84**	**1186.34**	**1207.84**	**1215.34**
			N	GCLS-2172-TJT N	**1118.84**	**1126.34**	**1147.84**	**1155.34**

Preferred Finishes

The surface materials shown on this page were selected to support the design intent of the products.

	Belong Rail Steel Tiles, Glass Panels/ Stacks, Panels, Top Trim Electrical Components	Bezel, Receptacle	Laminate Tiles	Worksurfaces, Countertops	Edge Trim, X Series Active Storage	Storage Box, Sliding Doors	Overhead Storage	X Series/ X Series Active Storage	V Series	Jump Stuff
Paint — Grade A										
Cocoa	TR-C1	TR-C1					TR-C1	TR-C1		
Smooth Plaster	TR-PLS	TR-PLS					TR-PLS	TR-PLS		
Textured Paint — Grade A										
Cement	TR-TY	TR-TY					TR-TY	TR-TY		
Grout	TR-TG	TR-E (Smoke)					TR-TG	TR-TG		
Pitch	TR-TF	TR-K (Charcoal)					TR-TF	TR-TF		
Plaster	TR-TW	TR-TW					TR-TW	TR-TW		
Textured Paint — Grade B										
Alloy	TR-AL	TR-AL					TR-AL	TR-AL		
Argent	TR-AR	TR-AR					TR-AR	TR-AR		
Hellenic	TR-HE	TR-HE					TR-HE	TR-HE		
Metallic Paint — Grade B										
Champagne	TR-MC ■						TR-MC ■	TR-MC ■	TR-MC ■	TR-MC ■
Dark Bronze	TR-DM						TR-DM	TR-DM	TR-DM	TR-DM
Silver	TR-LE ■						TR-LE ■	TR-LE ■	TR-LE ■	TR-LE ■
Accent Paint — Grade B										
Accent Blue	TR-1C	TR-1C					TR-1C	TR-1C		TR-1C
Accent Green	TR-1D	TR-1D					TR-1D	TR-1D		TR-1D
Accent Orange	TR-1E	TR-1E					TR-1E	TR-1E		TR-1E
Accent Red	TR-1F	TR-1F					TR-1F	TR-1F		TR-1F
Laminate - Solid — Grade A										
Linen			H-WL ■	H-WL ■	HP-WL ■	H-WL		H-WL**		
Platinum			H-3P ■	H-3P ■	HP-3P ■	H-3P		H-3P**		
Putty			H-AA ■	H-AA ■	HP-AA ■	H-AA		H-AA**		
Laminate - Premium Wood Grain — Grade B										
Brazilwood			H-KA	H-KA	HP-KA*	H-KA		H-KA		
Columbian Walnut			H-KG	H-KG	HP-KG*	H-KG		H-KG		
New Age Oak			H-KC	H-KC	HP-KC*	H-KC		H-KC		
River Cherry			H-KD	H-KD	HP-KD*	H-KD		H-KD		
Sanara			H-KE	H-KE	HP-KE*	H-KE		H-KE		
Williamsburg Cherry			H-KF	H-KF	HP-KF*	H-KF		H-KF		
Glass (Grade)										
Clear, Std, Tempered (1) — Grade A						2G-1C				
Satin Etch, Std, Tempered (5) — Grade C						SK-E21				
White Backpainted, Std, Tempered (4) — Grade D						2G-SSW				
White Backpainted, Low Iron, Tempered (6) — Grade F						2G-SLW				
Glass — Grade A										
Clear	SK-1C ■									
Lock Plugs										
Black							LR-BL ■	LR-BL ■	LR-BL ■	
Chrome							LR-BP ■	LR-BP ■	LR-BP ■	
Translucents — Grade A										
Frost										TR-LQ
Ice										TR-LX
Moon										TR-LY
Shadow										TR-LU ■
Acrylic — Grade C										
White						55-WT				

*Edgeband and knife edge only. T-mold and Cascade edges not available with wood grain edge trim.

**Available on X Series Active Storage.

Note: When Grout is specified as trim color, use the Smoke finish on the Bezel and Receptacle.

■ Available on RUSH.

- Refer to the Surface Collection information on Haworth.com regarding fabric and finish availability.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.
Gunmetal TR-MG ■

Legacy Finishes

The surface materials shown on this page are additional finishes available on the products.

	Belong Rail Overhead Storage, Glass Panels/ Stacks, Top Trim Electrical Components	Bezel, Receptacle	Worksurfaces, Countertops/ Laminate Tiles	Edge Trim X Series Active Storage	X Series/ X Series Active Storage	V Series
Paint — Grade A						
Beige	TR-R ■	TR-R ■			TR-R ■	TR-R ■
Chalk	TR-AK ■	TR-AK ■			TR-AK ■	
Charcoal	TR-K ■	TR-K ■			TR-K ■	TR-K ■
Graphite	TR-J ■	TR-J ■			TR-J ■	TR-J ■
Gray Tone	TR-G ■	TR-G ■			TR-G ■	TR-G ■
Putty	TR-AA ■	TR-AA ■			TR-AA ■	TR-AA ■
Smoke	TR-E ■	TR-E ■			TR-E ■	TR-E ■
Laminate - Solid — Grade A						
Beige			H-34 ■	HP-34 ■	H-34*	
Chalk			H-AK ■	HP-AK ■	H-AK*	
Charcoal			H-8J ■	HP-8J ■	H-8J*	
Graphite			H-3J ■	HP-3J ■	H-3J*	
Gray Tone			H-62 ■	HP-62 ■	H-62*	
Shadow (Charcoal)				HP-LU		
Smoke			H-3E ■	HP-3E ■	H-38*	
Laminate - Wood — Grade A						
Amber Cherry			H-AM**	HP-AM	H-AM*	
Maple			H-AE** ■	HP-AE ■	H-AE*	
Glass						
English Reeded — Grade C	SQ-ER					
Vertical Moire — Grade D	SQ-VM					
Checks Mix — Grade D	SQ-CM					
Translucent — Grade D						
Frosted	SK-1E ■					

**Edgeband and knife edge only.
T-mold and Cascade edges not available with wood grain edge trim.

*Available on A Series

■ Available on RUSH.

- Refer to the Surface Collection information on Haworth.com regarding fabric and finish availability.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.

Medium Cherry	H-AD
Barley Grain	H-DH
Oats Grain	H-DA
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC ■
Rhea Nest	H-ED ■
Robin Nest	H-EA ■
Grey Spex	H-22 ■
White Spex	H-21 ■

Wood Finishes

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
A	Double Cut	Obeche	Double Cut	Open Pore	N/A	Horizontal	Horizontal	Applegate	2P-RL
								Beachwood	WL-RL*
								Butternut	2R-RL
								Ebony	WJ-RE*
								Echo	2N-RL
								Melba	WE-RT*
								Sorrel	WF-RC*
								Wenge	WC-RW*

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
B	Natural	Maple	Plain Sliced	Open Pore	Rotate on tops Slip match all other surfaces	Vertical	Vertical	Light Maple	VP-LM
								Natural Maple	VP-N*
								Sand on Maple	VP-AD*
	Natural	Cherry	Plain Sliced	Open Pore	Rotate on tops Slip match all other surfaces	Vertical	Vertical	Amber on Cherry	VC-CA1*
								American on Cherry	VC-W23
								Caramel Cherry	VC-W33
								Heritage Cherry	VC-W30
								Pacific Cherry	VC-W32
	Natural	Oak	Plain Sliced	Open Pore	Book Matched Rotate on tops Slip match all other surfaces	Vertical	Vertical	Natural Oak	VJ-W05*
	Natural	Walnut	Plain Sliced	Open Pore	Rotate on tops Slip match all other surfaces	Vertical	Vertical	Espresso on Walnut	VR-W15*
								Retro on Walnut	VR-W31*
								Mahogany Satin on Walnut	VR-W21
								Naturally Walnut	VR-W12
B 	Quarter Cut	Anegre	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Anegre	NP-W15
								Golden on QC Anegre	NP-W08
								Light on QC Anegre	NP-W07
	Quarter Cut	Cherry	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Medium on QC Cherry	NX-U
	Quarter Cut	Maple	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Natural QC Maple	NM-N
	Quarter Cut	Walnut	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Walnut	NW-W15
								Retro on QC Walnut	NW-W31
B 	Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Vertical	Espresso on Rift Cut White Oak	NR-W15

*Available on X Series Active Storage

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.
Crown on Cherry VC-W24
Cordovan on Walnut VR-W13

Systems Fabrics/Color Legend

- Fabrics listed on this page apply to all Compose upholstered products.
- ■ Available on RUSH.
- To obtain fabric samples contact your authorized Haworth dealer.
- ⓓ = Directional fabric
  ⓝ = Non-directional fabric
- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.

Fabric Grade: A ⓓ
HIGHLANDS
100% Recycled Polyester/
(100% REPREVE®)
L6-AG Glen ■
L6-AH Heather
L6-AL Loch
L6-AM Moor ■
L6-AP Peat ■
L6-AT Thatch

Fabric Grade: A ⓓ
IOWA
52% Post Industrial
Recycled Polyester/
48% Post Consumer
Recycled Polyester
FZ-10 Badger ■
FZ-6 Bixby
FZ-3 Bobwhite ■
FZ-2 Cedar Rock ■
FZ-11 Clear Lake
FZ-13 Emerson
FZ-7 Gar
FZ-9 Honeycreek
FZ-1 Manawa ■
FZ-5 Rice Lake ■
FZ-4 Trappers Bay ■
FZ-12 Walnut Woods
FZ-8 Wapello ■

Fabric Grade: A ⓓ
POINT
100% Polyester
EE-AG Compass
EE-AC Decimal
EE-AF Focal
EE-AD Nib
EE-AA Peak
EE-AE Vertex

Fabric Grade: A ⓓ
SAVOY
51% Virgin Polyester/
49% Recycled Polyester
FJ-CC Apache
FJ-AD Balsam ■
FJ-AP Bisque ■
FJ-AE Blue Ridge ■
FJ-AA Blue Willow ■
FJ-CA Breaker
FJ-AR Chamois ■
FJ-AK Elephant ■
FJ-AL Glacier ■
FJ-AX Mango
FJ-AY Maya
FJ-AW Poplar
FJ-CD Raisen
FJ-AT Shallot ■
FJ-AM Stainless ■
FJ-AF Tempest

Fabric Grade: A ⓓ
STRIAE
42% Post Industrial
Recycled Polyester/
42% Post Consumer
Recycled Polyester/
16% Polyester
(84% REPREVE®)
C1-AJ Beam ■
C1-AM Band ■
C1-AH Element ■
C1-AF Fillet ■
C1-AC Moonlight ■
C1-AE Ray ■
C1-AK Ribbon ■
C1-AD Straws ■
C1-AA Stream ■
C1-AL Trace ■

Fabric Grade A ⓓ
TAILORED
100% Post Consumer
Recycled Polyester
PY-AL Alter
PY-BU Buttons
PY-DR Draper
PY-FC French Chalk
PY-HE Hem
PY-MA Mannequin
PY-SE Seam
PY-SH Shears
PY-SU Suit
PY-TH Thread
PY-TR Tradition

Fabric Grade: A ⓓ
TATAMI
100% Polyester
W5-1 Agave ■
W5-2 Coir
W5-3 Geta
W5-4 Hemp ■
W5-5 Jute ■
W5-6 Kayar ■
W5-7 Kobe
W5-8 Saffron ■
W5-9 Sapporo
W5-10 Sisal
W5-12 Tabi
W5-11 Tesori ■

Fabric Grade A ⓓ
TUSCAN
65% Post Industrial
Recycled Polyester/
35% Post Consumer
Recycled Polyester
(35% REPREVE®)
TK-AR Arno
TK-CA Carrara
TK-DA David
TK-ET Etruscan
TK-FL Florence
TK-LM Limoncello
TK-MA Masonry
TK-ME Medici
TK-TR Olive Tree
TK-PS Pisa
TK-RM Romanesque
TK-RU Rustic
TK-SE Siena

Fabric Grade: B ⓓ
CLASSIC
82% Recycled Polyester/
18% Polyester
(82% REPREVE®)
L5-AJ Art ■
L5-AG Car
L5-AF Comedy ■
L5-AR Dance ■
L5-AH Design
L5-AD Drama ■
L5-AT Movie ■
L5-AA Musical
L5-AC Radio ■
L5-AS Song

Fabric Grade: B ⓓ
HUE
62% Antimony Free Polyester/
38% Virgin Polyester
6-BK Bark
6-ED Eddy
6-FR Froth
6-GK Ginko
6-LT Latte
6-LF Leaf
6-LM Lemon
6-MG Marigold
6-MR Marine
6-PP Poppy
6-RD Red
6-SS Seaside
6-SP Spring
6-ST Steam
6-TQ Turquoise
6-WP Wisp

Fabric Grade: B ⓓ
KIO
100% Recycled Polyester
ZR-6 Bennett ■
ZR-8 Cascade
ZR-7 Crew ■
ZR-5 FUD
ZR-3 Jeanlin
ZR-1 Jib
ZR-11 Reeds Lake
ZR-13 Regatta ■
ZR-10 Sailor
ZR-2 Sentra ■
ZR-12 Smurf
ZR-9 TSJ ■
ZR-4 Yippi Kio ■

Haworth+
For information on Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

Customer's Own Material (COM)
For general Customer's Own Material information including: processes and forms, please refer to:
Haworth.com/surfaces > COM Section
For information on approved COM's, please refer to:
Haworth.com/surfaces > COM Library
For information on Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

Systems Fabrics/Color Legend

Fabric Grade: B ⓝ
PUZZLER
48% Post Industrial Recycled Polyester/ 52% Post Consumer Recycled Polyester
7L-C Clue
7L-CR Cryptic
7L-E Enigma
7L-I Intrigue
7L-M Maze
7L-R Riddle

Fabric Grade B ⓓ
RITZ
49% Post Industrial Recycled Polyester/ 51% Post Consumer Recycled Polyester (51% REPREVE®)
PV-BR Bravo
PV-BT Black Tie
PV-CA Candle Light
PV-CH Champagne
PV-CL Classy
PV-CT Class Act
PV-FR Formal
PV-VA Ovation
PV-WT White Tie

Fabric Grade: B ⓓ
SHIMMER
100% Recycled Polyester
WS-5 Cellophane
WS-8 Copper
WS-13 Dew
WS-14 Diamond
WS-9 Flaxen
WS-4 Gems
WS-11 Glass
WS-1 Glitter
WS-10 Mirage
WS-16 Mirror
WS-2 Moonlight
WS-6 Puddle
WS-15 Reflection
WS-12 Stars
WS-3 Water
WS-7 Wet Grass

Fabric Grade: B ⓓ
TRAFFIC
100% Recycled Polyester
WZ-9 Autobon
WZ-6 Country Drive
WZ-7 Freeway ■
WZ-5 Gridlock
WZ-1 Jam ■
WZ-3 Merge
WZ-8 Route 66
WZ-4 Ticket
WZ-2 Yield

Fabric Grade C ⓓ
BIRDS NEST
38% Post Industrial Recycled Polyester/ 20% Post Consumer Recycled Polyester/ 42% Recycled Polyester (20% REPREVE®)
PH-CA Canary
PH-EA Eagle
PH-EG Egret
PH-FA Falcon
PH-HE Heron
PH-HU Hummingbird
PH-MD Morning Dove
PH-NU Nuthatch
PH-WL Owl
PH-RA Raven
PH-SA Sandpiper
PH-ST Stork
PH-SW Swan

Fabric Grade C ⓓ
GEODE
34% Post Industrial Recycled Polyester/ 26% Post Consumer Recycled Polyester/ 40% Recycled Polyester (26% REPREVE®)
PR-BS Bismuth
PR-CA Calcite
PR-CT Citrine
PR-CR Crystal
PR-FL Fluorite
PR-GA Galena
PR-HL Hollow
PR-MA Malachite
PR-QU Quartz
PR-WN Wonder

Fabric Grade: D ⓓ
TANGRAM
57% Polyester/ 28% Post Industrial Recycled Polyester/ 15% Post Consumer Recycled Polyester
LV-CL Clue
LV-EN Enigma
LV-GU Guess
LV-MA Maze
LV-MU Muse
LV-MT Mystery
LV-MY Mystify
LV-UT Outline
LV-PE Perplex
LV-PC Pieces
LV-PU Puzzle
LV-RD Riddle
LV-SC Scrabble
LV-SL Solve
LV-TE Teaser
LV-TR Trick

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: B ⓓ
BISCOTTI
100%Recycled Polyester
FN-AJ Atlantis
FN-AE Copper
FN-AW Curry
FN-AT Fig
FN-AL Fresco ■
FN-AX Icing
FN-AR Macaroon
FN-AF Maize
FN-AG Opal Gray ■
FN-AD Pesto
FN-AC Phoenician ■
FN-AH Sea Spray ■
FN-AA Shark
FN-AN Silver Ash ■
FN-AP Torte
FN-AM Wafer ■

Fabric Grade: B ⓓ
LANDSCAPE
100%Recycled Polyester
C2-AD Estate ■
C2-AH Harvest ■
C2-AJ Panorama ■
C2-AF Parkland ■
C2-AC Photograph ■
C2-AE Seascape ■
C2-AA Vista ■

Fabric Grade: B ⓓ
TRAX
24%Post Industrial Recycled Polyester/ 76%Post Consumer Recycled Polyester
W9-8 Back
W9-5 Cover Your
W9-2 Eight ■
W9-4 Field
W9-6 Railroad ■
W9-1 Sand ■
W9-7 Tire ■
W9-3 Trolley

Fabric Grade: C ⓓ
MAYPOLE by Maharam
100%Polyester
2D-004 Reed
2D-003 Rush
2D-006 Sway
2D-001 Tone
2D-005 Twirl
2D-002 Waver

Seating Fabrics/Color Legend

For use on Tackboards only:

Fabric Grade: A
TELLURE
100% Polyester

3A-31 Aegean
3A-18 Black ■
3A-20 Burgundy ■
3A-40 Chocolate
3A-28 Dynamo ■
3A-22 Galaxy ■
3A-42 Geranium
3A-36 Grass
3A-35 Ivory
3A-23 Jodhpurs ■
3A-33 Miami
3A-19 Navy ■
3A-06 Nickel ■
3A-34 Ocean
3A-32 Sky
3A-38 Slate
3A-37 Spring
3A-39 Steel
3A-41 Sunflower
3A-43 Tomato

Fabric Grade: E ⓓ
BRISA FAUX LEATHER
100% Polyurethane face/
100% Reinforced Rayon Backing

XG-23 Apple Green
XG-22 Ash
XG-3 Aztec
XG-28 Birch
XG-12 Black Onyx
XG-25 Blossom
XG-5 Cambridge Blue
XG-26 Coffee Bean
XG-20 New Sand
XG-18 Night Navy
XG-21 Pompeian Red
XG-1 Salsa
XG-27 Shitake
XG-24 Skyway
XG-17 Sterling Blue
XG-13 White

COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562), or http://hub.Haworth.com, or www.haworth.com > surface collection > COM Library** to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

1) Identify product type and size.
2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
3) Determine fabric roll width.
4) Find corresponding fabric usage value from the table.
5) Calculate fabric required using the formula below:
   Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).

Constant — Compose®, PREMISE®, PLACES® and UniGroup®

Product	C
Panels	2.5
Tackboards, Tackstrips	1.5
OSUs and Flipper Doors	1.5
LFBs and VSUs	1.5
Trim Covers (Finish Post, End of Run)	1.5
Stackable Pads	1.5
Add-ons and Wainscot Panels	1.5

Constant — RACE®

Product	C
Desktop Screens	1.5
RACE Privacy Screens*	0.0
RACE Pads	0.0

*Includes fabric for both sides. Sizes 51″-78″ include two screens.

6) Repeat steps 1-5 for each product type, size and fabric.
7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.
   - Up to 500 yards — Add 10%
   - 501 to 1000 yards — Add 5%
   - More than 1000 yards — Add 3%

Directional Rightway:



Directional Railroad:



Non-Directional:



COM Yardage Requirements

Compose Tile Fabric Usage

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
8″(203mm)	18″(457mm)	0.111	0.122	0.111	0.167	0.153	0.153
	24″(610mm)	0.167	0.156	0.156	0.167	0.195	0.167
	30″(762mm)	0.167	0.189	0.167	0.334	0.236	0.236
	36″(914mm)	0.334	0.222	0.222	0.334	0.278	0.278
	42″(1067mm)	0.334	0.256	0.256	0.334	0.320	0.320
	48″(1219mm)	0.334	0.289	0.289	0.334	0.361	0.334
	60″(1524mm)	0.334	0.356	0.334	N/A	0.445	0.445
	72″(1829mm)	N/A	0.422	0.422	N/A	0.528	0.528
16″(406mm)	18″(457mm)	0.185	0.204	0.185	0.278	0.306	0.278
	24″(610mm)	0.278	0.259	0.259	0.278	0.389	0.278
	30″(762mm)	0.278	0.315	0.278	0.556	0.473	0.473
	36″(914mm)	0.556	0.371	0.371	0.556	0.556	0.556
	42″(1067mm)	0.556	0.426	0.426	0.556	0.639	0.556
	48″(1219mm)	0.556	0.482	0.482	0.556	0.723	0.556
	60″(1524mm)	0.556	0.593	0.556	N/A	0.889	0.889
	72″(1829mm)	N/A	0.704	0.704	N/A	1.056	1.056
24″(610mm)	18″(457mm)	0.259	0.306	0.259	0.389	0.306	0.306
	24″(610mm)	0.389	0.389	0.389	0.389	0.389	0.389
	30″(762mm)	0.389	0.473	0.389	0.778	0.473	0.473
	36″(914mm)	0.778	0.556	0.556	0.778	0.556	0.556
	42″(1067mm)	0.778	0.639	0.639	0.778	0.639	0.639
	48″(1219mm)	0.778	0.723	0.723	0.778	0.723	0.723
	60″(1524mm)	0.778	0.889	0.778	N/A	0.889	0.889
	72″(1829mm)	N/A	1.056	1.056	N/A	1.056	1.056
32″(813mm)	18″(457mm)	0.333	0.612	0.333	0.500	0.612	0.500
	24″(610mm)	0.500	0.778	0.500	0.500	0.778	0.500
	30″(762mm)	0.500	0.945	0.500	1.000	0.945	0.945
	36″(914mm)	1.000	1.112	1.000	1.000	1.112	1.000
	42″(1067mm)	1.000	1.278	1.000	1.000	1.278	1.000
	48″(1219mm)	1.000	1.445	1.000	1.000	1.445	1.000
	60″(1524mm)	1.000	1.778	1.000	N/A	1.778	1.778
	72″(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112
40″(1016mm)	18″(457mm)	0.408	0.612	0.408	0.612	0.612	0.612
	24″(610mm)	0.612	0.778	0.612	0.612	0.778	0.612
	30″(762mm)	0.612	0.945	0.612	1.223	0.945	0.945
	36″(914mm)	1.223	1.112	1.112	1.223	1.112	1.112
	42″(1067mm)	1.223	1.278	1.223	1.223	1.278	1.223
	48″(1219mm)	1.223	1.445	1.223	1.223	1.445	1.223
	60″(1524mm)	1.223	1.778	1.223	N/A	1.778	1.778
	72″(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112

COM Yardage Requirements

Compose Tile Fabric Usage, (continued)

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
48″(1219mm)	18″(457mm)	0.482	0.612	0.482	0.723	0.612	0.612
	24″(610mm)	0.723	0.778	0.723	0.723	0.778	0.723
	30″(762mm)	0.723	0.945	0.723	1.445	0.945	0.945
	36″(914mm)	1.445	1.112	1.112	1.445	1.112	1.112
	42″(1067mm)	1.445	1.278	1.278	1.445	1.278	1.278
	48″(1219mm)	1.445	1.445	1.445	1.445	1.445	1.445
	60″(1524mm)	1.445	1.778	1.445	N/A	1.778	1.778
	72″(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112
54″(1422mm)	18″(457mm)	0.556	0.612	0.556	0.834	N/A	0.834
	24″(610mm)	0.834	0.778	0.778	0.834	N/A	0.834
	30″(762mm)	0.834	0.945	0.834	1.667	N/A	1.667
	36″(914mm)	1.667	1.112	1.112	1.667	N/A	1.667
	42″(1067mm)	1.667	1.278	1.278	1.667	N/A	1.667
	48″(1219mm)	1.667	1.445	1.445	1.667	N/A	1.667
	60″(1524mm)	1.667	1.778	1.667	N/A	N/A	N/A
	72″(1829mm)	N/A	2.112	2.112	N/A	N/A	N/A
64″(1626mm)	18″(457mm)	0.630	0.612	0.612	0.945	N/A	0.945
	24″(610mm)	0.945	0.778	0.778	0.945	N/A	0.945
	30″(762mm)	0.945	0.945	0.945	1.889	N/A	1.889
	36″(914mm)	1.889	1.112	1.112	1.889	N/A	1.889
	42″(1067mm)	1.889	1.278	1.278	1.889	N/A	1.889
	48″(1219mm)	1.889	1.445	1.445	1.889	N/A	1.889
	60″(1524mm)	1.889	1.778	1.778	N/A	N/A	N/A
	72″(1829mm)	N/A	2.112	2.112	N/A	N/A	N/A
72″(2032mm)	18″(457mm)	0.704	N/A	0.704	1.056	N/A	1.056
	24″(610mm)	1.056	N/A	1.056	1.056	N/A	1.056
	30″(762mm)	1.056	N/A	1.056	2.112	N/A	2.112
	36″(914mm)	2.112	N/A	2.112	2.112	N/A	2.112
	42″(1067mm)	2.112	N/A	2.112	2.112	N/A	2.112
	48″(1219mm)	2.112	N/A	2.112	2.112	N/A	2.112
	60″(1524mm)	2.112	N/A	2.112	N/A	N/A	N/A
	72″(1829mm)	N/A	N/A	N/A	N/A	N/A	N/A

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.

ii. **Ship To:** Legal name and address.

iii. **Purchase Order Number:** From the party Haworth will be billing.

iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.

v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.

vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.

vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.

viii. **Price Agreement or National Sales Agreement Number**

ix. **Product Total:** Net dollars.

x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

i. **Quantity**

ii. **Product Numbers**

iii. **Colors**

iv. **Specials:** Specify special part number for new special products.

v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.

vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150′ of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375″ (10mm) over a horizontal span of 10′-0″ (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25″ (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375″ (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
7031-0501	Panel Accessories – Friction Pad	294
7031-7001	Accessories – Markerboard Accesssories	530
7031-7002	Accessories – Markerboard Accesssories	530
7062-8001	Accessories – Markerboard Accesssories	530
BEDP	Compose 3-Circuit – Electrical Components – Desktop Port	316
BEDP	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Desktop Port	337
KU6M-2NNN	Monitor Arms – Extend Arm	527
DBKC-48	Work Tools – Team Master Kit	517
DBKP-48	Work Tools – File Master Kit	517
DBKP-S	Work Tools – File Master Kit	519
DBKS	Work Tools – Mini Master Kit	518
DBKS-S	Work Tools – Mini Master Kit	519
DBKT-48	Work Tools – Task Master Kit	517
DBKT-S	Work Tools – Task Master Kit	519
DMSP	Work Tools – Mini Shelf	514
DPKC-48	Work Tools – Team Master Kit	517
DPKP-48	Work Tools – File Master Kit	517
DPKP-S	Work Tools – File Master Kit	519
DPKS	Work Tools – Mini Master Kit	518
DPKS-S	Work Tools – Mini Master Kit	519
DPKT-48	Work Tools – Task Master Kit	517
DPKT-S	Work Tools – Task Master Kit	519
DS-3	Worksurface Accessories – Shallow Drawer	465
DSR-F	Work Tools – Freestanding Mount Rail	512
DSR-HZ	Work Tools – Panel Mount Rail	511
DSR-W	Work Tools – Worksurface Mount Rail	511
DTAR-3	Work Tools – Personal Shelf Bracket	515
DTBS-3	Work Tools – Phone Shelf Bracket	514
DTES-3	Work Tools – Personal Shelf	514
DTGK-3	Work Tools – Gooseneck Kit	513
DTHT-1	Work Tools – Tote Strap	513
DTLS-2	Work Tools – Letter Tray Stacking Kit	516
DTLT-2	Work Tools – Letter Tray	515
DTPR-3	Work Tools – Paper Sorter	515
DTPT-3	Work Tools – Phone Shelf	514
DTRB	Work Tools – Waste Bin	516
DTSB-1	Work Tools – Letter Tray Stacking Bracket	516
DTSB-3	Work Tools – Binder Bin	513
DTTE-3	Work Tools – Tote	513
DTTH-3	Work Tools – Tote	513
DTTS-12	Work Tools – Tack Strip	513
DTTS-24	Work Tools – Tack Strip	513
DTWC-2	Work Tools – Tool Cup	515
EUD1-0000-1311V	Compose 3-Circuit – Electrical Components – Enhanced Power Module	316
EUD1-0000-1311V	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Enhanced Power Module	337
EUD1-0000-C311V	Compose 3-Circuit – Electrical Components – Enhanced Power Module	316
EUD1-0000-C311V	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Enhanced Power Module	337
EUE1-1111W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE1-1111W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336
EUE1-1331W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE1-1331W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336

Index

Product Code	Product Description	Page
EUE1-1B01W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE1-1B01W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336
EUE1-C331W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE1-C331W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336
EUE2-1331W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE2-1331W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336
EUE2-C331W	Compose 3-Circuit – Electrical Components – Flip Top Unit	315
EUE2-C331W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flip Top Unit	336
EUEJ-0064-2WF	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Systems Furniture Power Interface Jumper	320
EUEJ-0064-3WF	Compose 3-Circuit – Electrical Components – Systems Furniture Power Interface Jumper	300
EUEJ-0064-4WF	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Systems Furniture Power Interface Jumper	320
EZEJ-0048-2WF	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Raised Floor Infeed Base Feed Module	320
EZEJ-0048-3WF	Compose 3-Circuit – Electrical Components – Raised Floor Infeed Base Feed Module	300
EZEJ-0048-4WF	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Raised Floor Infeed Base Feed Module	320
FBEW	Compose 3-Circuit – Electrical Components – Wall Feed Field Wired 1 Port	302
FBEW	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Wall Feed Field Wired 1 Port	322
GCLS-2148	One and One-Half High Credenzas with Drawers – 48″ Wide — Laminate Case with Steel Front	546
GCLS-2148	One and One-Half High Credenzas with Hinged Doors – 48″ Wide — Laminate Case with Steel Front	552
GCLS-2160	One and One-Half High Credenzas with Drawers – 60″ Wide — Laminate Case with Steel Front	548
GCLS-2160	One and One-Half High Credenzas with Hinged Doors – 60″ Wide — Laminate Case with Steel Front	554
GCLS-2172	One and One-Half High Credenzas with Drawers – 72″ Wide — Laminate Case with Steel Front	550
GCLS-2172	One and One-Half High Credenzas with Hinged Doors – 72″ Wide — Laminate Case with Steel Front	557
HAB	Panel Accessories – Seismic Anchoring Bracket	294
HKMP-1	Boogie Board – Boogie Board Mouse Pad	520
HKTC-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	520
HKTC-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	520
HKTE-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	520
HKTE-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	520
JAKA	Worksurface Support – Worksurface Height Adjustment Kit	459
JAKA-18	X Series and V Series Accessories – Worksurface Height Adjustment Kit for Attached Pedestal	543
JCPB-SS1A	X Series Combination Units — Attached – Two-High Combination – Attached	540
JCPE-SS1A	X Series Combination Units — Attached – Two-High Combination – Attached	540
JCPG-SS1A	X Series Combination Units — Attached – Two-High Combination – Attached	540
JCPJ-SS1A	X Series Combination Units — Attached – Two-High Combination – Attached	540
JCPL-12	X Series and V Series Accessories – Filing Kit	543
JCPR-S1A	X Series Combination Units — Attached – Two-High Combination – Attached	538
JCPT-S1A	X Series Combination Units — Attached – Two-High Combination – Attached	538
JLPD-S1A	X Series Lateral Files — Attached – Two-High Lateral File – Proud Style – Attached	536
JLRD-SJA	X Series Lateral Files — Attached – Two-High Lateral File – Inset Style – Attached	537
JPAH-24	X Series Pedestals — Attached – Box/Box/File — Attached	534
JPAJ-24	X Series Pedestals — Attached – File/File — Attached	534
JPAQ-24	X Series Pedestals — Attached – Pencil/Pencil/Box/File — Attached	534
JSHA-1	X Series and V Series Accessories – Worksurface Height Adjustment Kit for Attached Storage Cabinet	543
JSPY-S1A	X Series Storage Cabinets — Attached – Two-High Storage – Attached	542
KU1A-0017	Adjustable Keyboard Pads – Locking Tilt AKP	521
KU1C	CPU Holders – Fixed Mount CPU Holder	528
KU1C	CPU Holders – Fixed Mount CPU Holder	528
KU1D	Accessories – Adjustable Document Holder	529
KU1F	Accessories – Adjustable Footrest	529
KU1L-U	Accessories – Adjustable Laptop Holder	529
KU1M-1NN	Monitor Arms – Post and Link Monitor Arms	526
KU1M-2NN	Monitor Arms – Post and Link Monitor Arms	526
KU2A-0017	Adjustable Keyboard Pads – Dial Tilt AKP	521

Index

Product Code	Product Description	Page
KU2C-L	CPU Holders – Adjustable CPU Holder	528
KU3A-0023	Adjustable Keyboard Pads – Dial Tilt AKP - Extended Arm	522
KU3M-1NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	526
KU3M-2NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	526
KU4A-0023	Adjustable Keyboard Pads – Sit-to-Stand AKP	522
KU4M-1NNN	Monitor Arms – Advanced Adjustable Monitor Arms	525
KU4M-2NNN	Monitor Arms – Advanced Adjustable Monitor Arms	525
KU5A	Adjustable Keyboard Pads – Thin Profile AKP	524
KU5M-1NNN	Monitor Arms – Adjustable Post Arm	527
KU5M-2NNN	Monitor Arms – Adjustable Post Arm	527
KU6M-1NNN	Monitor Arms – Extend Arm	527
KU6M-2NNN	Monitor Arms – Extend Arm	527
KU6T	Belong Work Tools – iPad Attachment	510
KUAF	Wall Mount Components – Tackboard, Wall Mount	491
KUAK	Belong Work Tools – Accessory Kit	505
KUAM	Wall Mount Components – Markerboard, Wall Mount	491
KUBL-2030-FJ	Belong Work Tools — Accessories – Blotter	502
KUBT	Belong Work Tools – Base Tray	504
KUCU-0915-BNN	Belong Work Tools — Accessories – Open C Cubby	502
KUCU-1215-BNS	Belong Work Tools — Accessories – Open C Cubby	502
KUDP	Worksurface Accessories – Pencil + Drawer	465
KUHS-0000-H	Belong Work Tools — Accessories – Hanging Sorter	503
KULS	Belong Work Tools – Desk Top L-Screen	504
KUPT-0913-F	Belong Work Tools — Accessories – Paper Tray — Landscape	502
KUPT-0913-H	Belong Work Tools — Accessories – Paper Tray — Landscape	502
KUPY	Wall Mount Componets – Slat, Wall Mount	492
KUR1-0424-PZN	Belong Work Tools Mounting Rails – Tool Rail — Panel Mount — Single Side	509
KURS	Belong Work Tools – Desk Top Reference Shelf	504
KURS-0010-H	Belong Work Tools — Accessories – Reference Shelves	503
KURS-0012-B	Belong Work Tools — Accessories – Reference Shelves	503
KURS-0019-H	Belong Work Tools — Accessories – Reference Shelves	503
KUSH-0408-H	Belong Work Tools — Accessories – Mini Shelf	503
KUSR	Belong Work Tools – Screen Rail	505
KUTB	Belong Work Tools – Structural Screen Tile	508
KUTC-0000-H	Belong Work Tools — Accessories – Tool Cup	502
KUTS-E	Belong Work Tools – Territory Screen — End-of Run	506
KUTS-L	Belong Work Tools – Territory L-Screen	507
KUTS-S	Belong Work Tools – Territory Screen — Shared	506
KZAF	External Mount Accessories – Tackboard, External Mount	272
KZAM	External Mount Accessories – Markerboard, External Mount	271
KZPY-16	External Mount Accessories – Slat, 16″ External Mount	271
KZTB	Belong Work Tools – Belong Systems Tile — External Mount for use with Compose Panels	508
LBJ1	BRAZO – Freestanding Lighting	497
LBJ2	BRAZO – Freestanding Lighting	497
LBJ3	BRAZO – Mounted Lighting	497
LBJ4	BRAZO – Mounted Lighting	497
LLC1	LIM – LIM C	499
LLC2	LIM – LIM C	499
LLL1	LIM – LIM L	498
LLL2	LIM – LIM L	498
LLL3	LIM – LIM L	498
LLLA	LIM – LIM L	498
LLM1	LIM – LIM Mounted	500

Index

Product Code	Product Description	Page
LLM1	LIM – LIM Mounted	500
LLM2	LIM – LIM Mounted	500
LLU1	LIM – LIM Mounted	501
LLU2	LIM – LIM Mounted	501
LLY1	LIM – LIM Y	499
LUPT	Lighting – Pixo	496
LUTD	Lighting – Adaptable Electronic Ballast Task Light (Add-On Light)	495
LUTD-0017-1NULDN	Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	494
LUTR	Lighting – Adaptable Electronic Ballast Task Light (Starter Light)	495
LUTS-0000	Lighting – Reed Premier™ Add-On Occupancy Sensor	494
LUTS-0017-12ULD6	Lighting – Reed Premier™ Starter LED Task Light	493
LUTS-0017-19ULD5	Lighting – Reed Premier™ Stand-Alone LED Task Light	493
LUTS-16UEP	Lighting – Adaptable Electronic Ballast Task Light	495
LUV1	Lighting – Voyage without Occupancy Sensor	496
LUV2	Lighting – Voyage with Occupancy Sensor	496
MAC-0001	Worksurface Accessories – Make-A-Corner	464
NADR-8	Adaptable Upper Storage – Shelf Divider	485
NEP-1	Compose 3-Circuit – Electrical Components – Power Break Marker	311
NEP-1	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Power Break Marker	332
NUB-1	Adaptable Upper Storage – Overhead Storage Unit / Shelf Gang Clip	485
PPD-18	Worksurface Accessories – Pencil Drawer	465
SCD-19	Worksurface Accessories – Steel Center Drawer	465
TZRG-L	Tables — Laminate / Wood – Octagon — Disc Base	533
TZRG-W	Tables — Laminate / Wood – Octagon — Disc Base	533
TZRN-L	Tables — Laminate – Round — Disc Base	531
TZRN-LG	Tables — Laminate – Round — Post Base	531
TZRN-W	Tables — Wood – Round — Disc Base	532
TZRN-WG	Tables — Wood – Round — Post Base	532
UQFS-LG	Upper Storage — Laminate Storage Box – Storage Box — Laminate	466
UQFS-LL	Upper Storage — Laminate Storage Box – Storage Box — Laminate	466
UQFS-LN	Upper Storage — Laminate Storage Box – Storage Box — Laminate	466
UQFS-LW	Upper Storage — Laminate Storage Box – Storage Box — Laminate	466
UQFS-WG	Upper Storage — Wood Storage Box – Storage Box — Wood	470
UQFS-WL	Upper Storage — Wood Storage Box – Storage Box — Wood	470
UQFS-WN	Upper Storage — Wood Storage Box – Storage Box — Wood	470
UQFS-WW	Upper Storage — Wood Storage Box – Storage Box — Wood	470
UUFB-P	Wall Mount Components – Back for Wall Mounted Overhead Storage Unit	490
UUFF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	488
UUFS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	487
UUFS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	486
UUFS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	489
UUHF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	488
UUHS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	487
UUHS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	486
UUHS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	489
UUKF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	488
UUKS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	487
UUKS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	486
UUKS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	489
UZFF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	478
UZFS	Adaptable Upper Storage – Overhead Storage with Task Light Standard Mount – Painted	480
UZFS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	477
UZFS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	476

Index

Product Code	Product Description	Page
UZFS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	479
UZGF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	483
UZGF-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	484
UZGS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	482
UZGS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	481
UZHF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	478
UZHS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	477
UZHS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	476
UZHS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	479
UZJF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	483
UZJS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	482
UZJS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	481
UZJS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	484
UZKF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	478
UZKS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	477
UZKS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	476
UZKS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	479
UZLF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	483
UZLS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	482
UZLS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	481
UZLS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	484
UZSN	Adaptable Upper Storage – Open Shelf Standard Mount	485
VLRD-0230-5A	V Series Pedestals/Lateral Files — Attached – Two-High — Attached	544
VPAH-24-5	V Series Pedestals/Lateral Files — Attached – Box/Box/File — Attached	544
VPAJ-24-5	V Series Pedestals/Lateral Files — Attached – Box/Box/File — Attached	544
VPL2-12	X Series and V Series Accessories – Filing Kits	543
VUZF	Panel Accessories – Sliding Door	287
VZAC-0000-H	External Mount Accessories – Coat Hook	272
VZAC-0000-P	External Mount Accessories – Coat Hook	272
VZAD-0000-R	Compose 3-Circuit – Electrical Components – Data Blank Cover	312
VZAD-0000-R	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Data Blank Cover	333
VZAL	Panel Accessories – Aligner/Light Block	297
VZAL	Panel Accessories – Half Aligner/Light Block	297
VZAL-1600	Panel Accessories – Vertical Light Block	297
VZAP-0000-C	Compose Hardwire – Electrical Components – Receptacle Plate, Hardwired	343
VZAP-0000-G	Compose 3-Circuit – Electrical Components – Adaptor Plate, Single Gang	313
VZAP-0000-G	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Adaptor Plate, Single Gang	334
VZAP-0000-T	Compose 3-Circuit – Electrical Components – Power and Communication Bezel	313
VZAP-0000-T	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Power and Communication Bezel	334
VZAR-0000	Compose 3-Circuit – Electrical Components – Receptacle Blank Cover	312
VZAR-0000	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Receptacle Blank Cover	333
VZAT	Wall Mount Components – Wall Track	490
VZAW-0000-V	Compose 3-Circuit – Electrical Components – Vertical Wire Manager	314
VZAW-0000-V	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Vertical Wire Manager	335
VZBC-0000	Compose 3-Circuit – Electrical Components – Cable Management Bracket	313
VZBC-0000	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Cable Management Bracket	334
VZCC	Benching — Top Trim – Top Trim	345
VZCC	Panel Accessories – Top Trim	288
VZCC-0000-H	Panel Accessories – Steel Trim Top Cap Aligner Clip	295
VZCE-0000-H	Panel Accessories – Steel Trim End-of-Run Bottom Bracket Clip	295
VZCE-2900	Benching — Panel Accessories – Full Height Trim and Corner Connectors	362
VZCE-P	Panel Accessories – Full Height Trim and Corner Connectors	289
VZCG	Panel Accessories – Glass Top Trim Clip Kit	288

Index

Product Code	Product Description	Page
VZCL-2900	Benching — Panel Accessories – Full Height Trim and Corner Connectors	362
VZCL-P	Panel Accessories – Full Height Trim and Corner Connectors	289
VZCM-G	Panel Accessories – T-Mount	294
VZCM-P	Panel Accessories – T-Mount	294
VZCQ-0000	Panel Accessories – Tie Bracket Kit – Compose Glass Stack	294
VZCS-0000	Panel Accessories – Corner Block Assembly – 90°	293
VZCT	Benching — Panel Accessories – 3-Way Intersection — Spanning Blocks	362
VZCT-2900	Benching — Panel Accessories – Full Height Trim and Corner Connectors	362
VZCT-P	Panel Accessories – Full Height Trim and Corner Connectors	289
VZCT-PN	Panel Accessories – 3-Way Intersection	290
VZCV-A	Panel Accessories – Full Height Trim and Corner Connectors	292
VZCW-0000-P	Panel Accessories – Panel Frame Wall Mount	293
VZCW-G	Panel Accessories – Glass Wall Mount	293
VZCX-2900	Benching — Panel Accessories – Full Height Trim and Corner Connectors	362
VZCX-AN	Panel Accessories – 4-Way Intersection	290
VZCX-P	Panel Accessories – Full Height Trim and Corner Connectors	289
VZCY-0000	Panel Accessories – Corner Block Assembly – 120°	293
VZCY-A	Panel Accessories – Full Height Trim and Corner Connectors	292
VZEB-0000-1	Compose 3-Circuit – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	299
VZEB-0000-12	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	318
VZEB-0000-14	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	318
VZEB-0000-2	Compose 3-Circuit – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	298
VZEB-0000-22	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	317
VZEB-0000-24	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	317
VZEB-0000-3	Benching — Electrical and Cable Management — 3-Circuit – Base Feed Module — Hardwire Connection	363
VZEB-0000-3	Compose 3-Circuit – Electrical Components – Base Feed Module – Hardwire Connection	298
VZEB-0000-C	Compose Hardwire — Electrical Components – Base Feed Hardwire Plate	339
VZEB-0000-H2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Hardwire Connection	317
VZEB-0000-H2	Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1) – Base Feed Module — Hardwire Connection	365
VZEB-0000-H4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Hardwire Connection	317
VZEB-0000-H4	Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1) – Base Feed Module — Hardwire Connection	365
VZEB-0000-Y	Compose 3-Circuit – Electrical Components – Base Feed Module – Concealed Hardwire Connection	299
VZEB-0000-Y2U	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Architectural Concealed Hardwire Connection	319
VZEB-0000-Y3U	Compose 3-Circuit – Electrical Components – Base Feed Module – Architectural Concealed Hardwire Connection	299
VZEB-0000-Y4U	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Architectural Concealed Hardwire Connection	319
VZEB-0000-YB	Benching — Electrical and Cable Management — 3-Circuit – Benching Base Feed Module — Concealed Hardwire Connection	363
VZEB-0000-YB2	Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1) – Benching Base Feed Module — Concealed Hardwire Connection	365
VZEB-0000-YB4	Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1) – Benching Base Feed Module — Concealed Hardwire Connection	365
VZEB-0000-YH2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Concealed Hardwire Connection	318
VZEB-0000-YH4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Concealed Hardwire Connection	318
VZEF-0B0P	Compose 3-Circuit – Electrical Components – Flexible Power Connector – Panel-to-Panel, Work-height	309
VZEF-0B0P-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Panel-to-Panel, Work-height	329
VZEF-0B0P-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Panel-to-Panel, Work-height	329
VZEF-0B0Q	Compose 3-Circuit – Electrical Components – Flexible Power Connector – Corner Span, Work-height	309

Index

Product Code	Product Description	Page
VZEF-0B0Q-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Corner Span, Work-height	329
VZEF-0B0Q-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Corner Span, Work-height	329
VZEF-0R0P	Compose 3-Circuit – Electrical Components – Flexible Power Connector – Panel-to-Panel, Raceway	308
VZEF-0R0P-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Panel-to-Panel, Raceway	328
VZEF-0R0P-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Panel-to-Panel, Raceway	328
VZEF-0R0S	Compose 3-Circuit – Electrical Components – Flexible Power Connector – Straight Span, Raceway/Work-height	310
VZEF-0R0S-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Straight Span, Raceway/ Work-height	330
VZEF-0R0S-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector – Straight Span, Raceway/ Work-height	330
VZEH-0000-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Infeed Harness	322
VZEH-0000-3	Compose 3-Circuit – Electrical Components – Infeed Harness	302
VZEH-0000-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Infeed Harness	322
VZEJ-0018-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Extended Power Connector	330
VZEJ-0018-3	Compose 3-Circuit – Electrical Components – Extended Power Connector	310
VZEJ-0018-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Extended Power Connector	330
VZEJ-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Vertical Power Connector	328
VZEJ-3	Compose 3-Circuit – Electrical Components – Vertical Power Connector	308
VZEJ-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Vertical Power Connector	328
VZEK	Benching — Electrical and Cable Management — 3-Circuit – Below Worksurface Benching Power Kit	364
VZEK	Compose Hardwire — Electrical Components – Hardwire Power Kit for 42″ High Panels at Beltline	342
VZEK	Compose Hardwire — Electrical Components – Raceway Covers	341
VZEK	Compose Hardwire — Electrical Components – Raceway Retrofit Kits	340
VZEK	Benching — Electrical and Cable Management — 4-Circuit (2+2 and 3+1) – Below Worksurface Benching Power Kit	366
VZEK-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Beltline and Below Worksurface Power Retrofit Kit	324
VZEK-2	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Beltline Power Retrofit Kit for 42″ High Panels	323
VZEK-2900-C	Benching — Electrical and Cable Management — 3-Circuit – Below Worksurface Benching Power Kit — Hardwire	364
VZEK-3	Compose 3-Circuit – Electrical Components – Beltline and Below Worksurface Power Retrofit Kit	304
VZEK-3	Compose 3-Circuit – Electrical Components – Beltline Power Retrofit Kit for 42″ High Panels	303
VZEK-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Beltline and Below Worksurface Power Retrofit Kit	324
VZEK-4	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Beltline Power Retrofit Kit for 42″ High Panels	323
VZEK-4BB	Compose 3-Circuit – Electrical Components – Raceway Retrofit Kit	306
VZEK-4BB	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Raceway Retrofit Kit	326
VZEK-C	Compose Hardwire — Electrical Components – Hardwire Power Kit for Beltline, 50″ high or greater, Below Worksurface and Standing Height	342
VZEK-NBB	Compose 3-Circuit – Electrical Components – Raceway Covers	307
VZEK-NBB	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Raceway Covers	327
VZEP-2S	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Standing Height Retrofit Kit	325
VZEP-3	Compose 3-Circuit – Electrical Components – Standing Height Retrofit Kit	305
VZEP-4S	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Standing Height Retrofit Kit	325
VZER-0003-M	Compose 3-Circuit – Electrical Components – Triplex Receptacles – 15 Amp	311
VZER-0003-M1	Compose 3-Circuit – Electrical Components – Triplex Receptacles – 20 Amp	311
VZER-1500	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Triplex Receptacles – 15 Amp	331
VZER-2000	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Triplex Receptacles – 20 Amp	332
VZET-2T	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Top Feed Module	321
VZET-2W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Top Feed Module	321
VZET-3T	Compose 3-Circuit – Electrical Components – Top Feed Module	301
VZET-3W	Compose 3-Circuit – Electrical Components – Top Feed Module — 3-Circuit	301
VZET-4T	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Top Feed Module	321
VZET-4W	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Top Feed Module	321
VZET-NT	Compose Hardwire — Electrical Components – Top Feed Module, Hardwired (Pole Only)	339
VZET-NW	Compose Hardwire — Electrical Components – Top Feed Module, Hardwired (Pole Only)	339
VZFF	Benching — Full Panel Frames – Full Panel Frames — No Power	344

Index

Product Code	Product Description	Page
VZFF	Full Panel Frames — 3-Circuit – Full Panel Frames	236
VZFF	Full Panel Frames — 3-Circuit – Full Panel Frames	238
VZFF	Full Panel Frames — 4-Circuit (2+2 and 3+1) – Compose Full Panel Frames	240
VZFF	Full Panel Frames — 4-Circuit (2+2 and 3+1) – Compose Full Panel Frames	242
VZFF-NNOO_ _	Full Panel Frames — 3-Circuit – Full Panel Frames	236
VZFF-NNOO_ _	Full Panel Frames — 4-Circuit (2+2 and 3+1) – Compose Full Panel Frames	240
VZFF-NNOO_ _ _	Full Panel Frames — 3-Circuit – Full Panel Frames	238
VZFF-NNOO_ _ _	Full Panel Frames — 4-Circuit (2+2 and 3+1) – Compose Full Panel Frames	242
VZFI-A	Individual Tiles – High Acoustical Inserts	244
VZFS	Panel Accessories – Stack Frame	286
VZGC-0000	Panel Accessories – Frameless Glass — End-of-Run Clip	283
VZGE	Panel Accessories – Bottom Rail End Cap	283
VZGF	Glass Panels — 3-Circuit – Glass Panel with Raceway Cover	274
VZGF	Glass Panels — 4-Circuit (2+2 and 3+1) – Glass Panel with Raceway Cover	276
VZGF	Glass Panels – Glass Panel without Raceway Cover	278
VZGG	Panel Accessories – Frameless Glass Insert	280
VZGS	Panel Accessories – Glass Stack	279
VZGS-0000-B	Panel Accessories – Glass to Glass Connectors	296
VZGS-0000-P	Panel Accessories – Glass to Glass Connectors	296
VZGS-1616-U	Panel Accessories – Glass to Glass Connectors	296
VZGS-1624-U	Panel Accessories – Glass to Glass Connectors	296
VZGT	Panel Accessories – Frameless Glass — Bottom Rail	282
VZQK	Storage Box Accessories – Storage Box Retrofit Light Kit — Adaptable	474
VZQK	Storage Box Accessories – Storage Box Retrofit Light Kit — T-5	475
VZSG	Panel Accessories – Alignment Clip Kit	285
VZSG	Panel Accessories – Glass Topper	284
VZST	Panel Accessories – Glass Topper — Bottom Rail Kit	285
VZTI	Individual Tiles – Hardware Kit – Glass Tile/ Open Frame Tile	268
VZTI-D2N	Benching — Individual Tiles – Laminate Tile — Technology Access / Single or Double	352
VZTI-D2N	Individual Tiles – Laminate Tile, Technology Access / Double	257
VZTI-DLN	Benching — Individual Tiles – Laminate Tile — Technology Access / Single or Double	352
VZTI-DLN	Individual Tiles – Laminate Tile, Technology Access / Single	256
VZTI-DNN	Benching — Individual Tiles – Laminate Intersection Spanning Tile	359
VZTI-DNN	Benching — Individual Tiles – Laminate Tile	350
VZTI-DNN	Individual Tiles – Laminate Tile	254
VZTI-DNN	Individual Tiles – Laminate Tile	255
VZTI-DRN	Benching — Individual Tiles – Laminate Tile — Technology Access / Single or Double	352
VZTI-DRN	Individual Tiles – Laminate Tile, Technology Access / Single	256
VZTI-F2N	Benching — Individual Tiles – Fabric Tile — Standard Core, Technology Access / Single or Double	348
VZTI-F2N	Individual Tiles – Fabric Tile — Standard Core, Technology Access / Double	249
VZTI-FLN	Benching — Individual Tiles – Fabric Tile — Standard Core, Technology Access / Single or Double	348
VZTI-FLN	Individual Tiles – Fabric Tile — Standard Core, Technology Access / Single	248
VZTI-FNC	Individual Tiles – Fabric Tile — Standard Core	246
VZTI-FNN	Benching — Individual Tiles – Fabric Tile — Standard Core	346
VZTI-FNN	Benching — Individual Tiles – Intersection Spanning Fabric Tile — Standard Core	358
VZTI-FNN	Individual Tiles – Fabric Tile — Standard Core	246
VZTI-FRN	Benching — Individual Tiles – Fabric Tile — Standard Core, Technology Access / Single or Double	348
VZTI-FRN	Individual Tiles – Fabric Tile — Standard Core, Technology Access / Single	248
VZTI-G2N	Individual Tiles – Fabric Tile — Green Core, Technology Access / Double	253
VZTI-GLN	Individual Tiles – Fabric Tile — Green Core, Technology Access / Single	252
VZTI-GNC	Individual Tiles – Fabric Tile — Green Core	250
VZTI-GNN	Individual Tiles – Fabric Tile — Green Core	250
VZTI-GRN	Individual Tiles – Fabric Tile — Green Core, Technology Access / Single	252

Index

Product Code	Product Description	Page
VZTI-J2N	Individual Tiles – Slat Tile, Technology Access / Double	266
VZTI-JLN	Individual Tiles – Slat Tile, Technology Access / Single	265
VZTI-JNN	Individual Tiles – Slat Tile	264
VZTI-JRN	Individual Tiles – Slat Tile, Technology Access / Single	265
VZTI-MNN	Individual Tiles – Markerboard Tile	269
VZTI-ONN	Individual Tiles – Open Frame Tile	267
VZTI-PNN	Benching — Individual Tiles – Steel Intersection Spanning Tile	360
VZTI-PNN	Benching — Individual Tiles – Steel Tile	354
VZTI-PNN	Individual Tiles – Steel Tile	258
VZTI-W2N	Benching — Individual Tiles – Wood Tile — Technology Access / Single or Double	356
VZTI-W2N	Individual Tiles – Wood Tile, Technology Access / Double	263
VZTI-WLN	Benching — Individual Tiles – Wood Tile — Technology Access / Single or Double	356
VZTI-WLN	Individual Tiles – Wood Tile, Technology Access / Single	262
VZTI-WNN	Benching — Individual Tiles – Wood Intersection Spanning Tile	361
VZTI-WNN	Benching — Individual Tiles – Wood Tile	355
VZTI-WNN	Individual Tiles – Wood Tile	260
VZTI-WNN	Individual Tiles – Wood Tile	261
VZTI-WRN	Benching — Individual Tiles – Wood Tile — Technology Access / Single or Double	356
VZTI-WRN	Individual Tiles – Wood Tile, Technology Access / Single	262
VZTI-YNN	Individual Tiles – Glass Tile	267
VZTQ	Matched Tile Sets — Natural Wood – Matched Natural Wood Tile Set	270
VZVE-P	Panel Accessories – Variable Height Trim	291
VZVT-P	Panel Accessories – Variable Height Trim	291
VZVY	Panel Accessories – Variable Height Trim (Flush) – 120°	292
VZZP	Panel Accessories – Filler Post - Sliding Door	287
WQAG	BRAZO – Grommet — For Use with BRAZO Grommet Mounted Light Only	497
WUAC-WSG	Compose 3-Circuit – Electrical Components – Worksurface Grommet	314
WUAC-WSG	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Worksurface Grommet	335
WUAC-WSG	Worksurface Accessories – Worksurface Grommet	464
WUAR	Worksurface Accessories – Worksurface Reinforcement Channel	463
WUAW	Compose 3-Circuit – Electrical Components – Horizontal Wire Manager	314
WUAW	Compose 4-Circuit (2+2 and 3+1) – Electrical Components – Horizontal Wire Manager	335
WUAW	Worksurface Accessories – Horizontal Wire Manager	464
WUCA-L	Adaptable Worksurfaces — Laminate – Corner, 90° Straight Front	387
WUCA-W	Adaptable Worksurfaces — Wood – Corner, 90° Straight Front	431
WUCB-L54	Adaptable Worksurfaces — Laminate – D-Shaped Ender	411
WUCB-R45	Adaptable Worksurfaces — Laminate – D-Shaped Ender	411
WUCB-WL54	Adaptable Worksurfaces — Wood – Bent	452
WUCB-WR45	Adaptable Worksurfaces — Wood – Bent	452
WUCC-0004	Worksurface Support – Support Column	462
WUCD-L	Adaptable Worksurfaces — Laminate – D-Shaped Convergent, Wrap-Around	408
WUCD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent, Wrap-Around	450
WUCE-L44	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Extended	396
WUCE-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Extended	396
WUCE-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	440
WUCE-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	440
WUCF-L34	Adaptable Worksurfaces — Laminate – Corner, 90° Angled – Transitional	393
WUCF-L43	Adaptable Worksurfaces — Laminate – Corner, 90° Angled – Transitional	393
WUCF-W34	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	437
WUCF-W43	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	437
WUCH-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	392
WUCH-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	392
WUCH-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	436

Index

Product Code	Product Description	Page
WUCH-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	436
WUCK	Adaptable Worksurfaces — Laminate – Corner, 90° Split Top	394
WUCK-W	Adaptable Worksurfaces — Wood – Corner, 90° Split Top	438
WUCN	Adaptable Worksurfaces — Laminate – Corner, 90° Notched	389
WUCN-W	Adaptable Worksurfaces — Wood – Corner, 90° Notched	433
WUCP-L44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	398
WUCP-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	398
WUCP-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	442
WUCP-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	442
WUCQ-N44	Adaptable Worksurfaces — Laminate – 90° Merger	403
WUCQ-WN44	Adaptable Worksurfaces — Wood – 90° Merger	446
WUCR	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around	388
WUCR-W	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around	432
WUCT-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	391
WUCT-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	391
WUCT-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Angled	435
WUCT-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Angled	435
WUCU	Adaptable Worksurfaces — Laminate – Corner, 90° Angled	390
WUCU-W	Adaptable Worksurfaces — Wood – Corner, 90° Angled	434
WUCX-L43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	400
WUCX-R34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	400
WUCX-WL43	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	444
WUCX-WR34	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	444
WUCZ-N44	Adaptable Worksurfaces — Laminate – Corner, 120° Wrap-Around	404
WUCZ-W44	Adaptable Worksurfaces — Wood – Corner, 120° Wrap-Around	447
WUDC-3930	Adaptable Worksurfaces — Laminate – Conference End	414
WUDC-3930-W	Adaptable Worksurfaces — Wood – Conference End	454
WUDC-5130	Adaptable Worksurfaces — Laminate – Conference End	414
WUDC-5130-W	Adaptable Worksurfaces — Wood – Conference End	454
WUDC-6330	Adaptable Worksurfaces — Laminate – Conference End	414
WUDC-6330-W	Adaptable Worksurfaces — Wood – Conference End	454
WUDD	Adaptable Worksurfaces — Laminate – D-Shaped Ender	410
WUDD-W	Adaptable Worksurfaces — Wood – D-Shaped Ender	451
WURA	Adaptable Worksurfaces — Laminate – Rectangular	374
WURA-C	Benching — Worksurfaces — Laminate – Rectangular	368
WURA-W	Adaptable Worksurfaces — Wood – Rectangular	418
WURA-WC	Benching — Worksurfaces — Wood – Rectangular	370
WURD	Adaptable Worksurfaces — Laminate – D-Shaped Convergent	405
WURD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent	448
WURE-N34	Adaptable Worksurfaces — Laminate – Wedge	382
WURE-N43	Adaptable Worksurfaces — Laminate – Wedge	382
WURE-WN34	Adaptable Worksurfaces — Wood – Wedge	426
WURE-WN43	Adaptable Worksurfaces — Wood – Wedge	426
WURG-N34	Adaptable Worksurfaces — Laminate – Sharp Wedge	384
WURG-N43	Adaptable Worksurfaces — Laminate – Sharp Wedge	384
WURG-WN34	Adaptable Worksurfaces — Wood – Sharp Wedge	428
WURG-WN43	Adaptable Worksurfaces — Wood – Sharp Wedge	428
WURK	Adaptable Worksurfaces — Laminate – Rectangular – Split Top	386
WURK-W	Adaptable Worksurfaces — Wood – Rectangular – Split Top	430
WURR	Adaptable Worksurfaces — Laminate – Rectangular Radius End	385
WURR-W	Adaptable Worksurfaces — Wood – Rectangular Radius End	429
WURS	Adaptable Worksurfaces — Laminate – Rectangular Swell	378
WURS-W	Adaptable Worksurfaces — Wood – Rectangular Swell	422

Index

Product Code	Product Description	Page
WURT-N34	Adaptable Worksurfaces — Laminate – Rectangular Transition	380
WURT-N43	Adaptable Worksurfaces — Laminate – Rectangular Transition	380
WURT-W	Adaptable Worksurfaces — Wood – Rectangular Transition	424
WURV	Adaptable Worksurfaces — Laminate – Rectangular Convergent	406
WURV-W	Adaptable Worksurfaces — Wood – Rectangular Convergent	449
WURW	Adaptable Worksurfaces — Laminate – Rectangular Inverse Swell	379
WURW-W	Adaptable Worksurfaces — Wood – Rectangular Inverse Swell	423
WURY	Adaptable Worksurfaces — Laminate – Rectangular Key	377
WURY	Adaptable Worksurfaces — Wood – Rectangular Key	421
WURY-3930	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-3930-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WURY-5130	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-5130-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WURY-5136	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-5136-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WURY-6336	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-6336-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WURY-6342	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-6342-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WURY-6348	Adaptable Worksurfaces — Laminate – Key Conference End	415
WURY-6348-W	Adaptable Worksurfaces — Wood – Key Conference End	455
WUTS	Adaptable Worksurfaces — Laminate – Countertop	412
WUTS-W	Adaptable Worksurfaces — Wood – Countertop	453
WZDZ	Adaptable Worksurfaces — Laminate – 120° Link	416
WZDZ-W	Adaptable Worksurfaces — Wood – 120° Link	456
ZUBF-0000-PN	Worksurface Support – Flush Mount Plate	458
ZUBW-PN	Wall Mount Components – Worksurface Wall Bracket	490
ZUFJ	Worksurface Support – Single Support Leg	462
ZUUG	Storage Box Accessories – Ganging Flat Bracket for Storage Box	474
ZZBA-0000-PL	Worksurface Support – Side/Corner Bracket	458
ZZBA-0000-PLF	Worksurface Support – Side Bracket for use with Knife Edge	458
ZZBA-0000-PR	Worksurface Support – Side/Corner Bracket	458
ZZBA-0000-PRF	Worksurface Support – Side Bracket for use with Knife Edge	458
ZZBD	Worksurface Support – Standard Cantilever Bracket	457
ZZBD-0060-PN	Benching — Worksurface Supports – Benching Clear Access/Shared Cantilever Bracket	372
ZZBD-1000	Worksurface Support – Standard Mini Cantilever Bracket	457
ZZBD-1500-PL	Benching — Worksurface Supports – Benching Cantilever Bracket	372
ZZBD-1500-PR	Benching — Worksurface Supports – Benching Cantilever Bracket	372
ZZBF-0000-P	Worksurface Support – Anti Dislodgement Bracket for use with Worksurface Support Panels	461
ZZBL- 1600	Worksurface Support – Standard Link Cantilever Bracket	458
ZZBN	Worksurface Support – Pedestal-to-Panel Bracket	459
ZZBT	Worksurface Support – Countertop Bracket Kit	457
ZZFD	Worksurface Support – Double Support Leg	461
ZZFJ	Worksurface Support – P-Leg	459
ZZFJ	Worksurface Support – Support Post	462
ZZFK	Worksurface Support – Double Support Leg	461
ZZFS	Benching — Worksurface Supports – Spanning Worksurface Support Panel — Benching	373
ZZFS	Benching — Worksurface Supports – Worksurface Support Panel — Benching	373
ZZFS	Worksurface Support – Worksurface Support Panels	460
ZZFS	Worksurface Support – Worksurface Support Panels	460
ZZFZ	Worksurface Support – Adjustable Height Disc Base	462

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the "policy") applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth "Specials" products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth "Specials" products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.

All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is "Customer's Own Material" (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) "puddling" of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2015 6.15 Item #0014

haworth.com | haworth-europe.com | haworth-asia.com

integrated palette™

Haworth's Integrated Palette includes Compose®, Enclose®, Patterns™, Planes®, Reside®, Beside® and Belong™.

Compose 3-Circuit – Electrical Components

Receptacle with USB Charging Outlet

	Description	Circuit Access	Ground Type	Number	Price
15 Amp Duplex Receptacle with USB Charging Outlet	15A	Circuit 1	Common	EUER-0015-3M13U	**$480.00**



EUER-0015-3M13U

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration) and two USB charging outlets.
- For use with panels equipped with 3-circuit power components.
- Receptacles are common ground only.
- USB 2 Amp shared; 5VDC.

Specification Tips

- **Receptacles have fixed circuit access to circuit one only and are not field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

NEW PAGE
Click Here for Details

Compose 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacle with USB Charging Outlet

15 Amp Duplex Receptacle with USB Charging Outlet — *4-Circuit (2+2 and 3+1)*



EUER-0015

Description	Circuit Access	Receptacle Identifier	Ground Type	Number	Price
2+2 15A	Circuit 1	1	Common	EUER-0015-2M13U	**$480.00**
3+1 15A	Circuit 1	A	Common	EUER-0015-4M13U	**$480.00**

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration) and two USB charging outlets.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are common ground only.
- USB 2 Amp shared; 5VDC.

Specification Tips

- **Receptacles have fixed circuit access to circuit one only and are not field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Class YA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

3-Port:
(2) Power
(1) USB



EUD1-PF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-PF0B-2112

4-Port:
(4) Power



NOTE:
Always Fused Plug
when more than 3
power outlets specified.

EUD1-PF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	**$483.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	**483.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	**543.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	**603.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	**483.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	**543.53**
						3 Power Receptacles	EUD1-PF0B-3000	**483.53**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	**$483.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	**483.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	**543.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	**663.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	**483.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	**483.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	**543.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	**603.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	**483.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	**543.53**
						4 Power Receptacles	EUD1-PF0B-4000	**483.53**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	**$595.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	**595.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	**595.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	**655.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	**655.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	**715.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	**715.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	**775.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	**535.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	**535.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	**535.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	**595.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	**595.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	**655.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	**655.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	**715.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	**775.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	**535.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	**595.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	**595.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	**655.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	**715.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	**535.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	**535.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	**595.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	**655.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	**535.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	**595.53**
						6 Power Receptacles	EUD1-PF0B-6000	**535.53**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	**$379.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	**379.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	**439.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	**499.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	**379.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	**439.53**
						3 Power Receptacles	EUD1-PF0W-3000	**379.53**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	**$379.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	**379.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	**439.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	**559.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	**379.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	**379.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	**439.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	**499.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	**379.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	**439.53**
						4 Power Receptacles	EUD1-PF0W-4000	**379.53**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	**$491.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	**491.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	**491.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	**551.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	**551.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	**611.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	**611.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	**671.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	**431.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	**431.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	**431.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	**491.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	**491.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	**551.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	**551.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	**611.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	**671.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	**431.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	**491.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	**491.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	**551.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	**611.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	**431.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	**431.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	**491.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	**551.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	**431.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	**491.53**
						6 Power Receptacles	EUD1-PF0W-6000	**431.53**

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	**$532.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	**532.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	**592.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	**652.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	**532.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	**592.41**
						3 Power Receptacles	EUD1-PL0B-3000	**532.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	**$532.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	**532.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	**592.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	**712.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	**532.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	**532.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	**592.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	**652.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	**532.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	**592.41**
						4 Power Receptacles	EUD1-PL0B-4000	**532.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	**$644.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	**644.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	**644.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	**704.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	**704.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	**764.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	**764.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	**824.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	**584.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	**584.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	**584.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	**644.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	**644.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	**704.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	**704.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	**764.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	**824.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	**584.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	**644.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	**644.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	**704.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	**764.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	**584.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	**584.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	**644.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	**704.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	**584.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	**644.41**
						6 Power Receptacles	EUD1-PL0B-6000	**584.41**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	**$428.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	**428.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	**488.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	**548.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	**428.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	**488.41**
						3 Power Receptacles	EUD1-PL0W-3000	**428.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	**$428.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	**428.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	**488.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	**608.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	**428.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	**428.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	**488.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	**548.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	**428.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	**488.41**
						4 Power Receptacles	EUD1-PL0W-4000	**428.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	**$540.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	**540.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	**540.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	**600.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	**600.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	**660.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	**660.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	**720.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	**480.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	**480.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	**480.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	**540.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	**540.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	**600.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	**600.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	**660.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	**720.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	**480.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	**540.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	**540.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	**600.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	**660.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	**480.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	**480.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	**540.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	**600.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	**480.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	**540.41**
						6 Power Receptacles	EUD1-PL0W-6000	**480.41**

NEW PAGE
Click Here for Details

This page intentionally blank

Enhanced Power Module

Hardwire

3-Port:
(2) Power
(1) USB



EUD1-HF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-HF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-HF0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	**$544.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	**544.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	**604.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	**664.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	**544.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	**604.81**
						3 Power Receptacles	EUD1-HF0B-3000	**544.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	**$544.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	**544.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	**604.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	**724.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	**544.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	**544.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	**604.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	**664.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	**544.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	**604.81**
						4 Power Receptacles	EUD1-HF0B-4000	**544.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	**$656.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	**656.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	**656.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	**716.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	**716.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	**776.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	**776.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	**836.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	**596.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	**596.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	**596.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	**656.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	**656.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	**716.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	**716.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	**776.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	**836.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	**596.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	**656.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	**656.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	**716.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	**776.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	**596.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	**596.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	**656.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	**716.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	**596.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	**656.81**
						6 Power Receptacles	EUD1-HF0B-6000	**596.81**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	**$440.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	**440.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	**500.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	**560.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	**440.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	**500.81**
						3 Power Receptacles	EUD1-HF0W-3000	**440.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	**$440.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	**440.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	**500.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	**620.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	**440.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	**440.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	**500.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	**560.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	**440.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	**500.81**
						4 Power Receptacles	EUD1-HF0W-4000	**440.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	**$552.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	**552.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	**552.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	**612.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	**612.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	**672.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	**672.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	**732.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	**492.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	**492.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	**492.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	**552.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	**552.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	**612.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	**612.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	**672.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	**732.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	**492.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	**552.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	**552.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	**612.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	**672.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	**492.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	**492.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	**552.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	**612.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	**492.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	**552.81**
						6 Power Receptacles	EUD1-HF0W-6000	**492.81**

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0B-1002	**$593.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0B-1020	**593.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0B-1110	**653.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0B-1200	**713.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0B-2010	**593.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0B-2100	**653.69**
						3 Power Receptacles	EUD1-HL0B-3000	**593.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1012	**$593.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0B-1030	**593.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-1102	**653.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0B-1300	**773.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0B-2002	**593.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0B-2020	**593.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-2110	**653.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0B-2200	**713.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0B-3010	**593.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0B-3100	**653.69**
						4 Power Receptacles	EUD1-HL0B-4000	**593.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0B-1104	**$705.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-1122	**705.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0B-1140	**705.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1212	**765.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0B-1230	**765.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0B-1302	**825.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0B-1320	**825.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0B-1410	**885.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0B-2004	**645.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-2022	**645.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0B-2040	**645.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-2112	**705.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0B-2130	**705.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0B-2202	**765.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0B-2220	**765.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0B-2310	**825.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0B-2400	**885.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0B-3030	**645.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-3102	**705.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0B-3120	**705.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0B-3210	**765.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0B-3300	**825.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0B-4002	**645.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0B-4020	**645.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-4110	**705.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0B-4200	**765.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0B-5010	**645.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0B-5100	**705.69**
						6 Power Receptacles	EUD1-HL0B-6000	**645.69**

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0W-1002	**$489.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0W-1020	**489.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0W-1110	**549.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0W-1200	**609.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0W-2010	**489.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0W-2100	**549.69**
						3 Power Receptacles	EUD1-HL0W-3000	**489.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1012	**$489.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0W-1030	**489.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-1102	**549.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0W-1300	**669.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0W-2002	**489.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0W-2020	**489.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-2110	**549.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0W-2200	**609.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0W-3010	**489.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0W-3100	**549.69**
						4 Power Receptacles	EUD1-HL0W-4000	**489.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0W-1104	**$601.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-1122	**601.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0W-1140	**601.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1212	**661.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0W-1230	**661.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0W-1302	**721.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0W-1320	**721.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0W-1410	**781.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0W-2004	**541.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-2022	**541.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0W-2040	**541.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-2112	**601.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0W-2130	**601.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0W-2202	**661.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0W-2220	**661.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0W-2310	**721.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0W-2400	**781.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0W-3030	**541.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-3102	**601.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0W-3120	**601.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0W-3210	**661.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0W-3300	**721.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0W-4002	**541.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0W-4020	**541.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-4110	**601.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0W-4200	**661.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0W-5010	**541.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0W-5100	**601.69**
						6 Power Receptacles	EUD1-HL0W-6000	**541.69**

NEW PAGE
Click Here for Details

Enhanced Power Module

Spiral Corded — Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	**$767.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	**827.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	**707.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	**767.13**
					4	4 Power Receptacles	EUD1-SF0B-4000	**707.13**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	**$663.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	**723.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	**603.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	**663.13**
					4	4 Power Receptacles	EUD1-SF0W-4000	**603.13**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SF0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SF0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10′(3048mm) to 12′(3658mm) when stretched.
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0B-2110	**$816.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0B-2200	**876.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0B-3010	**756.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0B-3100	**816.01**
					4	4 Power Receptacles	EUD1-SL0B-4000	**756.01**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0W-2110	**$712.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0W-2200	**772.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0W-3010	**652.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0W-3100	**712.01**
					4	4 Power Receptacles	EUD1-SL0W-4000	**652.01**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SL0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SL0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12′(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module Brackets

Above Worksurface – Adjustable



EUDB-0000-H

Height	Width	Length	Description	Number	Price
4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-HB	**$52.00**
			White Bracket	EUDB-0000-HW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop.
- Not for use with a tack board.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Above Worksurface – Fixed



EUDB-0000-W

Height	Width	Length	Description	Number	Price
4 1/4″(107mm)	3″(76mm)	2″(51mm)	Black Bracket	EUDB-0000-WB	**$52.00**
			White Bracket	EUDB-0000-WW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with Enhanced Power Module above worksurface.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Enhanced Power Module Brackets

Above Worksurface – Adjustable with Tackboard Offset



EUDB-0000-T

Height	Width	Length	Description	Number	Price
4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-TB	**$52.00**
			White Bracket	EUDB-0000-TW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop when a tackboard is present.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Under Worksurface – Fixed



EUDB-0000-U

Height	Width	Length	Description	Number	Price
2″(51mm)	3″(76mm)	2 1/2″(64mm)	Black Bracket	EUDB-0000-UB	**$52.00**
			White Bracket	EUDB-0000-UW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with offset to accommodate most transformer plugs.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Flip Top Units

Non-Powered

Width	Bezel Depth	Trim Color	Port Color	Port	Configuration	Number	Price
Single-Sided Outlets							
5 5/16″(135mm)	4 7/16″(113mm)	Black Anodized	Black	2	1 Cable Bay	EUE1-000B-0002	**$ 638.70**
					2 Data Ports	EUE1-000B-0020	**638.70**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000B-0022	**$ 638.70**
					4 Data Ports	EUE1-000B-0040	**638.70**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000B-0042	**$ 638.70**
					6 Data Ports	EUE1-000B-0060	**638.70**
5 5/16″(135mm)	4 7/16″(113mm)	Clear Anodized	White	2	1 Cable Bay	EUE1-000W-0002	**$ 476.46**
					2 Data Ports	EUE1-000W-0020	**476.46**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000W-0022	**$ 476.46**
					4 Data Ports	EUE1-000W-0040	**476.46**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000W-0042	**$ 476.46**
					6 Data Ports	EUE1-000W-0060	**476.46**
Double-Sided Outlets							
8 5/16″(211mm)	8 1/16″(205mm)	Black Anodized	Black	4	2 Data Ports, 1 Cable Bay	EUE2-000B-0022	**$1112.17**
					4 Data Ports	EUE2-000B-0040	**1112.17**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000B-0042	**$1112.17**
					6 Data Ports	EUE2-000B-0060	**1112.17**
8 5/16″(211mm)	8 1/16″(205mm)	Clear Anodized	White	4	2 Data Ports, 1 Cable Bay	EUE2-000W-0022	**$ 949.93**
					4 Data Ports	EUE2-000W-0040	**949.93**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000W-0042	**$ 949.93**
					6 Data Ports	EUE2-000W-0060	**949.93**



EUE1-000B



EUE2-000B

Features

- Includes bezel and nonpowered flip top module with 2, 4 or 6 ports that can be configured with data jack adapters or cable bays and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

4-Port:
(2) Power
(1) USB
(1) Data



EUE1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUE1-PF0B-1212

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE1-PF0B-4000

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Corded flip top units with four or more receptacles utilize a fused plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptable, 1 Data Port	A, B	EUE1-PF0B-1010	**$638.70**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0B-1100	**698.70**
						2 Power Receptacles	A, B	EUE1-PF0B-2000	**638.70**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0B-1012	**$638.70**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0B-1030	**638.70**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0B-1102	**698.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0B-1120	**698.70**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0B-1300	**818.70**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0B-2002	**638.70**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0B-2020	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0B-2110	**698.70**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0B-2200	**758.70**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0B-3010	**638.70**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0B-3100	**698.70**
						4 Power Receptacles	F, V	EUE1-PF0B-4000	**638.70**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1032	**$638.70**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0B-1050	**638.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1122	**698.70**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0B-1140	**698.70**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-1212	**758.70**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-1230	**758.70**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-1302	**818.70**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-1320	**818.70**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-2022	**638.70**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0B-2040	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-2112	**698.70**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-2130	**698.70**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-2202	**758.70**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-2220	**758.70**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0B-2310	**818.70**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0B-2400	**878.70**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-3012	**638.70**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0B-3030	**638.70**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-3102	**698.70**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-3120	**698.70**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0B-3210	**758.70**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0B-3300	**818.70**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0B-4002	**638.70**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0B-4020	**638.70**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0B-4110	**698.70**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0B-4200	**758.70**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0B-5010	**638.70**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0B-5100	**698.70**
						6 Power Receptacles	J, K	EUE1-PF0B-6000	**638.70**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0W-1010	**$476.46**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0W-1100	**536.46**
						2 Power Receptacles	A, B	EUE1-PF0W-2000	**476.46**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0W-1012	**$476.46**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0W-1030	**476.46**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0W-1102	**536.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0W-1120	**536.46**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0W-1300	**656.46**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0W-2002	**476.46**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0W-2020	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0W-2110	**536.46**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0W-2200	**596.46**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0W-3010	**476.46**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0W-3100	**536.46**
						4 Power Receptacles	F, V	EUE1-PF0W-4000	**476.46**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1032	**$476.46**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0W-1050	**476.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1122	**536.46**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0W-1140	**536.46**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-1212	**596.46**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-1230	**596.46**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-1302	**656.46**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-1320	**656.46**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-2022	**476.46**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0W-2040	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-2112	**536.46**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-2130	**536.46**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-2202	**596.46**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-2220	**596.46**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0W-2310	**656.46**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0W-2400	**716.46**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-3012	**476.46**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0W-3030	**476.46**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-3102	**536.46**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-3120	**536.46**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0W-3210	**596.46**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0W-3300	**656.46**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0W-4002	**476.46**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0W-4020	**476.46**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0W-4110	**536.46**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0W-4200	**596.46**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0W-5010	**476.46**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0W-5100	**536.46**
						6 Power Receptacles	J, K	EUE1-PF0W-6000	**476.46**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0B-1010	**$687.72**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0B-1100	**747.72**
						2 Power Receptacles	A, B	EUE1-PL0B-2000	**687.72**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0B-1012	**$687.72**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0B-1030	**687.72**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0B-1102	**747.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0B-1120	**747.72**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0B-1300	**867.72**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0B-2002	**687.72**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0B-2020	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0B-2110	**747.72**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0B-2200	**807.72**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0B-3010	**687.72**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0B-3100	**747.72**
						4 Power Receptacles	F, V	EUE1-PL0B-4000	**687.72**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1032	**$687.72**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0B-1050	**687.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1122	**747.72**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0B-1140	**747.72**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-1212	**807.72**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-1230	**807.72**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-1302	**867.72**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-1320	**867.72**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-2022	**687.72**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0B-2040	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-2112	**747.72**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-2130	**747.72**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-2202	**807.72**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-2220	**807.72**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0B-2310	**867.72**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0B-2400	**927.72**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-3012	**687.72**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0B-3030	**687.72**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-3102	**747.72**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-3120	**747.72**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0B-3210	**807.72**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0B-3300	**867.72**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0B-4002	**687.72**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0B-4020	**687.72**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0B-4110	**747.72**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0B-4200	**807.72**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0B-5010	**687.72**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0B-5100	**747.72**
						6 Power Receptacles	J, K	EUE1-PL0B-6000	**687.72**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0W-1010	**$525.48**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0W-1100	**585.48**
						2 Power Receptacles	A, B	EUE1-PL0W-2000	**525.48**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0W-1012	**$525.48**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0W-1030	**525.48**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0W-1102	**585.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0W-1120	**585.48**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0W-1300	**705.48**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0W-2002	**525.48**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0W-2020	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0W-2110	**585.48**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0W-2200	**645.48**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0W-3010	**525.48**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0W-3100	**585.48**
						4 Power Receptacles	F, V	EUE1-PL0W-4000	**525.48**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1032	**$525.48**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0W-1050	**525.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1122	**585.48**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0W-1140	**585.48**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-1212	**645.48**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-1230	**645.48**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-1302	**705.48**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-1320	**705.48**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-2022	**525.48**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0W-2040	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-2112	**585.48**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-2130	**585.48**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-2202	**645.48**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-2220	**645.48**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0W-2310	**705.48**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0W-2400	**765.48**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-3012	**525.48**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0W-3030	**525.48**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-3102	**585.48**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-3120	**585.48**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0W-3210	**645.48**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0W-3300	**705.48**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0W-4002	**525.48**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0W-4020	**525.48**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0W-4110	**585.48**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0W-4200	**645.48**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0W-5010	**525.48**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0W-5100	**585.48**
						6 Power Receptacles	J, K	EUE1-PL0W-6000	**525.48**

NEW PAGE
Click Here for Details

This page intentionally blank

Flip Top Unit

Corded — Double-Sided

4-Port:



EUE2-PF0B-2110

6-Port:



EUE2-PF0B-1212

4-Port:



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE2-PF0B-4000

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0B-1012	**$1112.17**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0B-1030	**1112.17**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0B-1102	**1172.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0B-1120	**1172.17**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0B-1300	**1292.17**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0B-2002	**1112.17**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0B-2020	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0B-2110	**1172.17**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0B-2200	**1232.17**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0B-3010	**1112.17**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0B-3100	**1172.17**
						4 Power Receptacles	M, P	EUE2-PF0B-4000	**1112.17**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1032	**$1112.17**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0B-1050	**1112.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1122	**1172.17**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0B-1140	**1172.17**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0B-1212	**1232.17**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-1230	**1232.17**
						1 Power Receptacle, 3 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-1302	**1292.17**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-1320	**1292.17**
						2 Power Receptacles, 2 Data Ports, 2 Cable Bays	Q, V	EUE2-PF0B-2022	**1112.17**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0B-2040	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-2112	**1172.17**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-2130	**1172.17**
						2 Power Receptacles, 2 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-2202	**1232.17**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-2220	**1232.17**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-2310	**1292.17**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0B-2400	**1352.17**
						3 Power Receptacles, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-3012	**1112.17**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0B-3030	**1112.17**
						3 Power Receptacles, 1 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-3102	**1172.17**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-3120	**1172.17**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-3210	**1232.17**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0B-3300	**1292.17**
						4 Power Receptacles, 2 Cable Bays	Q, V	EUE2-PF0B-4002	**1112.17**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0B-4020	**1112.17**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-4110	**1172.17**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0B-4200	**1232.17**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0B-5010	**1112.17**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0B-5100	**1172.17**
						6 Power Receptacles	Q, V	EUE2-PF0B-6000	**1112.17**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0W-1012	**$ 949.93**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0W-1030	**949.93**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0W-1102	**1009.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0W-1120	**1009.93**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0W-1300	**1129.93**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0W-2002	**949.93**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0W-2020	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0W-2110	**1009.93**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0W-2200	**1069.93**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0W-3010	**949.93**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0W-3100	**1009.93**
						4 Power Receptacles	M, P	EUE2-PF0W-4000	**949.93**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1032	**$ 949.93**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0W-1050	**949.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1122	**1009.93**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0W-1140	**1009.93**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-1212	**1069.93**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-1230	**1069.93**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-1302	**1129.93**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-1320	**1129.93**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-2022	**949.93**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0W-2040	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-2112	**1009.93**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-2130	**1009.93**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-2202	**1069.93**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-2220	**1069.93**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-2310	**1129.93**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0W-2400	**1189.93**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-3012	**949.93**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0W-3030	**949.93**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-3102	**1009.93**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-3120	**1009.93**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-3210	**1069.93**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0W-3300	**1129.93**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PF0W-4002	**949.93**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0W-4020	**949.93**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-4110	**1009.93**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0W-4200	**1069.93**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0W-5010	**949.93**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0W-5100	**1009.93**
						6 Power Receptacles	Q, V	EUE2-PF0W-6000	**949.93**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0B-1012	**$1161.19**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0B-1030	**1161.19**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0B-1102	**1221.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0B-1120	**1221.19**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0B-1300	**1341.19**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0B-2002	**1161.19**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0B-2020	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0B-2110	**1221.19**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0B-2200	**1281.19**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0B-3010	**1161.19**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0B-3100	**1221.19**
						4 Power Receptacles	M, P	EUE2-PL0B-4000	**1161.19**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1032	**$1161.19**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0B-1050	**1161.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1122	**1221.19**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0B-1140	**1221.19**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-1212	**1281.19**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-1230	**1281.19**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-1302	**1341.19**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-1320	**1341.19**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-2022	**1161.19**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0B-2040	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-2112	**1221.19**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-2130	**1221.19**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-2202	**1281.19**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-2220	**1281.19**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-2310	**1341.19**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0B-2400	**1401.19**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-3012	**1161.19**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0B-3030	**1161.19**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-3102	**1221.19**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-3120	**1221.19**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-3210	**1281.19**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0B-3300	**1341.19**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0B-4002	**1161.19**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0B-4020	**1161.19**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-4110	**1221.19**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0B-4200	**1281.19**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0B-5010	**1161.19**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0B-5100	**1221.19**
						6 Power Receptacles	Q, V	EUE2-PL0B-6000	**1161.19**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0W-1012	$ 998.95
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0W-1030	998.95
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0W-1102	1058.95
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0W-1120	1058.95
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0W-1300	1178.95
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0W-2002	998.95
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0W-2020	998.95
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0W-2110	1058.95
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0W-2200	1118.95
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0W-3010	998.95
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0W-3100	1058.95
						4 Power Receptacles	M, P	EUE2-PL0W-4000	998.95
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1032	$ 998.95
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0W-1050	998.95
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1122	1058.95
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0W-1140	1058.95
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-1212	1118.95
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-1230	1118.95
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-1302	1178.95
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-1320	1178.95
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-2022	998.95
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0W-2040	998.95
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-2112	1058.95
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-2130	1058.95
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-2202	1118.95
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-2220	1118.95
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-2310	1178.95
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0W-2400	1238.95
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-3012	998.95
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0W-3030	998.95
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-3102	1058.95
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-3120	1058.95
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-3210	1118.95
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0W-3300	1178.95
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0W-4002	998.95
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0W-4020	998.95
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-4110	1058.95
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0W-4200	1118.95
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0W-5010	998.95
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0W-5100	1058.95
						6 Power Receptacles	Q, V	EUE2-PL0W-6000	998.95

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

4-Port:

(2) Power
(1) USB
(1) Data



EUE1-HF0B-2110

6-Port:



EUE1-HF0B-1212

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0B-1010	**$705.54**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0B-1100	**765.54**
						2 Power Receptacles	A, B	EUE1-HF0B-2000	**705.54**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0B-1012	**$705.54**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0B-1030	**705.54**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0B-1102	**765.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0B-1120	**765.54**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0B-1300	**885.54**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0B-2002	**705.54**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0B-2020	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0B-2110	**765.54**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0B-2200	**825.54**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0B-3010	**705.54**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0B-3100	**765.54**
						4 Power Receptacles	F, V	EUE1-HF0B-4000	**705.54**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1032	**$705.54**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0B-1050	**705.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1122	**765.54**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0B-1140	**765.54**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-1212	**825.54**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-1230	**825.54**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-1302	**885.54**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-1320	**885.54**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-2022	**705.54**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0B-2040	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-2112	**765.54**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-2130	**765.54**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-2202	**825.54**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-2220	**825.54**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0B-2310	**885.54**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0B-2400	**945.54**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-3012	**705.54**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0B-3030	**705.54**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-3102	**765.54**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-3120	**765.54**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0B-3210	**825.54**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0B-3300	**885.54**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0B-4002	**705.54**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0B-4020	**705.54**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0B-4110	**765.54**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0B-4200	**825.54**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0B-5010	**705.54**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0B-5100	**765.54**
						6 Power Receptacles	J, K	EUE1-HF0B-6000	**705.54**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0W-1010	**$543.30**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0W-1100	**603.30**
						2 Power Receptacles	A, B	EUE1-HF0W-2000	**543.30**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0W-1012	**$543.30**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0W-1030	**543.30**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0W-1102	**603.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0W-1120	**603.30**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0W-1300	**723.30**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0W-2002	**543.30**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0W-2020	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0W-2110	**603.30**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0W-2200	**663.30**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0W-3010	**543.30**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0W-3100	**603.30**
						4 Power Receptacles	F, V	EUE1-HF0W-4000	**543.30**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1032	**$543.30**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0W-1050	**543.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1122	**603.30**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0W-1140	**603.30**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-1212	**663.30**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-1230	**663.30**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-1302	**723.30**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-1320	**723.30**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-2022	**543.30**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0W-2040	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-2112	**603.30**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-2130	**603.30**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-2202	**663.30**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-2220	**663.30**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0W-2310	**723.30**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0W-2400	**783.30**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-3012	**543.30**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0W-3030	**543.30**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-3102	**603.30**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-3120	**603.30**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0W-3210	**663.30**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0W-3300	**723.30**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0W-4002	**543.30**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0W-4020	**543.30**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0W-4110	**603.30**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0W-4200	**663.30**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0W-5010	**543.30**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0W-5100	**603.30**
						6 Power Receptacles	J, K	EUE1-HF0W-6000	**543.30**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0B-1010	**$754.56**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0B-1100	**814.56**
						2 Power Receptacles	A, B	EUE1-HL0B-2000	**754.56**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0B-1012	**$754.56**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0B-1030	**754.56**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0B-1102	**814.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0B-1120	**814.56**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0B-1300	**934.56**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0B-2002	**754.56**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0B-2020	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0B-2110	**814.56**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0B-2200	**874.56**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0B-3010	**754.56**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0B-3100	**814.56**
						4 Power Receptacles	F, V	EUE1-HL0B-4000	**754.56**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1032	**$754.56**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0B-1050	**754.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1122	**814.56**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0B-1140	**814.56**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-1212	**874.56**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-1230	**874.56**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-1302	**934.56**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-1320	**934.56**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-2022	**754.56**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0B-2040	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-2112	**814.56**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-2130	**814.56**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-2202	**874.56**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-2220	**874.56**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0B-2310	**934.56**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0B-2400	**994.56**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-3012	**754.56**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0B-3030	**754.56**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-3102	**814.56**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-3120	**814.56**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0B-3210	**874.56**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0B-3300	**934.56**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0B-4002	**754.56**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0B-4020	**754.56**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0B-4110	**814.56**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0B-4200	**874.56**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0B-5010	**754.56**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0B-5100	**814.56**
						6 Power Receptacles	J, K	EUE1-HL0B-6000	**754.56**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0W-1010	**$592.32**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0W-1100	**652.32**
						2 Power Receptacles	A, B	EUE1-HL0W-2000	**592.32**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0W-1012	**$592.32**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0W-1030	**592.32**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0W-1102	**652.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0W-1120	**652.32**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0W-1300	**772.32**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0W-2002	**592.32**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0W-2020	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0W-2110	**652.32**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0W-2200	**712.32**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0W-3010	**592.32**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0W-3100	**652.32**
						4 Power Receptacles	F, V	EUE1-HL0W-4000	**592.32**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1032	**$592.32**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0W-1050	**592.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1122	**652.32**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0W-1140	**652.32**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-1212	**712.32**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-1230	**712.32**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-1302	**772.32**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-1320	**772.32**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-2022	**592.32**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0W-2040	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-2112	**652.32**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-2130	**652.32**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-2202	**712.32**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-2220	**712.32**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0W-2310	**772.32**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0W-2400	**832.32**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-3012	**592.32**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0W-3030	**592.32**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-3102	**652.32**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-3120	**652.32**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0W-3210	**712.32**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0W-3300	**772.32**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0W-4002	**592.32**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0W-4020	**592.32**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0W-4110	**652.32**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0W-4200	**712.32**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0W-5010	**592.32**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0W-5100	**652.32**
						6 Power Receptacles	J, K	EUE1-HL0W-6000	**592.32**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

4-Port:



EUE2-HF0B-2110

6-Port:



EUE2-HF0B-1212

c UL us

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top frame is flush mounted with two spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Note two conduit feeds are provided from the double-sided flip top unit.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0B-1012	**$1245.85**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0B-1030	**1245.85**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0B-1102	**1305.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0B-1120	**1305.85**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0B-1300	**1425.85**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0B-2002	**1245.85**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0B-2020	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0B-2110	**1305.85**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0B-2200	**1365.85**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0B-3010	**1245.85**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0B-3100	**1305.85**
						4 Power Receptacles	M, P	EUE2-HF0B-4000	**1245.85**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1032	**$1245.85**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0B-1050	**1245.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1122	**1305.85**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0B-1140	**1305.85**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-1212	**1365.85**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-1230	**1365.85**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-1302	**1425.85**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-1320	**1425.85**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-2022	**1245.85**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0B-2040	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-2112	**1305.85**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-2130	**1305.85**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-2202	**1365.85**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-2220	**1365.85**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-2310	**1425.85**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0B-2400	**1485.85**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-3012	**1245.85**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0B-3030	**1245.85**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-3102	**1305.85**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-3120	**1305.85**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-3210	**1365.85**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0B-3300	**1425.85**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0B-4002	**1245.85**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0B-4020	**1245.85**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-4110	**1305.85**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0B-4200	**1365.85**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0B-5010	**1245.85**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0B-5100	**1305.85**
						6 Power Receptacles	Q, V	EUE2-HF0B-6000	**1245.85**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0W-1012	**$1083.61**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0W-1030	**1083.61**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0W-1102	**1143.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0W-1120	**1143.61**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0W-1300	**1263.61**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0W-2002	**1083.61**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0W-2020	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0W-2110	**1143.61**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0W-2200	**1203.61**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0W-3010	**1083.61**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0W-3100	**1143.61**
						4 Power Receptacles	M, P	EUE2-HF0W-4000	**1083.61**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1032	**$1083.61**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0W-1050	**1083.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1122	**1143.61**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0W-1140	**1143.61**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-1212	**1203.61**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-1230	**1203.61**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-1302	**1263.61**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-1320	**1263.61**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-2022	**1083.61**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0W-2040	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-2112	**1143.61**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-2130	**1143.61**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-2202	**1203.61**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-2220	**1203.61**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-2310	**1263.61**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0W-2400	**1323.61**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-3012	**1083.61**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0W-3030	**1083.61**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-3102	**1143.61**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-3120	**1143.61**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-3210	**1203.61**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0W-3300	**1263.61**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0W-4002	**1083.61**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0W-4020	**1083.61**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-4110	**1143.61**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0W-4200	**1203.61**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0W-5010	**1083.61**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0W-5100	**1143.61**
						6 Power Receptacles	Q, V	EUE2-HF0W-6000	**1083.61**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0B-1012	**$1294.87**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0B-1030	**1294.87**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0B-1102	**1354.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0B-1120	**1354.87**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0B-1300	**1474.87**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0B-2002	**1294.87**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0B-2020	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0B-2110	**1354.87**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0B-2200	**1414.87**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0B-3010	**1294.87**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0B-3100	**1354.87**
						4 Power Receptacles	M, P	EUE2-HL0B-4000	**1294.87**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1032	**$1294.87**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0B-1050	**1294.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1122	**1354.87**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0B-1140	**1354.87**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-1212	**1414.87**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-1230	**1414.87**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-1302	**1474.87**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-1320	**1474.87**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-2022	**1294.87**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0B-2040	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-2112	**1354.87**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-2130	**1354.87**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-2202	**1414.87**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-2220	**1414.87**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-2310	**1474.87**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0B-2400	**1534.87**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-3012	**1294.87**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0B-3030	**1294.87**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-3102	**1354.87**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-3120	**1354.87**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-3210	**1414.87**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0B-3300	**1474.87**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0B-4002	**1294.87**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0B-4020	**1294.87**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-4110	**1354.87**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0B-4200	**1414.87**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0B-5010	**1294.87**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0B-5100	**1354.87**
						6 Power Receptacles	Q, V	EUE2-HL0B-6000	**1294.87**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0W-1012	**$1132.63**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0W-1030	**1132.63**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0W-1102	**1192.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0W-1120	**1192.63**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0W-1300	**1312.63**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0W-2002	**1132.63**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0W-2020	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0W-2110	**1192.63**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0W-2200	**1252.63**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0W-3010	**1132.63**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0W-3100	**1192.63**
						4 Power Receptacles	M, P	EUE2-HL0W-4000	**1132.63**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1032	**$1132.63**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0W-1050	**1132.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1122	**1192.63**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0W-1140	**1192.63**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-1212	**1252.63**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-1230	**1252.63**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-1302	**1312.63**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-1320	**1312.63**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-2022	**1132.63**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0W-2040	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-2112	**1192.63**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-2130	**1192.63**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-2202	**1252.63**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-2220	**1252.63**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-2310	**1312.63**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0W-2400	**1372.63**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-3012	**1132.63**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0W-3030	**1132.63**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-3102	**1192.63**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-3120	**1192.63**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-3210	**1252.63**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0W-3300	**1312.63**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0W-4002	**1132.63**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0W-4020	**1132.63**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-4110	**1192.63**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0W-4200	**1252.63**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0W-5010	**1132.63**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0W-5100	**1192.63**
						6 Power Receptacles	Q, V	EUE2-HL0W-6000	**1132.63**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical Components

Cables

Cables



EUDX-H000-B



EUDX-V000-B

EUDX-3000-B

Length	Description	Color	Number	Price
HDMI Coupler				
N/A	HDMI	Black	EUDX-H000-B	**$130.00**
N/A	HDMI	White	EUDX-H000-W	**130.00**
VGA Cable				
120″(3048mm)	VGA	Black	EUDX-V000-B	**$156.00**
	VGA	White	EUDX-V000-W	**156.00**
Audio Cable — 3.5mm				
120″(3048mm)	VGA	Black	EUDX-3000-B	**$ 36.40**
	VGA	White	EUDX-3000-W	**36.40**

Features

- Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable.
- Installs in an open data port in one of the following products:
  - –Flip Top Unit
  - –Double Sided Flip Top Unit
  - –Quick Connect Power
  - –Workware Interface Module
  - –Flush Mount Module
  - –Enhanced Power Module

Specification Tips

- Provides communication between components: i.e. laptop, processor, monitor, etc.
- HDMI transmits digital video signals.
- VGA transmits analog video signals without audio.

To Order, Specify:

1) Product number.
(No finish specification required.)

Retrofit USB Charging Cable



EUDX-3000-B

72″(1829mm)		Black	EUDX-U000-B	**$93.60**
		White	EUDX-U000-W	**93.60**

Features

- Includes one USB charging simplex (with two USB outlets) with 72″(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
  - –Flip Top Unit
  - –Double Sided Flip Top Unit
  - –Quick Connect Power
  - –Workware Interface Module
  - –Flush Mount Module
  - –Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:

1) Product number.
(No finish specification required.)