Panel Connectors and Trim Covers

3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover

Width	Height	Painted Cover Number ❶	Trim A	Fabric Cover Number ❶	Trim A Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	42″(1067mm)	NS3P-42-S	**$359.83**	NS3F-42-S	**$434.61**	**$446.60**	**$458.69**	**$487.63**	**$506.93**	**$517.75**
	48″(1219mm)	NS3P-48-S	**364.69**	NS3F-48-S	**439.47**	**451.64**	**463.97**	**493.45**	**513.11**	**524.11**
	64″(1626mm)	NS3P-64-S	**377.65**	NS3F-64-S	**452.43**	**465.08**	**478.05**	**508.97**	**529.59**	**541.07**
	80″(2032mm)	NS3P-80-S	**435.02**	NS3F-80-S	**509.80**	**522.93**	**536.54**	**568.90**	**590.48**	**602.44**
Grooved — Painted Top Cap										
3″(76mm)	42″(1067mm)	NS3P-42-G	**$365.67**	NS3F-42-G	**$440.45**	**$452.44**	**$464.53**	**$493.47**	**$512.77**	**$523.59**
	48″(1219mm)	NS3P-48-G	**370.53**	NS3F-48-G	**445.31**	**457.48**	**469.81**	**499.29**	**518.95**	**529.95**
	64″(1626mm)	NS3P-64-G	**383.49**	NS3F-64-G	**458.27**	**470.92**	**483.89**	**514.81**	**535.43**	**546.91**
	80″(2032mm)	NS3P-80-G	**440.86**	NS3F-80-G	**515.64**	**528.77**	**542.38**	**574.74**	**596.32**	**608.28**
Wood Top Cap — Wood Group A										
3″(76mm)	42″(1067mm)	NS3P-42-W	**$486.03**	NS3F-42-W	**$560.81**	**$572.80**	**$584.89**	**$613.83**	**$633.13**	**$643.95**
	48″(1219mm)	NS3P-48-W	**490.89**	NS3F-48-W	**565.67**	**577.84**	**590.17**	**619.65**	**639.31**	**650.31**
	64″(1626mm)	NS3P-64-W	**503.85**	NS3F-64-W	**578.63**	**591.28**	**604.25**	**635.17**	**655.79**	**667.27**
	80″(2032mm)	NS3P-80-W	**561.22**	NS3F-80-W	**636.00**	**649.13**	**662.74**	**695.10**	**716.68**	**728.64**
Wood Top Cap — Wood Group B										
3″(76mm)	42″(1067mm)	NS3P-42-W	**$508.23**	NS3F-42-W	**$583.01**	**$595.00**	**$607.09**	**$636.03**	**$655.33**	**$666.15**
	48″(1219mm)	NS3P-48-W	**513.09**	NS3F-48-W	**587.87**	**600.04**	**612.37**	**641.85**	**661.51**	**672.51**
	64″(1626mm)	NS3P-64-W	**526.05**	NS3F-64-W	**600.83**	**613.48**	**626.45**	**657.37**	**677.99**	**689.47**
	80″(2032mm)	NS3P-80-W	**583.42**	NS3F-80-W	**658.20**	**671.33**	**684.94**	**717.30**	**738.88**	**750.84**

List price shown is with base raceway.

Width	Height	Painted Cover Number ❶	Trim B	Fabric Cover Number ❶	Trim B Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	42″(1067mm)	NS3P-42-S	**$365.57**	NS3F-42-S	**$437.98**	**$449.97**	**$462.06**	**$491.00**	**$510.30**	**$521.12**
	48″(1219mm)	NS3P-48-S	**371.15**	NS3F-48-S	**442.84**	**455.01**	**467.34**	**496.82**	**516.48**	**527.48**
	64″(1626mm)	NS3P-64-S	**386.03**	NS3F-64-S	**455.80**	**468.45**	**481.42**	**512.34**	**532.96**	**544.44**
	80″(2032mm)	NS3P-80-S	**445.32**	NS3F-80-S	**513.17**	**526.30**	**539.91**	**572.27**	**593.85**	**605.81**
Grooved — Painted Top Cap										
3″(76mm)	42″(1067mm)	NS3P-42-G	**$371.41**	NS3F-42-G	**$443.82**	**$455.81**	**$467.90**	**$496.84**	**$516.14**	**$526.96**
	48″(1219mm)	NS3P-48-G	**376.99**	NS3F-48-G	**448.68**	**460.85**	**473.18**	**502.66**	**522.32**	**533.32**
	64″(1626mm)	NS3P-64-G	**391.87**	NS3F-64-G	**461.64**	**474.29**	**487.26**	**518.18**	**538.80**	**550.28**
	80″(2032mm)	NS3P-80-G	**451.16**	NS3F-80-G	**519.01**	**532.14**	**545.75**	**578.11**	**599.69**	**611.65**
Wood Top Cap — Wood Group A										
3″(76mm)	42″(1067mm)	NS3P-42-W	**$490.65**	NS3F-42-W	**$563.06**	**$575.05**	**$587.14**	**$616.08**	**$635.38**	**$646.20**
	48″(1219mm)	NS3P-48-W	**496.23**	NS3F-48-W	**567.92**	**580.09**	**592.42**	**621.90**	**641.56**	**652.56**
	64″(1626mm)	NS3P-64-W	**511.11**	NS3F-64-W	**580.88**	**593.53**	**606.50**	**637.42**	**658.04**	**669.52**
	80″(2032mm)	NS3P-80-W	**570.40**	NS3F-80-W	**638.25**	**651.38**	**664.99**	**697.35**	**718.93**	**730.89**
Wood Top Cap — Wood Group B										
3″(76mm)	42″(1067mm)	NS3P-42-W	**$512.85**	NS3F-42-W	**$585.26**	**$597.25**	**$609.34**	**$638.28**	**$657.58**	**$668.40**
	48″(1219mm)	NS3P-48-W	**518.43**	NS3F-48-W	**590.12**	**602.29**	**614.62**	**644.10**	**663.76**	**674.76**
	64″(1626mm)	NS3P-64-W	**533.31**	NS3F-64-W	**603.08**	**615.73**	**628.70**	**659.62**	**680.24**	**691.72**
	80″(2032mm)	NS3P-80-W	**592.60**	NS3F-80-W	**660.45**	**673.58**	**687.19**	**719.55**	**741.13**	**753.09**

List price shown is with base raceway.

Panel Connectors and Trim Covers

3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover

		Wood Cover Number ❶	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
Grooved — Painted Top Cap						
3″(76mm)	42″(1067mm)	NS3W-42-G	**$557.32**	**$560.69**	**$560.82**	**$564.19**
	48″(1219mm)	NS3W-48-G	**562.18**	**565.55**	**565.68**	**569.05**
	64″(1626mm)	NS3W-64-G	**575.14**	**578.51**	**578.64**	**582.01**
	80″(2032mm)	NS3W-80-G	**632.51**	**635.88**	**636.01**	**639.38**
Wood Top Cap						
3″(76mm)	42″(1067mm)	NS3W-42-W	**$677.68**	**$679.93**	**$703.38**	**$705.63**
	48″(1219mm)	NS3W-48-W	**682.54**	**684.79**	**708.24**	**710.49**
	64″(1626mm)	NS3W-64-W	**695.50**	**697.75**	**721.20**	**723.45**
	80″(2032mm)	NS3W-80-W	**752.87**	**755.12**	**778.57**	**780.82**

List price shown is with base raceway.

Panel Connectors and Trim Covers

3-Way 120°, Full-Height Connector

3-Way 120°, Full-Height Connector





NLA-SN
NLA-GN



NLA-S1
NLA-G1



NLA-S3
NLA-G3

Width	Height	Number ❶	Trim A	Trim B
Standard — Painted Top Cap				
3″(76mm)	32″(813mm)	NLA-32-S	**$397.73**	**$416.33**
	42″(1067mm)	NLA-42-S	**423.33**	**441.93**
	48″(1219mm)	NLA-48-S	**436.13**	**454.73**
	53″(1346mm)	NLA-53-S	**448.93**	**467.53**
	64″(1626mm)	NLA-64-S	**474.53**	**493.13**
	80″(2032mm)	NLA-80-S	**500.13**	**518.73**
Grooved — Painted Top Cap				
3″(76mm)	32″(813mm)	NLA-32-G	**$407.04**	**$425.64**
	42″(1067mm)	NLA-42-G	**432.64**	**451.24**
	48″(1219mm)	NLA-48-G	**445.44**	**464.04**
	53″(1346mm)	NLA-53-G	**458.24**	**476.84**
	64″(1626mm)	NLA-64-G	**483.84**	**502.44**
	80″(2032mm)	NLA-80-G	**509.44**	**528.04**

List price shown is with base raceway.

Features

- **Base raceway panel connector** includes top cap, light blocks, base raceway cover, leveling glides, carpet grippers, slotted connectors and corner connectors, with appropriate number of top cap to corner aligners.
- **Open base panel connector** includes top cap, light blocks, vertical cover, leveling glides, carpet grippers, slotted connectors and corner connectors with appropriate number of top cap to corner aligners, and appropriate number of connector sleeves.
- Connects foundation elements, stack kits, or stack pads in a 3-way 120° intersection.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Connectors shipped assembled.
- Connector sleeves must be assembled onto the connector prior to panel installation.

Specification Tips

- **When used to connect monolithic panels of different heights in a 3-way 120° intersection, specify full-height connector to match the height of tallest panel.**
- **When used to connect a stackable panel configuration with stack kit(s) or stack pad(s) in a 3-way 120° intersection, specify full-height connector to match the height of tallest panel.**
- Specify variable-height cover for exposed portion of connector that extends above the shorter panel.
- **May not be used with extended connectors.**
- Connector assembly must be replaced to convert to an in-line, or 90° condition.
- Specify **-(G_) for grooved option** if any panel top cap within the intersection is grooved.
- Specify **-(S_) for standard option** if all panel top caps within the intersection are standard.
- Specify **-(_1, 2 or 3) for open base option** to match the number of panels within the intersection which are open base.
- Specify **-(_N) for base raceway option** if all panels within the intersection are standard base raceways.
- Standard connector top cap and the grooved connector top cap are aesthetically the same; smooth top cap surface without grooves.
- For open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.
- For segmented trim applications, specify covers separately through eParts.

To Order, Specify:

1) Product number.
2) Trim color for upper connector sleeve(s).*
3) Trim color for top cap.*

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify a base raceway, place an **N** suffix as the **7th digit** in the product number.

Examples:

NLA-42-S**N** = Standard top cap; three base raceway panels
NLA-42-G**N** = Grooved top cap; three base raceway panels

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify open base, place a **1** for one open base panel as the **7th digit** in the product number and add **$64.27** list, or **2** for two open base panels as the **7th digit** in the product number and add **$128.54** list, or **3** for three open base panels as the **7th digit** in the product number and add **$192.81** list.

Examples:

NLA-42-S**1** = Standard top cap; one open base panel
NLA-42-S**2** = Standard top cap; two open base panels
NLA-42-S**3** = Standard top cap; three open base panels
NLA-42-G**1** = Grooved top cap; one open base panel
NLA-42-G**2** = Grooved top cap; two open base panels
NLA-42-G**3** = Grooved top cap; three open base panels

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

3-Way 90°, Extended Connector with Cover

Width	Height	Painted Cover Number	Trim A	Trim B	Fabric Cover Number	Fabric Grade A	B	C	E	F	G
3″(76mm)	10″(254mm)	NX3P-10 ■	$276.92	$295.62	NX3F-10 ■	$325.99	$333.00	$342.35	$359.88	$371.56	$378.57
	16″(406mm)	NX3P-16 ■	286.27	304.97	NX3F-16 ■	368.05	375.06	384.41	401.94	413.62	420.63

Width	Height	Wood Cover Number	Wood Group A	Wood Group B
3″(76mm)	10″(254mm)	NX3W-10	$411.28	$435.82
	16″(406mm)	NX3W-16	495.40	519.94



Stack Kit Top View



10″ Connector



16″ Connector

Features

- Includes slotted connectors, light blocks, cover (no top cap), and corner connector.
- Connects stack kits in a 3-way condition.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Specify connector to match stack kit height.
- Must be used in conjunction with a 3-way 90° connector.
- Specify variable-height cover for exposed portion if connector extends above shorter panel.
- 10″(254mm) high connector can only be used at the top of a panel configuration. Will not accept additional connectors.
- **Cannot be used to attach foundation elements.**

To Order, Specify:

With Painted Cover

1) Product number.
2) Trim color for cover.

With Fabric Cover

1) Product number.
2) Fabric/colorway for cover.

With Wood Cover

1) Product number.
2) Wood finish for cover.

NX3P
NX3F
NX3W

This page intentionally blank

Panel Connectors and Trim Covers

4-Way 90°, Full-Height Connector



Top View



NL4-SN
NL4-GN
NL4-WN





NL4-S1 NL4-G1 NL4-W1
NL4-S2 NL4-G2 NL4-W2
NL4-S3 NL4-G3 NL4-W3
NL4-S4 NL4-G4 NL4-W4

Features

- **Base raceway panel connector** includes top cap, light blocks, leveling glides, carpet grippers, slotted connectors and corner connectors, with appropriate number of top cap to corner aligners.
- **Open base panel connector** includes top cap, light blocks, leveling glides, carpet grippers, slotted connectors and corner connectors with appropriate number of top cap to corner aligners, and appropriate number of connector sleeves.
- Connects foundation elements, stack kits, or stack pads in a 4-way 90° intersection.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Connectors shipped assembled.
- Connector sleeves must be assembled onto the connector prior to panel installation.

■ Available on RUSH.

Specification Tips

- **When used to connect panel configurations of different heights in a 4-way 90° intersection, specify full-height connector to match the height of tallest panel configuration.**
- **When used to connect a stackable panel configuration with stack kit(s) or stack pad(s) in a 4-way 90° intersection, at a minimum specify full-height connector to match the height of tallest foundation element within the intersection. In addition, separately specify 4-way extended connectors for upper structure if applicable. Or specify full-height connector to match the height of the tallest panel configuration within the intersection. Refer to the specification guide for details.**
- May be used in conjunction with 4-way extended connectors.
- Specify variable-height cover for each exposed side of the connector that extends above the lowest panel.
- Specify **-(G_) for grooved option** if any panel top cap within the intersection is grooved.
- Specify **-(S_) for standard option** if all panel top caps within the intersection are standard.
- Specify **-(_1, 2, 3 or 4) for open base option** to match the number of panels within the intersection which are open base.
- Specify **-(_N) for base raceway option** if all panels within the intersection are standard base raceways.
- Standard connector top cap and the grooved connector top cap are aesthetically the same; smooth top cap surface without grooves.
- For open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.
- **58″ panel connector allows for the following stack configurations:**
  –32″ foundation element with 10″ and 16″ stack kit.
  (NOTE: 10″ stack kit can be above or below the 16″ stack kit.)
  –42″ foundation element with 16″ stack
  –48″ foundation element with 10″ stack
- For segmented trim applications, specify covers separately through eParts.
- Heights will not line-up using 58″ height configuration when a 32″ foundation element is used.

To Order, Specify:

Standard or Grooved Top Cap

1) Product number.
2) Trim color for upper connector sleeve(s) (if applicable).*
3) Trim color for top cap.*

Wood Top Cap

1) Product number.
2) Trim color for upper sleeve(s) (if applicable).*
3) Wood finish for top cap.

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify a base raceway, place an **N** suffix as the **7th digit** in the product number.

Examples:

NL4-42-S**N** = Standard top cap; four base raceway panels
NL4-42-G**N** = Grooved top cap; four base raceway panels

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify open base, place a **1** for one open base panel as the **7th digit** in the product number and add **$64.27** list, or **2** for two open base panels as the **7th digit** in the product number and add **$128.54** list, or **3** for three open base panels as the **7th digit** in the product number and add **$192.81** list, or **4** for four open base panels as the **7th digit** in the product number and add **$260.05** list.

Examples:

NL4-42-S**1** = Standard top cap; one open base panel
NL4-42-S**2** = Standard top cap; two open base panels
NL4-42-S**3** = Standard top cap; three open base panels
NL4-42-S**4** = Standard top cap; four open base panels
NL4-42-G**1** = Grooved top cap; one open base panel
NL4-42-G**2** = Grooved top cap; two open base panels
NL4-42-G**3** = Grooved top cap; three open base panels
NL4-42-G**4** = Grooved top cap; four open base panels

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

4-Way 90°, Full-Height Connector

Width	Height	Number [1]	Trim A	Trim B
Standard — Painted Top Cap				
3″(76mm)	32″(813mm)	NL4-32-S	**$377.95**	**$396.55**
	42″(1067mm)	NL4-42-S	**401.21**	**419.81**
	48″(1219mm)	NL4-48-S	**412.84**	**431.44**
	53″(1346mm)	NL4-53-S	**424.47**	**443.07**
	58″(1473mm)	NL4-58-S	**436.10**	**454.70**
	64″(1626mm)	NL4-64-S	**447.73**	**466.33**
	80″(2032mm)	NL4-80-S	**470.99**	**489.59**
Grooved — Painted Top Cap				
3″(76mm)	32″(813mm)	NL4-32-G	**$387.26**	**$405.86**
	42″(1067mm)	NL4-42-G	**410.52**	**429.12**
	48″(1219mm)	NL4-48-G	**422.15**	**440.75**
	53″(1346mm)	NL4-53-G	**433.78**	**452.38**
	58″(1473mm)	NL4-58-G	**445.41**	**464.01**
	64″(1626mm)	NL4-64-G	**457.04**	**475.64**
	80″(2032mm)	NL4-80-G	**480.30**	**498.90**

List price shown is with base raceway.

		Wood Cover Number [1]	Wood Group A	Wood Group B
Wood Top Cap				
3″(76mm)	32″(813mm)	NL4-32-W	**$507.04**	**$529.25**
	42″(1067mm)	NL4-42-W	**530.30**	**552.51**
	48″(1219mm)	NL4-48-W	**541.93**	**564.14**
	53″(1346mm)	NL4-53-W	**553.56**	**575.77**
	58″(1473mm)	NL4-58-W	**565.19**	**587.40**
	64″(1626mm)	NL4-64-W	**576.82**	**599.03**
	80″(2032mm)	NL4-80-W	**600.08**	**622.29**

List price shown is with base raceway.

Panel Connectors and Trim Covers

4-Way 90°, Extended Connector



Stack Kit Top View



10″ Connector

NX4-10



16″ Connector

NX4-16

Width	Height	Number	Price
3″(76mm)	10″(254mm)	NX4-10 ■	**$316.68**
	16″(406mm)	NX4-16 ■	**329.59**

Features

- Includes slotted connectors (no top cap), light blocks, and corner connector.
- Connects stack kits in a 4-way condition.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Specify connector to match stack kit height.
- Must be used in conjunction with a 4-way 90° connector.
- Specify variable-height cover for exposed portion if connector extends above shorter panel.
- 10″(254mm) high connector can only be used at the top of a panel configuration. Will not accept additional connectors.
- **Cannot be used to attach foundation elements.**

To Order, Specify:

1) Product number.
(No finish specification required.)

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Full-Height Cover



Top View



NLRP-SN
NLRF-SN
NLRP-GN
NLRF-GN
NLRW-GN
NLRP-WN
NLRF-WN
NLRW-WN



NLRP-S1
NLRF-S1
NLRP-G1
NLRF-G1
NLRW-G1
NLRP-W1
NLRF-W1
NLRW-W1

Features

- **Base raceway panel connector** includes top cap, vertical cover, base raceway cover, leveling glide, carpet gripper, and slotted connectors.
- **Open base panel connector** includes top cap, vertical cover, leveling glide, carpet gripper, slotted connector and connector sleeve.
- Supports the end of a panel configuration and provides a finished appearance.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Connectors shipped assembled.
- Connector sleeves must be assembled onto the connector prior to panel installation.

■ Available on RUSH.

Specification Tips

- **When applied to panel configurations with or without stack kits or stack pads, at a minimum specify the full-height connector to match the foundation element. In addition separately specify extended End-of-Run Connectors for upper structure if applicable. Or specify the full-height connector to match the height of the panel configuration.**
- May be used in conjunction with end-of-run extended connectors.
- Specify **-(G_) for grooved option** if the adjacent panel top cap is grooved.
- Specify **-(S_) for standard option** if the adjacent panel top cap is standard.
- Specify **-(_1) for open base option** if the adjacent panel is an open base.
- Specify **-(_N) for base raceway option** if the adjacent panel is standard base raceway.
- Standard connector top cap and the grooved connector top cap are aesthetically the same; smooth top cap surface without grooves.
- For open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.
- **58″ panel connector allows for the following stack configurations:**
  –32″ foundation element with 10″ and 16″ stack kit.
  (NOTE: 10″ stack kit can be above or below the 16″ stack kit.)
  –42″ foundation element with 16″ stack
  –48″ foundation element with 10″ stack
- For segmented trim applications, specify covers separately through eParts.
- Heights will not line-up using 58″ height configuration when a 32″ foundation element is used.

To Order, Specify:

Standard or Grooved Top Cap w/Painted Cover
1) Product number.
2) Trim color for cover.*
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Standard or Grooved Top Cap w/Fabric Cover
1) Product number.
2) Fabric/colorway for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Grooved Top Cap w/Wood Cover
1) Product number.
2) Wood finish for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Wood Top Cap w/Painted Cover
1) Product number.
2) Trim color for cover.*
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

Wood Top Cap w/Fabric Cover
1) Product number.
2) Fabric/colorway for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

Wood Top Cap w/Wood Cover
1) Product number.
2) Wood finish for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify a base raceway, place an **N** suffix as the **8th digit** in the product number.

Examples:
NLRP-42-S**N** = Standard top cap; base raceway panel
NLRP-42-G**N** = Grooved top cap; base raceway panel

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify open base, place a **1** for one open base panel as the **8th digit** in the product number and add **$64.27** list.

Examples:
NLRP-42-S**1** = Standard top cap; one open base panel
NLRP-42-G**1** = Grooved top cap; one open base panel

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Full-Height Cover

Width	Height	Painted Cover Number ❶	Trim A	Fabric Cover Number ❶	Trim A Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	32″(813mm)	NLRP-32-S	$ 89.97	NLRF-32-S	$133.21	$140.21	$147.23	$162.42	$172.94	$179.94
	42″(1067mm)	NLRP-42-S	92.27	NLRF-42-S	135.51	142.81	150.23	166.32	177.44	184.74
	48″(1219mm)	NLRP-48-S	93.65	NLRF-48-S	136.89	144.37	152.03	168.66	180.14	187.62
	53″(1346mm)	NLRP-53-S	94.80	NLRF-53-S	138.04	145.67	153.53	170.61	182.39	190.02
	58″(1473mm)	NLRP-58-S	95.95	NLRF-58-S	139.19	146.97	155.03	172.56	184.64	192.42
	64″(1626mm)	NLRP-64-S	97.33	NLRF-64-S	140.57	148.53	156.83	174.90	187.34	195.30
	80″(2032mm)	NLRP-80-S	113.87	NLRF-80-S	157.11	165.55	174.49	194.00	207.40	215.84
Grooved — Painted Top Cap										
3″(76mm)	32″(813mm)	NLRP-32-G	$ 95.81	NLRF-32-G	$139.05	$146.05	$153.07	$168.26	$178.78	$185.78
	42″(1067mm)	NLRP-42-G	98.11	NLRF-42-G	141.35	148.65	156.07	172.16	183.28	190.58
	48″(1219mm)	NLRP-48-G	99.49	NLRF-48-G	142.73	150.21	157.87	174.50	185.98	193.46
	53″(1346mm)	NLRP-53-G	100.64	NLRF-53-G	143.88	151.51	159.37	176.45	188.23	195.86
	58″(1473mm)	NLRP-58-G	101.79	NLRF-58-G	145.03	152.81	160.87	178.40	190.48	198.26
	64″(1626mm)	NLRP-64-G	103.17	NLRF-64-G	146.41	154.37	162.67	180.74	193.18	201.14
	80″(2032mm)	NLRP-80-G	119.71	NLRF-80-G	162.95	171.39	180.33	199.84	213.24	221.68

List price shown is with base raceway.

Width	Height	Painted Cover Number ❶	Trim B	Fabric Cover Number ❶	Trim B Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	32″(813mm)	NLRP-32-S	$ 94.51	NLRF-32-S	$136.58	$143.58	$150.60	$165.79	$176.31	$183.31
	42″(1067mm)	NLRP-42-S	98.01	NLRF-42-S	138.88	146.18	153.60	169.69	180.81	188.11
	48″(1219mm)	NLRP-48-S	100.11	NLRF-48-S	140.26	147.74	155.40	172.03	183.51	190.99
	53″(1346mm)	NLRP-53-S	101.86	NLRF-53-S	141.41	149.04	156.90	173.98	185.76	193.39
	58″(1473mm)	NLRP-58-S	103.61	NLRF-58-S	142.56	150.34	158.40	175.93	188.01	195.79
	64″(1626mm)	NLRP-64-S	105.71	NLRF-64-S	143.94	151.90	160.20	178.27	190.71	198.67
	80″(2032mm)	NLRP-80-S	124.17	NLRF-80-S	160.48	168.92	177.86	197.37	210.77	219.21
Grooved — Painted Top Cap										
3″(76mm)	32″(813mm)	NLRP-32-G	$100.35	NLRF-32-G	$142.42	$149.42	$156.44	$171.63	$182.15	$189.15
	42″(1067mm)	NLRP-42-G	103.85	NLRF-42-G	144.72	152.02	159.44	175.53	186.65	193.95
	48″(1219mm)	NLRP-48-G	105.95	NLRF-48-G	146.10	153.58	161.24	177.87	189.35	196.83
	53″(1346mm)	NLRP-53-G	107.70	NLRF-53-G	147.25	154.88	162.74	179.82	191.60	199.23
	58″(1473mm)	NLRP-58-G	109.45	NLRF-58-G	148.40	156.18	164.24	181.77	193.85	201.63
	64″(1626mm)	NLRP-64-G	111.55	NLRF-64-G	149.78	157.74	166.04	184.11	196.55	204.51
	80″(2032mm)	NLRP-80-G	130.01	NLRF-80-G	166.32	174.76	183.70	203.21	216.61	225.05

List price shown is with base raceway.

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Full-Height Cover

		Wood Cover Number ❶	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
Grooved — Painted Top Cap						
3″(76mm)	32″(813mm)	NLRW-32-G	**$205.66**	**$209.03**	**$209.16**	**$212.53**
	42″(1067mm)	NLRW-42-G	**207.96**	**211.33**	**211.46**	**214.83**
	48″(1219mm)	NLRW-48-G	**209.34**	**212.71**	**212.84**	**216.21**
	53″(1346mm)	NLRW-53-G	**210.49**	**213.86**	**213.99**	**217.36**
	58″(1473mm)	NLRW-58-G	**211.64**	**215.01**	**215.14**	**218.51**
	64″(1626mm)	NLRW-64-G	**213.02**	**216.39**	**216.52**	**219.89**
	80″(2032mm)	NLRW-80-G	**229.56**	**232.93**	**233.06**	**236.43**
Wood Top Cap						
3″(76mm)	32″(813mm)	NLRW-32-W	**$326.02**	**$328.27**	**$351.72**	**$353.97**
	42″(1067mm)	NLRW-42-W	**328.32**	**330.57**	**354.02**	**356.27**
	48″(1219mm)	NLRW-48-W	**329.70**	**331.95**	**355.40**	**357.65**
	53″(1346mm)	NLRW-53-W	**330.85**	**333.10**	**356.55**	**358.80**
	58″(1473mm)	NLRW-58-W	**332.00**	**334.25**	**357.70**	**359.95**
	64″(1626mm)	NLRW-64-W	**333.38**	**335.63**	**359.08**	**361.33**
	80″(2032mm)	NLRW-80-W	**349.92**	**352.17**	**375.62**	**377.87**

List price shown is with base raceway.

This page intentionally blank

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover



Top View



NSRP-SN
NSRF-SN
NSRP-GN
NSRF-GN
NSRW-GN
NSRP-WN
NSRF-WN
NSRW-WN



NSRP-S1
NSRF-S1
NSRP-G1
NSRF-G1
NSRW-G1
NSRP-W1
NSRF-W1
NSRW-W1

Features

- **Base raceway panel connector** includes top cap, vertical covers, base raceway cover, leveling glide, carpet gripper, and slotted connectors.
- **Open base panel connector** includes top cap, vertical covers, leveling glide, carpet gripper, slotted connector and connector sleeve.
- Supports the end of a panel configuration and provides a finished appearance.
- Provides slots for mounting components.
- Connector reveal is standard in black finish color only.
- Connectors shipped assembled.
- Connector sleeves must be assembled onto the connector prior to panel installation.

Specification Tips

- **When applied to panel configurations with or without stack kits or stack pads, at a minimum specify the full-height connector to match the foundation element. In addition separately specify extended End-of-Run Connectors for upper structure if applicable. Or specify the full-height connector to match the height of the panel configuration.**
- May be used in conjunction with end-of-run extended connectors.
- Specify **-(G_) for grooved option** if the adjacent panel top cap is grooved.
- Specify **-(S_) for standard option** if the adjacent panel top cap is standard.
- Specify **-(_1) for open base option** if the adjacent panel is an open base.
- Specify **-(_N) for base raceway option** if the adjacent panel is standard base raceway.
- Standard connector top cap and the grooved connector top cap are aesthetically the same; smooth top cap surface without grooves.
- For open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.

To Order, Specify:

Standard or Grooved Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Standard or Grooved Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Grooved Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Trim color for top cap.*

Wood Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

Wood Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

Wood Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Trim color for base raceway cover/upper connector sleeve(s).*
4) Wood finish for top cap.

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify a base raceway, place an **N** suffix as the **8th digit** in the product number.

Examples:

NSRP-42-S**N** = Standard top cap; base raceway panel
NSRP-42-G**N** = Grooved top cap; base raceway panel

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify open base, place a **1** for one open base panel as the **8th digit** in the product number and add **$64.27** list.

Examples:

NSRP-42-S**1** = Standard top cap; one open base panel
NSRP-42-G**1** = Grooved top cap; one open base panel

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover

Width	Height	Painted Cover Number ❶	Trim A	Fabric Cover Number ❶	Trim A Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	42″(1067mm)	NSRP-42-S	**$114.48**	NSRF-42-S	**$157.72**	**$165.02**	**$172.44**	**$188.53**	**$199.65**	**$206.95**
	48″(1219mm)	NSRP-48-S	**115.86**	NSRF-48-S	**159.10**	**166.58**	**174.24**	**190.87**	**202.35**	**209.83**
	64″(1626mm)	NSRP-64-S	**119.54**	NSRF-64-S	**162.78**	**170.74**	**179.04**	**197.11**	**209.55**	**217.51**
	80″(2032mm)	NSRP-80-S	**136.08**	NSRF-80-S	**179.32**	**187.76**	**196.70**	**216.21**	**229.61**	**238.05**
Grooved — Painted Top Cap										
3″(76mm)	42″(1067mm)	NSRP-42-G	**$120.32**	NSRF-42-G	**$163.56**	**$170.86**	**$178.28**	**$194.37**	**$205.49**	**$212.79**
	48″(1219mm)	NSRP-48-G	**121.70**	NSRF-48-G	**164.94**	**172.42**	**180.08**	**196.71**	**208.19**	**215.67**
	64″(1626mm)	NSRP-64-G	**125.38**	NSRF-64-G	**168.62**	**176.58**	**184.88**	**202.95**	**215.39**	**223.35**
	80″(2032mm)	NSRP-80-G	**141.92**	NSRF-80-G	**185.16**	**193.60**	**202.54**	**222.05**	**235.45**	**243.89**
Wood Top Cap — Wood Group A										
3″(76mm)	42″(1067mm)	NSRP-42-W	**$172.91**	NSRF-42-W	**$216.15**	**$223.45**	**$230.87**	**$246.96**	**$258.08**	**$265.38**
	48″(1219mm)	NSRP-48-W	**174.29**	NSRF-48-W	**217.53**	**225.01**	**232.67**	**249.30**	**260.78**	**268.26**
	64″(1626mm)	NSRP-64-W	**177.97**	NSRF-64-W	**221.21**	**229.17**	**237.47**	**255.54**	**267.98**	**275.94**
	80″(2032mm)	NSRP-80-W	**194.51**	NSRF-80-W	**237.75**	**246.19**	**255.13**	**274.64**	**288.04**	**296.48**
Wood Top Cap — Wood Group B										
3″(76mm)	42″(1067mm)	NSRP-42-W	**$183.42**	NSRF-42-W	**$226.66**	**$233.96**	**$241.38**	**$257.47**	**$268.59**	**$275.89**
	48″(1219mm)	NSRP-48-W	**184.80**	NSRF-48-W	**228.04**	**235.52**	**243.18**	**259.81**	**271.29**	**278.77**
	64″(1626mm)	NSRP-64-W	**188.48**	NSRF-64-W	**231.72**	**239.68**	**247.98**	**266.05**	**278.49**	**286.45**
	80″(2032mm)	NSRP-80-W	**205.02**	NSRF-80-W	**248.26**	**256.70**	**265.64**	**285.15**	**298.55**	**306.99**

List price shown is with base raceway.

Width	Height	Painted Cover Number ❶	Trim B	Fabric Cover Number ❶	Trim B Fabric Grade A	B	C	E	F	G
Standard — Painted Top Cap										
3″(76mm)	42″(1067mm)	NSRP-42-S	**$120.22**	NSRF-42-S	**$161.09**	**$168.39**	**$175.81**	**$191.90**	**$203.02**	**$210.32**
	48″(1219mm)	NSRP-48-S	**122.32**	NSRF-48-S	**162.47**	**169.95**	**177.61**	**194.24**	**205.72**	**213.20**
	64″(1626mm)	NSRP-64-S	**127.92**	NSRF-64-S	**166.15**	**174.11**	**182.41**	**200.48**	**212.92**	**220.88**
	80″(2032mm)	NSRP-80-S	**146.38**	NSRF-80-S	**182.69**	**191.13**	**200.07**	**219.58**	**232.98**	**241.42**
Grooved — Painted Top Cap										
3″(76mm)	42″(1067mm)	NSRP-42-G	**$126.06**	NSRF-42-G	**$166.93**	**$174.23**	**$181.65**	**$197.74**	**$208.86**	**$216.16**
	48″(1219mm)	NSRP-48-G	**128.16**	NSRF-48-G	**168.31**	**175.79**	**183.45**	**200.08**	**211.56**	**219.04**
	64″(1626mm)	NSRP-64-G	**133.76**	NSRF-64-G	**171.99**	**179.95**	**188.25**	**206.32**	**218.76**	**226.72**
	80″(2032mm)	NSRP-80-G	**152.22**	NSRF-80-G	**188.53**	**196.97**	**205.91**	**225.42**	**238.82**	**247.26**
Wood Top Cap — Wood Group A										
3″(76mm)	42″(1067mm)	NSRP-42-W	**$177.53**	NSRF-42-W	**$218.40**	**$225.70**	**$233.12**	**$249.21**	**$260.33**	**$267.63**
	48″(1219mm)	NSRP-48-W	**179.63**	NSRF-48-W	**219.78**	**227.26**	**234.92**	**251.55**	**263.03**	**270.51**
	64″(1626mm)	NSRP-64-W	**185.23**	NSRF-64-W	**223.46**	**231.42**	**239.72**	**257.79**	**270.23**	**278.19**
	80″(2032mm)	NSRP-80-W	**203.69**	NSRF-80-W	**240.00**	**248.44**	**257.38**	**276.89**	**290.29**	**298.73**
Wood Top Cap — Wood Group B										
3″(76mm)	42″(1067mm)	NSRP-42-W	**$188.04**	NSRF-42-W	**$228.91**	**$236.21**	**$243.63**	**$259.72**	**$270.84**	**$278.14**
	48″(1219mm)	NSRP-48-W	**190.14**	NSRF-48-W	**230.29**	**237.77**	**245.43**	**262.06**	**273.54**	**281.02**
	64″(1626mm)	NSRP-64-W	**195.74**	NSRF-64-W	**233.97**	**241.93**	**250.23**	**268.30**	**280.74**	**288.70**
	80″(2032mm)	NSRP-80-W	**214.20**	NSRF-80-W	**250.51**	**258.95**	**267.89**	**287.40**	**300.80**	**309.24**

List price shown is with base raceway.

Panel Connectors and Trim Covers

End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover

		Wood Cover Number ❶	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
Grooved — Painted Top Cap						
3″(76mm)	42″(1067mm)	NSRW-42-G	**$245.36**	**$248.73**	**$248.86**	**$252.23**
	48″(1219mm)	NSRW-48-G	**246.74**	**250.11**	**250.24**	**253.61**
	64″(1626mm)	NSRW-64-G	**250.42**	**253.79**	**253.92**	**257.29**
	80″(2032mm)	NSRW-80-G	**266.96**	**270.33**	**270.46**	**273.83**
Wood Top Cap						
3″(76mm)	42″(1067mm)	NSRW-42-W	**$297.95**	**$300.20**	**$311.96**	**$314.21**
	48″(1219mm)	NSRW-48-W	**299.33**	**301.58**	**313.34**	**315.59**
	64″(1626mm)	NSRW-64-W	**303.01**	**305.26**	**317.02**	**319.27**
	80″(2032mm)	NSRW-80-W	**319.55**	**321.80**	**333.56**	**335.81**

List price shown is with base raceway.

Panel Connectors and Trim Covers

Extended Connector with Cover

Width	Height	Painted Cover Number	Trim A	Trim B	Fabric Cover Number	Fabric Grade A	B	C	E	F	G
No Top Cap											
3″(76mm)	10″(254mm)	NXRP-10 ■	**$143.74**	**$162.44**	NXRF-10 ■	**$192.81**	**$199.82**	**$209.17**	**$226.70**	**$238.38**	**$245.39**
	16″(406mm)	NXRP-16 ■	**153.09**	**171.79**	NXRF-16 ■	**202.16**	**209.17**	**218.52**	**236.05**	**247.73**	**254.74**

		Wood Cover Number	Wood Group A	Wood Group B
No Top Cap				
3″(76mm)	10″(254mm)	NXRW-10	**$278.10**	**$302.64**
	16″(406mm)	NXRW-16	**287.45**	**311.99**



10″ Connector



16″ Connector

NXRP
NXRF
NXRW

Features

- Includes slotted connector and cover, and light block.
- Supports the end of a stack kit and provides a finished appearance.
- Provides slots for mounting components.

■ Available on RUSH.

Specification Tips

- Specify connector to match stack kit height.
- Must be used in conjunction with an end-of-run full-height or end-of-run pre-configured standard or grooved connector. (Exception: Extended connector cannot be added to a 42″(1067mm) high end-of-run pre-configured connector.)
- 10″(254mm) high connector can only be used at the top of a panel configuration. Will not accept additional connectors.

To Order, Specify:

With Painted Cover

1) Product number.
2) Trim color for cover.

With Fabric Cover

1) Product number.
2) Fabric/colorway for cover.

With Wood Cover

1) Product number.
2) Wood finish for cover.

Panel Connectors and Trim Covers

T-Mount Kit



NVST-SN
NVST-GN



NVST-S1
NVST-G1



NVST-S2
NVST-G2

Features

- **Base raceway with T-mount kit** includes top cap filler, light block, leveling glide, slotted connectors and attachment hardware.
- **Open base with T-mount kit** includes top cap filler, light block, leveling glide, slotted connectors and attachment hardware, and connector sleeve.
- Connects two foundation elements, with or without stack kits, in a T-condition.
- Provides slots for mounting components.
- Adds 5/16″(8mm) to the panel width.
- Connector reveal is standard in black finish color only.
- T-mount and connector sleeve are field assembled.

◆ Available on RUSH.

Specification Tips

- Attach T-mount assembly any place on the fabric monolithic panel except .8″(20mm) minimum from each end.
- When attached to a monolithic panel without stack kits, the height of the T-mount must equal the height of the monolithic panel.
- When attached to a panel with 10″(254mm) and 16″(406mm) high stack kits, the height of the T-mount connector must equal the height of the panel or the panel at any stack kit level.
- **Variable height conditions requiring trim covers are not recommended.**
- When super base panels with or without stack kits are used, attach T-mount assembly anywhere on panel configuration except 5″(127mm) minimum from each end.
- Center mounting on 36″(914mm) – 60″(1524mm) wide stack kits requires the specification of a center mount bracket (NVST-1), standard in black finish only.
- Cannot mount on glazed panels or doors.
- Specify **-(G_) for grooved T-mount option** if either panel top cap within the intersection is grooved.
- Specify **-(S_) for standard or wood T-mount option** if both panel top caps within the intersection are standard or wood.
- Specify **-(_1 or 2) for open base option** to match the number of panels within the intersection which are open base.
- Specify **-(_N) for base raceway option** if both panels within the intersection are standard base raceways.
- **T-mounting directly to a panel with a grooved top cap requires specification of the Grooved T-mount Kit Adaptor.**
- For open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.

To Order, Specify:

1) Product number.
2) Trim color for upper connector sleeve(s) (if applicable).*
3) Trim color for top filler.*

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify a base raceway, place an **N** suffix as the **8th digit** in the product number.

Examples:

NVST-42-S**N** = Standard top cap; base raceway panel
NVST-42-G**N** = Grooved top cap; base raceway panel

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high connectors. To specify open base, place a **1** for one open base panel, or **2** for two open base panels as the **8th digit** in the product number and add **$94.90** list.

Examples:

NVST-42-S**1** = Standard top cap; one open base panel
NVST-42-S**2** = Standard top cap; two open base panels
NVST-42-G**1** = Grooved top cap; one open base panel
NVST-42-G**2** = Grooved top cap; two open base panels

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

T-Mount Kit

T-Mount Kit

Panel Height	Number [1]	Trim A	Trim B
Standard/Wood			
32″(813mm)	NVST-32-S ■	**$184.02**	**$202.54**
42″(1067mm)	NVST-42-S ■	**211.80**	**230.32**
48″(1219mm)	NVST-48-S ■	**225.69**	**244.21**
53″(1346mm)	NVST-53-S ■	**239.58**	**258.10**
58″(1473mm)	NVST-58-S ■	**253.47**	**271.99**
64″(1626mm)	NVST-64-S ■	**267.36**	**285.88**
74″(1880mm)	NVST-74-S ■	**281.25**	**299.77**
80″(2032mm)	NVST-80-S ■	**295.14**	**313.66**
Grooved			
32″(813mm)	NVST-32-G ■	**$184.02**	**$202.54**
42″(1067mm)	NVST-42-G ■	**211.80**	**230.32**
48″(1219mm)	NVST-48-G ■	**225.69**	**244.21**
53″(1346mm)	NVST-53-G ■	**239.58**	**258.10**
58″(1473mm)	NVST-58-G ■	**253.47**	**271.99**
64″(1626mm)	NVST-64-G ■	**267.36**	**285.88**
74″(1880mm)	NVST-74-G ■	**281.25**	**299.77**
80″(2032mm)	NVST-80-G ■	**295.14**	**313.66**

List price shown is with base raceway.

Center Mount Bracket



NVST-1

	Price
NVST-1 ■	**$37.40**

Feature
- Includes bracket and hardware.

■ Available on RUSH.

Specification Tips
- Must be specified when using 36″(914mm) – 60″(1524mm) wide stack kits on spine.
- Used in conjunction with T-mount kit.

To Order, Specify:

1) Product number.
(No finish specification required.)

Grooved T-Mount Bracket



NVST-G

	Price
NVST-G	**$72.45**

Feature
- Includes bracket and hardware.

Specification Tips
- Used in conjunction with T-mount kit; refer to specification tips for T-mount.
- For use when T-mounting directly to a panel with grooved top cap.
- Perpendicular panel(s) may have any top cap option.
- Not for use with off-modular T-mount kit.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Connectors and Trim Covers

Off-Modular T-Mount Kit



NVSZ-SN
NVSZ-GN



NVSZ-S1
NVSZ-G1



NVSZ-S2
NVSZ-G2







	Panel Height	Number ❶	Trim A	Trim B
Standard/Wood				
	32″(813mm)	NVSZ-32-S	**$275.45**	**$293.97**
	42″(1067mm)	NVSZ-42-S	**312.49**	**331.01**
	48″(1219mm)	NVSZ-48-S	**331.01**	**349.53**
	58″(1473mm)	NVSZ-58-S	**368.05**	**386.57**
	64″(1626mm)	NVSZ-64-S	**386.57**	**405.09**
Grooved				
	32″(813mm)	NVSZ-32-G	**$275.45**	**$293.97**
	42″(1067mm)	NVSZ-42-G	**312.49**	**331.01**
	48″(1219mm)	NVSZ-48-G	**331.01**	**349.53**
	58″(1473mm)	NVSZ-58-G	**368.05**	**386.57**
	64″(1626mm)	NVSZ-64-G	**386.57**	**405.09**

List price shown is with base raceway.

Features

- **Base raceway with off-modular T-mount kit** includes top attachment bracket, light block, leveling glide, slotted connectors and attachment hardware.
- **Open base with T-mount kit** includes top attachment bracket, light block, leveling glide, slotted connectors and attachment hardware, and appropriate number of connector sleeves.
- Provides slots for mounting components.
- Adds 5/16″(8mm) to the panel width.
- Connector reveal is standard in black finish color only.
- Connector sleeve must be assembled onto the connector prior to panel installation.

Specification Tips

- **Panel configuration of off-modular panel spine must consist of off-modular super base pads with grooved top cap.**
- Off-modular T-mount kit must match the height of panel spine.
- **Return panels cannot be greater than 16″(406mm) below height of panel spine.**
- Specify variable height cover for exposed portion of connector that extends above the shorter panel.
- If return panel top cap is grooved specify -(G_).
- If return panel top cap is standard or wood specify -(S_).
- If all panels within the condition have a base raceway specify -(_N).
- Specify -(_1 or 2) for open base option to match the number of panels within the intersection which are open base.
- Use of the Off-Modular T-mount Kit(s) and 2-way, 3-way, or 4-way connectors within panel spine may result in worksurface misalignment. This condition is dependent upon the worksurface configuration within the workstation.
- When used at the outer most end of a panel spine the End-of-Run connector will extend beyond the Off-Modular T-Mount Kit.

To Order, Specify:

1) Product number.
2) Trim color for upper connector sleeve(s) (if applicable).*
3) Trim color for top attachment bracket.*

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) –64″(1626mm) high connectors. To specify a base raceway, place an **N** suffix as the **8th digit** in the product number.

Examples:

NVSZ-42-S**N** = Standard top cap; base raceway panel
NVSZ-42-G**N** = Grooved top cap; base raceway panel

Open Base Specification

Open base option is available on 32″(813mm) – 64″(1626mm) high connectors. To specify open base, place a **1** for one open base panel, or **2** for two open base panels as the **8th digit** in the product number and add **$94.90** list.

Examples:

NVSZ-42-S**1** = Standard top cap; one open base panel
NVSZ-42-S**2** = Standard top cap; two open base panels
NVSZ-42-G**1** = Grooved top cap; one open base panel
NVSZ-42-G**2** = Grooved top cap; two open base panels

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

Wall Mount Kit



NVSW-SN
NVSW-GN



NVSW-S1
NVSW-G1

	Panel Height	Number ❶	Trim A	Trim B
Standard/Wood				
	32″(813mm)	NVSW-32-S ■	**$152.77**	**$171.29**
	42″(1067mm)	NVSW-42-S ■	**194.43**	**212.95**
	48″(1219mm)	NVSW-48-S ■	**215.26**	**233.78**
	53″(1346mm)	NVSW-53-S ■	**236.09**	**254.61**
	58″(1473mm)	NVSW-58-S ■	**256.92**	**275.44**
	64″(1626mm)	NVSW-64-S ■	**277.75**	**296.27**
	74″(1880mm)	NVSW-74-S ■	**298.58**	**317.10**
	80″(2032mm)	NVSW-80-S ■	**319.41**	**337.93**
Grooved				
	32″(813mm)	NVSW-32-G ■	**$152.77**	**$171.29**
	42″(1067mm)	NVSW-42-G ■	**194.43**	**212.95**
	48″(1219mm)	NVSW-48-G ■	**215.26**	**233.78**
	53″(1346mm)	NVSW-53-G ■	**236.09**	**254.61**
	58″(1473mm)	NVSW-58-G ■	**256.92**	**275.44**
	64″(1626mm)	NVSW-64-G ■	**277.75**	**296.27**
	74″(1880mm)	NVSW-74-G ■	**298.58**	**317.10**
	80″(2032mm)	NVSW-80-G ■	**319.41**	**337.93**

List price shown is with base raceway.

Features

- **Base raceway with wall mount kit** includes top filler, light block, leveling glide, and slotted channel.
- **Open base with wall mount kit** includes top filler, light block, leveling glide, slotted channel, and connector sleeve.
- For mounting foundation elements, stack kits, or stack pads to a structural wall.
- Provides slots for mounting components.
- Adds 1/4″(6mm) to the panel width.
- Connector reveal is standard in black finish color only.
- Connector sleeve must be assembled onto the connector prior to panel installation.

■ Available on RUSH.

Specification Tips

- Must be properly anchored to a structural wall.
- For applications above 80″(2032mm) height used in conjunction with floor-to-ceiling wall mount kit. Field cut as needed.
- If attached panel top cap is grooved specify -(G_).
- If attached panel top cap is standard or wood specify -(S_).
- If attached panel has a base raceway specify -(_N).
- If attached panel has an open base raceway specify -(_1).
- For an open base application, specify trim color for upper connector sleeve. Lower sleeve is standard in black finish color only.

To Order, Specify:

1) Product number.
2) Trim color for upper connector sleeve(s) (if applicable).*
3) Trim color for top attachment bracket.*

❶ Base Raceway Specification

Base raceway option is available on 32″(813mm) – 80″(2032mm) high wall mounts. To specify a base raceway, place an **N** suffix as the **8th digit** in the product number.

Examples:

NVSW-42-S**N** = Standard top cap; base raceway panel
NVSW-42-G**N** = Grooved top cap; base raceway panel

Open Base Specification

Open base option is available on 32″(813mm) – 80″(2032mm) high wall mounts. To specify open base, place a **1** for one open base panel as the **8th digit** in the product number and add **$94.90** list.

Examples:

NVSW-42-S**1** = Standard top cap; one open base panel
NVSW-42-G**1** = Grooved top cap; one open base panel

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

Heavy Load Stabilizer

	Number	Price
Heavy Load Stabilizer Bar for Monolithic Panels	NSB-1	**$32.72**



NSB-1

Features
- Includes one bar and mounting screws.
- Provides additional stability between two monolithic fabric panels at the same height in an in-line condition.
- Recommended for 42″(1067mm), 48″(1219mm), 60″(1524mm), and 80″(2032mm) high monolithic fabric panel.
- Order for use with other fabric monolithic panel heights and widths as required.
- Must be removed to attach stack kits or stack pads.
- Recommended for unbalanced configuration with overheads and panels adjacent to single doors.

To Order, Specify:

1) Product number.
(No finish specification required.)

	Number	Price
Heavy Load Stabilizer Bar for Stack Kits	NSB-2	**$44.40**



NSB-2

Features
- Includes one bar and mounting screws.
- Provides additional stability between two stack kits or stack pads at the same height in an in-line condition.
- Recommended for additional stability in off-modular applications.
- Recommended for unbalanced configuration with overheads and panels adjacent to single doors.

To Order, Specify:

1) Product number.
(No finish specification required.)

Panel Connectors and Trim Covers

Corner Connector Bracket

Number	Price
NCMB-12	**$165.93**



NCMB-12

Features
- Includes twelve connector brackets, and four 80″(2032mm) corner light blocks.
- Use in conjunction with straight connectors to create two-way, three-way or four-way connections.
- Standard in black finish color only.

Specification Tip
- Light blocks may be field cut to appropriate size.

To Order, Specify:
1) Product number.
(No finish specification required.)

Grooved Top Cap



NTGL

Depth	Length	Panel Width Combinations	Number	Trim A	Trim B
3″(76mm)	18″(457mm)		NTGL-18	**$158.55**	**$160.84**
	24″(610mm)		NTGL-24	**167.80**	**170.67**
	30″(762mm)		NTGL-30	**182.84**	**186.29**
	36″(914mm)		NTGL-36	**186.30**	**190.33**
	42″(1067mm)		NTGL-42	**195.55**	**200.16**
	48″(1219mm)		NTGL-48	**204.80**	**209.99**
	60″(1524mm)		NTGL-60	**233.72**	**240.07**
	72″(1829mm)	36″(914mm)/36″(914mm)	NTGL-72	**376.10**	**380.13**
	84″(2134mm)	36″(914mm)/48″(1219mm)	NTGL-84	**393.46**	**397.49**
	96″(2438mm)	48″(1219mm)/48″(1219mm)	NTGL-96	**481.40**	**486.59**
	108″(2734mm)	36″(914mm)/36″(914mm)/36″(914mm)	NTGL-108	**557.79**	**561.82**
	120″(3048mm)	36″(914mm)/48″(1219mm)/36″(914mm)**	NTGL-120	**575.15**	**579.18**

Features
- Includes one grooved top cap with attachment hardware for monolithic or stackable panel configuration.
- Enhanced PREMISE standard top cap and the grooved top cap have the same profile and are compatible with each other.
- Three grooves provide off-modular applications:
  – outer channels support off-modular return panels and off-modular overhead storage units.
  – center channel supports toppers, canopies, and Jump Stuff ambient lights.

Specification Tips
- 72″(1829mm) – 120″(3048mm) lengths minimize panel run reveals by spanning multiple panel widths.
- **72″(1829mm) – 120″(3048mm) lengths cannot be mounted on 32″(813mm) high super base panels.**
- Grooved top on monolithic panels eliminates routing of cable in top trough.
- Additional stability is provided when grooved top caps are used to span multiple panels.
- Can be used to retrofit existing standard top caps.
- Can be used on glazed panels or doors with field supplied screws.

To Order, Specify:
1) Product number.
2) Trim color.

Panel Connectors and Trim Covers

Variable-Height Covers — Full-Height Cover

Variable-Height Covers — Full-Height Cover

NOTE:
Illustrations shown on this page should not be used to determine support and load guidelines, see Specification Guide.



NLV_-3242-_



NLV_-3242-_



NLV_-3248-_



NLV_-3248-_



NLV_-3253-_



NLV_-3264-_



NLV_-3264-_



NLV_-3280-_



NLV_-3280-_



NLV_-4248-_



NLV_-4248-_



NLV_-4253-_



NLV_-4264-_



NLV_-4264-_



NLV_-4280-_



NLV_-4280-_



NLV_-4853-_



NLV_-4864-_



NLV_-4864-_



NLV_-4880-_



NLV_-4880-_



NLV_-5364-_



NLV_-5380-_



NLV_-6480-_



NLV_-6480-_

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

Variable-Height Covers — Full-Height Cover



NLVP-S
NLVF-S
NLVP-G
NLVF-G
NLVW-G
NLVP-W
NLVF-W
NLVW-W

Features

- Includes cover, top cap, and top cap adaptor.
- Provides finished appearance in variable-height conditions on exposed connector in straight, 2-way, 3-way or 4-way conditions.
- Install on exposed portion(s) of tallest panel connector.

■ Available on RUSH.

Specification Tips

- Cover is specified from the lowest to highest panel.
- Top cap of the lower panel requires field cutting of the top cap to accommodate the top cap adaptor provided with the cover.
- The bottom of the cover is coped to fit over the top cap on the lower panel.
- Cover is to be used with separately specified panel connector.
- May be used with extended variable-height cover.
- If the tallest panel in the **in-line intersection** has a grooved top cap, a variable height cover with a grooved top cap is required.
- All 2-way, 3-way, or 4-way intersections with different height panels require standard variable height covers, regardless of the panel top cap type; standard or grooved.

To Order, Specify:

Standard or Grooved Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Trim color for top cap.*

Standard or Grooved Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Trim color for top cap.*

Grooved Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Trim color for top cap.*

Wood Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Wood finish for top cap.

Wood Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Wood finish for top cap.

Wood Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Wood finish for top cap.

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

Variable-Height Covers — Full-Height Cover

Panel Heights						Trim A Fabric Grade					
Lowest	Highest	Description	Painted Cover Number	Trim A	Fabric Cover Number	A	B	C	E	F	G
Standard Top Cap											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-S	$ 34.27	NLVF-3242-S	$ 74.45	$ 80.86	$ 88.51	$105.01	$116.47	$122.94
	48″(1219mm)	16″ cover	NLVP-3248-S	39.67	NLVF-3248-S	80.87	88.24	96.97	115.75	128.83	136.32
	53″(1346mm)	21″ cover	NLVP-3253-S	44.17	NLVF-3253-S	86.22	94.39	104.02	124.70	139.13	147.47
	64″(1626mm)	32″ cover	NLVP-3264-S	54.07	NLVF-3264-S	97.99	107.92	119.53	144.39	161.79	172.00
	80″(2032mm)	48″ cover	NLVP-3280-S	68.47	NLVF-3280-S	115.11	127.60	142.09	173.03	194.75	207.68
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-S	$ 30.67	NLVF-4248-S	$ 70.17	$ 75.94	$ 82.87	$ 97.85	$108.23	$114.02
	53″(1346mm)	11″ cover	NLVP-4253-S	35.17	NLVF-4253-S	75.52	82.09	89.92	106.80	118.53	125.17
	64″(1626mm)	22″ cover	NLVP-4264-S	45.07	NLVF-4264-S	87.29	95.62	105.43	126.49	141.19	149.70
	80″(2032mm)	38″ cover	NLVP-4280-S	59.47	NLVF-4280-S	104.41	115.30	127.99	155.13	174.15	185.38
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-S	$ 29.77	NLVF-4853-S	$ 69.10	$ 74.71	$ 81.46	$ 96.06	$106.17	$111.79
	64″(1626mm)	16″ cover	NLVP-4864-S	39.67	NLVF-4864-S	80.87	88.24	96.97	115.75	128.83	136.32
	80″(2032mm)	32″ cover	NLVP-4880-S	54.07	NLVF-4880-S	97.99	107.92	119.53	144.39	161.79	172.00
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-S	$ 35.17	NLVF-5364-S	$ 75.52	$ 82.09	$ 89.92	$106.80	$118.53	$125.17
	80″(2032mm)	27″ cover	NLVP-5380-S	49.57	NLVF-5380-S	92.64	101.77	112.48	135.44	151.49	160.85
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-S	$ 39.67	NLVF-6480-S	$ 80.87	$ 88.24	$ 96.97	$115.75	$128.83	$136.32
Grooved Top Cap											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-G	$ 42.70	NLVF-3242-G	$ 82.88	$ 89.29	$ 96.94	$113.44	$124.90	$131.37
	48″(1219mm)	16″ cover	NLVP-3248-G	48.10	NLVF-3248-G	89.30	96.67	105.40	124.18	137.26	144.75
	53″(1346mm)	21″ cover	NLVP-3253-G	52.60	NLVF-3253-G	94.65	102.82	112.45	133.13	147.56	155.90
	64″(1626mm)	32″ cover	NLVP-3264-G	62.50	NLVF-3264-G	106.42	116.35	127.96	152.82	170.22	180.43
	80″(2032mm)	48″ cover	NLVP-3280-G	76.90	NLVF-3280-G	123.54	136.03	150.52	181.46	203.18	216.11
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-G	$ 39.10	NLVF-4248-G	$ 78.60	$ 84.37	$ 91.30	$106.28	$116.66	$122.45
	53″(1346mm)	11″ cover	NLVP-4253-G	43.60	NLVF-4253-G	83.95	90.52	98.35	115.23	126.96	133.60
	64″(1626mm)	22″ cover	NLVP-4264-G	53.50	NLVF-4264-G	95.72	104.05	113.86	134.92	149.62	158.13
	80″(2032mm)	38″ cover	NLVP-4280-G	67.90	NLVF-4280-G	112.84	123.73	136.42	163.56	182.58	193.81
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-G	$ 38.20	NLVF-4853-G	$ 77.53	$ 83.14	$ 89.89	$104.49	$114.60	$120.22
	64″(1626mm)	16″ cover	NLVP-4864-G	48.10	NLVF-4864-G	89.30	96.67	105.40	124.18	137.26	144.75
	80″(2032mm)	32″ cover	NLVP-4880-G	62.50	NLVF-4880-G	106.42	116.35	127.96	152.82	170.22	180.43
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-G	$ 43.60	NLVF-5364-G	$ 83.95	$ 90.52	$ 98.35	$115.23	$126.96	$133.60
	80″(2032mm)	27″ cover	NLVP-5380-G	58.00	NLVF-5380-G	101.07	110.20	120.91	143.87	159.92	169.28
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-G	$ 48.10	NLVF-6480-G	$ 89.30	$ 96.67	$105.40	$124.18	$137.26	$144.75
Wood Top Cap — Wood Group A											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-W	$ 84.27	NLVF-3242-W	$124.45	$130.86	$138.51	$155.01	$166.47	$172.94
	48″(1219mm)	16″ cover	NLVP-3248-W	89.67	NLVF-3248-W	130.87	138.24	146.97	165.75	178.83	186.32
	53″(1346mm)	21″ cover	NLVP-3253-W	94.17	NLVF-3253-W	136.22	144.39	154.02	174.70	189.13	197.47
	64″(1626mm)	32″ cover	NLVP-3264-W	104.07	NLVF-3264-W	147.99	157.92	169.53	194.39	211.79	222.00
	80″(2032mm)	48″ cover	NLVP-3280-W	118.47	NLVF-3280-W	165.11	177.60	192.09	223.03	244.75	257.68
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-W	$ 80.67	NLVF-4248-W	$120.17	$125.94	$132.87	$147.85	$158.23	$164.02
	53″(1346mm)	11″ cover	NLVP-4253-W	85.17	NLVF-4253-W	125.52	132.09	139.92	156.80	168.53	175.17
	64″(1626mm)	22″ cover	NLVP-4264-W	95.07	NLVF-4264-W	137.29	145.62	155.43	176.49	191.19	199.70
	80″(2032mm)	38″ cover	NLVP-4280-W	109.47	NLVF-4280-W	154.41	165.30	177.99	205.13	224.15	235.38
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-W	$ 79.77	NLVF-4853-W	$119.10	$124.71	$131.46	$146.06	$156.17	$161.79
	64″(1626mm)	16″ cover	NLVP-4864-W	89.67	NLVF-4864-W	130.87	138.24	146.97	165.75	178.83	186.32
	80″(2032mm)	32″ cover	NLVP-4880-W	104.07	NLVF-4880-W	147.99	157.92	169.53	194.39	211.79	222.00
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-W	$ 85.17	NLVF-5364-W	$125.52	$132.09	$139.92	$156.80	$168.53	$175.17
	80″(2032mm)	27″ cover	NLVP-5380-W	99.57	NLVF-5380-W	142.64	151.77	162.48	185.44	201.49	210.85
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-W	$ 89.67	NLVF-6480-W	$130.87	$138.24	$146.97	$165.75	$178.83	$186.32
Wood Top Cap — Wood Group B											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-W	$ 93.26	NLVF-3242-W	$133.44	$139.85	$147.50	$164.00	$175.46	$181.93
	48″(1219mm)	16″ cover	NLVP-3248-W	98.66	NLVF-3248-W	139.86	147.23	155.96	174.74	187.82	195.31
	53″(1346mm)	21″ cover	NLVP-3253-W	103.16	NLVF-3253-W	145.21	153.38	163.01	183.69	198.12	206.46
	64″(1626mm)	32″ cover	NLVP-3264-W	113.06	NLVF-3264-W	156.98	166.91	178.52	203.38	220.78	230.99
	80″(2032mm)	48″ cover	NLVP-3280-W	127.46	NLVF-3280-W	174.10	186.59	201.08	232.02	253.74	266.67
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-W	$ 89.66	NLVF-4248-W	$129.16	$134.93	$141.86	$156.84	$167.22	$173.01
	53″(1346mm)	11″ cover	NLVP-4253-W	94.16	NLVF-4253-W	134.51	141.08	148.91	165.79	177.52	184.16
	64″(1626mm)	22″ cover	NLVP-4264-W	104.06	NLVF-4264-W	146.28	154.61	164.42	185.48	200.18	208.69
	80″(2032mm)	38″ cover	NLVP-4280-W	118.46	NLVF-4280-W	163.40	174.29	186.98	214.12	233.14	244.37
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-W	$ 88.76	NLVF-4853-W	$128.09	$133.70	$140.45	$155.05	$165.16	$170.78
	64″(1626mm)	16″ cover	NLVP-4864-W	98.66	NLVF-4864-W	139.86	147.23	155.96	174.74	187.82	195.31
	80″(2032mm)	32″ cover	NLVP-4880-W	113.06	NLVF-4880-W	156.98	166.91	178.52	203.38	220.78	230.99
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-W	$ 94.16	NLVF-5364-W	$134.51	$141.08	$148.91	$165.79	$177.52	$184.16
	80″(2032mm)	27″ cover	NLVP-5380-W	108.56	NLVF-5380-W	151.63	160.76	171.47	194.43	210.48	219.84
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-W	$ 98.66	NLVF-6480-W	$139.86	$147.23	$155.96	$174.74	$187.82	$195.31

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

Variable-Height Covers — Full-Height Cover

Panel Heights			Painted Cover	Trim	Fabric Cover	Trim B Fabric Grade					
Lowest	Highest	Description	Number	B	Number	A	B	C	E	F	G
Standard Top Cap											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-S	$ 37.63	NLVF-3242-S	$ 75.01	$ 81.42	$ 89.07	$105.57	$117.03	$123.50
	48″(1219mm)	16″ cover	NLVP-3248-S	43.69	NLVF-3248-S	81.43	88.80	97.53	116.31	129.39	136.88
	53″(1346mm)	21″ cover	NLVP-3253-S	48.74	NLVF-3253-S	86.78	94.95	104.58	125.26	139.69	148.03
	64″(1626mm)	32″ cover	NLVP-3264-S	59.85	NLVF-3264-S	98.55	108.48	120.09	144.95	162.35	172.56
	80″(2032mm)	48″ cover	NLVP-3280-S	76.01	NLVF-3280-S	115.67	128.16	142.65	173.59	195.31	208.24
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-S	$ 33.59	NLVF-4248-S	$ 70.73	$ 76.50	$ 83.43	$ 98.41	$108.79	$114.58
	53″(1346mm)	11″ cover	NLVP-4253-S	38.64	NLVF-4253-S	76.08	82.65	90.48	107.36	119.09	125.73
	64″(1626mm)	22″ cover	NLVP-4264-S	49.75	NLVF-4264-S	87.85	96.18	105.99	127.05	141.75	150.26
	80″(2032mm)	38″ cover	NLVP-4280-S	65.91	NLVF-4280-S	104.97	115.86	128.55	155.69	174.71	185.94
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-S	$ 32.58	NLVF-4853-S	$ 69.66	$ 75.27	$ 82.02	$ 96.62	$106.73	$112.35
	64″(1626mm)	16″ cover	NLVP-4864-S	43.69	NLVF-4864-S	81.43	88.80	97.53	116.31	129.39	136.88
	80″(2032mm)	32″ cover	NLVP-4880-S	59.85	NLVF-4880-S	98.55	108.48	120.09	144.95	162.35	172.56
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-S	$ 38.64	NLVF-5364-S	$ 76.08	$ 82.65	$ 90.48	$107.36	$119.09	$125.73
	80″(2032mm)	27″ cover	NLVP-5380-S	54.80	NLVF-5380-S	93.20	102.33	113.04	136.00	152.05	161.41
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-S	$ 43.69	NLVF-6480-S	$ 81.43	$ 88.80	$ 97.53	$116.31	$129.39	$136.88
Grooved Top Cap											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-G	$ 46.62	NLVF-3242-G	$ 84.00	$ 90.41	$ 98.06	$114.56	$126.02	$132.49
	48″(1219mm)	16″ cover	NLVP-3248-G	52.68	NLVF-3248-G	90.42	97.79	106.52	125.30	138.38	145.87
	53″(1346mm)	21″ cover	NLVP-3253-G	57.73	NLVF-3253-G	95.77	103.94	113.57	134.25	148.68	157.02
	64″(1626mm)	32″ cover	NLVP-3264-G	68.84	NLVF-3264-G	107.54	117.47	129.08	153.94	171.34	181.55
	80″(2032mm)	48″ cover	NLVP-3280-G	85.00	NLVF-3280-G	124.66	137.15	151.64	182.58	204.30	217.23
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-G	$ 42.58	NLVF-4248-G	$ 79.72	$ 85.49	$ 92.42	$107.40	$117.78	$123.57
	53″(1346mm)	11″ cover	NLVP-4253-G	47.63	NLVF-4253-G	85.07	91.64	99.47	116.35	128.08	134.72
	64″(1626mm)	22″ cover	NLVP-4264-G	58.74	NLVF-4264-G	96.84	105.17	114.98	136.04	150.74	159.25
	80″(2032mm)	38″ cover	NLVP-4280-G	74.90	NLVF-4280-G	113.96	124.85	137.54	164.68	183.70	194.93
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-G	$ 41.57	NLVF-4853-G	$ 78.65	$ 84.26	$ 91.01	$105.61	$115.72	$121.34
	64″(1626mm)	16″ cover	NLVP-4864-G	52.68	NLVF-4864-G	90.42	97.79	106.52	125.30	138.38	145.87
	80″(2032mm)	32″ cover	NLVP-4880-G	68.84	NLVF-4880-G	107.54	117.47	129.08	153.94	171.34	181.55
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-G	$ 47.63	NLVF-5364-G	$ 85.07	$ 91.64	$ 99.47	$116.35	$128.08	$134.72
	80″(2032mm)	27″ cover	NLVP-5380-G	63.79	NLVF-5380-G	102.19	111.32	122.03	144.99	161.04	170.40
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-G	$ 52.68	NLVF-6480-G	$ 90.42	$ 97.79	$106.52	$125.30	$138.38	$145.87
Wood Top Cap — Wood Group A											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-W	$ 87.07	NLVF-3242-W	$124.45	$130.86	$138.51	$155.01	$166.47	$172.94
	48″(1219mm)	16″ cover	NLVP-3248-W	93.13	NLVF-3248-W	130.87	138.24	146.97	165.75	178.83	186.32
	53″(1346mm)	21″ cover	NLVP-3253-W	98.18	NLVF-3253-W	136.22	144.39	154.02	174.70	189.13	197.47
	64″(1626mm)	32″ cover	NLVP-3264-W	109.29	NLVF-3264-W	147.99	157.92	169.53	194.39	211.79	222.00
	80″(2032mm)	48″ cover	NLVP-3280-W	125.45	NLVF-3280-W	165.11	177.60	192.09	223.03	244.75	257.68
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-W	$ 83.03	NLVF-4248-W	$120.17	$125.94	$132.87	$147.85	$158.23	$164.02
	53″(1346mm)	11″ cover	NLVP-4253-W	88.08	NLVF-4253-W	125.52	132.09	139.92	156.80	168.53	175.17
	64″(1626mm)	22″ cover	NLVP-4264-W	99.19	NLVF-4264-W	137.29	145.62	155.43	176.49	191.19	199.70
	80″(2032mm)	38″ cover	NLVP-4280-W	115.35	NLVF-4280-W	154.41	165.30	177.99	205.13	224.15	235.38
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-W	$ 82.02	NLVF-4853-W	$119.10	$124.71	$131.46	$146.06	$156.17	$161.79
	64″(1626mm)	16″ cover	NLVP-4864-W	93.13	NLVF-4864-W	130.87	138.24	146.97	165.75	178.83	186.32
	80″(2032mm)	32″ cover	NLVP-4880-W	109.29	NLVF-4880-W	147.99	157.92	169.53	194.39	211.79	222.00
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-W	$ 88.08	NLVF-5364-W	$125.52	$132.09	$139.92	$156.80	$168.53	$175.17
	80″(2032mm)	27″ cover	NLVP-5380-W	104.24	NLVF-5380-W	142.64	151.77	162.48	185.44	201.49	210.85
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-W	$ 93.13	NLVF-6480-W	$130.87	$138.24	$146.97	$165.75	$178.83	$186.32
Wood Top Cap — Wood Group B											
32″(813mm)	42″(1067mm)	10″ cover	NLVP-3242-W	$ 96.06	NLVF-3242-W	$133.44	$139.85	$147.50	$164.00	$175.46	$181.93
	48″(1219mm)	16″ cover	NLVP-3248-W	102.12	NLVF-3248-W	139.86	147.23	155.96	174.74	187.82	195.31
	53″(1346mm)	21″ cover	NLVP-3253-W	107.17	NLVF-3253-W	145.21	153.38	163.01	183.69	198.12	206.46
	64″(1626mm)	32″ cover	NLVP-3264-W	118.28	NLVF-3264-W	156.98	166.91	178.52	203.38	220.78	230.99
	80″(2032mm)	48″ cover	NLVP-3280-W	134.44	NLVF-3280-W	174.10	186.59	201.08	232.02	253.74	266.67
42″(1067mm)	48″(1219mm)	6″ cover	NLVP-4248-W	$ 92.02	NLVF-4248-W	$129.16	$134.93	$141.86	$156.84	$167.22	$173.01
	53″(1346mm)	11″ cover	NLVP-4253-W	97.07	NLVF-4253-W	134.51	141.08	148.91	165.79	177.52	184.16
	64″(1626mm)	22″ cover	NLVP-4264-W	108.18	NLVF-4264-W	146.28	154.61	164.42	185.48	200.18	208.69
	80″(2032mm)	38″ cover	NLVP-4280-W	124.34	NLVF-4280-W	163.40	174.29	186.98	214.12	233.14	244.37
48″(1219mm)	53″(1346mm)	5″ cover	NLVP-4853-W	$ 91.01	NLVF-4853-W	$128.09	$133.70	$140.45	$155.05	$165.16	$170.78
	64″(1626mm)	16″ cover	NLVP-4864-W	102.12	NLVF-4864-W	139.86	147.23	155.96	174.74	187.82	195.31
	80″(2032mm)	32″ cover	NLVP-4880-W	118.28	NLVF-4880-W	156.98	166.91	178.52	203.38	220.78	230.99
53″(1346mm)	64″(1626mm)	11″ cover	NLVP-5364-W	$ 97.07	NLVF-5364-W	$134.51	$141.08	$148.91	$165.79	$177.52	$184.16
	80″(2032mm)	27″ cover	NLVP-5380-W	113.23	NLVF-5380-W	151.63	160.76	171.47	194.43	210.48	219.84
64″(1626mm)	80″(2032mm)	16″ cover	NLVP-6480-W	$102.12	NLVF-6480-W	$139.86	$147.23	$155.96	$174.74	$187.82	$195.31

Panel Connectors and Trim Covers

Variable-Height Covers — Full-Height Cover

Panel Heights				Wood Group A		Wood Group B	
Lowest	Highest	Description	Wood Cover Number	Trim A	Trim B	Trim A	Trim B
Grooved Top Cap							
32″(813mm)	42″(1067mm)	10″ cover	NLVW-3242-G	$133.57	$134.69	$150.54	$151.66
	48″(1219mm)	16″ cover	NLVW-3248-G	139.27	140.39	157.26	158.38
	53″(1346mm)	21″ cover	NLVW-3253-G	144.02	145.14	162.86	163.98
	64″(1626mm)	32″ cover	NLVW-3264-G	154.47	155.59	175.18	176.30
	80″(2032mm)	48″ cover	NLVW-3280-G	169.67	170.79	193.10	194.22
42″(1067mm)	48″(1219mm)	6″ cover	NLVW-4248-G	$129.77	$130.89	$146.06	$147.18
	53″(1346mm)	11″ cover	NLVW-4253-G	134.52	135.64	151.66	152.78
	64″(1626mm)	22″ cover	NLVW-4264-G	144.97	146.09	163.98	165.10
	80″(2032mm)	38″ cover	NLVW-4280-G	160.17	161.29	181.90	183.02
48″(1219mm)	53″(1346mm)	5″ cover	NLVW-4853-G	$128.82	$129.94	$144.94	$146.06
	64″(1626mm)	16″ cover	NLVW-4864-G	139.27	140.39	157.26	158.38
	80″(2032mm)	32″ cover	NLVW-4880-G	154.47	155.59	175.18	176.30
53″(1346mm)	64″(1626mm)	11″ cover	NLVW-5364-G	$134.52	$135.64	$151.66	$152.78
	80″(2032mm)	27″ cover	NLVW-5380-G	149.72	150.84	169.58	170.70
64″(1626mm)	80″(2032mm)	16″ cover	NLVW-6480-G	$139.27	$140.39	$157.26	$158.38

			Wood Cover Number	Wood Group A	Wood Group B
Wood Top Cap					
32″(813mm)	42″(1067mm)	10″ cover	NLVW-3242-W	$175.14	$201.10
	48″(1219mm)	16″ cover	NLVW-3248-W	180.84	207.82
	53″(1346mm)	21″ cover	NLVW-3253-W	185.59	213.42
	64″(1626mm)	32″ cover	NLVW-3264-W	196.04	225.74
	80″(2032mm)	48″ cover	NLVW-3280-W	211.24	243.66
42″(1067mm)	48″(1219mm)	6″ cover	NLVW-4248-W	$171.34	$196.62
	53″(1346mm)	11″ cover	NLVW-4253-W	176.09	202.22
	64″(1626mm)	22″ cover	NLVW-4264-W	186.54	214.54
	80″(2032mm)	38″ cover	NLVW-4280-W	201.74	232.46
48″(1219mm)	53″(1346mm)	5″ cover	NLVW-4853-W	$170.39	$195.50
	64″(1626mm)	16″ cover	NLVW-4864-W	180.84	207.82
	80″(2032mm)	32″ cover	NLVW-4880-W	196.04	225.74
53″(1346mm)	64″(1626mm)	11″ cover	NLVW-5364-W	$176.09	$202.22
	80″(2032mm)	27″ cover	NLVW-5380-W	191.29	220.14
64″(1626mm)	80″(2032mm)	16″ cover	NLVW-6480-W	$180.84	$207.82

This page intentionally blank

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover

Variable-Height Covers — Sectional Cover



NSV_-3242-_



NSV_-3248-_



NSV_-3258-_



NSV_-3264-_



NSV_-3274-_



NSV_-3280-

NOTE:
Illustrations shown on this page should not be used to determine support and load guidelines, see Specification Guide.



NSV_-4248-_



NSV_-4258-_



NSV_-4264-_



NSV_-4274-_



NSV_-4280-_



NSV_-4858-_



NSV_-4864-_



NSV_-4874-_



NSV_-4880-_



NSV_-5864-_



NSV_-5874-_



NSV_-5880-_



NSV_-6474-_



NSV_-6480-_



NSV_-7480-_

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover



NSVP-S
NSVF-S
NSVP-G
NSVF-G
NSVW-G
NSVP-W
NSVF-W
NSVW-W

Features

- Includes cover, top cap, and top cap adaptor.
- Provides finished appearance in variable-height conditions on exposed connector in straight, 2-way, 3-way or 4-way conditions.
- Install on exposed portion(s) of tallest panel connector.

Specification Tips

- Cover is specified from the lowest to highest panel.
- Top cap of the lower panel requires field cutting of the top cap to accommodate the top cap adaptor provided with the cover.
- The bottom of the cover coped to fit over the top cap on the lower panel.
- If the tallest panel in the **in-line intersection** has a grooved top cap, a variable height cover with a grooved top cap is required.
- All 2-way, 3-way, or 4-way intersections with different height panels require standard variable height covers, regardless of the panel top cap type; standard or grooved.

To Order, Specify:

Standard or Grooved Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Trim color for top cap.*

Standard or Grooved Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Trim color for top cap.*

Grooved Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Trim color for top cap.*

Wood Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Wood finish for top cap.

Wood Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Wood finish for top cap.

Wood Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Wood finish for top cap.

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover

Panel Heights		Kit Quantity						Trim A Fabric Grade					
Lowest	Highest	6″	10″	16″	Painted Cover Number	Trim A	Fabric Cover Number	A	B	C	E	F	G
Standard Top Cap													
32″(813mm)	42″(1067mm)		1		NSVP-3242-S	$ 34.27	NSVF-3242-S	$ 74.60	$ 81.06	$ 88.71	$105.36	$116.77	$123.24
	48″(1219mm)			1	NSVP-3248-S	39.67	NSVF-3248-S	81.20	88.68	97.41	116.52	129.49	136.98
	58″(1473mm)		1	1	NSVP-3258-S	73.38	NSVF-3258-S	114.91	127.44	142.35	172.70	194.66	206.64
	64″(1626mm)			2	NSVP-3264-S	81.24	NSVF-3264-S	163.22	183.06	205.28	254.72	287.92	307.77
	74″(1880mm)		1	2	NSVP-3274-S	114.95	NSVF-3274-S	196.93	221.82	250.22	310.90	353.09	377.43
	80″(2032mm)			3	NSVP-3280-S	122.81	NSVF-3280-S	245.24	277.44	313.15	392.92	446.35	478.56
42″(1067mm)	48″(1219mm)	1			NSVP-4248-S	$ 30.67	NSVF-4248-S	$ 70.20	$ 75.98	$ 82.91	$ 97.92	$108.29	$114.08
	58″(1473mm)	1	1		NSVP-4258-S	64.38	NSVF-4258-S	103.91	114.74	127.85	154.10	173.46	183.74
	64″(1626mm)	1		1	NSVP-4264-S	72.24	NSVF-4264-S	152.22	170.36	190.78	236.12	266.72	284.87
	74″(1880mm)	1	1	1	NSVP-4274-S	105.95	NSVF-4274-S	185.93	209.12	235.72	292.30	331.89	354.53
	80″(2032mm)	1		2	NSVP-4280-S	113.81	NSVF-4280-S	234.24	264.74	298.65	374.32	425.15	455.66
48″(1219mm)	58″(1473mm)		1		NSVP-4858-S	$ 34.27	NSVF-4858-S	$ 74.60	$ 81.06	$ 88.71	$105.36	$116.77	$123.24
	64″(1626mm)			1	NSVP-4864-S	39.67	NSVF-4864-S	81.20	88.68	97.41	116.52	129.49	136.98
	74″(1880mm)		1	1	NSVP-4874-S	73.38	NSVF-4874-S	114.91	127.44	142.35	172.70	194.66	206.64
	80″(2032mm)			2	NSVP-4880-S	81.24	NSVF-4880-S	163.22	183.06	205.28	254.72	287.92	307.77
58″(1473mm)	64″(1626mm)	1			NSVP-5864-S	$ 30.67	NSVF-5864-S	$ 70.20	$ 75.98	$ 82.91	$ 97.92	$108.29	$114.08
	74″(1880mm)	1	1		NSVP-5874-S	64.38	NSVF-5874-S	103.91	114.74	127.85	154.10	173.46	183.74
	80″(2032mm)	1		1	NSVP-5880-S	72.24	NSVF-5880-S	152.22	170.36	190.78	236.12	266.72	284.87
64″(1626mm)	74″(1880mm)		1		NSVP-6474-S	$ 34.27	NSVF-6474-S	$ 74.60	$ 81.06	$ 88.71	$105.36	$116.77	$123.24
	80″(2032mm)			1	NSVP-6480-S	39.67	NSVF-6480-S	81.20	88.68	97.41	116.52	129.49	136.98
74″(1880mm)	80″(2032mm)	1			NSVP-7480-S	$ 30.67	NSVF-7480-S	$ 70.20	$ 75.98	$ 82.91	$ 97.92	$108.29	$114.08
Grooved Top Cap													
32″(813mm)	42″(1067mm)		1		NSVP-3242-G	$ 42.70	NSVF-3242-G	$ 83.03	$ 89.49	$ 97.14	$113.79	$125.20	$131.67
	48″(1219mm)			1	NSVP-3248-G	48.10	NSVF-3248-G	89.63	97.11	105.84	124.95	137.92	145.41
	58″(1473mm)		1	1	NSVP-3258-G	81.81	NSVF-3258-G	123.34	135.87	150.78	181.13	203.09	215.07
	64″(1626mm)			2	NSVP-3264-G	89.67	NSVF-3264-G	171.65	191.49	213.71	263.15	296.35	316.20
	74″(1880mm)		1	2	NSVP-3274-G	123.38	NSVF-3274-G	205.36	230.25	258.65	319.33	361.52	385.86
	80″(2032mm)			3	NSVP-3280-G	131.24	NSVF-3280-G	253.67	285.87	321.58	401.35	454.78	486.99
42″(1067mm)	48″(1219mm)	1			NSVP-4248-G	$ 39.10	NSVF-4248-G	$ 78.63	$ 84.41	$ 91.34	$106.35	$116.72	$122.51
	58″(1473mm)	1	1		NSVP-4258-G	72.81	NSVF-4258-G	112.34	123.17	136.28	162.53	181.89	192.17
	64″(1626mm)	1		1	NSVP-4264-G	80.67	NSVF-4264-G	160.65	178.79	199.21	244.55	275.15	293.30
	74″(1880mm)	1	1	1	NSVP-4274-G	114.38	NSVF-4274-G	194.36	217.55	244.15	300.73	340.32	362.96
	80″(2032mm)	1		2	NSVP-4280-G	122.24	NSVF-4280-G	242.67	273.17	307.08	382.75	433.58	464.09
48″(1219mm)	58″(1473mm)		1		NSVP-4858-G	$ 42.70	NSVF-4858-G	$ 83.03	$ 89.49	$ 97.14	$113.79	$125.20	$131.67
	64″(1626mm)			1	NSVP-4864-G	48.10	NSVF-4864-G	89.63	97.11	105.84	124.95	137.92	145.41
	74″(1880mm)		1	1	NSVP-4874-G	81.81	NSVF-4874-G	123.34	135.87	150.78	181.13	203.09	215.07
	80″(2032mm)			2	NSVP-4880-G	89.67	NSVF-4880-G	171.65	191.49	213.71	263.15	296.35	316.20
58″(1473mm)	64″(1626mm)	1			NSVP-5864-G	$ 39.10	NSVF-5864-G	$ 78.63	$ 84.41	$ 91.34	$106.35	$116.72	$122.51
	74″(1880mm)	1	1		NSVP-5874-G	72.81	NSVF-5874-G	112.34	123.17	136.28	162.53	181.89	192.17
	80″(2032mm)	1		1	NSVP-5880-G	80.67	NSVF-5880-G	160.65	178.79	199.21	244.55	275.15	293.30
64″(1626mm)	74″(1880mm)		1		NSVP-6474-G	$ 42.70	NSVF-6474-G	$ 83.03	$ 89.49	$ 97.14	$113.79	$125.20	$131.67
	80″(2032mm)			1	NSVP-6480-G	48.10	NSVF-6480-G	89.63	97.11	105.84	124.95	137.92	145.41
74″(1880mm)	80″(2032mm)	1			NSVP-7480-G	$ 39.10	NSVF-7480-G	$ 78.63	$ 84.41	$ 91.34	$106.35	$116.72	$122.51

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover

Panel Heights		Kit Quantity			Painted Cover	Trim	Fabric Cover	Trim B Fabric Grade					
Lowest	Highest	6″	10″	16″	Number	B	Number	A	B	C	E	F	G
Standard Top Cap													
32″(813mm)	42″(1067mm)		1		NSVP-3242-S	$ 37.63	NSVF-3242-S	$ 75.16	$ 81.62	$ 89.27	$105.92	$117.33	$123.80
	48″(1219mm)			1	NSVP-3248-S	43.69	NSVF-3248-S	81.76	89.24	97.97	117.08	130.05	137.54
	58″(1473mm)		1	1	NSVP-3258-S	79.65	NSVF-3258-S	115.47	128.00	142.91	173.26	195.22	207.20
	64″(1626mm)			2	NSVP-3264-S	87.51	NSVF-3264-S	163.78	183.62	205.84	255.28	288.48	308.33
	74″(1880mm)		1	2	NSVP-3274-S	123.47	NSVF-3274-S	197.49	222.38	250.78	311.46	353.65	377.99
	80″(2032mm)			3	NSVP-3280-S	131.33	NSVF-3280-S	245.80	278.00	313.71	393.48	446.91	479.12
42″(1067mm)	48″(1219mm)	1			NSVP-4248-S	$ 33.59	NSVF-4248-S	$ 70.76	$ 76.54	$ 83.47	$ 98.48	$108.85	$114.64
	58″(1473mm)	1	1		NSVP-4258-S	69.55	NSVF-4258-S	104.47	115.30	128.41	154.66	174.02	184.30
	64″(1626mm)	1		1	NSVP-4264-S	77.41	NSVF-4264-S	152.78	170.92	191.34	236.68	267.28	285.43
	74″(1880mm)	1	1	1	NSVP-4274-S	113.37	NSVF-4274-S	186.49	209.68	236.28	292.86	332.45	355.09
	80″(2032mm)	1		2	NSVP-4280-S	121.23	NSVF-4280-S	234.80	265.30	299.21	374.88	425.71	456.22
48″(1219mm)	58″(1473mm)		1		NSVP-4858-S	$ 37.63	NSVF-4858-S	$ 75.16	$ 81.62	$ 89.27	$105.92	$117.33	$123.80
	64″(1626mm)			1	NSVP-4864-S	43.69	NSVF-4864-S	81.76	89.24	97.97	117.08	130.05	137.54
	74″(1880mm)		1	1	NSVP-4874-S	79.65	NSVF-4874-S	115.47	128.00	142.91	173.26	195.22	207.20
	80″(2032mm)			2	NSVP-4880-S	87.51	NSVF-4880-S	163.78	183.62	205.84	255.28	288.48	308.33
58″(1473mm)	64″(1626mm)	1			NSVP-5864-S	$ 33.59	NSVF-5864-S	$ 70.76	$ 76.54	$ 83.47	$ 98.48	$108.85	$114.64
	74″(1880mm)	1	1		NSVP-5874-S	69.55	NSVF-5874-S	104.47	115.30	128.41	154.66	174.02	184.30
	80″(2032mm)	1		1	NSVP-5880-S	77.41	NSVF-5880-S	152.78	170.92	191.34	236.68	267.28	285.43
64″(1626mm)	74″(1880mm)		1		NSVP-6474-S	$ 37.63	NSVF-6474-S	$ 75.16	$ 81.62	$ 89.27	$105.92	$117.33	$123.80
	80″(2032mm)			1	NSVP-6480-S	43.69	NSVF-6480-S	81.76	89.24	97.97	117.08	130.05	137.54
74″(1880mm)	80″(2032mm)	1			NSVP-7480-S	$ 33.59	NSVF-7480-S	$ 70.76	$ 76.54	$ 83.47	$ 98.48	$108.85	$114.64
Grooved Top Cap													
32″(813mm)	42″(1067mm)		1		NSVP-3242-G	$ 46.62	NSVF-3242-G	$ 84.15	$ 90.61	$ 98.26	$114.91	$126.32	$132.79
	48″(1219mm)			1	NSVP-3248-G	52.68	NSVF-3248-G	90.75	98.23	106.96	126.07	139.04	146.53
	58″(1473mm)		1	1	NSVP-3258-G	88.64	NSVF-3258-G	124.46	136.99	151.90	182.25	204.21	216.19
	64″(1626mm)			2	NSVP-3264-G	96.50	NSVF-3264-G	172.77	192.61	214.83	264.27	297.47	317.32
	74″(1880mm)		1	2	NSVP-3274-G	132.46	NSVF-3274-G	206.48	231.37	259.77	320.45	362.64	386.98
	80″(2032mm)			3	NSVP-3280-G	140.32	NSVF-3280-G	254.79	286.99	322.70	402.47	455.90	488.11
42″(1067mm)	48″(1219mm)	1			NSVP-4248-G	$ 42.58	NSVF-4248-G	$ 79.75	$ 85.53	$ 92.46	$107.47	$117.84	$123.63
	58″(1473mm)	1	1		NSVP-4258-G	78.54	NSVF-4258-G	113.46	124.29	137.40	163.65	183.01	193.29
	64″(1626mm)	1		1	NSVP-4264-G	86.40	NSVF-4264-G	161.77	179.91	200.33	245.67	276.27	294.42
	74″(1880mm)	1	1	1	NSVP-4274-G	122.36	NSVF-4274-G	195.48	218.67	245.27	301.85	341.44	364.08
	80″(2032mm)	1		2	NSVP-4280-G	130.22	NSVF-4280-G	243.79	274.29	308.20	383.87	434.70	465.21
48″(1219mm)	58″(1473mm)		1		NSVP-4858-G	$ 46.62	NSVF-4858-G	$ 84.15	$ 90.61	$ 98.26	$114.91	$126.32	$132.79
	64″(1626mm)			1	NSVP-4864-G	52.68	NSVF-4864-G	90.75	98.23	106.96	126.07	139.04	146.53
	74″(1880mm)		1	1	NSVP-4874-G	88.64	NSVF-4874-G	124.46	136.99	151.90	182.25	204.21	216.19
	80″(2032mm)			2	NSVP-4880-G	96.50	NSVF-4880-G	172.77	192.61	214.83	264.27	297.47	317.32
58″(1473mm)	64″(1626mm)	1			NSVP-5864-G	$ 42.58	NSVF-5864-G	$ 79.75	$ 85.53	$ 92.46	$107.47	$117.84	$123.63
	74″(1880mm)	1	1		NSVP-5874-G	78.54	NSVF-5874-G	113.46	124.29	137.40	163.65	183.01	193.29
	80″(2032mm)	1		1	NSVP-5880-G	86.40	NSVF-5880-G	161.77	179.91	200.33	245.67	276.27	294.42
64″(1626mm)	74″(1880mm)		1		NSVP-6474-G	$ 46.62	NSVF-6474-G	$ 84.15	$ 90.61	$ 98.26	$114.91	$126.32	$132.79
	80″(2032mm)			1	NSVP-6480-G	52.68	NSVF-6480-G	90.75	98.23	106.96	126.07	139.04	146.53
74″(1880mm)	80″(2032mm)	1			NSVP-7480-G	$ 42.58	NSVF-7480-G	$ 79.75	$ 85.53	$ 92.46	$107.47	$117.84	$123.63

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover

Panel Heights		Kit Quantity											
Lowest	**Highest**	**6″**	**10″**	**16″**	**Painted Cover Number**	**Trim A**	**Trim B**	**Fabric Cover Number**	**Fabric Grade A**	**B**	**C**	**E**	**F**	**G**
Wood Top Cap — Wood Group A														
32″(813mm)	42″(1067mm)		1		NSVP-3242-W	$ 84.27	$ 87.07	NSVF-3242-W	$124.60	$131.06	$138.71	$155.36	$166.77	$173.24
	48″(1219mm)			1	NSVP-3248-W	89.67	93.13	NSVF-3248-W	131.20	138.68	147.41	166.52	179.49	186.98
	58″(1473mm)		1	1	NSVP-3258-W	123.38	129.09	NSVF-3258-W	164.91	177.44	192.35	222.70	244.66	256.64
	64″(1626mm)			2	NSVP-3264-W	131.24	136.95	NSVF-3264-W	213.22	233.06	255.28	304.72	337.92	357.77
	74″(1880mm)		1	2	NSVP-3274-W	164.95	172.91	NSVF-3274-W	246.93	271.82	300.22	360.90	403.09	427.43
	80″(2032mm)			3	NSVP-3280-W	172.81	180.77	NSVF-3280-W	295.24	327.44	363.15	442.92	496.35	528.56
42″(1067mm)	48″(1219mm)	1			NSVP-4248-W	$ 80.67	$ 83.03	NSVF-4248-W	$120.20	$125.98	$132.91	$147.92	$158.29	$164.08
	58″(1473mm)	1	1		NSVP-4258-W	114.38	118.99	NSVF-4258-W	153.91	164.74	177.85	204.10	223.46	233.74
	64″(1626mm)	1		1	NSVP-4264-W	122.24	126.85	NSVF-4264-W	202.22	220.36	240.78	286.12	316.72	334.87
	74″(1880mm)	1	1	1	NSVP-4274-W	155.95	162.81	NSVF-4274-W	235.93	259.12	285.72	342.30	381.89	404.53
	80″(2032mm)	1		2	NSVP-4280-W	163.81	170.67	NSVF-4280-W	284.24	314.74	348.65	424.32	475.15	505.66
48″(1219mm)	58″(1473mm)		1		NSVP-4858-W	$ 84.27	$ 87.07	NSVF-4858-W	$124.60	$131.06	$138.71	$155.36	$166.77	$173.24
	64″(1626mm)			1	NSVP-4864-W	89.67	93.13	NSVF-4864-W	131.20	138.68	147.41	166.52	179.49	186.98
	74″(1880mm)		1	1	NSVP-4874-W	123.38	129.09	NSVF-4874-W	164.91	177.44	192.35	222.70	244.66	256.64
	80″(2032mm)			2	NSVP-4880-W	131.24	136.95	NSVF-4880-W	213.22	233.06	255.28	304.72	337.92	357.77
58″(1473mm)	64″(1626mm)	1			NSVP-5864-W	$ 80.67	$ 83.03	NSVF-5864-W	$120.20	$125.98	$132.91	$147.92	$158.29	$164.08
	74″(1880mm)	1	1		NSVP-5874-W	114.38	118.99	NSVF-5874-W	153.91	164.74	177.85	204.10	223.46	233.74
	80″(2032mm)	1		1	NSVP-5880-W	122.24	126.85	NSVF-5880-W	202.22	220.36	240.78	286.12	316.72	334.87
64″(1626mm)	74″(1880mm)		1		NSVP-6474-W	$ 84.27	$ 87.07	NSVF-6474-W	$124.60	$131.06	$138.71	$155.36	$166.77	$173.24
	80″(2032mm)			1	NSVP-6480-W	89.67	93.13	NSVF-6480-W	131.20	138.68	147.41	166.52	179.49	186.98
74″(1880mm)	80″(2032mm)	1			NSVP-7480-W	$ 80.67	$ 83.03	NSVF-7480-W	$120.20	$125.98	$132.91	$147.92	$158.29	$164.08
Wood Top Cap — Wood Group B														
32″(813mm)	42″(1067mm)		1		NSVP-3242-W	$ 93.26	$ 96.06	NSVF-3242-W	$133.59	$140.05	$147.70	$164.35	$175.76	$182.23
	48″(1219mm)			1	NSVP-3248-W	98.66	102.12	NSVF-3248-W	140.19	147.67	156.40	175.51	188.48	195.97
	58″(1473mm)		1	1	NSVP-3258-W	132.37	138.08	NSVF-3258-W	173.90	186.43	201.34	231.69	253.65	265.63
	64″(1626mm)			2	NSVP-3264-W	140.23	145.94	NSVF-3264-W	222.21	242.05	264.27	313.71	346.91	366.76
	74″(1880mm)		1	2	NSVP-3274-W	173.94	181.90	NSVF-3274-W	255.92	280.81	309.21	369.89	412.08	436.42
	80″(2032mm)			3	NSVP-3280-W	181.80	189.76	NSVF-3280-W	304.23	336.43	372.14	451.91	505.34	537.55
42″(1067mm)	48″(1219mm)	1			NSVP-4248-W	$ 89.66	$ 92.02	NSVF-4248-W	$129.19	$134.97	$141.90	$156.91	$167.28	$173.07
	58″(1473mm)	1	1		NSVP-4258-W	123.37	127.98	NSVF-4258-W	162.90	173.73	186.84	213.09	232.45	242.73
	64″(1626mm)	1		1	NSVP-4264-W	131.23	135.84	NSVF-4264-W	211.21	229.35	249.77	295.11	325.71	343.86
	74″(1880mm)	1	1	1	NSVP-4274-W	164.94	171.80	NSVF-4274-W	244.92	268.11	294.71	351.29	390.88	413.52
	80″(2032mm)	1		2	NSVP-4280-W	172.80	179.66	NSVF-4280-W	293.23	323.73	357.64	433.31	484.14	514.65
48″(1219mm)	58″(1473mm)		1		NSVP-4858-W	$ 93.26	$ 96.06	NSVF-4858-W	$133.59	$140.05	$147.70	$164.35	$175.76	$182.23
	64″(1626mm)			1	NSVP-4864-W	98.66	102.12	NSVF-4864-W	140.19	147.67	156.40	175.51	188.48	195.97
	74″(1880mm)		1	1	NSVP-4874-W	132.37	138.08	NSVF-4874-W	173.90	186.43	201.34	231.69	253.65	265.63
	80″(2032mm)			2	NSVP-4880-W	140.23	145.94	NSVF-4880-W	222.21	242.05	264.27	313.71	346.91	366.76
58″(1473mm)	64″(1626mm)	1			NSVP-5864-W	$ 89.66	$ 92.02	NSVF-5864-W	$129.19	$134.97	$141.90	$156.91	$167.28	$173.07
	74″(1880mm)	1	1		NSVP-5874-W	123.37	127.98	NSVF-5874-W	162.90	173.73	186.84	213.09	232.45	242.73
	80″(2032mm)	1		1	NSVP-5880-W	131.23	135.84	NSVF-5880-W	211.21	229.35	249.77	295.11	325.71	343.86
64″(1626mm)	74″(1880mm)		1		NSVP-6474-W	$ 93.26	$ 96.06	NSVF-6474-W	$133.59	$140.05	$147.70	$164.35	$175.76	$182.23
	80″(2032mm)			1	NSVP-6480-W	98.66	102.12	NSVF-6480-W	140.19	147.67	156.40	175.51	188.48	195.97
74″(1880mm)	80″(2032mm)	1			NSVP-7480-W	$ 89.66	$ 92.02	NSVF-7480-W	$129.19	$134.97	$141.90	$156.91	$167.28	$173.07

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

Variable-Height Covers — Sectional Cover

Panel Heights		Kit Quantity			Wood Cover	Wood Group A		Wood Group B	
Lowest	Highest	6″	10″	16″	Number	Trim A	Trim B	Trim A	Trim B
Grooved Top Cap									
32″(813mm)	42″(1067mm)		1		NSVW-3242-G	$135.97	$137.09	$154.52	$155.64
	48″(1219mm)			1	NSVW-3248-G	144.55	145.67	164.66	165.78
	58″(1473mm)		1	1	NSVW-3258-G	173.16	174.28	198.37	199.49
	64″(1626mm)			2	NSVW-3264-G	214.21	215.33	246.68	247.80
	74″(1880mm)		1	2	NSVW-3274-G	242.82	243.94	280.39	281.51
	80″(2032mm)			3	NSVW-3280-G	283.87	284.99	328.70	329.82
42″(1067mm)	48″(1219mm)	1			NSVW-4248-G	$130.25	$131.37	$147.76	$148.88
	58″(1473mm)	1	1		NSVW-4258-G	158.86	159.98	181.47	182.59
	64″(1626mm)	1		1	NSVW-4264-G	199.91	201.03	229.78	230.90
	74″(1880mm)	1	1	1	NSVW-4274-G	228.52	229.64	263.49	264.61
	80″(2032mm)	1		2	NSVW-4280-G	269.57	270.69	311.80	312.92
48″(1219mm)	58″(1473mm)		1		NSVW-4858-G	$135.97	$137.09	$154.52	$155.64
	64″(1626mm)			1	NSVW-4864-G	144.55	145.67	164.66	165.78
	74″(1880mm)		1	1	NSVW-4874-G	173.16	174.28	198.37	199.49
	80″(2032mm)			2	NSVW-4880-G	214.21	215.33	246.68	247.80
58″(1473mm)	64″(1626mm)	1			NSVW-5864-G	$130.25	$131.37	$147.76	$148.88
	74″(1880mm)	1	1		NSVW-5874-G	158.86	159.98	181.47	182.59
	80″(2032mm)	1		1	NSVW-5880-G	199.91	201.03	229.78	230.90
64″(1626mm)	74″(1880mm)		1		NSVW-6474-G	$135.97	$137.09	$154.52	$155.64
	80″(2032mm)			1	NSVW-6480-G	144.55	145.67	164.66	165.78
74″(1880mm)	80″(2032mm)	1			NSVW-7480-G	$130.25	$131.37	$147.76	$148.88

					Wood Cover	Wood	Wood
					Number	Group A	Group B
Wood Top Cap							
32″(813mm)	42″(1067mm)		1		NSVW-3242-W	$177.54	$205.08
	48″(1219mm)			1	NSVW-3248-W	186.12	215.22
	58″(1473mm)		1	1	NSVW-3258-W	214.73	248.93
	64″(1626mm)			2	NSVW-3264-W	255.78	297.24
	74″(1880mm)		1	2	NSVW-3274-W	284.39	330.95
	80″(2032mm)			3	NSVW-3280-W	325.44	379.26
42″(1067mm)	48″(1219mm)	1			NSVW-4248-W	$171.82	$198.32
	58″(1473mm)	1	1		NSVW-4258-W	200.43	232.03
	64″(1626mm)	1		1	NSVW-4264-W	241.48	280.34
	74″(1880mm)	1	1	1	NSVW-4274-W	270.09	314.05
	80″(2032mm)	1		2	NSVW-4280-W	311.14	362.36
48″(1219mm)	58″(1473mm)		1		NSVW-4858-W	$177.54	$205.08
	64″(1626mm)			1	NSVW-4864-W	186.12	215.22
	74″(1880mm)		1	1	NSVW-4874-W	214.73	248.93
	80″(2032mm)			2	NSVW-4880-W	255.78	297.24
58″(1473mm)	64″(1626mm)	1			NSVW-5864-W	$171.82	$198.32
	74″(1880mm)	1	1		NSVW-5874-W	200.43	232.03
	80″(2032mm)	1		1	NSVW-5880-W	241.48	280.34
64″(1626mm)	74″(1880mm)		1		NSVW-6474-W	$177.54	$205.08
	80″(2032mm)			1	NSVW-6480-W	186.12	215.22
74″(1880mm)	80″(2032mm)	1			NSVW-7480-W	$171.82	$198.32

Panel Connectors and Trim Covers

Variable-Height Covers — Starter Cover



NBVP-S
NBVF-S
NBVP-G
NBVF-G
NBVW-G
NBVP-W
NBVF-W
NBVW-W

Features

- Includes cover, top cap, and top cap adaptor.
- Provides finished appearance in variable-height conditions on exposed connector in straight, 2-way, 3-way or 4-way conditions.
- Install on exposed portion(s) of tallest panel connector.

Specification Tips

- Used when one or more panel configuration(s) in the intersection are other than a monolithic height.
- Specify cover height to correspond with exposed connector.
- Top cap of the lower panel requires field cutting to accommodate the top cap adaptor provided with the cover.
- The bottom of the cover is coped to fit over the top cap on the lower panel.
- If the tallest panel in the **in-line intersection** has a grooved top cap, a variable height cover with a grooved top cap is required.
- All 2-way, 3-way, or 4-way intersections with different height panels require standard variable height covers, regardless of the panel top cap type; standard or grooved.

To Order, Specify:

Standard or Grooved Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Trim color for top cap.*

Standard or Grooved Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Trim color for top cap.*

Grooved Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Trim color for top cap.*

Wood Top Cap w/Painted Cover

1) Product number.
2) Trim color for cover.*
3) Wood finish for top cap.

Wood Top Cap w/Fabric Cover

1) Product number.
2) Fabric/colorway for cover.
3) Wood finish for top cap.

Wood Top Cap w/Wood Cover

1) Product number.
2) Wood finish for cover.
3) Wood finish for top cap.

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

Variable-Height Covers — Starter Cover

Width	Painted Cover Number	Trim A	Fabric Cover Number	Trim A Fabric Grade A	B	C	E	F	G
Standard Top Cap									
5″ cover	NBVP-5-S	**$29.77**	NBVF-5-S	**$ 69.10**	**$ 74.71**	**$ 81.46**	**$ 96.06**	**$106.17**	**$111.79**
6″ cover	NBVP-6-S	**30.67**	NBVF-6-S	**70.17**	**75.94**	**82.87**	**97.85**	**108.23**	**114.02**
10″ cover	NBVP-10-S	**34.27**	NBVF-10-S	**74.45**	**80.86**	**88.51**	**105.01**	**116.47**	**122.94**
11″ cover	NBVP-11-S	**35.17**	NBVF-11-S	**75.52**	**82.09**	**89.92**	**106.80**	**118.53**	**125.17**
16″ cover	NBVP-16-S	**39.67**	NBVF-16-S	**80.87**	**88.24**	**96.97**	**115.75**	**128.83**	**136.32**
21″ cover	NBVP-21-S	**44.17**	NBVF-21-S	**86.22**	**94.39**	**104.02**	**124.70**	**139.13**	**147.47**
22″ cover	NBVP-22-S	**45.07**	NBVF-22-S	**87.29**	**95.62**	**105.43**	**126.49**	**141.19**	**149.70**
27″ cover	NBVP-27-S	**49.57**	NBVF-27-S	**92.64**	**101.77**	**112.48**	**135.44**	**151.49**	**160.85**
32″ cover	NBVP-32-S	**54.07**	NBVF-32-S	**97.99**	**107.92**	**119.53**	**144.39**	**161.79**	**172.00**
38″ cover	NBVP-38-S	**59.47**	NBVF-38-S	**104.41**	**115.30**	**127.99**	**155.13**	**174.15**	**185.38**
48″ cover	NBVP-48-S	**68.47**	NBVF-48-S	**115.11**	**127.60**	**142.09**	**173.03**	**194.75**	**207.68**
Grooved Top Cap									
5″ cover	NBVP-5-G	**$38.20**	NBVF-5-G	**$ 77.53**	**$ 83.14**	**$ 89.89**	**$104.49**	**$114.60**	**$120.22**
6″ cover	NBVP-6-G	**39.10**	NBVF-6-G	**78.60**	**84.37**	**91.30**	**106.28**	**116.66**	**122.45**
10″ cover	NBVP-10-G	**42.70**	NBVF-10-G	**82.88**	**89.29**	**96.94**	**113.44**	**124.90**	**131.37**
11″ cover	NBVP-11-G	**43.60**	NBVF-11-G	**83.95**	**90.52**	**98.35**	**115.23**	**126.96**	**133.60**
16″ cover	NBVP-16-G	**48.10**	NBVF-16-G	**89.30**	**96.67**	**105.40**	**124.18**	**137.26**	**144.75**
21″ cover	NBVP-21-G	**52.60**	NBVF-21-G	**94.65**	**102.82**	**112.45**	**133.13**	**147.56**	**155.90**
22″ cover	NBVP-22-G	**53.50**	NBVF-22-G	**95.72**	**104.05**	**113.86**	**134.92**	**149.62**	**158.13**
27″ cover	NBVP-27-G	**58.00**	NBVF-27-G	**101.07**	**110.20**	**120.91**	**143.87**	**159.92**	**169.28**
32″ cover	NBVP-32-G	**62.50**	NBVF-32-G	**106.42**	**116.35**	**127.96**	**152.82**	**170.22**	**180.43**
38″ cover	NBVP-38-G	**67.90**	NBVF-38-G	**112.84**	**123.73**	**136.42**	**163.56**	**182.58**	**193.81**
48″ cover	NBVP-48-G	**76.90**	NBVF-48-G	**123.54**	**136.03**	**150.52**	**181.46**	**203.18**	**216.11**

Width	Painted Cover Number	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
Standard Top Cap									
5″ cover	NBVP-5-S	**$32.58**	NBVF-5-S	**$ 69.66**	**$ 75.27**	**$ 82.02**	**$ 96.62**	**$106.73**	**$112.35**
6″ cover	NBVP-6-S	**33.59**	NBVF-6-S	**70.73**	**76.50**	**83.43**	**98.41**	**108.79**	**114.58**
10″ cover	NBVP-10-S	**37.63**	NBVF-10-S	**75.01**	**81.42**	**89.07**	**105.57**	**117.03**	**123.50**
11″ cover	NBVP-11-S	**38.64**	NBVF-11-S	**76.08**	**82.65**	**90.48**	**107.36**	**119.09**	**125.73**
16″ cover	NBVP-16-S	**43.69**	NBVF-16-S	**81.43**	**88.80**	**97.53**	**116.31**	**129.39**	**136.88**
21″ cover	NBVP-21-S	**48.74**	NBVF-21-S	**86.78**	**94.95**	**104.58**	**125.26**	**139.69**	**148.03**
22″ cover	NBVP-22-S	**49.75**	NBVF-22-S	**87.85**	**96.18**	**105.99**	**127.05**	**141.75**	**150.26**
27″ cover	NBVP-27-S	**54.80**	NBVF-27-S	**93.20**	**102.33**	**113.04**	**136.00**	**152.05**	**161.41**
32″ cover	NBVP-32-S	**59.85**	NBVF-32-S	**98.55**	**108.48**	**120.09**	**144.95**	**162.35**	**172.56**
38″ cover	NBVP-38-S	**65.91**	NBVF-38-S	**104.97**	**115.86**	**128.55**	**155.69**	**174.71**	**185.94**
48″ cover	NBVP-48-S	**76.01**	NBVF-48-S	**115.67**	**128.16**	**142.65**	**173.59**	**195.31**	**208.24**
Grooved Top Cap									
5″ cover	NBVP-5-G	**$41.57**	NBVF-5-G	**$ 78.65**	**$ 84.26**	**$ 91.01**	**$105.61**	**$115.72**	**$121.34**
6″ cover	NBVP-6-G	**42.58**	NBVF-6-G	**79.72**	**85.49**	**92.42**	**107.40**	**117.78**	**123.57**
10″ cover	NBVP-10-G	**46.62**	NBVF-10-G	**84.00**	**90.41**	**98.06**	**114.56**	**126.02**	**132.49**
11″ cover	NBVP-11-G	**47.63**	NBVF-11-G	**85.07**	**91.64**	**99.47**	**116.35**	**128.08**	**134.72**
16″ cover	NBVP-16-G	**52.68**	NBVF-16-G	**90.42**	**97.79**	**106.52**	**125.30**	**138.38**	**145.87**
21″ cover	NBVP-21-G	**57.73**	NBVF-21-G	**95.77**	**103.94**	**113.57**	**134.25**	**148.68**	**157.02**
22″ cover	NBVP-22-G	**58.74**	NBVF-22-G	**96.84**	**105.17**	**114.98**	**136.04**	**150.74**	**159.25**
27″ cover	NBVP-27-G	**63.79**	NBVF-27-G	**102.19**	**111.32**	**122.03**	**144.99**	**161.04**	**170.40**
32″ cover	NBVP-32-G	**68.84**	NBVF-32-G	**107.54**	**117.47**	**129.08**	**153.94**	**171.34**	**181.55**
38″ cover	NBVP-38-G	**74.90**	NBVF-38-G	**113.96**	**124.85**	**137.54**	**164.68**	**183.70**	**194.93**
48″ cover	NBVP-48-G	**85.00**	NBVF-48-G	**124.66**	**137.15**	**151.64**	**182.58**	**204.30**	**217.23**

Panel Connectors and Trim Covers

Variable-Height Covers — Starter Cover

Width	Painted Cover Number	Trim A	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
Wood Top Cap — Wood Group A										
5″ cover	NBVP-5-W	$ 79.77	$ 82.02	NBVF-5-W	$119.10	$124.71	$131.46	$146.06	$156.17	$161.79
6″ cover	NBVP-6-W	80.67	83.03	NBVF-6-W	120.17	125.94	132.87	147.85	158.23	164.02
10″ cover	NBVP-10-W	84.27	87.07	NBVF-10-W	124.45	130.86	138.51	155.01	166.47	172.94
11″ cover	NBVP-11-W	85.17	88.08	NBVF-11-W	125.52	132.09	139.92	156.80	168.53	175.17
16″ cover	NBVP-16-W	89.67	93.13	NBVF-16-W	130.87	138.24	146.97	165.75	178.83	186.32
21″ cover	NBVP-21-W	94.17	98.18	NBVF-21-W	136.22	144.39	154.02	174.70	189.13	197.47
22″ cover	NBVP-22-W	95.07	99.19	NBVF-22-W	137.29	145.62	155.43	176.49	191.19	199.70
27″ cover	NBVP-27-W	99.57	104.24	NBVF-27-W	142.64	151.77	162.48	185.44	201.49	210.85
32″ cover	NBVP-32-W	104.07	109.29	NBVF-32-W	147.99	157.92	169.53	194.39	211.79	222.00
38″ cover	NBVP-38-W	109.47	115.35	NBVF-38-W	154.41	165.30	177.99	205.13	224.15	235.38
48″ cover	NBVP-48-W	118.47	125.45	NBVF-48-W	165.11	177.60	192.09	223.03	244.75	257.68
Wood Top Cap — Wood Group B										
5″ cover	NBVP-5-W	$ 88.76	$ 91.01	NBVF-5-W	$128.09	$133.70	$140.45	$155.05	$165.16	$170.78
6″ cover	NBVP-6-W	89.66	92.02	NBVF-6-W	129.16	134.93	141.86	156.84	167.22	173.01
10″ cover	NBVP-10-W	93.26	96.06	NBVF-10-W	133.44	139.85	147.50	164.00	175.46	181.93
11″ cover	NBVP-11-W	94.16	97.07	NBVF-11-W	134.51	141.08	148.91	165.79	177.52	184.16
16″ cover	NBVP-16-W	98.66	102.12	NBVF-16-W	139.86	147.23	155.96	174.74	187.82	195.31
21″ cover	NBVP-21-W	103.16	107.17	NBVF-21-W	145.21	153.38	163.01	183.69	198.12	206.46
22″ cover	NBVP-22-W	104.06	108.18	NBVF-22-W	146.28	154.61	164.42	185.48	200.18	208.69
27″ cover	NBVP-27-W	108.56	113.23	NBVF-27-W	151.63	160.76	171.47	194.43	210.48	219.84
32″ cover	NBVP-32-W	113.06	118.28	NBVF-32-W	156.98	166.91	178.52	203.38	220.78	230.99
38″ cover	NBVP-38-W	118.46	124.34	NBVF-38-W	163.40	174.29	186.98	214.12	233.14	244.37
48″ cover	NBVP-48-W	127.46	134.44	NBVF-48-W	174.10	186.59	201.08	232.02	253.74	266.67

Description	Wood Cover Number	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
Grooved Top Cap					
5″ cover	NBVW-5-G	$128.82	$129.94	$144.94	$146.06
6″ cover	NBVW-6-G	129.77	130.89	146.06	147.18
10″ cover	NBVW-10-G	133.57	134.69	150.54	151.66
11″ cover	NBVW-11-G	134.52	135.64	151.66	152.78
16″ cover	NBVW-16-G	139.27	140.39	157.26	158.38
21″ cover	NBVW-21-G	144.02	145.14	162.86	163.98
22″ cover	NBVW-22-G	144.97	146.09	163.98	165.10
27″ cover	NBVW-27-G	149.72	150.84	169.58	170.70
32″ cover	NBVW-32-G	154.47	155.59	175.18	176.30
38″ cover	NBVW-38-G	160.17	161.29	181.90	183.02
48″ cover	NBVW-48-G	169.67	170.79	193.10	194.22

	Wood Cover Number	Wood Group A	Wood Group B
Wood Top Cap			
5″ cover	NBVW-5-W	$170.39	$195.50
6″ cover	NBVW-6-W	171.34	196.62
10″ cover	NBVW-10-W	175.14	201.10
11″ cover	NBVW-11-W	176.09	202.22
16″ cover	NBVW-16-W	180.84	207.82
21″ cover	NBVW-21-W	185.59	213.42
22″ cover	NBVW-22-W	186.54	214.54
27″ cover	NBVW-27-W	191.29	220.14
32″ cover	NBVW-32-W	196.04	225.74
38″ cover	NBVW-38-W	201.74	232.46
48″ cover	NBVW-48-W	211.24	243.66

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Connectors and Trim Covers

Extended Variable-Height Covers

Description	Painted Cover Number	Trim A	Trim B	Fabric Cover Number	Fabric Grade A	B	C	E	F	G
No Top Cap										
10″ cover	NXVP-10 ■	**$34.81**	**$37.06**	NXVF-10 ■	**$ 73.89**	**$ 80.30**	**$87.95**	**$104.45**	**$115.91**	**$122.38**
16″ cover	NXVP-16 ■	**41.53**	**43.78**	NXVF-16 ■	**80.31**	**87.68**	**96.41**	**115.19**	**128.27**	**135.76**

Description	Wood Cover Number	Wood Group A	Wood Group B
No Top Cap			
10″ cover	NXVW-10	**$128.58**	**$146.05**
16″ cover	NXVW-16	**139.08**	**158.17**

NXVP
NXVF
NXVW

Features

- Provides finished appearance in variable-height conditions on exposed connector in straight, 2-way, 3-way or 4-way conditions.
- Install on exposed portion(s) of tallest panel connector.

■ Available on RUSH.

Specification Tips

- The bottom of the cover is straight to be used in conjunction with full, sectional or starter variable-height covers.
- Cover is to be used with separately specified panel connector.

To Order, Specify:

Painted Cover

1) Product number.
2) Trim color for cover.

Fabric Cover

1) Product number.
2) Fabric/colorway for cover.

Wood Cover

1) Product number.
2) Wood finish for cover.

Transitional Panel Connectors

Used for Connecting Enhanced PREMISE to PREMISE Panels with 4″ Base Raceway

Enhanced PREMISE Straight Connector to 4″ PREMISE Monolithic Panel



NABS

Height	Number	Price
32″(813mm)	NABS-32	**$359.91**
42″(1067mm)	NABS-42	**395.01**
48″(1219mm)	NABS-48	**416.07**
53″(1346mm)	NABS-53	**433.62**
64″(1626mm)	NABS-64	**472.23**
80″(2032mm)	NABS-80	**528.39**

Features

- Includes leveling glide, carpet gripper, slotted connector, light block, and top cap aligner.
- Connects Enhanced PREMISE panels to 4″(102mm) PREMISE monolithic panels.
- Provides slotted connector for mounting components.
- Standard in black finish color only.
- Shipped assembled.

To Order, Specify:

1) Product number.
(No finish specification required).

Specification Tips

- Connector height must be equal to the height of the tallest Enhanced PREMISE panel configuration [up to 80″(2032mm)] or the tallest PREMISE Standard Panel connected, whichever is greater.
- For in-line (straight) condition specify a Transition Connector.
- For 2-way condition specify Transition Connector and an Enhanced PREMISE 2-way Connector with Cover.
- For 3-way condition specify up to two Transition Connectors and an Enhanced PREMISE 3-way Connector with Cover.
- For 4-way condition specify up to three Transition Connectors and an Enhanced PREMISE 4-way Connector.
- **The Transition Connector cannot be attached directly to the corner connector of the PREMISE Standard Panel.**
- Transition connectors for Extended Connectors and Floor to Ceiling Connectors are not available.
- Enhanced PREMISE Connectors in the 2, 3, and 4-way conditions that are replaced with Transition Connectors can be used as Straight Connectors.

Enhanced PREMISE Straight Connector to 4″ PREMISE Stack Panel



NABK

Height	Number	Price
32″(813mm)	NABK-32	**$359.91**
42″(1067mm)	NABK-42	**395.01**
48″(1219mm)	NABK-48	**416.07**
58″(1473mm)	NABK-58	**451.17**
64″(1626mm)	NABK-64	**472.23**
74″(1880mm)	NABK-74	**507.33**
80″(2032mm)	NABK-80	**528.39**

Features

- Includes leveling glide, carpet gripper, slotted connector, light block, and top cap aligner.
- Connects Enhanced PREMISE panels to 4″(102mm) PREMISE stackable panels.
- Provides slotted connector for mounting components.
- Standard in black finish color only.
- Shipped assembled.

To Order, Specify:

1) Product number.
(No finish specification required).

Specification Tips

- Connector height must be equal to the height of the tallest Enhanced PREMISE panel configuration [up to 80″(2032mm)] or the tallest PREMISE stackable configuration [up to 80″(2032mm)], whichever is greater.
- For in-line (straight) condition specify a Transition Connector.
- For 2-way condition specify Transition Connector and an Enhanced PREMISE 2-way Connector with Cover, or combine Transition Connector with existing PREMISE Stackable Connectors and Covers.
- For 3-way condition specify up to two Transition Connectors and an Enhanced PREMISE 3-way Connector with Cover, or combine Transition Connectors with existing PREMISE Stackable Connectors and Covers.
- For 4-way condition specify up to three Transition Connectors and an Enhanced PREMISE 4-way Connector, or combine Transition Connector with existing PREMISE Stackable Connectors and Covers.
- **The Transition Connector can be attached directly to the corner connectors of the PREMISE Stackable Panel.**
- Transition connectors for Extended Connectors and Floor to Ceiling Connectors are not available.
- Enhanced PREMISE Connectors in the 2, 3, and 4-way conditions that are replaced with Transition Connectors can be used as Straight Connectors.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Transitional Power Connectors

Used for Connecting Enhanced PREMISE to PREMISE Panels with 4″ Base Raceway

	Length	Number	Price
Enhanced 3-Circuit PREMISE to 4″ PREMISE Flexible Power Connector	5 1/4″(133mm)	2561-4020	**$251.24**



NEJS

Features

- Includes one power connector with safety latches for securing connector to adjacent power blocks.
- Continue base raceway power from Enhanced PREMISE to 4″(102mm) PREMISE in-line, 90° and across 3″(76mm) panel intersections.
- Standard in black finish color only.

Specification Tips

- Transition power connectors cannot be coupled together.
- Specify for use in base raceway only.

To Order, Specify:

1) Product number.
   (No finish specification required).

Panel Complements

Wing Walls

Full Height One-Piece



NSWF

Height	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
42″(1067mm)	24″(610mm)	NSWF-4224 ■	$443.25	$456.11	$508.06	$520.92
	30″(762mm)	NSWF-4230 ■	499.96	512.82	580.98	593.84
	36″(914mm)	NSWF-4236 ■	556.67	569.53	653.90	666.76
	42″(1067mm)	NSWF-4242 ■	613.38	626.24	726.82	739.68
	48″(1219mm)	NSWF-4248 ■	670.09	682.95	799.74	812.60
48″(1219mm)	24″(610mm)	NSWF-4824 ■	$484.89	$497.75	$556.66	$569.52
	30″(762mm)	NSWF-4830 ■	541.60	554.46	629.58	642.44
	36″(914mm)	NSWF-4836 ■	598.31	611.17	702.50	715.36
	42″(1067mm)	NSWF-4842 ■	655.02	667.88	775.42	788.28
	48″(1219mm)	NSWF-4848 ■	711.73	724.59	848.34	861.20
53″(1346mm)	24″(610mm)	NSWF-5324 ■	$519.59	$532.45	$597.16	$610.02
	30″(762mm)	NSWF-5330 ■	576.30	589.16	670.08	682.94
	36″(914mm)	NSWF-5336 ■	633.01	645.87	743.00	755.86
	42″(1067mm)	NSWF-5342 ■	689.72	702.58	815.92	828.78
	48″(1219mm)	NSWF-5348 ■	746.43	759.29	888.84	901.70
64″(1626mm)	24″(610mm)	NSWF-6424 ■	$595.93	$608.79	$686.26	$699.12
	30″(762mm)	NSWF-6430 ■	652.64	665.50	759.18	772.04
	36″(914mm)	NSWF-6436 ■	709.35	722.21	832.10	844.96
	42″(1067mm)	NSWF-6442 ■	766.06	778.92	905.02	917.88
	48″(1219mm)	NSWF-6448 ■	822.77	835.63	977.94	990.80

Features

- Includes laminate wing wall with 1mm edgeband, attachment hardware and one adjustable glide with carpet gripper. Attachment hardware includes:
  - –Wing wall-to-panel attachment brackets, which connect into panel connector slots.
  - –Wing wall-to-worksurface attachment brackets (one pair) with round fasteners, which support one side/end of the adjoining worksurface of equal or less depth.
    The L-brackets are non-handed and mount to the underside of a worksurface. Round fasteners standard in black finish.
- No power or communications capability within wing wall. Wing wall design allows easy access to base raceway of panel.
- Provides same support as a comparably sized return panel. May also provide visual privacy and defines space by creating boundaries.
- Wing walls may be installed in left-hand or right-hand conditions. No additional hardware required for a handed condition.
- Wing wall glide provides 2″(51mm) adjustment. With glide fully retracted the wing wall design allows the worksurface to be mounted at a 28 1/2″(724mm) height.
- Wing wall thickness is 3/4″(19mm). Does not add to length of panel run.
- Shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate color for wing wall.
3) Trim color for edgeband.
4) Trim color for hardware.

Specification Tips

- Wing wall must be mounted perpendicular to adjacent panels of equal or greater height.
- When a wing wall is located at the end of a panel run, specify an End-of-Run panel connector with cover.
- To center mount a Full Height One-Piece Wing Wall, separately specify Center Mount Hardware (NSWH-2).
- Upper structure components cannot be mounted directly onto wing wall.
- Full height one-piece wing walls cannot be used between two adjacent panel mounted components.
- Finished installation height will be 1/4″(6mm) below the panel for a 48″(1219mm) high wing wall.
- Can be used with open base panels.
- See Specification Guide for planning and application guidelines.

Panel Complements

Wing Walls

Full Height Two-Piece



NSWS

Height	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
42″(1067mm)	24″(610mm)	NSWS-4224 ■	$528.89	$541.75	$613.37	$ 626.23
	30″(762mm)	NSWS-4230 ■	572.87	585.73	664.29	677.15
	36″(914mm)	NSWS-4236 ■	616.85	629.71	715.21	728.07
	42″(1067mm)	NSWS-4242 ■	660.83	673.69	766.13	778.99
	48″(1219mm)	NSWS-4248 ■	704.81	717.67	817.05	829.91
48″(1219mm)	24″(610mm)	NSWS-4824 ■	$570.53	$583.39	$661.97	$ 674.83
	30″(762mm)	NSWS-4830 ■	614.51	627.37	712.89	725.75
	36″(914mm)	NSWS-4836 ■	658.49	671.35	763.81	776.67
	42″(1067mm)	NSWS-4842 ■	702.47	715.33	814.73	827.59
	48″(1219mm)	NSWS-4848 ■	746.45	759.31	865.65	878.51
53″(1346mm)	24″(610mm)	NSWS-5324 ■	$605.23	$618.09	$702.47	$ 715.33
	30″(762mm)	NSWS-5330 ■	649.21	662.07	753.39	766.25
	36″(914mm)	NSWS-5336 ■	693.19	706.05	804.31	817.17
	42″(1067mm)	NSWS-5342 ■	737.17	750.03	855.23	868.09
	48″(1219mm)	NSWS-5348 ■	781.15	794.01	906.15	919.01
64″(1626mm)	24″(610mm)	NSWS-6424 ■	$681.57	$694.43	$791.57	$ 804.43
	30″(762mm)	NSWS-6430 ■	725.55	738.41	842.49	855.35
	36″(914mm)	NSWS-6436 ■	769.53	782.39	893.41	906.27
	42″(1067mm)	NSWS-6442 ■	813.51	826.37	944.33	957.19
	48″(1219mm)	NSWS-6448 ■	857.49	870.35	995.25	1008.11

Features

- Includes laminate wing wall with 1mm edgeband, attachment hardware and one adjustable glide with carpet gripper. Attachment hardware includes:
  - –Wing wall-to-panel attachment brackets, which connect into panel connector slots.
  - –Lower wing wall-to-worksurface attachment brackets (two pair) with round fasteners, which support one side/end of up to two adjoining worksurfaces of equal depth. The L-brackets are non-handed and mount to the underside of a worksurface. Round fasteners standard in black finish.
  - –Upper wing wall-to-worksurface attachment brackets (one pair) which support front edge of wing wall. Brackets friction fit to the top of worksurface.
  - –Center mount hardware to mount upper and lower wing wall centerline of panel connector, if required by product application. Standard in black finish.
- Lower unit provides support for one worksurface in a handed condition **or** two worksurfaces in a shared condition.
- Lower unit provides same support as a comparably sized return panel.
- Lower unit may be installed in left-hand, right-hand, or shared conditions. No additional hardware required.
- Upper unit provides visual privacy above the worksurface. Also defines space by creating boundaries.
- No power or communications capability within wing wall. Wing wall design allows easy access to base raceway of panel.
- Wing wall glide provides 2″(51mm) adjustment. With glide fully retracted the wing wall design allows the worksurface to be mounted at a 28-1/2″(724mm) height.
- Wing wall thickness is 3/4″(19mm). Does not add to length of panel run.
- Shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate color for wing wall.
3) Trim color for edgeband.
4) Trim color for hardware.

Specification Tips

- Wing wall must be mounted perpendicular to adjacent panels of equal or greater height.
- Full Height Two-Piece Wing Walls are aesthetically not recommended to be used as a return element at the end of a panel run. Because of the two piece wing wall design the worksurface edge detail between the lower and upper unit is visible from the workstation approach.
- Lower wing wall unit aligns with front edge of the worksurface.
- Lower edge of worksurface with cascade edge will not align with edge of lower wing wall.
- Upper structure components cannot be mounted directly onto wing wall.
- Full Height Two-Piece Wing Walls cannot be used between two adjacent panel mounted components, with the exception of worksurfaces.
- Finished installation height will be 1/4″(6mm) below the panel for a 48″(1219mm) high wing wall.
- When the Full Height Two-Piece Wing Wall is used with two back-to-back adjoining corner worksurfaces there is a visible gap between the front edge of the worksurfaces.
- Can be used with open base panels.
- See Specification Guide for planning and application guidelines.

Panel Complements

Wing Walls

Lower Unit



NSWL

Height	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
27 1/4″ (692mm)	24″(610mm)	NSWL-2924	**$385.62**	**$398.48**	**$416.00**	**$428.86**
	30″(762mm)	NSWL-2930	**427.69**	**440.55**	**458.07**	**470.93**
	36″(914mm)	NSWL-2936	**469.76**	**482.62**	**500.14**	**513.00**
	42″(1067mm)	NSWL-2942	**511.83**	**524.69**	**542.21**	**555.07**
	48″(1219mm)	NSWL-2948	**553.90**	**566.76**	**584.28**	**597.14**

Features

- Includes laminate wing wall with 1mm edgeband, attachment hardware and one adjustable glide with carpet gripper. Attachment hardware includes:
  - –Wing wall-to-panel attachment brackets, which connect into panel connector slots.
  - –Lower wing wall-to-worksurface attachment brackets (two pair) with round fasteners, which support one side/end of up to two adjoining worksurfaces of equal depth. The L-brackets are non-handed and mount to the underside of a worksurface. Round fasteners standard in black finish.
  - –Center mount hardware to mount lower wing wall centerline of panel connector, if required by product application. Standard in black finish.
- Lower unit provides support for one worksurface in a handed condition or two worksurfaces in a shared condition.
- No power or communications capability within wing wall. Wing wall design allows easy access to base raceway of panel.
- Lower unit provides same support as a comparably sized return panel.
- Lower unit may be installed in left-hand, right-hand, or shared conditions. No additional hardware required.
- Lower unit can be used in conjunction with the upper unit.
- Wing wall glide provides 2″(51mm) adjustment. With glide fully retracted the wing wall design allows the worksurface to be mounted at a 28 1/2″(724mm) height.
- Wing wall thickness is 3/4″(19mm). Does not add to length of panel run.
- Shipped unassembled.

Specification Tips

- Wing wall must be mounted perpendicular to panels.
- When used with two back-to-back adjoining corner worksurfaces, a gap is created between the worksurfaces. Recommend using upper unit wing wall to bridge gap.
- Lower edge of worksurface with cascade edge will not align with edge of lower wing wall.
- Can be used with open base panels.
- See Specification Guide for planning and application guidelines.

To Order, Specify:

1) Product number.
2) Laminate color for wing wall.
3) Trim color for edgeband.
4) Trim color for hardware.

Panel Complements

Wing Walls

Upper Unit



NSWU

Height	Width	Coordinating Panel Heights	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
13″(330mm)	24″(610mm)	42″(1067mm)	NSWU-1324	**$337.71**	**$350.57**	**$391.46**	**$404.32**
	30″(762mm)		NSWU-1330	**354.07**	**366.93**	**410.15**	**423.01**
	36″(914mm)		NSWU-1336	**370.43**	**383.29**	**428.84**	**441.70**
	42″(1067mm)		NSWU-1342	**386.79**	**399.65**	**447.53**	**460.39**
	48″(1219mm)		NSWU-1348	**403.15**	**416.01**	**466.22**	**479.08**
19″(483mm)	24″(610mm)	48″ (1219mm)	NSWU-1924	**$372.75**	**$385.61**	**$433.52**	**$446.38**
	30″(762mm)		NSWU-1930	**389.11**	**401.97**	**452.21**	**465.07**
	36″(914mm)		NSWU-1936	**405.47**	**418.33**	**470.90**	**483.76**
	42″(1067mm)		NSWU-1942	**421.83**	**434.69**	**489.59**	**502.45**
	48″(1219mm)		NSWU-1948	**438.19**	**451.05**	**508.28**	**521.14**
24″(610mm)	24″(610mm)	53″ (1346mm)	NSWU-2424	**$401.95**	**$414.81**	**$468.57**	**$481.43**
	30″(762mm)		NSWU-2430	**418.31**	**431.17**	**487.26**	**500.12**
	36″(914mm)		NSWU-2436	**434.67**	**447.53**	**505.95**	**518.81**
	42″(1067mm)		NSWU-2442	**451.03**	**463.89**	**524.64**	**537.50**
	48″(1219mm)		NSWU-2448	**467.39**	**480.25**	**543.33**	**556.19**
35″(889mm)	24″(610mm)	64″ (1626mm)	NSWU-3524	**$466.19**	**$479.05**	**$545.68**	**$558.54**
	30″(762mm)		NSWU-3530	**482.55**	**495.41**	**564.37**	**577.23**
	36″(914mm)		NSWU-3536	**498.91**	**511.77**	**583.06**	**595.92**
	42″(1067mm)		NSWU-3542	**515.27**	**528.13**	**601.75**	**614.61**
	48″(1219mm)		NSWU-3548	**531.63**	**544.49**	**620.44**	**633.30**

Features

- Includes laminate wing wall with 1mm edgeband and attachment hardware.
  Attachment hardware includes:
  –Wing wall-to-panel attachment brackets, which connect into panel connector slots.
  –Upper wing wall-to-worksurface attachment brackets (one pair) which support front edge of wing wall. Brackets friction fit to the top of a worksurface.
  –Center mount hardware to mount upper wing wall centerline of panel connector, if required by product application. Standard in black finish.
- Upper unit provides visual privacy above the worksurface. Also defines space by creating boundaries.
- Upper unit may be installed in left-hand, right-hand, or shared conditions. No additional hardware required.
- Upper unit can be used in conjunction with the lower wing wall.
- Wing wall thickness is 3/4″(19mm). Does not add to length of panel run.
- Shipped unassembled.

Specification Tips

- Worksurface depth must be equal to or greater than upper unit width.
- Finished installation height for a 19″(488mm) high wing wall will be 1/4″(6mm) below the top reveal of a 48″(1219mm) high panel.
- Upper structure components cannot be mounted directly onto wing wall.
- Upper unit wing walls cannot be used between two adjacent panel mounted components.
- See Specification Guide for planning and application guidelines.

To Order, Specify:

1) Product number.
2) Laminate color for wing wall.
3) Trim color for edgeband.
4) Trim color for hardware.

Panel Complements

Wing Walls

Center Mount Hardware



NSWH-2

	Number	Price
	NSWH-2	**$17.53**

Features

- Includes three spacers and fasteners.
- Allows wing walls to be centered on panel connector.
- Standard in black finish.

Specification Tips

- Center mount hardware must be separately specified for full height one-piece wing wall to mount centerline of panel connector.
- Center mount hardware is provided with the full height two-piece, lower unit, and upper unit wing walls.

To Order, Specify:

1) Product number.
(No finish specification required.)

Upper Structure Elements — Stack Kits

10″ Stack Kit



NT-10

NOTES:
When specifying stack kits and super base panels with wood pads, an unmatched vertical wood grain and natural variations in wood grain and color can be expected between pads. If a consistent look is desired, specify Matching Wood Pad Sets.

18″ (457mm) wide slat stack kits are not available.

Features

- Includes one non-handed cross bar and two pads with pad attachment brackets and accessories.
- No power or communications access; cables can be routed horizontally or vertically through the stack kit.
- Markerboard pads include removable tray.
- Pads are field-removable for access to internal cabling or for pad replacement.
- Stack kit may have the same fabric on both sides or a different fabric on each side.
- Stack kit thickness is 3″(76mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Maximum height of a panel configuration should not exceed 120″(3048mm).
- 10″(254mm) stack kits can only be specified for use at the top of a panel configuration.
- Connectors are required to create panel runs and intersections; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is located to top of panel configurations.
- Slat pad is designed to work with Jump Stuff and Belong slat pad tools.
- See Specification Guide for slat pad application guidelines.
- Markers and erasers are not included.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish for side one.*
3) Painted, fabric/colorway or wood finish for side two.*

***Note:** Upcharge for mixed grade fabric or trim surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A	Trim B	Fabric Grade A	B	C	E	F	G
Same Surface Options												
10″(254mm)	18″(457mm)	Painted	Painted	NTPP-1018-NNN	$ 265.26	$272.28						
	24″(610mm)			NTPP-1024-NNN	288.62	297.98						
	30″(762mm)			NTPP-1030-NNN	311.98	323.68						
	36″(914mm)			NTPP-1036-NNN	335.34	349.38						
	42″(1067mm)			NTPP-1042-NNN	358.70	375.08						
	48″(1219mm)			NTPP-1048-NNN	382.06	400.78						
	60″(1524mm)			NTPP-1060-NNN	428.78	452.18						
10″(254mm)	18″(457mm)	Fabric/ Tackable	Fabric/ Tackable	NTFF-1018-NNN			$237.22	$258.26	$262.94	$272.28	$283.96	$295.64
	24″(610mm)			NTFF-1024-NNN ■			259.42	280.46	285.14	294.48	306.16	317.84
	30″(762mm)			NTFF-1030-NNN ■			281.62	302.66	307.34	316.68	328.36	340.04
	36″(914mm)			NTFF-1036-NNN ■			303.82	324.86	329.54	366.92	380.94	394.96
	42″(1067mm)			NTFF-1042-NNN ■			326.02	347.06	351.74	389.12	403.14	417.16
	48″(1219mm)			NTFF-1048-NNN ■			348.22	369.26	373.94	411.32	425.34	439.36
	60″(1524mm)			NTFF-1060-NNN ■			392.62	413.66	418.34	455.72	469.74	483.76
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Fabric/Acous./ Tackable	NTAA-1018-NNN			$340.06	$361.10	$365.78	$375.12	$386.80	$398.48
	24″(610mm)			NTAA-1024-NNN ■			371.60	392.64	397.32	406.66	418.34	430.02
	30″(762mm)			NTAA-1030-NNN ■			403.14	424.18	428.86	438.20	449.88	461.56
	36″(914mm)			NTAA-1036-NNN ■			434.68	455.72	460.40	497.78	511.80	525.82
	42″(1067mm)			NTAA-1042-NNN ■			466.22	487.26	491.94	529.32	543.34	557.36
	48″(1219mm)			NTAA-1048-NNN ■			497.76	518.80	523.48	560.86	574.88	588.90
	60″(1524mm)			NTAA-1060-NNN ■			560.84	581.88	586.56	623.94	637.96	651.98
10″(254mm)	24″(610mm)	Slat	Slat	NTYY-1024-NNN ■	$ 551.58	$560.94						
	30″(762mm)			NTYY-1030-NNN ■	587.82	599.52						
	36″(914mm)			NTYY-1036-NNN ■	624.06	638.10						
	42″(1067mm)			NTYY-1042-NNN ■	660.30	676.68						
	48″(1219mm)			NTYY-1048-NNN ■	696.54	715.26						
	60″(1524mm)			NTYY-1060-NNN ■	769.02	792.42						

					Price
10″(254mm)	18″(457mm)	Markerboard	Markerboard	NTMM-1018-NNN	$ 721.00
	24″(610mm)			NTMM-1024-NNN	763.06
	30″(762mm)			NTMM-1030-NNN	805.12
	36″(914mm)			NTMM-1036-NNN	847.18
	42″(1067mm)			NTMM-1042-NNN	889.24
	48″(1219mm)			NTMM-1048-NNN	931.30
	60″(1524mm)			NTMM-1060-NNN	1015.42

					Wood Group A	Wood Group B
10″(254mm)	18″(457mm)	Wood	Wood	NTWW-1018-NNN	$491.96	$515.32
	24″(610mm)			NTWW-1024-NNN	537.54	560.90
	30″(762mm)			NTWW-1030-NNN	583.12	606.48
	36″(914mm)			NTWW-1036-NNN	628.70	652.06
	42″(1067mm)			NTWW-1042-NNN	674.28	697.64
	48″(1219mm)			NTWW-1048-NNN	719.86	743.22
	60″(1524mm)			NTWW-1060-NNN	811.02	834.38

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
10″(254mm)	18″(457mm)	Fabric/ Tackable	Painted	NTFP-1018-NNN	**$251.24**	**$261.76**	**$264.10**	**$268.77**	**$274.61**	**$280.45**
	24″(610mm)			NTFP-1024-NNN	**274.02**	**284.54**	**286.88**	**291.55**	**297.39**	**303.23**
	30″(762mm)			NTFP-1030-NNN	**296.80**	**307.32**	**309.66**	**314.33**	**320.17**	**326.01**
	36″(914mm)			NTFP-1036-NNN	**319.58**	**330.10**	**332.44**	**351.13**	**358.14**	**365.15**
	42″(1067mm)			NTFP-1042-NNN	**342.36**	**352.88**	**355.22**	**373.91**	**380.92**	**387.93**
	48″(1219mm)			NTFP-1048-NNN	**365.14**	**375.66**	**378.00**	**396.69**	**403.70**	**410.71**
	60″(1524mm)			NTFP-1060-NNN	**410.70**	**421.22**	**423.56**	**442.25**	**449.26**	**456.27**
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Painted	NTAP-1018-NNN	**$302.66**	**$313.18**	**$315.52**	**$320.19**	**$326.03**	**$331.87**
	24″(610mm)			NTAP-1024-NNN	**330.11**	**340.63**	**342.97**	**347.64**	**353.48**	**359.32**
	30″(762mm)			NTAP-1030-NNN	**357.56**	**368.08**	**370.42**	**375.09**	**380.93**	**386.77**
	36″(914mm)			NTAP-1036-NNN	**385.01**	**395.53**	**397.87**	**416.56**	**423.57**	**430.58**
	42″(1067mm)			NTAP-1042-NNN	**412.46**	**422.98**	**425.32**	**444.01**	**451.02**	**458.03**
	48″(1219mm)			NTAP-1048-NNN	**439.91**	**450.43**	**452.77**	**471.46**	**478.47**	**485.48**
	60″(1524mm)			NTAP-1060-NNN	**494.81**	**505.33**	**507.67**	**526.36**	**533.37**	**540.38**
10″(254mm)	24″(610mm)	Fabric/ Tackable	Slat	NTFY-1024-NNN ■	**$405.50**	**$416.02**	**$418.36**	**$423.03**	**$428.87**	**$434.71**
	30″(762mm)			NTFY-1030-NNN ■	**434.72**	**445.24**	**447.58**	**452.25**	**458.09**	**463.93**
	36″(914mm)			NTFY-1036-NNN ■	**463.94**	**474.46**	**476.80**	**495.49**	**502.50**	**509.51**
	42″(1067mm)			NTFY-1042-NNN ■	**493.16**	**503.68**	**506.02**	**524.71**	**531.72**	**538.73**
	48″(1219mm)			NTFY-1048-NNN ■	**522.38**	**532.90**	**535.24**	**553.93**	**560.94**	**567.95**
	60″(1524mm)			NTFY-1060-NNN ■	**580.82**	**591.34**	**593.68**	**612.37**	**619.38**	**626.39**
10″(254mm)	24″(610mm)	Fabric/Acous./ Tackable	Slat	NTAY-1024-NNN ■	**$461.59**	**$472.11**	**$474.45**	**$479.12**	**$484.96**	**$490.80**
	30″(762mm)			NTAY-1030-NNN ■	**495.48**	**506.00**	**508.34**	**513.01**	**518.85**	**524.69**
	36″(914mm)			NTAY-1036-NNN ■	**529.37**	**539.89**	**542.23**	**560.92**	**567.93**	**574.94**
	42″(1067mm)			NTAY-1042-NNN ■	**563.26**	**573.78**	**576.12**	**594.81**	**601.82**	**608.83**
	48″(1219mm)			NTAY-1048-NNN ■	**597.15**	**607.67**	**610.01**	**628.70**	**635.71**	**642.72**
	60″(1524mm)			NTAY-1060-NNN ■	**664.93**	**675.45**	**677.79**	**696.48**	**703.49**	**710.50**

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim B Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
10″(254mm)	18″(457mm)	Fabric/ Tackable	Painted	NTFP-1018-NNN	**$254.75**	**$265.27**	**$267.61**	**$272.28**	**$278.12**	**$283.96**
	24″(610mm)			NTFP-1024-NNN	**278.70**	**289.22**	**291.56**	**296.23**	**302.07**	**307.91**
	30″(762mm)			NTFP-1030-NNN	**302.65**	**313.17**	**315.51**	**320.18**	**326.02**	**331.86**
	36″(914mm)			NTFP-1036-NNN	**326.60**	**337.12**	**339.46**	**358.15**	**365.16**	**372.17**
	42″(1067mm)			NTFP-1042-NNN	**350.55**	**361.07**	**363.41**	**382.10**	**389.11**	**396.12**
	48″(1219mm)			NTFP-1048-NNN	**374.50**	**385.02**	**387.36**	**406.05**	**413.06**	**420.07**
	60″(1524mm)			NTFP-1060-NNN	**422.40**	**432.92**	**435.26**	**453.95**	**460.96**	**467.97**
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Painted	NTAP-1018-NNN	**$306.17**	**$316.69**	**$319.03**	**$323.70**	**$329.54**	**$335.38**
	24″(610mm)			NTAP-1024-NNN	**334.79**	**345.31**	**347.65**	**352.32**	**358.16**	**364.00**
	30″(762mm)			NTAP-1030-NNN	**363.41**	**373.93**	**376.27**	**380.94**	**386.78**	**392.62**
	36″(914mm)			NTAP-1036-NNN	**392.03**	**402.55**	**404.89**	**423.58**	**430.59**	**437.60**
	42″(1067mm)			NTAP-1042-NNN	**420.65**	**431.17**	**433.51**	**452.20**	**459.21**	**466.22**
	48″(1219mm)			NTAP-1048-NNN	**449.27**	**459.79**	**462.13**	**480.82**	**487.83**	**494.84**
	60″(1524mm)			NTAP-1060-NNN	**506.51**	**517.03**	**519.37**	**538.06**	**545.07**	**552.08**
10″(254mm)	24″(610mm)	Fabric/ Tackable	Slat	NTFY-1024-NNN ■	**$410.18**	**$420.70**	**$423.04**	**$427.71**	**$433.55**	**$439.39**
	30″(762mm)			NTFY-1030-NNN ■	**440.57**	**451.09**	**453.43**	**458.10**	**463.94**	**469.78**
	36″(914mm)			NTFY-1036-NNN ■	**470.96**	**481.48**	**483.82**	**502.51**	**509.52**	**516.53**
	42″(1067mm)			NTFY-1042-NNN ■	**501.35**	**511.87**	**514.21**	**532.90**	**539.91**	**546.92**
	48″(1219mm)			NTFY-1048-NNN ■	**531.74**	**542.26**	**544.60**	**563.29**	**570.30**	**577.31**
	60″(1524mm)			NTFY-1060-NNN ■	**592.52**	**603.04**	**605.38**	**624.07**	**631.08**	**638.09**
10″(254mm)	24″(610mm)	Fabric/Acous./ Tackable	Slat	NTAY-1024-NNN ■	**$466.27**	**$476.79**	**$479.13**	**$483.80**	**$489.64**	**$495.48**
	30″(762mm)			NTAY-1030-NNN ■	**501.33**	**511.85**	**514.19**	**518.86**	**524.70**	**530.54**
	36″(914mm)			NTAY-1036-NNN ■	**536.39**	**546.91**	**549.25**	**567.94**	**574.95**	**581.96**
	42″(1067mm)			NTAY-1042-NNN ■	**571.45**	**581.97**	**584.31**	**603.00**	**610.01**	**617.02**
	48″(1219mm)			NTAY-1048-NNN ■	**606.51**	**617.03**	**619.37**	**638.06**	**645.07**	**652.08**
	60″(1524mm)			NTAY-1060-NNN ■	**676.63**	**687.15**	**689.49**	**708.18**	**715.19**	**722.20**

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Fabric Grade A	B	C	E	F	G
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Fabric/ Tackable	NTAF-1018-NNN	**$288.64**	**$309.68**	**$314.36**	**$323.70**	**$335.38**	**$347.06**
	24″(610mm)			NTAF-1024-NNN ■	**315.51**	**336.55**	**341.23**	**350.57**	**362.25**	**373.93**
	30″(762mm)			NTAF-1030-NNN ■	**342.38**	**363.42**	**368.10**	**377.44**	**389.12**	**400.80**
	36″(914mm)			NTAF-1036-NNN ■	**369.25**	**390.29**	**394.97**	**432.35**	**446.37**	**460.39**
	42″(1067mm)			NTAF-1042-NNN ■	**396.12**	**417.16**	**421.84**	**459.22**	**473.24**	**487.26**
	48″(1219mm)			NTAF-1048-NNN ■	**422.99**	**444.03**	**448.71**	**486.09**	**500.11**	**514.13**
	60″(1524mm)			NTAF-1060-NNN ■	**476.73**	**497.77**	**502.45**	**539.83**	**553.85**	**567.87**
10″(254mm)	18″(457mm)	Fabric/ Tackable	Markerboard	NTFM-1018-NNN	**$479.11**	**$489.63**	**$491.97**	**$496.64**	**$502.48**	**$508.32**
	24″(610mm)			NTFM-1024-NNN	**511.24**	**521.76**	**524.10**	**528.77**	**534.61**	**540.45**
	30″(762mm)			NTFM-1030-NNN	**543.37**	**553.89**	**556.23**	**560.90**	**566.74**	**572.58**
	36″(914mm)			NTFM-1036-NNN	**575.50**	**586.02**	**588.36**	**607.05**	**614.06**	**621.07**
	42″(1067mm)			NTFM-1042-NNN	**607.63**	**618.15**	**620.49**	**639.18**	**646.19**	**653.20**
	48″(1219mm)			NTFM-1048-NNN	**639.76**	**650.28**	**652.62**	**671.31**	**678.32**	**685.33**
	60″(1524mm)			NTFM-1060-NNN	**704.02**	**714.54**	**716.88**	**735.57**	**742.58**	**749.59**
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Markerboard	NTAM-1018-NNN	**$530.53**	**$541.05**	**$543.39**	**$548.06**	**$553.90**	**$559.74**
	24″(610mm)			NTAM-1024-NNN	**567.33**	**577.85**	**580.19**	**584.86**	**590.70**	**596.54**
	30″(762mm)			NTAM-1030-NNN	**604.13**	**614.65**	**616.99**	**621.66**	**627.50**	**633.34**
	36″(914mm)			NTAM-1036-NNN	**640.93**	**651.45**	**653.79**	**672.48**	**679.49**	**686.50**
	42″(1067mm)			NTAM-1042-NNN	**677.73**	**688.25**	**690.59**	**709.28**	**716.29**	**723.30**
	48″(1219mm)			NTAM-1048-NNN	**714.53**	**725.05**	**727.39**	**746.08**	**753.09**	**760.10**
	60″(1524mm)			NTAM-1060-NNN	**788.13**	**798.65**	**800.99**	**819.68**	**826.69**	**833.70**

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Fabric Grade A	B	C	E	F	G
Wood Group A										
10″(254mm)	18″(457mm)	Fabric/ Tackable	Wood	NTFW-1018-NNN	**$364.59**	**$375.11**	**$377.45**	**$382.12**	**$387.96**	**$393.80**
	24″(610mm)			NTFW-1024-NNN	**398.48**	**409.00**	**411.34**	**416.01**	**421.85**	**427.69**
	30″(762mm)			NTFW-1030-NNN	**432.37**	**442.89**	**445.23**	**449.90**	**455.74**	**461.58**
	36″(914mm)			NTFW-1036-NNN	**466.26**	**476.78**	**479.12**	**497.81**	**504.82**	**511.83**
	42″(1067mm)			NTFW-1042-NNN	**500.15**	**510.67**	**513.01**	**531.70**	**538.71**	**545.72**
	48″(1219mm)			NTFW-1048-NNN	**534.04**	**544.56**	**546.90**	**565.59**	**572.60**	**579.61**
	60″(1524mm)			NTFW-1060-NNN	**601.82**	**612.34**	**614.68**	**633.37**	**640.38**	**647.39**
Wood Group B										
10″(254mm)	18″(457mm)	Fabric/ Tackable	Wood	NTFW-1018-NNN	**$376.27**	**$386.79**	**$389.13**	**$393.80**	**$399.64**	**$405.48**
	24″(610mm)			NTFW-1024-NNN	**410.16**	**420.68**	**423.02**	**427.69**	**433.53**	**439.37**
	30″(762mm)			NTFW-1030-NNN	**444.05**	**454.57**	**456.91**	**461.58**	**467.42**	**473.26**
	36″(914mm)			NTFW-1036-NNN	**477.94**	**488.46**	**490.80**	**509.49**	**516.50**	**523.51**
	42″(1067mm)			NTFW-1042-NNN	**511.83**	**522.35**	**524.69**	**543.38**	**550.39**	**557.40**
	48″(1219mm)			NTFW-1048-NNN	**545.72**	**556.24**	**558.58**	**577.27**	**584.28**	**591.29**
	60″(1524mm)			NTFW-1060-NNN	**613.50**	**624.02**	**626.36**	**645.05**	**652.06**	**659.07**
Wood Group A										
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Wood	NTAW-1018-NNN	**$416.01**	**$426.53**	**$428.87**	**$433.54**	**$439.38**	**$445.22**
	24″(610mm)			NTAW-1024-NNN	**454.57**	**465.09**	**467.43**	**472.10**	**477.94**	**483.78**
	30″(762mm)			NTAW-1030-NNN	**493.13**	**503.65**	**505.99**	**510.66**	**516.50**	**522.34**
	36″(914mm)			NTAW-1036-NNN	**531.69**	**542.21**	**544.55**	**563.24**	**570.25**	**577.26**
	42″(1067mm)			NTAW-1042-NNN	**570.25**	**580.77**	**583.11**	**601.80**	**608.81**	**615.82**
	48″(1219mm)			NTAW-1048-NNN	**608.81**	**619.33**	**621.67**	**640.36**	**647.37**	**654.38**
	60″(1524mm)			NTAW-1060-NNN	**685.93**	**696.45**	**698.79**	**717.48**	**724.49**	**731.50**
Wood Group B										
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	Wood	NTAW-1018-NNN	**$427.69**	**$438.21**	**$440.55**	**$445.22**	**$451.06**	**$456.90**
	24″(610mm)			NTAW-1024-NNN	**466.25**	**476.77**	**479.11**	**483.78**	**489.62**	**495.46**
	30″(762mm)			NTAW-1030-NNN	**504.81**	**515.33**	**517.67**	**522.34**	**528.18**	**534.02**
	36″(914mm)			NTAW-1036-NNN	**543.37**	**553.89**	**556.23**	**574.92**	**581.93**	**588.94**
	42″(1067mm)			NTAW-1042-NNN	**581.93**	**592.45**	**594.79**	**613.48**	**620.49**	**627.50**
	48″(1219mm)			NTAW-1048-NNN	**620.49**	**631.01**	**633.35**	**652.04**	**659.05**	**666.06**
	60″(1524mm)			NTAW-1060-NNN	**697.61**	**708.13**	**710.47**	**729.16**	**736.17**	**743.18**

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

10″ Stack Kit

Height	Width	Number	White Trim A	Trim B	Patterned Trim A	Trim B
10″(254mm)	24″(610mm)	NTXX-1024-NNN	**$580.80**	**$587.82**	**$ 707.00**	**$ 714.02**
	30″(762mm)	NTXX-1030-NNN	**636.90**	**643.92**	**775.36**	**784.72**
	36″(914mm)	NTXX-1036-NNN	**693.00**	**700.02**	**843.72**	**855.42**
	42″(1067mm)	NTXX-1042-NNN	**749.10**	**756.12**	**912.08**	**926.12**
	48″(1219mm)	NTXX-1048-NNN	**805.20**	**812.22**	**980.44**	**996.82**
	60″(1524mm)	NTXX-1060-NNN	**917.40**	**924.42**	**1117.16**	**1138.22**

10″ Translucent Stack Kit



NTXX

Features

- Includes one cross bar with pad attachment brackets, and two outer frames with translucent material.
- No power or communications access.
- Translucent thickness is 1/8″(3mm).
- Assembled stack kit thickness is 3″(76mm).
- Frames may be removed for cleaning.
- Shipped unassembled.

Specification Tips

- Maximum height of a panel configuration should not exceed 120″(3048mm).
- 10″(254mm) stack kits can only be specified for use at the top of a panel configuration.
- Connectors are required to create panel runs and intersections; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is relocated to top of panel configurations.
- Due to the aesthetic properties of the translucent surface material, it is not recommended to route cables behind pads.

To Order, Specify:

1) Product number.
2) Translucent color/pattern for side one.
3) Trim color for frame for side one.*
4) Translucent color/pattern for side two.
5) Trim color for frame for side two.*

***Note:** Upcharge for mixed grade trim surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Stack Kits

16″ Stack Kit



NT-16

NOTES:
When specifying stack kits and super base panels with wood pads, an unmatched vertical wood grain and natural variations in wood grain and color can be expected between pads. If a consistent look is desired, specify Matching Wood Pad Sets.

18″(457mm) wide perforated or slat stack kits are not available.

Features

- Includes one non-handed cross bar and two pads with pad attachment brackets and accessories.
- No power or communications access; cables can be routed horizontally or vertically through the stack kit.
- Markerboard pads include removable tray.
- Pads are field-removable for access to internal cabling or for pad replacement.
- Stack kit may have the same fabric on both sides or a different fabric on each side.
- Stack kit thickness is 3″(76mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Connectors are required to create panel runs and intersection; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is located to top of panel configurations.
- Due to the aesthetic properties of the perforated surface material, it is not recommended to route cables behind pads.
- Slat pad is designed to work with Jump Stuff and Belong slat pad tools.
- See Specification Guide for slat pad application guidelines.
- Markers and erasers are not included.

To Order, Specify:

1) Product number.
2) Painted or fabric/colorway for side one.*
3) Painted or fabric/colorway for side two.*

***Note:** Upcharge for mixed grade fabric or trim surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Stack Kits

16″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A	Trim B	Fabric Grade A	B	C	E	F	G
Same Surface Options												
16″(406mm)	18″(457mm)	Painted	Painted	NTPP-1618-NNN	$ 293.30	$305.00						
	24″(610mm)			NTPP-1624-NNN	319.58	333.62						
	30″(762mm)			NTPP-1630-NNN	345.86	362.24						
	36″(914mm)			NTPP-1636-NNN	372.14	390.86						
	42″(1067mm)			NTPP-1642-NNN	398.42	419.48						
	48″(1219mm)			NTPP-1648-NNN	424.70	448.10						
	60″(1524mm)			NTPP-1660-NNN	477.26	505.34						
16″(406mm)	18″(457mm)	Fabric/ Tackable	Fabric/ Tackable	NTFF-1618-NNN			$281.62	$307.34	$314.34	$330.70	$347.06	$363.40
	24″(610mm)			NTFF-1624-NNN ◆			306.74	332.46	339.46	355.82	372.18	388.52
	30″(762mm)			NTFF-1630-NNN ◆			331.86	357.58	364.58	380.94	397.30	413.64
	36″(914mm)			NTFF-1636-NNN ◆			356.98	382.70	389.70	437.61	456.31	476.15
	42″(1067mm)			NTFF-1642-NNN ◆			382.10	407.82	414.82	462.73	481.43	501.27
	48″(1219mm)			NTFF-1648-NNN ◆			407.22	432.94	439.94	487.85	506.55	526.39
	60″(1524mm)			NTFF-1660-NNN ◆			457.46	483.18	490.18	538.09	556.79	576.63
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Fabric/Acous./ Tackable	NTAA-1618-NNN			$384.46	$410.18	$417.18	$433.54	$449.90	$466.24
	24″(610mm)			NTAA-1624-NNN ◆			418.92	444.64	451.64	468.00	484.36	500.70
	30″(762mm)			NTAA-1630-NNN ◆			453.38	479.10	486.10	502.46	518.82	535.16
	36″(914mm)			NTAA-1636-NNN ◆			487.84	513.56	520.56	568.47	587.17	607.01
	42″(1067mm)			NTAA-1642-NNN ◆			522.30	548.02	555.02	602.93	621.63	641.47
	48″(1219mm)			NTAA-1648-NNN ◆			556.76	582.48	589.48	637.39	656.09	675.93
	60″(1524mm)			NTAA-1660-NNN ◆			625.68	651.40	658.40	706.31	725.01	744.85
16″(406mm)	24″(610mm)	Perforated	Perforated	NTHH-1624-NNN	$ 539.32	$553.36						
	30″(762mm)			NTHH-1630-NNN	589.00	605.38						
	36″(914mm)			NTHH-1636-NNN	638.68	657.40						
	42″(1067mm)			NTHH-1642-NNN	688.36	709.42						
	48″(1219mm)			NTHH-1648-NNN	738.04	761.44						
	60″(1524mm)			NTHH-1660-NNN	837.40	865.48						
16″(406mm)	24″(610mm)	Slat	Slat	NTYY-1624-NNN ◆	$ 601.32	$615.36						
	30″(762mm)			NTYY-1630-NNN ◆	640.58	656.96						
	36″(914mm)			NTYY-1636-NNN ◆	679.84	698.56						
	42″(1067mm)			NTYY-1642-NNN ◆	719.10	740.16						
	48″(1219mm)			NTYY-1648-NNN ◆	758.36	781.76						
	60″(1524mm)			NTYY-1660-NNN ◆	836.88	864.96						
					Price							
16″(406mm)	18″(457mm)	Markerboard	Markerboard	NTMM-1618-NNN	$ 760.72							
	24″(610mm)			NTMM-1624-NNN	803.94							
	30″(762mm)			NTMM-1630-NNN	847.16							
	36″(914mm)			NTMM-1636-NNN	890.38							
	42″(1067mm)			NTMM-1642-NNN	933.60							
	48″(1219mm)			NTMM-1648-NNN	976.82							
	60″(1524mm)			NTMM-1660-NNN	1063.26							
					Wood Group A	**Wood Group B**						
16″(406mm)	18″(457mm)	Wood	Wood	NTWW-1618-NNN	$ 583.12	$618.18						
	24″(610mm)			NTWW-1624-NNN	636.88	671.94						
	30″(762mm)			NTWW-1630-NNN	690.64	725.70						
	36″(914mm)			NTWW-1636-NNN	744.40	779.46						
	42″(1067mm)			NTWW-1642-NNN	798.16	833.22						
	48″(1219mm)			NTWW-1648-NNN	851.92	886.98						
	60″(1524mm)			NTWW-1660-NNN	959.44	994.50						

Upper Structure Elements — Stack Kits

16″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
16″(406mm)	18″(457mm)	Fabric/ Tackable	Painted	NTFP-1618-NNN	$284.54	$297.40	$300.90	$309.08	$317.26	$325.43
	24″(610mm)			NTFP-1624-NNN	310.24	323.10	326.60	334.78	342.96	351.13
	30″(762mm)			NTFP-1630-NNN	335.94	348.80	352.30	360.48	368.66	376.83
	36″(914mm)			NTFP-1636-NNN	361.64	374.50	378.00	400.20	409.55	418.89
	42″(1067mm)			NTFP-1642-NNN	387.34	400.20	403.70	425.90	435.25	444.59
	48″(1219mm)			NTFP-1648-NNN	413.04	425.90	429.40	451.60	460.95	470.29
	60″(1524mm)			NTFP-1660-NNN	464.44	477.30	480.80	503.00	512.35	521.69
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Painted	NTAP-1618-NNN	$335.96	$348.82	$352.32	$360.50	$368.68	$376.85
	24″(610mm)			NTAP-1624-NNN	366.33	379.19	382.69	390.87	399.05	407.22
	30″(762mm)			NTAP-1630-NNN	396.70	409.56	413.06	421.24	429.42	437.59
	36″(914mm)			NTAP-1636-NNN	427.07	439.93	443.43	465.63	474.98	484.32
	42″(1067mm)			NTAP-1642-NNN	457.44	470.30	473.80	496.00	505.35	514.69
	48″(1219mm)			NTAP-1648-NNN	487.81	500.67	504.17	526.37	535.72	545.06
	60″(1524mm)			NTAP-1660-NNN	548.55	561.41	564.91	587.11	596.46	605.80
16″(406mm)	24″(610mm)	Fabric/Tackable	Slat	NTFY-1624-NNN ■	$441.77	$454.63	$458.13	$466.31	$474.49	$482.66
	30″(762mm)			NTFY-1630-NNN ■	473.96	486.82	490.32	498.50	506.68	514.85
	36″(914mm)			NTFY-1636-NNN ■	506.15	519.01	522.51	544.71	554.06	563.40
	42″(1067mm)			NTFY-1642-NNN ■	538.34	551.20	554.70	576.90	586.25	595.59
	48″(1219mm)			NTFY-1648-NNN ■	570.53	583.39	586.89	609.09	618.44	627.78
	60″(1524mm)			NTFY-1660-NNN ■	634.91	647.77	651.27	673.47	682.82	692.16
16″(406mm)	24″(610mm)	Fabric/Acous./ Tackable	Slat	NTAY-1624-NNN ■	$497.86	$510.72	$514.22	$522.40	$530.58	$538.75
	30″(762mm)			NTAY-1630-NNN ■	534.72	547.58	551.08	559.26	567.44	575.61
	36″(914mm)			NTAY-1636-NNN ■	571.58	584.44	587.94	610.14	619.49	628.83
	42″(1067mm)			NTAY-1642-NNN ■	608.44	621.30	624.80	647.00	656.35	665.69
	48″(1219mm)			NTAY-1648-NNN ■	645.30	658.16	661.66	683.86	693.21	702.55
	60″(1524mm)			NTAY-1660-NNN ■	719.02	731.88	735.38	757.58	766.93	776.27

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

16″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim B Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
16″(406mm)	18″(457mm)	Fabric/ Tackable	Painted	NTFP-1618-NNN	**$290.39**	**$303.25**	**$306.75**	**$314.93**	**$323.11**	**$331.28**
	24″(610mm)			NTFP-1624-NNN	**317.26**	**330.12**	**333.62**	**341.80**	**349.98**	**358.15**
	30″(762mm)			NTFP-1630-NNN	**344.13**	**356.99**	**360.49**	**368.67**	**376.85**	**385.02**
	36″(914mm)			NTFP-1636-NNN	**371.00**	**383.86**	**387.36**	**409.56**	**418.91**	**428.25**
	42″(1067mm)			NTFP-1642-NNN	**397.87**	**410.73**	**414.23**	**436.43**	**445.78**	**455.12**
	48″(1219mm)			NTFP-1648-NNN	**424.74**	**437.60**	**441.10**	**463.30**	**472.65**	**481.99**
	60″(1524mm)			NTFP-1660-NNN	**478.48**	**491.34**	**494.84**	**517.04**	**526.39**	**535.73**
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Painted	NTAP-1618-NNN	**$341.81**	**$354.67**	**$358.17**	**$366.35**	**$374.53**	**$382.70**
	24″(610mm)			NTAP-1624-NNN	**373.35**	**386.21**	**389.71**	**397.89**	**406.07**	**414.24**
	30″(762mm)			NTAP-1630-NNN	**404.89**	**417.75**	**421.25**	**429.43**	**437.61**	**445.78**
	36″(914mm)			NTAP-1636-NNN	**436.43**	**449.29**	**452.79**	**474.99**	**484.34**	**493.68**
	42″(1067mm)			NTAP-1642-NNN	**467.97**	**480.83**	**484.33**	**506.53**	**515.88**	**525.22**
	48″(1219mm)			NTAP-1648-NNN	**499.51**	**512.37**	**515.87**	**538.07**	**547.42**	**556.76**
	60″(1524mm)			NTAP-1660-NNN	**562.59**	**575.45**	**578.95**	**601.15**	**610.50**	**619.84**
16″(406mm)	24″(610mm)	Fabric/Tackable	Slat	NTFY-1624-NNN ■	**$448.79**	**$461.65**	**$465.15**	**$473.33**	**$481.51**	**$489.68**
	30″(762mm)			NTFY-1630-NNN ■	**482.15**	**495.01**	**498.51**	**506.69**	**514.87**	**523.04**
	36″(914mm)			NTFY-1636-NNN ■	**515.51**	**528.37**	**531.87**	**554.07**	**563.42**	**572.76**
	42″(1067mm)			NTFY-1642-NNN ■	**548.87**	**561.73**	**565.23**	**587.43**	**596.78**	**606.12**
	48″(1219mm)			NTFY-1648-NNN ■	**582.23**	**595.09**	**598.59**	**620.79**	**630.14**	**639.48**
	60″(1524mm)			NTFY-1660-NNN ■	**648.95**	**661.81**	**665.31**	**687.51**	**696.86**	**706.20**
16″(406mm)	24″(610mm)	Fabric/Acous./ Tackable	Slat	NTAY-1624-NNN ■	**$504.88**	**$517.74**	**$521.24**	**$529.42**	**$537.60**	**$545.77**
	30″(762mm)			NTAY-1630-NNN ■	**542.91**	**555.77**	**559.27**	**567.45**	**575.63**	**583.80**
	36″(914mm)			NTAY-1636-NNN ■	**580.94**	**593.80**	**597.30**	**619.50**	**628.85**	**638.19**
	42″(1067mm)			NTAY-1642-NNN ■	**618.97**	**631.83**	**635.33**	**657.53**	**666.88**	**676.22**
	48″(1219mm)			NTAY-1648-NNN ■	**657.00**	**669.86**	**673.36**	**695.56**	**704.91**	**714.25**
	60″(1524mm)			NTAY-1660-NNN ■	**733.06**	**745.92**	**749.42**	**771.62**	**780.97**	**790.31**

Upper Structure Elements — Stack Kits

16″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Fabric Grade A	B	C	E	F	G
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Fabric/ Tackable	NTAF-1618-NNN	$333.04	$358.76	$365.76	$382.12	$398.48	$414.82
	24″(610mm)			NTAF-1624-NNN ■	362.83	388.55	395.55	411.91	428.27	444.61
	30″(762mm)			NTAF-1630-NNN ■	392.62	418.34	425.34	441.70	458.06	474.40
	36″(914mm)			NTAF-1636-NNN ■	422.41	448.13	455.13	503.04	521.74	541.58
	42″(1067mm)			NTAF-1642-NNN ■	452.20	477.92	484.92	532.83	551.53	571.37
	48″(1219mm)			NTAF-1648-NNN ■	481.99	507.71	514.71	562.62	581.32	601.16
	60″(1524mm)			NTAF-1660-NNN ■	541.57	567.29	574.29	622.20	640.90	660.74
16″(406mm)	18″(457mm)	Fabric/Tackable	Markerboard	NTFM-1618-NNN	$512.41	$525.27	$528.77	$536.95	$545.13	$553.30
	24″(610mm)			NTFM-1624-NNN	546.58	559.44	562.94	571.12	579.30	587.47
	30″(762mm)			NTFM-1630-NNN	580.75	593.61	597.11	605.29	613.47	621.64
	36″(914mm)			NTFM-1636-NNN	614.92	627.78	631.28	653.48	662.83	672.17
	42″(1067mm)			NTFM-1642-NNN	649.09	661.95	665.45	687.65	697.00	706.34
	48″(1219mm)			NTFM-1648-NNN	683.26	696.12	699.62	721.82	731.17	740.51
	60″(1524mm)			NTFM-1660-NNN	751.60	764.46	767.96	790.16	799.51	808.85
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Markerboard	NTAM-1618-NNN	$563.83	$576.69	$580.19	$588.37	$596.55	$604.72
	24″(610mm)			NTAM-1624-NNN	602.67	615.53	619.03	627.21	635.39	643.56
	30″(762mm)			NTAM-1630-NNN	641.51	654.37	657.87	666.05	674.23	682.40
	36″(914mm)			NTAM-1636-NNN	680.35	693.21	696.71	718.91	728.26	737.60
	42″(1067mm)			NTAM-1642-NNN	719.19	732.05	735.55	757.75	767.10	776.44
	48″(1219mm)			NTAM-1648-NNN	758.03	770.89	774.39	796.59	805.94	815.28
	60″(1524mm)			NTAM-1660-NNN	835.71	848.57	852.07	874.27	883.62	892.96

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

16″ Stack Kit

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Fabric Grade A	B	C	E	F	G
Wood Group A										
16″(406mm)	18″(457mm)	Fabric/Tackable	Wood	NTFW-1618-NNN	**$397.89**	**$410.75**	**$414.25**	**$422.43**	**$430.61**	**$438.78**
	24″(610mm)			NTFW-1624-NNN	**437.33**	**450.19**	**453.69**	**461.87**	**470.05**	**478.22**
	30″(762mm)			NTFW-1630-NNN	**476.77**	**489.63**	**493.13**	**501.31**	**509.49**	**517.66**
	36″(914mm)			NTFW-1636-NNN	**516.21**	**529.07**	**532.57**	**554.77**	**564.12**	**573.46**
	42″(1067mm)			NTFW-1642-NNN	**555.65**	**568.51**	**572.01**	**594.21**	**603.56**	**612.90**
	48″(1219mm)			NTFW-1648-NNN	**595.09**	**607.95**	**611.45**	**633.65**	**643.00**	**652.34**
	60″(1524mm)			NTFW-1660-NNN	**673.97**	**686.83**	**690.33**	**712.53**	**721.88**	**731.22**
Wood Group B										
16″(406mm)	18″(457mm)	Fabric/Tackable	Wood	NTFW-1618-NNN	**$415.42**	**$428.28**	**$431.78**	**$439.96**	**$448.14**	**$456.31**
	24″(610mm)			NTFW-1624-NNN	**454.86**	**467.72**	**471.22**	**479.40**	**487.58**	**495.75**
	30″(762mm)			NTFW-1630-NNN	**494.30**	**507.16**	**510.66**	**518.84**	**527.02**	**535.19**
	36″(914mm)			NTFW-1636-NNN	**533.74**	**546.60**	**550.10**	**572.30**	**581.65**	**590.99**
	42″(1067mm)			NTFW-1642-NNN	**573.18**	**586.04**	**589.54**	**611.74**	**621.09**	**630.43**
	48″(1219mm)			NTFW-1648-NNN	**612.62**	**625.48**	**628.98**	**651.18**	**660.53**	**669.87**
	60″(1524mm)			NTFW-1660-NNN	**691.50**	**704.36**	**707.86**	**730.06**	**739.41**	**748.75**
Wood Group A										
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Wood	NTAW-1618-NNN	**$449.31**	**$462.17**	**$465.67**	**$473.85**	**$482.03**	**$490.20**
	24″(610mm)			NTAW-1624-NNN	**493.42**	**506.28**	**509.78**	**517.96**	**526.14**	**534.31**
	30″(762mm)			NTAW-1630-NNN	**537.53**	**550.39**	**553.89**	**562.07**	**570.25**	**578.42**
	36″(914mm)			NTAW-1636-NNN	**581.64**	**594.50**	**598.00**	**620.20**	**629.55**	**638.89**
	42″(1067mm)			NTAW-1642-NNN	**625.75**	**638.61**	**642.11**	**664.31**	**673.66**	**683.00**
	48″(1219mm)			NTAW-1648-NNN	**669.86**	**682.72**	**686.22**	**708.42**	**717.77**	**727.11**
	60″(1524mm)			NTAW-1660-NNN	**758.08**	**770.94**	**774.44**	**796.64**	**805.99**	**815.33**
Wood Group B										
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	Wood	NTAW-1618-NNN	**$466.84**	**$479.70**	**$483.20**	**$491.38**	**$499.56**	**$507.73**
	24″(610mm)			NTAW-1624-NNN	**510.95**	**523.81**	**527.31**	**535.49**	**543.67**	**551.84**
	30″(762mm)			NTAW-1630-NNN	**555.06**	**567.92**	**571.42**	**579.60**	**587.78**	**595.95**
	36″(914mm)			NTAW-1636-NNN	**599.17**	**612.03**	**615.53**	**637.73**	**647.08**	**656.42**
	42″(1067mm)			NTAW-1642-NNN	**643.28**	**656.14**	**659.64**	**681.84**	**691.19**	**700.53**
	48″(1219mm)			NTAW-1648-NNN	**687.39**	**700.25**	**703.75**	**725.95**	**735.30**	**744.64**
	60″(1524mm)			NTAW-1660-NNN	**775.61**	**788.47**	**791.97**	**814.17**	**823.52**	**832.86**

Upper Structure Elements — Stack Kits

16″ Stack Kit

	Height	Width	Number	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″ Translucent Stack Kit	16″(406mm)	24″(610mm)	NTXX-1624-NNN	**$618.18**	**$629.88**	**$ 751.40**	**$ 763.10**
		30″(762mm)	NTXX-1630-NNN	**678.94**	**690.64**	**824.42**	**838.46**
		36″(914mm)	NTXX-1636-NNN	**739.70**	**751.40**	**897.44**	**913.82**
		42″(1067mm)	NTXX-1642-NNN	**800.46**	**812.16**	**970.46**	**989.18**
		48″(1219mm)	NTXX-1648-NNN	**861.22**	**872.92**	**1043.48**	**1064.54**
		60″(1524mm)	NTXX-1660-NNN	**982.74**	**994.44**	**1189.52**	**1215.26**



NTXX

Features

- Includes one cross bar with pad attachment brackets, and two outer frames with translucent material.
- No power or communications access.
- Translucent thickness is 1/8″(3mm).
- Assembled stack kit thickness is 3″(76mm).
- Frames may be removed for cleaning.
- Shipped unassembled.

Specification Tips

- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Connectors are required to create panel runs and intersections; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is relocated to top of panel configurations.
- Due to the aesthetic properties of the translucent surface material, it is not recommended to route cables behind pads.

To Order, Specify:

1) Product number.
2) Translucent color/pattern for side one.
3) Trim color for frame for side one.*
4) Translucent color/pattern for side two.
5) Trim color for frame for side two.*

***Note:** Upcharge for mixed grade translucent or trim surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Stack Kits

16″ Glazed Stack Kits

16″ **Single** Pane Glazed Stack Kit



NTGS

Height	Width	Number	Glass A Trim A	Trim B	C Trim A	Trim B	D Trim A	Trim B
16″(406mm)	18″ (457mm)	NTGS-1618	$420.10	$437.46	$ 657.35	$ 674.71	$ 777.71	$ 795.07
	24″(610mm)	NTGS-1624	454.82	474.49	715.22	734.89	848.31	867.98
	30″(762mm)	NTGS-1630	489.54	511.52	773.09	795.07	918.91	940.89
	36″(914mm)	NTGS-1636	524.26	548.55	830.96	855.25	989.51	1013.80
	42″(1067mm)	NTGS-1642	558.98	585.58	888.83	915.43	1060.11	1086.71
	48″(1219mm)	NTGS-1648	593.70	622.61	946.70	975.61	1130.71	1159.62
	60″(1524mm)	NTGS-1660	663.14	696.67	1062.44	1095.97	1271.91	1305.44

Features

- Includes one non-handed cross bar with pad attachment brackets, one aluminum pad attachment bracket, two outer frames, with one glazed pane in center.
- No power or communications access.
- Glazing material thickness for Clear is 1/8″(3mm).
- Glazing material thickness for English Reeded, and Patterned is .16″(4mm).
- Assembled stack kit thickness is 3″(76mm).
- Glazing material for English Reeded, and Patterned is textured on one side only.
- Shipped unassembled.

To Order, Specify:

1) Product number.
2) Glazing finish.
   Grade A:
   1C = Clear glass
   Grade C:
   ER21 = Satin Etch
   Grade D:
   1E = Frosted Ⓜ
   VM = Patterned glass
   CM = Patterned glass
3) Trim color for frame.

16″ **Double** Pane Glazed Stack Kit



NTGG



Height	Width	Number	Glass A Trim A	Trim B	D Trim A	Trim B
16″(406mm)	18″(457mm)	NTGG-1618	$462.92	$480.28	$820.53 Ⓜ	$837.89 Ⓜ
	24″(610mm)	NTGG-1624 ■	497.64	517.31	891.13 Ⓜ	910.80 Ⓜ
	30″(762mm)	NTGG-1630 ■	532.36	554.34	961.73 Ⓜ	983.71 Ⓜ
	36″(914mm)	NTGG-1636 ■	567.08	591.37	1032.33 Ⓜ	1056.62 Ⓜ
	42″(1067mm)	NTGG-1642 ■	601.80	628.40	1102.93 Ⓜ	1129.53 Ⓜ
	48″(1219mm)	NTGG-1648 ■	636.52	665.43	1173.53 Ⓜ	1202.44 Ⓜ
	60″(1524mm)	NTGG-1660 ■	758.04	791.57	1366.81 Ⓜ	1400.34 Ⓜ

Features

- Includes one non-handed cross bar with pad attachment brackets, and two outer frames with glazing material.
- No power or communications access.
- Glazing material thickness is 1/8″(3mm). Not available in patterned glass.
- Assembled stack kit thickness is 3″(76mm).
- Frames may be removed for cleaning.
- Shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Glazing finish.
   Grade A:
   1C = Clear glass
   Grade D:
   1E = Frosted
3) Trim color for frame.

Single and Double Pane Specification Tips

- Maximum height of a panel configuration is 120″(3048mm).
- Connectors are required to create panel runs and conditions; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is relocated to top of panel configuration.
- One of the Single Pane plastic pad attachment brackets on the cross bar must be replaced with an aluminum attachment bracket.
- Single pane is not available in floor-to-ceiling (FTC) pad sets.

Ⓜ Product marked with this symbol available as GSA open market.

Opening/Glazing Area

Stack Kit Size	Open Height	Open Width
1618	11.1″(282mm)	14.7″(373mm)
1624		20.7″(526mm)
1630		26.7″(678mm)
1636		32.7″(831mm)
1642		38.7″(983mm)
1648		44.7″(1135mm)
1660		56.7″(1440mm)

Upper Structure Elements — Stack Kits

16″ Open Stack Kits

	Height	Width	Number	Trim A	Trim B
16″ Open Stack Kit	16″(406mm)	18″(457mm)	NTOO-1618	**$347.19**	**$364.55**
		24″(610mm)	NTOO-1624	**378.44**	**398.11**
		30″(762mm)	NTOO-1630	**409.69**	**431.67**
		36″(914mm)	NTOO-1636	**440.94**	**465.23**
		42″(1067mm)	NTOO-1642	**472.19**	**498.79**
		48″(1219mm)	NTOO-1648	**503.44**	**532.35**
		60″(1524mm)	NTOO-1660	**565.94**	**599.47**



NTOO



Features

- Includes one non-handed cross bar with pad attachment brackets, and two outer frames.
- No power or communications access.
- Assembled stack kit thickness is 3″(76mm).
- Shipped unassembled.

Specification Tips

- Maximum height of a panel configuration is 120″(3048mm).
- Connectors are required to create panel runs and conditions; specify separately.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is relocated to top of panel configuration.

To Order, Specify:

1) Product number.
2) Trim color.

Opening Area

Stack Kit Size	Open Height	Open Width
1618	11.1″(282mm)	14.7″(373mm)
1624		20.7″(526mm)
1630		26.7″(678mm)
1636		32.7″(831mm)
1642		38.7″(983mm)
1648		44.7″(1135mm)
1660		56.7″(1440mm)

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Kits

16″ Stack Kit — **Structural Cross Bar** (for Off-Modular OSU Applications)



NZ-16

Features

- Includes **one structural cross bar** and two pads with pad attachment brackets.
- No power or communications access; cables can be routed horizontally or vertically through the stack kit.
- Pads are field-removable for access to internal cabling or for pad replacement.
- Structural fabric stack kit may have the same fabric on both sides or a different fabric on each side; fabric over steel not tackable.
- Assembled stack kit thickness is 3″(76mm).
- Shipped unassembled.

Specification Tips

- **Required for standard and up mount overhead storage unit off-modular applications.**
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Connectors are required to create panel runs and intersection; specify separately.
- Structural cross bars with appropriate stack kits or pads are recommended on panel spine for off-modular applications for movement of overhead storage unit.
- Stack kit to be used on the top of a foundation element or 16″(406mm) upper structure element.
- Top cap is provided with all foundation elements and is located to top of panel configurations.

To Order, Specify:

1) Product number.
2) Painted or fabric/colorway for side one.*
3) Painted or fabric/colorway for side two.*

***Note:** Upcharge for mixed grade fabric or trim surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Stack Kits

16″ Stack Kit — **Structural Cross Bar** (for Off-Modular OSU Applications)

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A	Trim B	Fabric Grade A	B	C	E	F	G
Same Surface Options												
16″(406mm)	24″(610mm)	Structural Fabric	Structural Fabric	NZZZ-1624-NNN			$458.07	$483.79	$490.79	$507.15	$523.51	$539.85
	30″(762mm)			NZZZ-1630-NNN			487.29	513.01	520.01	536.37	552.73	569.07
	36″(914mm)			NZZZ-1636-NNN			516.51	542.23	549.23	597.14	615.84	635.68
	42″(1067mm)			NZZZ-1642-NNN			545.73	571.45	578.45	626.36	645.06	664.90
	48″(1219mm)			NZZZ-1648-NNN			574.95	600.67	607.67	655.58	674.28	694.12
	60″(1524mm)			NZZZ-1660-NNN			633.39	659.11	666.11	714.02	732.72	752.56
16″(406mm)	24″(610mm)	Slat	Slat	NZYY-1624-NNN	$718.17	$732.21						
	30″(762mm)			NZYY-1630-NNN	757.43	773.81						
	36″(914mm)			NZYY-1636-NNN	796.69	815.41						
	42″(1067mm)			NZYY-1642-NNN	835.95	857.01						
	48″(1219mm)			NZYY-1648-NNN	875.21	898.61						
	60″(1524mm)			NZYY-1660-NNN	953.73	981.81						

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim A Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
16″(406mm)	24″(610mm)	Slat	Structural Fabric	NZYZ-1624-NNN	$577.60	$590.46	$593.96	$602.14	$610.32	$618.49
	30″(762mm)			NZYZ-1630-NNN	611.84	624.70	628.20	636.38	644.56	652.73
	36″(914mm)			NZYZ-1636-NNN	646.08	658.94	662.44	688.15	697.50	708.00
	42″(1067mm)			NZYZ-1642-NNN	680.32	693.18	696.68	722.39	731.74	742.24
	48″(1219mm)			NZYZ-1648-NNN	714.56	727.42	730.92	756.63	765.98	776.48
	60″(1524mm)			NZYZ-1660-NNN	783.04	795.90	799.40	825.11	834.46	844.96

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Trim B Fabric Grade A	B	C	E	F	G
Mixed Surface Options										
16″(406mm)	24″(610mm)	Slat	Structural Fabric	NZYZ-1624-NNN	$584.62	$597.48	$600.98	$609.16	$617.34	$625.51
	30″(762mm)			NZYZ-1630-NNN	620.03	632.89	636.39	644.57	652.75	660.92
	36″(914mm)			NZYZ-1636-NNN	655.44	668.30	671.80	697.51	706.86	717.36
	42″(1067mm)			NZYZ-1642-NNN	690.85	703.71	707.21	732.92	742.27	752.77
	48″(1219mm)			NZYZ-1648-NNN	726.26	739.12	742.62	768.33	777.68	788.18
	60″(1524mm)			NZYZ-1660-NNN	797.08	809.94	813.44	839.15	848.50	859.00

Upper Structure Elements — Stack Components

Cross Bars

Standard Cross Bar



NCBB

Width	Number	Price
18″(457mm)	NCBB-18	**$133.21**
24″(610mm)	NCBB-24 ■	**140.22**
30″(762mm)	NCBB-30 ■	**149.57**
36″(914mm)	NCBB-36 ■	**157.75**
42″(1067mm)	NCBB-42 ■	**161.26**
48″(1219mm)	NCBB-48 ■	**170.61**
60″(1524mm)	NCBB-60 ■	**206.83**

Features

- Includes one cross bar and pad attachment brackets.
- Provides structural support for 10″(254mm) or 16″(406mm) stack.
- Accepts separately specified 10″(254mm) or 16″(406mm) stack pads.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips

- To be used in conjunction with individually specified pads and connectors.
- Specify with matching wood pad sets.
- Cannot be used in off-modular overhead applications. See Structural Cross Bar for off-modular conditions.
- Cross bar is included with all PREMISE power kits.

To Order, Specify:

1) Product number.
(No finish specification required.)

Structural Cross Bar



NCBZ

24″(610mm)	NCBZ-24	**$253.57**
30″(762mm)	NCBZ-30	**262.92**
36″(914mm)	NCBZ-36	**271.10**
42″(1067mm)	NCBZ-42	**274.61**
48″(1219mm)	NCBZ-48	**283.96**
60″(1524mm)	NCBZ-60	**320.18**

Features

- Includes one structural cross bar and pad attachment brackets.
- Provides structural support for 16″(406mm) stack.
- Accepts separately specified 16″(406mm) stack pads.
- Standard in charcoal finish color only.

Specification Tips

- **To be used in conjunction with 16″(406mm) slat pad and structural fabric pads only.**
- **To be used in off-modular overhead applications.**
- Cross bar is included with PREMISE structural power kits.

To Order, Specify:

1) Product number.
(No finish specification required.)

Upper Structure Elements — Stack Components

10″ Single Pad



NTP-NN
NTF-NN
NTA-NN
NTW-NN
NTY-NN

NOTES:
When specifying wood pads, an unmatched vertical wood grain and natural variations in wood grain and color can be expected between pads.
If a consistent look is desired, specify Matching Wood Pad Sets.

18″(457mm) wide slat pads are not available.

Feature

- Includes one pad.

■ Available on RUSH.

Specification Tips

- Frequently specified for reconfiguration.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with attachment brackets and connectors.
- 10″(254mm) stack kits can only be specified for use at the top of a panel configuration. Additional upper structure elements are not permitted on top of 10″(254mm) stack kits.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.
- Slat pad is designed to work with Jump Stuff slat pad tools.
- Slat pad can be used with wall track.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Stack Components

10″ Single Pad

Height	Width	Surface	Number	Trim A	Trim B	Fabric Grade A	B	C	E	F	G
10″(254mm)	18″(457mm)	Painted	NTP-1018-NN	$ 74.79	$ 80.41						
	24″(610mm)		NTP-1024-NN	80.63	87.42						
	30″(762mm)		NTP-1030-NN	86.47	94.43						
	36″(914mm)		NTP-1036-NN	92.31	101.44						
	42″(1067mm)		NTP-1042-NN	98.15	108.45						
	48″(1219mm)		NTP-1048-NN	103.99	115.46						
	60″(1524mm)		NTP-1060-NN	115.67	129.48						
10″(254mm)	18″(457mm)	Fabric/Tackable	NTF-1018-NN			$ 58.43	$ 71.29	$ 74.79	$ 82.97	$ 93.48	$ 99.32
	24″(610mm)		NTF-1024-NN ■			69.53	82.39	85.89	94.07	104.58	110.42
	30″(762mm)		NTF-1030-NN ■			80.63	93.49	96.99	105.17	115.68	121.52
	36″(914mm)		NTF-1036-NN ■			91.73	104.59	108.09	130.29	141.97	148.98
	42″(1067mm)		NTF-1042-NN ■			102.83	115.69	119.19	141.39	153.07	160.08
	48″(1219mm)		NTF-1048-NN ■			113.93	126.79	130.29	152.49	164.17	171.18
	60″(1524mm)		NTF-1060-NN ■			136.13	148.99	152.49	174.69	186.37	193.38
10″(254mm)	18″(457mm)	Fabric/Acous./ Tackable	NTA-1018-NN			$111.02	$123.88	$127.38	$135.56	$146.07	$151.91
	24″(610mm)		NTA-1024-NN ■			126.79	139.65	143.15	151.33	161.84	167.68
	30″(762mm)		NTA-1030-NN ■			142.56	155.42	158.92	167.10	177.61	183.45
	36″(914mm)		NTA-1036-NN ■			158.33	171.19	174.69	196.89	208.57	215.58
	42″(1067mm)		NTA-1042-NN ■			174.10	186.96	190.46	212.66	224.34	231.35
	48″(1219mm)		NTA-1048-NN ■			189.87	202.73	206.23	228.43	240.11	247.12
	60″(1524mm)		NTA-1060-NN ■			221.41	234.27	237.77	259.97	271.65	278.66
10″(254mm)	24″(610mm)	Slat	NTY-1024-NN ■	$217.93	$224.72						
	30″(762mm)		NTY-1030-NN ■	230.20	238.16						
	36″(914mm)		NTY-1036-NN ■	242.47	251.60						
	42″(1067mm)		NTY-1042-NN ■	254.74	265.04						
	48″(1219mm)		NTY-1048-NN ■	267.01	278.48						
	60″(1524mm)		NTY-1060-NN ■	291.55	305.36						

				Wood Group A	Wood Group B
10″(254mm)	18″(457mm)	Wood	NTW-1018-NN	$217.36	$229.04
	24″(610mm)		NTW-1024-NN	236.06	247.74
	30″(762mm)		NTW-1030-NN	254.76	266.44
	36″(914mm)		NTW-1036-NN	273.46	285.14
	42″(1067mm)		NTW-1042-NN	292.16	303.84
	48″(1219mm)		NTW-1048-NN	310.86	322.54
	60″(1524mm)		NTW-1060-NN	348.26	359.94

Upper Structure Elements — Stack Components

10″ Single Pads

10″ Translucent Pad



NTX

Height	Width	Number	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
10″(254mm)	24″(610mm)	NTX-1024-NN Ⓜ	$232.55	$238.17	$295.65	$301.27
	30″(762mm)	NTX-1030-NN Ⓜ	254.76	261.55	330.12	336.91
	36″(914mm)	NTX-1036-NN Ⓜ	276.97	284.93	364.59	372.55
	42″(1067mm)	NTX-1042-NN Ⓜ	299.18	308.31	399.06	408.19
	48″(1219mm)	NTX-1048-NN Ⓜ	321.39	331.69	433.53	443.83
	60″(1524mm)	NTX-1060-NN Ⓜ	365.81	378.45	502.47	515.11

Feature

- Includes one pad.

Specification Tips

- Frequently specified for reconfiguration.
- Due to the aesthetic properties of this surface material the same surface option for both sides of a stack kit is recommended; mixed stack kit surface materials are not recommended for this surface option.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with pad attachment brackets and connectors.
- 10″(254mm) stack kits can only be specified for use at the top of a panel configuration. Additional upper structure elements are not permitted on top of 10″(254mm) stack kits.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.
- Due to the aesthetic properties of the translucent surface material, it is not recommended to route cables behind pads.

Ⓜ Product marked with this symbol available as GSA open market.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

PREMISE — 10″ Single Technology Fabric Pad



NTF-EC



30″ Pad Only

Height	Width	Surface	Number	Fabric Grade A	B	C	E	F	G
10″(254mm)	30″(762mm)	Fabric/Tackable	NTF-1030-EC ■	$244.23	$257.09	$260.59	$268.77	$279.28	$285.12
	36″(914mm)		NTF-1036-EC ■	265.85	278.71	282.21	304.41	316.09	323.10
	42″(1067mm)		NTF-1042-EC ■	276.95	289.81	293.31	315.51	327.19	334.20
	48″(1219mm)		NTF-1048-EC ■	288.05	300.91	304.41	326.61	338.29	345.30
	60″(1524mm)		NTF-1060-EC ■	310.25	323.11	326.61	348.81	360.49	367.50

Feature

- Includes one pad, power/communications bezel, receptacle and data blank plate to fill each opening on pad, furniture data plate mounting bracket(s). All sizes include 1 data bracket - if additional required order part #NEAC-0000.

■ Available on RUSH.

Specification Tips

- **For stack kit application, specify pad for opposite side and appropriate power kit.**
- Bezel communication port opening accepts furniture data plates on data mounting bracket which must be installed on the cable trough.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- 10″(254mm) technology pads with power and communications can be used in back-to-back applications.
- Foundation element is required as the base of every stackable configuration.
- Specify triplex receptacles separately.
- 30″ technology pad has only one bezel on left-hand side, no blank plates included.

To Order, Specify:

1) Product number.
2) Fabric/colorway.
3) Non-metallic trim color for bezels.

Upper Structure Elements — Stack Components

Markerboard Pads

	Height	Width	Number	Price
10″ Single Markerboard Pad	10″(254mm)	18″(457mm)	NTM-1018	**$343.56**
		24″(610mm)	NTM-1024	**357.58**
		30″(762mm)	NTM-1030	**371.60**
		36″(914mm)	NTM-1036	**385.62**
		42″(1067mm)	NTM-1042	**399.64**
		48″(1219mm)	NTM-1048	**413.66**
		60″(1524mm)	NTM-1060	**441.70**



NTM-10

Features
- Includes one pad with removable tray.
- White erasable writing surface with removable tray.
- Markers and erasers not included.
- Laminate with 1mm edge banding.
- Tray is standard in charcoal.

Specification Tips
- Installs in panel connector slots on same width panel or multiple width panels, equal to markerboard width.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- For stack kit application only.
- Foundation element is required as the base of every stackable configuration.
- **The following products are recommended to maintain the markerboard appearance:**
  –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  –Markerboard cleaner and conditioner, order part# 7031-7001.
  –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
(No finish specification required.)

16″ Single Markerboard Pad	16″(406mm)	18″(457mm)	NTM-1618	**$343.56**
		24″(610mm)	NTM-1624	**358.17**
		30″(762mm)	NTM-1630	**372.78**
		36″(914mm)	NTM-1636	**387.39**
		42″(1067mm)	NTM-1642	**402.00**
		48″(1219mm)	NTM-1648	**416.61**
		60″(1524mm)	NTM-1660	**445.83**



NTM-16

Features
- Includes one pad with removable tray.
- White erasable writing surface with removable tray.
- Markers and erasers not included.
- Laminate with 1mm edge banding.
- Tray is standard in charcoal.

Specification Tips
- Installs in panel connector slots on same width panel or multiple width panels, equal to markerboard width.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- For stack kit application only.
- Foundation element is required as the base of every stackable configuration.
- **The following products are recommended to maintain the markerboard appearance:**
  –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  –Markerboard cleaner and conditioner, order part# 7031-7001.
  –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
(No finish specification required.)

Upper Structure Elements — Stack Components

Markerboard Pads

	Height	Width	Number	Price
32″ Single Markerboard Pad	32″(813mm)	18″(457mm)	NTM-3218	**$343.56**
		24″(610mm)	NTM-3224	**358.17**
		30″(762mm)	NTM-3230	**372.78**
		36″(914mm)	NTM-3236	**387.39**
		42″(1067mm)	NTM-3242	**402.00**
		48″(1219mm)	NTM-3248	**416.61**
		60″(1524mm)	NTM-3260	**445.83**



NTM-32

Features

- Includes one pad with removable tray.
- White erasable writing surface with removable tray.
- Markers and erasers not included.
- Laminate with 1mm edge banding.
- Tray is standard in charcoal.

Specification Tips

- Installs in panel connector slots on same width panel or multiple width panels, equal to markerboard width.
- Must be used with two 16″(406mm) high pads or another 32″(813mm) high marker board pad on opposite pad.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- For stack kit application only.
- Foundation element is required as the base of every stackable configuration.
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
   (No finish specification required.)

This page intentionally blank

Upper Structure Elements – Stack Components

16″ Single Pad



NTP-NN
NTF-NN
NTA-NN
NTW-NN
NTY-NN

NOTES:

When specifying wood pads, an unmatched vertical wood grain and natural variations in wood grain and color can be expected between pads. If a consistent look is desired, specify Matching Wood Pad Sets.

18″ (457mm) wide perforated and slat pads are not available.

Feature

- Includes one pad.

■ Available on RUSH.

Specification Tips

- Frequently specified for reconfiguration.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with attachment brackets and panel connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.
- Due to the aesthetic properties of the perforated surface material, it is not recommended to route cables behind pads.
- Slat pad is designed to work with Jump Stuff slat pad tools.
- Slat pad can be used with wall track.
- Structural fabric over steel pads to be used with structural crossbars for off modular applications.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements – Stack Components

16″ Single Pad

Height	Width	Surface	Number	Trim A	Trim B	Fabric Grade A	B	C	E	F	G
16″(406mm)	18″(457mm)	Painted	NTP-1618-NN	$ 74.79	$ 84.99						
	24″(610mm)		NTP-1624-NN	82.09	93.46						
	30″(762mm)		NTP-1630-NN	89.39	101.93						
	36″(914mm)		NTP-1636-NN	96.69	110.40						
	42″(1067mm)		NTP-1642-NN	103.99	118.87						
	48″(1219mm)		NTP-1648-NN	111.29	127.34						
	60″(1524mm)		NTP-1660-NN	125.89	144.28						
16″(406mm)	18″(457mm)	Fabric/Tackable	NTF-1618-NN			$ 58.43	$ 71.29	$ 74.79	$ 82.97	$ 91.15	$ 99.32
	24″(610mm)		NTF-1624-NN ■			70.99	83.85	87.35	95.53	103.71	111.88
	30″(762mm)		NTF-1630-NN ■			83.55	96.41	99.91	108.09	116.27	124.44
	36″(914mm)		NTF-1636-NN ■			96.11	108.97	112.47	134.67	144.02	153.36
	42″(1067mm)		NTF-1642-NN ■			108.67	121.53	125.03	147.23	156.58	165.92
	48″(1219mm)		NTF-1648-NN ■			121.23	134.09	137.59	159.79	169.14	178.48
	60″(1524mm)		NTF-1660-NN ■			146.35	159.21	162.71	184.91	194.26	203.60
16″(406mm)	18″(457mm)	Fabric/Acous./ Tackable	NTA-1618-NN			$111.02	$123.88	$127.38	$135.56	$143.74	$151.91
	24″(610mm)		NTA-1624-NN ■			128.25	141.11	144.61	152.79	160.97	169.14
	30″(762mm)		NTA-1630-NN ■			145.48	158.34	161.84	170.02	178.20	186.37
	36″(914mm)		NTA-1636-NN ■			162.71	175.57	179.07	201.27	210.62	219.96
	42″(1067mm)		NTA-1642-NN ■			179.94	192.80	196.30	218.50	227.85	237.19
	48″(1219mm)		NTA-1648-NN ■			197.17	210.03	213.53	235.73	245.08	254.42
	60″(1524mm)		NTA-1660-NN ■			231.63	244.49	247.99	270.19	279.54	288.88
16″(406mm)	24″(610mm)	Structural Fabric	NTZ-1624-NN			$103.43	$116.29	$119.79	$127.97	$136.15	$144.32
	30″(762mm)		NTZ-1630-NN			111.03	123.89	127.39	135.57	143.75	151.92
	36″(914mm)		NTZ-1636-NN			118.63	131.49	134.99	157.19	166.54	175.88
	42″(1067mm)		NTZ-1642-NN			126.23	139.09	142.59	164.79	174.14	183.48
	48″(1219mm)		NTZ-1648-NN			133.83	146.69	150.19	172.39	181.74	191.08
	60″(1524mm)		NTZ-1660-NN			149.03	161.89	165.39	187.59	196.94	206.28
16″(406mm)	24″(610mm)	Perforated	NTH-1624-NN	$190.76	$202.13						
	30″(762mm)		NTH-1630-NN	209.74	222.28						
	36″(914mm)		NTH-1636-NN	228.72	242.43						
	42″(1067mm)		NTH-1642-NN	247.70	262.58						
	48″(1219mm)		NTH-1648-NN	266.68	282.73						
	60″(1524mm)		NTH-1660-NN	304.64	323.03						
16″(406mm)	24″(610mm)	Slat	NTY-1624-NN ■	$219.45	$230.82						
	30″(762mm)		NTY-1630-NN ■	233.24	245.78						
	36″(914mm)		NTY-1636-NN ■	247.03	260.74						
	42″(1067mm)		NTY-1642-NN ■	260.82	275.70						
	48″(1219mm)		NTY-1648-NN ■	274.61	290.66						
	60″(1524mm)		NTY-1660-NN ■	302.19	320.58						
				Wood Group A	Wood Group B						
16″(406mm)	18″(457mm)	Wood	NTW-1618-NN	$217.36	$234.89						
	24″(610mm)		NTW-1624-NN	241.90	259.43						
	30″(762mm)		NTW-1630-NN	266.44	283.97						
	36″(914mm)		NTW-1636-NN	290.98	308.51						
	42″(1067mm)		NTW-1642-NN	315.52	333.05						
	48″(1219mm)		NTW-1648-NN	340.06	357.59						
	60″(1524mm)		NTW-1660-NN	389.14	406.67						

Upper Structure Elements – Stack Components

16″ Translucent Pad

	Height	Width	Number	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″ Translucent Pad	16″(406mm)	24″(610mm)	NTX-1624-NN	**$234.88**	**$245.08**	**$301.49**	**$311.69**
		30″(762mm)	NTX-1630-NN	**259.42**	**270.79**	**326.03**	**337.40**
		36″(914mm)	NTX-1636-NN	**283.96**	**296.50**	**350.57**	**363.11**
		42″(1067mm)	NTX-1642-NN	**308.50**	**322.21**	**375.11**	**388.82**
		48″(1219mm)	NTX-1648-NN	**333.04**	**347.92**	**399.65**	**414.53**
		60″(1524mm)	NTX-1660-NN	**382.12**	**399.34**	**448.73**	**465.95**



NTX

Feature

- Includes one pad.

Specification Tips

- Frequently specified for reconfiguration.
- Due to the aesthetic properties of this surface material the same surface option for both sides of a stack kit is recommended; mixed stack kit surface materials are not recommended for this surface option.
- When specifying a stack pad to create a stack kit the following components are required: two stack pads, one cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.
- Due to the aesthetic properties of the translucent surface material, it is not recommended to route cables behind pads.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Upper Structure Elements – Stack Components

Glazed Pads

Single Pane Pads — 16″ Frame with Glazing



NTS

Height	Width	Number	Glass A Trim A	Glass A Trim B	C Trim A	C Trim B	D Trim A	D Trim B
16″(406mm)	18″ (457mm)	NTS-1618	$291.11	$315.18	$526.06	$550.13	$ 645.25	$ 669.32
	24″(610mm)	NTS-1624	316.17	340.24	575.50	599.57	714.83	738.90
	30″(762mm)	NTS-1630	341.23	365.30	624.94	649.01	784.41	808.48
	36″(914mm)	NTS-1636	366.29	390.36	674.38	698.45	853.99	878.06
	42″(1067mm)	NTS-1642	391.35	415.42	723.82	747.89	923.57	947.64
	48″(1219mm)	NTS-1648	416.41	440.48	773.26	797.33	993.15	1017.22
	60″(1524mm)	NTS-1660	466.53	490.60	872.14	896.21	1132.31	1156.38

Features

- Includes two outer frames, one with glazing and one aluminum pad attachment bracket.
- Glazing material for English Reeded and Patterned is textured on one side only.

Specification Tips

- Requires the support of a cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.
- One of the plastic pad attachment brackets on the cross bar must be replaced with an aluminum attachment bracket.
- Single pane is not available in floor-to-ceiling (FTC) pad sets.

To Order, Specify:

1) Product number.
2) Glazing finish.
3) Trim color for frame.

Double Pane Pads — 16″ Frame with Glazing



NTG-16

Height	Width	Number	Glass A Trim A	Glass A Trim B	D Trim A	D Trim B
16″(406mm)	18″(457mm)	NTG-1618	$326.63	$350.70	$ 856.97	$ 881.04
	24″(610mm)	NTG-1624 ■	357.35	381.42	961.33	985.40
	30″(762mm)	NTG-1630 ■	388.07	412.14	1065.69	1089.76
	36″(914mm)	NTG-1636 ■	418.79	442.86	1170.05	1194.12
	42″(1067mm)	NTG-1642 ■	449.51	473.58	1274.41	1298.48
	48″(1219mm)	NTG-1648 ■	480.23	504.30	1378.77	1402.84
	60″(1524mm)	NTG-1660 ■	541.67	565.74	1587.49	1611.56

Features

- Includes two outer frames both with glazing.
- Converts an existing stack kit to a glazed stack.

■ Available on RUSH.

Specification Tips

- Requires the support of a cross bar with pad attachment brackets and connectors.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.

To Order, Specify:

1) Product number.
2) Glazing finish.
3) Trim color for frame.

Upper Structure Elements – Stack Components

16″ Open Frame Pads

16″ Open Frame Pads



NTO-16

Height	Width	Number	Trim A	Trim B
16″(406mm)	18″(457mm)	NTO-1618	**$112.32**	**$142.12**
	24″(610mm)	NTO-1624	**122.79**	**154.28**
	30″(762mm)	NTO-1630	**133.26**	**166.44**
	36″(914mm)	NTO-1636	**143.73**	**178.60**
	42″(1067mm)	NTO-1642	**154.20**	**190.76**
	48″(1219mm)	NTO-1648	**164.67**	**202.92**
	60″(1524mm)	NTO-1660	**185.61**	**227.24**

Features

- Includes two outer frames.
- Converts an existing stack kit to an open stack.

Specification Tips

- Requires the support of a cross bar with pad attachment brackets.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- Foundation element is required as the base of every stackable configuration.

To Order, Specify:

1) Product number.
2) Trim color.

Upper Structure Elements – Stack Components

16″ Single Technology Fabric Pads

PREMISE — 16″ Single Technology Fabric Pad



NTF-EC



30″ Pad Only

Height	Width	Surface	Number	Fabric Grade A	B	C	E	F	G
16″(406mm)	30″(762mm)	Fabric/Tackable	NTF-1630-EC ■	$247.15	$260.01	$263.51	$271.69	$279.87	$288.04
	36″(914mm)		NTF-1636-EC ■	270.23	283.09	286.59	308.79	318.14	327.48
	42″(1067mm)		NTF-1642-EC ■	282.79	295.65	299.15	321.35	330.70	340.04
	48″(1219mm)		NTF-1648-EC ■	295.35	308.21	311.71	333.91	343.26	352.60
	60″(1524mm)		NTF-1660-EC ■	320.47	333.33	336.83	359.03	368.38	377.72

Feature

- Includes one pad, power/communications bezel, receptacle and data blank plate to fill each opening on pad, furniture data plate mounting bracket(s). All sizes include 1 data bracket. If additional required, order part #NEAC-0000.

■ Available on RUSH.

Specification Tips

- **For stack kit application, specify pad for opposite side and appropriate power kit.**
- Bezel communication port opening accepts furniture data plates on data mounting bracket which must be installed on the cable trough.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- 16″(406mm) technology pads with power and communications can be used in back-to-back applications.
- Foundation element is required at the base of every stackable configuration.
- Specify triplex receptacles separately.
- 30″ technology pad has only one bezel on left-hand side, no blank plates included.

To Order, Specify:

1) Product number.
2) Fabric/colorway.
3) Non-metallic trim color for bezels.

Upper Structure Elements – Stack Components

16″ Single Technology Slat Pads

PREMISE — 16″ Single Technology Slat Pad



NTY-EC



30″ Pad Only

Height	Width	Surface	Number	Trim A	Trim B
16″(406mm)	30″(762mm)	Slat	NTY-1630-EC ■	**$422.55**	**$435.09**
	36″(914mm)		NTY-1636-EC ■	**483.07**	**496.78**
	42″(1067mm)		NTY-1642-EC ■	**496.86**	**511.74**
	48″(1219mm)		NTY-1648-EC ■	**510.65**	**526.70**
	60″(1524mm)		NTY-1660-EC ■	**538.23**	**556.62**

Feature

- Includes one pad, power/communications bezel, receptacle and data blank plate to fill each opening on pad, furniture data plate mounting bracket(s). All sizes include 1 data bracket. If additional required, order part #NEAC-0000.

■ Available on RUSH.

Specification Tips

- **For stack kit application specify pad for opposite side and appropriate power kit and power connector(s).**
- For off-modular overheads specify a structural power kit for use with technology slat pads only.
- Bezel communication port opening accepts furniture data plates on data mounting bracket which must be installed on cable trough.
- Maximum height of a panel configuration should not exceed 120″(3048mm).
- 16″(406mm) technology pads with power and communications can be used in back-to-back applications.
- Foundation element is required as the base of every stackable configuration.
- Slat pad is designed to work with Jump Stuff slat pad tools.
- Specify triplex receptacles separately.
- 30″ technology pad has only one bezel on left-hand side, no blank plates included.

To Order, Specify:

1) Product number.
2) Painted slat pad color.
3) Non-metallic trim color for bezels.

Upper Structure Elements — Floor-to-Ceiling

Connectors

Floor-to-Ceiling Track

Height	Width	Length	Number	Trim A	Trim B
2″(51mm)	3″(76mm)	10′(3048mm)	NQRC-10	**$390.29**	**$423.01**



NQRC-10

NOTE:
Ceiling track is required to support ceiling pads or glazing frame.

Features

- Includes 10′(3048mm) section of track, ceiling gasket, pad retaining clips and two straight connector brackets.
- Provides a finished appearance at the ceiling and supports the top of the ceiling pad or glazing.
- Track is supported by separately specified connector (NQS-S) and rests against the ceiling material.

Specification Tips

- Track can be field cut to the necessary length.
- Track does not connect to the ceiling material.
- Consider all ceiling mounted obstacles (i.e. sprinkler heads, light fixtures) and adjust floor plan to provide clearance. Add lineal feet of ceiling track required and divide by 10 to determine the quantity of ceiling track required.
- Consult local building and fire codes.

To Order, Specify:

1) Product number.
2) Trim color.

Floor-to-Ceiling Straight Connector

Height	Number	Price
25″(635mm)	NQS-S	**$109.84**



NQS-S

Features

- Includes a two-piece vertical connector with bayonet, and one L bracket.
- Connects floor-to-ceiling pad set and ceiling track in a straight run.
- Floor-to-ceiling connectors do not include mounting slots for load bearing components.
- Standard in black finish color only.
- Shipped unassembled.

Specification Tips

- Straight connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be field cut to a minimum height of 8″(203mm).
- One straight connector is required at every in-line panel condition.
- Total panel configuration cannot exceed 120″(3048mm).
- Can be installed directly on a monolithic panel or stack kit.

To Order, Specify:

1) Product number.
(No finish specification required.)

Upper Structure Elements — Floor-to-Ceiling

Connectors

Width	Depth	Height	Painted Cover Number	Trim A	Fabric Cover Number	Trim A Fabric Grade A	B	C	E	F	G
3″(76mm)	3″(76mm)	25″(635mm)	NQ2P-24	**$530.52**	NQ2F-24	**$565.58**	**$617.00**	**$674.25**	**$796.96**	**$882.26**	**$932.50**

Width	Depth	Height	Painted Cover Number	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
3″(76mm)	3″(76mm)	25″(635mm)	NQ2P-24	**$549.22**	NQ2F-24	**$584.28**	**$635.70**	**$692.95**	**$815.66**	**$900.96**	**$951.20**

Width	Depth	Height	Wood Cover Number	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
3″(76mm)	3″(76mm)	25″(635mm)	NQ2W-24	**$602.97**	**$621.67**	**$669.58**	**$688.28**

Floor-to-Ceiling 2-Way Connector with Cover



Top View



NQ2P-24
NQ2F-24
NQ2W-24

Features

- Includes two straight connectors with L-brackets, pre-assembled section of 2-way ceiling track, two straight connector brackets and cover.
- Connects floor-to-ceiling pad set and ceiling track in a two-way condition.
- Floor-to-ceiling connectors do not include mounting slots for load bearing components.
- Straight connectors are standard in black finish color only.
- Shipped unassembled.

Specification Tips

- Can be field cut to a minimum height of 8″(203mm).
- Two-way connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be installed directly on a monolithic panel or stack kit.
- Track does not connect to the ceiling material.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish for cover.
3) Trim for ceiling track.

Upper Structure Elements — Floor-to-Ceiling

Connectors

Width	Depth	Height	Painted Cover Number	Trim A	Fabric Cover Number	Trim A Fabric Grade A	B	C	E	F	G
3″(76mm)	3″(76mm)	25″(635mm)	NQ3P-24	**$626.34**	NQ3F-24	**$678.92**	**$746.70**	**$823.82**	**$987.41**	**$1100.77**	**$1168.54**

Width	Depth	Height	Painted Cover Number	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
3″(76mm)	3″(76mm)	25″(635mm)	NQ3P-24	**$645.04**	NQ3F-24	**$697.62**	**$765.40**	**$842.52**	**$1006.11**	**$1119.47**	**$1187.24**

Width	Depth	Height	Wood Cover Number	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
3″(76mm)	3″(76mm)	25″(635mm)	NQ3W-24	**$716.32**	**$735.02**	**$803.96**	**$ 822.66**

Floor-to-Ceiling 3-Way Connector with Cover



Top View



NQ3P-24
NQ3F-24
NQ3W-24

Features

- Includes three straight connectors with L-brackets, pre-assembled section of 3-way ceiling track, four straight connector brackets and cover.
- Connects floor-to-ceiling pad set and ceiling track in a three-way condition.
- Floor-to-ceiling connectors do not include mounting slots for load bearing components.
- Straight connectors are standard in black finish color only.
- Shipped unassembled.

Specification Tips

- Can be field cut to a minimum height of 8″(203mm).
- Three-way connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be installed directly on a monolithic panel or stack kit.
- Track does not connect to the ceiling material.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish for cover.
3) Trim for ceiling track.

Upper Structure Elements — Floor-to-Ceiling

Connectors

	Width	Height	Number	Trim A	Trim B
Floor-to-Ceiling 4-Way Connector with Cover	3″(76mm)	25″(635mm)	NQ4S-24	**$723.32**	**$742.02**

8"(203mm)



Top View



NQ4S-24

Features

- Includes four straight connectors with L-brackets, pre-assembled section of 4-way ceiling track, six straight connector brackets and cover.
- Connects floor-to-ceiling pad set and ceiling track in a four-way condition.
- Floor-to-ceiling connectors do not include mounting slots for load bearing components.
- Straight connectors are standard in black finish color only.
- Shipped unassembled.

Specification Tips

- Can be field cut to a minimum height of 8″(203mm).
- Four-way connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be installed directly on a monolithic panel or stack kit.
- Track does not connect to the ceiling material.

To Order, Specify:

1) Product number.
2) Trim for ceiling track.

Upper Structure Elements — Floor-to-Ceiling

Pads

Height	Width	Depth	Painted Cover A	Trim Number	Fabric Cover A	Trim A Fabric Grade B	C	E	F	G	
25″(635mm)	3″(76mm)	1 1/8″(29mm)	NQEP-24	**$225.53**	NQEF-24	**$247.74**	**$251.25**	**$254.75**	**$262.93**	**$268.77**	**$272.28**

Height	Width	Depth	Painted Cover Number	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
25″(635mm)	3″(76mm)	1 1/8″(29mm)	NQEP-24	**$244.23**	NQEF-24	**$266.44**	**$269.95**	**$273.45**	**$281.63**	**$287.47**	**$290.98**

Height	Width	Depth	Wood Cover Number	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
25″(635mm)	3″(76mm)	1 1/8″(29mm)	NQEW-24	**$268.77**	**$287.47**	**$276.95**	**$295.65**

Floor-to-Ceiling End-of-Run Connector with Cover



NQEP-24
NQEF-24
NQEW-24

Features

- Includes straight connector, L-bracket, V-clip, cover and ceiling track finish piece.
- Supports the ceiling track and provides a finished appearance at the end of a panel run.
- Straight connector is standard in black finish color only.
- Shipped unassembled.

Specification Tips

- End-of-run connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be field cut to a minimum height of 8″(203mm).
- One straight connector is required at every in-line panel condition.
- Top cap of the lower panel requires field cutting of the top cap to accommodate the top cap adaptor provided with the cover.
- Total panel configuration cannot exceed 120″(3048mm).
- Can be installed directly on a monolithic panel or stack kit.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish for covers.
3) Trim color for top cap.

Upper Structure Elements — Floor-to-Ceiling

Pads

Height	Width	Depth	Painted Cover Number	Trim A	Fabric Cover Number	Trim A Fabric Grade B	C	E	F	G	
24 3/4″(629mm)	3″(76mm)	1 1/8″(29mm)	NQVP-24	**$49.08**	NQVF-24	**$70.11**	**$73.62**	**$77.12**	**$84.13**	**$89.97**	**$92.32**

Height	Width	Depth	Painted Cover Number	Trim B	Fabric Cover Number	Trim B Fabric Grade A	B	C	E	F	G
24 3/4″(629mm)	3″(76mm)	1 1/8″(29mm)	NQVP-24	**$67.78**	NQVF-24	**$88.81**	**$ 92.32**	**$95.82**	**$102.83**	**$108.67**	**$111.02**

Height	Width	Depth	Wood Cover Number	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
24 3/4″(629mm)	3″(76mm)	1 1/8″(29mm)	NQVW-24	**$89.97**	**$108.67**	**$96.98**	**$115.68**

Floor-to-Ceiling Variable-Height Cover



NQVP-24
NQVF-24
NQVW-24

Features

- Includes one cover, ceiling track finish piece and top cap adaptor.
- Provides finished appearance on exposed connector in straight, two-way, three-way or four-way conditions.

Specification Tips

- Variable-Height connector can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) connector.
- Can be field cut to a minimum height of 8″(203mm).
- One straight connector is required at every in-line panel condition.
- Total panel configuration cannot exceed 120″(3048mm).
- Must be used with separately specified floor-to-ceiling connectors.

To Order, Specify:

1) Product number.
2) Painted, fabric/colorway or wood finish for cover.
3) Trim color for top cap.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Upper Structure Elements — Floor-to-Ceiling

Pads

	Height	Depth	Number	Price
Floor-to-Ceiling Wall Mount Kit	41″(1041mm)	1/2″(13mm)	NQSW-40	**$99.32**



NQSW-40

Features

- Includes channel.
- For mounting stack kit above 80″(2032mm) height to a structural wall.
- Adds 1/4″(6mm) to panel width.
- Wall mount kit does not include mounting slots for load bearing components.
- Standard in black finish color only.

Specification Tip

- Use in conjunction with wall mount kit and upper structure connectors.

To Order, Specify:

1) Product number.
(No finish specification required.)

Upper Structure Elements — Floor-to-Ceiling

Pads

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Fabric Grade A	B	C	E	F	G
24″(610mm)	18″(457mm)	Fabric	Fabric	NNFF-2418	$ 369.84	$ 395.78	$412.30	$452.44	$ 466.58	$ 485.46
	24″(610mm)			NNFF-2424	398.16	428.34	449.68	500.02	521.24	544.36
	30″(762mm)			NNFF-2430	426.48	460.90	487.06	547.60	575.90	603.26
	36″(914mm)			NNFF-2436	454.80	493.46	524.44	595.18	630.56	662.16
	42″(1067mm)			NNFF-2442	483.12	526.02	561.82	642.76	685.22	721.06
	48″(1219mm)			NNFF-2448	511.44	558.58	599.20	690.34	739.88	779.96
	60″(1524mm)			NNFF-2460	568.08	623.70	673.96	785.50	849.20	897.76
Wood Group A										
24″(610mm)	18″(457mm)	Fabric	Wood	NNFW-2418	$ 503.16	$ 516.13	$524.39	$544.46	$ 551.53	$ 560.97
	24″(610mm)			NNFW-2424	546.82	561.91	572.58	597.75	608.36	619.92
	30″(762mm)			NNFW-2430	590.48	607.69	620.77	651.04	665.19	678.87
	36″(914mm)			NNFW-2436	634.14	653.47	668.96	704.33	722.02	737.82
	42″(1067mm)			NNFW-2442	677.80	699.25	717.15	757.62	778.85	796.77
	48″(1219mm)			NNFW-2448	721.46	745.03	765.34	810.91	835.68	855.72
	60″(1524mm)			NNFW-2460	808.78	836.59	861.72	917.49	949.34	973.62
Wood Group B										
24″(610mm)	18″(457mm)	Fabric	Wood	NNFW-2418	$ 526.89	$ 539.86	$548.12	$568.19	$ 575.26	$ 584.70
	24″(610mm)			NNFW-2424	575.80	590.89	601.56	626.73	637.34	648.90
	30″(762mm)			NNFW-2430	624.71	641.92	655.00	685.27	699.42	713.10
	36″(914mm)			NNFW-2436	673.62	692.95	708.44	743.81	761.50	777.30
	42″(1067mm)			NNFW-2442	722.53	743.98	761.88	802.35	823.58	841.50
	48″(1219mm)			NNFW-2448	771.44	795.01	815.32	860.89	885.66	905.70
	60″(1524mm)			NNFW-2460	869.26	897.07	922.20	977.97	1009.82	1034.10

Height	Width	Side 1 Pad Surface	Side 2 Pad Surface	Number	Wood Group A	Wood Group B
24″(610mm)	18″(457mm)	Wood	Wood	NNWW-2418	$ 636.48	$ 683.94
	24″(610mm)			NNWW-2424	702.56	760.52
	30″(762mm)			NNWW-2430	768.64	837.10
	36″(914mm)			NNWW-2436	834.72	913.68
	42″(1067mm)			NNWW-2442	900.80	990.26
	48″(1219mm)			NNWW-2448	966.88	1066.84
	60″(1524mm)			NNWW-2460	1099.04	1220.00

Floor-to-Ceiling Pads



NNFF
NNFW
NNWW

Feature

- Includes two pads and pad attachment clips.

Specification Tips

- Pads can be field cut to a minimum height of 8″(203mm).
- Must be used with separately specified floor-to-ceiling connectors and ceiling tracks.
- Floor-to-ceiling pads can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) stack kits.

To Order, Specify:

1) Product number.
2) Fabric/colorway or wood finish for side one.
3) Fabric/colorway or wood finish for side two.

Note: Upcharge for mixed grade surfaces, refer to the electronic catalog for pricing.

Upper Structure Elements — Floor-to-Ceiling

Pads

Open Frame for Glazing



NNGG

Height	Width	Number	Trim A	Trim B
24″(610mm)	18″(457mm)	NNGG-2418	**$378.61**	**$399.64**
	24″(610mm)	NNGG-2424	**397.31**	**418.34**
	30″(762mm)	NNGG-2430	**421.85**	**446.39**
	36″(914mm)	NNGG-2436	**466.25**	**494.30**
	42″(1067mm)	NNGG-2442	**491.96**	**523.52**
	48″(1219mm)	NNGG-2448	**522.35**	**557.42**
	60″(1524mm)	NNGG-2460	**609.99**	**652.08**

Feature

- Includes two outer frames and ceiling track insert.

Specification Tips

- Frames can be field cut to a minimum height of 8″(203mm).
- Must be used with separately specified floor-to-ceiling connectors and ceiling tracks.
- Floor-to-ceiling pads can only be specified for use at the top of a panel configuration and cannot be placed on top of 10″(254mm) stack kits.
- **Customer needs to supply two pieces .115″(2.92mm) to .130″(3.30mm) thick glazing material.**
- Not available for use with single pane glass.

To Order, Specify:

1) Product number.
2) Trim color for frame.

Opening/Glazing Area

Stack Kit Size	Open Height	Open Width
2418	22″(559mm)	14.7″(373mm)
2424		20.7″(526mm)
2430		26.7″(678mm)
2436		32.7″(831mm)
2442		38.7″(983mm)
2448		44.7″(1135mm)
2460		56.7″(1440mm)

Visual Privacy Elements — Panel Attached

Fabric Scrim — Stand Alone Kit



NBPA-F

Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	NBPA-1624-F ■	$182.87	$186.41
	30″(762mm)	NBPA-1630-F ■	207.65	212.96
	36″(914mm)	NBPA-1636-F ■	232.43	239.51
	42″(1067mm)	NBPA-1642-F ■	257.21	266.06
	48″(1219mm)	NBPA-1648-F ■	281.99	292.61
	54″(1372mm)	NBPA-1654-F ■	298.51	310.31
	60″(1524mm)	NBPA-1660-F ■	331.55	345.71

Features

- Includes two vertical columns, one upper horizontal structural rod, one lower horizontal weighted rod, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Screens/toppers are non-load bearing.
- Screens/toppers have no acoustical or tackable properties.
- Screens/toppers can be used in off-modular conditions.
- Screens/toppers are shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for rods.

Specification Tips

- Not recommended for attachment directly to super base panels; use monolithic panels instead.
- Grooved top cap must be separately specified with foundation element.
- **Mounts on center channel of grooved top cap.**
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- Separately specified panel attached screen canopies can be mounted to toppers.
- Screens/toppers can be ganged horizontally with separately specified shared kit.
- **Screens/toppers may interfere with variable height covers, in these conditions specify screen one size smaller.**

Translucent — Stand Alone Kit



NBPA-X

Height	Width	Number	White A	White B	Color/Pattern A	Color/Pattern B
16″(406mm)	24″(610mm)	NBPA-1624-X	$318.55	$322.09	$ 593.44	$ 596.98
	30″(762mm)	NBPA-1630-X	368.11	373.42	692.53	697.84
	36″(914mm)	NBPA-1636-X	417.67	424.75	791.62	798.70
	42″(1067mm)	NBPA-1642-X	467.23	476.08	890.71	899.56
	48″(1219mm)	NBPA-1648-X	516.79	527.41	989.80	1000.42
	54″(1372mm)	NBPA-1654-X	549.83	561.63	1055.86	1067.66
	60″(1524mm)	NBPA-1660-X	615.91	630.07	1187.98	1202.14

Features

- Includes two vertical columns, one upper horizontal structural rod, translucent insert, and attachment hardware; clips.
- Clips are clear.
- Screens/toppers are non-load bearing.
- Screens/toppers have no acoustical or writable properties.
- Screens/toppers can be used in off-modular conditions.
- Screens/toppers are shipped unassembled.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Specification Tips

- Not recommended for attachment directly to super base panels; use monolithic panels instead.
- Grooved top cap must be separately specified with foundation element.
- **Mounts on center channel of grooved top cap.**
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- If desired, grips can be separately specified to prevent back and forth movement of insert.
- Separately specified panel attached screen canopies can be mounted to toppers.
- Screens/toppers can be ganged horizontally with separately specified shared kit.
- **Screens/toppers may interfere with variable height covers, in these conditions specify screen one size smaller.**

Visual Privacy Elements — Panel Attached

Toppers Shared Kits

Fabric Scrim — Shared Kit



NBSP-F

Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	NBSP-1624-F ■	$133.95	$136.32
	30″(762mm)	NBSP-1630-F ■	156.48	160.04
	36″(914mm)	NBSP-1636-F ■	179.01	183.76
	42″(1067mm)	NBSP-1642-F ■	201.54	207.48
	48″(1219mm)	NBSP-1648-F ■	224.07	231.20
	54″(1372mm)	NBSP-1654-F ■	246.60	254.92
	60″(1524mm)	NBSP-1660-F ■	269.13	278.64

Features

- Includes one vertical column, one upper horizontal structural rod, one lower horizontal weighted rod, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Screens/toppers are non-load bearing.
- Screens/toppers have no acoustical or tackable properties.
- Screens/toppers can be used in off-modular conditions.
- Screens/toppers are shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Specification Tips

- Not recommended for attachment directly to super base panels; use monolithic panels instead.
- Grooved top cap must be separately specified with foundation element.
- **Mounts on center channel of grooved top cap.**
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- Separately specified panel attached screen canopies can be mounted to toppers.
- Use of shared kits will result in 1 1/4″(32mm) reduced overall width per ganged kit.
- **Shared kits must be used with a stand alone kit.**
- Toppers may interfere with variable height covers, in these conditions specify topper one size smaller.

Translucent — Shared Kit



NBSP-X

Height	Width	Number	White A	White B	Color/Pattern A	Color/Pattern B
16″(406mm)	24″(610mm)	NBSP-1624-X	$266.72	$269.09	$ 545.30	$ 547.67
	30″(762mm)	NBSP-1630-X	317.70	321.26	654.35	657.91
	36″(914mm)	NBSP-1636-X	368.68	373.43	763.40	768.15
	42″(1067mm)	NBSP-1642-X	419.66	425.60	872.45	878.39
	48″(1219mm)	NBSP-1648-X	470.64	477.77	981.50	988.63
	54″(1372mm)	NBSP-1654-X	521.62	529.94	1090.55	1098.87
	60″(1524mm)	NBSP-1660-X	572.60	582.11	1199.60	1209.11

Features

- Includes one vertical column, one upper horizontal structural rod, translucent insert, and attachment hardware; clips.
- Clips are clear.
- Screens/toppers are non-load bearing.
- Screens/toppers have no acoustical or writable properties.
- Screens/toppers can be used in off-modular conditions.
- Screens/toppers are shipped unassembled.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Specification Tips

- Not recommended for attachment directly to super base panels; use monolithic panels instead.
- Grooved top cap must be separately specified with foundation element.
- **Mounts on center channel of grooved top cap.**
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- If desired, grips can be separately specified to prevent back and forth movement of insert.
- Separately specified panel attached screen canopies can be mounted to toppers.
- Use of shared kits will result in 1 1/4″(32mm) reduced overall width per ganged kit.
- **Shared kits must be used with a stand alone kit.**
- Toppers may interfere with variable height covers, in these conditions specify topper one size smaller.

Visual Privacy Elements — Panel Attached

Topper Retrofit Kits

	Number	Price
Support Grips	NBSG-10	**$215.01**



NBSG

Features

- Includes ten support grips with attachment screws.
- Support grips are clear.

Specification Tips

- Attaches to vertical support column to support translucent, desk mounted, and freestanding screens.
- Can be used for panel attached screens to prevent movement of insert.

To Order, Specify:

1) Product number.
(No finish specification required.)

Visual Privacy Elements — Panel Attached

Desk Height Banners

Fabric Scrim Insert



NBBD-F

Height	Width	Coordinating Panel Heights	Number	Trim A	Trim B
34″(867mm)	21″(533mm)	48″(1219mm)	NBBD-3421-F	**$365.73**	**$369.10**
	27″(686mm)		NBBD-3427-F	**442.68**	**446.39**
39″(991mm)	21″(533mm)	53″(1346mm)	NBBD-3921-F	**$380.78**	**$384.75**
	27″(686mm)		NBBD-3927-F	**457.73**	**462.04**
50″(1270mm)	21″(533mm)	64″(1626mm)	NBBD-5021-F	**$413.89**	**$419.18**
	27″(686mm)		NBBD-5027-F	**490.84**	**496.47**

Features

- Includes frame, fabric scrim insert, one lower horizontal weighted rod, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Banners are non-load bearing.
- Banners have no acoustical or tackable properties.
- Banners are shipped unassembled.

Specification Tips

- To be used on end-of-runs, 2-way and 3-way panel connector conditions. Banners attach to panel connector (full-height or pre-configured) and require field installation.
- Width recommendations:
  - –21″(533mm)-wide banners to be used with 24″(610mm)-deep worksurfaces
  - –27″(686mm)-wide banners to be used with 30″(762mm)-deep worksurfaces
- Recommended worksurface height is 29″(737mm), with the banner being 16″(406mm) above the panel (see coordinating panel heights above).

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Translucent Insert



NBBD-X

Height	Width	Coordinating Panel Heights	Number	White A	White B	Color/Pattern A	Color/Pattern B
34″(867mm)	21″(533mm)	48″(1219mm)	NBBD-3421-X	**$ 662.69**	**$ 666.06**	**$1031.78**	**$1035.15**
	27″(686mm)		NBBD-3427-X	**833.42**	**837.13**	**1273.45**	**1277.16**
39″(991mm)	21″(533mm)	53″(1346mm)	NBBD-3921-X	**$ 731.84**	**$ 735.81**	**$1110.54**	**$1114.51**
	27″(686mm)		NBBD-3927-X	**902.57**	**906.88**	**1352.21**	**1356.52**
50″(1270mm)	21″(533mm)	64″(1626mm)	NBBD-5021-X	**$ 883.97**	**$ 889.26**	**$1262.67**	**$1267.96**
	27″(686mm)		NBBD-5027-X	**1054.70**	**1060.33**	**1504.34**	**1509.97**

Features

- Includes frame, translucent insert, and attachment hardware; support grips and clips.
- Support grips and clips are clear.
- Banners are non-load bearing.
- Banners have no acoustical or writable properties.
- Banners are shipped unassembled.

Specification Tips

- To be used on end-of-runs, 2-way and 3-way panel connector conditions. Banners attach to panel connector (full-height or pre-configured) and require field installation.
- Width recommendations:
  - –21″(533mm)-wide banners to be used with 24″(610mm)-deep worksurfaces
  - –27″(686mm)-wide banners to be used with 30″(762mm)-deep worksurfaces
- Recommended worksurface height is 29″(737mm), with the banner being 16″(406mm) above the panel (see coordinating panel height above).

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Visual Privacy Elements — Panel Attached

Floor Height Banners

Fabric Scrim



NBBF-F

Height	Width	Coordinating Panel Heights	Number	Trim A	Trim B
57″(1448mm)	15″(381mm)	48″(1219mm)	NBBF-5715-F	**$462.34**	**$464.75**
	21″(533mm)		NBBF-5721-F	**498.74**	**501.75**
62″(1575mm)	15″(381mm)	53″(1346mm)	NBBF-6215-F	**$479.19**	**$483.15**
	21″(6533m)		NBBF-6221-F	**515.59**	**520.15**
73″(1854mm)	15″(381mm)	64″(1626mm)	NBBF-7315-F	**$516.26**	**$523.63**
	21″(533mm)		NBBF-7321-F	**552.66**	**560.63**

Features

- Includes frame, fabric scrim insert, one lower horizontal weighted rod, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Banners are non-load bearing.
- Banners have no acoustical or tackable properties.
- Banners are shipped unassembled.

Specification Tips

- To be used on end-of-runs, 2-way and 3-way panel connector conditions. Banners attach to panel connector and require field installation.
- Width recommendations:
  - –15″(381mm)-wide banners to be used with 18″(457mm)-deep storage
  - –21″(533mm)-wide banners to be used with 24″(610mm)-deep storage or 24″/30″(610mm/762mm)-deep worksurfaces
- Banners are 6 3/4″(171mm) above the floor at raceway height.
- Banners extend 16″(406mm) above the panel (see coordinating panel heights above).

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Translucent



NBBF-X

Height	Width	Coordinating Panel Heights	Number	White A	White B	Color/Pattern A	Color/Pattern B
57″(1448mm)	15″(381mm)	48″(1219mm)	NBBF-5715-X	**$ 943.24**	**$ 945.65**	**$1329.16**	**$1331.57**
	21″(533mm)		NBBF-5721-X	**1001.49**	**1004.50**	**1748.09**	**1751.10**
62″(1575mm)	15″(381mm)	53″(1346mm)	NBBF-6215-X	**$ 970.99**	**$ 974.95**	**$1537.26**	**$1541.22**
	21″(533mm)		NBBF-6221-X	**1029.24**	**1033.80**	**1956.19**	**1960.75**
73″(1854mm)	15″(381mm)	64″(1626mm)	NBBF-7315-X	**$1032.04**	**$1039.41**	**$1995.08**	**$2002.45**
	21″(533mm)		NBBF-7321-X	**1090.29**	**1098.26**	**2414.01**	**2421.98**

Features

- Includes frame, translucent insert, and attachment hardware; support grips and clips.
- Support grips and clips are clear.
- Banners are non-load bearing.
- Banners have no acoustical or writable properties.
- Banners are shipped unassembled.

Specification Tips

- To be used on end-of-runs, 2-way and 3-way panel connector conditions. Banners attach to panel connector and require field installation.
- Width recommendations:
  - –15″(381mm)-wide banners to be used with 18″(457mm)-deep storage
  - –21″(533mm)-wide banners to be used with 24″(610mm)-deep storage or 24″/30″(610mm/762mm)-deep worksurfaces
- Banners are 6 3/4″(171mm) above the floor at raceway height.
- Banners extend 16″(406mm) above the panel (see coordinating panel heights above).

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Visual Privacy Elements — Panel Attached

Canopies

Canopy — Top Cap Mount

NBCP

Height	Depth	Width	Number	Trim A	Trim B
23″(584mm)	20″(508mm)	36″(914mm)	NBCP-1636 ■	$397.34	$401.39
		42″(1067mm)	NBCP-1642 ■	449.18	453.57
		48″(1219mm)	NBCP-1648 ■	501.02	505.75

Features
- Includes frame, one upper horizontal tube, one lower horizontal rod, two 2 1/2″(64mm) vertical columns, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Canopies are non-load bearing.
- Provides visual barrier in an open environment.
- Canopies can be used in off-modular conditions.
- Canopies are shipped unassembled.

■ Available on RUSH.

Specification Tips
- Grooved top cap must be separately specified with foundation element.
- Mounts on center channel of grooved top cap.
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- For back-to-back applications, see the double top cap canopy.
- Recommended to be used with 48″(1219mm) and 53″(1346mm) high panels.

To Order, Specify:
1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Double Canopy — Double Top Cap Mount

NBDP

Height	Depth	Width	Number	Trim A	Trim B
23″(584mm)	40″(1016mm)	36″(914mm)	NBDP-1636	$ 886.82	$ 890.87
		42″(1067mm)	NBDP-1642	990.50	994.89
		48″(1219mm)	NBDP-1648	1094.18	1098.91

Features
- Includes frame, two upper horizontal tubes, one lower horizontal rod, two 2 1/2″(64mm) vertical columns, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Canopies are non-load bearing.
- Provides visual barrier in an open environment.
- Canopies can be used in off-modular conditions.
- Canopies are shipped unassembled.

Specification Tips
- Grooved top cap must be separately specified with foundation element.
- Mounts on center channel of grooved top cap.
- Cannot be mounted on 2-way, 3-way, 4-way, or end-of-run top cap trim pieces.
- Can span over 3-way or 4-way intersections.
- Recommended to be used with 48″(1219mm) and 53″(1346mm) high panels.

To Order, Specify:
1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Canopy — Topper Mount

NBAC

Height	Depth	Width	Number	Trim A	Trim B
36″(914mm)	20″(508mm)	36″(914mm)	NBAC-1636	$397.34	$401.39
		42″(1067mm)	NBAC-1642	449.18	453.57
		48″(1219mm)	NBAC-1648	501.02	505.75

Features
- Includes frame, one upper horizontal tube, one lower horizontal rod, fabric scrim insert, and canopy cap.
- Scrim is a lightweight open weave textile.
- Canopies are non-load bearing.
- Provides visual barrier in an open environment.
- Canopies are shipped unassembled.

Specification Tips
- Must be used with separately specified panel attached screens/toppers.
- Cannot be used in back-to-back applications.
- 36″(914mm) is the overall installed height when canopy is on top of the topper.
- Recommended to be used with 32″(813mm) and 42″(1067mm) high panels.

To Order, Specify:
1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Visual Privacy Elements — Worktop Mounted Screens

Stand Alone Kits without Modesty

Fabric Scrim — Stand Alone Kit



NBDM-F

Height	Width	Number	Trim A	Trim B
19″(483mm)	24″(610mm)	NBDM-1924-F ■	$205.08	$229.35
	30″(762mm)	NBDM-1930-F ■	236.63	261.15
	36″(914mm)	NBDM-1936-F ■	268.18	292.70
	42″(1067mm)	NBDM-1942-F ■	299.73	324.25
	48″(1219mm)	NBDM-1948-F ■	331.28	355.80
	54″(1372mm)	NBDM-1954-F ■	362.83	387.35
	60″(1524mm)	NBDM-1960-F ■	394.38	418.90

Features

- Includes two vertical columns, one upper horizontal structural rod, one lower horizontal weighted rod, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Screens are non-load bearing.
- Screens have no acoustical or tackable properties.
- Screens are shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Specification Tips

- Mounts to underside of worktop.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Tri Tables are predrilled for recommended worktop screen widths.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktops. Requires field drilling for installation.

Translucent — Stand Alone Kit

NBDM-X

Height	Width	Number	White A	White B	Color/Pattern A	Color/Pattern B
19″(483mm)	24″(610mm)	NBDM-1924-X	$463.55	$487.82	$1098.20	$1122.47
	30″(762mm)	NBDM-1930-X	521.80	546.32	1235.32	1259.84
	36″(914mm)	NBDM-1936-X	580.05	604.57	1372.44	1396.96
	42″(1067mm)	NBDM-1942-X	638.30	662.82	1509.56	1534.08
	48″(1219mm)	NBDM-1948-X	696.55	721.07	1646.68	1671.20
	54″(1372mm)	NBDM-1954-X	754.80	779.32	1783.80	1808.32
	60″(1524mm)	NBDM-1960-X	813.05	837.57	1920.92	1945.44

Features

- Includes two vertical columns, one upper horizontal structural rod, translucent insert, and attachment hardware; support grips and clips.
- Support grips and clips are clear.
- Screens are non-load bearing.
- Screens have no acoustical or writable properties.
- Screens are shipped unassembled.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Specification Tips

- Mounts to underside of worktop.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Tri Tables are predrilled for recommended worktop screen widths.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktops. Requires field drilling for installation.

Visual Privacy Elements — Worktop Mounted Screens

Stand Alone Kits without Modesty

Markerboard — Stand Alone Kit



NBDM-M

Height	Width	Number	Trim A	B
19″(483mm)	24″(610mm)	NBDM-1924-M	**$433.21**	**$457.48**
	30″(762mm)	NBDM-1930-M	**475.68**	**500.20**
	36″(914mm)	NBDM-1936-M	**518.15**	**542.67**
	42″(1067mm)	NBDM-1942-M	**560.62**	**585.14**
	48″(1219mm)	NBDM-1948-M	**603.09**	**627.61**
	54″(1372mm)	NBDM-1954-M	**645.56**	**670.08**
	60″(1524mm)	NBDM-1960-M	**688.03**	**712.55**

Features

- Includes two vertical columns, one upper horizontal structural rod, markerboard insert, attachment hardware, and support grips and clips.
- Markers and erasers not included.
- Support grips and clips are clear.
- Screens are non-load bearing.
- Two-sided acrylic markerboard.
- Screens are shipped unassembled.

Specification Tips

- Mounts to underside of worktop.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Tri Tables are predrilled for recommended worktop screen widths.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktop. Requires field drilling for installation.
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
2) Trim color for frame.

Visual Privacy Elements — Worktop Mounted Screens

Stand Alone Kits with Modesty

Fabric Scrim — Stand Alone Kit



NBDM-F

Height	Width	Number	Trim A	Trim B
35″(889mm)	24″(610mm)	NBDM-3524-F	$257.26	$281.87
	30″(762mm)	NBDM-3530-F	288.81	313.67
	36″(914mm)	NBDM-3536-F	320.36	345.22
	42″(1067mm)	NBDM-3542-F	351.91	376.77
	48″(1219mm)	NBDM-3548-F	383.46	408.32
	54″(1372mm)	NBDM-3554-F	415.01	439.87
	60″(1524mm)	NBDM-3560-F	446.56	471.42

Features

- Includes two vertical columns, one upper horizontal structural rod, one lower horizontal weighted rod, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Screens are non-load bearing.
- Screens have no acoustical or tackable properties.
- Screens are shipped unassembled.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Specification Tips

- Modesty extends 18″(457mm) above worktop and 16″(406mm) below.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Recommended for use with Concentrative Tri Tables.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktops. Requires field drilling for installation.

Translucent — Stand Alone Kit



NBDM-X

Height	Width	Number	White A	White B	Color/Pattern A	Color/Pattern B
35″(889mm)	24″(610mm)	NBDM-3524-X	$ 609.17	$ 633.78	$2167.28	$2191.89
	30″(762mm)	NBDM-3530-X	730.52	755.38	2367.50	2392.36
	36″(914mm)	NBDM-3536-X	851.87	876.73	3491.18	3516.04
	42″(1067mm)	NBDM-3542-X	973.22	998.08	3691.40	3716.26
	48″(1219mm)	NBDM-3548-X	1094.57	1119.43	3891.62	3916.48
	54″(1372mm)	NBDM-3554-X	1215.92	1240.78	5015.30	5040.16
	60″(1524mm)	NBDM-3560-X	1337.27	1362.13	5215.52	5240.38

Features

- Includes two vertical columns, one upper horizontal structural rod, translucent insert, and attachment hardware; support grips and clips.
- Support grips and clips are clear.
- Screens are non-load bearing.
- Screens have no acoustical or writable properties.
- Screens are shipped unassembled.

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Specification Tips

- Modesty extends 18″(457mm) above worktop and 16″(406mm) below.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Recommended for use with Concentrative Tri Tables.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktops. Requires field drilling for installation.

Visual Privacy Elements — Worktop Mounted Screens

Stand Alone Kits with Modesty

Markerboard — Stand Alone Kit



NBDM-M

Height	Width	Number	Trim A	Trim B
35″(889mm)	24″(610mm)	NBDM-3524-M	**$ 651.63**	**$ 676.24**
	30″(762mm)	NBDM-3530-M	**724.44**	**749.30**
	36″(914mm)	NBDM-3536-M	**797.25**	**822.11**
	42″(1067mm)	NBDM-3542-M	**870.06**	**894.92**
	48″(1219mm)	NBDM-3548-M	**942.87**	**967.73**
	54″(1372mm)	NBDM-3554-M	**1015.68**	**1040.54**
	60″(1524mm)	NBDM-3560-M	**1088.49**	**1113.35**

Features

- Includes two vertical columns, one upper horizontal structural rod, markerboard insert, attachment hardware, and support grips and clips.
- Markers and erasers not included.
- Support grips and clips are clear.
- Screens are non-load bearing.
- Two-sided acrylic markerboard.
- Screens are shipped unassembled.

Specification Tips

- Modesty extends 18″(457mm) above worktop and 16″(406mm) below.
- Brackets add dimension to worktop depth.
- Separately specified worktop mounted screen canopies can be mounted to screens.
- Recommended for use with Concentrative Tri Tables.
- Recommended screen width is 12″(305mm) less than worktop width.
- Screens can be mounted on 1 1/4″(32mm) thick straight edge worktops. Requires field drilling for installation.
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
2) Trim color for frame.

Visual Privacy Elements — Worktop Mounted Screens

Worktop Mounted Canopies

Worktop Mounted Screen Canopy

NBCD

	Height	Depth	Width	Number	Trim A	Trim B
	41″(1041mm)	20″(508mm)	36″(914mm)	NBCD-1936 ■	**$394.97**	**$416.00**
			42″(1067mm)	NBCD-1942 ■	**445.21**	**466.24**
			48″(1219mm)	NBCD-1948 ■	**494.29**	**515.32**

Features

- Includes frame, one upper horizontal tube, one lower horizontal rod, fabric scrim insert, and canopy cap.
- Scrim is a lightweight open weave textile.
- Canopies are non-load bearing.
- Provides visual barrier in an open environment.
- Canopies are shipped unassembled.

■ Available on RUSH.

Specification Tip

- Must be used with separately specified worktop mounted screens.

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color.

Visual Privacy Elements

Freestanding Screens

Fabric Scrim Insert



NBFS-F

Height	Width	Number	Trim A	Trim B
53″(1346mm)	36″(914mm)	NBFS-5336-F ■	$763.06	$ 785.53
	48″(1219mm)	NBFS-5348-F ■	889.24	916.21
64″(1626mm)	36″(914mm)	NBFS-6436-F ■	$840.17	$ 864.89
	48″(1219mm)	NBFS-6448-F ■	994.39	1023.61

Features

- Includes frame, fabric scrim insert, and attachment hardware.
- Scrim is a lightweight open weave textile.
- Attachment hardware is clear.
- 4″(102mm) wheels are non-locking. Standard in black finish color only.
- Screens are non-load bearing.
- Screens have no acoustical or tackable properties.
- Screens are shipped unassembled.

■ Available on RUSH.

Specification Tips

- 20″(508mm) high freestanding screens have 20″(508mm) wheel span centered on 1 1/4″(32mm) thick frame.
- 64″(1626mm) high freestanding screens have 24″(610mm) wheel span centered on 1 1/4″(32mm) thick frame.
- Clearance height is 17 3/8″(441mm).

To Order, Specify:

1) Product number.
2) Fabric scrim/colorway; FO-NW (New White).
3) Trim color for frame.

Translucent Insert



NBFS-X

Height	Width	Number	White A	White B	Color/Pattern A	Color/Pattern B
53″(1346mm)	36″(914mm)	NBFS-5336-X	$1195.42 ■	$1217.89 ■	$1419.78	$1442.25
	48″(1219mm)	NBFS-5348-X	1395.22 ■	1422.19 ■	1787.88	1814.85
64″(1626mm)	36″(914mm)	NBFS-6436-X	$1317.52 ■	$1342.24 ■	$1644.73	$1669.45
	48″(1219mm)	NBFS-6448-X	1561.72 ■	1590.94 ■	2094.63	2123.85

Features

- Includes frame, translucent insert, and attachment hardware.
- Attachment hardware is clear.
- 4″(102mm) wheels are non-locking. Standard in black finish color only.
- Screens are non-load bearing.
- Screens have no acoustical or writable properties.
- Screens are shipped unassembled.

■ Available on RUSH.

Specification Tips

- 20″(508mm) high freestanding screens have 20″(508mm) wheel span centered on 1 1/4″(32mm) thick frame.
- 64″(1626mm) high freestanding screens have 24″(610mm) wheel span centered on 1 1/4″(32mm) thick frame.
- Clearance height is 17 3/8″(441mm).

To Order, Specify:

1) Product number.
2) Translucent color/pattern.
3) Trim color for frame.

Visual Privacy Elements

Freestanding Screen

Markerboard Insert



NBFS-M

Height	Width	Number	Trim A	Trim B
53″(1346mm)	36″(914mm)	NBFS-5336-M ■	**$1076.23**	**$1098.70**
	48″(1219mm)	NBFS-5348-M ■	**1307.53**	**1334.50**
64″(1626mm)	36″(914mm)	NBFS-6436-M ■	**$1217.58**	**$1242.30**
	48″(1219mm)	NBFS-6448-M ■	**1500.28**	**1529.50**

Features

- Includes frame, markerboard insert, and attachment hardware.
- Markers and erasers not included.
- Attachment hardware is clear.
- 4″(102mm) wheels are non-locking. Standard in black finish color only.
- Screens are non-load bearing.
- Two-sided acrylic markerboard.
- Screens are shipped unassembled.

■ Available on RUSH.

Specification Tips

- 20″(508mm) high freestanding screens have 20″(508mm) wheel span centered on 1 1/4″(32mm) thick frame.
- 64″(1626mm) high freestanding screens have 24″(610mm) wheel span centered on 1 1/4″(32mm) thick frame.
- Clearance height is 17 3/8″(441mm).
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
2) Trim color for frame.

Visual Privacy Elements — Screens

Freestanding

Perforated Metal Insert



BBF-PB

Height	Width	Number	Trims A/A	A/B	B/B	B/A
47″(1194mm)	36″(914mm)	BBF-4736-PB	**$1096.77**	**$1109.60**	**$1127.68**	**$1114.85**
	48″(1219mm)	BBF-4748-PB	**1287.79**	**1300.62**	**1319.28**	**1306.45**
52″(1321mm)	36″(914mm)	BBF-5236-PB	**$1137.87**	**$1150.70**	**$1170.23**	**$1157.40**
	48″(1219mm)	BBF-5248-PB	**1328.89**	**1341.72**	**1361.83**	**1349.00**
63″(1600mm)	36″(914mm)	BBF-6336-PB	**$1228.29**	**$1241.12**	**$1263.84**	**$1251.01**
	48″(1219mm)	BBF-6348-PB	**1419.31**	**1432.14**	**1455.44**	**1442.61**

Feature

- Includes screen, two O-rings, two T-Leg bases with two non-locking casters and two locking casters.

To Order, Specify:

1) Product number.
2) Trim color for frame.
3) Trim color for perforated metal insert.
4) Metallic trim color for feet and casters.

Frosted Insert



BBF-AC

Height	Width	Number	Trim A	B
47″(1194mm)	36″(914mm)	BBF-4736-AC	**$ 967.63**	**$ 985.71**
	48″(1219mm)	BBF-4748-AC	**1158.65**	**1177.31**
52″(1321mm)	36″(914mm)	BBF-5236-AC	**$1008.73**	**$1028.26**
	48″(1219mm)	BBF-5248-AC	**1199.75**	**1219.86**
63″(1600mm)	36″(914mm)	BBF-6336-AC	**$1099.15**	**$1121.87**
	48″(1219mm)	BBF-6348-AC	**1290.17**	**1313.47**

Feature

- Includes screen, two O-rings, two T-Leg bases with two non-locking casters and two locking casters.

To Order, Specify:

1) Product number.
2) Trim color for frame.
3) Metallic trim color for feet and casters.

Common Features

- O-ring accommodates joining of same height screens.
- T-Legs are Metallic trim color.
- Fabric and Metallic perforated metal screens have no acoustical or tackable value.
- Screens are non-load bearing.
- Magnets can be used with perforated metal insert.
- Frosted insert is identical to frosted and textured acrylic material used in desktop screens.
- T-Leg shipped unassembled.

Specification Tips

- No limit to number of same height screens ganged together.
- 19″(483mm) T-Leg centered on 1 1/8″(29mm) thick frame.
- To fold ganged screens, refer to Specification Guide.

Visual Privacy Elements — Screens

Freestanding

Markerboard / Frosted Insert



BBF-MC

Height	Width	Number	Trim A	Trim B
47″(1194mm)	36″(914mm)	BBF-4736-MC	**$1253.56**	**$1271.64**
	48″(1219mm)	BBF-4748-MC	**1444.58**	**1463.24**
52″(1321mm)	36″(914mm)	BBF-5236-MC	**$1294.66**	**$1314.19**
	48″(1219mm)	BBF-5248-MC	**1485.68**	**1505.79**
63″(1600mm)	36″(914mm)	BBF-6336-MC	**$1385.08**	**$1407.80**
	48″(1219mm)	BBF-6348-MC	**1576.10**	**1599.40**

To Order, Specify:

1) Product number.
2) Trim color for frame.
3) Metallic trim color for feet and casters.

Markerboard / Perforated Metal Insert



BBF-MB

Height	Width	Number	Trims A/A	A/B	B/B	B/A
47″(1194mm)	36″(914mm)	BBF-4736-MB	**$1382.70**	**$1395.53**	**$1413.61**	**$1400.78**
	48″(1219mm)	BBF-4748-MB	**1573.72**	**1586.55**	**1605.21**	**1592.38**
52″(1321mm)	36″(914mm)	BBF-5236-MB	**$1423.80**	**$1436.63**	**$1456.16**	**$1443.33**
	48″(1219mm)	BBF-5248-MB	**1614.82**	**1627.65**	**1647.76**	**1634.93**
63″(1600mm)	36″(914mm)	BBF-6336-MB	**$1514.22**	**$1527.05**	**$1549.77**	**$1536.94**
	48″(1219mm)	BBF-6348-MB	**1705.24**	**1718.07**	**1741.37**	**1728.54**

Features

- Includes screen, two O-rings, two T-Leg bases with 2 non-locking casters and 2 locking casters.
- Mobile freestanding screen has two-sided markerboard on top with fabric or frosted or perforated metal insert on the bottom.
- Markers and erasers not included.
- O-ring accommodates joining of same height screens.
- T-Legs are Metallic trim color.
- Magnets can be used with perforated metal inserts.
- Perforated metal insert screen has no acoustical or tackable value.
- Screens are non-load bearing.
- 19″(438mm) T-Leg centered on 1 1/8″(29mm) thick frame.
- Frosted insert is identical to frosted and textured acrylic material used in desktop screens.
- T-Legs shipped unassembled.

Specification Tips

- No limit to number of same height screens ganged together.
- Fabric screen insert available in warm and cool neutral only.
- Screens cannot be folded together.
- See Specification Guide for additional information.
- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
2) Trim color for frame.
3) Trim color for perforated metal insert.
4) Metallic trim color for feet and casters.

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — base raceway power application

Base Feed Module – Hardwire Connection — *3-Circuit*



NEBF-1

Feed Length	Number	Price
48″(1219mm)	NEBF-1 ■	**$313.73**
72″(1829mm)	NEBF-0006 ■	**371.05**
120″(3048mm)	NEBF-0010 ■	**485.69**
180″(4572mm)	NEBF-0015 ■	**628.99**
300″(7620mm)	NEBF-0025 ■	**915.59**

Features

- Includes one base feed with black 1/2″(13mm) flexible metal conduit with eight 12-gauge wires for up to three 20-amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with 3-circuit power components.
- Base feed module can be field modified to accommodate left or right hand conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a monolithic or super base panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *3-Circuit*



NEB-2



2′(610mm) **(USA Only)**	NEB-2 ■	**$262.14**

Features

- Includes a single circuit power connector, 2′(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with 3-circuit power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a monolithic or super base panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — base raceway power application

Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *3-Circuit*





NEB-2-A

Class FA – SIN 711-1, Discount Group XI

Feed Length	Number	Price
6′(1829mm) **(Canada Only)**	NEB-2-A	**$330.92**

Features

- Includes one circuit power connector, 6′(1829mm) cord and 15 amp plug (NEMA 5-15P).
- For use with panels equipped with 3-circuit power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any of the four receptacle sites in a powered raceway of a monolithic or super base panel.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

To Order, Specify:

1) Product number. (No finish specification required.)

Specification Tips

- **Not for use in USA due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

Base Feed Module – Concealed Hardwire Connection — *3-Circuit*



NEBF-5

Class FA – SIN 711-1, Discount Group XI

Number	Price
NEBF-5 ◆	**$485.71**

Features

- Includes one junction box with modular connector.
- For use with panels equipped with 3-circuit power components.
- For floor, column, or wall hardwire connections.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Conforms to New York City electrical code.
- Junction box has three 1/2″ knockouts.

◆ Available on RUSH.

To Order, Specify:

1) Product number. (No finish specification required.)

Specification Tips

- For installation on panels **no less than** 36″(914mm) wide.
- Connector plugs into receptacle site on left side of panel base.
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

Raised Floor Infeed Base Feed Module — *3-Circuit*



ENEJ-0048-3WF

Class SP – SIN 711-1, Discount Group XVI

Feed Length	Number	Price
4′(1219mm)	ENEJ-0048-3WF	**$225.53**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) black flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with eight 12-gauge wires for up to three 20-amp circuits of power.
- For use with 3-circuit power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system or a Power Base AI Wall Feed.
- Base feed module can be field modified to accommodate left or right conditions.
- Connector has integral latching system.
- Power Base Connector is color coded black and has a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in ``other air handling spaces″ per the NEC Article 604.
- Standard in charcoal trim color only.

To Order, Specify:

1) Product number. (No finish specification required.)

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush floor box connectors, or wall feed.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Not for power sources other than 120 volt 60 hertz.

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — base raceway power application

System Furniture Power Interface Jumper — *3-Circuit*



EUEJ-3WF

Description		Number	Price
64″(1626mm)	Infeed Connector	EUEJ-0064-3WF	**$165.49**
102″(2591mm)		EUEJ-0102-3WF	**191.28**
144″(3658mm)		EUEJ-0144-3WF	**229.97**
300″(7620mm)		EUEJ-0300-3WF	**549.16**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) (unpainted) flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with eight 12-gauge wires for up to three 20-amp circuits of power.
- For use with 3-circuit power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system.
- Connector has integral latching system.
- Power Base Connector is color coded black and has a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per the NEC Article 604.

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, or flush floor box connectors.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Not for power sources other than 120 volt 60 hertz.
- Excess length can be coiled under the floor.
- With field modification of the raceway cover the infeed may be routed under panel and into the base raceway for a concealed connection.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Feed Field Wired 1 Port



FBEW

Description	Height	Length	Number	Price
3-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-31	**$71.44**

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with Raised Floor Infeed Base Feed Module and Systems Furniture Power Interface Jumper.
- For use with field supplied 4 11/16″(119mm) square junction box.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- and 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per the NEC Article 604.

Specification Tip

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — top feed power application

Monolithic Panel Top Feed Module — *3-Circuit*



NETM-3T
NETM-3W

	Panel Height	Pole Length	Number	Trim A	Trim B
	10′ Ceiling Height				
	42″(1067mm) - 53″(1346mm)	95″(2413mm)	NETM-5300-3T ■	**$905.40**	**$1035.22**
	64″(1626mm) - 80″(2032mm)	66″(1676mm)	NETM-8000-3T ■	**857.34**	**955.03**
	12′ Ceiling Height				
	42″(1067mm) - 53″(1346mm)	119″(3023mm)	NETM-5300-3W ■	**$935.21**	**$1093.59**
	64″(1626mm) - 80″(2032mm)	95″(2413mm)	NETM-8000-3W ■	**887.15**	**1013.40**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- Wire harness not included. Intended for field supplied conduit and wire applications only.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at any one of the four receptacle sites in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on fabric monolithic panels no less than 24″(610mm) wide.
- Not for use with glass or open base panels.
- Can be used with standard, grooved or wood top cap.
- Mounts 1 1/2″(38mm) from the end of the top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.

Class FA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — top feed power application

Stackable Panel Top Feed Module — *3-Circuit*



Beltline Connection

NETP-3T
NETP-3W



Base Raceway Connection

Panel Height	Pole Length	Number	Trim A	Trim B
10′ Ceiling Height				
42″(1067mm) - 48″(1219mm)	95″(2413mm)	NETP-4800-3T ■	**$954.83**	**$1090.60**
64″(1626mm) - 80″(2032mm)	66″(1676mm)	NETP-8000-3T ■	**897.87**	**995.56**
12′ Ceiling Height				
42″(1067mm) - 48″(1219mm)	119″(3023mm)	NETP-4800-3W ■	**$984.64**	**$1148.97**
64″(1626mm) - 80″(2032mm)	95″(2413mm)	NETP-8000-3W ■	**927.68**	**1053.93**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities see Specification Guide.
- Removable cover on pole provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Mounts to stack kit and routes power and communications cabling from ceiling to the base raceway on a monolithic base or super base panel, beltline, or standing-height on a stack kit.
- Attaches at any one of the four receptacle sites in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on stack kits mounted above monolithic or super base panels no less than 24″(610mm) wide for base raceway.
- Not for use with glass, translucent, perforated or open stack kits.
- Can be used with standard, grooved or wood top cap.
- Not recommended for use on stack kits with structural crossbars in off-modular applications.
- Mounts to the top cross bar of a stack kit 5 3/8″(93mm) from the end of top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — top feed power application

	Ceiling Height	Number	Price
External Top Feed Module — *3-Circuit*	10′(3048mm)	NETX-10-P	**$690.61**



NETX-10-P

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, 3″ X 3″ pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Routes power and communications from the ceiling to the base raceway on any panel configuration including open or glazed stack kits.
- For routing and cabling capacities see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at any one of the four receptacle sites in a powered base raceway.

Specification Tips

- Can be used in end-of-run, 2-way, and 3-way conditions on any panel type.
- 2-and 3-way conditions require additional connector. See Specification Guide for information.
- Can be used with standard, grooved or wood top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.*

***Note:** Upcharge list for Metallic trim color Top feed module = **$44.40.**

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — top feed power application

	Height	Application	Number	Price
Floor-to-Ceiling Monolithic and Super Base Panel Top Feed Module — *3-Circuit*	10′(3048mm)	Base/Beltline Connection	NETC-10-P	**$454.56**



Beltline Connection

NETC-10-P



Base Raceway Connection

Features

- Includes one electrical harness in metal conduit, electrical box and hardware.
- Mounts to floor to ceiling track and routes power from the electrical source located in space above drop ceiling to the base raceway on a monolithic or super base panel, beltline or standing-height on stack kit.
- For use with panels equipped with 3-circuit power components.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Attaches at any of the four receptacle sites in a powered panel.

Specification Tips

- For installation on monolithic or super base panels no less than 24″(610mm) wide.
- **Cannot be installed on an open, glazed, translucent or perforated stack kit.**
- Top junction box mounts to the ceiling track.
- Ceiling height cannot exceed 10′(3048mm).
- Not for use with power source other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Feed Modules — top feed power application

	Length	Number	Price
Infeed Harness — *3-Circuit*	15′(4572mm)	VNEH-0000-3 ■	**$502.16**
	30′(9144mm)	VNEH-0030-3	**878.95**



VNEH-3





Features

- Includes electrical harness in galvanized metal conduit.
- Can be used to route power from floor to beltline on open or closed base panels. Electrical harness routes through panel side frame rail of monolithic or super base panel.
- Can be used with a powered top feed pole to bring an additional set of three circuits into the workstation cluster. Local electrician to provide secondary junction box at top of top feed pole.
- For use with panels equipped with 3-circuit power components.
- Provides eight 12-gauge wires for up to three 20 amp circuits of power.
- Attaches at any one of the four receptacle sites in a powered panel.

■ Available on RUSH.

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- For applications from floor to beltline where conduit is exposed. Split tubing may be field supplied separately to cover galvanized metal conduit.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Kits

Power Kit for Stack Application — *3-Circuit*



NEKA-P

Panel Width	Number	Price
24″(610mm)	NEKA-24-P ■	**$556.22**
30″(762mm)	NEKA-30-P ■	**566.74**
36″(914mm)	NEKA-36-P ■	**577.26**
42″(1067mm)	NEKA-42-P ■	**587.78**
48″(1219mm)	NEKA-48-P ■	**598.30**
60″(1524mm)	NEKA-60-P ■	**619.34**

Features

- Includes power distribution assembly (PDA), NEF-1 flexible power connector and cable trough, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide, cable hangers, cross bar, and mounting hardware.
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1 flexible power connector for other applications.
- To access power, specify triplex receptacles separately for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height. See Specification Guide for alternate options.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Kits

Stack Application Retrofit Kit — *3-Circuit*



NEKB-P

Panel Width	Number	Price
24″(610mm)	NEKB-24-P ■	**$290.97**
30″(762mm)	NEKB-30-P ■	**304.99**
36″(914mm)	NEKB-36-P ■	**319.01**
42″(1067mm)	NEKB-42-P ■	**333.03**
48″(1219mm)	NEKB-48-P ■	**347.05**
60″(1524mm)	NEKB-60-P ■	**375.09**

Features

- Includes power distribution assembly (PDA), NEF-1 flexible power connector and cable trough, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide and cable hangers.
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1 flexible power connector for other applications.
- To access power, specify triplex receptacles and 10″(254mm) or 16″(406mm) high PREMISE technology pad only for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height. See Specification Guide for alternate options.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Kits

Structural Power Kit for Stack Application — *3-Circuit*



NEKS-PS

Panel Width	Number	Price
24″(610mm)	NEKS-24-PS	**$724.50**
30″(762mm)	NEKS-30-PS	**737.35**
36″(914mm)	NEKS-36-PS	**750.20**
42″(1067mm)	NEKS-42-PS	**763.05**
48″(1219mm)	NEKS-48-PS	**775.90**
60″(1524mm)	NEKS-60-PS	**801.60**

Features

- Includes power distribution assembly (PDA), cable trough, NEF-1 flexible power connector, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide, cable hangers, structural cross bar, and mounting hardware.
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

Specification Tips

- **For power access at work-height a structural cross bar must be used for off-modular overheads.**
- **Only for use with slat technology pads to access work height power.**
- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1 flexible power connector for other applications.
- Not recommended for top feed applications due to structural crossbar.
- To access power, specify triplex receptacles and 16″(406mm) high slat PREMISE technology pad only for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified off-modular pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height. See Specification Guide for alternate options.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

	Length	Number	Price
Super Base Panel-to-Stack Kit Beltline Vertical Power Connector — *3-Circuit*	32″(813mm)	NEPH-4 ■	**$205.66**



NEPH-4

Features
- Includes one (1) power connector with safety latches for securing vertical power connector to power distribution assembly.
- Transfers power from the base raceway to beltline raceway.
- For use with panels equipped with 3-circuit power components.
- Can be used with either 10″(254mm) or 16″(406mm) powered kit for stack application on super base panel (16″(406mm) shown).
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips
- The power connectors install on the right side of panel into flex connector locations.
- Blocks access to beltline and base receptacle location.
- **Cannot be used with open stack kits or glazed stack kits.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

	Length	Number	Price
Super Base Panel-to-Stack Kit Standing Height Vertical Power — *3-Circuit*	48″(1219mm)	NEPH-5 ■	**$276.95**



NEPH-5

Features
- Includes one (1) power connector with safety latches for securing vertical power connector to power distribution assembly.
- Transfers power from the base raceway to standing height.
- For use with panels equipped with 3-circuit power components.
- Can be used with 10″(254mm) and 16″(406mm) powered kit for stack application located above a 16″(405mm) stack kit on a super base panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips
- The power connectors install on right side of panel into flex connector locations.
- Blocks access to standing height and base receptacle location.
- **Cannot be used with open stack kits or glazed stack kits.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Horizontal Power Connector — base raceway and beltline power applications

Flexible Power Connector —
3-Circuit



Monolithic/Super Base straight condition

Stack Kit straight condition

Monolithic/Super Base inside 90° condition

Stack kit inside 90° condition

Monolithic/Super Base inside 120° condition



Stack kit inside 120° condition

NEF-1

Length	Number	Price
13 1/4″(337mm)	NEF-1 ■	**$116.94**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between base panels in straight, 90° or 120° conditions, and connected stack kits in an inside 90° or 120° condition.
- For use with panels equipped with 3-circuit power components.
- NEF-1_ flexible power connectors ship with each powered standard or base panel as follows:
  –.95 with 3-circuit power
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Cable guides must be used in stack kit applications to protect flexible power connector.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Horizontal Power Connector — base raceway and beltline power applications

Straight-Span Flexible Power Connector — *3-Circuit*



Monolithic/Super panel three-way or four-way condition



Stack kit three-way or four-way condition



Monolithic/Super panel outside 90° condition



Monolithic/Super panel outside 120° condition

NES-1

Length	Number	Price
16″(406mm)	NES-1 ■	**$116.94**

Features

- Includes one straight-span flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuits across the three-inch space between powered panels, base panels or stack kits in three-way or four-way conditions, and between powered panels in an outside 90°/120° condition.
- For use with panels equipped with 3-circuit power components.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Cable guides must be used in stack kit applications to protect flexible connector.
- Straight span flexible power connector must be separately specified and is not included with panel.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Horizontal Power Connector — base raceway power applications

Extended Flexible Metal Power Connectors for Base Raceway — *3-Circuit*



Straight Condition



120° Condition



(2) 90° Conditions



90° and 3-Way Condition



90° Condition



(1) 90° Condition



3-Way Condition



(2) 90° Conditions

NEJS-18

Panel Width	Length	Number	Price
18″(457mm)	45″(1143mm)	NEJS-18	**$150.19**

Features

- Includes one extended flexible metal power connector with safety latches.
- Spans power through **one** non-powered 18″(457mm) wide monolithic or super base panel(s) located between powered panels.
- For use with panels equipped with 3-circuit power components.
- **Specify for use in base raceway only.**
- Extended power connectors cannot be coupled together.
- Standard in charcoal trim with metal conduit.

Specification Tips

- Extended flexible metal power connector must be ordered separately.
- One size connector fits all applications shown.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Receptacles

Triplex Receptacles – 15 Amp — *3-Circuit*

Description	Circuit Access	Ground Type	Number	Price
15A Triplex	Circuit 1-3	Common	NER-1 ■	**$224.03**
15A Triplex	Circuit 1-3	Isolated	NER-2 ■	**$241.91**



NER-1

Features
- Includes box of six receptacles, each receptacle has three 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 3-circuit power components.
- Receptacles are ground type specific.

■ Available on RUSH.

Specification Tips
- **Receptacles are field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:
1) Product number.
2) Trim color (non-metallic trim color only).

Triplex Receptacles – 20 Amp — *3-Circuit*

20A Triplex	Circuit 1	Common	VNER-0003-M1	**$656.04**
	Circuit 2		VNER-0003-M2	**656.04**
	Circuit 3		VNER-0003-M3	**656.04**
20A Triplex	Circuit 1	Isolated	VNER-0003-I1	**$671.54**
	Circuit 2		VNER-0003-I2	**671.54**
	Circuit 3		VNER-0003-I3	**671.54**



VNER-0003

Features
- Includes box of six receptacles, each receptacle has three 20 Amp outlets (NEMA 5-20R configuration).
- For use with panels equipped with 3-circuit power components.
- Receptacles are circuit and ground type specific.

Specification Tips
- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit cord base feed module - receptacle connection with cord feed.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:
1) Product number.
2) Trim color (non-metallic trim color only).

Power Break Marker

			NEP-1	**$149.58**



NEP-1

Features
- Includes box of fifty paper labels.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: ``Do not remove – Power Break – Consult Electrical Plan.''

To Order, Specify:
1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power & Communication Port Kit

Power/Communication Port Kit – for use with Monolithic Panel — *3-Circuit*



NPCA-2

Height	Width	Installed Height*	Description	Number	Price
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	Circuit #1 Common Ground	NPCA-1	**$411.32**
			Circuit #2 Common Ground	NPCA-2	**411.32**
			Circuit #3 Common Ground	NPCA-3	**411.32**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	Circuit #1 Isolated Ground	NPCA-1-G	**$454.56**
			Circuit #2 Isolated Ground	NPCA-2-G	**454.56**
			Circuit #3 Isolated Ground	NPCA-3-G	**454.56**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge bracket, bezel, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacle and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- For use with panels equipped with 3-circuit power components.
- Flush mounts into surface of fabric monolithic panels to provide electrical and/or communication access at beltline or below standard worksurface height.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Beltline height mounting location not available on 32″(813mm) and 42″(1067mm) high monolithic panels.
- Specification of circuit one, two, or three is required.
- Must be installed vertically (communications on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power & Communication Port Kit

Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel — *3-Circuit*



NPCA-B
NPCA-BG

Height	Width	Installed Height*	Description	Number	Price
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	Circuit #1 Common Ground	NPCA-1-B	**$759.55**
			Circuit #2 Common Ground	NPCA-2-B	**759.55**
			Circuit #3 Common Ground	NPCA-3-B	**759.55**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	Circuit #1 Isolated Ground	NPCA-1-BG	**$773.58**
			Circuit #2 Isolated Ground	NPCA-2-BG	**773.58**
			Circuit #3 Isolated Ground	NPCA-3-BG	**773.58**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge brackets, bezels, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacles and two modular furniture telecommunications outlet openings [1.38″(25mm) x 2.71″(69mm)] with blank cover, and one back-to-back jumper.
- For use with panels equipped with 3-circuit power components.
- Flush mounts into surface of fabric monolithic panels to provide electrical and/or communication access at beltline or below standard worksurface height.
- Provides power and/or communication on front and back side of panel directly behind each other.
- Both front and back run off same circuit and grounding method.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Beltline height mounting location not available on 32″(813mm) and 42″(1067mm) high monolithic panels.
- Specification of circuit one, two, or three is required.
- Must be installed vertically (communication on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 3-Circuit – Electrical Components

Power Kits — base raceway power application

Base Raceway Retrofit Kit – Powered *— 3-Circuit*



NEKP

Height	Panel Width	Number	Trim A	Trim B
6 3/4″(171mm)	24″(610mm)	NEKP-24 ■	**$327.17**	**$335.55**
	30″(762mm)	NEKP-30 ■	**334.36**	**345.14**
	36″(914mm)	NEKP-36 ■	**341.55**	**354.73**
	42″(1067mm)	NEKP-42 ■	**348.74**	**364.32**
	48″(1219mm)	NEKP-48 ■	**355.93**	**373.91**
	60″(1524mm)	NEKP-60 ■	**370.31**	**393.09**

Features

- Includes one power distribution assembly (PDA), one NEF-1 flexible power connector and one two-sided powered raceway cover.
- Convert non-powered panels to powered panels.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- Flexible power connectors provided with retrofit kit will accommodate straight in-line or inside 90° or 120° conditions. Refer to NES-1 flexible power connectors for other applications.
- **Specify triplex receptacles for use with monolithic panels and super base panels.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

Power Distribution Support Bracket



NEAP-1



1917-5502

Description	Number	Price
Monolithic Panel	NEBP-1	**$39.73**
Super Base Panel	NEBP-2	**32.72**

Features

- Includes two brackets.
- Provides support for the Power Distribution Assembly when a stack kit is used above a Super Base or Monolithic panel.
- Attaches to panel below stack kit.
- Standard in galvanized finish only.

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE Electrical Components

Base Raceway Covers — base raceway power application

Raceway Cover without Power/Communications Access



NRC-NNNN

Width	Number	Trim A	Trim B
18″(457mm)	NRC-18-NNNN	$28.39	$30.85
24″(610mm)	NRC-24-NNNN ■	33.11	36.79
30″(762mm)	NRC-30-NNNN ■	37.83	42.73
36″(914mm)	NRC-36-NNNN ■	42.55	48.67
42″(1067mm)	NRC-42-NNNN ■	47.27	54.61
48″(1219mm)	NRC-48-NNNN ■	51.99	60.55
60″(1524mm)	NRC-60-NNNN ■	61.43	72.43

Features

- Includes one plastic raceway cover without cutouts for receptacle access.
- May be provided for field porting if used with communication face plates.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Raceway Cover with Power Access – One Side



NRC-NNPN

24″(610mm)	NRC-24-NNPN	$44.92	$48.60
30″(762mm)	NRC-30-NNPN	49.64	54.54
36″(914mm)	NRC-36-NNPN	54.36	60.48
42″(1067mm)	NRC-42-NNPN	59.08	66.42
48″(1219mm)	NRC-48-NNPN	63.80	72.36
60″(1524mm)	NRC-60-NNPN	73.24	84.24

Feature

- Includes one plastic raceway cover with receptacle cutouts/covers for power receptacle access on one side.

To Order, Specify:

1) Product number.
2) Trim color.

Raceway Cover with Power Access – Two Sides



NRC-PNPN

24″(610mm)	NRC-24-PNPN ■	$56.73	$60.41
30″(762mm)	NRC-30-PNPN ■	61.45	66.35
36″(914mm)	NRC-36-PNPN ■	66.17	72.29
42″(1067mm)	NRC-42-PNPN ■	70.89	78.23
48″(1219mm)	NRC-48-PNPN ■	75.61	84.17
60″(1524mm)	NRC-60-PNPN ■	85.05	96.05

Feature

- Includes one plastic raceway cover with receptacle cutouts/covers for power receptacle access on both sides.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Raceway Cover with Power and Single Gang Communications Access – One Side



NRC-NNPC

30″(762mm)	NRC-30-NNPC	$61.45	$66.35
36″(914mm)	NRC-36-NNPC	66.17	72.29
42″(1067mm)	NRC-42-NNPC	70.89	78.23
48″(1219mm)	NRC-48-NNPC	75.61	84.17
60″(1524mm)	NRC-60-NNPC	85.05	96.05

Feature

- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for a single gang adaptor plate (included) for communication faceplate access on one side.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- Punched opening for communication measures 2.25″(57mm) x 3.75″(95mm).
- Inside opening of adaptor plate measures 2.00″(51mm) x 2.81″(75mm).
- Specify when no raceway cover is ordered with a foundation element (no raceway cover option).

PREMISE Electrical Components

Base Raceway Covers — base raceway power application

	Width	Number	Trim A	Trim B
Raceway Cover with Power and Single Gang Communications Access – Two Sides	36″(914mm)	NRC-36-PCPC ■	$ 89.79	$ 95.91
	42″(1067mm)	NRC-42-PCPC ■	94.51	101.85
	48″(1219mm)	NRC-48-PCPC ■	99.23	107.79
	60″(1524mm)	NRC-60-PCPC ■	108.67	119.67



NRC-PCPC

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for two single gang adaptor plates (included) for communication faceplate access on both sides for plate screw mounting.
- May be provided for field porting if used with communication face plates.

■ Available on RUSH.

Specification Tips
- Punched opening for communication measures 2.25″(57mm) x 3.75″(95mm).
- Inside opening of adaptor plate measures 2.00″(51mm) x 2.81″(71mm).

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – One Side	30″(762mm)	NRC-30-NNPF	$61.45	$66.35
	36″(914mm)	NRC-36-NNPF	66.17	72.29
	42″(1067mm)	NRC-42-NNPF	70.89	78.23
	48″(1219mm)	NRC-48-NNPF	75.61	84.17
	60″(1524mm)	NRC-60-NNPF	85.05	96.05



NRC-NNPF

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for modular furniture telecommunications outlet plate access on one side.

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – Two Sides	30″(762mm)	NRC-30-PFPF	$ 85.07	$ 89.97
	36″(914mm)	NRC-36-PFPF	89.79	95.91
	42″(1067mm)	NRC-42-PFPF	94.51	101.85
	48″(1219mm)	NRC-48-PFPF	99.23	107.79
	60″(1524mm)	NRC-60-PFPF	108.67	119.67



NRC-PFPF

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for modular furniture telecommunications outlet plate access on both sides.

Specification Tips
- Punched opening for information plate snap mounting measures 1.38″(35mm) x 2.70″(69mm).
- Specify when no raceway cover is ordered with a foundation element (no raceway cover option).

To Order, Specify:
1) Product number.
2) Trim color.

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — base raceway power application

Base Feed Module – Hardwire Connection
— 4-Circuit (2+2 and 3+1)



NEBF-1-2
NEBF-1-4

Description	Feed Length	Catalog #	Price
2+2			
	48″(1219mm)	NEBF-1-2	**$313.73**
	72″(1829mm)	NEBF-0006-2	**371.05**
	120″(3048mm)	NEBF-0010-2	**485.69**
	180″(4572mm)	NEBF-0015-2	**628.99**
	300″(7620mm)	NEBF-0025-2	**915.59**
3+1			
	48″(1219mm)	NEBF-1-4	**$313.73**
	72″(1829mm)	NEBF-0006-4	**371.05**
	120″(3048mm)	NEBF-0010-4	**485.69**
	180″(4572mm)	NEBF-0015-4	**628.99**
	300″(7620mm)	NEBF-0025-4	**915.59**

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible metal conduit with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Base feed module can be field modified to accommodate left or right hand conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a monolithic or super base panel.
- Standard in charcoal trim color only.

Specification Tips

- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Single Circuit Base Feed Module – Receptacle Connection with Power Cord
— 4-Circuit (2+2 and 3+1)



NEB-2-2
NEB-2-4



Feed Length	Description	Number	Price
2′♀(610mm)	2+2 **(USA Only)**	NEB-2-2 ■	**$262.14**
2′(610mm)	3+1 **(USA Only)**	NEB-2-4 ■	**$262.14**

Features

- Includes a single circuit power connector, 2′(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a monolithic or super base panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — base raceway power application

Single Circuit Base Feed Module – Receptacle Connection with Power Cord ***— 4-Circuit (2+2 and 3+1)***



NEB-2-A2
NEB-2-A4

Feed Length	Description	Number	Price
6′(1829mm)	2+2 **(Canada Only)**	NEB-2-A2	**$330.92**
6′(1829mm)	3+1 **(Canada Only)**	NEB-2-A4	**$330.92**

Features

- Includes one circuit power connector, 6′(1829mm) cord and 15 amp plug (NEMA 5-15P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any of the four receptacle sites in a powered raceway of a monolithic or super base panel.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

Specification Tips

- **Not for use in USA due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — base raceway power application

Base Feed Module – Concealed Hardwire Connection — *4-Circuit (2+2 and 3+1)*



NEBF-5-2
NEBF-5-4

Class FA SIN 711-1,
Discount Group XI

Description		Number	Price
Concealed 4-Circuit	2+2	NEBF-5-2 ■	**$485.71**
Concealed 4-Circuit	3+1	NEBF-5-4 ■	**$485.71**

Features

- Includes one junction box with modular connector.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- For floor, column, or wall hardwire connections.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Conforms to New York City electrical code.
- Junction box has three 1/2″ knockouts.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- For installation on panels **no less than** 36″(914mm) wide.
- Connector plugs into receptacle site on left side of panel base.
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

Raised Floor Infeed Base Feed Module — *4-Circuit (2+2 and 3+1)*



ENEJ-0048-2WF
ENEJ-0048-4WF

Class SP SIN 711-1,
Discount Group XVI

Feed Length	Description	Number	Price
4′(1219mm)	2+2	ENEJ-0048-2WF	**$225.53**
4′(1219mm)	3+1	ENEJ-0048-4WF	**$225.53**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) black flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For use with 4-circuit (2+2 or 3+1) power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system or a Power Base AI Wall Feed.
- Base feed module can be field modified to accommodate left or right conditions.
- Connector has integral latching system.
- Connectors are color coded blue (2+2) or green (3+1) and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in ``other air handling spaces″ per the NEC Article 604.
- Standard in charcoal trim color only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush floor box connectors, or wall feed.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Not for power sources other than 120 volt 60 hertz.

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — base raceway power application

Systems Furniture Power Interface Jumper — *4-Circuit (2+2 and 3+1)*



EUEJ-2WF
EUEJ-4WF

Description		Number	Price
64″(1626mm)	2+2 Infeed Connector	EUEJ-0064-2WF	**$181.61**
102″(2591mm)		EUEJ-0102-2WF	**207.40**
144″(3658mm)		EUEJ-0144-2WF	**246.09**
300″(7620mm)		EUEJ-0300-2WF	**565.28**
64″(1626mm)	3+1 Infeed Connector	EUEJ-0064-4WF	**$181.61**
102″(2591mm)		EUEJ-0102-4WF	**207.40**
144″(3658mm)		EUEJ-0144-4WF	**246.09**
300″(7620mm)		EUEJ-0300-4WF	**565.28**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) (unpainted) flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For use with 4-circuit (2+2) or 3+1) power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system.
- Connector has integral latching system.
- Power Base connector are color coded blue (2+2) or green (3+1) and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per the NEC Article 604.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, or flush floor box connectors.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Not for power sources other than 120 volt 60 hertz.
- Excess length can be coiled under the floor.
- With field modification of the raceway cover the infeed may be routed under panel and into the base raceway for a concealed connection.

Wall Feed Field Wired 1 Port



FBEW

Description	Height	Length	Number	Price
4-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-41	**$71.44**

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with Raised Floor Infeed Base Feed Module and Systems Furniture Power Interface Jumper.
- For use with field supplied 4 11/16″(119mm) square junction box.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed Manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in “other air handling spaces” per the NEC Article 604.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tip

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — top feed power application

Monolithic Panel Top Feed Module — ***4-Circuit (2+2 and 3+1)***



NETM-3T2
NETM-3T4
NETM-3W2
NETM-3W4

	Panel Height	Pole Length	Description	Number	Trim A	Trim B
	10′ Ceiling Height					
	42″(1067mm) - 53″(1346mm)	95″(2413mm)	2+2	NETM-5300-3T2 ■	**$1671.96**	**$1801.78**
	64″(1626mm) - 80″(2032mm)	66″(1676mm)		NETM-8000-3T2 ■	**1623.90**	**1721.59**
	42″(1067mm) - 53″(1346mm)	95″(2413mm)	3+1	NETM-5300-3T4 ■	**$1671.96**	**$1801.78**
	64″(1626mm) - 80″(2032mm)	66″(1676mm)		NETM-8000-3T4 ■	**1623.90**	**1721.59**
	12′ Ceiling Height					
	42″(1067mm) - 53″(1346mm)	119″(3023mm)	2+2	NETM-5300-3W2 ■	**$1701.77**	**$1860.15**
	64″(1626mm) - 80″(2032mm)	95″(2413mm)		NETM-8000-3W2 ■	**1653.71**	**1779.96**
	42″(1067mm) - 53″(1346mm)	119″(3023mm)	3+1	NETM-5300-3W4 ■	**$1701.77**	**$1860.15**
	64″(1626mm) - 80″(2032mm)	95″(2413mm)		NETM-8000-3W4 ■	**1653.71**	**1779.96**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at any one of the four receptacle sites in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on fabric monolithic panels no less than 24″(610mm) wide.
- Not for use with glass or open base panels.
- Can be used with standard, grooved or wood top cap.
- Mounts 1 1/2″(38mm) from the end of the top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — top feed power application

Stackable Panel Top Feed Module — *4-Circuit (2+2 and 3+1)*



Beltline Connection

NETP-3T2
NETP-3T4
NETP-3W2
NETP-3W4



Base Raceway Connection

Panel Height	Pole Length	Description	Number	Trim A	Trim B
10′ Ceiling Height					
42″(1067mm) - 48″(1219mm)	95″(2413mm)	2+2	NETP-4800-3T2 ■	**$1721.39**	**$1857.16**
64″(1626mm) - 80″(2032mm)	66″(1676mm)		NETP-8000-3T2 ■	**1664.43**	**1762.12**
42″(1067mm) - 48″(1219mm)	95″(2413mm)	3+1	NETP-4800-3T4 ■	**$1721.39**	**$1857.16**
64″(1626mm) - 80″(2032mm)	66″(1676mm)		NETP-8000-3T4 ■	**1664.43**	**1762.12**
12′ Ceiling Height					
42″(1067mm) - 48″(1219mm)	119″(3023mm)	2+2	NETP-4800-3W2 ■	**$1751.20**	**$1915.53**
64″(1626mm) - 80″(2032mm)	95″(2413mm)		NETP-8000-3W2 ■	**1694.24**	**1820.49**
42″(1067mm) - 48″(1219mm)	119″(3023mm)	3+1	NETP-4800-3W4 ■	**$1751.20**	**$1915.53**
64″(1626mm) - 80″(2032mm)	95″(2413mm)		NETP-8000-3W4 ■	**1694.24**	**1820.49**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities see Specification Guide.
- Removable cover on pole provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Mounts to stack kit and routes power and communications cabling from ceiling to the base raceway on a monolithic base or super base panel, beltline, or standing-height on a stack kit.
- Attaches at any one of the four receptacle sites in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on stack kits mounted above monolithic or super base panels no less than 24″(610mm) wide for base raceway.
- Not for use with glass, translucent, perforated or open stack kits.
- Can be used with standard, grooved or wood top cap.
- Not recommended for use on stack kits with structural crossbars in off-modular applications.
- Mounts to the top cross bar of a stack kit 5 3/8″(93mm) from the end of top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — top feed power application

External Top Feed Module — *4-Circuit (2+2 and 3+1)*



NETX-10-P2
NETX-10-P4

Ceiling Height	Description	Number	Price
10′(3048mm)	2+2	NETX-10-P2	**$1255.02**
10′(3048mm)	3+1	NETX-10-P4	**$1255.02**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, 3″ X 3″ pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Routes power and communications from the ceiling to the base raceway on any panel configuration including open or glazed stack kits.
- For routing and cabling capacities see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at any one of the four receptacle sites in a powered base raceway.

Specification Tips

- Can be used in end-of-run, 2-way, and 3-way conditions on any panel type.
- 2-and 3-way conditions require additional connector. See Specification Guide for information.
- Can be used with standard, grooved or wood top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color.*

***Note:** Upcharge list for Metallic trim color Top feed module = **$44.40.**

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — top feed power application

Floor-to-Ceiling Monolithic and Super Base Panel Top Feed Module — *4-Circuit (2+2 and 3+1)*



Beltline Connection

NETC-10-P2
NETC-10-P4



Base Raceway Connection

Height	Application	Description	Number	Price
10′(3048mm)	Base/Beltline Connection	2+2	NETC-10-P2	**$828.50**
10′(3048mm)	Base/Beltline Connection	3+1	NETC-10-P4	**$828.50**

Features

- Includes one electrical harness in metal conduit, electrical box and hardware.
- Mounts to floor to ceiling track and routes power from the electrical source located in space above drop ceiling to the base raceway on a monolithic or super base panel, beltline or standing-height on stack kit.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Attaches at any of the four receptacle sites in a powered panel.

Specification Tips

- For installation on monolithic or super base panels no less than 24″(610mm) wide.
- **Cannot be installed on an open, glazed, translucent or perforated stack kit.**
- Top junction box mounts to the ceiling track.
- Ceiling height cannot exceed 10′(3048mm).
- Not for use with power source other than 120 volt 60 hertz.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Feed Modules — top feed power application

Infeed Harness —
4-Circuit (2+2 and 3+1)



VNEH-2
VNEH-4





Description	Number	Length	Price
2+2	VNEH-0000-2 ■	15′(4572mm)	**$579.66**
	VNEH-0030-2	30′(9144mm)	**878.95**
3+1	VNEH-0000-4	15′(4572mm)	**$579.66**
	VNEH-0030-4	30′(9144mm)	**878.95**

Features

- Includes electrical harness in galvanized metal conduit.
- Can be used to route power from floor to beltline on open or closed base panels. Electrical harness routes through panel side frame rail of monolithic or super base panel.
- Can be used with a powered top feed pole to bring an additional set of four circuits into the workstation cluster. Local electrician to provide secondary junction box at top of top feed pole.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Provides six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- Attaches at any one of the four receptacle sites in a powered panel.

■ Available on RUSH.

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- For applications from floor to beltline where conduit is exposed. Split tubing may be field supplied separately to cover galvanized metal conduit.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Kits

Power Kit for Stack Application
— 4-Circuit (2+2 and 3+1)



NEKA-P2
NEKA-P4

Panel Width	Description	Number	Price
24″(610mm)	2+2	NEKA-24-P2 ■	**$556.22**
30″(762mm)		NEKA-30-P2 ■	**566.74**
36″(914mm)		NEKA-36-P2 ■	**577.26**
42″(1067mm)		NEKA-42-P2 ■	**587.78**
48″(1219mm)		NEKA-48-P2 ■	**598.30**
60″(1524mm)		NEKA-60-P2 ■	**619.34**
24″(610mm)	3+1	NEKA-24-P4 ■	**$556.22**
30″(762mm)		NEKA-30-P4 ■	**566.74**
36″(914mm)		NEKA-36-P4 ■	**577.26**
42″(1067mm)		NEKA-42-P4 ■	**587.78**
48″(1219mm)		NEKA-48-P4 ■	**598.30**
60″(1524mm)		NEKA-60-P4 ■	**619.34**

Features

- Includes power distribution assembly (PDA), NEF-1 flexible power connector and cable trough, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide, cable hangers, cross bar, and mounting hardware.
  Connector
  2+2 flex power NEF-1-2
  2+1 flex power NEF-1-4
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1-2 or NES-1-4 flexible power connector for other applications.
- To access power, specify triplex receptacles separately for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Kits

Stack Application Retrofit Kit
— 4-Circuit (2+2 and 3+1)



NEKB-P2
NEKB-P4

Panel Width	Description	Number	Price
24″(610mm)	2+2	NEKB-24-P2 ■	**$446.39**
30″(762mm)		NEKB-30-P2 ■	**466.25**
36″(914mm)		NEKB-36-P2 ■	**486.11**
42″(1067mm)		NEKB-42-P2 ■	**505.97**
48″(1219mm)		NEKB-48-P2 ■	**525.83**
60″(1524mm)		NEKB-60-P2 ■	**565.55**
24″(610mm)	3+1	NEKB-24-P4 ■	**$446.39**
30″(762mm)		NEKB-30-P4 ■	**466.25**
36″(914mm)		NEKB-36-P4 ■	**486.11**
42″(1067mm)		NEKB-42-P4 ■	**505.97**
48″(1219mm)		NEKB-48-P4 ■	**525.83**
60″(1524mm)		NEKB-60-P4 ■	**565.55**

Features

- Includes power distribution assembly (PDA), NEF-1 flexible power connector and cable trough, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide and cable hangers.
  Connector
  2+2 flex power NEF-1-2
  2+1 flex power NEF-1-4
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1-2 or NES-1-4 flexible power connector for other applications.
- To access power, specify triplex receptacles and 10″(254mm) or 16″(406mm) high PREMISE technology pad only for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Kits

Structural Power Kit for Stack Application — *4-Circuit (2+2 and 3+1)*



NEKS-PS2
NEKS-PS4

Panel Width	Description	Number	Price
24″(610mm)	2+2	NEKS-24-PS2	**$724.50**
30″(762mm)		NEKS-30-PS2	**737.35**
36″(914mm)		NEKS-36-PS2	**750.20**
42″(1067mm)		NEKS-42-PS2	**763.05**
48″(1219mm)		NEKS-48-PS2	**775.90**
60″(1524mm)		NEKS-60-PS2	**801.60**
24″(610mm)	3+1	NEKS-24-PS4	**$724.50**
30″(762mm)		NEKS-30-PS4	**737.35**
36″(914mm)		NEKS-36-PS4	**750.20**
42″(1067mm)		NEKS-42-PS4	**763.05**
48″(1219mm)		NEKS-48-PS4	**775.90**
60″(1524mm)		NEKS-60-PS4	**801.60**

Features

- Includes power distribution assembly (PDA), cable trough, NEF-1 flexible power connector, one 3″(76mm) straight cable guide, one 3″(76mm) corner cable guide, cable hangers, structural cross bar, and mounting hardware.
  Connector
  2+2 flex power NEF-1-2
  2+1 flex power NEF-1-4
- Can be used to access power or route power through stack kit at beltline and standing height.
- Standard in charcoal trim color only.

Specification Tips

- **For power access at work-height a structural cross bar must be used for off-modular overheads.**
- **Only for use with slat technology pads to access work height power.**
- Flexible power connector provided with power kit will accommodate straight in-line, inside 90° and inside 120° conditions. Refer to NES-1-2 or NES-1-4 flexible power connector for other applications.
- Not recommended for top feed applications due to structural crossbar.
- To access power, specify triplex receptacles and 16″(406mm) high slat PREMISE technology pad only for use with power kit.
- To route power through stack kit at beltline and standing height with a separately specified off-modular pad.
- Use of seperately specified Power Distribution Support Bracket is recommended to stabilize power distribution assembly (PDA).
- **Cannot be used with open, glazed, translucent or perforated pad.**
- 24″(610mm) kit is for routing power through panel only-no power access.
- For 18″(457mm) panels there is neither a power kit nor an extended power connector available to route power at the beltline or standing height.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Accessories

Vertical Power Connectors

Super Base Panel-to-Stack Kit Beltline Vertical Power Connector — *4-Circuit (2+2 and 3+1)*



NEPH-4-2
NEPH-4-4

Length	Description	Number	Price
32″(813mm)	2+2	NEPH-4-2 ■	**$205.66**
32″(813mm)	3+1	NEPH-4-4 ■	**$205.66**

Features

- Includes one (1) power connector with safety latches for securing vertical power connector to power distribution assembly.
- Transfers power from the base raceway to beltline raceway.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Can be used with either 10″(254mm) or 16″(406mm) powered kit for stack application on super base panel (16″(406mm) shown).
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- The power connectors install on the left side of panel into receptacle locations.
- Blocks access to beltline and base receptacle location.
- Field bezel modification required per installation instructions.
- **Cannot be used with open stack kits or glazed stack kits.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Super Base Panel-to-Stack Kit Standing Height Vertical Power — *4-Circuit (2+2 and 3+1)*



NEPH-5-2
NEPH-5-4

Length	Description	Number	Price
48″(1219mm)	2+2	NEPH-5-2 ■	**$276.95**
48″(1219mm)	3+1	NEPH-5-4 ■	**$276.95**

Features

- Includes one (1) power connector with safety latches for securing vertical power connector to power distribution assembly.
- Transfers power from the base raceway to standing height.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Can be used with 10″(254mm) and 16″(406mm) powered kit for stack application located above a 16″(405mm) stack kit on a super base panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- The power connectors install on left side of panel into receptacle locations.
- Blocks access to standing height and base receptacle location.
- **Cannot be used with open stack kits or glazed stack kits.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Horizontal Power Connector — base raceway and beltline power applications

Flexible Power Connector —
4-Circuit (2+2 and 3+1)



Monolithic/Super Base straight condition



Stack Kit straight condition



Monolithic/Super Base inside 90° condition



Stack kit inside 90° condition



Monolithic/Super Base inside 120° condition





Stack kit inside 120° condition

NEF-1-2
NEF-1-4

Length	Description	Number	Price
13 1/4″(337mm)	2+2	NEF-1-2 ■	**$116.94**
13 3/4″(349mm)	3+1	NEF-1-4 ■	**$116.94**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuits between base panels in straight, 90° or 120° conditions, and connected stack kits in an inside 90° or 120° condition.
- For use with panels equipped with 4-circuit (2+2 and 3+1) power components.
- NEF-1_ flexible power connectors ship with each powered standard or base panel as follows:
  –.95 with 4-circuit power
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Cable guides must be used in stack kit applications to protect flexible power connector.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Horizontal Power Connector — base raceway and beltline power applications

Straight-Span Flexible Power Connector



Monolithic/Super panel three-way or four-way condition



Stack kit three-way or four-way condition



Monolithic/Super panel outside 90° condition



Monolithic/Super panel outside 120° condition

NES-1-2
NES-1-4

Length	Description	Number	Price
16″(406mm)	2+2	NES-1-2 ■	**$116.94**
16″(406mm)	3+1	NES-1-4 ■	**$116.94**

Features

- Includes one straight-span flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuits across the three-inch space between powered panels, base panels or stack kits in three-way or four-way conditions, and between powered panels in an outside 90°/120° condition.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- Cable guides must be used in stack kit applications to protect flexible connector.
- Straight span flexible power connector must be separately specified and is not included with panel.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Horizontal Power Connector — base raceway power applications

Extended Flexible Metal Power Connectors for Base Raceway



Straight Condition



120° Condition



(2) 90° Conditions



90° and 3-Way Condition



90° Condition



(1) 90° Condition



3-Way Condition



(2) 90° Conditions

NEJS-18

Panel Width	Length	Description	Number	Price
18″(457mm)	45″(1143mm)	2+2	NEJS-18-2	**$216.96**
18″(457mm)	45″(1143mm)	3+1	NEJS-18-4	**$216.96**

Features

- Includes one extended flexible metal power connector with safety latches.
- Spans power through **one** non-powered 18″(457mm) wide monolithic or super base panel(s) located between powered panels.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- **Specify for use in base raceway only.**
- Extended power connectors cannot be coupled together.
- Standard in charcoal trim with metal conduit.

Specification Tips

- Extended flexible metal power connector must be ordered separately.
- One size connector fits all applications shown.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacles

Triplex Receptacles – 15 Amp
— 4-Circuit (2+2 and 3+1)



NER-1500

Description	Circuit Access	Receptacle Identifier	Ground Type	Number	Price
2+2 15A Triplex	Circuit 1	1	Common	NER-1500-M12 ■	**$325.38**
	Circuit 2	2		NER-1500-M22 ■	**325.38**
	Circuit 3	3		NER-1500-M32 ■	**325.38**
	Circuit 4	4		NER-1500-M42 ■	**325.38**
2+2 15A Triplex	Circuit 1	1	Isolated	NER-1500-I12 ■	**$343.26**
	Circuit 2	2		NER-1500-I22 ■	**343.26**
	Circuit 3	3		NER-1500-I32 ■	**343.26**
	Circuit 4	4		NER-1500-I42 ■	**343.26**
3+1 15A Triplex	Circuit 1	A	Common	NER-1500-M14 ■	**$325.38**
	Circuit 2	B		NER-1500-M24 ■	**325.38**
	Circuit 3	C		NER-1500-M34 ■	**325.38**
	Circuit 4	D		NER-1500-M44 ■	**325.38**
3+1 15A Triplex	Circuit 1	A	Isolated	NER-1500-I14 ■	**$343.26**
	Circuit 2	B		NER-1500-I24 ■	**343.26**
	Circuit 3	C		NER-1500-I34 ■	**343.26**
	Circuit 4	D		NER-1500-I44 ■	**343.26**

Features

- Includes box of six receptacles, each receptacle has three 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are circuit and ground type specific.

■ Available on RUSH.

Specification Tips

- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacles

Triplex Receptacles – 20 Amp *— 4-Circuit (2+2 and 3+1)*



NER-2000

Description	Circuit Access	Receptacle Identifier	Ground Type	Number	Price
2+2 20A Triplex	Circuit 1	1	Common	NER-2000-M12	**$668.78**
	Circuit 2	2		NER-2000-M22	**668.78**
	Circuit 3	3		NER-2000-M32	**668.78**
	Circuit 4	4		NER-2000-M42	**668.78**
2+2 20A Triplex	Circuit 1	1	Isolated	NER-2000-I12	**$686.66**
	Circuit 2	2		NER-2000-I22	**686.66**
	Circuit 3	3		NER-2000-I32	**686.66**
	Circuit 4	4		NER-2000-I42	**686.66**
3+1 20A Triplex	Circuit 1	A	Common	NER-2000-M14	**$668.78**
	Circuit 2	B		NER-2000-M24	**668.78**
	Circuit 3	C		NER-2000-M34	**668.78**
	Circuit 4	D		NER-2000-M44	**668.78**
3+1 20A Triplex	Circuit 1	A	Isolated	NER-2000-I14	**$686.66**
	Circuit 2	B		NER-2000-I24	**686.66**
	Circuit 3	C		NER-2000-I34	**686.66**
	Circuit 4	D		NER-2000-I44	**686.66**

Features

- Includes box of six receptacles, each receptacle has three 20 Amp outlets (NEMA 5-20R configuration).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are circuit and ground type specific.

Specification Tips

- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit cord base feed module - receptacle connection with cord feed.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

Power Break Marker



NEP-1

NEP-1 **$149.58**

Features

- Includes box of fifty paper labels.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: ``Do not remove – Power Break – Consult Electrical Plan.''

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power & Communication Port Kit

Power/Communication Port Kit – for use with Monolithic Panel



NPCA-2
NPCA-4
NPCA-G2
NPCA-G4

Height	Width	Installed Height*	Description	Number	Price
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	2+2 Circuit #1 Common Ground	NPCA-1-2	**$542.20**
			2+2 Circuit #2 Common Ground	NPCA-2-2	**542.20**
			2+2 Circuit #3 Common Ground	NPCA-3-2	**542.20**
			2+2 Circuit #4 Common Ground	NPCA-4-2	**542.20**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	3+1 Circuit #1 Common Ground	NPCA-1-4	**$542.20**
			3+1 Circuit #2 Common Ground	NPCA-2-4	**542.20**
			3+1 Circuit #3 Common Ground	NPCA-3-4	**542.20**
			3+1 Circuit #4 Common Ground	NPCA-4-4	**542.20**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	2+2 Circuit #1 Isolated Ground	NPCA-1-G2	**$654.38**
			2+2 Circuit #2 Isolated Ground	NPCA-2-G2	**654.38**
			2+2 Circuit #3 Isolated Ground	NPCA-3-G2	**654.38**
			2+2 Circuit #4 Isolated Ground	NPCA-4-G2	**654.38**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	3+1 Circuit #1 Isolated Ground	NPCA-1-G4	**$654.38**
			3+1 Circuit #2 Isolated Ground	NPCA-2-G4	**654.38**
			3+1 Circuit #3 Isolated Ground	NPCA-3-G4	**654.38**
			3+1 Circuit #4 Isolated Ground	NPCA-4-G4	**654.38**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge bracket, bezel, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacle and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Flush mounts into surface of fabric monolithic panels to provide electrical and/or communication access at beltline or below standard worksurface height.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Beltline height mounting location not available on 32″(813mm) and 42″(1067mm) high monolithic panels.
- Specification of circuit one, two, three or four is required.
- Must be installed vertically (communications on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power & Communication Port Kit

Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel



NPCA-B2
NPCA-B4
NPCA-BG2
NPCA-BG4

Height	Width	Installed Height*	Description	Number	Price
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	2+2 Circuit #1 Common Ground	NPCA-1-B2	**$ 959.37**
			2+2 Circuit #2 Common Ground	NPCA-2-B2	**959.37**
			2+2 Circuit #3 Common Ground	NPCA-3-B2	**959.37**
			2+2 Circuit #4 Common Ground	NPCA-4-B2	**959.37**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	3+1 Circuit #1 Common Ground	NPCA-1-B4	**$ 959.37**
			3+1 Circuit #2 Common Ground	NPCA-2-B4	**959.37**
			3+1 Circuit #3 Common Ground	NPCA-3-B4	**959.37**
			3+1 Circuit #4 Common Ground	NPCA-4-B4	**959.37**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	2+2 Circuit #1 Isolated Ground	NPCA-1-BG2	**$1042.34**
			2+2 Circuit #2 Isolated Ground	NPCA-2-BG2	**1042.34**
			2+2 Circuit #3 Isolated Ground	NPCA-3-BG2	**1042.34**
			2+2 Circuit #4 Isolated Ground	NPCA-4-BG2	**1042.34**
9″(229mm)	3 1/4″(83mm)	18″(457mm) to 34″(864mm)	3+1 Circuit #1 Isolated Ground	NPCA-1-BG4	**$1042.34**
			3+1 Circuit #2 Isolated Ground	NPCA-2-BG4	**1042.34**
			3+1 Circuit #3 Isolated Ground	NPCA-3-BG4	**1042.34**
			3+1 Circuit #4 Isolated Ground	NPCA-4-BG4	**1042.34**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge brackets, bezels, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacles and two modular furniture telecommunications outlet openings [1.38″(25mm) x 2.71″(69mm)] with blank cover, and one back-to-back jumper.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Flush mounts into surface of fabric monolithic panels to provide electrical and/or communication access at beltline or below standard worksurface height.
- Provides power and/or communication on front and back side of panel directly behind each other.
- Both front and back run off same circuit and grounding method.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Beltline height mounting location not available on 32″(813mm) and 42″(1067mm) high monolithic panels.
- Specification of circuit one, two, three, or four is required.
- Must be installed vertically (communication on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Power Kits — base raceway power application

Base Raceway Retrofit Kit – Powered
— 4-Circuit (2+2 and 3+1)



NEKP-2
NEKP-4

Height	Panel Width	Description	Number	Trim A	Trim B
6 3/4″(171mm)	24″(610mm)	2+2	NEKP-24-2 ■	$341.54	$349.92
	30″(762mm)		NEKP-30-2 ■	348.73	359.51
	36″(914mm)		NEKP-36-2 ■	355.92	369.10
	42″(1067mm)		NEKP-42-2 ■	363.11	378.69
	48″(1219mm)		NEKP-48-2 ■	370.30	388.28
	60″(1524mm)		NEKP-60-2 ■	384.68	407.46
6 3/4″(171mm)	24″(610mm)	3+1	NEKP-24-4 ■	$341.54	$349.92
	30″(762mm)		NEKP-30-4 ■	348.73	359.51
	36″(914mm)		NEKP-36-4 ■	355.92	369.10
	42″(1067mm)		NEKP-42-4 ■	363.11	378.69
	48″(1219mm)		NEKP-48-4 ■	370.30	388.28
	60″(1524mm)		NEKP-60-4 ■	384.68	407.46

Features

- Includes one power distribution assembly (PDA), one NEF-1 flexible power connector and one two-sided powered raceway cover.
  Connector
  2+2 flex power NEF-1-2
  3+1 flex power NEF-1-4
- Convert non-powered panels to powered panels.

■ Available on RUSH.

Specification Tips

- Flexible power connectors provided with retrofit kit will accommodate straight in-line or inside 90° or 120° conditions. Refer to NES-1-2 or NES-1-4 flexible power connectors for other applications.
- **Specify triplex receptacles for use with monolithic panels and super base panels.**
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Trim color.

PREMISE Electrical Components

Base Raceway Covers — base raceway power application

	Width	Number	Trim A	Trim B
Raceway Cover without Power/Communications Access	18″(457mm)	NRC-18-NNNN	$28.39	$30.85
	24″(610mm)	NRC-24-NNNN ■	33.11	36.79
	30″(762mm)	NRC-30-NNNN ■	37.83	42.73
	36″(914mm)	NRC-36-NNNN ■	42.55	48.67
	42″(1067mm)	NRC-42-NNNN ■	47.27	54.61
	48″(1219mm)	NRC-48-NNNN ■	51.99	60.55
	60″(1524mm)	NRC-60-NNNN ■	61.43	72.43



NRC-NNNN

Features
- Includes one plastic raceway cover without cutouts for receptacle access.
- May be provided for field porting if used with communication face plates.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power Access – One Side	24″(610mm)	NRC-24-NNPN	$44.92	$48.60
	30″(762mm)	NRC-30-NNPN	49.64	54.54
	36″(914mm)	NRC-36-NNPN	54.36	60.48
	42″(1067mm)	NRC-42-NNPN	59.08	66.42
	48″(1219mm)	NRC-48-NNPN	63.80	72.36
	60″(1524mm)	NRC-60-NNPN	73.24	84.24



NRC-NNPN

Feature
- Includes one plastic raceway cover with receptacle cutouts/covers for power receptacle access on one side.

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power Access – Two Sides	24″(610mm)	NRC-24-PNPN ■	$56.73	$60.41
	30″(762mm)	NRC-30-PNPN ■	61.45	66.35
	36″(914mm)	NRC-36-PNPN ■	66.17	72.29
	42″(1067mm)	NRC-42-PNPN ■	70.89	78.23
	48″(1219mm)	NRC-48-PNPN ■	75.61	84.17
	60″(1524mm)	NRC-60-PNPN ■	85.05	96.05



NRC-PNPN

Feature
- Includes one plastic raceway cover with receptacle cutouts/covers for power receptacle access on both sides.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power and Single Gang Communications Access – One Side	30″(762mm)	NRC-30-NNPC	$61.45	$66.35
	36″(914mm)	NRC-36-NNPC	66.17	72.29
	42″(1067mm)	NRC-42-NNPC	70.89	78.23
	48″(1219mm)	NRC-48-NNPC	75.61	84.17
	60″(1524mm)	NRC-60-NNPC	85.05	96.05



NRC-NNPC

Feature
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for a single gang adaptor plate (included) for communication faceplate access on one side.

To Order, Specify:
1) Product number.
2) Trim color.

Specification Tips
- Punched opening for communication measures 2.25″(57mm) x 3.75″(95mm).
- Inside opening of adaptor plate measures 2.00″(51mm) x 2.81″(75mm).
- Specify when no raceway cover is ordered with a foundation element (no raceway cover option).

PREMISE Electrical Components

Base Raceway Covers — base raceway power application

	Width	Number	Trim A	Trim B
Raceway Cover with Power and Single Gang Communications Access – Two Sides	36″(914mm)	NRC-36-PCPC ■	$ 89.79	$ 95.91
	42″(1067mm)	NRC-42-PCPC ■	94.51	101.85
	48″(1219mm)	NRC-48-PCPC ■	99.23	107.79
	60″(1524mm)	NRC-60-PCPC ■	108.67	119.67



NRC-PCPC

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for two single gang adaptor plates (included) for communication faceplate access on both sides for plate screw mounting. ■ Available on RUSH.

Specification Tips
- Punched opening for communication measures 2.25″(57mm) x 3.75″(95mm).
- Inside opening of adaptor plate measures 2.00″(51mm) x 2.81″(71mm).
- Specify when no raceway cover is ordered with a foundation element (no raceway cover option).

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – One Side	30″(762mm)	NRC-30-NNPF	$61.45	$66.35
	36″(914mm)	NRC-36-NNPF	66.17	72.29
	42″(1067mm)	NRC-42-NNPF	70.89	78.23
	48″(1219mm)	NRC-48-NNPF	75.61	84.17
	60″(1524mm)	NRC-60-NNPF	85.05	96.05



NRC-NNPF

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for modular furniture telecommunications outlet plate access on one side.

To Order, Specify:
1) Product number.
2) Trim color.

Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – Two Sides	30″(762mm)	NRC-30-PFPF	$ 85.07	$ 89.97
	36″(914mm)	NRC-36-PFPF	89.79	95.91
	42″(1067mm)	NRC-42-PFPF	94.51	101.85
	48″(1219mm)	NRC-48-PFPF	99.23	107.79
	60″(1524mm)	NRC-60-PFPF	108.67	119.67



NRC-PFPF

Features
- Includes one plastic raceway cover with receptacle cutouts/covers for power and a cutout for modular furniture telecommunications outlet plate access on both sides.

Specification Tips
- Punched opening for information plate snap mounting measures 1.38″(35mm) x 2.70″(69mm).
- Specify when no raceway cover is ordered with a foundation element (no raceway cover option).

To Order, Specify:
1) Product number.
2) Trim color.

PREMISE Electrical Components

Power and Communication Accessories

	Description	Number	Price
Power and Communication Bezel for Fabric/Tackable Pad	Power and Communication Bezel	NEAP-0000	**$128.54**



NEAP-0000

Features

- Power and Communication Bezel includes four non-handed bezels, four receptacle blank plates, four data blank plates, four data mounting brackets and mounting hardware.
- Power and Communication Bezels provide outer ports for power access and inner ports for communication access.

Specification Tips

- **To be used with Fabric/Tackable Pad only.**
- Monolithic Single Pad 30″(762mm) wide fabric/tackable pad can accommodate one bezel at beltline and standing height. 36″-60″(914mm-1534mm) wide can accommodate tow bezels at beltline and at standing height.
- For Monolithic Single Pad standing height power location can only be offered in 64″(1626mm) height pad.
- Bezel communication port opening accepts furniture data plates on data mounting bracket which must be installed on the cable trough.
- The blank cover attaches to the bezel and does not require the data mounting bracket.
- Power and Communication Bezels can be used in back-to-back applications.
- Must be used in conjunction with separately specified Power Kits and Triplex Receptacles.

To Order, Specify:

1) Product number.
2) Non-Metallic trim color (bezel and blank plates).

Electrical and Communication Accessories

Desktop Ports, Power/Data Dome and Grommet

Desktop Port



BEDP

Class IF – SIN 711-1;
Discount Group XII

Description	Height	Width	Number	Price
Desktop Port with 6′(1829mm) cord	3 1/2″(89mm)	9 5/8″(244mm)	BEDP-6	**$320.46**
Desktop Port with 12′(3658mm) cord			BEDP-12	**320.46**

Features

- 6′(1829mm) or 12′(3658mm) black cord option.
- Three power outlets and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- Mounts on worktops from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Not available for use in Los Angeles, Chicago or New York.
- Power can be routed from panel, floor or wall.
- Allows for off-modularity.
- Module and bracket available in graphite finish only with black cord.
- **Not for power sources other than 120 volt 60 hertz.**
- Shipped assembled.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- Attaches to back edge of worktop with threaded knob.
- Power cord plugs into receptacle outlet or into a building outlet. Desktop ports cannot be linked together.
- Communication info plates must be field supplied.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.

Power/Data Dome



JAP-2 JAP-4

JAP-2 Data Connection Cutout Sizes



It is recommended that the cutout sizes are confirmed before ordering connectors from suppliers.

Class FM – SIN 711-2;
Discount Group II

Description	Number	Price
Two (2) power outlets and two (2) plates for data connection	JAP-2	**$193.44**
Four (4) power outlets	JAP-4	**211.12**

Features

- Provides power and communication access at desk height.
- Field installed. Mounts into 3″(76mm) diameter hole.
- Available in black finish color only.
- Power cord is 72″(1829mm) long.
- Cut for cutouts for data connectors.
- 4TWP-2 includes a voice/data adapter kit to accept couplers and jacks.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet



WUAC-WSG

Class CA – SIN 711-2;
Discount Group I

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**

Features

- Includes one cover.
- Must be field-installed.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tip

- Available in charcoal color only.

Electrical and Communication Accessories

Desktop Ports, Power/Data Dome and Grommet

Enhanced Power Module



EUD1-0000-1311V



EUD1-0000-C311V

	Height	Width	Depth	Cord Length	Number	❶	Price
With Plug							
	3 1/2″(89mm)	6 3/4″(171mm)	3 1/2″(89mm)-4 1/2″(114mm)	6′(1829mm)	EUD1-0000-1311V		**$431.53**
				12′(3658mm)	EUD1-0000-1311W		**480.41**
Hardwire							
	3 1/2″(89mm)	6 3/4″(171mm)	2 1/4″(57mm)	6′(1829mm)	EUD1-0000-C311V		**$492.81**

Features

- Includes power module with three simplex outlets (NEMA 5-15R) and one data location, multiple data jack adapters to accommodate most varieties of field supplied data jacks, mounting hardware, optional standard plug (NEMA 5-15P) or hardwire connection.
- Designed to deliver electrical and data access to the work station.
- Attaches to the back edge of the worksurface.
- Corded power module available with 15amp - 6′(1829mm) or 12′(3658mm) long cord with plug.
- Hardwired power module available with 6′(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Accommodates worksurface thicknesses from 1 3/16″(30mm) to 2″(51mm).
- Attachment hardware allows for installation above or below work surface, with or without tackboards, to back side of lower storage units, and with vertical storage units that have back edge clearance.
- For use with 120 volt 60 hertz power source only.
- Enhanced Power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

To Order, Specify:

1) Product number, including:

❶ **Color Option:**

B Black

W White

Electrical and Communication Accessories

Flip Top Units

Flip Top Unit

(1.1)

EUE1-1111W

(2.0)

EUE1-1B01W



EUE1-1331W



EUE2-1331W



EUE1-C331W



EUE2-C331W

Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets				
5 5/16″(133mm)	4 3/8″(111mm)	1 Power, 1 Data	EUE1-0000-1111W	**$ 394.78**
		2 Power, 0 Data	EUE1-0000-1B01W	**394.78**
8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-1221W	**$ 473.48**
		3 Power, 1 Data	EUE1-0000-1311W	**473.48**
11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-1331W ■	**$ 473.48**
		4 Power, 2 Data	EUE1-0000-1421W	**473.48**
Corded Double-Sided Outlets				
8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-1221W	**$ 946.95**
		3 Power, 1 Data	EUE2-0000-1311W	**946.95**
11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-1331W ■	**$ 946.95**
		4 Power, 2 Data	EUE2-0000-1421W	**946.95**
Hardwire Single-Sided Outlets				
8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-C221W	**$ 540.32**
11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-C331W	**$ 540.32**
Hardwire Double-Sided Outlets				
8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-C221W	**$1080.63**
11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-C331W	**$1080.63**

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

■ Available on RUSH.

Specification Tips

- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- **For use with 120 volt 60 hertz power source only.**
- **Applications should be reviewed by local authorities (electrical inspector) prior to ordering to verify use is acceptable.**
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.



Fused Plug Detail

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – SIN 711-1; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical and Communication Accessories

Wire Managers

Vertical Wire Manager

Height	Depth	Width	Number	Price
60″(1524mm)	5/8″(16mm)	1″(25mm)	NEV-1 ■	**$46.75**



NEV-1

Class FA – SIN 711-1;
Discount Group XI

Features
- Includes one vertical wire manager and six attachment clips.
- Guides wires or cables vertically from base raceway to worksurface or from worksurface to overhead storage unit or shelf.
- Two wire managers will fit in a single set of panel slots.
- For wire management refer to cable management in Specification Guide.

■ Available on RUSH.

Specification Tips
- May be field cut to appropriate length. Requires two attachment clips per field cut section.
- Wire manager may be installed in same connector slots with shared or handed cantilever support.

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

Vertical Wire Manager

Height	Inside Diameter	Number	Price
17 1/2″(444mm)	7/16″(11mm)	NEV-2 ■	**$113.35**



NEV-2

Class FA – SIN 711-1;
Discount Group XI

Features
- Includes ten vertical wire managers.
- Vertically routes and conceals cords along panel surface above or below the worksurface.
- Wire manager, NEV-2, extends 1/2″(13mm) from panel surface.
- Standard in black trim only.

■ Available on RUSH.

Specification Tips
- Suggested application: use to conceal single task light cord between overhead storage and worksurface.
- May be field cut to appropriate size.
- For NEV-2, panel connectors slots will accommodate a wire manager and one adjacent panel mounted component.

To Order, Specify:

1) Product number.
(No finish specification required.)

Horizontal Wire Manager

Depth	Width	Height	Number	Price
2″(51mm)	15″(381mm)	3″(76mm)	WUAW-1500-PNH ■	**$150.80**



WUAW

Class CA – SIN 711-1;
Discount Group I

Features
- Includes a set of ten, plastic wire managers and mounting screws.
- Manages and stores wire and cables under worksurfaces.
- Standard in Black trim.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**



WUAC-WSG

Class CA – SIN 711-1;
Discount Group I

Features
- Includes one cover.
- Must be field-installed.
- Available in Charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wire Management Loop

Width	Installed Height	Number	Price
2 3/4″(70mm)	4 1/2″(114mm)	NEH-8 ■	**$36.22**

NEH-8

Class CA – SIN 711-1;
Discount Group I

Features
- Includes box of eight wire management loops.
- Manages and stores wires or cables through loops under worksurfaces or desk tops.
- Threaded top allows installation anywhere under worksurfaces in recommended 18″(457mm) intervals.
- Loop capacity: 62 category 5 communication cables.
- Standard in charcoal trim color only.
- Wire management loop in 2″(51mm) in diameter with 3.1 sq. inches of cross section area.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical and Communication Accessories

Port Kits

Monolithic Panel Communications Port Kit



NEC

Height	Width	Description	Number	Price
5″(127mm)	3 1/4″(83mm)	For Info Plate	NEC-1 ■	**$61.94**
3 3/4″(95mm)	3 1/4″(83mm)	For Single Gang Outlet	NEC-2 ■	**61.94**

Features

- Includes outlet plate mounting bracket, face plate, and mounting template.
- Two types are available to accommodate the following connector modules:
  –One information plate opening, 1.38″(35mm) wide x 2.70″(69mm) high.
  –One single gang outlet face plate opening, 2″(51mm) wide x 2 3/4″(70mm) high.
- Provides communication access on the panel face of fabric surface Monolithic to communication cables routed in the top cable pathway or bottom raceway.
- May be located 2″(51mm) in from the edge of the panel, 18″(457mm), 34″(864mm), and 43″(1092mm) up from the bottom (to bottom of port) of the base raceway.
- Standard in charcoal trim color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- May be installed on the left or right side of the panel face.
- May be installed back-to-back.
- Requires field modification of the panel.
- Communications information plates are not provided by Haworth and must be purchased separately.

Information Plate Communication Port Kits



NECK-1



NECK-2

2 3/4″(70mm)	4″(102mm)	For Info Plate	NECK-1 ■	**$57.26**
2 1/8″(54mm)	4 1/8″(105mm)	For Standard Outlet	NECK-2 ■	**79.47**

Features

- Provides communications port on stack kit pad face.
- Two types are available:
  –NECK-1 provides front and back mounting frames.
  –NECK-2 provides a backer plate.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

Specification Tips

- Requires a field-cut hole 2 1/2″(61mm) high x 3 5/8″(92mm) wide.
- Field-cut hole must be a minimum of 3″(76mm) from the perimeter of the pad to maintain structural stability.
- Communications information plates are not provided by Haworth and must be purchased separately.
- Verify clearance with any power components that may be mounted behind pad.
- For use with fabric tackable and fabric acoustical tackable pads only.

Electrical and Communication Accessories

Cable Management

Cable Hanger

Height	Depth	Width	Number	Price
4″(102mm)	2″(51mm)	2″(51mm)	NECH-1 ■	**$37.40**



NECH-1

NOTE:
Two cable hangers ship with every powered stack kit.

Features
- Includes package of six cable hangers.
- Provides holding place for communications cables within stack kit.
- Snaps on the horizontal cross bar.
- Standard in black trim color only.
- See the Cable Management section in the Specification Guide for cable capacity.

■ Available on RUSH.

Specification Tip
- Use for 18″(457mm) panel applications when cable routing is required.

To Order, Specify:

1) Product number.
(No finish specification required.)

Vertical Cable Guide

Height	Depth	Width	Number	Price
3/4″(19mm)	1/2″(13mm)	3″(76mm)	NECG-V	**$50.24**



NECG-V

NOTE:
One vertical cable guide ships with every super base panel. Order additional as needed.

Features
- Includes package of twelve cable guides.
- Manages communications cables vertically.
- Self-adhesive back attaches to the top or bottom of a base panel frame, or a horizontal cross bar.
- Standard in gray trim color only.
- See the Cable Management section in the Specification Guide for cable capacity.

To Order, Specify:

1) Product number.
(No finish specification required.)

Single Gang Communication Adaptor Plate

Height	Depth	Width	Number	Price
4 1/8″(105mm)	1/8″(3mm)	2 1/2″(64mm)	NECB-2 ■	**$38.56**



NECB-2

Features
- Includes one communication adaptor plate.
- Provides retrofit mounting location for standard single-gang outlet size communications plate on painted, wood or markerboard pads and/or base raceway covers.
- Standard wall outlet size: 2 1/4″(57mm) high by 3 3/4″(95mm) wide (NEMA WD-6 specification).
- Self locates behind communications pad for screw attachment.
- Standard in black trim color only.

■ Available on RUSH.

Specification Tips
- Field porting required.
- Not recommended for fabric pads.

To Order, Specify:

1) Product number.
(No finish specification required.)

Cable Trough

Height	Depth	Width	Number	Price
1 1/2″(38mm)	1 1/2″(38mm)	24″(610mm)	NEC4-24	**$65.46**
		30″(762mm)	NEC4-30	**66.87**
		36″(914mm)	NEC4-36	**68.28**
		42″(1067mm)	NEC4-42	**69.69**
		48″(1219mm)	NEC4-48	**71.10**
		60″(1524mm)	NEC4-60	**73.92**



NEC4

Features
- Includes one trough and mounting hardware.
- Provides horizontal routing of communications cables within stack kit and mounting location for beltline and standing-height power distribution assembly.
- Mounts on the stack kit vertical cross bar members.
- Standard in charcoal trim color only.
- See the Cable Management section in the Specification Guide for cable capacity.

Specification Tip
- To be used with PREMISE power and communications technology pads only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical and Communication Accessories

Cable Management

Cable Reel

Height	Depth	Width	Number	Price
5″(127mm)	2″(51mm)	4″(102mm)	NECR-1 ■	**$64.27**



NECR-1
Right-side up application



Upside down application

Features
- Includes one reel.
- Provides bulk storage of copper and fiber cables.
- Mounts right-side up on a horizontal cross bar. Can also be mounted upside down on a horizontal cross bar between two stack kits.
- Standard in charcoal finish color only.
- See the Cable Management section in the specification guide for cable capacity.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Straight Cable Guide

3″(76mm)	7/16″(11mm)	1″(25mm)	NECG-3-S	**$79.46**
5″(127mm)			NECG-5-S	**79.46**



NECG-3-S
NECG-5-S

NOTE:
5″(127mm) straight cable guides ship with power kits.

Features
- Includes package of twelve guides.
- Provides concealed routing of communications cables or flex connector between stack kits in a straight connection, or the outside of a two-way or three-way connection.
- Mounts in the connector slots.
- Standard in charcoal trim color only.
- See the Cable Management section in the specification guide for cable capacity.
- Cannot be used with conduit connectors or 10″(254mm) slat pads.

To Order, Specify:

1) Product number.
(No finish specification required.)

90° Corner Cable Guide

3″(76mm)	7/8″(22mm)	7/8″(22mm)	NECG-3-C	**$79.46**
5″(127mm)			NECG-5-C	**79.46**



NECG-3-C
NECG-5-C

NOTE:
5″(127mm) corner cable guides ship with power kits.

Features
- Includes package of twelve guides.
- Provides concealed routing of communications cables or flex connector between stack kits at a two-way or three-way connection.
- Mounts in the connector slots.
- Standard in charcoal trim color only.
- See the Cable Management section in the specification guide for cable capacity.

Specification Tips
- Cable bend radius is less than 1″(25mm), see Cable Management section in the specification guide for proper cable routing to meet ANSI minimum standard.
- Cannot be used with conduit connectors.

To Order, Specify:

1) Product number.
(No finish specification required.)

PREMISE Power Distribution for Hardwire Applications

Infeeds	Applications
1 Base Feed	48″(1219mm) or as required
2 Top Feed	Ceiling Height (H) + 18″(457mm)

Panel Applications	Panel Applications
3 Between two junction boxes on one panel	Panel Width (W) - 23″(584mm)
4 Between junction boxes if one per panel	Panel Width (W) - 5″(127mm)
5 Across panel-panel connection	12 1/2″(318mm)
6 Across 3- or 4-Way connection	16 1/2″(419mm)
7 Base to Work-Height	44″(1118mm)
8 Base to standing height	60″(1524mm)
9 Work-Height/Work-Height	88″(2235mm)



PREMISE Hardwire Electrical Components

	Description	Number	Price
Base Feed Module	Monolitic	NEB-1-M	**$434.70**
	Super Base	NEB-1-S	**434.70**



NEB-1-M



NEB-1-S

Features
- Includes one electrical box with 1/2″(13mm) knockouts, one base feed cover plate, one blank plate and panel mounting hardware.
- For panel hardwire connection to floor, column or wall.

Specification Tips
- Order monolithic or super base kit depending on application.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color (standard only).

Electrical Raceway Kit — Base	Monolithic	NEKC-00-PM	**$412.50**
	Super Base	NEKC-00-PS	**412.50**



NEKC-00-PMP



NEKC-00-PS

Features
- Includes one electrical box with 1/2″(13mm) knockouts, two receptacle plate covers and panel mounting hardware.
- For base panel receptacle access.

Specification Tips
- Order monolithic or super base kit depending on panel type.
- Powered raceway cover ordered separately.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color for receptacle covers (standard trim only).

PREMISE Hardwire Electrical Components

	Description	Number	Price
Electrical Raceway Kit — Beltline or Standing Height		NEKD-00-PC	**$412.50**



NEKD-00-PC

Features
- Includes one electrical box with 1/2″(13mm) knockouts, two receptacle plate covers, and mounting hardware.
- For beltline panel receptacle access.

Specification Tips
- Electrical box mounting trough ordered separately.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color for receptacle cover (standard trim only).

Powered Panel Port Kit		NEEA-1-C	**$148.40**



NEEA-1-C

Features
- Includes junction box, cover plate, receptacle, mounting hardware and template.
- Flush mounts to surface of powered, fabric-surface panel.
- Provides plug-in location above or below a panel-attached worksurface. Note: mounts only below worksurface on 42″(1067mm)-high panel.
- May be installed on the left or right side of the panel face.
- Cannot be installed back-to-back.
- Requires field modification of the panel.

Specification Tips
- For use on monolithic panels only.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color for receptacle cover (standard trim only).

Receptacle Cover	Work-Height/Base Raceway Application	NERC-1-C	**$42.07**



NERC-1-C

Features
- To be used with duplex receptacle.
- Duplex receptacle not included.

To Order, Specify:
1) Product number.
2) Trim color (standard trim only).

PREMISE Hardwire Electrical Components

Monolithic Panel Top Feed Module



NETM-NT
NETM-NW

Panel Height	Pole Length	Number	Trim A	Trim B
10′ Ceiling Height				
42″(1067mm) - 53″(1346mm)	95″(2413mm)	NETM-5300-NT	**$616.72**	**$746.54**
64″(1626mm) - 80″(2032mm)	66″(1676mm)	NETM-8000-NT	**568.66**	**666.35**
12′ Ceiling Height				
42″(1067mm) - 53″(1346mm)	119″(3023mm)	NETM-5300-NW	**$646.53**	**$804.91**
64″(1626mm) - 80″(2032mm)	95″(2413mm)	NETM-8000-NW	**598.47**	**724.72**

Features

- Includes electrical box, bezel plates, vertical raceway and installation hardware.
- Removable cover on poles provides access to pathway.
- Required when the building power source is located in the space above the ceiling.
- Routes power and communication from the ceiling to the panel base raceway.
- Maximum 12″(305mm) ceiling height.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- For installation on monolithic panels no less than 24″(610mm) wide.
- Can be used with fabric monolithic panels only.
- Can be used with standard, grooved or wood top cap.
- **Conduit is field supplied.**

Stack Kit on Monolithic or Super Base Panel Top Feed Module



NETP-NT
NETP-NW

Panel Height	Pole Length	Number	Trim A	Trim B
10′ Ceiling Height				
48″(1219mm)	95″(2413mm)	NETP-4800-NT	**$666.15**	**$801.92**
64″(1626mm) - 80″(2032mm)	66″(1676mm)	NETP-8000-NT	**609.19**	**706.88**
12′ Ceiling Height				
48″(1219mm)	119″(3023mm)	NETP-4800-NW	**$695.96**	**$860.29**
64″(1626mm) - 80″(2032mm)	95″(2413mm)	NETP-8000-NW	**639.00**	**765.25**

Features

- Includes electrical box, bezel plates, vertical raceway and installation hardware.
- Removable cover on poles provides access to pathway.
- Required when the building power source is located in the space above the ceiling.
- Routes power and communication from the ceiling to the panel base raceway.
- Maximum 12″(305mm) ceiling height.

To Order, Specify:

1) Product number.
2) Trim color.

Specification Tips

- For installation on monolithic or super base panels no less than 24″(610mm) wide.
- Can be used with standard, grooved or wood top cap.
- **Conduit is field supplied.**
- Mounts to the stack kit cross bar 6″(152mm) from panel end.

PREMISE Hardwire Electrical Components

	Ceiling Height	Number	Price
External Top Feed Module	10′(3048mm)	NETX-10-C	**$690.61**



NETX-10-C

Features

- Includes electrical box, bezel plates, vertical raceway and installation hardware.
- Use when stackable panels include open or glazed stack kits.
- Required when the building power source is located in the space above the ceiling.
- One channel routes power and communications from the ceiling to the base raceway on any panel configuration including open or glazed stack kits.
- **Routes power and communication from the ceiling to the base raceway only at the end of the panel.**
- Maximum 10'(3048mm) ceiling height.

Specification Tips

- Can be used with standard, grooved or wood top cap.
- Does not occupy receptacle port.
- Communication cables exit at base only.
- Can be used in 2- and 3-way conditions by adding additional connector. See specification guide for information.
- **Conduit is field supplied.**

To Order, Specify:

1) Product number.
2) Trim color.*

***Note:** Upcharge list for Metallic trim color Top feed module = **$44.10**.

International Power Components

For power applications outside North America we recommend the use of **Power Logic** soft wiring components. Power Logic offers a system of single circuit power cords and receptacle modules that fit into our non-powered base raceway. Receptacle modules are offered with two sockets (3 and 4 socket versions also available). Each receptacle module has sockets, switches and fuses that are appropriate for each country around the world. Contact the Power Logic regional sales office in your area to help with planning details to assure local electrical code compliance. Contact Power Logic via the Haworth/Power Logic website, (www.powerlogic.net), or through their corporate offices in Cape Town, South Africa at 27-21-704-1450. Power Logic also offers power solutions for desktop, conference table or freestanding power applications.

Power Entry Cord



Cord



Receptacle

Splitter

To route a Power Logic power entry cord from a ceiling, order a hardwire top feed module to conceal the cord.
To mount a Power Logic receptacle at the base raceway, order a non-powered raceway cover and cut appropriate-sized knockout in the field. To mount a Power Logic receptacle in a fabric tile, order standard fabric tile and cut appropriate-sized knockout in the field.

Adaptable Worksurfaces — Laminate

Rectangular





WURA

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36″(914mm) wide and above are drilled for pedestals.

■ Available on RUSH with Standard Core.

Specification Tips

- For additional widths to span a 3-way panel condition, refer to panel-specific worksurface section.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Support column or support leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Option:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	24″(610mm)	WURA-1824-L	$182.37	$187.50	$223.53	$253.99	$ 283.70	$197.08	$202.21	$238.24	$268.70	$ 298.41
	27″(686mm)	WURA-1827-L	196.65	201.94	239.81	270.27	301.48	212.47	217.76	255.63	286.09	317.30
	30″(762mm)	WURA-1830-L	211.38	216.91	257.54	288.00	321.46	228.31	233.84	274.47	304.93	338.39
	33″(838mm)	WURA-1833-L	226.11	231.88	275.27	305.73	341.44	244.15	249.92	293.31	323.77	359.48
	36″(914mm)	WURA-1836-L	240.84	246.85	293.00	323.46	361.42	259.99	266.00	312.15	342.61	380.57
	39″(991mm)	WURA-1839-L	255.57	261.82	310.73	341.19	381.40	275.83	282.08	330.99	361.45	401.66
	42″(1067mm)	WURA-1842-L	270.30	276.79	328.46	358.92	401.38	291.67	298.16	349.83	380.29	422.75
	45″(1143mm)	WURA-1845-L	285.03	291.76	346.19	376.65	421.36	307.51	314.24	368.67	399.13	443.84
	48″(1219mm)	WURA-1848-L	333.37	340.34	397.53	427.99	474.95	356.96	363.93	421.12	451.58	498.54
	51″(1295mm)	WURA-1851-L	348.10	355.31	415.26	445.72	494.93	372.80	380.01	439.96	470.42	519.63
	54″(1372mm)	WURA-1854-L	362.83	370.28	432.99	463.45	514.91	388.64	396.09	458.80	489.26	540.72
	57″(1448mm)	WURA-1857-L	377.56	385.25	450.72	481.18	534.89	404.48	412.17	477.64	508.10	561.81
	60″(1524mm)	WURA-1860-L	392.29	400.22	468.45	498.91	554.87	420.32	428.25	496.48	526.94	582.90
	63″(1600mm)	WURA-1863-L	407.02	415.19	486.18	516.64	574.85	436.16	444.33	515.32	545.78	603.99
	66″(1676mm)	WURA-1866-L	421.75	430.16	503.91	534.37	594.83	452.00	460.41	534.16	564.62	625.08
	69″(1753mm)	WURA-1869-L	436.48	445.13	521.64	552.10	614.81	467.84	476.49	553.00	583.46	646.17
	72″(1829mm)	WURA-1872-L	451.21	460.10	539.37	569.83	634.79	483.68	492.57	571.84	602.30	667.26
	75″(1905mm)	WURA-1875-L	465.94	475.07	557.10	587.56	654.77	499.52	508.65	590.68	621.14	688.35
	78″(1981mm)	WURA-1878-L	480.67	490.04	574.83	605.29	674.75	515.36	524.73	609.52	639.98	709.44
	81″(2057mm)	WURA-1881-L	495.40	505.01	592.56	623.02	694.73	531.20	540.81	628.36	658.82	730.53
	84″(2134mm)	WURA-1884-L	510.13	519.98	610.29	640.75	714.71	547.04	556.89	647.20	677.66	751.62
	87″(2210mm)	WURA-1887-L	524.86	534.95	628.02	658.48	734.69	562.88	572.97	666.04	696.50	772.71
	90″(2286mm)	WURA-1890-L	539.59	549.92	645.75	676.21	754.67	578.72	589.05	684.88	715.34	793.80
	93″(2362mm)	WURA-1893-L	554.32	564.89	663.48	693.94	774.65	594.56	605.13	703.72	734.18	814.89
	96″(2438mm)	WURA-1896-L	569.05	579.86	681.21	711.67	794.63	610.40	621.21	722.56	753.02	835.98
	99″(2515mm)	WURA-1899-L	583.78	594.83	698.94	729.40	814.61	626.24	637.29	741.40	771.86	857.07
	102″(2591mm)	WURA-18A2-L	598.51	609.80	716.67	747.13	834.59	642.08	653.37	760.24	790.70	878.16
	105″(2667mm)	WURA-18A5-L	613.24	624.77	734.40	764.86	854.57	657.92	669.45	779.08	809.54	899.25
	108″(2743mm)	WURA-18A8-L	627.97	639.74	752.13	782.59	874.55	673.76	685.53	797.92	828.38	920.34
	111″(2819mm)	WURA-18B1-L	642.70	654.71	769.86	800.32	894.53	689.60	701.61	816.76	847.22	941.43
	114″(2890mm)	WURA-18B4-L	657.43	669.68	787.59	818.05	914.51	705.44	717.69	835.60	866.06	962.52
	117″(2972mm)	WURA-18B7-L	672.16	684.65	805.32	835.78	934.49	721.28	733.77	854.44	884.90	983.61
	120″(3048mm)	WURA-18C0-L	686.89	699.62	823.05	853.51	954.47	737.12	749.85	873.28	903.74	1004.70
24″(610mm)	24″(610mm)	WURA-2424-L	$205.40	$213.76	$252.64	$283.10	$ 315.22	$220.11	$228.47	$267.35	$297.81	$ 329.93
	27″(686mm)	WURA-2427-L	221.27	229.79	270.51	300.97	334.59	237.09	245.61	286.33	316.79	350.41
	30″(762mm)	WURA-2430-L	237.59	246.35	289.83	320.29	356.16	254.52	263.28	306.76	337.22	373.09
	33″(838mm)	WURA-2433-L	253.91	262.91	309.15	339.61	377.73	271.95	280.95	327.19	357.65	395.77
	36″(914mm)	WURA-2436-L	270.23	279.47	328.47	358.93	399.30	289.38	298.62	347.62	378.08	418.45
	39″(991mm)	WURA-2439-L	286.55	296.03	347.79	378.25	420.87	306.81	316.29	368.05	398.51	441.13
	42″(1067mm)	WURA-2442-L	302.87	312.59	367.11	397.57	442.44	324.24	333.96	388.48	418.94	463.81
	45″(1143mm)	WURA-2445-L	319.19	329.15	386.43	416.89	464.01	341.67	351.63	408.91	439.37	486.49
	48″(1219mm)	WURA-2448-L	369.12	379.32	439.36	469.82	519.19	392.71	402.91	462.95	493.41	542.78
	51″(1295mm)	WURA-2451-L	385.44	395.88	458.68	489.14	540.76	410.14	420.58	483.38	513.84	565.46
	54″(1372mm)	WURA-2454-L	401.76	412.44	478.00	508.46	562.33	427.57	438.25	503.81	534.27	588.14
	57″(1448mm)	WURA-2457-L	418.08	429.00	497.32	527.78	583.90	445.00	455.92	524.24	554.70	610.82
	60″(1524mm)	WURA-2460-L	434.40	445.56	516.64	547.10	605.47	462.43	473.59	544.67	575.13	633.50
	63″(1600mm)	WURA-2463-L	450.72	462.12	535.96	566.42	627.04	479.86	491.26	565.10	595.56	656.18
	66″(1676mm)	WURA-2466-L	467.04	478.68	555.28	585.74	648.61	497.29	508.93	585.53	615.99	678.86
	69″(1753mm)	WURA-2469-L	483.36	495.24	574.60	605.06	670.18	514.72	526.60	605.96	636.42	701.54
	72″(1829mm)	WURA-2472-L	499.68	511.80	593.92	624.38	691.75	532.15	544.27	626.39	656.85	724.22
	75″(1905mm)	WURA-2475-L	516.00	528.36	613.24	643.70	713.32	549.58	561.94	646.82	677.28	746.90
	78″(1981mm)	WURA-2478-L	532.32	544.92	632.56	663.02	734.89	567.01	579.61	667.25	697.71	769.58
	81″(2057mm)	WURA-2481-L	548.64	561.48	651.88	682.34	756.46	584.44	597.28	687.68	718.14	792.26
	84″(2134mm)	WURA-2484-L	564.96	578.04	671.20	701.66	778.03	601.87	614.95	708.11	738.57	814.94
	87″(2210mm)	WURA-2487-L	581.28	594.60	690.52	720.98	799.60	619.30	632.62	728.54	759.00	837.62
	90″(2286mm)	WURA-2490-L	597.60	611.16	709.84	740.30	821.17	636.73	650.29	748.97	779.43	860.30
	93″(2362mm)	WURA-2493-L	613.92	627.72	729.16	759.62	842.74	654.16	667.96	769.40	799.86	882.98
	96″(2438mm)	WURA-2496-L	630.24	644.28	748.48	778.94	864.31	671.59	685.63	789.83	820.29	905.66
	99″(2515mm)	WURA-2499-L	646.56	660.84	767.80	798.26	885.88	689.02	703.30	810.26	840.72	928.34
	102″(2591mm)	WURA-24A2-L	662.88	677.40	787.12	817.58	907.45	706.45	720.97	830.69	861.15	951.02
	105″(2667mm)	WURA-24A5-L	679.20	693.96	806.44	836.90	929.02	723.88	738.64	851.12	881.58	973.70
	108″(2743mm)	WURA-24A8-L	695.52	710.52	825.76	856.22	950.59	741.31	756.31	871.55	902.01	996.38
	111″(2819mm)	WURA-24B1-L	711.84	727.08	845.08	875.54	972.16	758.74	773.98	891.98	922.44	1019.06
	114″(2890mm)	WURA-24B4-L	728.16	743.64	864.40	894.86	993.73	776.17	791.65	912.41	942.87	1041.74
	117″(2972mm)	WURA-24B7-L	744.48	760.20	883.72	914.18	1015.30	793.60	809.32	932.84	963.30	1064.42
	120″(3048mm)	WURA-24C0-L	760.80	776.76	903.04	933.50	1036.87	811.03	826.99	953.27	983.73	1087.10

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
30″(762mm)	24″(610mm)	WURA-3024-L	$262.97	$271.53	$ 327.49	$ 357.95	$ 409.75	$277.68	$286.24	$ 342.20	$ 372.66	$ 424.46
	27″(686mm)	WURA-3027-L	280.40	289.12	346.92	377.38	430.68	296.22	304.94	362.74	393.20	446.50
	30″(762mm)	WURA-3030-L	298.28	307.24	367.80	398.26	453.81	315.21	324.17	384.73	415.19	470.74
	33″(838mm)	WURA-3033-L	316.16	325.36	388.68	419.14	476.94	334.20	343.40	406.72	437.18	494.98
	36″(914mm)	WURA-3036-L	334.04	343.48	409.56	440.02	500.07	353.19	362.63	428.71	459.17	519.22
	39″(991mm)	WURA-3039-L	351.92	361.60	430.44	460.90	523.20	372.18	381.86	450.70	481.16	543.46
	42″(1067mm)	WURA-3042-L	369.80	379.72	451.32	481.78	546.33	391.17	401.09	472.69	503.15	567.70
	45″(1143mm)	WURA-3045-L	387.68	397.84	472.20	502.66	569.46	410.16	420.32	494.68	525.14	591.94
	48″(1219mm)	WURA-3048-L	439.17	449.57	526.69	557.15	626.20	462.76	473.16	550.28	580.74	649.79
	51″(1295mm)	WURA-3051-L	457.05	467.69	547.57	578.03	649.33	481.75	492.39	572.27	602.73	674.03
	54″(1372mm)	WURA-3054-L	474.93	485.81	568.45	598.91	672.46	500.74	511.62	594.26	624.72	698.27
	57″(1448mm)	WURA-3057-L	492.81	503.93	589.33	619.79	695.59	519.73	530.85	616.25	646.71	722.51
	60″(1524mm)	WURA-3060-L	510.69	522.05	610.21	640.67	718.72	538.72	550.08	638.24	668.70	746.75
	63″(1600mm)	WURA-3063-L	528.57	540.17	631.09	661.55	741.85	557.71	569.31	660.23	690.69	770.99
	66″(1676mm)	WURA-3066-L	546.45	558.29	651.97	682.43	764.98	576.70	588.54	682.22	712.68	795.23
	69″(1753mm)	WURA-3069-L	564.33	576.41	672.85	703.31	788.11	595.69	607.77	704.21	734.67	819.47
	72″(1829mm)	WURA-3072-L	582.21	594.53	693.73	724.19	811.24	614.68	627.00	726.20	756.66	843.71
	75″(1905mm)	WURA-3075-L	600.09	612.65	714.61	745.07	834.37	633.67	646.23	748.19	778.65	867.95
	78″(1981mm)	WURA-3078-L	617.97	630.77	735.49	765.95	857.50	652.66	665.46	770.18	800.64	892.19
	81″(2057mm)	WURA-3081-L	635.85	648.89	756.37	786.83	880.63	671.65	684.69	792.17	822.63	916.43
	84″(2134mm)	WURA-3084-L	653.73	667.01	777.25	807.71	903.76	690.64	703.92	814.16	844.62	940.67
	87″(2210mm)	WURA-3087-L	671.61	685.13	798.13	828.59	926.89	709.63	723.15	836.15	866.61	964.91
	90″(2286mm)	WURA-3090-L	689.49	703.25	819.01	849.47	950.02	728.62	742.38	858.14	888.60	989.15
	93″(2362mm)	WURA-3093-L	707.37	721.37	839.89	870.35	973.15	747.61	761.61	880.13	910.59	1013.39
	96″(2438mm)	WURA-3096-L	725.25	739.49	860.77	891.23	996.28	766.60	780.84	902.12	932.58	1037.63
	99″(2515mm)	WURA-3099-L	743.13	757.61	881.65	912.11	1019.41	785.59	800.07	924.11	954.57	1061.87
	102″(2591mm)	WURA-30A2-L	761.01	775.73	902.53	932.99	1042.54	804.58	819.30	946.10	976.56	1086.11
	105″(2667mm)	WURA-30A5-L	778.89	793.85	923.41	953.87	1065.67	823.57	838.53	968.09	998.55	1110.35
	108″(2743mm)	WURA-30A8-L	796.77	811.97	944.29	974.75	1088.80	842.56	857.76	990.08	1020.54	1134.59
	111″(2819mm)	WURA-30B1-L	814.65	830.09	965.17	995.63	1111.93	861.55	876.99	1012.07	1042.53	1158.83
	114″(2890mm)	WURA-30B4-L	832.53	848.21	986.05	1016.51	1135.06	880.54	896.22	1034.06	1064.52	1183.07
	117″(2972mm)	WURA-30B7-L	850.41	866.33	1006.93	1037.39	1158.19	899.53	915.45	1056.05	1086.51	1207.31
	120″(3048mm)	WURA-30C0-L	868.29	884.45	1027.81	1058.27	1181.32	918.52	934.68	1078.04	1108.50	1231.55

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Key

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
30″(762mm)	36″(914mm)	WURY-3036-L ■	$591.63	$592.99	$698.38	$729.14	$ 814.70	$635.12	$636.48	$741.87	$ 772.63	$ 858.19
	48″(1219mm)	WURY-3048-L ■	625.22	630.34	735.97	766.73	865.21	671.24	676.36	781.99	812.75	911.23
36″(914mm)	48″(1219mm)	WURY-3648-L ■	$660.48	$668.95	$777.89	$808.65	$ 916.02	$709.26	$717.73	$826.67	$ 857.43	$ 964.80
	60″(1524mm)	WURY-3660-L ■	694.07	706.30	815.48	846.24	966.53	745.38	757.61	866.79	897.55	1017.84
	72″(1829mm)	WURY-3672-L ■	727.66	743.65	853.07	883.83	1017.04	781.50	797.49	906.91	937.67	1070.88
42″(1067mm)	60″(1524mm)	WURY-4260-L ■	$729.33	$744.91	$857.40	$888.16	$1017.34	$783.40	$798.98	$911.47	$ 942.23	$1071.41
	72″(1829mm)	WURY-4272-L ■	762.92	782.26	894.99	925.75	1067.85	819.52	838.86	951.59	982.35	1124.45
48″(1219mm)	60″(1524mm)	WURY-4860-L ■	$764.59	$783.52	$899.32	$930.08	$1068.15	$821.42	$840.35	$956.15	$ 986.91	$1124.98
	72″(1829mm)	WURY-4872-L ■	798.18	820.87	936.91	967.67	1118.66	857.54	880.23	996.27	1027.03	1178.02





WURY

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) wide worksurfaces have two wireways when `A' option ordered.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Flush mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- **Support post or height adjustment disc base is required.**

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-L ◆	$262.62	$266.76	$315.03	$345.19	$386.98	$281.34	$285.48	$333.75	$363.91	$405.70
		30″(762mm)	WURS-1830-L ◆	289.68	294.32	346.74	376.90	422.84	310.38	315.02	367.44	397.60	443.54
		36″(914mm)	WURS-1836-L ◆	317.16	322.40	379.80	409.96	460.88	339.84	345.08	402.48	432.64	483.56
		42″(1067mm)	WURS-1842-L ◆	344.64	350.48	412.86	443.02	498.92	369.30	375.14	437.52	467.68	523.58
		48″(1219mm)	WURS-1848-L ◆	372.12	378.56	445.92	476.08	536.96	398.76	405.20	472.56	502.72	563.60
		54″(1372mm)	WURS-1854-L ◆	399.60	406.64	478.98	509.14	575.00	428.22	435.26	507.60	537.76	603.62
		60″(1524mm)	WURS-1860-L ◆	427.08	434.72	512.04	542.20	613.04	457.68	465.32	542.64	572.80	643.64
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-L ◆	$271.74	$276.12	$325.64	$355.80	$400.50	$290.46	$294.84	$344.36	$374.52	$419.22
		30″(762mm)	WURS-2430-L ◆	298.80	303.68	357.35	387.51	436.36	319.50	324.38	378.05	408.21	457.06
		36″(914mm)	WURS-2436-L ◆	326.28	331.76	390.41	420.57	474.40	348.96	354.44	413.09	443.25	497.08
		42″(1067mm)	WURS-2442-L ◆	353.76	359.84	423.47	453.63	512.44	378.42	384.50	448.13	478.29	537.10
		48″(1219mm)	WURS-2448-L ◆	381.24	387.92	456.53	486.69	550.48	407.88	414.56	483.17	513.33	577.12
		54″(1372mm)	WURS-2454-L ◆	408.72	416.00	489.59	519.75	588.52	437.34	444.62	518.21	548.37	617.14
		60″(1524mm)	WURS-2460-L ◆	436.20	444.08	522.65	552.81	626.56	466.80	474.68	553.25	583.41	657.16
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-L ◆	$357.24	$361.40	$425.26	$455.42	$512.82	$375.96	$380.12	$443.98	$474.14	$531.54
		30″(762mm)	WURS-3030-L ◆	384.30	388.96	456.97	487.13	548.68	405.00	409.66	477.67	507.83	569.38
		36″(914mm)	WURS-3036-L ◆	411.78	417.04	490.03	520.19	586.72	434.46	439.72	512.71	542.87	609.40
		42″(1067mm)	WURS-3042-L ◆	439.26	445.12	523.09	553.25	624.76	463.92	469.78	547.75	577.91	649.42
		48″(1219mm)	WURS-3048-L ◆	466.74	473.20	556.15	586.31	662.80	493.38	499.84	582.79	612.95	689.44
		54″(1372mm)	WURS-3054-L ◆	494.22	501.28	589.21	619.37	700.84	522.84	529.90	617.83	647.99	729.46
		60″(1524mm)	WURS-3060-L ◆	521.70	529.36	622.27	652.43	738.88	552.30	559.96	652.87	683.03	769.48



WURS

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

◆ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side bracket
  - –Worksurface support panel
  - –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ◆
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-L ■	$262.62	$266.76	$315.11	$345.27	$386.98	$281.34	$285.48	$333.83	$363.99	$405.70
		30″(762mm)	WURW-1830-L ■	289.68	294.32	347.22	377.38	422.84	310.38	315.02	367.92	398.08	443.54
		36″(914mm)	WURW-1836-L ■	317.16	322.40	380.76	410.92	460.88	339.84	345.08	403.44	433.60	483.56
		42″(1067mm)	WURW-1842-L ■	344.64	350.48	414.30	444.46	498.92	369.30	375.14	438.96	469.12	523.58
		48″(1219mm)	WURW-1848-L ■	372.12	378.56	447.84	478.00	536.96	398.76	405.20	474.48	504.64	563.60
		54″(1372mm)	WURW-1854-L ■	399.60	406.64	481.38	511.54	575.00	428.22	435.26	510.00	540.16	603.62
		60″(1524mm)	WURW-1860-L ■	427.08	434.72	514.92	545.08	613.04	457.68	465.32	545.52	575.68	643.64
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-L ■	$271.74	$276.12	$324.72	$354.88	$400.50	$290.46	$294.84	$343.44	$373.60	$419.22
		30″(762mm)	WURW-2430-L ■	298.80	303.68	356.83	386.99	436.36	319.50	324.38	377.53	407.69	457.06
		36″(914mm)	WURW-2436-L ■	326.28	331.76	390.37	420.53	474.40	348.96	354.44	413.05	443.21	497.08
		42″(1067mm)	WURW-2442-L ■	353.76	359.84	423.91	454.07	512.44	378.42	384.50	448.57	478.73	537.10
		48″(1219mm)	WURW-2448-L ■	381.24	387.92	457.45	487.61	550.48	407.88	414.56	484.09	514.25	577.12
		54″(1372mm)	WURW-2454-L ■	408.72	416.00	490.99	521.15	588.52	437.34	444.62	519.61	549.77	617.14
		60″(1524mm)	WURW-2460-L ■	436.20	444.08	524.53	554.69	626.56	466.80	474.68	555.13	585.29	657.16
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-L ■	$357.24	$361.40	$425.45	$455.61	$512.82	$375.96	$380.12	$444.17	$474.33	$531.54
		30″(762mm)	WURW-3030-L ■	384.30	388.96	457.56	487.72	548.68	405.00	409.66	478.26	508.42	569.38
		36″(914mm)	WURW-3036-L ■	411.78	417.04	491.10	521.26	586.72	434.46	439.72	513.78	543.94	609.40
		42″(1067mm)	WURW-3042-L ■	439.26	445.12	524.64	554.80	624.76	463.92	469.78	549.30	579.46	649.42
		48″(1219mm)	WURW-3048-L ■	466.74	473.20	558.18	588.34	662.80	493.38	499.84	584.82	614.98	689.44
		54″(1372mm)	WURW-3054-L ■	494.22	501.28	591.72	621.88	700.84	522.84	529.90	620.34	650.50	729.46
		60″(1524mm)	WURW-3060-L ■	521.70	529.36	625.26	655.42	738.88	552.30	559.96	655.86	686.02	769.48



WURW

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/24″(610mm)	24″(610mm)	WURT-2424-L	N34 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N34 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N34 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N34 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N34 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N34 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N34 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/18″(457mm)	24″(610mm)	WURT-2424-L	N43 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N43 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N43 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N43 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N43 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N43 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N43 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/30″(762mm)	24″(610mm)	WURT-3024-L	N45 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N45 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N45 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N45 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N45 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N45 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N45 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86
30″(762mm)/24″(610mm)	24″(610mm)	WURT-3024-L	N54 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N54 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N54 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N54 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N54 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N54 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N54 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86



WURT-N43



WURT-N34

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm) wide, attached pedestal may be installed on deepest side.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

This page intentionally blank

Adaptable Worksurfaces — Laminate

Wedge





WURE-N34



WURE-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Wedge

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-L	N43	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N43	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N43	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N43	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N43	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N43	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N43	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N43	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N43	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N43	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N43	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N43	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N43	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N43	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N43	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N43	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N43	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-L	N34	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N34	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N34	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N34	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N34	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N34	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N34	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N34	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N34	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N34	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N34	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N34	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N34	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N34	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N34	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N34	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N34	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-L	N54	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N54	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N54	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N54	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N54	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N54	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N54	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N54	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N54	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N54	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N54	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N54	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N54	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N54	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N54	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N54	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N54	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-L	N45	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N45	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N45	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N45	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N45	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N45	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N45	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N45	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N45	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N45	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N45	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N45	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N45	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N45	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N45	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N45	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N45	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93

Adaptable Worksurfaces — Laminate

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-L ■■■ N43 ◆	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L ■■■ N43 ◆	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L ■■■ N43 ◆	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L ■■■ N43 ◆	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L ■■■ N43 ◆	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L ■■■ N43 ◆	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L ■■■ N43 ◆	544.00	551.46	764.26	567.70	575.16	787.96
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-L ■■■ N34 ◆	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L ■■■ N34 ◆	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L ■■■ N34 ◆	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L ■■■ N34 ◆	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L ■■■ N34 ◆	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L ■■■ N34 ◆	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L ■■■ N34 ◆	544.00	551.46	764.26	567.70	575.16	787.96
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-L ■■■ N54 ◆	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L ■■■ N54 ◆	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L ■■■ N54 ◆	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L ■■■ N54 ◆	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L ■■■ N54 ◆	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L ■■■ N54 ◆	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L ■■■ N54 ◆	548.18	557.27	775.13	572.19	581.28	799.14
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-L ■■■ N45 ◆	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L ■■■ N45 ◆	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L ■■■ N45 ◆	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L ■■■ N45 ◆	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L ■■■ N45 ◆	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L ■■■ N45 ◆	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L ■■■ N45 ◆	548.18	557.27	775.13	572.19	581.28	799.14



WURG-N34



WURG-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

◆ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
  - –Cantilever bracket
  - –Side brackets
  - –**Worksurface support panel not recommended**
  - –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ◆
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Radius End

Depth	Width	Number ❶❷❸❹	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	24″(610mm)	WURR-1824-L ■	$311.78	$311.48	$364.50	$394.66	$429.62	$330.50	$330.20	$383.22	$413.38	$448.34
	30″(762mm)	WURR-1830-L ■	348.30	347.80	405.72	435.88	474.24	369.42	368.92	426.84	457.00	495.36
	36″(914mm)	WURR-1836-L ■	385.38	384.64	448.44	478.60	521.04	408.90	408.16	471.96	502.12	544.56
	42″(1067mm)	WURR-1842-L ■	422.46	421.48	491.16	521.32	567.84	448.38	447.40	517.08	547.24	593.76
	48″(1219mm)	WURR-1848-L ■	459.54	458.32	533.88	564.04	614.64	487.86	486.64	562.20	592.36	642.96
	54″(1372mm)	WURR-1854-L ■	496.62	495.16	576.60	606.76	661.44	527.34	525.88	607.32	637.48	692.16
	60″(1524mm)	WURR-1860-L ■	533.70	532.00	619.32	649.48	708.24	566.82	565.12	652.44	682.60	741.36
24″(610mm)	24″(610mm)	WURR-2424-L ■	$319.76	$318.76	$372.20	$402.36	$438.98	$338.48	$337.48	$390.92	$421.08	$457.70
	30″(762mm)	WURR-2430-L ■	356.28	355.08	413.42	443.58	483.60	377.40	376.20	434.54	464.70	504.72
	36″(914mm)	WURR-2436-L ■	393.36	391.92	456.14	486.30	530.40	416.88	415.44	479.66	509.82	553.92
	42″(1067mm)	WURR-2442-L ■	430.44	428.76	498.86	529.02	577.20	456.36	454.68	524.78	554.94	603.12
	48″(1219mm)	WURR-2448-L ■	467.52	465.60	541.58	571.74	624.00	495.84	493.92	569.90	600.06	652.32
	54″(1372mm)	WURR-2454-L ■	504.60	502.44	584.30	614.46	670.80	535.32	533.16	615.02	645.18	701.52
	60″(1524mm)	WURR-2460-L ■	541.68	539.28	627.02	657.18	717.60	574.80	572.40	660.14	690.30	750.72
30″(762mm)	24″(610mm)	WURR-3024-L ■	$414.38	$416.52	$488.02	$518.18	$575.22	$433.10	$435.24	$506.74	$536.90	$593.94
	30″(762mm)	WURR-3030-L ■	450.90	452.84	529.24	559.40	619.84	472.02	473.96	550.36	580.52	640.96
	36″(914mm)	WURR-3036-L ■	487.98	489.68	571.96	602.12	666.64	511.50	513.20	595.48	625.64	690.16
	42″(1067mm)	WURR-3042-L ■	525.06	526.52	614.68	644.84	713.44	550.98	552.44	640.60	670.76	739.36
	48″(1219mm)	WURR-3048-L ■	562.14	563.36	657.40	687.56	760.24	590.46	591.68	685.72	715.88	788.56
	54″(1372mm)	WURR-3054-L ■	599.22	600.20	700.12	730.28	807.04	629.94	630.92	730.84	761.00	837.76
	60″(1524mm)	WURR-3060-L ■	636.30	637.04	742.84	773.00	853.84	669.42	670.16	775.96	806.12	886.96

(Right-hand orientation)



(Left-hand orientation)

WURR

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage (for worksurfaces greater than 36″ wide)
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Radius end in all edge options:
  - –Side bracket with worksurface support column or leg. Must offer floor support for PREMISE.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Rectangular — Split Top

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2
24″(610mm)	36″(914mm)	WURK-2436-L ■	$1556.44	$1665.09	$1954.28	$1985.20	$1700.36	$1809.01	$2098.20	$2129.12
	42″(1067mm)	WURK-2442-L ■	1619.40	1731.39	2037.35	2068.27	1767.91	1879.90	2185.86	2216.78
	48″(1219mm)	WURK-2448-L ■	1682.36	1797.69	2120.42	2151.34	1835.46	1950.79	2273.52	2304.44
30″(762mm)	36″(914mm)	WURK-3036-L ■	$1643.64	$1752.29	$2041.48	$2072.40	$1794.49	$1903.14	$2192.33	$2223.25
	42″(1067mm)	WURK-3042-L ■	1706.60	1818.59	2124.55	2155.47	1862.04	1974.03	2279.99	2310.91
	48″(1219mm)	WURK-3048-L ■	1769.56	1884.89	2207.62	2238.54	1929.59	2044.92	2367.65	2398.57





WURK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  –3mm full perimeter T-mold (T), or
  –3mm edgeband (J) or Cascade (V) edge on front and rear front edge, and 1mm on back and side edge of front worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T and J.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Straight Front

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N33 ◆	$474.62	$480.96	$ 668.42	$506.76	$513.10	$ 700.56
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N33 ◆	513.35	519.96	728.20	550.41	557.02	765.26
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N33 ◆	612.07	618.95	847.97	654.05	660.93	889.95
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N33 ◆	646.51	653.66	903.46	693.41	700.56	950.36
24″(610mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N44 ◆	$493.90	$500.24	$ 687.70	$526.04	$532.38	$ 719.84
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N44 ◆	532.63	539.24	747.48	569.69	576.30	784.54
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N44 ◆	631.35	638.23	867.25	673.33	680.21	909.23
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N44 ◆	665.79	672.94	922.74	712.69	719.84	969.64
30″(762mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N55 ◆	$575.31	$581.65	$ 769.11	$607.45	$613.79	$ 801.25
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N55 ◆	614.04	620.65	828.89	651.10	657.71	865.95
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N55 ◆	712.76	719.64	948.66	754.74	761.62	990.64
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N55 ◆	747.20	754.35	1004.15	794.10	801.25	1051.05





WUCA

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

◆ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ◆
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCR-3636-L N33	■	$409.84	$420.30	$482.40	$513.46	$ 595.77	$439.70	$450.16	$512.26	$543.32	$ 625.63
	42″(1067mm)	WUCR-4242-L N33	■	480.76	499.92	570.72	601.78	687.75	515.84	535.00	605.80	636.86	722.83
	48″(1219mm)	WUCR-4848-L N33	■	551.68	579.54	659.04	690.10	779.73	591.98	619.84	699.34	730.40	820.03
	54″(1372mm)	WUCR-5454-L N33	■	622.60	659.16	747.36	778.42	871.71	668.12	704.68	792.88	823.94	917.23
24″(610mm)	36″(914mm)	WUCR-3636-L N44	■	$475.96	$481.12	$552.38	$583.44	$ 661.45	$510.68	$515.84	$587.10	$618.16	$ 696.17
	42″(1067mm)	WUCR-4242-L N44	■	546.88	560.74	640.70	671.76	753.43	586.82	600.68	680.64	711.70	793.37
	48″(1219mm)	WUCR-4848-L N44	■	617.80	640.36	729.02	760.08	845.41	662.96	685.52	774.18	805.24	890.57
	54″(1372mm)	WUCR-5454-L N44	■	688.72	719.98	817.34	848.40	937.39	739.10	770.36	867.72	898.78	987.77
30″(762mm)	36″(914mm) [1]	WUCR-3636-L N55	■	$542.08	$541.94	N/A	N/A	$ 727.13	$581.66	$581.52	N/A	N/A	$ 766.71
	42″(1067mm)	WUCR-4242-L N55	■	613.00	621.56	710.68	741.74	819.11	657.80	666.36	755.48	786.54	863.91
	48″(1219mm)	WUCR-4848-L N55	■	683.92	701.18	799.00	830.06	911.09	733.94	751.20	849.02	880.08	961.11
	54″(1372mm)	WUCR-5454-L N55	■	754.84	780.80	887.32	918.38	1003.07	810.08	836.04	942.56	973.62	1058.31

[1] Cascade edge option not available in this size.



WUCR

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Notched

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCN-3636-L ▪ ▪ ▪ N33 ◆	$449.19	$456.92	$533.15	$563.61	$ 641.00	$480.70	$488.43	$564.66	$595.12	$ 672.51
	42″(1067mm)	WUCN-4242-L ▪ ▪ ▪ N33 ◆	524.29	531.47	617.45	647.91	737.85	562.10	569.28	655.26	685.72	775.66
	48″(1219mm)	WUCN-4848-L ▪ ▪ ▪ N33 ◆	600.55	607.07	704.75	735.21	840.21	644.66	651.18	748.86	779.32	884.32
	54″(1372mm)	WUCN-5454-L ▪ ▪ ▪ N33 ◆	702.02	707.88	817.26	847.72	967.78	752.43	758.29	867.67	898.13	1018.19
24″(610mm)	36″(914mm)	WUCN-3636-L ▪ ▪ ▪ N44 ◆	$466.00	$473.73	$549.96	$580.42	$ 657.81	$497.51	$505.24	$581.47	$611.93	$ 689.32
	42″(1067mm)	WUCN-4242-L ▪ ▪ ▪ N44 ◆	541.10	548.28	634.26	664.72	754.66	578.91	586.09	672.07	702.53	792.47
	48″(1219mm)	WUCN-4848-L ▪ ▪ ▪ N44 ◆	617.36	623.88	721.56	752.02	857.02	661.47	667.99	765.67	796.13	901.13
	54″(1372mm)	WUCN-5454-L ▪ ▪ ▪ N44 ◆	718.83	724.69	834.07	864.53	984.59	769.24	775.10	884.48	914.94	1035.00
30″(762mm)	36″(914mm) [1]	WUCN-3636-L ▪ ▪ ▪ N55 ◆	$482.80	$490.53	N/A	N/A	$ 674.61	$514.31	$522.04	N/A	N/A	$ 706.12
	42″(1067mm)	WUCN-4242-L ▪ ▪ ▪ N55 ◆	557.90	565.08	$651.06	$681.52	771.46	595.71	602.89	$688.87	$719.33	809.27
	48″(1219mm)	WUCN-4848-L ▪ ▪ ▪ N55 ◆	634.16	640.68	738.36	768.82	873.82	678.27	684.79	782.47	812.93	917.93
	54″(1372mm)	WUCN-5454-L ▪ ▪ ▪ N55 ◆	735.63	741.49	850.87	881.33	1001.39	786.04	791.90	901.28	931.74	1051.80

[1]Cascade edge option not available in this size.



WUCN

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

◆ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▪ N or KU3A-0023-▪ ▪ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ◆
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Angled

Left/Right Depth	Width	Number ❶❷❸❹	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCU-3636-L□□□□33 ■	$456.73	$462.51	$ 607.84	$486.43	$492.21	$ 637.54
	42″(1067mm)	WUCU-4242-L□□□□33 ■	500.08	505.08	687.43	536.77	541.77	724.12
	48″(1219mm)	WUCU-4848-L□□□□33 ■	596.47	600.69	820.06	640.15	644.37	863.74
	54″(1372mm)	WUCU-5454-L□□□□33 ■	692.86	696.30	952.69	743.53	746.97	1003.36
24″(610mm)	36″(914mm)	WUCU-3636-L□□□□44 ■	$481.23	$484.79	$ 636.98	$512.71	$516.27	$ 668.46
	42″(1067mm)	WUCU-4242-L□□□□44 ■	524.58	527.36	716.57	563.05	565.83	755.04
	48″(1219mm)	WUCU-4848-L□□□□44 ■	620.97	622.97	849.20	666.43	668.43	894.66
	54″(1372mm)	WUCU-5454-L□□□□44 ■	717.36	718.58	981.83	769.81	771.03	1034.28
30″(762mm)	36″(914mm)	WUCU-3636-L□□□□55 ■	$505.73	$507.07	$ 666.12	$538.99	$540.33	$ 699.38
	42″(1067mm)	WUCU-4242-L□□□□55 ■	549.08	549.64	745.71	589.33	589.89	785.96
	48″(1219mm)	WUCU-4848-L□□□□55 ■	645.47	645.25	878.34	692.71	692.49	925.58
	54″(1372mm)	WUCU-5454-L□□□□55 ■	741.86	740.86	1010.97	796.09	795.09	1065.20



(Left-hand orientation)



(Right-hand orientation)

WUCU

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Rear corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-□N or KU3A-0023-□□ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-L N34 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L N34 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L N34 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L N34 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-L N43 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L N43 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L N43 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L N43 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/30″(762mm)	36″(914mm)(1)	WUCT-3636-L N45 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L N45 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L N45 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L N45 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04
30″(762mm)/24″(610mm)	36″(914mm)(1)	WUCT-3636-L N54 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L N54 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L N54 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L N54 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04

(1)Cascade & knife edge not available in these sizes.





WUCT-N34



WUCT-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-L ■ ■ ■ N34 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N34 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N34 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N34 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-L ■ ■ ■ N43 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N43 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N43 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N43 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/30″(762mm)	36″(914mm)(1)	WUCH-3636-L ■ ■ ■ N45 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N45 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N45 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N45 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30
30″(762mm)/24″(610mm)	36″(914mm)(1)	WUCH-3636-L ■ ■ ■ N54 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N54 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N54 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N54 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30

(1)Cascade & knife edge not available in these sizes.



WUCH-N34



WUCH-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Angled Transitional

Left/Right Depth	Width	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-L	34 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L	34 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L	34 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L	34 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-L	43 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L	43 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L	43 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L	43 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-L	45 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L	45 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L	45 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L	45 ■	729.61	729.72	996.40	782.95	783.06	1049.74
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-L	54 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L	54 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L	54 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L	54 ■	729.61	729.72	996.40	782.95	783.06	1049.74



(Left-hand orientation)

WUCF-N34



(Right-hand orientation)

WUCF-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Split Top

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	Laminate B T	J	V1	V2
24″(610mm)	48″(1219mm)	WUCK-4848-L ■■■ N44 ■	$1916.30	$1983.86	$2336.97	$2372.31	$1984.86	$2052.42	$2405.53	$2440.87
30″(762mm)	48″(1219mm)	WUCK-4848-L ■■■ N55 ■	$1974.14	$2041.70	$2394.81	$2437.65	$2057.70	$2125.26	$2478.37	$2521.21



WUCK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  –3mm full perimeter T-mold (T), or
  –3mm edgeband (J) or Cascade (V) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- Fixed-height rear worksurface predrilled to accept standard cantilever brackets.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T and J.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

This page intentionally blank

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended





(Right-hand orientation)
WUCE-R44



(Left-hand orientation)
WUCE-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	33	$ 732.54	$ 757.41	$ 886.20	$ 916.96	$1017.31	$ 778.15	$ 803.02	$ 931.81	$ 962.57	$1062.92
		48″(1219mm)	WUCE-3648-L	33	739.74	767.36	898.51	929.27	1037.45	785.88	813.50	944.65	975.41	1083.59
		54″(1372mm)	WUCE-3654-L	33	746.94	777.31	910.82	941.58	1057.59	793.61	823.98	957.49	988.25	1104.26
		60″(1524mm)	WUCE-3660-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		66″(1676mm)	WUCE-3666-L	33	834.62	870.49	1008.72	1039.48	1171.15	882.35	918.22	1056.45	1087.21	1218.88
		72″(1829mm)	WUCE-3672-L	33	902.57	941.19	1081.78	1112.54	1252.04	950.83	989.45	1130.04	1160.80	1300.30
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	44	$ 760.68	$ 785.55	$ 914.34	$ 945.10	$1045.45	$ 808.53	$ 833.40	$ 962.19	$ 992.95	$1093.30
		48″(1219mm)	WUCE-3648-L	44	767.88	795.50	926.65	957.41	1065.59	816.26	843.88	975.03	1005.79	1113.97
		54″(1372mm)	WUCE-3654-L	44	775.08	805.45	938.96	969.72	1085.73	823.99	854.36	987.87	1018.63	1134.64
		60″(1524mm)	WUCE-3660-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		66″(6764mm)	WUCE-3666-L	44	862.76	898.63	1036.86	1067.62	1199.29	912.73	948.60	1086.83	1117.59	1249.26
		72″(1829mm)	WUCE-3672-L	44	930.71	969.33	1109.92	1140.68	1280.18	981.21	1019.83	1160.42	1191.18	1330.68
30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCE-3642-L	55	$ 907.63	$ 932.50	N/A	N/A	$1192.40	$ 957.72	$ 982.59	N/A	N/A	$1242.49
		48″(1219mm)[1]	WUCE-3648-L	55	914.83	942.45	N/A	N/A	1212.54	965.45	993.07	N/A	N/A	1263.16
		54″(1372mm)[1]	WUCE-3654-L	55	922.03	952.40	N/A	N/A	1232.68	973.18	1003.55	N/A	N/A	1283.83
		60″(1524mm)[1]	WUCE-3660-L	55	929.23	962.35	N/A	N/A	1252.82	980.91	1014.03	N/A	N/A	1304.50
		66″(1676mm)[1]	WUCE-3666-L	55	1009.71	1045.58	N/A	N/A	1346.24	1061.92	1097.79	N/A	N/A	1398.45
		72″(1829mm)[1]	WUCE-3672-L	55	1077.66	1116.28	N/A	N/A	1427.13	1130.40	1169.02	N/A	N/A	1479.87
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	33	$ 746.94	$ 777.31	$ 910.82	$ 941.58	$1057.59	$ 793.61	$ 823.98	$ 957.49	$ 988.25	$1104.26
		54″(1372mm)	WUCE-4254-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		60″(1524mm)	WUCE-4260-L	33	761.34	797.21	935.44	966.20	1097.87	809.07	844.94	983.17	1013.93	1145.60
		66″(1676mm)	WUCE-4266-L	33	860.14	898.76	1039.35	1070.11	1209.61	908.40	947.02	1087.61	1118.37	1257.87
		72″(1829mm)	WUCE-4272-L	33	928.09	969.46	1112.41	1143.17	1290.50	976.88	1018.25	1161.20	1191.96	1339.29
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	44	$ 775.08	$ 805.45	$ 938.96	$ 969.72	$1085.73	$ 823.99	$ 854.36	$ 987.87	$1018.63	$1134.64
		54″(1372mm)	WUCE-4254-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		60″(1524mm)	WUCE-4260-L	44	789.48	825.35	963.58	994.34	1126.01	839.45	875.32	1013.55	1044.31	1175.98
		66″(1676mm)	WUCE-4266-L	44	888.28	926.90	1067.49	1098.25	1237.75	938.78	977.40	1117.99	1148.75	1288.25
		72″(1829mm)	WUCE-4272-L	44	956.23	997.60	1140.55	1171.31	1318.64	1007.26	1048.63	1191.58	1222.34	1369.67
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-L	55	$ 922.03	$ 952.40	$1085.91	$1116.67	$1232.68	$ 973.18	$1003.55	$1137.06	$1167.82	$1283.83
		54″(1372mm)	WUCE-4254-L	55	929.23	962.35	1098.22	1128.98	1252.82	980.91	1014.03	1149.90	1180.66	1304.50
		60″(1524mm)	WUCE-4260-L	55	936.43	972.30	1110.53	1141.29	1272.96	988.64	1024.51	1162.74	1193.50	1325.17
		66″(1676mm)	WUCE-4266-L	55	1035.23	1073.85	1214.44	1245.20	1384.70	1087.97	1126.59	1267.18	1297.94	1437.44
		72″(1829mm)	WUCE-4272-L	55	1103.18	1144.55	1287.50	1318.26	1465.59	1156.45	1197.82	1340.77	1371.53	1518.86
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	33	$ 761.34	$ 797.21	$ 935.44	$ 966.20	$1097.87	$ 809.07	$ 844.94	$ 983.17	$1013.93	$1145.60
		60″(1524mm)	WUCE-4860-L	33	768.54	807.16	947.75	978.51	1118.01	816.80	855.42	996.01	1026.77	1166.27
		66″(1676mm)	WUCE-4866-L	33	885.66	927.03	1069.98	1100.74	1248.07	934.45	975.82	1118.77	1149.53	1296.86
		72″(1829mm)	WUCE-4872-L	33	953.61	997.73	1143.04	1173.80	1328.96	1002.93	1047.05	1192.36	1223.12	1378.28
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	44	$ 789.48	$ 825.35	$ 963.58	$ 994.34	$1126.01	$ 839.45	$ 875.32	$1013.55	$1044.31	$1175.98
		60″(1524mm)	WUCE-4860-L	44	796.68	835.30	975.89	1006.65	1146.15	847.18	885.80	1026.39	1057.15	1196.65
		66″(1676mm)	WUCE-4866-L	44	913.80	955.17	1098.12	1128.88	1276.21	964.83	1006.20	1149.15	1179.91	1327.24
		72″(1829mm)	WUCE-4872-L	44	981.75	1025.87	1171.18	1201.94	1357.10	1033.31	1077.43	1222.74	1253.50	1408.66
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	55	$ 936.43	$ 972.30	$1110.53	$1141.29	$1272.96	$ 988.64	$1024.51	$1162.74	$1193.50	$1325.17
		60″(1524mm)	WUCE-4860-L	55	943.63	982.25	1122.84	1153.60	1293.10	996.37	1034.99	1175.58	1206.34	1345.84
		66″(1676mm)	WUCE-4866-L	55	1060.75	1102.12	1245.07	1275.83	1423.16	1114.02	1155.39	1298.34	1329.10	1476.43
		72″(1829mm)	WUCE-4872-L	55	1128.70	1172.82	1318.13	1348.89	1504.05	1182.50	1226.62	1371.93	1402.69	1557.85
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	33	$ 775.74	$ 817.11	$ 960.06	$ 990.82	$1138.15	$ 824.53	$ 865.90	$1008.85	$1039.61	$1186.94
		66″(1676mm)	WUCE-5466-L	33	911.18	955.30	1100.61	1131.37	1286.53	960.50	1004.62	1149.93	1180.69	1335.85
		72″(1829mm)	WUCE-5472-L	33	979.13	1026.00	1173.67	1204.43	1367.42	1028.98	1075.85	1223.52	1254.28	1417.27
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	44	$ 803.88	$ 845.25	$ 988.20	$1018.96	$1166.29	$ 854.91	$ 896.28	$1039.23	$1069.99	$1217.32
		66″(1676mm)	WUCE-5466-L	44	939.32	983.44	1128.75	1159.51	1314.67	990.88	1035.00	1180.31	1211.07	1366.23
		72″(1829mm)	WUCE-5472-L	44	1007.27	1054.14	1201.81	1232.57	1395.56	1059.36	1106.23	1253.90	1284.66	1447.65
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	55	$ 950.83	$ 992.20	$1135.15	$1165.91	$1313.24	$1004.10	$1045.47	$1188.42	$1219.18	$1366.51
		66″(1676mm)	WUCE-5466-L	55	1086.27	1130.39	1275.70	1306.46	1461.62	1140.07	1184.19	1329.50	1360.26	1515.42
		72″(1829mm)	WUCE-5472-L	55	1154.22	1201.09	1348.76	1379.52	1542.51	1208.55	1255.42	1403.09	1433.85	1596.84
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	33	$ 936.70	$ 983.57	$1131.24	$1162.00	$1324.99	$ 986.55	$1033.42	$1181.09	$1211.85	$1374.84
		72″(1829mm)	WUCE-6072-L	33	1004.65	1054.27	1204.30	1235.06	1405.88	1055.03	1104.65	1254.68	1285.44	1456.26
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	44	$ 964.84	$1011.71	$1159.38	$1190.14	$1353.13	$1016.93	$1063.80	$1211.47	$1242.23	$1405.22
		72″(1829mm)	WUCE-6072-L	44	1032.79	1082.41	1232.44	1263.20	1434.02	1085.41	1135.03	1285.06	1315.82	1486.64
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	55	$1111.79	$1158.66	$1306.33	$1337.09	$1500.08	$1166.12	$1212.99	$1360.66	$1391.42	$1554.41
		72″(1829mm)	WUCE-6072-L	55	1179.74	1229.36	1379.39	1410.15	1580.97	1234.60	1284.22	1434.25	1465.01	1635.83

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended





(Right-hand orientation)
WUCP-R44



(Left-hand orientation)
WUCP-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
  - –Disc Base
  - –Support post or support column
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	33	$ 750.32	$ 757.34	$ 885.66	$ 916.72	$1026.21	$ 804.95	$ 811.97	$ 940.29	$ 971.35	$1080.84
		48″(1219mm)	WUCP-3648-L	33	770.23	778.78	909.86	940.92	1058.24	826.30	834.85	965.93	996.99	1114.31
		54″(1372mm)	WUCP-3654-L	33	790.14	800.22	934.06	965.12	1090.27	847.65	857.73	991.57	1022.63	1147.78
		60″(1524mm)	WUCP-3660-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		66″(1676mm)	WUCP-3666-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		72″(1829mm)	WUCP-3672-L	33	966.63	981.30	1123.42	1154.48	1303.12	1028.46	1043.13	1185.25	1216.31	1364.95
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	44	$ 774.52	$ 781.54	$ 909.86	$ 940.92	$1050.41	$ 831.09	$ 838.11	$ 966.43	$ 997.49	$1106.98
		48″(1219mm)	WUCP-3648-L	44	794.43	802.98	934.06	965.12	1082.44	852.44	860.99	992.07	1023.13	1140.45
		54″(1372mm)	WUCP-3654-L	44	814.34	824.42	958.26	989.32	1114.47	873.79	883.87	1017.71	1048.77	1173.92
		60″(1524mm)	WUCP-3660-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		66″(1676mm)	WUCP-3666-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		72″(1829mm)	WUCP-3672-L	44	990.83	1005.50	1147.62	1178.68	1327.32	1054.60	1069.27	1211.39	1242.45	1391.09
30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCP-3642-L	55	$ 798.72	$ 805.74	N/A	N/A	$1074.61	$ 857.23	$ 864.25	N/A	N/A	$1133.12
		48″(1219mm)[1]	WUCP-3648-L	55	818.63	827.18	N/A	N/A	1106.64	878.58	887.13	N/A	N/A	1166.59
		54″(1372mm)[1]	WUCP-3654-L	55	838.54	848.62	N/A	N/A	1138.67	899.93	910.01	N/A	N/A	1200.06
		60″(1524mm)[1]	WUCP-3660-L	55	858.45	870.06	N/A	N/A	1170.70	921.28	932.89	N/A	N/A	1233.53
		66″(1676mm)[1]	WUCP-3666-L	55	878.36	891.50	N/A	N/A	1202.73	942.63	955.77	N/A	N/A	1267.00
		72″(1829mm)[1]	WUCP-3672-L	55	1015.03	1029.70	N/A	N/A	1351.52	1080.74	1095.41	N/A	N/A	1417.23
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	33	$ 790.14	$ 800.22	$ 934.06	$ 965.12	$1090.27	$ 847.65	$ 857.73	$ 991.57	$1022.63	$1147.78
		54″(1372mm)	WUCP-4254-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		60″(1524mm)	WUCP-4260-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		66″(1676mm)	WUCP-4266-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		72″(1829mm)	WUCP-4272-L	33	986.54	1002.74	1147.62	1178.68	1335.15	1049.81	1066.01	1210.89	1241.95	1398.42
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	44	$ 814.34	$ 824.42	$ 958.26	$ 989.32	$1114.47	$ 873.79	$ 883.87	$1017.71	$1048.77	$1173.92
		54″(1372mm)	WUCP-4254-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		60″(1524mm)	WUCP-4260-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		66″(1676mm)	WUCP-4266-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		72″(1829mm)	WUCP-4272-L	44	1010.74	1026.94	1171.82	1202.88	1359.35	1075.95	1092.15	1237.03	1268.09	1424.56
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	55	$ 838.54	$ 848.62	$ 982.46	$1013.52	$1138.67	$ 899.93	$ 910.01	$1043.85	$1074.91	$1200.06
		54″(1372mm)	WUCP-4254-L	55	858.45	870.06	1006.66	1037.72	1170.70	921.28	932.89	1069.49	1100.55	1233.53
		60″(1524mm)	WUCP-4260-L	55	878.36	891.50	1030.86	1061.92	1202.73	942.63	955.77	1095.13	1126.19	1267.00
		66″(1676mm)	WUCP-4266-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		72″(1829mm)	WUCP-4272-L	55	1034.94	1051.14	1196.02	1227.08	1383.55	1102.09	1118.29	1263.17	1294.23	1450.70
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	33	$ 829.96	$ 843.10	$ 982.46	$1013.52	$1154.33	$ 890.35	$ 903.49	$1042.85	$1073.91	$1214.72
		60″(1524mm)	WUCP-4860-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		66″(1676mm)	WUCP-4866-L	33	869.78	885.98	1030.86	1061.92	1218.39	933.05	949.25	1094.13	1125.19	1281.66
		72″(1829mm)	WUCP-4872-L	33	1006.45	1024.18	1171.82	1202.88	1367.18	1071.16	1088.89	1236.53	1267.59	1431.89
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	44	$ 854.16	$ 867.30	$1006.66	$1037.72	$1178.53	$ 916.49	$ 929.63	$1068.99	$1100.05	$1240.86
		60″(1524mm)	WUCP-4860-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		66″(1676mm)	WUCP-4866-L	44	893.98	910.18	1055.06	1086.12	1242.59	959.19	975.39	1120.27	1151.33	1307.80
		72″(1829mm)	WUCP-4872-L	44	1030.65	1048.38	1196.02	1227.08	1391.38	1097.30	1115.03	1262.67	1293.73	1458.03
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	55	$ 878.36	$ 891.50	$1030.86	$1061.92	$1202.73	$ 942.63	$ 955.77	$1095.13	$1126.19	$1267.00
		60″(1524mm)	WUCP-4860-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		66″(1676mm)	WUCP-4866-L	55	918.18	934.38	1079.26	1110.32	1266.79	985.33	1001.53	1146.41	1177.47	1333.94
		72″(1829mm)	WUCP-4872-L	55	1054.85	1072.58	1220.22	1251.28	1415.58	1123.44	1141.17	1288.81	1319.87	1484.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	33	$ 869.78	$ 885.98	$1030.86	$1061.92	$1218.39	$ 933.05	$ 949.25	$1094.13	$1125.19	$1281.66
		66″(1676mm)	WUCP-5466-L	33	889.69	907.42	1055.06	1086.12	1250.42	954.40	972.13	1119.77	1150.83	1315.13
		72″(1829mm)	WUCP-5472-L	33	1026.36	1045.62	1196.02	1227.08	1399.21	1092.51	1111.77	1262.17	1293.23	1465.36
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	44	$ 893.98	$ 910.18	$1055.06	$1086.12	$1242.59	$ 959.19	$ 975.39	$1120.27	$1151.33	$1307.80
		66″(1676mm)	WUCP-5466-L	44	913.89	931.62	1079.26	1110.32	1274.62	980.54	998.27	1145.91	1176.97	1341.27
		72″(1829mm)	WUCP-5472-L	44	1050.56	1069.82	1220.22	1251.28	1423.41	1118.65	1137.91	1288.31	1319.37	1491.50
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	55	$ 918.18	$ 934.38	$1079.26	$1110.32	$1266.79	$ 985.33	$1001.53	$1146.41	$1177.47	$1333.94
		66″(1676mm)	WUCP-5466-L	55	938.09	955.82	1103.46	1134.52	1298.82	1006.68	1024.41	1172.05	1203.11	1367.41
		72″(1829mm)	WUCP-5472-L	55	1074.76	1094.02	1244.42	1275.48	1447.61	1144.79	1164.05	1314.45	1345.51	1517.64
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	33	$ 909.60	$ 928.86	$1079.26	$1110.32	$1282.45	$ 975.75	$ 995.01	$1145.41	$1176.47	$1348.60
		72″(1829mm)	WUCP-6072-L	33	1046.27	1067.06	1220.22	1251.28	1431.24	1113.86	1134.65	1287.81	1318.87	1498.83
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	44	$ 933.80	$ 953.06	$1103.46	$1134.52	$1306.65	$1001.89	$1021.15	$1171.55	$1202.61	$1374.74
		72″(1829mm)	WUCP-6072-L	44	1070.47	1091.26	1244.42	1275.48	1455.44	1140.00	1160.79	1313.95	1345.01	1524.97
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	55	$ 958.00	$ 977.26	$1127.66	$1158.72	$1330.85	$1028.03	$1047.29	$1197.69	$1228.75	$1400.88
		72″(1829mm)	WUCP-6072-L	55	1094.67	1115.46	1268.62	1299.68	1479.64	1166.14	1186.93	1340.09	1371.15	1551.11

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-R34



(Left-hand orientation)

WUCX-L43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Support post or support column
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)/ 24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L	34	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L	34	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L	34	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L	34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(1676mm)	WUCX-3666-L	34	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L	34	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L	43	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L	43	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L	43	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L	43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(6764mm)	WUCX-3666-L	43	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L	43	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L	45	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L	45	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L	45	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L	45	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(6764mm)[1]	WUCX-3666-L	45	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L	45	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L	54	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L	54	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L	54	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L	54	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(1676mm)[1]	WUCX-3666-L	54	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L	54	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	34	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L	34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L	34	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L	34	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L	34	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	43	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L	43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L	43	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L	43	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L	43	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L	45	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L	45	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L	45	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L	45	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L	45	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-L	54	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L	54	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L	54	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L	54	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L	54	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	34	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L	34	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L	34	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L	34	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	43	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L	43	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L	43	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L	43	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	45	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L	45	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L	45	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L	45	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L	54	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L	54	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L	54	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L	54	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59
18″(457mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	34	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L	34	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L	34	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 18″(457mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	43	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L	43	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L	43	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 30″(762mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	45	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L	45	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L	45	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
30″(762mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L	54	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L	54	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L	54	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
18″(457mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	34	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L	34	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 18″(457mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	43	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L	43	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 30″(762mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	45	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L	45	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57
30″(762mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L	54	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L	54	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

90° Merger

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCQ-3636-L ■■■ N33 ■	$453.38	$460.51	$ 642.81	$484.10	$491.23	$ 673.53
	42″(1067mm)	WUCQ-4242-L ■■■ N33 ■	501.36	508.49	713.18	532.08	539.21	743.90
	48″(1219mm)	WUCQ-4848-L ■■■ N33 ■	601.85	614.02	845.36	632.57	644.74	876.08
	54″(1372mm)	WUCQ-5454-L ■■■ N33 ■	688.97	720.62	986.07	719.69	751.34	1016.79
24″(610mm)	36″(914mm)	WUCQ-3636-L ■■■ N44 ■	$472.57	$479.70	$ 662.00	$503.29	$510.42	$ 692.72
	42″(1067mm)	WUCQ-4242-L ■■■ N44 ■	520.55	527.68	732.37	551.27	558.40	763.09
	48″(1219mm)	WUCQ-4848-L ■■■ N44 ■	621.04	633.21	864.55	651.76	663.93	895.27
	54″(1372mm)	WUCQ-5454-L ■■■ N44 ■	708.16	739.81	1005.26	738.88	770.53	1035.98
30″(762mm)	36″(914mm)	WUCQ-3636-L ■■■ N55 ■	$553.58	$560.71	$ 743.01	$584.30	$591.43	$ 773.73
	42″(1067mm)	WUCQ-4242-L ■■■ N55 ■	601.56	608.69	813.38	632.28	639.41	844.10
	48″(1219mm)	WUCQ-4848-L ■■■ N55 ■	702.05	714.22	945.56	732.77	744.94	976.28
	54″(1372mm)	WUCQ-5454-L ■■■ N55 ■	789.17	820.82	1086.27	819.89	851.54	1116.99





WUCQ-N44

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with an adjustable keyboard pad.**
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 120° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUCZ-3636-L ■■■ N33	■	$ 578.62	$ 593.66	$ 700.62	$ 731.24	$ 823.33	$ 620.99	$ 636.03	$ 742.99	$ 773.61	$ 865.70
	42″(1067mm)	WUCZ-4242-L ■■■ N33	■	666.76	682.88	800.82	831.44	940.09	715.52	731.64	849.58	880.20	988.85
	48″(1219mm)	WUCZ-4848-L ■■■ N33	■	754.90	772.10	901.02	931.64	1056.85	810.05	827.25	956.17	986.79	1112.00
	54″(1372mm)	WUCZ-5454-L ■■■ N33	■	843.04	861.32	1001.22	1031.84	1173.61	904.58	922.86	1062.76	1093.38	1235.15
	60″(1524mm)	WUCZ-6060-L ■■■ N33	■	931.18	950.54	1101.42	1132.04	1290.37	999.11	1018.47	1169.35	1199.97	1358.30
24″(610mm)	36″(914mm)	WUCZ-3636-L ■■■ N44	■	$ 662.76	$ 677.80	$ 784.76	$ 815.38	$ 907.47	$ 711.85	$ 726.89	$ 833.85	$ 864.47	$ 956.56
	42″(1067mm)	WUCZ-4242-L ■■■ N44	■	750.90	767.02	884.96	915.58	1024.23	806.38	822.50	940.44	971.06	1079.71
	48″(1219mm)	WUCZ-4848-L ■■■ N44	■	839.04	856.24	985.16	1015.78	1140.99	900.91	918.11	1047.03	1077.65	1202.86
	54″(1372mm)	WUCZ-5454-L ■■■ N44	■	927.18	945.46	1085.36	1115.98	1257.75	995.44	1013.72	1153.62	1184.24	1326.01
	60″(1524mm)	WUCZ-6060-L ■■■ N44	■	1015.32	1034.68	1185.56	1216.18	1374.51	1089.97	1109.33	1260.21	1290.83	1449.16
30″(762mm)	36″(914mm)	WUCZ-3636-L ■■■ N55	■	$ 746.90	$ 761.94	$ 868.90	$ 899.52	$ 991.61	$ 802.71	$ 817.75	$ 924.71	$ 955.33	$1047.42
	42″(1067mm)	WUCZ-4242-L ■■■ N55	■	835.04	851.16	969.10	999.72	1108.37	897.24	913.36	1031.30	1061.92	1170.57
	48″(1219mm)	WUCZ-4848-L ■■■ N55	■	923.18	940.38	1069.30	1099.92	1225.13	991.77	1008.97	1137.89	1168.51	1293.72
	54″(1372mm)	WUCZ-5454-L ■■■ N55	■	1011.32	1029.60	1169.50	1200.12	1341.89	1086.30	1104.58	1244.48	1275.10	1416.87
	60″(1524mm)	WUCZ-6060-L ■■■ N55	■	1099.46	1118.82	1269.70	1300.32	1458.65	1180.83	1200.19	1351.07	1381.69	1540.02



WUCZ-N44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

D-Shaped Convergent

Width	Length	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)	36″(914mm)	WURD-2436-L ■	$295.02	$297.13	$346.32	$376.48	$422.24	$314.78	$316.89	$366.08	$396.24	$442.00
	42″(1067mm)	WURD-2442-L ■	338.48	340.74	393.18	423.34	477.80	361.36	363.62	416.06	446.22	500.68
	48″(1219mm)	WURD-2448-L ■	383.34	385.81	442.80	472.96	539.60	409.86	412.33	469.32	499.48	566.12
	54″(1372mm)	WURD-2454-L ■	426.80	429.42	489.66	519.82	595.16	455.92	458.54	518.78	548.94	624.28
	60″(1524mm)	WURD-2460-L ■	471.66	474.49	539.28	569.44	656.96	504.42	507.25	572.04	602.20	689.72
	66″(1676mm)	WURD-2466-L ■	515.82	518.83	587.52	617.68	715.64	551.70	554.71	623.40	653.56	751.52
	72″(1829mm)	WURD-2472-L ■	559.28	562.44	634.38	664.54	771.20	597.76	600.92	672.86	703.02	809.68
30″(762mm)	36″(914mm)	WURD-3036-L ■	$398.66	$401.13	$469.27	$499.43	$559.52	$418.42	$420.89	$489.03	$519.19	$579.28
	42″(1067mm)	WURD-3042-L ■	440.20	442.82	514.21	544.37	613.16	463.08	465.70	537.09	567.25	636.04
	48″(1219mm)	WURD-3048-L ■	483.14	485.97	561.91	592.07	673.04	509.66	512.49	588.43	618.59	699.56
	54″(1372mm)	WURD-3054-L ■	524.68	527.66	606.85	637.01	726.68	553.80	556.78	635.97	666.13	755.80
	60″(1524mm)	WURD-3060-L ■	567.62	570.81	654.55	684.71	786.56	600.38	603.57	687.31	717.47	819.32
	66″(1676mm)	WURD-3066-L ■	609.86	613.23	700.87	731.03	843.32	645.74	649.11	736.75	766.91	879.20
	72″(1829mm)	WURD-3072-L ■	651.40	654.92	745.81	775.97	896.96	689.88	693.40	784.29	814.45	935.44
36″(914mm)	36″(914mm)	WURD-3636-L ■	$409.98	$410.49	$480.73	$510.89	$572.00	$429.74	$430.25	$500.49	$530.65	$591.76
	42″(1067mm)	WURD-3642-L ■	453.44	454.10	527.59	557.75	627.56	476.32	476.98	550.47	580.63	650.44
	48″(1219mm)	WURD-3648-L ■	498.30	499.17	577.21	607.37	689.36	524.82	525.69	603.73	633.89	715.88
	54″(1372mm)	WURD-3654-L ■	541.76	542.78	624.07	654.23	744.92	570.88	571.90	653.19	683.35	774.04
	60″(1524mm)	WURD-3660-L ■	586.62	587.85	673.69	703.85	806.72	619.38	620.61	706.45	736.61	839.48
	66″(1676mm)	WURD-3666-L ■	630.78	632.19	721.93	752.09	865.40	666.66	668.07	757.81	787.97	901.28
	72″(1829mm)	WURD-3672-L ■	674.24	675.80	768.79	798.95	920.96	712.72	714.28	807.27	837.43	959.44







WURD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- **Must be attached to a panel or face of a straight worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Standard bracket
  - –Worksurface support panel
  - –Flush mount plates
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Convergent

Width	Length	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)	36″(914mm)	WURV-2436-L ■	$271.95	$276.33	$325.18	$355.34	$401.34	$291.71	$296.09	$344.94	$375.10	$421.10
	42″(1067mm)	WURV-2442-L ■	315.06	319.94	375.34	405.50	456.40	337.94	342.82	398.22	428.38	479.28
	48″(1219mm)	WURV-2448-L ■	359.43	365.01	429.58	459.74	517.50	385.95	391.53	456.10	486.26	544.02
	54″(1372mm)	WURV-2454-L ■	402.54	408.62	479.74	509.90	572.56	431.66	437.74	508.86	539.02	601.68
	60″(1524mm)	WURV-2460-L ■	446.91	453.69	533.98	564.14	633.66	479.67	486.45	566.74	596.90	666.42
	66″(1676mm)	WURV-2466-L ■	490.65	498.03	586.18	616.34	691.74	526.53	533.91	622.06	652.22	727.62
	72″(1829mm)	WURV-2472-L ■	533.76	541.64	636.34	666.50	746.80	572.24	580.12	674.82	704.98	785.28
30″(762mm)	36″(914mm)	WURV-3036-L ■	$364.29	$369.93	$435.73	$465.89	$528.22	$384.05	$389.69	$455.49	$485.65	$547.98
	42″(1067mm)	WURV-3042-L ■	405.48	411.62	483.97	514.13	581.36	428.36	434.50	506.85	537.01	604.24
	48″(1219mm)	WURV-3048-L ■	447.93	454.77	536.29	566.45	640.54	474.45	481.29	562.81	592.97	667.06
	54″(1372mm)	WURV-3054-L ■	489.12	496.46	584.53	614.69	693.68	518.24	525.58	613.65	643.81	722.80
	60″(1524mm)	WURV-3060-L ■	531.57	539.61	636.85	667.01	752.86	564.33	572.37	669.61	699.77	785.62
	66″(1676mm)	WURV-3066-L ■	573.39	582.03	687.13	717.29	809.02	609.27	617.91	723.01	753.17	844.90
	72″(1829mm)	WURV-3072-L ■	614.58	623.72	735.37	765.53	862.16	653.06	662.20	773.85	804.01	900.64
36″(914mm)	36″(914mm)	WURV-3636-L ■	$373.41	$379.29	$448.19	$478.35	$540.70	$393.17	$399.05	$467.95	$498.11	$560.46
	42″(1067mm)	WURV-3642-L ■	416.52	422.90	498.35	528.51	595.76	439.40	445.78	521.23	551.39	618.64
	48″(1219mm)	WURV-3648-L ■	460.89	467.97	552.59	582.75	656.86	487.41	494.49	579.11	609.27	683.38
	54″(1372mm)	WURV-3654-L ■	504.00	511.58	602.75	632.91	711.92	533.12	540.70	631.87	662.03	741.04
	60″(1524mm)	WURV-3660-L ■	548.37	556.65	656.99	687.15	773.02	581.13	589.41	689.75	719.91	805.78
	66″(1676mm)	WURV-3666-L ■	592.11	600.99	709.19	739.35	831.10	627.99	636.87	745.07	775.23	866.98
	72″(1829mm)	WURV-3672-L ■	635.22	644.60	759.35	789.51	886.16	673.70	683.08	797.83	827.99	924.64







WURV

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edges and 1mm edgeband on front and back (width), or
  - –Cascade (V) on user edges and 1mm edgeband on front and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Flush mount plates
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around





(Right-hand orientation)



(Left-hand orientation)

WUCD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on side and back, or
  - –Cascade (V) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) diameter D-shaped radius.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) diameter D-shaped radius.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side bracket
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Edge trim color for T, J and F.
5) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	3	$ 865.52	$ 875.04	$1035.87	$1066.93	$1081.26	$ 928.40	$ 937.92	$1098.75	$1129.81	$1144.14
		66″(1676mm)	WUCD-3666-L	3	893.12	903.36	1072.95	1104.01	1121.10	957.98	968.22	1137.81	1168.87	1185.96
		72″(1829mm)	WUCD-3672-L	3	974.28	985.24	1163.59	1194.65	1214.50	1041.12	1052.08	1230.43	1261.49	1281.34
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	4	$ 890.87	$ 899.57	$1060.64	$1091.70	$1101.93	$ 955.33	$ 964.03	$1125.10	$1156.16	$1166.39
		66″(1676mm)	WUCD-3666-L	4	918.47	927.89	1097.72	1128.78	1141.77	984.91	994.33	1164.16	1195.22	1208.21
		72″(1829mm)	WUCD-3672-L	4	999.63	1009.77	1188.36	1219.42	1235.17	1068.05	1078.19	1256.78	1287.84	1303.59
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	5	$ 916.22	$ 924.10	$1085.41	$1116.47	$1122.60	$ 982.26	$ 990.14	$1151.45	$1182.51	$1188.64
		66″(1676mm)	WUCD-3666-L	5	943.82	952.42	1122.49	1153.55	1162.44	1011.84	1020.44	1190.51	1221.57	1230.46
		72″(1829mm)	WUCD-3672-L	5	1024.98	1034.30	1213.13	1244.19	1255.84	1094.98	1104.30	1283.13	1314.19	1325.84
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	3	$ 918.47	$ 927.89	$1097.72	$1128.78	$1141.77	$ 984.91	$ 994.33	$1164.16	$1195.22	$1208.21
		66″(1676mm)	WUCD-4266-L	3	946.07	956.21	1134.80	1165.86	1181.61	1014.49	1024.63	1203.22	1234.28	1250.03
		72″(1829mm)	WUCD-4272-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	4	$ 943.82	$ 952.42	$1122.49	$1153.55	$1162.44	$1011.84	$1020.44	$1190.51	$1221.57	$1230.46
		66″(1676mm)	WUCD-4266-L	4	971.42	980.74	1159.57	1190.63	1202.28	1041.42	1050.74	1229.57	1260.63	1272.28
		72″(1829mm)	WUCD-4272-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	5	$ 969.17	$ 976.95	$1147.26	$1178.32	$1183.11	$1038.77	$1046.55	$1216.86	$1247.92	$1252.71
		66″(1676mm)	WUCD-4266-L	5	996.77	1005.27	1184.34	1215.40	1222.95	1068.35	1076.85	1255.92	1286.98	1294.53
		72″(1829mm)	WUCD-4272-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	3	$ 946.07	$ 956.21	$1134.80	$1165.86	$1181.61	$1014.49	$1024.63	$1203.22	$1234.28	$1250.03
		66″(1676mm)	WUCD-4866-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
		72″(1829mm)	WUCD-4872-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	4	$ 971.42	$ 980.74	$1159.57	$1190.63	$1202.28	$1041.42	$1050.74	$1229.57	$1260.63	$1272.28
		66″(1676mm)	WUCD-4866-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
		72″(1829mm)	WUCD-4872-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	5	$ 996.77	$1005.27	$1184.34	$1215.40	$1222.95	$1068.35	$1076.85	$1255.92	$1286.98	$1294.53
		66″(1676mm)	WUCD-4866-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
		72″(1829mm)	WUCD-4872-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	3	$ 973.67	$ 984.53	$1171.88	$1202.94	$1221.45	$1044.07	$1054.93	$1242.28	$1273.34	$1291.85
		66″(1676mm)	WUCD-5466-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
		72″(1829mm)	WUCD-5472-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	4	$ 999.02	$1009.06	$1196.65	$1227.71	$1242.12	$1071.00	$1081.04	$1268.63	$1299.69	$1314.10
		66″(1676mm)	WUCD-5466-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
		72″(1829mm)	WUCD-5472-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	5	$1024.37	$1033.59	$1221.42	$1252.48	$1262.79	$1097.93	$1107.15	$1294.98	$1326.04	$1336.35
		66″(1676mm)	WUCD-5466-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
		72″(1829mm)	WUCD-5472-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
18″(457mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	3	$1001.27	$1012.85	$1208.96	$1240.02	$1261.29	$1073.65	$1085.23	$1281.34	$1312.40	$1333.67
		66″(1676mm)	WUCD-6066-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
		72″(1829mm)	WUCD-6072-L	3	1056.47	1069.49	1283.12	1314.18	1340.97	1132.81	1145.83	1359.46	1390.52	1417.31
24″(610mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	4	$1026.62	$1037.38	$1233.73	$1264.79	$1281.96	$1100.58	$1111.34	$1307.69	$1338.75	$1355.92
		66″(1676mm)	WUCD-6066-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
		72″(1829mm)	WUCD-6072-L	4	1081.82	1094.02	1307.89	1338.95	1361.64	1159.74	1171.94	1385.81	1416.87	1439.56
30″(762mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	5	$1051.97	$1061.91	$1258.50	$1289.56	$1302.63	$1127.51	$1137.45	$1334.04	$1365.10	$1378.17
		66″(1676mm)	WUCD-6066-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
		72″(1829mm)	WUCD-6072-L	5	1107.17	1118.55	1332.66	1363.72	1382.31	1186.67	1198.05	1412.16	1443.22	1461.81

Adaptable Worksurfaces — Laminate

D-Shaped Ender

Depth	Length	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	36″(914mm)	WUDD-1836-L C ■	$241.84	$244.91	$289.07	$319.69	$357.86	$259.79	$262.86	$307.02	$337.64	$375.81
	42″(1067mm)	WUDD-1842-L C ■	275.98	280.37	327.05	357.67	405.98	296.87	301.26	347.94	378.56	426.87
	48″(1219mm)	WUDD-1848-L C ■	310.12	315.83	365.03	395.65	454.10	333.95	339.66	388.86	419.48	477.93
	54″(1372mm)	WUDD-1854-L C ■	344.26	351.29	403.01	433.63	502.22	371.03	378.06	429.78	460.40	528.99
	60″(1524mm)	WUDD-1860-L C ■	378.40	386.75	440.99	471.61	550.34	408.11	416.46	470.70	501.32	580.05
	66″(1676mm)	WUDD-1866-L C ■	412.54	422.21	478.97	509.59	598.46	445.19	454.86	511.62	542.24	631.11
	72″(1829mm)	WUDD-1872-L C ■	446.68	457.67	516.95	547.57	646.58	482.27	493.26	552.54	583.16	682.17
24″(610mm)	36″(914mm)	WUDD-2436-L C ■	$275.41	$279.76	$329.67	$360.29	$404.32	$293.36	$297.71	$347.62	$378.24	$422.27
	42″(1067mm)	WUDD-2442-L C ■	319.09	324.76	377.19	407.81	461.98	339.98	345.65	398.08	428.70	482.87
	48″(1219mm)	WUDD-2448-L C ■	362.77	369.76	424.71	455.33	519.64	386.60	393.59	448.54	479.16	543.47
	54″(1372mm)	WUDD-2454-L C ■	406.45	414.76	472.23	502.85	577.30	433.22	441.53	499.00	529.62	604.07
	60″(1524mm)	WUDD-2460-L C ■	450.13	459.76	519.75	550.37	634.96	479.84	489.47	549.46	580.08	664.67
	66″(1676mm)	WUDD-2466-L C ■	493.81	504.76	567.27	597.89	692.62	526.46	537.41	599.92	630.54	725.27
	72″(1829mm)	WUDD-2472-L C ■	537.49	549.76	614.79	645.41	750.28	573.08	585.35	650.38	681.00	785.87
30″(762mm)	36″(914mm)	WUDD-3036-L C ■	$364.49	$370.52	$404.52	$435.14	$528.86	$382.44	$388.47	$422.47	$453.09	$546.81
	42″(1067mm)	WUDD-3042-L C ■	406.25	413.60	450.12	480.74	584.60	427.14	434.49	471.01	501.63	605.49
	48″(1219mm)	WUDD-3048-L C ■	448.01	456.68	495.72	526.34	640.34	471.84	480.51	519.55	550.17	664.17
	54″(1372mm)	WUDD-3054-L C ■	489.77	499.76	541.32	571.94	696.08	516.54	526.53	568.09	598.71	722.85
	60″(1524mm)	WUDD-3060-L C ■	531.53	542.84	586.92	617.54	751.82	561.24	572.55	616.63	647.25	781.53
	66″(1676mm)	WUDD-3066-L C ■	573.29	585.92	632.52	663.14	807.56	605.94	618.57	665.17	695.79	840.21
	72″(1829mm)	WUDD-3072-L C ■	615.05	629.00	678.12	708.74	863.30	650.64	664.59	713.71	744.33	898.89





WUDD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Shared cantilever bracket
  - –Worksurface support panel
  - –Flush mount plate
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Bent

Left/Right Depth	Width	Length	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-L	R45 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L	R45 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L	R45 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L	R45 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-L	R45 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L	R45 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L	R45 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L	R45 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-L	L54 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L	L54 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L	L54 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L	L54 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-L	L54 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L	L54 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L	L54 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L	L54 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08



(Right-hand orientation)

WUCB-R45



(Left-hand orientation)

WUCB-L54

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width), or
  - –Cascade (V) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support column or leg
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Shared cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Countertop



WUTS

Features

- Includes countertop and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on ends, or
  - –Cascade (V) on user edges and 1mm edgeband on ends.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- Widths are 1″(25mm) or 3″(76mm) less than panel widths or panel width combinations are for use with variable height covers. See Specification Guide for details.
- Countertop support specific to product line; must be separately specified.
- Knife edge countertop not for use with PREMISE Monolithic Panel.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Countertop

Depth	Width	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
12″(305mm)	21″(533mm)	WUTS-1221-L C	$305.28	$308.66	$358.71	$389.17	$433.36	$327.94	$331.32	$381.37	$411.83	$456.02
	23″(584mm)	WUTS-1223-L C	310.76	314.16	365.07	395.53	440.76	333.82	337.22	388.13	418.59	463.82
	24″(610mm)	WUTS-1224-L C	313.50	316.91	368.25	398.71	444.46	336.76	340.17	391.51	421.97	467.72
	27″(686mm)	WUTS-1227-L C	321.72	325.16	377.79	408.25	455.56	345.58	349.02	401.65	432.11	479.42
	29″(737mm)	WUTS-1229-L C	327.20	330.66	384.15	414.61	462.96	351.46	354.92	408.41	438.87	487.22
	30″(762mm)	WUTS-1230-L C	329.94	333.41	387.33	417.79	466.66	354.40	357.87	411.79	442.25	491.12
	33″(838mm)	WUTS-1233-L C	338.16	341.66	396.87	427.33	477.76	363.22	366.72	421.93	452.39	502.82
	35″(889mm)	WUTS-1235-L C	343.64	347.16	403.23	433.69	485.16	369.10	372.62	428.69	459.15	510.62
	36″(914mm)	WUTS-1236-L C	346.38	349.91	406.41	436.87	488.86	372.04	375.57	432.07	462.53	514.52
	39″(991mm)	WUTS-1239-L C	354.60	358.16	415.95	446.41	499.96	380.86	384.42	442.21	472.67	526.22
	41″(1041mm)	WUTS-1241-L C	360.08	363.66	422.31	452.77	507.36	386.74	390.32	448.97	479.43	534.02
	42″(1067mm)	WUTS-1242-L C	362.82	366.41	425.49	455.95	511.06	389.68	393.27	452.35	482.81	537.92
	45″(1143mm)	WUTS-1245-L C	371.04	374.66	435.03	465.49	522.16	398.50	402.12	462.49	492.95	549.62
	47″(1194mm)	WUTS-1247-L C	376.52	380.16	441.39	471.85	529.56	404.38	408.02	469.25	499.71	557.42
	48″(1219mm)	WUTS-1248-L C	379.26	382.91	444.57	475.03	533.26	407.32	410.97	472.63	503.09	561.32
	51″(1295mm)	WUTS-1251-L C	387.48	391.16	454.11	484.57	544.36	416.14	419.82	482.77	513.23	573.02
	53″(1346mm)	WUTS-1253-L C	392.96	396.66	460.47	490.93	551.76	422.02	425.72	489.53	519.99	580.82
	54″(1372mm)	WUTS-1254-L C	395.70	399.41	463.65	494.11	555.46	424.96	428.67	492.91	523.37	584.72
	57″(1448mm)	WUTS-1257-L C	403.92	407.66	473.19	503.65	566.56	433.78	437.52	503.05	533.51	596.42
	59″(1499mm)	WUTS-1259-L C	409.40	413.16	479.55	510.01	573.96	439.66	443.42	509.81	540.27	604.22
	60″(1524mm)	WUTS-1260-L C	412.14	415.91	482.73	513.19	577.66	442.60	446.37	513.19	543.65	608.12
	63″(1600mm)	WUTS-1263-L C	420.36	424.16	492.27	522.73	588.76	451.42	455.22	523.33	553.79	619.82
	65″(1651mm)	WUTS-1265-L C	425.84	429.66	498.63	529.09	596.16	457.30	461.12	530.09	560.55	627.62
	66″(1676mm)	WUTS-1266-L C	428.58	432.41	501.81	532.27	599.86	460.24	464.07	533.47	563.93	631.52
	69″(1753mm)	WUTS-1269-L C	436.80	440.66	511.35	541.81	610.96	469.06	472.92	543.61	574.07	643.22
	71″(1803mm)	WUTS-1271-L C	442.28	446.16	517.71	548.17	618.36	474.94	478.82	550.37	580.83	651.02
	72″(1829mm)	WUTS-1272-L C	445.02	448.91	520.89	551.35	622.06	477.88	481.77	553.75	584.21	654.92
	75″(1905mm)	WUTS-1275-L C	453.24	457.16	530.43	560.89	633.16	486.70	490.62	563.89	594.35	666.62
	77″(1956mm)	WUTS-1277-L C	458.72	462.66	536.79	567.25	640.56	492.58	496.52	570.65	601.11	674.42
	78″(1981mm)	WUTS-1278-L C	461.46	465.41	539.97	570.43	644.26	495.52	499.47	574.03	604.49	678.32
	81″(2057mm)	WUTS-1281-L C	469.68	473.66	549.51	579.97	655.36	504.34	508.32	584.17	614.63	690.02
	83″(2108mm)	WUTS-1283-L C	475.16	479.16	555.87	586.33	662.76	510.22	514.22	590.93	621.39	697.82
	84″(2134mm)	WUTS-1284-L C	477.90	481.91	559.05	589.51	666.46	513.16	517.17	594.31	624.77	701.72
	87″(2210mm)	WUTS-1287-L C	486.12	490.16	568.59	599.05	677.56	521.98	526.02	604.45	634.91	713.42
	89″(2261mm)	WUTS-1289-L C	491.60	495.66	574.95	605.41	684.96	527.86	531.92	611.21	641.67	721.22
	90″(2286mm)	WUTS-1290-L C	494.34	498.41	578.13	608.59	688.66	530.80	534.87	614.59	645.05	725.12
	93″(2362mm)	WUTS-1293-L C	502.56	506.66	587.67	618.13	699.76	539.62	543.72	624.73	655.19	736.82
	95″(2413mm)	WUTS-1295-L C	508.04	512.16	594.03	624.49	707.16	545.50	549.62	631.49	661.95	744.62
	96″(2438mm)	WUTS-1296-L C	510.78	514.91	597.21	627.67	710.86	548.44	552.57	634.87	665.33	748.52
	99″(2515mm)	WUTS-1299-L C	519.00	523.16	606.75	637.21	721.96	557.26	561.42	645.01	675.47	760.22
	101″(2565mm)	WUTS-12A1-L C	524.48	528.66	613.11	643.57	729.36	563.14	567.32	651.77	682.23	768.02
	102″(2591mm)	WUTS-12A2-L C	527.22	531.41	616.29	646.75	733.06	566.08	570.27	655.15	685.61	771.92
	105″(2667mm)	WUTS-12A5-L C	535.44	539.66	625.83	656.29	744.16	574.90	579.12	665.29	695.75	783.62
	107″(2718mm)	WUTS-12A7-L C	540.92	545.16	632.19	662.65	751.56	580.78	585.02	672.05	702.51	791.42
	108″(2743mm)	WUTS-12A8-L C	543.66	547.91	635.37	665.83	755.26	583.72	587.97	675.43	705.89	795.32
	111″(2819mm)	WUTS-12B1-L C	551.88	556.16	644.91	675.37	766.36	592.54	596.82	685.57	716.03	807.02
	113″(2870mm)	WUTS-12B3-L C	557.36	561.66	651.27	681.73	773.76	598.42	602.72	692.33	722.79	814.82
	114″(2896mm)	WUTS-12B4-L C	560.10	564.41	654.45	684.91	777.46	601.36	605.67	695.71	726.17	818.72
	117″(2972mm)	WUTS-12B7-L C	568.32	572.66	663.99	694.45	788.56	610.18	614.52	705.85	736.31	830.42
	119″(3023mm)	WUTS-12B9-L C	573.80	578.16	670.35	700.81	795.96	616.06	620.42	712.61	743.07	838.22
	120″(3048mm)	WUTS-12C0-L C	576.54	580.91	673.53	703.99	799.66	619.00	623.37	715.99	746.45	842.12

Adaptable Worksurfaces — Laminate

Conference End

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
39″(991mm)	30″(762mm)	WUDC-3930-L ■	$560.76	$602.29	$690.25	$721.17	$820.82	$602.34	$643.87	$731.83	$762.75	$862.40
51″(1295mm)		WUDC-5130-L ■	603.66	631.15	732.50	763.42	860.73	646.15	673.64	774.99	805.91	903.22
63″(1600mm)		WUDC-6330-L ■	643.26	657.79	771.50	802.42	897.57	686.59	701.12	814.83	845.75	940.90





WUDC-3930 WUDC-5130



WUDC-6330

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway can be specified to accommodate panel end-of-run trim.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support column or leg – REQUIRED.
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
  - –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Must be specified with notched or curved wireway to fit around end-of-run trim.

Note: Grain direction will run across 63″(1600mm)-wide conference end worksurface.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Key Conference End

Depth	Width	Number ❶❷❸	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
39″(991mm)	30″(762mm)	WURY-3930-L ■	$717.46	$729.14	$858.00	$888.92	$ 999.90	$769.70	$781.38	$910.24	$ 941.16	$1052.14
51″(1295mm)	30″(762mm)	WURY-5130-L ■	$721.45	$733.12	$862.65	$893.57	$1005.27	$773.97	$785.64	$915.17	$ 946.09	$1057.79
	36″(914mm)	WURY-5136-L ■	737.28	748.88	879.48	910.40	1025.24	790.98	802.58	933.18	964.10	1078.94
63″(1600mm)	36″(914mm)	WURY-6336-L ■	$741.27	$752.86	$884.13	$915.05	$1030.61	$795.25	$806.84	$938.11	$ 969.03	$1084.59
	42″(1067mm)	WURY-6342-L ■	757.10	768.62	900.96	931.88	1050.58	812.26	823.78	956.12	987.04	1105.74
	48″(1219mm)	WURY-6348-L ■	772.93	784.38	917.79	948.71	1070.55	829.27	840.72	974.13	1005.05	1126.89





WURY-3930-L



WURY-5130
WURY-5136



WURY-6336
WURY-6342
WURY-6348

NOTE:
Grain direction for laminate Key End over 63″(1600mm)-deep will be reversed.

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back, or
  - –Cascade (V) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end-of-run trim.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support column or leg – REQUIRED.
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
  - –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- To be used in conference end application.
- Must be specified with notched or curved wireway to fit around end-of-run trim.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved

Adaptable Worksurfaces — Laminate

120° Link

Depth	Number ❶❷	Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	WUDZ-1821-L C ■	$269.93	$279.30	$333.57	$364.49	$402.96	$290.19	$299.56	$353.83	$384.75	$423.22
24″(610mm)	WUDZ-2427-L C ■	299.57	306.34	363.61	394.53	430.00	319.83	326.60	383.87	414.79	450.26
30″(762mm)	WUDZ-3033-L C ■	434.69	432.80	504.75	535.67	605.50	466.67	464.78	536.73	567.65	637.48





WUDZ

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Support column, leg or worksurface support panel must be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Work surface support panel
  - –Shared cantilever bracket
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Rectangular

24" x 60"



24" x 72"



WURA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- For additional widths to span a 3-way panel condition, refer to panel-specific worksurface section.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever brackets
  - –Side brackets
  - –Worksurface support panel
  - –Support column or support leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURA-1824-W	$ 397.05	$ 423.31	$ 504.83	$ 531.09	$ 536.54	$ 562.80
	27″(686mm)	WURA-1827-W	426.99	454.84	540.25	568.10	572.36	600.21
	30″(762mm)	WURA-1830-W	456.93	486.37	578.41	607.85	611.12	640.56
	33″(838mm)	WURA-1833-W	486.87	517.90	616.57	647.60	649.88	680.91
	36″(914mm)	WURA-1836-W	516.81	549.43	654.73	687.35	688.64	721.26
	39″(991mm)	WURA-1839-W	546.75	580.96	692.89	727.10	727.40	761.61
	42″(1067mm)	WURA-1842-W	576.69	612.49	731.05	766.85	766.16	801.96
	45″(1143mm)	WURA-1845-W	606.63	644.02	769.21	806.60	804.92	842.31
	48″(1219mm)	WURA-1848-W	704.85	743.83	875.65	914.63	911.96	950.94
	51″(1295mm)	WURA-1851-W	734.79	775.36	913.81	954.38	950.72	991.29
	54″(1372mm)	WURA-1854-W	764.73	806.89	951.97	994.13	989.48	1031.64
	57″(1448mm)	WURA-1857-W	794.67	838.42	990.13	1033.88	1028.24	1071.99
	60″(1524mm)	WURA-1860-W	824.61	869.95	1028.29	1073.63	1067.00	1112.34
	63″(1600mm)	WURA-1863-W	854.55	901.48	1066.45	1113.38	1105.76	1152.69
	66″(1676mm)	WURA-1866-W	884.49	933.01	1104.61	1153.13	1144.52	1193.04
	69″(1753mm)	WURA-1869-W	914.43	964.54	1142.77	1192.88	1183.28	1233.39
	72″(1829mm)	WURA-1872-W	944.37	996.07	1180.93	1232.63	1222.04	1273.74
	75″(1905mm)	WURA-1875-W	974.31	1027.60	1219.09	1272.38	1260.80	1314.09
	78″(1981mm)	WURA-1878-W	1004.25	1059.13	1257.25	1312.13	1299.56	1354.44
	81″(2057mm)	WURA-1881-W	1034.19	1090.66	1295.41	1351.88	1338.32	1394.79
	84″(2134mm)	WURA-1884-W	1064.13	1122.19	1333.57	1391.63	1377.08	1435.14
	87″(2210mm)	WURA-1887-W	1094.07	1153.72	1371.73	1431.38	1415.84	1475.49
	90″(2286mm)	WURA-1890-W	1124.01	1185.25	1409.89	1471.13	1454.60	1515.84
	93″(2362mm)	WURA-1893-W	1153.95	1216.78	1448.05	1510.88	1493.36	1556.19
	96″(2438mm)	WURA-1896-W	1183.89	1248.31	1486.21	1550.63	1532.12	1596.54
	99″(2515mm)	WURA-1899-W	1213.83	1279.84	1524.37	1590.38	1570.88	1636.89
	102″(2591mm)	WURA-18A2-W	1243.77	1311.37	1562.53	1630.13	1609.64	1677.24
	105″(2667mm)	WURA-18A5-W	1273.71	1342.90	1600.69	1669.88	1648.40	1717.59
	108″(2743mm)	WURA-18A8-W	1303.65	1374.43	1638.85	1709.63	1687.16	1757.94
	111″(2819mm)	WURA-18B1-W	1333.59	1405.96	1677.01	1749.38	1725.92	1798.29
	114″(2890mm)	WURA-18B4-W	1363.53	1437.49	1715.17	1789.13	1764.68	1838.64
	117″(2972mm)	WURA-18B7-W	1393.47	1469.02	1753.33	1828.88	1803.44	1878.99
	120″(3048mm)	WURA-18C0-W	1423.41	1500.55	1791.49	1868.63	1842.20	1919.34
24″(610mm)	24″(610mm)	WURA-2424-W	$ 439.06	$ 465.32	$ 557.34	$ 583.60	$ 594.31	$ 620.57
	27″(686mm)	WURA-2427-W	472.15	500.00	595.91	623.76	633.28	661.13
	30″(762mm)	WURA-2430-W	505.24	534.68	637.22	666.66	675.19	704.63
	33″(839mm)	WURA-2433-W	538.33	569.36	678.53	709.56	717.10	748.13
	36″(914mm)	WURA-2436-W	571.42	604.04	719.84	752.46	759.01	791.63
	39″(991mm)	WURA-2439-W	604.51	638.72	761.15	795.36	800.92	835.13
	42″(1067mm)	WURA-2442-W	637.60	673.40	802.46	838.26	842.83	878.63
	45″(1143mm)	WURA-2445-W	670.69	708.08	843.77	881.16	884.74	922.13
	48″(1219mm)	WURA-2448-W	772.06	811.04	953.36	992.34	994.93	1033.91
	51″(1295mm)	WURA-2451-W	805.15	845.72	994.67	1035.24	1036.84	1077.41
	54″(1372mm)	WURA-2454-W	838.24	880.40	1035.98	1078.14	1078.75	1120.91
	57″(1448mm)	WURA-2457-W	871.33	915.08	1077.29	1121.04	1120.66	1164.41
	60″(1524mm)	WURA-2460-W	904.42	949.76	1118.60	1163.94	1162.57	1207.91
	63″(1600mm)	WURA-2463-W	937.51	984.44	1159.91	1206.84	1204.48	1251.41
	66″(1676mm)	WURA-2466-W	970.60	1019.12	1201.22	1249.74	1246.39	1294.91
	69″(1753mm)	WURA-2469-W	1003.69	1053.80	1242.53	1292.64	1288.30	1338.41
	72″(2429mm)	WURA-2472-W	1036.78	1088.48	1283.84	1335.54	1330.21	1381.91
	75″(1905mm)	WURA-2475-W	1069.87	1123.16	1325.15	1378.44	1372.12	1425.41
	78″(1981mm)	WURA-2478-W	1102.96	1157.84	1366.46	1421.34	1414.03	1468.91
	81″(2057mm)	WURA-2481-W	1136.05	1192.52	1407.77	1464.24	1455.94	1512.41
	84″(2134mm)	WURA-2484-W	1169.14	1227.20	1449.08	1507.14	1497.85	1555.91
	87″(2210mm)	WURA-2487-W	1202.23	1261.88	1490.39	1550.04	1539.76	1599.41
	90″(2286mm)	WURA-2490-W	1235.32	1296.56	1531.70	1592.94	1581.67	1642.91
	93″(2362mm)	WURA-2493-W	1268.41	1331.24	1573.01	1635.84	1623.58	1686.41
	96″(2438mm)	WURA-2496-W	1301.50	1365.92	1614.32	1678.74	1665.49	1729.91
	99″(2489mm)	WURA-2499-W	1334.59	1400.60	1655.63	1721.64	1707.40	1773.41
	102″(2591mm)	WURA-24A2-W	1367.68	1435.28	1696.94	1764.54	1749.31	1816.91
	105″(2667mm)	WURA-24A5-W	1400.77	1469.96	1738.25	1807.44	1791.22	1860.41
	108″(2743mm)	WURA-24A8-W	1433.86	1504.64	1779.56	1850.34	1833.13	1903.91
	111″(2819mm)	WURA-24B1-W	1466.95	1539.32	1820.87	1893.24	1875.04	1947.41
	114″(2890mm)	WURA-24B4-W	1500.04	1574.00	1862.18	1936.14	1916.95	1990.91
	117″(2972mm)	WURA-24B7-W	1533.13	1608.68	1903.49	1979.04	1958.86	2034.41
	120″(3048mm)	WURA-24C0-W	1566.22	1643.36	1944.80	2021.94	2000.77	2077.91

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	24″(610mm)	WURA-3024-W	$ 633.39	$ 659.65	$ 798.94	$ 825.20	$ 846.41	$ 872.67
	27″(686mm)	WURA-3027-W	669.63	697.48	840.66	868.51	888.53	916.38
	30″(762mm)	WURA-3030-W	705.87	735.31	885.12	914.56	933.59	963.03
	33″(838mm)	WURA-3033-W	742.11	773.14	929.58	960.61	978.65	1009.68
	36″(914mm)	WURA-3036-W	778.35	810.97	974.04	1006.66	1023.71	1056.33
	39″(991mm)	WURA-3039-W	814.59	848.80	1018.50	1052.71	1068.77	1102.98
	42″(1067mm)	WURA-3042-W	850.83	886.63	1062.96	1098.76	1113.83	1149.63
	45″(1143mm)	WURA-3045-W	887.07	924.46	1107.42	1144.81	1158.89	1196.28
	48″(1219mm)	WURA-3048-W	991.59	1030.57	1220.16	1259.14	1272.23	1311.21
	51″(1295mm)	WURA-3051-W	1027.83	1068.40	1264.62	1305.19	1317.29	1357.86
	54″(1372mm)	WURA-3054-W	1064.07	1106.23	1309.08	1351.24	1362.35	1404.51
	57″(1448mm)	WURA-3057-W	1100.31	1144.06	1353.54	1397.29	1407.41	1451.16
	60″(1524mm)	WURA-3060-W	1136.55	1181.89	1398.00	1443.34	1452.47	1497.81
	63″(1600mm)	WURA-3063-W	1172.79	1219.72	1442.46	1489.39	1497.53	1544.46
	66″(1676mm)	WURA-3066-W	1209.03	1257.55	1486.92	1535.44	1542.59	1591.11
	69″(1753mm)	WURA-3069-W	1245.27	1295.38	1531.38	1581.49	1587.65	1637.76
	72″(1829mm)	WURA-3072-W	1281.51	1333.21	1575.84	1627.54	1632.71	1684.41
	75″(1905mm)	WURA-3075-W	1317.75	1371.04	1620.30	1673.59	1677.77	1731.06
	78″(1981mm)	WURA-3078-W	1353.99	1408.87	1664.76	1719.64	1722.83	1777.71
	81″(2057mm)	WURA-3081-W	1390.23	1446.70	1709.22	1765.69	1767.89	1824.36
	84″(2134mm)	WURA-3084-W	1426.47	1484.53	1753.68	1811.74	1812.95	1871.01
	87″(2210mm)	WURA-3087-W	1462.71	1522.36	1798.14	1857.79	1858.01	1917.66
	90″(2286mm)	WURA-3090-W	1498.95	1560.19	1842.60	1903.84	1903.07	1964.31
	93″(2362mm)	WURA-3093-W	1535.19	1598.02	1887.06	1949.89	1948.13	2010.96
	96″(2438mm)	WURA-3096-W	1571.43	1635.85	1931.52	1995.94	1993.19	2057.61
	99″(2515mm)	WURA-3099-W	1607.67	1673.68	1975.98	2041.99	2038.25	2104.26
	102″(2591mm)	WURA-30A2-W	1643.91	1711.51	2020.44	2088.04	2083.31	2150.91
	105″(2667mm)	WURA-30A5-W	1680.15	1749.34	2064.90	2134.09	2128.37	2197.56
	108″(2743mm)	WURA-30A8-W	1716.39	1787.17	2109.36	2180.14	2173.43	2244.21
	111″(2819mm)	WURA-30B1-W	1752.63	1825.00	2153.82	2226.19	2218.49	2290.86
	114″(2890mm)	WURA-30B4-W	1788.87	1862.83	2198.28	2272.24	2263.55	2337.51
	117″(2972mm)	WURA-30B7-W	1825.11	1900.66	2242.74	2318.29	2308.61	2384.16
	120″(3048mm)	WURA-30C0-W	1861.35	1938.49	2287.20	2364.34	2353.67	2430.81

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Key

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	36″(914mm)	WURY-3036-W	**$1617.72**	**$1714.26**	**$1998.55**	**$2095.09**	**$2131.15**	**$2227.69**
	48″(1219mm)	WURY-3048-W	**1704.18**	**1816.10**	**2100.92**	**2212.84**	**2242.75**	**2354.67**
36″(914mm)	48″(1219mm)	WURY-3648-W	**$1804.43**	**$1934.17**	**$2236.07**	**$2365.81**	**$2371.11**	**$2500.85**
	60″(1524mm)	WURY-3660-W	**1890.89**	**2036.01**	**2338.44**	**2483.56**	**2482.71**	**2627.83**
	72″(1829mm)	WURY-3672-W	**1977.35**	**2137.85**	**2440.81**	**2601.31**	**2594.31**	**2754.81**
42″(1067mm)	60″(1524mm)	WURY-4260-W	**$1991.14**	**$2154.08**	**$2473.59**	**$2636.53**	**$2611.07**	**$2774.01**
	72″(1829mm)	WURY-4272-W	**2077.60**	**2255.92**	**2575.96**	**2754.28**	**2722.67**	**2900.99**
48″(1219mm)	60″(1524mm)	WURY-4860-W	**$2091.39**	**$2272.15**	**$2608.74**	**$2789.50**	**$2739.43**	**$2920.19**
	72″(1829mm)	WURY-4872-W	**2177.85**	**2373.99**	**2711.11**	**2907.25**	**2851.03**	**3047.17**



WURY-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) worksurface has two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Flush-mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- **Support post or height adjustment disc base is required.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURS-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURS-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURS-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURS-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURS-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURS-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURS-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURS-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURS-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURS-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURS-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURS-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURS-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURS-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURS-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURS-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURS-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURS-3060-W	1108.36	1158.28	1441.92	1491.84



WURS-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
  –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURW-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURW-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURW-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURW-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURW-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURW-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURW-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURW-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURW-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURW-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURW-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURW-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURW-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURW-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURW-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURW-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURW-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURW-3060-W	1108.36	1158.28	1441.92	1491.84



WURW-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
  –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/ 24″(610mm)	24″(610mm)	WURT-2424-W N34	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N34	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N34	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N34	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N34	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N34	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N34	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/ 18″(457mm)	24″(610mm)	WURT-2424-W N43	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N43	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N43	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N43	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N43	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N43	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N43	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/ 30″(762mm)	24″(610mm)	WURT-3024-W N45	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N45	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N45	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N45	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N45	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N45	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N45	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20
30″(762mm)/ 24″(610mm)	24″(610mm)	WURT-3024-W N54	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N54	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N54	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N54	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N54	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N54	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N54	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20



WURT-WN43



WURT-WN34

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm) wide, attached pedestal may be installed on deepest side.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Wedge





WURE-WN34



WURE-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on side and back, or
  - –Cascade (M) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Wedge

Left/Right Depth	Width	Number ❶❷❸		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-W	N43	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N43	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N43	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N43	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N43	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N43	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N43	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N43	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N43	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N43	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N43	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N43	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N43	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N43	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N43	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N43	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N43	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-W	N34	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N34	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N34	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N34	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N34	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N34	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N34	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N34	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N34	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N34	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N34	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N34	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N34	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N34	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N34	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N34	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N34	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-W	N54	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N54	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N54	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N54	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N54	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N54	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N54	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N54	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N54	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N54	1310.63	1412.76	1606.84	1708.97	1699.11	1801.24
	84″(2134mm)	WURE-3084-W	N54	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N54	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N54	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N54	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N54	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N54	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N54	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-W	N45	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N45	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N45	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N45	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N45	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N45	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N45	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N45	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N45	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N45	1310.63	1412.76	1606.84	1708.97	1699.11	1801.24
	84″(2134mm)	WURE-3084-W	N45	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N45	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N45	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N45	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N45	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N45	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N45	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98

Adaptable Worksurfaces — Wood

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-W ■■■ N43	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W ■■■ N43	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W ■■■ N43	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W ■■■ N43	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W ■■■ N43	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W ■■■ N43	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W ■■■ N43	1145.12	1298.20	1482.26	1635.34
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-W ■■■ N34	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W ■■■ N34	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W ■■■ N34	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W ■■■ N34	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W ■■■ N34	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W ■■■ N34	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W ■■■ N34	1145.12	1298.20	1482.26	1635.34
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-W ■■■ N54	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W ■■■ N54	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W ■■■ N54	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W ■■■ N54	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W ■■■ N54	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W ■■■ N54	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W ■■■ N54	1160.64	1316.48	1497.78	1653.62
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-W ■■■ N45	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W ■■■ N45	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W ■■■ N45	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W ■■■ N45	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W ■■■ N45	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W ■■■ N45	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W ■■■ N45	1160.64	1316.48	1497.78	1653.62





WURG-WN34



WURG-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
  –Cantilever bracket
  –Side brackets
  –**Worksurface support panel not recommended**
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Radius End

Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURR-1824-W	$ 582.40	$ 610.48	$ 717.29	$ 745.37	$ 760.55	$ 788.63
	30″(762mm)	WURR-1830-W	656.68	687.88	805.62	836.82	867.58	898.78
	36″(914mm)	WURR-1836-W	730.96	765.28	896.76	931.08	981.16	1015.48
	42″(1067mm)	WURR-1842-W	805.24	842.68	987.90	1025.34	1094.74	1132.18
	48″(1219mm)	WURR-1848-W	879.52	920.08	1079.04	1119.60	1208.32	1248.88
	54″(1372mm)	WURR-1854-W	953.80	997.48	1170.18	1365.58	1321.90	1213.86
	60″(1524mm)	WURR-1860-W	1028.08	1074.88	1261.32	1308.12	1435.48	1482.28
24″(610mm)	24″(610mm)	WURR-2424-W	$ 590.72	$ 618.80	$ 729.77	$ 757.85	$ 774.07	$ 802.15
	30″(762mm)	WURR-2430-W	666.86	698.06	819.96	851.16	882.96	914.16
	36″(914mm)	WURR-2436-W	743.00	777.32	912.96	947.28	998.40	1032.72
	42″(1067mm)	WURR-2442-W	819.14	856.58	1005.96	1043.40	1113.84	1151.28
	48″(1219mm)	WURR-2448-W	895.28	935.84	1098.96	1139.52	1229.28	1269.84
	54″(1372mm)	WURR-2454-W	971.42	1015.10	1191.96	1235.64	1344.72	1388.40
	60″(1524mm)	WURR-2460-W	1047.56	1094.36	1284.96	1331.76	1460.16	1506.96
30″(762mm)	24″(610mm)	WURR-3024-W	$ 725.92	$ 754.00	$ 925.29	$ 953.37	$ 973.75	$1001.83
	30″(762mm)	WURR-3030-W	803.92	835.12	1017.34	1048.54	1084.50	1115.70
	36″(914mm)	WURR-3036-W	881.92	916.24	1112.20	1146.52	1201.80	1236.12
	42″(1067mm)	WURR-3042-W	959.92	997.36	1207.06	1244.50	1319.10	1356.54
	48″(1219mm)	WURR-3048-W	1037.92	1078.48	1301.92	1342.48	1436.40	1476.96
	54″(1372mm)	WURR-3054-W	1115.92	1159.60	1396.78	1440.46	1553.70	1597.38
	60″(1524mm)	WURR-3060-W	1193.92	1240.72	1491.64	1538.44	1671.00	1717.80



(Right-hand orientation)

(Left-hand orientation)

WURR-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on side and back, or
  - –Cascade (M) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage (for worksurfaces greater than 36″ wide)
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Radius end in all edge options:
  - –Side bracket with worksurface support column or leg. Must offer floor support for PREMISE.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Rectangular — Split Top

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	36″(914mm)	WURK-2436-W	**$3413.33**	**$3582.83**	**$4267.20**	**$4436.70**
	42″(1067mm)	WURK-2442-W	**3549.25**	**3742.95**	**4437.02**	**4630.72**
	48″(1219mm)	WURK-2448-W	**3685.17**	**3903.07**	**4606.84**	**4824.74**
30″(762mm)	36″(914mm)	WURK-3036-W	**$3591.14**	**$3792.30**	**$4488.72**	**$4689.88**
	42″(1067mm)	WURK-3042-W	**3727.06**	**3952.42**	**4658.54**	**4883.90**
	48″(1219mm)	WURK-3048-W	**3862.98**	**4112.54**	**4828.36**	**5077.92**





WURK-W

Features

- Includes rear worksurface, front worksurface, mechanism and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Straight Front

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N33	$ 718.77	$ 755.19	$ 944.79	$ 981.21
	42″(1067mm)	WUCA-4242-W ☐☐☐ N33	793.76	848.39	1049.24	1103.87
	48″(1219mm)	WUCA-4848-W ☐☐☐ N33	928.74	1001.58	1213.68	1286.52
24″(610mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N44	$ 738.05	$ 774.47	$ 964.07	$1000.49
	42″(1067mm)	WUCA-4242-W ☐☐☐ N44	813.04	867.67	1068.52	1123.15
	48″(1219mm)	WUCA-4848-W ☐☐☐ N44	948.02	1020.86	1232.96	1305.80
30″(762mm)	36″(914mm)	WUCA-3636-W ☐☐☐ N55	$ 819.46	$ 855.88	$1045.48	$1081.90
	42″(1067mm)	WUCA-4242-W ☐☐☐ N55	894.45	949.08	1149.93	1204.56
	48″(1219mm)	WUCA-4848-W ☐☐☐ N55	1029.43	1102.27	1314.37	1387.21



WUCA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCR-3636-W ■ ■ ■ N33	**$644.96**	**$ 675.05**	**$ 818.76**	**$ 848.85**	**$ 856.64**	**$ 886.73**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N33	**752.18**	**801.65**	**960.42**	**1009.89**	**991.94**	**1041.41**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N33	**859.40**	**928.25**	**1102.08**	**1170.93**	**1127.24**	**1196.09**
24″(610mm)	36″(914mm)	WUCR-3636-W ■ ■ ■ N44	**$708.86**	**$ 748.81**	**$ 874.02**	**$ 913.97**	**$ 920.54**	**$ 960.49**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N44	**816.08**	**875.41**	**1015.68**	**1075.01**	**1055.84**	**1115.17**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N44	**923.30**	**1002.01**	**1157.34**	**1236.05**	**1191.14**	**1269.85**
30″(762mm)	36″(914mm)	(1) WUCR-3636-W ■ ■ ■ N55	**$772.76**	**$ 822.57**	**N/A**	**N/A**	**N/A**	**N/A**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N55	**879.98**	**949.17**	**1070.94**	**1140.13**	**1119.74**	**1188.93**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N55	**987.20**	**1075.77**	**1212.60**	**1301.17**	**1255.04**	**1343.61**

(1)Cascade edge option not available in this size.



WUCR-W

Features

- Includes worksurface.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Notched

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCN-3636-W ▢▢▢ N33	$684.85	$709.01	$ 861.32	$ 885.48	$ 905.43	$ 929.59
	42″(1067mm)	WUCN-4242-W ▢▢▢ N33	798.31	825.65	995.78	1023.12	1045.14	1072.48
	48″(1219mm)	WUCN-4848-W ▢▢▢ N33	911.77	942.29	1134.44	1164.96	1190.10	1220.62
24″(610mm)	36″(914mm)	WUCN-3636-W ▢▢▢ N44	$701.66	$725.82	$ 878.13	$ 902.29	$ 922.24	$ 946.40
	42″(1067mm)	WUCN-4242-W ▢▢▢ N44	815.12	842.46	1012.59	1039.93	1061.95	1089.29
	48″(1219mm)	WUCN-4848-W ▢▢▢ N44	928.58	959.10	1151.25	1181.77	1206.91	1237.43
30″(762mm)	36″(914mm)	(1) WUCN-3636-W ▢▢▢ N55	$718.46	$742.62	N/A	N/A	$ 939.04	$ 963.20
	42″(1067mm)	WUCN-4242-W ▢▢▢ N55	831.92	859.26	1029.39	1056.73	1078.75	1106.09
	48″(1219mm)	WUCN-4848-W ▢▢▢ N55	945.38	975.90	1168.05	1198.57	1223.71	1254.23

(1)Cascade edge option not available in this size.



WUCN-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Angled

Left/Right Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 33	$658.76	$ 701.19	$ 849.70	$ 892.13
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 33	752.54	821.13	991.27	1059.86
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 33	899.36	994.11	1185.88	1280.63
24″(610mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 44	$690.70	$ 737.43	$ 873.80	$ 920.53
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 44	784.48	857.37	1015.37	1088.26
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 44	931.30	1030.35	1209.98	1309.03
30″(762mm)	36″(914mm)	WUCU-3636-W ☐☐☐☐ 55	$722.64	$ 773.67	$ 897.90	$ 948.93
	42″(1067mm)	WUCU-4242-W ☐☐☐☐ 55	816.42	893.61	1039.47	1116.66
	48″(1219mm)	WUCU-4848-W ☐☐☐☐ 55	963.24	1066.59	1234.08	1337.43



(Left-hand orientation)



(Right-hand orientation)

WUCU-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-☐N or KU3A-0023-☐☐ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-W ▢▢▢ N34	**$676.91**	**$ 711.93**	**$ 846.39**	**$ 881.41**	**$ 888.59**	**$ 923.61**
	42″(1067mm)	WUCT-4242-W ▢▢▢ N34	**784.13**	**838.53**	**988.05**	**1042.45**	**1023.89**	**1078.29**
	48″(1219mm)	WUCT-4848-W ▢▢▢ N34	**891.35**	**965.13**	**1129.71**	**1203.49**	**1159.19**	**1232.97**
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-W ▢▢▢ N43	**$676.91**	**$ 711.93**	**$ 846.39**	**$ 881.41**	**$ 888.59**	**$ 923.61**
	42″(1067mm)	WUCT-4242-W ▢▢▢ N43	**784.13**	**838.53**	**988.05**	**1042.45**	**1023.89**	**1078.29**
	48″(1219mm)	WUCT-4848-W ▢▢▢ N43	**891.35**	**965.13**	**1129.71**	**1203.49**	**1159.19**	**1232.97**
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCT-3636-W ▢▢▢ N45	**$740.81**	**$ 785.69**	**N/A**	**N/A**	**952.49**	**997.37**
	42″(1067mm)	WUCT-4242-W ▢▢▢ N45	**848.03**	**912.29**	**1043.31**	**1107.57**	**1087.79**	**1152.05**
	48″(1219mm)	WUCT-4848-W ▢▢▢ N45	**955.25**	**1038.89**	**1184.97**	**1268.61**	**1223.09**	**1306.73**
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCT-3636-W ▢▢▢ N54	**$740.81**	**$ 785.69**	**N/A**	**N/A**	**952.49**	**997.37**
	42″(1067mm)	WUCT-4242-W ▢▢▢ N54	**848.03**	**912.29**	**1043.31**	**1107.57**	**1087.79**	**1152.05**
	48″(1219mm)	WUCT-4848-W ▢▢▢ N54	**955.25**	**1038.89**	**1184.97**	**1268.61**	**1223.09**	**1306.73**

(1)Cascade edge option not available in these sizes.





WUCT-WN34



WUCT-WN43

Features

- Includes worksurface.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-W ■■■ N34	$674.35	$698.51	$ 850.82	$ 874.98	$ 894.93	$ 919.09
	42″(1067mm)	WUCH-4242-W ■■■ N34	787.81	815.15	985.28	1012.62	1034.64	1061.98
	48″(1219mm)	WUCH-4848-W ■■■ N34	901.27	931.79	1123.94	1154.46	1179.60	1210.12
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-W ■■■ N43	$674.35	$698.51	$ 850.82	$ 874.98	$ 894.93	$ 919.09
	42″(1067mm)	WUCH-4242-W ■■■ N43	787.81	815.15	985.28	1012.62	1034.64	1061.98
	48″(1219mm)	WUCH-4848-W ■■■ N43	901.27	931.79	1123.94	1154.46	1179.60	1210.12
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCH-3636-W ■■■ N45	$707.96	$732.12	N/A	N/A	928.54	952.70
	42″(1067mm)	WUCH-4242-W ■■■ N45	821.42	848.76	1018.89	1046.23	1068.25	1095.59
	48″(1219mm)	WUCH-4848-W ■■■ N45	934.88	965.40	1157.55	1188.07	1213.21	1243.73
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCH-3636-W ■■■ N54	$707.96	$732.12	N/A	N/A	928.54	952.70
	42″(1067mm)	WUCH-4242-W ■■■ N54	821.42	848.76	1018.89	1046.23	1068.25	1095.59
	48″(1219mm)	WUCH-4848-W ■■■ N54	934.88	965.40	1157.55	1188.07	1213.21	1243.73

(1)Cascade edge option not available in these sizes.



WUCH-WN34



WUCH-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Angled Transitional

Left/Right Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ■■■■ 34	$621.69	$ 666.27	$ 808.71	$ 853.29
	42″(1067mm)	WUCF-4242-W ■■■■ 34	768.51	839.25	1003.32	1074.06
	48″(1219mm)	WUCF-4848-W ■■■■ 34	915.33	1012.23	1197.93	1294.83
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-W ■■■■ 43	$621.69	$ 666.27	$ 808.71	$ 853.29
	42″(1067mm)	WUCF-4242-W ■■■■ 43	768.51	839.25	1003.32	1074.06
	48″(1219mm)	WUCF-4848-W ■■■■ 43	915.33	1012.23	1197.93	1294.83
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-W ■■■■ 45	$653.63	$ 702.51	$ 832.81	$ 881.69
	42″(1067mm)	WUCF-4242-W ■■■■ 45	800.45	875.49	1027.42	1102.46
	48″(1219mm)	WUCF-4848-W ■■■■ 45	947.27	1048.47	1222.03	1323.23
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ■■■■ 54	$653.63	$ 702.51	$ 832.81	$ 881.69
	42″(1067mm)	WUCF-4242-W ■■■■ 54	800.45	875.49	1027.42	1102.46
	48″(1219mm)	WUCF-4848-W ■■■■ 54	947.27	1048.47	1222.03	1323.23



(Left-hand orientation)

WUCF-WN34



(Right-hand orientation)

WUCF-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Split Top

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	48″(1219mm)	WUCK-4848-W ☐☐☐ N44	**$2826.90**	**$3138.62**	**$3573.53**	**$3885.25**
30″(762mm)	48″(1219mm)	WUCK-4848-W ☐☐☐ N55	**$2884.74**	**$3207.17**	**$3631.37**	**$3953.80**



WUCK-W

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- Fixed-height rear worksurface predrilled to accept standard cantilever brackets.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended





(Right-hand orientation)
WUCE-WR44



(Left-hand orientation)
WUCE-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	33	$1162.64	$1247.50	$1479.82	$1564.68	$1485.12	$1569.98
		48″(1219mm)	WUCE-3648-W	33	1173.01	1259.74	1498.83	1585.56	1507.79	1594.52
		54″(1372mm)	WUCE-3654-W	33	1183.38	1271.98	1517.84	1606.44	1530.46	1619.06
		60″(1524mm)	WUCE-3660-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		66″(1676mm)	WUCE-3666-W	33	1322.93	1415.27	1674.67	1767.01	1694.61	1786.95
		72″(1829mm)	WUCE-3672-W	33	1455.29	1549.50	1815.67	1909.88	1839.27	1933.48
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	44	$1188.64	$1278.24	$1505.82	$1595.42	$1511.12	$1600.72
		48″(1219mm)	WUCE-3648-W	44	1199.01	1290.48	1524.83	1616.30	1533.79	1625.26
		54″(1372mm)	WUCE-3654-W	44	1209.38	1302.72	1543.84	1637.18	1556.46	1649.80
		60″(1524mm)	WUCE-3660-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		66″(6764mm)	WUCE-3666-W	44	1348.93	1446.01	1700.67	1797.75	1720.61	1817.69
		72″(1829mm)	WUCE-3672-W	44	1481.29	1580.24	1841.67	1940.62	1865.27	1964.22
30″(762mm)	36″(914mm)	42″(1067mm)	[(1)] WUCE-3642-W	55	$1333.45	$1427.79	N/A	N/A	N/A	N/A
		48″(1219mm)	[(1)] WUCE-3648-W	55	1343.82	1440.03	N/A	N/A	N/A	N/A
		54″(1372mm)	[(1)] WUCE-3654-W	55	1354.19	1452.27	N/A	N/A	N/A	N/A
		60″(1524mm)	[(1)] WUCE-3660-W	55	1364.56	1464.51	N/A	N/A	N/A	N/A
		66″(1676mm)	[(1)] WUCE-3666-W	55	1493.74	1595.56	N/A	N/A	N/A	N/A
		72″(1829mm)	[(1)] WUCE-3672-W	55	1626.10	1729.79	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	33	$1183.38	$1271.98	$1517.84	$1606.44	$1530.46	$1619.06
		54″(1372mm)	WUCE-4254-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		60″(1524mm)	WUCE-4260-W	33	1204.12	1296.46	1555.86	1648.20	1575.80	1668.14
		66″(1676mm)	WUCE-4266-W	33	1333.30	1427.51	1693.68	1787.89	1717.28	1811.49
		72″(1829mm)	WUCE-4272-W	33	1465.66	1561.74	1834.68	1930.76	1861.94	1958.02
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	44	$1209.38	$1302.72	$1543.84	$1637.18	$1556.46	$1649.80
		54″(1372mm)	WUCE-4254-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		60″(1524mm)	WUCE-4260-W	44	1230.12	1327.20	1581.86	1678.94	1601.80	1698.88
		66″(1676mm)	WUCE-4266-W	44	1359.30	1458.25	1719.68	1818.63	1743.28	1842.23
		72″(1829mm)	WUCE-4272-W	44	1491.66	1592.48	1860.68	1961.50	1887.94	1988.76
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-W	55	$1354.19	$1452.27	$1688.65	$1786.73	$1701.27	$1799.35
		54″(1372mm)	WUCE-4254-W	55	1364.56	1464.51	1707.66	1807.61	1723.94	1823.89
		60″(1524mm)	WUCE-4260-W	55	1374.93	1476.75	1726.67	1828.49	1746.61	1848.43
		66″(1676mm)	WUCE-4266-W	55	1504.11	1607.80	1864.49	1968.18	1888.09	1991.78
		72″(1829mm)	WUCE-4272-W	55	1636.47	1742.03	2005.49	2111.05	2032.75	2138.31
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	33	$1204.12	$1296.46	$1555.86	$1648.20	$1575.80	$1668.14
		60″(1524mm)	WUCE-4860-W	33	1214.49	1308.70	1574.87	1669.08	1598.47	1692.68
		66″(1676mm)	WUCE-4866-W	33	1343.67	1439.75	1712.69	1808.77	1739.95	1836.03
		72″(1829mm)	WUCE-4872-W	33	1476.03	1573.98	1853.69	1951.64	1884.61	1982.56
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	44	$1230.12	$1327.20	$1581.86	$1678.94	$1601.80	$1698.88
		60″(1524mm)	WUCE-4860-W	44	1240.49	1339.44	1600.87	1699.82	1624.47	1723.42
		66″(1676mm)	WUCE-4866-W	44	1369.67	1470.49	1738.69	1839.51	1765.95	1866.77
		72″(1829mm)	WUCE-4872-W	44	1502.03	1604.72	1879.69	1982.38	1910.61	2013.30
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	55	$1374.93	$1476.75	$1726.67	$1828.49	$1746.61	$1848.43
		60″(1524mm)	WUCE-4860-W	55	1385.30	1488.99	1745.68	1849.37	1769.28	1872.97
		66″(1676mm)	WUCE-4866-W	55	1514.48	1620.04	1883.50	1989.06	1910.76	2016.32
		72″(1829mm)	WUCE-4872-W	55	1646.84	1754.27	2024.50	2131.93	2055.42	2162.85

[(1)]Cascade and knife edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended





(Right-hand orientation)
WUCP-WR44



(Left-hand orientation)
WUCP-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
  - –Attached lower storage
  - –Disc Base
  - –Support post or support column
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▪ N or KU3A-0023-▪▪ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	33	$1147.26	$1229.74	$1400.06	$1482.54	$1479.33	$1561.81
		48″(1219mm)	WUCP-3648-W	33	1185.29	1274.53	1457.21	1546.45	1533.68	1622.92
		54″(1372mm)	WUCP-3654-W	33	1223.32	1319.32	1514.36	1610.36	1588.03	1684.03
		60″(1524mm)	WUCP-3660-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		66″(1676mm)	WUCP-3666-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		72″(1829mm)	WUCP-3672-W	33	1454.17	1570.45	1802.57	1918.85	1867.84	1984.12
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	44	$1166.48	$1252.37	$1419.28	$1505.17	$1498.55	$1584.44
		48″(1219mm)	WUCP-3648-W	44	1204.51	1297.16	1476.43	1569.08	1552.90	1645.55
		54″(1372mm)	WUCP-3654-W	44	1242.54	1341.95	1533.58	1632.99	1607.25	1706.66
		60″(1524mm)	WUCP-3660-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		66″(1676mm)	WUCP-3666-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		72″(1829mm)	WUCP-3672-W	44	1473.39	1593.08	1821.79	1941.48	1887.06	2006.75
30″(762mm)	36″(914mm)	42″(1067mm)	[1] WUCP-3642-W	55	$1185.70	$1275.00	N/A	N/A	N/A	N/A
		48″(1219mm)	[1] WUCP-3648-W	55	1223.73	1319.79	N/A	N/A	N/A	N/A
		54″(1372mm)	[1] WUCP-3654-W	55	1261.76	1364.58	N/A	N/A	N/A	N/A
		60″(1524mm)	[1] WUCP-3660-W	55	1299.79	1409.37	N/A	N/A	N/A	N/A
		66″(1676mm)	[1] WUCP-3666-W	55	1337.82	1454.16	N/A	N/A	N/A	N/A
		72″(1829mm)	[1] WUCP-3672-W	55	1492.61	1615.71	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	33	$1223.32	$1319.32	$1514.36	$1610.36	$1588.03	$1684.03
		54″(1372mm)	WUCP-4254-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		60″(1524mm)	WUCP-4260-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		66″(1676mm)	WUCP-4266-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		72″(1829mm)	WUCP-4272-W	33	1492.20	1615.24	1859.72	1982.76	1922.19	2045.23
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	44	$1242.54	$1341.95	$1533.58	$1632.99	$1607.25	$1706.66
		54″(1372mm)	WUCP-4254-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		60″(1524mm)	WUCP-4260-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		66″(1676mm)	WUCP-4266-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		72″(1829mm)	WUCP-4272-W	44	1511.42	1637.87	1878.94	2005.39	1941.41	2067.86
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	55	$1261.76	$1364.58	$1552.80	$1655.62	$1626.47	$1729.29
		54″(1372mm)	WUCP-4254-W	55	1299.79	1409.37	1609.95	1719.53	1680.82	1790.40
		60″(1524mm)	WUCP-4260-W	55	1337.82	1454.16	1667.10	1783.44	1735.17	1851.51
		66″(1676mm)	WUCP-4266-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		72″(1829mm)	WUCP-4272-W	55	1530.64	1660.50	1898.16	2028.02	1960.63	2090.49
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	33	$1299.38	$1408.90	$1628.66	$1738.18	$1696.73	$1806.25
		60″(1524mm)	WUCP-4860-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		66″(1676mm)	WUCP-4866-W	33	1375.44	1498.48	1742.96	1866.00	1805.43	1928.47
		72″(1829mm)	WUCP-4872-W	33	1530.23	1660.03	1916.87	2046.67	1976.54	2106.34
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	44	$1318.60	$1431.53	$1647.88	$1760.81	$1715.95	$1828.88
		60″(1524mm)	WUCP-4860-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		66″(1676mm)	WUCP-4866-W	44	1394.66	1521.11	1762.18	1888.63	1824.65	1951.10
		72″(1829mm)	WUCP-4872-W	44	1549.45	1682.66	1936.09	2069.30	1995.76	2128.97
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	55	$1337.82	$1454.16	$1667.10	$1783.44	$1735.17	$1851.51
		60″(1524mm)	WUCP-4860-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		66″(1676mm)	WUCP-4866-W	55	1413.88	1543.74	1781.40	1911.26	1843.87	1973.73
		72″(1829mm)	WUCP-4872-W	55	1568.67	1705.29	1955.31	2091.93	2014.98	2151.60

[1]Cascade and knife edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-WR34



(Left-hand orientation)

WUCX-WL43

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Support post or support column
  - –Side brackets
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).
- Recommend the KU4A-0023-■N or KU3A-0023-■■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Wood Group B K	Wood Group A M	Group B M	Group A U	Group B U
18″(457mm) /24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	34	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	34	1323.91	1413.01	1649.73	1738.83	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	34	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(1676mm)	WUCX-3666-W	34	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	34	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	43	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	43	1323.91	1413.01	1323.91	1413.01	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	43	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(6764mm)	WUCX-3666-W	43	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	43	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	45	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	45	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	45	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	45	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(6764mm)	(1) WUCX-3666-W	45	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	45	1632.19	1733.51	N/A	N/A	N/A	N/A
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	54	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	54	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	54	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	54	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCX-3666-W	54	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	54	1632.19	1733.51	N/A	N/A	N/A	N/A
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	34	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	34	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	34	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	34	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	43	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	43	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	43	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	43	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	45	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	45	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	45	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	45	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	45	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-W	54	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	54	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	54	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	54	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	54	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	34	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	34	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	34	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	34	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	43	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	43	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	43	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	43	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	45	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	45	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	45	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	45	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	54	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	54	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	54	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	54	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57

(1)Cascade and knife edge option not available in these sizes.

Adaptable Worksurfaces — Wood

90° Merger

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCQ-3636-W ▢▢▢ N33	$ 723.82	$ 748.34	$ 942.35	$ 966.87
	42″(1067mm)	WUCQ-4242-W ▢▢▢ N33	808.04	832.56	990.33	1014.85
	48″(1219mm)	WUCQ-4848-W ▢▢▢ N33	940.22	964.74	1221.65	1246.17
24″(610mm)	36″(914mm)	WUCQ-3636-W ▢▢▢ N44	$ 743.01	$ 767.53	$ 961.54	$ 986.06
	42″(1067mm)	WUCQ-4242-W ▢▢▢ N44	827.23	851.75	1009.52	1034.04
	48″(1219mm)	WUCQ-4848-W ▢▢▢ N44	959.41	983.93	1240.84	1265.36
30″(762mm)	36″(914mm)	WUCQ-3636-W ▢▢▢ N55	$ 824.02	$ 848.54	$1042.55	$1067.07
	42″(1067mm)	WUCQ-4242-W ▢▢▢ N55	908.24	932.76	1090.53	1115.05
	48″(1219mm)	WUCQ-4848-W ▢▢▢ N55	1040.42	1064.94	1321.85	1346.37





WUCQ-WN44

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with adjustable keyboard pads.**
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.
3) Edge trim color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 120° Wrap-Around

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCZ-3636-W ▢▢▢ N33	$ 940.36	$1025.14	$1231.77	$1316.55
	42″(1067mm)	WUCZ-4242-W ▢▢▢ N33	1076.86	1185.91	1403.13	1512.18
	48″(1219mm)	WUCZ-4848-W ▢▢▢ N33	1213.36	1346.68	1574.49	1707.81
	54″(1372mm)	WUCZ-5454-W ▢▢▢ N33	1349.86	1507.45	1745.85	1903.44
	60″(1524mm)	WUCZ-6060-W ▢▢▢ N33	1486.36	1668.22	1917.21	2099.07
24″(610mm)	36″(914mm)	WUCZ-3636-W ▢▢▢ N44	$1025.03	$1124.89	$1316.44	$1416.30
	42″(1067mm)	WUCZ-4242-W ▢▢▢ N44	1161.53	1285.66	1487.80	1611.93
	48″(1219mm)	WUCZ-4848-W ▢▢▢ N44	1298.03	1446.43	1659.16	1807.56
	54″(1372mm)	WUCZ-5454-W ▢▢▢ N44	1434.53	1607.20	1830.52	2003.19
	60″(1524mm)	WUCZ-6060-W ▢▢▢ N44	1571.03	1767.97	2001.88	2198.82
30″(762mm)	36″(914mm)	WUCZ-3636-W ▢▢▢ N55	$1109.70	$1224.64	$1401.11	$1516.05
	42″(1067mm)	WUCZ-4242-W ▢▢▢ N55	1246.20	1385.41	1572.47	1711.68
	48″(1219mm)	WUCZ-4848-W ▢▢▢ N55	1382.70	1546.18	1743.83	1907.31
	54″(1372mm)	WUCZ-5454-W ▢▢▢ N55	1519.20	1706.95	1915.19	2102.94
	60″(1524mm)	WUCZ-6060-W ▢▢▢ N55	1655.70	1867.72	2086.55	2298.57





WUCZ-WN44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Rear corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURD-2436-W	$ 718.64	$ 752.96	$ 893.26	$ 927.58	$ 941.30	$ 975.62
	42″(1067mm)	WURD-2442-W	835.64	876.20	1040.96	1081.52	1084.80	1125.36
	48″(1219mm)	WURD-2448-W	952.64	1000.48	1200.94	1248.78	1238.90	1286.74
	54″(1372mm)	WURD-2454-W	1069.64	1122.68	1348.64	1401.68	1382.40	1435.44
	60″(1524mm)	WURD-2460-W	1186.64	1246.96	1508.62	1568.94	1536.50	1596.82
	66″(1676mm)	WURD-2466-W	1303.64	1370.20	1662.46	1729.02	1685.30	1751.86
	72″(1829mm)	WURD-2472-W	1420.64	1492.40	1810.16	1881.92	1828.80	1900.56
30″(762mm)	36″(914mm)	WURD-3036-W	$ 837.20	$ 871.52	$1015.98	$1050.30	$1091.06	$1125.38
	42″(1067mm)	WURD-3042-W	955.76	996.32	1165.24	1205.80	1236.12	1276.68
	48″(1219mm)	WURD-3048-W	1074.32	1122.16	1326.78	1374.62	1391.78	1439.62
	54″(1372mm)	WURD-3054-W	1192.88	1245.92	1476.04	1529.08	1536.84	1589.88
	60″(1524mm)	WURD-3060-W	1311.44	1371.76	1637.58	1697.90	1692.50	1752.82
	66″(1676mm)	WURD-3066-W	1430.00	1496.56	1792.98	1859.54	1842.86	1909.42
	72″(1829mm)	WURD-3072-W	1548.56	1620.32	1942.24	2014.00	1987.92	2059.68
36″(914mm)	36″(914mm)	WURD-3636-W	$ 860.08	$ 894.40	$1045.10	$1079.42	$1120.18	$1154.50
	42″(1067mm)	WURD-3642-W	980.20	1020.76	1195.92	1236.48	1266.80	1307.36
	48″(1219mm)	WURD-3648-W	1100.32	1148.16	1359.02	1406.86	1424.02	1471.86
	54″(1372mm)	WURD-3654-W	1220.44	1273.48	1509.84	1562.88	1570.64	1623.68
	60″(1524mm)	WURD-3660-W	1340.56	1400.88	1672.94	1733.26	1727.86	1788.18
	66″(1676mm)	WURD-3666-W	1460.68	1527.24	1829.90	1896.46	1879.78	1946.34
	72″(1829mm)	WURD-3672-W	1580.80	1652.56	1980.72	2052.48	2026.40	2098.16







WURD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Worksurface support post or column
  –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  –Cantilever bracket
  –Worksurface support panel
  –Flush mount plates
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURV-2436-W	$ 697.84	$ 732.16	$ 871.52	$ 905.84	$ 918.94	$ 953.26
	42″(1067mm)	WURV-2442-W	762.76	801.46	962.44	1001.14	1002.56	1041.26
	48″(1219mm)	WURV-2448-W	827.68	871.49	1063.76	1107.57	1093.66	1137.47
	54″(1372mm)	WURV-2454-W	892.60	940.06	1154.68	1202.14	1177.28	1224.74
	60″(1524mm)	WURV-2460-W	957.52	1010.09	1256.00	1308.57	1268.38	1320.95
	66″(1676mm)	WURV-2466-W	1022.44	1079.39	1352.12	1409.07	1355.74	1412.69
	72″(1829mm)	WURV-2472-W	1087.36	1147.96	1443.04	1503.64	1439.36	1499.96
30″(762mm)	36″(914mm)	WURV-3036-W	$ 774.80	$ 809.12	$ 952.64	$ 986.96	$1027.10	$1061.42
	42″(1067mm)	WURV-3042-W	849.68	888.38	1053.52	1092.22	1120.68	1159.38
	48″(1219mm)	WURV-3048-W	924.56	968.37	1164.80	1208.61	1221.74	1265.55
	54″(1372mm)	WURV-3054-W	999.44	1046.90	1265.68	1313.14	1315.32	1362.78
	60″(1524mm)	WURV-3060-W	1074.32	1126.89	1376.96	1429.53	1416.38	1468.95
	66″(1676mm)	WURV-3066-W	1149.20	1206.15	1483.04	1539.99	1513.70	1570.65
	72″(1829mm)	WURV-3072-W	1224.08	1284.68	1583.92	1644.52	1607.28	1667.88
36″(914mm)	36″(914mm)	WURV-3636-W	$ 829.92	$ 864.24	$1014.00	$1048.32	$1088.46	$1122.78
	42″(1067mm)	WURV-3642-W	938.52	977.22	1148.60	1187.30	1215.76	1254.46
	48″(1219mm)	WURV-3648-W	1047.12	1090.93	1293.60	1337.41	1350.54	1394.35
	54″(1372mm)	WURV-3654-W	1155.72	1203.18	1428.20	1475.66	1477.84	1525.30
	60″(1524mm)	WURV-3660-W	1264.32	1316.89	1573.20	1625.77	1612.62	1665.19
	66″(1676mm)	WURV-3666-W	1372.92	1429.87	1713.00	1769.95	1743.66	1800.61
	72″(1829mm)	WURV-3672-W	1481.52	1542.12	1847.60	1908.20	1870.96	1931.56







WURV-W

Features

- Wood veneer worksurface:
  - –3mm edgeband (K) or knife edge (U) on user edges and 1mm edgeband on front and back (width), or
  - –Cascade (M) on user edges and 1mm edgeband on front and back (width).
- **Must be attached to a panel or face of a straight worksurface.**
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Flush mount plates
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	3	$1339.51	$1447.14	$1685.03	$1792.66	$1616.73	$1724.36
		66″(1676mm)	WUCD-3666-W	3	1392.25	1509.24	1752.53	1869.52	1684.89	1801.88
		72″(1829mm)	WUCD-3672-W	3	1498.55	1624.90	1873.59	1999.94	1806.61	1932.96
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	4	$1355.14	$1465.41	$1700.03	$1810.30	$1631.51	$1741.78
		66″(1676mm)	WUCD-3666-W	4	1407.88	1527.51	1767.53	1887.16	1699.67	1819.30
		72″(1829mm)	WUCD-3672-W	4	1514.18	1643.17	1888.59	2017.58	1821.39	1950.38
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W	5	$1370.77	$1483.68	$1715.03	$1827.94	$1646.29	$1759.20
		66″(1676mm)	WUCD-3666-W	5	1423.51	1545.78	1782.53	1904.80	1714.45	1836.72
		72″(1829mm)	WUCD-3672-W	5	1529.81	1661.44	1903.59	2035.22	1836.17	1967.80
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	3	$1407.88	$1527.51	$1767.53	$1887.16	$1699.67	$1819.30
		66″(1676mm)	WUCD-4266-W	3	1460.62	1589.61	1835.03	1964.02	1767.83	1896.82
		72″(1829mm)	WUCD-4272-W	3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	4	$1423.51	$1545.78	$1782.53	$1904.80	$1714.45	$1836.72
		66″(1676mm)	WUCD-4266-W	4	1476.25	1607.88	1850.03	1981.66	1782.61	1914.24
		72″(1829mm)	WUCD-4272-W	4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W	5	$1439.14	$1564.05	$1797.53	$1922.44	$1729.23	$1854.14
		66″(1676mm)	WUCD-4266-W	5	1491.88	1626.15	1865.03	1999.30	1797.39	1931.66
		72″(1829mm)	WUCD-4272-W	5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	3	$1460.62	$1589.61	$1835.03	$1964.02	$1767.83	$1896.82
		66″(1676mm)	WUCD-4866-W	3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
		72″(1829mm)	WUCD-4872-W	3	1566.10	1713.81	1970.03	2117.74	1904.15	2051.86
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	4	$1476.25	$1607.88	$1850.03	$1981.66	$1782.61	$1914.24
		66″(1676mm)	WUCD-4866-W	4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
		72″(1829mm)	WUCD-4872-W	4	1581.73	1732.08	1985.03	2135.38	1918.93	2069.28
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W	5	$1491.88	$1626.15	$1865.03	$1999.30	$1797.39	$1931.66
		66″(1676mm)	WUCD-4866-W	5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
		72″(1829mm)	WUCD-4872-W	5	1597.36	1750.35	2000.03	2153.02	1933.71	2086.70





(Right-hand orientation)



(Left-hand orientation)

WUCD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on side and back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on side and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) diameter D-shaped radius.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) diameter D-shaped radius.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side bracket
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-▢N or KU3A-0023-▢▢ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

D-Shaped Ender

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUDD-1836-W C	$ 661.87	$ 696.71	$ 828.65	$ 863.49	$ 869.83	$ 904.67
	42″(1067mm)	WUDD-1842-W C	769.57	810.77	968.03	1009.23	1009.21	1050.41
	48″(1219mm)	WUDD-1848-W C	877.27	924.83	1107.41	1154.97	1148.59	1196.15
	54″(1372mm)	WUDD-1854-W C	984.97	1038.89	1246.79	1300.71	1287.97	1341.89
	60″(1524mm)	WUDD-1860-W C	1092.67	1152.95	1386.17	1446.45	1427.35	1487.63
	66″(1676mm)	WUDD-1866-W C	1200.37	1267.01	1525.55	1592.19	1566.73	1633.37
	72″(1829mm)	WUDD-1872-W C	1308.07	1381.07	1664.93	1737.93	1706.11	1779.11
24″(610mm)	36″(914mm)	WUDD-2436-W C	$ 698.82	$ 733.66	$ 869.83	$ 904.67	$ 919.45	$ 954.29
	42″(1067mm)	WUDD-2442-W C	819.18	860.38	1021.87	1063.07	1071.49	1112.69
	48″(1219mm)	WUDD-2448-W C	939.54	987.10	1173.91	1221.47	1223.53	1271.09
	54″(1372mm)	WUDD-2454-W C	1059.90	1113.82	1325.95	1379.87	1375.57	1429.49
	60″(1524mm)	WUDD-2460-W C	1180.26	1240.54	1477.99	1538.27	1527.61	1587.89
	66″(1676mm)	WUDD-2466-W C	1300.62	1367.26	1630.03	1696.67	1679.65	1746.29
	72″(1829mm)	WUDD-2472-W C	1420.98	1493.98	1782.07	1855.07	1831.69	1904.69
30″(762mm)	36″(914mm)	WUDD-3036-W C	$ 796.99	$ 831.83	$ 972.22	$1007.06	$1049.28	$1084.12
	42″(1067mm)	WUDD-3042-W C	917.35	958.55	1124.26	1165.46	1201.32	1242.52
	48″(1219mm)	WUDD-3048-W C	1037.71	1085.27	1276.30	1323.86	1353.36	1400.92
	54″(1372mm)	WUDD-3054-W C	1158.07	1211.99	1428.34	1482.26	1505.40	1559.32
	60″(1524mm)	WUDD-3060-W C	1278.43	1338.71	1580.38	1640.66	1657.44	1717.72
	66″(1676mm)	WUDD-3066-W C	1398.79	1465.43	1732.42	1799.06	1809.48	1876.12
	72″(1829mm)	WUDD-3072-W C	1519.15	1592.15	1884.46	1957.46	1961.52	2034.52





WUDD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Shared cantilever bracket
  - –Worksurface support panel
  - –Flush mount plate
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Bent

Left/Right Depth	Width	Length	Number ❶❷❸		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-W	R45	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W	R45	1089.17	1178.63	1365.52	1365.52	1417.10	1417.10
		48″(1219mm)	WUCB-2448-W	R45	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W	R45	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-W	R45	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W	R45	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W	R45	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W	R45	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-W	L54	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W	L54	1089.17	1178.63	1365.52	1454.98	1417.10	1506.56
		48″(1219mm)	WUCB-2448-W	L54	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W	L54	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-W	L54	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W	L54	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W	L54	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W	L54	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44



(Right-hand orientation)

WUCB-WR45



(Left-hand orientation)

WUCB-WL54

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Corner bracket - REQUIRED
  - –Worksurface support column or leg.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Shared cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Countertop

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
12″(305mm)	21″(533mm)	WUTS-1221-W C	$497.82	$ 517.00	$ 622.07	$ 641.25	$ 662.19	$ 681.37
	23″(584mm)	WUTS-1223-W C	506.88	527.64	633.43	654.19	673.69	694.45
	24″(610mm)	WUTS-1224-W C	511.41	532.96	639.11	660.66	679.44	700.99
	27″(686mm)	WUTS-1227-W C	525.00	548.92	656.15	680.07	696.69	720.61
	29″(737mm)	WUTS-1229-W C	534.06	559.56	667.51	693.01	708.19	733.69
	30″(762mm)	WUTS-1230-W C	538.59	564.88	673.19	699.48	713.94	740.23
	33″(838mm)	WUTS-1233-W C	552.18	580.84	690.23	718.89	731.19	759.85
	35″(889mm)	WUTS-1235-W C	561.24	591.48	701.59	731.83	742.69	772.93
	36″(914mm)	WUTS-1236-W C	565.77	596.80	707.27	738.30	748.44	779.47
	39″(991mm)	WUTS-1239-W C	579.36	612.76	724.31	757.71	765.69	799.09
	41″(1041mm)	WUTS-1241-W C	588.42	623.40	735.67	770.65	777.19	812.17
	42″(1067mm)	WUTS-1242-W C	592.95	628.72	741.35	777.12	782.94	818.71
	45″(1143mm)	WUTS-1245-W C	606.54	644.68	758.39	796.53	800.19	838.33
	47″(1194mm)	WUTS-1247-W C	615.60	655.32	769.75	809.47	811.69	851.41
	48″(1219mm)	WUTS-1248-W C	620.13	660.64	775.43	815.94	817.44	857.95
	51″(1295mm)	WUTS-1251-W C	633.72	676.60	792.47	835.35	834.69	877.57
	53″(1346mm)	WUTS-1253-W C	642.78	687.24	803.83	848.29	846.19	890.65
	54″(1372mm)	WUTS-1254-W C	647.31	692.56	809.51	854.76	851.94	897.19
	57″(1448mm)	WUTS-1257-W C	660.90	708.52	826.55	874.17	869.19	916.81
	59″(1499mm)	WUTS-1259-W C	669.96	719.16	837.91	887.11	880.69	929.89
	60″(1524mm)	WUTS-1260-W C	674.49	724.48	843.59	893.58	886.44	936.43
	63″(1600mm)	WUTS-1263-W C	688.08	740.44	860.63	912.99	903.69	956.05
	65″(1651mm)	WUTS-1265-W C	697.14	751.08	871.99	925.93	915.19	969.13
	66″(1676mm)	WUTS-1266-W C	701.67	756.40	877.67	932.40	920.94	975.67
	69″(1753mm)	WUTS-1269-W C	715.26	772.36	894.71	951.81	938.19	995.29
	71″(1803mm)	WUTS-1271-W C	724.32	783.00	906.07	964.75	949.69	1008.37
	72″(1829mm)	WUTS-1272-W C	728.85	788.32	911.75	971.22	955.44	1014.91
	75″(1905mm)	WUTS-1275-W C	742.44	804.28	928.79	990.63	972.69	1034.53
	77″(1956mm)	WUTS-1277-W C	751.50	814.92	940.15	1003.57	984.19	1047.61
	78″(1981mm)	WUTS-1278-W C	756.03	820.24	945.83	1010.04	989.94	1054.15
	81″(2057mm)	WUTS-1281-W C	769.62	836.20	962.87	1029.45	1007.19	1073.77
	83″(2108mm)	WUTS-1283-W C	778.68	846.84	974.23	1042.39	1018.69	1086.85
	84″(2134mm)	WUTS-1284-W C	783.21	852.16	979.91	1048.86	1024.44	1093.39
	87″(2210mm)	WUTS-1287-W C	796.80	868.12	996.95	1068.27	1041.69	1113.01
	89″(2261mm)	WUTS-1289-W C	805.86	878.76	1008.31	1081.21	1053.19	1126.09
	90″(2286mm)	WUTS-1290-W C	810.39	884.08	1013.99	1087.68	1058.94	1132.63
	93″(2362mm)	WUTS-1293-W C	823.98	900.04	1031.03	1107.09	1076.19	1152.25
	95″(2413mm)	WUTS-1295-W C	833.04	910.68	1042.39	1120.03	1087.69	1165.33
	96″(2438mm)	WUTS-1296-W C	837.57	916.00	1048.07	1126.50	1093.44	1171.87
	99″(2515mm)	WUTS-1299-W C	851.16	931.96	1065.11	1145.91	1110.69	1191.49
	101″(2565mm)	WUTS-12A1-W C	860.22	942.60	1076.47	1158.85	1122.19	1204.57
	102″(2591mm)	WUTS-12A2-W C	864.75	947.92	1082.15	1165.32	1127.94	1211.11
	105″(2667mm)	WUTS-12A5-W C	878.34	963.88	1099.19	1184.73	1145.19	1230.73
	107″(2718mm)	WUTS-12A7-W C	887.40	974.52	1110.55	1197.67	1156.69	1243.81
	108″(2743mm)	WUTS-12A8-W C	891.93	979.84	1116.23	1204.14	1162.44	1250.35
	111″(2819mm)	WUTS-12B1-W C	905.52	995.80	1133.27	1223.55	1179.69	1269.97
	113″(2870mm)	WUTS-12B3-W C	914.58	1006.44	1144.63	1236.49	1191.19	1283.05
	114″(2896mm)	WUTS-12B4-W C	919.11	1011.76	1150.31	1242.96	1196.94	1289.59
	117″(2972mm)	WUTS-12B7-W C	932.70	1027.72	1167.35	1262.37	1214.19	1309.21
	119″(3023mm)	WUTS-12B9-W C	941.76	1038.36	1178.71	1275.31	1225.69	1322.29
	120″(3048mm)	WUTS-12C0-W C	946.29	1043.68	1184.39	1281.78	1231.44	1328.83





WUTS-W

Features

- Includes countertop and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edges and 1mm edgeband on ends, or
  - –Cascade (M) user edges and 1mm edgeband on ends.
- Widths shown in nominal dimensions.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Countertop support specific to product line; must be separately specified.
- Knife edge countertops not for use with PREMISE Monolithic Panel.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
39″(991mm)	30″(762mm)	WUDC-3930-W	**$1588.34**	**$1672.56**	**$1975.30**	**$2059.52**	**$2035.00**	**$2119.22**
51″(1295mm)		WUDC-5130-W	**1681.42**	**1782.02**	**2093.86**	**2194.46**	**2154.73**	**2255.33**
63″(1600mm)		WUDC-6330-W	**1767.34**	**1883.06**	**2203.30**	**2319.02**	**2265.25**	**2380.97**





WUDC-3930-W WUDC-5130-W



WUDC-6330-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway must be specified to accommodate panel end-of-run trim.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support column or leg – REQUIRED.
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Must be specified with notched or curved wireway to fit around end of run trim.

Note: Grain direction will run across 63″(1600mm)-wide conference end worksurface.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Key Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
39″(991mm)	30″(762mm)	WURY-3930-W	**$1976.36**	**$2116.01**	**$2514.70**	**$2654.35**	**$2546.68**	**$2686.33**
51″(1295mm)	30″(762mm)	WURY-5130-W	**$1979.99**	**$2120.27**	**$2576.54**	**$2716.82**	**$2550.31**	**$2690.59**
	36″(914mm)	WURY-5136-W	**2026.47**	**2175.07**	**$2628.36**	**$2776.96**	**$2610.33**	**$2758.93**
63″(1600mm)	36″(914mm)	WURY-6336-W	**$2030.10**	**$2179.33**	**$2690.20**	**$2839.43**	**$2613.96**	**$2763.19**
	42″(1067mm)	WURY-6342-W	**2076.58**	**2234.13**	**$2742.02**	**$2899.57**	**$2673.98**	**$2831.53**
	48″(1219mm)	WURY-6348-W	**2123.06**	**2288.93**	**$2793.84**	**$2959.71**	**$2734.00**	**$2899.87**





WURY-3930-W



WURY-5130-W
WURY-5136-W



WURY-6336-W
WURY-6342-W
WURY-6348-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end of run trim.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support column or leg – REQUIRED.
  - –Worksurface support panel
- To be used in conference end application.
- Must be specified with notched or curved wireway to fit around end of run trim.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved

Adaptable Worksurfaces — Wood

120° Link

Depth	Number ❶❷	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	WUDZ-1821-W C	$ 750.47	$ 813.36	$ 981.80	$1044.69
24″(610mm)	WUDZ-2427-W C	834.01	875.59	1065.34	1106.92
30″(762mm)	WUDZ-3033-W C	1164.08	1241.90	1507.33	1585.15





WUDZ-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Support column, leg or worksurface support panel must be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Standard link cantilever bracket
  –Tie plate with 18″(457mm) depth
  –Flush mount plate with 24″(610mm)-30″(762mm) depths
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side brackets for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

K Wood Edgeband

U Wood Knife

❷ Core Options:

S Standard

G Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurface Supports

Standard Cantilever Bracket

ZNBD-1600

Depth	Width	Height	Description	Number ❶	Price P	Price A C	Price B C
15 3/4″(400mm)	2″(51mm)	12 3/4″(324mm)	Pair	ZNBD-1600- P ■	$96.68	$114.36	$116.44
			Left-hand	ZNBD-1600- L ■	53.67	71.35	73.43
			Right-hand	ZNBD-1600- R ■	53.67	71.35	73.43

Features
- Includes one right- and/or one left-handed bracket, and mounting screws.
- Provides cantilever support for the left and/or right side of worksurfaces.
- Installs in panel connector slots.
- Cantilever bracket can be used on either an 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 21″(533mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

Specification Tip
- Two-handed cantilevers cannot access same connector slots.

To Order, Specify:

1) Product number, including:

❶ **Finish Options**

P No finish specification required.

C Trim colors for A and B.

2) Trim color (if applicable).

Standard Shared Cantilever Bracket



ZNBH-1600

15 3/4″(400mm)	4″(102mm)	12 3/4″(324mm)	Left-hand	ZNBH-1600- L ■	$79.57	$97.25	$99.33
			Right-hand	ZNBH-1600- R ■	79.57	97.25	99.33

Features
- Includes one right or one left single shared cantilever and mounting screws.
- Provides cantilever support for adjoining worksurfaces.
- Installs in panel connector slots.
- Cantilever bracket can be used on either an 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- A shared cantilever can be disassembled to create one left or one right cantilever depending upon how specified.
- Mounts worksurface in one inch vertical increments from a minimum of 21″(533mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

Specification Tips
- Two shared cantilevers cannot access same connector slots.
- Left-hand shared cantilever convertible to left-hand end condition; right-hand shared cantilever convertible to right-hand end condition for reconfiguration.
- The shared cantilever is specified as a handed bracket for future reconfiguration purposes.
- Suggestion: order half right-hand and half left-hand shared cantilevers for the initial installation.
- Cannot be attached to panel with off-modular pad.

To Order, Specify:

1) Product number, including:

❶ **Finish Options**

P No finish specification required.

C Trim colors for A and B.

2) Trim color (if applicable).

Standard Mini Cantilever Bracket



ZNBD-1000

9″(229mm)	1 5/8″(41mm)	10″(254mm)	Right-hand	ZNBD-1000- R	$ 61.22	$ 78.90	$ 80.98
			Left-hand	ZNBD-1000- L	61.22	78.90	80.98
			Pair	ZNBD-1000- P	104.23	121.91	123.99

Features
- Includes one right- and/or one left-handed bracket and mounting screws.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 17″(432mm) high.
- (P) finish option standard in black.

Specification Tip
- **Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.**

To Order, Specify:

1) Product number, including:

❶ **Finish Option:**

P No finish specification required.

C Trim colors for A and B.

2) Trim color (if applicable).

Adaptable Worksurface Supports

Shared Mini Cantilever Bracket



ZNBH-1000

Depth	Width	Height	Description	Number ❶	Price P	Price A C	Price B C
10″(254mm)	4″(102mm)	12 3/4″(324mm)	Left-hand	ZNBH-1000- L ■	$106.35	$124.03	$126.11
			Right-hand	ZNBH-1000- R ■	106.35	124.03	126.11

Features
- Includes one right or one left-handed bracket, and mounting screws.
- Provides cantilever support for the left or right side of worksurfaces.
- Installs in panel connector slots.
- Mounts worksurface in one inch vertical increments from a minimum of 21″(533mm) high.
- (P) finish option standard in black.

■ Available on RUSH.

Specification Tip
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

To Order, Specify:
1) Product number, including:

❶ **Finish Options**

P No finish specification required.

C Trim colors for A and B.

2) Trim color (if applicable).

Off-Modular Worksurface Bracket



ZNBO

Depth	Width	Number	Price
2 1/2″(64mm)	3″(76mm)	ZNBO-0000-PN ■	$26.78

Features
- Includes one bracket and mounting screws.
- Standard in Black finish color only.

■ Available on RUSH.

Specification Tips
- Must be used with off-modular super base pad.
- Attaches one side of worksurface to off-modular panel.
- Support column, straight leg basic and Moxie legs are required floor support options for off-modular worksurfaces.
- Two off-modular worksurface brackets are required for each worksurface (up to 60″ wide) edge that contacts the off-modular spine.
- Worksurfaces that exceed 60″ in width require three off-modular worksurface brackets.
- Worksurfaces attached to the off-modular spine must be joined to adjacent worksurfaces with two flush mount plates (ZUBF-0000-PN).
- Flush mount plates and off-modular worksurface brackets must not be sole supporting elements for a worksurface.
- Single or multiple adjoining worksurfaces must be floor supported at the outer exposed corners.
- Standard worksurface application guidelines are applicable in addition to the above specification tips.

To Order, Specify:
1) Product number.
(No finish specification required.)

Side Bracket



Right-hand Left-hand

ZNBA-0000

3/4″(19mm)	3 5/8″(92mm)	2 5/8″(67mm)	Left-hand	ZNBA-0000-PL ■	$17.14
			Right-hand	ZNBA-0000-PR ■	17.14

Features
- Includes one left- or right-hand bracket and mounting screws.
- Mounts ends of rectilinear worksurface to adjacent panel.
- Worksurface depth and return panel width must be equal.
- Standard in Black finish only.

■ Available on RUSH.

Specification Tip
- Not recommended for use with convergent worksurface.

To Order, Specify:
1) Product number.
(No finish specification required.)

Adaptable Worksurface Supports

Flush Mount Plate

Depth	Width	Number	Price
3″(76mm)	4″(102mm)	ZUBF-0000-PN ■	$21.63



ZUBF-0000

Features
- Includes one bracket and mounting screws.
- Mounts straight end of convergent worksurfaces or conference end worksurfaces to panel-hung worksurfaces.
- Provides 90° attachment of two worksurfaces at the same height.
- Standard in Black finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Side Bracket for use with Knife Edge

Description	Number	Price A	Price B
Right	ZNBA-0000-PRF	$55.70	$70.70
Left	ZNBA-0000-PLF	55.70	70.70



ZNBA-0000-PRF
ZNBA-0000-PLF

Features
- Includes one left- or right-hand bracket, mounting screws and dislodgement clips.
- Attaches to front corner of worksurface with knife edge.

To Order, Specify:

1) Product number.
2) Trim color.

Rear-Corner Bracket

Number	Price
ZNBR-0000-PN ■	$17.14



ZNBR-0000

Features
- Includes one left-hand bracket and mounting screws.
- Attaches rear corner of worksurface to left-hand side trim rail of panel.
- Standard in Black finish only.

■ Available on RUSH.

Specification Tip
- **Required for all corner worksurfaces.**

To Order, Specify:

1) Product number.
(No finish specification required.)

Countertop Bracket

Description	Number	Price
PREMISE for Steel/Wood Top Cap - Monolithic Panels	ZNBT-0000-PNE ■	$49.50
PREMISE for Steel/Wood Top Cap - Stack Kits or Super Base Panels	ZNBT-0000-PNS ■	83.24



ZNBT-PNE ZNBT-PNS

Features
- Includes countertop brackets and screws to support countertops up to 72″(1829mm) wide.
- Standard in charcoal finish only.

■ Available on RUSH.

Specification Tip
- Not for use with PREMISE grooved top caps.
- Not for use with knife edge countertop mounted on PREMISE Monolithic Panel.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adaptable Worksurface Supports

Anti Dislodgement Bracket — Only for use with Worksurface Support Panels

Description	For Use with	Number ❶	Price
Non-Shared	End condition	ZNBF-0000-P ■	**$91.05**
Shared	Panel seams	ZNBF-0000-P ■ S	**$91.05**



ZEBF-0000-P

Features
- Includes one left or right-hand shared or non-shared anti-dislodgement bracket and mounting screws.
- Standard in black finish only.

Specification Tips
- **Anti-Dislodgement Bracket only for use with worksurface support panels used in conjunction with a worksurface.**
- Worksurface support panel with anti-dislodgement bracket can be used in place of a return panel in some applications.
- See Load and Support guidelines for details.

To Order, Specify:
1) Product number, including:

❶ **Handedness:**

R Right

L Left

(No finish specification required.)

Pedestal-to-Panel Bracket



ZNBN-0000

Height	Depth	Description	Number	Price A	Price B
2″(51mm)	27 1/4″(692mm)	Edgeband Edge	ZNBN-0000-PNJ ■	**$163.89**	**$176.74**
		Cascade Edge	ZNBN-0000-PNV ■	**$163.89**	**$176.74**

Feature
- Includes non-handed bracket and mounting screws.
- Installs in panel connector slots and attaches to the back side of an attached pedestal.
- Bracket is predrilled for attachment to pedestal.
- Does not attach to two-high lateral files.

■ Available on RUSH.

Specification Tips
- Edgeband or Cascade bracket will work with knife edge.
- Worksurface and pedestal have to be same depth (nominal).
- Not for use with T-mold edge worksurface.
- When using knife edge specify storage 6″(152mm) less than worksurface depth.

To Order, Specify:
1) Product number.
2) Trim color.

Worksurface Supports

Worksurface Support Panels

Laminate Height	Thickness	Depth	Number ❶	Laminate A	Laminate B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZNFS-1200-LNE ■	$268.87	$291.37
		18″(457mm)	ZNFS-1800-LNE ■	291.37	312.19
		24″(610mm)	ZNFS-2400-LNE ■	313.87	333.01
		30″(762mm)	ZNFS-3000-LNE ■	336.37	353.83



ZNFS-LNE

T-Mold



Edgeband



Cascade



Knife

Features

- Includes support panel with glides and hardware.
- Installs in panel connector slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions to eliminate front end deflection or to replace return panel.
- Non-handed design may be installed in left-hand, right-hand or shared configuration, and enhances reconfiguration possibilities.
- Laminate surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Adjustable glides provide a maximum of 2″(51mm) of height adjustment.

■ Available on RUSH.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Actual depth varies per worksurface edge option.

To Order, Specify:

1) Product number, including:

❶ **Edge Options:**

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

2) Laminate color.

3) Edge trim color.

Wood Height	Thickness	Depth	Number ❶	Wood Group A	Group B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZNFS-1200-WNE ■	$477.75	$523.82
		18″(457mm)	ZNFS-1800-WNE ■	506.73	556.58
		24″(610mm)	ZNFS-2400-WNE ■	535.71	589.34
		30″(762mm)	ZNFS-3000-WNE ■	564.69	622.10



ZNFS-WNE

Edgeband



Cascade



Knife



Features

- Includes support panel with glides and hardware.
- Installs in panel connector slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions to eliminate front end deflection or to replace return panel.
- Non-handed design may be installed in left-hand, right-hand or shared configuration, and enhances reconfiguration possibilities.
- Wood surface with wood edge trim.
- Adjustable glides provide a maximum of 2″(51mm) of height adjustment.

■ Available on RUSH.

Specification Tip

- Specify worksurface support panel to match worksurface edge option.

To Order, Specify:

1) Product number, including:

❶ **Edge Options:**

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

2) Wood finish color.

Worksurface Supports

Worksurface Height Adjustment Kit for Attached Pedestal



JAKA-18

Class FM – SIN 711-3;
Discount Group XII

Height	Number	Price A	Price B
1-2″(25-51mm)	JAKA-18	$167.44	$170.56
	JAKA-24	177.84	182.00
	JAKA-30	188.24	193.44

Features
- Includes top and eight height adjustment spacers and attachment hardware.
- Provides height adjustment for pedestal-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Standard in charcoal finish color only.

NOTE:
For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:
1) Product number.
2) Trim color.

Straight Leg Basic



WUCL-0001

Class CA – SIN 711-1;
Discount Group I

Number	Price
WUCL-0001 ■	$116.76

Features
- Includes one leg and mounting screws.
- 4″(102mm) glide adjustment range allows worksurface heights from 27″(686mm) to 31″(787mm).
- 2 1/4″(57mm) diameter column includes 6″(152mm)-diameter top plate.
- Standard in Charcoal finish color only.
- Shipped assembled.

■ Available on RUSH.

Specification Tip
- Predrilled for convergent worksurfaces and end-of-run worksurface application.

To Order, Specify:
1) Product number.
(No finish specification required.)

Support Column



WUCC-0004

Class CA – SIN 711-1;
Discount Group I

Number	Price A	Price B
WUCC-0004 ■	$262.44	$275.29

Features
- Includes one column and mounting screws.
- Column adjusts vertically for worksurface heights from 27″(686mm) to 31 1/2″(800mm).
- 3″(76mm)-diameter column includes 6″(152mm)- square top plate.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Adjustable Height Disc Base



ZZFZ

Class CA – SIN 711-1;
Discount Group I

Diameter	Number	Price A	Price B
21″(533mm)	ZZFZ-2121-PNF	$623.44	$637.37

Features
- Includes base, column and mounting screws.
- For use in panel mounted applications only.

Specification Tips
- Do not use as freestanding table base.
- 5″ adjustment range allows worksurface heights of 27″(686mm) to 32″(813mm).

To Order, Specify:
1) Product number.
2) Trim color.

Worksurface Supports

Legs



NLEG-S-G

NLEG-A-G

Class FA – SIN 711-1;
Discount Group XI

Height	Description	Number	Price A	Price B
26″-32″(660mm-813mm)	Straight Leg with Glide	NLEG-S-G	$288.89	$301.86
26″-32″(660mm-813mm)	Angled Leg with Glide	NLEG-A-G	$288.89	$301.86

Features

- Includes one leg and mounting hardware.
- 1 3/4″(44mm) diameter column includes 6″(152mm) round top plate and mounting hardware.
- 6″(152mm) adjustment range allows heights from 26″(660mm) to 32″(813mm) in 1″(25mm) increments for glide legs.
- Inner sleeves standard in black finish color only; specify outer sleeve trim color.
- Shipped assembled.

Specification Tips

- Leg should be installed in predrilled worksurfaces.
- **Tri Tables can only use angled legs.**

To Order, Specify:

1) Product number.
2) Trim color.

Double Support Leg



ZZFK

Class FA – SIN 711-1;
Discount Group XI

Height (Adjustable)	Depth	Aluminum Number	Aluminum Price A	Aluminum Price B
26″-32″(660mm-813mm)	18″(457mm)	ZZFK-1800-PNFG	$446.66	$460.52
	24″(610mm)	ZZFK-2400-PNFG	473.32	487.18
	30″(762mm)	ZZFK-3000-PNFG	499.98	513.84

Height (Fixed)	Depth	Aluminum Number	Aluminum Price A	Aluminum Price B	Number	Steel Price A	Steel Price B
28″(711mm)	18″(457mm)	ZZFK-1800-PNFF	$446.66	$460.52	ZZFD-1800-PNFF ■	$335.80	$349.66
	24″(610mm)	ZZFK-2400-PNFF	473.32	487.18	ZZFD-2400-PNFF ■	362.46	376.32
	30″(762mm)	ZZFK-3000-PNFF	499.98	513.84	ZZFD-3000-PNFF ■	389.12	402.98

Features

- Includes one double leg and mounting hardware.
- Leg may be installed in left-hand or right-hand configuration.
- 6″ adjustment range allows worksurface heights from 26″(660mm) to 32″(813mm).
- Provides full support for one end of equal depth worksurface.

Specification Tips

- One end of worksurface must be panel attached, not to be used as freestanding.
- Double leg with glide can be used to replace support post or support column.

To Order, Specify:

1) Product number.
2) Trim color.

Single Support Leg



ZUFJ

Class CA – SIN 711-1;
Discount Group I

Height	Width	Depth	Number	Price A	Price B
28″(711mm)	1 1/8″(29mm)	3 1/4″(83mm)	ZUFJ-0101-PNFG	$169.25	$183.72

Features

- Includes one support leg and mounting hardware.
- Glide provides 1/2″(13mm) of height adjustment.

Specification Tips

- May be used for worksurface applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

To Order, Specify:

1) Product number.
2) Trim color.

Worksurface Supports

	Height (Adjustable)	Description	Number	Price A	Price B
Support Post	26″(660mm)/30″(762mm)	Single post with glide, adjustable	ZZFJ-0101-PNFG ■	**$239.95**	**$253.88**



ZZFJ

Features
- Includes one single post and mounting hardware.
- 6″ height adjustment (26″(660mm)-32″(813mm)).

Specification Tips
- May be used with worksurfaces in 90° or 45° applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Class CA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Supports

Freestanding Worksurface Support Leg

NLEG-F



NLEG-D

	Height	Depth	Single Freestanding Number	Price A	B	Depth	Double Freestanding Number	Price A	B
	26″-32″(660mm-813mm)	16″(406mm)	NLEG-16-F ■	$490.79	$503.65	54″(1372mm)	NLEG-2430-D ■	$614.65	$627.51
		24″(610mm)	NLEG-24-F ■	528.17	541.03	48″(1219mm)	NLEG-2424-D ■	579.60	592.46
		30″(762mm)	NLEG-30-F ■	574.92	587.78	60″(1524mm)	NLEG-3030-D ■	652.05	664.91

Features

- Includes support legs and mounting hardware.
- 1 3/4″(44mm) diameter columns include 4 1/2″(114mm) round top plate and mounting hardware.
- 6″(152mm) adjustment range allows worksurface heights from 26″(660mm) to 32″(813mm) in 1″(25mm) increments.
- Single includes one straight leg and one angled leg.
- Double includes two angled legs.
- Inner sleeves standard in black finish color only; specify outer sleeve trim color.
- Shipped assembled.

■ Available on RUSH.

Specification Tips

- Maximum gap between worksurface mounted on double supports is 1 1/4″(32mm).
- Single supports one end of worksurface.
- Double supports two worksurfaces back-to-back.
- Specify appropriate depth freestanding worksurface support leg to match depth of worksurface.
- One end of worksurface must be panel attached, not to be used as freestanding.

To Order, Specify:

1) Product number.
2) Trim color.

Worksurface Support Leg — Panel Mounted

NLEG-P

Height	Depth	Width	Panel Mounted Number	Price A	B
26″-32″ (660mm-813mm)	16″(406mm)	1 3/4″(44mm)	NLEG-16-P	$384.45	$397.31
	24″(610mm)		NLEG-24-P	419.50	432.36
	30″(610mm)		NLEG-30-P	453.39	466.25

Features

- Includes one support leg, mounting bracket and cover, and mounting hardware.
- Installs in panel connector slots and attaches under the worksurface.
- Leg may be installed in left-hand, right-hand, or shared configuration.
- 6″(152mm) adjustment range allows worksurface heights from 26″(660mm) to 32″(813mm) in 1″(25mm) increments.
- Inner sleeves standard in black finish color only; specify outer sleeve trim color.
- Shipped unassembled.

Specification Tips

- Specify appropriate depth support leg to match depth of worksurface.
- Panel mounted worksurface(s) with single row of overhead storage units above may be supported with the worksurface support leg at the end of a panel run, only if the panel run is supported by **full-height** panel connectors. May not be used with pre-configured (sectional) panel connectors in this application.

To Order, Specify:

1) Product number.
2) Trim color.

Worksurface Accessories

Horizontal Wire Manager

Depth	Width	Height	Number	Price
2″(51mm)	15″(381mm)	3″(76mm)	WUAW-1500-PNH ■	**$150.80**



WUAW

Class CA

Features
- Includes a set of ten, plastic wire managers and mounting screws.
- Manages and stores wire and cables under worksurfaces.
- Standard in Black trim.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**



WUAC-WSG

Class CA

Features
- Includes one cover.
- Must be field-installed.
- Available in Charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wire Management Loop

Width	Installed Height	Number	Price
2 3/4″(70mm)	4 1/2″(114mm)	NEH-8 ■	**$36.22**

NEH-8

Class CA

Features
- Includes box of eight wire management loops.
- Manages and stores wires or cables through loops under worksurfaces or desk tops.
- Threaded top allows installation anywhere under worksurfaces in recommended 18″(457mm) intervals.
- Loop capacity: 62 category 5 communication cables.
- Standard in charcoal trim color only.
- Wire management loop in 2″(51mm) in diameter with 3.1 sq. inches of cross section area.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Make-A-Corner

Height	Width	Number	Price
21 1/8″(537mm)	26 1/8″(664mm)	MAC-0001	**$157.63**



MAC-0001

Class AA

Features
- Creates an angled edge between two (2) perpendicular regular worksurfaces.
- Slides over the top of 1 3/16″(30mm) worksurfaces.
- Accommodates an adjustable keyboard or mouse pad track (screws included).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Worksurface Accessories

Worksurface Reinforcement Channel



WUAR

Length	Number	Price
16″(406mm)	WUAR-1600-PH ■	**$26.66**
24″(610mm)	WUAR-2400-PH ■	**29.06**
32″(813mm)	WUAR-3200-PH ■	**31.46**
39″(991mm)	WUAR-3900-PH ■	**33.56**
47″(1194mm)	WUAR-4700-PH ■	**35.96**
54″(1372mm)	WUAR-5400-PH ■	**38.06**

Features

- Includes metal, U-shaped channel and mounting screws.
- Field installed, located and drilled per installation instructions.
- Worksurface reinforcement channels must be specified to provide additional support for laminate or wood worksurfaces with 50″ or larger spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface supports, legs, or under-worksurface storage.
- Specify worksurface reinforcement channel in length that won't interfere with lower storage.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Application Guidelines

Laminate or Wood Panel Hung Worksurface Applications (for standard 29″ high worksurfaces)

General Application/Number:

- 54″ wide with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-1600-PH.
- 60″ wide top with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-2400-PH.
- 54″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3200-PH.
- 50″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3900-PH.
- 54″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-4700-PH.
- 60″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-5400-PH.

Worksurface reinforcement channels can provide additional strengthening to 54″ and 60″ worksurfaces on like-sized panels where heavy loads are anticipated. Depending on application, heavily loaded worksurfaces may not need a worksurface reinforcement channel when:

- Support is provided by a third cantilever on 54″ and 60″ worksurfaces (spanning multiple panels) or by using other under-worksurface support methods.
- Fixed/attached pedestals provide under- worksurface support.
- Panel hung worksurfaces wider than 60″ require more than two cantilevers.

Laminate or Wood Convergent Tops and Convergent Freestanding Units

- 72″ convergent worksurfaces and wrap-around convergent worksurfaces, panel hung, or freestanding, use WUAR-3900-PH.

Application Guidelines for using Worksurface Reinforcement Channel with Under-Worksurface Storage

For worksurfaces at the standard 29″ height.

- All pedestals under 25″ in height can be used under a worksurface with a worksurface reinforcement channel.
- Mobile pedestals over 27″ in height cannot be used under a worksurface with a worksurface reinforcement channel. By increasing worksurface height to 30″, mobile pedestals can be used with a worksurface reinforcement channel.
- Stationary pedestals can be used in applications with worksurface reinforcement channels. Refer to Laminate or Wood Panel Hung Worksurface Applications matrix information above regarding suspended and stationary pedestals.
- In most applications, lateral files or fixed pedestals supply adequate support so that worksurface reinforcement channels are not needed.

Worksurface Accessories

Shallow Drawer

Height	Depth	Width	Number	Price
3″(76mm)	15 3/8″(391mm)	18 1/4″(464mm)	DS-3	**$45.43**



DS-3

Class AA – SIN 711-1;
Discount Group I

Features
- Shallow drawer has four compartments.
- Drawer does not stack.
- Available in charcoal or gray tone finish colors only.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-G Gray Tone

Pencil Drawer

Height	Depth	Width	Number	Price
1 5/8″(41mm)	19″(483mm)	18″(457mm)	PPD-18 ■	**$101.87**



PPD-18

Class BA – SIN 711-1;
Discount Group I

Features
- Includes mounting hardware.
- Mounts separately under worksurface.
- Standard in black finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Steel Center Drawer

Height	Depth	Width	Number	Price
2″(51mm)	17 1/2″(445mm)	19 1/8″(486mm)	SCD-19 ■	**$261.87**



SCD-19

Class MA – SIN 711-3;
Discount Group II

Features
- Includes mounting hardware.
- Standard with lock.
- Standard in charcoal finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Pencil + Drawer

Height	Depth	Width	Number	Price
11″(279mm)	24″(610mm)	19 1/2″(495mm)	KUDP-2420 ■	**$308.59**





KUDP

Class YA – SIN 711-1;
Discount Group XIII

Features
- Multi-purpose drawer provides organization, hanging filing along with laptop storage.
- Knock-outs at rear of drawer provide electronic charging access while contents are locked.
- Removable organizing tray.
- Thin profile maximizes knee clearance under front of drawer.
- Standard in black trim color with black locks.
- For lock options, refer to Lock Program Price List.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Specification Tips
- To be mounted below worksurfaces 24″(610mm) or deeper.
- **Not for use with 24″ deep knife edge worksurface.**
- Pencil + drawer must be used adjacent to worksurface floor support when specified for use with panel system.

Boogie Board

Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad



HKTC-M
HKTE-M

Height	Depth	Width	Description	Number	Price
5.3″(135mm)	12″(305mm)	28″(711mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-M ■	**$560.37**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-M ■	**560.37**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-M ■	**560.37**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-M ■	**560.37**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurfaces or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Features spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurfaces and 4″(102mm) below.
- Integrated mouse pad tilts independently of keyboard tray.
- Includes mouse pad insert (not shown) for optional use.
- Mouse pad is interchangeable between right and left hand applications.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper. Recommended for most corner applications.

■ Available on RUSH. Does not include positive tilt lock-out option.

To Order, Specify:

1) Product number.

2) Finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue) Keyboard tray in smoke with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal) Keyboard tray in charcoal with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.

Example: HKTC-17-M**P**

Boogie Board Keyboard Tray with Palm Rest



HKTC-N
HKTE-N

5.3″(135mm)	12″(305mm)	21″(533mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-N	**$530.29**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-N	**530.29**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-N	**530.29**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-N	**530.29**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurfaces or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Features spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurfaces and 4″(102mm) below.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper. Recommended for most corner applications.

To Order, Specify:

1) Product number.

2) Finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue) Keyboard tray in smoke with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal) Keyboard tray in charcoal with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.

Example: HKTC-17-N**P**

Boogie Board Mouse Pad



HKMP-1

1″(25mm)	11″(279mm)	8″(203mm)	HKMP-1 ■	**$56.82**

Features

- For use with Boogie Board AKP or on top of worksurfaces.
- Integrated teeth allow right- or left-handed keyboard applications.
- Easily attaches to keyboard tray.
- Includes mouse pad insert (not shown) for optional use.

■ Available on RUSH.

To Order, Specify:

1) Product number.

2) Finish color.

Boogie Board mouse pad is available in the following finish colors:

- TR-0LX Ice (translucent blue) Mouse pad insert standard in graphite.
- TR-0LU Shadow (translucent charcoal) Mouse pad insert standard in graphite.

Adjustable Keyboard Pads

Locking Tilt AKP



KU1A-0017

Description	Height Adjustment	Number ❶	Price
17″(432mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0017-▪ N ◆	**$314.75**
21″(533mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0021-▪ N ◆	**314.75**

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″(64mm) above/5.9″(150mm) below worksurface.
- Soft-touch knob for locking tilt adjustment -15°/+15°.
- 360° rotation.
- In/Out travel:
  –17″ track length - 12″(305mm)
  –21″ track length - 16.8″(427mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.
- 17″ long (432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″ long (533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

◆ Available on RUSH. Option 1 only.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list. ◆

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with built-in Mouse Pad, add **$67.06** list.
(No finish specification required.)

Dial Tilt AKP



KU2A-0017

Description	Height Adjustment	Number ❶❷	Price
17″(432mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0017-▪▪ ◆	**$337.46**
21″(533mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0021-▪▪	**337.46**

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″(64mm) above/6.1″(155mm) below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 5.5″(140mm) standard arm length.
- In/Out travel:
  –17″ track length - 12″(305mm)
  –21″ track length - 16.8″(427mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

◆ Available on RUSH. Option 1 and P only.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list. ◆

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

P Positive Tilt Lock ◆

N None
(No finish specification required.)

Adjustable Keyboard Pads

Dial Tilt AKP - Extended Arm

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Extended Track/Dial Tilt	2.75″ Above/8″ Below	KU3A-0023-▪▪	**$365.59**



KU3A-0023

Features
- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.75″(70mm) above/8″(302mm) below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″(460mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips
- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list.

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with space for mousing, add **$67.06** list

❷ Positive Tilt Lock Option

P Positive Tilt Lock

N None
(No finish specification required.)

Sit-to-Stand AKP

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Track/Sit-to-Stand	8.25″ Above/5.9″ Below	KU4A-0023-▪▪	**$388.30**



KU4A-0023

Features
- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 8.25″(210mm) above/5.9″(150mm) below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″(460mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″ wide Keyboard Tray without Mouse Pad
  - –(3) 27″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips
- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list.

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

P Positive Tilt Lock

N None
(No finish specification required.)

Adjustable Keyboard Pads

Keyboard Trays - included with Number KU AKP Arm



21″ Keyboard Tray
with swivel mouse pad (1)



21″ Keyboard Tray
without mouse pad (2)



27″ Keyboard Tray
with space for mousing (3)

Features

- Includes one Keyboard Tray in different configurations.
- Sizes: 20″(508mm) wide x 11″(279mm) deep;
  Mouse Pad adds 8.4″(213mm) to width
  27″(686mm) wide x 11″(279mm) deep
- Keyboard Tray Options:
  –(1) 21″ wide Keyboard Tray with 360° swivel Mouse Pad with mouse edge guard and cable manager
  –(2) 21″ wide Keyboard tray without Mouse Pad
  –(3) 27″ wide Keyboard Tray with space for mousing
- Keyboards are made from 1/2″ thick HDPE (High Density Polyethylene) in textured supplier black.
- Keyboard Trays include anti-skid strips to hold keyboard in place.
- Standard with removeable palm rest.
- Keyboard with mouse pad; Mouse Pad can be attached on either right or left side of Keyboard Tray; rotates 360° independent of keyboard tray.
- Field installed.

Specification Tips

- Keyboard Tray has mounting holes for attachment to AKP numbers: KU1A, KU2A, KU3A and KU4A.
- 21″ Keyboard Tray recommended for use with most corner worksurfaces.
- 27″ Keyboard Tray recommended for rectangular worksurfaces with flat edges; not recommended for corner worksurfaces.

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adjustable Keyboard Pads

Thin Profile AKP



KU5A

Description	Number ❶❷	Price
17″(432mm) Thin Profile	KU5A-0017-▪▪	**$314.75**
21″(533mm) Thin Profile	KU5A-0021-▪▪	**314.75**

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Gauges show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray .
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 1.19″(30mm) above/6.5″(165mm) below worksurface.
- Tilt allows adjustment -20°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -20°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 12″(305mm) for 17″(432mm) and 16.75″(419mm) for 21″(533mm) track.
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  - –(1) 21″(533mm) wide Keyboard Tray with swivel Mouse Pad
  - –(2) 21″(533mm) wide Keyboard Tray without Mouse Pad
  - –(3) 27″(686mm) wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

To Order, Specify:

1) Product number, including:

❶ Tray Option:

- **1** Keyboard with Mouse Pad, add **$33.53** list.
- **2** Keyboard without Mouse Pad, no upcharge.
- **3** Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option:

- **P** Positive Tilt Lock
- **N** None

(No finish specification required.)

Monitor Arms

	Description	Number ❶	Price
Advanced Adjustable Monitor Arms	Single Arm	KU4M-0000-1NN	**$448.86**
	Double Arm	KU4M-0000-2NN	**995.07**



KU4M-1NNN



KU4M-2NNN

Features

- Includes one or two advanced adjustable height Monitor Arm with desk clamp mounting and through-desk clamp mounting hardware.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arm:
  –Accommodates monitors from 6-20 lbs. per Monitor Arm
  –Extension 18.6″(472mm)
  –Height adjustment range of 10.4″(264mm)
  –Two joints rotate 360°/Base rotates 180°
  –Pivots from landscape to portrait positions
  –Tilts 90° up and 20° down from center
- Double arm will display screens up to 27″(686mm).
- One clamp is used for both grommet and desk mounted applications. Grommet must be 2 1/8″(54mm) or greater in diameter.
- Monitor Arms available in supplier silver or vista black.

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick .
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to Belong tool rail specification tips for weight restrictions of Belong rail mount attachment.

To Order, Specify:

1) Product number.

❶ **Mounting Option:**

K Desk Clamp

R Rail Mount, add **$52** list.

2) Trim Color (Supplier Colors)
TR-ES Silver
TR-EB Vista Black

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Monitor Arms

Post and Link Monitor Arms

Description	Post Height	Number	Price
Single Arm	14″(356mm)	KU1M-0000-1NN	**$439.13**
Double Arm	14″(356mm)	KU1M-0000-2NN	**731.16**



KU1M-1NN



KU1M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides adjustment of monitor height with supplied allen wrench.
- Limited vertical adjustment range based upon the size of the monitor.
- Integrated cord management.
- Monitor Arm extension:
  - –14″(356mm) on single monitor arm
  - –17.5″(445mm) on double monitor arm
- Monitor Arm:
  - –Joints rotate 360° at three points
  - –Pivots from landscape to portrait positions
  - –Tilts up/down 200°
- Each Monitor Arm holds up to 40 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  - –Desk clamp
  - –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  - –Field drilled mounting hole
  - –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

Heavy Duty Adjustable Monitor Arms

Description	Post Height	Number	Price
Single Arm	12″(305mm)	KU3M-0000-1NN	**$ 617.60**
Double Arm	12″(305mm)	KU3M-0000-2NN	**$1039.42**



KU3M-1NN



KU3M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 24″(610mm)
  - –Height adjustment range: 15.9″(404mm)
  - –Joints rotate 360° at three joints
  - –Pivots from landscape to portrait positions
  - –Tilts up/down 200°
- Each Monitor Arm holds 9-24 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  - –Desk clamp
  - –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  - –Field drilled mounting hole
  - –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

Monitor Arms

Adjustable Post Arm



KU5M-1NNN



KU5M-2NNN

Description	Number	Price
Single Arm	KU5M-0000-1NNN	**$486.72**
Double Arm	KU5M-0000-2NNN	**811.20**

Features

- Includes one single or double Monitor Arm with quick connect bracket, desk clamp and grommet mount.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 24″(610mm)
  - –Height Adjustment range: 13″(330mm)counter balance adjustable arm and 9″(229mm) post adjustment.
  - –Joint rotation 360° at three joints
  - –Pivots from landscape to portrait positions
  - –180° of tilt
  - –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens 5-20 lbs per Monitor Arm.
- Double Monitor Arms attach to central post.
- Monitor Arms available in supplier silver, black, white, or polished.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White
   TR-PD Polished

Specification Tip

- Certified VESA plate includes 75mm and 100mm hole patterns.

Extend Arm



KU6M-1NNN



KU6M-2NNN

Single Arm	KU6M-0000-1NNN	**$270.40**
Double Arm	KU6M-0000-2NNN	**486.72**

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  - –Extension 26″(660mm)
  - –Height Adjustment range: 13″(330mm)
  - –Joint rotation 360° at three joints
  - –Pivots from landscape to portrait positions
  - –180° degrees of tilt
  - –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens up to 2 lbs – 14 lbs per arm.
- Double Monitors Arms attach to central post.
- Monitor Arms available in supplier silver, black, or white.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

Specification Tip

- Certified VESA plate includes 75mm x 75mm and 100mm x 100mm hole patterns.

CPU Holders

Fixed Mount CPU Holder

Description	Number	Price
Fixed Mount CPU Holder	KU1C-0000-N	**$101.67**



KU1C - Vertical



KU1C - Horizontal

Class YA – GSA: Open Market

Features
- Includes one fixed mount CPU holder.
- Mounts under tops in either vertical or horizontal position.
- Vertical Mount adjustment ranges:
  - –Height adjustment for CPU: 15.5″(394mm) to 20″(508mm)
  - –Width adjustment for CPU: 5.5″(140mm) to 9.8″(249mm)
  - –Overall height adjustment: 17.5″(445mm) to 22″(559mm)
  - –Overall width adjustment: 9.25″(235mm) to 13.5″(343mm)
- Horizontal Mount adjustment ranges:
  - –Height adjustment for CPU: 7.3″(185mm) to 11.3″(287mm)
  - –Width adjustment for CPU: 13.8″(351mm) to 18.8″(478mm)
  - –Overall height adjustment: 9.25″(235mm) to 13.5″(343mm)
  - –Overall width adjustment: 17.5″(445mm) to 22.5″(572mm)
- Control knobs allow adjustments as needed.
- Standard in supplier black.
- Field installed.

Specification Tips
- 85 lbs. maximum weight load.
- Fits under tops 18″(457mm) or deeper.
- Mounting Plate Size:
  - –5.35″(136mm) deep x 3.94″(100mm) wide

Note: Recommended for use with:
- –UniGroup® Too applications.
- –PREMISE® and Compose® applications directly adjacent to floor support.
- –X Series Casegoods.
- –Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable CPU Holder

Description	Track Length	Number	Price
Adjustable Mount CPU Holder	17″(432mm)	KU2C-0000-N	**$146.02**
Adjustable Mount CPU Holder - Locking	17″(432mm)	KU2C-0000-L	**$247.69**



KU2C-L

Class YA – SIN 711-2;
Discount Group XIII

Features
- Includes one adjustable mount CPU Holder with or without lock.
- Mounts under tops.
- CPU holder mechanism 360° rotation dependent upon track location.
- Plastic side clamp with bumpers; control knob adjusts clamp.
- Adjustment Ranges:
  - –Height: 13.5″(343mm) to 22.5″(572mm)
  - –Width: 3.5″(89mm) to 9.3″(236mm)
  - –Depth: 14.75″(375mm) to 22.3″(566mm)
- 17″(432mm) adjustable track with plastic glides.
- Locks cannot be retrofitted nor keyed-alike to match Haworth lock plugs or keys.
- Standard in supplier black textured paint.
- Field installed.

Specification Tips
- 85 lbs. maximum weight load.
- 17″(432mm) track fits under tops 18″(457mm) or deeper.

Note: Recommended for use with:
- –UniGroup® Too applications.
- –PREMISE® and Compose® applications directly adjacent to floor support.
- –X Series Casegoods.
- –Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Accessories

	Description	Number	Price
Adjustable Laptop Holder	Laptop Holder with 4-port USB	KU1L-0000-U	**$134.12**


KU1L-U

Features
- Includes adjustable Laptop Holder with or without built-in 4-port USB hub (2.0).
- Accommodates laptops 16″(406mm) wide x 12″(305mm) deep.
- Five laptop angle adjustments: 4°, 14°, 23°, 33° and 43°.
- Size: 12.75″(324mm) wide x 10″(254mm) deep. 1.25″(32mm) high in stored position.
- Protective pads on bottom.
- Standard in supplier black with silver accent.
- Hub Specifications:
  - –Fully compliant with universal serial bus specification revision 2.0 (data rate 1.5/12/480 Mbps)
  - –LED indicates the hub is ready
  - –Direct bus power mode eliminates need for external power
  - –Over-current detection and protection for each downstream port
  - –Plug and play and hot swap function supported
  - –Windows and Mac compatible
  - –CE/US/FCC approved
  - –RoHS compliant

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Document Holder	Document Holder	KU1D-0000	**$112.49**


KU1D

Features
- Includes painted steel Adjustable Document Holder with magnetic attached line guide.
- Infinite angle adjustment up to 80° with tension adjustment lever.
- Accommodates papers or books.
- Size: 16.7″(425mm) wide x 7.5″(191mm) deep x 9.75″(215mm) high.
- Standard in supplier black.
- Protection pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Footrest	Footrest	KU1F-0000	**$112.49**


KU1F

Features
- Includes Adjustable Foot Rest with anti-slip rubber mat on top.
- Angle adjustment by hand: 6°, 12°, 16° and 25°
- Size: 15.75″(400mm) wide x 14.75″(375mm) deep x 3.25″-5″(83mm-127mm) high.
- Folds flat for easy storage.
- Standard in supplier black with silver accent.
- Protective pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Shelves

Shelf



UNSN-PM

Height	Depth	Width	Number	Trim A	Trim B
10″(254mm)	13 1/4″(337mm)	24″(610mm)	UNSN-1024-PM ■	**$208.59**	**$219.04**
		30″(762mm)	UNSN-1030-PM ■	**216.06**	**229.12**
		36″(914mm)	UNSN-1036-PM ■	**223.53**	**239.20**
		42″(1067mm)	UNSN-1042-PM ■	**231.00**	**249.28**
		48″(1219mm)	UNSN-1048-PM ■	**238.47**	**259.36**
		54″(1372mm)	UNSN-1054-PM ■	**245.94**	**269.44**
		60″(1524mm)	UNSN-1060-PM ■	**253.41**	**279.52**
		66″(1676mm)	UNSN-1066-PM ■	**260.88**	**289.60**
		72″(1829mm)	UNSN-1072-PM ■	**268.35**	**299.68**

Features
- Includes shelf with back stop, end panels and hardware.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel connector slots.
- Shelf thickness is 2″(51mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of shelves.
- To be installed in connector slots on same size panel or on a combination of panels that equal the shelf width.
- Cannot be used with slat pads.

To Order, Specify:

1) Product number.
2) Trim color for shelf and end panels.

Up Mount Shelf



UNTN-PM

8″(203mm)	14″(356mm)	30″(762mm)	UNTN-0830-PM	**$395.70**	**$408.76**
		36″(914mm)	UNTN-0836-PM	**403.17**	**418.84**
		42″(1067mm)	UNTN-0842-PM	**410.64**	**428.92**
		48″(1219mm)	UNTN-0848-PM	**418.11**	**439.00**

Features
- Includes shelf with back stop, end panels, rod, and hardware.
- Accepts separately specified task lights.
- Accepts upmount bracket shelf.
- Safety interlock prevents dislodgement from panel connector slots.
- Shipped unassembled.

Specification Tips
- **Must be used with monolithic panels, 16″(406mm) stack kits, or 16″(406mm) stack pads.**
- Cannot be used with 10″(254mm) stack pads or kits.
- To be installed in connector slots on same size panel or on a combination of panels that equal the shelf width.
- Specify separate shelf gang clip for unbalanced configurations.
- Recommended for use with 48″(1219mm) and 53″(1346mm) high panel configurations.
- Back stop does not provide full back closure.
- Not available to use in off-modular applications.

To Order, Specify:

1) Product number.
2) Trim color for shelf, end panels and rod.

Adaptable Upper Storage

Shelves

Straight Mini Shelf

UNSY-PM

Height	Depth	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
5 1/4″(133mm)	6 1/4″(158mm)	18″(457mm)	UNSY-0418-PM	$185.81	$187.99	$200.01	$202.19
		24″(610mm)	UNSY-0424-PM	194.77	196.95	210.06	212.24
		30″(762mm)	UNSY-0430-PM	203.73	205.91	220.11	222.29
		36″(914mm)	UNSY-0436-PM	212.69	214.87	230.16	232.34
		42″(1067mm)	UNSY-0442-PM	221.65	223.83	240.21	242.39
		48″(1219mm)	UNSY-0448-PM	230.61	232.79	250.26	252.44

Features

- Includes shelf, brackets, and hardware.
- Shelf thickness is 3/4″(19mm).
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for brackets.

Corner Mini Shelf



UNSZ-PM

Height	Depth	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
5 1/4″(133mm)	6 1/4″(158mm)	24″(610mm)	UNSZ-0424-PM	$364.42	$367.70	$395.00	$398.28
		30″(762mm)	UNSZ-0430-PM	374.44	377.72	405.02	408.30
		36″(914mm)	UNSZ-0436-PM	384.46	387.74	416.68	419.96
		42″(1067mm)	UNSZ-0442-PM	394.48	397.76	428.34	431.62
		48″(1219mm)	UNSZ-0448-PM	404.50	407.78	440.00	443.28

Features

- Includes shelf, brackets, and hardware.
- Middle of shelf is 15 1/4″(387mm) deep.
- Shelf thickness is 3/4″(19mm).
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on two panels or on a combination of panels of equivalent widths in 90° configuration.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for brackets.

Up Mount Bracket Shelf



UNSN-PM

Height	Depth	Width	Number	Trim A	Trim B
10″(254mm)	5″(127mm)	30″(762mm)	UNSN-0130-PM	$63.06	$74.53
		36″(914mm)	UNSN-0136-PM	67.65	79.12
		42″(1067mm)	UNSN-0142-PM	72.24	83.71
		48″(1219mm)	UNSN-0148-PM	76.83	88.30

Features

- Includes shelf with back stop.
- Shelf thickness is 1/2″(13mm).

Specification Tip

- To be installed on equal width up mount overhead storage units or up mount shelves.

To Order, Specify:

1) Product number.
2) Trim color for shelf.

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Painted Door



UNFS-PM

Height	Depth	Width	Flipper Door Number ❶❷	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNFS-1624-PM ■	$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UNFS-1630-PM ■	589.22	593.12	599.24	603.14
		36″(914mm)	UNFS-1636-PM ■	615.95	620.41	627.08	631.54
		42″(1067mm)	UNFS-1642-PM ■	642.68	647.70	654.92	659.94
		48″(1219mm)	UNFS-1648-PM ■	669.41	674.99	682.76	688.34
		54″(1372mm)	UNFS-1654-PM ■	696.14	702.28	710.60	716.74
		60″(1524mm)	UNFS-1660-PM ■	788.57	795.27	804.14	810.84
		66″(1676mm)	UNFS-1666-PM ■	961.16	968.42	977.84	985.10
		72″(1829mm)	UNFS-1672-PM ■	1143.79	1151.61	1161.58	1169.40



UNKS-PM

Height	Depth	Width	Cabinet Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNKS-1624-PM	$ 948.88	$ 952.22	$ 957.79	$ 961.13
		30″(762mm)	UNKS-1630-PM	975.61	979.51	985.63	989.53
		36″(914mm)	UNKS-1636-PM	1002.34	1006.80	1013.47	1017.93
		42″(1067mm)	UNKS-1642-PM	1029.07	1034.09	1041.31	1046.33
		48″(1219mm)	UNKS-1648-PM	1093.66	1099.24	1107.01	1112.59
		54″(1372mm)	UNKS-1654-PM	1197.22	1203.36	1211.68	1217.82
		60″(1524mm)	UNKS-1660-PM	1308.57	1315.27	1324.14	1330.84
		66″(1676mm)	UNKS-1666-PM	1592.52	1599.78	1609.20	1616.46
		72″(1829mm)	UNKS-1672-PM	1865.35	1873.17	1883.14	1890.96



UNHS-PM

Height	Depth	Width	Single Slider Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNHS-1624-PM	$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UNHS-1630-PM	589.22	593.12	599.24	603.14
		36″(914mm)	UNHS-1636-PM	615.95	620.41	627.08	631.54
		42″(1067mm)	UNHS-1642-PM	642.68	647.70	654.92	659.94
		48″(1219mm)	UNHS-1648-PM	669.41	674.99	682.76	688.34
		54″(1372mm)	UNHS-1654-PM	696.14	702.28	710.60	716.74
		60″(1524mm)	UNHS-1660-PM	788.57	795.27	804.14	810.84
		66″(1676mm)	UNHS-1666-PM	961.16	968.42	977.84	985.10
		72″(1829mm)	UNHS-1672-PM	1143.79	1151.61	1161.58	1169.40

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Up Mount Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close. ■

2) Trim color for shelf and end panels.

3) Trim color for door.

4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Translucent Door



UNFF-QM

Height	Depth	Width	Flipper Door Number ❶❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNFF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UNFF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UNFF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UNFF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UNFF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UNFF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UNFF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UNFF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UNFF-1672-QM	1741.75	1759.54	2009.07	2026.86



UNKF-QM

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNKF-1624-QM	$1441.14	$1450.05	$1708.46	$1717.37
		30″(762mm)	UNKF-1630-QM	1497.93	1507.95	1765.25	1775.27
		36″(914mm)	UNKF-1636-QM	1554.72	1565.85	1822.04	1833.17
		42″(1067mm)	UNKF-1642-QM	1611.51	1623.75	1878.83	1891.07
		48″(1219mm)	UNKF-1648-QM	1687.22	1700.57	1954.54	1967.89
		54″(1372mm)	UNKF-1654-QM	1853.15	1867.61	2120.47	2134.93
		60″(1524mm)	UNKF-1660-QM	2021.28	2036.85	2288.60	2304.17
		66″(1676mm)	UNKF-1666-QM	2449.97	2466.65	2717.29	2733.97
		72″(1829mm)	UNKF-1672-QM	2862.00	2879.79	3129.32	3147.11



UNHF-QM

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNHF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UNHF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UNHF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UNHF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UNHF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UNHF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UNHF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UNHF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UNHF-1672-QM	1741.75	1759.54	2009.07	2026.86

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Up Mount Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.

3) Translucent color for door.

4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Wood Door



UNFS-WM

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNFS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UNFS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UNFS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UNFS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UNFS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UNFS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UNFS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UNFS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UNFS-1672-WM	1889.91	1907.70	1954.50	1972.29



UNKS-WM

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNKS-1624-WM	$1525.68	$1534.59	$1590.27	$1599.18
		30″(762mm)	UNKS-1630-WM	1575.81	1585.83	1640.40	1650.42
		36″(914mm)	UNKS-1636-WM	1625.94	1637.07	1690.53	1701.66
		42″(1067mm)	UNKS-1642-WM	1676.07	1688.31	1740.66	1752.90
		48″(1219mm)	UNKS-1648-WM	1746.23	1759.58	1810.82	1824.17
		54″(1372mm)	UNKS-1654-WM	1927.77	1942.23	1992.36	2006.82
		60″(1524mm)	UNKS-1660-WM	2112.64	2128.21	2177.23	2192.80
		66″(1676mm)	UNKS-1666-WM	2563.62	2580.30	2628.21	2644.89
		72″(1829mm)	UNKS-1672-WM	3003.50	3021.29	3068.09	3085.88



UNHS-WM

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNHS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UNHS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UNHS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UNHS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UNHS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UNHS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UNHS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UNHS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UNHS-1672-WM	1889.91	1907.70	1954.50	1972.29

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Up Mount Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.

3) Wood finish for door.

4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Standard Mount – Laminate Door



UNFS-LM



UNKS-LM



UNHS-LM

Height	Depth	Width	Flipper Door Number ❶❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNFS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UNFS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UNFS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UNFS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UNFS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UNFS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UNFS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UNFS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UNFS-1672-LM	1625.91	1643.70	1642.62	1660.41

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNKS-1624-LM	$1321.90	$1330.81	$1338.61	$1347.52
		30″(762mm)	UNKS-1630-LM	1368.67	1378.69	1385.38	1395.40
		36″(914mm)	UNKS-1636-LM	1415.44	1426.57	1432.15	1443.28
		42″(1067mm)	UNKS-1642-LM	1462.21	1474.45	1478.92	1491.16
		48″(1219mm)	UNKS-1648-LM	1529.01	1542.36	1545.72	1559.07
		54″(1372mm)	UNKS-1654-LM	1688.25	1702.71	1704.96	1719.42
		60″(1524mm)	UNKS-1660-LM	1845.25	1860.82	1861.96	1877.53
		66″(1676mm)	UNKS-1666-LM	2245.00	2261.68	2261.71	2278.39
		72″(1829mm)	UNKS-1672-LM	2630.30	2648.09	2647.01	2664.80

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNHS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UNHS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UNHS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UNHS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UNHS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UNHS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UNHS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UNHS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UNHS-1672-LM	1625.91	1643.70	1642.62	1660.41

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Up Mount Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Painted Door



UNGS-PM



UNLS-PM



UNJS-PM

Height	Depth	Width	Flipper Door Number ❶ ❷	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNGS-1624-PM ■	$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UNGS-1630-PM ■	824.18	828.08	834.20	838.10
		36″(914mm)	UNGS-1636-PM ■	850.91	855.37	862.04	866.50
		42″(1067mm)	UNGS-1642-PM ■	877.64	882.66	889.88	894.90
		48″(1219mm)	UNGS-1648-PM ■	904.37	909.95	917.72	923.30

Height	Depth	Width	Cabinet Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNLS-1624-PM	$1359.77	$1363.11	$1368.68	$1372.02
		30″(762mm)	UNLS-1630-PM	1386.50	1390.40	1396.52	1400.42
		36″(914mm)	UNLS-1636-PM	1413.23	1417.69	1424.36	1428.82
		42″(1067mm)	UNLS-1642-PM	1439.96	1444.98	1452.20	1457.22
		48″(1219mm)	UNLS-1648-PM	1504.55	1510.13	1517.90	1523.48

Height	Depth	Width	Single Slider Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNJS-1624-PM	$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UNJS-1630-PM	824.18	828.08	834.20	838.10
		36″(914mm)	UNJS-1636-PM	850.91	855.37	862.04	866.50
		42″(1067mm)	UNJS-1642-PM	877.64	882.66	889.88	894.90
		48″(1219mm)	UNJS-1648-PM	904.37	909.95	917.72	923.30

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- **Must be used with monolithic panels, 16″(406mm) stack kits, or 16″(406mm) stack pads.**
- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Recommended for single row application.
- Recommended for use with 48″-53″(1219mm-1346mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads or kits, panel mounted tackboards or slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close. ■

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Translucent Door



UNGF-QM



UNLF-QM



UNJF-QM

Height	Depth	Width	Flipper Door Number ❶❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNGF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UNGF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UNGF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UNGF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UNGF-1648-QM	1417.73	1431.08	1685.05	1698.40

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNLF-1624-QM	$2075.84	$2084.75	$2343.16	$2352.07
		30″(762mm)	UNLF-1630-QM	2132.63	2142.65	2399.95	2409.97
		36″(914mm)	UNLF-1636-QM	2189.42	2200.55	2456.74	2467.87
		42″(1067mm)	UNLF-1642-QM	2246.21	2258.45	2513.53	2525.77
		48″(1219mm)	UNLF-1648-QM	2321.92	2335.27	2589.24	2602.59

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNJF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UNJF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UNJF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UNJF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UNJF-1648-QM	1417.73	1431.08	1685.05	1698.40

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Accepts Up Mount Bracket Shelf.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- **Must be used with monolithic panels, 16″(406mm) stack kits, or 16″(406mm) stack pads.**
- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Recommended for single row application.
- Recommended for use with 48″-53″(1219mm-1346mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads or kits, panel mounted tackboards or slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Translucent color for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Wood Door



UNGS-WM



UNLS-WM



UNJS-WM

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNGS-1624-WM	**$1278.48**	**$1287.39**	**$1343.07**	**$1351.98**
		30″(762mm)	UNGS-1630-WM	**1321.92**	**1331.94**	**1386.51**	**1396.53**
		36″(914mm)	UNGS-1636-WM	**1365.36**	**1376.49**	**1429.95**	**1441.08**
		42″(1067mm)	UNGS-1642-WM	**1408.80**	**1421.04**	**1473.39**	**1485.63**
		48″(1219mm)	UNGS-1648-WM	**1452.24**	**1465.59**	**1516.83**	**1530.18**

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNLS-1624-WM	**$2196.00**	**$2204.91**	**$2260.59**	**$2269.50**
		30″(762mm)	UNLS-1630-WM	**2246.13**	**2256.15**	**2310.72**	**2320.74**
		36″(914mm)	UNLS-1636-WM	**2296.26**	**2307.39**	**2360.85**	**2371.98**
		42″(1067mm)	UNLS-1642-WM	**2346.39**	**2358.63**	**2410.98**	**2423.22**
		48″(1219mm)	UNLS-1648-WM	**2416.55**	**2429.90**	**2481.14**	**2494.49**

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNJS-1624-WM	**$1278.48**	**$1287.39**	**$1343.07**	**$1351.98**
		30″(762mm)	UNJS-1630-WM	**1321.92**	**1331.94**	**1386.51**	**1396.53**
		36″(914mm)	UNJS-1636-WM	**1365.36**	**1376.49**	**1429.95**	**1441.08**
		42″(1067mm)	UNJS-1642-WM	**1408.80**	**1421.04**	**1473.39**	**1485.63**
		48″(1219mm)	UNJS-1648-WM	**1452.24**	**1465.59**	**1516.83**	**1530.18**

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Accepts Up Mount Bracket Shelf.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- **Must be used with monolithic panels, 16″(406mm) stack kits, or 16″(406mm) stack pads.**
- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Recommended for single row application.
- Recommended for use with 48″-53″(1219mm-1346mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads or kits, panel mounted tackboards or slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Wood finish for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Up Mount – Laminate Door



UNGS-LM



UNLS-LM



UNJS-LM

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNGS-1624-LM	$1105.89	$1114.80	$1122.60	$1131.51
		30″(762mm)	UNGS-1630-LM	1152.66	1162.68	1169.37	1179.39
		36″(914mm)	UNGS-1636-LM	1199.43	1210.56	1216.14	1227.27
		42″(1067mm)	UNGS-1642-LM	1246.20	1258.44	1262.91	1275.15
		48″(1219mm)	UNGS-1648-LM	1292.97	1306.32	1309.68	1323.03

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNLS-1624-LM	$1909.84	$1918.75	$1926.55	$1935.46
		30″(762mm)	UNLS-1630-LM	1956.61	1966.63	1973.32	1983.34
		36″(914mm)	UNLS-1636-LM	2003.38	2014.51	2020.09	2031.22
		42″(1067mm)	UNLS-1642-LM	2050.15	2062.39	2066.86	2079.10
		48″(1219mm)	UNLS-1648-LM	2116.95	2130.30	2133.66	2147.01

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UNJS-1624-LM	$1105.89	$1114.80	$1122.60	$1131.51
		30″(762mm)	UNJS-1630-LM	1152.66	1162.68	1169.37	1179.39
		36″(914mm)	UNJS-1636-LM	1199.43	1210.56	1216.14	1227.27
		42″(1067mm)	UNJS-1642-LM	1246.20	1258.44	1262.91	1275.15
		48″(1219mm)	UNJS-1648-LM	1292.97	1306.32	1309.68	1323.03

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Accepts Up Mount Bracket Shelf.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- **Must be used with monolithic panels, 16″(406mm) stack kits, or 16″(406mm) stack pads.**
- To be installed in connector slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Recommended for single row application.
- Recommended for use with 48″-53″(1219mm-1346mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit – Off-Modular
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads or kits, panel mounted tackboards or slat pads.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

Overhead Storage Unit, Standard Off-Modular, Flipper Door



UNFS-PZ
UNFS-WZ
UNFS-LZ



UNFF-QZ

Height	Depth	Width	Painted Door Number ❶ ❷	Trim A	Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNFS-1630-PZ	$ 978.95	$ 992.87
		36″(914mm)	UNFS-1636-PZ	1005.68	1021.27
		42″(1067mm)	UNFS-1642-PZ	1032.41	1049.67
		48″(1219mm)	UNFS-1648-PZ	1059.14	1078.07

Height	Depth	Width	Translucent Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNFF-1630-QZ	$1317.54	$1327.56	$1584.86	$1594.88
		36″(914mm)	UNFF-1636-QZ	1357.62	1368.75	1624.94	1636.07
		42″(1067mm)	UNFF-1642-QZ	1397.70	1409.94	1665.02	1677.26
		48″(1219mm)	UNFF-1648-QZ	1437.78	1451.13	1705.10	1718.45

Height	Depth	Width	Wood Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNFS-1630-WZ	$1358.67	$1368.69	$1423.26	$1433.28
		36″(914mm)	UNFS-1636-WZ	1402.11	1413.24	1466.70	1477.83
		42″(1067mm)	UNFS-1642-WZ	1445.55	1457.79	1510.14	1522.38
		48″(1219mm)	UNFS-1648-WZ	1488.99	1502.34	1553.58	1566.93

Height	Depth	Width	Laminate Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNFS-1630-LZ	$1204.99	$1215.01	$1221.70	$1231.72
		36″(914mm)	UNFS-1636-LZ	1251.76	1262.89	1268.47	1279.60
		42″(1067mm)	UNFS-1642-LZ	1298.53	1310.77	1315.24	1327.48
		48″(1219mm)	UNFS-1648-LZ	1345.30	1358.65	1362.01	1375.36

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, angle adjustment bar, mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Shipped unassembled.

Specification Tips

- **Must be used with a monolithic panel or a stackable panel configuration. Stackable panel must have a 16″(406mm) high structural fabric stack pad/kit with a structural cross bar or a 16″(406mm) high slat stack pad/kit with a structural cross bar. Structural cross bar must be at the top of the panel configuration.**
- **Foundation element must have grooved top cap.**
- Panel width is not required to match width of off-modular overhead storage unit in an off-modular design.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Off-Modular overhead storage units are designed for single row applications.
- Structural cross bars with appropriate stack pads or kits are recommended on panel spine of off-modular applications for movement of overhead storage unit. Off-modular applications require full-height panel connectors.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit
  –Up Mount Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads and kits.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Trim color, translucent color, wood finish or laminate color for door.
4) Edgeband color, if applicable.
5) Trim color for lock housing, if applicable.

Adaptable Upper Storage

Overhead Storage Unit, Up Mount Off-Modular, Flipper Door



UNGS-PZ
UNGS-WZ
UNGS-LZ



UNGF-QZ

Height	Depth	Width	Painted Door Number ❶❷	Trim A	Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNGS-1630-PZ	$1241.75	$1255.67
		36″(914mm)	UNGS-1636-PZ	1268.48	1284.07
		42″(1067mm)	UNGS-1642-PZ	1295.21	1312.47
		48″(1219mm)	UNGS-1648-PZ	1321.94	1340.87

Height	Depth	Width	Translucent Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNGF-1630-QZ	$1715.06	$1725.08	$1982.38	$1992.40
		36″(914mm)	UNGF-1636-QZ	1755.14	1766.27	2022.46	2033.59
		42″(1067mm)	UNGF-1642-QZ	1795.22	1807.46	2062.54	2074.78
		48″(1219mm)	UNGF-1648-QZ	1835.30	1848.65	2102.62	2115.97

Height	Depth	Width	Wood Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNGS-1630-WZ	$1739.49	$1749.51	$1804.08	$1814.10
		36″(914mm)	UNGS-1636-WZ	1782.93	1794.06	1847.52	1858.65
		42″(1067mm)	UNGS-1642-WZ	1826.37	1838.61	1890.96	1903.20
		48″(1219mm)	UNGS-1648-WZ	1869.81	1883.16	1934.40	1947.75

Height	Depth	Width	Laminte Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	30″(762mm)	UNGS-1630-LZ	$1570.23	$1580.25	$1586.94	$1596.96
		36″(914mm)	UNGS-1636-LZ	1617.00	1628.13	1633.71	1644.84
		42″(1067mm)	UNGS-1642-LZ	1663.77	1676.01	1680.48	1692.72
		48″(1219mm)	UNGS-1648-LZ	1710.54	1723.89	1727.25	1740.60

Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, load bar mounting brackets and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Accepts upmount bracket shelf.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Shipped unassembled.

Specification Tips

- **Must be used with a monolithic panel or a stackable panel configuration. Stackable panel must have a 16″(406mm) high structural fabric stack pad/kit with a structural cross bar or a 16″(406mm) high slat stack pad/kit with a structural cross bar. Structural cross bar must be at the top of the panel configuration.**
- **Foundation element must have grooved top cap.**
- Panel width is not required to match width of off-modular overhead storage unit in an off-modular design.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Off-Modular overhead storage units are designed for single row applications.
- Recommended for use with 48″-53″(1219mm-1346mm) high panel configurations.
- Structural cross bars with appropriate stack pads or kits are recommended on panel spine of off-modular applications for movement of overhead storage unit. Off-modular applications require full-height panel connectors.
- Overhead storage units cannot be retrofitted to:
  –Standard Overhead Storage Unit
  –Up Mount Overhead Storage Unit
  –Standard Overhead Storage Unit – Off-Modular
- Cannot be used with 10″(254mm) stack pads and kits.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Trim color, translucent color, wood finish or laminate color for door.
4) Edgeband color, if applicable.
5) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Wall Mount Components

Overhead Storage Unit, Wall Mount – Painted Door



UUFS-PW

Height	Depth	Width	Flipper Door Number ❶❷	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-PW ■	$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUFS-1630-PW ■	634.87	638.77	644.89	648.79
		36″(914mm)	UUFS-1636-PW ■	661.60	666.06	672.73	677.19
		42″(1067mm)	UUFS-1642-PW ■	688.33	693.35	700.57	705.59
		48″(1219mm)	UUFS-1648-PW ■	715.06	720.64	728.41	733.99
		54″(1372mm)	UUFS-1654-PW ■	741.79	747.93	756.25	762.39
		60″(1524mm)	UUFS-1660-PW ■	834.22	840.92	849.79	856.49
		66″(1676mm)	UUFS-1666-PW ■	1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUFS-1672-PW ■	1189.44	1197.26	1207.23	1215.05



UUKS-PW

Height	Depth	Width	Cabinet Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-PW	$ 994.53	$ 997.87	$1003.44	$1006.78
		30″(762mm)	UUKS-1630-PW	1021.26	1025.16	1031.28	1035.18
		36″(914mm)	UUKS-1636-PW	1047.99	1052.45	1059.12	1063.58
		42″(1067mm)	UUKS-1642-PW	1074.72	1079.74	1086.96	1091.98
		48″(1219mm)	UUKS-1648-PW	1139.31	1144.89	1152.66	1158.24
		54″(1372mm)	UUKS-1654-PW	1242.87	1249.01	1257.33	1263.47
		60″(1524mm)	UUKS-1660-PW	1354.22	1360.92	1369.79	1376.49
		66″(1676mm)	UUKS-1666-PW	1638.17	1645.43	1654.85	1662.11
		72″(1829mm)	UUKS-1672-PW	1911.00	1918.82	1928.79	1936.61



UUHS-PW

Height	Depth	Width	Single Slider Door Number ❶	Trim A Trim A	Trim A Trim B	Trim B Trim A	Trim B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-PW	$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUHS-1630-PW	634.87	638.77	644.89	648.79
		36″(914mm)	UUHS-1636-PW	661.60	666.06	672.73	677.19
		42″(1067mm)	UUHS-1642-PW	688.33	693.35	700.57	705.59
		48″(1219mm)	UUHS-1648-PW	715.06	720.64	728.41	733.99
		54″(1372mm)	UUHS-1654-PW	741.79	747.93	756.25	762.39
		60″(1524mm)	UUHS-1660-PW	834.22	840.92	849.79	856.49
		66″(1676mm)	UUHS-1666-PW	1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUHS-1672-PW	1189.44	1197.26	1207.23	1215.05

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, mounting bar, angle adjustment bar and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close. ■

2) Trim color for shelf and end panels.

3) Trim color for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Translucent Door



UUFF-QW

Height	Depth	Width	Flipper Door Number ❶❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUFF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUFF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUFF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUFF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUFF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUFF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUFF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUFF-1672-QW	1951.09	1968.88	2218.41	2236.20



UUKF-QW

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKF-1624-QW	$1650.48	$1659.39	$1917.80	$1926.71
		30″(762mm)	UUKF-1630-QW	1707.27	1717.29	1974.59	1984.61
		36″(914mm)	UUKF-1636-QW	1764.06	1775.19	2031.38	2042.51
		42″(1067mm)	UUKF-1642-QW	1820.85	1833.09	2088.17	2100.41
		48″(1219mm)	UUKF-1648-QW	1896.56	1909.91	2163.88	2177.23
		54″(1372mm)	UUKF-1654-QW	2062.49	2076.95	2329.81	2344.27
		60″(1524mm)	UUKF-1660-QW	2230.62	2246.19	2497.94	2513.51
		66″(1676mm)	UUKF-1666-QW	2659.31	2675.99	2926.63	2943.31
		72″(1829mm)	UUKF-1672-QW	3071.34	3089.13	3338.66	3356.45



UUHF-QW

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUHF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUHF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUHF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUHF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUHF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUHF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUHF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUHF-1672-QW	1951.09	1968.88	2218.41	2236.20

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, mounting bar, angle adjustment bar, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ **Locking Option:**

N Non-locking

L Locking, add **$17.82** list.

❷ **Close Option: (Flipper door only)**

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.

3) Translucent color for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Wood Door



UUFS-WW

Height	Depth	Width	Flipper Door Number ❶❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUFS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUFS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUFS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUFS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUFS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUFS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUFS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUFS-1672-WW	2034.66	2052.45	2099.25	2117.04



UUKS-WW

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-WW	$1779.56	$1788.47	$1844.15	$1853.06
		30″(762mm)	UUKS-1630-WW	1829.69	1839.71	1894.28	1904.30
		36″(914mm)	UUKS-1636-WW	1879.82	1890.95	1944.41	1955.54
		42″(1067mm)	UUKS-1642-WW	1929.95	1942.19	1994.54	2006.78
		48″(1219mm)	UUKS-1648-WW	2000.11	2013.46	2064.70	2078.05
		54″(1372mm)	UUKS-1654-WW	2181.65	2196.11	2246.24	2260.70
		60″(1524mm)	UUKS-1660-WW	2366.52	2382.09	2431.11	2446.68
		66″(1676mm)	UUKS-1666-WW	2817.50	2834.18	2882.09	2898.77
		72″(1829mm)	UUKS-1672-WW	3257.38	3275.17	3321.97	3339.76



UUHS-WW

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUHS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUHS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUHS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUHS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUHS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUHS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUHS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUHS-1672-WW	2034.66	2052.45	2099.25	2117.04

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, mounting bar, angle adjustment bar, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.

3) Wood finish for door.

4) Trim color for lock housing, if applicable.

Wall Mount Components

Overhead Storage Unit, Wall Mount – Laminate Door



UUFS-LW

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUFS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUFS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUFS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUFS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUFS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUFS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUFS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUFS-1672-LW	1776.24	1794.03	1792.95	1810.74



UUKS-LW

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-LW	$1472.23	$1481.14	$1488.94	$1497.85
		30″(762mm)	UUKS-1630-LW	1519.00	1529.02	1535.71	1545.73
		36″(914mm)	UUKS-1636-LW	1565.77	1576.90	1582.48	1593.61
		42″(1067mm)	UUKS-1642-LW	1612.54	1624.78	1629.25	1641.49
		48″(1219mm)	UUKS-1648-LW	1679.34	1692.69	1696.05	1709.40
		54″(1372mm)	UUKS-1654-LW	1838.58	1853.04	1855.29	1869.75
		60″(1524mm)	UUKS-1660-LW	1995.58	2011.15	2012.29	2027.86
		66″(1676mm)	UUKS-1666-LW	2395.33	2412.01	2412.04	2428.72
		72″(1829mm)	UUKS-1672-LW	2780.63	2798.42	2797.34	2815.13



UUHS-LW

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUHS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUHS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUHS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUHS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUHS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUHS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUHS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUHS-1672-LW	1776.24	1794.03	1792.95	1810.74

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, mounting bar, angle adjustment bar, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Units cannot be retrofitted with different door style; ie: flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ **Locking Option:**

N Non-locking

L Locking, add **$17.82** list.

❷ **Close Option: (Flipper door only)**

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48.** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Accessories

Worksurface to Wall Bracket

Number	Price
ZUBW-0000-PN	$22.50



ZUBW-PN
Class BC – SIN 711-1;
Discount Group XI

Features
- Includes one bracket and worksurface or worksurface support panel mounting screws.
- **Screws/anchors for attachment to wall are field supplied.**
- Worksurface to wall application
  –Partially supports the back of a worksurface in wall mount application when a vertical wall track is not desired.
- Worksurface Support Panel to wall application
  –Attaches a worksurface support panel (ZZFS) to a building wall in a wall mount application when a vertical wall track is not desired.
- Standard in black finish only.

Specification Tips
- **Must be properly anchored to a structural wall.**
- Worksurface front corners support requirements:
  –One corner must be floor supported.
  –Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
  –The distance between these floor supports may not exceed 10 feet.

Bracket Requirements

Length of a particular worksurface adjacent to the wall (inches)	Min # of Brackets Required (qty)
12-47	2
48-83	3
84-120	4

To Order, Specify:
1) Product number.
(No finish specification required.)

Back for Wall Mounted Overhead Storage Unit



UUFB-P
Class BC – SIN 711-1;
Discount Group XI

Outside Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	UUFB-0024-P	$ 78.74	$102.71
	30″(762mm)	UUFB-0030-P	84.45	108.42
	36″(914mm)	UUFB-0036-P	90.16	114.13
	42″(1067mm)	UUFB-0042-P	95.87	119.84
	48″(1219mm)	UUFB-0048-P	101.58	125.55
	54″(1372mm)	UUFB-0054-P	107.29	131.26
	60″(1524mm)	UUFB-0060-P	113.00	136.97
	66″(1676mm)	UUFB-0066-P	118.71	142.68
	72″(1829mm)	UUFB-0072-P	124.42	148.39

Features
- Includes one painted back and mounting hardware.
- Used to cover wall mount attachment brackets.

Specification Tips
- For use on Wall Mount Overhead Storage Units only.
- Back must match width of Wall Mounted Overhead Storage Units.

To Order, Specify:
1) Product number.
2) Trim color.

Shelf Dividers



NADR-8
Class CA – SIN 711-1;
Discount Group I

Height	Depth	Width	Number	Trim A	Trim B
4″(102mm)	13 1/4″(337mm)	1 3/4″(44mm)	NADR-8 ■	$193.46	$206.95

Features
- Includes box of eight shelf dividers.
- To be used to divide space laterally on panel mounted shelves or up mount shelves, standard or up mount overhead storage units.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Wall Mount Components

Overhead Storage Unit / Shelf Gang Clip



NUB-1

Description	Number	Price
One clip	NUB-1 ■	$42.75

Features

- Provides additional stability in unbalanced panel configurations with adjacent shelves and overheads.
- Required for stack kits that have more than one row of shelves or overhead storage units.
- Standard in black finish.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Track



VNAT

Height	Width	Depth Locations	Wall Attachment	Number	Trim A	Trim B
30″(762mm)	1″(25mm)	3/4″(19.05mm)	4 holes	VNAT-3000 ■	$32.94	$49.42
64″(1626mm)			10 holes	VNAT-6400 ■	66.62	83.10
80″(2032mm)			12 holes	VNAT-8000 ■	82.44	98.92

NOTE:
Mounting holes begin 1/2″(13mm) from the top and continue every 6″(152mm) on center. Wall track is designed to be field-cut from the bottom of the track. See installation instructions for detail.

Features

- Includes one two-sided wall track and screws.
- One wall track will mount two adjacent components.
  –Side one will accommodate mounting of two components in a side-by-side shared condition.
  –Side two will accommodate mounting of one component.
- For attachment of the following components to structural walls:
  –panel-hung storage
  –tackstrips, tackboards, markerboards
  –worksurface and supports

■ Available on RUSH.

Specification Tips

- A wall-mounted Premise panel requires 1⅜″(35mm) field-installed shim when used with wall track to support a corner or transitional worksurface.
- In a component end mount condition, wall track will not add additional width.

To Order, Specify:

1) Product number.
2) Trim color.

Class BC – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Wall Mount Components

Tackboard, Wall Mount



KUAF

Nominal Height	Width	Number	Fabric Grade A	B	C	E	F	G
16″(406mm)	24″(610mm)	KUAF-1624 ■	$199.26	$209.34	$210.82	$225.18	$272.14	$289.13
	30″(762mm)	KUAF-1630 ■	209.34	221.09	224.48	242.87	292.64	311.31
	36″(914mm)	KUAF-1636 ■	219.42	232.84	238.14	260.56	313.14	333.49
	42″(1067mm)	KUAF-1642 ■	229.50	244.59	251.80	278.25	333.64	355.67
	48″(1219mm)	KUAF-1648 ■	239.58	256.34	265.46	295.94	354.14	377.85
	60″(1524mm)	KUAF-1660 ■	259.74	279.84	292.78	331.32	395.14	422.21

Feature
- Includes one tackboard and attachment hardware.

■ Available on RUSH.

Specification Tip
- Designed to be used under wall mounted overhead storage units.

To Order, Specify:
1) Product number.
2) Fabric surface and color.

Markerboard, Wall Mount



KUAM

Nominal Height	Width	Number	Price
16″(406mm)	24″(610mm)	KUAM-1624 ■	$251.77
	30″(762mm)	KUAM-1630 ■	268.48
	36″(914mm)	KUAM-1636 ■	285.19
	42″(1067mm)	KUAM-1642 ■	301.90
	48″(1219mm)	KUAM-1648 ■	318.61
	60″(1524mm)	KUAM-1660 ■	352.03
24″(610mm)	24″(610mm)	KUAM-2424 ■	$345.35
	30″(762mm)	KUAM-2430 ■	362.06
	36″(914mm)	KUAM-2436 ■	378.77
	42″(1067mm)	KUAM-2442 ■	395.48
	48″(1219mm)	KUAM-2448 ■	412.19
	60″(1524mm)	KUAM-2460 ■	445.61
32″(813mm)	24″(610mm)	KUAM-3224 ■	$438.93
	30″(762mm)	KUAM-3230 ■	455.64
	36″(914mm)	KUAM-3236 ■	472.35
	42″(1067mm)	KUAM-3242 ■	489.06
	48″(1219mm)	KUAM-3248 ■	505.77
	60″(1524mm)	KUAM-3260 ■	539.19

Feature
- Non-magnetic white laminate erasable writing surface with tray.

■ Available on RUSH.

Specification Tips
- Designed to be used under wall mounted overhead storage units.
- Does not allow task light cord to pass behind.

To Order, Specify:
1) Product number.
(No finish specification required.)

Slat, Wall Mount



KUPY

Nominal Height	Width	Number	Trim A	B
16″(406mm)	18″(457mm)	KUPY-1618	$238.30	$242.71
	24″(610mm)	KUPY-1624	257.97	263.48
	30″(762mm)	KUPY-1630	277.64	284.25
	36″(914mm)	KUPY-1636	297.31	305.02
	42″(1067mm)	KUPY-1642	316.98	325.79
	48″(1219mm)	KUPY-1648	336.65	346.56
	60″(1524mm)	KUPY-1660	375.99	388.10

Features
- Includes slat tile & attachment brackets.
- Jump Stuff slat tile tools may be used.

Specification Tips
- Designed to be used under wall mounted overhead storage units.
- Allows space for task light cord routing.

To Order, Specify:
1) Product number.
2) Trim color.

Lighting

Reed Premier™ Stand-Alone LED Task Light



LUTS-0017-19ULD5

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTS-0017-19ULD5	**$210.00**

Features
- Includes 17″(432mm) LED fixture, 15 watt power supply with nine foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Length: 16.4″(417mm).

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Not intended for daisy chaining.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:
1) Product number.
(No finish specification required.)

Reed Premier™ Starter LED Task Light



LUTS-0017-12ULD6

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTS-0017-12ULD6	**$288.75**
30.1″(765mm)	17.6	LUTS-0031-12ULD6	**420.07**
43.7″(1110mm)	25.9	LUTS-0044-12ULD6	**542.01**
57.4″(1458mm)	33.6	LUTS-0058-12ULD6	**673.33**

Features
- Includes LED fixture, 60 watt power supply with twelve foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:
1) Product number.
(No finish specification required.)

Lighting

Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights



LUTD-0017-1NULDN

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTD-0017-1NULDN	**$210.00**
30.1″(765mm)	17.6	LUTD-0031-1NULDN	**341.32**
43.7″(1110mm)	25.9	LUTD-0044-1NULDN	**463.26**
57.4″(1458mm)	33.6	LUTD-0058-1NULDN	**594.58**

Features
- Includes LED fixture, 8″(203mm) and 30″(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

To Order, Specify:
1) Product number. (No finish specification required.)

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

Reed Premier™ Add-On Occupancy Sensor



LUTS-0000

		LUTS-0000	**$236.25**

Features
- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7″(17.8mm); Width: 2.0″(51mm); Length: 2.3″(58mm).

To Order, Specify:
1) Product number. (No finish specification required.)

Specification Tips
- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

Lighting

Adaptable Electronic Ballast Task Light



LUTS-16UEP

Height	Depth	Width	Actual Width	Number	Price
1.375″(25mm)	4 1/4″(105mm)	24″(610mm)	19″(483mm)	LUTS-0024-16UEP ■	**$203.11**
		30″(762mm)	25″(635mm)	LUTS-0030-16UEP ■	**209.66**
		42″(1067mm)	37″(940mm)	LUTS-0042-16UEP ■	**222.76**
		54″(1372mm)	49″(1245mm)	LUTS-0054-16UEP ■	**235.86**

Features

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42″(1067mm) and 54″(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

■ Available on RUSH.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:
To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTS-0030-16UE**B**

Chicago Specification:
To specify, replace **1** with **C** in the product number and add **$85.18** list.

Example: LUTS-0030-**C**6UEP

Chicago only: Plug includes 3 AMP resettable circuit breaker.

9′ Cord Option ■
To specify, replace **6** with **9** in the product number and add **$37.13** list.

Example: LUTS-0030-1**9**UEP

Adaptable Electronic Ballast Task Light (Starter Light)



LUTR

Height	Depth	Width	Description	Number	Price
1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	6′ Cord	LUTR-0042-16UEP	**$243.51**
			9′ Cord	LUTR-0042-19UEP	**280.64**
		54″(1372mm)	6′ Cord	LUTR-0054-16UEP	**$256.61**
			9′ Cord	LUTR-0054-19UEP	**293.74**

Features

- Includes mounting brackets, .33″(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:
To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTR-0042-16UE**B**

Class CA — SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Lighting

Adaptable Electronic Ballast Task Light (Add-On Light)



LUTD

NOTE:
Must be attached to a starter light or another add-on light.

Height	Depth	Width	Actual Width	Number	Price
1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	15″ Linking Cord	LUTD-0042-11UEP	**$242.42**
			48″ Linking Cord	LUTD-0042-14UEP	**247.88**
		54″(1372mm)	15″ Linking Cord	LUTD-0054-11UEP	**$255.52**
			48″ Linking Cord	LUTD-0054-14UEP	**260.98**

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20′ of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTD-0042-11UE**B**



Lighting

	Number ❶	Price
Pixo	LUPT-0016-05FL	**$389.38**



LUPT

Intertek

Features
- Includes base/mount with USB charging port, 16.5″(419mm) arm with LED light and 6′(182cm) attached cord.
- Available with optional integrated occupancy sensor.
- Available in supplier silver, white or black.
- Hi-low dim control.
- 360° arm rotation.
- 180° arm tilt.
- 360° shade rotation.
- USB port for charging cell phones.
- Advanced LED array eliminates multiple shadows.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 6W.
- Color temperature: 3000K.
- Luminosity: 285 Lumens.
- Color Rendition Index: 90 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number.

❶ **Occupancy Sensor:**

C No Occupancy Sensor ■

O Occupancy Sensor, add **$249.60** list

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage without Occupancy Sensor	LUV1-0012-07 LC ■	**$459.68**



LUV1

Intertek

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- Auto turn off after 10 hours of use.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Attachment:**

F Freestanding

G Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage with Occupancy Sensor	LUV2-0012-07 LO ■	**$676.00**



LUV2

Intertek

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Attachment:**

F Freestanding

G Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

Freestanding Lighting



LBJ1

Class CH

LBJ2

Base Diameter	Model	Number ❶	Price
8 1/2″(216mm)	Desk	LBJ1-0026-19FLC ■	**$696.28**
	Floor	LBJ2-0026-19FLC	**837.68**

Features

- Includes base, adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14″-22″(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48″-56″(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- **For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41″(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4″(1899mm).
- Minor assembly required.

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ **Finish Color**

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

Mounted Lighting



LBJ3 LBJ4

Class CH

Grommet/Hole Diameter	Model	Number ❶❷	Price
3″(76mm)	Grommet Mount	LBJ3-0026-19GLC	**$696.28**
1″(25mm)	Fixed Mount	LBJ4-0026-19GLC	**723.06**

Features

- Grommet Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13″-21″(330mm-533mm) from desktop.
- **For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40″(1016mm).
- Minor assembly required.

Specification Tips

- **Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

To Order, Specify:

1) Product number, including:

❶ **Finish Color**

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

❷ **Worksurface Thickness**

- **S** 1 3/16″(30mm)
- **M** 2″(51mm)
- **Q** 3″(76mm)

Grommet — For Use with BRAZO Grommet Mounted Light Only



WQAG

Class PT

Top Thickness	Number	Price
1 3/16″(30mm)	WQAG-0303-PSN	**$29.46**
2″(51mm)	WQAG-0303-PMN	**29.46**
3″(76mm)	WQAG-0303-PQN	**29.46**

Feature

- Includes one 3″(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4″(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:

1) Product number.
2) Trim color.
   Plaster – TR-TW
   Metallic Silver – TR-LE, add **$5.90** list.
   Metallic Champagne – TR-MC, add **$5.90** list.
   Metallic Gunmetal – TR-MG, add **$5.90** list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM L



Freestanding Block
LLL1



Freestanding Pivot
LLL2



Freestanding Floor
LLL3



Freestanding Add-On
LLLA

Base/Mount	Number	Price
Freestanding Block	LLL1-0022-19FLC	**$593.44**
Freestanding Pivot	LLL2-0022-19FLC ■	**536.67**
Freestanding Floor	LLL3-0022-19FLC	**650.21**
Freestanding Add-On	LLLA-0022-19FLC	**395.27**

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Freestanding Block:**
  - **–Available in Textured White, Textured Black and Brushed Aluminum.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Desk light adjustable height fixture range is 12″-15.75″(305mm-400mm) from desktop.
  - –Base includes scratch-resistant bottom with cord management.
  - –Can be used on any horizontal surface.
  - –Freestanding Block Base size: 6.63″(168mm) height, 3″(76mm) width, 3.5″(89mm) depth.
- **Freestanding Pivot:**
  - **–Available in Textured White and Textured Black.**
  - –Desk Pivot rotates 360° around the base.
  - –Arm rotates around magnetic connection between base and light arm.
  - –Pivot light does not have adjustable height.
  - –Base includes scratch-resistant bottom.
  - –Can be used on any horizontal surface.
  - –Freestanding Pivot Base size: 5″(127mm) height, 4.5″(114mm) width, 5.5″(140mm) depth.
- **Freestanding Floor:**
  - **–Available in Textured White and Textured Black.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Floor light adjustable height fixture range is 13″-50.75″(330mm-1289mm) from floor.
  - –Base includes scratch-resistant bottom.
  - –Floor Base size: 38″(965mm) height, 9″(229mm) width, 9″(229mm) depth.
- **Freestanding Add-On:**
  - **–Available in Textured White, Textured Black and Brushed Aluminum.**

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color:

Pivot/Floor available in:
Textured White TR-L2
Textured Black TR-L3

Block/Add-On available in:
Textured White TR-L2
Textured Black TR-L3
Brushed Aluminum, TR-L1 add **$27.85** list.

Class CH – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM C

Base/Mount	Average Height	Number	Price
Worksurface Mount	18 1/2″(470mm)	LLC1-0022-19WLC	**$508.82**
Grommet Mount	18 1/2″(470mm)	LLC2-0022-19GLC	**508.82**



Worksurface Mount
LLC1



Grommet Mount
LLC2

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Worksurface attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes a 11″(279mm) flat bracket with adhesive.
- **Grommet Mount:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Grommet attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Y

Worksurface Mount	20.4″(518mm)	LLY1-0013-19WLC	**$847.32**



Worksurface Mount
LLY1

Features

- Includes base/mount, 14″(356mm) depth by 35″(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
  - –Arm does not rotate and uses fixed mount bracket.
  - –Light does not have adjustable height.
  - –Fixed mount bracket is scratch-resistant.
  - –Mount includes bracket with hardware.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM Mounted



Slat
LLM1



Belong Rail
LLM1



Panel
LLM2

Base/Mount	Panel System	Number	Price
Slat/Rail		LLM1-0023-19MLC	**$424.19**
Panel	for PREMISE	LLM2-0023-19MLCN	**$424.19**
	for Compose	LLM2-0023-19MLCZ	**424.19**
	for UniGroup Too	LLM2-0023-19MLCE	**424.19**

Features

- Includes base/mount, 23 1/4″(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- *Overall height ranges dependent on the mount.*
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Slat:**
  - **–Available in Textured White and Textured Black.**
  - –Rotates 180 degrees horizontally around the mount.
  - –Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
  - –Mount is scratch-resistant.
  - –Can be used on any Haworth slat tile.
  - –Slat Tile Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.
- **Panel:**
  - **–Available in Textured White and Textured Black.**
  - –Rotates 180 degrees horizontally around the mount.
  - –Panel Mount can be adjusted within the panel slot profiles.
  - –Mount is scratch-resistant.
  - –Can be used on any Haworth Panel System.
  - –Panel Mount Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM Mounted





LLU1



LLU2

Base/Mount	Number	Price
Under Shelf Flat	LLU1-0023-19ULC	**$424.19**
Under Shelf Proud	LLU2-0023-19ULC	**424.19**
Under Shelf Proud–Wood Casegoods	LLU3-0023-19ULC	**424.19**

Features

- Includes base/mount, 23 1/4″(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to complement the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Under Shelf Flat:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket with adhesive.
  - **–Can be used on: Storage Box.**
- **Under Shelf Proud:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - **–Can be used on: Adaptable Upper Storage.**
- **Under Shelf Proud - Wood Casegoods:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket.
  - **–Can be used on: Wood Casegoods Vertical Storage Unit.**

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Hardware

Base/Mount	Panel System	Units	Number	Price
Slat Mount Bracket		1	LLH1-0000	**$ 56.77**
Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	**$ 56.77**
	for Compose	1	LLH2-0000-Z	**56.77**
	for UniGroup Too	1	LLH2-0000-E	**56.77**
Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	**$146.75**
Under Shelf Proud - Casegood Bracket		5	LLH4-0000	**146.75**
Grommet Bracket		1	LLH5-0000	**29.99**
Wire Management Clips		10	LLH6-0000	**$ 71.76**

Features

- Hardware for use with LIM lights to provide additional attachment.
- Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
- For use if greater user adjustment is required.
- Slat and Panel Mount available in Textured White and Textured Black.
- Under Shelf available in Textured White, Textured Black and Brushed Aluminum.
- Grommet bracket available in Textured White, Textured Black and Brushed Aluminum.
- Wire management clips are standard in White.

***Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.**

To Order, Specify:

1) Product number.
2) Trim color for brackets:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

Task Organization

Slat Pad

Wall Accessory Slat Pad



NAPY

Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	NAPY-1624 ■	**$252.29**	**$282.38**
	30″(762mm)	NAPY-1630 ■	**283.54**	**313.63**
	36″(914mm)	NAPY-1636 ■	**314.79**	**344.88**
	42″(1067mm)	NAPY-1642 ■	**346.04**	**376.13**
	48″(1219mm)	NAPY-1648 ■	**377.29**	**407.38**
	60″(1524mm)	NAPY-1660 ■	**439.79**	**469.88**

Features

- Includes one pad and attachment brackets.
- Assembled stack pad thickness is 3/8″(10mm).

■ Available on RUSH.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equal the pad width.
- Designed to work with Jump Stuff and Belong slat pad tools.
- Intended for use with monolithic panels and wall track to provide paper management capabilities.
- Can be installed on wall track.

To Order, Specify:

1) Product number.
2) Trim color.

Belong Work Tools Mounting Rails

Tool Rail — Panel Mount — Single Side



KUR1-0424-PZN

Height	Depth	Width	Number	Trim A	Trim B
PREMISE					
4″(102mm)	1″(25mm)	24″(610mm)	KUR1-0424-PNN	**$139.96**	**$151.86**
		30″(762mm)	KUR1-0430-PNN	**150.04**	**163.02**
		36″(914mm)	KUR1-0436-PNN	**160.12**	**174.18**
		42″(1067mm)	KUR1-0442-PNN	**170.20**	**185.34**
		48″(1219mm)	KUR1-0448-PNN	**180.28**	**196.50**
		60″(1524mm)	KUR1-0460-PNN	**272.91**	**291.29**

Features

- Includes one rail with panel attachment brackets.
- Mounts to panel side trim rails/connectors/slotted frame/wall track to support rail tools.
- Rail is 5/8″(16mm) thick; brackets provide 3/8″(10mm) gap for cord management.
- Belong Work Tools or Jump®Stuff Slat Pad Tools may be used; separately specified.

Specification Tips

- **Supports maximum load of 40 pounds of Paper Management evenly distributed.**
- Panel mounted rail may span one or more panels equivalent to rail width.
- Recommended mounting position is approximately 9″(229mm) above worksurface.
- Rail is for use with PREMISE panels.

To Order, Specify:

1) Product number.
2) Trim Color for rail/brackets (product line specific; refer) to appropriate price list).

Belong Work Tools Mounting Rails

For use with Adaptable worksurfaces

Tool Rail — Worksurface Mount C-Clamp or Thru-Mount



KUR1-1224-CSN

Rail Height	Width	Description	Number	Trim A	B
1 3/16″ Thick Top					
4″	24″	C-Clamp	KUR1-1224-CSN	**$264.99**	**$276.89**
	30″		KUR1-1230-CSN	**279.05**	**292.03**
	36″		KUR1-1236-CSN	**293.11**	**307.17**
	42″		KUR1-1242-CSN	**307.17**	**322.31**
	48″		KUR1-1248-CSN	**321.23**	**337.45**
	54″		KUR1-1254-CSN	**335.29**	**352.59**
	60″		KUR1-1260-CSN	**421.82**	**440.20**
2″ thick Top					
4″	24″	C-Clamp	KUR1-1224-CMN	**$264.99**	**$276.89**
	30″		KUR1-1230-CMN	**279.05**	**292.03**
	36″		KUR1-1236-CMN	**293.11**	**307.17**
	42″		KUR1-1242-CMN	**307.17**	**322.31**
	48″		KUR1-1248-CMN	**321.23**	**337.45**
	54″		KUR1-1254-CMN	**335.29**	**352.59**
	60″		KUR1-1260-CMN	**421.82**	**440.20**
1 3/16″ Thick Top					
4″	24″	Thru-mount	KUR1-1224-TSN	**$264.99**	**$276.89**
	30″		KUR1-1230-TSN	**279.05**	**292.03**
	36″		KUR1-1236-TSN	**293.11**	**307.17**
	42″		KUR1-1242-TSN	**307.17**	**322.31**
	48″		KUR1-1248-TSN	**321.23**	**337.45**
	54″		KUR1-1254-TSN	**335.29**	**352.59**
	60″		KUR1-1260-TSN	**421.82**	**440.20**
2″ thick Top					
4″	24″	Thru-mount	KUR1-1224-TMN	**$264.99**	**$276.89**
	30″		KUR1-1230-TMN	**279.05**	**292.03**
	36″		KUR1-1236-TMN	**293.11**	**307.17**
	42″		KUR1-1242-TMN	**307.17**	**322.31**
	48″		KUR1-1248-TMN	**321.23**	**337.45**
	54″		KUR1-1254-TMN	**335.29**	**352.59**
	60″		KUR1-1260-TMN	**421.82**	**440.20**

Features

- Includes one double sided rail with two posts, two rail end caps and attachment hardware.
- Mounts to worksurface to support rail tools.
- 1 3/16″(30mm) C-clamp Rail mounts on worksurfaces from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Thru-mount Rail mounts on 1 3/16″(30mm) thick worksurfaces.
- Posts are 1 1/4″(32mm) thick.
- Belong Rail tools separately specified.
- Belong Work Tools or JumpStuff Slat Pad Tools may be used; separately specified.
- Rail overall height above worksurface: 11 13/16″(300mm).
- Distance between rail bottom and top of worksurface: 7 7/16″(189mm).
- Ships unassembled.
- Designed for single sided Reside desking and single sided benching applications.
- **Not designed to be used in front of panel mounted accessories (tackboard, markerboard).**
- Rail holds up to a maximum of 40 pounds(18.14kg) evenly distributed on one side.
- Rail may be installed off modular.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Thru-mount post can be attached flush to back edge of worksurface.
- C-clamp rail can be attached to panel mounted worksurface with notch or radius wireways without removing the worksurface.
- Under worksurface: 4″(102mm) of clearance is necessary between back of worksurface and adjacent component for clamp attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Refer to Specification Guide for planning rules.

Note: No more than 6″(152mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Trim color for rail/post.
3) Trim color for rail end caps:
   TR-K Charcoal
   TR-J Graphite
   TR-FM Snow

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Belong Work Tools Mounting Rails

For use with Adaptable worksurfaces

Tool Rail — Single Post — C-Clamp or Thru-Mount



KUP1-0000-CSN

Post Height	Description	Number	Trim A	Trim B
1 3/16″ Thick Top				
7 1/2″	C-Clamp	KUP1-0000-CSN	**$82.20**	**$88.69**
2″ Thick Top				
7 1/2″	C-Clamp	KUP1-0000-CMN	**$82.20**	**$88.69**
1 3/16″ Thick Top				
7 1/2″	Thru-mount	KUP1-0000-TSN	**$82.20**	**$88.69**
2″ Thick Top				
7 1/2″	Thru-mount	KUP1-0000-TMN	**$82.20**	**$88.69**

Features

- Includes one C-clamp or one Thru-mount Post and attachment hardware.
- Posts mount on worksurfaces 1 13/16″-2″(46mm-51mm) thick.
- Posts are 1 1/4″(32mm) thick.

Specification Tips

- Posts supports slide along rail bottom groove.
- For use with C-clamp or Thru-mount tool rail only.
- Monitor arm cannot be mounted in post position.
- Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.
- Refer to Specification Guide for planning rules.

To Order, Specify:

1) Product number.
2) Trim color.

Belong Work Tools

Accessories

Open C Cubby



KUCU-0915-BNN



KUCU-1215-BNS

Class YA – SIN 711-2,
Discount Group XIII

Height	Depth	Width	Description	Number	Trim A	B
9″(229mm)	10″(254mm)	15″(381mm)	Freestanding	KUCU-0915-BNN	$ 90.85	$101.67
12″(305mm)	10″(254mm)	15″(381mm)	Freestanding	KUCU-1215-BNN	95.18	106.00
12″(305mm)	10″(254mm)	15″(381mm)	With Slots	KUCU-1215-BNS	106.00	116.82

Features

- Includes one Open C Cubby.
- Freestanding Open C Cubby's designed for supporting binders and books.
- Open C Cubby with slots allows use of Belong Work Tools or JumpStuff Slat Pad Tools; separately specified.
- Open C Cubby's can be used in Beside Overhead Storage.

To Order, Specify:

1) Product number.
2) Trim color.

Paper Tray — Landscape



KUPT-0913-H



KUPT-0913-F

Class YA – SIN 711-2,
Discount Group XIII

Height	Depth	Width	Description	Number	Price
1 1/2″(38mm)	8 7/8″(225mm)	12 3/4″(324mm)	Slat — Document Tray	KUPT-0913-H	$22.71
2 1/2″(64mm)	8 7/8″(225mm)	12 3/4″(324mm)	Freestanding — Stacking Tray	KUPT-0913-F	27.04

Features

- Includes one plastic tray.
- Slat document tray mounts on Belong rail, Belong slat tile and Beside stanchion kit.
- Slat document tray supports maximum of one ream (5 pounds/2.3kg) of paper.
- Freestanding stacking tray is freestanding and stacks 4 high.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Tool Cup



KUTC-0000-H

Class YA – SIN 711-2,
Discount Group XIII

3 1/2″(89mm)	2 1/2″(64mm)	2 1/2″(64mm)		KUTC-0000-H	$19.47

Features

- Includes one plastic tool cup.
- Tool cup mounts on:
  –Belong rail
  –Belong slat tile
  –Beside stanchion
  –Open C Cubby with slots
- Can also be used in freestanding applications.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

iPad Attachment



KU6T

Class YA – GSA: Open Market

Height	Width	Number	Price
7.88″(200mm)	8″(203mm)	KU6T-0000	$270.40

Features

- Includes one steel tablet holder with cutouts and mounting hardware.
- Works with tablets size 6.75″-7.5″(171-191mm) wide and at least 7″(178mm) high with a 1/2″(13mm) maximum thickness.
- Mounts directly onto the Extend Arm with standard VESA 100mm connection.
- Rotates from landscape orientation to portrait orientation.
- Cutouts allow for use of cables.

Specification Tips

- Designed to be used with Extend Arm.
- iPad not included.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

Work Tools

Jump Stuff Slat Tile Tools

Binder Bin

Height	Depth	Width	Number	Price
12 1/2″(318mm)	10 1/2″(267mm)	6 1/2″(165mm)	DTSB-3 ■	**$47.90**



DTSB-3

Features
- Mounts on slat pad. Can also be used in freestanding applications.
- Bin accommodates two 3″(76mm) thick binders.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Tote

Height	Depth	Width	Description	Number	Price
10″(254mm)	4″(102mm)	13″(330mm)	Tote	DTTE-3 ■	**$55.70**
			Tote, clips, and strap	DTTH-3 ■	**79.10**



DTTE-3



DTTH-3

Features
- Mounts on slat pad.
- Clip and strap standard in black.
- Fits in lateral files.
- Accommodates hanging files.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Tack Strip

Height	Depth	Width	Number	Price
2 1/2″(64mm)	1/2″(13mm)	12″(305mm)	DTTS-12 ■	**$27.85**
		24″(610mm)	DTTS-24 ■	**33.42**



DTTS-12
DTTS-24

Features
- Mounts on slat pad.
- Brown and black cork and rubber composite material.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bracket.

Gooseneck Kit

Number	Price
DTGK-3 ■	**$58.41**



DTGK-3

Features
- Includes two flex arms, two base clips, assortment of three tops (one grip clip, one round top, and one flower top) and two stick-on clips.
- Mounts on slat pad to display miscellaneous notes/items or anywhere with stick-on clips.
- Stick-on clips include double-sided tape.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Mini Shelf

Height	Depth	Width	Number	Laminate A	Laminate B
1 3/4″(44mm)	6 1/4″(159mm)	18″(457mm)	DMSP-18 ■	**$ 97.56**	**$105.35**
		24″(610mm)	DMSP-24 ■	**102.01**	**109.80**
		30″(762mm)	DMSP-30 ■	**106.43**	**114.22**
		36″(914mm)	DMSP-36 ■	**110.87**	**118.66**
		42″(1067mm)	DMSP-42 ■	**115.29**	**123.08**
		48″(1219mm)	DMSP-48 ■	**119.71**	**127.50**



DMSP

Features
- Includes shelf and brackets.
- Mounts on slat pad.
- Shelf thickness 3/4″(19mm)
- Designed for lightweight accessories.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Laminate color.
3) Edgeband color.
4) Trim color for bracket.
Trim B, add **$2.23** list.

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Phone Shelf	2 1/2″(64mm)	11 1/4″(286mm)	9″(229mm)	DTPT-3 ■	**$75.75**



DTPT-3

Features
- Includes phone shelf and bracket.
- Mounts on slat pad at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Phone Shelf Bracket	1 1/2″(38mm)	11″(279mm)	7 1/2″(191mm)	DTBS-3 ■	**$46.79**



DTBS-3

Feature
- Used to convert DTPT-1 for mounting rail phone shelf to slat pad.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bracket. Trim B, add **$2.23** list.

Personal Shelf	1 3/4″(44mm)	11″(279mm)	8″(203mm)	DTES-3	**$52.36**



DTES-3

Features
- Includes mounting bracket and personal shelf.
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Personal Shelf Bracket				DTAR-3 ■	**$34.54**



DTAR-3

Feature
- Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat pad.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Paper Sorter	9 1/4″(235mm)	11″(279mm)	9″-12″(229mm-305mm)	DTPR-3 ■	**$63.50**



DTPR-3

Features
- Includes three dividers, one shelf, and mounting bracket.
- Mounts on slat pad.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Work Tools

Jump Stuff Rail and Slat Tile Tools

	Height	Depth	Width	Number	Price
Tool Cup	5 1/2″(140mm)	3 1/2″(89mm)	4″(102mm)	DTWC-2 ■	**$20.05**



DTWC-2

Feature

- Mounts on rail and slat pad. Can also be used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

	Height	Depth	Width	Number	Price
Letter Tray	2 1/2″(64mm)	12″(305mm)	10 1/2″(267mm)	DTLT-2 ■	**$23.40**



DTLT-2

Features

- Mounts on rail at 60° angle or horizontally.
- Mounts on slat pad horizontally.
- Can also be used in freestanding applications.
- Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays.
- Supports maximum of one ream (five pounds/2.3 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Freestanding Tools

Waste Bin

Height	Depth	Width	Description	Number	Price
15 1/2″(394mm)	12″(305mm)	13″(330mm)	Black	DTRB-1B ■	**$44.56**
				DTRB-1 ■	**59.05**



DTRB

Features
- Used in freestanding applications.
- Five gallon capacity.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Letter Tray Stacking Kit

Height	Depth	Width	Number	Price
8″(203mm)	12″(305mm)	10 1/2″(267mm)	DTLS-2 ■	**$60.16**



DTLS-2

Features
- Includes three letter trays and two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Letter Tray Stacking Bracket

2 1/4″(57mm)	5″(127mm)	9 1/2″(241mm)	DTSB-1 ■	**$16.71**



DTSB-1

Features
- Includes two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Tote Strap

			DTHT-1 ■	**$25.63**



DTHT-1

Features
- Includes strap and two clips.
- Strap is 27″(686mm) long and non-adjustable.
- Converts DTTE-3 to DTTH-3.
- Standard in black.

■ Available on RUSH.

To Order, Specify:
1) Product number.
(No finish specification required.)

Work Tools

Jump Stuff Work Style Kits — Slat Pad Mounted

File Master Kit



DPKP-S
DBKP-S

Mounting System	Slat Pad Width	Packaging	Number	Price
Slat Pad	69″(1753mm)	Pre-Packaged	DPKP-S	**$437.82**
Slat Pad		Bulk-Packaged	DBKP-S	**383.23**

Features
- Kit includes gooseneck kit, two paper sorters, two letter trays, phone shelf, tote, tool cup, and binder bin.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$9.28** list.

Task Master Kit



DPKT-S
DBKT-S

Slat Pad	51″(1295mm)	Pre-Packaged	DPKT-S	**$419.49**
Slat Pad		Bulk-Packaged	DBKT-S	**367.05**

Features
- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, tote, two grip clips, two pile dividers, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$9.28** list.

Mini Master Kit



DPKS-S
DBKS-S

Slat Pad	49″(1245mm)	Pre-Packaged	DPKS-S	**$278.51**
Slat Pad		Bulk-Packaged	DBKS-S ■	**236.17**

Features
- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

■ Available on RUSH.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$9.28** list.

Work Tools

Jump Stuff Rail Mounting Systems

	Height	Depth	Width	Description	Number	Price
Panel Mount Rail	4 1/2″(114mm)	7″(178mm)	24″(610mm)	Two (2) Supports	DSR-24-H	**$ 85.18**
			30″(762mm)		DSR-30-H	**90.86**
			36″(914mm)		DSR-36-H	**96.54**
			42″(1067mm)		DSR-42-H	**102.22**
			48″(1219mm)		DSR-48-H	**107.90**
			60″(1524mm)		DSR-60-H	**119.26**



DSR-H

Features

- Includes two supports, one rail with two end caps.
- Mounts to PREMISE, PLACES and UniGroup panel side rails to support rail tools.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Can be mounted on Haworth wall track.
- Can span one or more panels equivalent to rail width.
- Rail should not be mounted directly in front of tackboards.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Worksurface Mount Rail	7″(178mm)	7″(178mm)	24″(610mm)	One (1) Support	DSR-24-W	**$160.13**
			30″(762mm)		DSR-30-W	**165.81**
	7″(178mm)	7″(178mm)	36″(914mm)	Two (2) Supports	DSR-36-W	**$171.49**
			42″(1067mm)		DSR-42-W	**177.17**
			48″(1219mm)		DSR-48-W	**182.85**
			60″(1524mm)		DSR-60-W	**194.21**



DSR-W

Features

- Includes support(s) with mounting clamp(s) and one rail with two end caps.
- Mounts to worksurface to support rail tools.
- Mounts on worksurfaces from 3/4″(19mm) to 1 3/4″(44mm) thick. With minimum of 1/4″(6mm) of clearance depth does not require worksurface removal.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Single support holds up to a maximum of 25 pounds (11kg), evenly distributed. Double support holds up to a maximum of 50 pounds (23kg), evenly distributed.
- Can be installed off modular.
- Rail should not be mounted directly in front of tackboards.
- Under worksurface 4″(102mm) of clearance is necessary between back of worksurface and pedestal for clamp.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Rail Mounting Systems

	Height	Depth	Width	Description	Number	Price
Freestanding Mount Rail	7″(178mm)	9″(229mm)	24″(610mm)	Two (2) Supports	DSR-24-F	**$198.75**
			30″(762mm)		DSR-30-F	**204.43**
			36″(914mm)		DSR-36-F	**210.11**
			42″(1067mm)		DSR-42-F	**215.79**
			48″(1219mm)		DSR-48-F	**221.47**
			60″(1524mm)		DSR-60-F	**232.83**



DSR-F

Features

- Includes two supports with feet, one rail with two end caps.
- Freestanding mount rail supports rail tools on most flat surfaces.
- Rail tools ordered separately.
- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Rail is standard in brushed aluminum.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Rail Tools

	Height	Depth	Width	Number	Price
Phone Shelf	3″(76mm)	11″(279mm)	9″(229mm)	DTPT-1 ■	**$40.10**



DTPT-1

Features
- Mounts on rail at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Personal Shelf		11″(279mm)	8″(203mm)	DTES-1 ■	**$28.96**



DTES-1

Features
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Paper Sorter	9″(229mm)	11″(279mm)	9″-12″(229mm-305mm)	DTPR-1 ■	**$40.10**



DTPR-1

Features
- Includes three dividers and one shelf.
- Mounts horizontally on rail.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Rail Work Style Kits

Team Master Kit



DPKC-48
DBKC-48

Mounting System	Packaging	Number	Price
Panel Mount*	Pre-Packaged	DPKC-48-H	**$641.69**
Worksurface Mount		DPKC-48-W	**817.71**
Freestanding Mount		DPKC-48-F	**770.92**
Panel Mount*	Bulk-Packaged	DBKC-48-H	**$544.77**
Worksurface Mount		DBKC-48-W	**720.79**
Freestanding Mount		DBKC-48-F	**674.00**

Feature
- Kit includes gooseneck kit, paper sorter, file frame, two pile dividers, disk box, phone caddy, sketch pad kit, 2-way display, catch-all tray, wire wraps, and one 48″(1219mm) wide rail mount with appropriate supports.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

File Master Kit



DPKP-48
DBKP-48

Panel Mount*	Pre-Packaged	DPKP-48-H ■	**$551.81**
Worksurface Mount		DPKP-48-W ■	**727.83**
Freestanding Mount		DPKP-48-F ■	**681.04**
Panel Mount*	Bulk-Packaged	DBKP-48-H	**$480.51**
Worksurface Mount		DBKP-48-W	**627.57**
Freestanding Mount		DBKP-48-F	**609.74**

Feature
- Kit includes 2-way tray, two paper sorters, phone caddy, gooseneck kit, sketch pad kit, file frame, catch-all tray, and one 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Task Master Kit

DPKT-48
DBKT-48

Panel Mount*	Pre-Packaged	DPKT-48-H ■	**$624.31**
Worksurface Mount		DPKT-48-W ■	**806.75**
Freestanding Mount		DPKT-48-F ■	**751.03**
Panel Mount*	Bulk-Packaged	DBKT-48-H	**$571.87**
Worksurface Mount		DBKT-48-W	**754.31**
Freestanding Mount		DBKT-48-F	**698.59**

Feature
- Kit includes gooseneck kit, two grip clips, paper sorter, file frame, two pile dividers, disk box, catch-all tray, 3-layer tray, sketch pad kit, phone caddy, wire wraps, and one 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Common Features
- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

***Note:** Mounts to Compose, PREMISE, PLACES and UniGroup panel side rails to support rail tools.

Work Tools

Jump Stuff Rail Work Style Kits

Mini Master Kit



DPKS-36
DPKS-48
DBKS-36
DBKS-48

Mounting System	Rail Width	Packaging	Number	Price
Panel Mount	36″(914mm)	Pre-Packaged	DPKS-36-H ■	**$392.14**
Worksurface Mount			DPKS-36-W ■	**536.96**
Freestanding Mount			DPKS-36-F ■	**502.43**
Panel Mount	36″(914mm)	Bulk-Packaged	DBKS-36-H	**$349.80**
Worksurface Mount			DBKS-36-W	**494.62**
Freestanding Mount			DBKS-36-F	**460.09**
Panel Mount	48″(1219mm)	Pre-Packaged	DPKS-48-H ■	**$412.18**
Worksurface Mount			DPKS-48-W ■	**557.00**
Freestanding Mount			DPKS-48-F ■	**522.47**
Panel Mount	48″(1219mm)	Bulk-Packaged	DBKS-48-H	**$369.84**
Worksurface Mount			DBKS-48-W	**514.66**
Freestanding Mount			DBKS-48-F	**480.13**

Feature

- Kit includes paper sorter, catch-all tray, 2-way tray, gooseneck kit, phone caddy and one 36″(914mm) or 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Common Features

- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

***Note:** Mounts to Compose, PREMISE, PLACES and UniGroup panel side rails to support rail tools.

Work Tools

Tack Strips/Tackboards/Markerboards

Tack Strip



NAT

Height	Depth	Width	Number	Fabric Grade A	B	C	E	F	G
5″(127mm)	7/8″(22mm)	24″(610mm)	NAT-24 ■	$164.38	$180.82	$183.16	$189.05	$192.55	$193.74
		30″(762mm)	NAT-30 ■	173.19	190.92	194.79	203.85	209.46	212.06
		36″(914mm)	NAT-36 ■	182.00	201.02	206.42	218.65	226.37	230.38
		42″(1067mm)	NAT-42 ■	190.81	211.12	218.05	233.45	243.28	248.70
		48″(1219mm)	NAT-48 ■	199.62	221.22	229.68	248.25	260.19	267.02
		60″(1524mm)	NAT-60 ■	217.24	241.42	252.94	277.85	294.01	303.66

Feature

- Tackable strip to be installed on one or more panels of equivalent width when designated tacking area is desired or mount to wall track.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Tackboard



NAB

Height	Depth	Width	Number	A	B	C	E	F	G
16″(406mm)	7/8″(22mm)	24″(610mm)	NAB-1624 ■	$235.18	$257.61	$271.22	$301.19	$321.47	$332.64
		30″(762mm)	NAB-1630 ■	246.10	270.17	285.66	319.51	342.61	355.42
		36″(914mm)	NAB-1636 ■	257.02	282.73	300.10	337.83	363.75	378.20
		42″(1067mm)	NAB-1642 ■	267.94	295.29	314.54	356.15	384.89	400.98
		48″(1219mm)	NAB-1648 ■	278.86	307.85	328.98	374.47	406.03	423.76
		60″(1524mm)	NAB-1660 ■	300.70	332.97	357.86	411.11	448.31	469.32

Feature

- Tackboard to be installed on one or more panels of equivalent width when designated tacking area is desired or mount to wall track.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Markerboard



NAM

Height	Depth	Width	Number	Price
23 1/8″(587mm)	3 1/4″(83mm)	30″(762mm)	NAM-30 ■	$418.06
		36″(914mm)	NAM-36 ■	442.25
		42″(1067mm)	NAM-42 ■	466.44
		48″(1219mm)	NAM-48 ■	490.63
		60″(1524mm)	NAM-60 ■	539.01

Features

- White erasable writing surface with tray for storage of dry erase markers and eraser.
- Non-magnetic.
- Tray is standard in charcoal and edge is standard in white finish colors.
- Markerboard cleaner and conditioner available through eParts.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

All Purpose Hooks

NAH-12



NAH-12-S

Application	Number	Trim A	B
Monolithic Panels	NAH-12 ■	$63.10	$75.96
Stack Kits	NAH-12-S	81.80	94.66

Features

- Includes package of eight hooks.
- Attaches to the top of a monolithic panel or cross bar on a stack kit.
- Fifty pound capacity.
- NAH-12 hook can be used with standard, grooved, or wood top caps. Standard and wood top cap hooks are installed under the top cap. Grooved top cap hooks are installed above the top cap in the outer channel. NAH-12-S can not be used with grooved top caps.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Belong® Work Tools

Markerboard Accessories

	Description	Number	Price
Markerboard Accesssories	Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	**$115.73**
	Cleaner and Conditioner	7031-7001	**125.58**
	Spray Cleaner	7031-7002	**42.18**



7062-8001

7031-7002

7031-7001

Feature

- Recommended dry erase marker products to maintain, clean & condition markerboards.

To Order, Specify:

1) Product number
(No finish specification required.)

Concentrative Tables

Tri Tables — 120° with Glides or Casters

User Depth	Width	T-Mold Edge Number	Laminate A	B	Cascade Edge Number	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
26″(660mm)	36″(914mm)	NCTO-36-LFG ■	**$1314.02**	**$1405.26**	NCTO-36-LVG ■	**$1363.79**	**$1426.59**	**$1455.03**	**$1517.83**
28″(711mm)	42″(1067mm)	NCTO-42-LFG ■	**1366.15**	**1462.13**	NCTO-42-LVG ■	**1415.92**	**1478.72**	**1511.90**	**1574.70**
30″(762mm)	48″(1219mm)	NCTO-48-LFG ■	**1418.28**	**1514.26**	NCTO-48-LVG ■	**1468.05**	**1530.85**	**1564.03**	**1626.83**
34″(864mm)	60″(1524mm)	NCTO-60-LFG ■	**1522.54**	**1618.52**	NCTO-60-LVG ■	**1572.31**	**1635.11**	**1668.29**	**1731.09**

NCTO-LFG
NCTO-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- 16″(406mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate desk-mounted screens and **stand alone** with and without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Worksurface reinforcement channel is shipped with 48″(1219mm) and 60″(1524mm)-wide tables.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

26″(660mm)	36″(914mm)	NCTO-36-LFM ■	**$1462.13**	**$1553.37**	NCTO-36-LVM ■	**$1511.90**	**$1574.70**	**$1603.14**	**$1665.94**
28″(711mm)	42″(1067mm)	NCTO-42-LFM ■	**1514.26**	**1610.24**	NCTO-42-LVM ■	**1564.03**	**1626.83**	**1660.01**	**1722.81**
30″(762mm)	48″(1219mm)	NCTO-48-LFM ■	**1566.39**	**1662.37**	NCTO-48-LVM ■	**1616.16**	**1678.96**	**1712.14**	**1774.94**
34″(864mm)	60″(1524mm)	NCTO-60-LFM ■	**1670.65**	**1766.63**	NCTO-60-LVM ■	**1720.42**	**1783.22**	**1816.40**	**1879.20**



NCTO-LFM
NCTO-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 27″(686mm) to 32″(813mm) in 1″(25mm) increments.
- 16″(406mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate desk-mounted screens and **stand alone** with and without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Worksurface reinforcement channel is shipped with 48″(1219mm)-wide tables.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Concentrative Tables

Tri Tables — 90° with Glides or Casters

User Depth	Width	T-Mold Edge Number	Laminate A	B	Cascade Edge Number	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
28″(711mm)	36″(914mm)	NCTN-36-LFG ■	**$1259.52**	**$1350.76**	NCTN-36-LVG ■	**$1309.29**	**$1372.09**	**$1400.53**	**$1463.33**
31″(787mm)	42″(1067mm)	NCTN-42-LFG ■	**1311.65**	**1407.63**	NCTN-42-LVG ■	**1361.42**	**1424.22**	**1457.40**	**1520.20**
34″(864mm)	48″(1219mm)	NCTN-48-LFG ■	**1363.78**	**1459.76**	NCTN-48-LVG ■	**1413.55**	**1476.35**	**1509.53**	**1572.33**
40″(1016mm)	60″(1524mm)	NCTN-60-LFG ■	**1468.04**	**1564.02**	NCTN-60-LVG ■	**1517.81**	**1580.61**	**1613.79**	**1676.59**



NCTN-LFG
NCTN-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- 16″(406mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate desk-mounted screens; **stand alone** kits, with and without modesty.
- AKP's can be mounted on 48″(1219mm) and 60″(1524mm)-wide tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

28″(711mm)	36″(914mm)	NCTN-36-LFM ■	**$1407.63**	**$1498.87**	NCTN-36-LVM ■	**$1457.40**	**$1520.20**	**$1548.64**	**$1611.44**
31″(787mm)	42″(1067mm)	NCTN-42-LFM ■	**1459.76**	**1555.74**	NCTN-42-LVM ■	**1509.53**	**1572.33**	**1605.51**	**1668.31**
34″(864mm)	48″(1219mm)	NCTN-48-LFM ■	**1511.89**	**1607.87**	NCTN-48-LVM ■	**1561.66**	**1624.46**	**1657.64**	**1720.44**
40″(1016mm)	60″(1524mm)	NCTN-60-LFM ■	**1616.15**	**1712.13**	NCTN-60-LVM ■	**1665.92**	**1728.72**	**1761.90**	**1824.70**



NCTN-LFM
NCTN-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 27″(686mm) to 32″(813mm) in 1″(25mm) increments.
- 16″(406mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate desk-mounted screens; **stand alone** kits, with and without modesty.
- AKP's can be mounted on 48″(1219mm) and 60″(1524mm)-wide tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Concentrative Tables

Tri Tables — 60° with Glides or Casters

User Depth	Width	T-Mold Edge Number	Laminate A	B	Cascade Edge Number	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
42″(1067mm)	48″(1219mm)	NCTT-48-LFG ■	**$1246.47**	**$1342.45**	NCTT-48-LVG ■	**$1296.24**	**$1359.04**	**$1392.22**	**$1455.02**
52″(1321mm)	60″(1524mm)	NCTT-60-LFG ■	**1350.73**	**1446.71**	NCTT-60-LVG ■	**1400.50**	**1463.30**	**1496.48**	**1559.28**



NCTT-LFG
NCTT-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- 15 1/2″(394mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens; **stand alone** kit, with and without modesty.
- AKP's can be mounted on tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

42″(1067mm)	48″(1219mm)	NCTT-48-LFM ■	**$1394.58**	**$1490.56**	NCTT-48-LVM ■	**$1444.35**	**$1507.15**	**$1540.33**	**$1603.13**
52″(1321mm)	60″(1524mm)	NCTT-60-LFM ■	**1498.84**	**1594.82**	NCTT-60-LVM ■	**1548.61**	**1611.41**	**1644.59**	**1707.39**



NCTT-LFM
NCTT-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 27″(686mm) to 32″(813mm) in 1″(25mm) increments.
- 15 1/2″(394mm) dimension applies to all table widths.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens; **stand alone** kit, with and without modesty.
- AKP's can be mounted on tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Concentrative Tables

Tri Tables — Collaborative with Glides or Casters

User Depth	Width	T-Mold Edge Number ❶	Laminate A	B	Cascade Edge Number ❶	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
42″(1067mm)	36″(914mm)	NCTC-36-LFGN ■	$1130.36	$1220.79	NCTC-36-LVGN ■	$1181.31	$1244.11	$1271.74	$1334.54
	42″(1067mm)	NCTC-42-LFG ■	1180.14	1273.51	NCTC-42-LVG ■	1231.09	1304.36	1324.46	1397.73
	48″(1219mm)	NCTC-48-LFG ■	1216.88	1313.19	NCTC-48-LVG ■	1267.83	1351.57	1364.14	1447.88
44″(1118mm)	60″(1524mm)	NCTC-60-LFG ■	$1305.77	$1409.19	NCTC-60-LVG ■	$1356.72	$1461.40	$1460.14	$1564.82

NCTC-LFG
NCTC-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- 36″(914mm) width table is non-handed. All other sizes require left-hand or right-hand specification.
- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- AKP's can be mounted on 48″(1219mm) and 60″(1524mm)-wide tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number, including:

❶ **Worksurface Orientation:**

- **L** Left-hand configuration
- **R** Right-hand configuration

2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

42″(1067mm)	36″(914mm)	NCTC-36-LFMN ■	$1279.65	$1370.08	NCTC-36-LVMN ■	$1330.60	$1393.40	$1421.03	$1483.83
	42″(1067mm)	NCTC-42-LFM ■	1329.43	1422.80	NCTC-42-LVM ■	1380.38	1453.65	1473.75	1547.02
	48″(1219mm)	NCTC-48-LFM ■	1366.17	1462.48	NCTC-48-LVM ■	1417.12	1500.86	1513.43	1597.17
44″(1118mm)	60″(1524mm)	NCTC-60-LFM ■	$1455.06	$1558.48	NCTC-60-LVM ■	$1506.01	$1610.69	$1609.43	$1714.11

NCTC-LFM
NCTC-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm) in 1″(25mm) increments.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- 36″(914mm) width table is non-handed. All other sizes require left-hand or right-hand specification.
- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- AKP's can be mounted on 48″(1219mm) and 60″(1524mm)-wide tables.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number, including:

❶ **Worksurface Orientation:**

- **L** Left-hand configuration
- **R** Right-hand configuration

2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Class FA – SIN 711-11; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Concentrative Tables

Tri Tables — Symmetric with Glides or Casters

Width	T-Mold Edge Number	Laminate A	B	Cascade Edge Number	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
36″(914mm)	NCTY-36-LFG ■	**$1028.43**	**$1095.10**	NCTY-36-LVG ■	**$1079.62**	**$1130.82**	**$1146.29**	**$1197.49**
42″(1067mm)	NCTY-42-LFG ■	**1080.27**	**1146.94**	NCTY-42-LVG ■	**1131.46**	**1182.66**	**1198.13**	**1249.33**
48″(1219mm)	NCTY-48-LFG ■	**1132.11**	**1198.78**	NCTY-48-LVG ■	**1183.30**	**1234.50**	**1249.97**	**1301.17**
60″(1524mm)	NCTY-60-LFG ■	**1235.79**	**1302.46**	NCTY-60-LVG ■	**1286.98**	**1338.18**	**1353.65**	**1404.85**

NCTY-LFG
NCTY-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Width	T-Mold Edge Number	Laminate A	B	Cascade Edge Number	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
36″(914mm)	NCTY-36-LFM ■	**$1178.44**	**$1245.11**	NCTY-36-LVM ■	**$1229.63**	**$1280.83**	**$1296.30**	**$1347.50**
42″(1067mm)	NCTY-42-LFM ■	**1230.28**	**1296.95**	NCTY-42-LVM ■	**1281.47**	**1332.67**	**1348.14**	**1399.34**
48″(1219mm)	NCTY-48-LFM ■	**1282.12**	**1348.79**	NCTY-48-LVM ■	**1333.31**	**1384.51**	**1399.98**	**1451.18**
60″(1524mm)	NCTY-60-LFM ■	**1385.80**	**1452.47**	NCTY-60-LVM ■	**1436.99**	**1488.19**	**1503.66**	**1554.86**

NCTY-LFM
NCTY-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 27″(686mm) to 32″(813mm) in 1″(25mm) increments.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number.
2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Concentrative Tables

Tri Tables — Asymmetric with Glides or Casters

Width	T-Mold Edge Number ❶	Laminate A	B	Cascade Edge Number ❶	Laminate A Cascade A	Cascade B	Laminate B Cascade A	Cascade B
36″(914mm)	NCTA-36-LFG ■	$1199.09	$1295.02	NCTA-36-LVG ■	$1250.04	$1312.84	$1345.97	$1408.77
42″(1067mm)	NCTA-42-LFG ■	1246.61	1346.34	NCTA-42-LVG ■	1297.56	1370.83	1397.29	1470.56
48″(1219mm)	NCTA-48-LFG ■	1294.13	1397.66	NCTA-48-LVG ■	1345.08	1428.82	1448.61	1532.35
60″(1524mm)	NCTA-60-LFG ■	1389.17	1500.30	NCTA-60-LVG ■	1440.12	1544.80	1551.25	1655.93

NCTA-LFG
NCTA-LVG



Features

- Includes worksurface, three angled legs with sleeved glides, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 6″(152mm) adjustment range allows table heights from 26″(660mm) to 32″(813mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves are standard in black finish color only.

To Order, Specify:

1) Product number, including:

❶ **Worksurface Orientation:**

- **L** Left-hand configuration
- **R** Right-hand configuration

2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

36″(914mm)	NCTA-36-LFM ■	$1348.38	$1444.31	NCTA-36-LVM ■	$1399.33	$1462.13	$1495.26	$1558.06
42″(1067mm)	NCTA-42-LFM ■	1395.90	1495.63	NCTA-42-LVM ■	1446.85	1520.12	1546.58	1619.85
48″(1219mm)	NCTA-48-LFM ■	1443.42	1546.95	NCTA-48-LVM ■	1494.37	1578.11	1597.90	1681.64
60″(1524mm)	NCTA-60-LFM ■	1538.46	1649.59	NCTA-60-LVM ■	1589.41	1694.09	1700.54	1805.22

NCTA-LFM
NCTA-LVM



Features

- Includes worksurface, three angled legs, two with locking casters, and mounting hardware.
- Laminate surface with T-mold edge or cascade vinyl edge (solid or translucent).
- 5″(127mm) adjustment range allows table heights from 27″(686mm) to 32″(813mm) in 1″(25mm) increments.
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Tables are predrilled to accommodate stand alone desk-mounted screens without modesty.
- Does not accept AKP's.
- Desktop port can be attached to table.
- Specify trim color for upper leg sleeves. Lower sleeves and casters are standard in black finish color only.

To Order, Specify:

1) Product number, including:

❶ **Worksurface Orientation:**

- **L** Left-hand configuration
- **R** Right-hand configuration

2) Laminate color for surface.
3) Edge trim color.
4) Leg/upper leg sleeve(s) trim color.

Note: **$24.42** upcharge list for Metallic or accent trim color.

Tables

Round / Rectangular

Round — Laminate or Wood Top

NCCL
NCCW

Height	Diameter	Laminate Top Number	Laminate A	Laminate B	Wood Top Number	Wood Group A	Wood Group B
29″(737mm)	35 3/4″(908mm)	NCCL-36	$ 778.65	$ 845.32	NCCW-36	$1366.72	$1401.44
	41 3/4″(1060mm)	NCCL-42 ■	862.71	932.17	NCCW-42	1519.10	1562.82
	47 3/4″(1213mm)	NCCL-48 ■	1025.11	1113.08	NCCW-48	1813.16	1874.26

Features

- Laminate top with T-mold edge; wood veneer top and 3mm wood edge.
- Self adjusting glides.
- Column is 2 1/4″(57mm) thick.

■ Available on RUSH.

To Order, Specify:

Laminate Top Table

1) Product number.
2) Laminate color for top.
3) Edge trim color.
4) Trim color for base and column.

Wood Top Table

1) Product number.
2) Wood finish for top and edge.
3) Trim color for base and column.

Note: Upcharge list for Metallic trim color Base and column = **$19.05.**

Rectangular — Laminate or Wood Top



NCRL
NCRW

Height	Depth	Width	Laminate Top Number	Laminate A	Laminate B	Wood Top Number	Wood Group A	Wood Group B
29″(737mm)	30″(762mm)	60″(1524mm)	NCRL-3060 ■	$1136.33	$1136.33	NCRW-3060	$1944.36	$1996.84
		72″(1829mm)	NCRL-3072 ■	1204.47	1211.27	NCRW-3072	2118.08	2181.00
	36″(914mm)	72″(1829mm)	NCRL-3672 ■	$1280.19	$1295.15	NCRW-3672	$2296.64	$2370.24

Features

- Laminate top with T-mold edge; wood veneer top and 3mm wood edge.
- Self-adjusting glides.
- NCRL-3060 clearance from edge of table to center of column is 15″(381mm).
- Column is 2 1/4″(57mm) thick.

■ Available on RUSH.

Note: Separately specified worksurface reinforcement channels provide additional support for laminate or wood worksurfaces with 54″(1372mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface supports, legs, or under-worksurface storage.

To Order, Specify:

Laminate Top Table

1) Product number.
2) Laminate color for top.
3) Edge trim color.
4) Trim color for base and column.

Wood Top Table

1) Product number.
2) Wood finish for top and edge.
3) Trim color for base and column.

Note: Upcharge list for Metallic trim color Base and column = **$19.05.**

Tables

Teardrop / Bean / Bend

Teardrop — Laminate Top

NCOL

NCOL-C

Height	Depth	Width	Glides/Casters	Number	Laminate A	Laminate B
29″(737mm)	24″(610mm)	33 1/2″(851mm)	Glides	NCOL-24	**$ 962.00**	**$1034.78**
	30″(762mm)	42″(1067mm)	Glides	NCOL-30	**1158.45**	**1237.84**
29″(737mm)	24″(610mm)	33 1/2″(851mm)	Casters	NCOL-24-C	**$ 962.00**	**$1034.78**
	30″(762mm)	42″(1067mm)	Casters	NCOL-30-C	**1158.45**	**1237.84**

Features

- Laminate top with 3mm edgeband edge.
- Self-adjusting glides or dual-wheel hard casters.
- Straight edges are 24″(610mm) and 30″(762mm) respectively, and are designed to pull up to the end of a 24″(610mm) or 30″(762mm) deep worksurface.

NOTE:
These tables are freestanding and lack the height adjustability of the panel system. They are not recommended for use directly adjacent to worksurfaces.

To Order, Specify:

1) Product number.
2) Laminate color for top.
3) Edge trim color.
4) Trim color for base, column and casters.

Notes: Casters will be charcoal when Metallic trim color is ordered.

Upcharge list for Metallic trim color
Base and column = **$19.05.**

Bean — Laminate Top



NCBL-2436-4



NCBL-2436-4C

Height	Depth	Width	Glides/Casters	Number	Laminate A	Laminate B
27″-31″ (686mm-787mm)	24″(610mm)	36″(914mm)	Glides	NCBL-2436-4	**$ 966.76**	**$1033.43**
		48″(1219mm)	Glides	NCBL-2448-4	**1117.96**	**1184.63**
27″-31″ (686mm-787mm)	24″(610mm)	36″(914mm)	Casters	NCBL-2436-4C	**$ 966.76**	**$1033.43**
		48″(1219mm)	Casters	NCBL-2448-4C	**1117.96**	**1184.63**

Features

- Includes top, legs, and mounting hardware.
- Laminate top with T-mold edge.
- 4″(102mm) glide or caster adjustment range allows worktop heights from 27″(686mm) to 31″(787mm).
- Available with glides or casters (two locking, two non-locking).
- Legs standard in charcoal finish color only.
- Shipped unassembled.

Specification Tip

- Does not accept AKP's.

To Order, Specify:

1) Product number.
2) Laminate color for top.
3) Edge trim color.

Bend — Laminate Top



NCDL-3242-4



NCDL-3242-4C

Height	Depth	Width	Glides/Casters	Number	Laminate A	Laminate B
27″-31″ (686mm-787mm)	32″(813mm)	42″(1067mm)	Glides	NCDL-3242-4	**$1088.20**	**$1154.87**
	33″(838mm)	56″(1422mm)	Glides	NCDL-3356-4	**1217.96**	**1284.63**
27″-31″ (686mm-787mm)	32″(813mm)	42″(1067mm)	Casters	NCDL-3242-4C	**$1088.20**	**$1154.87**
	33″(838mm)	56″(1422mm)	Casters	NCDL-3356-4C	**1217.96**	**1284.63**

Features

- Includes top, legs, and mounting hardware.
- Laminate top with T-mold edge.
- 4″(102mm) glide or caster adjustment range allows worktop heights from 27″(686mm) to 31″(787mm).
- Available with glides or casters (two locking, two non-locking).
- Legs standard in charcoal finish color only.
- Shipped unassembled.

Specification Tip

- Does not accept AKP's.

To Order, Specify:

1) Product number.
2) Laminate color for top.
3) Edge trim color.

Class FA – S1N 711-11; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

X Series Attached Pedestals

Pencil/Pencil/Box/File — Attached



JPAQ-24

Box/Box/File — Attached



JPAH-24

File/File — Attached



JPAJ-24

❷ Pull Styles

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)



J-Pull (J)
(Steel Fronts)



J-Pull (K)
(Wood Fronts)

Integral (G)
(Steel Fronts)

Features

- Includes steel pedestal and attachment hardware.
- Pencil drawers include one pencil tray for each pedestal.
- Box drawers include one divider in each drawer.
- File drawers include one compressor in each drawer.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Standard with lock.
- For lock options, refer to Lock Programs Price List.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, J-Pull and Integral.
  - –Integral pull (G) available with painted steel fronts only.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper, J-Pull and Integral pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

◆ Available on RUSH.

Specification Tips

- Refer to appropriate price book for specification requirements.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted ◆

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$83.20** list

❷ **Pull** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

Class FP – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Attached Pedestals

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶ ❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G	JPAQ-18- ▢ ▢	$655.20	$712.40	N/A	N/A	N/A	N/A
				1	JPAQ-18- ▢ 1	N/A	N/A	$1027.52	$1084.72	$1050.40	$1107.60
				K	JPAQ-18- ▢ K	N/A	N/A	1277.12	1334.32	1300.00	1357.20
				2, 3	JPAQ-18- ▢ ▢	759.20	816.40	1131.52	1188.72	1154.40	1211.60
				7, 8, 9	JPAQ-18- ▢ ▢	784.16	841.36	1156.48	1213.68	1179.36	1236.56
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G	JPAQ-24- ▢ ▢	$681.20	$746.72	N/A	N/A	N/A	N/A
				1	JPAQ-24- ▢ 1	N/A	N/A	$1053.52	$1119.04	$1076.40	$1141.92
				K	JPAQ-24- ▢ K	N/A	N/A	1303.12	1368.64	1326.00	1391.52
				2, 3	JPAQ-24- ▢ ▢	785.20	850.72	1157.52	1223.04	1180.40	1245.92
				7, 8, 9	JPAQ-24- ▢ ▢	810.16	875.68	1182.48	1248.00	1205.36	1270.88
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G	JPAQ-30- ▢ ▢	$707.20	$781.04	N/A	N/A	N/A	N/A
				1	JPAQ-30- ▢ 1	N/A	N/A	$1079.52	$1153.36	$1102.40	$1176.24
				K	JPAQ-30- ▢ K	N/A	N/A	1329.12	1402.96	1352.00	1425.84
				2, 3	JPAQ-30- ▢ ▢	811.20	885.04	1183.52	1257.36	1206.40	1280.24
				7, 8, 9	JPAQ-30- ▢ ▢	836.16	910.00	1208.48	1282.32	1231.36	1305.20
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Box/Box/File	1, J, G	JPAH-18- ▢ ▢	$553.28	$610.48	N/A	N/A	N/A	N/A
				1	JPAH-18- ▢ 1	N/A	N/A	$ 861.12	$ 918.32	$ 886.08	$ 943.28
				K	JPAH-18- ▢ K	N/A	N/A	1048.32	1105.52	1073.28	1130.48
				2, 3	JPAH-18- ▢ ▢	631.28	688.48	939.12	996.32	964.08	1021.28
				7, 8, 9	JPAH-18- ▢ ▢	650.00	707.20	957.84	1015.04	982.80	1040.00
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Box/Box/File	1, J, G	JPAH-24- ▢ ▢ ■	$579.28	$644.80	N/A	N/A	N/A	N/A
				1	JPAH-24- ▢ 1	N/A	N/A	$ 887.12	$ 952.64	$ 912.08	$ 977.60
				K	JPAH-24- ▢ K	N/A	N/A	1074.32	1139.84	1099.28	1164.80
				2, 3	JPAH-24- ▢ ▢ ■	657.28	722.80	965.12	1030.64	990.08	1055.60
				7, 8, 9	JPAH-24- ▢ ▢	676.00	741.52	983.84	1049.36	1008.80	1074.32
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Box/Box/File	1, J, G	JPAH-30- ▢ ▢ ■	$605.28	$679.12	N/A	N/A	N/A	N/A
				1	JPAH-30- ▢ 1	N/A	N/A	$ 913.12	$ 986.96	$ 938.08	$1011.92
				K	JPAH-30- ▢ K	N/A	N/A	1100.32	1174.16	1125.28	1199.12
				2, 3	JPAH-30- ▢ ▢ ■	683.28	757.12	991.12	1064.96	1016.08	1089.92
				7, 8, 9	JPAH-30- ▢ ▢	702.00	775.84	1009.84	1083.68	1034.80	1108.64
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	File/File	1, J, G	JPAJ-18- ▢ ▢	$516.88	$574.08	N/A	N/A	N/A	N/A
				1	JPAJ-18- ▢ 1	N/A	N/A	$ 804.96	$ 862.16	$ 829.92	$ 887.12
				K	JPAJ-18- ▢ K	N/A	N/A	929.76	986.96	954.72	1011.92
				2, 3	JPAJ-18- ▢ ▢	568.88	626.08	856.96	914.16	881.92	939.12
				7, 8, 9	JPAJ-18- ▢ ▢	581.36	638.56	869.44	926.64	894.40	951.60
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	File/File	1, J, G	JPAJ-24- ▢ ▢ ■	$542.88	$608.40	N/A	N/A	N/A	N/A
				1	JPAJ-24- ▢ 1	N/A	N/A	$ 830.96	$ 896.48	$ 855.92	$ 921.44
				K	JPAJ-24- ▢ K	N/A	N/A	955.76	1021.28	980.72	1046.24
				2, 3	JPAJ-24- ▢ ▢ ■	594.88	660.40	882.96	948.48	907.92	973.44
				7, 8, 9	JPAJ-24- ▢ ▢	607.36	672.88	895.44	960.96	920.40	985.92
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	File/File	1, J, G	JPAJ-30- ▢ ▢ ■	$568.88	$642.72	N/A	N/A	N/A	N/A
				1	JPAJ-30- ▢ 1	N/A	N/A	$ 856.96	$ 930.80	$ 881.92	$ 955.76
				K	JPAJ-30- ▢ K	N/A	N/A	981.76	1055.60	1006.72	1080.56
				2, 3	JPAJ-30- ▢ ▢ ■	620.88	694.72	908.96	982.80	933.92	1007.76
				7, 8, 9	JPAJ-30- ▢ ▢	633.36	707.20	921.44	995.28	946.40	1020.24

V Series Attached and Suspended Pedestals

Box/Box/File — Attached

VPAH-24-5

File/File — Attached



VPAJ-24-5

❶ Pull Style



Full Pull (L)

Actual Height	Actual Depth	Actual Width	Description	Number ❶	Trim A	Trim B
27 1/2″(699mm)	17″(432mm)	15″(381mm)	Box/Box/File	VPAH-18- ■	**$431.44**	**$488.64**
	23″(584mm)			VPAH-24- ■	**457.58**	**525.18**
	29″(737mm)			VPAH-30- ■	**499.38**	**577.38**
27 1/2″(699mm)	17″(432mm)	15″(381mm)	File/File	VPAJ-18- ■	**$401.96**	**$459.16**
	23″(584mm)			VPAJ-24- ■	**428.10**	**495.70**
	29″(737mm)			VPAJ-30- ■	**469.90**	**547.90**

Features

- Includes attachment hardware.
- See appropriate price list for specification requirements.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- All drawers have full extension steel ball-bearing slides.
- Drawer interiors and accessories are black finish color.
- File drawer can accommodate legal filing front to back with the use of legal filing kits (VPL1-12, VPL2-12), separately specified.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

■ Available on RUSH.

Specification Tips

- Specify accessories separately.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Usable drawer is less than actual drawer depth. See Specification Guide for details.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.

3) Trim color for standard pull (non-metallic colors only).

4) Trim color for lock plug.

Class VS – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Lateral Files — Attached

Two-High Lateral File — Proud Style — Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶ ❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
12″ Drawers										
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	1, J	JLPD-0230- ▢ ▢ A ■	**$ 788.32**	**$ 867.36**	**N/A**	**N/A**	**N/A**	**N/A**
			1	JLPD-0230- ▢ 1A	**N/A**	**N/A**	**$ 972.40**	**$1030.64**	**$1008.80**	**$1067.04**
			K	JLPD-0230- ▢ KA	**N/A**	**N/A**	**1170.00**	**1228.24**	**1206.40**	**1264.64**
			2, 3	JLPD-0230- ▢ ▢ A ■	**840.32**	**919.36**	**1024.40**	**1082.64**	**1060.80**	**1119.04**
			7, 8, 9	JLPD-0230- ▢ ▢ A	**850.72**	**929.76**	**1034.80**	**1093.04**	**1071.20**	**1129.44**
27 1/2″ (699mm)	18 3/4″ (476mm)	35 7/8″ (911mm)	1, J	JLPD-0236- ▢ ▢ A ■	**$ 921.44**	**$1010.88**	**N/A**	**N/A**	**N/A**	**N/A**
			1	JLPD-0236- ▢ 1A	**N/A**	**N/A**	**$1141.92**	**$1206.40**	**$1183.52**	**$1248.00**
			K	JLPD-0236- ▢ KA	**N/A**	**N/A**	**1339.52**	**1404.00**	**1381.12**	**1445.60**
			2, 3	JLPD-0236- ▢ ▢ A ■	**973.44**	**1062.88**	**1193.92**	**1258.40**	**1235.52**	**1300.00**
			7, 8, 9	JLPD-0236- ▢ ▢ A	**983.84**	**1073.28**	**1204.32**	**1268.80**	**1245.92**	**1310.40**
27 1/2″ (699mm)	18 3/4″ (476mm)	41 7/8″ (1064mm)	1, J	JLPD-0242- ▢ ▢ A ■	**$1054.56**	**$1154.40**	**N/A**	**N/A**	**N/A**	**N/A**
			1	JLPD-0242- ▢ 1A	**N/A**	**N/A**	**$1311.44**	**$1382.16**	**$1358.24**	**$1428.96**
			K	JLPD-0242- ▢ KA	**N/A**	**N/A**	**1509.04**	**1579.76**	**1555.84**	**1626.56**
			2, 3	JLPD-0242- ▢ ▢ A ■	**1106.56**	**1206.40**	**1363.44**	**1434.16**	**1410.24**	**1480.96**
			7, 8, 9	JLPD-0242- ▢ ▢ A	**1116.96**	**1216.80**	**1373.84**	**1444.56**	**1420.64**	**1491.36**



JLPD-S1A

❷ Pull Styles



1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)

3 J-Pull (J) (Steel Fronts)

3 J-Pull (K) (Wood Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Drawer interiors and accessories are black finish color.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer fronts include painted or wood.
- Crescent, Linear and Classic pulls are available on painted steel or wood drawer fronts only.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper and J-Pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

■ Available on RUSH.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted ■

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ **Pull** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

X Series Lateral Files — Attached

	Actual Height	Actual Depth	Actual Width	Pull	Number ❶	Painted Trim A	Trim B
Two-High Lateral File — Inset Style — Attached	27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	J, G	JLRD-0230-S A	**$ 788.32**	**$ 867.36**
			35 7/8″(911mm)	J, G	JLRD-0236-S A	**921.44**	**1010.88**
			41 7/8″(1064mm)	J, G	JLRD-0242-S A	**1054.56**	**1154.40**



JLRD-SJA

❶ Pull Styles



3 J-Pull (J) (Steel Fronts)

9 Integral (G) (Steel Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Drawer interiors and accessories are black finish color.
- Integral pull (G) available with pained steel front only.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer pulls include J-Pull and Integral; pull trim color matches case trim color.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

V Series Lateral Files — Attached

	Actual Height	Actual Depth	Actual Width	Number ❶	Trim A	B
Two-High — Attached	27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	VLRD-0230- ▪ A ◆	**$689.52**	**$ 768.56**
			35 7/8″(911mm)	VLRD-0236- ▪ A ◆	**816.40**	**905.84**
			41 7/8″(1064mm)	VLRD-0242- ▪ A ◆	**943.28**	**1043.12**



VLRD-0230-5A

❶ Pull Style



Full Pull (L)

Features

- Includes attachment hardware and adjustable side-to-side hanging bars.
- 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- Drawer interiors and accessories are black finish color.
- Standard with lock.
- For lock options, refer to Lock Programs Price List.
- Lock plugs available in black or chrome.
- Glides provide 1 1/2″(38mm) adjustment range.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

◆ Available on RUSH.

Specification Tip

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- See appropriate price book for specification requirements.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

1) Product number, including:

❶ Pull Option:

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.

3) Trim color for standard pull (non-metallic colors only).

4) Trim color for lock plug.

X Series and V Series Accessories

	Height	Number	Price
Worksurface Height Adjustment Kit for Attached Lateral File, Storage Cabinet and Combination Unit	1-2″(25-51mm)	JSHA-1	**$26.00**



JSHA-1

Features
- Includes eight height adjustment spacers and attachment hardware.
- Provides height adjustment for file-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Standard in charcoal finish color only.

NOTE:
For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:

1) Product number.
(No finish specification required.)

Filing Kit		JCPL-12	**$36.40**



JCPL-12

Features
- Includes one steel drawer back extension and one side-to-side file hanging bar.
- Black finish only.

Specification Tips
- For use in X Series Combination Units only.
- For filing side-to-side or legal in 12″(305mm) Combination Unit pedestal style drawers.

To Order, Specify:

1) Product number.
(No finish specification required.)

X Series Storage Cabinets — Attached

Two-High Storage — Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	1, J	JSPY-0230- A	$ 856.96	$ 936.00	$1064.96	$1123.20	$1096.16	$1154.40
			2, 3	JSPY-0230- A	908.96	988.00	1116.96	1175.20	1148.16	1206.40
			7, 8, 9	JSPY-0230- A	921.44	1000.48	1129.44	1187.68	1160.64	1218.88
27 1/2″ (699mm)	18 3/4″ (476mm)	35 7/8″ (911mm)	1, J	JSPY-0236- A	$1005.68	$1095.12	$1245.92	$1310.40	$1288.68	$1353.16
			2, 3	JSPY-0236- A	1057.68	1147.12	1297.92	1362.40	1340.68	1405.16
			7, 8, 9	JSPY-0236- A	1070.16	1159.60	1310.40	1374.88	1353.16	1417.64
27 1/2″ (699mm)	18 3/4″ (476mm)	41 7/8″ (1064mm)	1, J	JSPY-0242- A	$1055.60	$1155.44	$1319.76	$1390.48	$1366.78	$1437.50
			2, 3	JSPY-0242- A	1107.60	1207.44	1371.76	1442.48	1418.78	1489.50
			7, 8, 9	JSPY-0242- A	1120.08	1219.92	1384.24	1454.96	1431.26	1501.98



JSPY-S1A

❷ Pull Styles with Standard Doors

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)

❷ No Pulls

Touch Latch Doors = (J)

Features

- Includes hinged doors, shelf and attachment hardware.
- Hinged doors with full access hinges.
- Shelf and cabinet interiors are color matched to case.
- Shelves adjust in increments of 6″(152mm).
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional door fronts include painted or wood.
- Touch latch door option (J) is available.
- Double doors with touch latch option include touch latch mechanism on right door and interior finger latch on left door.
- Crescent, Linear and Classic pulls are available on painted steel or wood door fronts only.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear and Classic.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- **Attached cabinets must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm)-deep storage will not work under 18″(457mm)-deep work surfaces.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.

To Order, Specify:

Painted Door Fronts

1) Product number, including:

❶ **Door Front Style:**

S Painted

❷ **Pull** (see side bar)
$27.04 upcharge (list) for J-Pull.

2) Trim color for door fronts and case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Door Fronts

1) Product number, including:

❶ **Door Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ **Pull** (see side bar)
$27.04 upcharge (list) for J-Pull.

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for door fronts.

5) Trim color for lock plug.

X Series Storage Cabinets — Attached/Freestanding

Two-High Combination — Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/Box/Box/ Lateral	1, J	JCPT-0230-▢▢A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPT-0230-▢1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPT-0230-▢KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPT-0230-▢▢A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPT-0230-▢▢A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File/ Lateral	1, J	JCPR-0230-▢▢A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPR-0230-▢1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPR-0230-▢KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPR-0230-▢▢A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPR-0230-▢▢A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**



JCPT-S1A



JCPR-S1A

❷ Pull Styles with Standard Doors

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)



3 J-Pull (J) (Steel Fronts)



3 J-Pull (K) (Wood Fronts)

Features

- Includes attachment hardware and 12″(305mm)-high lateral drawer with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with the use of legal filing kit, separately specified.
- Standard with lock centered in front edge of top; locks all drawers.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  - –Ellipse pull available in non-Metallic trim colors only.
  - –Radius pull available in Metallic trim colors only.
  - –Taper and J-Pull trim color matches case trim color.
  - –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ **Pull** (see side bar)

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer fronts.

5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

X Series Combination Units – Attached

Two-High Combination — Attached



JCPB-SS1A (Right)



JCPE-SS1A (Left)



JCPG-SS1A (Right)



JCPJ-SS1A (Left)

Features

- Includes attachment hardware.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with use of legal filing kit, separately specified.
- 2 – 12″ pedestal style drawer can accommodate legal filing front to back with the use of kit #JCPL-12, separately specified.
- Door unit includes one adjustable shelf.
- Specify additional shelves separately.
- Shelves adjust in increments of 6″(152mm).
- Standard with lock; locks drawers and door.
- For lock options, refer to Lock Programs Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Shelves and storage interiors are color matched to case.
- Optional drawer/door fronts include painted or wood.
- J-Pulls are available with touch latch doors only.
- Standard door or touch latch door choice is determined by pull style code.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper and J-Pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer and storage accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.

❷ Pull Styles with Standard Doors

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)

❷ Pull Styles with Touch Latch Door

1 Ellipse (A)

7 Crescent (D)

2 Radius (B)

8 Linear (E)

3 Taper (C)

9 Classic (F)



3 J-Pull (J) (Steel Fronts)



3 J-Pull (K) (Wood Fronts)

To Order, Specify:

Painted Drawer/Door Fronts

1) Product number, including:

❶ Drawer/Door Front Style:

SS Painted

❷ Pull (see below)
$27.04 upcharge (list) for touch latch door.

2) Trim color for drawer/door case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer/Door Fronts

1) Product number, including:

❶ Drawer Lockbar Option:

WW Wood/steel lockbar

RR Wood/wood lockbar, add **$60.32** list

❷ Pull (see below)
$27.04 upcharge (list) for touch latch door.

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer/door fronts.

5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Combination Units – Attached

Two-High Combination — Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File/ Door(R)	1, J	JCPB-0230- ▢ ▢ A	**$1609.92**	**$1688.96**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPB-0230- ▢ 1A	**N/A**	**N/A**	**$2038.40**	**$2096.64**	**$2097.68**	**$2155.92**
				K	JCPB-0230- ▢ KA	**N/A**	**N/A**	**2254.72**	**2312.96**	**2314.00**	**2372.24**
				2, 3	JCPB-0230- ▢ ▢ A	**1713.92**	**1792.96**	**2142.40**	**2200.64**	**2201.68**	**2259.92**
				7, 8, 9	JCPB-0230- ▢ ▢ A	**1738.88**	**1817.92**	**2167.36**	**2225.60**	**2226.64**	**2284.88**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ Box/Box/File	1, J	JCPE-0230- ▢ ▢ A	**$1609.92**	**$1688.96**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPE-0230- ▢ 1A	**N/A**	**N/A**	**$2038.40**	**$2096.64**	**$2097.68**	**$2155.92**
				K	JCPE-0230- ▢ KA	**N/A**	**N/A**	**2254.72**	**2312.96**	**2314.00**	**2372.24**
				2, 3	JCPE-0230- ▢ ▢ A	**1713.92**	**1792.96**	**2142.40**	**2200.64**	**2201.68**	**2259.92**
				7, 8, 9	JCPE-0230- ▢ ▢ A	**1738.88**	**1817.92**	**2167.36**	**2225.60**	**2226.64**	**2284.88**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/File/ Door(R)	1, J	JCPG-0230- ▢ ▢ A	**$1569.36**	**$1648.40**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPG-0230- ▢ 1A	**N/A**	**N/A**	**$1979.12**	**$2037.36**	**$2037.36**	**$2095.60**
				K	JCPG-0230- ▢ KA	**N/A**	**N/A**	**2195.44**	**2253.68**	**2253.68**	**2311.92**
				2, 3	JCPG-0230- ▢ ▢ A	**1647.36**	**1726.40**	**2057.12**	**2115.36**	**2115.36**	**2173.60**
				7, 8, 9	JCPG-0230- ▢ ▢ A	**1666.08**	**1745.12**	**2075.84**	**2134.08**	**2134.08**	**2192.32**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ File/File	1, J	JCPJ-0230- ▢ ▢ A	**$1569.36**	**$1648.40**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPJ-0230- ▢ 1A	**N/A**	**N/A**	**$1979.12**	**$2037.36**	**$2037.36**	**$2095.60**
				K	JCPJ-0230- ▢ KA	**N/A**	**N/A**	**2195.44**	**2253.68**	**2253.68**	**2311.92**
				2, 3	JCPJ-0230- ▢ ▢ A	**1647.36**	**1726.40**	**2057.12**	**2115.36**	**2115.36**	**2173.60**
				7, 8, 9	JCPJ-0230- ▢ ▢ A	**1666.08**	**1745.12**	**2075.84**	**2134.08**	**2134.08**	**2192.32**

Finish/Color Legend

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
A*	Double Cut	Obeche	Double Cut	Open Pore	N/A	Horizontal	Horizontal	Applegate	2P-RL
								Beachwood	WL-RL
								Butternut	2R-RL
								Ebony	WJ-RE
								Echo	2N-RL
						Horizontal	Horizontal	Melba	WE-RT
								Sorrel	WF-RC
								Wenge	WC-RW

***Wood Group 1 Grain Direction**
- **All grain runs vertically on Doors and Trim Covers.**
- **All grain runs the width of Top Caps.**
- **All grains (except Mahogany Satin) run horizontally on Pads.**

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
B**	Natural	Maple	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Light Maple	VP-LM
								Natural Maple	VP-N
								Sand on Maple	VP-AD
	Natural	Cherry	Plain Sliced	Filled	Book Matched	Vertical	Vertical	Amber on Cherry	VC-CA1
								Caramel Cherry	VC-W33
								Heritage Cherry	VC-W30
								Pacific Cherry	VC-W32
	Natural	Oak	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Natural Oak	VJ-W05
	Natural	Walnut	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Naturally Walnut	VR-W12
								Espresso on Walnut	VR-W15
								Mahogany Satin on Walnut	VR-W21
								Retro on Walnut	VR-W31
B 	Quarter Cut	Anegre	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Anegre	NP-W15
								Golden on QC Anegre	NP-W08
								Light on QC Anegre	NP-W07
	Quarter Cut	Cherry	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Medium on QC Cherry	NX-U
	Quarter Cut	Maple	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Natural QC Maple	NM-N
	Quarter Cut	Walnut	Quarter Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Walnut	NW-W15
								Retro on QC Walnut	NW-W31
B 	Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Vertical	Espresso on Rift Cut White Oak	NR-W15

****Wood Group B Grain Direction**
- **All grain runs vertically on Doors, Trim Covers and Pads.**
- **All grain runs the width of Top Caps.**

Because of the natural properties of wood, variations of grain pattern and finish color can be expected. Haworth carefully selects each material used in the manufacturing of products to ensure consistent and acceptable color and finish. Wood also will change color due to lighting conditions. Haworth controls this by using surface finishes to reduce color change. However, color change may be more evident in light-colored finishes.

Finish/Color Legend

Wood Grain on Stackable Panels

The following examples illustrate the visual differences between unmatched wood pads and the optional matching wood pad set. The pads in the matching wood pad set are manufactured from the same sheet of veneer, giving a consistent appearance in finish color and matching wood grain.



Unmatched Wood Pads



Matching Wood Pad Set

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.
Cordovan on Walnut VR-W13

Finish/Color Legend

	PREMISE Panels, Components	Wing Walls	Panel Attached Screens	Worksurfaces, Support Panels	T-Mold
Solid Colors — Grade A					
Beige	TR-R ■	TR-R ■	TR-R	H-34 ■	HP-34 ■
Chalk	TR-AK ■	TR-AK ■	TR-AK	H-AK ■	HP-AK ■
Charcoal	TR-K ■	TR-K ■	TR-K	H-8J ■	HP-8J ■
Graphite	TR-J ■	TR-J ■	TR-J	H-3J ■	HP-3J ■
Gray Tone	TR-G ■	TR-G ■		H-62 ■	HP-62 ■
Linen				H-WL ■	HP-WL ■
Platinum				H-3P ■	HP-3P ■
Putty	TR-AA ■	TR-AA ■	TR-AA	H-AA ■	HP-AA ■
Shadow (Charcoal)					
Smoke	TR-E ■	TR-E ■	TR-E	H-3E ■	HP-3E ■
Metallic Colors — Grade B					
Metallic Champagne	TR-MC ■		TR-MC		
Metallic Silver	TR-LE ■		TR-LE		
Laminate Wood Grain Colors — Grade A					
Amber Cherry				H-AM	
Maple				H-AE ■	
Laminate - Premium Wood Grain — Grade B					
Brazilwood		H-KA		H-KA	
Colombian Walnut		H-KG		H-KG	
New Age Oak		H-KC		H-KC	
River Cherry		H-KD		H-KD	
Sanara		H-KE		H-KE	
Williamsburg Cherry		H-KF		H-KF	
Translucent - Jump Stuff					
Ice (Blue) — Grade A					
Frost (White) — Grade A					
Moon (Amber) — Grade B					
Shadow (Charcoal) — Grade B					
Fabric Screen					
New White	FO-NW				
Glass/Glazing					
Clear — Grade A	SK-1C ■				
English Reeded — Grade C	SQ-ER				
Checks Mix — Grade D	SQ-CM				
Frosted — Grade D	SG-1F				
Vertical Moire — Grade D	SQ-VM				
Lock Plugs					
Black					
Chrome					

■ Available on RUSH.

*Edgeband and Knife edge only.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.

Medium Cherry	H-AD
Barley Grain	H-DH
Oats Grain	H-DA
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC
Rhea Nest	H-ED
Robin Nest	H-EA
Grey Spex	H-22
White Spex	H-21
Metallic Gunmetal	TR-MG

Finish/Color Legend

	Edgeband	Cascade	Adaptable Component Overhead Storage	X Series	V Series	Jump Stuff	Belong
Solid Colors — Grade A							
Beige	HP-34 ■	HP-34 ■	TR-R ■	TR-R ■	TR-R ■		TR-R
Chalk	HP-AK ■	HP-AK ■	TR-AK ■	TR-AK ■	TR-AK ■		TR-AK
Charcoal	HP-8J ■	HP-8J ■	TR-K ■	TR-K ■	TR-K ■		TR-K
Graphite	HP-3J ■	HP-3J ■	TR-J ■	TR-J ■	TR-J ■		TR-J
Gray Tone	HP-62 ■	HP-62 ■	TR-G ■	TR-G ■	TR-G ■		TR-G
Linen	HP-WL ■	HP-WL ■					
Platinum	HP-3P ■	HP-3P ■					
Putty	HP-AA ■	HP-AA ■	TR-AA ■	TR-AA ■	TR-AA ■		TR-AA
Shadow (Charcoal)		HP-LU[2]					
Smoke	HP-3E ■	HP-3E ■	TR-E ■	TR-E ■	TR-E ■		TR-E
Metallic Colors — Grade B							
Metallic Champagne			TR-MC ■	TR-MC ■	TR-MC ■	TR-MC ■	
Metallic Silver			TR-LE ■	TR-LE ■	TR-LE ■	TR-LE ■	
Laminate Wood Grain Colors — Grade A							
Amber Cherry	HP-AM						
Maple	HP-AE ■						
Laminate - Premium Wood Grain* — Grade B							
Brazilwood	HP-KA*						
Colombian Walnut	HP-KG*						
New Age Oak	HP-KC*						
River Cherry	HP-KD*						
Sanara	HP-KE*						
Williamsburg Cherry	HP-KF*						
Translucent - Jump Stuff							
Ice (Blue) — Grade A						TR-LX	
Frost (White) — Grade A						TR-LQ	
Moon (Amber) — Grade B						TR-LY	
Shadow (Charcoal) — Grade B						TR-LU ■	
Translucent Basic							
White — Grade C			P8-AW	P8-AW			
Translucent Patterned							
Blue — Grade D			P8-PB	P8-PB			
Oyster — Grade D			P8-PY	P8-PY			
Glass/Glazing							
Clear — Grade A							
English Reeded — Grade C							
Checks Mix — Grade D							
Frosted — Grade D							
Vertical Moire — Grade D							
Lock Plugs							
Black			LR-BL ■	LR-BL ■	LR-BL ■		
Chrome			LR-BP ■	LR-BP ■	LR-BP ■		

■ Available on RUSH.

*Edgeband and Knife edge only. T-Mold and Cascade edge not available with woodgrain edge trim.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.

Medium Cherry	H-AD
Patterned Silver	P8-PS
Patterned White	P8-PW
Barley Grain	H-DH
Oats Grain	H-DA
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC
Rhea Nest	H-ED
Robin Nest	H-EA
Grey Spex	H-22
White Spex	H-21
Metallic Gunmetal	TR-MG

Systems Fabrics/Color Legend

- Fabrics listed on this page apply to all PREMISE upholstered products. Exceptions will be noted on the price chart pages.
- **(1)Fabric/colorway not available on basic monolithic fabric surface panels (includes PREMISE fabric add-on panels).**
- **(2)Puzzler not available on screens.**
- **(3)Tellure is available only on tackboards or tack strips.**
- **(4)Brisa Faux Leather are only available on Belong Blotter.**
- ■ Fabric/colorway available on RUSH.
- To obtain fabric samples contact your authorized Haworth dealer.
- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.
- All fabrics except Tellure are 66″ wide. Tellure is 54″ wide.

ⓓ = Directional fabric
ⓝ = Non-directional fabric

Fabric Grade: A ⓓ
HIGHLANDS
100% Recycled Polyester
100% REPREVE®
L6-AG Glen ■
L6-AH Heather
L6-AL Loch
L6-AM Moor ■
L6-AP Peat ■
L6-AT Thatch

Fabric Grade: A ⓓ
IOWA
52% Post Industrial Recycled Polyester/ 48% Post Consumer Recycled Polyester
FZ-10 Badger ■
FZ-6 Bixby
FZ-3 Bobwhite ■
FZ-2 Cedar Rock ■
FZ-11 Clear Lake
FZ-13 Emerson
FZ-7 Gar
FZ-9 Honeycreek
FZ-1 Manawa ■
FZ-5 Rice Lake ■
FZ-4 Trappers Bay ■
FZ-12 Walnut Woods
FZ-8 Wapello ■

Fabric Grade: A ⓓ
POINT
100% Polyester
EE-0AG Compass
EE-0AC Decimal
EE-0AF Focal
EE-0AD Nib
EE-0AA Peak
EE-0AE Vertex

Fabric Grade: A ⓓ
SAVOY
51% Virgin Polyester/ 49% Recycled Polyester
FJ-CC Apache
FJ-AD Balsam ■
FJ-AP Bisque ■
FJ-AE Blue Ridge ■
FJ-AA Blue Willow ■
FJ-CA Breaker
FJ-AR Chamois ■
FJ-AK Elephant ■
FJ-AL Glacier ■
FJ-AX Mango
FJ-AY Maya
FJ-AW Poplar
FJ-CD Raisen
FJ-AT Shallot ■
FJ-AM Stainless ■
FJ-AF Tempest

Fabric Grade: A ⓓ
STRIAE
42% Post Industrial Recycled Polyester/ 42% Post Consumer Recycled Polyester/ 16% Polyester (84% REPREVE®)
C1-AJ Beam ■
C1-AM Band ■
C1-AH Element ■
C1-AF Fillet ■
C1-AC Moonlight ■
C1-AE Ray ■
C1-AK Ribbons ■
C1-AD Straws ■
C1-AA Stream ■
C1-AL Trace ■

Fabric Grade A ⓓ
TAILORED
100% Post Consumer Recycled Polyester
PY-AL Alter
PY-BU Buttons
PY-DR Draper
PY-FC French Chalk
PY-HE Hem
PY-MA Mannequin
PY-SE Seam
PY-SH Shears
PY-SU Suit
PY-TH Thread
PY-TR Tradition

Fabric Grade: A ⓓ
TATAMI(1)
100% Polyester
W5-1 Agave ■
W5-2 Coir
W5-3 Geta
W5-4 Hemp ■
W5-5 Jute ■
W5-6 Kayar ■
W5-7 Kobe
W5-8 Saffron ■
W5-9 Sapporo
W5-10 Sisal
W5-12 Tabi
W5-11 Tesori ■

Fabric Grade A ⓓ
TUSCAN
65% Post Industrial Recycled Polyester/ 35% Post Consumer Recycled Polyester (35% REPREVE®)
TK-AR Arno
TK-CA Carrara
TK-DA David
TK-ET Etruscan
TK-FL Florence
TK-LM Limoncello
TK-MA Masonry
TK-ME Medici
TK-TR Olive Tree
TK-PS Pisa
TK-RM Romanesque
TK-RU Rustic
TK-SE Siena

Fabric Grade: B ⓓ
CLASSIC
82% Recycled Polyester/ 18% Polyester (82% REPREVE©)
L5-AJ Art ■
L5-AG Car
L5-AF Comedy ■
L5-AR Dance ■
L5-AH Design
L5-AD Drama ■
L5-AT Movie ■
L5-AA Musical
L5-AC Radio ■
L5-AS Song

Fabric Grade: B ⓓ
HUE
62% Antimony Free Polyester/ 38% Virgin Polyester
6-BK Bark
6-ED Eddy
6-FR Froth
6-GK Ginko
6-LT Latte
6-LF Leaf
6-LM Lemon
6-MG Marigold
6-MR Marine
6-PP Poppy
6-RD Red
6-SS Seaside
6-SP Spring
6-ST Steam
6-TQ Turquoise
6-WP Wisp

Fabric Grade: B ⓓ
KIO
100% Recycled Polyester
ZR-6 Bennett ■
ZR-8 Cascade
ZR-7 Crew ■
ZR-5 FUD
ZR-3 Jeanlin
ZR-1 Jib
ZR-11 Reeds Lake
ZR-13 Regatta ■
ZR-10 Sailor
ZR-2 Sentra ■
ZR-12 Smurf
ZR-9 TSJ ■
ZR-4 Yippi Kio ■

Fabric Grade: B ⓝ
PUZZLER(2)
48% Post Industrial Recycled Polyester/ 52% Post Consumer Recycled Polyester
7L-C Clue
7L-CR Cryptic
7L-E Enigma
7L-I Intrigue
7L-M Maze
7L-R Riddle

Fabric Grade B ⓓ
RITZ
49% Post Industrial Recycled Polyester/ 51% Post Consumer Recycled Polyester (51% REPREVE®)
PV-BR Bravo
PV-BT Black Tie
PV-CA Candle Light
PV-CH Champagne
PV-CL Classy
PV-CT Class Act
PV-FR Formal
PV-VA Ovation
PV-WT White Tie

Fabric Grade: B ⓓ
SHIMMER
100% Recycled Polyester
WS-5 Cellophane
WS-8 Copper
WS-13 Dew
WS-14 Diamond
WS-9 Flaxen
WS-4 Gems
WS-11 Glass
WS-1 Glitter
WS-10 Mirage
WS-16 Mirror
WS-2 Moonlight
WS-6 Puddle
WS-15 Reflection
WS-12 Stars
WS-3 Water
WS-7 Wet Grass

Systems/Seating Fabrics/Color Legend

Fabric Grade: B ⓓ
TRAFFIC
24% Post Industrial Recycled Polyester/ 76% Post Consumer Recycled Polyester
WZ-9 Autobon
WZ-6 Country Drive
WZ-7 Freeway ■
WZ-5 Gridlock
WZ-1 Jam ■
WZ-3 Merge
WZ-8 Route 66 ■
WZ-4 Ticket
WZ-2 Yield

Fabric Grade C ⓓ
BIRDS NEST
38% Post Industrial Recycled Polyester/ 20% Post Consumer Recycled Polyester/ 42% Recycled Polyester (20% REPREVE®)
PH-CA Canary
PH-EA Eagle
PH-EG Egret
PH-FA Falcon
PH-HE Heron
PH-HU Hummingbird
PH-MD Morning Dove
PH-NU Nuthatch
PH-WL Owl
PH-RA Raven
PH-SA Sandpiper
PH-ST Stork
PH-SW Swan

Fabric Grade C ⓓ
GEODE
34% Post Industrial Recycled Polyester/ 26% Post Consumer Recycled Polyester/ 40% Recycled Polyester (26% REPREVE®)
PR-BS Bismuth
PR-CA Calcite
PR-CT Citrine
PR-CR Crystal
PR-FL Fluorite
PR-GA Galena
PR-HL Hollow
PR-MA Malachite
PR-QU Quartz
PR-WN Wonder

Fabric Grade: D ⓓ
TANGRAM
57% Polyester/ 28% Post Industrial Recycled Polyester/ 15% Post Consumer Recycled Polyester
LV-CL Clue
LV-EN Enigma
LV-GU Guess
LV-MA Maze
LV-MU Muse
LV-MT Mystery
LV-MY Mystify
LV-UT Outline
LV-PE Perplex
LV-PC Pieces
LV-PU Puzzle
LV-RD Riddle
LV-SC Scrabble
LV-SL Solve
LV-TE Teaser
LV-TR Trick

Seating

Fabric Grade: A ⓝ
TELLURE(3)
100% Polyester
3A-31 Aegean
3A-18 Black
3A-20 Burgundy
3A-40 Chocolate
3A-28 Dynamo
3A-22 Galaxy
3A-42 Geranium
3A-36 Grass
3A-35 Ivory
3A-23 Jodhpurs
3A-33 Miami
3A-19 Navy
3A-06 Nickel
3A-34 Ocean
3A-32 Sky
3A-38 Slate
3A-37 Spring
3A-39 Steel
3A-41 Sunflower
3A-43 Tomato

Systems
ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: B ⓓ
BISCOTTI
100% Recycled Polyester
FN-AJ Atlantis
FN-AE Copper
FN-AW Curry
FN-AT Fig
FN-AL Fresco ■
FN-AX Icing
FN-AR Macaroon
FN-AF Maize
FN-AG Opal Gray ■
FN-AD Pesto
FN-AC Phoenician ■
FN-AH Sea Spray ■
FN-AA Shark
FN-AN Silver Ash ■
FN-AP Torte
FN-AM Wafer ■

Fabric Grade: B ⓓ
LANDSCAPE
100% Recycled Polyester
C2-AD Estate ■
C2-AH Harvest ■
C2-AJ Panorama ■
C2-AF Parkland ■
C2-AC Photograph ■
C2-AE Seascape ■
C2-AA Vista ■

Fabric Grade: B ⓓ
TRAX
24% Post Industrial Recycled Polyester/ 76% Post Consumer Recycled Polyester
W9-8 Back
W9-5 Cover Your
W9-2 Eight ■
W9-4 Field
W9-6 Railroad ■
W9-1 Sand ■
W9-7 Tire ■
W9-3 Trolley

Fabric Grade: C ⓓ
MAYPOLE by Maharam
100% Polyester
2D-004 Reed
2D-003 Rush
2D-006 Sway
2D-001 Tone
2D-005 Twirl
2D-002 Waver

Haworth+
For information on the Haworth+ alliance program, including images and product availability, please refer to: Haworth.com/surfaces > Haworth+ Library

Customer's Own Material (COM)
For general Customer's Own Material (COM) information including processes and forms, please refer to: Haworth.com/surfaces > COM
For information on approved COM's, please refer to: Haworth.com/surfaces > COM Library

COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562), or http://hub.Haworth.com, or www.haworth.com > surface collection > COM Library** to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

1) Identify product type and size.
2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
3) Determine fabric roll width.
4) Find corresponding fabric usage value from the table.
5) Calculate fabric required using the formula below:
   Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).

Constant — Compose®, PREMISE®, PLACES® and UniGroup®

Product	C
Panels	2.5
Desktop Screens	1.5
Tackboards, Tackstrips	1.5
OSUs and Flipper Doors	1.5
LFBs and VSUs	1.5
Trim Covers (Finish Post, End of Run)	1.5
Stackable Pads	1.5
Add-ons and Wainscot Panels	1.5

Constant — RACE®

Product	C
Desktop Screens	1.5
RACE Privacy Screens*	0.0
RACE Pads	0.0

*Includes fabric for both sides. Sizes 51″-78″ include two screens.

6) Repeat steps 1-5 for each product type, size and fabric.
7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%

Directional Rightway:



Directional Railroad:



Non-Directional:



COM Yardage Requirements

PREMISE Panel Fabric Usage

Nominal (Inches)		54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
32″(813mm)	18″(457mm)	0.46	0.67	0.46	0.46	0.33	0.33
	24″(610mm)	0.92	0.83	0.83	0.46	0.42	0.42
	30″(762mm)	0.92	1.00	0.92	0.92	0.50	0.50
	36″(914mm)	0.92	1.17	0.92	0.92	0.58	0.58
	42″(1067mm)	0.92	1.33	0.92	0.92	0.67	0.67
	48″(1219mm)	0.92	1.50	0.92	0.92	0.75	0.75
	60″(1524mm)	N/A	1.83	1.83	0.92	0.92	0.92
42″(1067mm)	18″(457mm)	0.60	0.67	0.60	0.60	0.67	0.60
	24″(610mm)	1.19	0.83	0.83	0.60	0.83	0.60
	30″(762mm)	1.19	1.00	1.00	1.19	1.00	1.00
	36″(914mm)	1.19	1.17	1.17	1.19	1.17	1.17
	42″(1067mm)	1.19	1.33	1.19	1.19	1.33	1.19
	48″(1219mm)	1.19	1.50	1.19	1.19	1.50	1.19
	60″(1524mm)	N/A	1.83	1.83	1.19	1.83	1.19
48″(1219mm)	18″(457mm)	0.68	0.67	0.67	0.68	0.67	0.67
	24″(610mm)	1.36	0.83	0.83	0.68	0.83	0.68
	30″(762mm)	1.36	1.00	1.00	1.36	1.00	1.00
	36″(914mm)	1.36	1.17	1.17	1.36	1.17	1.17
	42″(1067mm)	1.36	1.33	1.33	1.36	1.33	1.33
	48″(1219mm)	1.36	1.50	1.36	1.36	1.50	1.36
	60″(1524mm)	N/A	1.83	1.83	1.36	1.83	1.36
53″(1346mm)	18″(457mm)	0.75	0.67	0.67	0.75	0.67	0.67
	24″(610mm)	1.50	0.83	0.83	0.75	0.83	0.75
	30″(762mm)	1.50	1.00	1.00	1.50	1.00	1.00
	36″(914mm)	1.50	1.17	1.17	1.50	1.17	1.17
	42″(1067mm)	1.50	1.33	1.33	1.50	1.33	1.33
	48″(1219mm)	1.50	1.50	1.50	1.50	1.50	1.50
	60″(1524mm)	N/A	1.83	1.83	1.50	1.83	1.50
64″(1626mm)	18″(457mm)	0.90	N/A	0.90	0.90	0.67	0.67
	24″(610mm)	1.81	N/A	1.81	0.90	0.83	0.83
	30″(762mm)	1.81	N/A	1.81	1.81	1.00	1.00
	36″(914mm)	1.81	N/A	1.81	1.81	1.17	1.17
	42″(1067mm)	1.81	N/A	1.81	1.81	1.33	1.33
	48″(1219mm)	1.81	N/A	1.81	1.81	1.50	1.50
	60″(1524mm)	N/A	N/A	N/A	1.81	1.83	1.81
80″(2032mm)	18″(457mm)	1.13	N/A	1.13	1.13	N/A	1.13
	24″(610mm)	2.25	N/A	2.25	1.13	N/A	1.13
	30″(762mm)	2.25	N/A	2.25	2.25	N/A	2.25
	36″(914mm)	2.25	N/A	2.25	2.25	N/A	2.25
	42″(1067mm)	2.25	N/A	2.25	2.25	N/A	2.25
	48″(1219mm)	2.25	N/A	2.25	2.25	N/A	2.25
	60″(1524mm)	N/A	N/A	N/A	2.25	N/A	2.25

COM Yardage Requirements

PREMISE Stackable Pad Fabric Usage

Nominal (Inches)		54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
10″(254mm)	18″(457mm)	0.19	0.20	0.19	0.13	0.15	0.13
	24″(610mm)	0.19	0.26	0.19	0.19	0.19	0.19
	30″(762mm)	0.39	0.31	0.31	0.19	0.24	0.19
	36″(914mm)	0.39	0.37	0.37	0.39	0.28	0.28
	42″(1067mm)	0.39	0.43	0.39	0.39	0.32	0.32
	48″(1219mm)	0.39	0.48	0.39	0.39	0.36	0.36
	60″(1524mm)	N/A	0.59	0.59	0.39	0.44	0.39
16″(406mm)	18″(457mm)	0.28	0.31	0.28	0.19	0.20	0.19
	24″(610mm)	0.28	0.39	0.28	0.28	0.26	0.26
	30″(762mm)	0.56	0.47	0.47	0.28	0.31	0.28
	36″(914mm)	0.56	0.56	0.56	0.56	0.37	0.37
	42″(1067mm)	0.56	0.64	0.56	0.56	0.43	0.43
	48″(1219mm)	0.56	0.72	0.56	0.56	0.48	0.48
	60″(1524mm)	N/A	0.89	0.89	0.56	0.59	0.56
24″(610mm)	18″(457mm)	0.39	0.61	0.39	0.26	0.31	0.26
	24″(610mm)	0.39	0.78	0.39	0.39	0.39	0.39
	30″(762mm)	0.78	0.94	0.78	0.39	0.47	0.39
	36″(914mm)	0.78	1.11	0.78	0.78	0.56	0.56
	42″(1067mm)	0.78	1.28	0.78	0.78	0.64	0.64
	48″(1219mm)	0.78	1.44	0.78	0.78	0.72	0.72
	60″(1524mm)	N/A	1.78	1.78	0.78	0.89	0.78
32″(813mm)	18″(457mm)	0.44	0.61	0.44	0.30	0.31	0.30
	24″(610mm)	0.44	0.78	0.44	0.44	0.39	0.39
	30″(762mm)	0.89	0.94	0.89	0.44	0.47	0.44
	36″(914mm)	0.89	1.11	0.89	0.89	0.56	0.56
	42″(1067mm)	0.89	1.28	0.89	0.89	0.64	0.64
	48″(1219mm)	0.89	1.44	0.89	0.89	0.72	0.72
	60″(1524mm)	N/A	1.78	1.78	0.89	0.89	0.89

PREMISE Expanded Variable Height Cover Fabric Usage

Nominal (Inches)	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
5″(127mm)	0.05	0.31	0.05	0.04	0.31	0.04
6″(152mm)	0.06	0.31	0.06	0.04	0.31	0.04
10″(254mm)	0.08	0.31	0.08	0.07	0.31	0.07
11″(279mm)	0.09	0.31	0.09	0.07	0.31	0.07
16″(406mm)	0.31	0.31	0.13	0.10	0.31	0.10
21″(533mm)	0.16	0.31	0.16	0.13	0.31	0.13
22″(559mm)	0.17	0.31	0.17	0.13	0.31	0.13
27″(686mm)	0.20	0.31	0.20	0.16	0.31	0.16
32″(813mm)	0.24	0.31	0.24	0.19	0.31	0.19
38″(965mm)	0.28	0.31	0.28	0.22	0.31	0.22
48″(1219mm)	0.35	0.31	0.35	0.28	0.31	0.28

COM Yardage Requirements

PREMISE Trim Covers Fabric Usage (End of Run, 2-Way, 3-Way, Variable Height)

Nominal (Inches)	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
5″(127mm)	0.04	0.26	0.04	0.03	0.26	0.03
6″(152mm)	0.04	0.26	0.04	0.04	0.26	0.04
10″(254mm)	0.07	0.26	0.07	0.06	0.26	0.06
11″(279mm)	0.07	0.26	0.07	0.06	0.26	0.06
16″(406mm)	0.10	0.26	0.10	0.08	0.26	0.08
21″(533mm)	0.13	0.26	0.13	0.11	0.26	0.11
22″(559mm)	0.13	0.26	0.13	0.11	0.26	0.11
24″(610mm)	0.14	0.26	0.14	0.12	0.26	0.12
26″(660mm)	0.16	0.26	0.16	0.13	0.26	0.13
27″(686mm)	0.16	0.26	0.16	0.13	0.26	0.13
32″(813mm)	0.19	0.26	0.19	0.16	0.26	0.16
38″(965mm)	0.22	0.26	0.22	0.19	0.26	0.19
42″(1067mm)	0.24	0.26	0.24	0.20	0.26	0.20
48″(1219mm)	0.28	0.26	0.28	0.23	0.26	0.23
53″(1346mm)	0.31	N/A	0.31	0.25	0.26	0.25
58″(1473mm)	0.33	N/A	0.33	0.28	0.26	0.28
64″(1625.6mm)	0.37	N/A	0.37	0.31	0.26	0.31
74″(1880mm)	0.42	N/A	0.42	0.35	N/A	0.35
80″(2032mm)	0.46	N/A	0.46	0.38	N/A	0.38

PREMISE Tackboard and Tackstrip Fabric Usage

Nominal (Inches)		54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
5″(254mm)	24″(610mm)	0.306	0.208	0.208	0.306	0.139	0.139
	30″(762mm)	0.306	0.250	0.250	0.306	0.167	0.167
	36″(914mm)	0.306	0.292	0.292	0.306	0.194	0.194
	42″(1067mm)	0.306	0.333	0.306	0.306	0.222	0.222
	48″(1219mm)	0.306	0.375	0.306	0.306	0.250	0.250
	60″(1524mm)	N/A	0.458	0.458	0.306	0.306	0.306
16″(406mm)	24″(610mm)	0.611	0.417	0.417	0.611	0.278	0.278
	30″(762mm)	0.611	0.500	0.500	0.611	0.333	0.333
	36″(914mm)	0.611	0.583	0.583	0.611	0.389	0.389
	42″(1067mm)	0.611	0.667	0.611	0.611	0.444	0.444
	48″(1219mm)	0.611	0.750	0.611	0.611	0.500	0.500
	60″(1524mm)	N/A	0.917	0.917	0.611	0.611	0.611

PREMISE Vertical Storage Unit Tackboards

Nominal (Inches)	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
Height	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
48″(1219mm)	0.65	0.71	0.65	0.65	0.47	0.47
60″(1524mm)	N/A	0.87	0.87	0.65	0.58	0.58
66″(1676mm)	1.30	1.05	1.05	1.30	0.70	0.70
72″(1828mm)	1.30	1.13	1.13	1.30	0.75	0.75

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.

ii. **Ship To:** Legal name and address.

iii. **Purchase Order Number:** From the party Haworth will be billing.

iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.

v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.

vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.

vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.

viii. **Price Agreement or National Sales Agreement Number**

ix. **Product Total:** Net dollars.

x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

i. **Quantity**

ii. **Product Numbers**

iii. **Colors**

iv. **Specials:** Specify special part number for new special products.

v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.

vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150′ of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375″ (10mm) over a horizontal span of 10′-0″ (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25″ (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375″ (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
7031-7002	Belong® Work Tools – Markerboard Accesssories	660
7062-8001	Belong® Work Tools – Markerboard Accesssories	660
BBF-AC	Visual Privacy Elements — Screens – Frosted Insert	451
BBF-MB	Visual Privacy Elements — Screens – Markerboard / Perforated Metal Insert	452
BBF-MC	Visual Privacy Elements — Screens – Markerboard / Frosted Insert	452
BBF-PB	Visual Privacy Elements — Screens – Perforated Metal Insert	451
BBP-FN	Visual Privacy Elements – Enhanced PREMISE — for Monolithic/Stack Applications	300
BEDP	Electrical and Communication Accessories – Desktop Port	498
KU6M-2NNN	Monitor Arms – Extend Arm	612
DBKC-48	Work Tools – Team Master Kit	657
DBKP-48	Work Tools – File Master Kit	657
DBKP-S	Work Tools – File Master Kit	653
DBKS-36	Work Tools – Mini Master Kit	658
DBKS-48	Work Tools – Mini Master Kit	658
DBKS-S	Work Tools – Mini Master Kit	653
DBKT-48	Work Tools – Task Master Kit	657
DBKT-S	Work Tools – Task Master Kit	653
DMSP	Work Tools – Mini Shelf	649
DPKC-48	Work Tools – Team Master Kit	657
DPKP-48	Work Tools – File Master Kit	657
DPKP-S	Work Tools – File Master Kit	653
DPKS-36	Work Tools – Mini Master Kit	658
DPKS-48	Work Tools – Mini Master Kit	658
DPKS-S	Work Tools – Mini Master Kit	653
DPKT-48	Work Tools – Task Master Kit	657
DPKT-S	Work Tools – Task Master Kit	653
DS-3	Worksurface Accessories – Shallow Drawer	604
DSR-F	Work Tools – Freestanding Mount Rail	655
DSR-H	Work Tools – Panel Mount Rail	654
DSR-W	Work Tools – Worksurface Mount Rail	654
DTAR-3	Work Tools – Personal Shelf Bracket	650
DTBS-3	Work Tools – Phone Shelf Bracket	650
DTES-1	Work Tools – Personal Shelf	656
DTES-3	Work Tools – Personal Shelf	650
DTGK-3	Work Tools – Gooseneck Kit	649
DTHT-1	Work Tools – Tote Strap	652
DTLS-2	Work Tools – Letter Tray Stacking Kit	652
DTLT-2	Work Tools – Letter Tray	651
DTPR-1	Work Tools – Paper Sorter	656
DTPR-3	Work Tools – Paper Sorter	650
DTPT-1	Work Tools – Phone Shelf	656
DTPT-3	Work Tools – Phone Shelf	650
DTRB	Work Tools – Waste Bin	652
DTSB-1	Work Tools – Letter Tray Stacking Bracket	652
DTSB-3	Work Tools – Binder Bin	649
DTTE-3	Work Tools – Tote	649
DTTH-3	Work Tools – Tote	649
DTTS-12	Work Tools – Tack Strip	649
DTTS-24	Work Tools – Tack Strip	649
DTWC-2	Work Tools – Tool Cup	651
ENEJ-0048-2WF	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Raised Floor Infeed Base Feed Module	476

Index

Product Code	Product Description	Page
ENEJ-0048-3WF	PREMISE 3-Circuit – Electrical Components – Raised Floor Infeed Base Feed Module	454
ENEJ-0048-4WF	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Raised Floor Infeed Base Feed Module	476
EUD1-0000-1311V	Electrical and Communication Accessories – Enhanced Power Module	499
EUD1-0000-C311V	Electrical and Communication Accessories – Enhanced Power Module	499
EUE1-1111W	Electrical and Communication Accessories – Flip Top Unit	500
EUE1-1331W	Electrical and Communication Accessories – Flip Top Unit	500
EUE1-1B01W	Electrical and Communication Accessories – Flip Top Unit	500
EUE1-C331W	Electrical and Communication Accessories – Flip Top Unit	500
EUE2-1331W	Electrical and Communication Accessories – Flip Top Unit	500
EUE2-C331W	Electrical and Communication Accessories – Flip Top Unit	500
EUEJ-2WF	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Systems Furniture Power Interface Jumper	477
EUEJ-3WF	PREMISE 3-Circuit – Electrical Components – System Furniture Power Interface Jumper	455
EUEJ-4WF	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Systems Furniture Power Interface Jumper	477
FBEW	PREMISE 3-Circuit – Electrical Components – Wall Feed Field Wired 1 Port	455
FBEW	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Wall Feed Field Wired 1 Port	477
HKMP-1	Boogie Board – Boogie Board Mouse Pad	605
HKTC-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	605
HKTC-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	605
HKTE-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	605
HKTE-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	605
JAKA-18	Worksurface Supports – Worksurface Height Adjustment Kit for Attached Pedestal	598
JAP-2	Electrical and Communication Accessories – Power/Data Dome	498
JAP-4	Electrical and Communication Accessories – Power/Data Dome	498
JCPB-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	680
JCPE-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	680
JCPG-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	680
JCPJ-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	680
JCPL-12	X Series and V Series Accessories – Filing Kit	676
JCPR-S1A	X Series Storage Cabinets — Attached/Freestanding – Two-High Combination — Attached	678
JCPT-S1A	X Series Storage Cabinets — Attached/Freestanding – Two-High Combination — Attached	678
JLPD-S1A	X Series Lateral Files — Attached – Two-High Lateral File — Proud Style — Attached	673
JLRD-SJA	X Series Lateral Files — Attached – Two-High Lateral File — Inset Style — Attached	674
JPAH-24	X Series Attached Pedestals – Box/Box/File — Attached	670
JPAJ-24	X Series Attached Pedestals – File/File — Attached	670
JPAQ-24	X Series Attached Pedestals – Pencil/Pencil/Box/File — Attached	670
JSHA-1	X Series and V Series Accessories – Worksurface Height Adjustment Kit for Attached Lateral File, Storage Cabinet and Combination Unit	676
JSPY-S1A	X Series Storage Cabinets — Attached – Two-High Storage — Attached	677
KU1A-0017	Adjustable Keyboard Pads – Locking Tilt AKP	606
KU1C	CPU Holders – Fixed Mount CPU Holder	613
KU1C	CPU Holders – Fixed Mount CPU Holder	613
KU1D	Accessories – Adjustable Document Holder	614
KU1F	Accessories – Adjustable Footrest	614
KU1L-U	Accessories – Adjustable Laptop Holder	614
KU1M-1NN	Monitor Arms – Post and Link Monitor Arms	611
KU1M-2NN	Monitor Arms – Post and Link Monitor Arms	611
KU2A-0017	Adjustable Keyboard Pads – Dial Tilt AKP	606
KU2C-L	CPU Holders – Adjustable CPU Holder	613
KU3A-0023	Adjustable Keyboard Pads – Dial Tilt AKP - Extended Arm	607
KU3M-1NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	611
KU3M-2NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	611
KU4A-0023	Adjustable Keyboard Pads – Sit-to-Stand AKP	607
KU4M-1NNN	Adjustable Keyboard Pads – Advanced Adjustable Monitor Arms	610

Index

Product Code	Product Description	Page
KU4M-2NNN	Adjustable Keyboard Pads – Advanced Adjustable Monitor Arms	610
KU5A	Adjustable Keyboard Pads – Thin Profile AKP	609
KU5M-1NNN	Monitor Arms – Adjustable Post Arm	612
KU5M-2NNN	Monitor Arms – Adjustable Post Arm	612
KU6M-1NNN	Monitor Arms – Extend Arm	612
KU6M-2NNN	Monitor Arms – Extend Arm	612
KU6T	Belong Work Tools – Tool Cup	648
KUAF	Wall Mount Components – Tackboard, Wall Mount	633
KUAM	Wall Mount Components – Markerboard, Wall Mount	633
KUCU-0915-BNN	Belong Work Tools – Open C Cubby	648
KUCU-1215-BNS	Belong Work Tools – Open C Cubby	648
KUDP	Worksurface Accessories – Pencil + Drawer	604
KUP1-0000-CSN	Belong Work Tools Mounting Rails – Tool Rail — Single Post — C-Clamp or Thru-Mount	647
KUPT-0913-F	Belong Work Tools – Paper Tray — Landscape	648
KUPT-0913-H	Belong Work Tools – Paper Tray — Landscape	648
KUPY	Wall Mount Components – Slat, Wall Mount	633
KUR1-0424-PZN	Belong Work Tools Mounting Rails – Tool Rail — Panel Mount — Single Side	645
KUR1-1224-CSN	Belong Work Tools Mounting Rails – Tool Rail — Worksurface Mount C-Clamp or Thru-Mount	646
KUTC-0000-H	Belong Work Tools – Tool Cup	648
LBJ1	BRAZO – Freestanding Lighting	639
LBJ2	BRAZO – Freestanding Lighting	639
LBJ3	BRAZO – Mounted Lighting	639
LBJ4	BRAZO – Mounted Lighting	639
LLC1	LIM – LIM C	641
LLC2	LIM – LIM C	641
LLL1	LIM – LIM L	640
LLL2	LIM – LIM L	640
LLL3	LIM – LIM L	640
LLLA	LIM – LIM L	640
LLM1	LIM – LIM Mounted	642
LLM1	LIM – LIM Mounted	642
LLM2	LIM – LIM Mounted	642
LLU1	LIM – LIM Mounted	643
LLU2	LIM – LIM Mounted	643
LLY1	LIM – LIM Y	641
LUPT	Lighting – Pixo	638
LUTD	Lighting – Adaptable Electronic Ballast Task Light (Add-On Light)	637
LUTD-0017-1NULDN	Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	635
LUTR	Lighting – Adaptable Electronic Ballast Task Light (Starter Light)	636
LUTS-0000	Lighting – Reed Premier™ Add-On Occupancy Sensor	635
LUTS-0017-12ULD6	Lighting – Reed Premier™ Starter LED Task Light	634
LUTS-0017-19ULD5	Lighting – Reed Premier™ Stand-Alone LED Task Light	634
LUTS-16UEP	Lighting – Adaptable Electronic Ballast Task Light	636
LUV1	Lighting – Voyage without Occupancy Sensor	638
LUV2	Lighting – Voyage with Occupancy Sensor	638
MAC-0001	Worksurface Accessories – Make-A-Corner	602
NAB	Work Tools – Tackboard	659
NABK	Transitional Panel Connectors – Enhanced PREMISE Straight Connector to 4″ PREMISE Stack Panel	390
NABS	Transitional Panel Connectors – Enhanced PREMISE Straight Connector to 4″ PREMISE Monolithic Panel	390
NADR-8	Wall Mount Components – Shelf Dividers	631
NAH-12	Work Tools – All Purpose Hooks	659
NAH-12-S	Work Tools – All Purpose Hooks	659
NAM	Work Tools – Markerboard	659

Index

Product Code	Product Description	Page
NAPY	Task Organization – Wall Accessory Slat Pad	644
NAT	Work Tools – Tack Strip	659
NBAC	Visual Privacy Elements — Panel Attached – Canopy — Topper Mount	443
NBBD-F	Visual Privacy Elements — Panel Attached – Fabric Scrim Insert	441
NBBD-X	Visual Privacy Elements — Panel Attached – Translucent Insert	441
NBBF-F	Visual Privacy Elements — Panel Attached – Fabric Scrim	442
NBBF-X	Visual Privacy Elements — Panel Attached – Translucent	442
NBCD	Visual Privacy Elements — Worktop Mounted Screens – Worktop Mounted Screen Canopy	448
NBCP	Visual Privacy Elements — Panel Attached – Canopy — Top Cap Mount	443
NBDM-F	Visual Privacy Elements — Worktop Mounted Screens – Fabric Scrim — Stand Alone Kit	444
NBDM-F	Visual Privacy Elements — Worktop Mounted Screens – Fabric Scrim — Stand Alone Kit	446
NBDM-M	Visual Privacy Elements — Worktop Mounted Screens – Markerboard — Stand Alone Kit	445
NBDM-M	Visual Privacy Elements — Worktop Mounted Screens – Markerboard — Stand Alone Kit	447
NBDM-X	Visual Privacy Elements — Worktop Mounted Screens – Translucent — Stand Alone Kit	444
NBDM-X	Visual Privacy Elements — Worktop Mounted Screens – Translucent — Stand Alone Kit	446
NBDP	Visual Privacy Elements — Panel Attached – Double Canopy — Double Top Cap Mount	443
NBFS-F	Visual Privacy Elements – Fabric Scrim Insert	449
NBFS-M	Visual Privacy Elements – Markerboard Insert	450
NBFS-X	Visual Privacy Elements – Translucent Insert	449
NBPA-F	Visual Privacy Elements — Panel Attached – Fabric Scrim — Stand Alone Kit	438
NBPA-X	Visual Privacy Elements — Panel Attached – Translucent — Stand Alone Kit	438
NBSG	Visual Privacy Elements — Panel Attached – Support Grips	440
NBSP-F	Visual Privacy Elements — Panel Attached – Fabric Scrim — Shared Kit	439
NBSP-X	Visual Privacy Elements — Panel Attached – Translucent — Shared Kit	439
NBVF-G	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVF-S	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVF-W	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVP-G	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVP-S	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVP-W	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVW-G	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NBVW-W	Panel Connectors and Trim Covers – Variable-Height Covers — Starter Cover	386
NCBB	Upper Structure Elements — Stack Components – Standard Cross Bar	415
NCBL-2436-4	Tables – Bean — Laminate Top	668
NCBL-2436-4C	Tables – Bean — Laminate Top	668
NCBZ	Upper Structure Elements — Stack Components – Structural Cross Bar	415
NCCL	Tables – Round — Laminate or Wood Top	667
NCDL-3242-4	Tables – Bend — Laminate Top	668
NCMB-12	Panel Connectors and Trim Covers – Corner Connector Bracket	373
NCOL	Tables – Teardrop — Laminate Top	668
NCOL-C	Tables – Teardrop — Laminate Top	668
NCRL	Tables – Rectangular — Laminate or Wood Top	667
NCRW	Tables – Rectangular — Laminate or Wood Top	667
NCTA-LFG	Concentrative Tables – Asymmetric with Glides or Casters	666
NCTA-LFM	Concentrative Tables – Asymmetric with Glides or Casters	666
NCTA-LVG	Concentrative Tables – Asymmetric with Glides or Casters	666
NCTA-LVM	Concentrative Tables – Asymmetric with Glides or Casters	666
NCTC-LFG	Concentrative Tables – Collaborative with Glides or Casters	664
NCTC-LFM	Concentrative Tables – Collaborative with Glides or Casters	664
NCTC-LVG	Concentrative Tables – Collaborative with Glides or Casters	664
NCTC-LVM	Concentrative Tables – Collaborative with Glides or Casters	664
NCTN-LFG	Concentrative Tables – 90° with Glides or Casters	662
NCTN-LFM	Concentrative Tables – 90° with Glides or Casters	662

Index

Product Code	Product Description	Page
NCTN-LVG	Concentrative Tables – 90° with Glides or Casters	662
NCTN-LVM	Concentrative Tables – 90° with Glides or Casters	662
NCTO-LFG	Concentrative Tables – 120° with Glides or Casters	661
NCTO-LFM	Concentrative Tables – 120° with Glides or Casters	661
NCTO-LVG	Concentrative Tables – 120° with Glides or Casters	661
NCTO-LVM	Concentrative Tables – 120° with Glides or Casters	661
NCTT-LFG	Concentrative Tables – 60° with Glides or Casters	663
NCTT-LFM	Concentrative Tables – 60° with Glides or Casters	663
NCTT-LVG	Concentrative Tables – 60° with Glides or Casters	663
NCTT-LVM	Concentrative Tables – 60° with Glides or Casters	663
NCTY-LFG	Concentrative Tables – Symmetric with Glides or Casters	665
NCTY-LFM	Concentrative Tables – Symmetric with Glides or Casters	665
NCTY-LVG	Concentrative Tables – Symmetric with Glides or Casters	665
NCTY-LVM	Concentrative Tables – Symmetric with Glides or Casters	665
NDLS	Foundation Elements — Monolithic Panels – Single Door and Frame — Standard or Wood Top Cap	299
NDLW	Foundation Elements — Monolithic Panels – Single Door and Frame — Standard or Wood Top Cap	299
NDWS	Foundation Elements — Monolithic Panels – Single Door and Frame — Standard or Wood Top Cap	299
NDWW	Foundation Elements — Monolithic Panels – Single Door and Frame — Standard or Wood Top Cap	299
NEAP-0000	PREMISE Electrical Components – Power and Communication Bezel for Fabric/Tackable Pad	497
NEAP-1	PREMISE 3-Circuit – Electrical Components – Power Distribution Support Bracket	471
NEB-1-M	PREMISE Hardwire Electrical Components – Base Feed Module	506
NEB-1-S	PREMISE Hardwire Electrical Components – Base Feed Module	506
NEB-2	PREMISE 3-Circuit – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	453
NEB-2-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	474
NEB-2-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	474
NEB-2-A	PREMISE 3-Circuit – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	454
NEB-2-A2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	475
NEB-2-A4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	475
NEBF-1	PREMISE 3-Circuit – Electrical Components – Base Feed Module – Hardwire Connection	453
NEBF-1-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Hardwire Connection	474
NEBF-1-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Hardwire Connection	474
NEBF-5	PREMISE 3-Circuit – Electrical Components – Base Feed Module – Concealed Hardwire Connection	454
NEBF-5-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Concealed Hardwire Connection	476
NEBF-5-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Feed Module – Concealed Hardwire Connection	476
NEC	Electrical and Communication Accessories – Monolithic Panel Communications Port Kit	502
NEC4	Electrical and Communication Accessories – Cable Trough	503
NECB-2	Electrical and Communication Accessories – Single Gang Communication Adaptor Plate	503
NECG-3-C	Electrical and Communication Accessories – 90° Corner Cable Guide	504
NECG-3-S	Electrical and Communication Accessories – Straight Cable Guide	504
NECG-5-C	Electrical and Communication Accessories – 90° Corner Cable Guide	504
NECG-5-S	Electrical and Communication Accessories – Straight Cable Guide	504
NECG-V	Electrical and Communication Accessories – Vertical Cable Guide	503
NECH-1	Electrical and Communication Accessories – Cable Hanger	503
NECK-1	Electrical and Communication Accessories – Information Plate Communication Port Kits	502
NECK-2	Electrical and Communication Accessories – Information Plate Communication Port Kits	502
NECR-1	Electrical and Communication Accessories – Cable Reel	504
NEEA-1-C	PREMISE Hardwire Electrical Components – Powered Panel Port Kit	507
NEF-1	PREMISE 3-Circuit – Electrical Components – Flexible Power Connector	465

Index

Product Code	Product Description	Page
NEF-1-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector	487
NEF-1-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Flexible Power Connector	487
NEH-8	Electrical and Communication Accessories – Wire Management Loop	501
NEH-8	Worksurface Accessories – Wire Management Loop	602
NEJS	Transitional Power Connectors – Enhanced 3-Circuit PREMISE to 4″ PREMISE Flexible Power Connector	391
NEJS-18	PREMISE 3-Circuit – Electrical Components – Extended Flexible Metal Power Connectors for Base Raceway	467
NEJS-18	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Extended Flexible Metal Power Connectors for Base Raceway	489
NEKA-P	PREMISE 3-Circuit – Electrical Components – Power Kit for Stack Application	461
NEKA-P2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power Kit for Stack Application	483
NEKA-P4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power Kit for Stack Application	483
NEKB-P	PREMISE 3-Circuit – Electrical Components – Stack Application Retrofit Kit	462
NEKB-P2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stack Application Retrofit Kit	484
NEKB-P4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stack Application Retrofit Kit	484
NEKC-00-PMP	PREMISE Hardwire Electrical Components – Electrical Raceway Kit — Base	506
NEKC-00-PS	PREMISE Hardwire Electrical Components – Electrical Raceway Kit — Base	506
NEKD-00-PC	PREMISE Hardwire Electrical Components – Electrical Raceway Kit — Beltline or Standing Height	507
NEKP	PREMISE 3-Circuit – Electrical Components – Base Raceway Retrofit Kit – Powered	471
NEKP-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Raceway Retrofit Kit – Powered	494
NEKP-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Base Raceway Retrofit Kit – Powered	494
NEKS-PS	PREMISE 3-Circuit – Electrical Components – Structural Power Kit for Stack Application	463
NEKS-PS2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Structural Power Kit for Stack Application	485
NEKS-PS4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Structural Power Kit for Stack Application	485
NEP-1	PREMISE 3-Circuit – Electrical Components – Power Break Marker	468
NEP-1	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power Break Marker	491
NEPH-4	PREMISE 3-Circuit – Electrical Components – Super Base Panel-to-Stack Kit Beltline Vertical Power Connector	464
NEPH-4-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Accessories – Super Base Panel-to-Stack Kit Beltline Vertical Power Connector	486
NEPH-4-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Accessories – Super Base Panel-to-Stack Kit Beltline Vertical Power Connector	486
NEPH-5	PREMISE 3-Circuit – Electrical Components – Super Base Panel-to-Stack Kit Standing Height Vertical Power	464
NEPH-5-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Accessories – Super Base Panel-to-Stack Kit Standing Height Vertical Power	486
NEPH-5-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Accessories – Super Base Panel-to-Stack Kit Standing Height Vertical Power	486
NER-1	PREMISE 3-Circuit – Electrical Components – Triplex Receptacles – 15 Amp	468
NER-1500	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Triplex Receptacles – 15 Amp	490
NER-2000	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Triplex Receptacles – 20 Amp	491
NERC-1-C	PREMISE Hardwire Electrical Components – Receptacle Cover	507
NES-1	PREMISE 3-Circuit – Electrical Components – Straight-Span Flexible Power Connector	466
NES-1-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Straight-Span Flexible Power Connector	488
NES-1-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Straight-Span Flexible Power Connector	488
NETC-10-P	PREMISE 3-Circuit – Electrical Components – Floor-to-Ceiling Monolithic and Super Base Panel Top Feed Module	459
NETC-10-P2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Floor-to-Ceiling Monolithic and Super Base Panel Top Feed Module	481
NETC-10-P4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Floor-to-Ceiling Monolithic and Super Base Panel Top Feed Module	481
NETM-3T	PREMISE 3-Circuit – Electrical Components – Monolithic Panel Top Feed Module	456
NETM-3T2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Monolithic Panel Top Feed Module	478
NETM-3T4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Monolithic Panel Top Feed Module	478
NETM-3W	PREMISE 3-Circuit – Electrical Components – Monolithic Panel Top Feed Module	456
NETM-3W2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Monolithic Panel Top Feed Module	478
NETM-3W4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Monolithic Panel Top Feed Module	478
NETM-NT	PREMISE Hardwire Electrical Components – Monolithic Panel Top Feed Module	508

Index

Product Code	Product Description	Page
NETM-NW	PREMISE Hardwire Electrical Components – Monolithic Panel Top Feed Module	508
NETP-3T	PREMISE 3-Circuit – Electrical Components – Stackable Panel Top Feed Module	457
NETP-3T2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stackable Panel Top Feed Module	479
NETP-3T4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stackable Panel Top Feed Module	479
NETP-3W	PREMISE 3-Circuit – Electrical Components – Stackable Panel Top Feed Module	457
NETP-3W2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stackable Panel Top Feed Module	479
NETP-3W4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Stackable Panel Top Feed Module	479
NETP-NT	PREMISE Hardwire Electrical Components – Stack Kit on Monolithic or Super Base Panel Top Feed Module	508
NETP-NW	PREMISE Hardwire Electrical Components – Stack Kit on Monolithic or Super Base Panel Top Feed Module	508
NETX-10-C	PREMISE Hardwire Electrical Components – External Top Feed Module	509
NETX-10-P	PREMISE 3-Circuit – Electrical Components – External Top Feed Module	458
NETX-10-P2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – External Top Feed Module	480
NETX-10-P4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – External Top Feed Module	480
NEV-1	Electrical and Communication Accessories – Vertical Wire Manager	501
NEV-2	Electrical and Communication Accessories – Vertical Wire Manager	501
NGSS-G1	Panel Connectors and Trim Covers – Straight Pre-Configured (Sectional) Connector	333
NGSS-GN	Panel Connectors and Trim Covers – Straight Pre-Configured (Sectional) Connector	333
NGSS-S1	Panel Connectors and Trim Covers – Straight Pre-Configured (Sectional) Connector	333
NGSS-SN	Panel Connectors and Trim Covers – Straight Pre-Configured (Sectional) Connector	333
NJ-_A	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap – Translucent Pads	322
NJA-32	Foundation Elements — Super Base Panel – Single Pad	326
NJF	Monolithic Pad Elements – Monolithic Single Pad	295
NJF-32	Foundation Elements — Super Base Panel – Single Pad	326
NJ-GA	Foundation Elements — Super Base Panel – Grooved Top Cap	308
NJ-GN	Foundation Elements — Super Base Panel – Grooved Top Cap	308
NJ-GP	Foundation Elements — Super Base Panel – Grooved Top Cap	308
NJH-32	Foundation Elements — Super Base Panel – Single Pad	326
NJ-_N	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap – Translucent Pads	322
NJNN-SA	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap	324
NJNN-SN	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap	324
NJNN-SP	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap	324
NJ-_P	Foundation Elements — Super Base Panel – Standard, Grooved, Wood Top Cap, or No Top Cap – Translucent Pads	322
NJP-32	Foundation Elements — Super Base Panel – Single Pad	326
NJ-SA	Foundation Elements — Super Base Panel – Standard or No Top Cap	302
NJ-SN	Foundation Elements — Super Base Panel – Standard or No Top Cap	302
NJ-SP	Foundation Elements — Super Base Panel – Standard or No Top Cap	302
NJW-32	Foundation Elements — Super Base Panel – Single Pad	326
NJ-WA	Foundation Elements — Super Base Panel – Wood Top Cap	314
NJ-WN	Foundation Elements — Super Base Panel – Wood Top Cap	314
NJ-WP	Foundation Elements — Super Base Panel – Wood Top Cap	314
NJX-32	Foundation Elements — Super Base Panel – Single Pad	326
NL2F-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-S1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-S2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-SN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2F-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335

Index

Product Code	Product Description	Page
NL2P-S1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-S2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-SN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2P-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL2W-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Full-Height Cover	335
NL3F-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-S1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-S3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-SN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3F-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-S1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-S3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-SN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3P-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL3W-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Full-Height Cover	346
NL4-G1	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-G2	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-G3	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-G4	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-GN	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-S1	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-S2	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-S3	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-S4	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-SN	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-W1	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-W2	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-W3	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-W4	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NL4-WN	Panel Connectors and Trim Covers – 4-Way 90°, Full-Height Connector	356
NLAF-G1	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAF-G2	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344

Index

Product Code	Product Description	Page
NLAF-GN	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAF-S1	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAF-S2	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAF-SN	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLA-G1	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLA-G3	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLA-GN	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLAP-G1	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAP-G2	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAP-GN	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAP-S1	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAP-S2	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLAP-SN	Panel Connectors and Trim Covers – 2-Way 120°, Full-Height Connector with Full-Height Cover	344
NLA-S1	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLA-S3	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLA-SN	Panel Connectors and Trim Covers – 3-Way 120°, Full-Height Connector	353
NLEG-A-G	Worksurface Supports – Legs	599
NLEG-D	Worksurface Supports – Freestanding Worksurface Support Leg	601
NLEG-F	Worksurface Supports – Freestanding Worksurface Support Leg	601
NLEG-P	Worksurface Supports – Worksurface Support Leg — Panel Mounted	601
NLEG-S-G	Worksurface Supports – Legs	599
NLRF-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRF-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRF-S1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRF-SN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRF-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRF-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-S1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-SN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRP-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRW-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRW-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRW-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLRW-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Full-Height Cover	360
NLSS-G1	Panel Connectors and Trim Covers – Straight Full-Height Connector	332
NLSS-GN	Panel Connectors and Trim Covers – Straight Full-Height Connector	332
NLSS-S1	Panel Connectors and Trim Covers – Straight Full-Height Connector	332
NLSS-SN	Panel Connectors and Trim Covers – Straight Full-Height Connector	332
NLVF-G	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVF-S	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVF-W	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVP-G	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVP-S	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVP-W	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVW-G	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NLVW-W	Panel Connectors and Trim Covers – Variable-Height Covers — Full-Height Cover	375
NMFF-GA	Foundation Elements — Monolithic Panels – Fabric Surface – Grooved Top Cap	290
NMFF-GN	Foundation Elements — Monolithic Panels – Fabric Surface – Grooved Top Cap	290
NMFF-GP	Foundation Elements — Monolithic Panels – Fabric Surface – Grooved Top Cap	290
NMFF-SA	Foundation Elements — Monolithic Panels – Fabric Surface – Standard or No Top Cap	288

Index

Product Code	Product Description	Page
NMFF-SN	Foundation Elements — Monolithic Panels – Fabric Surface – Standard or No Top Cap	288
NMFF-SP	Foundation Elements — Monolithic Panels – Fabric Surface – Standard or No Top Cap	288
NMFF-WA	Foundation Elements — Monolithic Panels – Fabric Surface – Wood Top Cap	292
NMFF-WN	Foundation Elements — Monolithic Panels – Fabric Surface – Wood Top Cap	292
NMFF-WP	Foundation Elements — Monolithic Panels – Fabric Surface – Wood Top Cap	292
NMG-SA	Foundation Elements — Monolithic Panels – Glazed – Standard or Wood Top Cap	296
NMG-SN	Foundation Elements — Monolithic Panels – Glazed – Standard or Wood Top Cap	296
NMG-SP	Foundation Elements — Monolithic Panels – Glazed – Standard or Wood Top Cap	296
NMG-WN	Foundation Elements — Monolithic Panels – Glazed – Standard or Wood Top Cap	296
NMG-WP	Foundation Elements — Monolithic Panels – Glazed – Standard or Wood Top Cap	296
NNFF	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Pads	436
NNFW	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Pads	436
NNGG	Upper Structure Elements — Floor-to-Ceiling – Open Frame for Glazing	437
NNWW	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Pads	436
NPCA-2	PREMISE 3-Circuit – Electrical Components – Power/Communication Port Kit – for use with Monolithic Panel	469
NPCA-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – for use with Monolithic Panel	492
NPCA-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – for use with Monolithic Panel	492
NPCA-B	PREMISE 3-Circuit – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	470
NPCA-B2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	493
NPCA-B4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	493
NPCA-BG	PREMISE 3-Circuit – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	470
NPCA-BG2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	493
NPCA-BG4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – Back-to-Back – for use with Monolithic Panel	493
NPCA-G2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – for use with Monolithic Panel	492
NPCA-G4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Power/Communication Port Kit – for use with Monolithic Panel	492
NQ2F-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 2-Way Connector with Cover	430
NQ2P-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 2-Way Connector with Cover	430
NQ2W-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 2-Way Connector with Cover	430
NQ3F-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 3-Way Connector with Cover	431
NQ3P-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 3-Way Connector with Cover	431
NQ3W-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 3-Way Connector with Cover	431
NQ4S-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling 4-Way Connector with Cover	432
NQEF-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling End-of-Run Connector with Cover	433
NQEP-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling End-of-Run Connector with Cover	433
NQEW-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling End-of-Run Connector with Cover	433
NQRC-10	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Track	429
NQS-S	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Straight Connector	429
NQSW-40	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Wall Mount Kit	435
NQVF-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Variable-Height Cover	434
NQVP-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Variable-Height Cover	434
NQVW-24	Upper Structure Elements — Floor-to-Ceiling – Floor-to-Ceiling Variable-Height Cover	434
NRC-NNNN	PREMISE Electrical Components – Raceway Cover without Power/Communications Access	472
NRC-NNNN	PREMISE Electrical Components – Raceway Cover without Power/Communications Access	495
NRC-NNPC	PREMISE Electrical Components – Raceway Cover with Power and Single Gang Communications Access – One Side	472
NRC-NNPC	PREMISE Electrical Components – Raceway Cover with Power and Single Gang Communications Access – One Side	495

Index

Product Code	Product Description	Page
NRC-NNPF	PREMISE Electrical Components – Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – One Side	473
NRC-NNPF	PREMISE Electrical Components – Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – One Side	496
NRC-NNPN	PREMISE Electrical Components – Raceway Cover with Power Access – One Side	472
NRC-NNPN	PREMISE Electrical Components – Raceway Cover with Power Access – One Side	495
NRC-PCPC	PREMISE Electrical Components – Raceway Cover with Power and Single Gang Communications Access – Two Sides	473
NRC-PCPC	PREMISE Electrical Components – Raceway Cover with Power and Single Gang Communications Access – Two Sides	496
NRC-PFPF	PREMISE Electrical Components – Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – Two Sides	473
NRC-PFPF	PREMISE Electrical Components – Raceway Cover with Power and Modular Furniture Telecommunications Outlet Plate Communication Access – Two Sides	496
NRC-PNPN	PREMISE Electrical Components – Raceway Cover with Power Access – Two Sides	472
NRC-PNPN	PREMISE Electrical Components – Raceway Cover with Power Access – Two Sides	495
NS2F-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-S1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-S2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-SN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2F-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-S1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-S2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-SN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2P-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-G1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-G2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-GN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-W1	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-W2	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS2W-WN	Panel Connectors and Trim Covers – 2-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	338
NS3F-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-S1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-S3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-SN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3F-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-S1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-S3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-SN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350
NS3P-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	350

Index

Product Code	Product Description	Page
NS3P-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3P-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-G1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-G3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-GN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-W1	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-W3	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NS3W-WN	Panel Connectors and Trim Covers – 3-Way 90°, Full-Height Connector with Pre-Configured (Sectional) Cover	.350
NSB-1	Panel Connectors and Trim Covers – Heavy Load Stabilizer Bar for Monolithic Panels	.372
NSB-2	Panel Connectors and Trim Covers – Heavy Load Stabilizer Bar for Stack Kits	.372
NSRF-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRF-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRF-S1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRF-SN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRF-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRF-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-S1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-SN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRP-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRW-G1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRW-GN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRW-W1	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSRW-WN	Panel Connectors and Trim Covers – End-of-Run, Full-Height Connector with Pre-Configured (Sectional) Cover	.364
NSVF-G	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVF-S	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVF-W	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVP-G	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVP-S	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVP-W	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVW-G	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSVW-W	Panel Connectors and Trim Covers – Variable-Height Covers — Sectional Cover	.381
NSWF	Panel Complements – Full Height One-Piece	.392
NSWH-2	Panel Complements – Center Mount Hardware	.396
NSWL	Panel Complements – Lower Unit	.394
NSWS	Panel Complements – Full Height Two-Piece	.393
NSWU	Panel Complements – Upper Unit	.395
NT-10	Upper Structure Elements — Stack Kits – 10″ Stack Kit	.397
NT-16	Upper Structure Elements — Stack Kits – 16″ Stack Kit	.404
NTA-NN	Upper Structure Elements — Stack Components – 10″ Single Pad	.416
NTA-NN	Upper Structure Elements – Stack Components – 16″ Single Pad	.422
NTF-EC	Upper Structure Elements — Stack Components – PREMISE — 10″ Single Technology Fabric Pad	.418
NTF-EC	Upper Structure Elements – Stack Components – PREMISE — 16″ Single Technology Fabric Pad	.427
NTF-NN	Upper Structure Elements — Stack Components – 10″ Single Pad	.416
NTF-NN	Upper Structure Elements – Stack Components – 16″ Single Pad	.422
NTG-16	Upper Structure Elements – Stack Components – Double Pane Pads — 16″ Frame with Glazing	.425
NTGG	Upper Structure Elements — Stack Kits – 16″ Double Pane Glazed Stack Kit	.411
NTGL	Panel Connectors and Trim Covers – Grooved Top Cap	.373
NTGS	Upper Structure Elements — Stack Kits – 16″ Single Pane Glazed Stack Kit	.411
NTM-10	Upper Structure Elements — Stack Components – 10″ Single Markerboard Pad	.419
NTM-16	Upper Structure Elements — Stack Components – 16″ Single Markerboard Pad	.419

Index

Product Code	Product Description	Page
NTM-32	Upper Structure Elements — Stack Components – 32″ Single Markerboard Pad	420
NTO-16	Upper Structure Elements – Stack Components – 16″ Open Frame Pads	426
NTOO	Upper Structure Elements — Stack Kits – 16″ Open Stack Kit	412
NTP-NN	Upper Structure Elements — Stack Components – 10″ Single Pad	416
NTP-NN	Upper Structure Elements – Stack Components – 16″ Single Pad	422
NTS	Upper Structure Elements – Stack Components – Single Pane Pads — 16″ Frame with Glazing	425
NTSW-NN	Foundation and Upper Structure	
NTW-NN	Upper Structure Elements — Stack Components – 10″ Single Pad	416
NTW-NN	Upper Structure Elements – Stack Components – 16″ Single Pad	422
NTX	Upper Structure Elements — Stack Components – 10″ Translucent Pad	418
NTX	Upper Structure Elements – Stack Components – 16″ Translucent Pad	424
NTXX	Upper Structure Elements — Stack Kits – 10″ Translucent Stack Kit	403
NTXX	Upper Structure Elements — Stack Kits – 16″ Translucent Stack Kit	410
NTY-EC	Upper Structure Elements – Stack Components – PREMISE — 16″ Single Technology Slat Pad	428
NTY-NN	Upper Structure Elements — Stack Components – 10″ Single Pad	416
NTY-NN	Upper Structure Elements – Stack Components – 16″ Single Pad	422
NUB-1	Wall Mount Components – Overhead Storage Unit / Shelf Gang Clip	632
NVST-1	Panel Connectors and Trim Covers – Center Mount Bracket	369
NVST-G	Panel Connectors and Trim Covers – Grooved T-Mount Bracket	369
NVST-G1	Panel Connectors and Trim Covers – T-Mount Kit	368
NVST-G2	Panel Connectors and Trim Covers – T-Mount Kit	368
NVST-GN	Panel Connectors and Trim Covers – T-Mount Kit	368
NVST-S1	Panel Connectors and Trim Covers – T-Mount Kit	368
NVST-S2	Panel Connectors and Trim Covers – T-Mount Kit	368
NVST-SN	Panel Connectors and Trim Covers – T-Mount Kit	368
NVSW-G1	Panel Connectors and Trim Covers – Wall Mount Kit	371
NVSW-GN	Panel Connectors and Trim Covers – Wall Mount Kit	371
NVSW-S1	Panel Connectors and Trim Covers – Wall Mount Kit	371
NVSW-SN	Panel Connectors and Trim Covers – Wall Mount Kit	371
NVSZ-G1	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NVSZ-G2	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NVSZ-GN	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NVSZ-S1	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NVSZ-S2	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NVSZ-SN	Panel Connectors and Trim Covers – Off-Modular T-Mount Kit	370
NX2F	Panel Connectors and Trim Covers – 2-Way 90°, Extended Connector with Cover	342
NX2P	Panel Connectors and Trim Covers – 2-Way 90°, Extended Connector with Cover	342
NX2W	Panel Connectors and Trim Covers – 2-Way 90°, Extended Connector with Cover	342
NX3F	Panel Connectors and Trim Covers – 3-Way 90°, Extended Connector with Cover	354
NX3P	Panel Connectors and Trim Covers – 3-Way 90°, Extended Connector with Cover	354
NX3W	Panel Connectors and Trim Covers – 3-Way 90°, Extended Connector with Cover	354
NX4-10	Panel Connectors and Trim Covers – 4-Way 90°, Extended Connector	358
NX4-16	Panel Connectors and Trim Covers – 4-Way 90°, Extended Connector	358
NXRF	Panel Connectors and Trim Covers – Extended Connector with Cover	367
NXRP	Panel Connectors and Trim Covers – Extended Connector with Cover	367
NXRW	Panel Connectors and Trim Covers – Extended Connector with Cover	367
NXSS-10	Panel Connectors and Trim Covers – Straight Extended Connectors	334
NXSS-16	Panel Connectors and Trim Covers – Straight Extended Connectors	334
NXVF	Panel Connectors and Trim Covers – Extended Variable-Height Covers	389
NXVP	Panel Connectors and Trim Covers – Extended Variable-Height Covers	389
NXVW	Panel Connectors and Trim Covers – Extended Variable-Height Covers	389
NZ-16	Upper Structure Elements — Stack Kits – 16″ Stack Kit — Structural Cross Bar	413
NZA-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328

Index

Product Code	Product Description	Page
NZF-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328
NZH-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328
NZP-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328
NZW-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328
NZX-32	Foundation Elements — Super Base Panel – Off-Modular Single Pad	328
PPD-18	Worksurface Accessories – Pencil Drawer	604
SCD-19	Worksurface Accessories – Steel Center Drawer	604
UNFF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	618
UNFF-QZ	Adaptable Upper Storage – Overhead Storage Unit, Standard Off-Modular, Flipper Door	625
UNFS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	620
UNFS-LZ	Adaptable Upper Storage – Overhead Storage Unit, Standard Off-Modular, Flipper Door	625
UNFS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	617
UNFS-PZ	Adaptable Upper Storage – Overhead Storage Unit, Standard Off-Modular, Flipper Door	625
UNFS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	619
UNFS-WZ	Adaptable Upper Storage – Overhead Storage Unit, Standard Off-Modular, Flipper Door	625
UNGF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	622
UNGF-QZ	Adaptable Upper Storage – Overhead Storage Unit, Up Mount Off-Modular, Flipper Door	626
UNGS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	624
UNGS-LZ	Adaptable Upper Storage – Overhead Storage Unit, Up Mount Off-Modular, Flipper Door	626
UNGS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	621
UNGS-PZ	Adaptable Upper Storage – Overhead Storage Unit, Up Mount Off-Modular, Flipper Door	626
UNGS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	623
UNGS-WZ	Adaptable Upper Storage – Overhead Storage Unit, Up Mount Off-Modular, Flipper Door	626
UNHF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	618
UNHS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	620
UNHS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	617
UNHS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	619
UNJF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	622
UNJS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	624
UNJS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	621
UNJS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	623
UNKF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	618
UNKS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	620
UNKS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	617
UNKS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	619
UNLF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	622
UNLS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	624
UNLS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	621
UNLS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	623
UNSN-PM	Adaptable Upper Storage – Shelf	615
UNSN-PM	Adaptable Upper Storage – Up Mount Bracket Shelf	616
UNSY-PM	Adaptable Upper Storage – Straight Mini Shelf	616
UNSZ-PM	Adaptable Upper Storage – Corner Mini Shelf	616
UNTN-PM	Adaptable Upper Storage – Up Mount Shelf	615
UUFB-P	Wall Mount Components – Back for Wall Mounted Overhead Storage Unit	631
UUFF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	628
UUFS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	630
UUFS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	627
UUFS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	629
UUHF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	628
UUHS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	630
UUHS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	627
UUHS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	629

Index

Product Code	Product Description	Page
UUKF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	628
UUKS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	630
UUKS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	627
UUKS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	629
VLRD-0230-5A	V Series Lateral Files — Attached – Two-High — Attached	675
VNAT	Wall Mount Components – Wall Track	632
VNEH-2	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Infeed Harness	482
VNEH-3	PREMISE 3-Circuit – Electrical Components – Infeed Harness	460
VNEH-4	PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components – Infeed Harness	482
VNER-0003	PREMISE 3-Circuit – Electrical Components – Triplex Receptacles – 20 Amp	468
VNZP	Panel Accessories – Filler Post — Sliding Door	298
VPAH-24-5	V Series Attached and Suspended Pedestals – Box/Box/File — Attached	672
VPAJ-24-5	V Series Attached and Suspended Pedestals – File/File — Attached	672
VUZF	Panel Accessories – Sliding Door	298
WQAG	BRAZO – Grommet — For Use with BRAZO Grommet Mounted Light Only	639
WUAC-WSG	Electrical and Communication Accessories – Worksurface Grommet	498
WUAC-WSG	Electrical and Communication Accessories – Worksurface Grommet	501
WUAC-WSG	Worksurface Accessories – Worksurface Grommet	602
WUAR	Worksurface Accessories – Worksurface Reinforcement Channel	603
WUAW	Electrical and Communication Accessories – Horizontal Wire Manager	501
WUAW	Worksurface Accessories – Horizontal Wire Manager	602
WUCA	Adaptable Worksurfaces — Laminate – Corner, 90° Straight Front	523
WUCA-W	Adaptable Worksurfaces — Wood – Corner, 90° Straight Front	567
WUCB-L54	Adaptable Worksurfaces — Laminate – Bent	547
WUCB-R45	Adaptable Worksurfaces — Laminate – Bent	547
WUCB-WL54	Adaptable Worksurfaces — Wood – Bent	588
WUCB-WR45	Adaptable Worksurfaces — Wood – Bent	588
WUCC-0004	Worksurface Supports – Support Column	598
WUCD	Adaptable Worksurfaces — Laminate – D-Shaped Convergent, Wrap-Around	544
WUCD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent, Wrap-Around	586
WUCE-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Extended	532
WUCE-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	576
WUCE-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	576
WUCF-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Angled Transitional	529
WUCF-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Angled Transitional	529
WUCF-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	573
WUCF-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	573
WUCH-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	528
WUCH-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	528
WUCH-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	572
WUCH-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	572
WUCK	Adaptable Worksurfaces — Laminate – Corner, 90° Split Top	530
WUCK-W	Adaptable Worksurfaces — Wood – Corner, 90° Split Top	574
WUCL-0001	Worksurface Supports – Straight Leg Basic	598
WUCN	Adaptable Worksurfaces — Laminate – Corner, 90° Notched	525
WUCN-W	Adaptable Worksurfaces — Wood – Corner, 90° Notched	569
WUCP-L44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	534
WUCP-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	534
WUCP-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	578
WUCP-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	578
WUCQ-N44	Adaptable Worksurfaces — Laminate – 90° Merger	539
WUCQ-WN44	Adaptable Worksurfaces — Wood – 90° Merger	582
WUCR	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around	524

Index

Product Code	Product Description	Page
WUCR-W	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around	568
WUCT-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	527
WUCT-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	527
WUCT-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional	571
WUCT-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional	571
WUCU	Adaptable Worksurfaces — Laminate – Corner, 90° Angled	526
WUCU-W	Adaptable Worksurfaces — Wood – Corner, 90° Angled	570
WUCX-L43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	536
WUCX-R34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	536
WUCX-WL43	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	580
WUCX-WR34	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	580
WUCZ-N44	Adaptable Worksurfaces — Laminate – Corner, 120° Wrap-Around	540
WUCZ-WN44	Adaptable Worksurfaces — Wood – Corner, 120° Wrap-Around	583
WUDC-3930	Adaptable Worksurfaces — Laminate – Conference End	550
WUDC-3930-W	Adaptable Worksurfaces — Wood – Conference End	590
WUDC-5130	Adaptable Worksurfaces — Laminate – Conference End	550
WUDC-5130-W	Adaptable Worksurfaces — Wood – Conference End	590
WUDC-6330	Adaptable Worksurfaces — Laminate – Conference End	550
WUDC-6330-W	Adaptable Worksurfaces — Wood – Conference End	590
WUDD	Adaptable Worksurfaces — Laminate – D-Shaped Ender	546
WUDD-W	Adaptable Worksurfaces — Wood – D-Shaped Ender	587
WUDZ	Adaptable Worksurfaces — Laminate – 120° Link	552
WUDZ-W	Adaptable Worksurfaces — Wood – 120° Link	592
WURA	Adaptable Worksurfaces — Laminate – Rectangular	510
WURA-W	Adaptable Worksurfaces — Wood – Rectangular	554
WURD	Adaptable Worksurfaces — Laminate – D-Shaped Convergent	541
WURD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent	584
WURE-N34	Adaptable Worksurfaces — Laminate – Wedge	518
WURE-N43	Adaptable Worksurfaces — Laminate – Wedge	518
WURE-WN34	Adaptable Worksurfaces — Wood – Wedge	562
WURE-WN43	Adaptable Worksurfaces — Wood – Wedge	562
WURG-N34	Adaptable Worksurfaces — Laminate – Sharp Wedge	520
WURG-N43	Adaptable Worksurfaces — Laminate – Sharp Wedge	520
WURG-WN34	Adaptable Worksurfaces — Wood – Sharp Wedge	564
WURG-WN43	Adaptable Worksurfaces — Wood – Sharp Wedge	564
WURK	Adaptable Worksurfaces — Laminate – Rectangular — Split Top	522
WURK-W	Adaptable Worksurfaces — Wood – Rectangular — Split Top	566
WURR	Adaptable Worksurfaces — Laminate – Rectangular Radius End	521
WURR-W	Adaptable Worksurfaces — Wood – Rectangular Radius End	565
WURS	Adaptable Worksurfaces — Laminate – Rectangular Swell	514
WURS-W	Adaptable Worksurfaces — Wood – Rectangular Swell	558
WURT-N34	Adaptable Worksurfaces — Laminate – Rectangular Transition	516
WURT-N43	Adaptable Worksurfaces — Laminate – Rectangular Transition	516
WURT-WN34	Adaptable Worksurfaces — Wood – Rectangular Transition	560
WURT-WN43	Adaptable Worksurfaces — Wood – Rectangular Transition	560
WURV	Adaptable Worksurfaces — Laminate – Rectangular Convergent	542
WURV-W	Adaptable Worksurfaces — Wood – Rectangular Convergent	585
WURW	Adaptable Worksurfaces — Laminate – Rectangular Inverse Swell	515
WURW-W	Adaptable Worksurfaces — Wood – Rectangular Inverse Swell	559
WURY	Adaptable Worksurfaces — Laminate – Rectangular Key	513
WURY-3930-L	Adaptable Worksurfaces — Laminate – Key Conference End	551
WURY-3930-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-5130	Adaptable Worksurfaces — Laminate – Key Conference End	551

Index

Product Code	Product Description	Page
WURY-5130-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-5136	Adaptable Worksurfaces — Laminate – Key Conference End	551
WURY-5136-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-6336	Adaptable Worksurfaces — Laminate – Key Conference End	551
WURY-6336-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-6342	Adaptable Worksurfaces — Laminate – Key Conference End	551
WURY-6342-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-6348	Adaptable Worksurfaces — Laminate – Key Conference End	551
WURY-6348-W	Adaptable Worksurfaces — Wood – Key Conference End	591
WURY-W	Adaptable Worksurfaces — Wood – Rectangular Key	557
WUTS	Adaptable Worksurfaces — Laminate – Countertop	548
WUTS-W	Adaptable Worksurfaces — Wood	
ZEBF-0000-P	Adaptable Worksurface Supports – Anti Dislodgement Bracket — Only for use with Worksurface Support Panels	596
ZNBA-0000	Adaptable Worksurface Supports – Side Bracket	594
ZNBA-0000-PLF	Adaptable Worksurface Supports – Side Bracket for use with Knife Edge	595
ZNBA-0000-PRF	Adaptable Worksurface Supports – Side Bracket for use with Knife Edge	595
ZNBD-1000	Adaptable Worksurface Supports – Standard Mini Cantilever Bracket	593
ZNBD-1600	Adaptable Worksurface Supports – Standard Cantilever Bracket	593
ZNBH-1000	Adaptable Worksurface Supports – Shared Mini Cantilever Bracket	594
ZNBH-1600	Adaptable Worksurface Supports – Standard Shared Cantilever Bracket	593
ZNBN-0000	Adaptable Worksurface Supports – Pedestal-to-Panel Bracket	596
ZNBO	Adaptable Worksurface Supports – Off-Modular Worksurface Bracket	594
ZNBR-0000	Adaptable Worksurface Supports – Rear-Corner Bracket	595
ZNBT-PNE	Adaptable Worksurface Supports – Countertop Bracket	595
ZNBT-PNS	Adaptable Worksurface Supports – Countertop Bracket	595
ZNFS-LNE	Worksurface Supports	
ZNFS-WNE	Worksurface Supports	
ZUBF-0000	Adaptable Worksurface Supports – Flush Mount Plate	595
ZUBW-PN	Accessories – Worksurface to Wall Bracket	631
ZUFJ	Worksurface Supports – Single Support Leg	599
ZZFJ	Worksurface Supports – Support Post	600
ZZFK	Worksurface Supports – Double Support Leg	599
ZZFZ	Worksurface Supports – Adjustable Height Disc Base	598

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the "policy") applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth "Specials" products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth "Specials" products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.

All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is "Customer's Own Material" (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) "puddling" of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2015 6.15 Item #0013

haworth.com | haworth-europe.com | haworth-asia.com

PREMISE 3-Circuit – Electrical Components

Receptacle with USB Charging Outlet

	Description	Circuit Access	Ground Type	Number	Price
15 Amp Duplex Receptacle with USB Charging Outlet	15A	Circuit 1	Common	EUER-0015-3M13U	**$480.00**



EUER-0015-3M13U

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration) and two USB charging outlets.
- For use with panels equipped with 3-circuit power components.
- Receptacles are common ground only.
- USB 2 Amp shared; 5VDC.

Specification Tips

- **Receptacles have fixed circuit access to circuit one only and are not field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

NEW PAGE
Click Here for Details

PREMISE 4-Circuit (2+2 and 3+1) – Electrical Components

Receptacle with USB Charging Outlet

15 Amp Duplex Receptacle with USB Charging Outlet — *4-Circuit (2+2 and 3+1)*



EUER-0015

Description	Circuit Access	Receptacle Identifier	Ground Type	Number	Price
2+2 15A	Circuit 1	1	Common	EUER-0015-2M13U	**$480.00**
3+1 15A	Circuit 1	A	Common	EUER-0015-4M13U	**$480.00**

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration) and two USB charging outlets.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are common ground only.
- USB 2 Amp shared; 5VDC.

Specification Tips

- **Receptacles have fixed circuit access to circuit one only and are not field programmable.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Class YA – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

3-Port:
(2) Power
(1) USB



EUD1-PF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-PF0B-2112

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-PF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	**$483.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	**483.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	**543.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	**603.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	**483.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	**543.53**
						3 Power Receptacles	EUD1-PF0B-3000	**483.53**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	**$483.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	**483.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	**543.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	**663.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	**483.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	**483.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	**543.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	**603.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	**483.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	**543.53**
						4 Power Receptacles	EUD1-PF0B-4000	**483.53**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	**$595.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	**595.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	**595.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	**655.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	**655.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	**715.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	**715.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	**775.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	**535.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	**535.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	**535.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	**595.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	**595.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	**655.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	**655.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	**715.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	**775.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	**535.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	**595.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	**595.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	**655.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	**715.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	**535.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	**535.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	**595.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	**655.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	**535.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	**595.53**
						6 Power Receptacles	EUD1-PF0B-6000	**535.53**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	**$379.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	**379.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	**439.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	**499.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	**379.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	**439.53**
						3 Power Receptacles	EUD1-PF0W-3000	**379.53**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	**$379.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	**379.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	**439.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	**559.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	**379.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	**379.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	**439.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	**499.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	**379.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	**439.53**
						4 Power Receptacles	EUD1-PF0W-4000	**379.53**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	**$491.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	**491.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	**491.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	**551.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	**551.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	**611.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	**611.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	**671.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	**431.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	**431.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	**431.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	**491.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	**491.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	**551.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	**551.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	**611.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	**671.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	**431.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	**491.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	**491.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	**551.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	**611.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	**431.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	**431.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	**491.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	**551.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	**431.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	**491.53**
						6 Power Receptacles	EUD1-PF0W-6000	**431.53**

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	**$532.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	**532.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	**592.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	**652.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	**532.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	**592.41**
						3 Power Receptacles	EUD1-PL0B-3000	**532.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	**$532.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	**532.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	**592.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	**712.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	**532.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	**532.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	**592.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	**652.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	**532.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	**592.41**
						4 Power Receptacles	EUD1-PL0B-4000	**532.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	**$644.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	**644.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	**644.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	**704.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	**704.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	**764.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	**764.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	**824.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	**584.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	**584.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	**584.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	**644.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	**644.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	**704.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	**704.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	**764.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	**824.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	**584.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	**644.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	**644.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	**704.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	**764.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	**584.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	**584.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	**644.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	**704.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	**584.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	**644.41**
						6 Power Receptacles	EUD1-PL0B-6000	**584.41**

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	**$428.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	**428.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	**488.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	**548.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	**428.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	**488.41**
						3 Power Receptacles	EUD1-PL0W-3000	**428.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	**$428.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	**428.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	**488.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	**608.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	**428.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	**428.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	**488.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	**548.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	**428.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	**488.41**
						4 Power Receptacles	EUD1-PL0W-4000	**428.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	**$540.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	**540.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	**540.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	**600.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	**600.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	**660.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	**660.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	**720.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	**480.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	**480.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	**480.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	**540.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	**540.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	**600.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	**600.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	**660.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	**720.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	**480.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	**540.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	**540.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	**600.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	**660.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	**480.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	**480.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	**540.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	**600.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	**480.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	**540.41**
						6 Power Receptacles	EUD1-PL0W-6000	**480.41**

NEW PAGE
Click Here for Details

This page intentionally blank

Enhanced Power Module

Hardwire

3-Port:
(2) Power
(1) USB



EUD1-HF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-HF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-HF0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	**$544.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	**544.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	**604.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	**664.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	**544.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	**604.81**
						3 Power Receptacles	EUD1-HF0B-3000	**544.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	**$544.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	**544.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	**604.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	**724.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	**544.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	**544.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	**604.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	**664.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	**544.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	**604.81**
						4 Power Receptacles	EUD1-HF0B-4000	**544.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	**$656.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	**656.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	**656.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	**716.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	**716.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	**776.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	**776.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	**836.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	**596.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	**596.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	**596.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	**656.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	**656.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	**716.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	**716.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	**776.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	**836.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	**596.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	**656.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	**656.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	**716.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	**776.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	**596.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	**596.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	**656.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	**716.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	**596.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	**656.81**
						6 Power Receptacles	EUD1-HF0B-6000	**596.81**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	**$440.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	**440.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	**500.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	**560.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	**440.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	**500.81**
						3 Power Receptacles	EUD1-HF0W-3000	**440.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	**$440.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	**440.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	**500.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	**620.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	**440.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	**440.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	**500.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	**560.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	**440.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	**500.81**
						4 Power Receptacles	EUD1-HF0W-4000	**440.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	**$552.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	**552.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	**552.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	**612.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	**612.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	**672.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	**672.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	**732.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	**492.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	**492.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	**492.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	**552.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	**552.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	**612.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	**612.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	**672.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	**732.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	**492.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	**552.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	**552.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	**612.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	**672.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	**492.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	**492.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	**552.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	**612.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	**492.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	**552.81**
						6 Power Receptacles	EUD1-HF0W-6000	**492.81**

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0B-1002	**$593.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0B-1020	**593.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0B-1110	**653.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0B-1200	**713.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0B-2010	**593.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0B-2100	**653.69**
						3 Power Receptacles	EUD1-HL0B-3000	**593.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1012	**$593.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0B-1030	**593.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-1102	**653.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0B-1300	**773.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0B-2002	**593.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0B-2020	**593.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-2110	**653.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0B-2200	**713.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0B-3010	**593.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0B-3100	**653.69**
						4 Power Receptacles	EUD1-HL0B-4000	**593.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0B-1104	**$705.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-1122	**705.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0B-1140	**705.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1212	**765.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0B-1230	**765.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0B-1302	**825.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0B-1320	**825.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0B-1410	**885.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0B-2004	**645.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-2022	**645.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0B-2040	**645.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-2112	**705.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0B-2130	**705.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0B-2202	**765.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0B-2220	**765.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0B-2310	**825.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0B-2400	**885.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0B-3030	**645.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-3102	**705.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0B-3120	**705.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0B-3210	**765.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0B-3300	**825.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0B-4002	**645.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0B-4020	**645.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-4110	**705.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0B-4200	**765.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0B-5010	**645.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0B-5100	**705.69**
						6 Power Receptacles	EUD1-HL0B-6000	**645.69**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0W-1002	**$489.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0W-1020	**489.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0W-1110	**549.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0W-1200	**609.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0W-2010	**489.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0W-2100	**549.69**
						3 Power Receptacles	EUD1-HL0W-3000	**489.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1012	**$489.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0W-1030	**489.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-1102	**549.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0W-1300	**669.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0W-2002	**489.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0W-2020	**489.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-2110	**549.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0W-2200	**609.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0W-3010	**489.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0W-3100	**549.69**
						4 Power Receptacles	EUD1-HL0W-4000	**489.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0W-1104	**$601.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-1122	**601.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0W-1140	**601.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1212	**661.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0W-1230	**661.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0W-1302	**721.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0W-1320	**721.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0W-1410	**781.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0W-2004	**541.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-2022	**541.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0W-2040	**541.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-2112	**601.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0W-2130	**601.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0W-2202	**661.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0W-2220	**661.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0W-2310	**721.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0W-2400	**781.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0W-3030	**541.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-3102	**601.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0W-3120	**601.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0W-3210	**661.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0W-3300	**721.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0W-4002	**541.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0W-4020	**541.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-4110	**601.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0W-4200	**661.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0W-5010	**541.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0W-5100	**601.69**
						6 Power Receptacles	EUD1-HL0W-6000	**541.69**

NEW PAGE
Click Here for Details

Enhanced Power Module

Spiral Corded — Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	**$767.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	**827.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	**707.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	**767.13**
					4	4 Power Receptacles	EUD1-SF0B-4000	**707.13**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	**$663.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	**723.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	**603.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	**663.13**
					4	4 Power Receptacles	EUD1-SF0W-4000	**603.13**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SF0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SF0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10′(3048mm) to 12′(3658mm) when stretched.
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Enhanced Power Module

Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0B-2110	**$816.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0B-2200	**876.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0B-3010	**756.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0B-3100	**816.01**
					4	4 Power Receptacles	EUD1-SL0B-4000	**756.01**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0W-2110	**$712.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0W-2200	**772.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0W-3010	**652.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0W-3100	**712.01**
					4	4 Power Receptacles	EUD1-SL0W-4000	**652.01**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SL0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SL0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12′(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module Brackets

Above Worksurface – Adjustable



EUDB-0000-H

Height	Width	Length	Description	Number	Price
4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-HB	**$52.00**
			White Bracket	EUDB-0000-HW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop.
- Not for use with a tack board.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Above Worksurface – Fixed



EUDB-0000-W

Height	Width	Length	Description	Number	Price
4 1/4″(107mm)	3″(76mm)	2″(51mm)	Black Bracket	EUDB-0000-WB	**$52.00**
			White Bracket	EUDB-0000-WW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with Enhanced Power Module above worksurface.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Enhanced Power Module Brackets

Above Worksurface – Adjustable with Tackboard Offset



EUDB-0000-T

Height	Width	Length	Description	Number	Price
4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-TB	**$52.00**
			White Bracket	EUDB-0000-TW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop when a tackboard is present.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Under Worksurface – Fixed



EUDB-0000-U

Height	Width	Length	Description	Number	Price
2″(51mm)	3″(76mm)	2 1/2″(64mm)	Black Bracket	EUDB-0000-UB	**$52.00**
			White Bracket	EUDB-0000-UW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with offset to accommodate most transformer plugs.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Flip Top Units

Non-Powered

Width	Bezel Depth	Trim Color	Port Color	Port	Configuration	Number	Price
Single-Sided Outlets							
5 5/16″(135mm)	4 7/16″(113mm)	Black Anodized	Black	2	1 Cable Bay	EUE1-000B-0002	**$ 638.70**
					2 Data Ports	EUE1-000B-0020	**638.70**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000B-0022	**$ 638.70**
					4 Data Ports	EUE1-000B-0040	**638.70**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000B-0042	**$ 638.70**
					6 Data Ports	EUE1-000B-0060	**638.70**
5 5/16″(135mm)	4 7/16″(113mm)	Clear Anodized	White	2	1 Cable Bay	EUE1-000W-0002	**$ 476.46**
					2 Data Ports	EUE1-000W-0020	**476.46**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000W-0022	**$ 476.46**
					4 Data Ports	EUE1-000W-0040	**476.46**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000W-0042	**$ 476.46**
					6 Data Ports	EUE1-000W-0060	**476.46**
Double-Sided Outlets							
8 5/16″(211mm)	8 1/16″(205mm)	Black Anodized	Black	4	2 Data Ports, 1 Cable Bay	EUE2-000B-0022	**$1112.17**
					4 Data Ports	EUE2-000B-0040	**1112.17**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000B-0042	**$1112.17**
					6 Data Ports	EUE2-000B-0060	**1112.17**
8 5/16″(211mm)	8 1/16″(205mm)	Clear Anodized	White	4	2 Data Ports, 1 Cable Bay	EUE2-000W-0022	**$ 949.93**
					4 Data Ports	EUE2-000W-0040	**949.93**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000W-0042	**$ 949.93**
					6 Data Ports	EUE2-000W-0060	**949.93**



EUE1-000B



EUE2-000B

Features

- Includes bezel and nonpowered flip top module with 2, 4 or 6 ports that can be configured with data jack adapters or cable bays and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

4-Port:
(2) Power
(1) USB
(1) Data



EUE1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUE1-PF0B-1212

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE1-PF0B-4000

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Corded flip top units with four or more receptacles utilize a fused plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptable, 1 Data Port	A, B	EUE1-PF0B-1010	**$638.70**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0B-1100	**698.70**
						2 Power Receptacles	A, B	EUE1-PF0B-2000	**638.70**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0B-1012	**$638.70**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0B-1030	**638.70**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0B-1102	**698.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0B-1120	**698.70**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0B-1300	**818.70**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0B-2002	**638.70**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0B-2020	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0B-2110	**698.70**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0B-2200	**758.70**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0B-3010	**638.70**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0B-3100	**698.70**
						4 Power Receptacles	F, V	EUE1-PF0B-4000	**638.70**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1032	**$638.70**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0B-1050	**638.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1122	**698.70**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0B-1140	**698.70**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-1212	**758.70**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-1230	**758.70**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-1302	**818.70**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-1320	**818.70**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-2022	**638.70**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0B-2040	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-2112	**698.70**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-2130	**698.70**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-2202	**758.70**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-2220	**758.70**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0B-2310	**818.70**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0B-2400	**878.70**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-3012	**638.70**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0B-3030	**638.70**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-3102	**698.70**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-3120	**698.70**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0B-3210	**758.70**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0B-3300	**818.70**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0B-4002	**638.70**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0B-4020	**638.70**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0B-4110	**698.70**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0B-4200	**758.70**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0B-5010	**638.70**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0B-5100	**698.70**
						6 Power Receptacles	J, K	EUE1-PF0B-6000	**638.70**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0W-1010	**$476.46**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0W-1100	**536.46**
						2 Power Receptacles	A, B	EUE1-PF0W-2000	**476.46**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0W-1012	**$476.46**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0W-1030	**476.46**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0W-1102	**536.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0W-1120	**536.46**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0W-1300	**656.46**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0W-2002	**476.46**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0W-2020	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0W-2110	**536.46**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0W-2200	**596.46**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0W-3010	**476.46**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0W-3100	**536.46**
						4 Power Receptacles	F, V	EUE1-PF0W-4000	**476.46**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1032	**$476.46**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0W-1050	**476.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1122	**536.46**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0W-1140	**536.46**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-1212	**596.46**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-1230	**596.46**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-1302	**656.46**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-1320	**656.46**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-2022	**476.46**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0W-2040	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-2112	**536.46**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-2130	**536.46**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-2202	**596.46**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-2220	**596.46**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0W-2310	**656.46**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0W-2400	**716.46**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-3012	**476.46**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0W-3030	**476.46**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-3102	**536.46**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-3120	**536.46**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0W-3210	**596.46**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0W-3300	**656.46**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0W-4002	**476.46**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0W-4020	**476.46**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0W-4110	**536.46**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0W-4200	**596.46**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0W-5010	**476.46**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0W-5100	**536.46**
						6 Power Receptacles	J, K	EUE1-PF0W-6000	**476.46**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0B-1010	**$687.72**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0B-1100	**747.72**
						2 Power Receptacles	A, B	EUE1-PL0B-2000	**687.72**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0B-1012	**$687.72**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0B-1030	**687.72**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0B-1102	**747.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0B-1120	**747.72**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0B-1300	**867.72**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0B-2002	**687.72**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0B-2020	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0B-2110	**747.72**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0B-2200	**807.72**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0B-3010	**687.72**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0B-3100	**747.72**
						4 Power Receptacles	F, V	EUE1-PL0B-4000	**687.72**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1032	**$687.72**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0B-1050	**687.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1122	**747.72**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0B-1140	**747.72**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-1212	**807.72**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-1230	**807.72**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-1302	**867.72**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-1320	**867.72**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-2022	**687.72**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0B-2040	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-2112	**747.72**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-2130	**747.72**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-2202	**807.72**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-2220	**807.72**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0B-2310	**867.72**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0B-2400	**927.72**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-3012	**687.72**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0B-3030	**687.72**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-3102	**747.72**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-3120	**747.72**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0B-3210	**807.72**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0B-3300	**867.72**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0B-4002	**687.72**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0B-4020	**687.72**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0B-4110	**747.72**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0B-4200	**807.72**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0B-5010	**687.72**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0B-5100	**747.72**
						6 Power Receptacles	J, K	EUE1-PL0B-6000	**687.72**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0W-1010	**$525.48**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0W-1100	**585.48**
						2 Power Receptacles	A, B	EUE1-PL0W-2000	**525.48**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0W-1012	**$525.48**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0W-1030	**525.48**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0W-1102	**585.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0W-1120	**585.48**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0W-1300	**705.48**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0W-2002	**525.48**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0W-2020	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0W-2110	**585.48**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0W-2200	**645.48**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0W-3010	**525.48**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0W-3100	**585.48**
						4 Power Receptacles	F, V	EUE1-PL0W-4000	**525.48**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1032	**$525.48**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0W-1050	**525.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1122	**585.48**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0W-1140	**585.48**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-1212	**645.48**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-1230	**645.48**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-1302	**705.48**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-1320	**705.48**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-2022	**525.48**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0W-2040	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-2112	**585.48**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-2130	**585.48**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-2202	**645.48**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-2220	**645.48**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0W-2310	**705.48**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0W-2400	**765.48**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-3012	**525.48**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0W-3030	**525.48**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-3102	**585.48**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-3120	**585.48**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0W-3210	**645.48**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0W-3300	**705.48**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0W-4002	**525.48**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0W-4020	**525.48**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0W-4110	**585.48**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0W-4200	**645.48**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0W-5010	**525.48**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0W-5100	**585.48**
						6 Power Receptacles	J, K	EUE1-PL0W-6000	**525.48**

NEW PAGE
Click Here for Details

This page intentionally blank

Flip Top Unit

Corded — Double-Sided

4-Port:



EUE2-PF0B-2110

6-Port:



EUE2-PF0B-1212

4-Port:



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE2-PF0B-4000

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0B-1012	**$1112.17**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0B-1030	**1112.17**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0B-1102	**1172.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0B-1120	**1172.17**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0B-1300	**1292.17**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0B-2002	**1112.17**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0B-2020	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0B-2110	**1172.17**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0B-2200	**1232.17**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0B-3010	**1112.17**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0B-3100	**1172.17**
						4 Power Receptacles	M, P	EUE2-PF0B-4000	**1112.17**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1032	**$1112.17**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0B-1050	**1112.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1122	**1172.17**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0B-1140	**1172.17**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0B-1212	**1232.17**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-1230	**1232.17**
						1 Power Receptacle, 3 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-1302	**1292.17**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-1320	**1292.17**
						2 Power Receptacles, 2 Data Ports, 2 Cable Bays	Q, V	EUE2-PF0B-2022	**1112.17**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0B-2040	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-2112	**1172.17**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-2130	**1172.17**
						2 Power Receptacles, 2 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-2202	**1232.17**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-2220	**1232.17**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-2310	**1292.17**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0B-2400	**1352.17**
						3 Power Receptacles, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-3012	**1112.17**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0B-3030	**1112.17**
						3 Power Receptacles, 1 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-3102	**1172.17**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-3120	**1172.17**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-3210	**1232.17**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0B-3300	**1292.17**
						4 Power Receptacles, 2 Cable Bays	Q, V	EUE2-PF0B-4002	**1112.17**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0B-4020	**1112.17**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-4110	**1172.17**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0B-4200	**1232.17**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0B-5010	**1112.17**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0B-5100	**1172.17**
						6 Power Receptacles	Q, V	EUE2-PF0B-6000	**1112.17**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0W-1012	**$ 949.93**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0W-1030	**949.93**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0W-1102	**1009.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0W-1120	**1009.93**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0W-1300	**1129.93**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0W-2002	**949.93**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0W-2020	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0W-2110	**1009.93**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0W-2200	**1069.93**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0W-3010	**949.93**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0W-3100	**1009.93**
						4 Power Receptacles	M, P	EUE2-PF0W-4000	**949.93**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1032	**$ 949.93**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0W-1050	**949.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1122	**1009.93**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0W-1140	**1009.93**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-1212	**1069.93**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-1230	**1069.93**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-1302	**1129.93**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-1320	**1129.93**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-2022	**949.93**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0W-2040	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-2112	**1009.93**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-2130	**1009.93**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-2202	**1069.93**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-2220	**1069.93**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-2310	**1129.93**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0W-2400	**1189.93**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-3012	**949.93**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0W-3030	**949.93**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-3102	**1009.93**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-3120	**1009.93**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-3210	**1069.93**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0W-3300	**1129.93**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PF0W-4002	**949.93**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0W-4020	**949.93**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-4110	**1009.93**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0W-4200	**1069.93**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0W-5010	**949.93**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0W-5100	**1009.93**
						6 Power Receptacles	Q, V	EUE2-PF0W-6000	**949.93**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0B-1012	**$1161.19**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0B-1030	**1161.19**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0B-1102	**1221.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0B-1120	**1221.19**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0B-1300	**1341.19**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0B-2002	**1161.19**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0B-2020	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0B-2110	**1221.19**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0B-2200	**1281.19**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0B-3010	**1161.19**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0B-3100	**1221.19**
						4 Power Receptacles	M, P	EUE2-PL0B-4000	**1161.19**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1032	**$1161.19**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0B-1050	**1161.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1122	**1221.19**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0B-1140	**1221.19**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-1212	**1281.19**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-1230	**1281.19**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-1302	**1341.19**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-1320	**1341.19**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-2022	**1161.19**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0B-2040	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-2112	**1221.19**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-2130	**1221.19**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-2202	**1281.19**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-2220	**1281.19**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-2310	**1341.19**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0B-2400	**1401.19**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-3012	**1161.19**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0B-3030	**1161.19**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-3102	**1221.19**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-3120	**1221.19**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-3210	**1281.19**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0B-3300	**1341.19**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0B-4002	**1161.19**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0B-4020	**1161.19**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-4110	**1221.19**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0B-4200	**1281.19**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0B-5010	**1161.19**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0B-5100	**1221.19**
						6 Power Receptacles	Q, V	EUE2-PL0B-6000	**1161.19**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0W-1012	**$ 998.95**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0W-1030	**998.95**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0W-1102	**1058.95**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0W-1120	**1058.95**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0W-1300	**1178.95**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0W-2002	**998.95**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0W-2020	**998.95**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0W-2110	**1058.95**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0W-2200	**1118.95**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0W-3010	**998.95**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0W-3100	**1058.95**
						4 Power Receptacles	M, P	EUE2-PL0W-4000	**998.95**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1032	**$ 998.95**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0W-1050	**998.95**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1122	**1058.95**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0W-1140	**1058.95**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-1212	**1118.95**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-1230	**1118.95**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-1302	**1178.95**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-1320	**1178.95**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-2022	**998.95**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0W-2040	**998.95**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-2112	**1058.95**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-2130	**1058.95**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-2202	**1118.95**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-2220	**1118.95**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-2310	**1178.95**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0W-2400	**1238.95**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-3012	**998.95**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0W-3030	**998.95**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-3102	**1058.95**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-3120	**1058.95**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-3210	**1118.95**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0W-3300	**1178.95**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0W-4002	**998.95**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0W-4020	**998.95**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-4110	**1058.95**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0W-4200	**1118.95**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0W-5010	**998.95**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0W-5100	**1058.95**
						6 Power Receptacles	Q, V	EUE2-PL0W-6000	**998.95**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

4-Port:

(2) Power
(1) USB
(1) Data



EUE1-HF0B-2110

6-Port:



EUE1-HF0B-1212

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0B-1010	**$705.54**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0B-1100	**765.54**
						2 Power Receptacles	A, B	EUE1-HF0B-2000	**705.54**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0B-1012	**$705.54**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0B-1030	**705.54**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0B-1102	**765.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0B-1120	**765.54**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0B-1300	**885.54**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0B-2002	**705.54**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0B-2020	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0B-2110	**765.54**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0B-2200	**825.54**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0B-3010	**705.54**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0B-3100	**765.54**
						4 Power Receptacles	F, V	EUE1-HF0B-4000	**705.54**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1032	**$705.54**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0B-1050	**705.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1122	**765.54**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0B-1140	**765.54**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-1212	**825.54**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-1230	**825.54**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-1302	**885.54**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-1320	**885.54**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-2022	**705.54**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0B-2040	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-2112	**765.54**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-2130	**765.54**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-2202	**825.54**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-2220	**825.54**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0B-2310	**885.54**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0B-2400	**945.54**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-3012	**705.54**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0B-3030	**705.54**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-3102	**765.54**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-3120	**765.54**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0B-3210	**825.54**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0B-3300	**885.54**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0B-4002	**705.54**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0B-4020	**705.54**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0B-4110	**765.54**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0B-4200	**825.54**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0B-5010	**705.54**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0B-5100	**765.54**
						6 Power Receptacles	J, K	EUE1-HF0B-6000	**705.54**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0W-1010	**$543.30**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0W-1100	**603.30**
						2 Power Receptacles	A, B	EUE1-HF0W-2000	**543.30**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0W-1012	**$543.30**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0W-1030	**543.30**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0W-1102	**603.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0W-1120	**603.30**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0W-1300	**723.30**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0W-2002	**543.30**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0W-2020	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0W-2110	**603.30**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0W-2200	**663.30**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0W-3010	**543.30**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0W-3100	**603.30**
						4 Power Receptacles	F, V	EUE1-HF0W-4000	**543.30**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1032	**$543.30**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0W-1050	**543.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1122	**603.30**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0W-1140	**603.30**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-1212	**663.30**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-1230	**663.30**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-1302	**723.30**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-1320	**723.30**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-2022	**543.30**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0W-2040	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-2112	**603.30**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-2130	**603.30**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-2202	**663.30**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-2220	**663.30**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0W-2310	**723.30**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0W-2400	**783.30**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-3012	**543.30**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0W-3030	**543.30**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-3102	**603.30**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-3120	**603.30**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0W-3210	**663.30**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0W-3300	**723.30**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0W-4002	**543.30**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0W-4020	**543.30**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0W-4110	**603.30**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0W-4200	**663.30**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0W-5010	**543.30**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0W-5100	**603.30**
						6 Power Receptacles	J, K	EUE1-HF0W-6000	**543.30**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0B-1010	**$754.56**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0B-1100	**814.56**
						2 Power Receptacles	A, B	EUE1-HL0B-2000	**754.56**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0B-1012	**$754.56**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0B-1030	**754.56**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0B-1102	**814.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0B-1120	**814.56**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0B-1300	**934.56**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0B-2002	**754.56**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0B-2020	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0B-2110	**814.56**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0B-2200	**874.56**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0B-3010	**754.56**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0B-3100	**814.56**
						4 Power Receptacles	F, V	EUE1-HL0B-4000	**754.56**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1032	**$754.56**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0B-1050	**754.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1122	**814.56**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0B-1140	**814.56**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-1212	**874.56**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-1230	**874.56**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-1302	**934.56**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-1320	**934.56**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-2022	**754.56**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0B-2040	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-2112	**814.56**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-2130	**814.56**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-2202	**874.56**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-2220	**874.56**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0B-2310	**934.56**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0B-2400	**994.56**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-3012	**754.56**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0B-3030	**754.56**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-3102	**814.56**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-3120	**814.56**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0B-3210	**874.56**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0B-3300	**934.56**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0B-4002	**754.56**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0B-4020	**754.56**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0B-4110	**814.56**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0B-4200	**874.56**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0B-5010	**754.56**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0B-5100	**814.56**
						6 Power Receptacles	J, K	EUE1-HL0B-6000	**754.56**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0W-1010	**$592.32**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0W-1100	**652.32**
						2 Power Receptacles	A, B	EUE1-HL0W-2000	**592.32**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0W-1012	**$592.32**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0W-1030	**592.32**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0W-1102	**652.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0W-1120	**652.32**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0W-1300	**772.32**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0W-2002	**592.32**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0W-2020	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0W-2110	**652.32**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0W-2200	**712.32**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0W-3010	**592.32**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0W-3100	**652.32**
						4 Power Receptacles	F, V	EUE1-HL0W-4000	**592.32**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1032	**$592.32**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0W-1050	**592.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1122	**652.32**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0W-1140	**652.32**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-1212	**712.32**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-1230	**712.32**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-1302	**772.32**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-1320	**772.32**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-2022	**592.32**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0W-2040	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-2112	**652.32**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-2130	**652.32**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-2202	**712.32**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-2220	**712.32**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0W-2310	**772.32**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0W-2400	**832.32**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-3012	**592.32**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0W-3030	**592.32**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-3102	**652.32**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-3120	**652.32**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0W-3210	**712.32**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0W-3300	**772.32**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0W-4002	**592.32**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0W-4020	**592.32**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0W-4110	**652.32**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0W-4200	**712.32**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0W-5010	**592.32**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0W-5100	**652.32**
						6 Power Receptacles	J, K	EUE1-HL0W-6000	**592.32**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

4-Port:



EUE2-HF0B-2110

6-Port:



EUE2-HF0B-1212

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top frame is flush mounted with two spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Note two conduit feeds are provided from the double-sided flip top unit.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0B-1012	**$1245.85**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0B-1030	**1245.85**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0B-1102	**1305.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0B-1120	**1305.85**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0B-1300	**1425.85**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0B-2002	**1245.85**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0B-2020	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0B-2110	**1305.85**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0B-2200	**1365.85**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0B-3010	**1245.85**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0B-3100	**1305.85**
						4 Power Receptacles	M, P	EUE2-HF0B-4000	**1245.85**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1032	**$1245.85**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0B-1050	**1245.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1122	**1305.85**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0B-1140	**1305.85**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-1212	**1365.85**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-1230	**1365.85**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-1302	**1425.85**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-1320	**1425.85**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-2022	**1245.85**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0B-2040	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-2112	**1305.85**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-2130	**1305.85**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-2202	**1365.85**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-2220	**1365.85**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-2310	**1425.85**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0B-2400	**1485.85**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-3012	**1245.85**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0B-3030	**1245.85**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-3102	**1305.85**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-3120	**1305.85**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-3210	**1365.85**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0B-3300	**1425.85**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0B-4002	**1245.85**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0B-4020	**1245.85**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-4110	**1305.85**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0B-4200	**1365.85**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0B-5010	**1245.85**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0B-5100	**1305.85**
						6 Power Receptacles	Q, V	EUE2-HF0B-6000	**1245.85**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0W-1012	**$1083.61**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0W-1030	**1083.61**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0W-1102	**1143.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0W-1120	**1143.61**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0W-1300	**1263.61**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0W-2002	**1083.61**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0W-2020	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0W-2110	**1143.61**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0W-2200	**1203.61**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0W-3010	**1083.61**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0W-3100	**1143.61**
						4 Power Receptacles	M, P	EUE2-HF0W-4000	**1083.61**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1032	**$1083.61**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0W-1050	**1083.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1122	**1143.61**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0W-1140	**1143.61**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-1212	**1203.61**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-1230	**1203.61**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-1302	**1263.61**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-1320	**1263.61**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-2022	**1083.61**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0W-2040	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-2112	**1143.61**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-2130	**1143.61**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-2202	**1203.61**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-2220	**1203.61**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-2310	**1263.61**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0W-2400	**1323.61**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-3012	**1083.61**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0W-3030	**1083.61**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-3102	**1143.61**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-3120	**1143.61**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-3210	**1203.61**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0W-3300	**1263.61**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0W-4002	**1083.61**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0W-4020	**1083.61**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-4110	**1143.61**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0W-4200	**1203.61**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0W-5010	**1083.61**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0W-5100	**1143.61**
						6 Power Receptacles	Q, V	EUE2-HF0W-6000	**1083.61**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0B-1012	**$1294.87**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0B-1030	**1294.87**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0B-1102	**1354.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0B-1120	**1354.87**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0B-1300	**1474.87**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0B-2002	**1294.87**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0B-2020	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0B-2110	**1354.87**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0B-2200	**1414.87**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0B-3010	**1294.87**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0B-3100	**1354.87**
						4 Power Receptacles	M, P	EUE2-HL0B-4000	**1294.87**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1032	**$1294.87**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0B-1050	**1294.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1122	**1354.87**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0B-1140	**1354.87**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-1212	**1414.87**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-1230	**1414.87**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-1302	**1474.87**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-1320	**1474.87**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-2022	**1294.87**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0B-2040	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-2112	**1354.87**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-2130	**1354.87**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-2202	**1414.87**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-2220	**1414.87**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-2310	**1474.87**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0B-2400	**1534.87**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-3012	**1294.87**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0B-3030	**1294.87**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-3102	**1354.87**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-3120	**1354.87**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-3210	**1414.87**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0B-3300	**1474.87**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0B-4002	**1294.87**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0B-4020	**1294.87**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-4110	**1354.87**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0B-4200	**1414.87**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0B-5010	**1294.87**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0B-5100	**1354.87**
						6 Power Receptacles	Q, V	EUE2-HL0B-6000	**1294.87**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0W-1012	**$1132.63**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0W-1030	**1132.63**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0W-1102	**1192.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0W-1120	**1192.63**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0W-1300	**1312.63**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0W-2002	**1132.63**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0W-2020	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0W-2110	**1192.63**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0W-2200	**1252.63**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0W-3010	**1132.63**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0W-3100	**1192.63**
						4 Power Receptacles	M, P	EUE2-HL0W-4000	**1132.63**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1032	**$1132.63**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0W-1050	**1132.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1122	**1192.63**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0W-1140	**1192.63**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-1212	**1252.63**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-1230	**1252.63**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-1302	**1312.63**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-1320	**1312.63**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-2022	**1132.63**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0W-2040	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-2112	**1192.63**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-2130	**1192.63**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-2202	**1252.63**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-2220	**1252.63**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-2310	**1312.63**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0W-2400	**1372.63**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-3012	**1132.63**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0W-3030	**1132.63**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-3102	**1192.63**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-3120	**1192.63**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-3210	**1252.63**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0W-3300	**1312.63**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0W-4002	**1132.63**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0W-4020	**1132.63**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-4110	**1192.63**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0W-4200	**1252.63**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0W-5010	**1132.63**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0W-5100	**1192.63**
						6 Power Receptacles	Q, V	EUE2-HL0W-6000	**1132.63**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical Components

Cables

Cables



EUDX-H000-B



EUDX-V000-B

EUDX-3000-B

Length	Description	Color	Number	Price
HDMI Coupler				
N/A	HDMI	Black	EUDX-H000-B	**$130.00**
N/A	HDMI	White	EUDX-H000-W	**130.00**
VGA Cable				
120″(3048mm)	VGA	Black	EUDX-V000-B	**$156.00**
	VGA	White	EUDX-V000-W	**156.00**
Audio Cable — 3.5mm				
120″(3048mm)	VGA	Black	EUDX-3000-B	**$ 36.40**
	VGA	White	EUDX-3000-W	**36.40**

Features

- Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable.
- Installs in an open data port in one of the following products:
  - –Flip Top Unit
  - –Double Sided Flip Top Unit
  - –Quick Connect Power
  - –Workware Interface Module
  - –Flush Mount Module
  - –Enhanced Power Module

Specification Tips

- Provides communication between components: i.e. laptop, processor, monitor, etc.
- HDMI transmits digital video signals.
- VGA transmits analog video signals without audio.

To Order, Specify:

1) Product number.
(No finish specification required.)

Retrofit USB Charging Cable



EUDX-3000-B

72″(1829mm)	Black	EUDX-U000-B	**$93.60**
	White	EUDX-U000-W	**93.60**

Features

- Includes one USB charging simplex (with two USB outlets) with 72″(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
  - –Flip Top Unit
  - –Double Sided Flip Top Unit
  - –Quick Connect Power
  - –Workware Interface Module
  - –Flush Mount Module
  - –Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:

1) Product number.
(No finish specification required.)