

January 3, 2011

Updated July 13, 2016

800-424-2432



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Fabric Panel - Tackable Acoustic - 3/8" Thick Tiles		
Face Styles		2
Half Segmented/Half Segmented Panel		6
Monolithic/Half Segmented Panel		14
Glass/Fabric Panel - Acoustic - 3/8" Thick Tiles		
Monolithic/Glass/Monolithic/Glass Panel		22
Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles		
Face Styles		26
Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles		
Monolithic Panel		30
Monolithic/Half Segmented Panel		34
Monolithic/Fully Segmented Panel		38
Half Segmented/Half Segmented Panel		42
Half Segmented/Fully Segmented Panel		46
Fully Segmented/Fully Segmented Panel		50
Glass Panel		
Face Styles		54
Full Glass Panel		56
Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles		
Monolithic/Monolithic/Glass Panel		58
Monolithic/Fully Segmented/Glass Panel		60
Fully Segmented/Fully Segmented/Glass Panel		64
Open Panel		
Face Styles		68
Full Open Panel		70
Open/Fabric Panel - Acoustic - 3/4" Thick Tiles		
Open/Monolithic/Monolithic Panel		74
Monolithic/Monolithic/Open Panel		78
Fabric Stackable Section - Acoustic - 3/4" Tiles		
		82
Glass Stackable Section		84
Open Stackable Section		86
Doors		88
Preconfigured Intersection Conditions		
90° 2-Way and End-of-Run		90
90° 2-Way		92
Off-Module Post		100
Adjustable Wall Mount		102
180° 2-Way		104
3-Way		112
4-Way		126
Preconfigured Stackable Intersection Conditions		
180° 2-Way and End-of-Run		140
2-Way and 3-Way		142
2-Way, 3-Way and 4-Way		144
Electrical		
10-Wire System 6 Circuit "810"		146
10-Wire System 4 Circuit "810"		158
8-Wire System		170
Cable Management		180
Worksurfaces		
Rectangular		184
"P" Shaped Peninsula/Piano Peninsula		186
Square Shoe/Conference End		188
"D" Shaped Peninsula		190
Dual Curvilinear/Diag/Curvilinear 90° Corner		192
Countertops		194
Mobile Teardrop/Mobile Semi-Circle		196
Worksurface Support Panel		200
Worksurface Accessories		
Worksurface Accessories		204
Universal Storage and Accessories		
Overhead Storage		206
Overhead Accessories		220
Shelf/Cabinet Task Light		224
Balance® Storage and Accessories		
General Information		226
Overhead Storage		228
Overhead Accessories		240
Overhead Task Lights		246
Accessories		
Panel Mount Task Light		248
Markerboards		250
Tackboard		252
Brackets		258
Paper Management		260
Desktop Accessories		262
120° Intersections		
2-Way		264
3-Way		270
2-Way and 3-Way Stackable		280
120° Worksurfaces		
Corner Worksurfaces		282
120° Build Your Own Components		284
Tech Preconfigured Intersection Conditions		
90° 2-Way and End-of-Run		288
90° 2-Way		290
180° 2-Way		298
3-Way		304
4-Way		310
Tech Panel Components		316
Pedestals - Worksurface Supporting		
700 Series® Pedestals with Filler Bracket		318
WireWorks® C.O.M. Yardage Requirements		
		320
Index		322



The 3/8" Tackable/Acoustic tile consists of one piece of 3/8" thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.


[illegible]

The 3/8" Tackable/Acoustic tile consists of one piece of 3/8" thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

STANDARD PANEL SIZES										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
42" H	●	●	●	●	●	●	●	●	●	1	1
54" H	●	●	●	●	●	●	●	●	●	2	2
66" H	N/A	●	●	●	●	●	●	●	●	3	3

Face Styles

Basic Model: PMH8




The $\frac{3}{8}$ " Tackable/Acoustic tile consists of one piece of $\frac{3}{8}$ " thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

Side 1	Side 2
Number of	Number of

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	18" Fabric Tiles	18" Fabric Tiles
48" H	●	●	●	●	●	●	●	●	●	N/A	1
66" H	●	●	●	●	●	●	●	●	●	N/A	2
84" H	●	●	●	●	●	●	●	●	●	N/A	3

Basic Model: PMH2



The $\frac{3}{8}$ " Tackable/Acoustic tile consists of one piece of $\frac{3}{8}$ " thick fiberglass board. Each tile has two steel rails, positioned near top and bottom of tile, to provide increased strength. Fabric is glued to the face, edges and back of the fiberglass board.

Side 1 Number of	Side 2 Number of
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100


	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
42" H	•	•	•	•	•	•	•	•	•	N/A	1
54" H	•	•	•	•	•	•	•	•	•	N/A	2
66" H	•	•	•	•	•	•	•	•	•	N/A	3

Fabric Panel -Tackable Acoustic (3/8” Thick Tiles)

Face Styles

**Face Style: Monolithic/Glass/
Monolithic/Glass**

Basic Model: PMMGB



Monolithic/Glass/Monolithic/Glass panels consist of the following: 24" fabric tile on bottom;
Remainder of panel consists of one glass tile utilizing a single pane of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".

The 3/8" Tackable/Acoustic tile consists of one piece of 3/8" thick fiberglass board. Each
tile has two steel rails, positioned near top and bottom of tile, to provide increased strength.
Fabric is glued to the face, edges and back of the fiberglass board.

STANDARD PANEL SIZES

	12" W	18" W	24" W	30" W	36" W	42" W	48" W
42" H	•	•	•	•	•	•	•
48" H	•	•	•	•	•	•	•
54" H	•	•	•	•	•	•	•
66" H	•	•	•	•	•	•	•
84" H	•	•	•	•	•	•	•




Fabric Panel -Tackable Acoustic (3/8" Thick Tiles)

Face Styles



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
	Half Segmented/Half Segmented Panel - 30"H with 18"H Tiles • Two steel horizontal rails • One to three sets of plastic light blocks • Two 24" high fabric tiles with grey mounting hooks • Two, four or six 18" high fabric tiles with grey mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PHH81230	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 30"	PHH81830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 30"	PHH82430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 30"	PHH83030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 30"	PHH83630	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 30"	PHH84230	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 30"	PHH84830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 30"	PHH85430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 30"	PHH86030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
PHH8													
	Half Segmented/Half Segmented Panel - 48"H with 18"H Tiles	12 x 48"	PHH81248	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 48"	PHH81848	☐	☐	☐	☐	☐	☐	☐	☐		
		24 x 48"	PHH82448	☐	☐	☐	☐	☐	☐	☐	☐		
		30 x 48"	PHH83048	☐	☐	☐	☐	☐	☐	☐	☐		
		36 x 48"	PHH83648	☐	☐	☐	☐	☐	☐	☐	☐		
		42 x 48"	PHH84248	☐	☐	☐	☐	☐	☐	☐	☐		
		48 x 48"	PHH84848	☐	☐	☐	☐	☐	☐	☐	☐		
		54 x 48"	PHH85448	☐	☐	☐	☐	☐	☐	☐	☐		
		60 x 48"	PHH86048	☐	☐	☐	☐	☐	☐	☐	☐		
PHH8													
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-18" raceway tile; add \$31

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-18" raceway tile; add \$31

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
19.0#	\$ 186	\$ 195	\$ 202	\$ 206	\$ 219	\$ 46	\$ 30
26.0#	228	234	246	253	268	48	31
34.0#	269	273	289	297	313	50	35
41.0#	334	345	362	370	390	62	45
49.0#	355	367	383	391	419	68	47
56.0#	408	419	437	447	476	77	57
63.0#	420	433	450	460	487	85	60
71.0#	447	459	478	493	521	94	63
80.0#	504	519	537	554	583	101	82
26.0#	\$ 297	\$ 309	\$ 327	\$ 333	\$ 357	\$ 46	\$ 30
36.0#	362	376	397	412	443	48	31
47.0#	408	423	444	461	491	50	35
57.0#	519	537	571	590	631	62	45
68.0#	556	576	611	627	675	68	47
77.0#	614	637	676	695	741	77	57
88.0#	633	653	694	716	763	85	60
98.0#	685	713	752	778	828	94	63
110.0#	776	802	846	870	930	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibili- ties

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER									
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
MODEL		W x H										
 PHH8	Half Segmented/Half Segmented Panel - 66"H with 18"H Tiles • Two steel horizontal rails • One to three sets of plastic light blocks • Two 24" high fabric tiles with grey mounting hooks • Two, four or six 18" high fabric tiles with grey mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PHH81266	☐	☐	☐	☐	☐	☐	☐		
		18 x 66"	PHH81866	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 66"	PHH82466	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 66"	PHH83066	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 66"	PHH83666	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 66"	PHH84266	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 66"	PHH84866	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 66"	PHH85466	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 66"	PHH86066	☐	☐	☐	☐	☐	☐	☐	☐	
PHH8	Half Segmented/Half Segmented Panel - 84"H with 18"H Tiles	12 x 84"	PHH81284	☐	☐	☐	☐	☐	☐	☐		
		18 x 84"	PHH81884	☐	☐	☐	☐	☐	☐	☐		
		24 x 84"	PHH82484	☐	☐	☐	☐	☐	☐	☐		
		30 x 84"	PHH83084	☐	☐	☐	☐	☐	☐	☐		
		36 x 84"	PHH83684	☐	☐	☐	☐	☐	☐	☐		
		42 x 84"	PHH84284	☐	☐	☐	☐	☐	☐	☐		
		48 x 84"	PHH84884	☐	☐	☐	☐	☐	☐	☐		
		54 x 84"	PHH85484	☐	☐	☐	☐	☐	☐	☐		
		60 x 84"	PHH86084	☐	☐	☐	☐	☐	☐	☐		
A B C D E F G H												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - CN** - Chicago, no cutouts
 - C1** - Chicago, 1 side w/cutouts
 - CP** - Chicago, 2 sides w/cutouts
 - DN** - Domestic, no cutouts
 - D1** - Domestic, 1 side w/cutouts
 - D** - Domestic, 2 sides w/cutouts
- B** Select electrical code for base raceway.
 - S** - Standard
 - E** - Enhanced
- C** Select horizontal rail.
 - S** - Standard
 - E** - Enhanced
- D** Select numbers of raceway tiles side 1
 - R0** - Side 1 w/no raceway tile
 - R1** - Side 1 w/1-18" raceway tile; add \$31
 - R2** - Side 1 w/2-18" raceway tiles; add \$62
- E** Select numbers of raceway tiles side 2
 - R20** - Side 2 w/no raceway tile
 - R21** - Side 2 w/1-18" raceway tile; add \$31
 - R22** - Side 2 w/2-18" raceway tiles; add \$62
- F** Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.
- G** Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- H** Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge
Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side
Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 404	\$ 420	\$ 448	\$ 467	\$ 497	\$ 46	\$ 30
47.0#	495	515	553	570	612	48	31
60.0#	549	571	609	623	673	50	35
73.0#	701	732	782	806	865	62	45
86.0#	754	785	837	864	933	68	47
99.0#	822	857	911	939	1007	77	57
112.0#	846	880	937	963	1036	85	60
125.0#	927	962	1028	1059	1140	94	63
141.0#	1045	1086	1153	1190	1276	101	82
47.0#	\$ 512	\$ 533	\$ 569	\$ 590	\$ 636	\$ 46	\$ 30
65.0#	627	653	700	724	784	48	31
83.0#	687	718	765	789	851	50	35
101.0#	886	925	989	1021	1105	62	45
116.0#	952	999	1064	1100	1190	68	47
137.0#	1031	1074	1145	1186	1273	77	57
155.0#	1059	1107	1174	1216	1314	85	60
173.0#	1165	1218	1298	1342	1449	94	63
195.0#	1315	1372	1458	1506	1624	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

		MODEL NUMBER								
MODEL		W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2
	Half Segmented/Half Segmented Panel - 42"H with 12"H Tiles	12 x 42"	PHH21242	☐	☐	☐	☐	☐	☐	☐
		18 x 42"	PHH21842	☐	☐	☐	☐	☐	☐	☐
	• Two steel horizontal rails	24 x 42"	PHH22442	☐	☐	☐	☐	☐	☐	☐
	• One to four sets of plastic light blocks	30 x 42"	PHH23042	☐	☐	☐	☐	☐	☐	☐
	• Two 24" high fabric tiles with grey mounting hooks	36 x 42"	PHH23642	☐	☐	☐	☐	☐	☐	☐
	• Two, four or six 12" high fabric tiles with grey mounting hooks	42 x 42"	PHH24242	☐	☐	☐	☐	☐	☐	☐
	• Two 18" high fabric tiles included with 84" high panel with grey mounting hooks	48 x 42"	PHH24842	☐	☐	☐	☐	☐	☐	☐
	• One base/raceway consisting of a raceway pan and two doors	54 x 42"	PHH25442	☐	☐	☐	☐	☐	☐	☐
	• One rounded satin-textured polypropylene top cap with splice plate	60 x 42"	PHH26042	☐	☐	☐	☐	☐	☐	☐
	• Order power separately									
• Order vertical posts separately										
• SX Starlight Silver finish is only offered on flat aluminum trim										
PHH2										
PHH2	Half Segmented/Half Segmented Panel - 54"H with 12"H Tiles	12 x 54"	PHH21254	☐	☐	☐	☐	☐	☐	☐
		18 x 54"	PHH21854	☐	☐	☐	☐	☐	☐	☐
		24 x 54"	PHH22454	☐	☐	☐	☐	☐	☐	☐
		30 x 54"	PHH23054	☐	☐	☐	☐	☐	☐	☐
		36 x 54"	PHH23654	☐	☐	☐	☐	☐	☐	☐
		42 x 54"	PHH24254	☐	☐	☐	☐	☐	☐	☐
		48 x 54"	PHH24854	☐	☐	☐	☐	☐	☐	☐
		54 x 54"	PHH25454	☐	☐	☐	☐	☐	☐	☐
		60 x 54"	PHH26054	☐	☐	☐	☐	☐	☐	☐

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$31

R22 - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
22.0#	\$ 287	\$ 298	\$ 314	\$ 323	\$ 347	\$ 46	\$ 30
30.0#	343	354	374	386	416	48	31
38.0#	389	405	425	439	470	50	35
47.0#	481	500	528	543	583	62	45
55.0#	514	530	562	578	619	68	47
63.0#	580	599	638	651	694	77	57
71.0#	600	620	655	674	721	85	60
79.0#	637	659	695	717	764	94	63
88.0#	717	736	780	799	852	101	82
24.0#	\$ 385	\$ 400	\$ 425	\$ 441	\$ 474	\$ 46	\$ 30
33.0#	454	471	506	520	557	48	31
43.0#	513	531	563	582	622	50	35
52.0#	632	655	697	721	776	62	45
61.0#	673	698	744	765	824	68	47
70.0#	752	780	831	852	918	77	57
79.0#	810	816	862	887	953	85	60
88.0#	824	857	911	939	1007	94	63
100.0#	928	961	1016	1045	1119	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

42"H	1	1
54"H	2	2
66"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.



A B C D E F G H

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

R20 - Side 2 w/no raceway tile

H Select fabric side 2.
Refer to color addendum at ki.com or
in KI Fabrics & Finishes binder.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifically for that fabric.



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
37.0#	\$ 482	\$ 503	\$ 536	\$ 557	\$ 598	\$ 46	\$ 30
51.0#	563	589	629	650	699	48	31
65.0#	636	662	700	726	783	50	35
79.0#	780	815	865	893	963	62	45
92.0#	829	864	922	951	1026	68	47
106.0#	925	961	1025	1061	1135	77	57
119.0#	962	1002	1067	1102	1182	85	60
133.0#	1015	1059	1124	1164	1252	94	63
150.0#	1138	1187	1255	1297	1387	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	1	1
54"H	2	2
66"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER									
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
	Monolithic/Half Segmented Panel - 48"H with 18"H Tiles - Two steel horizontal rails - One to three individual plastic light blocks - One full height tile (6" shorter than height of panel) with blue mounting hooks - One or two 24" high fabric tiles with grey mounting hooks - One, two or three 18" high fabric tiles with grey mounting hooks - One base/raceway consisting of a raceway pan and two doors - One rounded satin-textured polypropylene top cap with splice plate - Order power separately - Order vertical posts separately - SX Starlight Silver finish is only offered on flat aluminum trim	12 x 48"	PMH81248	☐	☐	R0	☐	☐	☐	☐		
		18 x 48"	PMH81848	☐	☐	R0	☐	☐	☐	☐		
		24 x 48"	PMH82448	☐	☐	R0	☐	☐	☐	☐		
		30 x 48"	PMH83048	☐	☐	R0	☐	☐	☐	☐		
		36 x 48"	PMH83648	☐	☐	R0	☐	☐	☐	☐		
		42 x 48"	PMH84248	☐	☐	R0	☐	☐	☐	☐		
		48 x 48"	PMH84848	☐	☐	R0	☐	☐	☐	☐		
		54 x 48"	PMH85448	☐	☐	R0	☐	☐	☐	☐		
		60 x 48"	PMH86048	☐	☐	R0	☐	☐	☐	☐		
PMH8	Monolithic/Half Segmented Panel - 66"H with 18"H Tiles	12 x 66"	PMH81266	☐	☐	R0	☐	☐	☐	☐		
		18 x 66"	PMH81866	☐	☐	R0	☐	☐	☐	☐		
		24 x 66"	PMH82466	☐	☐	R0	☐	☐	☐	☐		
		30 x 66"	PMH83066	☐	☐	R0	☐	☐	☐	☐		
		36 x 66"	PMH83666	☐	☐	R0	☐	☐	☐	☐		
		42 x 66"	PMH84266	☐	☐	R0	☐	☐	☐	☐		
		48 x 66"	PMH84866	☐	☐	R0	☐	☐	☐	☐		
		54 x 66"	PMH85466	☐	☐	R0	☐	☐	☐	☐		
		60 x 66"	PMH86066	☐	☐	R0	☐	☐	☐	☐		
A B C D E F G H												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-18" raceway tile; add \$31
- R22** - Side 2 w/2-18" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
24.0#	\$ 308	\$ 319	\$ 337	\$ 347	\$ 376	\$ 46	\$ 30
33.0#	367	380	403	419	447	48	31
43.0#	412	426	448	469	497	50	35
52.0#	513	531	563	579	620	62	45
61.0#	553	575	610	622	672	68	47
70.0#	619	642	681	700	748	77	57
79.0#	636	657	696	716	765	85	60
88.0#	682	710	749	774	825	94	63
100.0#	774	799	842	868	925	101	82
37.0#	\$ 389	\$ 408	\$ 430	\$ 447	\$ 481	\$ 46	\$ 30
51.0#	468	484	519	533	576	48	31
65.0#	514	533	569	583	623	50	35
79.0#	619	644	687	705	758	62	45
92.0#	671	696	740	763	820	68	47
106.0#	757	786	836	861	923	77	57
120.0#	780	811	861	886	950	85	60
133.0#	849	881	939	964	1037	94	63
150.0#	952	987	1045	1074	1153	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
48"H	0	1
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
45.0#	\$ 468	\$ 486	\$ 519	\$ 533	\$ 576	\$ 46	\$ 30
62.0#	556	578	617	640	689	48	31
79.0#	621	649	692	716	767	50	35
95.0#	746	779	827	855	920	62	45
117.0#	800	835	890	916	988	68	47
127.0#	885	920	980	1005	1083	77	57
143.0#	908	948	1006	1038	1114	85	60
160.0#	993	1033	1100	1137	1223	94	63
180.0#	1117	1161	1231	1268	1361	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
48"H	0	1
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
21.0#	\$ 293	\$ 303	\$ 319	\$ 330	\$ 354	\$ 46	\$ 30
29.0#	338	351	371	383	408	48	31
36.0#	384	397	418	431	465	50	35
44.0#	468	481	512	526	560	62	45
51.0#	508	527	557	572	614	68	47
56.0#	570	589	620	641	680	77	57
66.0#	585	606	642	657	698	85	60
74.0#	617	640	675	696	737	94	63
83.0#	688	710	747	768	817	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
48"H	0	1
54"H	0	2
66"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER							
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	
MODEL	W x H									
	Monolithic/Half Segmented Panel - 54"H with 12"H Tiles	12 x 54"	PMH21254	☐	☐	R0	☐	☐	☐	
		18 x 54"	PMH21854	☐	☐	R0	☐	☐	☐	
		24 x 54"	PMH22454	☐	☐	R0	☐	☐	☐	
		30 x 54"	PMH23054	☐	☐	R0	☐	☐	☐	
		36 x 54"	PMH23654	☐	☐	R0	☐	☐	☐	
		42 x 54"	PMH24254	☐	☐	R0	☐	☐	☐	
		48 x 54"	PMH24854	☐	☐	R0	☐	☐	☐	
		54 x 54"	PMH25454	☐	☐	R0	☐	☐	☐	
		60 x 54"	PMH26054	☐	☐	R0	☐	☐	☐	
PMH2										
PMH2	Monolithic/Half Segmented Panel - 66"H with 12"H Tiles	12 x 66"	PMH21266	☐	☐	R0	☐	☐	☐	
		18 x 66"	PMH21866	☐	☐	R0	☐	☐	☐	
		24 x 66"	PMH22466	☐	☐	R0	☐	☐	☐	
		30 x 66"	PMH23066	☐	☐	R0	☐	☐	☐	
		36 x 66"	PMH23666	☐	☐	R0	☐	☐	☐	
		42 x 66"	PMH24266	☐	☐	R0	☐	☐	☐	
		48 x 66"	PMH24866	☐	☐	R0	☐	☐	☐	
		54 x 66"	PMH25466	☐	☐	R0	☐	☐	☐	
		60 x 66"	PMH26066	☐	☐	R0	☐	☐	☐	
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/8" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
27.0#	\$ 362	\$ 376	\$ 399	\$ 414	\$ 443	\$ 46	\$ 30
31.0#	425	441	470	484	519	48	31
48.0#	484	504	533	552	590	50	35
57.0#	580	603	642	660	702	62	45
67.0#	620	645	688	706	757	68	47
77.0#	701	729	774	793	848	77	57
86.0#	728	756	800	824	881	85	60
97.0#	786	817	865	893	957	94	63
108.0#	876	906	957	985	1051	101	82
34.0#	\$ 435	\$ 453	\$ 481	\$ 496	\$ 535	\$ 46	\$ 30
46.0#	507	526	562	578	621	48	31
56.0#	562	585	621	642	687	50	35
71.0#	666	694	737	760	818	62	45
83.0#	716	740	787	812	873	68	47
95.0#	820	851	903	931	997	77	57
106.0#	849	881	935	962	1035	85	60
119.0#	904	940	999	1029	1103	94	63
133.0#	1016	1053	1112	1147	1223	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

48"H	0	1
54"H	0	2
66"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

			MODEL NUMBER							Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2		
 PMGB	Monolithic/Glass/Monolithic/Glass Panel - 42"H	12 x 42"	PMMGB1242	☐	☐	☐	☐	☐	☐	22.0#
	- Two steel horizontal rails - One set of plastic light blocks - Two 24" fabric tiles with grey mounting hooks - One panel, 1/4" thick glass with aluminum window frame with blue mounting hooks - One base/raceway consisting of a raceway pan and two doors - One rounded satin-textured polypropylene top cap with splice plate - Order power separately - Order vertical posts separately - Fabric tile is tackable - SX Starlight Silver finish is only offered on flat aluminum trim	18 x 42"	PMMGB1842	☐	☐	☐	☐	☐	☐	31.0#
		24 x 42"	PMMGB2442	☐	☐	☐	☐	☐	☐	41.0#
		30 x 42"	PMMGB3042	☐	☐	☐	☐	☐	☐	51.0#
		36 x 42"	PMMGB3642	☐	☐	☐	☐	☐	☐	61.0#
		42 x 42"	PMMGB4242	☐	☐	☐	☐	☐	☐	71.0#
		48 x 42"	PMMGB4842	☐	☐	☐	☐	☐	☐	80.0#
PMGB	Monolithic/Glass/Monolithic/Glass Panel - 48"H	12 x 48"	PMMGB1248	☐	☐	☐	☐	☐	☐	22.0#
	18 x 48"	PMMGB1848	☐	☐	☐	☐	☐	☐	31.0#	
	24 x 48"	PMMGB2448	☐	☐	☐	☐	☐	☐	41.0#	
	30 x 48"	PMMGB3048	☐	☐	☐	☐	☐	☐	51.0#	
	36 x 48"	PMMGB3648	☐	☐	☐	☐	☐	☐	61.0#	
	42 x 48"	PMMGB4248	☐	☐	☐	☐	☐	☐	71.0#	
	48 x 48"	PMMGB4848	☐	☐	☐	☐	☐	☐	80.0#	
PMGB	Monolithic/Glass/Monolithic/Glass Panel - 54"H	12 x 54"	PMMGB1254	☐	☐	☐	☐	☐	☐	30.0#
	18 x 54"	PMMGB1854	☐	☐	☐	☐	☐	☐	41.0#	
	24 x 54"	PMMGB2454	☐	☐	☐	☐	☐	☐	53.0#	
	30 x 54"	PMMGB3054	☐	☐	☐	☐	☐	☐	64.0#	
	36 x 54"	PMMGB3654	☐	☐	☐	☐	☐	☐	75.0#	
	42 x 54"	PMMGB4254	☐	☐	☐	☐	☐	☐	86.0#	
	48 x 54"	PMMGB4854	☐	☐	☐	☐	☐	☐	98.0#	
		A	B	C	D	E	F	G		

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

G Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 478	\$ 486	\$ 493	\$ 500	\$ 512	\$ 46	\$ 9	\$ 72	\$ 30
541	549	558	564	580	48	10	81	31
593	600	614	620	639	50	11	90	35
696	705	724	731	754	62	13	104	45
755	766	782	790	819	68	14	113	47
855	867	885	894	922	77	16	128	57
873	887	903	913	943	85	16	132	60
\$ 497	\$ 503	\$ 513	\$ 517	\$ 529	\$ 46	\$ 9	\$ 74	\$ 30
559	567	577	582	598	48	10	84	31
617	623	638	644	662	50	11	93	35
724	733	750	758	781	62	13	109	45
785	794	812	822	847	68	15	117	47
886	898	896	925	954	77	16	133	57
906	921	940	952	977	85	18	137	60
\$ 512	\$ 516	\$ 526	\$ 528	\$ 541	\$ 46	\$ 10	\$ 76	\$ 30
577	584	595	600	616	48	11	87	31
636	642	653	662	679	50	12	96	35
747	757	776	782	804	62	14	112	45
810	820	837	847	871	68	15	122	47
914	928	945	954	985	77	18	137	57
935	949	967	982	1007	85	18	140	60

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/8” Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

		MODEL NUMBER								Approx. Packaged Weight
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2		
 PMGB	Monolithic/Glass/Monolithic/Glass Panel - 66"H	12 x 66"	PMMGB1266	☐	☐	☐	☐	☐	☐	30.0#
	• Two steel horizontal rails	18 x 66"	PMMGB1866	☐	☐	☐	☐	☐	☐	41.0#
	• One set of plastic light blocks	24 x 66"	PMMGB2466	☐	☐	☐	☐	☐	☐	53.0#
	• Two 24" fabric tiles with grey mounting hooks	30 x 66"	PMMGB3066	☐	☐	☐	☐	☐	☐	64.0#
	• One panel, 1/4" thick glass with aluminum window frame with blue mounting hooks	36 x 66"	PMMGB3666	☐	☐	☐	☐	☐	☐	75.0#
	• One base/raceway consisting of a raceway pan and two doors	42 x 66"	PMMGB4266	☐	☐	☐	☐	☐	☐	86.0#
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 66"	PMMGB4866	☐	☐	☐	☐	☐	☐	98.0#
	• Order power separately									
	• Order vertical posts separately									
	• Fabric tile is tackable									
PMGB	• SX Starlight Silver finish is only offered on flat aluminum trim									
PMGB	Monolithic/Glass/Monolithic/Glass Panel - 84"H	12 x 84"	PMMGB1284	☐	☐	☐	☐	☐	☐	36.0#
		18 x 84"	PMMGB1884	☐	☐	☐	☐	☐	☐	50.0#
		24 x 84"	PMMGB2484	☐	☐	☐	☐	☐	☐	63.0#
		30 x 84"	PMMGB3084	☐	☐	☐	☐	☐	☐	77.0#
		36 x 84"	PMMGB3684	☐	☐	☐	☐	☐	☐	90.0#
		42 x 84"	PMMGB4284	☐	☐	☐	☐	☐	☐	104.0#
		48 x 84"	PMMGB4884	☐	☐	☐	☐	☐	☐	120.0#
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

G Select fabric side 2. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will



Glass/Fabric Panel - Acoustic (3/8" Thick Tiles)

Monolithic/Glass/Monolithic/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 544	\$ 550	\$ 557	\$ 561	\$ 575	\$ 46	\$ 10	\$ 82	\$ 30
632	639	648	655	672	48	12	95	31
696	702	718	724	744	50	13	104	35
819	828	846	852	876	62	15	123	45
886	898	912	923	950	68	16	133	47
1000	1012	1030	1040	1067	77	20	149	57
1029	1041	1061	1072	1097	85	20	155	60
\$ 638	\$ 644	\$ 651	\$ 657	\$ 671	\$ 46	\$ 12	\$ 96	\$ 30
719	725	734	739	757	48	13	108	31
789	797	810	818	835	50	15	118	35
899	907	924	933	955	62	18	135	45
975	988	1002	1012	1040	68	19	146	47
1145	1157	1173	1186	1213	77	23	171	57
1179	1194	1212	1225	1252	85	24	176	60

need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.


Basic Model: PMMA



The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Basic Model: PHHA




The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Face Styles


Basic Model: PFFA



The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]


Basic Model: PMHA



The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Basic Model: PMFA




Monolithic/Fully Segmented panels consist of the following: Single tile on side one; 12" segmented tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height. Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]

Basic Model: PHFA



Half Segmented/Fully Segmented panels consist of the following: 24" fabric tile on bottom and 12" segmented tiles on top of side one. 12" segmented fabric tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height.
Base is 6". Panel thickness: 3 1/2".
*84" high panels include one 18" tile on top.

The $\frac{3}{4}$ " Tackable/Acoustic tile consists of a $\frac{1}{2}$ " thick mineral board core with a $\frac{1}{4}$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

[illegible]




Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Face Styles



Fabric Panel - Tackable Acoustic (3/4” Thick Tiles)

Monolithic Panel

			MODEL NUMBER						
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	MODEL	W x H							
	Monolithic Panel - 30"H • Two horizontal rails • Two fabric tiles with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PMMA1230	☐	☐	☐	☐	☐	14.0#
		18 x 30"	PMMA1830	☐	☐	☐	☐	☐	20.0#
		24 x 30"	PMMA2430	☐	☐	☐	☐	☐	25.0#
		30 x 30"	PMMA3030	☐	☐	☐	☐	☐	30.0#
		36 x 30"	PMMA3630	☐	☐	☐	☐	☐	36.0#
		42 x 30"	PMMA4230	☐	☐	☐	☐	☐	41.0#
		48 x 30"	PMMA4830	☐	☐	☐	☐	☐	46.0#
		54 x 30"	PMMA5430	☐	☐	☐	☐	☐	52.0#
		60 x 30"	PMMA6030	☐	☐	☐	☐	☐	58.0#
PMMA									
PMMA	Monolithic Panel - 42"H	12 x 42"	PMMA1242	☐	☐	☐	☐	☐	18.0#
		18 x 42"	PMMA1842	☐	☐	☐	☐	☐	24.0#
		24 x 42"	PMMA2442	☐	☐	☐	☐	☐	30.0#
		30 x 42"	PMMA3042	☐	☐	☐	☐	☐	36.0#
		36 x 42"	PMMA3642	☐	☐	☐	☐	☐	42.0#
		42 x 42"	PMMA4242	☐	☐	☐	☐	☐	51.0#
		48 x 42"	PMMA4842	☐	☐	☐	☐	☐	53.0#
		54 x 42"	PMMA5442	☐	☐	☐	☐	☐	60.0#
		60 x 42"	PMMA6042	☐	☐	☐	☐	☐	67.0#
PMMA	Monolithic Panel - 54"H	12 x 54"	PMMA1254	☐	☐	☐	☐	☐	21.0#
		18 x 54"	PMMA1854	☐	☐	☐	☐	☐	30.0#
		24 x 54"	PMMA2454	☐	☐	☐	☐	☐	35.0#
		30 x 54"	PMMA3054	☐	☐	☐	☐	☐	41.0#
		36 x 54"	PMMA3654	☐	☐	☐	☐	☐	48.0#
		42 x 54"	PMMA4254	☐	☐	☐	☐	☐	54.0#
		48 x 54"	PMMA4854	☐	☐	☐	☐	☐	61.0#
		54 x 54"	PMMA5454	☐	☐	☐	☐	☐	68.0#
		60 x 54"	PMMA6054	☐	☐	☐	☐	☐	75.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to color addendum at ki.com or in KI

F Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 241	\$ 250	\$ 262	\$ 269	\$ 294	\$ 46	\$ 30
270	283	298	305	330	48	31
319	332	352	358	390	50	35
356	372	390	404	438	62	45
384	402	420	433	471	68	47
441	459	486	496	537	77	57
475	497	522	534	577	85	60
507	533	556	569	615	94	63
554	580	609	621	675	101	82
\$ 286	\$ 300	\$ 315	\$ 320	\$ 346	\$ 46	\$ 30
327	342	357	371	398	48	31
357	373	391	405	439	50	35
428	445	473	482	522	62	45
482	506	531	542	587	68	47
537	564	592	611	653	77	57
552	578	606	619	671	85	60
580	611	640	653	707	94	63
623	653	687	707	763	101	82
\$ 317	\$ 331	\$ 351	\$ 357	\$ 389	\$ 46	\$ 30
371	385	405	419	455	48	31
427	444	472	481	521	50	35
493	516	543	558	599	62	45
535	562	588	606	651	68	47
610	639	668	691	745	77	57
637	668	697	719	776	85	60
703	739	778	795	861	94	63
750	787	824	847	916	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4” Thick Tiles)

Monolithic Panel

			MODEL NUMBER						
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	MODEL	W x H							
	Monolithic Panel - 66"H • Two horizontal rails • Two fabric tiles with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PMMA1266	☐	☐	☐	☐	☐	25.0#
		18 x 66"	PMMA1866	☐	☐	☐	☐	☐	32.0#
		24 x 66"	PMMA2466	☐	☐	☐	☐	☐	39.0#
		30 x 66"	PMMA3066	☐	☐	☐	☐	☐	47.0#
		36 x 66"	PMMA3666	☐	☐	☐	☐	☐	54.0#
		42 x 66"	PMMA4266	☐	☐	☐	☐	☐	61.0#
		48 x 66"	PMMA4866	☐	☐	☐	☐	☐	68.0#
		54 x 66"	PMMA5466	☐	☐	☐	☐	☐	75.0#
		60 x 66"	PMMA6066	☐	☐	☐	☐	☐	84.0#
PMMA									
PMMA	Monolithic Panel - 84"H	12 x 84"	PMMA1284	☐	☐	☐	☐	☐	30.0#
		18 x 84"	PMMA1884	☐	☐	☐	☐	☐	38.0#
		24 x 84"	PMMA2484	☐	☐	☐	☐	☐	47.0#
		30 x 84"	PMMA3084	☐	☐	☐	☐	☐	55.0#
		36 x 84"	PMMA3684	☐	☐	☐	☐	☐	63.0#
		42 x 84"	PMMA4284	☐	☐	☐	☐	☐	71.0#
		48 x 84"	PMMA4884	☐	☐	☐	☐	☐	79.0#
		54 x 84"	PMMA5484	☐	☐	☐	☐	☐	87.0#
		60 x 84"	PMMA6084	☐	☐	☐	☐	☐	97.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to color addendum at ki.com or in KI

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 355	\$ 371	\$ 389	\$ 403	\$ 437	\$ 46	\$ 30
412	428	450	467	503	48	31
450	473	495	511	550	50	35
506	531	555	567	614	62	45
549	576	603	617	666	68	47
649	681	712	735	789	77	57
676	706	745	764	823	85	60
731	765	803	824	892	94	63
789	829	871	892	962	101	82
\$ 386	\$ 404	\$ 424	\$ 436	\$ 473	\$ 46	\$ 30
449	472	493	509	547	48	31
514	541	564	580	621	50	35
552	578	606	619	671	62	45
595	625	652	674	727	68	47
674	703	741	762	821	77	57
697	729	766	788	848	85	60
756	789	829	851	922	94	63
815	852	898	918	993	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER								
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PMHA	Monolithic/Half Segmented Panel - 42"H with 12"H tiles • Three to six horizontal rails • One, two or three 12" fabric tiles with mounting hooks • One 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 42"	PMHA1242	☐	☐	R0	☐	☐	☐	☐	
		18 x 42"	PMHA1842	☐	☐	R0	☐	☐	☐	☐	
		24 x 42"	PMHA2442	☐	☐	R0	☐	☐	☐	☐	
		30 x 42"	PMHA3042	☐	☐	R0	☐	☐	☐	☐	
		36 x 42"	PMHA3642	☐	☐	R0	☐	☐	☐	☐	
		42 x 42"	PMHA4242	☐	☐	R0	☐	☐	☐	☐	
		48 x 42"	PMHA4842	☐	☐	R0	☐	☐	☐	☐	
		54 x 42"	PMHA5442	☐	☐	R0	☐	☐	☐	☐	
		60 x 42"	PMHA6042	☐	☐	R0	☐	☐	☐	☐	
PMHA	Monolithic/Half Segmented Panel - 54"H with 12"H tiles	12 x 54"	PMHA1254	☐	☐	R0	☐	☐	☐	☐	
		18 x 54"	PMHA1854	☐	☐	R0	☐	☐	☐	☐	
		24 x 54"	PMHA2454	☐	☐	R0	☐	☐	☐	☐	
		30 x 54"	PMHA3054	☐	☐	R0	☐	☐	☐	☐	
		36 x 54"	PMHA3654	☐	☐	R0	☐	☐	☐	☐	
		42 x 54"	PMHA4254	☐	☐	R0	☐	☐	☐	☐	
		48 x 54"	PMHA4854	☐	☐	R0	☐	☐	☐	☐	
		54 x 54"	PMHA5454	☐	☐	R0	☐	☐	☐	☐	
		60 x 54"	PMHA6054	☐	☐	R0	☐	☐	☐	☐	
A B C D E F G H											

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
21.0#	\$ 346	\$ 361	\$ 377	\$ 389	\$ 419	\$ 46	\$ 30
29.0#	389	408	430	439	476	48	31
36.0#	436	454	479	490	529	50	35
44.0#	502	523	554	564	609	62	45
51.0#	558	588	613	631	679	68	47
56.0#	622	655	685	706	762	77	57
66.0#	653	687	720	740	800	85	60
74.0#	696	728	765	787	847	94	63
83.0#	762	799	836	858	930	101	82
27.0#	\$ 447	\$ 466	\$ 491	\$ 507	\$ 543	\$ 46	\$ 30
37.0#	504	526	554	564	611	48	31
48.0#	570	595	622	643	691	50	35
57.0#	642	675	702	726	783	62	45
67.0#	705	740	779	797	862	68	47
77.0#	794	835	877	897	967	77	57
86.0#	838	884	925	945	1025	85	60
97.0#	908	957	1001	1029	1108	94	63
108.0#	999	1048	1097	1130	1218	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	0	1
54"H	0	2
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
 PMHA	Monolithic/Half Segmented Panel - 66"H with 12"H tiles • Three to six horizontal rails • One, two or three 12" fabric tiles with mounting hooks • One 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PMHA1266	☐	☐	R0	☐	☐	☐	☐	☐		
		18 x 66"	PMHA1866	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		24 x 66"	PMHA2466	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		30 x 66"	PMHA3066	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		36 x 66"	PMHA3666	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		42 x 66"	PMHA4266	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		48 x 66"	PMHA4866	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		54 x 66"	PMHA5466	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		60 x 66"	PMHA6066	☐	☐	R0	☐	☐	☐	☐	☐	☐	
PMHA	Monolithic/Half Segmented Panel - 84"H with 12"H tiles	12 x 84"	PMHA1284	☐	☐	R0	☐	☐	☐	☐	☐		
		18 x 84"	PMHA1884	☐	☐	R0	☐	☐	☐	☐	☐		
		24 x 84"	PMHA2484	☐	☐	R0	☐	☐	☐	☐	☐		
		30 x 84"	PMHA3084	☐	☐	R0	☐	☐	☐	☐	☐		
		36 x 84"	PMHA3684	☐	☐	R0	☐	☐	☐	☐	☐		
		42 x 84"	PMHA4284	☐	☐	R0	☐	☐	☐	☐	☐		
		48 x 84"	PMHA4884	☐	☐	R0	☐	☐	☐	☐	☐		
		54 x 84"	PMHA5484	☐	☐	R0	☐	☐	☐	☐	☐		
		60 x 84"	PMHA6084	☐	☐	R0	☐	☐	☐	☐	☐		
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 548	\$ 575	\$ 600	\$ 616	\$ 665	\$ 46	\$ 30
46.0#	614	643	674	695	749	48	31
59.0#	679	712	746	767	827	50	35
71.0#	754	789	832	849	922	62	45
83.0#	837	877	924	943	1020	68	47
95.0#	950	996	1043	1070	1157	77	57
106.0#	1001	1051	1100	1132	1221	85	60
119.0#	1079	1131	1182	1216	1316	94	63
133.0#	1190	1249	1308	1344	1452	101	82
42.0#	\$ 650	\$ 682	\$ 713	\$ 736	\$ 793	\$ 46	\$ 30
57.0#	732	766	804	825	893	48	31
72.0#	815	852	898	918	993	50	35
87.0#	903	951	995	1020	1102	62	45
101.0#	999	1048	1097	1130	1218	68	47
116.0#	1109	1166	1214	1255	1352	77	57
130.0#	1171	1229	1289	1321	1431	85	60
145.0#	1272	1334	1401	1436	1550	94	63
163.0#	1393	1461	1531	1575	1700	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	0	1
54"H	0	2
66"H	0	2
84"H	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
17.0#	\$ 311	\$ 324	\$ 342	\$ 351	\$ 377	\$ 46	\$ 30
24.0#	348	363	383	391	427	48	31
32.0#	394	412	433	445	482	50	35
38.0#	443	460	487	497	540	62	45
45.0#	491	514	541	556	597	68	47
52.0#	553	579	607	620	674	77	57
59.0#	585	615	644	664	718	85	60
66.0#	622	655	685	706	762	94	63
74.0#	700	735	775	792	857	101	82
24.0#	\$ 418	\$ 436	\$ 458	\$ 471	\$ 511	\$ 46	\$ 30
33.0#	470	491	516	526	571	48	31
43.0#	514	541	564	580	621	50	35
52.0#	584	614	643	663	717	62	45
61.0#	663	695	727	749	806	68	47
70.0#	736	774	811	834	900	77	57
79.0#	767	805	845	867	933	85	60
88.0#	815	852	898	918	993	94	63
100.0#	906	954	999	1025	1105	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
	Monolithic/Fully Segmented Panel - 54"H with 12"H tiles • Three to six horizontal rails • Two, three, four or five 12" fabric tiles with mounting hooks • One 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 54"	PMFA1254	☐	☐	R0	☐	☐	☐	☐	☐		
		18 x 54"	PMFA1854	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		24 x 54"	PMFA2454	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		30 x 54"	PMFA3054	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		36 x 54"	PMFA3654	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		42 x 54"	PMFA4254	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		48 x 54"	PMFA4854	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		54 x 54"	PMFA5454	☐	☐	R0	☐	☐	☐	☐	☐	☐	
		60 x 54"	PMFA6054	☐	☐	R0	☐	☐	☐	☐	☐	☐	
PMFA													
PMFA	Monolithic/Fully Segmented Panel - 66"H with 12"H tiles	12 x 66"	PMFA1266	☐	☐	R0	☐	☐	☐	☐	☐		
		18 x 66"	PMFA1866	☐	☐	R0	☐	☐	☐	☐	☐		
		24 x 66"	PMFA2466	☐	☐	R0	☐	☐	☐	☐	☐		
		30 x 66"	PMFA3066	☐	☐	R0	☐	☐	☐	☐	☐		
		36 x 66"	PMFA3666	☐	☐	R0	☐	☐	☐	☐	☐		
		42 x 66"	PMFA4266	☐	☐	R0	☐	☐	☐	☐	☐		
		48 x 66"	PMFA4866	☐	☐	R0	☐	☐	☐	☐	☐		
		54 x 66"	PMFA5466	☐	☐	R0	☐	☐	☐	☐	☐		
PMFA	Monolithic/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PMFA1284	☐	☐	R0	☐	☐	☐	☐	☐		
		18 x 84"	PMFA1884	☐	☐	R0	☐	☐	☐	☐	☐		
		24 x 84"	PMFA2484	☐	☐	R0	☐	☐	☐	☐	☐		
		30 x 84"	PMFA3084	☐	☐	R0	☐	☐	☐	☐	☐		
		36 x 84"	PMFA3684	☐	☐	R0	☐	☐	☐	☐	☐		
		42 x 84"	PMFA4284	☐	☐	R0	☐	☐	☐	☐	☐		
		48 x 84"	PMFA4884	☐	☐	R0	☐	☐	☐	☐	☐		
		54 x 84"	PMFA5484	☐	☐	R0	☐	☐	☐	☐	☐		
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62

R23 - Side 2 w/3-12" raceway tiles; add \$91

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Monolithic/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
54.0#	\$ 519	\$ 547	\$ 571	\$ 585	\$ 627	\$ 46	\$ 30
70.0#	580	611	640	653	707	48	31
87.0#	646	679	707	733	787	50	35
103.0#	726	760	794	820	885	62	45
119.0#	812	851	897	916	992	68	47
135.0#	905	953	997	1023	1104	77	57
150.0#	951	1000	1044	1071	1158	85	60
166.0#	1031	1086	1132	1169	1260	94	63
176.0#	1145	1201	1254	1293	1397	101	82
37.0#	\$ 619	\$ 651	\$ 681	\$ 702	\$ 756	\$ 46	\$ 30
51.0#	694	726	760	783	843	48	31
65.0#	756	789	829	851	922	50	35
79.0#	837	877	924	943	1020	62	45
92.0#	945	991	1038	1066	1153	68	47
106.0#	1062	1115	1166	1202	1299	77	57
120.0#	1111	1168	1216	1257	1355	85	60
133.0#	1196	1255	1314	1350	1457	94	63
150.0#	1336	1398	1468	1509	1625	101	82
45.0#	\$ 725	\$ 759	\$ 793	\$ 819	\$ 884	\$ 46	\$ 30
62.0#	810	849	892	913	990	48	31
79.0#	891	934	981	1006	1086	50	35
95.0#	988	1040	1085	1118	1205	62	45
112.0#	1104	1160	1210	1250	1348	68	47
127.0#	1222	1281	1343	1381	1490	77	57
143.0#	1280	1344	1411	1449	1563	85	60
160.0#	1387	1457	1524	1568	1692	94	63
180.0#	1538	1618	1689	1735	1876	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	0	0
48"H	1	1
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

			MODEL NUMBER								
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H										
 PHHA	Half Segmented/Half Segmented Panel - 42"H with 12"H tiles	12 x 42"	PHHA1242	☐	☐	☐	☐	☐	☐	☐	
		18 x 42"	PHHA1842	☐	☐	☐	☐	☐	☐	☐	
	• Three to six horizontal rails	24 x 42"	PHHA2442	☐	☐	☐	☐	☐	☐	☐	
	• Two, four or six 12" fabric tiles with mounting hooks	30 x 42"	PHHA3042	☐	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tile included with 84" high panels with mounting hooks	36 x 42"	PHHA3642	☐	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 42"	PHHA4242	☐	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 42"	PHHA4842	☐	☐	☐	☐	☐	☐	☐	
	• Order power separately	54 x 42"	PHHA5442	☐	☐	☐	☐	☐	☐	☐	
	• Order vertical posts separately	60 x 42"	PHHA6042	☐	☐	☐	☐	☐	☐	☐	
	• SX Starlight Silver finish is only offered on flat aluminum trim										
PHHA	Half Segmented/Half Segmented Panel - 54"H with 12"H tiles	12 x 54"	PHHA1254	☐	☐	☐	☐	☐	☐	☐	
		18 x 54"	PHHA1854	☐	☐	☐	☐	☐	☐	☐	
		24 x 54"	PHHA2454	☐	☐	☐	☐	☐	☐	☐	
		30 x 54"	PHHA3054	☐	☐	☐	☐	☐	☐	☐	
		36 x 54"	PHHA3654	☐	☐	☐	☐	☐	☐	☐	
		42 x 54"	PHHA4254	☐	☐	☐	☐	☐	☐	☐	
		48 x 54"	PHHA4854	☐	☐	☐	☐	☐	☐	☐	
		54 x 54"	PHHA5454	☐	☐	☐	☐	☐	☐	☐	
		60 x 54"	PHHA6054	☐	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- S** - Standard
- E** - Enhanced

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$31

R22 - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
22.0#	\$ 387	\$ 405	\$ 427	\$ 437	\$ 474	\$ 46	\$ 30
30.0#	435	453	478	488	528	48	31
38.0#	493	516	543	558	599	50	35
47.0#	548	575	600	616	665	62	45
55.0#	603	633	660	683	735	68	47
63.0#	676	706	745	764	823	77	57
71.0#	725	759	793	819	884	85	60
79.0#	769	808	847	869	941	94	63
88.0#	852	893	940	959	1038	101	82
24.0#	\$ 537	\$ 564	\$ 592	\$ 609	\$ 653	\$ 46	\$ 30
33.0#	598	629	655	678	732	48	31
43.0#	664	696	728	750	810	50	35
52.0#	735	769	810	829	899	62	45
61.0#	820	860	903	924	1000	68	47
70.0#	908	957	1001	1029	1108	77	57
79.0#	969	1019	1066	1097	1177	85	60
88.0#	1033	1086	1135	1169	1260	94	63
100.0#	1149	1206	1262	1298	1404	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Half Segmented Panel

			MODEL NUMBER								
MODEL			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
	Half Segmented/Half Segmented Panel - 66"H with 12"H tiles • Three to six horizontal rails • Two, four or six 12" fabric tiles with mounting hooks • Two 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PHHA1266	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		18 x 66"	PHHA1866	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		24 x 66"	PHHA2466	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		30 x 66"	PHHA3066	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		36 x 66"	PHHA3666	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		42 x 66"	PHHA4266	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		48 x 66"	PHHA4866	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		54 x 66"	PHHA5466	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		60 x 66"	PHHA6066	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
PHHA											
	Half Segmented/Half Segmented Panel - 84"H with 12"H tiles	12 x 84"	PHHA1284	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		18 x 84"	PHHA1884	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		24 x 84"	PHHA2484	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		30 x 84"	PHHA3084	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		36 x 84"	PHHA3684	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		42 x 84"	PHHA4284	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		48 x 84"	PHHA4884	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
		54 x 84"	PHHA5484	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
PHHA		60 x 84"	PHHA6084	☐ ☐	☐	☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$31

R22 - Side 2 w/2-12" raceway tiles; add \$62

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Half Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
37.0#	\$ 687	\$ 722	\$ 754	\$ 779	\$ 835	\$ 46	\$ 30
51.0#	760	797	835	857	929	48	31
65.0#	838	884	925	945	1025	50	35
79.0#	925	972	1016	1043	1125	62	45
92.0#	1036	1088	1137	1171	1262	68	47
106.0#	1147	1204	1260	1295	1399	77	57
119.0#	1216	1277	1336	1377	1483	85	60
133.0#	1298	1361	1428	1467	1581	94	63
150.0#	1447	1517	1589	1633	1763	101	82
43.0#	\$ 847	\$ 892	\$ 933	\$ 953	\$ 1032	\$ 46	\$ 30
59.0#	941	988	1035	1062	1146	48	31
75.0#	1028	1075	1128	1160	1255	50	35
91.0#	1149	1206	1262	1298	1404	62	45
106.0#	1278	1342	1406	1445	1560	68	47
122.0#	1410	1481	1552	1592	1721	77	57
137.0#	1495	1569	1643	1687	1822	85	60
153.0#	1614	1698	1777	1825	1971	94	63
172.0#	1779	1868	1958	2012	2172	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

		MODEL NUMBER								
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H									
 PHFA	Half Segmented/Fully Segmented Panel - 42"H with 12"H tiles	12 x 42"	PHFA1242	☐	☐	☐	☐	☐	☐	
		18 x 42"	PHFA1842	☐	☐	☐	☐	☐	☐	
	• Three to seven horizontal rails	24 x 42"	PHFA2442	☐	☐	☐	☐	☐	☐	
	• Four, six or eight 12" fabric tiles with mounting hooks	30 x 42"	PHFA3042	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tiles included with 84" high panels with mounting hooks	36 x 42"	PHFA3642	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 42"	PHFA4242	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 42"	PHFA4842	☐	☐	☐	☐	☐	☐	
	• Order power separately	54 x 42"	PHFA5442	☐	☐	☐	☐	☐	☐	
	• Order vertical posts separately	60 x 42"	PHFA6042	☐	☐	☐	☐	☐	☐	
	• SX Starlight Silver finish is only offered on flat aluminum trim									
PHFA	Half Segmented/Fully Segmented Panel - 54"H with 12"H tiles	12 x 54"	PHFA1254	☐	☐	☐	☐	☐	☐	
		18 x 54"	PHFA1854	☐	☐	☐	☐	☐	☐	
		24 x 54"	PHFA2454	☐	☐	☐	☐	☐	☐	
		30 x 54"	PHFA3054	☐	☐	☐	☐	☐	☐	
		36 x 54"	PHFA3654	☐	☐	☐	☐	☐	☐	
		42 x 54"	PHFA4254	☐	☐	☐	☐	☐	☐	
		48 x 54"	PHFA4854	☐	☐	☐	☐	☐	☐	
		54 x 54"	PHFA5454	☐	☐	☐	☐	☐	☐	
		60 x 54"	PHFA6054	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$31

R22 - Side 2 w/2-12" raceway tiles; add \$62

R23 - Side 2 w/3-12" raceway tiles; add \$91

F Select trim color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
23.0#	\$ 461	\$ 484	\$ 509	\$ 521	\$ 562	\$ 46	\$ 30
32.0#	512	537	560	573	619	48	31
41.0#	570	595	625	643	691	50	35
49.0#	633	662	694	718	775	62	45
58.0#	705	740	779	797	862	68	47
66.0#	789	827	871	892	962	77	57
75.0#	835	873	920	941	1017	85	60
84.0#	887	931	975	1000	1079	94	63
94.0#	997	1046	1096	1128	1214	101	82
32.0#	\$ 612	\$ 641	\$ 672	\$ 693	\$ 747	\$ 46	\$ 30
45.0#	676	706	745	764	823	48	31
58.0#	744	779	818	840	907	50	35
71.0#	820	860	903	924	1000	62	45
83.0#	927	973	1017	1044	1126	68	47
96.0#	1025	1074	1125	1159	1249	77	57
108.0#	1083	1133	1187	1220	1318	85	60
120.0#	1153	1209	1265	1303	1406	94	63
136.0#	1294	1355	1424	1460	1578	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	1	2
54"H	2	3
66"H	2	3
84"H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

			MODEL NUMBER									
			Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
 PHFA	Half Segmented/Fully Segmented Panel - 66"H with 12"H tiles • Three to seven horizontal rails • Four, six or eight 12" fabric tiles with mounting hooks • Two 18" fabric tiles included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 66"	PHFA1266	☐	☐	☐	☐	☐	☐	☐		
		18 x 66"	PHFA1866	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 66"	PHFA2466	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 66"	PHFA3066	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 66"	PHFA3666	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 66"	PHFA4266	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 66"	PHFA4866	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 66"	PHFA5466	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 66"	PHFA6066	☐	☐	☐	☐	☐	☐	☐	☐	
PHFA	Half Segmented/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PHFA1284	☐	☐	☐	☐	☐	☐	☐		
		18 x 84"	PHFA1884	☐	☐	☐	☐	☐	☐	☐		
		24 x 84"	PHFA2484	☐	☐	☐	☐	☐	☐	☐		
		30 x 84"	PHFA3084	☐	☐	☐	☐	☐	☐	☐		
		36 x 84"	PHFA3684	☐	☐	☐	☐	☐	☐	☐		
		42 x 84"	PHFA4284	☐	☐	☐	☐	☐	☐	☐		
		48 x 84"	PHFA4884	☐	☐	☐	☐	☐	☐	☐		
		54 x 84"	PHFA5484	☐	☐	☐	☐	☐	☐	☐		
		60 x 84"	PHFA6084	☐	☐	☐	☐	☐	☐	☐		
					A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile

R21 - Side 2 w/1-12" raceway tile; add \$31

R22 - Side 2 w/2-12" raceway tiles; add \$62

R23 - Side 2 w/3-12" raceway tiles; add \$91

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying.



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Half Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
40.0#	\$ 762	\$ 799	\$ 836	\$ 858	\$ 930	\$ 46	\$ 30
56.0#	837	877	924	943	1020	48	31
72.0#	913	960	1005	1032	1113	50	35
87.0#	1006	1056	1105	1139	1226	62	45
102.0#	1145	1199	1254	1293	1397	68	47
117.0#	1260	1319	1389	1426	1538	77	57
132.0#	1326	1396	1460	1500	1614	85	60
148.0#	1416	1486	1559	1598	1728	94	63
166.0#	1591	1673	1752	1796	1942	101	82
46.0#	\$ 923	\$ 969	\$ 1014	\$ 1041	\$ 1123	\$ 46	\$ 30
63.0#	1016	1066	1114	1149	1239	48	31
81.0#	1103	1159	1209	1249	1346	50	35
99.0#	1231	1293	1351	1395	1504	62	45
116.0#	1384	1453	1522	1566	1688	68	47
133.0#	1522	1603	1674	1721	1858	77	57
151.0#	1605	1686	1766	1813	1957	85	60
168.0#	1735	1824	1908	1956	2113	94	63
189.0#	1926	2020	2118	2177	2348	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
42"H	1	2
54"H	2	3
66"H	2	3
84"H	2	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

			MODEL NUMBER										
MODEL			W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2		
	Fully Segmented/Fully Segmented Panel - 30"H with 12"H tiles • Three to seven horizontal rails • Four, six or eight 12" fabric tiles with mounting hooks • Two 18" fabric tile included with 84" high panels with mounting hooks • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Starlight Silver finish is only offered on flat aluminum trim	12 x 30"	PFFA1230	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 30"	PFFA1830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 30"	PFFA2430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 30"	PFFA3030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 30"	PFFA3630	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 30"	PFFA4230	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 30"	PFFA4830	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 30"	PFFA5430	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 30"	PFFA6030	☐	☐	☐	☐	☐	☐	☐	☐	☐	
PFFA													
	Fully Segmented/Fully Segmented Panel - 42"H with 12"H tiles	12 x 42"	PFFA1242	☐	☐	☐	☐	☐	☐	☐	☐		
		18 x 42"	PFFA1842	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		24 x 42"	PFFA2442	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		30 x 42"	PFFA3042	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		36 x 42"	PFFA3642	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		42 x 42"	PFFA4242	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		48 x 42"	PFFA4842	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		54 x 42"	PFFA5442	☐	☐	☐	☐	☐	☐	☐	☐	☐	
		60 x 42"	PFFA6042	☐	☐	☐	☐	☐	☐	☐	☐	☐	
PFFA													
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62
- R3** - Side 1 w/3 12" raceway tiles; add \$91

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62
- R23** - Side 2 w/3-12" raceway tiles; add \$91

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
19.0#	\$ 371	\$ 385	\$ 405	\$ 419	\$ 455	\$ 46	\$ 30
26.0#	408	425	447	461	496	48	31
34.0#	450	473	495	511	550	50	35
41.0#	501	522	553	563	607	62	45
49.0#	567	593	620	641	688	68	47
56.0#	636	666	694	718	775	77	57
63.0#	660	692	724	746	803	85	60
71.0#	699	734	768	790	852	94	63
80.0#	797	837	879	899	975	101	82
26.0#	\$ 520	\$ 548	\$ 572	\$ 587	\$ 634	\$ 46	\$ 30
36.0#	570	595	622	643	691	48	31
47.0#	620	650	682	703	759	50	35
57.0#	687	722	754	779	837	62	45
68.0#	782	821	863	884	954	68	47
77.0#	870	914	959	981	1061	77	57
88.0#	905	953	997	1023	1104	85	60
98.0#	962	1009	1059	1091	1172	94	63
110.0#	1095	1149	1201	1236	1337	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	1	1
42"H	2	2
48"H	3	3
66"H	3	3
84"H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

		MODEL NUMBER								
MODEL	W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	
 PFFA	Fully Segmented/Fully Segmented Panel - 54"H with 12"H tiles	12 x 54"	PFFA1254	☐	☐	☐	☐	☐	☐	
		18 x 54"	PFFA1854	☐	☐	☐	☐	☐	☐	
	• Three to seven horizontal rails	24 x 54"	PFFA2454	☐	☐	☐	☐	☐	☐	
	• Four, six or eight 12" fabric tiles with mounting hooks	30 x 54"	PFFA3054	☐	☐	☐	☐	☐	☐	
	• Two 18" fabric tile included with 84" high panels with mounting hooks	36 x 54"	PFFA3654	☐	☐	☐	☐	☐	☐	
	• One base/raceway consisting of a raceway pan and two doors	42 x 54"	PFFA4254	☐	☐	☐	☐	☐	☐	
	• One rounded satin-textured polypropylene top cap with splice plate	48 x 54"	PFFA4854	☐	☐	☐	☐	☐	☐	
	• Order power separately	54 x 54"	PFFA5454	☐	☐	☐	☐	☐	☐	
	• Order vertical posts separately	60 x 54"	PFFA6054	☐	☐	☐	☐	☐	☐	
	• SX Starlight Silver finish is only offered on flat aluminum trim									
PFFA	Fully Segmented/Fully Segmented Panel - 66"H with 12"H tiles	12 x 66"	PFFA1266	☐	☐	☐	☐	☐	☐	
		18 x 66"	PFFA1866	☐	☐	☐	☐	☐	☐	
		24 x 66"	PFFA2466	☐	☐	☐	☐	☐	☐	
		30 x 66"	PFFA3066	☐	☐	☐	☐	☐	☐	
		36 x 66"	PFFA3666	☐	☐	☐	☐	☐	☐	
		42 x 66"	PFFA4266	☐	☐	☐	☐	☐	☐	
		48 x 66"	PFFA4866	☐	☐	☐	☐	☐	☐	
		54 x 66"	PFFA5466	☐	☐	☐	☐	☐	☐	
PFFA	Fully Segmented/Fully Segmented Panel - 84"H with 12"H tiles	12 x 84"	PFFA1284	☐	☐	☐	☐	☐	☐	
		18 x 84"	PFFA1884	☐	☐	☐	☐	☐	☐	
		24 x 84"	PFFA2484	☐	☐	☐	☐	☐	☐	
		30 x 84"	PFFA3084	☐	☐	☐	☐	☐	☐	
		36 x 84"	PFFA3684	☐	☐	☐	☐	☐	☐	
		42 x 84"	PFFA4284	☐	☐	☐	☐	☐	☐	
		48 x 84"	PFFA4884	☐	☐	☐	☐	☐	☐	
		54 x 84"	PFFA5484	☐	☐	☐	☐	☐	☐	
		60 x 84"	PFFA6084	☐	☐	☐	☐	☐	☐	
			A	B	C	D	E	F	G	H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31
- R2** - Side 1 w/2-12" raceway tiles; add \$62
- R3** - Side 1 w/3 12" raceway tiles; add \$91

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31
- R22** - Side 2 w/2-12" raceway tiles; add \$62
- R23** - Side 2 w/3-12" raceway tiles; add \$91

F Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

G Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

H Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Panel - Tackable Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented Panel

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
34.0#	\$ 671	\$ 700	\$ 733	\$ 758	\$ 818	\$ 46	\$ 30
47.0#	731	765	803	824	892	48	31
60.0#	795	836	878	898	969	50	35
73.0#	877	922	964	990	1069	62	45
86.0#	1001	1051	1100	1132	1221	68	47
99.0#	1104	1160	1210	1250	1348	77	57
112.0#	1153	1209	1265	1303	1406	85	60
125.0#	1228	1288	1348	1387	1496	94	63
141.0#	1391	1460	1527	1573	1695	101	82
41.0#	\$ 818	\$ 857	\$ 901	\$ 922	\$ 997	\$ 46	\$ 30
57.0#	897	941	986	1012	1091	48	31
74.0#	969	1019	1066	1097	1177	50	35
89.0#	1065	1118	1168	1205	1301	62	45
105.0#	1220	1279	1338	1379	1486	68	47
120.0#	1340	1402	1474	1513	1633	77	57
134.0#	1402	1469	1540	1581	1711	85	60
152.0#	1489	1565	1641	1683	1822	94	63
172.0#	1688	1775	1856	1906	2057	101	82
47.0#	\$ 977	\$ 1029	\$ 1072	\$ 1105	\$ 1193	\$ 46	\$ 30
65.0#	1072	1125	1177	1213	1310	48	31
83.0#	1155	1213	1268	1305	1408	50	35
101.0#	1291	1351	1421	1456	1575	62	45
119.0#	1458	1533	1606	1648	1779	68	47
137.0#	1605	1686	1766	1813	1957	77	57
155.0#	1679	1765	1846	1895	2042	85	60
173.0#	1809	1899	1991	2045	2208	94	63
195.0#	2023	2122	2223	2286	2468	101	82

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

30"H	1	1
42"H	2	2
48"H	3	3
66"H	3	3
84"H	3	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.


Specifications and prices are subject to
change without prior notice.

Glass Panel

Face Styles

Face Style: Full Glass
Basic Model: PG


Full Glass panel consist of a full-sized glass tile.
Consists of one glass tile utilizing a single panel
of 1/4" thick tempered glass. Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Glass Panels)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A

Face Style: Glass/Monolithic
Basic Model: PMMGA

Glass/Monolithic panels consist of the following: 24" fabric tile on bottom.
Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.
Base is 6". Panel thickness: 3 1/2".



STANDARD PANEL SIZES (Fabric/Glass–Acoustic and Highly Acoustic)										Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A




Glass Panel

Face Styles

Face Style: Monolithic/Fully Segmented/Glass

Basic Model: PMFGA



Monolithic/Fully Segmented/Glass panels consist of the following:

24" fabric tile on bottom of side one, two 12" segmented fabric tiles on bottom of side two.

Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.


Base is 6". Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Fabric/Glass–Acoustic)

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	Side 1 Number of 12" Fabric Tiles	Side 2 Number of 12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2

Face Style: Glass/Fully Segmented

Basic Model: PFFGA



Glass/Fully Segmented panels consist of the following:

Two 12" fabric tile on bottom. Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass.


Base is 6". Panel thickness: 3 1/2".

STANDARD PANEL SIZES (Fabric/Glass–Acoustic)

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	Side 1 Number of 12" Fabric Tiles	Side 2 Number of 12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	2	2
66" H	•	•	•	•	•	•	•	N/A	N/A	2	2
84" H	•	•	•	•	•	•	•	N/A	N/A	2	2

Glass Panel

Full Glass Panel

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	
MODEL			W x H					
	Full Glass Panel - 54"H • Two horizontal rails • Two aluminum window frames • One pane, 1/4" thick glass • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • SX Startlight Silver finish is only offered on flat aluminum trim	12 x 54"	PG1254	☐	☐	☐	☐	23.0#
		18 x 54"	PG1854	☐	☐	☐	☐	32.0#
		24 x 54"	PG2454	☐	☐	☐	☐	42.0#
		30 x 54"	PG3054	☐	☐	☐	☐	51.0#
		36 x 54"	PG3654	☐	☐	☐	☐	60.0#
		42 x 54"	PG4254	☐	☐	☐	☐	69.0#
		48 x 54"	PG4854	☐	☐	☐	☐	79.0#
PG								
PG	Full Glass Panel - 66"H	12 x 66"	PG1266	☐	☐	☐	☐	27.0#
		18 x 66"	PG1866	☐	☐	☐	☐	38.0#
		24 x 66"	PG2466	☐	☐	☐	☐	49.0#
		30 x 66"	PG3066	☐	☐	☐	☐	59.0#
		36 x 66"	PG3666	☐	☐	☐	☐	70.0#
		42 x 66"	PG4266	☐	☐	☐	☐	81.0#
		48 x 66"	PG4866	☐	☐	☐	☐	92.0#
PG	Full Glass Panel - 84"H	12 x 84"	PG1284	☐	☐	☐	☐	33.0#
		18 x 84"	PG1884	☐	☐	☐	☐	46.0#
		24 x 84"	PG2484	☐	☐	☐	☐	59.0#
		30 x 84"	PG3084	☐	☐	☐	☐	72.0#
		36 x 84"	PG3684	☐	☐	☐	☐	85.0#
		42 x 84"	PG4284	☐	☐	☐	☐	98.0#
		48 x 84"	PG4884	☐	☐	☐	☐	111.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts
D - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
S - Standard
- D** Select glass color.
- BRZ** - Tinted/Bronze
GLA - Clear
GLC - White Laminate
- E** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.

SX Starlight Silver finish is only offered on flat aluminum trim.



Glass Panel

Full Glass Panel

Clear (C)	Tinted/Bronze (T)	White Laminate (W)	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 519	\$ 544	\$ 675	\$ 46	\$ 30
567	594	734	48	31
620	651	806	50	35
683	720	888	62	45
746	785	969	68	47
840	884	1093	77	57
923	967	1197	85	60
\$ 527	\$ 556	\$ 687	\$ 46	\$ 30
583	612	758	48	31
644	676	838	50	35
712	747	927	62	45
829	871	1075	68	47
929	974	1206	77	57
963	1012	1256	85	60
\$ 653	\$ 689	\$ 852	\$ 46	\$ 30
767	806	997	48	31
837	879	1089	50	35
908	957	1186	62	45
988	1036	1282	68	47
1096	1149	1427	77	57
1140	1196	1482	85	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Glass Panel

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	
 PMGA	Monolithic/Monolithic/Glass Panel - 54"H	12 x 54"	PMMGA1254	☐	☐	☐	☐	☐	☐	26.0#
		18 x 54"	PMMGA1854	☐	☐	☐	☐	☐	☐	36.0#
		24 x 54"	PMMGA2454	☐	☐	☐	☐	☐	☐	46.0#
		30 x 54"	PMMGA3054	☐	☐	☐	☐	☐	☐	56.0#
		36 x 54"	PMMGA3654	☐	☐	☐	☐	☐	☐	66.0#
		42 x 54"	PMMGA4254	☐	☐	☐	☐	☐	☐	76.0#
		48 x 54"	PMMGA4854	☐	☐	☐	☐	☐	☐	85.0#
PMGA	Monolithic/Monolithic/Glass Panel - 66"H	12 x 66"	PMMGA1266	☐	☐	☐	☐	☐	☐	30.0#
		18 x 66"	PMMGA1866	☐	☐	☐	☐	☐	☐	41.0#
		24 x 66"	PMMGA2466	☐	☐	☐	☐	☐	☐	53.0#
		30 x 66"	PMMGA3066	☐	☐	☐	☐	☐	☐	64.0#
		36 x 66"	PMMGA3666	☐	☐	☐	☐	☐	☐	75.0#
		42 x 66"	PMMGA4266	☐	☐	☐	☐	☐	☐	86.0#
		48 x 66"	PMMGA4866	☐	☐	☐	☐	☐	☐	98.0#
PMGA	Monolithic/Monolithic/Glass Panel - 84"H	12 x 84"	PMMGA1284	☐	☐	☐	☐	☐	☐	36.0#
		18 x 84"	PMMGA1884	☐	☐	☐	☐	☐	☐	50.0#
		24 x 84"	PMMGA2484	☐	☐	☐	☐	☐	☐	63.0#
		30 x 84"	PMMGA3084	☐	☐	☐	☐	☐	☐	77.0#
		36 x 84"	PMMGA3684	☐	☐	☐	☐	☐	☐	90.0#
		42 x 84"	PMMGA4284	☐	☐	☐	☐	☐	☐	104.0#
		48 x 84"	PMMGA4884	☐	☐	☐	☐	☐	☐	120.0#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

E Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

F Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

G Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

[illegible]

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Fabric Disclaimer: Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

[illegible]

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
54"H	0	1
66"H	0	1
84"H	0	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifically for that fabric.



Glass/Fabric Panel - Acoustic (3/4” Thick Tiles)

Monolithic/Fully Segmented/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 767	\$ 781	\$ 789	\$ 805	\$ 827	\$ 46	\$ 14	\$ 115	\$ 30
844	858	870	888	912	48	16	126	31
928	942	954	974	1001	50	18	139	35
1019	1036	1048	1068	1103	62	20	153	45
1125	1147	1157	1177	1215	68	23	169	47
1304	1332	1341	1366	1405	77	27	197	57
1364	1391	1403	1432	1468	85	28	205	60

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
54”H	0	1
66”H	0	1
84”H	0	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

	W x H	MODEL NUMBER									Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	
	12 x 54"	PFFGA1254	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	30.0#
	18 x 54"	PFFGA1854	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	42.0#
	24 x 54"	PFFGA2454	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	54.0#
	30 x 54"	PFFGA3054	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	66.0#
	36 x 54"	PFFGA3654	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	78.0#
	42 x 54"	PFFGA4254	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	90.0#
	48 x 54"	PFFGA4854	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	102.0#
PGA Fully Segmented/Fully Segmented/ Glass Panel - 54"H											
PGA Fully Segmented/Fully Segmented/ Glass Panel - 66"H	12 x 66"	PFFGA1266	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	34.0#
	18 x 66"	PFFGA1866	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	47.0#
	24 x 66"	PFFGA2466	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	61.0#
	30 x 66"	PFFGA3066	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	75.0#
	36 x 66"	PFFGA3666	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	88.0#
	42 x 66"	PFFGA4266	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	101.0#
	48 x 66"	PFFGA4866	□□	□	□□	□□□	□□□	□□	□□□□	□□□□	115.0#
			A	B	C	D	E	F	G	H	I

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
- R1** - Side 1 w/1-12" raceway tile; add \$31

E Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
- R21** - Side 2 w/1-12" raceway tile; add \$31

F Select glass color.

- GLA** - Clear
- BRZ** - Tinted/Bronze
- GLC** - White laminate

See pricing columns for glass upcharge.

G Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.

H Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

I Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying.



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

[illegible]

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height	Side 1	Side 2
54"H	1	1
66"H	1	1
84"H	1	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

	W x H	MODEL NUMBER								Approx. Packaged Weight	
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1		Fabric Side 2
	12 x 84"	PFFGA1284	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	40.0#
	18 x 84"	PFFGA1884	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	56.0#
	24 x 84"	PFFGA2484	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.0#
	30 x 84"	PFFGA3084	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	88.0#
	36 x 84"	PFFGA3684	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	103.0#
	42 x 84"	PFFGA4284	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	119.0#
	48 x 84"	PFFGA4884	☐ ☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	134.0#

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
 - C1** - Chicago, 1 side w/cutouts
 - CP** - Chicago, 2 sides w/cutouts
 - DN** - Domestic, no cutouts
 - D1** - Domestic, 1 side w/cutouts
 - D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
 - S** - Standard
- D** Select numbers of raceway tiles side 1
- R0** - Side 1 w/no raceway tile
 - R1** - Side 1 w/1-12" raceway tile; add \$31
- E** Select numbers of raceway tiles side 2
- R20** - Side 2 w/no raceway tile
 - R21** - Side 2 w/1-12" raceway tile; add \$31

- F** Select glass color.
- | | |
|------------|------------------|
| GLA | - Clear |
| BRZ | - Tinted/Bronze |
| GLC | - White laminate |
- See pricing columns for glass upcharge.
- G** Select trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge. SX Starlight Silver finish is only offered on flat aluminum trim.
- H** Select fabric side 1.
- Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- I** Select fabric side 2.
- Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Glass/Fabric Panel - Acoustic (3/4" Thick Tiles)

Fully Segmented/Fully Segmented/Glass Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
\$ 823	\$ 836	\$ 846	\$ 863	\$ 886	\$ 46	\$ 15	\$ 124	\$ 30
902	918	930	950	972	48	18	138	31
982	995	1009	1032	1062	50	19	147	35
1073	1091	1107	1126	1164	62	22	162	45
1198	1220	1232	1257	1294	68	24	179	47
1380	1408	1421	1449	1487	77	29	207	57
1437	1465	1484	1510	1551	85	30	215	60

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

INFORMATION

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2

54"H	1	1
66"H	1	1
84"H	1	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Basic Model: P0

Fully Open panels consist of a full-sized open tile. Base is 6".




STANDARD PANEL SIZES (Open Panels)

[illegible]

Basic Model: POMMA

Open/Monolithic panels consist of the following: 24" open tile on bottom. Remainder of panel is a single fabric tile. Base is 6". Panel thickness: 3'1/2".



STANDARD PANEL SIZES (Open/Fabric-Acoustic)

[illegible]

	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	●	●	●	●	●	●	●	●	●	N/A	N/A
54" H	●	●	●	●	●	●	●	●	●	N/A	N/A
66" H	●	●	●	●	●	●	●	●	●	N/A	N/A
84" H	●	●	●	●	●	●	●	●	●	N/A	N/A

Open Panel

Full Open Panel

		MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	
	MODEL	W x H				
	Full Open Panel - 30"H	12 x 30"	P01230	☐	☐	9.0#
	• Two horizontal rails	18 x 30"	P01830	☐	☐	13.0#
	• Two powder-coated aluminum window frames	24 x 30"	P02430	☐	☐	16.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 30"	P03030	☐	☐	20.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 30"	P03630	☐	☐	24.0#
	• Order power separately	42 x 30"	P04230	☐	☐	27.0#
	• Order vertical posts separately	48 x 30"	P04830	☐	☐	31.0#
P0						
P0	Full Open Panel - 42"H	12 x 42"	P01242	☐	☐	10.0#
		18 x 42"	P01842	☐	☐	14.0#
		24 x 42"	P02442	☐	☐	18.0#
		30 x 42"	P03042	☐	☐	21.0#
		36 x 42"	P03642	☐	☐	25.0#
		42 x 42"	P04242	☐	☐	28.0#
		48 x 42"	P04842	☐	☐	32.0#
P0	Full Open Panel - 54"H	12 x 54"	P01254	☐	☐	12.0#
		18 x 54"	P01854	☐	☐	15.0#
		24 x 54"	P02454	☐	☐	19.0#
		30 x 54"	P03054	☐	☐	22.0#
		36 x 54"	P03654	☐	☐	26.0#
		42 x 54"	P04254	☐	☐	30.0#
		48 x 54"	P04854	☐	☐	33.0#
		A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Metallic paint requires upcharge.
- SX Starlight Silver finish is only offered on flat aluminum trim.



Open Panel

Full Open Panel

Delivered Pricing	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 347	\$ 46	\$ 30
377	48	31
413	50	35
450	62	45
492	68	47
567	77	57
577	85	60
\$ 410	\$ 46	\$ 30
436	48	31
475	50	35
514	62	45
557	68	47
636	77	57
644	85	60
\$ 453	\$ 46	\$ 30
481	48	31
520	50	35
558	62	45
603	68	47
679	77	57
707	85	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Open Panel

Full Open Panel

		MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	
MODEL	W x H					
	Full Open Panel - 66"H	12 x 66"	PO1266	☐ ☐	☐	13.0#
	• Two horizontal rails	18 x 66"	PO1866	☐ ☐	☐ ☐	17.0#
	• Two powder-coated aluminum window frames	24 x 66"	PO2466	☐ ☐	☐ ☐	20.0#
	• One base/raceway consisting of a raceway pan and two doors	30 x 66"	PO3066	☐ ☐	☐ ☐	24.0#
	• One rounded satin-textured polypropylene top cap with splice plate	36 x 66"	PO3666	☐ ☐	☐ ☐	27.0#
	• Order power separately	42 x 66"	PO4266	☐ ☐	☐ ☐	31.0#
	• Order vertical posts separately	48 x 66"	PO4866	☐ ☐	☐ ☐	34.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim					
P0						
P0	Full Open Panel - 84"H	12 x 84"	PO1284	☐ ☐	☐	15.0#
		18 x 84"	PO1884	☐ ☐	☐ ☐	18.0#
		24 x 84"	PO2484	☐ ☐	☐ ☐	22.0#
		30 x 84"	PO3084	☐ ☐	☐ ☐	25.0#
		36 x 84"	PO3684	☐ ☐	☐ ☐	29.0#
		42 x 84"	PO4284	☐ ☐	☐ ☐	33.0#
		48 x 84"	PO4884	☐ ☐	☐ ☐	36.0#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| CN | - Chicago, no cutouts |
| C1 | - Chicago, 1 side w/cutouts |
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| D1 | - Domestic, 1 side w/cutouts |
| D | - Domestic, 2 sides w/cutouts |
- C** Select horizontal rail.
- | | |
|----------|------------|
| E | - Enhanced |
| S | - Standard |
- D** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.



Open Panel

Full Open Panel

Delivered Pricing	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 457	\$ 46	\$ 30
488	48	31
525	50	35
563	62	45
627	68	47
701	77	57
717	85	60
\$ 576	\$ 46	\$ 30
623	48	31
663	50	35
701	62	45
745	68	47
821	77	57
834	85	60

SPECIAL SERVICES


Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER								
	W x H	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	12 x 42"	POMMA1242	□□	□	□□	□□□	□□	□□□□	□□□□	17.0#
	18 x 42"	POMMA1842	□□	□	□□	□□□	□□	□□□□	□□□□	23.0#
	24 x 42"	POMMA2442	□□	□	□□	□□□	□□	□□□□	□□□□	30.0#
	30 x 42"	POMMA3042	□□	□	□□	□□□	□□	□□□□	□□□□	36.0#
	36 x 42"	POMMA3642	□□	□	□□	□□□	□□	□□□□	□□□□	42.0#
	42 x 42"	POMMA4242	□□	□	□□	□□□	□□	□□□□	□□□□	49.0#
	48 x 42"	POMMA4842	□□	□	□□	□□□	□□	□□□□	□□□□	55.0#
POA										
Open/Monolithic/Monolithic Panel - 42"H										
• Three horizontal rails • Two aluminum frames • Two full fabric tiles • One base/raceway consisting of a raceway pan and two doors • One rounded satin-textured polypropylene top cap with splice plate • Order power separately • Order vertical posts separately • Fabric tile is tackable • SX Starlight Silver finish is only offered on flat aluminum trim										

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

R20	- Side 2 w/no raceway tile
R21	- Side 2 w/1'-12" raceway tile; add \$31

- H** Select fabric side 2.
Refer to color addendum at ki.com or
in KI Fabrics & Finishes binder.

Fabric Disclaimer:
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the difference.

Open/Monolithic/Monolithic Panel

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

Open/Fabric Panel - Acoustic (3/4” Thick Tiles)

Open/Monolithic/Monolithic Panel

MODEL		W x H	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
	Open/Monolithic/Monolithic Panel - 66"H	12 x 66"	POMMA1266	☐	☐	☐	☐	☐	23.0#
		18 x 66"	POMMA1866	☐	☐	☐	☐	☐	31.0#
		24 x 66"	POMMA2466	☐	☐	☐	☐	☐	39.0#
		30 x 66"	POMMA3066	☐	☐	☐	☐	☐	47.0#
		36 x 66"	POMMA3666	☐	☐	☐	☐	☐	54.0#
		42 x 66"	POMMA4266	☐	☐	☐	☐	☐	62.0#
		48 x 66"	POMMA4866	☐	☐	☐	☐	☐	69.0#
POA									
POA	Open/Monolithic/Monolithic Panel - 84"H	12 x 84"	POMMA1284	☐	☐	☐	☐	☐	28.0#
		18 x 84"	POMMA1884	☐	☐	☐	☐	☐	37.0#
		24 x 84"	POMMA2484	☐	☐	☐	☐	☐	46.0#
		30 x 84"	POMMA3084	☐	☐	☐	☐	☐	55.0#
		36 x 84"	POMMA3684	☐	☐	☐	☐	☐	63.0#
		42 x 84"	POMMA4284	☐	☐	☐	☐	☐	72.0#
		48 x 84"	POMMA4884	☐	☐	☐	☐	☐	81.0#
		A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to color addendum at ki.com or in KI

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Open/Monolithic/Monolithic Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 562	\$ 573	\$ 580	\$ 594	\$ 613	\$ 46	\$ 30
619	631	646	657	675	48	31
671	681	696	707	728	50	35
756	767	785	800	824	62	45
845	860	877	894	924	68	47
943	960	982	997	1030	77	57
962	982	1000	1020	1052	85	60
\$ 606	\$ 615	\$ 627	\$ 640	\$ 657	\$ 46	\$ 30
696	707	724	735	756	48	31
749	762	780	795	819	50	35
828	844	861	878	902	62	45
903	920	939	958	988	68	47
1020	1037	1059	1083	1111	77	57
1079	1096	1124	1140	1174	85	60

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
 PMOA	Monolithic/Monolithic/Open Panel - 42"H	12 x 42"	PMMOA1242	☐	☐	☐	☐	19.0#
		18 x 42"	PMMOA1842	☐	☐	☐	☐	26.0#
		24 x 42"	PMMOA2442	☐	☐	☐	☐	33.0#
		30 x 42"	PMMOA3042	☐	☐	☐	☐	37.0#
		36 x 42"	PMMOA3642	☐	☐	☐	☐	47.0#
		42 x 42"	PMMOA4242	☐	☐	☐	☐	54.0#
		48 x 42"	PMMOA4842	☐	☐	☐	☐	61.0#
PMOA	Monolithic/Monolithic/Open Panel - 54"H	12 x 54"	PMMOA1254	☐	☐	☐	☐	20.0#
		18 x 54"	PMMOA1854	☐	☐	☐	☐	27.0#
		24 x 54"	PMMOA2454	☐	☐	☐	☐	34.0#
		30 x 54"	PMMOA3054	☐	☐	☐	☐	41.0#
		36 x 54"	PMMOA3654	☐	☐	☐	☐	48.0#
		42 x 54"	PMMOA4254	☐	☐	☐	☐	55.0#
		48 x 54"	PMMOA4854	☐	☐	☐	☐	62.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CN** - Chicago, no cutouts
- C1** - Chicago, 1 side w/cutouts
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- D1** - Domestic, 1 side w/cutouts
- D** - Domestic, 2 sides w/cutouts

C Select horizontal rail.

- E** - Enhanced
- S** - Standard

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

E Select fabric side 1.

Refer to color addendum at ki.com or in KI

Fabrics & Finishes binder.

F Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 491	\$ 502	\$ 509	\$ 521	\$ 535	\$ 46	\$ 30
542	553	559	575	593	48	31
605	614	625	639	655	50	35
660	671	687	696	718	62	45
722	733	750	765	783	68	47
818	832	849	867	890	77	57
862	877	894	913	941	85	60
\$ 516	\$ 526	\$ 533	\$ 547	\$ 562	\$ 46	\$ 30
569	578	585	599	617	48	31
629	639	650	663	685	50	35
685	697	713	725	745	62	45
746	758	777	789	816	68	47
844	858	876	893	923	77	57
887	901	922	941	967	85	60

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	
MODEL	W x H								
	Monolithic/Monolithic/Open Panel - 66"H	12 x 66"	PMMOA1266	☐	☐	☐	☐	☐	21.0#
		18 x 66"	PMMOA1866	☐	☐	☐	☐	☐	28.0#
		24 x 66"	PMMOA2466	☐	☐	☐	☐	☐	36.0#
		30 x 66"	PMMOA3066	☐	☐	☐	☐	☐	43.0#
		36 x 66"	PMMOA3666	☐	☐	☐	☐	☐	50.0#
		42 x 66"	PMMOA4266	☐	☐	☐	☐	☐	57.0#
		48 x 66"	PMMOA4866	☐	☐	☐	☐	☐	64.0#
PMOA									
PMOA	Monolithic/Monolithic/Open Panel - 84"H	12 x 84"	PMMOA1284	☐	☐	☐	☐	☐	23.0#
		18 x 84"	PMMOA1884	☐	☐	☐	☐	☐	30.0#
		24 x 84"	PMMOA2484	☐	☐	☐	☐	☐	38.0#
		30 x 84"	PMMOA3084	☐	☐	☐	☐	☐	44.0#
		36 x 84"	PMMOA3684	☐	☐	☐	☐	☐	51.0#
		42 x 84"	PMMOA4284	☐	☐	☐	☐	☐	58.0#
		48 x 84"	PMMOA4884	☐	☐	☐	☐	☐	65.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select electrical code for base raceway.
- CN** - Chicago, no cutouts
 - C1** - Chicago, 1 side w/cutouts
 - CP** - Chicago, 2 sides w/cutouts
 - DN** - Domestic, no cutouts
 - D1** - Domestic, 1 side w/cutouts
 - D** - Domestic, 2 sides w/cutouts
- C** Select horizontal rail.
- E** - Enhanced
 - S** - Standard
- D** Select trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Metallic paint requires upcharge.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- E** Select fabric side 1.
- Refer to color addendum at ki.com or in KI

Fabrics & Finishes binder.

- F** Select fabric side 2.
- Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric

-Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will



Open/Fabric Panel - Acoustic (3/4" Thick Tiles)

Monolithic/Monolithic/Open Panel

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
\$ 579	\$ 589	\$ 600	\$ 614	\$ 632	\$ 46	\$ 30
631	640	651	664	687	48	31
693	703	721	732	752	50	35
749	762	780	795	819	62	45
810	824	843	860	881	68	47
908	925	945	963	993	77	57
955	970	992	1009	1042	85	60
\$ 623	\$ 638	\$ 651	\$ 662	\$ 681	\$ 46	\$ 30
679	692	705	720	737	48	31
737	750	767	783	800	50	35
797	810	829	845	869	62	45
858	872	891	906	934	68	47
980	995	1017	1037	1067	77	57
1023	1040	1062	1085	1113	85	60

need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Fabric Stackable Section - Acoustic (3/4" Tiles)

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Electrical Code	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Side 1	Fabric Side 2	
 PSA	Stackable Fabric Section - 12"H	12 x 12"	PSA1212	☐	☐	☐	☐	☐	8.0#
	• One horizontal rail	18 x 12"	PSA1812	☐	☐	☐	☐	☐	10.0#
	• Two full fabric tiles with mounting hooks	24 x 12"	PSA2412	☐	☐	☐	☐	☐	13.0#
	• Use top cap from existing lower panel	30 x 12"	PSA3012	☐	☐	☐	☐	☐	16.0#
	• Order power separately	36 x 12"	PSA3612	☐	☐	☐	☐	☐	19.0#
	• Order stackable vertical posts separately	42 x 12"	PSA4212	☐	☐	☐	☐	☐	22.0#
	• Fabric tile is stackable	48 x 12"	PSA4812	☐	☐	☐	☐	☐	25.0#
		54 x 12"	PSA5412	☐	☐	☐	☐	☐	28.0#
		60 x 12"	PSA6012	☐	☐	☐	☐	☐	31.0#
PSA	Stackable Fabric Section - 18"H	12 x 18"	PSA1218		R0	R20	☐	☐	9.0#
		18 x 18"	PSA1818		R0	R20	☐	☐	12.0#
		24 x 18"	PSA2418		R0	R20	☐	☐	16.0#
		30 x 18"	PSA3018		R0	R20	☐	☐	19.0#
		36 x 18"	PSA3618		R0	R20	☐	☐	22.0#
		42 x 18"	PSA4218		R0	R20	☐	☐	25.0#
		48 x 18"	PSA4818		R0	R20	☐	☐	28.0#
		54 x 18"	PSA5418		R0	R20	☐	☐	31.0#
		60 x 18"	PSA6018		R0	R20	☐	☐	35.0#
PSA	Stackable Fabric Section - 24"H	12 x 24"	PSA1224		R0	R20	☐	☐	11.0#
		18 x 24"	PSA1824		R0	R20	☐	☐	14.0#
		24 x 24"	PSA2424		R0	R20	☐	☐	18.0#
		30 x 24"	PSA3024		R0	R20	☐	☐	21.0#
		36 x 24"	PSA3624		R0	R20	☐	☐	25.0#
		42 x 24"	PSA4224		R0	R20	☐	☐	28.0#
		48 x 24"	PSA4824		R0	R20	☐	☐	32.0#
		54 x 24"	PSA5424		R0	R20	☐	☐	35.0#
		60 x 24"	PSA6024		R0	R20	☐	☐	39.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select electrical code for base raceway.

- CP** - Chicago, 2 sides w/cutouts
D - Domestic, 2 sides w/cutouts

C Select numbers of raceway tiles side 1

- R0** - Side 1 w/no raceway tile
R1 - Side 1 w/1-12" raceway tile; add \$31

D Select numbers of raceway tiles side 2

- R20** - Side 2 w/no raceway tile
R21 - Side 2 w/1-12" raceway tile; add \$31

E Select fabric side 1.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

F Select fabric side 2.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

Grade 2 Fabric
 -Grade1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
 +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-



Fabric Stackable Section - Acoustic (3/4" Tiles)

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 149	\$ 159	\$ 168	\$ 179	\$ 201
163	169	184	195	213
173	184	202	208	228
186	198	213	221	246
220	229	252	264	289
231	245	267	280	307
247	260	282	297	329
264	280	304	315	351
298	312	343	354	390
\$ 162	\$ 168	\$ 182	\$ 193	\$ 212
178	188	206	213	232
186	198	213	221	246
225	238	256	269	297
245	256	280	291	320
264	280	304	315	351
278	293	316	334	368
317	333	367	380	417
334	352	384	402	438
\$ 169	\$ 178	\$ 198	\$ 204	\$ 224
192	202	221	228	253
219	228	251	263	287
231	245	267	280	307
254	267	291	304	338
278	293	316	334	368
310	325	356	370	407
334	352	384	402	438
349	368	402	420	458

ing the direction the fabric is to be applied.
The posted standard lead time will apply to
the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Glass Stackable Section

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Glass Color	Trim Color	
MODEL	W x H				
	Stackable Glass Section - 12"H	12 x 12"	PSG1212	☐ ☐ ☐	7.0#
	• One horizontal rail	18 x 12"	PSG1812	☐ ☐ ☐	11.0#
	• Two powder-coated aluminum window frames	24 x 12"	PSG2412	☐ ☐ ☐	14.0#
	• One pane, 1/4" thick glass	30 x 12"	PSG3012	☐ ☐ ☐	17.0#
	• Use top cap from existing lower panel	36 x 12"	PSG3612	☐ ☐ ☐	20.0#
	• Order stackable vertical posts separately	42 x 12"	PSG4212	☐ ☐ ☐	23.0#
		48 x 12"	PSG4812	☐ ☐ ☐	26.0#
PSG					
PSG	Stackable Glass Section - 18"H	12 x 18"	PSG1218	☐ ☐ ☐	9.0#
		18 x 18"	PSG1818	☐ ☐ ☐	13.0#
		24 x 18"	PSG2418	☐ ☐ ☐	17.0#
		30 x 18"	PSG3018	☐ ☐ ☐	21.0#
		36 x 18"	PSG3618	☐ ☐ ☐	25.0#
		42 x 18"	PSG4218	☐ ☐ ☐	29.0#
		48 x 18"	PSG4818	☐ ☐ ☐	33.0#
PSG	Stackable Glass Section - 24"H	12 x 24"	PSG1224	☐ ☐ ☐	14.0#
		18 x 24"	PSG1824	☐ ☐ ☐	16.0#
		24 x 24"	PSG2424	☐ ☐ ☐	22.0#
		30 x 24"	PSG3024	☐ ☐ ☐	25.0#
		36 x 24"	PSG3624	☐ ☐ ☐	30.0#
		42 x 24"	PSG4224	☐ ☐ ☐	34.0#
		48 x 24"	PSG4824	☐ ☐ ☐	39.0#

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|------------|-----------------|
| GLA | - Clear |
| BRZ | - Tinted/Bronze |
| GLC | - White Lamine |
- C** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.



Glass Stackable Section

Clear (C)	Tinted/Bronze (T)	White Laminate (W)	Metallic Paint add to list price
\$ 298	\$ 312	\$ 387	\$ 30
317	334	413	31
336	352	436	35
354	374	465	45
376	394	486	47
436	459	564	57
448	471	580	60
\$ 314	\$ 332	\$ 411	\$ 30
342	356	440	31
356	376	467	35
382	399	496	45
423	443	550	47
470	492	610	57
479	507	623	60
\$ 330	\$ 346	\$ 427	\$ 30
354	374	465	31
377	396	488	35
404	425	522	45
447	470	579	47
493	519	643	57
509	533	662	60

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Open Stackable Section

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
	Stackable Open Section - 12"H • One horizontal rail • Two aluminum frames • Use top cap from existing lower panel • Order stackable vertical posts separately	12 x 12"	PS01212	☐ ☐ 4.0#
		18 x 12"	PS01812	☐ ☐ 6.0#
		24 x 12"	PS02412	☐ ☐ 8.0#
		30 x 12"	PS03012	☐ ☐ 10.0#
		36 x 12"	PS03612	☐ ☐ 11.0#
		42 x 12"	PS04212	☐ ☐ 13.0#
		48 x 12"	PS04812	☐ ☐ 15.0#
PS0				
PS0	Stackable Open Section - 18"H	12 x 18"	PS01218	☐ ☐ 5.0#
		18 x 18"	PS01818	☐ ☐ 7.0#
		24 x 18"	PS02418	☐ ☐ 9.0#
		30 x 18"	PS03018	☐ ☐ 10.0#
		36 x 18"	PS03618	☐ ☐ 12.0#
		42 x 18"	PS04218	☐ ☐ 14.0#
		48 x 18"	PS04818	☐ ☐ 15.0#
PS0	Stackable Open Section - 24"H	12 x 24"	PS01224	☐ ☐ 6.0#
		18 x 24"	PS01824	☐ ☐ 7.0#
		24 x 24"	PS02424	☐ ☐ 9.0#
		30 x 24"	PS03024	☐ ☐ 11.0#
		36 x 24"	PS03624	☐ ☐ 13.0#
		42 x 24"	PS04224	☐ ☐ 14.0#
		48 x 24"	PS04824	☐ ☐ 16.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge



Open Stackable Section

Delivered Pricing	Metallic Paint add to list price
\$ 252	\$ 30
269	31
282	35
301	45
336	47
379	57
384	60
\$ 265	\$ 30
285	31
300	35
314	45
349	47
390	57
399	60
\$ 275	\$ 30
297	31
309	35
327	45
358	47
405	57
412	60

SPECIAL SERVICES

Special Carton Marking





With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Doors

	MODEL	Panel Width	W x H	MODEL NUMBER				
				Basic Model	Trim Color	Surface Finish	Frame Color	
 Right shown PDR	Door - Provides visual and acoustical privacy - For use in conjunction with 84" panels - Laminate surface on hollow core door - Locking and non-locking options - Lever handle to meet ADA guidelines - Door hand swing is determined by standing on the side of door that swings toward the user when opening (handle to right is a right hand door) - SX Starlight Silver finish is only offered on flat aluminum trim	36" Right handed Locking	30 x 80"	PDRR36/L	☐	☐		
		36" Right handed Non-Locking	30 x 80"	PDRR36/N	☐	☐		
		36" Left handed Locking	30 x 80"	PDRL36/L	☐	☐		
		36" Left handed Non-Locking	30 x 80"	PDRL36/N	☐	☐		
		42" Right handed Locking	36 x 80"	PDRR42/L	☐	☐		
		42" Right handed Non-Locking	36 x 80"	PDRR42/N	☐	☐		
		42" Left handed Locking	36 x 80"	PDRL42/L	☐	☐		
		42" Left handed Non-Locking	36 x 80"	PDRL42/N	☐	☐		
 PCOT	Door Pass-Through - Trim - SX Starlight Silver finish is only offered on flat aluminum trim	36" x 84" H	30 x 80"	PCOT36	☐			
		42" x 84" H	36 x 80"	PCOT42	☐			
 RSD	Door Sliding - Will cover a 42" opening - Designed to fit any panel 66" high & over - Aluminum frame w/clear poly insert		48 x 66"	RSD4266FHC/CP/WW			☐	
 HRDPT	Door Threshold - Provides extra stability for attaching panels in a continuous run - Available in door widths only - Extruded aluminum door threshold with rubber seal strip - Attaches to bottom of door frame - SX Starlight Silver finish is only offered on flat aluminum trim		36"	PDRTH36	☐			
			42"	PDRTH42	☐			
 HRDPT	Coat Hooks/Picture Hanger - Attaches under the top cap of the panel to support coat hangers - Translucent plastic only - Lock device holds hook securely to panel - Can also be used to hang a picture (30# weight limit)			PCH.CL				

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Doors

Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
40.0#	\$ 1634	\$ 45
40.0#	1443	45
40.0#	1634	45
40.0#	1443	45
40.0#	1767	60
40.0#	1576	60
40.0#	1767	60
40.0#	1576	60
1.0#	\$ 521	\$ 45
2.0#	525	60
24.0#	\$ 974	N/A
1.0#	\$ 58	\$ 45
2.0#	59	60
1.0#	\$ 3	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

	MODEL	H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Unupholstered
			Basic Model	Trim Color	Fabric Color	Assembly		
	End-of-Run Condition • Unupholstered: trim colored • End-of-run trim • Top cap • Full-height post • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PEP30	☐			5.0#	\$ 77
		36"	PEP36	☐			5.0#	83
		42"	PEP42	☐			7.0#	89
		48"	PEP48	☐			7.0#	103
		54"	PEP54	☐			9.0#	105
		60"	PEP60	☐			9.0#	90
		66"	PEP66	☐			11.0#	115
		72"	PEP72	☐			11.0#	140
		78"	PEP78	☐			11.0#	116
		84"	PEP84	☐			13.0#	159
PTN								
	90° 2-Way "L" Corner, Both Panels Same Height • Unupholstered: trim colored • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCP9030	☐		☐	7.0#	\$ 163
		36"	PCP9036	☐		☐	7.0#	172
		42"	PCP9042	☐		☐	10.0#	200
		48"	PCP9048	☐		☐	10.0#	214
		54"	PCP9054	☐		☐	13.0#	238
		60"	PCP9060	☐		☐	13.0#	220
		66"	PCP9066	☐		☐	16.0#	245
		72"	PCP9072	☐		☐	16.0#	256
		78"	PCP9078	☐		☐	16.0#	269
		84"	PCP9084	☐		☐	20.0#	308
PTN								
	90° 2-Way "L" Corner, Both Panels Same Height • Upholsted • 90° top cap • 90° corner base trim • Two pieces of universal trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PCPF9030	☐	☐	☐	7.0#	N/A
		36"	PCPF9036	☐	☐	☐	7.0#	N/A
		42"	PCPF9042	☐	☐	☐	10.0#	N/A
		48"	PCPF9048	☐	☐	☐	10.0#	N/A
		54"	PCPF9054	☐	☐	☐	13.0#	N/A
		60"	PCPF9060	☐	☐	☐	13.0#	N/A
		66"	PCPF9066	☐	☐	☐	16.0#	N/A
		72"	PCPF9072	☐	☐	☐	16.0#	N/A
		78"	PCPF9078	☐	☐	☐	16.0#	N/A
		84"	PCPF9084	☐	☐	☐	20.0#	N/A
PTNF								

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.
- D** Select assembly.
F - Fully Assembled; add \$56
U - Unassembled



Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 28
					29
					35
					35
					37
					38
					43
					45
					46
					47
					\$ 55
					57
					57
					77
					80
					81
					82
					85
					87
					88
\$ 221	\$ 226	\$ 227	\$ 230	\$ 241	\$ 31
228	231	234	241	249	31
285	290	293	300	307	31
298	303	305	309	320	31
323	329	332	338	347	31
294	300	302	308	314	31
331	337	340	347	355	31
347	353	356	367	375	31
349	355	357	368	377	31
404	411	414	424	435	31

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	90° 2-Way "L" Corner, Two Different Heights • Unupholstered: trim colored • 1-way cap • 90° corner base trim • Two pieces of universal trim • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PCPV903036	☐	9.0#
		42"	30"	12"	PCPV903042	☐	9.0#
		48"	30"	18"	PCPV903048	☐	9.0#
		54"	30"	24"	PCPV903054	☐	11.0#
		60"	30"	30"	PCPV903060	☐	13.0#
		66"	30"	36"	PCPV903066	☐	13.0#
		72"	30"	42"	PCPV903072	☐	13.0#
		78"	30"	48"	PCPV903078	☐	13.0#
		84"	30"	54"	PCPV903084	☐	16.0#
		42"	36"	6"	PCPV903642	☐	16.0#
		48"	36"	12"	PCPV903648	☐	16.0#
		54"	36"	18"	PCPV903654	☐	16.0#
		60"	36"	24"	PCPV903660	☐	16.0#
		66"	36"	30"	PCPV903666	☐	16.0#
		72"	36"	36"	PCPV903672	☐	16.0#
		78"	36"	42"	PCPV903678	☐	16.0#
		84"	36"	48"	PCPV903684	☐	16.0#
		48"	42"	6"	PCPV904248	☐	12.0#
		54"	42"	12"	PCPV904254	☐	12.0#
		60"	42"	18"	PCPV904260	☐	14.0#
		66"	42"	24"	PCPV904266	☐	14.0#
		72"	42"	30"	PCPV904272	☐	14.0#
		78"	42"	36"	PCPV904278	☐	14.0#
		84"	42"	42"	PCPV904284	☐	17.0#
		54"	48"	6"	PCPV904854	☐	17.0#
		60"	48"	12"	PCPV904860	☐	17.0#
		66"	48"	18"	PCPV904866	☐	17.0#
		72"	48"	24"	PCPV904872	☐	17.0#
		78"	48"	30"	PCPV904878	☐	17.0#
		84"	48"	36"	PCPV904884	☐	17.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 205	\$ 71
219	72
254	90
278	92
282	95
287	95
319	110
342	111
363	113
219	71
228	90
278	92
282	95
286	95
300	97
332	106
367	113
243	89
264	92
285	93
304	94
327	97
348	106
370	112
268	91
285	93
301	94
310	96
332	97
352	101

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	90° 2-Way "L" Corner, Two Different Heights	60"	54"	6"	PCPV905460	☐	15.0#
	• Unupholstered: trim colored	66"	54"	12"	PCPV905466	☐	15.0#
	• 1-way cap	72"	54"	18"	PCPV905472	☐	15.0#
	• 90° corner base trim	78"	54"	24"	PCPV905478	☐	15.0#
	• Two pieces of universal trim	84"	54"	30"	PCPV905484	☐	18.0#
	• One piece of universal height change trim	66"	60"	6"	PCPV906066	☐	18.0#
	• One half-post (height A)	72"	60"	12"	PCPV906072	☐	18.0#
	• One half-post (height B)	78"	60"	18"	PCPV906078	☐	18.0#
	• Connecting hardware	84"	60"	24"	PCPV906084	☐	18.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	72"	66"	6"	PCPV906672	☐	18.0#
		78"	66"	12"	PCPV906678	☐	18.0#
		84"	66"	18"	PCPV906684	☐	19.0#
		78"	72"	12"	PCPV907278	☐	19.0#
		84"	72"	12"	PCPV907284	☐	19.0#
		84"	78"	6"	PCPV907884	☐	19.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing		Metallic Paint add to list price
\$	268	\$ 94
	275	94
	310	96
	331	97
	351	101
	249	95
	264	97
	298	101
	317	105
	319	101
	275	105
	336	108
	297	109
	345	110
	314	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	90° 2-Way "L" Corner, Two Different Heights • Upholstered • 1-way cap • 90° corner base trim • Two fabric-wrapped pieces of universal trim • One fabric-wrapped piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PCPVF903036	☐	☐	☐	9.0#
		42" 30" 12"	PCPVF903042	☐	☐	☐	9.0#
		48" 30" 18"	PCPVF903048	☐	☐	☐	9.0#
		54" 30" 24"	PCPVF903054	☐	☐	☐	11.0#
		60" 30" 30"	PCPVF903060	☐	☐	☐	11.0#
		66" 30" 36"	PCPVF903066	☐	☐	☐	13.0#
		72" 30" 42"	PCPVF903072	☐	☐	☐	13.0#
		78" 30" 48"	PCPVF903078	☐	☐	☐	13.0#
		84" 30" 54"	PCPVF903084	☐	☐	☐	16.0#
		42" 36" 6"	PCPVF903642	☐	☐	☐	16.0#
		48" 36" 12"	PCPVF903648	☐	☐	☐	16.0#
		54" 36" 18"	PCPVF903654	☐	☐	☐	16.0#
		60" 36" 24"	PCPVF903660	☐	☐	☐	16.0#
		66" 36" 30"	PCPVF903666	☐	☐	☐	16.0#
		72" 36" 36"	PCPVF903672	☐	☐	☐	16.0#
		78" 36" 42"	PCPVF903678	☐	☐	☐	16.0#
		84" 36" 48"	PCPVF903684	☐	☐	☐	16.0#
		48" 42" 6"	PCPVF904248	☐	☐	☐	16.0#
		54" 42" 12"	PCPVF904254	☐	☐	☐	12.0#
		60" 42" 18"	PCPVF904260	☐	☐	☐	12.0#
		66" 42" 24"	PCPVF904266	☐	☐	☐	14.0#
		72" 42" 30"	PCPVF904272	☐	☐	☐	14.0#
		78" 42" 36"	PCPVF904278	☐	☐	☐	14.0#
		84" 42" 42"	PCPVF904284	☐	☐	☐	17.0#
		54" 48" 6"	PCPVF904854	☐	☐	☐	17.0#
		60" 48" 12"	PCPVF904860	☐	☐	☐	17.0#
		66" 48" 18"	PCPVF904866	☐	☐	☐	17.0#
		72" 48" 24"	PCPVF904872	☐	☐	☐	17.0#
		78" 48" 30"	PCPVF904878	☐	☐	☐	17.0#
		84" 48" 36"	PCPVF904884	☐	☐	☐	17.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 303	\$ 308	\$ 310	\$ 315	\$ 327	\$ 31
345	351	353	362	373	31
377	384	387	396	408	31
404	412	416	424	435	31
348	354	356	367	376	31
419	427	431	439	453	31
453	461	468	474	486	31
418	425	430	438	453	31
504	513	517	527	543	31
347	353	355	365	375	31
351	357	362	370	380	31
402	411	414	424	433	31
348	354	356	367	376	31
417	425	428	437	449	31
430	438	443	453	466	31
412	419	425	432	447	31
506	514	520	528	544	31
367	373	376	384	394	31
386	391	397	407	417	31
367	373	375	383	394	31
436	443	448	457	471	31
460	470	474	481	495	31
412	419	425	432	447	31
509	517	523	533	550	31
394	402	405	414	426	31
346	352	354	362	374	31
428	437	441	450	465	31
441	450	457	467	477	31
411	418	424	431	441	31
491	501	508	516	530	31

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

90° 2-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	90° 2-Way "L" Corner, Two Different Heights • Upholstered • 1-way cap • 90° corner base trim • Two fabric-wrapped pieces of universal trim • One fabric-wrapped piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	60" 54" 6"	PCPVF905460	☐	☐	☐	15.0#
		66" 54" 12"	PCPVF905466	☐	☐	☐	15.0#
		72" 54" 18"	PCPVF905472	☐	☐	☐	15.0#
		78" 54" 24"	PCPVF905478	☐	☐	☐	15.0#
		84" 54" 30"	PCPVF905484	☐	☐	☐	18.0#
		66" 60" 36"	PCPVF906066	☐	☐	☐	18.0#
		72" 60" 12"	PCPVF906072	☐	☐	☐	18.0#
		78" 60" 18"	PCPVF906078	☐	☐	☐	18.0#
		84" 60" 24"	PCPVF906084	☐	☐	☐	18.0#
		72" 66" 6"	PCPVF906672	☐	☐	☐	19.0#
		78" 66" 12"	PCPVF906678	☐	☐	☐	19.0#
		84" 66" 18"	PCPVF906684	☐	☐	☐	19.0#
		78" 72" 6"	PCPVF907278	☐	☐	☐	19.0#
		84" 72" 12"	PCPVF907284	☐	☐	☐	19.0#
		84" 78" 6"	PCPVF907884	☐	☐	☐	19.0#
				A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 346	\$ 352	\$ 354	\$ 362	\$ 374	\$ 31
404	411	414	424	435	31
440	450	456	466	476	31
410	417	423	430	440	31
486	496	504	513	527	31
349	355	357	368	377	31
371	377	380	387	399	31
408	416	420	428	438	31
428	436	440	450	465	31
416	424	427	436	448	31
385	391	398	407	417	31
438	448	455	466	477	31
407	413	419	427	437	31
465	471	476	484	497	31
425	432	436	447	459	31

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

Off-Module Post

		MODEL NUMBER			
		Basic Model	Trim Color	Approx. Packaged Weight	
MODEL	H				
	Off-Module Post	30"	POMP30	☐ ☐	3.0#
	• Unupholstered: trim colored	36"	POMP36	☐ ☐	3.0#
	• Off-module top trim end cap	42"	POMP42	☐ ☐	4.0#
	• Off-module half-post	48"	POMP48	☐ ☐	4.0#
	• See specifications for applications	54"	POMP54	☐ ☐	5.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	60"	POMP60	☐ ☐	5.0#
		66"	POMP66	☐ ☐	6.0#
		72"	POMP72	☐ ☐	6.0#
		78"	POMP78	☐ ☐	6.0#
		84"	POMP84	☐ ☐	7.0#
PTN					
HRDPT	Off-Module Post	30"	POMPS.30	☐ ☐	4.0#
	• Off module post allows removal of tiles from spine way	36"	POMPS.36	☐ ☐	5.0#
	• Post is offset from spine 3/4"	42"	POMPS.42	☐ ☐	6.0#
	• Unupholstered: trim colored	48"	POMPS.48	☐ ☐	7.0#
	• Includes top cap and halfpost	54"	POMPS.54	☐ ☐	8.0#
	• See specifications for applications	60"	POMPS.60	☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	66"	POMPS.66	☐ ☐	10.0#
		72"	POMPS.72	☐ ☐	11.0#
		78"	POMPS.78	☐ ☐	12.0#
		84"	POMPS.84	☐ ☐	13.0#
		A B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

Off-Module Post

Delivered Pricing	Metallic Paint add to list price
\$ 209	\$ 9
212	9
217	9
224	9
226	9
247	9
230	9
233	9
253	9
243	9
\$ 323	N/A
333	N/A
342	N/A
356	N/A
367	N/A
373	N/A
394	N/A
408	N/A
417	N/A
428	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

Adjustable Wall Mount

			MODEL NUMBER		Approx. Packaged Weight
MODEL	W x H x D		Basic Model	Trim Color	
 HRDPT	Wall Track	2 1/2 x 31 x 1"	PWT30	☐	2.0#
	• Double slotted track accommodates wall mounting of overhead components and worksurfaces	2 1/2 x 37 x 1"	PWT36	☐	2.0#
	• Steel construction with painted finish	2 1/2 x 43 x 1"	PWT42	☐	3.0#
	• No hardware for wall attachment is included	2 1/2 x 49 x 1"	PWT48	☐	3.0#
	• See installation guidelines	2 1/2 x 55 x 1"	PWT54	☐	3.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 61 x 1"	PWT60	☐	4.0#
		2 1/2 x 67 x 1"	PWT66	☐	4.0#
		2 1/2 x 73 x 1"	PWT72	☐	4.0#
		2 1/2 x 79 x 1"	PWT78	☐	5.0#
		2 1/2 x 85 x 1"	PWT84	☐	5.0#
 HRDPT	Adjustable Wall Mount	2 1/2 x 30 x 1"	PWM30	☐	11.0#
	• Attaches a panel to a wall at the start of a run	2 1/2 x 36 x 1"	PWM36	☐	13.0#
	• Includes mounting plate and half-post	2 1/2 x 42 x 1"	PWM42	☐	15.0#
	• Steel construction with painted finish	2 1/2 x 48 x 1"	PWM48	☐	17.0#
	• Hardware for wall attachment is not included	2 1/2 x 54 x 1"	PWM54	☐	19.0#
	• Adjustable up to 3/4" to correct wall deflection	2 1/2 x 60 x 1"	PWM60	☐	23.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	2 1/2 x 66 x 1"	PWM66	☐	23.0#
		2 1/2 x 72 x 1"	PWM72	☐	25.0#
		2 1/2 x 78 x 1"	PWM78	☐	23.0#
		2 1/2 x 84 x 1"	PWM84	☐	30.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

Adjustable Wall Mount

Delivered Pricing	Metallic Paint add to list price
\$ 32	\$ 12
34	12
35	16
36	19
38	24
40	27
45	29
46	30
47	31
48	31
\$ 140	\$ 30
144	30
159	47
163	49
166	49
214	52
214	54
245	56
250	58
261	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL			A	B	A-B
	180° 2-Way In-Line Connection, Both Panels Same Height • Unupholstered • Full-height post	30"	PFP30		4.0#
		36"	PFP36		5.0#
		42"	PFP42		5.0#
		48"	PFP48		6.0#
		54"	PFP54		6.0#
		66"	PFP66		7.0#
		72"	PFP72		8.0#
		84"	PFP84		9.0#
PTN					
	180° 2-Way In-Line Connection, Two Different Heights • Unupholstered: trim colored • Full height post • In-line height change trim • In-line height change bottom cap • End-of-run top cap • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PFPV3036	☐	4.0#
		42" 30" 12"	PFPV3042	☐	6.0#
		48" 30" 18"	PFPV3048	☐	6.0#
		54" 30" 24"	PFPV3054	☐	7.0#
		66" 30" 36"	PFPV3066	☐	8.0#
		72" 30" 42"	PFPV3072	☐	10.0#
		84" 30" 54"	PFPV3084	☐	11.0#
		42" 36" 6"	PFPV3642	☐	5.0#
		48" 36" 12"	PFPV3648	☐	6.0#
		54" 36" 18"	PFPV3654	☐	7.0#
		66" 36" 30"	PFPV3666	☐	8.0#
		72" 36" 36"	PFPV3672	☐	9.0#
		84" 36" 48"	PFPV3684	☐	11.0#
		48" 42" 6"	PFPV4248	☐	6.0#
		54" 42" 12"	PFPV4254	☐	7.0#
		66" 42" 24"	PFPV4266	☐	8.0#
		72" 42" 30"	PFPV4272	☐	9.0#
		84" 42" 42"	PFPV4284	☐	11.0#
		54" 48" 6"	PFPV4854	☐	6.0#
		66" 48" 18"	PFPV4866	☐	8.0#
		72" 48" 24"	PFPV4872	☐	9.0#
		84" 48" 36"	PFPV4884	☐	11.0#
		66" 54" 12"	PFPV5466	☐	8.0#
		72" 54" 18"	PFPV5472	☐	9.0#
		84" 54" 30"	PFPV5484	☐	11.0#
		72" 66" 6"	PFPV6672	☐	8.0#
		84" 66" 18"	PFPV6684	☐	10.0#
		84" 72" 12"	PFPV7284	☐	10.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 48	N/A
53	N/A
56	N/A
59	N/A
66	N/A
75	N/A
79	N/A
85	N/A
\$ 60	\$ 35
71	37
80	37
87	37
103	39
112	47
128	48
67	35
76	37
83	37
99	38
108	39
124	47
71	35
80	37
95	37
103	38
121	47
76	35
91	37
99	37
117	38
87	37
95	37
112	38
87	35
103	37
99	37

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing Unupholstered	
		Basic Model	Assembly	Trim Color	Fabric Color		
	MODEL	A					
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSP18030	☐	☐	7.0#	\$ 166
	• Unupholstered: trim colored • 180° top cap • Two pieces of universal trim • Two pieces of 3-way base trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	PSP18036	☐	☐	9.0#	176
		42"	PSP18042	☐	☐	10.0#	202
		48"	PSP18048	☐	☐	13.0#	217
		54"	PSP18054	☐	☐	15.0#	243
		66"	PSP18066	☐	☐	16.0#	247
		72"	PSP18072	☐	☐	18.0#	261
		84"	PSP18084	☐	☐	20.0#	310
	PTN						
	180° 2-Way In-Line Spacer, Both Panels Same Height	30"	PSPF18030	☐	☐	7.0#	N/A
	• Upholstered • 180° top cap • Two fabric-wrapped pieces of universal trim • Two pieces of 3-way base trim • Two half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	PSPF18036	☐	☐	9.0#	N/A
		42"	PSPF18042	☐	☐	10.0#	N/A
		48"	PSPF18048	☐	☐	13.0#	N/A
		54"	PSPF18054	☐	☐	15.0#	N/A
		66"	PSPF18066	☐	☐	16.0#	N/A
		72"	PSPF18072	☐	☐	18.0#	N/A
		84"	PSPF18084	☐	☐	20.0#	N/A
	PTNF						
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$56 |
| U | - Unassembled |
- C** Select trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Metallic paint requires upcharge.
- SX Starlight Silver finish is only offered on flat aluminum trim.
- D** Select fabric color.
- Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 62
					65
					65
					82
					85
					88
					90
					92
\$ 225	\$ 228	\$ 230	\$ 234	\$ 245	\$ 35
231	238	241	245	252	35
287	293	296	303	310	35
301	305	309	314	325	35
325	332	334	343	351	35
334	342	344	351	358	35
351	356	358	369	379	35
407	414	418	427	437	35

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	180° 2-Way In-Line Spacer, Two Different Heights • Unupholstered: trim colored • Two pieces of 3-way base trim • 1-way top cap • Two pieces of universal trim • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PSPV1803036	☐ ☐	10.0#
		42"	30"	12"	PSPV1803042	☐ ☐	9.0#
		48"	30"	18"	PSPV1803048	☐ ☐	12.0#
		54"	30"	24"	PSPV1803054	☐ ☐	11.0#
		66"	30"	36"	PSPV1803066	☐ ☐	13.0#
		72"	30"	42"	PSPV1803072	☐ ☐	17.0#
		84"	30"	54"	PSPV1803084	☐ ☐	16.0#
		42"	36"	6"	PSPV1803642	☐ ☐	11.0#
		48"	36"	12"	PSPV1803648	☐ ☐	12.0#
		54"	36"	18"	PSPV1803654	☐ ☐	14.0#
		66"	36"	30"	PSPV1803666	☐ ☐	16.0#
		72"	36"	36"	PSPV1803672	☐ ☐	17.0#
		84"	36"	48"	PSPV1803684	☐ ☐	19.0#
		48"	42"	6"	PSPV1804248	☐ ☐	13.0#
		54"	42"	12"	PSPV1804254	☐ ☐	12.0#
		66"	42"	24"	PSPV1804266	☐ ☐	14.0#
		72"	42"	30"	PSPV1804272	☐ ☐	18.0#
		84"	42"	42"	PSPV1804284	☐ ☐	17.0#
		54"	48"	6"	PSPV1804854	☐ ☐	14.0#
		66"	48"	18"	PSPV1804866	☐ ☐	17.0#
		72"	48"	24"	PSPV1804872	☐ ☐	18.0#
		84"	48"	36"	PSPV1804884	☐ ☐	20.0#
		66"	54"	12"	PSPV1805466	☐ ☐	15.0#
		72"	54"	18"	PSPV1805472	☐ ☐	18.0#
		84"	54"	30"	PSPV1805484	☐ ☐	18.0#
		72"	66"	6"	PSPV1806672	☐ ☐	18.0#
		84"	66"	18"	PSPV1806684	☐ ☐	19.0#
		84"	72"	12"	PSPV1807284	☐ ☐	21.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 184	\$ 76
221	77
227	94
280	96
289	101
281	114
363	117
221	76
227	94
278	96
286	101
283	105
368	117
227	93
252	96
298	99
323	105
371	116
269	95
302	99
271	103
353	109
275	99
271	103
351	109
269	101
325	106
343	106

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

180° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	180° 2-Way In-Line Spacer, Two Different Heights	36"	30"	6"	PSPVF1803036	☐	☐ ☐ ☐ ☐	10.0#
	• Upholstered	42"	30"	12"	PSPVF1803042	☐	☐ ☐ ☐ ☐	9.0#
	• Two pieces of 3-way base trim	48"	30"	18"	PSPVF1803048	☐	☐ ☐ ☐ ☐	12.0#
	• 1-way top cap	54"	30"	24"	PSPVF1803054	☐	☐ ☐ ☐ ☐	11.0#
	• Two fabric-wrapped pieces of universal trim	66"	30"	36"	PSPVF1803066	☐	☐ ☐ ☐ ☐	13.0#
	• One fabric-wrapped piece of universal height change trim	72"	30"	42"	PSPVF1803072	☐	☐ ☐ ☐ ☐	17.0#
	• One half-post (height A)	84"	30"	54"	PSPVF1803084	☐	☐ ☐ ☐ ☐	16.0#
	• One half-post (height B)	42"	36"	6"	PSPVF1803642	☐	☐ ☐ ☐ ☐	11.0#
	• Connecting hardware	48"	36"	12"	PSPVF1803648	☐	☐ ☐ ☐ ☐	12.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54"	36"	18"	PSPVF1803654	☐	☐ ☐ ☐ ☐	14.0#
		66"	36"	30"	PSPVF1803666	☐	☐ ☐ ☐ ☐	16.0#
		72"	36"	36"	PSPVF1803672	☐	☐ ☐ ☐ ☐	17.0#
		84"	36"	48"	PSPVF1803684	☐	☐ ☐ ☐ ☐	19.0#
		48"	42"	6"	PSPVF1804248	☐	☐ ☐ ☐ ☐	13.0#
		54"	42"	12"	PSPVF1804254	☐	☐ ☐ ☐ ☐	12.0#
		66"	42"	24"	PSPVF1804266	☐	☐ ☐ ☐ ☐	14.0#
		72"	42"	30"	PSPVF1804272	☐	☐ ☐ ☐ ☐	18.0#
		84"	42"	42"	PSPVF1804284	☐	☐ ☐ ☐ ☐	17.0#
		54"	48"	6"	PSPVF1804854	☐	☐ ☐ ☐ ☐	14.0#
		66"	48"	18"	PSPVF1804866	☐	☐ ☐ ☐ ☐	17.0#
		72"	48"	24"	PSPVF1804872	☐	☐ ☐ ☐ ☐	18.0#
		84"	48"	36"	PSPVF1804884	☐	☐ ☐ ☐ ☐	20.0#
		66"	54"	12"	PSPVF1805466	☐	☐ ☐ ☐ ☐	15.0#
		72"	54"	18"	PSPVF1805472	☐	☐ ☐ ☐ ☐	18.0#
		84"	54"	30"	PSPVF1805484	☐	☐ ☐ ☐ ☐	18.0#
		72"	66"	6"	PSPVF1806672	☐	☐ ☐ ☐ ☐	18.0#
		84"	66"	18"	PSPVF1806684	☐	☐ ☐ ☐ ☐	19.0#
		84"	72"	12"	PSPVF1807284	☐	☐ ☐ ☐ ☐	21.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 253	\$ 259	\$ 260	\$ 264	\$ 272	\$ 35
345	351	354	362	372	35
287	293	296	302	309	35
404	412	416	425	436	35
419	427	431	439	453	35
320	329	331	338	347	35
504	513	519	527	543	35
278	283	286	293	301	35
285	290	293	300	307	35
303	308	310	315	327	35
312	317	323	330	338	35
324	330	333	340	349	35
358	368	371	379	388	35
287	293	296	302	309	35
324	332	336	344	354	35
397	407	412	419	431	35
433	438	441	449	459	35
509	517	523	533	550	35
307	311	313	323	331	35
315	323	325	333	343	35
325	331	334	342	349	35
358	368	371	379	388	35
404	412	416	425	435	35
324	331	333	342	349	35
488	497	504	514	527	35
320	329	331	338	347	35
333	343	347	355	373	35
346	352	354	363	374	35

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

	MODEL	A	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Unupholstered
			Basic Model	Assembly	Trim Color	Fabric Color		
 PTN	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA • Unupholstered • 3-way top cap • 3-way base trim • One piece of universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PTP3W30	☐	☐		9.0#	\$ 180
		36"	PTP3W36	☐	☐		9.0#	195
		42"	PTP3W42	☐	☐		12.0#	217
		48"	PTP3W48	☐	☐		12.0#	243
		54"	PTP3W54	☐	☐		15.0#	256
		60"	PTP3W60	☐	☐		15.0#	228
		66"	PTP3W66	☐	☐		18.0#	265
		72"	PTP3W72	☐	☐		18.0#	272
		78"	PTP3W78	☐	☐		18.0#	278
		84"	PTP3W84	☐	☐		22.0#	330
 PTF	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA • Upholstered • 3-way top cap • 3-way base trim • One piece of fabric-wrapped universal trim • Light block • Three half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	PTPF3W30	☐	☐	☐	9.0#	N/A
		36"	PTPF3W36	☐	☐	☐	9.0#	N/A
		42"	PTPF3W42	☐	☐	☐	12.0#	N/A
		48"	PTPF3W48	☐	☐	☐	12.0#	N/A
		54"	PTPF3W54	☐	☐	☐	15.0#	N/A
		60"	PTPF3W60	☐	☐	☐	15.0#	N/A
		66"	PTPF3W66	☐	☐	☐	18.0#	N/A
		72"	PTPF3W72	☐	☐	☐	18.0#	N/A
		78"	PTPF3W78	☐	☐	☐	18.0#	N/A
		84"	PTPF3W84	☐	☐	☐	22.0#	N/A

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$72
 U - Unassembled

C Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Metallic paint requires upcharge.
 SX Starlight Silver finish is only offered on flat aluminum trim.

D Select fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 37
					38
					38
					47
					48
					48
					49
					50
					50
					52
\$ 211	\$ 214	\$ 217	\$ 222	\$ 228	\$ 25
221	226	227	230	241	25
260	264	267	271	281	25
282	287	290	297	304	25
300	305	308	312	324	25
267	270	272	281	289	25
308	313	315	325	333	25
317	325	329	336	344	25
317	324	327	333	345	25
376	384	387	396	407	25

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.



PTN

			MODEL NUMBER		Approx. Packaged Weight
MODEL	A B A-B	Basic Model	Trim Color		
 PTN	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA	36" 30" 6"	PTPV903036	☐	10.0#
	• Unupholstered: trim colored • 90° top cap • 3-way base trim • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	42" 30" 12"	PTPV903042	☐	10.0#
		48" 30" 18"	PTPV903048	☐	11.0#
		54" 30" 24"	PTPV903054	☐	12.0#
		66" 30" 36"	PTPV903066	☐	14.0#
		72" 30" 42"	PTPV903072	☐	12.0#
		84" 30" 54"	PTPV903084	☐	16.0#
		42" 36" 6"	PTPV903642	☐	14.0#
		48" 36" 12"	PTPV903648	☐	16.0#
		54" 36" 18"	PTPV903654	☐	14.0#
		66" 36" 30"	PTPV903666	☐	16.0#
		72" 36" 36"	PTPV903672	☐	18.0#
		84" 36" 48"	PTPV903684	☐	17.0#
		48" 42" 6"	PTPV904248	☐	19.0#
		54" 42" 12"	PTPV904254	☐	14.0#
		66" 42" 24"	PTPV904266	☐	16.0#
		72" 42" 30"	PTPV904272	☐	22.0#
		84" 42" 42"	PTPV904284	☐	18.0#
		54" 48" 6"	PTPV904854	☐	10.0#
		66" 48" 18"	PTPV904866	☐	12.0#
		72" 48" 24"	PTPV904872	☐	14.0#
		84" 48" 36"	PTPV904884	☐	16.0#
		66" 54" 12"	PTPV905466	☐	17.0#
		72" 54" 18"	PTPV905472	☐	14.0#
		84" 54" 30"	PTPV905484	☐	19.0#
		72" 66" 6"	PTPV906672	☐	16.0#
		84" 66" 18"	PTPV906684	☐	22.0#
		84" 72" 12"	PTPV907284	☐	18.0#

A

B

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 224	\$ 49
233	50
250	60
296	62
307	65
332	75
379	77
261	49
278	60
297	62
307	65
324	66
355	77
278	57
291	62
304	63
317	66
386	76
302	60
311	63
332	65
357	67
300	63
311	65
370	67
308	63
332	66
351	66

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA • Upholstered • 90° top cap • 3-way base trim • One piece of fabric-wrapped universal trim • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PTPVF903036	☐	☐	☐	12.0#
		42" 30" 12"	PTPVF903042	☐	☐	☐	11.0#
		48" 30" 18"	PTPVF903048	☐	☐	☐	16.0#
		54" 30" 24"	PTPVF903054	☐	☐	☐	14.0#
		66" 30" 36"	PTPVF903066	☐	☐	☐	17.0#
		72" 30" 42"	PTPVF903072	☐	☐	☐	22.0#
		84" 30" 54"	PTPVF903084	☐	☐	☐	21.0#
		42" 36" 6"	PTPVF903642	☐	☐	☐	14.0#
		48" 36" 12"	PTPVF903648	☐	☐	☐	16.0#
		54" 36" 18"	PTPVF903654	☐	☐	☐	17.0#
		66" 36" 30"	PTPVF903666	☐	☐	☐	20.0#
		72" 36" 36"	PTPVF903672	☐	☐	☐	22.0#
		84" 36" 48"	PTPVF903684	☐	☐	☐	25.0#
		48" 42" 6"	PTPVF904248	☐	☐	☐	16.0#
		54" 42" 12"	PTPVF904254	☐	☐	☐	15.0#
		66" 42" 24"	PTPVF904266	☐	☐	☐	18.0#
		72" 42" 30"	PTPVF904272	☐	☐	☐	23.0#
		84" 42" 42"	PTPVF904284	☐	☐	☐	22.0#
		54" 48" 6"	PTPVF904854	☐	☐	☐	18.0#
		66" 48" 18"	PTPVF904866	☐	☐	☐	21.0#
		72" 48" 24"	PTPVF904872	☐	☐	☐	23.0#
		84" 48" 36"	PTPVF904884	☐	☐	☐	26.0#
		66" 54" 12"	PTPVF905466	☐	☐	☐	18.0#
		72" 54" 18"	PTPVF905472	☐	☐	☐	23.0#
		84" 54" 30"	PTPVF905484	☐	☐	☐	22.0#
		72" 66" 6"	PTPVF906672	☐	☐	☐	23.0#
		84" 66" 18"	PTPVF906684	☐	☐	☐	23.0#
		84" 72" 12"	PTPVF907284	☐	☐	☐	26.0#
				A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 293	\$ 298	\$ 301	\$ 307	\$ 313	\$ 25
314	323	325	332	342	25
355	365	368	375	385	25
376	383	386	394	407	25
390	399	404	412	424	25
367	373	376	384	394	25
469	476	481	491	506	25
319	325	330	336	345	25
332	337	342	348	356	25
351	356	362	370	379	25
367	374	376	384	394	25
369	376	379	387	398	25
423	430	433	441	455	25
333	340	343	349	358	25
358	368	370	379	387	25
400	410	413	420	432	25
427	432	435	441	453	25
475	482	490	500	513	25
356	365	369	376	386	25
371	377	382	388	399	25
373	379	383	389	400	25
424	431	435	443	456	25
379	386	389	398	410	25
371	377	382	388	399	25
456	467	471	478	492	25
369	376	379	387	398	25
389	399	405	414	427	25
411	418	423	431	441	25

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

PTN

A

B

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 226	\$ 62
241	65
275	74
296	75
310	79
334	96
379	101
252	62
264	74
282	75
319	79
352	80
397	101
264	71
281	75
319	76
344	80
383	97
314	72
330	76
336	77
375	81
305	76
334	77
373	81
330	75
344	79
354	81

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
	3-Way "T" Intersection w/1-Way Cap, Two Different Heights - BBA or BAB • Upholstered • 1-way top cap • One fabric-wrapped piece of universal trim • Two fabric-wrapped pieces of universal height change trim • Light block • 3-way base trim • One half-post (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			PTPVF1W3036	☐	☐ ☐ ☐ ☐	12.0#
		42" 30" 12"			PTPVF1W3042	☐	☐ ☐ ☐ ☐	10.0#
		48" 30" 18"			PTPVF1W3048	☐	☐ ☐ ☐ ☐	15.0#
		54" 30" 24"			PTPVF1W3054	☐	☐ ☐ ☐ ☐	14.0#
		66" 30" 36"			PTPVF1W3066	☐	☐ ☐ ☐ ☐	16.0#
		72" 30" 42"			PTPVF1W3072	☐	☐ ☐ ☐ ☐	20.0#
		84" 30" 54"			PTPVF1W3084	☐	☐ ☐ ☐ ☐	20.0#
		42" 36" 6"			PTPVF1W3642	☐	☐ ☐ ☐ ☐	14.0#
		48" 36" 12"			PTPVF1W3648	☐	☐ ☐ ☐ ☐	15.0#
		54" 36" 18"			PTPVF1W3654	☐	☐ ☐ ☐ ☐	16.0#
		66" 36" 30"			PTPVF1W3666	☐	☐ ☐ ☐ ☐	18.0#
		72" 36" 36"			PTPVF1W3672	☐	☐ ☐ ☐ ☐	20.0#
		84" 36" 48"			PTPVF1W3684	☐	☐ ☐ ☐ ☐	23.0#
		48" 42" 6"			PTPVF1W4248	☐	☐ ☐ ☐ ☐	16.0#
		54" 42" 12"			PTPVF1W4254	☐	☐ ☐ ☐ ☐	13.0#
		66" 42" 24"			PTPVF1W4266	☐	☐ ☐ ☐ ☐	15.0#
		72" 42" 30"			PTPVF1W4272	☐	☐ ☐ ☐ ☐	21.0#
		84" 42" 42"			PTPVF1W4284	☐	☐ ☐ ☐ ☐	17.0#
		54" 48" 6"			PTPVF1W4854	☐	☐ ☐ ☐ ☐	17.0#
		66" 48" 18"			PTPVF1W4866	☐	☐ ☐ ☐ ☐	19.0#
		72" 48" 24"			PTPVF1W4872	☐	☐ ☐ ☐ ☐	21.0#
		84" 48" 36"			PTPVF1W4884	☐	☐ ☐ ☐ ☐	23.0#
		66" 54" 12"			PTPVF1W5466	☐	☐ ☐ ☐ ☐	18.0#
		72" 54" 18"			PTPVF1W5472	☐	☐ ☐ ☐ ☐	22.0#
		84" 54" 30"			PTPVF1W5484	☐	☐ ☐ ☐ ☐	20.0#
		72" 66" 6"			PTPVF1W6672	☐	☐ ☐ ☐ ☐	23.0#
		84" 66" 18"			PTPVF1W6684	☐	☐ ☐ ☐ ☐	21.0#
		84" 72" 12"			PTPVF1W7284	☐	☐ ☐ ☐ ☐	26.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 289	\$ 294	\$ 297	\$ 303	\$ 310	\$ 25
358	368	371	379	388	25
399	408	412	419	431	25
419	427	431	439	453	25
440	449	454	465	475	25
351	356	362	370	379	25
514	520	523	533	544	25
315	324	327	334	344	25
323	330	332	340	348	25
338	345	348	355	367	25
351	356	358	369	379	25
355	363	368	375	385	25
396	405	412	420	436	25
327	333	336	344	352	25
356	367	369	377	388	25
423	430	433	443	457	25
454	460	466	472	481	25
517	526	533	542	559	25
354	362	367	374	384	25
367	373	376	384	394	25
370	377	382	388	399	25
407	413	417	426	437	25
427	435	438	448	461	25
373	379	383	389	400	25
504	514	519	528	544	25
373	379	383	389	400	25
384	391	399	410	425	25
396	404	408	417	427	25

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.



PTN

PTN

MODEL

3-Way "T" Intersection w/180° Top Cap, Two Different Heights - ABA

- Unupholstered: trim colored
- 180° top cap
- One piece of universal trim
- One piece of universal height change trim
- Light block
- 3-way base trim
- Two half-posts (height A)
- One half-post (height B)
- Connecting hardware
- SX Starlight Silver finish is only offered on flat aluminum trim

A B A-B

MODEL NUMBER

Basic Model

Trim Color

Approx. Packaged Weight

36" 30" 6" PTPV1803036 ☐

10.0#

42" 30" 12" PTPV1803042 ☐

10.0#

48" 30" 18" PTPV1803048 ☐

11.0#

54" 30" 24" PTPV1803054 ☐

12.0#

66" 30" 36" PTPV1803066 ☐

14.0#

72" 30" 42" PTPV1803072 ☐

12.0#

84" 30" 54" PTPV1803084 ☐

16.0#

42" 36" 6" PTPV1803642 ☐

14.0#

48" 36" 12" PTPV1803648 ☐

16.0#

54" 36" 18" PTPV1803654 ☐

14.0#

66" 36" 30" PTPV1803666 ☐

16.0#

72" 36" 36" PTPV1803672 ☐

18.0#

84" 36" 48" PTPV1803684 ☐

17.0#

48" 42" 6" PTPV1804248 ☐

19.0#

54" 42" 12" PTPV1804254 ☐

14.0#

66" 42" 24" PTPV1804266 ☐

16.0#

72" 42" 30" PTPV1804272 ☐

22.0#

84" 42" 42" PTPV1804284 ☐

18.0#

54" 48" 6" PTPV1804854 ☐

10.0#

66" 48" 18" PTPV1804866 ☐

12.0#

72" 48" 24" PTPV1804872 ☐

14.0#

84" 48" 36" PTPV1804884 ☐

16.0#

66" 54" 12" PTPV1805466 ☐

17.0#

72" 54" 18" PTPV1805472 ☐

14.0#

84" 54" 30" PTPV1805484 ☐

19.0#

72" 66" 6" PTPV1806672 ☐

16.0#

84" 66" 18" PTPV1806684 ☐

22.0#

84" 72" 12" PTPV1807284 ☐

18.0#

A

B

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select trim color.

- B** Select trim color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on
flat aluminum trim.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 224	\$ 49
233	38
250	60
296	48
307	49
304	65
379	52
261	77
278	49
297	60
307	62
308	65
355	66
278	77
297	48
332	49
349	63
386	52
302	76
311	60
311	63
357	65
300	67
311	63
370	65
308	67
331	63
351	66

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

3-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	3-Way "T" Intersection w/180° Top Cap, Two Different Heights - ABA • Upholstered • 180° top cap • One fabric-wrapped piece of universal trim • One fabric-wrapped piece of universal height change trim • Light block • 3-way base trim • Two half-posts (height A) • One half-post (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PTPVF1803036	☐	☐	☐	13.0#
		42" 30" 12"	PTPVF1803042	☐	☐	☐	10.0#
		48" 30" 18"	PTPVF1803048	☐	☐	☐	16.0#
		54" 30" 24"	PTPVF1803054	☐	☐	☐	12.0#
		66" 30" 36"	PTPVF1803066	☐	☐	☐	14.0#
		72" 30" 42"	PTPVF1803072	☐	☐	☐	23.0#
		84" 30" 54"	PTPVF1803084	☐	☐	☐	16.0#
		42" 36" 6"	PTPVF1803642	☐	☐	☐	15.0#
		48" 36" 12"	PTPVF1803648	☐	☐	☐	17.0#
		54" 36" 18"	PTPVF1803654	☐	☐	☐	19.0#
		66" 36" 30"	PTPVF1803666	☐	☐	☐	22.0#
		72" 36" 36"	PTPVF1803672	☐	☐	☐	24.0#
		84" 36" 48"	PTPVF1803684	☐	☐	☐	28.0#
		48" 42" 6"	PTPVF1804248	☐	☐	☐	18.0#
		54" 42" 12"	PTPVF1804254	☐	☐	☐	14.0#
		66" 42" 24"	PTPVF1804266	☐	☐	☐	16.0#
		72" 42" 30"	PTPVF1804272	☐	☐	☐	25.0#
		84" 42" 42"	PTPVF1804284	☐	☐	☐	18.0#
		54" 48" 6"	PTPVF1804854	☐	☐	☐	20.0#
		66" 48" 18"	PTPVF1804866	☐	☐	☐	23.0#
		72" 48" 24"	PTPVF1804872	☐	☐	☐	26.0#
		84" 48" 36"	PTPVF1804884	☐	☐	☐	29.0#
		66" 54" 12"	PTPVF1805466	☐	☐	☐	17.0#
		72" 54" 18"	PTPVF1805472	☐	☐	☐	10.0#
		84" 54" 30"	PTPVF1805484	☐	☐	☐	19.0#
		72" 66" 6"	PTPVF1806672	☐	☐	☐	27.0#
		84" 66" 18"	PTPVF1806684	☐	☐	☐	22.0#
		84" 72" 12"	PTPVF1807284	☐	☐	☐	30.0#
				A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 293	\$ 300	\$ 302	\$ 308	\$ 314	\$ 25
317	325	329	336	344	25
357	368	370	377	387	25
379	385	388	398	410	25
394	402	407	414	426	25
369	375	379	386	397	25
471	478	484	493	508	25
323	329	332	338	347	25
334	340	344	351	358	25
353	358	365	373	383	25
369	376	379	387	398	25
371	379	382	389	400	25
425	432	436	445	457	25
336	343	345	352	363	25
362	370	373	382	389	25
404	412	416	424	435	25
430	436	439	448	459	25
477	485	492	502	515	25
358	368	371	379	388	25
374	380	384	390	402	25
375	382	385	391	404	25
426	433	437	447	459	25
382	388	391	400	413	25
374	380	384	390	404	25
459	469	473	481	495	25
371	379	382	389	400	25
391	402	408	417	430	25
413	420	426	432	445	25

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

		MODEL NUMBER				
MODEL		A	Basic Model	Assembly	Trim Color	Approx. Packaged Weight
 PTN	4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height	30"	PXP4W30	☐	☐	10.0#
	• Unupholstered: trim colored • 4-way top cap • 4-way light block • Four half-posts • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	PXP4W36	☐	☐	10.0#
		42"	PXP4W42	☐	☐	14.0#
		48"	PXP4W48	☐	☐	14.0#
		54"	PXP4W54	☐	☐	19.0#
		60"	PXP4W60	☐	☐	19.0#
		66"	PXP4W66	☐	☐	23.0#
		72"	PXP4W72	☐	☐	23.0#
		78"	PXP4W78	☐	☐	23.0#
		84"	PXP4W84	☐	☐	30.0#
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|---|-----------------------------|
| F | - Fully Assembled; add \$88 |
| U | - Unassembled |
- C** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing		Metallic Paint add to list price
\$	200	\$ 9
	208	9
	229	9
	261	9
	271	9
	247	9
	282	9
	283	9
	296	9
	346	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB • Unupholstered: trim colored • 3-way top cap • 4-way light block • One piece of universal height change trim • One half-post (height B) • Three half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PXPV3W3036	☐ ☐	13.0#
		42"	30"	12"	PXPV3W3042	☐ ☐	14.0#
		48"	30"	18"	PXPV3W3048	☐ ☐	17.0#
		54"	30"	24"	PXPV3W3054	☐ ☐	17.0#
		66"	30"	36"	PXPV3W3066	☐ ☐	20.0#
		72"	30"	42"	PXPV3W3072	☐ ☐	23.0#
		84"	30"	54"	PXPV3W3084	☐ ☐	26.0#
		42"	36"	6"	PXPV3W3642	☐ ☐	16.0#
		48"	36"	12"	PXPV3W3648	☐ ☐	17.0#
		54"	36"	18"	PXPV3W3654	☐ ☐	19.0#
		66"	36"	30"	PXPV3W3666	☐ ☐	21.0#
		72"	36"	36"	PXPV3W3672	☐ ☐	23.0#
		84"	36"	48"	PXPV3W3684	☐ ☐	26.0#
		48"	42"	6"	PXPV3W4248	☐ ☐	18.0#
		54"	42"	12"	PXPV3W4254	☐ ☐	18.0#
		66"	42"	24"	PXPV3W4266	☐ ☐	21.0#
		72"	42"	30"	PXPV3W4272	☐ ☐	24.0#
		84"	42"	42"	PXPV3W4284	☐ ☐	27.0#
		54"	48"	6"	PXPV3W4854	☐ ☐	20.0#
		66"	48"	18"	PXPV3W4866	☐ ☐	23.0#
		72"	48"	24"	PXPV3W4872	☐ ☐	25.0#
		84"	48"	36"	PXPV3W4884	☐ ☐	27.0#
		66"	54"	12"	PXPV3W5466	☐ ☐	22.0#
		72"	54"	18"	PXPV3W5472	☐ ☐	26.0#
		84"	54"	30"	PXPV3W5484	☐ ☐	28.0#
		72"	66"	6"	PXPV3W6672	☐ ☐	27.0#
		84"	66"	18"	PXPV3W6684	☐ ☐	29.0#
		84"	72"	12"	PXPV3W7284	☐ ☐	30.0#
				A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 244	\$ 25
252	25
302	27
311	27
329	29
291	35
397	37
252	25
275	27
287	27
302	28
296	29
349	35
273	25
302	27
338	27
358	28
407	35
294	25
307	27
300	27
352	29
319	27
300	27
387	28
297	25
320	27
345	27

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTF	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB • Upholstered • 3-way top cap • 4-way light block • One fabric-wrapped piece of universal height change trim • One half-post (height B) • Three half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PXPVF3W3036	☐	☐ ☐ ☐ ☐	13.0#
		42"	30"	12"	PXPVF3W3042	☐	☐ ☐ ☐ ☐	14.0#
		48"	30"	18"	PXPVF3W3048	☐	☐ ☐ ☐ ☐	17.0#
		54"	30"	24"	PXPVF3W3054	☐	☐ ☐ ☐ ☐	17.0#
		66"	30"	36"	PXPVF3W3066	☐	☐ ☐ ☐ ☐	20.0#
		72"	30"	42"	PXPVF3W3072	☐	☐ ☐ ☐ ☐	23.0#
		84"	30"	54"	PXPVF3W3084	☐	☐ ☐ ☐ ☐	26.0#
		42"	36"	6"	PXPVF3W3642	☐	☐ ☐ ☐ ☐	16.0#
		48"	36"	12"	PXPVF3W3648	☐	☐ ☐ ☐ ☐	17.0#
		54"	36"	18"	PXPVF3W3654	☐	☐ ☐ ☐ ☐	19.0#
		66"	36"	30"	PXPVF3W3666	☐	☐ ☐ ☐ ☐	21.0#
		72"	36"	36"	PXPVF3W3672	☐	☐ ☐ ☐ ☐	23.0#
		84"	36"	48"	PXPVF3W3684	☐	☐ ☐ ☐ ☐	26.0#
		48"	42"	6"	PXPVF3W4248	☐	☐ ☐ ☐ ☐	18.0#
		54"	42"	12"	PXPVF3W4254	☐	☐ ☐ ☐ ☐	18.0#
		66"	42"	24"	PXPVF3W4266	☐	☐ ☐ ☐ ☐	21.0#
		72"	42"	30"	PXPVF3W4272	☐	☐ ☐ ☐ ☐	24.0#
		84"	42"	42"	PXPVF3W4284	☐	☐ ☐ ☐ ☐	27.0#
		54"	48"	6"	PXPVF3W4854	☐	☐ ☐ ☐ ☐	20.0#
		66"	48"	18"	PXPVF3W4866	☐	☐ ☐ ☐ ☐	23.0#
		72"	48"	24"	PXPVF3W4872	☐	☐ ☐ ☐ ☐	25.0#
		84"	48"	36"	PXPVF3W4884	☐	☐ ☐ ☐ ☐	27.0#
		66"	54"	12"	PXPVF3W5466	☐	☐ ☐ ☐ ☐	22.0#
		72"	54"	18"	PXPVF3W5472	☐	☐ ☐ ☐ ☐	26.0#
		84"	54"	30"	PXPVF3W5484	☐	☐ ☐ ☐ ☐	28.0#
		72"	66"	6"	PXPVF3W6672	☐	☐ ☐ ☐ ☐	27.0#
		84"	66"	18"	PXPVF3W6684	☐	☐ ☐ ☐ ☐	29.0#
		84"	72"	12"	PXPVF3W7284	☐	☐ ☐ ☐ ☐	30.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 283	\$ 289	\$ 291	\$ 298	\$ 305	\$ 9
291	297	300	305	313	9
343	348	352	358	370	9
353	358	365	373	382	9
370	377	382	388	399	9
334	340	344	351	358	9
440	450	456	466	476	9
296	301	303	309	317	9
308	313	315	324	333	9
323	329	332	338	348	9
349	355	357	368	377	9
363	370	373	380	388	9
390	400	407	414	426	9
317	324	327	334	344	9
338	344	347	354	365	9
380	386	389	399	411	9
404	411	413	420	430	9
449	459	466	472	484	9
334	342	345	351	362	9
347	353	356	367	376	9
342	347	351	357	369	9
396	402	407	416	426	9
356	365	369	376	386	9
342	347	349	356	368	9
430	438	443	453	466	9
337	344	346	353	363	9
358	370	374	383	394	9
383	390	391	402	413	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 PTN	4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB • Unupholstered: trim colored • 90° top cap • 4-way light block • Two pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			PXPV903036	☐	13.0#
		42" 30" 12"			PXPV903042	☐	13.0#
		48" 30" 18"			PXPV903048	☐	17.0#
		54" 30" 24"			PXPV903054	☐	16.0#
		66" 30" 36"			PXPV903066	☐	19.0#
		72" 30" 42"			PXPV903072	☐	24.0#
		84" 30" 54"			PXPV903084	☐	23.0#
		42" 36" 6"			PXPV903642	☐	16.0#
		48" 36" 12"			PXPV903648	☐	17.0#
		54" 36" 18"			PXPV903654	☐	19.0#
		66" 36" 30"			PXPV903666	☐	22.0#
		72" 36" 36"			PXPV903672	☐	24.0#
		84" 36" 48"			PXPV903684	☐	27.0#
		48" 42" 6"			PXPV904248	☐	18.0#
		54" 42" 12"			PXPV904254	☐	17.0#
		66" 42" 24"			PXPV904266	☐	20.0#
		72" 42" 30"			PXPV904272	☐	25.0#
		84" 42" 42"			PXPV904284	☐	24.0#
		54" 48" 6"			PXPV904854	☐	20.0#
		66" 48" 18"			PXPV904866	☐	23.0#
		72" 48" 24"			PXPV904872	☐	25.0#
		84" 48" 36"			PXPV904884	☐	28.0#
		66" 54" 12"			PXPV905466	☐	21.0#
		72" 54" 18"			PXPV905472	☐	26.0#
		84" 54" 30"			PXPV905484	☐	25.0#
		72" 66" 6"			PXPV906672	☐	27.0#
		84" 66" 18"			PXPV906684	☐	27.0#
		84" 72" 12"			PXPV907284	☐	30.0#
					A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 246	\$ 35
254	38
300	38
310	38
353	43
300	57
397	62
255	35
273	38
286	38
303	40
305	43
353	57
272	35
298	38
342	38
357	40
402	57
297	35
311	38
310	38
355	43
325	38
310	38
389	40
305	35
323	38
337	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 PTNF	4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB • Upholstered • 90° top cap • 4-way light block • Two fabric-wrapped pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36"	30"	6"	PXPVF903036	☐	☐	13.0#
		42"	30"	12"	PXPVF903042	☐	☐	13.0#
		48"	30"	18"	PXPVF903048	☐	☐	17.0#
		54"	30"	24"	PXPVF903054	☐	☐	16.0#
		66"	30"	36"	PXPVF903066	☐	☐	19.0#
		72"	30"	42"	PXPVF903072	☐	☐	24.0#
		84"	30"	54"	PXPVF903084	☐	☐	23.0#
		42"	36"	6"	PXPVF903642	☐	☐	16.0#
		48"	36"	12"	PXPVF903648	☐	☐	17.0#
		54"	36"	18"	PXPVF903654	☐	☐	19.0#
		66"	36"	30"	PXPVF903666	☐	☐	22.0#
		72"	36"	36"	PXPVF903672	☐	☐	24.0#
		84"	36"	48"	PXPVF903684	☐	☐	27.0#
		48"	42"	6"	PXPVF904248	☐	☐	18.0#
		54"	42"	12"	PXPVF904254	☐	☐	17.0#
		66"	42"	24"	PXPVF904266	☐	☐	20.0#
		72"	42"	30"	PXPVF904272	☐	☐	25.0#
		84"	42"	42"	PXPVF904284	☐	☐	24.0#
		54"	48"	6"	PXPVF904854	☐	☐	20.0#
		66"	48"	18"	PXPVF904866	☐	☐	23.0#
		72"	48"	24"	PXPVF904872	☐	☐	25.0#
		84"	48"	36"	PXPVF904884	☐	☐	28.0#
		66"	54"	12"	PXPVF905466	☐	☐	21.0#
		72"	54"	18"	PXPVF905472	☐	☐	26.0#
		84"	54"	30"	PXPVF905484	☐	☐	25.0#
		72"	66"	6"	PXPVF906672	☐	☐	27.0#
		84"	66"	18"	PXPVF906684	☐	☐	27.0#
		84"	72"	12"	PXPVF907284	☐	☐	30.0#
					A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 329	\$ 334	\$ 338	\$ 345	\$ 353	\$ 9
333	338	343	349	357	9
382	389	390	400	412	9
394	402	407	414	426	9
438	447	450	460	473	9
385	390	396	404	416	9
484	493	501	511	523	9
338	345	348	355	367	9
352	357	362	370	380	9
368	374	377	385	396	9
394	402	407	414	426	9
408	416	419	428	438	9
435	450	459	474	496	9
356	365	369	376	386	9
376	383	386	394	407	9
424	431	435	443	456	9
443	453	456	466	475	9
486	496	504	513	527	9
380	386	389	398	411	9
396	402	407	416	426	9
396	402	407	416	426	9
441	450	455	467	476	9
402	411	414	424	435	9
391	400	405	414	425	9
474	482	490	500	514	9
387	394	398	408	418	9
402	412	417	426	438	9
416	424	427	436	448	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

				MODEL NUMBER		Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	
 PTN	4-Way "X" Intersection w/180° Top Cap, Two Different Heights - ABAB • Unupholstered: trim colored • 180° top cap • 4-way light block • Two pieces of universal height change trim • Two half-posts (height B) • Two half-posts (height A) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"		PXPV1803036	☐	13.0#
		42" 30" 12"		PXPV1803042	☐	13.0#
		48" 30" 18"		PXPV1803048	☐	17.0#
		54" 30" 24"		PXPV1803054	☐	16.0#
		66" 30" 36"		PXPV1803066	☐	19.0#
		72" 30" 42"		PXPV1803072	☐	22.0#
		84" 30" 54"		PXPV1803084	☐	23.0#
		42" 36" 6"		PXPV1803642	☐	16.0#
		48" 36" 12"		PXPV1803648	☐	17.0#
		54" 36" 18"		PXPV1803654	☐	19.0#
		66" 36" 30"		PXPV1803666	☐	21.0#
		72" 36" 36"		PXPV1803672	☐	23.0#
		84" 36" 48"		PXPV1803684	☐	26.0#
		48" 42" 6"		PXPV1804248	☐	18.0#
		54" 42" 12"		PXPV1804254	☐	17.0#
		66" 42" 24"		PXPV1804266	☐	20.0#
		72" 42" 30"		PXPV1804272	☐	24.0#
		84" 42" 42"		PXPV1804284	☐	25.0#
		54" 48" 6"		PXPV1804854	☐	20.0#
		66" 48" 18"		PXPV1804866	☐	23.0#
		72" 48" 24"		PXPV1804872	☐	25.0#
		84" 48" 36"		PXPV1804884	☐	27.0#
		66" 54" 12"		PXPV1805466	☐	21.0#
		72" 54" 18"		PXPV1805472	☐	25.0#
		84" 54" 30"		PXPV1805484	☐	26.0#
		72" 66" 6"		PXPV1806672	☐	26.0#
		84" 66" 18"		PXPV1806684	☐	27.0#
		84" 72" 12"		PXPV1807284	☐	30.0#
				A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing	Metallic Paint add to list price
\$ 249	\$ 35
256	38
302	38
312	38
333	43
302	57
399	62
259	35
278	38
289	38
305	40
308	43
355	57
275	35
301	38
343	38
362	40
405	57
300	35
314	38
312	38
357	43
329	38
312	38
391	40
307	35
324	38
342	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersection Conditions

4-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 PTNF	4-Way "X" Intersection w/180° Top Cap, Two Different Heights - AAB • Upholstered • 180° top cap • 4-way light block • Two fabric-wrapped pieces of universal height change trim • Two half-posts (height A) • Two half-posts (height B) • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	PXPVF1803036	☐	☐	13.0#	
		42" 30" 12"	PXPVF1803042	☐	☐	13.0#	
		48" 30" 18"	PXPVF1803048	☐	☐	17.0#	
		54" 30" 24"	PXPVF1803054	☐	☐	16.0#	
		66" 30" 36"	PXPVF1803066	☐	☐	19.0#	
		72" 30" 42"	PXPVF1803072	☐	☐	22.0#	
		84" 30" 54"	PXPVF1803084	☐	☐	23.0#	
		42" 36" 6"	PXPVF1803642	☐	☐	16.0#	
		48" 36" 12"	PXPVF1803648	☐	☐	17.0#	
		54" 36" 18"	PXPVF1803654	☐	☐	19.0#	
		66" 36" 30"	PXPVF1803666	☐	☐	21.0#	
		72" 36" 36"	PXPVF1803672	☐	☐	23.0#	
		84" 36" 48"	PXPVF1803684	☐	☐	26.0#	
		48" 42" 6"	PXPVF1804248	☐	☐	18.0#	
		54" 42" 12"	PXPVF1804254	☐	☐	17.0#	
		66" 42" 24"	PXPVF1804266	☐	☐	20.0#	
		72" 42" 30"	PXPVF1804272	☐	☐	24.0#	
		84" 42" 42"	PXPVF1804284	☐	☐	25.0#	
		54" 48" 6"	PXPVF1804854	☐	☐	20.0#	
		66" 48" 18"	PXPVF1804866	☐	☐	23.0#	
		72" 48" 24"	PXPVF1804872	☐	☐	25.0#	
		84" 48" 36"	PXPVF1804884	☐	☐	27.0#	
		66" 54" 12"	PXPVF1805466	☐	☐	21.0#	
		72" 54" 18"	PXPVF1805472	☐	☐	25.0#	
		84" 54" 30"	PXPVF1805484	☐	☐	26.0#	
		72" 66" 6"	PXPVF1806672	☐	☐	26.0#	
		84" 66" 18"	PXPVF1806684	☐	☐	27.0#	
		84" 72" 12"	PXPVF1807284	☐	☐	30.0#	
				A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.



Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 281	\$ 286	\$ 289	\$ 296	\$ 303	\$ 9
336	342	345	352	362	9
384	389	394	404	414	9
397	405	410	418	428	9
419	427	431	439	453	9
320	327	331	337	346	9
486	496	504	513	526	9
293	298	301	307	314	9
305	311	313	320	331	9
315	323	327	333	343	9
329	334	338	345	353	9
327	333	336	344	352	9
368	375	377	386	397	9
309	314	317	327	334	9
338	345	348	355	369	9
426	433	437	447	459	9
427	433	437	443	454	9
491	501	508	516	531	9
332	338	343	348	357	9
344	349	352	358	370	9
338	345	347	354	367	9
377	385	387	397	408	9
405	413	417	426	437	9
342	347	351	357	369	9
476	485	492	502	516	9
342	347	351	357	369	9
353	363	369	377	389	9
369	375	379	386	397	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Preconfigured Stackable Intersection Conditions

180° 2-Way and End-of-Run

	MODEL	H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color	Fabric Color		
	Stackable Panel-180° 2-Way In-Line Connection, Both Same Height • Upholstered • One stackable full-post • Black only	12"	PSFP12			3.0#	\$ 71
		18"	PSFP18			4.0#	76
		24"	PSFP24			5.0#	80
PST							
	Stackable Panel-180° 2-Way In-Line Spacer, Both Same Height • Upholstered: trim colored • Two pieces of stackable universal trim • Stackable in-line trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSSP18012	☐		3.0#	\$ 241
		18"	PSSP18018	☐		4.0#	262
		24"	PSSP18024	☐		5.0#	271
PST							
	Stackable Panel - End-Of-Run Condition • Upholstered • Stackable end-of-run trim • Stackable full-post • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSEP12	☐		2.0#	\$ 80
		18"	PSEP18	☐		2.0#	85
		24"	PSEP24	☐		3.0#	93
PST							
	Stackable Panel-180° 2-Way In-Line Spacer, Both Panels Same Height • Upholstered • Two pieces of fabric-wrapped universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSSPF18012		☐	3.0#	N/A
		18"	PSSPF18018		☐	4.0#	N/A
		24"	PSSPF18024		☐	5.0#	N/A
PSTF							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.

C Select fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

180° 2-Way and End-of-Run


Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way and 3-Way

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
MODEL	H			
 PST	Stackable Panel-90° 2-Way "L" Corner, Both Panels Same Height • Unupholstered • Two pieces of stackable universal trim • Two stackable full-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSCP9012 ☐	3.0#
	18"	PSCP9018 ☐	4.0#	
	24"	PSCP9024 ☐	5.0#	
 PST	Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height • Unupholstered • Stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels • SX Starlight Silver finish is only offered on flat aluminum trim	12"	PSTP3W12 ☐	4.0#
	18"	PSTP3W18 ☐	5.0#	
	24"	PSTP3W24 ☐	7.0#	
 HRDPT	Stackable/Adjustable Wall Mount • Unupholstered • Attaches a stackable panel to a wall at the start of a run • Includes mounting plate and half-post • Steel construction with painted finish • Hardware for wall attachment is not included • Adjustable up to 1" to correct wall deflection	12"	PSWM12	5.0#
	18"	PSWM18	7.0#	
	24"	PSWM24	9.0#	

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Preconfigured Stackable Intersection Conditions

2-Way and 3-Way

Delivered Pricing		Metallic Paint add to list price
\$	241	\$ 28
	262	28
	271	28
\$	314	\$ 11
	345	11
	357	11
\$	251	\$ 11
	259	11
	267	11

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersection Conditions

2-Way, 3-Way and 4-Way

			MODEL NUMBER			
			Basic Model	Fabric Color		
MODEL			H		Approx. Packaged Weight	Delivered Pricing
	Stackable Panel-90° 2-way "L" Corner, Both Panels Same Height • Upholstered • Two pieces of stackable universal trim • Two stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSCPF9012	☐ ☐ ☐ ☐	3.0#	N/A
		18"	PSCPF9018	☐ ☐ ☐ ☐	4.0#	N/A
		24"	PSCPF9024	☐ ☐ ☐ ☐	5.0#	N/A
PSTF						
	Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height • Upholstered • Fabric-wrapped stackable universal trim • Three stackable half-posts • Corner connector block • Use top caps from existing lower panels	12"	PSTPF3W12	☐ ☐ ☐ ☐	4.0#	N/A
		18"	PSTPF3W18	☐ ☐ ☐ ☐	5.0#	N/A
		24"	PSTPF3W24	☐ ☐ ☐ ☐	7.0#	N/A
PSTF						
	Stackable Panel-4Way "X" Intersection/4-Way Top Cap, All Same Height • Unupholstered • Four stackable half-posts • Corner connector block • 4-way light block • Use top caps from existing lower panels	12"	PSXP4W12		5.0#	\$ 389
		18"	PSXP4W18		7.0#	413
		24"	PSXP4W24		9.0#	433
PST						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

2-Way, 3-Way and 4-Way

\$	370
	400
	418

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

		MODEL NUMBER		Approx. Packaged Weight
MODEL	PANEL WIDTH	Basic Model		
 HRDPT	Rigid Wireway - 6 Circuit	24"	PWET6WW.24	2.0#
	• Distributes 10-wire power and allows receptacle mounting	30"	PWET6WW.30	2.0#
	• Non-directional	36"	PWET6WW.36	3.0#
	• Includes mounting clips	42'	PWET6WW.42	3.0#
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48"	PWET6WW.48	3.0#
		54"	PWET6WW.54	4.0#
	• Accomodates two duplex receptacles per side. Maximum of four per wireway as standard	60"	PWET6WW.60	4.0#
	• Receptacles purchase separately			
	• 24" wireway accommodates one duplex receptacle per side			

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing
\$ 105
109
112
117
122
125
129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

			MODEL NUMBER	Approx. Packaged Weight
	MODEL	PANEL WIDTH	Basic Model	
 HRDPT	Power Pass Through - 6 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper • Receptacle access is not provided • Pass through is the same length as the corresponding Rigid Wireway • Pass through requires panel to panel jumpers (ordered separately)	12"	PWET6PP.12	1.0#
		18"	PWET6PP.18	1.0#
		24"	PWET6PP.24	1.0#
		30"	PWET6PP.30	2.0#
		36"	PWET6PP.36	2.0#
		42"	PWET6PP.42	2.0#
		48"	PWET6PP.48	2.0#
		54"	PWET6PP.54	3.0#
		60"	PWET6PP.60	3.0#
 HRDPT	Power/Data Separation Septum • Steel septum provides separation between power and data in base raceway • Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	12"	PDS8.12.BL	1.0#
		18"	PDS8.18.BL	1.0#
		24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
		60"	PDS8.60.BL	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	109
	115
	121
	122
	123
	124
	125
	127
	128
\$	6
	6
	6
	7
	10
	10
	12
	12
	18

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	Features				
 HRDPT	15 Amp Duplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET6RC.1	☐	1.0#
		Circuit 2	PWET6RC.2	☐	1.0#
		Circuit 3	PWET6RC.3	☐	1.0#
		Circuit 4	PWET6RC.4I	☐	1.0#
		Circuit 5	PWET6RC.5I	☐	1.0#
		Circuit 6	PWET6RC.6I	☐	1.0#
 HRDPT	20 Amp Simplex Receptacle with Bezel - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, 5I and 6I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET620R.1	☐	1.0#
		Circuit 2	PWET620R.2	☐	1.0#
		Circuit 3	PWET620R.3	☐	1.0#
		Circuit 4	PWET620R.4I	☐	1.0#
		Circuit 5	PWET620R.5I	☐	1.0#
		Circuit 6	PWET620R.6I	☐	1.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	29
	29
	29
	29
	29
	29
\$	46
	46
	46
	46
	46
	46

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

		MODEL NUMBER		Approx. Packaged Weight
MODEL	L	Basic Model		
 HRDPT	17" Panel to Panel Jumper - 6 Circuit - Used on in-line intersections - Non-directional	17"	PWET6PJ.17	1.0#
 HRDPT	20" Panel to Panel Jumper - 6 Circuit - Used on 90° corners and "T" intersections - Non-directional	20"	PWET6PJ.20	1.0#
 HRDPT	20" Vertical Jumper - 6 Circuit - Jumps power from ADA-height to worksurface-height or worksurface-height to stand-up-height - Non-directional	20"	PWET6VJ.20	1.0#
 HRDPT	56" Vertical Jumper - 6 Circuit - Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height - Non-directional	56"	PWET6VJ.56	2.0#
 HRDPT	Internal Duplex Assembly - 6 Circuit - UL listed for use with IT (communications) gear only - Circuit 6 only	16"	PWET6ID	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	79
\$	80
\$	80
\$	160
\$	206

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

		L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	Top Feed with 7' or 10' Pole - 6 Circuit • Can be used at top of panel only • Connects to either end of Rigid Wireway at any level. Doesn't occupy space for duplex receptacle • Includes aluminum power pole, panel trim and ceiling trim • Specify trim color	7"	PWET6TF7	☐	10.0#
		10"	PWET6TF10	☐	15.0#
 HRDPT	Data Feed • Can be used at top of panel only • Includes aluminum power pole, panel trim and ceiling trim • Pole is available in two heights, 7' and 10' • Specify trim color	84"	PDF8.7	☐	7.0#
		120"	PDF8.10	☐	10.0#
 HRDPT	Universal Base Infeed with Bezel - 6 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • 72" Whip is color matched to trim • Non-directional	72"	PWET6BFU		4.0#
 HRDPT	Tech Panel Base Infeed - 6 Circuit • Field notable for left, right and straight applications • Can be used at base level only • Designed to lay on floor and fit under lowest tile • 72" Whip is color matched to trim • Non-directional	72"	PWET6TBF		6.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge



Electrical
10-Wire System 6 Circuit “810

Delivered Pricing		Metallic Paint add to list price
\$	384	\$ 99
	479	99
\$	116	\$ 99
	169	99
\$	206	N/A
\$	447	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 6 Circuit "810

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	New York Power Infeed with Bezel - 6 Circuit • City of New York approved power entry box with panel to panel connectors • Can be used at base level only • 72" Whip is color matched to trim • Entry box is mounted to bottom horizontal on left or right side of panel • 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel	72"	PWET6NYBF.72	☐ ☐	6.0#
 HRDPT	New York Power Infeed Kit/Ceiling - 6 Circuit • Order power/data pole (PDF8. size(colors)) separately	216"	PWET6NYTF.216		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered
Pricing
\$ 469


\$ 580

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C
Shipping
Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER	
			Basic Model	Approx. Packaged Weight
 HRDPT	MODEL	PANEL WIDTH		
	Rigid Wireway - 4 Circuit	24"	PWET4WW.24	2.0#
	• Distributes 10-wire power and allows receptacle mounting	30"	PWET4WW.30	2.0#
	• Non-directional	36"	PWET4WW.36	3.0#
	• Includes mounting clips	42"	PWET4WW.42	3.0#
	• Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60	48"	PWET4WW.48	3.0#
	• Accommodates two deuplex receptacles per side. Maximum of two per wireway as standard	54"	PWET4WW.54	4.0#
	• 24" wireway accommodates one duplex receptacle per side	60"	PWET4WW.60	4.0#
	• Receptacles purchased separately			

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing
\$ 105
109
112
117
122
125
129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER	Approx. Packaged Weight
	MODEL	PANEL WIDTH	Basic Model	
 HRDPT	Power Pass Through - 4 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal jumper • Receptacle access is not provided • Pass through is the same length as the corresponding Rigid Wireway • Pass through requires panel to panel jumpers (ordered separately)	12"	PWET4PP.12	1.0#
		18"	PWET4PP.18	1.0#
		24"	PWET4PP.24	1.0#
		30"	PWET4PP.30	2.0#
		36"	PWET4PP.36	2.0#
		42"	PWET4PP.42	2.0#
		48"	PWET4PP.48	2.0#
		54"	PWET4PP.54	3.0#
		60"	PWET4PP.60	3.0#
 HRDPT	Power/Data Separation Septum • Steel septum provides separation between power and data in base raceway • Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	12"	PDS8.12.BL	1.0#
		18"	PDS8.18.BL	1.0#
		24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
		60"	PDS8.60.BL	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	109
	115
	121
	128
	104
	104
	108
	111
	112
\$	6
	6
	6
	7
	10
	10
	12
	12
	18

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

			MODEL NUMBER		Approx. Packaged Weight
MODEL		Features	Basic Model	Trim Color	
 HRDPT	15 Amp Duplex Receptacle with Bezel - 4 Circuit • Snaps to wireways of powered panels • 3I and 4I circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET4RC.1	☐	1.0#
		Circuit 2	PWET4RC.2	☐	1.0#
		Circuit 3	PWET4RC.3I	☐	1.0#
		Circuit 4	PWET4RC.4I	☐	1.0#
 HRDPT	20 Amp Simplex Receptacle with Bezel - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • 4I, circuits are stamped with orange triangle • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacle color matches trim color	Circuit 1	PWET420R.1	☐	1.0#
		Circuit 2	PWET420R.2	☐	1.0#
		Circuit 4	PWET420R.4I	☐	1.0#

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	30
	30
	30
	30
\$	46
	46
	46

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

		MODEL NUMBER		Approx. Packaged Weight
			Basic Model	
 HRDPT	17" Panel to Panel Jumper - 4 Circuit - Used on in-line and inside 90° corner intersections - Non-directional	17"	PWET4PJ.17	1.0#
 HRDPT	20" Panel to Panel Jumper - 4 Circuit - Used on outside 90° corners and straight through "T" intersections - Non-directional	20"	PWET4PJ.20	1.0#
 HRDPT	20" Vertical Jumper - 4 Circuit - Jumps power from ADA-height to worksurface-height or worksurface-height to stand-up-height - Non-directional	20"	PWET4VJ.20	1.0#
 HRDPT	56" Vertical Jumper - 4 Circuit - Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height - Non-directional	56"	PWET4VJ.56	2.0#
 HRDPT	Internal Duplex Assembly - 4 Circuit - UL listed for use with IT communications gear only - Circuit 4 only	16"	PWET4ID	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing
\$ 79
\$ 80
\$ 80
\$ 160
\$ 206

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color		
MODEL	L				
 HRDPT	Top Infeed with 7' or 10' Pole - 4 Circuit	7"	PWET4TF7	☐ ☐	10.0#
	• Can be used at top of panel only • Connects to either end of Rigid Wireway at any level. Doesn't occupy space for duplex receptacle • Includes aluminum power pole, panel trim and ceiling trim • Specify trim color	10"	PWET4TF10	☐ ☐	15.0#
 HRDPT	Data Feed	84"	PDF8.7	☐ ☐	7.0#
	• Can be used at top of panel only • Includes aluminum power pole, panel trim and ceiling trim • Pole is available in two heights, 7' and 10' • Specify trim color	120"	PDF8.10	☐ ☐	10.0#
 HRDPT	Universal Base Infeed with Bezel - 4 Circuit	72"	PWET4BFU		4.0#
	• Field notable for left, right and straight applications • Can be used at base level only • Includes Bezel with filler plate which can be removed to accept standard modular furniture data plates • 72" Whip is color matched to trim • Non-directional				
 HRDPT	Tech Panel Base Infeed - 4 Circuit	72"	PWET4TBF		6.0#
	• Field notable for left, right and straight applications • Can be used at base level only • Designed to lay on floor and fit under lowest tile • 72" Whip is color matched to trim • Non-directional				

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.



Electrical
10-Wire System 4 Circuit “810

Delivered Pricing		Metallic Paint add to list price
\$ 384		\$ 99
479		99
\$ 116		\$ 99
169		99
\$ 206		N/A
\$ 447		N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

10-Wire System 4 Circuit "810

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 HRDPT	New York Power Infeed with Bezel - 4 Circuit • City of New York approved power entry box with panel to panel connector • Can be used at base level only • 72" Whip is color matched to trim • Entry box is mounted to bottom horizontal on left or right side of panel • 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel	72"	PWET4NYBF.72	☐ ☐	6.0#
 HRDPT	New York Power Infeed Kit/Ceiling - 4 Circuit • Order power/data pole (PDF8.size(color)) separately	216"	PWET4NYTF.216		6.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	484
\$	580

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

		MODEL NUMBER		Approx. Packaged Weight
MODEL	PANEL WIDTH	Basic Model		
 HRDPT	Rigid Wireway Add-On Kit - Distributes 8-wire power and allows receptacle mounting - Includes two nylon mounting clips - Wireway can be mounted inside the base raceway or behind any raceway tile - Directional	24"	PRW8.24	2.0#
		30"	PRW8.30	2.0#
		36"	PRW8.36	3.0#
		42"	PRW8.42	3.0#
		48"	PRW8.48	3.0#
		54"	PRW8.54	4.0#
		60"	PRW8.60	4.0#
 HRDPT	Power Pass Through - Provides continuation of power in a non-powered panel when powered panels are on either side - Consists of flexible conduit with eight conductors and a connector on each end - Receptacle access is not provided - Directional	12"	PPT8.12	1.0#
		18"	PPT8.18	1.0#
		24"	PPT8.24	1.0#
		30"	PPT8.30	2.0#
		36"	PPT8.36	2.0#
		42"	PPT8.42	2.0#
		48"	PPT8.48	2.0#
 HRDPT	Power/Data Separation Septum - Steel septum provides separation between power and data in base raceway - Hint: A steel trough is supplied with raceway tiles to provide separation at other electrical heights	12"	PDS8.12.BL	1.0#
		18"	PDS8.18.BL	1.0#
		24"	PDS8.24.BL	1.0#
		30"	PDS8.30.BL	1.0#
		36"	PDS8.36.BL	2.0#
		42"	PDS8.42.BL	2.0#
		48"	PDS8.48.BL	2.0#
		54"	PDS8.54.BL	2.0#
		60"	PDS8.60.BL	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	87
	96
	105
	118
	128
	141
	158
\$	71
	75
	77
	82
	84
	87
	90
	93
	96
\$	6
	6
	6
	7
	10
	10
	12
	12
	18

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER			Approx. Packaged Weight
MODEL	Features	Basic Model	Receptacle Color	Trim Color		
 HRDPT	15 Amp Duplex Receptacle w/Bezel	Circuit 1	PRCP815.1		☐	0.2#
	• Snaps to wireways of powered panels • Rated at 15 amps @ 120 volts • #4 and #5 circuits are stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power • Receptacles color matches trim color	Circuit 2	PRCP815.2		☐	0.2#
		Circuit 3	PRCP815.3		☐	0.2#
		Circuit 4	PRCP815.4		☐	0.2#
		Circuit 5	PRCP815.5		☐	0.2#
 HRDPT	15 Amp Surge Suppression Module	Circuit 4	PRCPS815.4		☐	0.2#
	• Snaps to wireways of powered panels • Rated at 15 amps @ 120 volts • #4 and #5 circuits are stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power	Circuit 5	PRCPS815.5		☐	0.2#
 PRCP	20 Amp Simplex Receptacle and Bezel	Circuit 1	PRCP820.1	☐	☐	0.2#
	• Snaps to wireways of powered panels • Rated at 20 amps @ 120 volts • #5 circuit is stamped with orange lettering • Includes filler plate which can be removed to accept standard modular furniture data plates • Receptacles can be used at any height power	Circuit 2	PRCP820.2	☐	☐	0.2#
		Circuit 3	PRCP820.3	☐	☐	0.2#
		Circuit 4	PRCP820.4	☐	☐	0.2#
		Circuit 5	PRCP820.5	☐	☐	0.2#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select receptacle color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	29
	29
	29
	29
	29
\$	123
	123
\$	111
	111
	111
	111
	111

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Receptacle Color	Trim Color	
MODEL	Panel Width					
	Bezel		46.0073		□□	0.1#
HRDPT						
	15 Amp Surge Suppression Module	Circuit 4	46.0206.4	□□		0.2#
		Circuit 5	46.0206.5	□□		0.2#
HRDPT						
	20 Amp Receptacle	Circuit 1	46.0205.1		□□	0.2#
		Circuit 2	46.0205.2		□□	0.2#
		Circuit 3	46.0205.3		□□	0.2#
		Circuit 4	46.0205.4		□□	0.2#
		Circuit 5	46.0205.5		□□	0.2#
HRDPT						
	15 Amp Receptacle	Circuit 1	46.0082.1		□□	0.2#
		Circuit 2	46.0082.2		□□	0.2#
		Circuit 3	46.0082.3		□□	0.2#
		Circuit 4	46.0082.4		□□	0.2#
		Circuit 5	46.0082.5		□□	0.2#
HRDPT						
	Chicago Code Receptacle Kit		PRK.HW		□□	0.8#
	• Receptacle box					
	• Mounting bracket					
	• Filler plate					
	• Bezel					
	• Levitan 5325 or equivalent receptacle supplied by customer					
HRDPT						
	Chicago Electrical Mounting Bar	24"	PCEM.24			1.0#
	• Steel bar construction	30"	PCEM.30			2.0#
	• Accepts Chicago code receptacle kit	36"	PCEM.36			2.0#
	• Includes mounting hardware	42"	PCEM.42			2.0#
		48"	PCEM.48			3.0#
		54"	PCEM.54			3.0#
		60"	PCEM.60			3.0#
HRDPT						
			A	B	C	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select receptacle color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- C** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	2
\$	121
	121
\$	108
	108
	108
	108
	108
\$	25
	25
	25
	25
	25
\$	33
\$	20
	24
	27
	32
	35
	35
	35

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
MODEL	Panel Width	L			
 HRDPT	Top Feed - Includes the following: electrical infeed, extruded aluminium power pole (color specific), panel and ceiling trim - Directional	84"	PTF8.7	☐	10.0#
		120"	PTF8.10	☐	15.0#
 HRDPT	Data Feed Includes the following: extruded aluminium power pole (color specific), panel and ceiling trim	84"	PDF8.7	☐	7.0#
		120"	PDF8.10	☐	10.0#
 HRDPT	New York Power Infeed Kit City of New York approved power entry box	24"	PIF.NY.24	☐	3.0#
		30"	PIF.NY.30	☐	3.0#
		36"	PIF.NY.36	☐	4.0#
		42"	PIF.NY.42	☐	5.0#
		48"	PIF.NY.48	☐	5.0#
		54"	PIF.NY.54	☐	6.0#
		60"	PIF.NY.60	☐	6.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge



Delivered Pricing		Metallic Paint add to list price
\$	385	\$ 99
	703	99
\$	116	\$ 99
	169	99
\$	300	\$ 99
	315	99
	333	99
	349	99
	368	99
	383	99
	399	99

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Electrical

8-Wire System

			MODEL NUMBER		Approx. Packaged Weight
	MODEL	L	Basic Model	Trim Color	
 HRDPT	Universal Base Infeed • Color specific base infeed • Removable filler plate • Bezel • Field notable for left, right and straight applications • Directional	72"	PBF8	☐ ☐	4.0#
 HRDPT	17" Panel to Panel Jumper • Used on in-line and inside 90° corner intersections • Directional	17"	PHJMP8.17		1.0#
 HRDPT	21" Panel to Panel Jumper • Used on outside 90° corners and straight through "T" intersections • Directional	21"	PHJMP8.21		1.0#
 HRDPT	23" Vertical Jumper • Jumps power from ADA-height to worksurface-height or worksurface-height to stand-up-height • Directional	23"	PVJMP8.23		1.0#
 HRDPT	53" Vertical Jumper • Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height, or ADA-height to stand-up height • Directional	53"	PVJMP8.53		2.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Delivered Pricing	
\$	156
\$	63
\$	67
\$	77
\$	93

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Cable Management

MODEL		MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Acoustical Tile Vertical Cable Guide • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile • Cannot be used with raceway tile • Maximum of two guides behind a 12" high acoustic tile • Ordered in packs of 25	46.0097.PCK	0.2#
 HRDPT	Acoustical Tile Horizontal Cable Support • Clips into bottom midpoint of horizontal rail • Aligns with vertical cable guides to keep cables supported at midpoint of panel • Cable supports gang vertically • Can also support loops of cable • Cannot be used with raceway tile • Ordered in packs of 25	46.0099.PCK	0.2#
 HRDPT	Tile 90 Cable Guard • Clips into slots in vertical post • Allows cables to be laid in-between vertical posts and acoustic tile at the inside of a 90° corner • Cannot be used with raceway tile • Need two guides per 12" high tile • Ordered in packs of 25	46.0096.PCK	0.2#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Cable Management

Delivered Pricing	
\$	28
\$	33
\$	27

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Cable Management

	MODEL	MODEL NUMBER	Approx. Packaged Weight
		Basic Model	
 HRDPT	Horizontal Rail Cable Guard • Clips into end notch of horizontal rail • Protects and manages cables • Ordered in packs of 25	46.0098.PCK	0.2#
 HRDPT	Top Cap 90° Cable Guard • Manages cables between half posts and under top cap • Protects and manages cables • Ordered in packs of 25	46.0200.PCK	1.0#
HRDPT	Cable Management Demo Pack • Includes a sampling of cable guards and supports to demonstrate WireWorks® superior cable handling capabilities	PCMDP	1.0#
 HRDPT	Cable Tie Anchor Pad • 4-Way cable tie mounting device (1" x 1" base) • Mounts to side of vertical post to anchor cable • Ties and secures vertical runs of cables within the panel • Accepts 18-40 lb. cable ties • Mounts with adhesive foam tape • Recommend one anchor pad for every 12" to 18" of vertical cables within a panel • Ordered in packs of 100	46.0753.PCK	2.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Cable Management

Delivered Pricing	
\$	30
\$	18
\$	12
\$	59

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Rectangular

			MODEL NUMBER								
MODEL			D x W	Basic Model	Edge Style	Surface Finish	Trim Color	Grommet Location	Edge Color	Grommet Color	Approx. Packaged Weight
 Flat Vinyl T-Edge (BN) PWR	Rectangular Worksurfaces - 24" D 60" worksurfaces contain two steel reinforcing bars - Includes worksurface supports - All surfaces 66" and longer are provided with an additional left-hand cantilever bracket - Worksurfaces with 74P, postformed, knife edge and veneer edges have one 2-1/2" x 6" grommet up to 54" wide, 60" - 96" have two grommets 3" diameter grommet optional on vinyl T-edge worksurfaces only	24 x 24"	PWR2424	□□□	□□□	□□	□□□	□□□	□□□	23.0#	
		24 x 30"	PWR2430	□□□	□□□	□□	□□□	□□□	□□□	28.0#	
		24 x 36"	PWR2436	□□□	□□□	□□	□□□	□□□	□□□	33.0#	
		24 x 42"	PWR2442	□□□	□□□	□□	□□□	□□□	□□□	37.0#	
		24 x 48"	PWR2448	□□□	□□□	□□	□□□	□□□	□□□	42.0#	
		24 x 54"	PWR2454	□□□	□□□	□□	□□□	□□□	□□□	46.0#	
		24 x 60"	PWR2460	□□□	□□□	□□	□□□	□□□	□□□	51.0#	
		24 x 66"	PWR2466	□□□	□□□	□□	□□□	□□□	□□□	56.0#	
		24 x 72"	PWR2472	□□□	□□□	□□	□□□	□□□	□□□	61.0#	
		24 x 78"	PWR2478	□□□	□□□	□□	□□□	□□□	□□□	66.0#	
		24 x 84"	PWR2484	□□□	□□□	□□	□□□	□□□	□□□	71.0#	
		24 x 90"	PWR2490	□□□	□□□	□□	□□□	□□□	□□□	74.0#	
24 x 96"	PWR2496	□□□	□□□	□□	□□□	□□□	□□□	76.0#			
 74P Edge (74P) Postformed Edge (PL) Wood Edge (WV) PWR	Rectangular Worksurfaces - 30" D	30 x 24"	PWR3024	□□□	□□□	□□	□□□	□□□	□□□	28.0#	
		30 x 30"	PWR3030	□□□	□□□	□□	□□□	□□□	□□□	34.0#	
		30 x 36"	PWR3036	□□□	□□□	□□	□□□	□□□	□□□	40.0#	
		30 x 42"	PWR3042	□□□	□□□	□□	□□□	□□□	□□□	46.0#	
		30 x 48"	PWR3048	□□□	□□□	□□	□□□	□□□	□□□	57.0#	
		30 x 54"	PWR3054	□□□	□□□	□□	□□□	□□□	□□□	62.0#	
		30 x 60"	PWR3060	□□□	□□□	□□	□□□	□□□	□□□	68.0#	
		30 x 66"	PWR3066	□□□	□□□	□□	□□□	□□□	□□□	72.0#	
		30 x 72"	PWR3072	□□□	□□□	□□	□□□	□□□	□□□	79.0#	
		30 x 78"	PWR3078	□□□	□□□	□□	□□□	□□□	□□□	85.0#	
		30 x 84"	PWR3084	□□□	□□□	□□	□□□	□□□	□□□	89.0#	
		30 x 90"	PWR3090	□□□	□□□	□□	□□□	□□□	□□□	92.0#	
		30 x 96"	PWR3096	□□□	□□□	□□	□□□	□□□	□□□	94.0#	
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
KN	- Knife edge
PL	- Postformed edge
WE	- Wood edge, laminate surface
WV	- Wood edge, veneer surface

C Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select grommet location.

N	- No grommet
L	- Grommet : left; add \$41

C - Grommet : center; add \$41

R - Grommet : /right; add \$41

LR - Grommet : left/right; add \$84

LC - Grommet : left/center; add \$84

CR - Grommet : center/right; add \$84

LCR - Grommet : left/center/right; add \$124

F Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces

Rectangular




Flat Vinyl T-Edge
(BN)




74P Edge
(74P)




Postformed Edge
(PL)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

\$ 247	\$ 259	\$ 308	\$ 270	\$ 353	\$ 703
267	280	334	294	394	776
285	300	354	311	437	870
324	343	408	355	478	952
347	367	433	382	523	1084
362	382	455	450	620	1210
377	394	472	468	722	1373
384	405	479	479	746	1453
390	412	491	496	783	1584
404	418	504	512	846	1735
416	435	520	526	888	1882
420	441	523	557	945	1928
426	448	533	573	977	1979
\$ 267	\$ 280	\$ 334	\$ 294	\$ 383	\$ 776
285	300	354	285	428	847
307	320	383	336	474	958
345	358	430	353	525	1059
371	387	461	371	567	1201
382	399	475	522	666	1345
391	413	492	561	767	1547
408	427	508	579	793	1679
413	433	516	592	802	1807
423	443	526	612	903	1995
428	450	536	629	933	2188
436	459	548	648	995	2251
448	471	559	663	1029	2318

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

			MODEL NUMBER							Approx. Packaged Weight
MODEL	D x W x L	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color		
 Left shown	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"	PWPT244860	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	65.0#	
	- Includes worksurface supports - Peninsula worksurfaces have one 2-1/2" x 6" grommet centered on rear edge 72" worksurfaces contain two steel reinforcing bars	24 x 48 x 72"	PWPT244872	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	79.0#	
		30 x 48 x 72"	PWPT304872	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	88.0#	
PWPR										
 Left shown	Piano Peninsula Worksurfaces	24 x 48 x 60"	PWPP244860	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	57.0#	
	- Includes worksurface supports - Peninsula worksurfaces have one 2-1/2" x 6" grommet centered on rear edge 72" worksurfaces contain two steel reinforcing bars	24 x 48 x 72"	PWPP244872	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	72.0#	
		30 x 48 x 72"	PWPP304872	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	82.0#	
PWPR										

A

B

C

D

E

F

G

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Fabrics & Finishes binder.

- A** Select basic model.
- B** Select surface direction.
- | | |
|-----------|-------------------|
| DL | - Direction left |
| DR | - Direction right |
- Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.
- C** Select edge style.
- | | |
|------------|-------------------------------|
| 74P | - 74P edge |
| KN | - Knife edge |
| WE | - Wood edge, laminate surface |
| WV | - Wood edge, veneer surface |
- D** Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Surface finish offerings are based on edge style selections.
- E** Select trim color.
- Refer to color addendum at ki.com or KI

- F** Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
- G** Select grommet color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:





Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces
"P" Shaped Peninsula/Piano Peninsula

			
74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WE)	Wood Edge Veneer (WV)
\$ 722	\$ 779	\$ 1254	\$ 4713
765	879	1490	5551
788	880	1455	5597
\$ 722	\$ 779	\$ 1148	\$ 3578
765	879	1358	4192
788	880	1358	4268

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.


A **B** **C** **D** **E** **F** **G**

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces


Square Shoe/Conference End




Flat Vinyl T-Edge
(BN)




74P Edge
(74P)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

N/A	\$ 660	\$ 688	\$ 1096	\$ 2899
N/A	695	703	1104	3186
N/A	710	723	1123	3477
N/A	727	758	1230	4044
N/A	725	744	1123	3186
N/A	737	754	1148	3477
N/A	756	769	1258	4044
\$ 407	\$ 425	\$ 637	\$ 842	\$ 1054
423	443	644	950	1180
436	459	679	984	2826
598	629	692	1005	3368

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

"D" Shaped Peninsula

	MODEL	D x W	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Edge Style	Surface Finish	Trim Color	Grommet Location	Edge Color	Grommet Color	
 PWCD	"D" Shaped Peninsula Worksurfaces • Not available with laminate postformed edge • Includes mounting hardware • 72" worksurfaces contain two steel reinforcing bars • Round grommets optional • Flat vinyl T-edge is available with 3" diameter grommets (30" or 36" edge only) • Veneer option must be ordered via KI Specials Dept (a. Specify left, right or center b. Specify depth of adjacent worksurface)	30 x 48"	PWP3048	☐	☐	☐	☐	☐	☐	53.0#
		30 x 60"	PWP3060	☐	☐	☐	☐	☐	☐	63.0#
		30 x 72"	PWP3072	☐	☐	☐	☐	☐	☐	76.0#
		36 x 60"	PWP3660	☐	☐	☐	☐	☐	☐	75.0#
		36 x 72"	PWP3672	☐	☐	☐	☐	☐	☐	89.0#
 PWCD	"D" Shaped Peninsula Worksurface Mounts to Another Worksurface • Not available with laminate postformed edge • Does not include wire management grommet • Includes mounting hardware • 72" worksurfaces contain two steel reinforcing bars	30 x 48"	PWSMP3048	☐	☐	☐	☐	☐	☐	54.0#
		30 x 60"	PWSMP3060	☐	☐	☐	☐	☐	☐	64.0#
		30 x 72"	PWSMP3072	☐	☐	☐	☐	☐	☐	77.0#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
| KN | - Knife edge |

C Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select grommet location on T-edge (BN) only.

- | | |
|----------|------------------------------|
| N | - No grommet |
| L | - Grommet : left; add \$41 |
| C | - Grommet : center; add \$41 |
| R | - Grommet : /right; add \$41 |

LR - Grommet : left/right; add \$84

LC - Grommet : left/center; add \$84

CR - Grommet : center/right; add \$84

LCR - Grommet : left/center/right; add \$124

F Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
For T-Edge (BN) only.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces
"D" Shaped Peninsula




Flat Vinyl T-Edge
(BN)

\$ 504
557
613
680
739



74P Edge
(74P)

\$ 527
583
644
719
778



Knife Edge
(KN)

\$ 536
661
802
824
1002

\$ 504
557
613

\$ 527
583
644

\$ 536
661
802

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

			MODEL NUMBER					
MODEL			Basic Model	Edge Style	Surface Finish	Edge Color	Grommet Color	
 PWWC	Dual Curvilinear/Diag/Curvilinear 90° Corner - Includes mounting hardware - Worksurfaces have one 2-1/2" x 6" grommet located 12" from rear corner along right rear edge	24 x 42 x 42 x 24"	PWDCE244224	□□□	□□□	□□□	□□□	
		24 x 48 x 48 x 24"	PWDCE244824	□□□	□□□	□□□	□□□	
		30 x 48 x 48 x 30"	PWDCE304830	□□□	□□□	□□□	□□□	
 74P Edge (74P)  Flat Vinyl T-Edge (BN) PWWC	Diagonal 90° Corner Worksurface - Includes mounting hardware - Left-hand cantilever is provided for rear corner - Includes one grommet	24 x 36 x 36 x 24"	PWD243624	□□□	□□□	□□□	□□□	
		24 x 42 x 42 x 24"	PWD244224	□□□	□□□	□□□	□□□	
		24 x 42 x 42 x 30"	PWD244230	□□□	□□□	□□□	□□□	
		24 x 48 x 48 x 24"	PWD244824	□□□	□□□	□□□	□□□	
		24 x 48 x 48 x 30"	PWD244830	□□□	□□□	□□□	□□□	
		30 x 42 x 42 x 24"	PWD304224	□□□	□□□	□□□	□□□	
		30 x 42 x 42 x 30"	PWD304230	□□□	□□□	□□□	□□□	
		30 x 48 x 48 x 24"	PWD304824	□□□	□□□	□□□	□□□	
		30 x 48 x 48 x 30"	PWD304830	□□□	□□□	□□□	□□□	
 74P Edge (74P) PWWC	Curvilinear 90° Corner Worksurfaces - Includes mounting hardware - Left-hand cantilever is provided for rear corner	24 x 36 x 36 x 24"	PWC243624	□□□	□□□	□□□	□□□	
		24 x 42 x 42 x 24"	PWC244224	□□□	□□□	□□□	□□□	
		24 x 42 x 42 x 30"	PWC244230	□□□	□□□	□□□	□□□	
		24 x 48 x 48 x 24"	PWC244824	□□□	□□□	□□□	□□□	
		24 x 48 x 48 x 30"	PWC244830	□□□	□□□	□□□	□□□	
		30 x 36 x 36 x 30"	PWC303630	□□□	□□□	□□□	□□□	
		30 x 42 x 42 x 24"	PWC304224	□□□	□□□	□□□	□□□	
		30 x 42 x 42 x 30"	PWC304230	□□□	□□□	□□□	□□□	
		30 x 48 x 48 x 24"	PWC304824	□□□	□□□	□□□	□□□	
		30 x 48 x 48 x 30"	PWC304830	□□□	□□□	□□□	□□□	

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
KN	- Knife edge
PL	- Postformed edge
WE	- Wood edge, laminate surface
WV	- Wood edge, veneer surface

C Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

F Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code






KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

						
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Wood Edge Laminate (WE)	Wood Edge Veneer (WV)
75.0#	N/A	\$ 1838	N/A	\$ 1833	\$ 2119	\$ 4077
84.0#	N/A	1881	N/A	1877	2170	4603
98.0#	N/A	1984	N/A	1980	2215	4766
46.0#	\$ 387	\$ 410	\$ 486	\$ 436	N/A	\$ 1903
55.0#	449	472	560	488	N/A	2580
51.0#	417	436	N/A	488	N/A	N/A
64.0#	519	543	648	525	N/A	3239
62.0#	481	507	N/A	525	N/A	N/A
51.0#	417	436	N/A	488	N/A	N/A
69.0#	449	472	560	488	N/A	2663
62.0#	481	507	N/A	525	N/A	N/A
78.0#	519	543	648	525	N/A	3320
44.0#	N/A	\$ 448	N/A	\$ 436	\$ 695	\$ 1984
53.0#	N/A	475	N/A	488	762	2697
49.0#	N/A	475	N/A	488	N/A	2023
62.0#	N/A	592	N/A	525	785	3308
60.0#	N/A	592	N/A	525	N/A	2697
49.0#	N/A	448	N/A	436	653	2063
49.0#	N/A	475	N/A	488	N/A	2023
67.0#	N/A	508	N/A	488	744	2806
60.0#	N/A	592	N/A	525	N/A	2697
76.0#	N/A	623	N/A	525	800	3403

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Countertops

	MODEL	Features	D x W	MODEL NUMBER							
				Basic Model	Notch Location	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color	
 PWCT	Straight Countertops • For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection • Brackets include steel locking clips to prevent dislodgement • Countertops accept task light		16 x 24"	PWCT24	☐	☐	☐	☐	☐	☐	
			16 x 30"	PWCT30	☐	☐	☐	☐	☐	☐	
			16 x 36"	PWCT36	☐	☐	☐	☐	☐	☐	
			16 x 42"	PWCT42	☐	☐	☐	☐	☐	☐	
			16 x 48"	PWCT48	☐	☐	☐	☐	☐	☐	
			16 x 54"	PWCT54	☐	☐	☐	☐	☐	☐	
			16 x 60"	PWCT60	☐	☐	☐	☐	☐	☐	
			16 x 66"	PWCT66	☐	☐	☐	☐	☐	☐	
			16 x 72"	PWCT72	☐	☐	☐	☐	☐	☐	
			16 x 78"	PWCT78	☐	☐	☐	☐	☐	☐	
			16 x 84"	PWCT84	☐	☐	☐	☐	☐	☐	
 PWCT	90° Corner Countertops • For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection • Brackets include steel locking clips to prevent dislodgement • PL edge comes with two individual tops and are placed next to each other in field	2-piece standard 2-piece standard 2-piece standard	16 x 24"	PW9024	☐	☐	☐	☐	☐	☐	
			16 x 30"	PW9030	☐	☐	☐	☐	☐	☐	
			16 x 36"	PW9036	☐	☐	☐	☐	☐	☐	
 PWCW	Straight Countertops - Wheelchair Height • For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection • Brackets include steel locking clips to prevent dislodgement		16 x 24"	PWCTWC24	☐	☐	☐	☐	☐	☐	
			16 x 30"	PWCTWC30	☐	☐	☐	☐	☐	☐	
			16 x 36"	PWCTWC36	☐	☐	☐	☐	☐	☐	
			16 x 42"	PWCTWC42	☐	☐	☐	☐	☐	☐	
			16 x 48"	PWCTWC48	☐	☐	☐	☐	☐	☐	
			16 x 54"	PWCTWC54	☐	☐	☐	☐	☐	☐	
			16 x 60"	PWCTWC60	☐	☐	☐	☐	☐	☐	
			16 x 66"	PWCTWC66	☐	☐	☐	☐	☐	☐	
			16 x 72"	PWCTWC72	☐	☐	☐	☐	☐	☐	
			16 x 78"	PWCTWC78	☐	☐	☐	☐	☐	☐	
			16 x 84"	PWCTWC84	☐	☐	☐	☐	☐	☐	
 PWCW	90° Countertops - Wheelchair Height • For notch location of "LS, RS, BS", the notch has a grommet and will require a grommet color selection • Brackets include steel locking clips to prevent dislodgement • PL edge comes with two individual tops and are placed next to each other in field	2-piece standard 2-piece standard 2-piece standard	16 x 24"	PWCTWC9024	☐	☐	☐	☐	☐	☐	
			16 x 30"	PWCTWC9030	☐	☐	☐	☐	☐	☐	
			16 x 36"	PWCTWC9036	☐	☐	☐	☐	☐	☐	

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select notch location.

- S** - Standard
- LS** - Left notch for std trim
- RS** - Right notch for std trim
- BS** - Both notches for std trim
- LF** - Left notch for flat trim
- RF** - Right notch for flat trim
- BF** - Both notches for flat trim

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection

C Select edge style.

- BN** - Flat vinyl T-edge
- 74P** - 74P edge
- PL** - Postformed edge
- KN** - Knife edge
- WE** - Wood edge, laminate surface
- WV** - Wood edge, veneer surface

D Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

E Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic finish not available.

F Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select grommet color.

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection, otherwise there is no grommet color selection. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
 Nevamar - LN/supplier's color pattern code
 Wilsonart - LW/supplier's color pattern code






KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Worksurfaces

Countertops

						
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Wood Edge Laminate (WE)	Wood Edge Veneer (WV)
16.0#	\$ 221	\$ 229	\$ 273	\$ 233	\$ 358	\$ 811
19.0#	244	254	302	259	390	952
22.0#	256	269	320	272	424	1057
25.0#	297	310	371	315	469	1159
28.0#	315	333	394	338	500	1300
31.0#	332	347	416	383	584	1477
34.0#	345	358	430	397	614	1650
37.0#	352	371	441	436	660	1755
40.0#	357	379	450	447	685	1826
43.0#	369	385	459	471	712	1865
43.0#	377	394	472	484	736	2210
23.0#	\$ 358	\$ 380	\$ 453	\$ 386	N/A	\$ 2998
30.0#	460	482	577	492	N/A	3212
37.0#	542	570	678	579	N/A	3362
16.0#	\$ 255	\$ 267	\$ 310	\$ 245	\$ 380	\$ 846
19.0#	275	291	338	271	345	988
22.0#	294	307	355	305	377	1091
25.0#	332	346	407	323	423	1196
28.0#	352	369	430	337	453	1337
31.0#	368	383	450	408	536	1511
34.0#	380	396	469	424	569	1685
37.0#	386	407	475	474	613	1790
40.0#	394	413	484	488	640	1859
43.0#	405	423	495	512	664	1900
46.0#	412	430	507	527	693	2244
23.0#	\$ 396	\$ 416	\$ 486	\$ 418	N/A	\$ 3032
30.0#	496	520	612	471	N/A	3245
37.0#	577	606	712	504	N/A	3398

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

KI's standard finish is the supplier's recommended finish for that color/pattern.
 Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.
 Contact KI.

Flat Vinyl T-Edge
(BN)

\$	824
	827



\$	864
	869


\$	982
	1000
	982
	1000

\$	1030
	1051
	1030
	1051

Specifications and prices are subject to change without prior notice.

Worksurfaces

Mobile Teardrop/Mobile Semi-Circle

			MODEL NUMBER				Approx. Packaged Weight
MODEL	D x DIA	Basic Model	Edge Style	Surface Finish	Edge Color		
 WCT	Quarter Round Transitional Worksurface	24 X 24" Dia for Panel	WQRPW24	☐	☐	☐	34.0#
	• Two splice plates provided • For use with fixed height workstations only • Available with flat vinyl T-edge or 74P edge • For use as conferencing corner • Modesty panel not required • Wireway option not available • 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" • WQRP version has pointed end removed to accommodate corner of two Wire-Works panels	30 X 30" Dia for Panel	WQRPW30	☐	☐	☐	51.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
- C** Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Surface finish offerings are based on edge style selections.
- D** Select edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Worksurfaces

Mobile Teardrop/Mobile Semi-Circle



Flat Vinyl T-Edge
(BN)

\$ 417
433



74P Edge
(74P)

\$ 441
456

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220**
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.



		MODEL NUMBER						
MODEL	D x DIA	Basic Model	Dir.	Surface Finish	Trim Color	Fabric Color	Edge Color	Approx. Packaged Weight
 PWSP	Worksurface Support Panel (Fabric/Laminate)	24 x 26"	PWSSP2426/BN	□□	□□□		□□□□ □□□	15.0#
		24 x 29"	PWSSP2429/BN	□□	□□□		□□□□ □□□	16.0#
	• Must specify left or right side version by adding /L (left) or /R (right) to product number	30 x 26"	PWSSP3026/BN	□□	□□□		□□□□ □□□	17.0#
		30 x 29"	PWSSP3029/BN	□□	□□□		□□□□ □□□	18.0#
	• Support panel provides additional worksurface support in extensive worksurface loading applications							
	• Mounts to panel and worksurface							
	• Adjustable glides provide leveling capability							
	• 26" worksurface height equals 24-7/8" panel height							
• 29" worksurface height equals 27-7/8" panel height								
			</					

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select surface direction.

DL	- Direction left
DR	- Direction right
- C** Select surface finish.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.
- D** Select trim color.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- E** Select fabric color.

Refer to Vertical Fabric Pricing Addendum.
- F** Select edge color.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 473	\$ 481	\$ 486	\$ 496	\$ 516
479	488	495	507	525
479	488	495	507	525
493	502	508	519	537

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Worksurface Support Panel

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color	
	MODEL	D x DIA						
	Worksurface Support Panel (Laminate Both Sides)	24 x 26"	PWSSL2426	☐	☐	☐	☐	15.0#
		24 x 29"	PWSSL2429	☐	☐	☐	☐	16.0#
	• Must specify left or right side version by adding /L (left) or /R (right) to product number	30 x 26"	PWSSL3026	☐	☐	☐	☐	17.0#
	• Support panel provides additional work-surface support in extensive worksurface loading applications	30 x 29"	PWSSL3029	☐	☐	☐	☐	18.0#
PWSL	• Mounts to panel and worksurface							
	• Adjustable glides provide leveling capability							
	• 26" worksurface height equals 24-7/8" panel height							
	• 29" worksurface height equals 27-7/8" panel height							
			A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface direction.
- DR** - Direction right
- DL** - Direction left
- C** Select edge style.
- BN** - Flat vinyl T-edge
- 74P** - 74P edge
- PL** - Postformed edge
- D** Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Surface finish offerings are based on edge style selections.
- E** Select trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- F** Select edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:


Formica - LF/supplier's color pattern code

Nevamar - LN/supplier's color pattern code

Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




Flat Vinyl T-Edge
(BN)

\$ 327
332
332
343



74P Edge
(74P)

\$ 344
347
347
356



Postformed Edge
(PL)

\$ 410
416
416
426

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Worksurface Accessories

Worksurface Accessories

	MODEL	Features	W x D x H	MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Trim Color	
 HRDPT	Grommets - Field-Installed	Inside - 2-3/4", Outside - 3"		WSG		1.0#
 HRDPT	Worksurface Support Bracket		3 x 4"	PWSB.L		1.0#
			3 x 4"	PWSB.R		1.0#
 HRDPT	Worksurface Vertical Filler		3 x 24"	WSVF.24		3.0#
			3 x 30"	WSVF.30		3.0#
 HRDPT	Worksurface Wire Manager	W - 2", D - 2-1/2"		WWM		1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic finish not available.



Worksurface Accessories

Worksurface Accessories

Delivered Pricing	
\$	4
\$	20
	20
\$	41
	45
\$	47

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Assembly	Paint Color	Key Option	
 PRDS	Steel Door Overhead Cabinet-On-Module • On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDS24/WW/PM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/PM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/PM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/PM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/PM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/PM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/PM	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Off-Module • Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM12	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/OM12	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM12	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM12	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM12	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM12	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM12	☐	☐	☐	57.0#
 PRDS	Steel Door Cabinet-Off-Module • Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile (OM18) for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM18	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/OM18	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM18	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM18	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM18	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM18	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM18	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Load Bar Mount • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDS24/WW/LB	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/LB	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/LB	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/LB	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/LB	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/LB	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/LB	☐	☐	☐	57.0#
 PRDS	Steel Door Overhead Cabinet-Upmount • Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • On a 54" high panel, clearance between the cabinet and worksurface is 20" • On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 14-1/2"	PRDS24/WW/UM	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDS30/WW/UM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDS36/WW/UM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDS42/WW/UM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDS48/WW/UM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDS54/WW/UM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDS60/WW/UM	☐	☐	☐	57.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$127

U - Unassembled

C Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.

D Select key alike.

KA - Key alike

KS - Key standard

NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
Accepts shelf divider

Door stores recessed with handle exposed

Double bit lock is included

Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered
Pricing

\$ 424

467

474

506

535

614

653

\$ 503

541

549

582

613

689

731

\$ 503

541

549

582

613

689

731

\$ 503

541

549

582

613

689

731

\$ 541

583

589

621

651

730

773

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

MODEL	W x H x D	MODEL NUMBER					Approx. Packaged Weight
		Basic Model	Assembly	Paint Color	Fabric Color	Key Option	
 PRDF	Fabric Door Overhead Cabinet-On-Module	24 x 16-1/2 x 14-1/2"	PRDF24/WW/PM	☐	☐	☐	32.0#
	On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	30 x 16-1/2 x 14-1/2"	PRDF30/WW/PM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/PM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/PM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/PM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/PM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/PM	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Off-Module	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM12	☐	☐	☐	32.0#
	Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM12	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM12	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM12	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM12	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM12	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM12	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Off-Module	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM18	☐	☐	☐	32.0#
	Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile (OM18) for mounting (i.e. must be a half or fully segmented panel)	30 x 16-1/2 x 14-1/2"	PRDF30/WW/OM18	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM18	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/OM18	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM18	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/OM18	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM18	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Load Bar Mount	24 x 16-1/2 x 14-1/2"	PRDF24/WW/LB	☐	☐	☐	32.0#
	- Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	30 x 16-1/2 x 14-1/2"	PRDF30/WW/LB	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/LB	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/LB	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/LB	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/LB	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/LB	☐	☐	☐	57.0#
 PRDF	Fabric Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDF24/WW/UM	☐	☐	☐	32.0#
	- Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	30 x 16-1/2 x 14-1/2"	PRDF30/WW/UM	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDF36/WW/UM	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDF42/WW/UM	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/WW/UM	☐	☐	☐	49.0#
		54 x 16-1/2 x 14-1/2"	PRDF54/WW/UM	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/WW/UM	☐	☐	☐	57.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$127 |
| U | - Unassembled |
- C** Select paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
- D** Select fabric color.
Refer to Vertical Fabric Pricing Addendum.
- E** Select key alike.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
Accepts shelf divider
Door stores recessed with handle exposed
Double bit lock is included
Shelf depth is 13-1/4"

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Universal Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 448	\$ 455	\$ 461	\$ 461	\$ 466
487	497	504	504	509
501	508	514	514	521
530	539	547	547	554
564	575	582	582	587
643	654	663	663	668
688	701	707	707	717
\$ 524	\$ 530	\$ 536	\$ 536	\$ 541
564	572	578	578	585
575	583	590	590	595
608	615	622	622	628
641	650	659	659	664
720	731	739	739	744
764	779	785	785	791
\$ 524	\$ 530	\$ 536	\$ 536	\$ 541
564	572	578	578	585
575	583	590	590	595
608	615	622	622	628
641	650	659	659	664
720	731	739	739	744
764	779	785	785	791
\$ 524	\$ 530	\$ 536	\$ 536	\$ 541
564	572	578	578	585
575	583	590	590	595
608	615	622	622	628
641	650	659	659	664
720	731	739	739	744
764	779	785	785	791
\$ 564	\$ 571	\$ 577	\$ 577	\$ 582
606	613	618	618	625
616	623	632	632	638
647	654	664	664	671
681	691	697	697	702
759	774	781	781	785
804	818	824	824	832

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER					Approx. Packaged Weight
	MODEL	W x H x D	Basic Model	Assembly	Paint Color	Laminate Color	Key Option	
 PRDL	Laminate Door Overhead Cabinet-On-Module (PM) • On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 14-1/2"	PRDL24/WW/PM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/PM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/PM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/PM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/PM	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/PM	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Off-Module (OM12) • Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM12	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM12	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM12	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM12	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM12	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM12	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM12	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Off-Module (OM18) • Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM18	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM18	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM18	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM18	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM18	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM18	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM18	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Load Bar Mount (LB) • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately	24 x 16-1/2 x 14-1/2"	PRDL24/WW/LB	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/LB	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/LB	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/LB	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"	PRDL54/WW/LB	☐	☐	☐	☐	53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/WW/LB	☐	☐	☐	☐	57.0#
 PRDL	Laminate Door Overhead Cabinet-Upmount • Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • On a 54" high panel, clearance between the cabinet and worksurface is 20" • On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 14-1/2"	PRDL24/WW/UM	☐	☐	☐	☐	32.0#
		30 x 16-1/2 x 14-1/2"	PRDL30/WW/UM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDL36/WW/UM	☐	☐	☐	☐	40.0#
		42 x 16-1/2 x 14-1/2"	PRDL42/WW/UM	☐	☐	☐	☐	44.0#
		48 x 16-1/2 x 14-1/2"	PRDL48/WW/UM	☐	☐	☐	☐	48.0#
		54 x 16-1/2 x 14-1/2"						

E

- Steel bottom, top shelf and end panels with powder-coated finish
- Accepts shelf divider
- Door stores recessed with handle exposed
- Double bit lock is included
- Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered
Pricing

\$ 573

628

641

682

724

829

887

\$ 649

703

718

758

800

903

960

\$ 649

703

718

758

800

903

960

\$ 649

703

718

758

800

903

960

\$ 690

745

756

799

840

946

1002

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Assembly	Paint Color	Veneer Color	Key Option		
 PRDV	Veneer Door Overhead Cabinet-On-Module (PM)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/PM	☐	☐	☐	☐	34.0#
	• On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Does not require 12" tile for mounting. Allows for vertical adjustment in 1" increments	30 x 16-1/2 x 14-1/2"	PRDV30/WW/PM	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/PM	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/PM	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/PM	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/PM	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/PM	☐	☐	☐	☐	64.0#
 PRDV	Veneer Door Overhead Cabinet-Off-Module (OM12)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM12	☐	☐	☐	☐	34.0#
	• Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/OM12	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM12	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM12	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/OM12	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM12	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM12	☐	☐	☐	☐	64.0#
 PRDV	Veneer Door Overhead Cabinet-Off-Module (OM18)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM18	☐	☐	☐	☐	34.0#
	• Off-Module overheads for WireWorks® mount into an integral track in the horizontal rail. Allows shelf to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/OM18	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/OM18	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM18	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/OM18	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM18	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM18	☐	☐	☐	☐	64.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- F** - Fully Assembled; add \$127
- U** - Unassembled
- C** Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Metallic paint requires upcharge.
- D** Select veneer color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- E** Select key alike.
- KA** - Key alike
- KS** - Key standard
- NLC** - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish

Accepts shelf divider

Door stores recessed with handle exposed

Double bit lock is included

Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	
\$	1243
	1309
	1364
	1537
	1747
	1908
	2097
\$	1318
	1384
	1437
	1612
	1822
	1986
	2171
\$	1318
	1384
	1437
	1612
	1822
	1986
	2171

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Assembly	Paint Color	Veneer Color	Key Option		
 PRDV	Veneer Door Overhead Cabinet-Load Bar Mount (LB)	24 x 16-1/2 x 14-1/2"	PRDV24/WW/LB	☐	☐	☐	☐	34.0#
	• Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately	30 x 16-1/2 x 14-1/2"	PRDV30/WW/LB	☐	☐	☐	☐	36.0#
		36 x 16-1/2 x 14-1/2"	PRDV36/WW/LB	☐	☐	☐	☐	44.0#
		42 x 16-1/2 x 14-1/2"	PRDV42/WW/LB	☐	☐	☐	☐	49.0#
		48 x 16-1/2 x 14-1/2"	PRDV48/WW/LB	☐	☐	☐	☐	54.0#
		54 x 16-1/2 x 14-1/2"	PRDV54/WW/LB	☐	☐	☐	☐	60.0#
		60 x 16-1/2 x 14-1/2"	PRDV60/WW/LB	☐	☐	☐	☐	64.0#
 PRDV	Veneer Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDV24/WW/UM	☐	☐	☐	☐	34.0#
	• Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • On a 54" high panel, clearance between the cabinet and worksurface is 20" • On a 48" high panel, clearance between the cabinet and worksurface is 14"	30 x 16-1/2 x 14-1/2"	PRDV30/WW/UM	☐	☐	☐	☐	36.0#
		36 x 16 1/2 x 14 1/2"	PRDV36/WW/UM	☐	☐	☐	☐	44.0#
		42 x 16 1/2 x 14 1/2"	PRDV42/WW/UM	☐	☐	☐	☐	49.0#
		48 x 16 1/2 x 14 1/2"	PRDV48/WW/UM	☐	☐	☐	☐	54.0#
		54 x 16 1/2 x 14 1/2"	PRDV54/WW/UM	☐	☐	☐	☐	60.0#
		60 x 16 1/2 x 14 1/2"	PRDV60/WW/UM	☐	☐	☐	☐	64.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$127 |
| U | - Unassembled |
- C** Select paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
- D** Select veneer color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- E** Select key alike.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish
Accepts shelf divider
Door stores recessed with handle exposed
Double bit lock is included
Shelf depth is 13-1/4"



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	
\$	1318
	1384
	1437
	1612
	1822
	1986
	2171
\$	1361
	1426
	1479
	1652
	1863
	2025
	2211

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 ULSR	Low Shelf-On-Module On-Module shelves (PM) mount into slots in vertical posts. Shelves must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 10-1/2 x 13-1/4"	ULSR24/WW/PM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/PM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/PM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/PM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/PM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/PM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/PM	☐	24.0#
 ULSR	Low Shelf-Off-Module Off-Module shelves (OM12) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM12	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/OM12	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM12	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/OM12	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM12	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM12	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/OM12	☐	24.0#
 ULSR	Low Shelf-Off-Module Off-Module shelves (OM18) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM18	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/OM18	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM18	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/OM18	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/OM18	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM18	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/OM18	☐	24.0#
 ULSR	Low Shelf-Load Bar Mount - Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	24 x 10-1/2 x 13-1/4"	ULSR24/WW/LB	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/LB	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/LB	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/LB	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/LB	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/LB	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/LB	☐	24.0#
 ULSR	Low Shelf-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 10-1/2 x 13-1/4"	ULSR24/WW/UM	☐	14.0#
		30 x 10-1/2 x 13-1/4"	ULSR30/WW/UM	☐	16.0#
		36 x 10-1/2 x 13-1/4"	ULSR36/WW/UM	☐	17.0#
		42 x 10-1/2 x 13-1/4"	ULSR42/WW/UM	☐	19.0#
		48 x 10-1/2 x 13-1/4"	ULSR48/WW/UM	☐	20.0#
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/UM	☐	22.0#
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/UM	☐	24.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Metallic paint requires upcharge

INFORMATION

Includes 10-1/2" high back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 184	\$ 72
191	80
202	81
209	87
213	92
224	108
234	112
\$ 260	\$ 72
268	80
276	81
285	87
289	92
300	108
310	112
\$ 260	\$ 72
268	80
276	81
285	87
289	92
300	108
310	112
\$ 260	\$ 72
268	80
276	81
285	87
289	92
300	108
310	112
\$ 300	\$ 72
307	80
317	81
327	87
330	92
339	108
352	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 URSR	Regular Shelf-On-Module On-Module shelves mount into slots in vertical posts. Shelves must be same width as panel mounted to. Does not require a 12" tile for mounting. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 13-1/4"	URSR24/WW/PM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/PM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/PM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/PM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/PM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/PM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/PM	☐	28.0#
 URSR	Regular Shelf-Off-Module Off-Module shelves (OM12) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM12	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/OM12	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/OM12	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/OM12	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/OM12	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM12	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/OM12	☐	28.0#
 URSR	Regular Shelf-Off-Module Off-Module shelves (OM18) mount into the integral track in the horizontal rail. Allows shelf to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM18	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/OM18	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/OM18	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/OM18	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/OM18	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM18	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/OM18	☐	28.0#
 URSR	Regular Shelf-Load Bar Mount - Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 13-1/4"	URSR24/WW/LB	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/LB	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/LB	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/LB	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/LB	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/LB	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/LB	☐	28.0#
 URSR	Regular Shelf-Upmount - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	24 x 16-1/2 x 13-1/4"	URSR24/WW/UM	☐	19.0#
		30 x 16-1/2 x 13-1/4"	URSR30/WW/UM	☐	20.0#
		36 x 16-1/2 x 13-1/4"	URSR36/WW/UM	☐	22.0#
		42 x 16-1/2 x 13-1/4"	URSR42/WW/UM	☐	23.0#
		48 x 16-1/2 x 13-1/4"	URSR48/WW/UM	☐	25.0#
		54 x 16-1/2 x 13-1/4"	URSR54/WW/UM	☐	27.0#
		60 x 16-1/2 x 13-1/4"	URSR60/WW/UM	☐	28.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge

INFORMATION

Includes full back
Accepts shelf dividers
Shelves shipped assembled



Universal Storage and Accessories

Overhead Storage

Delivered Pricing	Metallic Paint add to list price
\$ 199	\$ 72
207	80
213	81
219	87
229	92
238	108
248	112
\$ 274	\$ 72
283	80
289	81
297	87
304	92
314	108
325	112
\$ 274	\$ 72
283	80
289	81
297	87
304	92
314	108
325	112
\$ 274	\$ 72
283	80
289	81
297	87
304	92
314	108
325	112
\$ 315	\$ 72
324	80
330	81
336	87
345	92
354	108
364	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Trim Color	
 HRDPT	Universal Overhead On-Module Mounting Bracket - Sold in pairs / Black only - Mounts into slots in vertical posts - Allows for vertical adjustments in 1" increments - Only necessary to order if changing mounting style	46.0233.SET	1.0#
 HRDPT	Universal Overhead Off-Module Mounting Bracket-12" Tiles - Sold in pairs / Black only - Mounts into integral track in horizontal rail, attaches to 12" high tiles - Allows cabinet or shelf to slide along track - Only necessary to order if changing mounting style	46.0234.SET	1.0#
 HRDPT	Universal Overhead Off-Module Mounting Bracket-18" Tiles - Sold in pairs / Black only - Mounts into integral track in horizontal rail, attaches to 18" high tiles - Allows cabinet or shelf to slide along track - Only necessary to order if changing mounting style	46.1229.SET	1.0#
 HRDPT	Load Bar Brackets - Load Bar mount overheads hang from an externally mounted load bar - Load Bar purchased separately, Sold in pairs	46.2103	☐ ☐ 1.0#
 HRDPT	Upmount Brackets - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - Sold in pairs	46.1234	☐ ☐ 1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Universal Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	39
\$	114
\$	114
\$	114
\$	141

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories

	MODEL	W x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Trim Color	Mounting	Fabric Color	
 HRDPT	Universal Shelf Dividers - Steel shelf dividers with powder-coated finish - Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐			1.0#
 HRDPT	Wall Mounted Load Bar Supports overhead storage on drywall or other non-panel applications	24"	SWLB.24	☐			5.0#
		30"	SWLB.30	☐			6.0#
		36"	SWLB.36	☐			7.0#
		42"	SWLB.42	☐			8.0#
		48"	SWLB.48	☐			10.0#
		54"	SWLB.54	☐			13.0#
		60"	SWLB.60	☐			12.0#
		66"	SWLB.66	☐			13.0#
		72"	SWLB.72	☐			14.0#
		84"	SWLB.84	☐			17.0#
 PTBO	Overhead Tackboard - Hangs from bottom of flipper door cabinet or shelf - When hanging from Balance® overhead, specify attachment bar BMB (purchase separately) - Includes mounting brackets in black only - Specify 20" high tackboard to cover vertical space between bottom of overhead and top of worksurface, when worksurface is positioned at 29" above finished floor	24 x 12"	PTB02412	☐	☐	☐	3.0#
		30 x 12"	PTB03012	☐	☐	☐	3.0#
		36 x 12"	PTB03612	☐	☐	☐	3.0#
		42 x 12"	PTB04212	☐	☐	☐	4.0#
		48 x 12"	PTB04812	☐	☐	☐	4.0#
		54 x 12"	PTB05412	☐	☐	☐	4.0#
		60 x 12"	PTB06012	☐	☐	☐	4.0#
		24 x 20"	PTB02420	☐	☐	☐	4.0#
		30 x 20"	PTB03020	☐	☐	☐	5.0#
		36 x 20"	PTB03620	☐	☐	☐	6.0#
		42 x 20"	PTB04220	☐	☐	☐	7.0#
		48 x 20"	PTB04820	☐	☐	☐	8.0#
		54 x 20"	PTB05420	☐	☐	☐	9.0#
		60 x 20"	PTB06020	☐	☐	☐	10.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- C

Select load bar mounting.

YLB

- Load Bar Mounted

NLB

- Not load bar mounted
- D

Select fabric color.
Refer to Vertical Fabric Pricing Addendum.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Overhead Accessories

Delivered
Business

\$ 25

\$ 108

116117129134158159161168260272N/AN/AN/AN/AN/AN/AN/AN/AN/AN/AN/AN/A

N/A

N/AN/A

Special Carton Marking


N/C

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Shelf/Cabinet Task Light

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
 HRDPT	MODEL	W		
	Shelf/Cabinet Task Light	18"	TLT5.18	3.4#
	• Electronic ballast	24"	TLT5.24	3.9#
		36"	TLT5.36	5.3#
		48"	TLT5.48	6.7#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	18"
30"	24"
36"	24"
42"	36"
48"	36"
54"	48"
60"	48"



Universal Storage and Accessories

Shelf/Cabinet Task Light

Delivered Pricing	
\$	72
	74
	81
	88

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.


Specifications and prices are subject to change without prior notice.

Balance® Storage and Accessories

General Information



Solid Overhead (BLCS)



Fabric Overhead (BLCF)



Laminate Overhead (BLCCL)

Features			
Cabinet available in 24 colors	•	•	•
Painted lower door available in 24 colors	•	•	•
Translucent upper door	•		
Fabric upper door		•	
Laminate upper door			•
Fully assembled	•	•	•
Task light	•	•	•
Hanging tackboard	•	•	•
Hanging tool rail	•	•	•
Also available on:			
System 3000® panel system	•	•	•
Genius®	•	•	•
WorkZone®	•	•	•
True® Desking	•	•	•

SPECIFICATIONS

Cabinet Construction

The overhead cabinet shall be assembled complete and powder-coated in widths of 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 17" high and 16-1/2" deep. The shelf depth shall be 13-1/2". Inside height shall allow for oversize binders, such as Folscep and A4, to be stored vertically. The cabinet top, bottom, and shelf shall be fabricated from 18-gauge steel. Side panels shall be fabricated from 14-gauge steel and attached via resistance welding. Cabinet top, bottom, and shelf shall contain reinforcements fabricated from 18-gauge steel and attached via resistance welding. Pins for door and shroud attachment shall be fabricated from 3/8" diameter steel and attached via resistance welding. Shroud will be black only. All accessible or visible edges shall be smooth and rounded.

Door Construction

The upper door shall be available in colored

or translucent extruded rigid polypropylene with spattercoat finish, fabric or laminate applied. The overall door thickness shall be 3/8" with a .075 wall thickness. The door shall be capped with polycarbonate endcaps and attached to the case with polycarbonate arms. A center lock mechanism will be utilized between the upper and lower doors for security. The lower door shall be an aluminum extrusion with a powder-coat finish. The lower door shall have a .075 thickness and be ergonomic in design. The door shall be capped and attached to the case with polycarbonate arms.

Door Operation

The overhead cabinet doors shall be effortlessly operated from either a seated or standing position through use of the upper door or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. Either door shall be

opened or closed with a closed fist. The upper door shall open over the outside of case.

Cabinet Installation

The overhead cabinet shall include separate mounting brackets that allow for assembly to panels or desk systems. The brackets shall be attached to the back of the overhead via a hook and groove system and two screw fasteners. The hook and groove system shall allow the installer to assemble brackets to a panel before attaching to overhead. The desk supports shall attach to the bottom of overhead via four screw fasteners.

Task Lights

Task lights shall be available which suspend from the underside of the cabinet. The task light shall mount flush with the underside of the overhead cabinet via two cantilever brackets. Task light shall be offered fully assembled in black only. The task light shall have an 8' long cord with three-prong grounded plug, and be available in three versions; standard high-power factor ballast, variable (high/low) high-power factor ballast,

and electronic ballast. All three options shall include a cool white lamp. Chords shall be routed into and through wire trough located at rear underside of cabinet shelf. Installation and removal shall be accomplished without the use of tools or fasteners.

Shelf Dividers

Shelf dividers shall be powder-coated, 18-gauge steel and offered in the same color as the overhead case. Installation and removal shall be accomplished without the use of tools or fasteners.

Tackboard/Tool Rail Mounting Bar

A powder-coated, 14-gauge bracket shall be available for the attachment of a hanging tool rail or tackboard to the underside of the overhead. The bracket shall be specified in the same widths as the overhead and is offered in the same colors as the overhead case.

Overhead Hanging Tackboard

Tackboards shall be available in 12" height



and in 24", 30", 36", 42", 48", 54", and 60" widths. The tackboard shall be constructed of 3/4" industrial insulation board covered with fabric. The mounting brackets shall be steel powder-coated and attached to the coreboard with T-nuts and machine screws. Fabric shall be attached to the coreboard with staples. A mounting bracket bar is required to attach the tackboard to the overhead cabinet.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:
KI
Attn: C.O.M. Specialist
1330 Bellevue Street
Green Bay, WI 54302




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM) - Colored or translucent extruded polypropylene door - On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	30 x 17 x 19-1/4"	BLCS30/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCS42/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCS48/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/PM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Off-Module (OM12) - Colored or translucent extruded polypropylene door - Off-Module overheads mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires 12" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCS30/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCS42/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCS48/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/OM12	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Off-Module (OM18) - Colored or translucent extruded polypropylene door - Off-Module overheads mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires 18" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCS30/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCS42/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCS48/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/OM18	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
 Shelf dividers available separately
 Cabinet is fully assembled
 Door stores above top of cabinet
 Will accept hanging tool rail and tackboards
 (Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 867
923
972
1005
1080
1120
\$ 911
967
1014
1046
1123
1164
\$ 911
967
1014
1046
1123
1164

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar Mount - Colored or translucent extruded polypropylene door - Load Bar Mount overheads hang from an externally mounted load bar - Load Bar purchased separately	30 x 17 x 19-1/4"	BLCS30/WW/LB	□□□	□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/LB	□□□	□□□	□□□	52.0#
		42 x 17 x 19-1/4"	BLCS42/WW/LB	□□□	□□□	□□□	58.0#
		48 x 17 x 19-1/4"	BLCS48/WW/LB	□□□	□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/LB	□□□	□□□	□□□	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/LB	□□□	□□□	□□□	78.0#
 BOH	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar-Upmount - Colored or translucent extruded polypropylene door - Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	30 x 17 x 19-1/4"	BLCS30/WW/UM	□□□	□□□	□□□	46.0#
		36 x 17 x 19-1/4"	BLCS36/WW/UM	□□□	□□□	□□□	52.0#
		42 x 17 x 19-1/4"	BLCS42/WW/UM	□□□	□□□	□□□	58.0#
		48 x 17 x 19-1/4"	BLCS48/WW/UM	□□□	□□□	□□□	64.0#
		54 x 17 x 19-1/4"	BLCS54/WW/UM	□□□	□□□	□□□	70.0#
		60 x 17 x 19-1/4"	BLCS60/WW/UM	□□□	□□□	□□□	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1002
1059
1104
1138
1213
1254
\$ 937
993
1041
1074
1149
1192

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-On-Module On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments.	30 x 17 x 19-1/4"	BLCF30/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCF36/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/PM	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Off-Module Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCF30/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCF36/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/OM12	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Off-Module Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCF30/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCF36/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCF42/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCF48/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCF54/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCF60/WW/OM18	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	78.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 936	\$ 945	\$ 955	\$ 955	\$ 959
997	1006	1018	1018	1021
1046	1058	1069	1069	1073
1086	1094	1105	1105	1110
1165	1176	1189	1189	1196
1210	1220	1235	1235	1241
\$ 981	\$ 988	\$ 1001	\$ 1001	\$ 1004
1040	1048	1062	1062	1065
1091	1099	1111	1111	1118
1127	1137	1149	1149	1154
1209	1220	1232	1232	1241
1252	1261	1275	1275	1281
\$ 981	\$ 988	\$ 1001	\$ 1001	\$ 1004
1040	1048	1062	1062	1065
1091	1099	1111	1111	1118
1127	1137	1149	1149	1154
1209	1220	1232	1232	1241
1252	1261	1275	1275	1281

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Fabric Color	Key Option		
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCF30/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#	
	- Load Bar Mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	36 x 17 x 19-1/4"	BLCF36/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCF42/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCF48/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCF54/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCF60/WW/LB	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#	
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Upmount	30 x 17 x 19-1/4"	BLCF30/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#	
	- Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	36 x 17 x 19-1/4"	BLCF36/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCF42/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCF48/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCF54/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCF60/WW/UM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#	
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door color.
Refer to Vertical Fabric Pricing Addendum.
- D** Select key option.
- | | |
|-----|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 1069	\$ 1077	\$ 1090	\$ 1090	\$ 1093
1132	1140	1153	1153	1157
1182	1192	1206	1206	1209
1216	1226	1241	1241	1247
1299	1309	1320	1320	1331
1344	1353	1369	1369	1374
\$ 1008	\$ 1016	\$ 1028	\$ 1028	\$ 1032
1067	1075	1090	1090	1093
1119	1127	1140	1140	1145
1154	1165	1177	1177	1182
1237	1249	1260	1260	1267
1278	1291	1304	1304	1309

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER					
MODEL		W x H x D	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Approx. Packaged Weight
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-On-Module On-Module overheads (PM) mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in one-inch increments	30 x 17 x 19-1/4"	BLCL30/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Off-Module Off-Module overheads (OM12) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 12" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCL30/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/OM12	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Off-Module Off-Module overheads (OM18) for WireWorks® mount into an integral track in the horizontal rail. Allows unit to slide along track. Requires a 18" tile for mounting (i.e. must be a half or fully segmented panel)	30 x 17 x 19-1/4"	BLCL30/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#
		36 x 17 x 19-1/4"	BLCL36/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	52.0#
		42 x 17 x 19-1/4"	BLCL42/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#
		48 x 17 x 19-1/4"	BLCL48/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.0#
		54 x 17 x 19-1/4"	BLCL54/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	70.0#
		60 x 17 x 19-1/4"	BLCL60/WW/OM18	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.0#
				A	B	C	D	E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door laminate color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select laminate door edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- E** Select key option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1064
1094
1167
1249
1373
1405
\$ 1107
1138
1211
1294
1418
1451
\$ 1107
1138
1211
1294
1418
1451

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBER					Approx. Packaged Weight
MODEL	W x H x D	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option		
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCL30/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#	
	- Load Bar Mount overheads (LB) for WireWorks® hang from an externally mounted load bar - Load Bar purchased separately	36 x 17 x 19-1/4"	BLCL36/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCL42/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCL48/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCL54/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCL60/WW/LB	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Upmount	30 x 17 x 19-1/4"	BLCL30/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#	
	- Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels - On a 54" high panel, clearance between the cabinet and worksurface is 20" - On a 48" high panel, clearance between the cabinet and worksurface is 14"	36 x 17 x 19-1/4"	BLCL36/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	52.0#	
		42 x 17 x 19-1/4"	BLCL42/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	
		48 x 17 x 19-1/4"	BLCL48/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	64.0#	
		54 x 17 x 19-1/4"	BLCL54/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#	
		60 x 17 x 19-1/4"	BLCL60/WW/UM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upper door laminate color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select laminate door edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- E** Select key option.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories

Overhead Storage

Delivered Pricing
\$ 1198
1226
1301
1381
1507
1541
\$ 1136
1166
1239
1318
1445
1477

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled freight prepaid**
f.o.b.Manitowoc, Wisconsin 54220 factory.
Freight class #77.5

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Trim Color	
 BOA Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/PM		5.0#
 BOA Balance® Overhead Off-Module Mounting Bracket-12" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM12		5.0#
 BOA Balance® Overhead Off-Module Mounting Bracket-18" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM18		5.0#
 BOA Load Bar Brackets • Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar • Load Bar purchased separately • Sold in pairs	BOA/WW/LB	☐ ☐	5.0#
		A	B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	148
\$	148
\$	158
\$	184

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Paint Color	
 BOA	MODEL Upmount Brackets • Upmount brackets position the storage component on a 54" high panel to the same height as on 66" high panels • Sold in pairs	W	BOA/WW/UM	☐ ☐	5.0#
 HRDPT	Shelf Dividers • Steel shelf dividers with powder coat finish • Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐ ☐	1.0#
 HRDPT	Wall Mounted Load Bar	24"	SWLB.24	☐ ☐	5.0#
		30"	SWLB.30	☐ ☐	6.0#
		36"	SWLB.36	☐ ☐	7.0#
		42"	SWLB.42	☐ ☐	8.0#
		48"	SWLB.48	☐ ☐	10.0#
		54"	SWLB.54	☐ ☐	13.0#
		60"	SWLB.60	☐ ☐	12.0#
		66"	SWLB.66	☐ ☐	13.0#
		72"	SWLB.72	☐ ☐	14.0#
		84"	SWLB.84	☐ ☐	17.0#
		96"	SWLB.96	☐ ☐	19.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing	
\$	226
\$	25
\$	108
	116
	117
	129
	134
	158
	159
	161
	168
	260
	272

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Accessories

			MODEL NUMBER				
MODEL		W x H	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing
 PTBO	Overhead Tackboard	24 x 12"	PTB02412	☐	☐ ☐ ☐ ☐	3.0#	N/A
	• Hangs from bottom of flipper door cabinet or shelf	30 x 12"	PTB03012	☐	☐ ☐ ☐ ☐	3.0#	N/A
		36 x 12"	PTB03612	☐	☐ ☐ ☐ ☐	3.0#	N/A
	• When hanging from Balance® overhead, specify attachment bar BMB (purchase separately)	42 x 12"	PTB04212	☐	☐ ☐ ☐ ☐	4.0#	N/A
		48 x 12"	PTB04812	☐	☐ ☐ ☐ ☐	4.0#	N/A
	• Includes mounting brackets in black only	54 x 12"	PTB05412	☐	☐ ☐ ☐ ☐	4.0#	N/A
		60 x 12"	PTB06012	☐	☐ ☐ ☐ ☐	4.0#	N/A
	• Specify 20" high tackboard to cover vertical space between bottom of overhead and top of worksurface, when worksurface is positioned at 29" about finished floor	24 x 16"	PTB02416	☐	☐ ☐ ☐ ☐	3.0#	N/A
		30 x 16"	PTB03016	☐	☐ ☐ ☐ ☐	4.0#	N/A
		36 x 16"	PTB03616	☐	☐ ☐ ☐ ☐	4.0#	N/A
		42 x 16"	PTB04216	☐	☐ ☐ ☐ ☐	5.0#	N/A
		48 x 16"	PTB04816	☐	☐ ☐ ☐ ☐	5.0#	N/A
		54 x 16"	PTB05416	☐	☐ ☐ ☐ ☐	6.0#	N/A
		60 x 16"	PTB06016	☐	☐ ☐ ☐ ☐	6.0#	N/A
		24 x 20"	PTB02420	☐	☐ ☐ ☐ ☐	4.0#	N/A
		30 x 20"	PTB03020	☐	☐ ☐ ☐ ☐	5.0#	N/A
		36 x 20"	PTB03620	☐	☐ ☐ ☐ ☐	6.0#	N/A
		42 x 20"	PTB04220	☐	☐ ☐ ☐ ☐	7.0#	N/A
		48 x 20"	PTB04820	☐	☐ ☐ ☐ ☐	8.0#	N/A
		54 x 20"	PTB05420	☐	☐ ☐ ☐ ☐	9.0#	N/A
		60 x 20"	PTB06020	☐	☐ ☐ ☐ ☐	10.0#	N/A
 BOA	Tackboard/Tool Rail Attachment Bar	30"	BMB30	BL		3.0#	\$ 36
	• Attachment bracket that attaches to bottom of overhead to accept overhead tackboard	36"	BMB36	BL		3.0#	36
		42"	BMB42	BL		3.0#	37
		48"	BMB48	BL		4.0#	43
	• Order same size as overhead cabinet	54"	BMB54	BL		4.0#	44
		60"	BMB60	BL		4.0#	46

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select fabric color.
Refer to Vertical Fabric Pricing Addendum.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Balance® Storage and Accessories

Overhead Accessories

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 130	\$ 134	\$ 136	\$ 143	\$ 151
144	147	149	156	164
157	161	163	168	177
162	166	168	173	185
165	168	170	177	188
188	193	197	204	214
196	201	203	211	221
187	192	196	202	214
193	199	203	208	224
198	203	207	213	228
202	207	211	217	231
211	217	221	228	244
219	227	231	238	253
230	235	242	248	267
215	221	226	233	246
231	238	242	249	264
245	251	259	265	278
251	260	267	273	287
298	306	312	320	338
301	309	316	325	343
305	312	319	329	347

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid**
f.o.b. **Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Balance® Storage and Accessories

Overhead Task Lights

		MODEL NUMBER		Approx. Packaged Weight
		W	Basic Model	
 HRDPT	Overhead Task Lights • Electronic ballast	24"	BTLT5.24	3.9#
		36"	BTLT5.36	5.3#
		48"	BTLT5.48	6.7#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	18"
30"	24"
36"	24"
42"	36"
48"	36"
54"	48"
60"	48"



Balance® Storage and Accessories

Overhead Task Lights

Delivered Pricing	
\$	99
	109
	114

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #100.

Specifications and prices are subject to change without prior notice.

Accessories

Sail

MODEL	W	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 HRDPT		SAIL.48.SX		3.0#
		A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered
Pricing
\$ 247



SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Delivered. Shipped **k.d. freight prepaid
f.o.b. Manitowoc, Wisconsin 54220**
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Accessories

Markerboards

				MODEL NUMBER	Approx. Packaged Weight
				Basic Model	
	MODEL	Features	W x H		
 HRDPT	Markerboards • White "dry erase" painted steel • "No frame" construction of 22 gauge steel with honeycomb core adhered to back of tile to dampen sound • Includes magnetic removable 16" x 2-1/2" tray with markers and eraser • Specify for "on" or "off" module mounting brackets • Includes black mounting brackets	Off-Module	30 x 30"	PDEMB.OM.3030	16.0#
		Off-Module	36 x 30"	PDEMB.OM.3630	24.0#
		Off-Module	42 x 30"	PDEMB.OM.4230	20.0#
		Off-Module	48 x 30"	PDEMB.OM.4830	22.0#
		Off-Module	54 x 30"	PDEMB.OM.5430	25.0#
		Off-Module	60 x 30"	PDEMB.OM.6030	29.0#
		On-Module	30 x 30"	PDEMB.PM.3030	17.0#
		On-Module	36 x 30"	PDEMB.PM.3630	25.0#
		On-Module	42 x 30"	PDEMB.PM.4230	21.0#
		On-Module	48 x 30"	PDEMB.PM.4830	23.0#
		On-Module	54 x 30"	PDEMB.PM.5430	26.0#
		On-Module	60 x 30"	PDEMB.PM.6030	30.0#
 HRDPT	Markerboards • White porcelain painted steel surface with matching white trim • Includes magnetic removable 16" x 2-1/2" tray with markers and eraser • Specify for "on" or "off" module mounting brackets • Includes black mounting brackets	Off-Module	30 x 32"	PMB.OM.3032	11.0#
		Off-Module	36 x 32"	PMB.OM.3632	13.0#
		Off-Module	42 x 32"	PMB.OM.4232	15.0#
		Off-Module	48 x 32"	PMB.OM.4832	17.0#
		Off-Module	54 x 32"	PMB.OM.5432	20.0#
		Off-Module	60 x 32"	PMB.OM.6032	22.0#
		On-Module	30 x 32"	PMB.PM.3032	11.0#
		On-Module	36 x 32"	PMB.PM.3632	13.0#
		On-Module	42 x 32"	PMB.PM.4232	15.0#
		On-Module	48 x 32"	PMB.PM.4832	17.0#
		On-Module	54 x 32"	PMB.PM.5432	20.0#
		On-Module	60 x 32"	PMB.PM.6032	22.0#
 HRDPT	Magnetic Tray		16 x 2-1/2"	MB.TRAY	1.0#
HRDPT	Tray/Eraser/4 Markers			MB.MARKERKIT	1.0#
HRDPT					

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing	
\$	259
	300
	309
	320
	425
	436
	259
	300
	309
	320
	425
	436
\$	535
	559
	622
	638
	694
	728
	535
	559
	622
	638
	694
	728
\$	37
\$	89

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Tackboard

				MODEL NUMBER		Approx. Packaged Weight
MODEL	Features	W x H	Basic Model	Fabric Color		
 PTB	Tackboard • Tackboards are constructed of 3/4" tack-able core and covered with fabric • Includes black mounting brackets • Not available with countertops	Off-Module	24 x 12"	PTB2412/OM	□□□□	3.0#
	Off-Module	30 x 12"	PTB3012/OM	□□□□	3.0#	
	Off-Module	36 x 12"	PTB3612/OM	□□□□	4.0#	
	Off-Module	42 x 12"	PTB4212/OM	□□□□	4.0#	
	Off-Module	48 x 12"	PTB4812/OM	□□□□	5.0#	
	Off-Module	54 x 12"	PTB5412/OM	□□□□	5.0#	
	Off-Module	60 x 12"	PTB6012/OM	□□□□	6.0#	
	Off-Module	24 x 16"	PTB2416/OM	□□□□	4.0#	
	Off-Module	30 x 16"	PTB3016/OM	□□□□	4.0#	
	Off-Module	36 x 16"	PTB3616/OM	□□□□	5.0#	
	Off-Module	42 x 16"	PTB4216/OM	□□□□	5.0#	
	Off-Module	48 x 16"	PTB4816/OM	□□□□	6.0#	
	Off-Module	54 x 16"	PTB5416/OM	□□□□	6.0#	
	Off-Module	60 x 16"	PTB6016/OM	□□□□	7.0#	
	On-Module	24 x 12"	PTB2412/PM	□□□□	3.0#	
	On-Module	30 x 12"	PTB3012/PM	□□□□	3.0#	
	On-Module	36 x 12"	PTB3612/PM	□□□□	4.0#	
	On-Module	42 x 12"	PTB4212/PM	□□□□	4.0#	
	On-Module	48 x 12"	PTB4812/PM	□□□□	5.0#	
	On-Module	54 x 12"	PTB5412/PM	□□□□	5.0#	
	On-Module	60 x 12"	PTB6012/PM	□□□□	6.0#	
	On-Module	24 x 16"	PTB2416/PM	□□□□	4.0#	
	On-Module	30 x 16"	PTB3016/PM	□□□□	4.0#	
	On-Module	36 x 16"	PTB3616/PM	□□□□	5.0#	
	On-Module	42 x 16"	PTB4216/PM	□□□□	5.0#	
	On-Module	48 x 16"	PTB4816/PM	□□□□	6.0#	
	On-Module	54 x 16"	PTB5416/PM	□□□□	6.0#	
	On-Module	60 x 16"	PTB6016/PM	□□□□	7.0#	

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to Vertical Fabric Pricing Addendum.



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 141	\$ 144	\$ 146	\$ 142	\$ 164
157	160	163	158	176
168	172	175	171	193
173	178	180	176	201
177	180	184	179	204
204	208	212	207	230
211	216	219	214	241
144	146	149	146	167
157	160	163	158	176
159	163	165	160	178
175	179	182	179	202
182	186	192	187	208
217	222	226	221	247
224	228	231	229	254
141	144	146	142	164
157	160	163	158	176
168	172	175	171	193
173	178	180	176	201
177	180	184	179	204
204	208	212	207	230
211	216	219	214	241
144	146	149	146	167
157	160	163	158	176
159	163	165	160	178
175	179	182	179	202
182	186	192	187	208
217	222	226	221	247
224	228	231	229	254

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Tackboard

				MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Fabric Color	
MODEL	Features	W x H				
 PTB	Tackboard - Tackboards are constructed of 3/4" tack-able core and covered with fabric - Includes black mounting brackets - Not available with countertops	Off-Module 24 x 20"	PTB2420/OM	□□□□	4.0#	
		Off-Module 30 x 20"	PTB3020/OM	□□□□	5.0#	
		Off-Module 36 x 20"	PTB3620/OM	□□□□	6.0#	
		Off-Module 42 x 20"	PTB4220/OM	□□□□	7.0#	
		Off-Module 48 x 20"	PTB4820/OM	□□□□	8.0#	
		Off-Module 54 x 20"	PTB5420/OM	□□□□	9.0#	
		Off-Module 60 x 20"	PTB6020/OM	□□□□	10.0#	
		Off-Module 24 x 30"	PTB2430/OM	□□□□	6.0#	
		Off-Module 30 x 30"	PTB3030/OM	□□□□	7.0#	
		Off-Module 36 x 30"	PTB3630/OM	□□□□	8.0#	
		Off-Module 42 x 30"	PTB4230/OM	□□□□	10.0#	
		Off-Module 48 x 30"	PTB4830/OM	□□□□	11.0#	
		Off-Module 54 x 30"	PTB5430/OM	□□□□	12.0#	
		Off-Module 60 x 30"	PTB6030/OM	□□□□	14.0#	
		On-Module 24 x 20"	PTB2420/PM	□□□□	4.0#	
		On-Module 30 x 20"	PTB3020/PM	□□□□	5.0#	
		On-Module 36 x 20"	PTB3620/PM	□□□□	6.0#	
		On-Module 42 x 20"	PTB4220/PM	□□□□	7.0#	
		On-Module 48 x 20"	PTB4820/PM	□□□□	8.0#	
		On-Module 54 x 20"	PTB5420/PM	□□□□	9.0#	
		On-Module 60 x 20"	PTB6020/PM	□□□□	10.0#	
		On-Module 24 x 30"	PTB2430/PM	□□□□	6.0#	
		On-Module 30 x 30"	PTB3030/PM	□□□□	7.0#	
		On-Module 36 x 30"	PTB3630/PM	□□□□	8.0#	
		On-Module 42 x 30"	PTB4230/PM	□□□□	10.0#	
		On-Module 48 x 30"	PTB4830/PM	□□□□	11.0#	
		On-Module 54 x 30"	PTB5430/PM	□□□□	12.0#	
		On-Module 60 x 30"	PTB6030/PM	□□□□	14.0#	

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to Vertical Fabric Pricing Addendum.



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 212	\$ 220	\$ 222	\$ 228	\$ 244
228	234	241	249	261
245	251	255	263	278
252	259	263	271	286
301	309	314	324	343
304	312	319	330	347
308	317	324	333	351
230	240	245	235	265
286	294	301	291	327
303	310	317	310	346
320	330	338	328	367
338	346	354	344	384
346	354	363	353	391
368	379	385	374	418
212	220	222	228	244
228	234	241	249	261
245	251	255	263	278
252	259	263	271	286
301	309	314	324	343
304	312	319	330	347
308	317	324	333	351
230	240	245	235	265
286	294	301	291	327
303	310	317	310	346
320	330	338	328	367
338	346	354	344	384
346	354	363	353	391
368	379	385	374	418

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Tackboard

	MODEL	Features	W x H	MODEL NUMBER		Approx. Packaged Weight
				Basic Model	Fabric Color	
 PTB	Tackboard • Tackboards are constructed of 3/4" tack-able core and covered with fabric • Includes mounting brackets • Not available with countertops	Off-Module	24 x 48"	PTB2448/OM	☐ ☐ ☐ ☐	9.0#
		Off-Module	30 x 48"	PTB3048/OM	☐ ☐ ☐ ☐	11.0#
		Off-Module	36 x 48"	PTB3648/OM	☐ ☐ ☐ ☐	13.0#
		Off-Module	42 x 48"	PTB4248/OM	☐ ☐ ☐ ☐	15.0#
		Off-Module	48 x 48"	PTB4848/OM	☐ ☐ ☐ ☐	17.0#
		Off-Module	54 x 48"	PTB5448/OM	☐ ☐ ☐ ☐	19.0#
		On-Module	24 x 48"	PTB2448/PM	☐ ☐ ☐ ☐	9.0#
		On-Module	30 x 48"	PTB3048/PM	☐ ☐ ☐ ☐	11.0#
		On-Module	36 x 48"	PTB3648/PM	☐ ☐ ☐ ☐	13.0#
		On-Module	42 x 48"	PTB4248/PM	☐ ☐ ☐ ☐	15.0#
		On-Module	48 x 48"	PTB4848/PM	☐ ☐ ☐ ☐	17.0#
		On-Module	54 x 48"	PTB5448/PM	☐ ☐ ☐ ☐	19.0#
				A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to Vertical Fabric Pricing Addendum.



Accessories

Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 296	\$ 303	\$ 310	\$ 302	\$ 337
342	348	356	346	387
387	399	410	396	440
399	412	423	407	455
425	438	447	433	484
433	445	456	441	493
296	303	310	302	337
342	348	356	346	387
387	399	410	396	440
399	412	423	407	455
425	438	447	433	484
433	445	456	441	493

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

Accessories

Brackets

MODEL	MODEL NUMBER	Approx. Packaged Weight
	Basic Model	
 HRDPT	Tackboard Off-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	46.0371.TB.KIT
		1.0#
 HRDPT	Tackboard On-Module Bracket • Order one kit for 12" and 16" high tackboards • Order two kits for 20" and 30" high tackboards • Order three kits for 48" high tackboards • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	46.0078.TB.KIT
		1.0#
 HRDPT	Markerboard Off-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	46.0371.MB.KIT
		1.0#
 HRDPT	Markerboard On-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	46.0078.MB.KIT
		1.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Accessories
Brackets

Delivered Pricing	
\$	32
\$	29
\$	29
\$	49

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Paper Management

			MODEL NUMBER		Approx. Packaged Weight
	MODEL	H x W x D	Basic Model	Trim Color	
 PTR	On-Module Tool Rail • Accomodates paper management components • Attaches to panels "on" module • Field installable • Painted aluminum construction • Consists of four slots to accept components	18 x 4 1/2"	PPMTR18	☐	3.0#
		24 x 4 1/2"	PPMTR24	☐	3.0#
		30 x 4 1/2"	PPMTR30	☐	4.0#
		36 x 4 1/2"	PPMTR36	☐	5.0#
		42 x 4 1/2"	PPMTR42	☐	6.0#
		48 x 4 1/2"	PPMTR48	☐	6.0#
		54 x 4 1/2"	PPMTR54	☐	7.0#
		60 x 4 1/2"	PPMTR60	☐	7.0#
		72 x 4 1/2"	PPMTR72	☐	8.0#
 HRDPT	Plastic Paper Tray Unit • Plastic construction • Accepts letter and legal-size paper • Suspends from Tool Rail	2 x 9-1/2 x 14"	PPLL	☐	1.0#
 HRDPT	Plastic Diagonal Storage Unit • Plastic construction • Three slanted partitions per unit with dividers • Suspends from Tool Rail	2-1/2 x 7 x 12-1/2"	PPDS	☐	4.0#
 HRDPT	Plastic Vertical Storage Unit • Injection-molded plastic construction • Stores binders and books • Suspends from Tool Rail	9 x 5 x 10-1/2"	PPVS	☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing	
\$	99
	110
	115
	121
	127
	135
	152
	170
	188
\$	37
\$	37
\$	35

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Accessories

Desktop Accessories

			MODEL NUMBER		Approx. Packaged Weight
	MODEL	H x W x D	Basic Model	Trim Color	
 HRDPT	Telephone Caddy • Plastic construction • Suspends from Tool Rail	2 x 8 1/2 x 9 1/2"	PPTC	☐ ☐	0.8#
 HRDPT	Accessory Tray • Injection-molded plastic • Stores stamps, tape dispenser, post-it pads and paper clips • Suspends from Tool Rail	2 x 9 1/2 x 10"	PPAT	☐ ☐	6.0#
 HRDPT	Pencil Cup • Injection-molded plastic • Suspends from Tool Rail	4 x 4 x 3 1/2"	PPPC	☐ ☐	0.3#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing	
\$	45
\$	31
\$	31

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

2-Way

		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Upholstery Color	Assembly		
MODEL		H					
	120° 2-Way, Both Panels Same Height	30"	P1202W30		☐	7.0#	\$ 278
	• Unupholstered: trim colored	36"	P1202W36	☐	☐	9.0#	294
	• 120° 2-way top cap	42"	P1202W42	☐	☐	10.0#	370
	• Light block	48"	P1202W48	☐	☐	12.0#	402
	• One piece of vertical trim extending to floor	54"	P1202W54	☐	☐	13.0#	407
	• Two half posts	66"	P1202W66	☐	☐	16.0#	416
	• Connecting hardware	72"	P1202W72	☐	☐	17.0#	527
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	P1202W84	☐	☐	20.0#	534
PTN							
	120° 2-Way, Both Panels Same Height	30"	P120F2W30	☐	☐	7.0#	N/A
	• Upholstered: trim colored	36"	P120F2W36	☐	☐	9.0#	N/A
	• 120° 2-way top cap	42"	P120F2W42	☐	☐	10.0#	N/A
	• Light block	48"	P120F2W48	☐	☐	12.0#	N/A
	• One piece of vertical trim extending to floor	54"	P120F2W54	☐	☐	13.0#	N/A
	• Two half posts	66"	P120F2W66	☐	☐	16.0#	N/A
	• Connecting hardware	72"	P120F2W72	☐	☐	17.0#	N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	P120F2W84	☐	☐	20.0#	N/A
PTNF							
			A	B	C	D	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.
- D** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$56 |
| U | - Unassembled |

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 28
					28
					35
					37
					37
					39
					39
					41
\$ 386	\$ 391	\$ 397	\$ 407	\$ 417	\$ 9
411	418	423	431	441	9
425	432	438	447	459	9
457	468	472	479	493	9
466	472	477	485	500	9
475	484	491	500	515	9
588	599	607	618	637	9
597	609	614	625	644	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

2-Way

		MODEL NUMBER		
MODEL	A x B	Basic Model	Trim Color	Approx. Packaged Weight
 PTN 120° 2-Way, Two Different Heights • Unupholstered: trim colored • 120° 1-way top cap • Light block • One piece of vertical trim extends to floor • One piece of height change trim • One half post A • One half post B • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30"	P120V2W3036	☐	9.0#
	42" 30"	P120V2W3042	☐	11.0#
	48" 30"	P120V2W3048	☐	12.0#
	54" 30"	P120V2W3054	☐	13.0#
	66" 30"	P120V2W3066	☐	15.0#
	72" 30"	P120V2W3072	☐	16.0#
	84" 30"	P120V2W3084	☐	20.0#
	42" 36"	P120V2W3642	☐	9.0#
	48" 36"	P120V2W3648	☐	11.0#
	54" 36"	P120V2W3654	☐	12.0#
	66" 36"	P120V2W3666	☐	14.0#
	72" 36"	P120V2W3672	☐	15.0#
	84" 36"	P120V2W3684	☐	20.0#
	48" 42"	P120V2W4248	☐	9.0#
	54" 42"	P120V2W4254	☐	11.0#
	66" 42"	P120V2W4266	☐	13.0#
	72" 42"	P120V2W4272	☐	14.0#
	84" 42"	P120V2W4284	☐	18.0#
	54" 48"	P120V2W4854	☐	9.0#
	66" 48"	P120V2W4866	☐	14.0#
	72" 48"	P120V2W4872	☐	15.0#
	84" 48"	P120V2W4884	☐	18.0#
	66" 54"	P120V2W5466	☐	12.0#
	72" 54"	P120V2W5472	☐	14.0#
	84" 54"	P120V2W5484	☐	18.0#
	72" 66"	P120V2W6672	☐	9.0#
	84" 66"	P120V2W6684	☐	12.0#
	84" 72"	P120V2W7284	☐	11.0#
		A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 233	\$ 38
382	39
411	48
418	49
432	52
537	63
558	66
405	38
410	48
417	49
428	52
543	53
560	66
411	47
413	49
426	50
536	53
549	65
420	48
428	50
537	52
555	54
427	50
536	52
552	52
536	50
548	53
549	53

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

2-Way

	MODEL	A x B	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Trim Color	Upholstery Color	
 PTNF	120° 2-Way, Two Different Heights	36" 30"	P120VF2W3036	☐	☐	9.0#
	• Unupholstered: trim colored	42" 30"	P120VF2W3042	☐	☐	11.0#
	• 120° 1-way top cap	48" 30"	P120VF2W3048	☐	☐	12.0#
	• Light block	54" 30"	P120VF2W3054	☐	☐	13.0#
	• One piece of vertical trim extends to floor	66" 30"	P120VF2W3066	☐	☐	15.0#
	• One piece of height change trim	72" 30"	P120VF2W3072	☐	☐	16.0#
	• One half post A	84" 30"	P120VF2W3084	☐	☐	20.0#
	• One half post B	42" 36"	P120VF2W3642	☐	☐	9.0#
	• Connecting hardware	48" 36"	P120VF2W3648	☐	☐	11.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	54" 36"	P120VF2W3654	☐	☐	13.0#
		66" 36"	P120VF2W3666	☐	☐	15.0#
		72" 36"	P120VF2W3672	☐	☐	16.0#
		84" 36"	P120VF2W3684	☐	☐	20.0#
		48" 42"	P120VF2W4248	☐	☐	9.0#
		54" 42"	P120VF2W4254	☐	☐	11.0#
		66" 42"	P120VF2W4266	☐	☐	14.0#
		72" 42"	P120VF2W4272	☐	☐	15.0#
		84" 42"	P120VF2W4284	☐	☐	18.0#
		54" 48"	P120VF2W4854	☐	☐	9.0#
		66" 48"	P120VF2W4866	☐	☐	12.0#
		72" 48"	P120VF2W4872	☐	☐	14.0#
		84" 48"	P120VF2W4884	☐	☐	20.0#
		66" 54"	P120VF2W5466	☐	☐	11.0#
		72" 54"	P120VF2W5472	☐	☐	12.0#
		84" 54"	P120VF2W5484	☐	☐	18.0#
		72" 66"	P120VF2W6672	☐	☐	9.0#
		84" 66"	P120VF2W6684	☐	☐	16.0#
		84" 72"	P120VF2W7284	☐	☐	11.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 412	\$ 419	\$ 424	\$ 432	\$ 443	\$ 9
497	508	513	522	536	9
523	534	540	552	564	9
527	537	544	555	571	9
552	560	567	578	594	9
662	674	681	694	716	9
682	696	702	718	736	9
501	511	516	525	541	9
526	535	542	554	569	9
530	541	549	557	575	9
544	556	561	573	590	9
661	673	680	693	713	9
685	699	705	719	737	9
527	536	543	555	570	9
530	541	549	557	575	9
541	553	558	569	585	9
652	665	674	685	703	9
672	682	691	702	725	9
536	549	555	563	580	9
548	557	562	575	591	9
653	666	675	687	705	9
702	719	725	736	759	9
550	559	564	576	592	9
655	668	676	688	707	9
666	681	687	699	720	9
660	672	679	692	712	9
663	678	683	695	718	9
671	681	689	701	723	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color	Assembly	
 PTN	MODEL	H			
	120° 3-Way, All Panels Same Height	30"	P1203W30	☐ ☐	9.0#
	• Unupholstered: trim colored	36"	P1203W36	☐ ☐	11.0#
	• 120° 3-way top cap	42"	P1203W42	☐ ☐	12.0#
	• Light block	48"	P1203W48	☐ ☐	13.0#
	• Three half posts	54"	P1203W54	☐ ☐	15.0#
	• Connecting hardware	66"	P1203W66	☐ ☐	18.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	72"	P1203W72	☐ ☐	19.0#
		84"	P1203W84	☐ ☐	22.0#
			A	B	C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select assembly.
- | | |
|----------|-----------------------------|
| F | - Fully Assembled; add \$72 |
| U | - Unassembled |



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 287	\$ 9
301	9
379	9
402	9
411	9
423	9
521	9
531	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

	MODEL	A x B	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 PTN	120° 3-Way, Two Different Heights	36" 30"	P120V1203036	☐	9.0#
	• Unupholstered: trim colored	42" 30"	P120V1203042	☐	11.0#
	• 120° 3-way top cap	48" 30"	P120V1203048	☐	12.0#
	• Light block	54" 30"	P120V1203054	☐	13.0#
	• One piece of height change trim	66" 30"	P120V1203066	☐	16.0#
	• Two half posts A	72" 30"	P120V1203072	☐	17.0#
	• One half post B	84" 30"	P120V1203084	☐	20.0#
	• Connecting hardware	42" 36"	P120V1203642	☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120V1203648	☐	11.0#
		54" 36"	P120V1203654	☐	12.0#
		66" 36"	P120V1203666	☐	15.0#
		72" 36"	P120V1203672	☐	16.0#
		84" 36"	P120V1203684	☐	20.0#
		48" 42"	P120V1204248	☐	9.0#
		54" 42"	P120V1204254	☐	11.0#
		66" 42"	P120V1204266	☐	13.0#
		72" 42"	P120V1204272	☐	15.0#
		84" 42"	P120V1204284	☐	20.0#
		54" 48"	P120V1204854	☐	9.0#
		66" 48"	P120V1204866	☐	12.0#
		72" 48"	P120V1204872	☐	15.0#
		84" 48"	P120V1204884	☐	20.0#
		66" 54"	P120V1205466	☐	11.0#
		72" 54"	P120V1205472	☐	15.0#
		84" 54"	P120V1205484	☐	20.0#
		72" 66"	P120V1206672	☐	9.0#
		84" 66"	P120V1206684	☐	12.0#
		84" 72"	P120V1207284	☐	11.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 385	\$ 25
387	27
482	27
493	27
513	28
605	35
625	37
391	25
400	27
492	27
511	28
533	28
629	37
484	25
491	27
580	27
603	28
619	35
497	25
583	27
606	27
622	28
508	27
603	27
619	28
528	25
614	27
617	27

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way

	MODEL	A x B	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Trim Color	Upholstery Color	
 PTNF	120° 3-Way, Two Different Heights	36" 30"	P120VF1203036	☐	☐ ☐ ☐ ☐	9.0#
	• Upholstered	42" 30"	P120VF1203042	☐	☐ ☐ ☐ ☐	11.0#
	• 120° 2-way top cap	48" 30"	P120VF1203048	☐	☐ ☐ ☐ ☐	12.0#
	• Light block	54" 30"	P120VF1203054	☐	☐ ☐ ☐ ☐	13.0#
	• One piece of height change trim	66" 30"	P120VF1203066	☐	☐ ☐ ☐ ☐	15.0#
	• Two half posts A	72" 30"	P120VF1203072	☐	☐ ☐ ☐ ☐	16.0#
	• One half post B	84" 30"	P120VF1203084	☐	☐ ☐ ☐ ☐	20.0#
	• Connecting hardware	42" 36"	P120VF1203642	☐	☐ ☐ ☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120VF1203648	☐	☐ ☐ ☐ ☐	10.0#
		54" 36"	P120VF1203654	☐	☐ ☐ ☐ ☐	11.0#
		66" 36"	P120VF1203666	☐	☐ ☐ ☐ ☐	13.0#
		72" 36"	P120VF1203672	☐	☐ ☐ ☐ ☐	14.0#
		84" 36"	P120VF1203684	☐	☐ ☐ ☐ ☐	18.0#
		48" 42"	P120VF1204248	☐	☐ ☐ ☐ ☐	9.0#
		54" 42"	P120VF1204254	☐	☐ ☐ ☐ ☐	11.0#
		66" 42"	P120VF1204266	☐	☐ ☐ ☐ ☐	13.0#
		72" 42"	P120VF1204272	☐	☐ ☐ ☐ ☐	14.0#
		84" 42"	P120VF1204284	☐	☐ ☐ ☐ ☐	18.0#
		54" 48"	P120VF1204854	☐	☐ ☐ ☐ ☐	9.0#
		66" 48"	P120VF1204866	☐	☐ ☐ ☐ ☐	12.0#
		72" 48"	P120VF1204872	☐	☐ ☐ ☐ ☐	14.0#
		84" 48"	P120VF1204884	☐	☐ ☐ ☐ ☐	18.0#
		66" 54"	P120VF1205466	☐	☐ ☐ ☐ ☐	11.0#
		72" 54"	P120VF1205472	☐	☐ ☐ ☐ ☐	12.0#
		84" 54"	P120VF1205484	☐	☐ ☐ ☐ ☐	16.0#
		72" 66"	P120VF1206672	☐	☐ ☐ ☐ ☐	9.0#
		84" 66"	P120VF1206684	☐	☐ ☐ ☐ ☐	11.0#
		84" 72"	P120VF1207284	☐	☐ ☐ ☐ ☐	11.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select upholstery color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 448	\$ 456	\$ 465	\$ 471	\$ 482	\$ 9
405	414	420	430	445	9
542	554	559	570	585	9
549	558	563	576	592	9
570	580	588	598	616	9
664	679	685	697	719	9
692	705	713	726	747	9
454	461	469	475	488	9
471	478	485	493	511	9
552	560	567	578	594	9
563	576	582	592	610	9
590	600	609	618	638	9
693	706	716	727	748	9
548	557	562	575	591	9
553	561	569	579	595	9
605	618	622	637	653	9
655	672	676	689	707	9
750	766	776	787	811	9
558	569	576	585	603	9
642	652	662	674	693	9
660	672	679	692	712	9
754	768	778	792	815	9
569	580	587	597	614	9
661	675	680	693	713	9
675	689	695	706	728	9
590	599	609	618	638	9
673	687	693	703	726	9
678	692	697	712	732	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

3-Way

	MODEL	A x B	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Trim Color	
 PTN	120° 3-Way, Two Different Heights	36" 30"	P120V1W3036	☐	9.0#
	• Unupholstered: trim colored	42" 30"	P120V1W3042	☐	10.0#
	• 120° 1-way top cap	48" 30"	P120V1W3048	☐	11.0#
	• Light block	54" 30"	P120V1W3054	☐	12.0#
	• Two pieces of height change trim	66" 30"	P120V1W3066	☐	15.0#
	• One half post A	72" 30"	P120V1W3072	☐	16.0#
	• Two half posts B	84" 30"	P120V1W3084	☐	20.0#
	• Connecting hardware	42" 36"	P120V1W3642	☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120V1W3648	☐	11.0#
		54" 36"	P120V1W3654	☐	12.0#
		66" 36"	P120V1W3666	☐	15.0#
		72" 36"	P120V1W3672	☐	16.0#
		84" 36"	P120V1W3684	☐	20.0#
		48" 42"	P120V1W4248	☐	9.0#
		54" 42"	P120V1W4254	☐	11.0#
		66" 42"	P120V1W4266	☐	14.0#
		72" 42"	P120V1W4272	☐	16.0#
		84" 42"	P120V1W4284	☐	20.0#
		54" 48"	P120V1W4854	☐	9.0#
		66" 48"	P120V1W4866	☐	12.0#
		72" 48"	P120V1W4872	☐	14.0#
		84" 48"	P120V1W4884	☐	18.0#
		66" 54"	P120V1W5466	☐	11.0#
		72" 54"	P120V1W5472	☐	12.0#
		84" 54"	P120V1W5484	☐	16.0#
		72" 66"	P120V1W6672	☐	9.0#
		84" 66"	P120V1W6684	☐	12.0#
		84" 72"	P120V1W7284	☐	11.0#
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



120° Intersections

3-Way

Delivered Pricing	Metallic Paint add to list price
\$ 400	\$ 35
400	38
493	38
506	38
530	40
614	57
648	62
408	35
419	38
504	38
523	40
552	40
653	62
496	35
497	38
593	38
612	40
631	57
512	35
597	38
618	38
644	40
521	38
613	38
636	40
541	35
623	38
631	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Intersections

3-Way



PTNF

MODEL	A x B	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Trim Color	Upholstery Color	
120° 3-Way, Two Different Heights • Upholstered • 120° 1-way top cap • Light block • Two pieces of height change trim • One half post A • Two half posts B • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30"	P120VF1W3036	☐	☐	9.0#
	42" 30"	P120VF1W3042	☐	☐	12.0#
	48" 30"	P120VF1W3048	☐	☐	14.0#
	54" 30"	P120VF1W3054	☐	☐	16.0#
	66" 30"	P120VF1W3066	☐	☐	20.0#
	72" 30"	P120VF1W3072	☐	☐	22.0#
	84" 30"	P120VF1W3084	☐	☐	26.0#
	42" 36"	P120VF1W3642	☐	☐	9.0#
	48" 36"	P120VF1W3648	☐	☐	12.0#
	54" 36"	P120VF1W3654	☐	☐	14.0#
	66" 36"	P120VF1W3666	☐	☐	18.0#
	72" 36"	P120VF1W3672	☐	☐	20.0#
	84" 36"	P120VF1W3684	☐	☐	24.0#
	48" 42"	P120VF1W4248	☐	☐	9.0#
	54" 42"	P120VF1W4254	☐	☐	12.0#
	66" 42"	P120VF1W4266	☐	☐	16.0#
	72" 42"	P120VF1W4272	☐	☐	18.0#
	84" 42"	P120VF1W4284	☐	☐	22.0#
	54" 48"	P120VF1W4854	☐	☐	9.0#
	66" 48"	P120VF1W4866	☐	☐	14.0#
	72" 48"	P120VF1W4872	☐	☐	16.0#
	84" 48"	P120VF1W4884	☐	☐	20.0#
	66" 54"	P120VF1W5466	☐	☐	12.0#
	72" 54"	P120VF1W5472	☐	☐	14.0#
	84" 54"	P120VF1W5484	☐	☐	18.0#
	72" 66"	P120VF1W6672	☐	☐	9.0#
	84" 66"	P120VF1W6684	☐	☐	14.0#
	84" 72"	P120VF1W7284	☐	☐	12.0#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select upholstery color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 443	\$ 453	\$ 456	\$ 468	\$ 477	\$ 9
443	454	459	469	478	9
527	537	544	556	571	9
531	542	550	558	576	9
552	560	567	578	594	9
639	651	657	671	689	9
694	705	716	725	747	9
450	460	467	474	485	9
461	471	475	484	497	9
536	549	555	563	580	9
549	557	562	575	591	9
642	652	662	674	693	9
666	679	687	699	720	9
537	549	555	563	582	9
541	553	558	569	585	9
619	632	640	650	671	9
638	648	653	668	687	9
652	665	674	685	705	9
555	563	571	582	598	9
633	644	650	663	682	9
659	665	665	678	696	9
662	676	682	694	716	9
562	575	580	591	610	9
648	663	671	681	700	9
660	672	679	692	712	9
583	593	600	612	631	9
661	673	680	693	713	9
674	688	694	705	727	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Intersections

2-Way and 3-Way Stackable

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Upholstery Color		
	MODEL	H				
	2-Way Stackable	12"	PS1202W12	☐	5.0#	\$ 270
	• Unupholstered: trim color	18"	PS1202W18	☐	6.0#	357
	• One piece of stackable vertical trim	24"	PS1202W24	☐	7.0#	373
	• Two stackable half-posts					
	• One 120° corner connector block					
	• Use top cap from existing lower panel					
	• SX Starlight Silver finish is only offered on flat aluminum trim					
PST						
	2-Way Stackable	12"	PS120F2W12	☐	5.0#	N/A
	• Upholstered	18"	PS120F2W18	☐	6.0#	N/A
	• One piece of stackable vertical trim	24"	PS120F2W24	☐	7.0#	N/A
	• Two stackable half-posts					
	• One 120° corner connector block					
	• Use top cap from existing lower panel					
	• SX Starlight Silver finish is only offered on flat aluminum trim					
PSTF						
	3-Way Stackable	12"	PS1203W12	☐	7.0#	\$ 338
	• Unupholstered	18"	PS1203W18	☐	8.0#	430
	• Three stackable half-posts	24"	PS1203W24	☐	9.0#	440
	• One 120° corner connector block					
	• Use top cap from existing lower panel					
	• SX Starlight Silver finish is only offered on flat aluminum trim					
PST						

A B C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select upholstery color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



120° Intersections

2-Way and 3-Way Stackable

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 11
					11
					11
\$ 332	\$ 338	\$ 342	\$ 348	\$ 356	N/A
418	426	430	438	450	N/A
426	433	437	447	460	N/A
					N/A
					N/A
					N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

120° Worksurfaces

Corner Worksurfaces

MODEL	MODEL NUMBER								Approx. Packaged Weight
	Basic Model	Edge Style	Surface Finish	Trim Color	Wood Edge Color	Veneer Color	Edge Color	Grommet Color	
 Inside Corner Worksurface with 120° Ends - Includes mounting hardware - Left hand cantilever is provided for rear corner - Includes two 2-1/2" x 6" grommets PWWC	PW120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PW120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PW120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PW120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PW120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PW120304830	☐	☐	☐	☐	☐	☐	☐	76.0#
 Inside Corner Worksurface with 90° Ends PWWC	PWIC120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PWIC120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PWIC120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PWIC120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PWIC120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PWIC120304830	☐	☐	☐	☐	☐	☐	☐	70.0#
 Outside Corner Worksurface with 90° Ends PWWC	PWOC120243624	☐	☐	☐	☐	☐	☐	☐	44.0#
	PWOC120244224	☐	☐	☐	☐	☐	☐	☐	53.0#
	PWOC120244824	☐	☐	☐	☐	☐	☐	☐	62.0#
	PWOC120303630	☐	☐	☐	☐	☐	☐	☐	65.0#
	PWOC120304230	☐	☐	☐	☐	☐	☐	☐	67.0#
	PWOC120304830	☐	☐	☐	☐	☐	☐	☐	76.0#

A

B

C

D

E

F

G

H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge

KN - Knife edge

WE - Wood edge, laminate surface

WV - Wood edge, veneer surface

C Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

D Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select wood edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F Select wood veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

H Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.




120° Worksurfaces


Corner Worksurfaces




74P Edge
(74P)



Knife Edge
(KN)



Wood Edge Laminate
(WE)



Wood Edge Veneer
(WV)

\$ 785	\$ 873	\$ 1210	\$ 2557
831	905	1279	3040
945	993	1438	3614
811	890	1247	2656
898	946	1343	3229
1075	1149	1567	3807
\$ 785	\$ 873	\$ 1210	\$ 1776
831	905	1279	1836
945	993	1438	1863
811	890	1247	1888
898	946	1343	1920
1075	1149	1567	1930
\$ 785	\$ 873	\$ 1261	\$ 2195
831	905	1331	2242
945	993	1489	2263
811	890	1298	2297
898	946	1513	2322
1075	1149	1633	2361

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Build Your Own

Components

		MODEL NUMBER		Approx. Packaged Weight
MODEL	H	Basic Model		
 120° Connector Block • Black only • Extruded aluminum block with three threaded inserts		46.0955		1.0#
HRDPT				
 120° Light Block	12"	46.1037.12		1.0#
	18"	46.1037.18		1.0#
	24"	46.1037.24		1.0#
	30"	46.1037.30		1.0#
	36"	46.1037.36		1.0#
	42"	46.1037.42		1.0#
	48"	46.1037.48		1.0#
	54"	46.1037.54		1.0#
	60"	46.1037.60		1.0#
	66"	46.1037.66		1.0#
	72"	46.1037.72		1.0#
	78"	46.1037.78		1.0#
	84"	46.1037.84		1.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



120° Build Your Own

Components

Delivered Pricing	
\$	19
\$	6
	6
	6
	7
	10
	10
	15
	15
	15
	15
	20
	20
	20

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Delivered. Shipped **k.d. freight prepaid**
f.o.b. Manitowoc, Wisconsin 54220
factory. Freight class #70.

Specifications and prices are subject to
change without prior notice.

120° Build Your Own

Components

		MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Trim Color	
 HRDPT	120° Vertical Trim	30"	46.1032.30 ☐ ☐	1.0#
		36"	46.1032.36 ☐ ☐	1.0#
		42"	46.1032.42 ☐ ☐	1.0#
		48"	46.1032.48 ☐ ☐	1.0#
		54"	46.1032.54 ☐ ☐	2.0#
		60"	46.1032.60 ☐ ☐	2.0#
		66"	46.1032.66 ☐ ☐	2.0#
		72"	46.1032.72 ☐ ☐	2.0#
		84"	46.1032.84 ☐ ☐	2.0#
 HRDPT	120° 1-Way Top Cap	46.1027	☐ ☐	1.0#
 HRDPT	120° 2-Way Top Cap	46.1028	☐ ☐	1.0#
 HRDPT	120° 3-Way Top Cap	46.1029	☐ ☐	1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.



120° Build Your Own

Components

Delivered Pricing		Metallic Paint add to list price	
\$	30	\$	12
	36		12
	36		25
	53		27
	53		27
	53		27
	53		29
	77		29
	83		31
\$	10	\$	9
\$	10		N/A
\$	10		N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Delivered. Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

		H	MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Unupholstered	
			Basic Model	Trim Color	Fabric Color		
 TECN	End-of-Run Condition • Unupholstered: trim colored • End-of-run trim (Tech) • Top cap • One full post • End-of-run base tile hooks • SX Starlight Silver finish is only offered on flat aluminum trim	30"	TEP/30	☐		5.0#	\$ 60
		36"	TEP/36	☐		5.0#	75
		42"	TEP/42	☐		7.0#	76
		48"	TEP/48	☐		8.0#	90
		54"	TEP/54	☐		9.0#	91
		60"	TEP/60	☐		10.0#	97
		66"	TEP/66	☐		11.0#	116
		72"	TEP/72	☐		11.0#	119
		78"	TEP/78	☐		12.0#	122
		84"	TEP/84	☐		13.0#	128
 TECN	90° 2-Way "L" Corner, Both Panels Same Height • Unupholstered: trim colored • 90° top cap • Two pieces of universal trim (Tech) • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	TCP90/30	☐		9.0#	\$ 157
		36"	TCP90/36	☐		9.0#	173
		42"	TCP90/42	☐		11.0#	199
		48"	TCP90/48	☐		12.0#	221
		54"	TCP90/54	☐		13.0#	226
		60"	TCP90/60	☐		15.0#	230
		66"	TCP90/66	☐		16.0#	246
		72"	TCP90/72	☐		16.0#	264
		78"	TCP90/78	☐		16.0#	281
		84"	TCP90/84	☐		16.0#	303
 TEF2	90° 2-Way "L" Corner, Both Panels Same Height • Upholstered • 90° top cap • Two pieces of universal trim • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	30"	TCPF90/30	☐	☐ ☐ ☐ ☐	7.0#	N/A
		36"	TCPF90/36	☐	☐ ☐ ☐ ☐	7.0#	N/A
		42"	TCPF90/42	☐	☐ ☐ ☐ ☐	10.0#	N/A
		48"	TCPF90/48	☐	☐ ☐ ☐ ☐	11.0#	N/A
		54"	TCPF90/54	☐	☐ ☐ ☐ ☐	13.0#	N/A
		60"	TCPF90/60	☐	☐ ☐ ☐ ☐	14.0#	N/A
		66"	TCPF90/66	☐	☐ ☐ ☐ ☐	16.0#	N/A
		72"	TCPF90/72	☐	☐ ☐ ☐ ☐	16.0#	N/A
		78"	TCPF90/78	☐	☐ ☐ ☐ ☐	16.0#	N/A
		84"	TCPF90/84	☐	☐ ☐ ☐ ☐	16.0#	N/A

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way and End-of-Run

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 27
					28
					32
					33
					35
					38
					43
					43
					43
					45
					\$ 40
					41
					41
					63
					65
					67
					69
					71
					71
					72
\$ 220	\$ 224	\$ 225	\$ 228	\$ 238	\$ 31
234	241	244	249	254	34
264	268	270	280	287	38
293	298	301	308	314	41
301	305	308	314	317	41
307	311	313	323	332	43
320	327	330	338	347	46
346	352	354	363	374	48
358	368	370	379	388	54
417	424	428	438	450	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 TECN	90° 2-Way "L" Corner, Two Different Heights	30"	30"	6"	TCPV90/3036	☐ ☐	9.0#
	• Unupholstered	42"	30"	12"	TCPV90/3042	☐ ☐	9.0#
	• 1-way top cap	48"	30"	18"	TCPV90/3048	☐ ☐	9.0#
	• Two pieces of universal trim (Tech)	54"	30"	24"	TCPV90/3054	☐ ☐	11.0#
	• One piece of universal height change trim	60"	30"	30"	TCPV90/3060	☐ ☐	11.0#
	• One half-post (height A)	66"	30"	36"	TCPV90/3066	☐ ☐	9.0#
	• One half-post (height B)	72"	30"	42"	TCPV90/3072	☐ ☐	9.0#
	• Two sets of half post base tile hooks	78"	30"	48"	TCPV90/3078	☐ ☐	9.0#
	• Connecting hardware	84"	30"	54"	TCPV90/3084	☐ ☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	42"	36"	6"	TCPV90/3642	☐ ☐	9.0#
		48"	36"	12"	TCPV90/3648	☐ ☐	9.0#
		54"	36"	18"	TCPV90/3654	☐ ☐	11.0#
		60"	36"	24"	TCPV90/3660	☐ ☐	11.0#
		66"	36"	30"	TCPV90/3666	☐ ☐	9.0#
		72"	36"	36"	TCPV90/3672	☐ ☐	9.0#
		78"	36"	42"	TCPV90/3678	☐ ☐	9.0#
		84"	36"	48"	TCPV90/3684	☐ ☐	9.0#
		48"	42"	6"	TCPV90/4248	☐ ☐	12.0#
		54"	42"	12"	TCPV90/4254	☐ ☐	12.0#
		60"	42"	18"	TCPV90/4260	☐ ☐	11.0#
		66"	42"	24"	TCPV90/4266	☐ ☐	14.0#
		72"	42"	30"	TCPV90/4272	☐ ☐	9.0#
		78"	42"	36"	TCPV90/4278	☐ ☐	9.0#
		84"	42"	42"	TCPV90/4284	☐ ☐	9.0#
				A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered
Pricing

\$ 229	\$ 68
231	68
255	79
261	81
264	81
262	82
270	84
297	85
308	88
246	68
267	81
269	82
272	81
270	84
285	87
301	88
320	88
347	84
349	87
353	91
352	92
367	92
384	95
396	97

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER		Approx. Packaged Weight
					Basic Model	Trim Color	
 TECN	90° 2-Way "L" Corner, Two Different Heights	54"	48"	6"	TCPV90/4854	☐	12.0#
	• Unupholstered	60"	48"	12"	TCPV90/4860	☐	11.0#
	• 1-way top cap	66"	48"	18"	TCPV90/4866	☐	14.0#
	• Two pieces of universal trim (Tech)	72"	48"	24"	TCPV90/4872	☐	9.0#
	• One piece of universal height change trim	78"	48"	30"	TCPV90/4878	☐	9.0#
		84"	48"	36"	TCPV90/4884	☐	9.0#
	• One half-post (height A)	60"	54"	6"	TCPV90/5460	☐	11.0#
	• One half-post (height B)	66"	54"	12"	TCPV90/5466	☐	15.0#
	• Two sets of half post base tile hooks	72"	54"	18"	TCPV90/5472	☐	9.0#
	• Connecting hardware	78"	54"	24"	TCPV90/5478	☐	9.0#
	• SX Starlight Silver finish is only offered on flat aluminum trim	84"	54"	30"	TCPV90/5484	☐	9.0#
		66"	60"	6"	TCPV90/6066	☐	15.0#
		72"	60"	12"	TCPV90/6072	☐	9.0#
		78"	60"	18"	TCPV90/6078	☐	9.0#
		84"	60"	24"	TCPV90/6084	☐	9.0#
		72"	66"	6"	TCPV90/6672	☐	9.0#
		78"	66"	12"	TCPV90/6678	☐	9.0#
		84"	66"	18"	TCPV90/6684	☐	9.0#
		78"	72"	6"	TCPV90/7278	☐	9.0#
		84"	72"	12"	TCPV90/7284	☐	9.0#
		84"	78"	6"	TCPV90/7884	☐	9.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered
Pricing

\$ 355	\$ 89
357	89
355	90
371	91
387	89
407	91
387	92
362	92
376	93
394	90
411	91
370	91
382	92
399	92
417	93
383	93
400	94
423	94
412	96
427	96
428	96

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

				MODEL NUMBER			Approx. Packaged Weight
MODEL	A	B	A-B	Basic Model	Trim Color	Fabric Color	
 TEF2	90° 2-Way "L" Corner, Two Different Heights • Upholstered • 1-way top cap • Two pieces of universal trim (Tech) • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TCPVF90/3036	☐	☐	☐	9.0#
		42" 30" 12"	TCPVF90/3042	☐	☐	☐	9.0#
		48" 30" 18"	TCPVF90/3048	☐	☐	☐	9.0#
		54" 30" 24"	TCPVF90/3054	☐	☐	☐	11.0#
		60" 30" 30"	TCPVF90/3060	☐	☐	☐	11.0#
		66" 30" 36"	TCPVF90/3066	☐	☐	☐	16.0#
		72" 30" 42"	TCPVF90/3072	☐	☐	☐	16.0#
		78" 30" 48"	TCPVF90/3078	☐	☐	☐	16.0#
		84" 30" 54"	TCPVF90/3084	☐	☐	☐	16.0#
		42" 36" 6"	TCPVF90/3642	☐	☐	☐	9.0#
		48" 36" 12"	TCPVF90/3648	☐	☐	☐	9.0#
		54" 36" 18"	TCPVF90/3654	☐	☐	☐	11.0#
		60" 36" 24"	TCPVF90/3660	☐	☐	☐	11.0#
		66" 36" 30"	TCPVF90/3666	☐	☐	☐	16.0#
		72" 36" 36"	TCPVF90/3672	☐	☐	☐	16.0#
		78" 36" 42"	TCPVF90/3678	☐	☐	☐	16.0#
		84" 36" 48"	TCPVF90/3684	☐	☐	☐	16.0#
		48" 42" 6"	TCPVF90/4248	☐	☐	☐	12.0#
		54" 42" 12"	TCPVF90/4254	☐	☐	☐	12.0#
		60" 42" 18"	TCPVF90/4260	☐	☐	☐	11.0#
		66" 42" 24"	TCPVF90/4266	☐	☐	☐	14.0#
		72" 42" 30"	TCPVF90/4272	☐	☐	☐	16.0#
		78" 42" 36"	TCPVF90/4278	☐	☐	☐	16.0#
		84" 42" 42"	TCPVF90/4284	☐	☐	☐	16.0#
				A	B	C	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 324	\$ 330	\$ 332	\$ 342	\$ 349	\$ 15
320	327	330	338	347	15
354	362	365	374	384	15
362	369	371	380	389	15
370	376	379	387	398	15
371	377	380	388	399	15
386	391	398	408	417	15
411	417	423	431	440	15
457	467	472	479	493	15
358	368	370	379	388	15
368	374	376	385	396	15
373	379	382	389	400	15
377	384	386	396	408	15
380	386	388	398	411	15
399	407	412	420	431	15
413	419	425	435	447	15
471	477	484	493	511	15
448	456	465	472	482	15
454	461	469	476	490	15
456	466	471	478	492	15
457	467	472	479	493	15
478	486	493	506	519	15
496	506	513	521	536	15
543	554	560	571	587	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

90° 2-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight
					Basic Model	Trim Color	Fabric Color	
 TEF2	90° 2-Way "L" Corner, Two Different Heights	54" 48" 6"	TCPVF90/4854	☐	☐	☐	12.0#	
	• Upholstered	60" 48" 12"	TCPVF90/4860	☐	☐	☐	11.0#	
	• 1-way top cap	66" 48" 18"	TCPVF90/4866	☐	☐	☐	14.0#	
	• Two pieces of universal trim (Tech)	72" 48" 24"	TCPVF90/4872	☐	☐	☐	16.0#	
	• One piece of universal height change trim	78" 48" 30"	TCPVF90/4878	☐	☐	☐	16.0#	
	• One half-post (height A)	84" 48" 36"	TCPVF90/4884	☐	☐	☐	16.0#	
	• One half-post (height B)	60" 54" 6"	TCPVF90/5460	☐	☐	☐	11.0#	
	• Two sets of half post base tile hooks	66" 54" 12"	TCPVF90/5466	☐	☐	☐	15.0#	
	• Connecting hardware	72" 54" 18"	TCPVF90/5472	☐	☐	☐	16.0#	
	• SX Starlight Silver finish is only offered on flat aluminum trim	78" 54" 24"	TCPVF90/5478	☐	☐	☐	16.0#	
		84" 54" 30"	TCPVF90/5484	☐	☐	☐	16.0#	
		66" 60" 6"	TCPVF90/6066	☐	☐	☐	15.0#	
		72" 60" 12"	TCPVF90/6072	☐	☐	☐	16.0#	
		78" 60" 18"	TCPVF90/6078	☐	☐	☐	16.0#	
		84" 60" 24"	TCPVF90/6084	☐	☐	☐	16.0#	
		72" 66" 6"	TCPVF90/6672	☐	☐	☐	16.0#	
		78" 66" 12"	TCPVF90/6678	☐	☐	☐	16.0#	
		84" 66" 18"	TCPVF90/6684	☐	☐	☐	16.0#	
		78" 72" 6"	TCPVF90/7278	☐	☐	☐	16.0#	
		84" 72" 12"	TCPVF90/7284	☐	☐	☐	16.0#	
		84" 78" 6"	TCPVF90/7884	☐	☐	☐	16.0#	

A

B

C

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

90° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 459	\$ 468	\$ 473	\$ 481	\$ 495	\$ 15
461	470	475	484	497	15
461	470	475	484	497	15
481	490	496	508	521	15
501	511	516	525	541	15
552	559	567	578	594	15
470	476	482	492	507	15
470	476	482	492	507	15
486	495	504	513	526	15
504	513	519	527	543	15
557	564	575	584	600	15
474	481	488	500	514	15
493	502	511	519	534	15
508	516	522	533	550	15
559	569	577	587	605	15
495	504	512	520	535	15
509	517	523	534	552	15
562	573	580	591	609	15
521	530	536	549	562	15
570	579	587	598	616	15
571	580	588	599	617	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
Freight class #70.

Specifications and prices are subject to
change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

			MODEL NUMBER		Approx. Packaged Weight		
			Basic Model	Trim Color			
MODEL			A	B	A-B		
	180° 2-Way In-Line Connection, Both Panels Same Height • Unupholstered • One full post • Two sets of half post base tile hooks	30"			TFP/30		5.0#
		36"			TFP/36		5.0#
		42"			TFP/42		6.0#
		48"			TFP/48		6.0#
		54"			TFP/54		7.0#
		60"			TFP/60		7.0#
		66"			TFP/66		8.0#
		72"			TFP/72		9.0#
		78"			TFP/78		10.0#
		84"			TFP/84		11.0#
	180° 2-Way In-Line Connection, Two Different Heights • Unupholstered: trim colored • One full post • In-line height change trim • In-line height change bottom cap • End-of-run top cap • Two sets of half post base tile hooks • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TFPV/3036	☐	5.0#
		42" 30" 12"			TFPV/3042	☐	6.0#
		54" 30" 24"			TFPV/3054	☐	7.0#
		66" 30" 36"			TFPV/3066	☐	8.0#
		84" 30" 54"			TFPV/3084	☐	11.0#
		66" 42" 24"			TFPV/4266	☐	8.0#
		84" 42" 42"			TFPV/4284	☐	11.0#
		66" 54" 12"			TFPV/5466	☐	8.0#
		84" 54" 30"			TFPV/5484	☐	11.0#
		84" 66" 18"			TFPV/6684	☐	10.0#

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing	Metallic Paint add to list price
\$ 40	N/A
46	N/A
47	N/A
50	N/A
53	N/A
59	N/A
60	N/A
67	N/A
69	N/A
76	N/A
\$ 67	\$ 32
74	35
85	35
101	38
128	46
93	35
119	46
87	35
115	37
105	35

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Unupholstered	
		Basic Model	Trim Color	Fabric Color		
 TECN	180° 2-Way In-Line Spacer, Both Panels Same Height • Unupholstered: trim colored • 180° top cap • Two pieces of universal trim (Tech) • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	H				
		30"	TSP180/30	☐		4.0# \$ 203
		36"	TSP180/36	☐		4.0# 225
		42"	TSP180/42	☐		5.0# 251
		48"	TSP180/48	☐		5.0# 275
		54"	TSP180/54	☐		6.0# 286
		60"	TSP180/60	☐		6.0# 297
		66"	TSP180/66	☐		7.0# 309
		72"	TSP180/72	☐		7.0# 333
		78"	TSP180/78	☐		7.0# 352
		84"	TSP180/84	☐		7.0# 379
 TEF2	180° 2-Way In-Line Spacer, Both Panels Same Height • Upholstered • 180° top cap • Two pieces of universal trim (Tech) • Two half-posts • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim					
		30"	TSPF180/30	☐	☐ ☐ ☐ ☐	4.0# N/A
		36"	TSPF180/36	☐	☐ ☐ ☐ ☐	4.0# N/A
		42"	TSPF180/42	☐	☐ ☐ ☐ ☐	5.0# N/A
		48"	TSPF180/48	☐	☐ ☐ ☐ ☐	5.0# N/A
		54"	TSPF180/54	☐	☐ ☐ ☐ ☐	6.0# N/A
		60"	TSPF180/60	☐	☐ ☐ ☐ ☐	6.0# N/A
		66"	TSPF180/66	☐	☐ ☐ ☐ ☐	7.0# N/A
		72"	TSPF180/72	☐	☐ ☐ ☐ ☐	7.0# N/A
		78"	TSPF180/78	☐	☐ ☐ ☐ ☐	7.0# N/A
		84"	TSPF180/84	☐	☐ ☐ ☐ ☐	7.0# N/A
			A	B	C	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 40
					40
					41
					43
					52
					54
					69
					69
					72
					72
\$ 270	\$ 275	\$ 280	\$ 285	\$ 293	\$ 15
327	333	336	343	352	15
343	348	351	356	370	15
377	384	387	397	408	15
383	389	389	400	412	15
387	396	399	408	418	15
402	411	414	423	432	15
469	476	479	491	506	15
471	478	484	493	509	15
472	479	485	495	509	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

180° 2-Way

				MODEL NUMBER					
				Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	
MODEL				A	B	A-B			
	180° 2-Way In-Line Spacer, Two Different Heights • Unupholstered: trim colored • One 180° top cap • Two pieces of universal trim (Tech) • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TPV180/3036	☐	☐		9.0#	\$ 195	
		42" 30" 12"	TPV180/3042	☐	☐		9.0#	200	
		54" 30" 24"	TPV180/3054	☐	☐		11.0#	255	
		66" 30" 36"	TPV180/3066	☐	☐		13.0#	309	
		84" 30" 54"	TPV180/3084	☐	☐		16.0#	331	
		66" 42" 24"	TPV180/4266	☐	☐		14.0#	264	
		84" 42" 42"	TPV180/4284	☐	☐		17.0#	325	
		66" 54" 12"	TPV180/5466	☐	☐		15.0#	245	
		84" 54" 30"	TPV180/5484	☐	☐		18.0#	305	
		84" 66" 18"	TPV180/6684	☐	☐		19.0#	303	
			180° 2-Way In-Line Spacer, Two Different Heights • Upholstered • One 180° top cap • Two pieces of universal trim (Tech) • One piece of universal height change trim • One half-post (height A) • One half-post (height B) • Two sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TSPVF180/3036	☐	☐	☐	9.0#
42" 30" 12"	TSPVF180/3042			☐	☐	☐	9.0#	N/A	
54" 30" 24"	TSPVF180/3054			☐	☐	☐	11.0#	N/A	
66" 30" 36"	TSPVF180/3066			☐	☐	☐	13.0#	N/A	
84" 30" 54"	TSPVF180/3084			☐	☐	☐	16.0#	N/A	
66" 42" 24"	TSPVF180/4266			☐	☐	☐	14.0#	N/A	
84" 42" 42"	TSPVF180/4284			☐	☐	☐	17.0#	N/A	
66" 54" 12"	TSPVF180/5466			☐	☐	☐	15.0#	N/A	
84" 54" 30"	TSPVF180/5484			☐	☐	☐	18.0#	N/A	
84" 66" 18"	TSPVF180/6684			☐	☐	☐	19.0#	N/A	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

180° 2-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 35
					46
					34
					46
					35
					34
					46
					46
					34
					46
					15
\$ 428	\$ 433	\$ 435	\$ 439	\$ 449	\$ 15
424	430	433	440	450	15
507	514	517	526	537	15
530	537	542	553	562	15
623	636	641	649	665	15
548	556	560	569	580	15
638	645	651	662	678	15
517	525	528	537	550	15
598	609	613	622	639	15
594	605	610	618	636	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing	
		Basic Model	Trim Color	Fabric Color		
	MODEL	H				
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	30"	TTP3W/30	☐		10.0# \$ 207
	• Unupholstered: trim colored	36"	TTP3W/36	☐		11.0# 229
	• 3-way top cap	42"	TTP3W/42	☐		12.0# 255
	• One piece of universal trim (Tech)	48"	TTP3W/48	☐		14.0# 282
	• Three half-posts	54"	TTP3W/54	☐		15.0# 293
	• Three sets of half post base tile hooks	60"	TTP3W/60	☐		17.0# 302
	• Connecting hardware	66"	TTP3W/66	☐		18.0# 314
	• SX Starlight Silver finish is only offered on flat aluminum trim	72"	TTP3W/72	☐		18.0# 337
		78"	TTP3W/78	☐		18.0# 356
		84"	TTP3W/84	☐		18.0# 383
	3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	30"	TTPF3W/30	☐	☐ ☐ ☐ ☐	9.0# N/A
	• Upholstered	36"	TTPF3W/36	☐	☐ ☐ ☐ ☐	9.0# N/A
	• 3-way top cap	42"	TTPF3W/42	☐	☐ ☐ ☐ ☐	12.0# N/A
	• One piece of universal trim (Tech)	48"	TTPF3W/48	☐	☐ ☐ ☐ ☐	12.0# N/A
	• Three half-posts	54"	TTPF3W/54	☐	☐ ☐ ☐ ☐	15.0# N/A
	• Three sets of half post base tile hooks	60"	TTPF3W/60	☐	☐ ☐ ☐ ☐	15.0# N/A
	• Connecting hardware	66"	TTPF3W/66	☐	☐ ☐ ☐ ☐	18.0# N/A
	• SX Starlight Silver finish is only offered on flat aluminum trim	72"	TTPF3W/72	☐	☐ ☐ ☐ ☐	18.0# N/A
		78"	TTPF3W/78	☐	☐ ☐ ☐ ☐	18.0# N/A
		84"	TTPF3W/84	☐	☐ ☐ ☐ ☐	18.0# N/A
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 30
					34
					37
					40
					41
					43
					45
					47
					49
					55
\$ 271	\$ 278	\$ 280	\$ 287	\$ 294	\$ 15
296	301	303	309	315	15
323	330	332	340	348	15
352	357	362	371	380	15
367	373	375	384	394	15
375	382	384	391	404	15
390	399	402	412	424	15
423	430	432	440	454	15
436	443	450	459	471	15
496	507	512	521	536	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

			MODEL NUMBER							
MODEL			A	B	A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered
	3-Way "T" Intersection w/90° Top Cap, Two Different Heights • Unupholstered: trim colored • 90° top cap • One piece of universal trim (Tech) • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPV90/3036	☐		15.0#	\$ 269			
		42" 30" 12"	TTPV90/3042	☐		11.0#	280			
		54" 30" 24"	TTPV90/3054	☐		14.0#	354			
		66" 30" 36"	TTPV90/3066	☐		17.0#	371			
		84" 30" 54"	TTPV90/3084	☐		21.0#	456			
		66" 42" 24"	TTPV90/4266	☐		18.0#	386			
		84" 42" 42"	TTPV90/4284	☐		22.0#	472			
		66" 54" 12"	TTPV90/5466	☐		18.0#	349			
		84" 54" 30"	TTPV90/5484	☐		22.0#	433			
		84" 66" 18"	TTPV90/6684	☐		23.0#	431			
	3-Way "T" Intersection w/90° Top Cap, Two Different Heights • Upholstered • 90° top cap • One piece of universal trim (Tech) • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"	TTPVF90/3036	☐	☐ ☐ ☐ ☐	15.0#	N/A			
		42" 30" 12"	TTPVF90/3042	☐	☐ ☐ ☐ ☐	11.0#	N/A			
		54" 30" 24"	TTPVF90/3054	☐	☐ ☐ ☐ ☐	14.0#	N/A			
		66" 30" 36"	TTPVF90/3066	☐	☐ ☐ ☐ ☐	17.0#	N/A			
		84" 30" 54"	TTPVF90/3084	☐	☐ ☐ ☐ ☐	21.0#	N/A			
		66" 42" 24"	TTPVF90/4266	☐	☐ ☐ ☐ ☐	18.0#	N/A			
		84" 42" 43"	TTPVF90/4284	☐	☐ ☐ ☐ ☐	22.0#	N/A			
		66" 54" 12"	TTPVF90/5466	☐	☐ ☐ ☐ ☐	18.0#	N/A			
		84" 54" 30"	TTPVF90/5484	☐	☐ ☐ ☐ ☐	22.0#	N/A			
		84" 66" 18"	TTPVF90/6684	☐	☐ ☐ ☐ ☐	23.0#	N/A			
			A	B	C					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 46
					47
					60
					63
					66
					62
					66
					62
					65
					63
\$ 385	\$ 389	\$ 391	\$ 399	\$ 408	\$ 15
383	389	391	399	410	15
465	470	473	479	492	15
485	493	497	507	517	15
573	582	587	595	610	15
502	511	514	521	533	15
578	585	592	600	614	15
460	469	472	478	490	15
550	558	562	573	585	15
929	937	943	952	964	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

3-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing Unupholstered
					Basic Model	Trim Color	Fabric Color		
 TECN	3-Way "T" Intersection w/180° Top Cap, Two Different Heights • Unupholstered: trim colored • 180° top cap • One piece of universal trim (Tech) • One piece of universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TTPV180/3036	☐		10.0#	\$ 269
		42" 30" 12"			TTPV180/3042	☐		10.0#	282
		54" 30" 24"			TTPV180/3054	☐		12.0#	356
		66" 30" 36"			TTPV180/3066	☐		14.0#	377
		84" 30" 54"			TTPV180/3084	☐		16.0#	459
		66" 42" 24"			TTPV180/4266	☐		16.0#	396
		84" 42" 42"			TTPV180/4284	☐		18.0#	474
		66" 54" 12"			TTPV180/5466	☐		17.0#	355
		84" 54" 30"			TTPV180/5484	☐		19.0#	436
		84" 66" 18"			TTPV180/6684	☐		22.0#	433
 TEF2	3-Way "T" Intersection w/180° Top Cap, Two Different Heights • Upholstered • 180° top cap • One piece of fabric-wrapped universal trim (Tech) • One piece of fabric-wrapped universal height change trim • Light block • Two half-posts (height A) • One half-post (height B) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TTPVF180/3036	☐	☐ ☐ ☐ ☐	10.0#	N/A
		42" 30" 12"			TTPVF180/3042	☐	☐ ☐ ☐ ☐	10.0#	N/A
		54" 30" 24"			TTPVF180/3054	☐	☐ ☐ ☐ ☐	12.0#	N/A
		66" 30" 36"			TTPVF180/3066	☐	☐ ☐ ☐ ☐	14.0#	N/A
		84" 30" 54"			TTPVF180/3084	☐	☐ ☐ ☐ ☐	16.0#	N/A
		66" 42" 24"			TTPVF180/4266	☐	☐ ☐ ☐ ☐	16.0#	N/A
		84" 42" 42"			TTPVF180/4284	☐	☐ ☐ ☐ ☐	18.0#	N/A
		66" 54" 12"			TTPVF180/5466	☐	☐ ☐ ☐ ☐	17.0#	N/A
		84" 54" 30"			TTPVF180/5484	☐	☐ ☐ ☐ ☐	19.0#	N/A
		84" 66" 18"			TTPVF180/6684	☐	☐ ☐ ☐ ☐	22.0#	N/A

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C** Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

3-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 57
					72
					63
					76
					68
					66
					77
					76
					67
					77
\$ 387	\$ 396	\$ 398	\$ 408	\$ 418	\$ 15
385	391	397	405	417	15
468	475	479	490	504	15
488	497	506	514	527	15
576	587	593	605	621	15
506	515	520	530	548	15
588	599	607	618	637	15
466	472	477	485	501	15
553	561	569	579	595	15
932	951	960	980	1007	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER				Approx. Packaged Weight
					Basic Model	Assembly	Trim Color	Fabric Color	
 TECN	4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height	30"			TXP4W/30	☐	☐		10.0#
		36"			TXP4W/36	☐	☐		10.0#
		42"			TXP4W/42	☐	☐		14.0#
		48"			TXP4W/48	☐	☐		14.0#
		54"			TXP4W/54	☐	☐		19.0#
		60"			TXP4W/60	☐	☐		19.0#
		66"			TXP4W/66	☐	☐		23.0#
		72"			TXP4W/72	☐	☐		23.0#
		78"			TXP4W/78	☐	☐		23.0#
		84"			TXP4W/84	☐	☐		30.0#
 TECN	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights	36" 30" 6"			TXPV3W/3036		☐		18.0#
		42" 30" 12"			TXPV3W/3042		☐		14.0#
		54" 30" 24"			TXPV3W/3054		☐		17.0#
		66" 30" 36"			TXPV3W/3066		☐		20.0#
		84" 30" 54"			TXPV3W/3084		☐		26.0#
		66" 42" 36"			TXPV3W/4266		☐		21.0#
		84" 42" 42"			TXPV3W/4284		☐		27.0#
		66" 54" 12"			TXPV3W/5466		☐		22.0#
		84" 54" 30"			TXPV3W/5484		☐		28.0#
		84" 66" 18"			TXPV3W/6684		☐		29.0#
 TEF2	4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights	36" 30" 6"			TXPVF3W/3036		☐	☐	18.0#
		42" 30" 12"			TXPVF3W/3042		☐	☐	14.0#
		54" 30" 24"			TXPVF3W/3054		☐	☐	17.0#
		66" 30" 36"			TXPVF3W/3066		☐	☐	20.0#
		84" 30" 54"			TXPVF3W/3084		☐	☐	26.0#
		66" 42" 24"			TXPVF3W/4266		☐	☐	21.0#
		84" 42" 42"			TXPVF3W/4284		☐	☐	27.0#
		66" 54" 12"			TXPVF3W/5466		☐	☐	22.0#
		84" 54" 30"			TXPVF3W/5484		☐	☐	28.0#
		84" 66" 18"			TXPVF3W/6684		☐	☐	29.0#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly.

F - Fully Assembled; add \$88
 U - Unassembled

C Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Metallic paint requires upcharge.
 SX Starlight Silver finish is only offered on flat aluminum trim.

D Select fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
\$ 224						N/A
234						N/A
262						N/A
289						N/A
300						N/A
312						N/A
311						N/A
356						N/A
370						N/A
373						N/A
\$ 275						\$ 24
296						25
370						25
389						28
470						29
408						25
482						34
369						27
447						28
443						27
N/A	\$ 347	\$ 353	\$ 356	\$ 367	\$ 375	\$ 15
N/A	348	354	356	367	376	15
N/A	426	433	437	447	460	15
N/A	447	455	461	470	481	15
N/A	526	536	543	554	570	15
N/A	465	472	476	485	500	15
N/A	542	554	559	570	585	15
N/A	423	430	433	441	455	15
N/A	504	513	519	527	543	15
N/A	500	509	515	523	540	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing Unupholstered
					Basic Model	Trim Color	Fabric Color		
 TECN	4-Way "X" Intersection with 90° Top Cap, Two Different Heights • Unupholstered: trim colored • 90° top cap • Two pieces of universal height change trim • Light block • Two half-posts (height B) • Two half-posts (height A) • Three sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPV90/3036	☐		17.0#	\$ 275
		42" 30" 12"			TXPV90/3042	☐		13.0#	301
		54" 30" 24"			TXPV90/3054	☐		16.0#	374
		66" 30" 36"			TXPV90/3066	☐		19.0#	436
		84" 30" 54"			TXPV90/3084	☐		23.0#	476
		66" 42" 24"			TXPV90/4266	☐		20.0#	411
		84" 42" 42"			TXPV90/4284	☐		24.0#	485
		66" 54" 12"			TXPV90/5466	☐		21.0#	375
		84" 54" 30"			TXPV90/5484	☐		25.0#	454
		84" 66" 18"			TXPV90/6684	☐		27.0#	447
 TEF2	4-Way "X" Intersection with 90° Top Cap, Two Different Heights • Upholstered: trim colored • 90° top cap • Two pieces of universal height change trim • Light block • Two half-posts (height A) • Two half-posts (height B) • Four sets of half post base tile hooks • Connecting hardware • SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPVF90/3036	☐	☐ ☐ ☐ ☐	17.0#	N/A
		42" 30" 12"			TXPVF90/3042	☐	☐ ☐ ☐ ☐	13.0#	N/A
		54" 30" 24"			TXPVF90/3054	☐	☐ ☐ ☐ ☐	16.0#	N/A
		66" 30" 36"			TXPVF90/3066	☐	☐ ☐ ☐ ☐	19.0#	N/A
		84" 30" 54"			TXPVF90/3084	☐	☐ ☐ ☐ ☐	23.0#	N/A
		66" 42" 24"			TXPVF90/4266	☐	☐ ☐ ☐ ☐	20.0#	N/A
		84" 42" 42"			TXPVF90/4284	☐	☐ ☐ ☐ ☐	24.0#	N/A
		66" 54" 12"			TXPVF90/5466	☐	☐ ☐ ☐ ☐	21.0#	N/A
		84" 54" 30"			TXPVF90/5484	☐	☐ ☐ ☐ ☐	25.0#	N/A
		84" 66" 18"			TXPVF90/6684	☐	☐ ☐ ☐ ☐	27.0#	N/A

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 34
					37
					37
					41
					57
					38
					56
					37
					39
					37
\$ 408	\$ 416	\$ 418	\$ 427	\$ 438	\$ 15
408	416	418	427	438	15
484	493	501	511	523	15
553	561	569	579	595	15
594	607	613	623	643	15
522	533	540	550	564	15
603	613	620	632	649	15
479	490	495	506	520	15
567	578	584	594	613	15
558	569	576	585	603	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Tech Preconfigured Intersection Conditions

4-Way

	MODEL	A	B	A-B	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
					Basic Model	Trim Color	Fabric Color		
 TECN	4-Way "X" Intersection with 180° Top Cap, Two Different Heights - Unupholstered: trim colored 180° top cap - Two pieces of universal height change trim - Light block - Two half-posts (height A) - Two half-posts (height B) - Four sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPV180/3036	☐		17.0#	\$ 275
		42" 30" 12"			TXPV180/3042	☐		13.0#	304
		54" 30" 24"			TXPV180/3054	☐		16.0#	376
		66" 30" 36"			TXPV180/3066	☐		19.0#	400
		84" 30" 54"			TXPV180/3084	☐		23.0#	479
		66" 42" 24"			TXPV180/4266	☐		20.0#	416
		84" 42" 42"			TXPV180/4284	☐		25.0#	488
		66" 54" 12"			TXPV180/5466	☐		21.0#	377
		84" 54" 30"			TXPV180/5484	☐		26.0#	456
		84" 66" 18"			TXPV180/6684	☐		27.0#	450
 TEF2	4-Way "X" Intersection with 180° Top Cap, Two Different Heights - Upholstered 180° top cap - Two pieces of fabric wrapped universal height change trim - Light block - Two half-posts (height A) - Two half-posts (height B) - Four sets of half post base tile hooks - Connecting hardware - SX Starlight Silver finish is only offered on flat aluminum trim	36" 30" 6"			TXPVF180/3036	☐	☐ ☐ ☐ ☐	17.0#	N/A
		42" 30" 12"			TXPVF180/3042	☐	☐ ☐ ☐ ☐	13.0#	N/A
		54" 30" 24"			TXPVF180/3054	☐	☐ ☐ ☐ ☐	16.0#	N/A
		66" 30" 36"			TXPVF180/3066	☐	☐ ☐ ☐ ☐	19.0#	N/A
		84" 30" 54"			TXPVF180/3084	☐	☐ ☐ ☐ ☐	23.0#	N/A
		66" 42" 24"			TXPVF180/4266	☐	☐ ☐ ☐ ☐	20.0#	N/A
		84" 42" 42"			TXPVF180/4284	☐	☐ ☐ ☐ ☐	25.0#	N/A
		66" 54" 12"			TXPVF180/5466	☐	☐ ☐ ☐ ☐	21.0#	N/A
		84" 54" 30"			TXPVF180/5484	☐	☐ ☐ ☐ ☐	26.0#	N/A
		84" 66" 18"			TXPVF180/6684	☐	☐ ☐ ☐ ☐	27.0#	N/A

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.
- C

Select fabric color.
Refer to color addendum at [ki.com](#) or in KI Fabrics & Finishes binder.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tech Preconfigured Intersection Conditions

4-Way

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
					\$ 34
					37
					37
					39
					57
					37
					56
					37
					39
					37
\$ 331	\$ 337	\$ 342	\$ 347	\$ 356	\$ 15
411	418	423	431	441	15
486	496	504	513	526	15
514	523	528	540	556	15
597	610	616	627	645	15
526	535	542	554	569	15
606	617	622	637	652	15
482	492	500	509	522	15
570	580	587	598	616	15
560	571	578	588	607	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Manitowoc, Wisconsin 54220 factory.
 Freight class #70.

Specifications and prices are subject to
 change without prior notice.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Metallic paint requires upcharge.
SX Starlight Silver finish is only offered on flat aluminum trim.



Tech Preconfigured Intersection Conditions

Tech Panel Components

Delivered Pricing		Metallic Paint add to list price
\$	32	\$ 6
	35	7
	43	9
	49	11
	50	11
	66	15
	66	11
	66	18
	82	25
\$	43	\$ 11
	49	11
	50	11
	66	15
	66	18
	66	11
	82	25

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

Pedestals - Worksurface Supporting

700 Series® Pedestals with Filler Bracket

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Pull Option	Unit Color	Key Option	
MODEL	Features						
 S7PDU	Pedestal - FF	Supporting	SYS/1524WFF	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	59.0#
	Two 12" file drawers with hanging folder partitions	Supporting	SYS/1530WFF	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	95.0#
	Includes four leveling glides						
	Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels)						
	Includes filler bar painted to match pedestal						
 S7PDU	Pedestal - BBF	Supporting	SYS/1524WBBF	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	80.0#
	Two 6" box drawers	Supporting	SYS/1530WBBF	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	93.0#
	One 12" file drawer with hanging folder partition						
	Includes four leveling glides						
	Includes filler bar painted to match pedestal						
 S7PDU	Pedestals - BBBB	Supporting	SYS/1524WBBBB	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	70.0#
	Four 6" box drawers	Supporting	SYS/1530WBBBB	☐ ☐ ☐ ☐	☐	☐ ☐ ☐	81.0#
	Includes four leveling glides						
	Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels)						
	Includes filler bar painted to match pedestal						
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select pull option.
- ALBT** - Aluminum bow tie
 - ALMT** - Aluminum metric
 - ARCN** - Arc nickel
 - CLSC** - Classic (inset pull)
 - NKBT** - Nickel bow tie
 - NOPL** - No pull (pre-drilled for customer provided pull)
 - RETN** - Retro nickel
- C** Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select key option.
- KS** - Key standard
 - NLC** - No lock core
 - KA** - Key alike

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.



Pedestals - Worksurface Supporting

700 Series® Pedestals with Filler Bracket

Delivered Pricing	
\$	731
	762
\$	802
	845
\$	815
	888

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory.
Freight class #70.

Specifications and prices are subject to change without prior notice.

WireWorks® C.O.M. Yardage Requirements

Tile Size	Actual Cut-Size	54" Non-Directional	54" Directional	66" Non-Directional	66" Directional	Tile Size	Actual Cut-Size	54" Non-Directional	54" Directional	66" Non-Directional	66" Directional
12 x 12	16 x 16	0.148	0.148	0.111	0.111	42 x 12	46 x 16	0.444	0.444	0.444	0.444
12 x 18	16 x 22	0.204	0.204	0.153	0.153	42 x 18	46 x 22	0.611	0.611	0.611	0.611
12 x 24	16 x 28	0.259	0.259	0.194	0.194	42 x 24	46 x 28	0.778	0.778	0.778	0.778
12 x 30	16 x 34	0.315	0.315	0.236	0.326	42 x 30	46 x 34	0.944	0.944	0.944	0.944
12 x 36	16 x 40	0.370	0.370	0.278	0.278	42 x 36	46 x 40	1.111	1.111	1.111	1.111
12 x 42	16 x 46	0.426	0.426	0.319	0.319	42 x 42	46 x 46	1.278	1.278	1.278	1.278
12 x 48	16 x 52	0.481	0.481	0.361	0.361	42 x 48	46 x 52	1.444	1.444	1.444	1.444
12 x 54	16 x 58	0.537	0.537	0.403	0.403	42 x 54	46 x 58	1.611	1.611	1.611	1.611
12 x 60	16 x 64	0.593	0.593	0.444	0.444	42 x 60	46 x 64	1.778	1.778	1.778	1.778
12 x 66	16 x 70	0.648	0.648	0.486	0.486	42 x 66	46 x 70	1.944	1.944	1.944	1.944
12 x 72	16 x 76	0.704	0.704	0.528	0.528	42 x 72	46 x 76	2.111	2.111	2.111	2.111
12 x 78	16 x 82	0.759	0.759	0.569	0.569	42 x 78	46 x 82	2.278	2.278	2.278	2.278
18 x 12	22 x 16	0.222	0.222	0.148	0.148	48 x 12	52 x 16	0.444	0.444	0.444	0.444
18 x 18	22 x 22	0.306	0.306	0.204	0.204	48 x 18	52 x 22	0.611	0.611	0.611	0.611
18 x 24	22 x 28	0.389	0.389	0.259	0.259	48 x 24	52 x 28	0.778	0.778	0.778	0.778
18 x 30	22 x 34	0.472	0.472	0.315	0.315	48 x 30	52 x 34	0.944	0.944	0.944	0.944
18 x 36	22 x 40	0.556	0.556	0.370	0.370	48 x 36	52 x 40	1.111	1.111	1.111	1.111
18 x 42	22 x 46	0.639	0.639	0.426	0.426	48 x 42	52 x 46	1.278	1.278	1.278	1.278
18 x 48	22 x 52	0.722	0.722	0.481	0.481	48 x 48	52 x 52	1.444	1.444	1.444	1.444
18 x 54	22 x 58	0.806	0.806	0.537	0.537	48 x 54	52 x 58	1.611	1.611	1.611	1.611
18 x 60	22 x 64	0.889	0.889	0.593	0.593	48 x 60	52 x 64	1.778	1.778	1.778	1.778
18 x 66	22 x 70	0.972	0.972	0.648	0.648	48 x 66	52 x 70	1.944	1.944	1.944	1.944
18 x 72	22 x 76	1.056	1.056	0.704	0.704	48 x 72	52 x 76	2.111	2.111	2.111	2.111
18 x 78	22 x 82	1.139	1.139	0.759	0.759	48 x 78	52 x 82	2.278	2.278	2.278	2.278
24 x 12	28 x 16	0.444	0.444	0.222	0.222	54 x 12	58 x 16			0.444	0.444
24 x 18	28 x 22	0.611	0.611	0.306	0.306	54 x 18	58 x 22			0.611	0.611
24 x 24	28 x 28	0.778	0.778	0.389	0.389	54 x 24	58 x 28			0.778	0.778
24 x 30	28 x 34	0.944	0.944	0.472	0.472	54 x 30	58 x 34			0.944	0.944
24 x 36	28 x 40	1.111	1.111	0.556	0.556	54 x 36	58 x 40			1.111	1.111
24 x 42	28 x 46	1.278	1.278	0.639	0.639	54 x 42	58 x 46			1.278	1.278
24 x 48	28 x 52	1.444	1.444	0.722	0.722	54 x 48	58 x 52			1.444	1.444
24 x 54	28 x 58	1.611	1.611	0.806	0.806	54 x 54	58 x 58			1.611	1.611
24 x 60	28 x 64	1.778	1.778	0.889	0.889	54 x 60	58 x 64			1.778	1.778
24 x 66	28 x 70	1.944	1.944	0.972	0.972	54 x 66	58 x 70			1.944	1.944
24 x 72	28 x 76	2.111	2.111	1.056	1.056	54 x 72	58 x 76			2.111	2.111
24 x 78	28 x 82	2.278	2.278	1.139	1.139	54 x 78	58 x 82			2.278	2.278
30 x 12	34 x 16	0.444	0.444	0.444	0.444	60 x 12	64 x 16			0.444	0.444
30 x 18	34 x 22	0.611	0.611	0.611	0.611	60 x 18	64 x 22			0.611	0.611
30 x 24	34 x 28	0.778	0.778	0.778	0.778	60 x 24	64 x 28			0.778	0.778
30 x 30	34 x 34	0.944	0.944	0.944	0.944	60 x 30	64 x 34			0.944	0.944
30 x 36	34 x 40	1.111	1.111	1.111	1.111	60 x 36	64 x 40			1.111	1.111
30 x 42	34 x 46	1.278	1.278	1.278	1.278	60 x 42	64 x 46			1.278	1.278
30 x 48	34 x 52	1.444	1.444	1.444	1.444	60 x 48	64 x 52			1.444	1.444
30 x 54	34 x 58	1.611	1.611	1.611	1.611	60 x 54	64 x 58			1.611	1.611
30 x 60	34 x 64	1.778	1.778	1.778	1.778	60 x 60	64 x 64			1.778	1.778
30 x 66	34 x 70	1.944	1.944	1.944	1.944	60 x 66	64 x 70			1.944	1.944
30 x 72	34 x 76	2.111	2.111	2.111	2.111	60 x 72	64 x 76			2.111	2.111
30 x 78	34 x 82	2.278	2.278	2.278	2.278	60 x 78	64 x 82			2.278	2.278
36 x 12	40 x 16	0.444	0.444	0.444	0.444	PRTU (Raceway Tiles)					
36 x 18	40 x 22	0.611	0.611	0.611	0.611	12 x 12	18 x 18	0.167	0.167	0.167	0.167
36 x 24	40 x 28	0.778	0.778	0.778	0.778	18 x 12	24 x 18	0.250	0.250	0.250	0.250
36 x 30	40 x 34	0.944	0.944	0.944	0.944	24 x 12	30 x 18	0.500	0.500	0.250	0.250
36 x 36	40 x 40	1.111	1.111	1.111	1.111	30 x 12	36 x 18	0.500	0.500	0.500	0.500
36 x 42	40 x 46	1.278	1.278	1.278	1.278	36 x 12	42 x 18	0.500	0.500	0.500	0.500
36 x 48	40 x 52	1.444	1.444	1.444	1.444	42 x 12	48 x 18	0.500	0.500	0.500	0.500
36 x 54	40 x 58	1.611	1.611	1.611	1.611	48 x 12	54 x 18	0.500	0.500	0.500	0.500
36 x 60	40 x 64	1.778	1.778	1.778	1.778	54 x 12	60 x 18			0.500	0.500
36 x 66	40 x 70	1.944	1.944	1.944	1.944	60 x 12	66 x 18			0.500	0.500
36 x 72	40 x 76	2.111	2.111	2.111	2.111						
36 x 78	40 x 82	2.278	2.278	2.278	2.278						



WireWorks® C.O.M. Yardage Requirements

Tile Size	Actual Cut-Size	54" Non- Directional	54" Directional	66" Non- Directional	66" Directional
TB (Tackboards)					
24 x 12	30 x 18	0.500	0.500	0.250	0.250
30 x 12	36 x 18	0.500	0.500	0.500	0.500
36 x 12	42 x 18	0.500	0.500	0.500	0.500
42 x 12	48 x 18	0.500	0.500	0.500	0.500
48 x 12	54 x 18	0.500	0.500	0.500	0.500
54 x 12	60 x 18			0.500	0.500
60 x 12	66 x 18			0.500	0.500
24 x 16	30 x 22	0.611	0.611	0.306	0.306
30 x 16	36 x 22	0.611	0.611	0.611	0.611
36 x 16	42 x 22	0.611	0.611	0.611	0.611
42 x 16	48 x 22	0.611	0.611	0.611	0.611
48 x 16	54 x 22	0.611	0.611	0.611	0.611
54 x 16	60 x 22			0.611	0.611
60 x 16	66 x 22			0.611	0.611
24 x 30	30 x 36	1.000	1.000	0.500	0.500
30 x 30	36 x 36	1.000	1.000	1.000	1.000
36 x 30	42 x 36	1.000	1.000	1.000	1.000
42 x 30	48 x 36	1.000	1.000	1.000	1.000
48 x 30	54 x 36	1.000	1.000	1.000	1.000
54 x 30	60 x 36			1.000	1.000
60 x 30	66 x 36			1.000	1.000
24 x 48	30 x 54	1.500	1.500	0.750	0.750
30 x 48	36 x 54	1.500	1.500	1.500	1.500
36 x 48	42 x 54	1.500	1.500	1.500	1.500
42 x 48	48 x 54	1.500	1.500	1.500	1.500
48 x 48	54 x 54	1.500	1.500	1.500	1.500
54 x 48	60 x 54			1.500	1.500
60 x 48	66 x 54			1.500	1.500
PRDF (Overhead Cabinet)					
24	30 x 22	0.611	0.611	0.306	0.306
30	36 x 22	0.611	0.611	0.611	0.611
36	42 x 22	0.611	0.611	0.611	0.611
42	48 x 22	0.611	0.611	0.611	0.611
48	54 x 22	0.611	0.611	0.611	0.611
54	60 x 22			0.611	0.611
60	66 x 22			0.611	0.611
UTHF (Universal Trim Height Change)					
6	6 x 8	0.025	0.025	0.020	0.020
12	6 x 14	0.043	0.043	0.035	0.035
18	6 x 20	0.062	0.062	0.051	0.051
24	6 x 26	0.080	0.080	0.066	0.066
30	6 x 32	0.099	0.099	0.081	0.081
36	6 x 38	0.117	0.117	0.096	0.096
42	6 x 44	0.136	0.136	0.111	0.111
48	6 x 50	0.154	0.154	0.126	0.126
54	6 x 56	0.173	0.173	0.141	0.141
UTFF (Universal Trim Full Height)					
12	6 x 14	0.043	0.043	0.035	0.035
18	6 x 20	0.062	0.062	0.051	0.051
24	6 x 26	0.080	0.080	0.066	0.066
30	6 x 32	0.099	0.099	0.081	0.081
36	6 x 38	0.117	0.117	0.096	0.096
42	6 x 44	0.136	0.136	0.111	0.111
48	6 x 50	0.154	0.154	0.126	0.126
54	6 x 56	0.173	0.173	0.141	0.141
60	6 x 62	0.191	0.191	0.157	0.157
72	6 x 74	0.228	0.228	0.187	0.187

Index

Model No.	Description	Page	Model No.	Description	Page
46.0073	8-Wire System: Bezel	174		Color Upper Door-Off-Module (OM12)	228
46.0078.MB.KIT	Brackets: Markerboard On-Module Bracket	258	BLCS30/WW/OM18	Overhead Storage: Balance® Overhead Cabinet-Solid	
46.0078.TB.KIT	Brackets: Tackboard On-Module Bracket	258		Color Upper Door-Off-Module (OM18)	228
46.0082.1	8-Wire System: 15 Amp Receptacle	174	BLCS30/WW/PM	Overhead Storage: Balance® Overhead Cabinet-Solid	
46.0096.PCK	Tile 90 Cable Guard	180		Color Upper Door-On Module (PM)	228
46.0097.PCK	Acoustical Tile Vertical Cable Guide	180	BLCS30/WW/UM	Overhead Storage: Balance® Overhead Cabinet-Solid	
46.0098.PCK	Horizontal Rail Cable Guard	182		Color Upper Door-Load Bar-Upmount	230
46.0099.PCK	Acoustical Tile Horizontal Cable Support	180	BMB30	Overhead Accessories: Tackboard/Tool Rail Attachment Bar	244
46.0200.PCK	Top Cap 90° Cable Guard	182	BOA/WW/LB	Overhead Accessories: Load Bar Brackets	240
46.0205.1	8-Wire System: 20 Amp Receptacle	174	BOA/WW/OM12	Overhead Accessories: Balance® Overhead Off-Module	
46.0206.4	8-Wire System: 15 Amp Surge Suppression Module	174		Mounting Bracket-12" Tiles	240
46.0233.SET	Overhead Accessories: Universal Overhead On-Module	220	BOA/WW/OM18	Overhead Accessories: Balance® Overhead Off-Module	
	Mounting Bracket			Mounting Bracket-18" Tiles	240
46.0234.SET	Overhead Accessories: Universal Overhead Off-Module	220	BOA/WW/PM	Overhead Accessories: Balance® Overhead On-Module	
	Mounting Bracket-12" Tiles			Mounting Bracket	240
46.0371.MB.KIT	Brackets: Markerboard Off-Module Bracket	258	BOA/WW/UM	Overhead Accessories: Upmount Brackets	242
46.0371.TB.KIT	Brackets: Tackboard Off-Module Bracket	258	BTLT5.24	Overhead Task Lights: Overhead Task Lights	246
46.0753.PCK	Cable Tile Anchor Pad	182	MB.MARKERKIT	Markerboards: Tray/Eraser/4 Markers	250
46.0955	Components: 120° Connector Block	284	MB.TRAY	Markerboards: Magnetic Tray	250
46.1027	Components: 120° 1-Way Top Cap	286	NSD	Overhead Accessories: Universal Shelf Dividers	222
46.1028	Components: 120° 2-Way Top Cap	286	P1202W30	2-Way: 120° 2-Way, Both Panels Same Height	264
46.1029	Components: 120° 3-Way Top Cap	286	P1203W30	3-Way: 120° 3-Way, All Panels Same Height	270
46.1032.30	Components: 120° Vertical Trim	286	P120F2W30	2-Way: 120° 2-Way, Both Panels Same Height	264
46.1037.12	Components: 120° Light Block	284	P120V1203036	3-Way: 120° 3-Way, Two Different Heights	272
46.1215.24	Tech Panel Components: Single Side Raceway w/	316	P120V1W3036	3-Way: 120° 3-Way, Two Different Heights	276
	Grommet Holes		P120V2W3036	2-Way: 120° 2-Way, Two Different Heights	266
46.1220.12	Tech Panel Components: Single Side Base Raceway-	316	P120VF1203036	3-Way: 120° 3-Way, Two Different Heights	274
	No Grommet Holes		P120VF1W3036	3-Way: 120° 3-Way, Two Different Heights	278
46.1229.SET	Overhead Accessories: Universal Overhead Off-Module	220	P120VF2W3036	2-Way: 120° 2-Way, Two Different Heights	268
	Mounting Bracket-18" Tiles		PBF8	8-Wire System: Universal Base Infeed	178
46.1234	Overhead Accessories: Upmount Brackets	220	PCEM.24	8-Wire System: Chicago Electrical Mounting Bar	174
46.2103	Overhead Accessories: Load Bar Brackets	220	PCH.CL	Coat Hooks/Picture Hanger	88
BLCF30/WW/LB	Overhead Storage: Balance® Overhead Cabinet-Fabric	234	PCMDP	Cable Management Demo Pack	182
	Upper Door-Load Bar Mount		PCOT36	Door Pass-Through	88
BLCF30/WW/OM12	Overhead Storage: Balance® Overhead Cabinet-Fabric	232	PCP9030	90° 2-Way and End-of-Run: 90° 2-Way "L" Corner,	
	Upper Door-Off-Module			Both Panels Same Height	90
BLCF30/WW/OM18	Overhead Storage: Balance® Overhead Cabinet-Fabric	232	PCPF9030	90° 2-Way and End-of-Run: 90° 2-Way "L" Corner,	
	Upper Door-Off-Module			Both Panels Same Height	90
BLCF30/WW/PM	Overhead Storage: Balance® Overhead Cabinet-Fabric	232	PCPV903036	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	92
	Upper Door-On-Module		PCPV905460	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	94
BLCF30/WW/UM	Overhead Storage: Balance® Overhead Cabinet-Fabric	234	PCPVF903036	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	96
	Upper Door-Upmount		PCPVF905460	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	98
BLCL30/WW/LB	Overhead Storage: Balance® Overhead Cabinet-Lami-	238	PDEMB.OM.3030	Markerboards: Markerboards	250
	nate Upper Door-Load Bar Mount		PDF8.7	10-Wire System 6 Circuit "810": Data Feed	154
BLCL30/WW/OM12	Overhead Storage: Balance® Overhead Cabinet-Lami-	236	PDRR36/L	Door	88
	nate Upper Door-Off-Module		PDRTH36	Door Threshold	88
BLCL30/WW/OM18	Overhead Storage: Balance® Overhead Cabinet-Lami-	236	PDS8.12.BL	10-Wire System 6 Circuit "810": Power/Data Separation	
	nate Upper Door-Off-Module			Septum	148
BLCL30/WW/PM	Overhead Storage: Balance® Overhead Cabinet-Lami-	236	PEP30	90° 2-Way and End-of-Run: End-of-Run Condition	90
	nate Upper Door-On-Module		PFFA1230	Fully Segmented/Fully Segmented Panel: Fully Seg-	
BLCL30/WW/UM	Overhead Storage: Balance® Overhead Cabinet-Lami-	238		mented/Fully Segmented Panel - 30"H with 12"H tiles	50
	nate Upper Door-Upmount		PFFA1242	Fully Segmented/Fully Segmented Panel: Fully Seg-	
BLCS30/WW/LB	Overhead Storage: Balance® Overhead Cabinet-Solid	230		mented/Fully Segmented Panel - 42"H with 12"H tiles	50
	Color Upper Door-Load Bar Mount		PFFA1254	Fully Segmented/Fully Segmented Panel: Fully Seg-	
BLCS30/WW/OM12	Overhead Storage: Balance® Overhead Cabinet-Solid			mented/Fully Segmented Panel - 54"H with 12"H tiles	52
			PFFA1266	Fully Segmented/Fully Segmented Panel: Fully Seg-	
				mented/Fully Segmented Panel - 66"H with 12"H tiles	52
			PFFA1284	Fully Segmented/Fully Segmented Panel: Fully Seg-	



Model No.	Description	Page	Model No.	Description	Page
PFFGA1254	mented/Fully Segmented Panel - 84"H with 12"H tiles	52	PMFGA1266	Monolithic/Fully Segmented/Glass Panel: Monolithic/ Fully Segmented/Glass Panel - 66"H	60
PFFGA1266	Fully Segmented/Fully Segmented/Glass Panel: Fully Segmented/Fully Segmented/Glass Panel - 54"H	64	PMFGA1284	Monolithic/Fully Segmented/Glass Panel: Monolithic/ Fully Segmented/Glass Panel - 84"H	62
PFFGA1284	Fully Segmented/Fully Segmented/Glass Panel: Fully Segmented/Fully Segmented/Glass Panel - 66"H	64	PMH21242	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 42"H with 12"H Tiles	18
PFP30	Fully Segmented/Fully Segmented/Glass Panel: Fully Segmented/Fully Segmented/Glass Panel - 84"H	66	PMH21254	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 54"H with 12"H Tiles	20
PFPV3036	180° 2-Way: 180° 2-Way In-Line Connection, Both Panels Same Height	104	PMH21266	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 66"H with 12"H Tiles	20
PG1254	180° 2-Way: 180° 2-Way In-Line Connection, Two Different Heights	104	PMH81248	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 48"H with 18"H Tiles	14
PG1266	Full Glass Panel: Full Glass Panel - 54"H	56	PMH81266	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 66"H with 18"H Tiles	14
PG1284	Full Glass Panel: Full Glass Panel - 66"H	56	PMH81284	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 84"H with 18"H Tiles	16
PHFA1242	Full Glass Panel: Full Glass Panel - 84"H	56	PMHA1242	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 42"H with 12"H tiles	34
PHFA1254	Half Segmented/Fully Segmented Panel: Half Seg- mented/Fully Segmented Panel - 42"H with 12"H tiles	46	PMHA1254	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 54"H with 12"H tiles	34
PHFA1266	Half Segmented/Fully Segmented Panel: Half Seg- mented/Fully Segmented Panel - 54"H with 12"H tiles	46	PMHA1266	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 66"H with 12"H tiles	36
PHFA1284	Half Segmented/Fully Segmented Panel: Half Seg- mented/Fully Segmented Panel - 66"H with 12"H tiles	48	PMHA1284	Monolithic/Half Segmented Panel: Monolithic/Half Segmented Panel - 84"H with 12"H tiles	36
PHH21242	Half Segmented/Fully Segmented Panel: Half Seg- mented/Fully Segmented Panel - 84"H with 12"H tiles	48	PMMA1230	Monolithic Panel: Monolithic Panel - 30"H	30
PHH21254	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 42"H with 12"H Tiles	10	PMMA1242	Monolithic Panel: Monolithic Panel - 42"H	30
PHH21266	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 54"H with 12"H Tiles	10	PMMA1254	Monolithic Panel: Monolithic Panel - 54"H	30
PHH81230	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 66"H with 12"H Tiles	12	PMMA1266	Monolithic Panel: Monolithic Panel - 66"H	32
PHH81248	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 30"H with 18"H Tiles	6	PMMA1284	Monolithic Panel: Monolithic Panel - 84"H	32
PHH81266	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 48"H with 18"H Tiles	6	PMMGA1254	Monolithic/Monolithic/Glass Panel: Monolithic/Mono- lithic/Glass Panel - 54"H	58
PHH81284	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 66"H with 18"H Tiles	8	PMMGA1266	Monolithic/Monolithic/Glass Panel: Monolithic/Mono- lithic/Glass Panel - 66"H	58
PHHA1242	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 84"H with 18"H Tiles	8	PMMGA1284	Monolithic/Monolithic/Glass Panel: Monolithic/Mono- lithic/Glass Panel - 84"H	58
PHHA1254	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 42"H with 12"H tiles	42	PMMGB1242	Monolithic/Glass/Monolithic/Glass Panel: Monolithic/ Glass/Monolithic/Glass Panel - 42"H	22
PHHA1266	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 54"H with 12"H tiles	42	PMMGB1248	Monolithic/Glass/Monolithic/Glass Panel: Monolithic/ Glass/Monolithic/Glass Panel - 48"H	22
PHHA1284	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 66"H with 12"H tiles	44	PMMGB1254	Monolithic/Glass/Monolithic/Glass Panel: Monolithic/ Glass/Monolithic/Glass Panel - 54"H	22
PHJMP8.17	Half Segmented/Half Segmented Panel: Half Seg- mented/Half Segmented Panel - 84"H with 12"H tiles	44	PMMGB1266	Monolithic/Glass/Monolithic/Glass Panel: Monolithic/ Glass/Monolithic/Glass Panel - 66"H	24
PHJMP8.21	8-Wire System: 17" Panel to Panel Jumper	178	PMMGB1284	Monolithic/Glass/Monolithic/Glass Panel: Monolithic/ Glass/Monolithic/Glass Panel - 84"H	24
PIF.NY.24	8-Wire System: 21" Panel to Panel Jumper	178	PMMOA1242	Monolithic/Monolithic/Open Panel: Monolithic/Mono- lithic/Open Panel - 42"H	78
PMB.OM.3032	8-Wire System: New York Power Infeed Kit	176	PMMOA1254	Monolithic/Monolithic/Open Panel: Monolithic/Mono- lithic/Open Panel - 54"H	78
PMFA1230	Markerboards: Markerboards	250	PMMOA1266	Monolithic/Monolithic/Open Panel: Monolithic/Mono- lithic/Open Panel - 66"H	80
PMFA1242	Monolithic/Fully Segmented Panel: Monolithic/Fully Segmented Panel - 30"H with 12"H tiles	38	PMMOA1284	Monolithic/Monolithic/Open Panel: Monolithic/Mono- lithic/Open Panel - 84"H	80
PMFA1254	Monolithic/Fully Segmented Panel: Monolithic/Fully Segmented Panel - 42"H with 12"H tiles	38	PO1230	Full Open Panel: Full Open Panel - 30"H	70
PMFA1266	Monolithic/Fully Segmented Panel: Monolithic/Fully Segmented Panel - 54"H with 12"H tiles	40	PO1242	Full Open Panel: Full Open Panel - 42"H	70
PMFA1284	Monolithic/Fully Segmented Panel: Monolithic/Fully Segmented Panel - 66"H with 12"H tiles	40	PO1254	Full Open Panel: Full Open Panel - 54"H	70
PMFGA1254	Monolithic/Fully Segmented Panel: Monolithic/Fully Segmented Panel - 84"H with 12"H tiles	40	PO1266	Full Open Panel: Full Open Panel - 66"H	72
	Monolithic/Fully Segmented/Glass Panel: Monolithic/ Fully Segmented/Glass Panel - 54"H	60	PO1284	Full Open Panel: Full Open Panel - 84"H	72
			POMMA1242	Open/Monolithic/Monolithic Panel: Open/Monolithic/ Monolithic Panel - 42"H	74

Index

Model No.	Description	Page	Model No.	Description	Page
POMMA1254	Open/Monolithic/Monolithic Panel: Open/Monolithic/Monolithic Panel - 54"H	74	PRDV24/WW/PM	Overhead Storage: Veneer Door Overhead Cabinet-On-Module (PM)	212
POMMA1266	Open/Monolithic/Monolithic Panel: Open/Monolithic/Monolithic Panel - 66"H	76	PRDV24/WW/UM	Overhead Storage: Veneer Door Overhead Cabinet-Upmount	214
POMMA1284	Open/Monolithic/Monolithic Panel: Open/Monolithic/Monolithic Panel - 84"H	76	PRK.HW	8-Wire System: Chicago Code Receptacle Kit	174
POMP30	Off-Module Post: Off-Module Post	100	PRW8.24	8-Wire System: Rigid Wireway Add-On Kit	170
POMPS.30	Off-Module Post: Off-Module Post	100	PS1202W12	2-Way and 3-Way Stackable: 2-Way Stackable	280
PPAT	Desktop Accessories: Accessory Tray	262	PS1203W12	2-Way and 3-Way Stackable: 3-Way Stackable	280
PPDS	Paper Management: Plastic Diagonal Storage Unit	260	PS120F2W12	2-Way and 3-Way Stackable: 2-Way Stackable	280
PPLL	Paper Management: Plastic Paper Tray Unit	260	PSA1212	Stackable Fabric Section - 12"H	82
PPMTR18	Paper Management: On-Module Tool Rail	260	PSA1218	Stackable Fabric Section - 18"H	82
PPPC	Desktop Accessories: Pencil Cup	262	PSA1224	Stackable Fabric Section - 24"H	82
PPT8.12	8-Wire System: Power Pass Through	170	PSCP9012	2-Way and 3-Way: Stackable Panel-90° 2-Way "L" Corner, Both Panels Same Height	142
PPTC	Desktop Accessories: Telephone Caddy	262	PSCPF9012	2-Way, 3-Way and 4-Way: Stackable Panel-90° 2-way "L" Corner, Both Panels Same Height	144
PPVS	Paper Management: Plastic Vertical Storage Unit	260	PSEP12	180° 2-Way and End-of-Run: Stackable Panel - End-Of-Run Condition	140
PRCP815.1	8-Wire System: 15 Amp Duplex Receptacle w/Bezel	172	PSFP12	180° 2-Way and End-of-Run: Stackable Panel-180° 2-Way In-Line Connection, Both Same Height	140
PRCP820.1	8-Wire System: 20 Amp Simplex Receptacle and Bezel	172	PSG1212	Stackable Glass Section - 12"H	84
PRCPS815.4	8-Wire System: 15 Amp Surge Suppression Module	172	PSG1218	Stackable Glass Section - 18"H	84
PRDF24/WW/LB	Overhead Storage: Fabric Door Overhead Cabinet-Load Bar Mount	208	PSG1224	Stackable Glass Section - 24"H	84
PRDF24/WW/OM12	Overhead Storage: Fabric Door Overhead Cabinet-Off-Module	208	PSO1212	Stackable Open Section - 12"H	86
PRDF24/WW/OM18	Overhead Storage: Fabric Door Overhead Cabinet-Off-Module	208	PSO1218	Stackable Open Section - 18"H	86
PRDF24/WW/PM	Overhead Storage: Fabric Door Overhead Cabinet-On-Module	208	PSO1224	Stackable Open Section - 24"H	86
PRDF24/WW/UM	Overhead Storage: Fabric Door Overhead Cabinet-Upmount	208	PSP18030	180° 2-Way: 180° 2-Way In-Line Spacer, Both Panels Same Height	106
PRDL24/WW/LB	Overhead Storage: Laminate Door Overhead Cabinet-Load Bar Mount (LB)	210	PSPF18030	180° 2-Way: 180° 2-Way In-Line Spacer, Both Panels Same Height	106
PRDL24/WW/OM12	Overhead Storage: Laminate Door Overhead Cabinet-Off-Module (OM12)	210	PSPV1803036	180° 2-Way: 180° 2-Way In-Line Spacer, Two Different Heights	108
PRDL24/WW/OM18	Overhead Storage: Laminate Door Overhead Cabinet-Off-Module (OM18)	210	PSPVF1803036	180° 2-Way: 180° 2-Way In-Line Spacer, Two Different Heights	110
PRDL24/WW/PM	Overhead Storage: Laminate Door Overhead Cabinet-On-Module (PM)	210	PSSP18012	180° 2-Way and End-of-Run: Stackable Panel-180° 2-Way In-Line Spacer, Both Same Height	140
PRDL24/WW/UM	Overhead Storage: Laminate Door Overhead Cabinet-Upmount	210	PSSPF18012	180° 2-Way and End-of-Run: Stackable Panel-180° 2-Way In-Line Spacer, Both Panels Same Height	140
PRDS24/WW/LB	Overhead Storage: Steel Door Overhead Cabinet-Load Bar Mount	206	PSTP3W12	2-Way and 3-Way: Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height	142
PRDS24/WW/OM12	Overhead Storage: Steel Door Overhead Cabinet-Off-Module	206	PSTPF3W12	2-Way, 3-Way and 4-Way: Stackable Panel - 3-Way "T" Intersection/3-Way, All Panels Same Height	144
PRDS24/WW/OM18	Overhead Storage: Steel Door Cabinet-Off-Module	206	PSWM12	2-Way and 3-Way: Stackable/Adjustable Wall Mount	142
PRDS24/WW/PM	Overhead Storage: Steel Door Overhead Cabinet-On-Module	206	PSXP4W12	2-Way, 3-Way and 4-Way: Stackable Panel-4Way "X" Intersection/4-Way Top Cap, All Same Height	144
PRDS24/WW/UM	Overhead Storage: Steel Door Overhead Cabinet-Upmount	206	PTB2412/OM	Tackboard: Tackboard	252
PRDV24/WW/LB	Overhead Storage: Veneer Door Overhead Cabinet-Load Bar Mount (LB)	214	PTB2420/OM	Tackboard: Tackboard	254
PRDV24/WW/OM12	Overhead Storage: Veneer Door Overhead Cabinet-Off-Module (OM12)	212	PTB2448/OM	Tackboard: Tackboard	256
PRDV24/WW/OM18	Overhead Storage: Veneer Door Overhead Cabinet-Off-Module (OM18)	212	PTB02412	Overhead Accessories: Overhead Tackboard	222
			PTF8.7	8-Wire System: Top Feed	176
			PTP3W30	3-Way: 3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA	112
			PTPF3W30	3-Way: 3-Way "T" Intersection w/3-Way Cap, All Panels Same Height - AAA	112
			PTPV1803036	3-Way: 3-Way "T" Intersection w/180° Top Cap, Two Different Heights - ABA	122
			PTPV1W3036	3-Way: 3-Way "T" Intersection w/1-Way Cap, Two Different Heights - BBA or BAB	118
			PTPV903036	3-Way: 3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA	114



Model No.	Description	Page	Model No.	Description	Page
PTPVF1803036	3-Way: 3-Way "T" Intersection w/180° Top Cap, Two Different Heights - ABA	124	PWET6PP.12	Jumper - 6 Circuit	152
PTPVF1W3036	3-Way: 3-Way "T" Intersection w/1-Way Cap, Two Different Heights - BBA or BAB	120	PWET6RC.1	10-Wire System 6 Circuit "810": Power Pass Through - 6 Circuit	148
PTPVF903036	3-Way: 3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA	116	PWET6TBF	10-Wire System 6 Circuit "810": 15 Amp Duplex Receptacle with Bezel - 6 Circuit	150
PVJMP8.23	8-Wire System: 23" Vertical Jumper	178	PWET6TBF	10-Wire System 6 Circuit "810": Tech Panel Base Infeed - 6 Circuit	154
PVJMP8.53	8-Wire System: 53" Vertical Jumper	178	PWET6TF7	10-Wire System 6 Circuit "810": Top Feed with 7' or 10' Pole - 6 Circuit	154
PW120243624	Corner Worksurfaces: Inside Corner Worksurface with 120° Ends	282	PWET6VJ.20	10-Wire System 6 Circuit "810": 20" Vertical Jumper - 6 Circuit	152
PW9024	Countertops: 90° Corner Countertops	194	PWET6VJ.56	10-Wire System 6 Circuit "810": 56" Vertical Jumper - 6 Circuit	152
PWC243624	Dual Curvilinear/Diag/Curvilinear 90° Corner: Curvilinear 90° Corner Worksurfaces	192	PWET6WW.24	10-Wire System 6 Circuit "810": Rigid Wireway - 6 Circuit	146
PWCE2652	Square Shoe/Conference End: Conference End Worksurface	188	PWIC120243624	Corner Worksurfaces: Inside Corner Worksurface with 90° Ends	282
PWCT24	Countertops: Straight Countertops	194	PWM30	Adjustable Wall Mount: Adjustable Wall Mount	102
PWCTWC24	Countertops: Straight Countertops - Wheelchair Height	194	PWOC120243624	Corner Worksurfaces: Outside Corner Worksurface with 90° Ends	282
PWCTWC9024	Countertops: 90° Countertops - Wheelchair Height	194	PWP3048	"D" Shaped Peninsula: "D" Shaped Peninsula Worksurfaces	190
PWD243624	Dual Curvilinear/Diag/Curvilinear 90° Corner: Diagonal 90° Corner Worksurface	192	PWPP244860	"P" Shaped Peninsula/Piano Peninsula: Piano Peninsula Worksurfaces	186
PWDCE244224	Dual Curvilinear/Diag/Curvilinear 90° Corner: Dual Curvilinear/Diag/Curvilinear 90° Corner	192	PWPT244860	"P" Shaped Peninsula/Piano Peninsula: "P" Shaped Peninsula Worksurfaces	186
PWET420R.1	10-Wire System 4 Circuit "810": 20 Amp Simplex Receptacle with Bezel - 4 Circuit	162	PWR2424	Rectangular: Rectangular Worksurfaces - 24" D	184
PWET4BFU	10-Wire System 4 Circuit "810": Universal Base Infeed with Bezel - 4 Circuit	166	PWR3024	Rectangular: Rectangular Worksurfaces - 30" D	184
PWET4ID	10-Wire System 4 Circuit "810": Internal Duplex Assembly - 4 Circuit	164	PWSB.L	Worksurface Accessories: Worksurface Support Bracket	204
PWET4NYBF.72	10-Wire System 4 Circuit "810": New York Power Infeed with Bezel - 4 Circuit	168	PWSMP3048	"D" Shaped Peninsula: "D" Shaped Peninsula Worksurface Mounts to Another Worksurface	190
PWET4NYTF.216	10-Wire System 4 Circuit "810": New York Power Infeed Kit/Ceiling - 4 Circuit	168	PWSS244860	Square Shoe/Conference End: Square Shoe Worksurfaces	188
PWET4PJ.17	10-Wire System 4 Circuit "810": 17" Panel to Panel Jumper - 4 Circuit	164	PWSSL2426	Worksurface Support Panel: Worksurface Support Panel (Laminate Both Sides)	202
PWET4PJ.20	10-Wire System 4 Circuit "810": 20" Panel to Panel Jumper - 4 Circuit	164	PWSSP2426/BN	Worksurface Support Panel: Worksurface Support Panel (Fabric/Laminate)	200
PWET4PP.12	10-Wire System 4 Circuit "810": Power Pass Through - 4 Circuit	160	PWT30	Adjustable Wall Mount: Wall Track	102
PWET4RC.1	10-Wire System 4 Circuit "810": 15 Amp Duplex Receptacle with Bezel - 4 Circuit	162	PXP4W30	4-Way: 4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height	126
PWET4TBF	10-Wire System 4 Circuit "810": Tech Panel Base Infeed - 4 Circuit	166	PXPV1803036	4-Way: 4-Way "X" Intersection w/180° Top Cap, Two Different Heights - ABAB	136
PWET4TF7	10-Wire System 4 Circuit "810": Top Infeed with 7' or 10' Pole - 4 Circuit	166	PXPV3W3036	4-Way: 4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB	128
PWET4VJ.20	10-Wire System 4 Circuit "810": 20" Vertical Jumper - 4 Circuit	164	PXPV903036	4-Way: 4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB	132
PWET4VJ.56	10-Wire System 4 Circuit "810": 56" Vertical Jumper - 4 Circuit	164	PXPVF1803036	4-Way: 4-Way "X" Intersection w/180° Top Cap, Two Different Heights - AABB	138
PWET4WW.24	10-Wire System 4 Circuit "810": Rigid Wireway - 4 Circuit	158	PXPVF3W3036	4-Way: 4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights - AAAB	130
PWET620R.1	10-Wire System 6 Circuit "810": 20 Amp Simplex Receptacle with Bezel - 6 Circuit	150	PXPVF903036	4-Way: 4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB	134
PWET6BFU	10-Wire System 6 Circuit "810": Universal Base Infeed with Bezel - 6 Circuit	154	RSD4266FHC/CP/WW	Door Sliding	88
PWET6ID	10-Wire System 6 Circuit "810": Internal Duplex Assembly - 6 Circuit	152	SAIL.48.SX	Panel Mount Task Light: Sail	248
PWET6NYBF.72	10-Wire System 6 Circuit "810": New York Power Infeed with Bezel - 6 Circuit	156	SWLB.24	Overhead Accessories: Wall Mounted Load Bar	222
PWET6NYTF.216	10-Wire System 6 Circuit "810": New York Power Infeed Kit/Ceiling - 6 Circuit	156	SYS/1524WBBBB	700 Series® Pedestals with Filler Bracket: Pedestals - BBBB	318
PWET6PJ.17	10-Wire System 6 Circuit "810": 17" Panel to Panel Jumper - 6 Circuit	152	SYS/1524WBBF	700 Series® Pedestals with Filler Bracket: Pedestal - BBF	318
PWET6PJ.20	10-Wire System 6 Circuit "810": 20" Panel to Panel Jumper - 6 Circuit	152	SYS/1524WFF	700 Series® Pedestals with Filler Bracket: Pedestal - FF	318
			TCP90/30	90° 2-Way and End-of-Run: 90° 2-Way "L" Corner, Both Panels Same Height	288
			TCPF90/30	90° 2-Way and End-of-Run: 90° 2-Way "L" Corner,	

Index

Model No.	Description	Page	Model No.	Description	Page
	Both Panels Same Height	288		Overhead Storage: Regular Shelf-On-Module	218
TCPV90/3036	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	290	URSR24/WW/UM		
TCPV90/4854	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	292		Overhead Storage: Regular Shelf-Upmount	218
TCPVF90/3036	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	294	WMSCPW52	Mobile Teardrop/Mobile Semi-Circle: Mobile Semi-Circle Worksurface	196
TCPVF90/4854	90° 2-Way: 90° 2-Way "L" Corner, Two Different Heights	296			
TEP/30	90° 2-Way and End-of-Run: End-of-Run Condition	288	WMTPW2446	Mobile Teardrop/Mobile Semi-Circle: Mobile Teardrop Worksurface	196
TFP/30	180° 2-Way: 180° 2-Way In-Line Connection, Both Panels Same Height	298	WQRPW24	Mobile Teardrop/Mobile Semi-Circle: Quarter Round Transitional Worksurface	198
TFPV/3036	180° 2-Way: 180° 2-Way In-Line Connection, Two Different Heights	298	WSG	Worksurface Accessories: Grommets - Field-Installed	204
TLPM24	Panel Mount Task Light: Panel Mount Task Light	248	WSVF.24	Worksurface Accessories: Worksurface Vertical Filler	204
TLT5.18	Shelf/Cabinet Task Light: Shelf/Cabinet Task Light	224	WWM	Worksurface Accessories: Worksurface Wire Manager	204
TPV180/3036	180° 2-Way: 180° 2-Way In-Line Spacer, Two Different Heights	302			
TSP180/30	180° 2-Way: 180° 2-Way In-Line Spacer, Both Panels Same Height	300			
TSPF180/30	180° 2-Way: 180° 2-Way In-Line Spacer, Both Panels Same Height	300			
TSPVF180/3036	180° 2-Way: 180° 2-Way In-Line Spacer, Two Different Heights	302			
TTP3W/30	3-Way: 3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	304			
TTPF3W/30	3-Way: 3-Way "T" Intersection w/3-Way Cap, All Panels Same Height	304			
TTPV180/3036	3-Way: 3-Way "T" Intersection w/180° Top Cap, Two Different Heights	308			
TTPV90/3036	3-Way: 3-Way "T" Intersection w/90° Top Cap, Two Different Heights	306			
TTPVF180/3036	3-Way: 3-Way "T" Intersection w/180° Top Cap, Two Different Heights	308			
TTPVF90/3036	3-Way: 3-Way "T" Intersection w/90° Top Cap, Two Different Heights	306			
TXP4W/30	4-Way: 4-Way "X" Intersection with 4-Way Top Cap, All Panels Same Height	310			
TXPV180/3036	4-Way: 4-Way "X" Intersection with 180° Top Cap, Two Different Heights	314			
TXPV3W/3036	4-Way: 4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights	310			
TXPV90/3036	4-Way: 4-Way "X" Intersection with 90° Top Cap, Two Different Heights	312			
TXPVF180/3036	4-Way: 4-Way "X" Intersection with 180° Top Cap, Two Different Heights	314			
TXPVF3W/3036	4-Way: 4-Way "X" Intersection with 3-Way Top Cap, Two Different Heights	310			
TXPVF90/3036	4-Way: 4-Way "X" Intersection with 90° Top Cap, Two Different Heights	312			
ULSR24/WW/LB	Overhead Storage: Low Shelf-Load Bar Mount	216			
ULSR24/WW/OM12	Overhead Storage: Low Shelf-Off-Module	216			
ULSR24/WW/OM18	Overhead Storage: Low Shelf-Off-Module	216			
ULSR24/WW/PM	Overhead Storage: Low Shelf-On-Module	216			
ULSR24/WW/UM	Overhead Storage: Low Shelf-Upmount	216			
URSR24/WW/LB	Overhead Storage: Regular Shelf-Load Bar Mount	218			
URSR24/WW/OM12	Overhead Storage: Regular Shelf-Off-Module	218			
URSR24/WW/OM18	Overhead Storage: Regular Shelf-Off-Module	218			
URSR24/WW/PM					





KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2011 KI
All Rights Reserved.
Litho in USA.
Code KI-11392RI/KI/PDF/211

Printed using only water-based inks,
including metallics. Please recycle.