Use this product in: Health Care Facilities, Nursing Homes, Day Care Centers, Exercise Facilities, Schools, Public Rest Rooms.
Use this product on washable hard, nonporous surfaces of: Bathroom Basins, Bathroom Fixtures, Bathtubs, Countertops, Floors, Showers, Sinks, Toilets, Glazed Tiles, Urinals, Walls.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION/*VIRUCIDAL/FUNGICIDAL DIRECTIONS/MOLD AND MILDEW DIRECTIONS: If surfaces are visibly dirty preclean first. Apply this product with a mop, sponge, cloth, or sprayer on hard, nonporous surfaces to thoroughly wet surfaces. For sprayer applications use a coarse spray device. Spray 6 - 8 inches from surface. Avoid breathing spray. Rub with a brush, sponge, or cloth. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, or sponge or allow to air dry. Rinsing is not necessary on floor surfaces that are to be waxed or polished.
For mold and mildew control, repeat application weekly or when growth reappears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables, and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware, and dishes. This product is not for use on medical device surfaces.

TO CLEAN AND/OR DEODORIZE: Apply by mop, sponge, cloth, or spray on hard, nonporous surfaces. Wipe dry with a clean cloth, or sponge, or allow to air dry. **TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS:** Remove gross filth from bowl. Remove or expel over the inner trap residual bowl water. Use four (4) ounces of product in toilet bowl or urinal. Apply (squeeze) directly around bowl and under rim; then brush or swab thoroughly. Allow product to remain on surface for a contact time of 10 minutes; then flush toilet. This product when used as directed will not harm white or colored bowls or inanimate, hard surfaces. Close cap on container after use. **FOR USE ON FINISHED FLOORS:** Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry.

KILLS HIV-1 (AIDS Virus) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surface/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

7 00427 07012 8

MSDS No. 070
MSDS Information: 1-800-891-4965
Questions / Comments: 1-800-777-9343

©2011 Betco Corporation
1001 Brown Avenue • Toledo, Ohio 43607-0127
Made in U.S.A. All Rights Reserved. www.betco.com 0107011

RESTROOM CLEANER

07012-00

BETCO®

REST STOP™

Virucidal • Ready-To-Use Germicide • Cleaner Disinfectant • Deodorant

Kills Pseudomonas aeruginosa, Staphylococcus aureus, Streptococcus pyogenes, *Influenza Type A/Brazil Virus, and Trichophyton mentagrophytes (Athlete's Foot Fungus)

ACTIVE INGREDIENTS:
n-alkyl (C_{14} 60%, C_{16} 30%, C_{12} 5%, C_{18} 5%) dimethyl benzyl ammonium chloride..... 0.09%
n-alkyl (C_{12} 50%, C_{14} 30%, C_{16} 17%, C_{18} 3%) dimethyl ethylbenzyl ammonium chloride 0.09%
OTHER INGREDIENTS 99.82%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

NET CONTENTS: 1 quart (946 mL)

EPA EST. NO. 4170-OH-1
EPA REG. NO. 47371-97-4170

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures. **CLEANING PROCEDURES:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **CONTACT TIME:** Effective against HIV-1 (AIDS Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of five minutes at room temperature (20 - 25° C). Use a ten minute contact time for disinfection against all other bacteria, fungi, and viruses claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to Federal, State, and Local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION
Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container with you when calling a poison control center of doctor or going for treatment.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state of and local authorities, by burning. If burned, stay out of smoke.

Master Label 01/2011