DISINFECTANT

BETCO®

pH7Q ULTRA

One-Step Disinfectant • Germicidal Detergent • Deodorant

ACTIVE INGREDIENTS:
Didecyl dimethyl ammonium chloride 10.14%
n-Alkyl (C_{14} 50%, C_{12} 40%, C_{16} 10%) dimethyl benzyl ammonium chloride 6.76%
INERT INGREDIENTS: 83.10%
TOTAL 100.00%

NET CONTENTS: 1 gallon (3.78 L)

KEEP OUT OF REACH OF CHILDREN
DANGER
SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS AND FIRST AID.

EPA EST. NO. 4170-OH-1
EPA REG. NO. 47371-129-4170

32504-00

7 00427 32504 4

A multi-purpose, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as $CaCO_3$) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC use dilution test. Disinfects, cleans and deodorizes in one labor-saving step.
For use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings. Disinfects, cleans and deodorizes the following hard nonporous inanimate surfaces: floors, walls, metal surfaces (non-medical), stainless steel surfaces (non-medical), glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.)

Kills Germs Bacteria Viruses* on pre-cleaned environmental surfaces. Bacteria: Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS384) (USA300), Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS123) (USA400) Pseudomonas aeruginosa[1], Staphylococcus aureus[1], Salmonella enterica, Enterococcus faecalis-Vancomycin Resistant (VRE), Escherichia coli[1], Staphylococcus aureus - Methicillin resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA).
[1]ATCC & antibiotic-resistant strain

Viruses: *Adenovirus Type 4, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 (AIDS virus), *Influenza A Virus/Hong Kong, *Vaccinia. Fungi: Aspergillus niger, Candida albicans, Trichophyton mentagrophytes. Kills 99.9% of Influenza A that causes the flu.
Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

PELIGRO: SI NO PUEDE LEER EN INGLES PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DIRECTIONS FOR USE: ***It is a violation of Federal law to use this product in a manner inconsistent with its labeling.***
DILUTION: 1:256 1/2 ounce per gallon of water
(660 ppm quat)

This product is not for use on medical device surfaces.
DISINFECTION/CLEANING/DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 1/2 ounce of concentrate per gallon of water or equivalent. The use-solution can be applied with a cloth, mop, sponge, coarse spray or soaking. For sprayer applications use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware, and dishes. **For Influenza Virus Type A,** treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted. **TOILET BOWLS:** Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil then remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush. **FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions. **MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 1/2 oz. per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. ***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) and HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection:** Disposable protective gloves, gowns, face masks, and eye coverings must be worn during all cleaning of blood/body fluids and during decontamination procedures. **Cleaning Procedure:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **Contact Time:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10 minute contact time for other viruses, fungi, and bacteria listed. **Disposal of Infectious Materials:** Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER
Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective eyewear, protective clothing and protective gloves. Harmful if inhaled. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

©2012 Betco Corporation
1001 Brown Avenue • Toledo, Ohio 43607-0127
Made in U.S.A. All Rights Reserved. www.betco.com

MSDS No. 325 **0532512**
MSDS Information: 1-800-891-4965
Questions / Comments: 1-800-777-9343

Betco Master -07/2012