

June 01, 2016
800-424-2432





Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.	BONDUEL, GREEN BAY, ONTARIO, and TUPELO	2
Custom Color Matching Requirements		4
Doni™	Guest Chair General Information	6
	Guest Chairs	8
	Stack Chair General Information	16
	Stack Chairs	20
	Task Chair General Information	42
	Task Chairs	44

Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, ONTARIO, and TUPELO


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials
If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders
If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material
KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization) _____

Attention _____

Address _____

City _____ State _____ Zip _____

Project Name _____

Type of seating and number of units of each type _____

Please see information below and check the appropriate box.

☐ Submitted for testing. ☐ Test approved. Submitted for production.

Purchase Order Number _____ KI Acknowledgement Number _____

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom

☐ B Selvage Side and Side



Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, ONTARIO, and TUPELO

Custom Color Matching Requirements

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

Custom Color Matching Requirements

- **Pantone Number or Color Samples.** To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- **Extended Lead Time.** Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
 - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. *Starting this during the quoting process is encouraged to reduce overall lead time.*
 - Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- **Minimum Quantity.** No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

Custom Color Matching Process

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

Note: *If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.*

Step 1. Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at SalesOps@ki.com. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known)
 Attn: **Custom Color Match Required (Please reference the PO# or Project Name)**
 1330 Bellevue Street
 Green Bay, WI 54302

**In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.*

Step 2. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.

Step 3. We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

Step 4. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.



Doni™

Guest Chair General Information



Armless Fourstar Swivel Base Chair



Armless Tapered Steel Leg Chair



Armless Tapered Wood Leg Chair



Armless Wire Tower Base Chair

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	27-1/2"	19-3/8"	19-3/8"	19-3/8"
Depth	27-1/2"	21"	21-1/8"	21"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"

SPECIFICATIONS

Fourstar, Swivel Base

The under-seat support structure is a die-drawn 12-gauge steel plate. A 3/4" diameter steel pin is welded to the seat plate allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder coating. The fixed height base constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Tapered Steel Legs

Frames are finished in either baked-on, electrostatically-applied 30 degree gloss epoxy powder coating or bright nickel-chrome plating.

Tapered Wood Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires made of 1/2" diameter steel wire complete the subframe.

Legs are turned from Beech, stained, and clear-coat finished. X-brace is made of 1/8" wire rope fastened to the wood legs with stainless steel fasteners.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 7/16" diameter steel wire, fully gusseted with 5/16" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Seat Shell and Backrest Articulation Mechanism

Backrest, seat, and shroud are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to move through 17 degrees of movement, about an axis through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Glides

The tapered steel legs are equipped with swivel glides in a bright steel finish. The wire tower base and fourstar swivel base are equipped with black nylon glides.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction

must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

DNX1
 DNX2
 DNX3
 DNXA
 DNXB

Fourstar Swivel Base Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Task and stack chair models available
- 300 pound approved

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select fire code.

FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

C Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

D Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

E Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

F Select glide option.
GPL - Plastic glides

G Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 523										
N/A	639	647	664	639	664	673	712	727	747	775
N/A	666	675	691	666	691	700	739	754	774	802
578										
N/A	693	702	718	693	718	727	766	782	801	829

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

DNY1
DNY2
DNY3
DNYA
DNYB

Tapered Steel Leg Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Task and stack chair models available
- 300 pound approved

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- C** Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- D** Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- E** Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- F** Select frame color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

- G** Select glide option.
GSL - Steel glides
-
- H** Select upholstery grade/color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 392										
N/A	508	517	533	508	533	542	581	596	616	644
N/A	535	544	560	535	560	569	608	623	643	671
447										
N/A	562	571	588	562	588	596	635	651	670	699

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory.
 Freight class #125.

Specifications and prices are subject to change without prior notice.

DNW1
DNW2
DNW3
DNWA
DNWB

Tapered Wood Leg Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Task and stack chair models available
- 300 pound approved

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 638										
N/A	753	762	778	753	778	787	826	841	861	889
N/A	780	789	806	780	806	814	853	869	888	917
692										
N/A	808	816	833	808	833	841	881	896	916	944

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Solid Color, Polypropylene
Added List Price=\$11
Model=Solid Color, Upholstered Seat
Added List Price=\$69
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

DNZ1
DNZ2
DNZ3
DNZA
DNZB

Wire Tower Base Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Task and stack chair models available
- 300 pound approved

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select fire code.

FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

C Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

D Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

E Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

F Select glide option.
GPL - Plastic glides

G Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Specifications and prices are subject to change without prior notice.

Doni™
Stack Chair General Information



Armless Four-Leg Chair



Four-Leg Armchair



Armless Four-Leg Chair
with Casters



Four-Leg Armchair
with Casters

Features				
Stackable	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	21-1/2"	21-1/2"	22-1/8"	22-1/8"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Arms to floor		26-1/2"		26-1/2"
Stacking on Dolly				
Overall width	25"	25-3/8"	25"	25-3/8"
Overall depth	42"	42"	42"	42"
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High		
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High		
Stacking on Floor				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	34"	34"	34"	34"
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High	6 Chairs / 49" High	6 Chairs / 49" High

SPECIFICATIONS

4-Leg and Caster Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the cross member. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frame

Frames are made from 3/4" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the cross member. All joints are welded.

Frame Finish

Frames are finished in either baked-on electrostatically-applied 30 degree gloss epoxy powder-coating or bright nickel-chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced polypropylene matching the frame finish (except for chrome, hammertone, and metallic finishes which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Seat Shell and Backrest Articulation Mechanism

Backrest, seat, and shroud are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to move through 17 degrees of movement, about an axis through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the leg chairs have a bright steel surface. Optional glides for the sled base are co-extruded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated 3/16" diameter steel wire mounted to the chair with an injection-molded nylon hub.

Stacking Vinyl Upholstered Chairs

It is recommended that stools to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.



Armless Sled Base Chair

Sled Base Armchair

Transport Dolly

Features			
Stackable	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	
General Dimensions			
Seat width	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	
Overall Dimensions			
Width	22"	25-3/8"	25"
Depth	22"	22"	29"
Height	33-3/4"	33-3/4"	15-3/4"
Arms to floor		26-1/2"	
Stacking on Dolly			
Overall width	25"	25-3/8"	
Overall depth	42"	42"	
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High	
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High	
Stacking on Floor			
Width	22"	25-3/8"	
Depth	34"	34"	
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High	

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Custom Poly Color Matching Program


Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Doni Stack Chair

**INFORMATION****Warranty**

Refer to KI Terms & Conditions document
or visit ki.com

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 283										
N/A	399	408	424	399	424	433	472	487	507	535
N/A	426	435	451	426	451	460	499	514	534	562
338										
N/A	453	462	479	453	479	487	526	542	561	590

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

[illegible]

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **assembled freight prepaid f.o.b.**
Green Bay, Wisconsin 54302 factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Stack/Nesting

Doni™ Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 342										
N/A	458	467	483	458	483	492	531	546	566	594
N/A	485	494	510	485	510	519	558	573	593	621
397										
N/A	512	521	537	512	537	546	585	601	620	649

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

Specifications and prices are subject to change without prior notice.

[illegible]

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Stack/Nesting

Doni™ Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 338										
N/A	453	462	479	453	479	487	526	542	561	590
N/A	481	489	506	481	506	514	554	569	589	617
392										
N/A	508	517	533	508	533	542	581	596	616	644

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select fire code.

FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

C Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

D Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

E Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

F Select frame color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

G Select glide option.

GPL	- Plastic glides
GSL	- Steel glides

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Specifications and prices are subject to change without prior notice.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

See Upholstery Information for TB133 upcharge.

- C** Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- D** Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- E** Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- F** Select frame color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- G** Select glide option.
- | | |
|------------|------------------|
| GPL | - Plastic glides |
| GSL | - Steel glides |
- H** Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Solid Color, Polypropylene
Added List Price=\$11
Model=Solid Color, Upholstered Seat
Added List Price=\$69
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$98

Specifications and prices are subject to change without prior notice.

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

Specifications and prices are subject to change without prior notice.

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Stack/Nesting

Doni™ Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 353										
N/A	469	477	494	469	494	502	542	557	577	605
N/A	496	505	521	496	521	530	569	584	604	632
408										
N/A	523	532	548	523	548	557	596	611	631	659

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

H Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Specifications and prices are subject to change without prior notice.

Doni™
Stack Chairs

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model		
 Transport Dolly • Black powder-coat finish	DNCD.BL		43.0#
HRDPT			
Ganger Kit	DGK		0.0#
HRDPT			

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



ExWorks Pricing	
\$	379
\$	50

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Doni™
Task Chair General Information



Armless Task Chair



Task Armchair

Features		
Poly, upholstered seat, or upholstered seat/back	•	•
General Dimensions		
Seat width	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"
Arms to floor		26" - 31"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

Backrest, seat, and shroud are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to move through 17 degrees of movement about an axis through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder coating.

Arms

Optional armrests are available. When equipped with arms, the supporting structure is 7/8" o.d. x 14-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glass-reinforced polypropylene. Armrest and structure matches outer shell poly color.

Base

26" injection-molded, glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in black or grey. An optional polished die-cast aluminum 5-blade base is also available

Casters

Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface.

INFORMATION

C.O.M. Testing and Production Requirements


Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminister Drive - Gate 3
Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



Doni Task Chair

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit ki.com



Task Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Stack and guest chair models available
- 300 pound approved

		MODEL NUMBER							Approx. Packaged Weight	
		Basic Model	Fire Code	Poly Solid Color	Poly Inside Color	Poly Outside Color	Base Color	Caster Type		Upholstery Color
	Features									
	Solid Color, Polypropylene	DN5100	□□□	□□□			□□	□□□		24.0#
	Solid Color, Upholstered Seat	DN5200	□□□	□□□			□□	□□□	□□□□□	26.5#
	Solid Color, Upholstered Seat/Back	DN5300	□□□	□□□			□□	□□□	□□□□□	28.0#
	Two-Tone, Polypropylene	DN5A00	NFR		□□□	□□□	□□	□□□		24.0#
	Two-Tone, Upholstered Seat	DN5B00	NFR		□□□	□□□	□□	□□□	□□□□□	26.5#
DN51										
DN52										
DN53										
DN5A										
DN5B										
Task Armless Chair										
• Solid or two-tone colored shell										
• Unlimited custom color matching										
• 17 degrees of hip articulation										
• Stack and guest chair models available										
• 300 pound approved										

A

B

C

D

E

F

G

H

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select fire code.

FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- C** Select solid poly color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

- D** Select inside poly color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

- E** Select outside poly color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

- F** Select base color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
*Add \$89 for polished aluminum base.

- G** Select caster option.

CHC	- Hard floor casters
CCC	- Carpet casters

- H** Select upholstery grade/color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 436										
N/A	552	560	577	552	577	585	625	640	659	688
N/A	579	588	604	579	604	613	652	667	687	715
491										
N/A	606	615	631	606	631	640	679	694	714	742

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.



Task Cantilever Armchair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Stack and guest chair models available
- 300 pound approved

		MODEL NUMBER							Approx. Packaged Weight	
		Basic Model	Fire Code	Poly Solid Color	Poly Inside Color	Poly Outside Color	Base Color	Caster Type		Upholstery Color
	Features									
	Solid Color, Polypropylene	DN5111	□□□	□□□			□□	□□□		26.0#
	Solid Color, Upholstered Seat	DN5211	□□□	□□□			□□	□□□	□□□□□	28.5#
	Solid Color, Upholstered Seat/Back	DN5311	□□□	□□□			□□	□□□	□□□□□	30.0#
	Two-Tone, Polypropylene	DN5A11	NFR		□□□	□□□	□□	□□□		26.0#
	Two-Tone, Upholstered Seat	DN5B11	NFR		□□□	□□□	□□	□□□	□□□□□	28.5#
DN51										
DN52										
DN53										
DN5A										
DN5B										
Task Cantilever Armchair										
• Solid or two-tone colored shell										
• Unlimited custom color matching										
• 17 degrees of hip articulation										
• Stack and guest chair models available										
• 300 pound approved										
		A	B	C	D	E	F	G	H	

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Fabrics & Finishes binder.
*Add \$89 for polished aluminum base.

- A** Select basic model.
- B** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

See Upholstery Information for TB133 upcharge.

- C** Select solid poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- D** Select inside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- E** Select outside poly color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- F** Select base color.
Refer to color addendum at ki.com or KI

- G** Select caster option.
- | | |
|------------|----------------------|
| CHC | - Hard floor casters |
| CCC | - Carpet casters |

- H** Select upholstery grade/color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 495										
N/A	610	619	635	610	635	644	683	699	718	747
N/A	638	646	663	638	663	671	711	726	746	774
549										
N/A	665	674	690	665	690	699	738	753	773	801

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Solid Color, Polypropylene
 Added List Price=\$11
 Model=Solid Color, Upholstered Seat
 Added List Price=\$69
 Model=Solid Color, Upholstered Seat/Back
 Added List Price=\$98

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

A series of horizontal lines of varying lengths, creating a striped effect on the left side of the page.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2016 Krueger International, Inc.
All Rights Reserved.
Code KI-11621/KI/PDF/0616