Select Series X570 Tractor with 48 Accel Deep (48A) Mower Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners

No tools oil drain

FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet

TRANSAXLE K72 hydrostatic transmission Twin Touch pedals Cruise control

Differential lock 0-7.2 mph (0-11.6 km/h) forward speed

0-5.2 mph (0-8.4 km/h) reversespeed

CHASSIS Standard rear weight bracket and optional front weight bracket each hold up to four 42-lb

(19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle

bushings 15x6.5-8 front turf tires 24x12-12 rear turf tires Storage under seat and covered

toolbox Fender handles

STEERING

Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 48A - 23 in. (58 cm) uncut

circle radius

SEAT

15-in. (38.1-cm) open back with

grasp

LIFT SYSTEM

Foot pedal implement lift

MOWER DECK

Side discharge 48 in. (122 cm)

10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port Four mower wheels and front center rollers

MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5340M Select Series X570 Tractor with 48 Accel Deep (48A) Mower Deck

Not Available for Sale in California.

5,999.00

DESTINATION

001A	United States and Canada	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION	

Carts / Hitches:

PM05101 11.03 Ball Mount - 1.875 in. (48mm)

AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95

> FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center)

LP48004 246.00

Requires Mounting Frame.

LP48003 8 In. Front Thatcher (Extension) 50.00

Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.

Select Series X570 Tractor with 48 Accel Deep (48A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48005	ATTACHMENTS FOR FIELD CONVERSION Continued Thatcher Mounting Frame (X300, X500 M-T)	207.00
	BM21680	Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20748	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534, X570)	66.34
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	AM136046	Seat Net Kit	37.80
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91

Select Series X570 Tractor with 48 Accel Deep (48A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck and Mower Deck Attachments:	
	BM24993	48A MulchControl Kit	169.06
	M127673	Blade (48C/48X/48A, Mulching)	18.68
	M145476	Blade (48C/48X/48A, Side Discharge)	12.59
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) For Snow Blower and Front Blade.	450.00
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40

Select Series X570 Tractor with 48 Accel Deep (48A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM145350	ATTACHMENTS FOR FIELD CONVERSION Continued Snow Blowers: Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.	69.56
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Select Series X570 Tractor with 54 Accel Deep (54A) Mower Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners

No tools oil drain FUEL SYSTEM

Gasoline Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet

TRANSAXLE K72 hydrostatic transmission Twin Touch pedals Cruise control

Differential lock 0-7.2 mph (0-11.6 km/h) forward speed

0-5.2 mph (0-8.4 km/h) reversespeed

CHASSIS Standard rear weight bracket and

optional front weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle

bushings 15x6.5-8 front turf tires 24x12-12 rear turf tires Storage under seat and covered

toolbox Fender handles

STEERING

Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 54A - 20 in. (51 cm) uncut circle radius

SEAT 15-in. (38.1-cm) open back with grasp

LIFT SYSTEM

Foot pedal implement lift

MOWER DECK

Side discharge 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port Four mower wheels and front center rollers

MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5341M Select Series X570 Tractor with 54 Accel Deep (54A) Mower Deck

Not Available for Sale in California.

6.299.00

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

PM05101 Ball Mount - 1.875 in. (48mm) 11.03

AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00

Requires Mounting Frame.

LP48003 8 In. Front Thatcher (Extension) 50.00

Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.

Select Series X570 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48005	ATTACHMENTS FOR FIELD CONVERSION Continued Thatcher Mounting Frame (X300, X500 M-T)	207.00
	BM21680	Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20749	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534, X570)	66.34
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	AM136046	Seat Net Kit	37.80
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91

Select Series X570 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck and Mower Deck Attachments:	
	BM24994	54A MulchControl Kit	219.36
	M145516	Blade (54C/54X/54A, Mulching)	21.75
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) For Snow Blower and Front Blade.	450.00
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40

Select Series X570 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM145350	ATTACHMENTS FOR FIELD CONVERSION Continued Snow Blowers: Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.	69.56
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Select Series X570 Tractor Less Mower Deck, California Model

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM
12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forwardspeed 0-5.2 mph (0-8.4 km/h) reverse

speed

CHASSIS

Standard rear weight bracket and optional front weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 15x6.5-8 front turf tires 24x12-12 rear turf tires Storage under seat and covered toolbox Fender handles STEERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 48A - 23 in. (58 cm), 54A - 20 in. (51 cm) uncut circle radius SEAT 15-in. (38.1-cm) open back with grasp LIFT SYSTEM Foot pedal implement lift OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), 54 in. (137 cm) 10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers
MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal
*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

			SUGGESTED
	ATTACHMEN1	Γ	LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

		BASE MACHINE	
		F.O.B. Janesville, Wisconsin	
5343M		Select Series X570 Tractor Less Mower Deck, California Model	5,099.00
		ATTACHMENTS FOR FIELD CONVERSION	
Р	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
А	M135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
L	P48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
L	P48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
L	.P48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
В	BM21680	Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast	934.11

Recommended, Especially on Hills or Inclines.

Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21679	ATTACHMENTS FOR FIELD CONVERSION Continued 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20748	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
	BG20749	High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534, X570)	66.34
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	AM136046	Seat Net Kit	37.80
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM24994	54A MulchControl Kit	219.36

Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M127673	ATTACHMENTS FOR FIELD CONVERSION Continued Blade (48C/48X/48A, Mulching)	18.68
	M145476	Blade (48C/48X/48A, Side Discharge)	12.59
	M143520	Blade (54C/54X/54A, Side Discharge)	16.27
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP64865	Electric Lift Kit (Model Year 2016-) For Snow Blower and Front Blade.	450.00
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99

Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	AM145350	Snow Blowers: Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.	69.56
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator

12-V outlet TRANSAXLE

K72 hydrostatic transmission Twin Touch# pedals Cruise control

Differential lock 0-7.2 mph (0-11.6 km/h) forward

speed 0-5.2 mph (0-8.4 km/h) reverse

speed

CHASSIS Standard front and rear weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch#

weights Cast-iron front axle Replaceable metal spindle

bushings 16x6.5-8 front turf tires 24x12-12 rear HDAP tires Storage under seat and covered

toolbox Fender handles STEERING

Power, two-wheel steer

14-in. (35.6-cm) steering wheel 22-in. (55.9-cm) turning radius 54A - 24 in. (61 cm) uncut

circle radius SEAT

15-in. (38.1-cm) open back with

grasp LIFT SYSTEM

Hydraulic implement lift

MOWER DECK

Side discharge 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell

Mower wash port

Four mower wheels and front

center rollers MOWER ATTACHABILITY

Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the

engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5350M Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck

Not Available for Sale in California.

7.299.00

DESTINATION

United States and Canada 001A In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

PM05101 Ball Mount - 1.875 in. (48mm) 11.03

Engine:

AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00

Requires Mounting Frame.

LP48003 8 In. Front Thatcher (Extension) 50.00

Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.

LP48005 Thatcher Mounting Frame (X300, X500 M-T) 207.00

Material Collection System Hoppers:

Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21680	ATTACHMENTS FOR FIELD CONVERSION Continued 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20749	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	AM136046	Seat Net Kit	37.80
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91
	BM24994	Mower Deck and Mower Deck Attachments: 54A MulchControl Kit	219.36
	M143520	Blade (54C/54X/54A, Side Discharge)	16.27
	AM130907	Mower Deck Leveling Gauge	6.95

Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	L D00004	Protection:	40.00
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	AM145350	Snow Blowers: Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76

Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17976	ATTACHMENTS FOR FIELD CONVERSION Continued 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Select Series X584 Tractor Less Mower Deck

Equipment for Base Machine

Standard front and optional rear

ENGINE 24 hp* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forwardspeed

0-5.2 mph (0-8.4 km/h) reverse

LP48005

speed

CHASSIS

weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings 16x6.5-8 front turf tires 24x9.5-12 rear turf tires Storage under seat and covered toolbox Fender handles STEERING Power, four-wheel steer 14-in. (35.6-cm) five position tilt steering wheel 19-in. (48.3-cm) turning radius 48A - 15 in. (38 cm), 54A - 12 in. (30 cm) uncut circle radius SEAT 21-in. (53.3-cm) high-back LIFT SYSTEM Hydraulic implement lift OPTIONAL MOWER DECKS

stamped steel deck shell Mower wash port Four mower wheels and front center rollers MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

207.00

				SUGGESTED
CODE IDENTIFIER DESCRIPTION USD (ATTACHMENT		LIST PRICE
	CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Side discharge 48 in. (122 cm),

10-gauge, 0.135-in. (3.4-mm)

54 in. (137 cm)

BASE MACHINE

Select One Code From Each Required Category

F.O.B. Janesville, Wisconsin Select Series X584 Tractor Less Mower Deck Not Available for Sale in California. 6,699.00

DESTINATION 001A United States and Canada In Base Price ATTACHMENTS FOR FIELD CONVERSION Carts / Hitches: PM05101 Ball Mount - 1.875 in. (48mm) 11.03 AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95 FRONT MOUNTED THATCHERS: LP48004 38 In. Front Thatcher (Center) 246.00 Requires Mounting Frame. LP48003 8 In. Front Thatcher (Extension) 50.00 Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.

Thatcher Mounting Frame (X300, X500 M-T)

Select Series X584 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21680	ATTACHMENTS FOR FIELD CONVERSION Continued Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20748	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
	BG20749	High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM23761	Arm Rest Kit For use with MY2011- (SN 060001-) X534, MY2011- (SN 060001-) X540, X584, and X590.	82.39
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91

Select Series X584 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24993	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM24994	54A MulchControl Kit	219.36
	M127673	Blade (48C/48X/48A, Mulching)	18.68
	M145476	Blade (48C/48X/48A, Side Discharge)	12.59
	M145516	, , , , , , , , , , , , , , , , , , , ,	21.75
		Blade (54C/54X/54A, Mulching)	
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	TY26227	Seats / Wheels / Tires: Tire Chains (Pair) for 23x9.5-12 or 24x9.5-12 tires on X534 and X584	90.48
		Snow Blowers:	

Select Series X584 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM145350	ATTACHMENTS FOR FIELD CONVERSION Continued Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM24011	Weight Bracket, Rear (X300/X500 M-T)	89.89
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

Select Series X590 Tractor with 54 Accel Deep (54A) Mower Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 44.3-cu in. (726-cc) displacement Model FS730V-EFI, constant-speed governor Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forward speed 0-5.2 mph (0-8.4 km/h) reverse

speed

CHASSIS Standard front and rear weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings 16x6.5-8 front turf tires 24x12-12 rear HDAP tires Storage under seat and covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) five position tilt steering wheel 22-in. (55.9-cm) turning radius 54A - 24 in. (61 cm) uncut circle radius SEAT

21-in. (53.3-cm) high-back

Hydraulic implement lift

LIFT SYSTEM

MOWER DECK

stamped steel deck shell Mower wash port Four mower wheels and front center rollers MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

207.00

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Side discharge 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin

LP48005

4863M Select Series X590 Tractor with 54 Accel Deep (54A) Mower Deck

Not Available for Sale in California.

Thatcher Mounting Frame (X300, X500 M-T)

7.899.00

DESTINATION

001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00

Select Series X590 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21680	ATTACHMENTS FOR FIELD CONVERSION Continued Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Reag Bagger Chute Front. Ballast	934.11
	BM21679	Recommended, Especially on Hills or Inclines. 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20749	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM23761	Arm Rest Kit For use with MY2011- (SN 060001-) X534, MY2011- (SN 060001-) X540, X584, and X590.	82.39
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91
	BM24994	Mower Deck and Mower Deck Attachments: 54A MulchControl Kit	219.36

Select Series X590 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M145516	ATTACHMENTS FOR FIELD CONVERSION Continued Blade (54C/54X/54A, Mulching)	21.75
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	AM145350	Snow Blowers: Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41

Select Series X590 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17977	ATTACHMENTS FOR FIELD CONVERSION Continued Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Select Series X590 Tractor Less Mower Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 44.3-cu in. (726-cc) displacement Model FS730V-EFI, constant-speed governor Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forward speed 0-5.2 mph (0-8.4 km/h) reversespeed

CHASSIS Standard front and rear weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings 16x6.5-8 front turf tires 24x12-12 rear turf tires Storage under seat and covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) five position tilt steering wheel
22-in. (55.9-cm) turning radius
48A - 27 in. (69 cm), 54A - 24
in. (61 cm) uncut circle radius SEAT 21-in. (53.3-cm) high-back LIFT SYSTEM

10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port Four mower wheels and front center rollers MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

				SUGGESTED
CODE IDENTIFIER DESCRIPTION USD (ATTACHMENT		LIST PRICE
	CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Side discharge 48 in. (122 cm),

Hydraulic implement lift OPTIONAL MOWER DECKS

54 in. (137 cm)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

Select Series X590 Tractor Less Mower Deck 4864M

Not Available for Sale in California.

6.699.00

DESTINATION

001A	United States and Canada	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

PM05101 Ball Mount - 1.875 in. (48mm) 11.03

0044

AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00 Requires Mounting Frame.

LP48003 8 In. Front Thatcher (Extension)

50.00 Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.

LP48005 Thatcher Mounting Frame (X300, X500 M-T) 207.00

Select Series X590 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21680	ATTACHMENTS FOR FIELD CONVERSION Continued Material Collection System Hoppers: 14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. See Sales Manual for Ballast Requirements.	979.00
	BG20748	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
	BG20749	High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM23761	Arm Rest Kit For use with MY2011- (SN 060001-) X534, MY2011- (SN 060001-) X540, X584, and X590.	82.39
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	39.99
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	166.91

Select Series X590 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24993	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM24994	54A MulchControl Kit	219.36
	M127673	Blade (48C/48X/48A, Mulching)	18.68
	M145476	Blade (48C/48X/48A, Side Discharge)	12.59
	M145516	Blade (54C/54X/54A, Mulching)	21.75
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	449.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel	939.00
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP65064	MC542 Mower Deck Boot Kit (54A) Availability expected October 2016.	In Catalog
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper)	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure	499.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	

Select Series X590 Tractor Less Mower Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM145350	ATTACHMENTS FOR FIELD CONVERSION Continued Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

Signature Series X710 Tractor Less Deck

Equipment for Base Machine

ENGINE 22 hp* (16.4 kW) 45.5-cu in. (745-cc) displacement Model FD671D Liquid cooled, V-twin cylinder with cast-iron liners FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet TRANSAXLE K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0^-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket holds up to four $4\bar{2}$ -lb (19-kg)

Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 18x8.50-8 front turf tires, 4PR 26x12-12 rear turf tires, 4PR Covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), Side discharge 40 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge 0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5801M Signature Series X710 Tractor Less Deck

Not Available for Sale in California.

8,759.00

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Rest of World	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

LP48004 246.00 38 In. Front Thatcher (Center)

Requires Mounting Frame.

Signature Series X710 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34

Signature Series X710 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP49228	ATTACHMENTS FOR FIELD CONVERSION Continued MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24379	Air-Ride Suspension Seat	849.59
	BM24426	Arm Rest Kit	197.96
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG245	Home Maintenance Kit	80.52
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40

Signature Series X710 Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23978	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24

Signature Series X710 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM25307	ATTACHMENTS FOR FIELD CONVERSION Continued Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

Signature Series X730 Tractor Less Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI Liquid cooled, V-twin cylinder with cast-iron liners FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch TRANSAXLE K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0^-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket holds up to four $4\overline{2}$ -lb (19-kg)

Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 18x8.50-8 front turf tires, 4PR 26x12-12 rear turf tires, 4PR Covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin Signature Series X730 Tractor Less Deck Not Available for Sale in California. 9,439.00

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Rest of World	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BM2	3989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	38.51
AM1	08146	Engine: Spark Arrester Screen for Muffler	25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00

Requires Mounting Frame.

Signature Series X730 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34

Signature Series X730 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP49228	ATTACHMENTS FOR FIELD CONVERSION Continued MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24379	Air-Ride Suspension Seat	849.59
	BM24426	Arm Rest Kit	197.96
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	85.91
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40

Signature Series X730 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23978	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24

Signature Series X730 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM25307	ATTACHMENTS FOR FIELD CONVERSION Continued Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

Signature Series X734 Tractor Less Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI Liquid cooled, V-twin cylinder with cast-iron liners FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch TRANSAXLE K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0^-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket holds up to four $4\bar{2}$ -lb (19-kg)

Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 18x7.00-8 front turf tires, 4PR 26x10.50-12 rear turf tires, 2PR Covered toolbox Fender handles STEERING Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC -6-in. (15-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS

0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Side discharge 48 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge

Select One Code From Each Required Category

F.O.B. Janesville, Wisconsin 5821M Signature Series X734 Tractor Less Deck Not Available for Sale in California. 10,449.00

BASE MACHINE

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Rest of World	Same Price
	ATTACHMENTS FOR FIELD CONVERSION	

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	38.51
AM108146	Engine: Spark Arrester Screen for Muffler	25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00

Requires Mounting Frame.

Signature Series X734 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06

Signature Series X734 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BG20727	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24379	Air-Ride Suspension Seat	849.59
	BM24426	Arm Rest Kit	197.96
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	85.91
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00

Signature Series X734 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP54000	ATTACHMENTS FOR FIELD CONVERSION Continued 54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY25326	Seats / Wheels / Tires: Tire Chains for 26x10.50-12 Turf Drive Tires For all Wheel Steer Tractors.	89.40
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90

Signature Series X734 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17977	ATTACHMENTS FOR FIELD CONVERSION Continued Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

Signature Series X738 Tractor Less Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI Liquid cooled, V-twin cylinder with cast-iron liners FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch TRANSAXLE Full-time four-wheel drive K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forwardspeed 0-6 mph (0-9.7 km/h) reverse speed CHASSIS

Standard front weight bracket

BM23989

holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), Side discharge 40 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge 0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

38.51

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin 5831M Signature Series X738 Tractor Less Deck 11.059.00 Not Available for Sale in California. **DESTINATION** 001A United States and Canada In Base Price 001C Australia and New Zealand Same Price 001D Rest of World Same Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

Drawbar, 1.25 In. (38mm)

Engine: AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 246.00

Requires Mounting Frame.

Signature Series X738 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06

Signature Series X738 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BG20727	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24379	Air-Ride Suspension Seat	849.59
	BM24426	Arm Rest Kit	197.96
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	85.91
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00

Signature Series X738 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP54000	ATTACHMENTS FOR FIELD CONVERSION Continued 54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76

Signature Series X738 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17976	ATTACHMENTS FOR FIELD CONVERSION Continued 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM26277	18x8.50-10 Front Turf Tires on SE Wheel	330.63
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM26279	26x12-12 In. Rear Turf Tires on SE Wheel	486.86
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

Signature Series X739 Tractor Less Deck

Equipment for Base Machine

ENGINE 25.5 hp* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI Liquid cooled, V-twin cylinder with cast-iron liners FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch TRANSAXLE Full-time four-wheel drive K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forwardspeed 0-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket

holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox Fender handles STEERING Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC - 6-in. (15-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), Side discharge 40 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge 0.150-in. (3.8-mm) stamped steel

deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

11,719.00

ATTAGUMENT	
ATTACHMENT	LIST PRICE
CODE IDENTIFIER DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5841M Signature Series X739 Tractor Less Deck

Not Available for Sale in California.

DESTINATION

	22011107111011	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Rest of World	Same Price
0195	Mexico	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

AM108146 Spark Arrester Screen for Muffler 25.48

Signature Series X739 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48004	ATTACHMENTS FOR FIELD CONVERSION Continued FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00

Material Collection System Power Flow Blowers:

Signature Series X739 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BG20859	ATTACHMENTS FOR FIELD CONVERSION Continued 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24379	Air-Ride Suspension Seat	849.59
	BM24426	Arm Rest Kit	197.96
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	85.91
	BM22725	Wheel Spacer Kit For all Wheel Steer Tractors when Installing TY15956 Chains.	163.71
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89

Signature Series X739 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM25258	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires X739 requires BM22725 wheelspacer kit when installing chains.	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26

Signature Series X739 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17972	ATTACHMENTS FOR FIELD CONVERSION Continued Weights: 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM26277	18x8.50-10 Front Turf Tires on SE Wheel	330.63
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
	BM26278	Wheels and Tires Rear: 26x12-12 In. Rear Turf Tires on SE Wheel (X729, X739, X749 Only)	486.86

Signature Series X750 Tractor Less Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 60.6-cu in. (993-cc) displacement Model 3TNM74F Liquid cooled, 3-cylinder with cast-iron liners FUEL SYSTEM Diesel Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 40-amp regulated engine-mounted alternator 12-V outlet with switch TRANSAXLE K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0^-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket holds up to four $4\bar{2}$ -lb (19-kg)

MIA881629

Engine Block Heater Adapter

Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 18x8.50-8 front turf tires, 4PR 26x12-12 rear turf tires, 4PR Covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge 0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

100.56

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin Signature Series X750 Tractor Less Deck 5851M 10,659.00 DESTINATION 001A United States and Canada In Base Price Australia and New Zealand 001C Same Price 001D Rest of World Same Price 0195 Mexico Same Price ATTACHMENTS FOR FIELD CONVERSION Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm) 38.51 Engine: AM134805 Engine Block Heater Adapter 75.60

Signature Series X750 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR87167	ATTACHMENTS FOR FIELD CONVERSION Continued Engine Coolant Heater (110 Volt) X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.	80.90
	AM108146	Spark Arrester Screen for Muffler	25.48
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20

Signature Series X750 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20671	ATTACHMENTS FOR FIELD CONVERSION Continued Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	2020.2.	Material Collection System Power Flow/Rear Bagger Chutes:	00
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM24379	Air-Ride Suspension Seat	849.59
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	197.96
	TY25866	Battery Charger and Maintainer	37.68

Signature Series X750 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20714	ATTACHMENTS FOR FIELD CONVERSION Continued Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	67.53
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00

Signature Series X750 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP47170	ATTACHMENTS FOR FIELD CONVERSION Continued MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93

Signature Series X750 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM22425	ATTACHMENTS FOR FIELD CONVERSION Continued 26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

Signature Series X754 Tractor Less Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 60.6-cu in. (993-cc) displacement Model 3TNM74F Liquid cooled, 3-cylinder with cast-iron liners FUEL SYSTEM Diesel Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 40-amp regulated engine-mounted alternator 12-V outlet with switch TRANSAXLE K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0^-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket holds up to four $4\bar{2}$ -lb (19-kg)

Quik-Tatch weights Cast-iron front axle Replaceable metal spindle bushings 18x7.00-8 front turf tires, 4PR 26x10.50-12 rear turf tires, 2PR Covered toolbox Fender handles STEERING Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC -6-in. (15-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS

0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Side discharge 48 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin Signature Series X754 Tractor Less Deck 5861M 11,669.00 DESTINATION 001A United States and Canada In Base Price 001C Same Price Australia and New Zealand 001D Rest of World Same Price ATTACHMENTS FOR FIELD CONVERSION Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm) 38.51 AM134805 75.60 Engine Block Heater Adapter MIA881629 Engine Block Heater Adapter 100.56

Signature Series X754 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR87167	ATTACHMENTS FOR FIELD CONVERSION Continued Engine Coolant Heater (110 Volt) X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.	80.90
	AM108146	Spark Arrester Screen for Muffler	25.48
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20

Signature Series X754 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20671	ATTACHMENTS FOR FIELD CONVERSION Continued Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	2020.2.	Material Collection System Power Flow/Rear Bagger Chutes:	00
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM24379	Air-Ride Suspension Seat	849.59
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	197.96
	TY25866	Battery Charger and Maintainer	37.68

Signature Series X754 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20714	ATTACHMENTS FOR FIELD CONVERSION Continued Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	67.53
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00

Signature Series X754 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP47170	ATTACHMENTS FOR FIELD CONVERSION Continued MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY25326	Seats / Wheels / Tires: Tire Chains for 26x10.50-12 Turf Drive Tires For all Wheel Steer Tractors.	89.40
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

Signature Series X758 Tractor Less Deck

Equipment for Base Machine

ENGINE 24 hp* (17.9 kW) 60.6-cu in. (993-cc) displacement Model 3TNM74F Liquid cooled, 3-cylinder with cast-iron liners FUEL SYSTEM Diesel Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 40-amp regulated engine-mounted alternator 12-V outlet with switch TRANSAXLE Full-time four-wheel drive K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forwardspeed 0-6 mph (0-9.7 km/h) reverse speed CHASSIS Standard front weight bracket

holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle radius SEAT 21-in. (53.3-cm) two piece professional high back LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), Side discharge 40 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge 0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

BASE MACHINE F.O.B. Janesville, Wisconsin Signature Series X758 Tractor Less Deck 5871M 12,279.00 DESTINATION 001A United States and Canada In Base Price Australia and New Zealand 001C Same Price 001D Rest of World Same Price ATTACHMENTS FOR FIELD CONVERSION Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm) 38.51 AM134805 Engine Block Heater Adapter 75.60 MIA881629 Engine Block Heater Adapter 100.56

Signature Series X758 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR87167	ATTACHMENTS FOR FIELD CONVERSION Continued Engine Coolant Heater (110 Volt) X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.	80.90
	AM108146	Spark Arrester Screen for Muffler	25.48
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	246.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	159.43
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM25609	HYDRAULICS Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	130.92
	BM20896	Hydraulic Retro Kit	28.89
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	365.20
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30

Signature Series X758 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20780	ATTACHMENTS FOR FIELD CONVERSION Continued 7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (6.5/7 bu.)	115.56
	BM20855	Power Flow Chute (MC519 with C, X, or A Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM24379	Air-Ride Suspension Seat	849.59
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	197.96
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87

Signature Series X758 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20753	ATTACHMENTS FOR FIELD CONVERSION Continued Front Light Kit	211.86
	LG260	Home Maintenance Kit	67.53
	DM24002	Mower Deck and Mower Deck Attachments:	100.00
	BM24993	48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	84.95
	LP63761	Grass Groomer (48A/54A)	119.95
	LP46468	Grass Groomer (54 HC/60 HC)	119.95
	LP39450	MC542 Hose Kit	315.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP65063	MC542 Mower Deck Boot Kit (48A) Availability expected October 2016.	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP44079	MC542 Mower Deck Boot Kit (54 HC)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP23082	MC542 Mower Deck Boot Kit (60 HC and 7-Iron 60D)	91.00
	LP23083	MC542 Mower Deck Boot Kit (62X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95

Signature Series X758 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP47913	ATTACHMENTS FOR FIELD CONVERSION Continued X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM26277	18x8.50-10 Front Turf Tires on SE Wheel	330.63
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91

Signature Series X758 Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
		Wheels and Tires Rear:	
	BM18369	26X12.00-12 In. 4PR Bar Tires (Rear)	640.93
		Use with Two Wheel Steer Only.	
	BM26279	26x12-12 In. Rear Turf Tires on SE Wheel	486.86
	BIVIZOZIO	ZOATE TE III. FROM FAIT FIRST OF WITHOUT	100.00
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

Current Attachments for Non-Current G110 Garden Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Miscellaneous:	
	BG20020	46 In. (117 cm) Blade (100 Series and S200 Series) Requires Rear Ballast and Tire Chains.	339.19
	BG20260	Sun Canopy Fits all 100 Series Tractors.	99.00
	BG20304	Mower Deck and Mower Deck Attachments: 54 In. Mulch Kit Fits G110, 190C.	226.84
	R66949	Weights: Quik-Tatch Weight, 42 Lb. Two Required.	59.91
	BG20029	Quik-Tatch Weight, 42 Lb. (Boxed) Two Required.	64.20

Current Attachments for Non-Current GT Garden Tractors (GT235 and GT245)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	74.90
	BM21289	Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:	
	SKU21394	54 In. Convertible Mower (54C)	1,320.00
	BM19894	Leaf Bagging Kit (48C/48X Mower)	103.79
	2	Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	2	55 ±57 most morgin, noar macata (1) man most aming maranate	3.1.1.
	BM19511	Front Weight Bracket/Bumper For GT225, GT235E, GT245 and GX255 Tractors.	138.03
		French Canada Dealers must order M139913, Warning Decal.	
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	13.91
		g	
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
		•	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	DIVITION	THISSI TRIGIT MOUNTING HAIDWAIS (1) TO ALLASTING FROM WHISE TWOIGHT	11.77
	DM49424	Wheels and Tires Rear:	265.04
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19
		Not for Use on 2003 and Prior Model Year Tractors	

Current Attachments for Non-Current GX255 Garden Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM17981	Miscellaneous: 12 Volt Work Light Kit	74.90
	BM21289	Halogen Headlight Kit	58.86
	SKU21394	Mower Deck and Mower Deck Attachments: 54 In. Convertible Mower (54C)	1,320.00
	BM19894	Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	103.79
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM19511	Front Weight Bracket/Bumper For GT225, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.	138.03
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	13.91
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear) Not for Use on 2003 and Prior Model Year Tractors	339.19

Current Attachments for Non-Current GX Garden Tractors (GX335, GX345 and GX355)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	74.90
	BM21289	Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments: The appropriate front draft arm assembly will be included with tractors shipped "Less Mower", but NOT with the following mowers. Order as PARTS if needed. (GX355): The 48C and 54C In. Mower shipped with GX355's have	
		heavier duty parts. If swapping a mower from a gas tractor or using a cartoned mower on a GX355, order the following from Parts: M143019 Primary Belt and AM130728 Belt Tension Assembly.	
	SKU21394	54 In. Convertible Mower (54C)	1,320.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	13.91
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. Two Required.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear) Not for Use on 2003 and Prior Model Year Tractors	339.19