

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

| | | |
|---|--|--|
| 24.2 HP (17.8 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 77 cu. in. (1.27 L) Three Cylinder Liquid-Cooled Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxiliary Power Outlet 75 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Hydrostatic Front Wheel Drive Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column | mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Internal Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Driven Implements Operator Presence System | Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Folding Two Post ROPS (Roll- Over Protective Structure) and Retractable Seat Belt Cast Iron Rear Bumper Operator Training Video |
|---|--|--|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| <i>F.O.B. Raleigh, North Carolina</i> | | | |
| 2400TC | | 1550 TerrainCut Commercial Front Mower (Less Mower Deck) | 18,420.00 |
| DESTINATION | | | |
| 001A | | North America United States and Canada | In Base Price |
| DRIVE SYSTEM | | | |
| 1190 | | Two Wheel Drive | In Base Price |
| 1191 | | Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i> | 2,913.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1019 | | 23x10.50-12 4PR Turf Drive Tires | In Base Price |
| 1020 | | 23x8.50-12 4PR Turf Drive Tires | -35.00 |
| 1149 | | Less Drive Wheels and Tires | -332.00 |
| SEAT | | | |
| 2010 | | Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i> | In Base Price |
| 2011 | | Comfort Adjust Suspension Seat with Armrests | 390.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| 2012 | | SEAT Continued... Air Ride Suspension Seat with Armrests | 680.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Engine: | |
| | AR87167 | Engine Coolant Heater (110 Volt) | 80.90 |
| | | HYDRAULICS | |
| | BTC10529 | Double Spool Auxiliary Hydraulic Kit | 818.56 |
| | BTC10531 | Hydraulic Weight Transfer Kit | 327.41 |
| | BTC10562 | Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i> | 331.70 |
| | BTC10530 | Single Spool Auxiliary Hydraulic Kit | 599.20 |
| | | Lighting: | |
| | BTC10594 | Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i> | 316.71 |
| | BTC10644 | Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i> | 211.86 |
| | | Miscellaneous: | |
| | TCB10608 | Electronic Cruise Control Kit | 298.53 |
| | BTC10673 | Reverse Alarm Kit (Back-up alarm) | 130.54 |
| | BTC10685 | Slow Moving Vehicle (SMV) Kit | 86.67 |
| | | Operator Environment: | |
| | TCB10325 | (1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i> | 224.70 |
| | BTC10334 | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i> | 1,700.23 |
| | TCB10620 | Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i> | 492.20 |
| | | Seats / Wheels / Tires: | |
| | TY15956 | Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |
| | TY15841 | Tire Chains (Pair) for 23x8.50-12 In. Drive Tires | 68.14 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|---|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i> | 112.36 |
| | | Wheels and Tires Front: | |
| | TCB10013 | Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires | 298.53 |
| | BTC10784 | Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires | 394.83 |
| | TCB10413 | Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires | 379.86 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 100.2 cu.
in. (1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxiliary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock

Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf (std)
Drive Tires
18x8.50-8 In. 4PR Turf
Steering Tires (2WD) or
18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Driven Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|--|-------------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| <i>F.O.B. Raleigh, North Carolina</i> | | | |
| 2430TC | | 1570 TerrainCut Commercial Front Mower (Less Mower Deck) | 25,916.00 |
| DESTINATION | | | |
| North America | | | |
| 001A | | United States and Canada | In Base Price |
| DRIVE SYSTEM | | | |
| 1190 | | Two Wheel Drive | In Base Price |
| 1191 | | Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i> | 2,913.00 |
| DRIVE WHEELS AND TIRES | | | |
| 1019 | | 23x10.50-12 4PR Turf Drive Tires | In Base Price |
| 1020 | | 23x8.50-12 4PR Turf Drive Tires | -35.00 |
| 1149 | | Less Drive Wheels and Tires | -332.00 |
| SEAT | | | |
| 2010 | | Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i> | In Base Price |
| 2011 | | Comfort Adjust Suspension Seat with Armrests | 390.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| 2012 | | SEAT Continued... Air Ride Suspension Seat with Armrests | 680.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Engine: | |
| | AR87167 | Engine Coolant Heater (110 Volt) | 80.90 |
| | | HYDRAULICS | |
| | BTC10529 | Double Spool Auxiliary Hydraulic Kit | 818.56 |
| | BTC10531 | Hydraulic Weight Transfer Kit | 327.41 |
| | BTC10562 | Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i> | 331.70 |
| | BTC10530 | Single Spool Auxiliary Hydraulic Kit | 599.20 |
| | | Lighting: | |
| | BTC10594 | Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i> | 316.71 |
| | BTC10644 | Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i> | 211.86 |
| | | Miscellaneous: | |
| | TCB10608 | Electronic Cruise Control Kit | 298.53 |
| | BTC10673 | Reverse Alarm Kit (Back-up alarm) | 130.54 |
| | BTC10685 | Slow Moving Vehicle (SMV) Kit | 86.67 |
| | | Operator Environment: | |
| | TCB10325 | (1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i> | 224.70 |
| | BTC10334 | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i> | 1,700.23 |
| | TCB10620 | Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i> | 492.20 |
| | | Seats / Wheels / Tires: | |
| | TY15956 | Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |
| | TY15841 | Tire Chains (Pair) for 23x8.50-12 In. Drive Tires | 68.14 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|---|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i> | 112.36 |
| | | Wheels and Tires Front: | |
| | TCB10013 | Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires | 298.53 |
| | BTC10784 | Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires | 394.83 |
| | TCB10413 | Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires | 379.86 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

| | | |
|---|--|---|
| 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 23x10.50-12 In. 4PR Turf Drive Tires 18x8.50-10 In. 6PR Turf | Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Driven Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension Seat | with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights and Turn Signals Double Spool Auxiliary Hydraulic Valve with Forward-mounted Couplers |
|---|--|---|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--|-----------|
| 2443TC | 1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck) | 38,549.00 |
|--------|--|-----------|

DESTINATION

| | | |
|------|--|---------------|
| 001A | North America United States and Canada | In Base Price |
|------|--|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---|--------|
| AR87167 | Engine: Engine Coolant Heater (110 Volt) | 80.90 |
| BTC10531 | HYDRAULICS Hydraulic Weight Transfer Kit | 327.41 |
| BTC10562 | Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i> | 331.70 |
| LVB24852 | Lighting: Beacon Light Kit (Cab Only) | 243.10 |
| LVB24853 | Rear Work Light Kit (2 Lights) (Cab Only) | 150.70 |

Miscellaneous:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB10608 | Electronic Cruise Control Kit | 298.53 |
| | BTC10673 | Reverse Alarm Kit (Back-up alarm) | 130.54 |
| | BTC10685 | Slow Moving Vehicle (SMV) Kit | 86.67 |
| | | Operator Environment: | |
| | LVB24844 | External Mirror Kit (Cab Only) | 190.30 |
| | BTC10677 | Radio Mount Kit (Cab Only) | 120.91 |
| | RE321102 | Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband | 477.40 |
| | RE321109 | Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband | 933.90 |
| | SWJHD1620 | Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready | 249.99 |
| | | Seats / Wheels / Tires: | |
| | TY15956 | Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i> | 112.36 |
| | | Wheels and Tires Front: | |
| | BTC10784 | Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires | 394.83 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxillary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand

Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
26x12.00-12 In. Square
Shoulder 6PR Turf Drive Tires
20x10.00-10 In. 6PR Round
Shoulder Steering Tires
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--|-----------|
| 2451TC | 1580 TerrainCut Commercial Front Mower (Less Mower Deck) | 31,231.00 |
|--------|--|-----------|

DESTINATION

| | | |
|------|--|---------------|
| 001A | North America United States and Canada | In Base Price |
|------|--|---------------|

SEAT

| | | |
|------|---|---------------|
| 2010 | Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i> | In Base Price |
| 2011 | Comfort Adjust Suspension Seat with Armrests | 390.00 |
| 2012 | Air Ride Suspension Seat with Armrests | 680.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---|--------|
| AR87167 | Engine: Engine Coolant Heater (110 Volt) | 80.90 |
| | | |
| BTC10529 | HYDRAULICS Double Spool Auxiliary Hydraulic Kit | 818.56 |
| BTC10531 | Hydraulic Weight Transfer Kit | 327.41 |
| BTC10562 | Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i> | 331.70 |
| BTC10530 | Single Spool Auxiliary Hydraulic Kit | 599.20 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | | Lighting: | |
| | BTC10594 | Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i> | 316.71 |
| | BTC10644 | Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i> | 211.86 |
| | | Miscellaneous: | |
| | TCB10608 | Electronic Cruise Control Kit | 298.53 |
| | BTC10673 | Reverse Alarm Kit (Back-up alarm) | 130.54 |
| | BTC10685 | Slow Moving Vehicle (SMV) Kit | 86.67 |
| | | Operator Environment: | |
| | TCB10325 | (1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i> | 224.70 |
| | BTC10334 | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i> | 1,700.23 |
| | TCB10620 | Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i> | 492.20 |
| | | Seats / Wheels / Tires: | |
| | TY15958 | Tire Chains (Pair) for 26x12-12 Tires | 97.67 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i> | 112.36 |
| | | Wheels and Tires Front: | |
| | TCB10556 | Two Wheels with 26x12-12 In., 6PR Turf Drive Tires | 556.40 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

| | | |
|--|--|---|
| 37.4 HP (27.5 kW), gross SAE J1995, P Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Two-Speed Transaxle Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 26x12.00-12 In. Square Shoulder 6PR Turf Drive Tires | 20x10.00-10 In. 6PR Round Shoulder Steering Tires Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension | Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights Double Spool Auxiliary Hydraulic Valve with Forward-mounted Couplers |
|--|--|---|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--|-----------|
| 2463TC | 1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck) | 40,951.00 |
|--------|--|-----------|

DESTINATION

| | | |
|------|--|---------------|
| 001A | North America United States and Canada | In Base Price |
|------|--|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---|--------|
| AR87167 | Engine: Engine Coolant Heater (110 Volt) | 80.90 |
| BTC10531 | HYDRAULICS Hydraulic Weight Transfer Kit | 327.41 |
| BTC10562 | Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i> | 331.70 |
| LVB24852 | Lighting: Beacon Light Kit (Cab Only) | 243.10 |
| LVB24853 | Rear Work Light Kit (2 Lights) (Cab Only) | 150.70 |

Miscellaneous:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB10608 | Electronic Cruise Control Kit | 298.53 |
| | BTC10673 | Reverse Alarm Kit (Back-up alarm) | 130.54 |
| | BTC10685 | Slow Moving Vehicle (SMV) Kit | 86.67 |
| | | Operator Environment: | |
| | LVB24844 | External Mirror Kit (Cab Only) | 190.30 |
| | BTC10677 | Radio Mount Kit (Cab Only) | 120.91 |
| | RE321102 | Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband | 477.40 |
| | RE321109 | Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband | 933.90 |
| | SWJHD1620 | Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready | 249.99 |
| | | Seats / Wheels / Tires: | |
| | TY15958 | Tire Chains (Pair) for 26x12-12 Tires | 97.67 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i> | 112.36 |
| | | Wheels and Tires Front: | |
| | TCB10556 | Two Wheels with 26x12-12 In., 6PR Turf Drive Tires | 556.40 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Side Discharge Deck
Equipment for Base Machine

| | |
|---|--|
| 60 In. (152.4 cm) Cutting Width | Quick Release Belt Shields |
| (3) Spindles, Blade | (4) Double Captured Adjustable |
| (3) 0.25 In. (6.35 mm) High Lift Blades | Anti-scalp Wheel Locations |
| 7-Gauge (.177 In.) One Piece Stamped Deck Shell | (1) Left Rear Anti-scalp Wheel |
| 1-6 In. (2.54-15.24 cm) Height of Cut | Hinged Side Discharge Chute |
| 5.5 In. (13.97 cm) Deep Deck Design | Greaseable Spindles and Caster Wheels |
| (2) Semi-Pneumatic Caster Wheels | 1 In. (2.54 cm) Splined Shaft Drive |
| | Rotate for Service with Safety Latches |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0338TC | 60 In. 7-Iron PRO Commercial Side Discharge Deck <i>(For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II) Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 4,070.00 |
|--------|---|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---|---|--------|
| Miscellaneous: | | |
| TCA24048 | Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i> | 12.08 |
| Mower Deck and Mower Deck Attachments: | | |
| TCA22953 | Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i> | 521.05 |
| BTC10669 | Mulch Kit (60 In. 7-Iron PRO) | 326.36 |
| Weights: | | |
| R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

62 In. Fastback Commercial Rear Discharge Deck
Equipment for Base Machine

| | |
|---|--|
| 62 In. (157.48 cm) Cutting Width | (2) Semi-Pneumatic Caster Wheels |
| (3) Spindles, Blades | Quick Release Belt Shields |
| (3) 0.31 In. (7.87 mm) Medium Lift Blades | (3) Double Captured Anti-scalp Wheel Locations |
| 7-Gauge 0.177 In. (4.49 mm) Fabricated Deck | Greaseable Spindles and Caster Wheels |
| 1-6 In. (2.54-15.24 cm) Height of Cut | 1 In. (2.54 cm) Splined Shaft Drive |
| Vehicle Enclosure Kit | Rotate for Service |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0352TC | 62 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 4,230.00 |
|--------|--|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---|---|--------|
| Miscellaneous: | | |
| TCA24048 | Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i> | 12.08 |
| TCA13791 | Vehicle Enclosure Kit <i>For 1400/1500 Series II and Non-Series II.</i> | 666.22 |
| Mower Deck and Mower Deck Attachments: | | |
| BTC10545 | 62 In. Rear Discharge Mulching Kit <i>Will Retrofit MY13 62-In. Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 62-In. Rear Discharge Decks.</i> | 235.40 |
| TCB10523 | 62 In. Rear-Discharge Mower Deck Deflector Kit | 262.16 |
| TCA22953 | Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i> | 521.05 |
| Weights: | | |
| R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

72 In. 7-Iron PRO Commercial Side Discharge Mower Deck
Equipment for Base Machine

| | |
|---------------------------------------|---------------------------------------|
| 72 In. (182.88 cm) Cutting Width | (4) Double Captured Adjustable |
| (3) Spindles, Blades | Anti-scalp Wheel Locations |
| 7-Gauge 0.177 In. (4.49 mm) One Piece | (2) Rear Anti-scalp Adjustable Wheels |
| Stamped Deck Shell | Hinged Side Discharge Chute |
| 1-6 In. (2.54-15.24 cm) Height of Cut | Greaseable Spindles |
| Deep Deck Design | 1 In. (2.54 cm) Splined Shaft |
| (2) Semi-Pneumatic Caster Wheels | Drive |
| Quick Release Belt Shields | Rotate for Service |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0347TC | 72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers)</i> | 4,787.00 |
|--------|--|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---|---|--------|
| Miscellaneous: | | |
| TCA24048 | Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i> | 12.08 |
| Mower Deck and Mower Deck Attachments: | | |
| TCA22953 | Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i> | 521.05 |
| BTC10670 | Mulch Kit 72" (7-Iron PRO) | 331.70 |
| Weights: | | |
| R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. Fastback Commercial Rear Discharge Deck
Equipment for Base Machine

| | |
|---------------------------------------|----------------------------------|
| 72 In. (182.88 cm) Cutting Width | (2) Semi-Pneumatic Caster Wheels |
| (3) Spindles, Blades | Belt Shields |
| 7-Gauge 0.177 In. (4.49 mm) | (2) Rear Anti-Scalp Wheels |
| Fabricated Deck | Front Anti-Scalp Rollers |
| 1-6 In. (2.54-15.24 cm) Height of Cut | Offset Spindles |
| Deep Deck Design | Greaseable Spindles |
| Vehicle Enclosure Kit | 1 In. (2.54 cm) Splined Shaft |
| Rear Deck Deflector Kit | Drive |
| | Rotate for Service |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0553TC | 72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers) Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. | 4,799.00 |
|--------|---|----------|

DESTINATION

| | | |
|------|--------------------------|---------------|
| 001A | United States and Canada | In Base Price |
|------|--------------------------|---------------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---|--|--------|
| Miscellaneous: | | |
| TCA24048 | Service Latch Chain (7 Link) For 1400/1500 Series II and Non-Series II Front Mowers. | 12.08 |
| TCA13791 | Vehicle Enclosure Kit For 1400/1500 Series II and Non-Series II. | 666.22 |
| Mower Deck and Mower Deck Attachments: | | |
| DMA210906 | 72 In. Deflector Kit | 157.48 |
| DMB210223 | 72 In. Rear Discharge Anti-Scalp Wheel (Front Pair) Kit For use with all 72" Rear Discharge Decks for NA and Export. | 179.76 |
| DMB210099 | 72 In. Rear Discharge Mulching Kit For use with 72" Rear Discharge Decks for NA. | 432.29 |
| TCA22953 | Heavy Duty Spindle For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks | 521.05 |
| Weights: | | |
| R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| TCB10303 | Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck
Equipment for Base Machine

| | |
|----------------------------------|-------------------------------|
| 72 In. (1,829 mm) Cutting Width | Deep Deck Design |
| Three HD Spindles Blades | Four Front Pneumatic Caster |
| Three - One Piece Stamped Decks | Wheels |
| 7-Gauge 0.177 In. (4.5 mm) Steel | 20 Degrees of Wing Deck |
| 1-5 In. (25-127 mm) Height of | Articulation |
| Cut | Hinged Side Discharge Chute |
| with Standard Rear Wheel Kit | Greasable Spindles |
| 1-4 In. (25-102 mm) Height of | Splined Shaft Drive |
| Cut | 45 Degrees Rotate for Service |
| with Optional Rear Roller Kit | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0050TC | 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck <i>(For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)</i> <i>Not Compatible with the MCS 600L Hydraulic High-Dump Material Collection System.</i> <i>Ballast Required, Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit, see Ballast Chart in Sales Manual.</i> <i>Hydraulic Weight Transfer Kit is Required for use with 72-In. (182.88 cm) V-Flex Mower Deck on 1400/1500 Series II Front Mowers.</i> <i>(2) Lift Cylinders are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001.</i> | 7,999.00 |
|--------|--|----------|

REAR ROLLERS AND WHEELS

| | | |
|------|--|---------------|
| 1000 | Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i> | In Base Price |
| 1001 | Rear Roller Kit <i>Includes (3) 26 In. (660 mm) Smooth Solid Rollers.</i> | 1,132.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|--|--------|
| TCB10771 | European CE Kit: European CE Hydraulic Wing Lift Kit <i>Meets CE Requirements. Requires Single Spool Auxiliary Hydraulic Kit (TCB11747).</i> | 802.50 |
| TCB10566 | HYDRAULICS Hydraulic Weight Transfer Kit <i>For Series II and Non-Series II Front Mowers.</i> | 312.44 |
| BTC10531 | Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i> | 327.41 |
| TCB10653 | Hydraulic Wing Lift Kit <i>*Requires Single Spool Auxiliary Hydraulic Kit (BTC10530) for 1500 TerrainCut Front Mowers</i> <i>**Requires Single Spool Auxiliary Hydraulic Kit (TCB11474) for 1400/1500 Series II Front Mowers</i> | 759.70 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB11474 | Single Spool Auxiliary Hydraulic Kit <i>For Series II and Non-Series II Front Mowers.</i> | 567.10 |
| | BTC10530 | Single Spool Auxiliary Hydraulic Kit <i>For 1500 TerrainCut Front Mowers.</i> | 599.20 |
| | | Miscellaneous: | |
| | TCA13394 | (1) Lift Cylinder | 265.17 |
| | TCA24048 | Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i> | 12.08 |
| | | Mower Deck and Mower Deck Attachments: | |
| | TCB10581 | Mulch Kit (72 In. V-Flex) | 648.41 |
| | TCB10614 | Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i> | 1,728.06 |
| | TCB10578 | Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i> | 516.81 |
| | | Weights: | |
| | R66949 | Quik-Tatch Weight, 42 Lb. <i>For Use with TCB10303 Rear Weight Mounting Kit.</i> | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**
Equipment for Base Machine

| | |
|---------------------------|--------------------------------|
| 60 In. Clearing Width | Heavy-Duty, 7-Gauge Steel |
| "Straight" | Reinforced Angle Bar on |
| 52 In. Clearing Width | Back of Blade |
| "Fully Angled" | Spring Breakaway - Lockout Pin |
| 0 Degrees Straight, 15-30 | (2) 8-Position, Adjustable |
| Degrees Left or Right | Skid Shoes |
| Blade Angle | Less Lift Arms |
| Hydraulic Angling | |
| Replaceable Cutting Edge | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|---|----------|
| 0390TC | 60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. *Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual. | 1,732.00 |
|--------|---|----------|

LIFT ARMS

| | | |
|------|---|---------------|
| 1000 | Lift Arms and Hardware For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower. | 218.00 |
| 1001 | Lift Arms and Hardware For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower. | 218.00 |
| 1010 | Less Lift Arms | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-------|
| 9100 | European CE Kit: European CE Conversion Kit for 60 In. H.D. Hydraulic Angling Front Blade This Code Must be Ordered to Receive a 60 In. Front Blade Which Meets CE Requirements. Kit Includes Fuel Hose Conduit, Pictorial Decals, Operator's Manual in English, French, German, Spanish and Italian. | 14.00 |
|------|--|-------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|--|--------|
| TCB11474 | HYDRAULICS Single Spool Auxiliary Hydraulic Kit Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers. | 567.10 |
|----------|--|--------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|---|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10530 | Single Spool Auxiliary Hydraulic Kit (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000). | 599.20 |
| | | Miscellaneous: | |
| | BTC10608 | Front Blade Lift Arms and Hardware Kit (For 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non Series II Front Mowers) | 249.31 |
| | TCB10449 | Front Blade Lift Arms and Hardware Kit (For 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non Series II Front Mowers) | 249.31 |
| | AM119321 | Heavy Duty Skid Shoe (1) | 57.37 |
| | M142885 | Heavy Duty Skid Shoe (1) | 48.37 |
| | | Seats / Wheels / Tires: | |
| | TY15956 | Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |
| | TY15841 | Tire Chains (Pair) for 23x8.50-12 In. Drive Tires | 68.14 |
| | TY15958 | Tire Chains (Pair) for 26x12-12 Tires | 97.67 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | | |
|--------|--|---|----------|
| 0228TC | | Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) <i>(Not Compatible with 1500 TerrainCut Models)</i> <i>Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i> | 3,055.00 |
|--------|--|---|----------|

MISCELLANEOUS

| | | | |
|------|--|--|----------|
| 9000 | | Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i> | 460.00 |
| 9001 | | Single Speed Front Windshield Wiper | 347.00 |
| 9002 | | (1) Exterior Mirror Kit | 205.00 |
| 9004 | | Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867</i> | 917.00 |
| 9005 | | Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</i> | 2,350.00 |
| 9006 | | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> | 1,589.00 |

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Miscellaneous: | |
| | BTC10293 | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i> | 1,700.23 |
| | TCB10538 | Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i> | 342.40 |
| | TCB10821 | Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i> | 981.19 |
| | TCB10822 | Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation.</i> <i>Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i> | 2,514.50 |
| | BTC10377 | Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i> | 190.46 |
| | BTC10378 | Compressor Bracket Kit | 212.93 |
| | TCB10326 | Floor Mounted Heater/Defroster Kit <i>For Series II and Non Series II 1400/1500 Mowers.</i> <i>Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; M138867</i> <i>1565; M138288</i> | 802.50 |
| | TCB11095 | Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i> | 181.90 |
| | TCB10662 | Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i> | 243.96 |
| | TCB10981 | Single Speed Front Windshield Wiper | 371.29 |
| | | Operator Environment: | |
| | TCB10325 | (1) Exterior Mirror Kit | 224.70 |
| | TCB10620 | Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i> | 492.20 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | | |
|--------|--|---|----------|
| 0227TC | | Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) (Not Compatible with 1500 TerrainCut Models) Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield. | 2,180.00 |
|--------|--|---|----------|

MISCELLANEOUS

| | | | |
|------|--|---|----------|
| 9000 | | Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i> | 460.00 |
| 9001 | | Single Speed Front Windshield Wiper | 347.00 |
| 9002 | | (1) Exterior Mirror Kit | 205.00 |
| 9006 | | 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> | 1,589.00 |
| 9003 | | Floor Mounted Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835</i> | 750.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|----------|--|---|----------|
| BTC10293 | | Miscellaneous: 4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i> | 1,700.23 |
|----------|--|---|----------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB10538 | Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i> | 342.40 |
| | BTC10377 | Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i> | 190.46 |
| | BTC10378 | Compressor Bracket Kit | 212.93 |
| | TCB10326 | Floor Mounted Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702</i> <i>1435; M139144, M805564, M805702</i> <i>1445/1545; TCU19226, M805565, M805834, M805835</i> <i>1565; M138867, M805565, M805834, M805835</i> | 802.50 |
| | TCB11095 | Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i> | 181.90 |
| | TCB10662 | Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i> | 243.96 |
| | TCB10981 | Single Speed Front Windshield Wiper | 371.29 |
| | | Operator Environment: | |
| | TCB10325 | (1) Exterior Mirror Kit | 224.70 |
| | TCB10620 | Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i> | 492.20 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Material Collection System (For F725, F735 Front Mowers)
Equipment for Base Machine

9 Bushel Capacity
Polyethylene Hopper
Less Power Flow Blower

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|--|-------------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| <i>F.O.B. Davenport, Iowa</i> | | | |
| 1341M | | Material Collection System (For F725, F735 Front Mowers) | 2,091.00 |
| POWER FLOW BLOWER | | | |
| 1001 | | Power Flow Blower for 48 In and 54 In. Mower | 461.00 |
| 1002 | | Less Power Flow Blower | In Base Price |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| BM19090 | | Material Collection System Power Flow Blowers: Blower Assembly for 48 In. and 54 In. Mower | 541.41 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models)
Equipment for Base Machine

17 Bushel Capacity
Hydraulic Dump System
High Performance Blower
Lift Height - 6.23 Ft.
Clam Shell Design
Fiberglass Structure

Easy To Dump System
Low Noise System
6 Blade Commercial Blower

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|--|----------|
| 0801TC | MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models) <i>Not Compatible with 1500 TerrainCut Models (1550/1570/1575/1580/1585). See Sales Manual for Complete Compatibility Requirements on MY14 and Prior Series II and Non-Series II Front Mowers. Mowers Require TCB10567 Rear Auxillary Hydraulic Kit and TCB11475 Double Spool Auxiliary Hydraulic Kit.</i> <i>*Drive Coupler AM102741 is required for all MCS 600 Material Collection Systems.</i> <i>All 1400 4WD Mowers can not be Operated with MCS and Cab. MCS can not be Used with the 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck.</i> | 6,570.00 |
|--------|--|----------|

CHUTE

| | | |
|------|---------------------------------|---------------|
| 1000 | 72 In. Chute with MCS Adapter | In Base Price |
| 1001 | 60 In. Chute with MCS Adapter | Same Price |
| 1010 | Less Chute and Less MCS Adapter | -316.00 |

ATTACHMENTS FOR FIELD CONVERSION

HYDRAULICS

| | | |
|------------------------------------|---|--------|
| TCB11475 | Double Spool Auxiliary Hydraulic Kit | 765.06 |
| TCB10567 | Rear Auxiliary Hydraulic Outlet Kit | 324.21 |
| Material Collection System: | | |
| TCB11588 | 60 In. Chute with MCS Adapter | 369.16 |
| TCB11589 | 72 In. Chute with MCS Adapter | 369.16 |
| AM102741 | Drive Coupler <i>Needs to be ordered with all MCS 600 Material Collection systems for installation on 1400 and 1500 series Front Mowers.</i> | 115.87 |
| TCA14116 | MCS Support Stands | 743.20 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

57 In. (145 cm) Clearing Width
Straight
50 In. (127 cm) Clearing Width
Fully Angled
0 Degrees Straight, 15-30
Degrees
Left or Right Brush Angle
26 In. (66 cm) Diameter
Polypropylene Brush
Heavy Duty Center Drive Gearbox
Storage Stand

Less Lift Arms and Drive Shaft
Chain and Sprocket Final Drive
(2) Caster Wheels
Steel Hood

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are

Recommended only and are Subject
to Change without Notice.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0500TC | 60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> | 3,247.00 |
|--------|---|----------|

LIFT ARMS AND DRIVE SHAFT

| | | |
|------|---|---------------|
| 1000 | Lift Arms, Cylinders, Drive Shaft and Hardware | 1,633.00 |
| 1010 | Less Lift Arms, Cylinders, Drive Shaft and Hardware | In Base Price |

ATTACHMENTS FOR FIELD CONVERSION

HYDRAULICS

| | | |
|----------|---|----------|
| TCB11474 | Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i> | 567.10 |
| BTC10530 | Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> | 599.20 |
| BM20706 | Miscellaneous: 19.25x12.5x6.5 Heavy Duty Wheel Kit | 361.66 |
| TCB10391 | 60 Rotary Broom Lift Arms, Angle Cylinder, Drive Shaft and Hardware Kit | 1,854.31 |
| TCB10392 | Debris Deflector | 417.30 |
| AM128682 | Wafers, Polypropylene Bristle (Pack of 16) | 278.54 |
| AM128683 | Wafers, Steel Bristle (Pack of 16) | 477.48 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and
Non-Series II Front Mowers)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|--------------------------|--|-------------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers,
1400 Series II and Non-Series II Front Mowers)**
Equipment for Base Machine

| | |
|--------------------------------|--------------------------------|
| Two-Stage Design | Reversible, Replaceable |
| Hydraulic Lift | Scraper Blade |
| 47 In. Clearing Width | Hydraulic Discharge Chute |
| 15.5 In. Diameter Impeller | Rotation 90 Degrees Right and |
| 16 In. Diameter Auger | Left (180 Degrees Total) |
| (4) Spare Shear Bolts | HD Auger Bevel Gearbox Drive |
| Mounted to Shell | Less Lift Arms and Drive Shaft |
| Adjustable Spout Cap Deflector | |
| Large, Adjustable Skid Shoes | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|---|----------|
| 0370TC | 47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> | 4,180.00 |
|--------|---|----------|

LIFT ARMS AND DRIVE SHAFT

| | | |
|------|--|---------------|
| 1000 | Lift Arms, Drive Shaft and Hardware | 444.00 |
| 1010 | Less Lift Arms, Drive Shaft and Hardware <i>To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i> | In Base Price |

ATTACHMENTS FOR FIELD CONVERSION

HYDRAULICS

| | | |
|----------|---|--------|
| TCB11474 | Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i> | 567.10 |
| BTC10530 | Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> | 599.20 |
| M88984 | Miscellaneous: Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i> | 29.87 |
| TCB10448 | Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit | 509.31 |
| TY15956 | Seats / Wheels / Tires: Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers,
1400 Series II and Non-Series II Front Mowers)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|--|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TY15841 | Tire Chains (Pair) for 23x8.50-12 In. Drive Tires | 68.14 |
| | TY15958 | Tire Chains (Pair) for 26x12-12 Tires | 97.67 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Equipment for Base Machine

| | |
|--------------------------------|--------------------------------|
| Two-Stage Design | Scraper Blade |
| Hydraulic Lift | Hydraulic Discharge Chute |
| 59 In. Clearing Width | Rotation 90 Degrees Right and |
| 60 In. Overall Width | Left (180 Degrees Total) |
| 16 In. Diameter Auger | HD Auger Gearbox Drive |
| Adjustable Spout Cap Deflector | Less Lift Arms and Drive Shaft |
| Large, Adjustable Skid Shoes | |
| Reversible, Replaceable | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|--|----------|
| 0380TC | 60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. *Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> | 4,655.00 |
|--------|--|----------|

LIFT ARMS AND DRIVE SHAFT

| | | |
|------|-------------------------------------|---------------|
| 1000 | Lift Arms, Drive Shaft and Hardware | 444.00 |
| 1010 | Less Lift Arms | In Base Price |

ATTACHMENTS FOR FIELD CONVERSION

HYDRAULICS

| | | |
|----------|---|--------|
| TCB11474 | Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i> | 567.10 |
|----------|---|--------|

| | | |
|----------|---|--------|
| BTC10530 | Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> | 599.20 |
|----------|---|--------|

Miscellaneous:

| | | |
|--------|--|-------|
| M88984 | Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i> | 29.87 |
|--------|--|-------|

| | | |
|----------|--|--------|
| TCB10448 | Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit | 509.31 |
|----------|--|--------|

Seats / Wheels / Tires:

| | | |
|---------|--|-------|
| TY15956 | Tire Chains (Pair) for 23x10.50-12 In. Drive Tires | 81.08 |
|---------|--|-------|

| | | |
|---------|---|-------|
| TY15841 | Tire Chains (Pair) for 23x8.50-12 In. Drive Tires | 68.14 |
|---------|---|-------|

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|--|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TY15958 | Tire Chains (Pair) for 26x12-12 Tires | 97.67 |
| | | Weights: | |
| | BM17972 | 50 Lb. Cast Iron Wheel Weight (1) | 133.76 |
| | BM18101 | Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i> | 29.96 |
| | R66949 | Quik-Tatch Weight, 42 Lb. | 59.91 |
| | TCB10303 | Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i> | 112.36 |

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Front Mowers and Equipment

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|---|-------------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | HYDRAULICS | |
| TCB11475 | | Double Spool Auxiliary Hydraulic Kit | 765.06 |
| TCB10566 | | Hydraulic Weight Transfer Kit | 312.44 |
| TCB10567 | | Rear Auxiliary Hydraulic Outlet Kit | 324.21 |
| TCB11474 | | Single Spool Auxiliary Hydraulic Kit | 567.10 |
| | | Miscellaneous: | |
| BM18123 | | 2000 RPM Front PTO (F900's) | 1,241.20 |
| BM17714 | | Auxiliary Hydraulic Kit For F900 Series and F1145 | 267.50 |
| TCA12058 | | Slow Moving Vehicle (SMV) Kit | 47.87 |
| TCA13791 | | Vehicle Enclosure Kit | 666.22 |
| | | Mower Deck and Mower Deck Attachments: | |
| BM17870 | | 48 In. Front Edge Kit | 88.81 |
| BM19918 | | 48 In. Mulch Kit | 236.47 |
| BM17436 | | 72 In. Commercial Side Discharge Mower Deck (For F1145) | 4,909.16 |