

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp) Equipment for Base Machine

ENGINE:
Yanmar 3 Cylinder Liquid Cooled
Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety
Element
Fully Enclosed Engine and
Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity
(21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
Twin Touch Pedals and Direction
Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

4WD STEERING AND BRAKES:
Hydrostatic Power Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3

GPM (24 L/min) with Filter
Working Pressure (2000 PSI)
Dual Mid SCV Standard

PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
Flip Up PTO Shield

**ROCKSHAFT, 3-PT. HITCH, AND
HITCH PLATE:**
Rockshaft
Limited Category 1, 3-Pt. Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold
Cranking Amps
40 Amp Alternator
Key Ignition Starter With
Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over
Protective Structure)
** Meets SAE J2194 and OSHA
1928 ROPS Certification
Standards
Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1
Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial,
1 Position) Front Wheels & Tires

Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
MID-MOUNT LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm
Linkage

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0252LV	1023E Sub-Compact Utility Tractor (15 PTO hp)	12,062.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

REAR WHEELS AND TIRES

All tires offered are of bias ply construction.

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS AND TIRES Continued...			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
	BW15073	Ballast Box	288.20
	BW15074	Ballast Box Extension	136.40
		Engine:	
	MIA881629	Engine Block Heater Adapter	100.56
	BLV10640	Engine Coolant Heater Kit (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	64.64
	AM108146	Spark Arrester Screen for Muffler	25.48
		HYDRAULICS	
	LVB25956	Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	176.00
	LVB25837	Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10351 (Third SCV Kit). Also not compatible with TLB models.</i>	308.00
	BLV10351	Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	645.21
		Hitch:	
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
	BW15901	Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	233.20
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	211.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Requires Lighting Kit Harness LVB26026. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness LVB26026. Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
LVB26026		Rear Work Light Harness Kit <i>Required to use with Rear Work Light LVB25547.</i>	23.10
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
		Miscellaneous:	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP25000		ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	457.81
LVA21035		Filter Pak	58.60
LVB26110		Loader Mount Toolbox Kit	67.10
		Operator Environment:	
TY25324		Weather Protection Umbrella	113.73
		Operator Manual and Decal Kit:	
BLV10751		French North American Owner's Manual and Decal Kit	0.00
BLV10158		Spanish North American Owner's Manual and Decal Kit	0.00
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		Wheels and Tires Front:	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp) Equipment for Base Machine

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:
Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow
6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt.
Position Control Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With
Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights
Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE:
Folding ROPS (Roll-Over Protective Structure)

** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Deluxe Cushion Seat With Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emissions
Certified Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM

MID-MOWER LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm
Linkage

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0282LV	1025R Sub-Compact Utility Tractor (18 PTO hp)	13,884.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
LVA15392		Spark Arrester Screen for Muffler	36.21
HYDRAULICS			
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	176.00
LVB25837		Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10351 (Third SCV Kit). Also not compatible with TLB models.</i>	308.00
BLV10351		Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	645.21
Hitch:			
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
Hood Guards:			
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	233.20
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	211.20
Lighting:			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	457.81
	LVA21036	Filter Pak	58.30
	LVB26110	Loader Mount Toolbox Kit	67.10
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
	BLV10751	Operator Manual and Decal Kit: French North American Owner's Manual and Decal Kit	0.00
	BLV10158	Spanish North American Owner's Manual and Decal Kit	0.00
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		Wheels and Tires Front:	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp) Equipment for Base Machine

ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off	Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Deluxe Cushion Seat With Seat Belt Operator Presence System MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment Tool Box 12V Outlet Floor Mat BASE MACHINE (4WD): Engage on the go 4WD	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires Tier IV EPA Emissions Certified Engine HP 24.2 (18.5 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM LOADER: 49 In.(1250 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover BACKHOE: 6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics 12 In. Bucket Swivel Seat Bracket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics MID-MOWER LIFT SYSTEM: Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0281LV	1025R TLB Sub-Compact Utility Tractor (18 PTO hp) <i>Base Machine Suggested List Price Does Include:</i> <i>- H120 NSL Loader (Less Ballast Box, with Quick Change Attachment Carrier and 49 In.</i>	23,159.00
--------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE Continued... <i>Quick Change Materials Bucket</i> <i>- 260 Backhoe (with 12 In. Backhoe Bucket)</i> <i>- Installation Charge of \$535 USD.</i> <i>- Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i>	
OPERATOR'S MANUAL			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
REAR WHEELS AND TIRES			
		<i>All tires offered are of bias ply construction.</i>	
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS AND TIRES			
		<i>All tires offered are of bias ply construction.</i>	
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	438.90
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	488.40
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	671.96
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	372.90
		Engine:	
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
LVA15392		Spark Arrester Screen for Muffler	36.21

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Hitch:	
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	365.20
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
		Miscellaneous:	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
	BW15476	Bucket Level Indicator	63.80
	LVA21036	Filter Pak	58.30
	LVB26110	Loader Mount Toolbox Kit	67.10
	LVB24982	Stabilizer Cylinder Protection Kit	125.40
		Operator Environment:	
	TY25324	Weather Protection Umbrella	113.73
		Operator Manual and Decal Kit:	
	BLV10751	French North American Owner's Manual and Decal Kit	0.00
	BLV10158	Spanish North American Owner's Manual and Decal Kit	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		Wheels and Tires Front:	
LVB25850		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
LVB25848		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
LVB25849		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
LVB25847		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Equipment for Base Machine

ENGINE:	Open Center Hydraulic System	Neutral Start Switch
Yanmar 3 Cylinder Liquid Cooled	Dual Gear Pump -	LIGHTS:
Diesel Engine	Maximum Total	Two Front Halogen Head Lights
Tier IV EPA Emissions Certified	Flow 5.6 GPM (21.2 LPM)	Two Flashing Warning Lights
Engine HP 24.2 (17.8 kW)**	Steering Pump 2.2 GPM (8.5 LPM)	**Turn Signal Indication per
PTO HP 18.0 (13.4 kW)	Implement Pump 3.4 GPM (12.7 LPM)	Current ASAE Lighting Standard
Rated Speed 3000 RPM	Dual Mid-SCV Standard	OPERATOR PROTECTIVE
**Manufacturer's Estimate of	POWER TAKE OFF:	STRUCTURE:
Power (ISO) per 97/68/EC 68 Cu.	Mid PTO Standard Equipment	Folding ROPS (Roll-Over
in. Displacement (1.115 L)	Independent Mid and Rear PTO	Protective Structure)
Indirect Fuel Injection	Mid PTO Brake	**Meets ASAE/SAE/OSHA Standard
Auto Bleed Fuel System	Rear PTO Brake	Deluxe Cushion Seat With Seat
Glow Plug Cold Starting Aid	Separate or Simultaneous	Belt
Anti-Freeze	Operation of Mid and Rear PTO	Isolated Foot Rest
Dry Type Air Cleaner With Safety	540-RPM Rear PTO	Operator Presence System
Element	Hydraulic PTO Clutch	MISCELLANEOUS:
Fully Enclosed Engine and	ROCKSHAFT, 3-PT. HITCH, AND	Slow-Moving Vehicle (SMV)
Muffler With Horizontal Exhaust	DRAWBAR:	Emblem
6.1 Gallon Fuel Tank Capacity	Rockshaft	Front Weight Bracket
(23.0 L)	Category 1, 3-Pt. Hitch With	One-piece Hood
Hand Throttle	Position Control	BASE MACHINE (4WD):
Key Engine Shut Off	Rate of Drop/Stop Valve	Engage on the go 4WD
TRANSMISSION:	Adjustable Drawbar	Anti-Wrapping Guard for 4WD
Hydrostatic Transmission:	INSTRUMENTATION:	Drive Shaft
Infinitely Variable - 2 Speed	Electric Fuel Gauge	Two - Steel Wheels With
Transaxle	Tachometer/Hour Meter	31x13.50-15 (4PR, R3 Turf, 2
2-Pedal Foot Operated Speed and	Oil Pressure Indicator Light	Position) Rear Wheels & Tires
Direction Control	Coolant Temperature Light	23x8.50-12 (4PR, R3 Turf, 1
Differential Lock	Alternator Indicator Light	Position) Front Wheels & Tires
FRONT/REAR AXLE:	PTO Engagement Light	
Flanged Rear Axle	Park Brake Light	
Spur Gear Final Drive	Flashing Warning Light Indicator	
4WD	ELECTRICAL:	
STEERING AND BRAKES:	12-Volt Electrical System	
Hydrostatic Power Steering	Wet Battery With 500 Cold	
Individual Wheel Brakes	Cranking Amps	
Park Brake	55 Amp Alternator	
Wet Disk Brakes	Key Ignition Starter With	
HYDRAULICS:		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia.

1510LV	2025R Compact Utility Tractor (18 PTO hp)	16,398.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

FRONT WHEELS AND TIRES

All Tires are of Bias Ply Construction

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT WHEELS AND TIRES Continued...			
6205		23x8.50-12 (4PR, R3 Turf, 1 Position)	In Base Price
6206		23x8.50-12 (6PR, R4 Industrial, 1 Position)	45.00
REAR WHEELS AND TIRES			
<i>All Tires are of Bias Ply Construction</i>			
5205		31x13.50-15 (4PR, R3 Turf, 2 Position)	In Base Price
5206		12-16.50 (6PR, R4 Industrial, 2 Position)	120.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		Fenders:	
LVB25652		Rear FenderExtension Kit	174.90
		Front Hitch:	
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720)	820.69
		Front PTO:	
		<i>Requires BLV10439 (Front Three-Point Hitch).</i>	
LVB24900		2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
		HYDRAULICS	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, MY '16 and Older 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10731). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	482.90
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	325.60
BLV10731		Third Selective Control Valve Kit Without Detent <i>Not compatible with Power Beyond Kit (BLV10381). For use on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	1,144.00
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Hood Guards:	
	BW15217	Hood Guard (MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors)	240.76
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
		Miscellaneous:	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	457.81
	LVA15776	Filter Pak	121.51
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	27.99
		Operator Environment:	
	TY25324	Weather Protection Umbrella	113.73
		Operator Manual and Decal Kit:	
	BLV10318	Spanish North American Operator's Manual and Decal Kit	0.00
		Transmission:	
	BLV10641	Transmission Oil Heater <i>Serial #(H205509 -)</i>	86.83
		Weights:	
	BM17987	Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips.</i>	59.91
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Wheels and Tires Front:	
	LVB24806	23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	433.40
	LVB24804	23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
		Wheels and Tires Rear:	
	LVB24803	12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	998.80
	LVB24805	31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	849.20

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp) Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Final Tier IV EPA Emissions Certified
Engine Power 30.8 HP (23.0 kW) 31.2 PS **
PTO Power 25.0 HP (18.6 kW)
**Manufacturer's Estimate of Power (ISO) per SAE J1995
Rated Speed 2500 RPM
100.2 Cu. In. Displacement (1.642 L)
Direct Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
Fully Enclosed Engine and Muffler with Side Outlet Exhaust
8.6 Gallon Fuel Tank Capacity (32.5 L)
Hand Throttle
eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Individual Wheel (Turning) Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
8.2cc Gear Pump (Implement)
6.1cc Gear Pump (Steering)
Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
Implement Pump 5.2 GPM (19.6 LPM)
Working Pressure (2500 PSI)
Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
540-RPM Rear PTO
2000-RPM Mid PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR:

Rockshaft
Category 1, 3-Pt. Hitch
Position Control Hitch
Rate of Drop/Stop Valve
Adjustable Drawbar
Adjustable Sway Chains

INSTRUMENTATION:

Analog Style Fuel Gauge in Instrument Panel
Tachometer/Hour Meter
Premium Instrument Panel with Advanced Diagnostic Capabilities
Dot Matrix Display with Multiple Language Support
Oil Pressure Indicator Light
Air Filter Restriction Indicator Light
Analog Engine Coolant Temperature Gauge
Coolant Over-Temperature Warning Light
Alternator Charge Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Amber Warning Light
Cruise Control Indicator Light
MFWD Indicator Light
Digital PTO Speed Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500 Cold Cranking Amps
85 Amp Alternator
Key Ignition Starter with Over-Start Protection
Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights
Two Forward Flashing Warning Lights
Two Rearward Flashing Warning Lights
Two Fender Lights
Brake Indicator Lights
**Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS
(Roll-Over-Protective Structure)
**Meets OECD 7 Standard
Deluxe Cushion Seat with Seat Belt
Isolated Foot Deck
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood with Gas-Lift Shocks
Cup holder
Integrated Storage in Left Fender (Covered)
Integrated Storage in Right Fender (Open)
Floor Mat
High Back Mechanical Suspension Seat
Adjustable Armrests
Fuel fill location on LH fender
Chrome Plated Row Finder on Hood
Seat close out
Fender close outs
Fender grab handles - LH & RH

BASE MACHINE (4WD):

Engage on-the-go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1532LV		2032R Compact Utility Tractor (25 PTO hp)	22,096.00
DESTINATION			
0184		Canada	Same Price
0205		Quebec, Canada	Same Price
024H		UM United States Minor Outlying Islands	Same Price
0202		United States	In Base Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-478.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-60.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	732.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-265.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-60.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	32.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader and installation charge along with the following options:</i> 220R Loader Non Self-Leveling Boom Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	4,526.00

Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
LOADERS Continued...			
<i>Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	291.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
		Buckets:	
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW16787		53 in (1450 mm) Heavy Duty Bucket with Bucket Loops <i>Includes Bucket Loops.</i>	1,036.20
BW16609		57 in (1450 mm) Materials Bucket	843.70
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
		Engine:	
		<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		Fenders:	
BLV10520		Rear FenderExtension Kit	273.90
		Front Hitch:	
BLV10637		A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors)	209.00
BLV10634		Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	92.40
BLV10631		Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	1,353.00
BLV10638		Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	123.20

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

2032R Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Front PTO:	
BLV10633		2000 RPM Front PTO (MY '17 and newer 2032R and 2038R Tractors) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	313.50
		HYDRAULICS	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY '17 and newer 2032R and 2038R Tractors.</i>	861.30
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY '17 and newer 2032R and 2038R Tractors.</i>	414.70
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
BLV10705		Hood Guard	261.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted LED Lights with 360 degree rotation. Includes 2 Fender mounted LED Lights. Includes 1 Rear mounted LED Light for PTO and Hitch Illumination.</i>	411.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
		Miscellaneous:	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV10677	Rear License Plate Kit (Includes Light)	64.90
	RE19428	Safety Chain Support Kit	158.04
	TY4460	Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	269.86
	BLV10430	Wheel Spacer Set, 60MM (each side)	321.20
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	TY25324	Weather Protection Umbrella	113.73
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM17987	Weights: Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	LVB24952	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB24952.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB24952.</i>	100.10
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	BLV10601	Wheels and Tires Front: 200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	885.50
	BLV10598	23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	770.00
	BLV10600	23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	845.90
	BLV10596	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	512.60
	BLV10595	Wheels and Tires Rear: 12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	742.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10597	14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,266.10
	BLV10599	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,342.00
	BLV10602	300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,262.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled
Diesel Engine
Final Tier IV EPA Emissions
Certified
Engine Power 36.8 HP (27.4 kW)
37.3 PS **
PTO Power 30.0 HP (22.4 kW)
**Manufacturer's Estimate of
Power (ISO) per SAE J1995
Rated Speed 2500 RPM
95.7 Cu. In. Displacement (1.568
L)
Direct Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety
Element and Electronic
Restriction Indicator
Fully Enclosed Engine and
Muffler with Side Outlet Exhaust
8.6 Gallon Fuel Tank Capacity
(32.5 L)
Hand Throttle
eThrottle - Automotive Style
Throttle Control (Hydro Pedal
Increases Engine RPM) -
Selectable
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
TwinTouch (2-Pedal) Foot
Operated Speed and Direction
Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Individual Wheel (Turning)
Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
8.2cc Gear Pump (Implement)
6.1cc Gear Pump (Steering)
Maximum Total Flow 9.1 GPM (34.2
LPM)

Steering Pump 3.9 GPM (14.6 LPM)
Implement Pump 5.2 GPM (19.6
LPM)
Working Pressure (2500 PSI)
Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
540-RPM Rear PTO
2000-RPM Mid PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
(Single Lever Control)
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR:

Rockshaft
Category 1, 3-Pt. Hitch
Position Control Hitch
Rate of Drop/Stop Valve
Adjustable Drawbar
Adjustable Sway Chains

INSTRUMENTATION:

Analog Style Fuel Gauge in
Instrument Panel
Tachometer/Hour Meter
Premium Instrument Panel with
Advanced Diagnostic Capabilities
Dot Matrix Display with Multiple
Language Support
Oil Pressure Indicator Light
Air Filter Restriction Indicator
Light
Analog Engine Coolant
Temperature Gauge
Coolant Over-Temperature Warning
Light
Alternator Charge Indicator
Light
PTO Engagement Light
Park Brake Light
Flashing Amber Warning Light
Cruise Control Indicator Light
MFWD Indicator Light
Digital PTO Speed Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500 Cold
Cranking Amps
85 Amp Alternator
Key Ignition Starter with
Over-Start Protection
Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights
Two Forward Flashing Warning
Lights
Two Rearward Flashing Warning
Lights
Two Fender Lights
Brake Indicator Lights
**Turn Signal Indication per
Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS
(Roll-Over-Protective Structure)
**Meets OECD 7 Standard
Deluxe Cushion Seat with Seat
Belt
Isolated Foot Deck
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood with Gas-Lift
Shocks
Cup holder
Integrated Storage in Left
Fender (Covered)
Integrated Storage in Right
Fender (Open)
Floor Mat
High Back Mechanical Suspension
Seat
Adjustable Armrests
Fuel fill location on LH fender
Chrome Plated Row Finder on Hood
Seat close out
Fender close outs
Fender grab handles - LH & RH

BASE MACHINE (4WD):

Engage on-the-go 4WD
Anti-Wrapping Guard for 4WD
Drive Shaft
14-17.5 (4PR, R4 Industrial, 1
Position) Bias Ply - Rear Wheels
& Tires
23x8.50-14 (4PR, R4 Industrial,
1 Position) Bias Ply - Front
Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1552LV		2038R Compact Utility Tractor (30 PTO hp)	23,958.00
DESTINATION			
0184		Canada	Same Price
0205		Quebec, Canada	Same Price
024H		UM United States Minor Outlying Islands	Same Price
0202		United States	In Base Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-478.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-60.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	732.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-265.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-60.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	32.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader and installation charge along with the following options:</i> 220R Loader Non Self-Leveling Boom Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	4,526.00

Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
LOADERS Continued...			
<i>Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	291.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
		Buckets:	
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW16787		53 in (1450 mm) Heavy Duty Bucket with Bucket Loops <i>Includes Bucket Loops.</i>	1,036.20
BW16609		57 in (1450 mm) Materials Bucket	843.70
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
		Engine:	
		<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		Fenders:	
BLV10520		Rear FenderExtension Kit	273.90
		Front Hitch:	
BLV10637		A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors)	209.00
BLV10634		Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	92.40
BLV10631		Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	1,353.00
BLV10638		Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	123.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Front PTO:	
BLV10633		2000 RPM Front PTO (MY '17 and newer 2032R and 2038R Tractors) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	313.50
		HYDRAULICS	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY '17 and newer 2032R and 2038R Tractors.</i>	861.30
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY '17 and newer 2032R and 2038R Tractors.</i>	414.70
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
BLV10705		Hood Guard	261.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted LED Lights with 360 degree rotation. Includes 2 Fender mounted LED Lights. Includes 1 Rear mounted LED Light for PTO and Hitch Illumination.</i>	411.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
		Miscellaneous:	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV10677	Rear License Plate Kit (Includes Light)	64.90
	RE19428	Safety Chain Support Kit	158.04
	TY4460	Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	269.86
	BLV10430	Wheel Spacer Set, 60MM (each side)	321.20
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	TY25324	Weather Protection Umbrella	113.73
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM17987	Weights: Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	LVB24952	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB24952.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB24952.</i>	100.10
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	BLV10601	Wheels and Tires Front: 200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	885.50
	BLV10598	23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	770.00
	BLV10600	23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	845.90
	BLV10596	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	512.60
	BLV10595	Wheels and Tires Rear: 12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	742.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10597	14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,266.10
	BLV10599	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,342.00
	BLV10602	300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,262.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor (17 PTO hp)

Equipment for Base Machine

ENGINE:	9.3 GPM (35.2 LPM) Total Flow	Meets ASABE S478.1 and OSHA
Yanmar Liquid Cooled	5.3 GPM (20.1 LPM) Implement	1928.5l ROPS Certification
Diesel Engine	Pump	Standards
Tier IV EPA Emissions	4.0 GPM (15.1 LPM) Steering Pump	Retractable Seat Belt
Certified		Operator Presence with
Engine HP 24.7 (18.2 kW)**	PTO:	Safety Interlock System
PTO HP 17.4 (13.0 kW) HST	Independent 540 RPM Rear PTO	
Rated Speed 2500 RPM	Electronically Engaged Wet	BASE MACHINE (4WD):
**Engine HP (kW), gross SAE	Clutch	11.20-24 (6PR, R1 Bar, 1
J1995: 24.7 (18.2) @ 2500 rpm,	ELECTRICAL:	Position) Rear Wheels & Tires
PS	12-Volt System	7-14 (6PR, R1 Bar, 2 Position)
Displacement, in3 (L): 100.20	40 Amp Alternator	Front Wheels & Tires
(1.642)	Key Ignition Starter with	
	Accessory and Pre-Heat	
TRANSMISSION:	Position	
4-Wheel Drive	Maintenance Free Battery with	
HST Transmission	500 Cold Cranking Amps	
2 Ranges		
Differential Lock (Control	OPERATOR PROTECTIVE STRUCTURE:	
Integrated with Brake Pedal)	Adjustable Vinyl Seat	
	without suspension	
HYDRAULICS:	Folding ROPS	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
1350LV		3025E Compact Utility Tractor (17 PTO hp)	17,324.00
OPERATOR'S MANUAL			
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
EXHAUST			
3010		Downward Exhaust	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5211		11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price
5213		41x14-20 (4PR, R3 Turf, 1 Position)	20.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor (17 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT WHEELS AND TIRES Continued...			
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
DRAWBAR			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
FRONT LOADER PACKAGES			
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
	BW15073	Ballast Box	288.20
	BW15074	Ballast Box Extension	136.40
		Engine:	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	LVA13457	Spark Arrester Screen	53.03
		HYDRAULICS	
	BLV10461	Rear Hydraulic Kit	892.10
		Hitch:	
	LVB25811	Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	156.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 Loader and D160 Loader.</i>	254.66
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor (17 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10486	Cruise Control Kit <i>For tractors prior to MY2016 serial number break (610000-XXXXXX). Also used on MY2016 and newer tractors serial number break (00101-XXXXX).</i>	250.80
	LVA21128	Filter Pak <i>For us on 3E Series Tractors serial number (- 610000).</i>	79.22
	LVA21037	Filter Pak <i>For us on 3E Series Tractors serial number (610000 -).</i>	140.70
	RE19428	Safety Chain Support Kit	158.04
	TY4453	Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	98.26
	TY15653	Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	65.62
	TY4457	Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	TY25324	Weather Protection Umbrella	113.73
	BLV10611	Operator Manual and Decal Kit: Spanish North American Operators Manual and Decal Kit	See Parts
		Transmission:	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor (17 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10641	Transmission Oil Heater	86.83
		Weights:	
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19951	Attaching Hardware for Rear Wheel Weight	8.80
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
	LVB24952	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
	BLV10443	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	185.90
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443 or LVB24952.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	100.10
	BM17969	Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
	BM17965	Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		Wheels and Tires Front:	
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
	BLV10658	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
	BLV10659	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
	LVB24877	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 31.1 (22.3 kW)* PTO HP 25.0 (18.6 kW) HST Rated Speed 2500 RPM **Engine HP (kW), gross SAE J1995: 31.1 (22.3) @ 2500 rpm, PS Displacement, in3 (L): 100.20 (1.642)	5.3 GPM (20.1 LPM) Implement Pump 4.0 GPM (15.1 LPM) Steering Pump PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet Clutch ELECTRICAL: 12-Volt System 40 Amp Alternator Key Ignition Starter with Pre-Heat While Cranking Maintenance Free Battery with 500 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Folding ROPS	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
TRANSMISSION: 4-Wheel Drive HST Transmission 2 Ranges Differential Lock (Control Integrated with Brake Pedal)		
HYDRAULICS: 9.3 GPM (35.2 LPM) Total Flow		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1474LV	3032E Compact Utility Tractor (25 PTO hp)	19,049.00
--------	---	-----------

OPERATOR'S MANUAL

0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

EXHAUST

3010	Downward Exhaust <i>SN 1LV3032ELEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
------	---	---------------

REAR WHEELS AND TIRES

All tires offered are of bias ply construction.

5210	15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5211	11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price
5213	41x14-20 (4PR, R3 Turf, 1 Position)	20.00

FRONT WHEELS AND TIRES

All tires offered are of bias ply construction.

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES Continued...	
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
		DRAWBAR	
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
		FRONT LOADER PACKAGES	
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Ballast Box:	
	BW15073	Ballast Box	288.20
	BW15074	Ballast Box Extension	136.40
		Engine:	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	LVA13457	Spark Arrester Screen	53.03
		HYDRAULICS	
	BLV10461	Rear Hydraulic Kit	892.10
		Hitch:	
	LVB25811	Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	156.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 Loader and D160 Loader.</i>	254.66
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10486	Cruise Control Kit <i>For tractors prior to MY2016 serial number break (610000-XXXXXX). Also used on MY2016 and newer tractors serial number break (00101-XXXXX).</i>	250.80
	LVA21128	Filter Pak <i>For us on 3E Series Tractors serial number (- 610000).</i>	79.22
	LVA21037	Filter Pak <i>For us on 3E Series Tractors serial number (610000 -).</i>	140.70
	RE19428	Safety Chain Support Kit	158.04
	TY4453	Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	98.26
	TY15653	Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	65.62
	TY4457	Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	TY25324	Weather Protection Umbrella	113.73

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Operator Manual and Decal Kit:	
BLV10611		Spanish North American Operators Manual and Decal Kit	See Parts
		Transmission:	
BLV10641		Transmission Oil Heater	86.83
		Weights:	
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19951		Attaching Hardware for Rear Wheel Weight	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	185.90
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443 or LVB24952.</i>	59.91
BM19780		Quik-Tatch Weight, 70 Lb. <i>Requires (1) BLV10443.</i>	100.10
BM17969		Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		Wheels and Tires Front:	
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
BLV10658		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
BLV10659		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
LVB24877		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)

Equipment for Base Machine

ENGINE:	9.3 GPM (35.2 LPM) Total Flow	Meets ASABE S478.1 and OSHA
Yanmar Liquid Cooled	5.3 GPM (20.1 LPM) Implement	1928.51 ROPS Certification
Diesel Engine	Pump	Standards
Tier IV EPA Emissions	4.0 GPM (15.1 LPM) Steering Pump	Retractable Seat Belt
Certified		Operator Presence with
Engine HP 37.3 (27.4 kW)*	PTO:	Safety Interlock System
PTO HP 30.0 (22.4 kW) HST	Independent 540 RPM Rear PTO	
Rated Speed 2500 RPM	Electronically Engaged Wet	BASE MACHINE (4WD):
**Engine HP (kW), gross SAE	Clutch	11.20-24 (6PR, R1 Bar, 1
J1995: 37.3 (27.4) @ 2500 rpm,	ELECTRICAL:	Position) Rear Wheels & Tires
PS	12-Volt System	7-14 (6PR, R1 Bar, 2 Position)
Displacement, in3 (L): 95.68	40 Amp Alternator	Front Wheels & Tires
(1.568)	Key Ignition Starter with	
	Accessory and Pre-Heat	
TRANSMISSION:	Position	
4-Wheel Drive	Maintenance Free Battery with	
HST Transmission	500 Cold Cranking Amps	
2 Ranges		
Differential Lock (Control	OPERATOR PROTECTIVE STRUCTURE:	
Integrated with Brake Pedal)	Adjustable Vinyl Seat	
	without suspension	
HYDRAULICS:	Folding ROPS	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
1484LV		3038E Compact Utility Tractor (30 PTO hp)	20,773.00
OPERATOR'S MANUAL			
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
EXHAUST			
3010		Downward Exhaust <i>SN 1LV3038EKEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5211		11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price
5213		41x14-20 (4PR, R3 Turf, 1 Position)	20.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT WHEELS AND TIRES Continued...			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
DRAWBAR			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
FRONT LOADER PACKAGES			
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	288.20
BW15074		Ballast Box Extension	136.40
		Engine:	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	53.03
		HYDRAULICS	
BLV10461		Rear Hydraulic Kit	892.10
		Hitch:	
LVB25811		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	156.20
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
LVB25998		Hood Guard <i>Hood Guard is Standard with 305 Loader and D160 Loader.</i>	254.66
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10486	Cruise Control Kit <i>For tractors prior to MY2016 serial number break (610000-XXXXXX). Also used on MY2016 and newer tractors serial number break (00101-XXXXX).</i>	250.80
	LVA21128	Filter Pak <i>For us on 3E Series Tractors serial number (- 610000).</i>	79.22
	LVA21037	Filter Pak <i>For us on 3E Series Tractors serial number (610000 -).</i>	140.70
	RE19428	Safety Chain Support Kit	158.04
	TY4453	Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	98.26
	TY15653	Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	65.62
	TY4457	Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	TY25324	Weather Protection Umbrella	113.73

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Operator Manual and Decal Kit:	
BLV10611		Spanish North American Operators Manual and Decal Kit	See Parts
		Transmission:	
BLV10641		Transmission Oil Heater	86.83
		Weights:	
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19951		Attaching Hardware for Rear Wheel Weight	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	188.10
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	185.90
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443 or LVB24952.</i>	59.91
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	100.10
BM17969		Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		Wheels and Tires Front:	
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
BLV10658		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
BLV10659		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
LVB24877		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 32.2 (23.7 kW) PTO HP 24.8 (18.5 kW) PRT PTO HP 24.3 (18.1 kW) HST Engine HP (kW), Gross SAE J1995: 32.2 (23.7) @ 2600 rpm, PS Displacement, L: 1.642 TRANSMISSION: 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator	Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat	Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO) BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1360LV	3033R Compact Utility Tractor (24 PTO hp)	23,458.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,326.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required. If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,289.00
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	985.00
MID POWER TAKE-OFF (PTO)			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV). Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors. Mid PTO is not offered on PRT configurations.</i>	720.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6230		27x8.5-15 (6PR, R4 Industrial, 2 Position)	127.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
		HITCH TYPE	
841W		iMatch Hitch	291.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10606	Vertical Exhaust Kit (Non Turbo)	491.70
		Fenders:	
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	LVB25684	Rear Fender Extension Kit (Open Station Only)	273.90
	BLV10757	Turnable Front Fender Kit (Cab Only)	567.30
		Front Hitch:	
	BLV10439	Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,353.00
		Front PTO: <i>Requires BLV10439 (Front Three-Point Hitch).</i>	
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
		HYDRAULICS	
	BLV10761	4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	856.90
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 Cab tractors with serial number 140252 and above.</i>	939.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	939.40
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,545.50
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,486.10
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i> <i>Compatible with MY2015 Cab tractors with serial number 140252 and above.</i> <i>Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	414.70
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	414.70
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,354.10
	LVB25308	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	354.20
	LUV12858	iMatch Quick Hitch Bushings	22.81
	LUV15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LUV15507).</i>	365.20
	BWA1190	Hood Guards: Deluxe Hood Guard	567.10
	BW16585	Deluxe Hood Guard Attachment	321.20
	BW15219	Hood Guard	254.66
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		Miscellaneous:	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	LVA21038	Filter Pak	183.33
	LVB24851	Horn Kit (Cab Only)	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	62.70

Operator Environment:

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
		PTO:	
	LVB24846	Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	159.50
	LVB25537	Mid PTO Kit <i>Not compatible with PRT configurations. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	765.60
		Transmission:	
	LVB26139	PRT Oil Cooler Kit	301.40
	BLV10641	Transmission Oil Heater <i>HST Models Only.</i>	86.83
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Equipment for Base Machine

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 38.7 (28.5 kW) PTO HP 31.1 (23.2 kW) HST PTO HP 31.6 (23.6 kW) PRT Engine HP (kW), Gross SAE J1995: 38.7 (28.5) @ 2600 rpm, PS Displacement, L: 1.496 TRANSMISSION: 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator	Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat	Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO) BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
1380LV		3039R Compact Utility Tractor (31 PTO hp)	25,913.00
OPERATOR'S MANUAL			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,326.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required. If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,289.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light. "Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV. Requires Option Codes 1520 (eHydro), 3420 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	9,166.00
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	985.00
MID POWER TAKE-OFF (PTO)			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV). Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors. Mid PTO is not offered on PRT configurations.</i>	720.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES Continued...	
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6230		27x8.5-15 (6PR, R4 Industrial, 2 Position)	127.00
		RADIO	
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
		HITCH TYPE	
841W		iMatch Hitch	291.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10605	Turbo Vertical Exhaust Kit	491.70
		Fenders:	
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	LVB25684	Rear Fender Extension Kit (Open Station Only)	273.90
	BLV10757	Turnable Front Fender Kit (Cab Only)	567.30
		Front Hitch:	
	BLV10439	Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,353.00
		Front PTO: <i>Requires BLV10439 (Front Three-Point Hitch).</i>	
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
		HYDRAULICS	
	BLV10761	4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	856.90
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140507 and above.</i>	939.40
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	939.40
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,545.50
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,486.10
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information. Compatible with MY2015 Cab tractors with serial number 140507 and above. Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	414.70
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,354.10
	LVB25308	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	354.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BWA1190	Hood Guards: Deluxe Hood Guard	567.10
	BW16585	Deluxe Hood Guard Attachment	321.20
	BW15219	Hood Guard	254.66

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		Miscellaneous:	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	LVA21038	Filter Pak	183.33
	LVB24851	Horn Kit (Cab Only)	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	62.70
		Operator Environment:	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
		PTO:	
	LVB24846	Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	159.50
	LVB25537	Mid PTO Kit <i>Not compatible with PRT configurations. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1) 19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	765.60
		Transmission:	
	LVB26139	PRT Oil Cooler Kit	301.40
	BLV10641	Transmission Oil Heater <i>HST Models Only.</i>	86.83

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	100.10
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
LVB25670		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
BLV10393		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar Liquid Cooled
Diesel Engine
Tier IV EPA Emissions
Certified
Engine HP 45.3 (33.3 kW)
PTO HP 34.1 (25.4 kW) HST
Engine HP (kW), Gross SAE J1995:
45.3 (33.3) @ 2600 rpm, PS
Displacement, L: 1.496

TRANSMISSION:

4-Wheel Drive
HST Transmission
Differential Lock

HYDRAULICS:

Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and SCV and
Regenerative Lockout

PTO:

Independent 540 RPM Rear PTO
Electronically Engaged with
Mechanical Mid-Both-Rear
Selector

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with

Accessory and Pre-Heat
Position
Maintenance Free Battery with
770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
meets SAE J2194 and OSHA
1928 ROPS Certification
Standards
Isolated Foot Rest

ComfortGard Cab (Optional):
12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)
Molded Rubber Floormat

Operator Manual Holder
Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with
removable rear plug for
monitor or controller
wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
Operator Presence with
Safety Interlock System
Reverse Implement Option (RIO)

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 5
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0290LV	3046R Compact Utility Tractor (34 PTO hp)	30,101.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

TRANSMISSION

1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
------	--	---------------

OPERATOR'S STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR'S STATION Continued...			
<i>If ordering transmission option 1520 (eHydro) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>			
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,289.00
2005		Open Station with Air Ride Seat <i>Requires option codes 1520 (eHydro), 3330 (Dual Mid & Single EH Rear SCV), and 3420 (Mid PTO).</i>	495.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light. "Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV. Requires Option Codes 1520 (eHydro), 3420 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	9,166.00
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	985.00
MID POWER TAKE-OFF (PTO)			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV).</i>	720.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES Continued...	
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6230		27x8.5-15 (6PR, R4 Industrial, 2 Position)	127.00
		RADIO	
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
		HITCH TYPE	
841W		iMatch Hitch	291.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10605	Turbo Vertical Exhaust Kit	491.70
		Fenders:	
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	LVB25684	Rear Fender Extension Kit (Open Station Only)	273.90
	BLV10757	Turnable Front Fender Kit (Cab Only)	567.30
		Front Hitch:	
	BLV10439	Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,353.00
		Front PTO: <i>Requires BLV10439 (Front Three-Point Hitch).</i>	
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
		HYDRAULICS	
	BLV10761	4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	856.90
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140703 and above.</i>	939.40
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,218.80
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	939.40
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,545.50
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,486.10
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information. Compatible with MY2015 Cab tractors with serial number 140703 and above. Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	414.70
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,354.10
	LVB25308	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	354.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BWA1190	Hood Guards: Deluxe Hood Guard	567.10
	BW16585	Deluxe Hood Guard Attachment	321.20
	BW15219	Hood Guard	254.66

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
		Miscellaneous:	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	LVA21038	Filter Pak	183.33
	LVB24851	Horn Kit (Cab Only)	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	62.70
		Operator Environment:	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
		PTO:	
	LVB24846	Mid PTO Control Kit (Cab Only)	159.50
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	765.60
		Transmission:	
	LVB26139	PRT Oil Cooler Kit	301.40
	BLV10641	Transmission Oil Heater	86.83
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:
 Yanmar
 4 Cylinder Naturally Aspirated
 Diesel Engine
 Tier IV EPA Emissions Certified
 Engine HP 43.1 (31.7 kW)**
 PTO HP 32.5 (23.0 kW)
 **Engine HP (kW), Gross SAE
 J1995: 43.1 (31.7) @ 2600 rpm,
 PS
 Displacement, L: 2.2

TRANSMISSION:
 PowrReverser
 Synchronized - 4 Speeds
 Forward, 4 Speeds Reverse
 Dual Multi-Disk Wet Clutches
 Differential Lock
 4-Wheel Drive
 LoadMatch
 MotionMatch

INSTRUMENTATION:
 Performance Tracking System
 Diagnostic Control Panel
 Hour Meter
 PTO Hour Meter
 Filter Cleaning Tracking

ELECTRICAL:
 12-Volt Electrical System
 75 Amp Alternator
 Key Ignition Starter with
 Accessory and Pre-Heat Position
 Wet Battery with 770 Cold
 Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
 Adjustable Vinyl Seat with
 Retractable Seat Belt
 Folding ROPS (Roll-Over
 Protective Structure)
 Meets SAE J2194 and OSHA 1928
 ROPS Certification Standards for

North America and Europe
 Flat Foot Deck
 Operator Presence with Safety
 Interlock

HYDRAULICS:
 Not included in base machine

BASE MACHINE (4WD):
 13.60-28 (4PR, R1 Bar, 5
 Position) Rear Wheels & Tires
 8-16 (6PR, R1 Bar, 2 Position)
 Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0314LV	4044M Compact Utility Tractor (33 PTO hp)	26,852.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,106.00

LOADERS

1700	D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	300.00
1795	Less Loader	In Base Price

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10608		Vertical Exhaust Kit (Non Turbo)	399.30
HYDRAULICS <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>			
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10375	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	BLV10326	Tractor Drawbar Assembly	277.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	283.80
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit	132.00
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BLV10401	Premium Seat Kit (OOS Only)	829.40
	TY25324	Weather Protection Umbrella	113.73
	BLV10641	Transmission: Transmission Oil Heater	86.83

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
		<i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25108		27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BLV10687		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp) Equipment for Base Machine

ENGINE:
Yanmar
4 Cylinder
Turbocharged Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW)
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.1

TRANSMISSION:
PowrReverser
Synchronized - 4 Speeds
Forward, 4 Speeds Reverse
Dual Multi-Disk Wet Clutches
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
PTO Hour Meter
Filter Cleaning Tracking

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat with
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for

North America and Europe
Flat Foot Deck
Operator Presence with Safety
Interlock

HYDRAULICS:
Not included in base machine

BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
0354LV		4052M Compact Utility Tractor (40 PTO hp)	29,662.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,106.00
LOADERS			
1700		D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	300.00
1795		Less Loader	In Base Price
OPERATOR'S STATION			

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10609		Vertical Exhaust Kit	399.30
HYDRAULICS <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>			
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10375	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	BLV10326	Tractor Drawbar Assembly	277.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	283.80
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit	132.00
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BLV10401	Premium Seat Kit (OOS Only)	829.40
	TY25324	Weather Protection Umbrella	113.73
	BLV10641	Transmission: Transmission Oil Heater	86.83

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
		<i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25108		27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BLV10687		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Equipment for Base Machine

ENGINE:
 Yanmar
 4 Cylinder Intercooled
 Turbocharged Diesel Engine
 Tier IV EPA Emissions Certified
 Engine HP 65.9 (48.5 kW)**
 PTO HP 52 (38.8 kW)
 **Engine HP (kW), Gross SAE
 J1995: 65.9 (48.5) @ 2600 rpm,
 PS
 Displacement, L: 2.1

TRANSMISSION:
 PowrReverser
 Synchronized - 4 Speeds
 Forward, 4 Speeds Reverse
 Dual Multi-Disk Wet Clutches
 Differential Lock
 4-Wheel Drive
 LoadMatch
 MotionMatch

INSTRUMENTATION:
 Performance Tracking System
 Diagnostic Control Panel
 Hour Meter
 PTO Hour Meter
 Filter Cleaning Tracking

ELECTRICAL:
 12-Volt Electrical System
 75 Amp Alternator
 Key Ignition Starter with
 Accessory and Pre-Heat Position
 Wet Battery with 770 Cold
 Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
 Adjustable Vinyl Seat with
 Retractable Seat Belt
 Folding ROPS (Roll-Over
 Protective Structure)
 Meets SAE J2194 and OSHA 1928
 ROPS Certification Standards for

North America and Europe
 Flat Foot Deck
 Operator Presence with Safety
 Interlock

HYDRAULICS:
 Not included in base machine

BASE MACHINE (4WD):
 13.60-28 (4PR, R1 Bar, 5
 Position) Rear Wheels & Tires
 8-16 (6PR, R1 Bar, 2 Position)
 Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
0374LV		4066M Compact Utility Tractor (52 PTO hp)	35,142.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,106.00
LOADERS			
1700		D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	300.00
1795		Less Loader	In Base Price
OPERATOR'S STATION			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10609		Vertical Exhaust Kit	399.30
HYDRAULICS <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>			
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10375	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	BLV10326	Tractor Drawbar Assembly	277.20
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	283.80
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit	132.00
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	69.30
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BLV10401	Premium Seat Kit (OOS Only)	829.40
	TY25324	Weather Protection Umbrella	113.73
	BLV10641	Transmission: Transmission Oil Heater	86.83

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25108		27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BLV10687		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:
Yanmar
4 Cylinder Naturally Aspirated
Diesel Engine
Tier IV EPA Emissions
Certified
Engine HP 43.1 (31.7)**
PTO HP 32.5 (23.0 kW) HST
**Engine HP (kW), Gross SAE
J1995: 43.1 (31.7) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat
Position
Wet Battery with 770
Cold Cranking Amps
OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl
Seat with Arm Rests, Swivel
and Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA
1928 ROPS Certification
Standards for North America
and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with
Safety Interlock
CAB:
12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt and
Armrests
Dual Forward Work Lights
Two Speed Front Windshield
Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (w/antenna,
speakers,

wiring, media player storage
slot
Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear
Window w/removable
plug for monitor or controller
harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
HITCH:
HitchAssist
Aux. 3 Point Hitch Control
BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
0320LV		4044R Compact Utility Tractor (33 PTO hp)	31,076.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
<i>eThrottle).</i>			
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,289.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
RADIO			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10608	Vertical Exhaust Kit (Non Turbo)	399.30
	BLV10791	Fenders: Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only)	628.30
	BLV10089	Front Hitch: Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
	HYDRAULICS <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>		
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Tale) for ordering details.</i>	975.70
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Tale) for ordering details.</i>	975.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10037	Hitch: 3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i> <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard	283.80
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i> <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24865	Tool Box Kit	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
	RE343680	Operator Environment: Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
	BLV10386	PTO: 2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

ENGINE:	Key Ignition Starter with	slot
Yanmar	Accessory and Pre-Heat	Molded Rubber Floormat
4 Cylinder	Position	Operator Manual Holder
Turbocharged Diesel Engine	Wet Battery with 770	Rearview Mirror (inside)
Tier IV EPA Emissions	Cold Cranking Amps	Monitor Bosses (2 sets)
Certified	OPERATOR PROTECTIVE STRUCTURE:	Right Hand and Left Hand Console
Engine HP 51.5 (37.9 kW)**	Deluxe Adjustable Vinyl	Storage
PTO HP 39.9 (29.7 kW) HST	Seat with Arm Rests, Swivel	Right Hand Control Center
**Engine HP (kW), Gross SAE	and Retractable Seat Belt	Sealed Quiet Cabin
J1995: 51.5 (37.9) @ 2600 rpm,	Folding ROPS (Roll-Over	Sun visor
PS	Protective Structure)	Swing-Out Rear
Displacement, L: 2.2	Meets SAE J2194 and OSHA	Window w/removable
TRANSMISSION:	1928 ROPS Certification	plug for monitor or controller
HST Transmission	Standards for North America	harnesses
3 Range	and Europe	Tilt Steering
Differential Lock	Isolated Foot Rest	Two Front/Two Rear Roof Mounted
4-Wheel Drive	Center Console Tool Storage	Warning Lights
LoadMatch	Operator Presence with	HITCH:
MotionMatch	Safety Interlock	HitchAssist
SpeedMatch	CAB:	Aux. 3 Point Hitch Control
eThrottle	12 Volt Auxiliary Power Outlet	BASE MACHINE (4WD):
HYDRAULICS:	Air Conditioning and Heater	13.60-28 (4PR, R1 Bar, 5
Dual Mid Selective Control	Armrests	Position) Rear Wheels & Tires
Valve with Joystick Control	Cell Phone Holder	8-16 (6PR, R1 Bar, 2 Position)
Lever, Float, Regenerative	Deluxe Fabric Covered Seat with	Front Wheels & Tires
Function, and	Retractable Seat Belt	
Regenerative Lockout	Dual Forward Work Lights	
INSTRUMENTATION:	Two Speed Front Windshield	
Performance Tracking System	Wiper/Washer	
Diagnostic Control Panel	Fully Isolated Deluxe Cab	
Hour Meter	High Impact Polymer Fenders with	
Speedometer	Integrated Tail Lights	
ELECTRICAL:	Radio Preparation (w/antenna,	
12-Volt Electrical System	speakers,	
75 Amp Alternator	wiring, media player storage	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
0360LV		4052R Compact Utility Tractor (40 PTO hp)	33,914.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,289.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
RADIO			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
ATTACHMENTS FOR FIELD CONVERSION			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10609	Vertical Exhaust Kit	399.30
Fenders:			
	BLV10791	Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only)	628.30
Front Hitch:			
	BLV10089	Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
HYDRAULICS			
<i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>			
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Tale) for ordering details.</i>	975.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	975.70
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10037	Hitch: 3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i> <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard	283.80
		Lighting:	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i> <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
		Operator Environment:	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
		PTO:	
	BLV10386	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
		Transmission:	
	BLV10641	Transmission Oil Heater	86.83
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Equipment for Base Machine

ENGINE:
 Yanmar
 4 Cylinder Intercooled
 Turbocharged Diesel Engine
 Tier IV EPA Emissions
 Certified
 Engine HP 65.9 (48.5 kW)**
 PTO HP 52 (38.8 kW) HST
 **Engine HP (kW), Gross SAE
 J1995: 65.9 (48.5) @ 2600 rpm,
 PS
 Displacement, L: 2.2
 TRANSMISSION:
 HST Transmission
 3 Range
 Differential Lock
 4-Wheel Drive
 LoadMatch
 MotionMatch
 SpeedMatch
 eThrottle
 HYDRAULICS:
 Dual Mid Selective Control
 Valve with Joystick Control
 Lever, Float, Regenerative
 Function, and
 Regenerative Lockout
 INSTRUMENTATION:
 Performance Tracking System
 Diagnostic Control Panel
 Hour Meter
 Speedometer
 ELECTRICAL:
 12-Volt Electrical System

75 Amp Alternator
 Key Ignition Starter with
 Accessory and Pre-Heat
 Position
 Wet Battery with 770
 Cold Cranking Amps
 OPERATOR PROTECTIVE STRUCTURE:
 Deluxe Adjustable Vinyl
 Seat with Arm Rests, Swivel
 and Retractable Seat Belt
 Folding ROPS (Roll-Over
 Protective Structure)
 Meets SAE J2194 and OSHA
 1928 ROPS Certification
 Standards for North America
 and Europe
 Isolated Foot Rest
 Center Console Tool Storage
 Operator Presence with
 Safety Interlock
 CAB:
 12 Volt Auxiliary Power Outlet
 Air Conditioning and Heater
 Armrests
 Cell Phone Holder
 Deluxe Fabric Covered Seat with
 Retractable Seat Belt
 Dual Forward Work Lights
 Two Speed Front Windshield
 Wiper/Washer
 Fully Isolated Deluxe Cab
 High Impact Polymer Fenders with
 Integrated Tail Lights
 Radio Preparation (w/antenna,
 speakers,

wiring, media player storage
 slot
 Molded Rubber Floormat
 Operator Manual Holder
 Rearview Mirror (inside)
 Monitor Bosses (2 sets)
 Right Hand and Left Hand Console
 Storage
 Right Hand Control Center
 Sealed Quiet Cabin
 Sun visor
 Swing-Out Rear
 Window w/removable
 plug for monitor or controller
 harnesses
 Tilt Steering
 Two Front/Two Rear Roof Mounted
 Warning Lights
 HITCH:
 HitchAssist
 Aux. 3 Point Hitch Control
 BASE MACHINE (4WD):
 13.60-28 (4PR, R1 Bar, 5
 Position) Rear Wheels & Tires
 8-16 (6PR, R1 Bar, 2 Position)
 Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0380LV	4066R Compact Utility Tractor (52 PTO hp)	39,421.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature. Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,263.00
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights. Requires Transmission option code 1520 (eHydro).</i>	9,166.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
RADIO			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
WHEELS AND TIRES			
8951		Wheelspacers	420.00
HITCH TYPE			
841W		iMatch	291.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10609	Vertical Exhaust Kit	399.30
	BLV10791	Fenders: Fixed Front Fender Kit (Cab Only) <i>For 4R Series Cab Tractors with vertical exhaust.</i>	531.30
	BLV10698	Rear Fender Extension Kit (Cab Only)	337.70
	BLV10756	Turnable Front Fender Kit (Cab Only)	628.30
	BLV10089	Front Hitch: Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	221.10
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>	221.10
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	710.60
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,717.10
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	429.00
		HYDRAULICS <i>Please review the SCV reference table, in the Sales Manual, for ordering information and compatibility information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	971.30
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	892.10
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,530.10
	BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Tale) for ordering details.</i>	975.70
	BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers.</i> <i>See Sales Manual (SCV Reference Tale) for ordering details.</i>	975.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	388.30
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	414.70
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,280.40
	BLV10037	Hitch: 3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i> <i>Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i>	1,094.50
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	391.60
	LVU12858	iMatch Quick Hitch Bushings	22.81
	LVU15507	iMatch Quick Hitch Bushings	11.22
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BW16155	Hood Guards: Deluxe Hood Guard Attachment	168.30
	BW16335	Hood Guard	283.80
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24852	Beacon Light Kit (Cab Only)	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i> <i>Cab is Pre-Wired.</i>	151.80
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	129.80
	BLV10174	7-Pin Trailer Connector (OOS Only)	103.40
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors.</i>	132.00
	LVA21039	Filter Pak	198.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24865	Tool Box Kit	166.10
	BLV10029	Wheel Spacer Set, 140MM	528.00
	RE343680	Operator Environment: Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	727.10
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
	BLV10386	PTO: 2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	759.00
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	759.00
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1026R, 1026R TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box <i>Must remove Backhoe prior to use (If Equipped).</i>	288.20
BW15074		Ballast Box Extension	136.40
		Buckets:	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.) <i>Requires Backhoe.</i>	438.90
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.) <i>Requires Backhoe.</i>	488.40
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	725.46
BW15896		49 in. (1250mm) Materials Bucket - Pin ON <i>Requires Loader.</i>	671.96
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	786.46
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	833.53
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.) <i>Requires Backhoe.</i>	372.90
		Engine:	
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		HYDRAULICS	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	176.00
LVB25837		Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10351 (Third SCV Kit). Also not compatible with TLB models.</i>	308.00
BLV10351		Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	645.21
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	365.20
	BW15901	Hood Guards: Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	233.20
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	211.20
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit LBV25016. Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
	BW15476	Bucket Level Indicator <i>Requires Loader.</i>	63.80
	LVB26110	Loader Mount Toolbox Kit	67.10
	BM19556	Rubber Street Pad Kit <i>Requires Backhoe.</i>	138.60
	LVB24982	Stabilizer Cylinder Protection Kit <i>Requires Backhoe.</i>	125.40
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
	LVB26209	Operator Manual and Decal Kit: Spanish North American Owner's Manual and Decal Kit	0.00
		Seats / Wheels / Tires:	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires <i>Not Compatible with TLB Tractors due to interference with backhoe subframe.</i>	97.67
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		Wheels and Tires Front:	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
AM134805		Engine: Engine Block Heater Adapter <i>For use on 2320 Model Only.</i>	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
LVB25652		Fenders: Rear FenderExtension Kit	174.90
LVB25822		HYDRAULICS Loader/Mower Mechanical Diverter Valve Kit (2305, MY '16 and Older 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
LVB25823		Loader/Mower Mechanical Diverter Valve Kit (MY '16 and Older 2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	559.90
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10731). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	482.90
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	325.60
BLV10731		Third Selective Control Valve Kit Without Detent <i>Not compatible with Power Beyond Kit (BLV10381). For use on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	1,144.00
LVU12858		Hitch: iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
BW15634		Hood Guards: Hood Guard (MY '16 and Older 2032R, 2520, 2720 Tractors)	254.66
BW15217		Hood Guard (MY '16 and older 2025R (Yanmar built), 2320, 2210 and 2305 Tractors)	240.76
LVB25547		Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit, LVB25016. Not Compatible with Rear Work Lighting Kit (LVB25547).</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	457.81
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	539.00
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	27.99
	RE19428	Safety Chain Support Kit	158.04
	TY25324	Operator Environment: Weather Protection Umbrella	113.73
	LVB25994	Operator Manual and Decal Kit: Spanish North American Operator's Manual and Decal Kit <i>For Use with 2720 Model Only.</i>	0.00
	LVB25993	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2520 Model Only.</i>	0.00
	LVB25992	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2320 Model Only.</i>	0.00
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM17987	Weights: Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70
	H148916	Front Weight Retainer Shaft <i>For Use on 2520 and 2720 Models Only.</i>	31.45

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips (2320 Model Only). Requires (1) H148916 Rod and (2) AR60372 Spring Clips (2520 and 2720 Models Only).</i>	59.91
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	AR60372	Spring Locking Pin <i>For Use on 2520 and 2720 Models Only.</i>	3.40
		Wheels and Tires Front:	
	LVB24806	23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2320 Model Only.</i>	433.40
	LVB24804	23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
	LVB25556	24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	550.00
		Wheels and Tires Rear:	
	LVB24803	12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	998.80
	LVB25557	14-17.50 (6PR, R4 Industrial, 2 Position) <i>For Use on 2520 and 2720 Models Only.</i>	1,342.00
	LVB24805	31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	849.20
	LVB25555	36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	1,037.30

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AT118553		Air Cleaner Service Indicator (Donaldson)	60.83
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
		HYDRAULICS	
LVB25658		Dual Selective Control Valve Kit (3005 Model Only) <i>Standard on 4WD tractors only.</i>	1,130.80
BM18005		Power Beyond Kit (3005, 790, 770)	325.60
BM18046		Rear Hydraulic Quik Coupler Kit (2 Hose Kit) <i>Requires Dual SCV. Not compatible with 4005 model.</i>	234.30
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Lighting:	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
		Miscellaneous:	
BM17981		12 Volt Work Light Kit <i>Requires AM108244, Harness.</i>	74.90
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LVB25659		Mid-PTO 2100 RPM (3005 Model Only)	680.90
		Operator Environment:	
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 3005, 790 and 770 Tractors.</i>	163.82
RE19445		Canopy - Premium <i>For Use on 4005 Model Only.</i>	1,204.50
		Operator Manual and Decal Kit:	
LVB25999		Spanish North American Operator's Manual and Decal Kit <i>For Use with 4005 Model Only.</i>	0.00
LVB26000		Spanish North American Operator's Manual and Decal Kit <i>For Use with 3005 Model Only.</i>	0.00
		Weights:	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	LVB25572	Attaching Hardware for Additional Rear Wheel Weight, 60 Lb. <i>For 16 In. and 19.5 In. Wheel (Additional Weight). For Use on 3005 Model Only.</i>	34.10
	LVB25571	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb. <i>For Use on 3005 Model Only.</i>	13.20
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel <i>For Use on 3005 Model Only.</i>	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb. <i>For Use on 4005 Model Only.</i>	53.90
	CH15318	Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	21.05
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.81
	BM17998	Front Weight Bracket Extension Kit (790, 3005) <i>Includes Front Weight Bracket and Hardware to Allow up to Four 42 Lb. Additional Quik-Tatch Weights.</i> <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin (3005 Model Only).</i> <i>Requires CH14083 Pin (4005 Model Only).</i>	59.91
	BM17969	Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires on 24 In. Wheel (3005 Model Only).</i>	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 In. Wheel (3005 Model Only).</i> <i>Starter and Additional Weight for 20 In. Wheel (4005 Model Only).</i> <i>Additional Weight for 24 In. Wheel.</i>	140.80
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 16 In. and 19.5 In. Wheel (3005 Model Only).</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>For Use on 4005 Model Only.</i>	171.60
		Wheels and Tires Front:	
	BM16869	25x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	500.50
	LVB25420	25x8.50-14 (6PR, R4 Industrial) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	625.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25043	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	707.30
	LVB00011	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	556.60
	LVB25042	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	704.00
		Wheels and Tires Rear:	
	LVB00009	11.20-24 (4PR, R1 Bar, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,755.60
	BM16841	13.60-16 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,257.30
	LVB25048	14.90-24 (4PR, R1 Bar, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,595.00
	LVB25982	17.50L-24 (8PR, R4 Industrial, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	2,313.30
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2305, 2305 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	438.90
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	488.40
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	725.46
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	786.46
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	833.53
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	372.90
		Engine:	
AM134805		Engine Block Heater Adapter	75.60
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		HYDRAULICS	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, MY '16 and Older 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
LVB24981		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. Kit is included with the Backhoe Subframe as Standard Equipment. For Stand-Alone Use Only.</i>	235.40
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	22.81
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25016		Warning Light Brush Guard Kit (Two Guards)	80.30
		Miscellaneous:	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
LP25000		ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
BW15476		Bucket Level Indicator	63.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2305, 2305 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24813	Cruise Control Kit	199.10
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	539.00
	LVB24982	Stabilizer Cylinder Protection Kit	125.40
	LVB25991	Operator Manual and Decal Kit: Spanish North American Operator's Manual and Decal Kit <i>For 2305 Tractor. Not compatible with 260 backhoe.</i>	0.00
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	216.70
	H148916	Front Weight Retainer Shaft	31.45
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
	AR60372	Spring Locking Pin	3.40
		Wheels and Tires Front:	
	BM20954	18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	53.03
LVB25884		Vertical Exhaust Kit	399.30
		Fenders:	
LVB25686		Front Fender Kit	533.50
LVB24860		Rear Fender Extension Kit (Cab Only)	273.90
LVB25684		Rear Fender Extension Kit (Open Station Only)	273.90
		HYDRAULICS	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>For 3x20 Tractors only. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	856.90
LVB24854		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth). Not compatible with MY2011 tractors. See sales manual for details.</i>	1,613.70
LVB26076		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth) Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break</i>	1,576.30
LVB25507		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Not compatible with MY2011 tractors. See sales manual for details.</i>	1,486.10
LVB26075		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,575.20
LVB26031		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,150.60
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,218.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25781	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Only compatible with MY2011 tractors and older. See sales manual for details.</i>	414.70
	LVB26069	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for details.</i>	414.70
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	414.70
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB25506	Third Selective Control Valve Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	284.90
	LVB24845	Third Selective control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	342.10
	LVB25311	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 3320 and 3520 MY2011 and prior</i>	1,233.10
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25311.</i>	1,354.10
	LVB25308	Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	354.20
	BLV10012	Tractor Drawbar Assembly	277.20
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
	BWA1190	Hood Guards: Deluxe Hood Guard	567.10
	BW16585	Deluxe Hood Guard Attachment	321.20
	BW15219	Hood Guard	254.66
	LVB25547	Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	244.20

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	151.80
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	80.30
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB25971	7-Pin Trailer Connector (Cab) <i>For 3320 Tractors Serial # (H500599 -)</i> <i>For 3520 Tractors Serial # (H512472 -)</i> <i>For 3720 Tractors Serial # (H522565 -)</i>	129.80
	LVB25960	7-Pin Trailer Connector (Open Station)	272.80
	LVB25866	Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch	116.60
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	LVB24851	Horn Kit (Cab Only)	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with BLV10394 Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i> <i>For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	62.70
		Operator Environment:	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	727.10
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB26065	Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	93.50
	LVB25334	Canopy - Standard	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	LVB24876	Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	49.50
	RE289852	Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 3520 and 3720 Tractors.</i>	See Parts
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio. For 4320, 4520 and 4720 Tractors.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only)	254.10
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
	LVB25997	Operator Manual and Decal Kit: Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors. For 3320 and 3520 Tractors</i>	0.00
	LVB25989	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors. For 3320 and 3520 Tractors</i>	0.00
	LVB26181	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	0.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26180	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i>	0.00
	LVB24846	PTO: Mid PTO Control Kit (Cab Only)	159.50
	LVB25537	Mid PTO Kit <i>Note: 3X20 Tractors equipped with RIO(Reverse Implement Option) and PRT transmission are not compatible with mid-mount mowers(for grooming). Tractors with serial numbers ending with 910000(OOS) and above will have RIO. Tractors with serial numbers ending with 940000(cab) and above will have RIO. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	765.60
	BKK10018	Powertrain: Wheel Slip Control	5,447.20
	LVA11189	Transmission: Load Match Switch	19.36
	LVB26139	PRT Oil Cooler Kit	301.40
	BLV10641	Transmission Oil Heater	86.83
	AL113087	Vandal Protection: Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	36.73
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight.</i>	171.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Wheels and Tires Front:	
LVB25670		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
BLV10393		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
LVB25494		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AT118553		Air Cleaner Service Indicator (Donaldson)	60.83
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	53.03
LVB25884		Vertical Exhaust Kit	399.30
		HYDRAULICS	
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,218.80
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	414.70
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	414.70
LVB25084		Third Selective Control Valve Kit <i>Requires dual SCV. Includes rear mounted couplers. Hydraulic lines and SCV lever, valve not included. If tractor is equipped with loader, LVB25084 is recommended to raise and lower mid-mount mowers.</i>	324.50
LVB25089		Third Selective Control Valve Kit <i>Requires Dual SCV. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever, Valve Not Included.</i>	317.90
		Hitch:	
LVB25308		Telescoping Draft Links	354.20
LVU15507		iMatch Quick Hitch Bushings	11.22
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
BW15783		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
BW16040		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	254.66
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB26021	Cruise Control Kit	314.60
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	LVB25334	Operator Environment: Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	LVB25990	Operator Manual and Decal Kit: Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	0.00
	LVB26188	Spanish North American Operators Manual and Decal Kit	0.00
	BLV10641	Transmission: Transmission Oil Heater	86.83
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	LVB19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	100.10
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg)	171.60
	BM19108	Wheels and Tires Front: 10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB26029	Wheels and Tires Rear: 17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

Attachments for 4105 Compact Tractors

Continued

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13458		Spark Arrester Screen	51.05
LVB25765		Vertical Exhaust Kit <i>For 4120 Tractors PRT Serial #(615001 -), HST Serial #(610001 -). For 4320 Tractors PRT Serial #(630001 -), HST Serial #(620001 -). For 4520 Tractors PRT Serial #(655001 -), HST Serial #(650001 -). For 4720 Tractors Serial #(670001 -).</i>	399.30
RE51650		Water Separator Clear Bowl	69.01
		Fenders:	
LVB25685		Front Fender Kit	533.50
LVB24860		Rear Fender Extension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	273.90
LVB25683		Rear Fender Extension Kit (Open Station Only)	273.90
		HYDRAULICS	
LVB26072		4th & 5th Electrohydraulic SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Also see SCV Options Table under Notes for the appropriate parts needed for installation.</i>	1,412.40
LVB26037		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts. For 4120, 4320 and 4720 Tractors.</i>	882.20
LVB24855		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 and later tractors. See sales manual for details.</i>	1,530.10
LVB25511		Electric Diverter Kit (OOS Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 tractors. See sales manual for details.</i>	1,486.10
LVB26077		Electric Diverter Kit (OOS Only) <i>Includes two additional SCV's.</i>	1,530.10
LVB26033		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. For 4320, 4520 and 4720 Tractors.</i>	1,150.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26032	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,150.60
	LVB26078	Electronic Diverter Kit (Cab Only) <i>Includes two additional SCV's. For 4320, 4520 and 4720 Tractors.</i>	1,530.10
	LVB25780	Power Beyond Kit (Cab Only) <i>Not compatible with MY2011 tractors. See sales manual for details. For 4320, 4520 and 4720 Tractors.</i>	414.70
	LVB26071	Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. For 4320, 4520 and 4720 Tractors.</i>	414.70
	LVB25512	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	414.70
	LVB26066	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	414.70
	LVB24848	Third Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details. For 4320, 4520 and 4720 Tractors.</i>	288.20
	LVB25513	Third Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or older tractors. See sales manual for details.</i>	284.90
	LVB25312	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 4120, 4320 and 4520 MY2011 and prior.</i>	1,164.90
	LVB26161	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25312.</i>	1,280.40
		Hitch:	
	LVB25309	Telescoping Draft Links	391.60
	BLV10011	Tractor Drawbar Assembly	277.20
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
		Hood Guards:	
	BW15221	Hood Guard (4120-4720)	254.66
		Kits and Accessories:	
	RE527545	Engine Block Heater	157.91
		Lighting:	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	244.20
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	108.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	303.60
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired. For 4320, 4520 and 4720 Tractors.</i>	151.80
	LVB25236	Warning Light Brush Guard Kit (Two Guards) <i>Open Station Only.</i>	80.30
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	80.30
	LP25001	Miscellaneous: 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
	LVB25971	7-Pin Trailer Connector (Cab) <i>Serial # (H670871 -) For 4320, 4520 and 4720 Tractors.</i>	129.80
	LVB25960	7-Pin Trailer Connector (Open Station)	272.80
	LVB25867	Automotive Style Cruise Load Match, Speed Match and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (655001 -) For 4720 Tractors Serial # (670001 -)</i>	116.60
	LVB25866	Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (-655000) For 4720 Tractors Serial # (-670000)</i>	116.60
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	132.00
	LVB24851	Horn Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	49.50
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	166.10
	RE343680	Operator Environment: Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	727.10
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	661.10
	LVB26065	Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	93.50
	LVB25334	Canopy - Standard	476.30
	LVB25332	Canopy Mounting Bracket and Hardware Kit	74.80
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	61.60
	LVB24876	Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	49.50
	RE289852	Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 4720 Tractors.</i>	See Parts
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	191.40
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	243.61
	LVB24856	Rear Wiper Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	254.10

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25501	Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	146.30
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	60.50
	TY25324	Weather Protection Umbrella	113.73
	LVB25996	Operator Manual and Decal Kit: Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i> <i>For 4120, 4320 and 4520 Tractors</i>	0.00
	LVB26186	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	0.00
	LVB25988	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i> <i>For 4120, 4320 and 4520 Tractors.</i>	0.00
	LVB26185	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i>	0.00
	LVB24847	PTO: Mid PTO Controls (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	172.70
	LVB25959	Mid PTO Kit <i>4X20 Tractors with SN ending in 916000 (OOS) and 946000 (Cab) and after are NOT compatible with mid-mount mowers.</i> <i>Cab Tractors Require LVB24847 Mid PTO Controls.</i>	765.60
	BKK10018	Powertrain: Wheel Slip Control <i>For 4720 Tractors.</i>	5,447.20
	LVB25865	Transmission: PRT Oil Cooler Kit <i>For 4120, 4320 and 4520 Tractors.</i>	292.60
	BLV10641	Transmission Oil Heater	86.83
	AL113087	Vandal Protection: Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	36.73
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	100.10
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel, 106 Lb. (48Kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10328	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BM19208	22.50LLx16.1 (6PR, R3 Turf Special) Rear Wheels & Tires	3,136.10
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 110 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
LVB25348		18 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	904.20
LVB25749		18 In. Quick Coupler Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,019.70
LVB25754		20 In. Pin-On Heavy-Duty Backhoe Bucket 4 Digging Teeth	999.90
LVB25750		20 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,064.80
LVB25349		24 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	893.16
LVB25751		24 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,185.80
LVB25350		30 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,211.10
LVB25752		30 In. Quick Coupler Heavy-Duty Backhoe Bucket 5 Digging Teeth	1,279.30
LVB25351		36 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,347.50
LVB25753		36 In. Quick Coupler Heavy-duty Backhoe Bucket No Digging Teeth	1,412.40
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,383.51
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,150.26
LVB25345		84 In. Light Material Bucket <i>For Light Material Handling.</i>	1,415.61
		Engine:	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA15311		Spark Arrester Assembly	120.44
		Hitch:	
LVB24858		Regular 3-Pt Hitch	933.90
		Miscellaneous:	
LVB25735		3 In. Retractable Seat Belt	152.90
U16748		66 in. Bolt-On Cutting Edge	127.19
T32742		72 in. Bolt-On Cutting Edge	145.36

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 110 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVA12133	Solid Rubber Stabilizer Pad (4 Required)	46.62
		Transmission:	
	BLV10641	Transmission Oil Heater	86.83
		Vandal Protection:	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	36.73