#### Planting & Seeding

# BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 13
Available Row Spacings: 7.5 In.
Working Width: 8 Ft. 1 In.
Transport Width: 10 Ft.
Opener Type: 13 In. Double Disk /
Staggered Pattern
Seedboot Types:
Cast Aluminum or Cast Iron
Opener Downpressure:
124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box
(7.5 In. Spacing): 1,330 lb.
Weight with Combo Box
(7.5 In. Spacing): 1,475 lb.
Tires:
7.5-20, 4PR Rib Implement OR
7.5-20, 4PR Double-Rib Implement
Box Capacity (Plain Box):

3001XF

2.8 Bushel/Ft. - 22.4 Bushel
Box Capacity (Combo Box):
3.4 Bushel/Ft.
40 Percent Grain: 10.8 Bushel
60 Percent Grain: 14.6 Bushel
100 Percent Grain: 22.1 Bushel
Box Capacity (Grass Seed):
1.5 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours
for Base Machine, 1 Additional Hour
for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

SUGGESTED LIST PRICE USD (\$)

13,313.00

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

#### Select One Code From Each Required Category

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator

	DESTINATION	
0195	Mexico	In Base Price
0202	English	Same Price
0184	Canada	Same Price
	OPERATOR'S MANUALS AND LABELS	
0409	English Export Manual,PDI and Decal Kit	In Base Price
0413	French Export Manual,PDI and Decal Kit	201.00
0437	Spanish Export Manual,PDI and Decal Kit	201.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,026.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,023.00

# Planting & Seeding

# BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRES	
3100		7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	1,402.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	680.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	68.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	545.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	586.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	903.00
9040		Double Disk Outside Scrapers  Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	268.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	3,426.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	40.62
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53

# Planting & Seeding

# BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN280000	ATTACHMENTS FOR FIELD CONVERSIONContinued Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	244.29
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	327.60
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	237.69
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	322.32
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	150.38
	5YTBN210945	Footboard Extension Brackets  Order 1 for each machine to be equipped with depth gauging press wheels.	40.32
	5YT7015417	French Operators Manual, PDI, and Decal Kit (BD11 Drills)	See Parts
	5YTBN906606	Grass Seed Attachment for 13 Openers For 13 opener, 7.5 In. spacing configuration.	1,642.63
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	148.19
	5YT7015416	Spanish Operators Manual, PDI, and Decal Kit	See Parts
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	284.58

	r ranning a documing	
BD1108 End Wheel Grain Drill,	7.5 In. Spacing, 13 Openers Continued	s, and Standard Grain Agitator
THIS PAG	GE IS INTENTIONALLY LEFT	T BLANK

#### Planting & Seeding

# BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 21 Row Spacing: 6 In. Working Width: 10 Ft. 6 In. Transport Width: 12 Ft. 6 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 1,600 lb. Weight with Combo Box (7.5 In. Spacing): 1,800 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box):
2.8 Bushel/Ft. - 28 Bushel
Box Capacity (Combo Box):
3.4 Bushel/Ft.
40 Percent Grain: 13.5 Bushel
60 Percent Grain: 18.2 Bushel
100 Percent Grain: 27.6 Bushel
Box Capacity (Grass Seed): 1.5 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours
for Base Machine, 1 Additional Hour
for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

	BACE MACHINE	
3002XF	BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator	15,226.00
	DESTINATION	
0195	Mexico	In Base Price
0202	English	Same Price
0184	Canada	Same Price
	OPERATOR'S MANUALS AND LABELS	
0409	English Export Manual,PDI and Decal Kit	In Base Price
0413	French Export Manual,PDI and Decal Kit	201.00
0437	Spanish Export Manual,PDI and Decal Kit	201.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,524.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,653.00
	TIRES	

# Planting & Seeding

# BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3100		TIRESContinued 7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	_
8003		Grass Seed Box	2,483.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,078.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	880.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,459.00
9040		Double Disk Outside Scrapers  Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	5,746.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	40.62
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03

# Planting & Seeding

# BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN211069	ATTACHMENTS FOR FIELD CONVERSIONContinued Double Disk Opener Assembly with Long Aluminum Boot	244.29
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	327.60
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	237.69
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	322.32
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	150.38
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	40.32
	5YT7015417	French Operators Manual, PDI, and Decal Kit (BD11 Drills)	See Parts
	5YTBN907037	Grass Seed Attachment for 21 Openers For 21 opener, 6 In. spacing configuration.	2,847.86
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	148.19
	5YT7015416	Spanish Operators Manual, PDI, and Decal Kit	See Parts
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	284.58

	•	iairiiirig <b>a. c</b> cc	· ug		
BD1110 End Wheel Gr	ain Drill, 6 In.	Spacing, 21 Continued	Openers,	and Standard	Grain Agitator
Т	HIS PAGE IS I	INTENTIONA	LLY LEFT	BLANK	

#### Planting & Seeding

#### BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator **Equipment for Base Machine**

Number of Openers: 17 Available Row Spacings: 7.5 In. Working Width: 10 Ft. 7 In. Transport Width: 12 Ft. 6 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 1,600 lb. Weight with Combo Box (7.5 In. Spacing): 1,800 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box):
2.8 Bushel/Ft. - 28 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 13.5 Bushel 60 Percent Grain: 18.2 Bushel 100 Percent Grain: 27.6 Bushel Box Capacity (Grass Seed): 1.5 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

3004XF	BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator	14,447.00
	DESTINATION	
0195	Mexico	In Base Price
0202	English	Same Price
0184	Canada	Same Price
	OPERATOR'S MANUALS AND LABELS	
0409	English Export Manual,PDI and Decal Kit	In Base Price
0413	French Export Manual,PDI and Decal Kit	201.00
0437	Spanish Export Manual,PDI and Decal Kit	201.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,517.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,339.00
	TIRES	

# Planting & Seeding

# BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3100		TIRESContinued 7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	2,391.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	879.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	68.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	713.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	766.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,181.00
9040		Double Disk Outside Scrapers  Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	268.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	4,652.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	40.62
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03

# Planting & Seeding

# BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN211069	ATTACHMENTS FOR FIELD CONVERSIONContinued Double Disk Opener Assembly with Long Aluminum Boot	244.29
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	327.60
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	237.69
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	322.32
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	150.38
	5YTBN210945	Footboard Extension Brackets  Order 1 for each machine to be equipped with depth gauging press wheels.	40.32
	5YT7015417	French Operators Manual, PDI, and Decal Kit (BD11 Drills)	See Parts
	5YTBN906607	Grass Seed Attachment for 17 Openers For 17 opener, 7.5 In. spacing configuration.	2,751.00
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	148.19
	5YT7015416	Spanish Operators Manual, PDI, and Decal Kit	See Parts
	5YTBN210047	Tru-Vee Opener Attachment, One Row  For use with aluminum boot furrow openers only. Does not include opener.	284.58

r landing & occurry
BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator  Continued
THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

# BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 26 Available Row Spacings: 6 In. Working Width: 13 Ft. Transport Width: 15 Ft. 1 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 2,225 lb. Weight with Combo Box (7.5 In. Spacing): 2,435 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box):
2.8 Bushel/Ft. - 36.4 Bushel
Box Capacity (Combo Box):
3.4 Bushel/Ft.
40 Percent Grain: 17.5 Bushel
60 Percent Grain: 23.6 Bushel
100 Percent Grain: 35.9 Bushel
Box Capacity (Grass Seed): 1.7 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours
for Base Machine, 1 Additional Hour
for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

3003XF	BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator	17,758.00
	DESTINATION	
0195	Mexico	In Base Price
0202	English	Same Price
0184	Canada	Same Price
	OPERATOR'S MANUALS AND LABELS	
0409	English Export Manual,PDI and Decal Kit	In Base Price
0413	French Export Manual,PDI and Decal Kit	201.00
0437	Spanish Export Manual,PDI and Decal Kit	201.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,877.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	2,047.00
	TIRES	

# Planting & Seeding

# BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3100		TIRESContinued 7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
3103		7.30 X 20 Double Mib	-100.00
0002		SPECIAL EQUIPMENT - FACTORY INSTALLED	2 002 00
8003		Grass Seed Box	2,603.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,327.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,090.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,172.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,807.00
9040		Double Disk Outside Scrapers  Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	7,115.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	40.62
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03

# Planting & Seeding

# BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN211069	ATTACHMENTS FOR FIELD CONVERSIONContinued Double Disk Opener Assembly with Long Aluminum Boot	244.29
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	327.60
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	237.69
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	322.32
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair  Must also order conversion parts if used in combination with depth gauging press wheels.	150.38
	5YTBN210945	Footboard Extension Brackets  Order 1 for each machine to be equipped with depth gauging press wheels.	40.32
	5YT7015417	French Operators Manual, PDI, and Decal Kit (BD11 Drills)	See Parts
		Grass Seed Attachment for 26 Openers For 26 opener, 6 In. spacing configuration.	3,031.71
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	148.19
	5YT7015416	Spanish Operators Manual, PDI, and Decal Kit	See Parts
	5YTBN210047	Tru-Vee Opener Attachment, One Row  For use with aluminum boot furrow openers only. Does not include opener.	284.58

r ranning a gooding
BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued
THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator **Equipment for Base Machine**

Number of Openers: 21 Available Row Spacings: 7.5 In. Working Width: 13 Ft. 1 In. Transport Width: 15 Ft. 1 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 2,225 lb. Weight with Combo Box (7.5 In. Spacing): 2,435 lb. 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box):
2.8 Bushel/Ft. - 36.4 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 17.5 Bushel 60 Percent Grain: 23.6 Bushel 100 Percent Grain: 35.9 Bushel Box Capacity (Grass Seed): 1.7 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

3005XF	BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator	16,207.00
	DESTINATION	
0195	Mexico	In Base Price
0202	English	Same Price
0184	Canada	Same Price
	OPERATOR'S MANUALS AND LABELS	
0409	English Export Manual,PDI and Decal Kit	In Base Price
0413	French Export Manual,PDI and Decal Kit	201.00
0437	Spanish Export Manual,PDI and Decal Kit	201.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,868.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,653.00
	TIRES	

# Planting & Seeding

# BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3100		TIRESContinued 7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		ODEOLAL FOLUDMENT, FACTORY INOTALLED	
8003		SPECIAL EQUIPMENT - FACTORY INSTALLED Grass Seed Box	2,501.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,078.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	880.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,459.00
9040		Double Disk Outside Scrapers  Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	5,746.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	40.62
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03

## Planting & Seeding

# BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN211069	ATTACHMENTS FOR FIELD CONVERSIONContinued Double Disk Opener Assembly with Long Aluminum Boot	244.29
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	327.60
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	237.69
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	322.32
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	150.38
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	40.32
	5YT7015417	French Operators Manual, PDI, and Decal Kit (BD11 Drills)	See Parts
	5YTBN906611	Grass Seed Attachment for 21 Openers For 21 opener, 7.5 In. spacing configuration.	2,894.29
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	148.19
	5YT7015416	Spanish Operators Manual, PDI, and Decal Kit	See Parts
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	284.58

rianting & occurry
BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitato  Continued
THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder

**Equipment for Base Machine** 

Machine Weight: 660 lbs. Tractor Horsepower Range: 30-50 HP Working Width: 42 In. Unit Length: 62 In. Unit Height: 43 In. Number of Blades: 6 Blade Diameter: 16 In. Blade Thickness: 3 mm Blade Spacing: 8.25 In. Blade Type: Notched Bearing Hanger: .375 In. Formed Plate with Reinforcement, 2 Each .625 U-bolts per Hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Pinned Adjustment Cultipacker Drag Width: 45 In. (Standard) CultiPacker Roller Width: 48 In. (Optional) Seeding Width: 45 In. Seed Box Capacity: 45 lbs.

3 Point Hitch Type: Category I iMatch Compatible: Yes Number of S-Tines: 3 1.75 In. Reversible Chisel Point: 3 (Standard) 9 In. Sweep: 3 (Optional - Order Through Parts) Right Turning Point: 1 (Optional - Order Through Parts) Left Turning Point: 1 (Optional - Order Through Parts) Second Toolbar with 2 S-Tines & Chisel Points: (Optional) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: 1 Man Hour

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

3091XF		FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	4,421.00
		ATTACHMENTS - ORDER AS DESIRED	
9010		Native Grass Seed Attachment	559.00
9020		Rear Roller Attachment	507.00
9030		S-Tine Toolbar Attachment	344.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PMATV4	Miscellaneous: Drawbar and Electric Lift	1,083.24
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062288	Native Grass Seed Attachment	603.72
	5PM50062496	Rear Roller Attachment	547.56
	5PM50062505	S-Tine Toolbar Attachment	371.52

# FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder

**Equipment for Base Machine** 

Machine Weight: 550 lbs. Tractor Horsepower Range: 20-50 HP Working Width: 42 In. Unit Length: 62 In. Unit Height: 43 In. Number of Blades: 6 Blade Diameter: 14 In. Blade Thickness: 3 mm Blade Spacing: 8.25 In. Blade Type: Notched Bearing Hanger:
 "T" Hanger Bkt w/reinforcement (4 per unit) 2 U-bolts per hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Fixed Angle Cultipacker Drag Width: 45 In. (Standard) CultiPacker Roller Width: 48 In. (Optional) Seeding Width: 45 In. Seed Box Capacity: 45 lbs.

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

3095XF FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder 3,197.00

S-tine toolbar not available on this model. Rear roller available through attachments.

#### **ATTACHMENTS - ORDER AS DESIRED**

9020 Rear Roller Attachment 428.00

9200 French Kit - Includes Operators Manual and Safety Decals (FP22 Series) No Charge

#### ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

5PMJDLCA Rear Roller Attachment 462.24

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### FP2204P - 42 in. Wide Pull Type Food Plot Seeder

**Equipment for Base Machine** 

Machine Weight: 730 lbs.
Single Point Hitch
Horsepower Range: 20 (500 CC)-40 HP
Working Width: 42 In.
Unit Length: 62 In.
Unit Height: 43 In.
Number of Blades: 6
Blade Diameter: 16 In.
Blade Thickness: 3 mm
Blade Spacing: 8.25 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square
Gang Axle: 1 In. Square
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 45 In. (Standard)
CultiPacker Roller Width: 48 In. (Optional)

Seeding Width: 45 In.
Seed Box Capacity: 45 lbs.
Number of S-Tines: 3
1.75 In. Reversible Chisel Point: 3 (Standard)
9 In. Sweep: 3 (Optional - Order Through Parts)
Right Turning Point: 1 (Optional - Order Through Parts)
Left Turning Point: 1 (Optional - Order Through Parts)
Second Toolbar with 2 S-Tines & Chisel
Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

3092XF	FP2204P - 42 in. Wide Pull Type Food Plot Seeder Includes drawbar, transport wheels, and electric jack. One S-tine toolbar standard. Rear roller available through attachments.	6,150.00
	ATTACHMENTS - ORDER AS DESIRED	
9010	Native Grass Seed Attachment	559.00
9020	Rear Roller Attachment	507.00
9200	French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
	ATTACHMENTS FOR FIELD CONVERSION	
5PM50062	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
5PM50062	288 Native Grass Seed Attachment	603.72
5PM50062	496 Rear Roller Attachment	547.56

# FP2204P - 42 in. Wide Pull Type Food Plot Seeder Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder

**Equipment for Base Machine** 

Machine Weight: 960 lbs.
Tractor Horsepower Range: 45-70 HP
Working Width: 60 In.
Unit Length: 77 In.
Unit Height: 41 In.
Number of Blades: 8
Blade Diameter: 18 In.
Blade Thickness: 3.5 mm
Blade Spacing: 7.50 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square Sealed Bearing
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 80 In. (Standard)
CultiPacker Roller Width: 72 In. (Optional)
Seed Box Capacity: 63 lbs.

3 Point Hitch Type: Category I/II
iMatch Compatible: Yes
Number of S-Tines: 4
1.75 In. Reversible Chisel Point: 4 (Standard)
9 In. Sweep: 4 (Optional - Order Through Parts)
Right Turning Point: 2 (Optional - Order Through
Parts)
Left Turning Point: 2 (Optional - Order Through
Parts)
Second Toolbar with 3 S-Tines & Chisel
Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

3093XF		FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	5,777.00
		ATTACHMENTS - ORDER AS DESIRED	
9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	671.00
9020		Rear Roller Attachment	743.00
9030		S-Tine Toolbar Attachment	475.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PM50062697	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062289	Native Grass Seed Attachment	724.68
	5PM50062497	Rear Roller Attachment	802.44
	5PM50062506	S-Tine Toolbar Attachment	513.00

# FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### Planting & Seeding

#### FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder

**Equipment for Base Machine** 

Machine Weight: 1120 lbs.
Tractor Horsepower Range: 60-100 HP
Working Width: 82 In.
Unit Length: 77 In.
Unit Height: 41 In.
Number of Blades: 12
Blade Diameter: 18 In.
Blade Thickness: 3.5 mm
Blade Spacing: 7.50 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square Sealed Bearing
Cultipacker Drag Width: 106 In. (Standard)
CultiPacker Roller Width: 96 In. (Optional)
Seed Box Capacity: 93 lbs.

3 Point Hitch Type: Category I/II
iMatch Compatible: Yes
Number of S-Tines: 5
1.75 In. Reversible Chisel Point: 5 (Standard)
9 In. Sweep: 5 (Optional - Order Through Parts)
Right Turning Point: 2 (Optional - Order Through
Parts)
Left Turning Point: 2 (Optional - Order Through
Parts)
Second Toolbar with 4 S-Tines & Chisel
Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

3094XF		FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	6,786.00
		ATTACHMENTS - ORDER AS DESIRED	
9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	812.00
9020		Rear Roller Attachment	856.00
9030		S-Tine Toolbar Attachment	507.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PM50062697	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062290	Native Grass Seed Attachment	876.96
	5PM50062498	Rear Roller Attachment	924.48
	5PM50062507	S-Tine Toolbar Attachment	547.56

# FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

## Planting & Seeding

#### CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box

**Equipment for Base Machine** 

Machine Weight: 1480 lbs. (Empty)
Tractor Horsepower: 30 HP Minimum
3 Point Hitch Type
Category I and II
Working Width: 60 In.
Overall Width: 73 In.
Unit Length: 67 In.
Unit Height: 48 In.
Large Seed Box / Stainless Steel Box /
Native Grass Seed Box Capacity:
4.36 Cubic Ft. (3.50 Bushel)
Legume Seed Box Capacity:
1.87 Cubic Ft. (1.50 Bushel)
Front Spike Roller:
15.75 In. OD with 72 Spikes
Rear Spike Roller:

15.75 In. OD with 114 Spikes
Rear Cultipacker Roller:
Fiber Reinforced Nylon Rings or
Cast Iron Rings
Roller Spikes: AR-500 Steel
Spike Roller Drive Ratio: 15:22
Seed Box Drive Ratio: 15:28 Standard
iMatch Compatible: Yes
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
3081XF		CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box	10,383.00
		SMALL SEED BOX	
1000		Small Seed Box For planting legumes and other small seeds.	In Base Price
1095		Less Small Seed Box	-1,144.00
		SECONDARY BOX	
2000		Stainless Steel Fertilizer Box	2,829.00
2010		Native Grass Box Includes paddle agitator and picker wheels.	2,093.00
2020		Second Large Seed Box	1,475.00
2095		Less Secondary Box	In Base Price
		REAR CULTIPACKER TYPE	
3000		Cast Iron Wheels	590.00
3010		Poly Wheels	In Base Price
		ATTACHMENTS - ORDER AS DESIRED	
9000		Rear Cultipacker Scraper For Cast Iron Wheels	174.00
9010		Rear Cultipacker Scraper for Nylon Wheels	174.00

ATTACHMENTS FOR FIELD CONVERSION

# Planting & Seeding

# CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box Continued

COL	ATTACHMENT DE IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	5SBGSC012	Miscellaneous: Additional Large Seed Box with Extended Chain Guard	2,040.52
	5SBGSC014	Native Grass Seed Box with Extended Chain Guard	2,580.79
	5SBGSC006	Rear Cultipacker Scraper for Cast Iron Wheels	187.92
	5SBGSC003	Rear Cultipacker Scraper for Nylon Wheels	187.92
	5SBGSC008	Small Seed Box	1,430.90
	5SBGSC010	Stainless Steel Fertilizer Box with Extended Chain Guard	3,257.29

## Planting & Seeding

#### CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box

**Equipment for Base Machine** 

Machine Weight: 2090 lbs. (Empty)
Tractor Horsepower: 50 HP Min
3 Point Hitch Type Category I and II
Working Width: 84 In.
Overall Width: 98 In.
Unit Length: 76 In.
Unit Height: 54 In.
Large Seed Box / Stainless Steel Box /
Native Grass Seed Box Capacity:
10.27 Cubic Ft. (8.25 Bushel)
Legume Seed Box Capacity:
2.64 Cubic Ft. (2.12 Bushel)
Front Spike Roller:
19.75 In. OD with 132 Spikes
Rear Spike Roller:

19.75 In. OD with 150 Spikes
Rear Cultipacker Roller:
Fiber Reinforced Nylon Rings or
Cast Iron Rings
Roller Spikes: AR-500 Steel
Spike Roller Drive Ratio: 15:20
Seed Box Drive Ratio: 17:28 Standard
Cat II Quick Hitch Compatible: Yes
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
3082XF		CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box	14,674.00
		SMALL SEED BOX	
1000		Small Seed Box For planting legumes and other small seeds.	In Base Price
1095		Less Small Seed Box	-1,328.00
		SECONDARY BOX	
2000		Stainless Steel Fertilizer Box	3,115.00
2010		Native Grass Box Includes paddle agitator and picker wheels.	2,747.00
2020		Second Large Seed Box	1,757.00
2095		Less Secondary Box	In Base Price
		REAR CULTIPACKER TYPE	
3000		Cast Iron Wheels	780.00
3010		Poly Wheels	In Base Price
		ATTACHMENTS - ORDER AS DESIRED	
9000		Rear Cultipacker Scraper For Cast Iron Wheels	245.00
9010		Rear Cultipacker Scraper for Nylon Wheels	245.00

#### ATTACHMENTS FOR FIELD CONVERSION

# Planting & Seeding

# CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	5SBGSC013	Miscellaneous: Additional Large Seed Box with Extended Chain Guard	2,697.16
	5SBGSC015	Native Grass Seed Box with Extended Chain Guard	3,527.86
	5SBGSC007	Rear Cultipacker Scraper for Cast Iron Wheels	264.60
	5SBGSC005	Rear Cultipacker Scraper for Nylon Wheels	264.60
	5SBGSC009	Small Seed Box	1,762.87
	5SBGSC011	Stainless Steel Fertilizer Box with Extended Chain Guard	4,199.28

## Planting & Seeding

#### TR2058 - 58 In. PTO Driven Overseeder

**Equipment for Base Machine** 

Working Width: 58 In.
Shipping Weight: 1188 lbs.
Rotor RPM: 231 RPM
PTO RPM: 540 RPM
PTO HP: 25 to 50 HP
Operational Weight: 998 lbs.
Number Of Flanges: 18
Number Of Blades: 52
Hopper Capacity: 5.3 Cubic Ft.
Category I 3-Point Hitch
Assembly/Set-Up Time:
30 Minutes (Approximate)
Overall Width: 66 In.

Tilling Rotor Complete with C-Blades:
Optional (7 In. depth)
Rear Roller Scraper: Optional
Gauge Wheels: Optional
Front Roller: Optional
Note: Gauge Wheels and Front Roller
Can Not be Used Together

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

3041XF	TR2058 - 58 In. PTO Driven Overseeder	9,253.00
	ATTACHMENTS ORDER AS DESIRED	
9000	Front Roller  Can not be used in conjunction with Gauge Wheels.	636.00
9010	Gauge Wheels Can not be used in conjunction with Front Roller.	378.00
9020	Rear Roller Scraper	236.00
9030	Tilling Roller Includes C-Blades.	533.00
	ATTACHMENTS FOR FIELD CONVERSION	
5BP0099516	Miscellaneous: Front Roller	686.88
5BP0099875	Gauge Wheels	408.24
5BP0099539	Rear Roller Scraper	254.88
5BP0099517	Tilling Rotor Includes C-Blades	575.64

# TR2058 - 58 In. PTO Driven Overseeder Continued