

# FURNITURE SPECIFICATIONS

## **New Biloxi Junior High School Classroom Furniture Package**

Biloxi Public School District  
Biloxi, Mississippi



## Requirements for Submission:

- All products shall be manufactured in North America.
- Every manufacturer shall guarantee a lead-time of no more than 7 weeks from issuance of Purchase Order and shall provide complete furniture layouts per room to verify quantities. Any discrepancies must be clearly noted on bid documents.
- All Bidders must guarantee an installation timeline of no more than two weeks (14 days) from the owner specified installation start date. Owner shall provide chosen bidder with seven (7) weeks' notice prior to installation start date.
- Liquidated damages shall apply to any and all products that exceed the afore mentioned seven (7) week lead time or installation services that exceed the allotted 14 day installation period.
- All Bidders shall supply a list of no less than 5 references from K-12 educational projects completed within the past 5 years. References shall include contact info for each individual project, preferably from Mississippi School Districts.
- Chosen bidder shall provide a direct employee as the on-site project manager throughout the course of receipt and installation.
- Chosen bidder shall provide, as a function of their pricing structure, an NCIDQ certified interior designer to assist with finish selections. NCIDQ certification number and name of "Interior Designer" must appear on the outside of the official bid envelope.
- All Bidders must maintain a current Certificate of Responsibility for the State of Mississippi. The certificate number shall appear on the **OUTSIDE** of the bid envelope or the submitted bid shall become null and void.
- All Bidders shall maintain valid property and casualty insurance with General Liability limits of no less than \$2,000,000 aggregate and \$1,000,000 per occurrence. A copy of a current declarations page shall accompany the bid documents. Chosen bidder will, upon receipt of Purchase Order, supply Biloxi Board of Education with a valid certificate of insurance reflecting said limits and naming BPSD as an additional insured.
- All Bidders shall guarantee per item pricing for a period of no less than 90 days from the date of the install (June 15th) and shall be willing to honor said pricing for any other Biloxi Board of Education orders during that time.
- All glides shall be appropriate for LVT flooring. Suggested glide will be metal or felt, however, Biloxi Public Schools would like to review available glides of each manufacture.
- Biloxi Public Schools has put countless hours into quantity, quality and style of each product that is specified in this bid. Not only do these products meet our standards, but give each bidder an optimal chance to bid all items. We have gone even further to allow some alternates on some sections. If an item does not have an alternate, it is that of an open line manufacture that allows everyone to bid.
- **Bidder understands that installation date will begin between June 1, 2017 and July 1, 2017 with final installation being complete by July 31, 2017.**

## Bid Forms:

1. Each bid is to list all items in an itemized fashion.
2. The envelope shall list the bidders Company Name, Company Address and all applicable state and local license and registration numbers of the bidder. Envelopes not so marked are submitted entirely at the risk of the bidder as the Owner, and Architect assume no responsibility for the premature opening of any bid envelope by any employee of the Owner or Architect.
3. Bids will not be opened if no Certificate of Responsibility Number is noted on envelope.
4. All bids submitted in excess of \$50,000 by a prime or Subcontractor to do any erection, building, construction, repair, maintenance, or related work must comply with the Mississippi Contractors Act of 1985, by securing a Certificate of Responsibility from the State Board of Contractors.
5. Send sealed proposals and supporting documentation to:

Biloxi Public Schools  
Attn: Kassie Bourque, Purchasing Director  
Biloxi Public Schools  
160 St. Peter St., Biloxi, MS 39530

Sealed proposals must be clearly marked "**NEW BILOXI JUNIOR HIGH CLASSROOM FURNITURE PACKAGE**"

### **Do Not Fax or Email Proposals.**

Proposals will be received by The District at the address shown above until 10:00 AM CDT, **March 2, 2017**. Proposals must be mailed or hand delivered to the address above in a **SEALED ENVELOPE**. They must be received before the deadline. Courier delays are not an acceptable excuse for deliveries made past the deadline. *Please note that Fed Ex Overnight guaranteed delivery rarely makes it to the district office by 10:00 AM.*

Each bidder shall comply with the quantities and specifications included herein. Any deviation from the approved product technical specifications or line item quantities shall immediately disqualify the bid from consideration. Biloxi Public Schools has the right to reject any and all bids as well as purchase items from the Mississippi State Furniture Contract, if necessary.

It is BPS's intent to award the bid to one supplier/vendor. BPS will disqualify any and all bids that do not supply a full, turn-key solution for full project furniture implementation in accordance with the written specifications.

## **INSTRUCTIONS TO VENDORS – Part A**

### **BID PROPOSAL**

For purposes of clarity, the terms contractor, vendor and seller shall be synonymous.

The terms Biloxi Public Schools, District and owner shall be synonymous.

The terms Bid and Proposal shall be synonymous.

#### **1. Contract Documents.**

- 1.1.** The District's expectations with respect to the performance by each vendor and by each seller in connection with the District's purchase are set forth in the Instructions to Vendors. Vendors who fail to examine and comply with the bid documents do so at their own risk.

#### **2. Preparation of Proposal.**

- 2.1.** Any explanation desired by a vendor regarding the meaning or interpretation of any portion of these Documents must be requested in writing and directed to the District Office of Purchasing in sufficient time for a reply to reach vendor before the submission of their Proposals. Oral explanations or instructions given before the opening of the proposals will not be binding. Any information given to one prospective vendor will be furnished to all prospective vendors as a Proposal Addendum, if such information is necessary to vendors in submitting their proposals or if the lack of such information would be prejudicial to an uninformed vendor.

#### **3. Information Required**

- 3.1.** Each vendor shall furnish the information required by these Documents. The vendor shall sign the proposal, all addenda, and the Cost Proposal Sheet. The person signing the BID must initial erasures or other changes. Bid signed by an agent must be accompanied by evidence of the agent's authority unless such evidence has been furnished previously to the District's Office of Purchasing.
- 3.2.** Proposals must be firm. If the vendor believes it necessary to base his/her price on price adjustment, such proposal may be considered, but only as an alternate.
- 3.3.** The district is not required to pay Federal Excise Taxes and Mississippi and local retail sales and use taxes (except 'Resale Items'). Tax exemption certificates will be provided upon request.
- 3.4.** Proposals submitted on other than District forms or with different terms or provisions may be considered as non-responsive bids.
- 3.5.** The District expects that all proposals will remain valid until sixty (60) days after the bid opening or until contracts are signed and operational, whichever comes first. If a vendor indicates in the BID that he/she may withdraw the proposal in less than 60 days, this factor will be considered in awarding a contract.
- 3.6.** Each Vendor will certify that: no federal or state suspension or debarment is in place, no criminal history of the firm/vendor or its employees exist, there is no collusion involved in presenting the BID or its components, the minimum insurance requirements are in place.
- 3.7.** Vendor/Seller represents and warrants that it will ensure its compliance with the Mississippi Employment Protection Act (Senate Bill 2988 from the 2008 Regular Legislative Session) and will register and participate in the status verification system for all newly hired employees. The term "employee" as used herein means any person that is hired to perform work with the State of Mississippi. As used herein, "status verification system" means the Illegal Immigration Reform and Immigration Responsibility Act of 1996 that is operated by the United States Department of Homeland Security, also known as the E-Verify Program, or any

other successor electronic verification system replacing the E-Verify Program. Vendor/Seller agrees to maintain records of such compliance and, upon request of the State, to provide a copy of each such verification to the State. Vendor/Seller further represents and warrants that any person assigned to perform services hereunder meets the employment eligibility requirements of all immigration laws of the State of Mississippi. Vendor/Seller understands and agrees that any breach of these warranties may subject Vendor/Seller to the following: (a) termination of this Agreement and ineligibility for any state or public contract in Mississippi for up to three (3) years, with notice of such cancellation/termination being made public, or (b) the loss of any license, permit, certification or other document granted to Vendor/Seller by an agency, department or governmental entity for the right to do business in Mississippi for up to one (1) year, or (c) both. In the event of such termination/cancellation, Vendor/Seller would also be liable for any additional costs incurred by the State due to contract cancellation or loss of license or permit.

**4. Submission Format of Proposals.**

- 4.1.** Sealed proposals should be returned in an envelope marked on the outside with the vendor's name and address and the BID name. Address to: Biloxi Public School District, Office of Purchasing, P.O. Box 168, Biloxi, MS 39533.
- 4.2.** Sealed proposals may be delivered (in person) to the Office of Purchasing, Biloxi Public School District Administration Building, 160 St. Peters Avenue, Biloxi, MS 39530.
- 4.3.** BIDs must be returned in sufficient time to be received and stamped at the location specified on or before the opening date and time. BIDs presented after the time and date, of the beginning of the opening process, will **not** be accepted.
- 4.4.** All acceptable bids will be publicly opened and read in the Board Room of the Biloxi Public School District's Administration Building, unless otherwise indicated on the announcement page of the proposal.
- 4.5.** This solicitation does not commit the District to award a contract, to pay any costs incurred in the preparation of the proposal, or to procure or contract for the articles of goods or services.

**5. Modification or Withdrawal of BIDs.**

- 5.1.** Proposals may be modified or withdrawn by written notice received by the District's Office of Purchasing prior to the exact hour and date specified for receipt of BIDs. All modifications must be presented in a sealed envelope. A Proposal may also be modified or withdrawn in person by a vendor or an authorized representative, provided his/her identity is made known and he/she signs a receipt for the modification or withdrawal, but only if the modification or withdrawal is made prior to the exact hour and date set for the receipt of proposals.

**6. Evaluation Factors.**

- "Most Advantageous Proposal". The District will award contracts to the vendor/s who submit the **"lowest and best value proposal"** to the District.

**Evaluation of proposals shall be based on what is the best overall solution for the Biloxi Public School District (District).**

- 6.1. After awarding of proposals, the District reserves the right to negotiate the **"lowest and best value proposal"**, if in the District's sole discretion negotiation is appropriate under the circumstances and in the best interest of the District. It expressly reserves the right to request the "best and final" proposal from the **"lowest and best value proposal"** vendor/s after the opening of the BIDs.
- 6.2. In all events, the District reserves the right to re-bid.
- 6.3. The District expressly reserves the right to waive minor deviations from the specification when it is determined that total cost to the District of the deviating proposal is lower than the lowest conforming proposal which meets all aspects of the specifications, and the overall function of the goods or services, or both, specified in the deviating proposal is equal to or greater than that of the conforming bid. In conjunction, the District also reserves the right to:
  - 6.3.1. Waive any defect, irregularity or informality in any proposal procedures.
  - 6.3.2. Reject any or all BIDs.
  - 6.3.3. Award the entire BID to one vendor
  - 6.3.4. Award the BID (or portions) to more than one vendor
  - 6.3.5. Award the BID under the most beneficial terms for the District
  - 6.3.6. Extend the opening time and date.
  - 6.3.7. Procure any item of the BID by other means approved by State and the District's regulations.

## INSTRUCTIONS TO VENDORS – Part B

### STANDARD TERMS OF AGREEMENT AND CONDITIONS OF BID

**For purposes of clarity, the terms contractor, vendor and seller shall be synonymous.**

**The terms Biloxi Public Schools, District and owner shall be synonymous.**

**The terms bid and proposal shall be synonymous.**

#### Standard Terms

1. **Purchases:** Every purchase by the Biloxi Public School District ("District") of goods, services, or both, shall be governed by the following terms and conditions, except to the extent that such terms, and conditions are specifically modified or altered by the terms and conditions of the specifications sheet/s.
2. **Gratuities:** The District may, by written notice to the Seller, cancel this contract without liability to Seller and District if it is determined by District that gratuities, in the form of entertainment, gifts, or otherwise, were offered or given by the Seller, or any agent, or representative of the Seller, to an officer or employee of the District with a view toward securing a BID or securing favorable treatment with determinations with respect to the performance of such BID. In the event this BID is canceled by District pursuant to this provision, District shall be entitled, in addition to any other rights and remedies, to recover or withhold the amount of the cost incurred by Seller.
  - Prohibition against Personal Interest in BIDs: If any member of the Board of Trustees of the District or any employee of the District has any interest, either direct or indirect, in the business of the Seller, such interest must be disclosed in Seller's bid. At the discretion and interpretation of the District, such interest may disqualify the Seller/Vendor as meeting the requirements of this BID.
3. **Special Tools and Test Equipment:** If the price stated in the Proposal includes the cost of any special tooling or special equipment fabricated or required by Seller for the purpose of fulfilling Seller's obligations, such special tooling equipment and any process sheets related thereto shall become the property of the District, to the extent feasible, and shall be identified by the Seller as such.
4. **Warranty and Price:**
  - The price to be paid by the District shall be contained in Seller's proposal which Seller warrants to be no higher than Seller's current prices on order for products/services of the kind and specification covered by this agreement for similar quantities under similar or like conditions and methods of purchase.
  - The Seller warrants that no person or selling agency has been employed or retained to solicit or secure this BID upon an agreement or understanding for commission, percentage, brokerage, or contingent fee that would exceed the BID proposal pricing. For breach or violation of this warranty, the District shall have the right in addition to any other right or rights to cancel this BID without liability and to deduct from the BID price, or otherwise recover the full amount of such commission, percentage, brokerage or contingent fee.
5. **Warranty Products:** Seller shall not limit or exclude any implied warranties. Any attempt to do so shall render this BID void at the option of the District. Seller warrants that the goods/services furnished will conform to the specification, drawings and descriptions contained in the BID Documents and to the sample/s furnished by Seller, if any.
6. **Safety Warranty:** Seller warrants that the product or service sold/distributed in the District shall conform to the standards promulgated by the U. S. Department of Labor under the Occupational Safety and Health Act (OSHA) of 1970. In the event the

product/service does not conform to OSHA standards, District may discontinue the use of products/services at the Sellers expense.

7. **No Warranty by District against Infringements:** As part of this BID for sale, Seller agrees to ascertain whether goods manufactured or services provided in accordance with the specifications attached to the agreement will give rise to the rightful claim of any third person by way of infringement or the like. District makes no warranty that the production of goods/services according to the specification will not give rise to such a claim. In the event the Seller is sued on the grounds of infringement or the like will result, the Seller will notify District to the effect in writing, of the notification of infringement. If District does not receive notice and is subsequently held liable for the infringement or the like, Seller will indemnify the District and hold District harmless from any loss, cost or expense. If Seller ascertains that production of the goods/services in accordance with the specifications will result in infringement or the like, this BID shall be null and void.
  - The Seller at the end of the warranty period shall deliver to the District any and all documents and operating manuals for technology, equipment, telecommunication access/passwords and training to maintain the equipment to continue to operate the systems.
8. **Commitment of Current Revenue:** The BID is conditioned on a best effort attempt by this governing body to obtain and appropriate funds for payment of the BID and the continuing right to terminate. This BID is a commitment of the District's current revenues only.
9. **Advertising:** Seller shall not advertise or publish, without District's prior consent, the fact that District has entered into this BID, except to the extent necessary to comply with proper requests for information from an authorized representative of the federal, state or local government.
10. **Right to Assurance:** Whenever one party to this BID in good faith has reason to question the other party's intent to perform, he may demand that the other party give written assurance of this intent to perform. In the event that a demand is made and no assurance is given within five (5) days of the request, the demanding party may treat this failure as an anticipatory repudiation of the BID.
11. **Independent Contractor:** Seller shall perform the services and/or provide goods required by the BID Document as an independent contractor and shall furnish such services/goods in its own manner and method. Under no circumstances or conditions shall any agent, servant, or employee of Seller be considered as an employee of the District.
12. **Hold Harmless:** Seller shall fully indemnify, save and hold harmless the District, its officers, employees, and agents (hereafter "the indemnities) against any and all liability, damage, loss, claims, demands and actions of any nature whatsoever on account of personal injuries (including, without limitation on the foregoing, worker's compensation and death claims), or property loss or damage of any kind whatsoever, which arise out of or in any manner connected with, or are claimed to arise out of or be in any manner connection with, the performance of the BID and its awarded products/services. Seller shall, at its own expense, investigate all such claims and demands, attend to their settlement or other disposition, defend all actions based thereon and pay all charges of attorneys and all other costs and expenses of any kind arising from any such liability, damage, loss, claims, demand and actions.
13. **Assignment Delegation:** No right or interest in this BID shall be assigned or delegation of any obligation made by Seller without the written approval of the District. No BID or its provisions may be assigned, sublet or transferred without the written consent of



the District. The performance of this BID by Seller is of the essence of the BID and the District's right to withhold consent to such assignment or delegation by Seller shall wholly void and hold totally ineffective for all purposes unless made in conformity with this paragraph.

14. **Waiver:** No claim or right arising out of a breach of this BID can be discharged in whole or in part by a waiver or renunciation of the claim or right unless the waiver or renunciation is supported by consideration and is in writing signed by the aggrieved.
15. **Modifications:** The signed BID can be modified or rescinded only by a written request signed by both parties and their duly authorized agents.
16. **Modification to Specifications:** Any and all variances from the items specified must be submitted in writing to the Office of Purchasing in addition to detailed manufacturer's specifications ten (10) days prior to BID Opening.
17. **Non-Resident Vendors:** Non-resident vendors must include documentation of the non-resident vendor's state preference laws. This is the amount or percentage of preference states give to resident vendors from their own state when awarding BIDs. If the local state does not have a non-resident vendor's preference law, please attach a letter stating such. Such non-resident preferences shall be treated in a reciprocal manner.
18. **Applicable Law:** This BID shall be governed by the Mississippi Code as enacted by legislature which is effective and in force on the date of this BID together with any other laws of the United States, The State of Mississippi, Ordinances of the County of Harrison, Mississippi and the City of Biloxi, Mississippi and the policies and procedures of the Biloxi Public School District.
19. **Interpretation Evidence:** The BID Documents are intended by the parties as the final expression of their agreement and are intended also as a complete and exclusive statement of the terms of their agreement. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any term used in this agreement. Acceptance or acquiescence in a course of performance rendered under this agreement shall not be relevant to determine the meaning of this agreement even though the accepting or acquiescing party has knowledge of the performance and opportunity for objection. Whenever a term defined by codes, is used in this agreement, the definition contained in the code is to control.
20. **Venue:** Both parties agree that venue for any litigation arising from this BID shall lie in Harrison County, Mississippi.
21. **Payments:** No partial payments will be given for services/products until the job/order is complete

Signature: My signature certifies that, as agent for:

---

Company/Firm Name

I have read and will abide by each portion of the BID component "Instructions to Vendors" for the Biloxi Public School District

---

Signature

---

Date

# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-1	<b>QUANTITY:</b> 1496
<b>ITEM DESCRIPTION:</b> CHAIR, STUDENT 18"XL		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC3118XL- BG

**COLOR / FINISH:** Primary Red Poly Shell,  
Metallic Silver Powdercoat Frame

**SIZE:** 18IN, XL

**REMARKS:**

- Lifetime Warranty
- The frame shall consist of high-density polypropylene material, injection molded into a one-piece shell unit with 17 heavy duty reinforcing structural ribs with waterfall edge.
- Legs shall be formed of 1-1/8" 16-gauge tubular steel welded to two 14 gauge steel brackets with a continuous weld at all four connection areas.

**APPROVED EQUALS:**

- KI Intellect Wave



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C- 2	<b>QUANTITY:</b> 73
<b>ITEM DESCRIPTION:</b> CHAIR, TEACHER TASK		

**PRODUCT MANUFACTURER:** Allsteel

**PRODUCT NUMBER:** Quip, VSTNO

**COLOR / FINISH:** TBD Vinyl Seat

**REMARKS:**

- Lifetime Warranty
- The chair shall consist of a mesh back that meets CAL133 standards with a durable vinyl seat.
- The base shall consist of a five-star base with casters. It shall also contain a pneumatic cylinder with at least five inches of adjustability.
- Chair shall include the following controls: tilt tension, tilt lock, and seat depth adjustment.
- Chair shall contain fixed arms.

**APPROVED EQUALS:**

- KI Sift



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-3	<b>QUANTITY:</b> 216
<b>ITEM DESCRIPTION:</b> CHAIR, COMPUTER, STUDENT		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SPDNAP

**COLOR / FINISH:** Custom Color Poly Shell

**REMARKS:**

- Lifetime Warranty
- Seat and Shroud shall be composed of Injection-molded polypropylene, attached directly to the structure.
- Base shall be composed of Injection-molded glass-reinforced nylon 5-blade base.
- Casters have high-impact thermoplastic double-wheels.
- A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-4	<b>QUANTITY:</b> 102
<b>ITEM DESCRIPTION:</b> CHAIR, HD STACKER- CHORAL		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SWNA

**COLOR / FINISH:** Black Frame, Black Shell

**REMARKS:**

- Lifetime Warranty
- Chair frame is comprised of 7/16" solid steel rod with electrostatically-applied epoxy, baked onto surface
- Shell shall contain injection molded polypropylene with integral steel cantilever springs that provide a supportive flexing back.
- Frame shall be rated for up to 300lbs.
- Stacks up to 25 high on dolly

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-4 .1	<b>QUANTITY:</b> 8
<b>ITEM DESCRIPTION:</b> CHAIR, CHORAL, HD STACKER DOLLY		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** CSD.BL

**REMARKS:**

- Lifetime Warranty
- Dolly for C-4
- Holds up to 25 chairs

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-5	<b>QUANTITY:</b> 200
<b>ITEM DESCRIPTION:</b> CHAIR- BAND		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC318XLBG- B

**COLOR / FINISH:** Black Frame / Black Shell

**REMARKS:**

- Lifetime Warranty
- The frame shall consist of high-density polypropylene material, injection molded into a one-piece shell unit with 17 heavy duty reinforcing structural ribs with waterfall edge.
- Legs shall be formed of 1-1/8" 16-gauge tubular steel welded to two 14 gauge steel brackets with a continuous weld at all four connection areas.
- Pitched Back

**APPROVED EQUALS:**

- KI Intellect Wave



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C-6	<b>QUANTITY:</b> 72
<b>ITEM DESCRIPTION:</b> STOOL, SCIENCE LAB		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC300BG

**COLOR / FINISH:** Solid Plastic Seat, Metallic Powdercoat Frame

**SIZE:** Adj 18"- 24"

**REMARKS:**

- Lifetime Warranty
- Frame shall be formed of heavy 16 gauge 1-1/8" diameter steel tubing legs, swaged to 5/8". Legs are MIG welded to an extra heavy duty 11 gauge flat 8-1/2" square steel mounting plate positioned under the seat for maximum support and unit integrity with a 16 gauge round tubular steel foot-ring.
- Seat consists of solid plastic, 5/8" thick, 12-3/4" in diameter.

**APPROVED EQUALS:**

- Kl Ivy League





# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C- 8	<b>QUANTITY:</b> 100
<b>ITEM DESCRIPTION:</b> CHAIR, GYM, FOLDING		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** FRS734

**COLOR / FINISH:** Black Vinyl Seat, Black Frame

**REMARKS:**

- Lifetime Warranty
- Frame shall consist of 19-gauge electrically seam-welded 7/8" o.d. tubing with three leg braces of 19-gauge, 5/8" o.d. steel tubing.
- Seat pan shall be 20-gauge recessed steel with 1"polyfoam stapled to linerboard panel | Replaceable.
- Legs shall have replaceable non-marring linear polypropylene glides.
- Price shall include two color logos on seat and back.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C- 9	<b>QUANTITY:</b> 28
<b>ITEM DESCRIPTION:</b> CHAIR- MEDIA CENTER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SSNAU

**COLOR / FINISH:** Custom Color Poly Shell,  
Metallic Powdercoat Frame, P1 fabric

**REMARKS:**

- Lifetime Warranty
- Shell shall contain injection molded polypropylene with integral steel cantilever springs that provide a supportive flexing back.
- Legs are 7/8" O.D. x 13-gauge tubular steel. Cross members are 1" O.D. x 14-gauge tubular steel and 7/16" diameter solid steel in a sled base configuration.
- Upholstered seat is comprised of molded urethane foam, attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> C- 11	<b>QUANTITY:</b> 96
<b>ITEM DESCRIPTION:</b> CHAIR- NESTING WITHOUT SEAT PAD		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SNNAP

**COLOR / FINISH:** Custom Color Poly Shell

**REMARKS:**

- Lifetime warranty
- Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners.
- Seat flips up to allow chairs to nest for storage and transport.
- The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded.
- Casters shall be double wheels (60mm) of high-impact thermoplastic.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-1	<b>QUANTITY:</b> 128
<b>ITEM DESCRIPTION:</b> DESK, STEM LABS- TRIANGLE SHAPED		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC4700SP-BG

**COLOR / FINISH:**

Solid Plastic Top- Silver Alchemy  
Metallic Silver Powdercoat Frame

**SIZE:** 28x28, Adj 22"-32"

**REMARKS:**

- Lifetime Warranty
- Worksurface shall consist of an oversized triangle shaped top, solid plastic with beveled "Ergo Edge" for comfortable seating with an oversized pencil groove.
- Frame shall consist of a 3-legged construction, in which each leg has a 1/8" mounting plate at the top that requires 5 screws to attach each leg to the desktop. The legs are constructed from 16- gauge steel with the upper portion of the leg being powder coat painted, and the insert being chromed. The stretcher bar is welded from 14-gauge steel that connects the 3 legs together.
- Wheelchair accessible.

**APPROVED EQUALS:**

- KI Intellect Wave



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-2	<b>QUANTITY:</b> 58
<b>ITEM DESCRIPTION:</b> DESK, TEACHER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** IQWL3060SSO/M-74P

**COLOR / FINISH:** PLAM: TBD, Paint: TBD

**SIZE:** 30x60

**REMARKS:**

- Lifetime Warranty
- Table surfaces are composed of 1 1/8" thick high-density particleboard with high-pressure laminate top and balanced phenolic backing sheet.
- Wire manager modesty panel/trough is constructed of extruded aluminum and is mounted to the worksurface underside using #12 screws.
- Legs are constructed of 1.5mm wall x 45mm (1.75") O.D. steel tubing.
- Glides are molded from nylon and have external threads mating with the internal threads on the leg socket. Glides allow for 1" height adjustment and/or leveling of the table.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-5	<b>QUANTITY:</b> 15
<b>ITEM DESCRIPTION:</b> DESK, STAFF		

**PRODUCT MANUFACTURER:** Paragon

**PRODUCT NUMBER:** TEACH-IT-3060, FILE-IT-HANG

**COLOR / FINISH:** PLAM: TBD, Paint: TBD

**SIZE:** 30x60, Tombstone Top, Adj 24.5"H - 35.5"H

**REMARKS:**

- Lifetime Warranty
- Surface shall consist of 1 1/4" HPL with 3/8" t-mold bumper edge
- Frame shall consist of single post legs with 14 gauge steel tube and leg. Lower is 16 gauge steel with perforated 1/4" holes every inch to allow height adjustment.
- Desk shall have a perforated 16 gauge steel j-channel modesty panel and wire manager.
- Desk shall have one hanging BBF that is lockable.

**APPROVED EQUALS:**

- None, Paragon is an open line



SHOWN WITH  
TOMBSTONE TOP



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-6	<b>QUANTITY:</b> 1148
<b>ITEM DESCRIPTION:</b> DESK, CLASSROOM- TRAPEZOID SHAPE		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC4600SPBG

**COLOR / FINISH:**

Solid Plastic Top- Silver Alchemy  
Metallic Silver Powdercoat Frame

**REMARKS:**

- Lifetime Warranty
- Worksurface shall consist of an oversized trapezoid shaped top, solid plastic with beveled "Ergo Edge" for comfortable seating with an oversized pencil groove.
- Frame shall consist of a 4-legged construction, in which each leg has a 1/8" mounting plate at the top that requires 5 screws to attach each leg to the desktop. The legs are constructed from 16- gauge steel with the upper portion of the leg being powder coat painted, and the insert being chromed. The stretcher bar is welded from 14-gauge steel that connects the 4 legs together.
- Wheelchair accessible.

**APPROVED EQUALS:** KI Intellect Wave



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-7	<b>QUANTITY:</b> 280
<b>ITEM DESCRIPTION:</b> DESK, SCIENCE CLASSROOM- SAIL SHAPE		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SAILDESK

**COLOR / FINISH:**

PLAM- Silver Alchemy

Metallic Silver Powdercoat Frame

**SIZE:** 30X30

**REMARKS:**

- Lifetime Warranty
- Top construction features a 1-1/8" high density 47 LB solidcore with high pressure (9400) laminate of 35/1000" top and phenolic backing for an overall thickness of 1-1/4".
- Legs shall be 14-gauge 1-3/4"x 27 7/8" Round tube. Legs will be attached to the table surface by a 16 gauge Quick Mount Plates which are Factory mounted to the table.

**APPROVED EQUALS:** KI Intellect Wave





# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> D-7ALT	<b>QUANTITY:</b> 280
<b>ITEM DESCRIPTION:</b> ALTERNATE TO D7		

**PRODUCT MANUFACTURER:** Scholarcraft

**PRODUCT NUMBER:** SC4700SP-BG

**COLOR / FINISH:**

Solid Plastic Top- Silver Alchemy  
Metallic Silver Powdercoat Frame

**SIZE:** 28x28, Adj 22"-32"

**REMARKS:**

- Lifetime Warranty
- Worksurface shall consist of an oversized triangle shaped top, solid plastic with beveled "Ergo Edge" for comfortable seating with an oversized pencil groove.
- Frame shall consist of a 3-legged construction, in which each leg has a 1/8" mounting plate at the top that requires 5 screws to attach each leg to the desktop. The legs are constructed from 16- gauge steel with the upper portion of the leg being powder coat painted, and the insert being chromed. The stretcher bar is welded from 14-gauge steel that connects the 3 legs together.
- Wheelchair accessible.

**APPROVED EQUALS:** KI Intellect Wave



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> S-1	<b>QUANTITY:</b> 58
<b>ITEM DESCRIPTION:</b> STORAGE, MOBILE LECTERN		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** ATBT39PFLC-74P-S1L

**COLOR / FINISH:** PLAM: TBD, Paint: TBD

**SIZE:** 18X19X39

**REMARKS:**

- Lifetime Warranty
- The top is 18-gauge cold rolled steel (C.R.S.) with 3/4" flanges on all 4 sides. The interior side panels are made from formed 20-gauge C.R.S. The bottom is formed 18-gauge C.R.S. with 3/4" flanges on all 4 sides.
- The unit shall have two open adjustable shelves and one steel door with lock.
- The laminate landing pads are constructed from .03 HPL laminate on top and a 0.028 melamine sheet backer on the bottom. 2mm thick PVC banding is applied to the edges.
- Unit shall have four twin wheel locking casters

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> S-2	<b>QUANTITY:</b> 58
<b>ITEM DESCRIPTION:</b> STORAGE, MOBILE FILE		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** ULP24MBBF

**COLOR / FINISH:** Paint: TBD

**SIZE:** 24"D

**REMARKS:**

- Lifetime Warranty
- Outer shell: 20 gauge top with 16 gauge bottom reinforcement
- Drawer front: 22-gauge steel
- File Divider: 22-gauge Steel
- The unit shall have four casters
- The unit shall be lockable
- The drawers shall have ADA-compliant nickel-plated loop pulls

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> S-3	<b>QUANTITY:</b> 70
<b>ITEM DESCRIPTION:</b> STORAGE, 2D LATERAL FILE		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** UL362D

**COLOR / FINISH:** PLAM: TBD, Paint: TBD

**SIZE:** 27"H, 36"W, 18"D

**REMARKS:**

- Lifetime Warranty
- Outer shell: 20 gauge top with 16 gauge bottom reinforcement
- Drawer front: 22-gauge steel
- File Divider: 22-gauge Steel
- The unit shall be lockable
- The drawers shall have ADA-compliant nickel-plated loop pulls

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> S-4	<b>QUANTITY:</b> See Drawing
<b>ITEM DESCRIPTION:</b> STORAGE, MEDIA CENTER SHELVING		

**PRODUCT MANUFACTURER:** Paragon

**PRODUCT SERIES:** IC-SHELVING

**PRODUCT NUMBER:** Contact Paragon for BOM

**COLOR / FINISH:** PLAM: TBD, Paint: TBD

**REMARKS:**

- Lifetime Warranty
- Structure shall consist of 16 gauge Intuitive 4-post design with hidden cantilever.
- Integrated wire management in base of unit allows for technology and lighting options.
- Shelf supports for divider accessories are built into adjustable shelves.
- Paragon has a drawing of the complete Layout, and will provide pricing Based on entire drawing.

**APPROVED EQUALS:**

- None, Paragon is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> S-5	<b>QUANTITY:</b> 2
<b>ITEM DESCRIPTION:</b> STORAGE, METAL WITH HINGED DOORS		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** S7L/36735HD

**COLOR / FINISH:** Paint: TBD

**SIZE:** 77H X 36W X 18D

**REMARKS:**

- Lifetime Warranty
- Storage cabinet doors feature double wall construction. 22-gauge cold rolled steel (C.R.S.) outer and inner panels are sandwiched together, spot welded and riveted to form a rigid assembly.
- A full height integral pull further strengthens each door. 110° European hinges prevent the doors from contacting an adjacent cabinet door or drawer and provide 3-way adjustment.
- Locks are standard with this product and feature a high-security double-bit design.
- Available with four adjustable blank shelves.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-2	<b>QUANTITY:</b> 108
<b>ITEM DESCRIPTION:</b> TABLE, COMPUTER		

**PRODUCT MANUFACTURER:** Paragon

**PRODUCT NUMBER:** COMPUTE-IT-2460

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:** 24x60, 23.5-34.5"H

**REMARKS:**

- Lifetime Warranty
- Surface : 1 1/4" HPL laminate with 3/8" t-mold bumper edge.
- Frame : Standard black or titanium single post leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for height adjustment.
- Wire Management : 18 gauge perforated steel wire manager that pivots for wire access.

**APPROVED EQUALS:**

- None, Paragon is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-3	<b>QUANTITY:</b> 5
<b>ITEM DESCRIPTION:</b> TABLE, FOR BENCH		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** 542

**COLOR / FINISH:** TBD, Standard Finishes

**REMARKS:**

- Lifetime Warranty
- The frame is constructed of 3/4" laminated plywood, which is nine layers thick. Each layer is turned 90 degrees to the other for strength. The outer layer is Rotary Cut Maple Veneer sanded smooth.
- The steel leg assembly is made of 11 gauge steel, cut and mig welded.

**APPROVED EQUALS:**

- None, KI is an open line





# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-4	<b>QUANTITY:</b> 3
<b>ITEM DESCRIPTION:</b> TABLE, MEDIA CENTER LOUNGE		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** 1414P

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:** 31X31

**REMARKS:**

- Lifetime Warranty
- Laminate tops are 1 1/4" thick MDF with high-pressure laminate facing and a self edge.
- Bases are constructed with 14-gauge steel that is chrome-plated or powder coated.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-5	<b>QUANTITY:</b> 1
<b>ITEM DESCRIPTION:</b> TABLE, MEDIA CENTER LOUNGE		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SYTB

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:**

**REMARKS:**

- Lifetime Warranty
- Table top is 3/4" thick, 45 lb. density built-up particle board with a total thickness of 3". Overwrapping the sides and top of the wood construction is .030" thick high pressure laminate.
- Table's 4-leg base is LLDPE rotationally molded, with a supporting structure made of spun 12-gage steel, powder coat painted 90 gloss.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-6	<b>QUANTITY:</b> 4
<b>ITEM DESCRIPTION:</b> TABLE- SQUARE, MEDIA CENTER READING		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** AH3S3029P-74P

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:** 30x30, 29"H

**REMARKS:**

- Lifetime Warranty
- Tapered round pedestal base is 0.07" thick steel. Tapered base is 22" diameter. 3" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws.
- Adjustable glides are 1" diameter nickel plated with 5/16" stems.
- Laminate tops feature a 1 1/8" thick high density particleboard core with high-pressure laminate top and phenolic backing sheet. Total thickness of table top is 1 1/4".

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-7	<b>QUANTITY:</b> 6
<b>ITEM DESCRIPTION:</b> TABLE- ROUND, MEDIA CENTER READING		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** AH3R4229P-74P

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:** 42"R, 29"H

**REMARKS:**

- Lifetime Warranty
- Tapered round pedestal base is 0.07" thick steel. Tapered base is 22" diameter. 3" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws.
- Adjustable glides are 1" diameter nickel plated with 5/16" stems.
- Laminate tops feature a 1 1/8" thick high density particleboard core with high-pressure laminate top and phenolic backing sheet. Total thickness of table top is 1 1/4".


**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-8	<b>QUANTITY:</b> 9
<b>ITEM DESCRIPTION:</b> TABLE, ART		

<p><b>PRODUCT MANUFACTURER:</b> Scholarcraft</p> <p><b>PRODUCT NUMBER:</b> FS9494260-8600</p> <p><b>COLOR / FINISH:</b> Silver Alchemy Laminate Black Sprayed Edge</p> <p><b>SIZE:</b> 42x60</p> <p><b>REMARKS:</b></p> <ul style="list-style-type: none"> <li>• Top construction features a 1-1/8" high density 47 LB solidcore with high pressure (9400) laminate of 35/1000" top and phenolic backing for an overall thickness of 1-1/4".</li> <li>• Legs shall be 14-gauge 1-3/4"x 27 7/8" Round tube. Legs will be attached to the table surface by a 16 gauge Quick Mount Plates which are Factory mounted to the table.</li> <li>• Edge shall be a sprayed urethane edge With antibacterial and antifungal Properties.</li> <li>• Lifetime Warranty</li> </ul> <p><b>APPROVED EQUALS:</b></p> <ul style="list-style-type: none"> <li>• KI Inquire</li> </ul>	
---	---

# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> T-18	<b>QUANTITY:</b> 8
<b>ITEM DESCRIPTION:</b> TABLE, LOUNGE, CORRIDOR		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** MYTB9012

**COLOR / FINISH:** TBD, Standard Finishes

**SIZE:** 24xD24Wx16H

**REMARKS:**

- Lifetime Warranty
- Table bases are 3/4" O.D. 16-gauge round steel tubing, welded to a 12-gauge steel spider. The legs are fastened to the table top with #10 x 3/4" long wood screws.
- Table tops consist of .035" thick plastic laminate top surface glued over 45lb density particle board. A 1/32" phenolic backer is laminated on the underside for balanced laminate construction and helps prevent moisture absorption in the core material. Finished table top thickness is 1 1/4". The table edge band is KI 2mm polypropylene (74P)

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-1	<b>QUANTITY:</b> 4
<b>ITEM DESCRIPTION:</b> LOUNGE, MEDIA CENTER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** SYCNC

**COLOR / FINISH:** P1 Grade Fabric

**REMARKS:**

- Lifetime Warranty
- The seat and 4-leg base frames are made of rotationally molded LLDPE (Linear Low Density Polyethylene).
- The rotating contact surface that attaches to the underside of the seat frame consists of a spun 12-gage steel bottom cap, painted with a metallic 90-degree high gloss powder coat paint.
- The Seat and Backrest Upholstery shells are made of post-consumer recycled thermoplastic. The fully upholstered shells are fastened to the seat using 3/8" diameter nylon ribbed friction lock rivets.
- All foam and fabric have water based adhesive and "C-Gex" upholstery fastening methods to permanently assemble them to the upholstery shells.
- The fully upholstered seat and back are field replaceable should they show wear over their lifetime.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-2	<b>QUANTITY:</b> 5
<b>ITEM DESCRIPTION:</b> LOUNGE, MEDIA CENTER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** H33/FC

**COLOR / FINISH:** P1 Grade Fabric, Contrasting

**REMARKS:**

- Lifetime Warranty
- Seat frames are constructed of 3/4 " laminated hardwood plywood that is CNC cut with 5/4 maple cross rails.
- All legs are constructed of 1" O.D. x 16-gauge round steel tubing welded to 14 gauge steel mounting plate and secured to the frame with 16 #10 x 1.5" steel pan head wood screws.
- The seat is constructed with stretch strap webbing, inner woven and stapled into position. Both seats and backs are covered with a layer of FLW (reinforced non-woven fiber) on top.
- The back foam has a density of 1.5 and compression of 26 lb. foam that is 3" thick and contour cut for consistency. The seat foam is 6" thick with a density of 2.5 and compression of 45 lb. A .5" super soft wrap covers the front and top of the seat.

**APPROVED EQUALS:**

- None, KI is an open line





# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-3	<b>QUANTITY:</b> 6
<b>ITEM DESCRIPTION:</b> LOUNGE, MEDIA CENTER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** H45WI

**COLOR / FINISH:** P1 Grade Fabric

**REMARKS:**

- Lifetime Warranty
- Seat frames are constructed of 3/4 " laminated hardwood plywood that is CNC cut with 5/4 maple cross rails.
- All legs are constructed of 1" O.D. x 16-gauge round steel tubing welded to 14 gauge steel mounting plate and secured to the frame with 16 #10 x 1.5" steel pan head wood screws.
- The seat is constructed with stretch strap webbing, inner woven and stapled into position. Both seats and backs are covered with a layer of FLW (reinforced non-woven fiber) on top.
- The back foam has a density of 1.5 and compression of 26 lb. foam that is 3" thick and contour cut for consistency. The seat foam is 6" thick with a density of 2.5 and compression of 45 lb. A .5" super soft wrap covers the front and top of the seat.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-4	<b>QUANTITY:</b> 3
<b>ITEM DESCRIPTION:</b> LOUNGE, MEDIA CENTER		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** H43/FC

**COLOR / FINISH:** P1 Grade Fabric, Contrasting

**REMARKS:**

- Lifetime Warranty
- Seat frames are constructed of 3/4 " laminated hardwood plywood that is CNC cut with 5/4 maple cross rails.
- All legs are constructed of 1" O.D. x 16-gauge round steel tubing welded to 14 gauge steel mounting plate and secured to the frame with 16 #10 x 1.5" steel pan head wood screws.
- The seat is constructed with stretch strap webbing, inner woven and stapled into position. Both seats and backs are covered with a layer of FLW (reinforced non-woven fiber) on top.
- The back foam has a density of 1.5 and compression of 26 lb. foam that is 3" thick and contour cut for consistency. The seat foam is 6" thick with a density of 2.5 and compression of 45 lb. A .5" super soft wrap covers the front and top of the seat.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-5	<b>QUANTITY:</b> 16
<b>ITEM DESCRIPTION:</b> LOUNGE, CORRIDOR, CHAIR		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** MYLL/FC

**COLOR / FINISH:** P1 Grade Fabric, contrasting

**REMARKS:**

- Lifetime Warranty
- Frames are constructed of 6/4 lumber and laminated hardwood plywood  $\frac{3}{4}$ " in thickness. All mainframe joints are doweled or interlocked and glued. Stress points are further reinforced with the use of glued and screwed corner blocks.
- Tight seats and backs are filled with a layer of 4" polyurethane foam with a density of 2.5 and a compression of 35 pounds. This foam is covered with a layer of  $\frac{1}{4}$ " super soft foam.
- Sled bases are 1" O.D. x 16 gauge round steel tubing welded to a 14 gauge steel mounting plate secured to the lounge frame with #10 x 1.5" steel pan head wood screws.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-6	<b>QUANTITY:</b> 8
<b>ITEM DESCRIPTION:</b> LOUNGE, CORRIDOR, BENCH 78"		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** 478

**COLOR / FINISH:** P1 Grade Fabric

**SIZE:** 78W

**REMARKS:**

- The frame is constructed of 3/4" laminated plywood, which is nine layers thick. Each layer is turned 90 degrees to the other for strength. The outer layer is Rotary Cut Maple Veneer sanded smooth.
- The seat is made of Premium Ultracell foam, 5 1/2" thick, contour cut, has a density of 2.5 pounds and compression of 45 pounds.
- The steel leg assembly is made of 11 gauge steel, cut and mig welded.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-7	<b>QUANTITY:</b> 4
<b>ITEM DESCRIPTION:</b> LOUNGE, CORRIDOR, BENCH 60"		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** 460

**COLOR / FINISH:** P1 Grade Fabric

**SIZE:** 60W

**REMARKS:**

- The frame is constructed of 3/4" laminated plywood, which is nine layers thick. Each layer is turned 90 degrees to the other for strength. The outer layer is Rotary Cut Maple Veneer sanded smooth.
- The seat is made of Premium Ultracell foam, 5 1/2" thick, contour cut, has a density of 2.5 pounds and compression of 45 pounds.
- The steel leg assembly is made of 11 gauge steel, cut and mig welded.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-8	<b>QUANTITY:</b> 4
<b>ITEM DESCRIPTION:</b> LOUNGE, CORRIDOR, BENCH 48"		

**PRODUCT MANUFACTURER:** KI

**PRODUCT NUMBER:** 448

**COLOR / FINISH:** P1 Grade Fabric

**SIZE:** 48W

**REMARKS:**

- The frame is constructed of 3/4" laminated plywood, which is nine layers thick. Each layer is turned 90 degrees to the other for strength. The outer layer is Rotary Cut Maple Veneer sanded smooth.
- The seat is made of Premium Ultracell foam, 5 1/2" thick, contour cut, has a density of 2.5 pounds and compression of 45 pounds.
- The steel leg assembly is made of 11 gauge steel, cut and mig welded.

**APPROVED EQUALS:**

- None, KI is an open line



# FURNITURE SPECIFICATIONS

<b>PROJECT:</b> Biloxi Junior High School	<b>ITEM TAG:</b> L-9	<b>QUANTITY:</b> 4
<b>ITEM DESCRIPTION:</b> LOUNGE, BENCH, GYM		

**PRODUCT MANUFACTURER:** DAVIS

**PRODUCT NUMBER:** AE-8100

**COLOR / FINISH:** ALL ALUMINUM

**SIZE:** 73 5/8W 19 5/8D 15 1/4H

**REMARKS:**

- Legs consist of stainless steel rod 12 mm in diameter
- Feet in cast aluminum with possibility to fix to floor
- Seat consists of extruded aluminum profiles with slightly fluted surface. Three pieces join to form one unit — stainless steel end closures

**APPROVED EQUALS:**

- None, DAVIS is an open line



## New Biloxi Junior High Classroom Furniture Bid

Item Tag	Manufacturer	Quantity	Unit Price	Item Total
C-1				
C-2				
C-3				
C-4				
C-4.1				
C-5				
C-6				
C-8				
C-9				
C-11				
D-1				
D-2				
D-5				
D-6				
D-7				
D-7 ALT				
S-1				
S-2				
S-3				
S-4				
S-5				
T-2				
T-3				
T-4				
T-5				
T-6				
T-7				
T-8				
T-18				
L-1				



L-2				
L-3				
L-4				
L-5				
L-6				
L-7				
L-8				
L-9				
			<b>Bid Total</b>	

***Bidding Company***

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Company

\_\_\_\_\_  
Name (Typed or Printed) & Title

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
Phone Number

\_\_\_\_\_  
City, State, Zip

\_\_\_\_\_  
Fax Number

\_\_\_\_\_  
Email address

***Biloxi Public Schools***

\_\_\_\_\_  
Shane Switzer, CFO

\_\_\_\_\_  
Biloxi Public Schools