

Paoli LLC Limited Lifetime Warranty

Paoli LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns them.

Paoli LLC will, at its discretion, repair or replace with comparable product, free of charge, any Paoli LLC product or component manufactured after May 21, 2017 that fails under normal commercial office use.

The warranty is subject to the following provisions:

Limitations involving materials and components

Natural variations occurring in wood, leather and other natural materials are inherent to their character and not considered defects. Paoli LLC does not warrant the color-fastness or matching of colors, grains, textures of these materials. Additionally a customer own material (COM) selected by, and used at the request of a user is not warranted.

The material and components listed below are covered according to the following schedule from the date of sale:

- Veneer and Laminate finishes - Twelve years
- Seating wood frame - Twelve years
- Seating controls and electrical components (lamps and ballasts are not covered) - Ten years
- Glides, pneumatic cylinders, casters and polymer based components, foam - Five years
- Upholstery fabric - Three years

Seating Usage

Normal commercial office use for seating is defined as the equivalent of a single shift, forty (40) hour work week. Paoli LLC product used in excess of a single shift will be prorated for warranty purposes.

Exclusions

This warranty does not apply to:

- Normal wear and tear over the course of ownership
- Modifications or attachments not approved by Paoli LLC



Tables Contents

Warranty	I
General Information.....	III

Series	Category.....	Page #
CO HO Tables	Collaborative	CO1
	Café.....	CO1
	Occasional	CO1
Share Space Tables.....	Training.....	SH1
	Meeting Room Support.....	SH14
Strut Tables.....	Meeting	ST1
Universal Tables	Meeting	UN1
	Bases.....	UN32
Occasional Tables	Occasional	OT1
Tables Index		IN1

Dealer Terms & Conditions

These terms and policies apply to products of Paoli, LLC.
Effective date May 21, 2017

Throughout this document, the term "Company" refers to Paoli, LLC. Headquarters: 201 E Martin Street, Orleans, Indiana 47452. Likewise, the term "product" or "Paoli Product" refers to all Paoli Brand products. The relationship between the Company and the dealer is an at-will relationship. The Company offers to sell its products to dealers solely on the terms and conditions set forth in these terms and conditions. Pre-printed terms and conditions contained in any purchase order from the dealer to the Company's terms and conditions shall be null and void and of no force and effect whatsoever with respect to any transaction between the Company and the dealer. The Company reserves the right to terminate any direct account with or without cause upon written notice. The Company reserves the right to change any aspect of programs with 30 days' written notice. The Company reserves the right to apply fuel surcharges without advance notice. All purchases of product by the dealer from Paoli, LLC pursuant to this agreement shall be governed by the laws of the State of Indiana.

1. Ordering

All orders are subject to approval and acceptance by the Company. If a Customer's purchase order (or other form used by the Customer to order goods) contains any term or condition that is different from, in addition to, or inconsistent with the Company's standard terms and conditions (located in this document or any document referred to in this document), they shall be of no force or effect whatsoever. By placing an order with the Company, whether written, verbal, Electronic Data Interchange (EDI), or by e-commerce, the dealer agrees that the transaction shall be governed by the then current Terms and Conditions of the Company, as of the entered date of the order. Product of the Company shall have the effective published warranty as of the shipment date of the order on which the product was placed.

Sales of the Company's products are made only on the Company's standard Terms and Conditions. The Company's standard Terms and Conditions may be modified or supplemented only by a separate written document signed by the Company's authorized personnel at the Company's headquarters.

Possession of Company pricers or sales and pricing literature does not constitute an offer to sell.

The Company tries to comply with reasonable special instructions on orders, if those instructions do not conflict with the Company's Terms and Conditions and do not involve additional costs.

All dealer orders are to be sent to Paoli Customer Support Department.

Technology and Electronic Orders:

Paoli continues to encourage and support the widespread use of technology to advance business practices. Electronic ordering streamlines our joint order processes, reduces error, and ensures timely exchange of important order related information. Paoli supports the following primary methods for the electronic transmission of orders and order related documents:

- E-Ordering, available at www.PaoliConnect.com. There are multiple options available for utilizing the E-Ordering application:

Integration with Office Furniture business systems such as ECI DDMS PSN, Team Design PSN, Hedberg, Core and other pre-approved proprietary software packages.

SIF file upload using fully optioned SIF files from CAP, GIZA, Project Matrix, or ICE imported into the E-Ordering application.

Manual entry of line items into the E-Ordering application.

- EDI- system to system integration with Office Product systems such as ECI DDMS Supplies PSN, MBS-Dev, BMI, Thalerus, and other pre-approved proprietary software systems.

Training, technical set-up and support is available through our Customer Technology Services Team.

A. When Submitting an Order:

Paoli is aggressively converting to electronic ordering methods and customers are strongly advised to submit orders electronically for increased quality, speed, and control of order processing. If you currently are not submitting orders via electronic methods, please contact customer support for technical assistance.

- Standard colors and finishes are detailed in current sales literature and pricers
- The customer must provide complete and correct information on orders. This includes an accurate model number, finish, color & options. Failure to provide complete and accurate information may result in order entry and shipment delays.
- Orders can only be processed when they are complete and correct; incomplete orders will be held in order processing or returned.
- If bid quotation or other special pricing applies, such information should be clearly stated on the order and any applicable bid number or contract number must be referenced in order to ensure proper pricing.
- The order should identify a contact person by name and phone number for any clarification that might be necessary.

B. Order Processing and Acknowledgment Service

- Orders will be entered within 24 - 48 business hours of receiving complete and accurate order information.
- The order will receive a ship (acknowledged) date when all order holds (credit, COM, specials, incomplete order information, etc.) are released.
- The acknowledgment will be sent the morning after order entry (weekends and holidays are not included) unless order is placed on hold.
- Dealers are strongly advised to review order acknowledgments immediately.
- Orders with requested ship dates in excess of 90 days will be entered but will not be acknowledged until reaching 90-day requested ship-date window.
- Extended request date orders can be subject to price increases.
- Please visit www.PaoliConnect.com to view order status application.

C. Changes and/or Cancellations

All cancellations or changes to orders are subject to Company approval. Raw material planning occurs immediately after the order receives a ship (acknowledgement) date and may involve suppliers who have a no-cancellation policy. Cancellations or changes accepted by the Company may be subject to a cancellation fee.

D. Leadtimes - Please see www.My.Paoli.com for our current leadtimes.

2. Pricing and Discounts – General

All prices are stated in U.S. dollars. All billings and collections are in U.S. currency. All discounts apply to current U.S. list prices when the order is entered. Prices for goods ordered by customers do not include duty, ocean cargo insurance, import fees, or taxes which may be applicable to, measured by, or imposed upon the transaction, the purchased goods, their sale, value, or use, or any services performed in connection therewith. The customer agrees to pay or reimburse the Company for any such taxes which the Company or its subcontractors or its suppliers are required to pay.

The list price of Paoli products on an order, as placed by the Customer, determines appropriate freight terms. If an order does not qualify for company paid freight based on total list price of the order, the "ship-to" location determines the freight cost. Order changes, if approved, may result in a different ship date and may be subject to change order costs. The revised order determines the appropriate freight terms.

Changed orders may result in a different ship date and are subject to change-order costs. The revised order determines the appropriate freight terms.

List prices apply to only the standard products ordered. Other additional charges, when applicable, may be added for planning services, design services, freight, demurrage, storage, installation and packaging.

Prices are subject to change without notice. All orders are subject to the prices in effect when the order is entered. Orders with ship dates prior to effective date of price adjustment are billed at the acknowledged price if late shipment(s) occurs, unless the cause of the late shipment is beyond Company control.

A. Freight

1. Delivery will be made to the acknowledged ship to address unless notification of address change is received ten (10) working days prior to the scheduled ship date. Any address changes received by the driver on arrival will be billed as an additional stop and additional charges may apply.

2. Paoli shipments are scheduled for dock-to-dock delivery and do not include unloading, inside delivery, uncartoning or set up. If additional services are required, please contact customer service for applicable prices.

3. The ability for drop shipments is available. Please contact your customer service representative for information on criteria and fees associated with this service. If delivery is scheduled to a location other than the dealer's location, Paoli must be provided with the name and telephone number of the person to contact at the delivery address. Personnel and facilities for receiving and unloading a semi-tractor trailer must be provided by the dealer. Drivers are not permitted to unload items by themselves. Delays caused by customer's inability to accept or unload merchandise at the destination specified on the order will be billed to the dealer at the rate of \$50.00 per hour.

4. Freight charges for orders that do not qualify for free freight, will be charged a minimum of \$80.00 or 3% of total order at List, whichever is greater.

Paoli will consolidate and ship orders less than truckload on their lane day.

Special delivery requests must be specified at order entry. The Company reserves the right to deny special delivery requests. If approved, orders with special delivery requests may incur additional cost and expense to the Customer.

Paoli standard delivery terms include delivery to warehouse dock and Customer is responsible for unloading the truck.

Full truckload deliveries are to be unloaded within four (4) hours of arrival of truck or the prearranged appointment time, whichever is later. The Company reserves the right to bill back unload time in excess of four (4) hours for a full truckload.

Unload time allowed on stop-off loads will be prorated based on the total cubic feet of product on the full load with a minimum allowance of one (1) hour.

Requests for "Proof of Delivery" may have a charge of up to \$20 per request applied.

Requests for postponement of order shipment are approved at the Company's sole discretion. If approved, the Company reserves the right to transfer the purchased goods to storage for the Customer's account and at the Customer's risk and expense. Fees for storage of product will be \$100 per calendar day per delivery in addition to all associated transportation charges realized due to the shipment change and will be billed to the customer. The customer may be billed for additional transportation charges cause by the postponement. This transfer to storage is deemed delivery to the Customer for all purposes including invoicing, payment, and risk of loss.

Please note that due to carrier limitations, storage options are not always available.

B. Time of Delivery

The Customer can request ship or delivery dates, however, this should be done at time of order entry and are subject to Company approval. In addition, change requests (i.e. – address changes, delivery information) must be done at least ten (10) working days prior to ship date.

The Company attempts to comply with the Customer's delivery schedule, however, requested ship or delivery dates are estimates only and not an essential term of the agreement. An order that requires an extended shipping date must be marked "Do Not Ship Before" and include the requested date on the Customer's Purchase Order.

Orders that are less than a truckload size must ship on a date with other product shipping to that region. Delivery times will be provided based on delivery availability in that area.

C. Failure of Carrier or Supplier to Deliver on Time

The Company will make every effort in contracting with specialized carriers for delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver or perform, or for delay in delivery due to any cause outside the control of the Company. The liability of the carrier constitutes transport of property with reasonable dispatch and delivered within a reasonable time. The Company will make every effort to deliver within two (2) hours of a confirmed delivery appointment, however the Company assumes no liability for costs incurred due to delayed or late deliveries.

D. Damaged Shipments

Company products are carefully inspected and packed in sturdy packaging that meets transportation requirements. The title and risk of loss with respect to all products purchased by the Customer from the Company transfers to the Customer at the point of shipment and the sale of the product is considered substantially completed at that point. The Company is not responsible for damage in shipment. The transportation company assumes complete responsibility for delivering the product to the customer in good condition when the bill of lading is signed. Any visible damage or shortage should be noted on the Bill of Lading.

E. Returns

Great care should be taken during the specification process to ensure that all items are correct as return shipments and/or product are not accepted by the Company. In extenuating circumstances, the Customer may request a return which is subject to prior approval from the Company. If approved, merchandise must be returned in original shipping cartons, with proper inner packing and is subject to inspection upon return before acceptance. Returns are not accepted for any electrical components – opened or non-opened due to UL restrictions. All returns must be made within 30 days after Return Authorization is issued.

Requests for returns due to Company error must be made within 30 days of receipt of erroneous shipment.

Requests for returns due to reasons other than Company error, if accepted, are subject to a processing fee of up to 45% of the invoiced amount and must be forwarded with transportation charges prepaid.

F. Back Charges

The Company will not pay for expenses incurred by the customer in expediting shipments. The Company will not pay for the repair of damage by others, for the cleaning of products, removal of waste, security service, telephone service, electric service, water, heat, or charges for the use of in-building transportation facilities such as elevators and hoists.

G. Dealer Payment Terms

The following payment terms are available to dealers:

1%/10/receipt, net 30

All invoices are subject to a one percent (1.0%) cash discount if payment is received on or prior to the 10th day from the invoice date. Invoices which do not earn this discount are due net 30 days from the invoice date. Discount is applicable to merchandise invoiced and is not applicable to freight or service charges.

NOTE: Terms of sale are from invoice date, not receipt of merchandise.

Dealers whose invoices are not paid in full at the end of 30 days following invoice date are notified that orders may be delayed until past-due accounts are current.

A finance charge of 1.5% per month (18% annually), or the highest rate allowed by law may be charged on the unpaid balances of past due accounts. Paoli, LLC (or its affiliate companies) has the right to set off any amounts Paoli, LLC (or its affiliate companies) may owe to Dealer from time to time (including but not limiting to, rebates, MDF funds, servicing fees, etc.), against any amounts Dealer may owe Paoli, LLC (or its affiliate companies) from time to time under the terms of this Agreement or otherwise.

Paoli, LLC (or its affiliate companies) will retain a security interest in all products until the invoice is paid in full.

\$25,000 list minimum project size to be eligible for project pricing. Paoli, LLC reserves the right to waive this requirement.

The project must be a competitive situation for Paoli, LLC. Competitive Project Pricing is not a volume discount.

Paoli Brand products are eligible for Competitive Project Pricing.

3. MARKETING CONTENT

The Company may from time to time provide Customers with images, product descriptions, and trademarks related to the Company's products and services in various formats and media ("Content"). All content is and shall remain the sole property of the Company. Customers may copy, download, and use the Content so long as the Customer: (a) uses the Content solely for the purpose of promoting and selling Paoli products; (b) does not modify, rent, lease, loan, sell, distribute to third parties, or create derivative works of such Content, in whole or in part.

4. WARRANTY SERVICE/RESELLER OBLIGATIONS

Dealer agrees to provide prompt and courteous service with respect to all products sold, regardless of where such products are delivered and installed, without compensation from the Company for such activities. The Company will provide replacement parts to repair units under warranty. Dealer agrees to provide labor to repair units under warranty at no charge to the Company, unless unusual warranty claims for significant quantities of product are involved (as determined by the Company in its sole judgment) and dealer obtains advance written agreement from the Company for labor reimbursement.

For unusual warranty claims where significant quantities of product are involved, the Company will consider reimbursement for actual labor expenses only. Requests for pre-approval of warranty labor and subsequent submittal of labor invoices must include the following:

- Complete scope of work, including specific product with quantities to be repaired/installed.
- Actual labor hours and labor rate.
- Number of installers being utilized.
- Dates and location of work performed.

5. CARE INSTRUCTIONS

Finish

All Paoli products feature a low emitting finish system that enhances the beauty of the natural wood and ensures depth, clarity, color consistency and durability throughout the life of the product.

NatureTech Finish

All Paoli veneer casegood and conference products feature NatureTech finish. NatureTech follows a process on all worksurfaces that begins with the application of an alcohol-based NGR dye stain followed by a wipe stain, which further enhances the natural characteristics of wood. Worksurfaces receive a specialized coating of polyurethane acrylic resins cured by ultraviolet light. The result is a low emitting, full-filled, 40 sheen finish on all products. All non-writing surfaces receive an application of 30 sheen, low-emitting, conversion varnish finish. Both processes provide exceptional depth, clarity, durability and chemical resistance throughout the life of the product.

While NatureTech finish is resistant to marring, the veneer beneath the finish is subject to damage from writing instruments, keys, etc. Therefore, Paoli recommends the use of a desk pad or a glass cover surface.

Although there is no present day finish that is fireproof, NatureTech does offer the much sought after quality that resists the spread of flame.

Avoid exposing the furniture to strong sunlight. Although NatureTech finish is as fade proof as possible, the veneer beneath the finish can change color due to sunlight. Avoid exposure of furniture to extremes of heat or cold.

After the furniture is unpacked, we suggest a general wiping of the entire unit with a small amount of no wax, liquid polish applied to a soft, clean cloth to highlight the beauty of the wood. Cleaning :

1. Dust all surfaces frequently with a clean, soft, damp cloth, moving the cloth with the grain.
2. Lift all objects to move them, never drag them across the finished surface.
3. For cleaning, a spray cleaner such as "409 Glass Cleaner" or "Glass Plus" and a water dampened cloth may be used to remove stubborn stains.

6. CUSTOMER'S OWN MATERIAL (COM) PROGRAM

Customer's Own Material (COM) is a request to use fabrics not available as part of Paoli's standard fabric offering. Paoli to Supply (MTS) and Dealer to Supply (DTS) are the two ordering methods. Paoli has partnered with fabric manufacturers to provide competitive pricing and selection through the MTS program. MTS will be the standard offering unless Paoli is unable to procure the fabric. If there is a DTS request submitted, Paoli will advise at the time of the request if DTS is available.

Customer Warranty Exclusion

Paoli shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspects of the COM. Paoli shall have no liability for any damages, injuries, or losses to the customer or to any third party that shall be caused by any COM or product modification, and the customer shall hold Paoli harmless for all liability. Paoli assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality of the COM or product modification after its application on a Paoli product beyond normal quality standards. Paoli reserves the right to reject a COM fabric if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be

notified with an explanation of the issue. Paoli is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to Paoli from the COM supplier. Paoli is not responsible for excess yardage created by DTS orders and reserves the right to dispose of the excess fabric.

COM Testing

- As a result of recent legal requirements, Paoli will need to obtain specific information from the fabric supplier about treatments and chemicals used in the fabric. To the extent the supplier is unwilling or unable to provide the necessary information, could extend the testing lead time of the request.
- To check if a COM has been tested previously, utilize the COM Search Tool on the Paoli website> Upholstery section using the following information:
 - COM Supplier's Name
 - Fabric Pattern Name
 - Color Name
- If the COM fabric has been tested and previously approved, the COM will not need to be re-tested unless testing standards have changed, fabric is to be used on a different series, or direction of the fabric has changed from what was previously approved.
- If the pattern has previously been tested and approved, but not in the specific requested color, the customer will need to request an order code for that color only. No further testing will be necessary since the pattern has already been approved.
- If the fabric has not previously been tested, the customer must enter the COM request on the COM search tool page.
- The testing timeline will take 3-5 business days once the fabric is received.
- COM yardage in the pricelist is shown as pattern cut only

MTS COM

- As previously mentioned, MTS is the primary COM method.
- If the COM fabric has not been tested, a COM request must be submitted on the Paoli website.
- For MTS orders, Paoli will procure fabric needed for both testing and production phases. Should Paoli not be able to obtain fabric yardage, the customer will be contacted.
- When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, Paoli will provide a COM tracking order code for MTS. That tracking code is required on the order in place of the standard fabric code.
- If approved, MTS product will be assigned an appropriate fabric grade for pricing. The pricing can be found on the Paoli website. (All standard discounts apply).
- Written COM price quotes are valid for 90 days after the issue date.

DTS COM

- DTS COM is only available if the COM fabric cannot be procured by Paoli. If the fabric can be procured by Paoli, the customer will be contacted to switch to MTS or cancel the request.
- All fabric for testing sent direct from supplier must be tagged with the dealership or specifier's name with the Tailored Solutions request number and sent to the location on the email. Untagged fabrics will be rejected and samples will not be returned.

Testing yardage requirements:

- The customer will need to submit (2) 8x8 memo samples for testing. Should more yardage be needed, the customer will be contacted.
- Please note, if the mill is not able to supply (2) 8x8 memo samples, then the customer may send 1/2 yard of fabric for testing.
- If the COM has not been tested, a COM request must be submitted on the Paoli website.

- When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, Paoli will provide a COM tracking order code. That tracking code is required on the order in the place of the standard fabric code.
- DTS product is priced at the following grades (all standard discounts apply):
Fabric Grade 2, Leather Grade 3.
- Written COM price quotes are valid for 90 days after the issue date.

COM Lead Time

- Ship dates will be based on fabric receipt and Paoli's standard lead time. All fabric must be properly tagged and shipped to the appropriate producing location (provided in the approval email).
- Specific to DTS orders, COM orders will not receive a ship (acknowledged) date until Paoli has the fabric in its possession for production.
- Specific to DTS orders, the customer may send the required yardage for the order to the address listed on the approval email to arrive no sooner than 4 weeks in advance of the acknowledgment date.
- Paoli will make every effort to locate misdirected COM shipments on behalf of the customer. However, Paoli will not be responsible for any COM received without a tracking number or incorrectly shipped by the fabric vendor to an incorrect producing facility.

COM Ordering Information

The following information must appear on or accompany the product purchase order:

- Approval tracking number and the customer's purchase order number.
 - COM supplier, pattern, and color name/number.
 - Mark "Paoli to Supply" or "Dealer to Supply".
- The packing list for the COM must include the following information when Paoli receives the shipment for production:

Dealer or Wholesaler Name
Purchase order number submitted to Paoli
Fabric name
Yardage shipped
Approval ordering code

- If Paoli receives fabric with incorrect labeling that cannot be linked to an order, Paoli will hold the fabric for up to 7 days while the COM team attempts to identify the order. After 7 days, Paoli will return the fabric to the sender.

- Specific to DTS orders; the customer should send only the amount needed for the order. Excess yardage will be disposed of at Paoli's discretion.

Changes to COM Product

Once a COM product is ordered, no changes or cancellations can be made to the COM product without approval from the Paoli COM team.

Tackboards


Recommended Fabrics

Amuse
Epic
Fuse
Knack
Lineup
Origin
Solace

Not Recommended

Beeline
Bravo II
Canter
Cashmere II
Kindred
Row

Disclaimer: Please note for two piece tackboards, patterns may not align from tackboard to tackboard.



YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS

Fabric Width 54"		Horizontal Repeat				
		Plain Fabric	2" – 14" Repeat	15" – 19" Repeat	20" – 27" Repeat	28" – 36" Repeat
Vertical Repeat	Plain Fabric	0%	25%	30%	35%	40%
	2" – 14" Repeat	25%	50%	55%	60%	65%
	15" – 19" Repeat	30%	55%	60%	65%	70%
	20" – 27" Repeat	35%	60%	65%	70%	75%
	28" – 36" Repeat	40%	65%	70%	75%	80%

Laminate Grade	Laminate Type	Wilsonart Pattern	Surface	Grain Direction	Finish Description	Finish Designator
L1	Woodgrain	7953-38	Fine Velvet	Default*	TFL Harvest Maple	C
	Solid	10592-38	Fine Velvet	N/A	TFL Flint	LM16
	Solid	15034-60	Matte	N/A	TFL Loft	LOFT
	Woodgrain	7935K-07	Textured Gloss	Default*	TFL Shaker Cherry	LW7C
	Woodgrain	11021-38	Fine Velvet	Default*	TFL Natural Maple	LWD
	Woodgrain	7122K-07	Textured Gloss	Default*	TFL Mahogany	N
	Woodgrain	7992-38	Fine Velvet	Default*	TFL Pinnacle Walnut	PINC
	Solid	1573-60	Matte	N/A	TFL Frosty White	WHIT
L2	Woodgrain	7943K-12	Soft Grain	Default*	TFL Colombian Walnut	LCM1
				Horizontal	TFL Colombian Walnut Horizontal	LCM1H
	Woodgrain	7994-12	Soft Grain	Default*	TFL Lowell Ash	LLA1
				Horizontal	TFL Lowell Ash Horizontal	LLA1H
	Woodgrain	7996-12	Soft Grain	Default*	TFL Natural Recon	LNR1
				Horizontal	TFL Natural Recon Horizontal	LNR1H
	Woodgrain	8212-12	Soft Grain	Default*	TFL Phantom Ecru	LPE1
				Horizontal	TFL Phantom Ecru Horizontal	LPE1H
	Woodgrain	8210-12	Soft Grain	Default*	TFL Portico Teak	LPT1
				Horizontal	TFL Portico Teak Horizontal	LPT1H
	Woodgrain	7964K-12	Soft Grain	Default*	TFL Skyline Walnut	LSW1
				Horizontal	TFL Skyline Walnut Horizontal	LSW1H
L3	Woodgrain	7933K-78	Fine Grain	Default*	TFL Cafelle	LWC
				Horizontal	TFL Cafelle Horizontal	LWCH

* Fronts are always vertical
 Components up to & including 60" are vertical
 Components 66" & over are horizontal

Veneer Grade	Veneer Type	Veneer Species	Cutting Technique	Surface	Matching Technique	Grain Direction	Finish Description	Finish Designator
V1	Natural	Cherry	Plain Sliced	Fill	Slip	Vertical	Cafelle	NC233
							Lowell Ash	NC394
							Mahogany	NC740
							Shaker Cherry	NC774
	Natural	Maple	Plain Sliced	Fill	Slip	Vertical	Natural Maple	NE867
							Harvest Maple	NE856
	Natural	Walnut	Plain Sliced	Open	Slip	Vertical	Skyline Walnut	NT527
							Colombian Walnut	NT639
							Pinnacle Walnut	NT679
	Composite	White Stratawood	Double Cut	Open	Slip	Horizontal	White Salt	SF190
							White Sun	SC191
							White Smoke	SF192
							Natural Recon	SF896
							Phantom Ecru	SE912
	Composite	Grey Stratawood	Double Cut	Open	Slip	Horizontal	Portico Teak	SE110
							Grey Salt	SG190
							Grey Sun	SG191
							Grey Smoke	SG192



Paoli Laminate

Paoli Laminate

Paoli takes great pride in providing our customers with quality laminate product. Our offering consists of Thermally Fused Laminate (TFL) and High Pressure Laminate (HPL) in a broad spectrum of finishes.

Thermally Fused Laminate

All laminate chassis components are made of TFL. TFL panels are composed of resin-saturated decorative paper bonded directly to Particleboard. No adhesives are used in making TFL panels. The manufacturing process works with low pressure and high temperature. TFL panels are balanced and finished on both sides.


TFL



High Pressure Laminate

HPL finishes are only available on top components. HPL is composed of resin-impregnated kraft paper, decorative paper face material and a clear melamine-impregnated overlay. These sheets are bonded at high pressure and temperature. Pressed sheets are trimmed, and then sanded on back to facilitate bonding to Particleboard or Medium Density Fiberboard (MDF). The HPL sheet is pressed onto one face and the other with a black phenolic backer to create a balanced panel. Both faces are applied with adhesive.

HPL



Edge Band

All laminate panels are banded with PVC edges. Tops are banded with 2.0mm and chassis with 0.5mm. The edge banding always comes as a match to the panel finish. On woodgrain finishes, a matching print is on the flat edge of the band and a solid base color is visible on the radius.

Grain Direction on Tops

Paoli advises specifying product where grain runs in the same direction for adjacent pieces. However, it is acceptable to run grain in different directions on layered surfaces. Laminate panels are restricted to 60" for the longest possible short grain part. Returns that are 66" or longer will run long grain on the top.

Grain Direction on Chassis

Laminate chassis finishes are available in default for all grades and horizontal for L2 and above. Similar to tops, any laminate chassis component 66" or longer specified as default will run long grain. The default laminate finishes are available on all models, whereas the horizontal finishes are available on select models. Any model specified with a horizontal finish will have all vertical panels run horizontal. Whether default or horizontal is specified all shelves, top, and bottom panels will run long grain.



Sustainability

Paoli is committed to a strong environmental management program based on sustainability. We recognize the potential impact our products and processes have on the environment. Product is certified through various third party organizations which evaluate these environmental and social impacts. All laminate product meets BIFMA Level 2 certification, SCS Indoor Air Advantage standards, and is LEED eligible.



Paoli takes great pride in providing our customers with quality veneer product. Our offering consists of natural and composite veneers in a broad spectrum of finishes.

Wood is a natural product and no two trees are identical. There are color and grain variations from log to log, and even within a log. These natural characteristics define wood's beauty and should not be viewed as defects.

Variations will be most visible on product with clear or lighter finishes. Paoli does not guarantee exact matching and will not replace product because of natural variations.

Plain Sliced (Flat Cut)

To provide quality product, natural veneer is reviewed to ensure it meets our specifications for uniformity of color and grain pattern. Maple, Cherry, and Walnut are Plain Sliced (Flat Cut) and will include cathedrals.

Stratawood Veneers

For stratawood veneers; White Oak and Grey Oak are Quarter Cut grain patterns. Paoli only uses double cut composite veneers. This style of veneer is specifically engineered for improved consistency in grain and color.

Slip Matched

Paoli manufacturing begins with balanced panels, meaning flitches are equal in width. As product is built from assembled or modular components the width of flitch may vary. All veneers are slip matched.

Grain Direction on Conferencing

Paoli multiple piece conference tables are produced as matched sets to ensure consistent coloration and grain pattern for the entire table. Because of this, Paoli does not allow adding or merging existing tops as they will no longer meet our quality specifications.



One piece top



Two piece top




Three piece top

Indoor Air Quality (IAQ) Standards

All Paoli veneer product meets Indoor Air Quality (IAQ) certifications, contributing to a more sustainable environment. Our multi-step ultra (UV) finish process culminates with our ultra-durable and environmentally friendly top coat NatureTech. This non-detectable formaldehyde (NDF) finish, provides high resistance to surface damage such as marring, staining, moisture, and heat under normal workplace conditions.




Plain (Flat) Sliced




Manufactured by slicing the log in an up-and-down movement. Characterized by straight grain intermixed with cathedrals.

Stratawood



This method bisects annual growth rings and results in a straight grain or ribbon-stripped appearance.

Slip Matched



Veneer pieces are joined in sequence without flipping the pattern.

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.

Finish Color Matching:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

TOPS:

High Pressure Laminate (HPL) & Veneer (V): Tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with painted edge detail.

Edges:

High Pressure Laminate (HPL) & Veneer (V): All surfaces of the edge detail will be finished in a complementary color.

Materials:

High Pressure Laminate: Woodgrains are offered in an open grain finish and solids in a matte finish.

Veneers: Walnut and Cherry veneer is offered in open grain finishes.


BASES:

CO | HO table bases are offered in a combination of polished aluminum and white powder coat.

Edge Profile




Shapes & Sizes



Modern Round

30"
36"
42"




Modern Square

30" x 30"
36" x 36"
42" x 42"



Modern Rectangle

30" x 54"	30" x 60"
30" x 66"	30" x 72"
30" x 78"	36" x 54"
36" x 60"	36" x 66"
36" x 72"	36" x 78"
36" x 84"	36" x 90"
36" x 96"	42" x 54"
42" x 60"	42" x 66"
42" x 72"	42" x 78"
42" x 84"	42" x 90"
42" x 96"	42" x 96"



Modern Racetrack

30" x 54"	30" x 60"
30" x 66"	30" x 72"
30" x 78"	36" x 54"
36" x 60"	36" x 66"
36" x 72"	36" x 78"
36" x 84"	36" x 90"
36" x 96"	42" x 54"
42" x 60"	42" x 66"
42" x 72"	42" x 78"
42" x 84"	42" x 90"

CO | HO Tables are offered with the following materials and finishes:

Finishes

HPL Tops

L1

C	HPL Harvest Maple
LM16	HPL Flint
LOFT	HPL Loft
LW7C	HPL Shaker Cherry
LWD	HPL Natural Maple
N	HPL Mahogany
PINC	HPL Pinnacle Walnut
WHIT	HPL Frosty White

L2 (\$)

LCM1	HPL Colombian Walnut
LLA1	HPL Lowell Ash
LNR1	HPL Natural Recon
LPE1	HPL Phantom Ecru
LPT1	HPL Portico Teak
LSW1	HPL Skyline Walnut

L3 (\$)

LWC	HPL Cafelle
-----	-------------

(\$ upcharges apply

L2 and L3 are the same

Veneer

V1

NC233	Cafelle
NC394	Lowell Ash
NC740	Mahogany
NC774	Shaker Cherry
NE867	Natural Maple
NE856	Harvest Maple
NT527	Skyline Walnut
NT639	Colombian Walnut
NT679	Pinnacle Walnut
SF190	White Salt Horizontal
SC191	White Sun Horizontal
SF192	White Smoke Horizontal
SF896	Natural Recon Horizontal
SE912	Phantom Ecru Horizontal
SE110	Portico Teak Horizontal
SG190	Grey Salt Horizontal
SG191	Grey Sun Horizontal
SG192	Grey Smoke Horizontal

Pricing Example:

L1 Top finish (22" height)

Model	Base Price	L1 Top	L2 Upcharge	Final Pricing
PCOH4242RD	\$ 1338	\$ 0	\$ 0	\$ 1338

L2 Top finish (22" height)

PCOH4242RD	\$ 1338	\$ 0	\$ 20	\$ 1358
------------	---------	------	-------	---------

Access Units

T = Top Power

S = Under Surface Power

Square & Round Tops

T1 = 2 Power outlets

T2 = 1 Power outlet & 2 USB ports

Rectangle & Racetrack Tops

T1 = 2 nodes with 2 Power outlets

T2 = 2 nodes with 1 Power outlet & 2 USB ports

S1 (72" or less) = Four access units with 3 Power outlets & 2 USB ports.

S1 (78" - 96") = Six access units with 3 Power outlets & 2 USB ports.

S2 (72" or less) = Three access units with 3 Power outlets & 2 USB ports.
One access unit with 2 Power outlets & 1 HDMI port.

S2 (78" - 96") = Five access units with 3 Power outlets & 2 USB ports.
One access unit with 2 Power outlets & 1 HDMI port.

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

Round tables offered in all heights

Top access packages are available on all tables, see page CO2 for chart

Edge Option



Knife

SIN # 711-9

Modern Round Tables

	HPL Model #	22"H L1	22"H L2	29½" H L1	29½" H L2	40" H L1	40" H L2	depth	width
30"W x 22"H shown	PCOH4242RD	\$ 1338	\$ 1358	\$ 1360	\$ 1380	\$ 1413	\$ 1433	42	42
	PCOH3636RD	\$ 1144	\$ 1161	\$ 1166	\$ 1183	\$ 1219	\$ 1236	36	36
	PCOH3030RD	\$ 949	\$ 963	\$ 971	\$ 985	\$ 1024	\$ 1038	30	30
	Veneer Model #	22"H V1	22"H V2	29½" H V1	29½" H V2	40" H V1	40" H V2	depth	width
30"W x 29½"H shown	PCOV4242RD	\$ 1766	\$ 1854	\$ 1788	\$ 1876	\$ 1841	\$ 1929	42	42
	PCOV3636RD	\$ 1508	\$ 1583	\$ 1530	\$ 1605	\$ 1583	\$ 1658	36	36
	PCOV3030RD	\$ 1326	\$ 1392	\$ 1348	\$ 1414	\$ 1401	\$ 1467	30	30
									
30"W x 40"H shown									

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designators	Description	Table Size		
		3030	3636	4242
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 172	\$ 172	\$ 172
T2	Top power & USB	\$ 241	\$ 241	\$ 241

Specify selections, left to right:

Base Model	Top Finish (see page CO2)	Height	Base Finish	Access Package
		22 29½ 40	White Powder Coat/ Polished Aluminum Base (WH)	None (N) Top Power (T1) Top Power & USB (T2)
PCOH4242RD.	LW7C.	40.	WH.	N

Modern Square Tables

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

Square tables offered in all heights

Top access packages are available on all tables, **see page CO2 for chart**

Edge Option



Knife

SIN # 711-9

Modern Square Tables


Paoli - CO | HO Tables



30" W x 22" H shown



30" W x 29½" H shown



30" W x 40" H shown

HPL Model #	22"H L1	22"H L2	29½"H L1	29½"H L2	40"H L1	40"H L2	depth	width
PCOH4242SQ	\$ 1338	\$ 1358	\$ 1360	\$ 1380	\$ 1413	\$ 1433	42	42
PCOH3636SQ	\$ 1144	\$ 1161	\$ 1166	\$ 1183	\$ 1219	\$ 1236	36	36
PCOH3030SQ	\$ 949	\$ 963	\$ 971	\$ 985	\$ 1024	\$ 1038	30	30
Veneer Model #	22"H V1	22"H V2	29½"H V1	29½"H V2	40"H V1	40"H V2	depth	width
PCOV4242SQ	\$ 1766	\$ 1854	\$ 1788	\$ 1876	\$ 1841	\$ 1929	42	42
PCOV3636SQ	\$ 1508	\$ 1583	\$ 1530	\$ 1605	\$ 1583	\$ 1658	36	36
PCOV3030SQ	\$ 1326	\$ 1392	\$ 1348	\$ 1414	\$ 1401	\$ 1467	30	30

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designators	Description	Table Size		
		3030	3636	4242
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 172	\$ 172	\$ 172
T2	Top power & USB	\$ 241	\$ 241	\$ 241

Specify selections, left to right:

Base Model	Top Finish (see page CO2)	Height	Base Finish	Access Package
		22 29½ 40	White Powder Coat/ Polished Aluminum Base (WH)	None (N) Top Power (T1) Top Power & USB (T2)
PCOH4242SQ.	LW7C.	29.	WH.	N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables


Edge Option




Knife

SIN # 711-9

30"D Modern Rectangular Tables



54"W x 22"H shown



54"W x 29½"H shown



54"W x 40"H shown

HPL Model #	22"H L1	22"H L2	29½" H L1	29½" H L2	40" H L1	40" H L2	depth	width
PCOH3078TT	\$ n/a	\$ n/a	\$ 2019	\$ 2049	\$ n/a	\$ n/a	30	78
PCOH3072TT	\$ 1755	\$ 1781	\$ 1797	\$ 1823	\$ 1852	\$ 1878	30	72
PCOH3066TT	\$ 1722	\$ 1748	\$ 1764	\$ 1790	\$ 1820	\$ 1846	30	66
PCOH3060TT	\$ 1689	\$ 1714	\$ 1731	\$ 1756	\$ 1788	\$ 1813	30	60
PCOH3054TT	\$ 1656	\$ 1681	\$ 1698	\$ 1723	\$ 1756	\$ 1781	30	54
Veneer Model #	22"H V1	22"H V2	29½" H V1	29½" H V2	40" H V1	40" H V2	depth	width
PCOV3078TT	\$ n/a	\$ n/a	\$ 2483	\$ 2607	\$ n/a	\$ n/a	30	78
PCOV3072TT	\$ 2226	\$ 2337	\$ 2268	\$ 2379	\$ 2376	\$ 2487	30	72
PCOV3066TT	\$ 2194	\$ 2304	\$ 2236	\$ 2346	\$ 2344	\$ 2454	30	66
PCOV3060TT	\$ 2162	\$ 2270	\$ 2204	\$ 2312	\$ 2312	\$ 2420	30	60
PCOV3054TT	\$ 2130	\$ 2237	\$ 2172	\$ 2279	\$ 2280	\$ 2387	30	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size				
		3054	3060	3066	3072	3078
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Specify selections, left to right:

Base Model	Top Finish (see page CO2)	Height	Base Finish	Access Package
		22 29½ 40	White Powder Coat/ Polished Aluminum Base (WH)	None (N) Top Power (T1) Top Power & USB (T2) Under Surface Power & USB (S1) Under Surface Power, USB & HDMI (S2)
PCOH3078TT.	LW7C.	29.	WH.	N

36"D Modern Rectangular Tables

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables


Edge Option



Knife

SIN # 711-9

36"D Modern Rectangular Tables



96"W x 29½"H shown

HPL Model #	29½" H L1	29½" H L2	depth	width
PCOH3696TT	\$ 2709	\$ 2750	36	96
PCOH3690TT	\$ 2507	\$ 2545	36	90
PCOH3684TT	\$ 2306	\$ 2341	36	84
PCOH3678TT	\$ 2134	\$ 2166	36	78
Veneer Model #	29½" H V1	29½" H V2	depth	width
PCOV3696TT	\$ 3611	\$ 3792	36	96
PCOV3690TT	\$ 3345	\$ 3512	36	90
PCOV3684TT	\$ 3079	\$ 3233	36	84
PCOV3678TT	\$ 2851	\$ 2994	36	78

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		3678	3684	3690	3696
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2699	\$ 2839	\$ 2839

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

29½

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH3696TT.

LW7C.

29.

WH.

N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

Edge Option




Knife

SIN # 711-9


36"D Modern Rectangular Tables continued



72"W x 22"H shown



72"W x 29 1/2"H shown



72"W x 40"H shown

HPL Model #	22"H L1	22"H L2	29 1/2" H L1	29 1/2" H L2	40" H L1	40" H L2	depth	width
PCOH3672TT	\$ 1978	\$ 2008	\$ 2020	\$ 2050	\$ 2069	\$ 2099	36	72
PCOH3666TT	\$ 1910	\$ 1939	\$ 1952	\$ 1981	\$ 2003	\$ 2032	36	66
PCOH3660TT	\$ 1856	\$ 1884	\$ 1898	\$ 1926	\$ 1950	\$ 1978	36	60
PCOH3654TT	\$ 1823	\$ 1850	\$ 1865	\$ 1892	\$ 1918	\$ 1945	36	54
Veneer Model #	22"H V1	22"H V2	29 1/2" H V1	29 1/2" H V2	40" H V1	40" H V2	depth	width
PCOV3672TT	\$ 2581	\$ 2710	\$ 2623	\$ 2752	\$ 2731	\$ 2860	36	72
PCOV3666TT	\$ 2355	\$ 2473	\$ 2397	\$ 2515	\$ 2505	\$ 2623	36	66
PCOV3660TT	\$ 2323	\$ 2439	\$ 2365	\$ 2481	\$ 2473	\$ 2589	36	60
PCOV3654TT	\$ 2290	\$ 2405	\$ 2332	\$ 2447	\$ 2440	\$ 2555	36	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		3654	3660	3666	3672
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

22
29 1/2
40

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH3672TT.

LW7C.

40.

WH.

N

42"D Modern Rectangular Tables

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables


Edge Option



Knife

SIN # 711-9

42"D Modern Rectangular Tables



84"W x 29½"H shown

HPL Model #	29½" H L1	29½" H L2	depth	width
PCOH4296TT	\$ 3115	\$ 3162	42	96
PCOH4290TT	\$ 2883	\$ 2926	42	90
PCOH4284TT	\$ 2652	\$ 2692	42	84
PCOH4278TT	\$ 2454	\$ 2491	42	78
Veneer Model #	29½" H V1	29½" H V2	depth	width
PCOV4296TT	\$ 3938	\$ 4135	42	96
PCOV4290TT	\$ 3632	\$ 3814	42	90
PCOV4284TT	\$ 3327	\$ 3493	42	84
PCOV4278TT	\$ 3064	\$ 3217	42	78

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		4278	4284	4290	4296
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2699	\$ 2839	\$ 2839

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

29½

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH4296TT.

LW7C.

29.

WH.

N

42"D Modern Rectangular Tables continued

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

Edge Options



Knife

SIN # 711-9

42"D Modern Rectangular Tables continued

	HPL Model #	22"H L1	22"H L2	29½" H L1	29½" H L2	40" H L1	40" H L2	depth	width
	PCOH4272TT	\$ 2213	\$ 2246	\$ 2255	\$ 2288	\$ 2363	\$ 2396	42	72
	PCOH4266TT	\$ 2138	\$ 2170	\$ 2180	\$ 2212	\$ 2288	\$ 2320	42	66
	PCOH4260TT	\$ 2076	\$ 2107	\$ 2118	\$ 2149	\$ 2226	\$ 2257	42	60
	PCOH4254TT	\$ 2040	\$ 2071	\$ 2082	\$ 2113	\$ 2190	\$ 2221	42	54
	Veneer Model #	22"H V1	22"H V2	29½" H V1	29½" H V2	40" H V1	40" H V2	depth	width
	PCOV4272TT	\$ 2761	\$ 2899	\$ 2803	\$ 2941	\$ 3125	\$ 3263	42	72
	PCOV4266TT	\$ 2501	\$ 2626	\$ 2543	\$ 2668	\$ 2865	\$ 2990	42	66
	PCOV4260TT	\$ 2462	\$ 2585	\$ 2504	\$ 2627	\$ 2826	\$ 2949	42	60
	PCOV4254TT	\$ 2426	\$ 2547	\$ 2468	\$ 2589	\$ 2790	\$ 2911	42	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		4254	4260	4266	4272
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

22
29½
40

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH4272TT.

LW7C.

22.

WH.

N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

Edge Option



Knife

SIN # 711-9

30"D Modern Racetrack Tables

Paoli - CO | HO Tables



54"W x 22"H shown



54"W x 29½"H shown



54"W x 40"H shown

HPL Model #	22"H L1	22"H L2	29½" H L1	29½" H L2	40" H L1	40" H L2	depth	width
PCOH3078RT	\$ n/a	\$ n/a	\$ 2019	\$ 2049	\$ n/a	\$ n/a	30	78
PCOH3072RT	\$ 1755	\$ 1781	\$ 1797	\$ 1823	\$ 1852	\$ 1878	30	72
PCOH3066RT	\$ 1722	\$ 1748	\$ 1764	\$ 1790	\$ 1820	\$ 1846	30	66
PCOH3060RT	\$ 1689	\$ 1714	\$ 1731	\$ 1756	\$ 1788	\$ 1813	30	60
PCOH3054RT	\$ 1656	\$ 1681	\$ 1698	\$ 1723	\$ 1756	\$ 1781	30	54
Veneer Model #	22"H V1	22"H V2	29½" H V1	29½" H V2	40" H V1	40" H V2	depth	width
PCOV3078RT	\$ n/a	\$ n/a	\$ 2483	\$ 2607	\$ n/a	\$ n/a	30	78
PCOV3072RT	\$ 2226	\$ 2337	\$ 2268	\$ 2379	\$ 2376	\$ 2487	30	72
PCOV3066RT	\$ 2194	\$ 2304	\$ 2236	\$ 2346	\$ 2344	\$ 2454	30	66
PCOV3060RT	\$ 2162	\$ 2270	\$ 2204	\$ 2312	\$ 2312	\$ 2420	30	60
PCOV3054RT	\$ 2130	\$ 2237	\$ 2172	\$ 2279	\$ 2280	\$ 2387	30	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size				
		3054	3060	3066	3072	3078
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

22
29½
40

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH3078RT.

LW7C.

29.

WH.

N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables


Edge Option



Knife

SIN # 711-9

36"D Modern Racetrack Tables



96"W x 29½"H shown

HPL Model #	29½" H L1	29½" H L2	depth	width
PCOH3696RT	\$ 2709	\$ 2750	36	96
PCOH3690RT	\$ 2507	\$ 2535	36	90
PCOH3684RT	\$ 2306	\$ 2341	36	84
PCOH3678RT	\$ 2134	\$ 2166	36	78
Veneer Model #	29½" H V1	29½" H V2	depth	width
PCOV3696RT	\$ 3611	\$ 3792	36	96
PCOV3690RT	\$ 3345	\$ 3512	36	90
PCOV3684RT	\$ 3079	\$ 3233	36	84
PCOV3678RT	\$ 2851	\$ 2994	36	78

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		3678	3684	3690	3696
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2699	\$ 2839	\$ 2839

Specify selections, left to right:

Base Model	Top Finish (see page CO2)	Height 29½	Base Finish White Powder Coat/ Polished Aluminum Base (WH)	Access Package
PCOH3696RT.	LW7C.	29.	WH.	N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

Edge Option



Knife


SIN # 711-9

36"D Modern Racetrack Tables continued


Paoli - CO | HO Tables



72"W x 22"H shown



72"W x 29 1/2"H shown



72"W x 40"H shown

HPL Model #	22"H L1	22"H L2	29 1/2" H L1	29 1/2" H L2	40" H L1	40" H L2	depth	width
PCOH3672RT	\$ 1978	\$ 2008	\$ 2020	\$ 2050	\$ 2069	\$ 2099	36	72
PCOH3666RT	\$ 1910	\$ 1939	\$ 1952	\$ 1981	\$ 2003	\$ 2032	36	66
PCOH3660RT	\$ 1856	\$ 1884	\$ 1898	\$ 1926	\$ 1950	\$ 1978	36	60
PCOH3654RT	\$ 1823	\$ 1850	\$ 1865	\$ 1892	\$ 1918	\$ 1945	36	54
Veneer Model #	22"H V1	22"H V2	29 1/2" H V1	29 1/2" H V2	40" H V1	40" H V2	depth	width
PCOV3672RT	\$ 2581	\$ 2710	\$ 2623	\$ 2752	\$ 2731	\$ 2860	36	72
PCOV3666RT	\$ 2355	\$ 2473	\$ 2397	\$ 2515	\$ 2505	\$ 2623	36	66
PCOV3660RT	\$ 2323	\$ 2439	\$ 2365	\$ 2481	\$ 2473	\$ 2589	36	60
PCOV3654RT	\$ 2290	\$ 2405	\$ 2332	\$ 2447	\$ 2440	\$ 2555	36	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		3654	3660	3666	3672
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

22
29 1/2
40

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH3672RT.

LW7C.

29.

WH.

N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables


Edge Option



Knife

SIN # 711-9

42"D Modern Racetrack Tables



96"W x 29½"H shown

HPL Model #	29½" H L1	29½" H L2	depth	width
PCOH4296RT	\$ 3115	\$ 3162	42	96
PCOH4290RT	\$ 2884	\$ 2927	42	90
PCOH4284RT	\$ 2653	\$ 2693	42	84
PCOH4278RT	\$ 2454	\$ 2491	42	78
Veneer Model #	29½" H V1	29½" H V2	depth	width
PCOV4296RT	\$ 3939	\$ 4136	42	96
PCOV4290RT	\$ 3633	\$ 3815	42	90
PCOV4284RT	\$ 3328	\$ 3494	42	84
PCOV4278RT	\$ 3065	\$ 3218	42	78

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		4278	4284	4290	4296
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2699	\$ 2839	\$ 2839

Specify selections, left to right:

Base Model	Top Finish (see page CO2)	Height 29½	Base Finish White Powder Coat/ Polished Aluminum Base (WH)	Access Package None (N) Top Power (T1) Top Power & USB (T2) Under Surface Power & USB (S1) Under Surface Power, USB & HDMI (S2)
PCOH4296RT.	LW7C.	29.	WH.	N

Reference Pages

List of options page CO2

For Instruction Sheets visit www.paoli.com/coho/resources

Specifications

72" or less available in all heights

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

Edge Option



Knife


SIN # 711-9

42"D Modern Racetrack Tables continued


Paoli - CO | HO Tables



66"W x 22"H shown



66"W x 29 1/2"H shown



66"W x 40"H shown

HPL Model #	22"H L1	22"H L2	29 1/2" H L1	29 1/2" H L2	40" H L1	40" H L2	depth	width
PCOH4272RT	\$ 2213	\$ 2246	\$ 2255	\$ 2288	\$ 2363	\$ 2396	42	72
PCOH4266RT	\$ 2138	\$ 2170	\$ 2180	\$ 2212	\$ 2288	\$ 2320	42	66
PCOH4260RT	\$ 2076	\$ 2107	\$ 2118	\$ 2149	\$ 2226	\$ 2257	42	60
PCOH4254RT	\$ 2040	\$ 2071	\$ 2082	\$ 2113	\$ 2190	\$ 2221	42	54
Veneer Model #	22"H V1	22"H V2	29 1/2" H V1	29 1/2" H V2	40" H V1	40" H V2	depth	width
PCOV4272RT	\$ 2761	\$ 2899	\$ 2803	\$ 2941	\$ 3125	\$ 3263	42	72
PCOV4266RT	\$ 2501	\$ 2626	\$ 2543	\$ 2668	\$ 2865	\$ 2990	42	66
PCOV4260RT	\$ 2462	\$ 2585	\$ 2504	\$ 2627	\$ 2826	\$ 2949	42	60
PCOV4254RT	\$ 2426	\$ 2547	\$ 2468	\$ 2589	\$ 2790	\$ 2911	42	54

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages

Designator	Description	Table Size			
		4254	4260	4266	4272
N	None	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110

Specify selections, left to right:

Base Model

Top Finish

(see page CO2)

Height

22
29 1/2
40

Base Finish

White Powder Coat/
Polished Aluminum Base (WH)

Access Package

None (N)
Top Power (T1)
Top Power & USB (T2)
Under Surface Power & USB (S1)
Under Surface Power, USB & HDMI (S2)

PCOH4272RT.

LW7C.

40.

WH.

N

Finish Color Matching:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

TOPS:

Thermally Fused Laminate (TFL): TFL tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with Softened (SO) profile. The Softened (SO) profile occurs on all four edges.

High Pressure Laminate (HPL): HPL tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

Veneer: Veneer tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

EDGES

Thermally Fused Laminate (TFL) Tops: 3MM PVC with Softened profile.

High Pressure Laminate (HPL) Tops: 3MM PVC with Blade or Softened profiles. The underside of the Blade edge profile is dark brown paint for all laminates except white which has a white paint finish on the underside of the Blade edge profile.

Veneer Tops: Available with Blade or Softened profiles. The underside of the Blade edge profile is finished to match the top.

MATERIALS / FINISHES:

High Pressure Laminate (HPL) available in Harvest Maple, Flint, Loft, Shaker Cherry, Natural Maple, Mahogany, Pinnacle Walnut, Frosty White, Colombian Walnut, Lowell Ash, Natural Recon, Phantom Ecu, Portico Teak, Skyline Walnut, and Cafelle.

Veneer available in Cafelle, Lowell Ash, Mahogany, Shaker Cherry, Natural Maple, Harvest Maple, Skyline Walnut, Colombian Walnut, Pinnacle Walnut, White Salt, White Sun, White Smoke, Natural Recon, Phantom Ecu, Portico Teak, Grey Salt, Grey Sun, and Grey Smoke.

BASES

Share tables include metal bases with glides or optional locking casters.

GROMMETS

Grommet cutouts in table surfaces are optional and can be specified in various sizes. Electrical grommet units are specified separately. See the Share accessory section for grommet options.

CHASSIS CONSTRUCTION:

Drawer fronts are slip matched cherry or maple veneer, book matched walnut veneer or cherry, maple or walnut TFL. All units are reinforced with cams, dowels, metal brackets and hardwood cleats. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Drawer fronts are full overlay.

MODESTY PANELS

Modesty panels come standard with hinge feature.

DRAWER CONSTRUCTION:

Drawer fronts are attached separately to the fully assembled, four sided, English dovetailed or vinyl wrapped - miter folded drawer boxes.

DRAWER SUSPENSION:

File drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation. Box drawers operate on full extension slides allowing complete access to the drawer.

LOCKING:

Locking is standard on storage and buffet units.

DRAWER HARDWARE:

Five hardware styles are available in Silver finish. Specify style and finish when ordering.

HINGES

Hinges are European style and are easily adjustable in the field.

Share Space Tables are offered with the following materials and finishes:

Finishes

TFL Tops

L1

C	TFL Harvest Maple
LM16	TFL Flint
LOFT	TFL Loft
LW7C	TFL Shaker Cherry
LWD	TFL Natural Maple
N	TFL Mahogany
PINC	TFL Pinnacle Walnut
WHIT	TFL Frosty White

L2 (\$)

LCM1	TFL Colombian Walnut
LLA1	TFL Lowell Ash
LNR1	TFL Natural Recon
LPE1	TFL Phantom Ecru
LPT1	TFL Portico Teak
LSW1	TFL Skyline Walnut

L3 (\$)

LWC	TFL Cafelle
-----	-------------

HPL Tops

L1

C	HPL Harvest Maple
LM16	HPL Flint
LOFT	HPL Loft
LW7C	HPL Shaker Cherry
LWD	HPL Natural Maple
N	HPL Mahogany
PINC	HPL Pinnacle Walnut
WHIT	HPL Frosty White

L2 (\$)

LCM1	HPL Colombian Walnut
LLA1	HPL Lowell Ash
LNR1	HPL Natural Recon
LPE1	HPL Phantom Ecru
LPT1	HPL Portico Teak
LSW1	HPL Skyline Walnut

L3 (\$)

LWC	HPL Cafelle
-----	-------------

(\$ upcharges apply

L2 and L3 are the same

Veneer

V1

NC233	Cafelle
NC394	Lowell Ash
NC740	Mahogany
NC774	Shaker Cherry
NE867	Natural Maple
NE856	Harvest Maple
NT527	Skyline Walnut
NT639	Colombian Walnut
NT679	Pinnacle Walnut
SF190	White Salt Horizontal
SC191	White Sun Horizontal
SF192	White Smoke Horizontal
SF896	Natural Recon Horizontal
SE912	Phantom Ecru Horizontal
SE110	Portico Teak Horizontal
SG190	Grey Salt Horizontal
SG191	Grey Sun Horizontal
SG192	Grey Smoke Horizontal

Pricing Example:

L1 Top finish

Model	Base Price	L1 Top	L2 Upcharge	Final Pricing
PSHH3672TT	\$ 1028	\$ 0	\$ 0	\$ 1028

L2 Top finish

PSHH3672TT	\$ 1028	\$ 0	\$ 15	\$ 1043
------------	---------	------	-------	---------

Edge Options




Softened (SO)




Blade (BA) - \$100 upcharge
(Available on veneer or HPL only)


Pull Options




Bead (BD)
Silver (PR6)



Beam (BM)



Cable (CB)



Spline (SP)



Sweep (SW)

Grommet Options

Centered:

5" x 4" G0504*

8" x 4" G0804*

Standard C**

Left L**

Right R**

Both B**

All A**

No grommet N

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

Base Options

	Page #s	Café Height Bases	Fixed T Bases	Flip Top Bases	X Bases
Modular Tables	SH5 - SH7		✓		
Round Tables	SH8				✓
Square Tables	SH8				✓
Training Tables	SH12			✓	
Round Café Tables	SH13	✓			
Square Café Tables	SH13	✓			

Café Height Bases

Glide no upcharge CXAG

Fixed T Base

Glide no upcharge TG
Casters locking \$60 upcharge TC

Flip Top Base

Glide no upcharge FTG
Casters locking \$60 upcharge FTC

X Bases

Single X Base no upcharge SXG
Glides no upcharge SXAG
Casters locking \$60 upcharge SXAC

Door Front

Veneer V
Laminate ----
see previous page for veneer & laminate options

Drawer Type

Vinyl Wrapped VW
English Dovetail Wood WD \$100 upcharge per pedestal

Lock Key Options


STD - random
OMT - keyed alike - order lock core separately - see page SH20

Share Space Tables


Table Top Shapes



Rectangular Modular



Arc Modular



Trapezoid Modular




Round




Square

Corner Connecting Tops (no legs)



45 Degree



60 Degree



90 Degree

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Reference Pages

List of options pages SH2 - SH3
 Modesty Panel pages SH10 - SH11
 Power Grommets pages SH18 - SH19

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap

Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Grommet Options

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see pages SH18 - SH19

**Option includes grommet sleeve & cover

Edge Options

Softened (SO)



Blade (BA) (\$)

SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
	PSH_3672TT	\$ 1028	\$ 1043	\$ 1466	36	72	29
	PSH_3660TT	\$ 998	\$ 1013	\$ 1396	36	60	29
	PSH_3072TT	\$ 978	\$ 993	\$ 1369	30	72	29
	PSH_3066TT	\$ 948	\$ 962	\$ 1295	30	66	29
	PSH_3060TT	\$ 924	\$ 938	\$ 1226	30	60	29
	PSH_3054TT	\$ 852	\$ 865	\$ 1142	30	54	29
	PSH_3048TT	\$ 786	\$ 798	\$ 1058	30	48	29
	PSH_2472TT	\$ 863	\$ 876	\$ 1234	24	72	29
	PSH_2466TT	\$ 846	\$ 859	\$ 1171	24	66	29
	PSH_2460TT	\$ 828	\$ 840	\$ 1113	24	60	29
	PSH_2454TT	\$ 786	\$ 798	\$ 1034	24	54	29
	PSH_2448TT	\$ 742	\$ 753	\$ 959	24	48	29

Top and Bases are included

Modesty panel - order separately

Shipped K/D

Distance between table legs:

72" table leg distance is 57 1/8"; 66" table leg distance is 51 1/8"; 60" table leg distance is 45 1/8";

54" table leg distance is 39 1/8"; 48" table leg distance is 33 1/8"

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Specify selections, left to right:

Base Model	Material & Finish (see page SH2)	Edge Softened (SO) Blade (BA) \$100	Grommet Centered 5" x 4" (G0504) Centered 8" x 4" (G0804) Centered Standard (C) Left (L) Right (R) Both (B) All (A) No Grommet (N)	Base (see page SH3)
PSHH3672TT.	LW7C.	SO.	N.	TG

Reference Pages

List of options pages SH2 - SH3
Modesty Panel pages SH10 - SH11
Power Grommets pages SH18 - SH19

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap
Specify Fixed T-leg with casters or glides - Alloy only
Blade edge \$100 upcharge - (Available on veneer or HPL only)
Optional locking casters (\$60 upcharge)

Grommet Options

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see pages SH18 - SH19

**Option includes grommet sleeve & cover

Edge Options



Softened (SO) Blade (BA) (\$)

SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
	PSH_3072AT	\$ 1062	\$ 1078	\$ 1472	30	72	29
	PSH_3066AT	\$ 1027	\$ 1042	\$ 1403	30	66	29
	PSH_3060AT	\$ 998	\$ 1013	\$ 1324	30	60	29
	PSH_3054AT	\$ 918	\$ 932	\$ 1234	30	54	29
	PSH_3048AT	\$ 839	\$ 852	\$ 1142	30	48	29
	Top and Bases are included Modesty panel - order separately Shipped K/D Distance between table legs: 72" table leg distance is 57 7/8" 66" table leg distance is 51 7/8" 60" table leg distance is 45 7/8" 54" table leg distance is 39 7/8" 48" table leg distance is 33 7/8"						

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Specify selections, left to right:

Base Model	Material & Finish (see page SH2)	Edge Softened (SO) Blade (BA) \$100	Grommet Centered 5" x 4" (G0504) Centered 8" x 4" (G0804) Centered Standard (C) Left (L) Right (R) Both (B) All (A) No Grommet (N)	Base (see page SH3)
PSHH3072AT.	LW7C.	SO.	N.	TG

Reference Pages

List of options pages SH2 - SH3
 Modesty Panel pages SH10 - SH11
 Power Grommets pages SH18 - SH19

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap

Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Grommet Options

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see pages SH18 - SH19

**Option includes grommet sleeve & cover

Edge Options

Softened (SO)



Blade (BA) (\$)

SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
 	PSH_3672TP	\$ 967	\$ 982	\$ 1401	36	72	29
	PSH_3060TP	\$ 863	\$ 876	\$ 1165	30	60	29
	PSH_3048TP	\$ 731	\$ 742	\$ 1000	30	48	29
	PSH_2460TP	\$ 869	\$ 882	\$ 1086	24	60	29
	PSH_2448TP	\$ 778	\$ 790	\$ 932	24	48	29
Top and Bases are included Modesty panel - order separately PSHH3672TP use PSHH0948__ PSHH3060TP & PSHH2460TP use PSHH0936__ PSHH3048TP & PSHH2448TP use PSHH0924__ Shipped K/D Distance between table legs: 72" table leg distance is 57 $\frac{5}{8}$ " 60" table leg distance is 45 $\frac{5}{8}$ " 48" table leg distance is 33 $\frac{5}{8}$ "							
Specify Material & Finish/Edge/Grommet/Base							

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Specify selections, left to right:

Base Model	Material & Finish (see page SH2)	Edge Softened (SO) Blade (BA) \$100	Grommet Centered 5" x 4" (G0504) Centered 8" x 4" (G0804) Centered Standard (C) Left (L) Right (R) Both (B) All (A) No Grommet (N)	Base (see page SH3)
PSHH3672TP.	LW7C.	BA.	N.	TC

Reference Pages

List of options pages SH2 - SH3

Specifications

Arched tubular X base standard with glides - Alloy only

Optional base with locking casters (**\$60 upcharge**) - Alloy only

Optional locking casters

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Shipped K/D

Edge Options



Softened (SO)




Blade (BA) (\$)

SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
	PSH_4848RD	\$ 1287	\$ 1306	\$ 2468	48	48	29
	PSH_4242RD	\$ 1267	\$ 1286	\$ 2231	42	42	29
	PSH_3636RD	\$ 1027	\$ 1042	\$ 1905	36	36	29
	PSH_3030RD	\$ 833	\$ 845	\$ 1591	30	30	29
	Top and Bases are included						

Specify Material & Finish/Edge/Base

Square Tables

	PSH_4848ST	\$ 1237	\$ 1256	\$ 2296	48	48	29
	PSH_4242ST	\$ 1217	\$ 1235	\$ 2090	42	42	29
	PSH_3636ST	\$ 998	\$ 1013	\$ 1734	36	36	29
	PSH_3030ST	\$ 786	\$ 798	\$ 1455	30	30	29
	Top and Bases are included Profile on all sides						

Specify Material & Finish/Edge/Base

.....Dots in drawing designate side with edge detail.

Specify selections, left to right:

Base Model

Material & Finish

Edge

Base

(see page SH2)

Softened (SO)
Blade (BA) **\$100**

(see page SH3)

PSHH4848RD.

LW7C.

BA.

SXAG

45, 60 & 90 Degree Corner Connecting Tops (No Legs)

Reference Pages

List of options pages SH2 - SH3

Specifications

Includes mounting brackets

Blade edge \$50 upcharge - (Available on veneer or HPL only)

Edge Options



Softened (SO)



Blade (BA) (\$)


SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
45 Degree Corner Connecting Tops (No legs)							
	PSH_3636CT45	\$ 332	\$ 337	\$ 678	36	36	1 ³ / ₁₆
	PSH_3030CT45	\$ 288	\$ 292	\$ 523	30	30	1 ³ / ₁₆
	PSH_2424CT45	\$ 200	\$ 203	\$ 380	24	24	1 ³ / ₁₆




Specify Material & Finish/Edge

60 Degree Corner Connecting Tops (No legs)							
	PSH_3636CT60	\$ 357	\$ 362	\$ 746	36	36	1 ³ / ₁₆
	PSH_3030CT60	\$ 289	\$ 293	\$ 591	30	30	1 ³ / ₁₆
	PSH_2424CT60	\$ 225	\$ 228	\$ 449	24	24	1 ³ / ₁₆



Specify Material & Finish/Edge

90 Degree Corner Connecting Tops (No legs)							
	PSH_3636CT90	\$ 375	\$ 381	\$ 817	36	36	1 ³ / ₁₆
	PSH_3030CT90	\$ 315	\$ 320	\$ 659	30	30	1 ³ / ₁₆
	PSH_2424CT90	\$ 247	\$ 251	\$ 518	24	24	1 ³ / ₁₆



Specify Material & Finish/Edge

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Specify selections, left to right:

Base Model

Material & Finish

(see page SH2)

Edge

Softened (SO)

Blade (BA) \$50

PSHH3636CT45.

LW7C.

SO

9" Hinged Modesty Panels


Reference Pages

List of options pages SH2 - SH3
Tables pages SH5 - SH8 & SH12

Specifications

9" high hinged modesty panel

SIN # 711-9

	Model #	TFL L1	TFL L2	Veneer V1	depth	width	height
9" Hinged Modesty Panels							
	PSH_0972HMP	\$ 371	\$ 377	\$ 596	¾	70	9
	PSH_0966HMP	\$ 345	\$ 350	\$ 508	¾	64	9
	PSH_0960HMP	\$ 320	\$ 325	\$ 448	¾	58	9
	PSH_0954HMP	\$ 295	\$ 299	\$ 420	¾	52	9
	PSH_0948HMP	\$ 269	\$ 273	\$ 407	¾	46	9
	PSH_0942HMP	\$ 245	\$ 249	\$ 384	¾	40	9
	PSH_0936HMP	\$ 219	\$ 222	\$ 360	¾	34	9
	PSH_0930HMP	\$ 195	\$ 198	\$ 348	¾	28	9
	PSH_0924HMP	\$ 170	\$ 173	\$ 337	¾	22	9
Specify Material & Finish							

Specify selections, left to right:

Base Model Material & Finish
(see page SH2)

PSHL0972HMP. LW7C



9" Hinged Metal Modesty Panels

Reference Pages

Tables


pages SH5 - SH8 & SH12

Specifications

9" high hinged perforated metal modesty

Alloy only

SIN # 711-9

	Model #	List Price	depth	width	height
9" Hinged Metal Modesty Panels					
	PSHM0972HMP	\$ 540	1/8	70	9
	PSHM0966HMP	\$ 496	1/8	64	9
	PSHM0960HMP	\$ 466	1/8	58	9
	PSHM0954HMP	\$ 437	1/8	52	9
	PSHM0948HMP	\$ 407	1/8	46	9
	PSHM0942HMP	\$ 378	1/8	40	9
	PSHM0936HMP	\$ 348	1/8	34	9
	PSHM0930HMP	\$ 325	1/8	28	9
	PSHM0924HMP	\$ 301	1/8	22	9
Specify Material & Finish					

Specify selections, left to right:

Base Model

PSHM0972HMP

Flip Top Rectangular Training Tables

Reference Pages

List of options pages SH2 - SH3
Modesty Panel pages SH10 - SH11
Power Grommets pages SH18 - SH19

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Flip top base with release handles for nesting - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Wire management channel in leg with removable cap

Grommet Options

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see pages SH18 - SH19

**Option includes grommet sleeve & cover

Edge Options



Softened (SO)




Blade (BA) (\$)

SIN # 711-9

Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
---------	-----------	-----------	--------------	-------	-------	--------

Flip Top Rectangular Training Tables



PSH_2472TTR

\$ 1214

\$ 1232

\$ 1421

24

72

29

PSH_2466TTR

\$ 1203

\$ 1221

\$ 1409

24

66

29

PSH_2460TTR

\$ 1190

\$ 1208

\$ 1393

24

60

29

PSH_2454TTR

\$ 1177

\$ 1195

\$ 1381

24

54

29

PSH_2448TTR

\$ 1160

\$ 1177

\$ 1364

24

48

29

Top and Bases are included

Modesty panel - order separately

Shipped K/D

Distance between table legs:
72" table leg distance is 57⁵/₈"
66" table leg distance is 51⁵/₈"
60" table leg distance is 45⁵/₈"
54" table leg distance is 39⁵/₈"
48" table leg distance is 33⁵/₈"

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge.

Specify selections, left to right:

Base Model

Material & Finish
(see page SH2)

Edge

Softened (SO)
Blade (BA) **\$100**

Grommet

Centered 5" x 4" (G0504)
Centered 8" x 4" (G0804)
Centered Standard (C)
Left (L)
Right (R)
Both (B)
All (A)
No Grommet (N)

Base

(see page SH3)

PSHH2472TTR.

LW7C.

SO.

N.

FTC

Reference Pages

List of options pages SH2 - SH3

Specifications

Arched X base - Alloy only

Glide (CXAG) base only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Shipped K/D

Edge Options




Softened (SO)



Blade (BA) (\$)

SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
Round Café Tables							
	PSH_4800CTT	\$ 1412	\$ 1433	\$ 2585	48	48	42
	PSH_4200CTT	\$ 1366	\$ 1386	\$ 2350	42	42	42
	PSH_3600CTT	\$ 1148	\$ 1165	\$ 2021	36	36	42
	PSH_3000CTT	\$ 833	\$ 845	\$ 1591	30	30	42
	Top and Bases are included						
	Specify Material & Finish/Edge/Base						
Square Café Tables							
	PSH_4848CTT	\$ 1362	\$ 1382	\$ 2414	48	48	42
	PSH_4242CTT	\$ 1342	\$ 1362	\$ 2208	42	42	42
	PSH_3636CTT	\$ 1120	\$ 1137	\$ 1884	36	36	42
	PSH_3030CTT	\$ 907	\$ 921	\$ 1568	30	30	42
	Top and Bases are included Profile on all sides						
	Specify Material & Finish/Edge/Base						

.....Dots in drawing designate side with edge detail.

Specify selections, left to right:

Base Model

Material & Finish

(see page SH2)

Edge

Softened (SO)
Blade (BA) **\$100**

Base

(see page SH3)

PSHH4800CTT.

LW7C.

SO.

CXAG



Presentation Board & Wall Mounted White Boards

Reference Pages

List of options page SH2

Edge Options



Softened (SO)




Blade (BA) (\$)

SIN # 711-9

Model #	TFL L1	TFL L2	Veneer V1	depth	width	height
---------	-----------	-----------	--------------	-------	-------	--------

Presentation Board



PSH_4848VB

\$ 3288

\$ 3337

\$ 4084

4

48


48

White surface (non-magnetic) serves as dry erase markerboard or projector screen
Tackable surface on each door
Markers & erasers not included
Accepts pads 22"W x 40"H maximum

Specify Material & Finish

Model #	List Price	depth	width	height
---------	---------------	-------	-------	--------

Wall Mounted White Board



PSHH6048WB

\$ 1175

3

60

48

PSHH4848WB

\$ 939

3

48

48

White porcelain with aluminum frame, includes 4 markers & eraser
Aluminum frame finish: Alloy

Specify selections, left to right:

Base Model

Material & Finish

(see page SH2)

PSHL4848VB.

LW7C

Reference Pages

List of options pages SH2 - SH3

Specifications

Softened edge only

Edge Option




Softened (SO)

SIN # 711-9

Model #	TFL L1	TFL L2	Veneer V1	depth	width	height
---------	-----------	-----------	--------------	-------	-------	--------

Flat screen buffet (screen lowers)



PSH_2472WBP

\$ 5199

\$ 5277

\$ 6472

24


72

36

4 hinged doors - 3 compartments
 Outside cabinets - 3 shelves; 2 adjustable
 I.D. 16 $\frac{7}{8}$ "W x 12 $\frac{1}{2}$ "D x 32"H
 Center cabinet - 3 shelves; 2 adjustable
 I.D. 35"W x 12 $\frac{1}{2}$ "D x 32"H
 TV up to 42"
 Motorized lift with wired remote

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Buffet



PSH_2472WBO

\$ 3312

\$ 3362

\$ 4120

24


72

36

4 hinged doors - 3 compartments
 Outside cabinets - 3 shelves; 2 adjustable
 I.D. 16 $\frac{7}{8}$ "W x 22 $\frac{1}{4}$ "D x 32"H
 Center cabinet - 3 shelves; 2 adjustable
 I.D. 35"W x 22 $\frac{1}{4}$ "D x 32"H

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Fixed Height Lectern



PSH_1830FLC

\$ 1693

\$ 1718

\$ 2608

18 $\frac{1}{2}$

30

47 $\frac{5}{8}$

Top portion: 16"W x 13 $\frac{3}{8}$ "D x 7"H
 4 shelves; 3 adjustable
 Access doors on front side for wire management
 Two grommets inside to allow wires to run full height of lectern
 Locking casters

Specify Material & Finish

Specify selections, left to right:

Base Model	Top Material & Finish (see page SH2)	Chassis Material & Finish (see page SH2)	Edge Softened (SO)	Pull Bead (BD) Beam (BM) Cable (CB) Spline (SP) Sweep (SW) suboption Silver (PR6)	Door Finish (see page SH2)	Lock Key Random (STD) Keyed Alike (OMT)
PSHL2472WBP.	LW7C.	LW7C.	SO.	BMPR6.	LW7C.	STD

Reference Pages

List of options pages SH2 - SH3

Specifications

Softened edge only

Vented backs are optional: No vent (NV), Yes vent (YV)

For optional AV rack system, see www.middleatlantic.com

Edge Option




Softened (SO)

SIN # 711-9

	Model #	TFL L1	TFL L2	Veneer V1	depth	width	height
--	---------	-----------	-----------	--------------	-------	-------	--------

Storage Buffet



PSH_2436ST1

\$ 2358

\$ 2393

\$ 2944

24


36

36

2 hinged doors; 1 adjustable shelves

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent

Storage Buffet



PSH_2454ST1

\$ 2738

\$ 2779

\$ 3404

24


54

36

3 hinged doors; 2 adjustable shelves

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent

Storage Buffet



PSH_2472ST1

\$ 3126

\$ 3173

\$ 3887

24

72

36

4 hinged doors; 2 adjustable shelves

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent

Specify selections, left to right:

Base Model	Top Material & Finish (see page SH2)	Chassis Material & Finish (see page SH2)	Edge Softened (SO)	Pull Bead (BD) Beam (BM) Cable (CB) Spline (SP) Sweep (SW) suboption Silver (PR6)	Door Finish (see page SH2)	Lock Key Random (STD) Keyed Alike (OMT)	Vent No Vent (NV) Yes Vent (YV)
PSHL2436ST1.	LW7C.	LW7C.	SO.	BMPR6.	LW7C.	STD.	NV

Reference Pages

List of options pages SH2 - SH3

Specifications

Softened edge only

Vented backs are optional: No vent (NV), Yes vent (YV)

For optional AV rack system, see www.middleatlantic.com


Edge Option



Softened (SO)


SIN # 711-9

	Model #	HPL L1	HPL L2	Veneer V1	depth	width	height
Storage Buffet	PSH_2436ST2	\$ 2530	\$ 2568	\$ 3114	24	36	36
	1 drawer, 2 hinged doors; 1 adjustable shelf						




Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent

Storage Buffet	PSH_2454ST2	\$ 2909	\$ 2953	\$ 3574	24	54	36
	1 drawer, 3 hinged doors; 3 adjustable shelves						



Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent

Storage Buffet	PSH_2472ST2	\$ 3296	\$ 3345	\$ 4057	24	72	36
	1 drawer, 4 hinged doors; 3 adjustable shelves						






Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent





Specify selections, left to right:

Base Model	Top Material & Finish	Chassis Material & Finish	Edge	Pull	Drawer Type	Door Finish	Lock Key	Vent
	(see page SH2)	(see page SH2)	Softened (SO)	Bead (BD) Beam (BM) Cable (CB) Spline (SP) Sweep (SW) suboption Silver (PR6)	Vinyl Wrapped (VW) English Dovetail Wood (WD) \$100	(see page SH2)	Random (STD) Keyed Alike (OMT)	No Vent (NV) Yes Vent (YV)
PSHL2436ST2.	LW7C.	LW7C.	SO.	BMPR6.	VW.	LW7C.	OMT.	NV

SIN # 711-9

	Model #	List Price	depth	width
Accessories				
Ganging Module				
	PX0505GM	\$ 83	5	5
	Ganging bracket with 4 rosette thumb screws			
Power Grommets				
Retractable Power/Data Center				
	PX0408RP120C	\$ 209	4¾	8¼
	PX0408RP72C	\$ 231	4¾	8¼
	2-15 amp simplex 120" cord for PX0408RP120C 72" cord for PX0408RP72C Requires 4" x 8" rectangular cut out Two data openings Order data separately			
Retractable Power/Data Center - Hardwire				
	PX0408RP72H	\$ 252	4¾	8¼
	2-15 amp simplex with hardwire 72" conduit Requires 4" x 8" rectangular cut out Two data openings Order data separately			
Retractable Power Center				
	PX0405RP120C	\$ 160	4¼	5⅜
	PX0405RP72C	\$ 172	4¼	5⅜
	2-15 amp simplex 120" cord for PX0405RP120C 72" cord for PX0405RP72C Requires 3¾" x 5" cutout			

SIN # 711-9

	Model #	List Price	depth	width	height
Daisy Chain					
Retractable Power/Data Center - Interlink IQ					
	PX0408IQ	\$ 284	4 ³ / ₈	8 ¹ / ₄	
	2-15 amp simplex Compatible with IQ system Requires 4" x 8" rectangular cut out Two data openings Order data separately				
Retractable Power Center - Interlink IQ					
	PX0405IQ	\$ 198	4 ¹ / ₄	5 ³ / ₈	
	2-15 amp simplex Compatible with IQ system Requires 3 ³ / ₄ " x 5" cutout				
Power Infeed - Interlink IQ					
	PXPIIQ	\$ 359			
	Power Infeed Interlink IQ 120" cord				
Power Jumper - Interlink IQ					
	PX36JIQ	\$ 61			
	Power Jumper Interlink IQ 36" Jumper				
135MM Cable Grip					
	PXCG	\$ 31	2 ¹ / ₂	5 ¹ / ₂	1 ¹ / ₂
	Black only				



Locks

Specifications
Key numbers available for locks are X100T-X250T.

SIN # 711-8		
	Model #	List Price
Locks		
Lock Core Silver		
	PXLC	\$ 12
	Specify Metal Finish/Key Number	
Master Key		
	PXMK	\$ 5
Change Key		
	PXCK	\$ 10
Key numbers available for locks are X100T-X250T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.		
For example, if you need 15 locks ordered for your office with 5 keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - PXLC.X101T, 10 - PXLC.X102T		

Specify selections, left to right:


Base Model	Metal Finish	Key Number
	Silver (PR6)	Key numbers available for locks are X100T-X250T
PXLC.	PR6.	X108T

When specifying Strut, pick Top, Base, and Technology.

1. Select top shape and size (see page ST6 for how to specify):

Top

Round



Square



Rectangle



Modern Rectangle



Video




Sample Table




2. Select base:

Base without Dual USB charging



Base with Dual USB charging



3. Select technology:




C03PG1




C03PG2



C03PG3



0508PG



0511PG

TOPS:

High Pressure Laminate: HPL tops are 1³/₁₆" thick and feature a 3 ply balanced panel construction with PVC banded edges.

Veneer Tops: Veneer tops are 1³/₁₆" thick and feature a 3 ply balanced panel construction with hardwood edges.

Laminate Top Edges:

High Pressure Laminate (HPL) Tops: PVC edges with Ridge, Soft or Knife edge.

Veneer Top Edges: Wood edges with Ridge, Soft or Knife edge.

Tops with power selections have wire management included.

MATERIALS / FINISHES:

High Pressure Laminate (HPL) available in Harvest Maple, Flint, Loft, Shaker Cherry, Natural Maple, Mahogany, Pinnacle Walnut, Frosty White, Colombian Walnut, Lowell Ash, Natural Recon, Phantom Ecru, Portico Teak, Skyline Walnut, and Cafelle.

Veneer available in Cafelle, Lowell Ash, Mahogany, Shaker Cherry, Natural Maple, Harvest Maple, Skyline Walnut, Colombian Walnut, Pinnacle Walnut, White Salt, White Sun, White Smoke, Natural Recon, Phantom Ecru, Portico Teak, Grey Salt, Grey Sun, and Grey Smoke.

LEGS:


Available in Silver finish

Power or Standard

Wire Management

EXAMPLE: Paoli Strut HPL Top, 60" deep by 120" wide, rectangular, HPL Shaker Cherry finish, soft edge, both left & right cutout 4 port Ellora

P ST H 60 120 TT. LW7C. SO. P1PR6. B0508PG2



Strut Tables are offered with the following materials and finishes:

Finishes

HPL Tops

L1

C	HPL Harvest Maple
LM16	HPL Flint
LOFT	HPL Loft
LW7C	HPL Shaker Cherry
LWD	HPL Natural Maple
N	HPL Mahogany
PINC	HPL Pinnacle Walnut
WHIT	HPL Frosty White

L2 (\$)

LCM1	HPL Colombian Walnut
LLA1	HPL Lowell Ash
LNR1	HPL Natural Recon
LPE1	HPL Phantom Ecru
LPT1	HPL Portico Teak
LSW1	HPL Skyline Walnut

L3 (\$)

LWC	HPL Cafelle
-----	-------------

(\$ upcharges apply

L2 and L3 are the same

Veneer

V1

NC233	Cafelle
NC394	Lowell Ash
NC740	Mahogany
NC774	Shaker Cherry
NE867	Natural Maple
NE856	Harvest Maple
NT527	Skyline Walnut
NT639	Colombian Walnut
NT679	Pinnacle Walnut
SF190	White Salt Horizontal
SC191	White Sun Horizontal
SF192	White Smoke Horizontal
SF896	Natural Recon Horizontal
SE912	Phantom Ecru Horizontal
SE110	Portico Teak Horizontal
SG190	Grey Salt Horizontal
SG191	Grey Sun Horizontal
SG192	Grey Smoke Horizontal

Pricing Example:

L1 Top finish

Model	Base Price	L1 Top	L2 Top Upcharge	Final Pricing
PSTH6060RD	\$ 2104	\$ 0	\$ 0	\$ 2104

L2 Top finish

PSTH6060RD	\$ 2104	\$ 0	\$ 15	\$ 2119
------------	---------	------	-------	---------

Strut Tables are offered with the following edge details:



Ridge (RG)



Soft (SO)




Knife (KF) (\$)
 upcharges apply

Ridge Edge:

HPL has a 3mm PVC edge.


Veneer has a 2mm wood edge.



Soft Edge:

HPL has a 3mm PVC edge.


Veneer has a 2mm wood edge.




Knife Edge:

HPL has a 3mm PVC edge.


Veneer has a 2mm wood edge. The 1 3/8" cut back is painted black on HPL. Veneer and Premium Veneer edges are finished in the same color as the top.



Round



Square




Top Shapes and Sizes

Round & Square top sizes


depth width

	48"	54"	60"
48"	✓		
54"		✓	
60"			✓

Rectangle



Modern Rectangle



One piece top sizes

depth width

	72"	84"	96"
48"	✓	✓	✓
54"	✓	✓	✓
60"			✓

Two piece top sizes

depth width

	108"	120"	144"	168"
48"	✓	✓	✓	
54"	✓	✓	✓	✓
60"	✓	✓	✓	✓

Three piece top sizes

depth width

	192"	216"	240"
54"	✓	✓	✓
60"	✓	✓	✓

Wall Mounted Video




Video top sizes

depth width

	72"	96"
48"	✓	✓
54"		✓
60"		✓


Wood grain direction varies on table size and material. Please see below diagrams for reference.

One Piece Table Tops - Wood grain direction is the same for HPL and Veneer




Two Piece Table Tops - Wood grain direction varies

HPL




Veneer




Three Piece Table Tops - Wood grain direction varies

HPL



Veneer



Symbol  indicates grain direction.






table depth	table width	recommended minimum room size	seating capacity
48	48	11' 6" x 11' 6"	5 - 6
54	54	12' 0" x 12' 0"	6 - 7
60	60	13' 0" x 13' 0"	7 - 8



48" x 48" round table
6 chairs



60" x 60" round table
8 chairs







table depth	table width	recommended minimum room size	seating capacity
48	48	11' 6" x 11' 6"	4
54	54	12' 0" x 12' 0"	8
60	60	13' 0" x 13' 0"	8



48" x 48" square table
4 chairs




54" x 54" square table
8 chairs




60" x 60" square table
8 chairs

Table Size, Room Size & Seating Capacity




rectangle




modern rectangle


table depth	table width	recommended minimum room size	seating capacity
48	72	12' 0" x 13' 0"	4 - 6
48	84	12' 0" x 15' 0"	4 - 6
48	96	12' 0" x 16' 0"	6 - 8
54	72	13' 6" x 14' 0"	6 - 8
54	84	13' 6" x 15' 0"	6 - 8
54	96	13' 6" x 16' 0"	6 - 8
60	96	15' 0" x 14' 0"	6 - 8
48	108	12' 0" x 16' 0"	8 - 10
48	120	12' 0" x 17' 0"	10 - 12
54	108	13' 6" x 16' 0"	10 - 12
54	120	13' 6" x 17' 0"	10 - 12
54	144	13' 6" x 20' 0"	12 - 14
54	168	13' 6" x 23' 0"	12 - 14
60	108	15' 0" x 16' 0"	10 - 12
60	120	15' 0" x 17' 0"	12 - 14
60	144	15' 0" x 20' 0"	12 - 14
60	168	15' 0" x 23' 0"	12 - 14
54	192	13' 6" x 25' 0"	14 - 16
54	216	13' 6" x 27' 0"	16 - 18
54	240	13' 6" x 35' 0"	18 - 20
60	192	15' 0" x 25' 0"	14 - 16
60	216	15' 0" x 27' 0"	16 - 18
60	240	15' 0" x 35' 0"	16 - 20




48" x 144" rectangle table - 12 chairs




54" x 168" rectangle table - 14 chairs



54" x 192" rectangle table - 16 chairs




54" x 216" rectangle table - 18 chairs



60" x 240" rectangle table - 20 chairs


Table Size, Room Size & Seating Capacity




depth width

	72"	96"
48"	✓	✓
54"		✓
60"		✓


table depth	table width	recommended minimum room size	seating capacity
48	72	12' 0" x 13' 0"	5
48	96	12' 0" x 16' 0"	7
54	96	13' 6" x 16' 0"	7
60	96	15' 0" x 14' 0"	7



48" x 72" video table
5 chairs




54" x 96" video table
7 chairs



60" x 96" video table
7 chairs

Wall Mounted Tables

Cutout Locations



Round & Square

Table Tops	Depth	Depth/2
	A	A/2
PST_4848_ _	48	24
PST_5454_ _ *	54	27
PST_6060_ _ *	60	30

Notes:

- Cutout size is a 3" diameter, a 5" x 8" or a 5" x 11"
- Dimensions are to the center of the cutout location

* Rectangle cutout 5" x 8" (C0508PG1, C0508PG2) and 5" x 11" (C0511PG1, C0511PG2) only available on 54" & 60" tables

Cutout Locations




Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PST_4872__	48	24	72	36	29
PST_4884__	48	24	84	42	36
PST_4896__	48	24	96	48	36
PST_5472__	54	27	72	36	29
PST_5484__	54	27	84	42	36
PST_5496__	54	27	96	48	36
PST_6096__	60	30	96	48	36

Notes:

- Cutout sizes will vary to match separately specified power units (5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

Cutout Locations




Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PST_48108__	48	24	108	54	36
PST_48120__	48	24	120	60	36
PST_48144__	48	24	144	72	36
PST_54108__	54	27	108	54	36
PST_54120__	54	27	120	60	36
PST_54144__	54	27	144	72	36
PST_54168__	54	27	168	84	36
PST_60108__	60	30	108	54	36
PST_60120__	60	30	120	60	36
PST_60144__	60	30	144	72	36
PST_60168__	60	30	168	84	36

Notes:

- Cutout sizes will vary to match separately specified power units (5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

Cutout Locations




Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PST_54192__	54	27	192	96	36
PST_54216__	54	27	216	108	36
PST_54240__	54	27	240	120	36
PST_60192__	60	30	192	96	36
PST_60216__	60	30	216	108	36
PST_60240__	60	30	240	120	36

Notes:

- Cutout sizes will vary to match separately specified power units (5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

Power Receptacle: 120 volt receptacle

Dual USB: 2 Amp (1 per port)

HDMI: Connects to HD displays

Open Data: Allows for HDMI, USB, VGA, Cat5, Cat6, and RJ11. (Each sold separately, see page ST32.)


C03

Power Grommets - 3" diameter cutout size*




C03PG1

2 Power Receptacles




C03PG2

1 Power Receptacle
1 Dual USB Charging




C03PG3

1 Power Receptacle
1 Open Data Port





_0508

4 Data Ports - 5" x 8" cutout size*




_0508PG1

2 Power Receptacles
2 Open Data Ports




_0508PG2

2 Power Receptacles
1 Dual USB Charging
1 Open Data Port





_0511

6 Data Ports - 5" x 11" cutout size*



_0511PG1

3 Power Receptacles
3 Open Data Ports



_0511PG2

3 Power Receptacles
1 Dual USB Charging
2 Open Data Ports




Notes:

- 1 cutout with power grommet has 120" Cord
- 2 or 3 cutouts with power grommet has IQ Interlink


*Cutout size (not bezel of power units)

V Top 2 Legs - Glide Locations




Top Size / Shape	A	B
PST_4872VT	63	20½
PST_4896VT	87	21
PST_5496VT	87	25
PST_6096VT	87	25


4 Legs - Glide Locations




Round



Square



Modern
Rectangle




Rectangle


Top Size / Shape	A	B
PST_4248RD	22½	
PST_5454RD	26½	
PST_6060RD	31	
PST_4248SQ	34	
PST_5454SQ	40	
PST_6060SQ	46	
PST_4872TT	58	34
PST_4884TT	70	34
PST_4896TT	82	34
PST_5472TT	58	40
PST_5484TT	70	40
PST_5496TT	82	40
PST_6096TT	82	46
PST_4872MR	48	27
PST_4884MR	60	27
PST_4896MR	72	27
PST_5472MR	48	33
PST_5484MR	60	33
PST_5496MR	72	33
PST_6096MR	72	39

6 Legs - Glide Locations

Modern
Rectangle




Rectangle




Top Size / Shape	A	B	C	D
PKST_48108MR	84	27	33½	42
PKST_48120MR	96	27	33½	48
PKST_48144MR	120	27	33½	60
PKST_54108MR	84	33	39	42
PKST_54120MR	96	33	39	48
PKST_54144MR	120	33	39	60
PKST_54168MR	144	33	39	72
PKST_60108MR	84	39	45½	42
PKST_60120MR	96	39	45½	48
PKST_60144MR	119	39	45½	59½
PKST_60168MR	143	39	45½	71½
PKST_48108TT	94	34	33½	47
PKST_48120TT	106	34	33½	53
PKST_48144TT	130	34	33½	65
PKST_54108TT	94	40	39½	47
PKST_54120TT	106	40	39½	53
PKST_54144TT	130	40	39½	65
PKST_54168TT	154	40	39½	77
PKST_60108TT	93½	46	45½	47
PKST_60120TT	105½	46	45½	53
PKST_60144TT	129½	46	45½	64½
PKST_60168TT	153½	46	45½	76½

8 Legs - Glide Locations

Modern
Rectangle



Rectangle





Top Size / Shape	A	B	C	D	E
PST_54192MR	168	33	38	72	48
PST_54216MR	192	32½	38½	72	60
PST_54240MR	216	32½	38½	72	72
PST_60192MR	168	39	43½	72	48
PST_60216MR	192	38	44	72	60
PST_60240MR	216	38	44	72	72
PST_54192TT	178	40	39½	72	53
PST_54216TT	202	40	39½	72	65
PST_54240TT	226	40	39½	72	77
PST_60192TT	178	46	45	72	53
PST_60216TT	202	46	45	72	65
PST_60240TT	226	46	45	72	77

Round & Square Tables



Reference Pages

Cutout page ST11
Grain Direction page ST7
Grommets page ST15

Grain direction



Cutout locations



Center

Center

Edge Options



Ridge (RG)



Soft (SO)




Knife (KF) (\$)

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
---------	---------	---------	--------------	-------	-------	--------

Round Conference Tables



PST_6060RD	\$ 2104	\$ 2119	\$ 2620	60	60	29½
PST_5454RD	\$ 1928	\$ 1940	\$ 2378	54	54	29½
PST_4848RD	\$ 1708	\$ 1717	\$ 2120	48	48	29½

Cutout options

PST_6060RD & PST_5454RD: Center (C03PG1, C03PG2, C03PG3, C0508PG1, C0508PG2, C0511PG1, C0511PG2) or None (N)

PST_4848RD: Center (C03PG1, C03PG2, C03PG3) or None (N)

Specify Material & Finish/Edge/Base/Grommet

Square Conference Tables



PST_6060SQ	\$ 2104	\$ 2119	\$ 2620	60	60	29½
PST_5454SQ	\$ 1928	\$ 1940	\$ 2378	54	54	29½
PST_4848SQ	\$ 1708	\$ 1717	\$ 2120	48	48	29½

Cutout options

PST_6060SQ & PST_5454SQ: Center (C03PG1, C03PG2, C03PG3, C0508PG1, C0508PG2, C0511PG1, C0511PG2) or None (N)

PST_4848SQ: Center (C03PG1, C03PG2, C03PG3) or None (N)

Specify Material & Finish/Edge/Base/Grommet

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$100	Base Standard (STD) Powered (P1) \$250 suboption Silver (PR6)	Cutout/Grommet Center Cutout 2 Power Node (C03PG1) \$173 Center Cutout 1 Power Node, 2 USB Node (C03PG2) \$321 Center Cutout 1 Power Node, 1 Open Data Node (C03PG3) \$170 Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$345 Center Cutout 4 Port Ellora (C0508PG2) \$445 Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$365 Center Cutout 6 Port Ellora (C0511PG2) \$465 No Cutout (N)
PSTH6060SQ.	LW7C.	SO.	STDPR6.	N

Options with upcharges

Designator	Description	Table Sizes		
		48"W	54"W	60"W
C03PG1	Center Cutout 2 Power Node	\$173	\$173	\$173
C03PG2	Center Cutout 1 Power 2 USB Node	\$321	\$321	\$321
C03PG3	Center Cutout 1 Power 1 Open Data Node	\$170	\$170	\$170
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	n/a	\$345	\$345
C0508PG2	Center Cutout 4 Port Ellora	n/a	\$445	\$445
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	n/a	\$365	\$365
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	n/a	\$465	\$465

Rectangle Tables

Reference Pages

Cutout page ST12
Grain Direction page ST7
Grommets page ST15

Edge Options

 Ridge (RG)  Soft (SO)  Knife (KF) (\$)

Veneer grain direction



Cutout locations



Both Left & Right

HPL grain direction



Center

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
Rectangle 1 piece Conference Tables							
	PST_6096TT	\$ 2650	\$ 2673	\$ 4750	60	96	29½
	PST_5496TT	\$ 2600	\$ 2622	\$ 3600	54	96	29½
	PST_5484TT	\$ 2500	\$ 2521	\$ 3476	54	84	29½
	PST_5472TT	\$ 2450	\$ 2470	\$ 3250	54	72	29½
	PST_4896TT	\$ 2500	\$ 2521	\$ 3400	48	96	29½
	PST_4884TT	\$ 2450	\$ 2470	\$ 3250	48	84	29½
	PST_4872TT	\$ 2366	\$ 2385	\$ 3150	48	72	29½
Cutout options PST_5484TT, PST_5472TT, PST_4884TT, PST_4872TT: Center (C03PG1, C03PG2, C03PG3, C0508PG1, C0508PG2, C0511PG1, or C0511PG2) or None (N) PST_6096TT, PST_5496TT, PST_4896TT: Center (C0508PG1, C0508PG2, C0511PG1 or C0511PG2), Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2) or None (N)							
Specify Material & Finish/Edge/Base/Grommet							

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$100	Base Standard (STD) Powered (P1) \$355 suboption Silver (PR6)	Cutout/Grommet
				Center Cutout 2 Power Node (C03PG1) \$173 Center Cutout 1 Power Node, 2 USB Node (C03PG2) \$321 Center Cutout 1 Power Node, 1 Open Data Node (C03PG3) \$170 Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374 Center Cutout 4 Port Ellora (C0508PG2) \$474 Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428 Center Cutout 6 Port Ellora (C0511PG2) \$528 Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842 Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942 Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896 Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996 No Cutout (N) suboption Standard (S) Hardwired (H)

PSTH6096TT. LW7C. SO. STDPR6. N

Options with upcharges

Designator	Description	Table Sizes		
		72"W	84"W	96"W
C03PG1	Center Cutout 2 Power Node	\$173	\$173	n/a
C03PG2	Center Cutout 1 Power 2 USB Node	\$321	\$321	n/a
C03PG3	Center Cutout 1 Power 1 Open Data Node	\$170	\$170	n/a
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	n/a	n/a	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	n/a	n/a	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	n/a	n/a	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	n/a	n/a	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	n/a	n/a	\$996

Rectangle Tables

Reference Pages

Cutout page ST13
Grain Direction page ST7
Grommets page ST15



Veneer grain direction



HPL grain direction



Cutout locations



Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)


Both Left & Right

Center

All

SIN # 711-9

Rectangle 2 piece Conference Tables



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PST_60168TT	\$ 4102	\$ 4138	\$ 6802	60	168	29½
PST_60144TT	\$ 3958	\$ 3992	\$ 6000	60	144	29½
PST_60120TT	\$ 3792	\$ 3824	\$ 5652	60	120	29½
PST_60108TT	\$ 3702	\$ 3732	\$ 5490	60	108	29½
PST_54168TT	\$ 4002	\$ 4038	\$ 5982	54	168	29½
PST_54144TT	\$ 3852	\$ 3884	\$ 5784	54	144	29½
PST_54120TT	\$ 3750	\$ 3782	\$ 5614	54	120	29½
PST_54108TT	\$ 3672	\$ 3702	\$ 5452	54	108	29½
PST_48144TT	\$ 3795	\$ 3835	\$ 4552	48	144	29½
PST_48120TT	\$ 3655	\$ 3693	\$ 4326	48	120	29½
PST_48108TT	\$ 3552	\$ 3580	\$ 4200	48	108	29½

Cutout options

PST_60168TT, PST_60144TT, PST_60120TT, PST_54168TT, PST_54144TT, PST_54120TT, PST_48144TT, PST_48120TT: Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1 or C0511PG2), All (A0508PG1, A0508PG2, A0511PG1 or A0511PG2) or None (N)

PST_60108TT, PST_54108TT, PST_48108TT: Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1, or C0511PG2) or None (N)

Specify Material & Finish/Edge/Base/Grommet

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model

Material

& Finish
(see page ST4)

Edge

Ridge (RG)

Soft (SO)

Knife (KF) \$200

Base

Standard (STD)

Powered (P1) \$550

suboption

Silver (PR6)

Cutout/Grommet

Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374

Center Cutout 4 Port Ellora (C0508PG2) \$474

Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428

Center Cutout 6 Port Ellora (C0511PG2) \$528

Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842

Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942

Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896

Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996

Left, Right & Center Cutout 4 Port Ellora, 2 Open Data (A0508PG1) \$1066

Left, Right & Center Cutout 4 Port Ellora (A0508PG2) \$1266

Left, Right & Center Cutout 6 Port Ellora, 3 Open Data (A0511PG1) \$1384

Left, Right & Center Cutout 6 Port Ellora (A0511PG2) \$1584

No Cutout (N)

suboption

Standard (S)

Hardwired (H)

PSTH60168TT. LW7C. SO. P1PR6. N

Options with upcharges

Designator	Description	Table Sizes			
		108"W	120"W	144"W	168"W
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	\$842	\$842	\$842	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	\$942	\$942	\$942	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	\$896	\$896	\$896	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	\$996	\$996	\$996	\$996
A0508PG1	Left, Right and Center Cutout 4 Port Ellora 2 Open Data Nodes				
	48"	n/a	\$1066	\$1066	\$1066
	54"	n/a	\$1066	\$1066	\$1066
	60"	n/a	\$1066	\$1066	\$1066
A0508PG2	Left, Right and Center Cutout 4 Port Ellora				
	48"	n/a	\$1266	\$1266	\$1266
	54"	n/a	\$1266	\$1266	\$1266
	60"	n/a	\$1266	\$1266	\$1266
A0511PG1	Left, Right and Center Cutout 6 Port Ellora 3 Open Data Nodes				
	48"	n/a	\$1384	\$1384	\$1384
	54"	n/a	\$1384	\$1384	\$1384
	60"	n/a	\$1384	\$1384	\$1384
A0511PG2	Left, Right and Center Cutout 6 Port Ellora				
	48"	n/a	\$1584	\$1584	\$1584
	54"	n/a	\$1584	\$1584	\$1584
	60"	n/a	\$1584	\$1584	\$1584

Rectangle Tables

Reference Pages

Cutout page ST14
Grain Direction page ST7
Grommets page ST15

Veneer grain direction




HPL grain direction



Cutout locations



Both Left & Right



Center



All

Edge Options



Ridge (RG)




Soft (SO)



Knife (KF) (\$)

SIN # 711-9

Rectangle 3 piece Conference Tables



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PST_60240TT	\$ 5652	\$ 5703	\$ 7400	60	240	29½
PST_60216TT	\$ 5452	\$ 5500	\$ 7148	60	216	29½
PST_60192TT	\$ 5252	\$ 5297	\$ 6880	60	192	29½
PST_54240TT	\$ 5420	\$ 5469	\$ 7252	54	240	29½
PST_54216TT	\$ 5280	\$ 5325	\$ 7052	54	216	29½
PST_54192TT	\$ 5124	\$ 5169	\$ 6852	54	192	29½

Cutout options

Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1, or C0511PG2), All (A0508PG1, A0508PG2, A0511PG1 or A0511PG2) or None (N)

Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.

Specify Material & Finish/Edge/Base/Grommet

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$300	Base Standard (STD) Powered (P1) (see table) suboption Silver (PR6)	Cutout/Grommet
PSTH60240TT.	LW7C.	SO.	P1PR6.	N

Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) **\$374**
Center Cutout 4 Port Ellora (C0508PG2) **\$474**
Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) **\$428**
Center Cutout 6 Port Ellora (C0511PG2) **\$528**
Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) **\$842**
Both Left & Right Cutout 4 Port Ellora (B0508PG2) **\$942**
Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) **\$896**
Both Left & Right Cutout 6 Port Ellora (B0511PG2) **\$996**
Left, Right & Center Cutout 4 Port Ellora, 2 Open Data (A0508PG1) **\$1066**
Left, Right & Center Cutout 4 Port Ellora (A0508PG2) **\$1266**
Left, Right & Center Cutout 6 Port Ellora, 3 Open Data (A0511PG1) **\$1384**
Left, Right & Center Cutout 6 Port Ellora (A0511PG2) **\$1584**
No Cutout (N)
suboption
Standard (S)
Hardwired (H)

Options with upcharges

Designator	Description	Table Sizes		
		192"W	216"W	240"W
P1	Powered Base	\$975	\$1200	\$1200
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	\$842	\$842	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	\$942	\$942	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	\$896	\$896	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	\$996	\$996	\$996
A0508PG1	Left, Right and Center Cutout 4 Port Ellora 2 Open Data Nodes	\$1066	\$1066	\$1066
A0508PG2	Left, Right and Center Cutout 4 Port Ellora	\$1266	\$1266	\$1266
A0511PG1	Left, Right and Center Cutout 4 Port Ellora 3 Open Data Nodes	\$1384	\$1384	\$1384
A0511PG2	Left, Right and Center Cutout 4 Port Ellora	\$1584	\$1584	\$1584

Modern Rectangle Tables

Reference Pages

Cutout page ST12
Grain Direction page ST7
Grommets page ST15

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

Veneer grain direction



Cutout locations




Both Left & Right

HPL grain direction



Center

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
Modern Rectangle 1 piece Conference Tables							
	PST_6096MR	\$ 2730	\$ 2754	\$ 4892	60	96	29½
	PST_5496MR	\$ 2678	\$ 2702	\$ 3708	54	96	29½
	PST_5484MR	\$ 2575	\$ 2597	\$ 3580	54	84	29½
	PST_5472MR	\$ 2524	\$ 2545	\$ 3348	54	72	29½
	PST_4896MR	\$ 2575	\$ 2596	\$ 3502	48	96	29½
	PST_4884MR	\$ 2524	\$ 2545	\$ 3348	48	84	29½
	PST_4872MR	\$ 2437	\$ 2457	\$ 3245	48	72	29½
Cutout options PST_5484MR, PST_5472MR, PST_4884MR, PST_4872MR: Center (C03PG1, C03PG2, C03PG3, C0508PG1, C0508PG2, C0511PG1, or C0511PG2) or None (N) PST_6096MR, PST_5496MR, PST_4896MR: Center (C0508PG1, C0508PG2, C0511PG1 or C0511PG2), Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2) or None (N)							
Specify Material & Finish/Edge/Base/Grommet							

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model

Material & Finish

(see page ST4)

Edge

Ridge (RG)

Soft (SO)

Knife (KF) \$100

Base

Standard (STD)

Powered (P1) \$355

suboption

Silver (PR6)

Cutout/Grommet

Center Cutout 2 Power Node (C03PG1) \$173

Center Cutout 1 Power Node, 2 USB Node (C03PG2) \$321

Center Cutout 1 Power Node, 1 Open Data Node (C03PG3) \$170

Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374

Center Cutout 4 Port Ellora (C0508PG2) \$474

Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428

Center Cutout 6 Port Ellora (C0511PG2) \$528

Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842

Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942

Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896

Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996

No Cutout (N)

suboption

Standard (S)

Hardwired (H)

PSTH5496MR. LW7C. SO. P1PR6. N

Options with upcharges

Designator	Description	Table Sizes		
		72"W	84"W	96"W
C03PG1	Center Cutout 2 Power Node	\$173	\$173	n/a
C03PG2	Center Cutout 1 Power 2 USB Node	\$321	\$321	n/a
C03PG3	Center Cutout 1 Power 1 Open Data Node	\$170	\$170	n/a
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	n/a	n/a	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	n/a	n/a	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	n/a	n/a	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	n/a	n/a	\$996

Modern Rectangle Tables

Reference Pages

Cutout page ST13
Grain Direction page ST7
Grommets page ST15

Edge Options



Ridge (RG)




Soft (SO)



Knife (KF) (\$)


Veneer grain direction




HPL grain direction




Cutout locations



Both Left & Right



Center



All

SIN # 711-9

Modern Rectangle 2 piece Conference Tables



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PST_60168MR	\$ 4224	\$ 4262	\$ 7004	60	168	29½
PST_60144MR	\$ 4076	\$ 4112	\$ 6180	60	144	29½
PST_60120MR	\$ 3906	\$ 3939	\$ 5824	60	120	29½
PST_60108MR	\$ 3814	\$ 3846	\$ 5656	60	108	29½
PST_54168MR	\$ 4122	\$ 4158	\$ 6162	54	168	29½
PST_54144MR	\$ 3968	\$ 4002	\$ 5958	54	144	29½
PST_54120MR	\$ 3864	\$ 3898	\$ 5782	54	120	29½
PST_54108MR	\$ 3782	\$ 3814	\$ 5616	54	108	29½
PST_48144MR	\$ 3912	\$ 3946	\$ 4688	48	144	29½
PST_48120MR	\$ 3764	\$ 3795	\$ 4456	48	120	29½
PST_48108MR	\$ 3658	\$ 3688	\$ 4326	48	108	29½

Cutout options

PST_60168MR, PST_60144MR, PST_60120MR, PST_54168MR, PST_54144MR, PST_54120MR, PST_48144MR, PST_48120MR: Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1 or C0511PG2), All (A0508PG1, A0508PG2, A0511PG1 or A0511PG2) or None (N)
PST_60108MR, PST_54108MR, PST_48108MR: Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1, or C0511PG2) or None (N)

Specify Material & Finish/Edge/Base/Grommet

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$200	Base Standard (STD) Powered (P1) \$550 suboption Silver (PR6)	Cutout/Grommet
				Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374
				Center Cutout 4 Port Ellora (C0508PG2) \$474
				Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428
				Center Cutout 6 Port Ellora (C0511PG2) \$528
				Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842
				Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942
				Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896
				Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996
				Left, Right & Center Cutout 4 Port Ellora, 2 Open Data (A0508PG1) \$1066
				Left, Right & Center Cutout 4 Port Ellora (A0508PG2) \$1266
				Left, Right & Center Cutout 6 Port Ellora, 3 Open Data (A0511PG1) \$1384
				Left, Right & Center Cutout 6 Port Ellora (A0511PG2) \$1584
				No Cutout (N)
				suboption
				Standard (S)
				Hardwired (H)

PSTH60168MR. LW7C.

SO.

P1PR6.

N

Options with upcharges

Designator	Description	Table Sizes			
		108"W	120"W	144"W	168"W
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	\$842	\$842	\$842	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	\$942	\$942	\$942	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	\$896	\$896	\$896	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	\$996	\$996	\$996	\$996
A0508PG1	Left, Right and Center Cutout 4 Port Ellora 2 Open Data Nodes				
	48"	n/a	\$1066	\$1066	n/a
	54"	n/a	\$1066	\$1066	\$1066
	60"	n/a	\$1066	\$1066	\$1066
A0508PG2	Left, Right and Center Cutout 4 Port Ellora				
	48"	n/a	\$1266	\$1266	n/a
	54"	n/a	\$1266	\$1266	\$1266
	60"	n/a	\$1266	\$1266	\$1266
A0511PG1	Left, Right and Center Cutout 6 Port Ellora 3 Open Data Nodes				
	48"	n/a	\$1384	\$1384	n/a
	54"	n/a	\$1384	\$1384	\$1384
	60"	n/a	\$1384	\$1384	\$1384
A0511PG2	Left, Right and Center Cutout 6 Port Ellora				
	48"	n/a	\$1584	\$1584	n/a
	54"	n/a	\$1584	\$1584	\$1584
	60"	n/a	\$1584	\$1584	\$1584

Modern Rectangle Tables

Reference Pages

Cutout page ST14
Grain Direction page ST7
Grommets page ST15

Veneer grain direction




HPL grain direction



Cutout locations



Both Left & Right



Center



All

Edge Options



Ridge (RG)



Soft (SO)




Knife (KF) (\$)

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
---------	---------	---------	--------------	-------	-------	--------

Modern Rectangle 3 piece Conference Tables



PST_60240MR	\$ 5822	\$ 5876	\$ 7622	60	240	29½
PST_60216MR	\$ 5616	\$ 5667	\$ 7364	60	216	29½
PST_60192MR	\$ 5410	\$ 5458	\$ 7088	60	192	29½
PST_54240MR	\$ 5583	\$ 5634	\$ 7468	54	240	29½
PST_54216MR	\$ 5438	\$ 5486	\$ 7264	54	216	29½
PST_54192MR	\$ 5278	\$ 5323	\$ 7058	54	192	29½

Cutout options

Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1, or C0511PG2), All (A0508PG1, A0508PG2, A0511PG1 or A0511PG2) or None (N)

Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.

Specify Material & Finish/Edge/Base/Grommet

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$300	Base Standard (STD) Powered (P1) (see table) suboption Silver (PR6)	Cutout/Grommet
				Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374
				Center Cutout 4 Port Ellora (C0508PG2) \$474
				Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428
				Center Cutout 6 Port Ellora (C0511PG2) \$528
				Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842
				Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942
				Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896
				Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996
				Left, Right & Center Cutout 4 Port Ellora, 2 Open Data (A0508PG1) \$1066
				Left, Right & Center Cutout 4 Port Ellora (A0508PG2) \$1266
				Left, Right & Center Cutout 6 Port Ellora, 3 Open Data (A0511PG1) \$1384
				Left, Right & Center Cutout 6 Port Ellora (A0511PG2) \$1584
				No Cutout (N)
				suboption
				Standard (S)
				Hardwired (H)

PSTH60240MR. LW7C.

SO.

STDPR6.

N

Options with upcharges

Designator	Description	Table Sizes		
		192"W	216"W	240"W
P1	Powered Base	\$975	\$1200	\$1200
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora 2 Open Data Nodes	\$842	\$842	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	\$942	\$942	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora 3 Open Data Nodes	\$896	\$896	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	\$996	\$996	\$996
A0508PG1	Left, Right and Center Cutout 4 Port Ellora 2 Open Data Nodes	\$1066	\$1066	\$1066
A0508PG2	Left, Right and Center Cutout 4 Port Ellora	\$1266	\$1266	\$1266
A0511PG1	Left, Right and Center Cutout 4 Port Ellora 3 Open Data Nodes	\$1384	\$1384	\$1384
A0511PG2	Left, Right and Center Cutout 4 Port Ellora	\$1584	\$1584	\$1584

Wall Mounted Video Tables

Reference Pages

Grain Direction page ST7
Grommets page ST15

Edge Options



Ridge (RG)




Soft (SO)




Knife (KF) (\$)


Veneer grain direction




HPL grain direction



Cutout locations




Left, Right or Both



Center

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
Wall Mounted Video 1 piece Conference Tables						
 PST_6096VT	\$ 3306	\$ 3347	\$ 4160	60	96	29½
PST_5496VT	\$ 2660	\$ 2692	\$ 3662	54	96	29½
PST_4896VT	\$ 2438	\$ 2466	\$ 3500	48	96	29½
PST_4872VT	\$ 2266	\$ 2292	\$ 3062	48	72	29½
Cutout options Left (L0508PG1, L0508PG2, L0511PG1 or L0511PG2), Right (R0508PG1, R0508PG2, R0511PG1 or R0511PG2), Both (B0508PG1, B0508PG2, B0511PG1 or B0511PG2), Center (C0508PG1, C0508PG2, C0511PG1, or C0511PG2) or None (N)						
Brackets included						
Specify Material & Finish/Edge/Base/Grommet						

Specify selections, left to right (options & upcharges vary depending on base model):






Base Model	Material & Finish (see page ST4)	Edge Ridge (RG) Soft (SO) Knife (KF) \$100	Base Standard (STD) Powered (P1) \$425 (suboption Silver (PR6)	Cutout/Grommet
				Center Cutout 4 Port Ellora, 2 Open Data Nodes (C0508PG1) \$374
				Center Cutout 4 Port Ellora (C0508PG2) \$474
				Center Cutout 6 Port Ellora, 3 Open Data Nodes (C0511PG1) \$428
				Center Cutout 6 Port Ellora (C0511PG2) \$528
				Left Cutout 4 Port Ellora (L0508PG1) \$374
				Left Cutout 4 Port Ellora (L0508PG2) \$474
				Left Cutout 6 Port Ellora (L0511PG1) \$428
				Left Cutout 6 Port Ellora (L0511PG2) \$528
				Right Cutout 4 Port Ellora (R0508PG1) \$374
				Right Cutout 4 Port Ellora (R0508PG2) \$474
				Right Cutout 6 Port Ellora (R0511PG1) \$428
				Right Cutout 6 Port Ellora (R0511PG2) \$528
				Both Left & Right Cutout 4 Port Ellora, 2 Open Data (B0508PG1) \$842
				Both Left & Right Cutout 4 Port Ellora (B0508PG2) \$942
				Both Left & Right Cutout 6 Port Ellora, 3 Open Data (B0511PG1) \$896
				Both Left & Right Cutout 6 Port Ellora (B0511PG2) \$996
				No Cutout (N) suboption Standard (S) Hardwired (H)

PSTH6096VT. LW7C. SO. P1PR6. N

Options with upcharges

Designator	Description	Table Sizes	
		72"W	96"W
C0508PG1	Center Cutout 4 Port Ellora 2 Open Data Nodes	\$374	\$374
C0508PG2	Center Cutout 4 Port Ellora	\$474	\$474
C0511PG1	Center Cutout 6 Port Ellora 3 Open Data Nodes	\$428	\$428
C0511PG2	Center Cutout 6 Port Ellora 2 Open Data Nodes	\$528	\$528
L0508PG1	Left Cutout 4 Port Ellora	\$374	\$374
L0508PG2	Left Cutout 4 Port Ellora	\$474	\$474
L0511PG1	Left Cutout 6 Port Ellora	\$428	\$428
L0511PG2	Left Cutout 6 Port Ellora	\$528	\$528
R0508PG1	Right Cutout 4 Port Ellora	\$374	\$374
R0508PG2	Right Cutout 4 Port Ellora	\$474	\$474
R0511PG1	Right Cutout 6 Port Ellora	\$428	\$428
R0511PG2	Right Cutout 6 Port Ellora	\$528	\$528
B0508PG1	Both Left and Right Cutout 4 Port Ellora	\$842	\$842
B0508PG2	Both Left and Right Cutout 4 Port Ellora	\$942	\$942
B0511PG1	Both Left and Right Cutout 6 Port Ellora	\$896	\$896
B0511PG2	Both Left and Right Cutout 6 Port Ellora	\$996	\$996

SIN # 711-2

	Model #	List Price	depth	width	height
	PX01HDMI	\$ 70			
	HDMI Connector				
	Specify Insert Finish				
	PX01VGA	\$ 75			
	VGA Connector				
	Specify Insert Finish				
	PX01USB	\$ 85			
	Retrofit USB				
	Specify Insert Finish				
	PX01Cat5	\$ 50			
	RJ45 Cat5				
	Specify Insert Finish				
	PX01Cat6	\$ 70			
	RJ45 Cat6				
	Specify Insert Finish				
	PX01RJ11	\$ 20			
	RJ11				
	Specify Insert Finish				

Specify selections, left to right:
Base Model

Insert
Finish
Black (BL)
White (WH)


PX01HDMI.

BL

When ordering a Universal Table, you will specify three (3) line items: Top, Technology & Base

1. Select top (see page UN4 for how to specify)

Round



Square



Rectangle



Racetrack



Modern Rectangle



Boat




Video




2. Select technology cutouts and power data units (see page UN16 for more information)



Left, Right or Both




Center




All



PX03




PX0508




PX0511

3. Select base (see page UN33 for how to specify)

***Single* (Round or Square tops only)**




Square Base



Drum Base




X Base




Disc Base


Kits




Rectangle
Base Kit




Square
Base Kit



Drum
Base Kit



T Leg
Base Kit



Disc
Base Kit

TABLE OF CONTENTS

Tops

Table Top General Information	UN3
How to Specify Table Tops	UN4
Materials & Finishes	UN5
Edges.....	UN6
Top Shapes and Sizes	UN7
Surface Material Grain Direction	UN8
Table Size, Room Size & Seating Capacity	UN9
Cutout Locations.....	UN12
Technology.....	UN16

Top Product Pages

Round Tops	UN17
Square Tops	UN17
Rectangle Tops	UN18
Modern Rectangle Tops.....	UN21
Boat Tops	UN24
Racetrack Tops	UN27
Video Tops.....	UN30

Bases

Base General Information.....	UN32
How to Specify Bases	UN33
Materials & Finishes	UN34

Base Details

Rectangle Bases.....	UN35
Square Bases.....	UN36
Drum Bases.....	UN37
T Leg Bases	UN38
X Leg Bases.....	UN39
Disc Bases	UN40

Base Placement Information

Rectangle Bases.....	UN41
Square Bases.....	UN45
Drum Bases.....	UN45
T Leg Bases	UN50
X Leg Bases.....	UN55
Disc Bases	UN55
V-Top Rectangle Bases	UN59
V-Top Square Bases	UN61
V-Top Drum Bases.....	UN63
V-Top T Leg Bases	UN65
V-Top Disc Bases	UN67
V-Top Wall Mount Rectangle Bases	UN69
V-Top Wall Mount Square Bases	UN70
V-Top Wall Mount Drum Bases	UN72
V-Top Wall Mount Disc Bases.....	UN74
V-Top Wall Mount T Leg Bases.....	UN75

Wiring

Base Product Pages

Rectangle Bases.....	UN78
Square Bases.....	UN81, UN82, UN83, UN85
Standing Height Square Bases.....	UN81, UN82, UN84, UN86
Drum Bases.....	UN87
T Leg Bases	UN91
X Leg Bases.....	UN95
Standing Height X Bases	UN95
Disc Bases	UN96, UN97, UN99, UN100
Standing Height Disc Bases	UN96, UN98, UN99, UN100
V-Top Rectangle Bases	UN101
V-Top Square Bases	UN103
V-Top Drum Bases.....	UN105
V-Top T Leg Bases	UN107
V-Top Disc Bases	UN109
V-Top Wall Mount Rectangle Bases	UN111
V-Top Wall Mount Square Bases	UN112
V-Top Wall Mount Drum Bases	UN114
V-Top Wall Mount Disc Bases.....	UN116
V-Top Wall Mount T Leg Bases.....	UN117
Wiring Examples.....	UN118

Technology

Technology Product Pages	UN119
--------------------------------	-------

TOPS:

High Pressure Laminate: HPL tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with PVC banded edges.

Veneer Tops: Veneer tops are 1 $\frac{3}{16}$ " thick and feature a 3 ply balanced panel construction with hardwood edges.

Laminate Top Edges:

High Pressure Laminate (HPL) Tops: PVC edges with Ridge, Soft or Knife edge.

Veneer Top Edges: Wood edges with Ridge, Soft or Knife edge.

MATERIALS / FINISHES:

High Pressure Laminate (HPL) available in Harvest Maple, Flint, Loft, Shaker Cherry, Natural Maple, Mahogany, Pinnacle Walnut, Frosty White, Colombian Walnut, Lowell Ash, Natural Recon, Phantom Ecru, Portico Teak, Skyline Walnut, and Cafelle.

Veneer available in Cafelle, Lowell Ash, Mahogany, Shaker Cherry, Natural Maple, Harvest Maple, Skyline Walnut, Colombian Walnut, Pinnacle Walnut, White Salt, White Sun, White Smoke, Natural Recon, Phantom Ecru, Portico Teak, Grey Salt, Grey Sun, and Grey Smoke.


TOP SUPPORT:

Maximum unsupported span should NOT exceed 48". Base kits include all necessary supports needed for tops. Make sure to order the appropriate base kit, that corresponds with your top size.

How To Specify Table Tops

EXAMPLE: Paoli Universal HPL Top, 36" deep by 72" wide, Rectangular, HPL Shaker Cherry finish, Ridge edge, Right cutout with a 5" x 8" cutout

P U H 36 72 TT. LW7C. RG. R PX0508



Universal Tables are offered with the following materials and finishes:

Finishes

HPL Tops

L1

C	HPL Harvest Maple
LM16	HPL Flint
LOFT	HPL Loft
LW7C	HPL Shaker Cherry
LWD	HPL Natural Maple
N	HPL Mahogany
PINC	HPL Pinnacle Walnut
WHIT	HPL Frosty White

L2 (\$)

LCM1	HPL Colombian Walnut
LLA1	HPL Lowell Ash
LNR1	HPL Natural Recon
LPE1	HPL Phantom Ecru
LPT1	HPL Portico Teak
LSW1	HPL Skyline Walnut

L3 (\$)

LWC	HPL Cafelle
-----	-------------

(\$ upcharges apply

L2 and L3 are the same

Veneer

V1

NC233	Cafelle
NC394	Lowell Ash
NC740	Mahogany
NC774	Shaker Cherry
NE867	Natural Maple
NE856	Harvest Maple
NT527	Skyline Walnut
NT639	Colombian Walnut
NT679	Pinnacle Walnut
SF190	White Salt Horizontal
SC191	White Sun Horizontal
SF192	White Smoke Horizontal
SF896	Natural Recon Horizontal
SE912	Phantom Ecru Horizontal
SE110	Portico Teak Horizontal
SG190	Grey Salt Horizontal
SG191	Grey Sun Horizontal
SG192	Grey Smoke Horizontal

Pricing Example:

L1 Top finish

Model	Base Price	L1 Top	L2 Top Upcharge	Final Pricing
PUH6060RD	\$ 882	\$ 0	\$ 0	\$ 882

L2 Top finish


PUH6060RD	\$ 882	\$ 0	\$ 13	\$ 895
-----------	--------	------	-------	--------

Edges

Universal Tables are offered with the following edge details:



Ridge (RG)




Soft (SO)



Knife (KF) (\$) upcharges apply


Ridge Edge:

HPL has a 3mm PVC edge.
Veneer has a 2mm wood edge.




Soft Edge:

HPL has a 3mm PVC edge.
Veneer has a 2mm wood edge.




Knife Edge:

HPL has a 3mm PVC edge.
Veneer has a 2mm wood edge. The 1 3/8" cut back is painted black on HPL. Veneer edges are finished in the same color as the top.



Round



Square



Top Shapes and Sizes

Round & Square top sizes


depth width

	30"	36"	42"	48"	54"	60"
30"	✓					
36"		✓				
42"			✓			
48"				✓		
54"					✓	
60"						✓

Rectangle




Racetrack



Boat



Modern Rectangle



One piece top sizes

depth width

	60"	66"	72"	84"	96"
30"	✓	✓	✓		
36"	✓	✓	✓		
42"			✓	✓	✓
48"			✓	✓	✓
54"			✓	✓	✓
60"					✓

Two piece top sizes

depth width

	108"	120"	144"	168"
42"	✓	✓	✓	
48"	✓	✓	✓	
54"	✓	✓	✓	✓
60"	✓	✓	✓	✓

Three piece top sizes


depth width

	192"	216"	240"
54"	✓	✓	✓
60"	✓	✓	✓



Surface Material Grain Direction

Wood grain direction varies on table size and material. Please see below diagrams for reference.



One Piece Table Tops - Wood grain direction is the same for HPL and Veneer



Two Piece Table Tops - Wood grain direction varies



Three Piece Table Tops - Wood grain direction varies



Symbol indicates grain direction.







table depth	table width	recommended minimum room size	seating capacity
30	30	8' 6" x 8' 6"	4
36	36	9' 0" x 9' 0"	4
42	42	10' 6" x 10' 6"	4 - 5
48	48	11' 6" x 11' 6"	5 - 6
54	54	12' 0" x 12' 0"	6 - 7
60	60	13' 0" x 13' 0"	7 - 8




36" x 36" round table
4 chairs



42" x 42" round table
5 chairs



48" x 48" round table
6 chairs



60" x 60" round table
8 chairs







table depth	table width	recommended minimum room size	seating capacity
30	30	8' 6" x 8' 6"	4
36	36	9' 0" x 9' 0"	4
42	42	10' 6" x 10' 6"	4
48	48	11' 6" x 11' 6"	4
54	54	12' 0" x 12' 0"	8
60	60	13' 0" x 13' 0"	8




42" x 42" square table
4 chairs



48" x 48" square table
4 chairs



54" x 54" square table
8 chairs




60" x 60" square table
8 chairs


Table Size, Room Size & Seating Capacity




rectangle




racetrack




boat




modern rectangle




36" x 66" rectangle table - 6 chairs




42" x 96" rectangle table - 8 chairs




42" x 108" rectangle table - 10 chairs




48" x 144" rectangle table - 12 chairs




54" x 168" rectangle table - 14 chairs



54" x 192" rectangle table - 16 chairs




54" x 216" rectangle table - 18 chairs



60" x 240" rectangle table - 20 chairs


table depth	table width	recommended minimum room size	seating capacity
30	60	9' 0" x 12' 0"	4 - 6
30	66	9' 0" x 12' 6"	4 - 6
30	72	9' 0" x 13' 0"	4 - 6
36	60	10' 0" x 12' 0"	4 - 6
36	66	10' 0" x 12' 6"	4 - 6
36	72	10' 0" x 13' 0"	4 - 6
42	72	10' 6" x 13' 0"	4 - 6
42	84	10' 6" x 15' 0"	4 - 6
42	96	10' 6" x 16' 0"	6 - 8
48	72	12' 0" x 13' 0"	4 - 6
48	84	12' 0" x 15' 0"	4 - 6
48	96	12' 0" x 16' 0"	6 - 8
54	72	13' 6" x 14' 0"	6 - 8
54	84	13' 6" x 15' 0"	6 - 8
54	96	13' 6" x 16' 0"	6 - 8
60	96	15' 0" x 14' 0"	6 - 8
42	108	10' 6" x 16' 0"	8 - 10
42	120	10' 6" x 17' 0"	8 - 10
42	144	10' 6" x 20' 0"	10 - 12
48	108	12' 0" x 16' 0"	8 - 10
48	120	12' 0" x 17' 0"	10 - 12
48	144	12' 0" x 20' 0"	10 - 12
54	108	13' 6" x 16' 0"	10 - 12
54	120	13' 6" x 17' 0"	10 - 12
54	144	13' 6" x 20' 0"	12 - 14
54	168	13' 6" x 23' 0"	12 - 14
60	108	15' 0" x 16' 0"	10 - 12
60	120	15' 0" x 17' 0"	12 - 14
60	144	15' 0" x 20' 0"	12 - 14
60	168	15' 0" x 23' 0"	12 - 14
54	192	13' 6" x 25' 0"	14 - 16
54	216	13' 6" x 27' 0"	16 - 18
54	240	13' 6" x 35' 0"	18 - 20
60	192	15' 0" x 25' 0"	14 - 16
60	216	15' 0" x 27' 0"	16 - 18
60	240	15' 0" x 35' 0"	16 - 20




depth width

	48"	72"	96"	120"
48"	✓	✓	✓	✓
54"			✓	✓
60"			✓	✓


table depth	table width	recommended minimum room size	seating capacity
48	48	11' 6" x 11' 6"	3
48	72	12' 0" x 13' 0"	5
48	96	12' 0" x 16' 0"	7
48	120	12' 0" x 17' 0"	9
54	96	13' 6" x 16' 0"	7
54	120	13' 6" x 17' 0"	9
60	96	15' 0" x 14' 0"	7
60	120	15' 0" x 17' 0"	9




48" x 48" video table
3 chairs
wall mounted only




48" x 72" video table
5 chairs



54" x 96" video table
7 chairs



60" x 96" video table
7 chairs




60" x 120" video table
9 chairs
stand alone only

One piece tables – Wide end of table will have Soft (SO) edge.

Cutout Locations

Cutout locations vary by table size. Please reference the following pages for details and measurements of cutout locations.



Round & Square Tops

Table Tops	Depth	Depth/2
	A	A/2
PU_3030__	30	15
PU_3636__	36	18
PU_4242__	42	21
PU_4848__	48	24
PU_5454__ *	54	27
PU_6060__ *	60	30

Notes:

- Cutout size is a 3" diameter circle or a 5" x 8" rectangle
- Dimensions are to the center of the cutout location

* Rectangle cutout 5" x 8" (PX0508) only available on 54" & 60" tables

Cutout Locations




Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PU_3060__	30	15	60	30	19
PU_3066__	30	15	66	33	19
PU_3072__	30	15	72	36	19
PU_3660__	36	18	60	30	19
PU_3666__	36	18	66	33	19
PU_3672__	36	18	72	36	19
PU_4272__	42	21	72	36	19
PU_4284__	42	21	84	42	26
PU_4296__	42	21	96	48	26
PU_4872__	48	24	72	36	19
PU_4884__	48	24	84	42	26
PU_4896__	48	24	96	48	26
PU_5472__	54	27	72	36	19
PU_5484__	54	27	84	42	26
PU_5496__	54	27	96	48	26
PU_6096__	60	30	96	48	26

Notes:

- Cutout sizes will vary to match separately specified power units (3", 5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

Cutout Locations

108", 120" & 144" Tops





Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PU_42108__	42	21	108	54	26
PU_42120__	42	21	120	60	26
PU_42144__	42	21	144	72	26
PU_48108__	48	24	108	54	26
PU_48120__	48	24	120	60	26
PU_48144__	48	24	144	72	26
PU_54108__	54	27	108	54	26
PU_54120__	54	27	120	60	26
PU_54144__	54	27	144	72	26
PU_54168__	54	27	168	84	26
PU_60108__	60	30	108	54	26
PU_60120__	60	30	120	60	26
PU_60144__	60	30	144	72	26
PU_60168__	60	30	168	84	26

168" Tops



Notes:

- Cutout sizes will vary to match separately specified power units (3", 5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

Cutout Locations




Table Tops	Depth	Depth/2	Width	Width/2	Cutout Center
	A	A/2	B	B/2	C
PU_54192_ _	54	27	192	96	26
PU_54216_ _	54	27	216	108	26
PU_54240_ _	54	27	240	120	26
PU_60192_ _	60	30	192	96	26
PU_60216_ _	60	30	216	108	26
PU_60240_ _	60	30	240	120	26

Notes:

- Cutout sizes will vary to match separately specified power units (3", 5" x 8" or 5" x 11" cutouts available)
Center of cutout location varies depending on the table size
- Dimensions are to the center of the cutout location

PX03G

Round Grommet - 3" diameter cutout size*



PX03G

PX03

Power Grommets - 3" diameter cutout size*



PX03PG1

2 Power Receptacles



PX03PG2

1 Power Receptacle
1 Dual USB Charging



PX03PG3

1 Power Receptacle
1 Open Data Port




Power Receptacle: 120 volt receptacle
Dual USB: 2 Amp (1 per port)
HDMI: Connects to HD displays
Open Data: Allows for HDMI, USB, VGA, Cat5, Cat6, and RJ11. (Each sold separately)

120" Corded, 72" Hardwired or IQ Interlink


PX0508

4 Data Ports - 5" x 8" cutout size*




PX0508PG1

2 Power Receptacles
2 Open Data Ports



PX0508PG2

2 Power Receptacles
1 Dual USB Charging
1 Open Data Port



PX0508PG3


2 Power Receptacles
1 HDMI
1 Open Data Port



120" Corded, 72" Hardwired or IQ Interlink


PX0511

6 Data Ports - 5" x 11" cutout size*




PX0511PG1

3 Power Receptacles
3 Open Data Ports



PX0511PG2

3 Power Receptacles
1 Dual USB Charging
2 Open Data Ports



PX0511PG3

3 Power Receptacles
1 HDMI
2 Open Data Ports



120" Corded, 72" Hardwired or IQ Interlink

*Cutout size (not bezel of power units)

Round & Square Tops

Reference Pages

Grain Direction

page UN8

Cutout

page UN12



Technology

pages UN16, UN119 - UN123



Table Bases

pages UN78 - UN117

Grain direction



Cutout locations



Center

Center

Edge Options



Ridge (RG)



Soft (SO)




Knife (KF) (\$)

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
--	---------	---------	---------	--------------	-------	-------	--------

Round Conference Tops




PU_6060RD	\$ 882	\$ 895	\$ 1799	60	60	1 ³ / ₁₆
PU_5454RD	\$ 677	\$ 687	\$ 1595	54	54	1 ³ / ₁₆
PU_4848RD	\$ 603	\$ 612	\$ 1314	48	48	1 ³ / ₁₆
PU_4242RD	\$ 557	\$ 565	\$ 1047	42	42	1 ³ / ₁₆
PU_3636RD	\$ 460	\$ 467	\$ 848	36	36	1 ³ / ₁₆
PU_3030RD	\$ 390	\$ 396	\$ 721	30	30	1 ³ / ₁₆

Rectangle cutout 5" x 8" (PX0508) only available on 54" & 60" tables

Cutout options: Center (C) or None (N)**Technology sold separately,** see pages UN16, UN119 - UN123**Specify Material & Finish/Edge/Cutout**

Square Conference Tops



PU_6060SQ	\$ 882	\$ 895	\$ 1799	60	60	1 ³ / ₁₆
PU_5454SQ	\$ 677	\$ 687	\$ 1595	54	54	1 ³ / ₁₆
PU_4848SQ	\$ 603	\$ 612	\$ 1314	48	48	1 ³ / ₁₆
PU_4242SQ	\$ 557	\$ 565	\$ 1047	42	42	1 ³ / ₁₆
PU_3636SQ	\$ 460	\$ 467	\$ 848	36	36	1 ³ / ₁₆
PU_3030SQ	\$ 390	\$ 396	\$ 721	30	30	1 ³ / ₁₆

Rectangle cutout 5" x 8" (PX0508) only available on 54" & 60" tables

Cutout options: Center (C) or None (N)**Technology sold separately,** see pages UN16, UN119 - UN123**Specify Material & Finish/Edge/Cutout**Specify selections, left to right:
Base ModelMaterial
& Finish
(see page UN5)Edge
Ridge (RG)
Soft (SO)
Knife (KF) \$100Cutout
Center Cutout (C)
No Cutout (N)Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)

PUH6060RD.

LW7C.


SO.

N



Rectangle Tops

Reference Pages
 Grain Direction page UN8
 Cutout page UN13
 Technology pages UN16, UN119 - UN123
 Table Bases pages UN78 - UN117



Edge Options

Ridge (RG) Soft (SO) Knife (KF) (\$)

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_6096TT	\$ 1205	\$ 1223	\$ 2877	60	96	1¾
	PU_5496TT	\$ 1185	\$ 1203	\$ 2184	54	96	1¾
	PU_5484TT	\$ 1005	\$ 1020	\$ 2056	54	84	1¾
	PU_5472TT	\$ 985	\$ 1000	\$ 1527	54	72	1¾
	PU_4896TT	\$ 996	\$ 1011	\$ 1986	48	96	1¾
	PU_4884TT	\$ 850	\$ 863	\$ 1700	48	84	1¾
	PU_4872TT	\$ 780	\$ 792	\$ 1437	48	72	1¾
	PU_4296TT	\$ 855	\$ 868	\$ 1797	42	96	1¾
	PU_4284TT	\$ 750	\$ 761	\$ 1592	42	84	1¾
	PU_4272TT	\$ 730	\$ 741	\$ 1384	42	72	1¾
	PU_3672TT	\$ 700	\$ 711	\$ 1298	36	72	1¾
	PU_3666TT	\$ 655	\$ 665	\$ 1136	36	66	1¾
	PU_3660TT	\$ 585	\$ 594	\$ 1093	36	60	1¾
	PU_3072TT	\$ 640	\$ 650	\$ 1164	30	72	1¾
	PU_3066TT	\$ 590	\$ 599	\$ 1048	30	66	1¾
	PU_3060TT	\$ 565	\$ 573	\$ 949	30	60	1¾

Cutout options: Left (L), Right (R), Both (B), Center (C) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right: Base Model	Material & Finish (see page UN5)	Edge Ridge (RG) Soft (SO) Knife (KF) \$100	Cutout Left Cutout (L) Right Cutout (R) Both Left & Right Cutout (B) Center Cutout (C) No Cutout (N)	Suboption 3" Cutout (PX03) 5" x 8" Cutout (PX0508) 5" x 11" Cutout (PX0511)
PUH6096TT.	LW7C.	SO.	N	

Rectangle Tops

Reference Pages

Grain Direction page UN8
Cutout page UN14
Technology pages UN16, UN119 - UN123
Table Bases pages UN78 - UN117



Veneer grain direction



HPL grain direction



Cutout locations



Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

Left, Right or Both

Center

All

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_60168TT	\$ 1880	\$ 1908	\$ 4902	60	168	1 ³ / ₁₆
	PU_60144TT	\$ 1646	\$ 1670	\$ 4272	60	144	1 ³ / ₁₆
	PU_60120TT	\$ 1514	\$ 1536	\$ 3892	60	120	1 ³ / ₁₆
	PU_60108TT	\$ 1402	\$ 1424	\$ 3346	60	108	1 ³ / ₁₆
	PU_54168TT	\$ 1806	\$ 1834	\$ 3502	54	168	1 ³ / ₁₆
	PU_54144TT	\$ 1586	\$ 1610	\$ 3104	54	144	1 ³ / ₁₆
	PU_54120TT	\$ 1410	\$ 1432	\$ 2960	54	120	1 ³ / ₁₆
	PU_54108TT	\$ 1386	\$ 1406	\$ 2738	54	108	1 ³ / ₁₆
	PU_48144TT	\$ 1478	\$ 1500	\$ 3026	48	144	1 ³ / ₁₆
	PU_48120TT	\$ 1364	\$ 1384	\$ 2800	48	120	1 ³ / ₁₆
	PU_48108TT	\$ 1294	\$ 1314	\$ 2580	48	108	1 ³ / ₁₆
	PU_42144TT	\$ 1440	\$ 1462	\$ 2764	42	144	1 ³ / ₁₆
	PU_42120TT	\$ 1324	\$ 1344	\$ 2460	42	120	1 ³ / ₁₆
	PU_42108TT	\$ 1218	\$ 1236	\$ 2184	42	108	1 ³ / ₁₆
	Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
	Technology sold separately, see pages UN16, UN119 - UN123						
	Specify Material & Finish/Edge/Cutout						

Specify selections, left to right:
Base Model

**Material
& Finish**
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) **\$200**

Cutout
Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
All (Left, Right & Center) Cutout (A)
No Cutout (N)

Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH60168TT.

LW7C.

SO.

N



Rectangle Tops

Reference Pages

Grain Direction page UN8
 Cutout page UN15
 Technology pages UN16, UN119 - UN123
 Table Bases pages UN78 - UN117

Veneer grain direction



HPL grain direction



Cutout locations



Left, Right or Both



Center



All

Edge Options



Ridge (RG)




Soft (SO)



Knife (KF) (\$)

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
Rectangle 3 piece Conference Tops						
 PU_60240TT	\$ 3276	\$ 3324	\$ 7134	60	240	1 ³ / ₁₆
PU_60216TT	\$ 2811	\$ 2853	\$ 6345	60	216	1 ³ / ₁₆
PU_60192TT	\$ 2346	\$ 2382	\$ 5559	60	192	1 ³ / ₁₆
PU_54240TT	\$ 2520	\$ 2559	\$ 5094	54	240	1 ³ / ₁₆
PU_54216TT	\$ 2262	\$ 2295	\$ 4533	54	216	1 ³ / ₁₆
PU_54192TT	\$ 2106	\$ 2139	\$ 3969	54	192	1 ³ / ₁₆
Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
Technology sold separately, see pages UN16, UN119 - UN123						
Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.						
Specify Material & Finish/Edge/Cutout						

Specify selections, left to right: Base Model	Material & Finish (see page UN5)	Edge Ridge (RG) Soft (SO) Knife (KF) \$300	Cutout	Suboption
PUH60240TT.	LW7C.	SO.	N	

Modern Rectangle Tops

Reference Pages

Grain Direction

page UN8

Cutout

page UN13

Technology

pages UN16, UN119 - UN123

Table Bases

pages UN78 - UN117

Veneer grain direction



HPL grain direction



Cutout locations



Left, Right or Both

Center

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_6096MR	\$ 1350	\$ 1370	\$ 3222	60	96	1 ³ / ₁₆
	PU_5496MR	\$ 1327	\$ 1347	\$ 2446	54	96	1 ³ / ₁₆
	PU_5484MR	\$ 1126	\$ 1143	\$ 2303	54	84	1 ³ / ₁₆
	PU_5472MR	\$ 1103	\$ 1120	\$ 1916	54	72	1 ³ / ₁₆
	PU_4896MR	\$ 1198	\$ 1216	\$ 2445	48	96	1 ³ / ₁₆
	PU_4884MR	\$ 952	\$ 966	\$ 2013	48	84	1 ³ / ₁₆
	PU_4872MR	\$ 874	\$ 887	\$ 1783	48	72	1 ³ / ₁₆
	PU_4296MR	\$ 1116	\$ 1133	\$ 2224	42	96	1 ³ / ₁₆
	PU_4284MR	\$ 840	\$ 853	\$ 1904	42	84	1 ³ / ₁₆
	PU_4272MR	\$ 818	\$ 830	\$ 1716	42	72	1 ³ / ₁₆
	PU_3672MR	\$ 784	\$ 796	\$ 1662	36	72	1 ³ / ₁₆
	PU_3666MR	\$ 734	\$ 745	\$ 1454	36	66	1 ³ / ₁₆
	PU_3660MR	\$ 655	\$ 665	\$ 1224	36	60	1 ³ / ₁₆
	PU_3072MR	\$ 717	\$ 728	\$ 1304	30	72	1 ³ / ₁₆
	PU_3066MR	\$ 661	\$ 671	\$ 1174	30	66	1 ³ / ₁₆
	PU_3060MR	\$ 633	\$ 642	\$ 1063	30	60	1 ³ / ₁₆

Cutout options: Left (L), Right (R), Both (B), Center (C) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right:
Base ModelMaterial
& Finish
(see page UN5)Edge
Ridge (RG)
Soft (SO)
Knife (KF) \$100

Cutout

Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
No Cutout (N)

Suboption

3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH6096MR.

LW7C.

SO.

N

Modern Rectangle Tops

Reference Pages

Grain Direction page UN8
 Cutout page UN14
 Technology pages UN16, UN119 - UN123
 Table Bases pages UN78 - UN117

Edge Options



Ridge (RG)




Soft (SO)




Knife (KF) (\$)

Veneer grain direction




Cutout locations




Left, Right or Both

HPL grain direction



Center



All

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_60168MR	\$ 2106	\$ 2137	\$ 5490	60	168	1 ³ / ₁₆
	PU_60144MR	\$ 1842	\$ 1870	\$ 4786	60	144	1 ³ / ₁₆
	PU_60120MR	\$ 1696	\$ 1722	\$ 4360	60	120	1 ³ / ₁₆
	PU_60108MR	\$ 1570	\$ 1594	\$ 3748	60	108	1 ³ / ₁₆
	PU_54168MR	\$ 2022	\$ 2052	\$ 3922	54	168	1 ³ / ₁₆
	PU_54144MR	\$ 1776	\$ 1802	\$ 3476	54	144	1 ³ / ₁₆
	PU_54120MR	\$ 1580	\$ 1604	\$ 3314	54	120	1 ³ / ₁₆
	PU_54108MR	\$ 1552	\$ 1576	\$ 3066	54	108	1 ³ / ₁₆
	PU_48144MR	\$ 2004	\$ 2034	\$ 3390	48	144	1 ³ / ₁₆
	PU_48120MR	\$ 1650	\$ 1674	\$ 3240	48	120	1 ³ / ₁₆
	PU_48108MR	\$ 1448	\$ 1470	\$ 2988	48	108	1 ³ / ₁₆
	PU_42144MR	\$ 1612	\$ 1636	\$ 3390	42	144	1 ³ / ₁₆
	PU_42120MR	\$ 1482	\$ 1504	\$ 3136	42	120	1 ³ / ₁₆
	PU_42108MR	\$ 1364	\$ 1385	\$ 2888	42	108	1 ³ / ₁₆
	Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
	Technology sold separately, see pages UN16, UN119 - UN123						
	Specify Material & Finish/Edge/Cutout						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) \$200

Cutout

Left Cutout (L)
 Right Cutout (R)
 Both Left & Right Cutout (B)
 Center Cutout (C)
 All (Left, Right & Center) Cutout (A)
 No Cutout (N)

Suboption

3" Cutout (PX03)
 5" x 8" Cutout (PX0508)
 5" x 11" Cutout (PX0511)

PUH60168MR.

LW7C.

SO.

N

Modern Rectangle Tops

Reference Pages

Grain Direction

page UN8

Cutout

page UN15

Technology

pages UN16, UN119 - UN123

Table Bases

pages UN78 - UN117

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

Veneer grain direction




HPL grain direction



Cutout locations



Left, Right or Both




Center



All

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
Modern Rectangle 3 piece Conference Tops						
 PU_60240MR	\$ 3669	\$ 3723	\$ 7989	60	240	1 ³ / ₁₆
PU_60216MR	\$ 3147	\$ 3195	\$ 7104	60	216	1 ³ / ₁₆
PU_60192MR	\$ 2628	\$ 2667	\$ 6225	60	192	1 ³ / ₁₆
PU_54240MR	\$ 2823	\$ 2865	\$ 5706	54	240	1 ³ / ₁₆
PU_54216MR	\$ 2535	\$ 2574	\$ 5076	54	216	1 ³ / ₁₆
PU_54192MR	\$ 2358	\$ 2394	\$ 4446	54	192	1 ³ / ₁₆
Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
Technology sold separately, see pages UN16, UN119 - UN123						
Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.						
Specify Material & Finish/Edge/Cutout						

Specify selections, left to right: Base Model	Material & Finish (see page UN5)	Edge	Cutout	Suboption
		Ridge (RG)	Left Cutout (L)	3" Cutout (PX03)
		Soft (SO)	Right Cutout (R)	5" x 8" Cutout (PX0508)
		Knife (KF) \$300	Both Left & Right Cutout (B)	5" x 11" Cutout (PX0511)
			Center Cutout (C)	
			All (Left, Right & Center) Cutout (A)	
			No Cutout (N)	
PUH60240MR.	LW7C.	SO.	N	

Boat Tops

Reference Pages

Grain Direction page UN8
 Cutout page UN13
 Technology pages UN16, UN119 - UN123
 Table Bases pages UN78 - UN117

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

Veneer grain direction



Cutout locations



Left, Right or Both

HPL grain direction



Center

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_6096BT	\$ 1601	\$ 1625	\$ 3107	60	96	1 ³ / ₁₆
	PU_5496BT	\$ 1474	\$ 1496	\$ 2558	54	96	1 ³ / ₁₆
	PU_5484BT	\$ 1387	\$ 1408	\$ 2320	54	84	1 ³ / ₁₆
	PU_5472BT	\$ 1279	\$ 1298	\$ 2149	54	72	1 ³ / ₁₆
	PU_4896BT	\$ 1456	\$ 1478	\$ 2360	48	96	1 ³ / ₁₆
	PU_4884BT	\$ 1350	\$ 1370	\$ 2268	48	84	1 ³ / ₁₆
	PU_4872BT	\$ 1242	\$ 1261	\$ 2086	48	72	1 ³ / ₁₆
	PU_4296BT	\$ 1155	\$ 1172	\$ 2303	42	96	1 ³ / ₁₆
	PU_4284BT	\$ 1062	\$ 1078	\$ 2043	42	84	1 ³ / ₁₆
	PU_4272BT	\$ 977	\$ 992	\$ 1926	42	72	1 ³ / ₁₆
	PU_3672BT	\$ 772	\$ 784	\$ 1725	36	72	1 ³ / ₁₆
	PU_3666BT	\$ 707	\$ 718	\$ 1550	36	66	1 ³ / ₁₆
	PU_3660BT	\$ 631	\$ 640	\$ 1396	36	60	1 ³ / ₁₆
	PU_3072BT	\$ 691	\$ 701	\$ 1257	30	72	1 ³ / ₁₆
	PU_3066BT	\$ 637	\$ 647	\$ 1131	30	66	1 ³ / ₁₆
	PU_3060BT	\$ 610	\$ 619	\$ 1024	30	60	1 ³ / ₁₆

Cutout options: Left (L), Right (R), Both (B), Center (C) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right:
Base ModelMaterial
& Finish
(see page UN5)Edge
Ridge (RG)
Soft (SO)
Knife (KF) \$100

Cutout

Left Cutout (L)
 Right Cutout (R)
 Both Left & Right Cutout (B)
 Center Cutout (C)
 No Cutout (N)

Suboption

3" Cutout (PX03)
 5" x 8" Cutout (PX0508)
 5" x 11" Cutout (PX0511)

PUH6096BT.

LW7C.

SO.

N

Boat Tops

Reference Pages

Grain Direction
Cutout
Technology
Table Bases

page UN8
page UN14
pages UN16, UN119 - UN123
pages UN78 - UN117

Edge Options



Ridge (RG)



Soft (SO)




Knife (KF) (\$)

Veneer grain direction



Cutout locations




Left, Right or Both

HPL grain direction



Center



All

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_60168BT	\$ 2380	\$ 2416	\$ 5294	60	168	1 ³ / ₁₆
	PU_60144BT	\$ 2276	\$ 2310	\$ 4614	60	144	1 ³ / ₁₆
	PU_60120BT	\$ 2036	\$ 2066	\$ 4204	60	120	1 ³ / ₁₆
	PU_60108BT	\$ 1914	\$ 1942	\$ 3614	60	108	1 ³ / ₁₆
	PU_54168BT	\$ 2150	\$ 2182	\$ 4282	54	168	1 ³ / ₁₆
	PU_54144BT	\$ 2012	\$ 2042	\$ 4052	54	144	1 ³ / ₁₆
	PU_54120BT	\$ 1824	\$ 1852	\$ 3896	54	120	1 ³ / ₁₆
	PU_54108BT	\$ 1702	\$ 1728	\$ 3656	54	108	1 ³ / ₁₆
	PU_48144BT	\$ 1988	\$ 2018	\$ 4064	48	144	1 ³ / ₁₆
	PU_48120BT	\$ 1630	\$ 1654	\$ 3736	48	120	1 ³ / ₁₆
	PU_48108BT	\$ 1572	\$ 1596	\$ 3438	48	108	1 ³ / ₁₆
	PU_42144BT	\$ 1556	\$ 1580	\$ 4024	42	144	1 ³ / ₁₆
	PU_42120BT	\$ 1430	\$ 1452	\$ 3240	42	120	1 ³ / ₁₆
	PU_42108BT	\$ 1316	\$ 1336	\$ 3002	42	108	1 ³ / ₁₆
	Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
	Technology sold separately, see pages UN16, UN119 - UN123						
	Specify Material & Finish/Edge/Cutout						

Specify selections, left to right:
Base Model

**Material
& Finish**
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) **\$200**

Cutout
Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
All (Left, Right & Center) Cutout (A)
No Cutout (N)

Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH60168BT

LW7C.

SO.



N




Boat Tops

Reference Pages
Grain Direction page UN8
Cutout page UN15
Technology pages UN16, UN119 - UN123
Table Bases pages UN78 - UN117

Edge Options
 Ridge (RG)
 Soft (SO)
 Knife (KF) (\$)



SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_60240BT	\$ 3537	\$ 3591	\$ 7704	60	240	1 ³ / ₁₆
	PU_60216BT	\$ 3036	\$ 3081	\$ 6852	60	216	1 ³ / ₁₆
	PU_60192BT	\$ 2532	\$ 2571	\$ 6003	60	192	1 ³ / ₁₆
	PU_54240BT	\$ 2724	\$ 2766	\$ 5502	54	240	1 ³ / ₁₆
	PU_54216BT	\$ 2445	\$ 2481	\$ 4893	54	216	1 ³ / ₁₆
	PU_54192BT	\$ 2274	\$ 2307	\$ 4686	54	192	1 ³ / ₁₆
Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)							
Technology sold separately, see pages UN16, UN119 - UN123							
Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.							
Specify Material & Finish/Edge/Cutout							

Specify selections, left to right: Base Model	Material & Finish (see page UN5)	Edge Ridge (RG) Soft (SO) Knife (KF) \$300	Cutout	Suboption
PUH60240BT.	LW7C.	SO.	N	

Racetrack Tops

Reference Pages

Grain Direction

page UN8

Cutout

page UN13

Technology

pages UN16, UN119 - UN123

Table Bases

pages UN78 - UN117

Veneer grain direction



HPL grain direction



Cutout locations



Left, Right or Both

Center

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	PU_6096RT	\$ 2260	\$ 2294	\$ 3165	60	96	1 ³ / ₁₆
	PU_5496RT	\$ 1501	\$ 1524	\$ 2402	54	96	1 ³ / ₁₆
	PU_5484RT	\$ 1412	\$ 1433	\$ 2262	54	84	1 ³ / ₁₆
	PU_5472RT	\$ 1303	\$ 1323	\$ 1680	54	72	1 ³ / ₁₆
	PU_4896RT	\$ 1488	\$ 1510	\$ 2405	48	96	1 ³ / ₁₆
	PU_4884RT	\$ 1375	\$ 1396	\$ 2310	48	84	1 ³ / ₁₆
	PU_4872RT	\$ 1265	\$ 1284	\$ 2125	48	72	1 ³ / ₁₆
	PU_4296RT	\$ 1397	\$ 1418	\$ 2346	42	96	1 ³ / ₁₆
	PU_4284RT	\$ 1277	\$ 1296	\$ 2081	42	84	1 ³ / ₁₆
	PU_4272RT	\$ 1189	\$ 1207	\$ 1962	42	72	1 ³ / ₁₆
	PU_3672RT	\$ 1066	\$ 1082	\$ 1758	36	72	1 ³ / ₁₆
	PU_3666RT	\$ 957	\$ 971	\$ 1580	36	66	1 ³ / ₁₆
	PU_3660RT	\$ 862	\$ 875	\$ 1422	36	60	1 ³ / ₁₆
	PU_3072RT	\$ 776	\$ 788	\$ 1280	30	72	1 ³ / ₁₆
	PU_3066RT	\$ 699	\$ 709	\$ 1153	30	66	1 ³ / ₁₆
	PU_3060RT	\$ 633	\$ 642	\$ 1044	30	60	1 ³ / ₁₆

Cutout options: Left (L), Right (R), Both (B), Center (C) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right:
Base ModelMaterial
& Finish
(see page UN5)Edge
Ridge (RG)
Soft (SO)
Knife (KF) \$100Cutout
Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
No Cutout (N)Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH6096RT.

LW7C.

SO.

N

Racetrack Tops

Reference Pages

Grain Direction page UN8
Cutout page UN14
Technology pages UN16, UN119 - UN123
Table Bases pages UN78 - UN117

Edge Options

 Ridge (RG)  Soft (SO)  Knife (KF) (\$)

Veneer grain direction




HPL grain direction




Cutout locations



Left, Right or Both




Center



All

SIN # 711-9

Racetrack 2 piece Conference Tops



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PU_60168RT	\$ 4234	\$ 4298	\$ 5392	60	168	1 ³ / ₁₆
PU_60144RT	\$ 3568	\$ 3622	\$ 4698	60	144	1 ³ / ₁₆
PU_60120RT	\$ 3114	\$ 3160	\$ 4282	60	120	1 ³ / ₁₆
PU_60108RT	\$ 2676	\$ 2716	\$ 3780	60	108	1 ³ / ₁₆
PU_54168RT	\$ 3360	\$ 3410	\$ 4366	54	168	1 ³ / ₁₆
PU_54144RT	\$ 2898	\$ 2940	\$ 4214	54	144	1 ³ / ₁₆
PU_54120RT	\$ 2510	\$ 2548	\$ 4000	54	120	1 ³ / ₁₆
PU_54108RT	\$ 2384	\$ 2420	\$ 3712	54	108	1 ³ / ₁₆
PU_48144RT	\$ 2744	\$ 2786	\$ 4098	48	144	1 ³ / ₁₆
PU_48120RT	\$ 2312	\$ 2346	\$ 3900	48	120	1 ³ / ₁₆
PU_48108RT	\$ 2208	\$ 2242	\$ 3658	48	108	1 ³ / ₁₆
PU_42144RT	\$ 2464	\$ 2500	\$ 4140	42	144	1 ³ / ₁₆
PU_42120RT	\$ 2266	\$ 2300	\$ 3806	42	120	1 ³ / ₁₆
PU_42108RT	\$ 2084	\$ 2116	\$ 3502	42	108	1 ³ / ₁₆

Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right:
Base Model

**Material
& Finish**
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) **\$200**

Cutout

Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
All (Left, Right & Center) Cutout (A)
No Cutout (N)

Suboption

3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH60168RT.

LW7C.

SO.

N

Racetrack Tops

Reference Pages

Grain Direction page UN8
Cutout page UN15
Technology pages UN16, UN119 - UN123
Table Bases pages UN78 - UN117

Edge Options



Ridge (RG)



Soft (SO)



Knife (KF) (\$)

Veneer grain direction




HPL grain direction




Cutout locations



Left, Right or Both




Center



All

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
Racetrack 3 piece Conference Tops						
 PU_60240RT	\$ 6225	\$ 6318	\$ 7845	60	240	1 ³ / ₁₆
PU_60216RT	\$ 5556	\$ 5640	\$ 6978	60	216	1 ³ / ₁₆
PU_60192RT	\$ 4896	\$ 4968	\$ 6114	60	192	1 ³ / ₁₆
PU_54240RT	\$ 5124	\$ 5202	\$ 5604	54	240	1 ³ / ₁₆
PU_54216RT	\$ 4545	\$ 4614	\$ 4986	54	216	1 ³ / ₁₆
PU_54192RT	\$ 3966	\$ 4026	\$ 4587	54	192	1 ³ / ₁₆
Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
Technology sold separately, see pages UN16, UN119 - UN123						
Center piece of 3 piece tops are always 72"W. Size will vary on the 2 end pieces.						
Specify Material & Finish/Edge/Cutout						

Specify selections, left to right:
Base Model

**Material
& Finish**
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) **\$300**

Cutout
Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
All (Left, Right & Center) Cutout (A)
No Cutout (N)

Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH60240RT.

LW7C.

SO.


N



Video Tops


Reference Pages
 Grain Direction page UN8
 Cutout page UN13
 Technology pages UN16, UN119 - UN123
 Table Bases pages UN78 - UN117

Edge Options
 Ridge (RG)
 Soft (SO)
 Knife (KF) (\$)



Model #	L1 H	L2 H	Veneer V1	depth	width	height
---------	---------	---------	--------------	-------	-------	--------

Video 1 piece Conference Tables



PU_6096VT	\$ 2660	\$ 2700	\$ 3515	60	96	1 ³ / ₁₆
PU_5496VT	\$ 1914	\$ 1943	\$ 3016	54	96	1 ³ / ₁₆
PU_4896VT	\$ 1692	\$ 1717	\$ 2855	48	96	1 ³ / ₁₆
PU_4872VT	\$ 1481	\$ 1503	\$ 2417	48	72	1 ³ / ₁₆
PU_4848VT	\$ 1262	\$ 1281	\$ 1797	48	48	1 ³ / ₁₆

PU_4848VT is wall mounted only

Wide end of table will have Soft (SO) edge

Cutout options:
 PU_4848VT: Center (C) or None (N)
 PU_6096VT, PU_5496VT, PU_4896VT, & PU_4872VT: Left (L), Right (R), Both (B), Center (C) or None (N)

Technology sold separately, see pages UN16, UN119 - UN123

Specify Material & Finish/Edge/Cutout

Specify selections, left to right (options & upcharges vary depending on base model):

Base Model	Material & Finish (see page UN5)	Edge Ridge (RG) Soft (SO) Knife (KF) \$100	Cutout Left Cutout (L) Right Cutout (R) Both Left & Right Cutout (B) Center Cutout (C) No Cutout (N)	Suboption 3" Cutout (PX03) 5" x 8" Cutout (PX0508) 5" x 11" Cutout (PX0511)
PUH6096VT.	LW7C.	SO.	N	

Video Tops

Reference Pages

Grain Direction
Cutout
Technology
Table Bases

page UN8
page UN14
pages UN16, UN119 - UN123
pages UN78 - UN117

Edge Options



Ridge (RG)




Soft (SO)




Knife (KF) (\$)

Veneer grain direction




Cutout locations




Left, Right or Both

HPL grain direction




Center



All

SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
Video 2 piece Conference Tops						
 PU_60120VT	\$ 3672	\$ 3728	\$ 4760	60	120	1 ³ / ₁₆
PU_54120VT	\$ 2614	\$ 2654	\$ 3782	54	120	1 ³ / ₁₆
PU_48120VT	\$ 2442	\$ 2478	\$ 3606	48	120	1 ³ / ₁₆
Cutout options: Left (L), Right (R), Both (B), Center (C), All (A) or None (N)						
Technology sold separately, see pages UN16, UN119 - UN123						
Specify Material & Finish/Edge/Cutout						

Specify selections, left to right:
Base Model

**Material
& Finish**
(see page UN5)

Edge
Ridge (RG)
Soft (SO)
Knife (KF) **\$200**

Cutout
Left Cutout (L)
Right Cutout (R)
Both Left & Right Cutout (B)
Center Cutout (C)
All (Left, Right & Center) Cutout (A)
No Cutout (N)

Suboption
3" Cutout (PX03)
5" x 8" Cutout (PX0508)
5" x 11" Cutout (PX0511)

PUH60120VT.

LW7C.

SO.

N

Bases General Information

Specification:

All bases are specified as "kits." Each Kit is one (1) model number and includes all bases and wire management accessories required for your chosen top size. When specifying Universal Tables, be sure to select your top size first before specifying the base kit.

Wire Management:

Rectangle, Square and Drum bases have removable panels allowing users ample access to storage and floor monuments. Disc bases, T-bases and X-bases accommodate wires to flow through the leg column with space to position above a floor monument.

For tables with two or more bases, customers receive a metal "J"-rail to manage wires from base to base. The J-rail connects to each base with no visual gaps, allowing cords to flow seamlessly down the leg. See page UN77 for wire management drawings and detail.

Available Materials/Finishes:


Rectangle and Square bases are available in Standard Veneer and Low Pressure Laminate (TFL) finishes. See page UN34 for list of Materials/Finishes.

Drum bases are available in Standard Veneer and High Pressure Laminate (HPL) finishes. See page UN34 for list of Materials/Finishes.


T-bases, X-bases and Disc bases are finished in a powder coat finish, available in Silver, Black or White. See page UN34 for list of finishes.

Glides:


All bases feature adjustable glides.




Rectangle Base




Square Base*




Drum Base



T Base




X Base*



Disc Base*

* Also available in Standing Height.

EXAMPLE: Paoli Universal Veneer Rectangle Base Kit, Shaker Cherry on Cherry finish

P U B V 54 216 RB. NC774

Universal Tables are offered with the following materials and finishes:

Finishes

TFL

L1

C	TFL Harvest Maple
LM16	TFL Flint
LOFT	TFL Loft
LW7C	TFL Shaker Cherry
LWD	TFL Natural Maple
N	TFL Mahogany
PINC	TFL Pinnacle Walnut
WHIT	TFL Frosty White

L2 (\$)

LCM1	TFL Colombian Walnut
LLA1	TFL Lowell Ash
LNR1	TFL Natural Recon
LPE1	TFL Phantom Ecu
LPT1	TFL Portico Teak
LSW1	TFL Skyline Walnut

L3 (\$)

LWC	TFL Cafelle
-----	-------------

(\$ upcharges apply

L2 and L3 are the same

Veneer

V1

NC233	Cafelle
NC394	Lowell Ash
NC740	Mahogany
NC774	Shaker Cherry
NE867	Natural Maple
NE856	Harvest Maple
NT527	Skyline Walnut
NT639	Colombian Walnut
NT679	Pinnacle Walnut

HPL (drum bases only)

L1

C	HPL Harvest Maple
LM16	HPL Flint
LOFT	HPL Loft
LW7C	HPL Shaker Cherry
LWD	HPL Natural Maple
N	HPL Mahogany
PINC	HPL Pinnacle Walnut
WHIT	HPL Frosty White

L2 (\$)

LCM1	HPL Colombian Walnut
LLA1	HPL Lowell Ash
LNR1	HPL Natural Recon
LPE1	HPL Phantom Ecu
LPT1	HPL Portico Teak
LSW1	HPL Skyline Walnut

L3 (\$)

LWC	HPL Cafelle
-----	-------------

SF190	White Salt
SC191	White Sun
SF192	White Smoke
SF896	Natural Recon
SE912	Phantom Ecu
SE110	Portico Teak
SG190	Grey Salt
SG191	Grey Sun
SG192	Grey Smoke

Metal

PR6	Silver
P71	Black
WH	White

Pricing Example:




L1 Chassis finish

Model	Base Price	L1 Chassis	L2 Chassis Upcharge	Final Pricing
PUBH6096RB	\$ 2366	\$ 0	\$ 0	\$ 2366

L2 Chassis finish


PUBH6096RB	\$ 2366	\$ 0	\$ 28	\$ 2394
------------	---------	------	-------	---------

Rectangle Bases





Features:

- Cam and Dowel construction with no visible external fasteners.
- Removable door provides ample access to storage and wire management.
- Elevated design for wire clearance.



Details and Specs:

- Accommodates all available power units
- Bottom cutout is 9" x 8.5" on all rectangle bases
- Access door is 9" x 28"







Rectangle Base Kits are available for the following top sizes:

depth width


	60"	66"	72"	84"	96"	108"	120"	144"	168"	192"	216"	240"
36"	✓	✓	✓									
42"			✓	✓	✓	✓	✓	✓				
48"			✓	✓	✓	✓	✓	✓				
54"			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
60"					✓	✓	✓	✓	✓	✓	✓	✓

Square Bases






Features:

- Cam and Dowel construction with no visible external fasteners.
- Removable door provides ample access to storage and wire management.
- Elevated design for wire clearance.
- Available in standing and seated heights.



Details and Specs:

- Accommodates all available power units
- 18" bases - Bottom cutout is 9" x 16.5"
- 24" bases - Bottom cutout is 9" x 22.5"
- Access door is 9" x 28"
- Seated height is 28"
- Standing height is 40"







Sqaure Base Kits are available for the following top sizes:

depth width

	36"	42"	48"	54"	60"	96"	108"	120"	144"	168"	192"	216"	240"
36"	✓												
42"		✓				✓	✓	✓	✓				
48"			✓			✓	✓	✓	✓				
54"				✓			✓	✓	✓	✓	✓	✓	✓
60"					✓		✓	✓	✓	✓	✓	✓	✓

Drum Bases




Features:

- Access door for wire management.
- Elevated design for wire clearance.

Details and Specs:

- Accommodates all available power units
- 18" bases - Bottom cutout is a 13 1/4" diameter
- 24" bases - Bottom cutout is a 19 1/4" diameter
- Access door 7 3/4" x 4 3/8"





Drum Base Kits are available for the following top sizes:

depth width

	36"	42"	48"	54"	60"	96"	108"	120"	144"	168"	192"	216"	240"
36"	✓												
42"		✓				✓	✓	✓	✓				
48"			✓			✓	✓	✓	✓				
54"				✓			✓	✓	✓	✓	✓	✓	✓
60"					✓		✓	✓	✓	✓	✓	✓	✓

T Leg Bases





Features:

- Removable panel for easy wire management.

Details and Specs:

- Accommodates all available power units




T Base Kits are available for the following top sizes:



depth width

	60"	66"	72"	84"	96"	108"	120"	144"	168"	192"	216"	240"
30"	✓	✓	✓									
36"	✓	✓	✓									
42"			✓	✓	✓	✓	✓	✓				
48"			✓	✓	✓	✓	✓	✓				
54"			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

X Leg Bases




- Features:
- Available in standing and seated heights.
- Details and Specs:
- Accommodates all available power units



X Base Kits are available for the following top sizes:

	depth	width	
	36"	42"	48"
36"	✓		
42"		✓	
48"			✓

Disc Bases





Features:


- Available in standing and seated heights.
- Standard and wire management.

Details and Specs:







- Accommodates all available power units
- Cord passes underneath the disc



Wire management bases



- 17" bases only available on V Tops




Disc Base Kits are available for the following top sizes:

depth width


	30"	36"	42"	48"	60"	66"	72"	84"	96"	120"	144"
30"	✓				✓	✓	✓				
36"		✓			✓	✓	✓				
42"			✓				✓	✓	✓	✓	✓
48"				✓			✓	✓	✓	✓	✓

Rectangle Base placements




Rectangular Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_3660RB	18	36	17	16	12
PUB_3666RB	18	42	17	22	12
PUB_3672RB	18	48	17	28	12
PUB_4272RB	18	48	17	28	12
PUB_4284RB	18	48	23	28	18
PUB_4296RB	18	60	23	40	18
PUB_4872RB	18	48	17	28	12
PUB_4884RB	18	48	23	28	18
PUB_4896RB	18	60	23	40	18
PUB_5472RB	24	48	17	28	12
PUB_5484RB	24	48	23	28	18
PUB_5496RB	24	60	23	40	18
PUB_6096RB	24	60	23	40	18

Rectangle Base placements




Rectangular Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_42108RB	18	72	23	52	18
PUB_42120RB	18	84	23	64	18
PUB_42144RB	18	108	23	88	18
PUB_48108RB	18	72	23	52	18
PUB_48120RB	18	84	23	64	18
PUB_48144RB	18	108	23	88	18
PUB_54108RB	24	72	23	52	18
PUB_54120RB	24	84	23	64	18
PUB_54144RB	24	108	23	88	18
PUB_60108RB	24	72	23	52	18
PUB_60120RB	24	84	23	64	18
PUB_60144RB	24	108	23	88	18

Rectangle Base placements




Rectangular Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_54168RB	24	132	23	51	18
PUB_60168RB	24	132	23	51	18

Rectangle Base placements




Rectangular Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_54192RB	24	156	23	63	18
PUB_54216RB	24	180	23	75	18
PUB_54240RB	24	204	23	87	18
PUB_60192RB	24	156	23	63	18
PUB_60216RB	24	180	23	75	18
PUB_60240RB	24	204	23	87	18

Square & Drum Base placements




Square & Drum Base Kit	Base Depth	Base offset
	A	E
PUB_3636__	18	9
PUB_4242__	18	12
PUB_4848__	18	12
PUB_5454__	24	15
PUB_6060__	24	18

Square & Drum Base placements




Square/Drum Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_4296__	18	60	27	24	18
PUB_4896__	18	60	27	24	18

Square & Drum Base placements




Square/Drum Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_42108__	18	72	27	36	18
PUB_42120__	18	84	27	48	18
PUB_42144__	18	108	27	72	18
PUB_48108__	18	72	27	36	18
PUB_48120__	18	84	27	48	18
PUB_48144__	18	108	27	72	18
PUB_54108__	24	72	30	24	18
PUB_54120__	24	84	30	36	18
PUB_54144__	24	108	30	60	18
PUB_60108__	24	72	30	24	18
PUB_60120__	24	84	30	36	18
PUB_60144__	24	108	30	60	18

Square & Drum Base placements




Square/Drum Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_54168_	24	132	30	30	18
PUB_60168_	24	132	30	30	18

Square & Drum Base placements




Square/Drum Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUB_54192__	24	156	30	42	18
PUB_54216__	24	180	30	54	18
PUB_54240__	24	204	30	66	18
PUB_60192__	24	156	30	42	18
PUB_60216__	24	180	30	54	18
PUB_60240__	24	204	30	66	18

T Leg Base placements




T Leg Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM3060TB	29 ³ / ₄	33	15 ⁵ / ₈	26 ¹ / ₂	12
PUBM3066TB	29 ³ / ₄	39	15 ⁵ / ₈	32 ¹ / ₂	12
PUBM3072TB	29 ³ / ₄	45	15 ⁵ / ₈	38 ¹ / ₂	12
PUBM3660TB	29 ³ / ₄	33	15 ⁵ / ₈	26 ¹ / ₂	12
PUBM3666TB	29 ³ / ₄	39	15 ⁵ / ₈	32 ¹ / ₂	12
PUBM3672TB	29 ³ / ₄	45	15 ⁵ / ₈	38 ¹ / ₂	12
PUBM4272TB	29 ³ / ₄	45	15 ⁵ / ₈	38 ¹ / ₂	12
PUBM4284TB	29 ³ / ₄	45	21 ⁵ / ₈	38 ¹ / ₂	18
PUBM4296TB	29 ³ / ₄	57	21 ⁵ / ₈	50 ¹ / ₂	18
PUBM4872TB	29 ³ / ₄	45	15 ⁵ / ₈	38 ¹ / ₂	12
PUBM4884TB	29 ³ / ₄	45	21 ⁵ / ₈	38 ¹ / ₂	18
PUBM4896TB	29 ³ / ₄	57	21 ⁵ / ₈	50 ¹ / ₂	18
PUBM5472TB	29 ³ / ₄	45	15 ⁵ / ₈	38 ¹ / ₂	12
PUBM5484TB	29 ³ / ₄	45	21 ⁵ / ₈	38 ¹ / ₂	18
PUBM5496TB	29 ³ / ₄	57	21 ⁵ / ₈	50 ¹ / ₂	18

T Leg Base placements




T Leg Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM42108TB	29 ³ / ₄	69	21 ⁵ / ₈	62 ¹ / ₂	18
PUBM42120TB	29 ³ / ₄	81	21 ⁵ / ₈	74 ¹ / ₂	18
PUBM42144TB	29 ³ / ₄	105	21 ⁵ / ₈	98 ¹ / ₂	18
PUBM48108TB	29 ³ / ₄	69	21 ⁵ / ₈	62 ¹ / ₂	18
PUBM48120TB	29 ³ / ₄	81	21 ⁵ / ₈	74 ¹ / ₂	18
PUBM48144TB	29 ³ / ₄	105	21 ⁵ / ₈	98 ¹ / ₂	18
PUBM54108TB	29 ³ / ₄	69	21 ⁵ / ₈	62 ¹ / ₂	18
PUBM54120TB	29 ³ / ₄	81	21 ⁵ / ₈	74 ¹ / ₂	18
PUBM54144TB	29 ³ / ₄	105	21 ⁵ / ₈	98 ¹ / ₂	18
PUBM54168TB	29 ³ / ₄	129	21 ⁵ / ₈	60 ¹ / ₄	18

T Leg Base placements




T Leg Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM54168TB	29¾	129	21⅝	60¼	18

T Leg Base placements







T Leg Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM54192TB	29 ³ / ₄	153	21 ⁵ / ₈	72 ¹ / ₄	18
PUBM54216TB	29 ³ / ₄	177	21 ⁵ / ₈	84 ¹ / ₄	18

T Leg Base placements



T Leg Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM54240TB	29 $\frac{3}{4}$	201	21 $\frac{5}{8}$	63 $\frac{1}{2}$	18


Disc & X Base placements



X Base Kit	Base Depth	Base offset
	A	E
PUBM3636XB	35¾	16½
PUBM4242XB	35¾	19½
PUBM4848XB	35¾	22½


Disc Base Kit	Base Depth	Base offset
	A	E
PUBM3030CB	27	13½
PUBM3636CB	27	16½
PUBM4242CB	27	19½
PUBM4848CB	27	22½

Disc Base placements




Disc Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM3060CB	27	53½	16¾	23½	15¼
PUBM3066CB	27	59½	16¾	29½	15¼
PUBM3072CB	27	65½	16¾	35½	15¼
PUBM3660CB	27	53½	16¾	23½	15¼
PUBM3666CB	27	59½	16¾	29½	15¼
PUBM3672CB	27	65½	16¾	35½	15¼
PUBM4272CB	27	65½	16¾	35½	15¼
PUBM4284CB	27	65½	22¾	35½	21¼
PUBM4296CB	27	77½	22¾	47½	21¼
PUBM4872CB	27	65½	16¾	35½	15¼
PUBM4884CB	27	65½	22¾	35½	21¼
PUBM4896CB	27	77½	22¾	47½	21¼

Disc Base placements




Disc Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM42120CB	27	101½	22¾	71½	21¼
PUBM42120CB	27	101½	22¾	71½	21¼

Disc Base placements




Disc Base Kit	Base Depth	Outside base to outside base	Base Center	Legroom	Base offset
	A	B	C	D	E
PUBM42144CB	27	125½	22¾	46¼	21¼
PUBM48144CB	27	125½	22¾	46¼	21¼

V-Top Rectangle Base placements





Rectangle Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_5496VRB	18	24	23	40	18	60
PUB_6096VRB	18	24	23	40	18	60

V-Top Rectangle Base placements




Rectangle Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_54120VRB	18	24	23	64	18	84
PUB_60120VRB	18	24	23	64	18	84

V-Top Square Base placements




Square Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_5496VSB	18	24	27	18	18	60
PUB_6096VSB	18	24	27	18	18	60

V-Top Square Base placements




Square Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_54120VSB	18	24	27	42	18	84
PUB_60120VSB	18	24	27	42	18	84

V-Top Drum Base placements




Drum Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_5496VDB	18	24	27	18	18	60
PUB_6096VDB	18	24	27	18	18	60

V-Top Drum Base placements




Drum Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUB_54120VDB	18	24	27	42	18	84
PUB_60120VDB	18	24	27	42	18	84

V-Top T-Leg Base placements




T-Leg Base Kit	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	C	D	E	F
PUBM4872VTB	29¾	15⅝	38½	14½	45
PUBM4896VTB	29¾	21⅝	50½	20½	57
PUBM5496VTB	29¾	21⅝	50½	20½	57

V-Top T-Leg Base placements



T-Leg Base Kit	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	C	D	E	F
PUBM48120VTB	29¾	21⅝	74½	20½	81
PUBM54120VTB	29¾	21⅝	74½	20½	81

V-Top Disc Base placements




Disc Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUBM4896VCB	17	27	22 ³ / ₄	47 ¹ / ₂	21 ¹ / ₄	72 ¹ / ₂

Disc with Technology

Disc Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUBM4896VCB	17	27	22 ³ / ₄	44	21 ¹ / ₄	70 ³ / ₄

V-Top Disc Base placements




Disc Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUBM48120VCB	17	27	22 $\frac{3}{4}$	71 $\frac{1}{2}$	21 $\frac{1}{4}$	96 $\frac{1}{2}$

Disc with Technology


Disc Base Kit	Base Depth	Base Depth	Base Center	Legroom	Base offset	Outside base to outside base
	A	B	C	D	E	F
PUBM48120VCB	17	27	24	68	22	94 $\frac{3}{4}$

V-Top Wall Mount Rectangle Base placements




Rectangle Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUB_5496VWRB	18	23	18	68
PUB_6096VWRB	24	23	18	68

V-Top Wall Mount Square Base placements




Square Base Kit	Base Depth	Base Center	Base offset
	A	B	C
PUB_4848VWSB	18	24	15

V-Top Wall Mount Square Base placements




Square Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUB_5496VWSB	18	27	18	60
PUB_6096VWSB	24	30	18	54

V-Top Wall Mount Drum Base placements




Drum Base Kit	Base Depth	Base Center	Base offset
	A	B	C
PUB_4848VWDB	18	24	15

V-Top Wall Mount Drum Base placements



Drum Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUB_5496VWDB	18	27	18	60
PUB_6096VWDB	24	30	18	54

DISC WITH TECHNOLOGY




Disc Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUBM4848VWCB	17	16 ³ / ₄	15 ¹ / ₄	29 ³ / ₄
PUBM4872VWCB	17	16 ³ / ₄	15 ¹ / ₄	53 ³ / ₄
PUBM4896VWCB	17	22 ³ / ₄	21 ¹ / ₄	71 ³ / ₄

Disc with Technology


Disc Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUBM4848VWCB	17	18	16 ⁵ / ₈	28 ⁵ / ₈
PUBM4872VWCB	17	18	16 ⁵ / ₈	52 ⁵ / ₈
PUBM4896VWCB	17	24	22 ⁵ / ₈	70 ⁵ / ₈

V-Top Wall Mount T-Leg Base placements




T-Leg Base Kit	Base Depth	Base Center	Base offset	Legroom
	A	B	C	D
PUBM4848VWTB	29 ³ / ₄	15 ¹ / ₂	14 ¹ / ₂	31 ¹ / ₄
PUBM4872VWTB	29 ³ / ₄	15 ¹ / ₂	14 ¹ / ₂	55 ¹ / ₄
PUBM4896VWTB	29 ³ / ₄	15 ¹ / ₂	14 ¹ / ₂	73 ¹ / ₄



Free standing tables with two or more bases are equipped with a "J"-rail to manage wires from base to base. The J-rail connects to each base with no visual gaps, allowing cords to flow seamlessly down the leg.



Wire routing shown is the same for rectangle, square and drum bases



Wire routing shown is the same for metal T, X and disc bases





Rectangle Bases

Reference Pages

Tops


Rectangular
Modern Rectangular
Boat
Racetrack

page UN18
page UN21
page UN24
page UN27



SIN # 711-9

Rectangle Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_6096RB	\$ 2366	\$ 2394	\$ 3184	24	60	28¼
PUB_5496RB	\$ 2366	\$ 2394	\$ 3184	24	60	28¼
PUB_5484RB	\$ 2242	\$ 2270	\$ 3060	24	48	28¼
PUB_5472RB	\$ 2242	\$ 2270	\$ 3060	24	48	28¼
PUB_4896RB	\$ 2110	\$ 2134	\$ 2876	18	60	28¼
PUB_4884RB	\$ 1986	\$ 2010	\$ 2752	18	48	28¼
PUB_4872RB	\$ 1986	\$ 2010	\$ 2752	18	48	28¼
PUB_4296RB	\$ 2110	\$ 2134	\$ 2876	18	60	28¼
PUB_4284RB	\$ 1986	\$ 2010	\$ 2752	18	48	28¼
PUB_4272RB	\$ 1986	\$ 2010	\$ 2752	18	48	28¼
PUB_3672RB	\$ 1986	\$ 2010	\$ 2752	18	48	28¼
PUB_3666RB	\$ 1986	\$ 2010	\$ 2752	18	42	28¼
PUB_3660RB	\$ 1986	\$ 2010	\$ 2752	18	36	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096RB.

LW7C

Rectangle Bases

Reference Pages

Tops

Rectangular

Modern Rectangular

Boat


Racetrack

page UN19



page UN22

page UN25

page UN28



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1	depth	width	height
	PUB_60168RB	\$ 4186	\$ 4228	\$ 5413	24	132	28¼
	PUB_54168RB	\$ 4186	\$ 4228	\$ 5413	24	132	28¼
	PUB_60144RB	\$ 3016	\$ 3044	\$ 3834	24	108	28¼
	PUB_60120RB	\$ 2716	\$ 2744	\$ 3534	24	84	28¼
	PUB_60108RB	\$ 2366	\$ 2401	\$ 3184	24	72	28¼
	PUB_54144RB	\$ 3016	\$ 3044	\$ 3834	24	108	28¼
	PUB_54120RB	\$ 2716	\$ 2744	\$ 3534	24	84	28¼
	PUB_54108RB	\$ 2366	\$ 2394	\$ 3184	24	72	28¼
	PUB_48144RB	\$ 2760	\$ 2784	\$ 3526	18	108	28¼
	PUB_48120RB	\$ 2460	\$ 2484	\$ 3226	18	84	28¼
	PUB_48108RB	\$ 2110	\$ 2134	\$ 2876	18	72	28¼
	PUB_42144RB	\$ 2760	\$ 2784	\$ 3526	18	108	28¼
	PUB_42120RB	\$ 2460	\$ 2484	\$ 3226	18	84	28¼
	PUB_42108RB	\$ 2110	\$ 2134	\$ 2876	18	72	28¼
Not all base kits available on all top sizes.							
Specify Material & Finish							

Specify selections, left to right:
Base ModelMaterial
& Finish
(see page UN34)





Rectangle Bases

Reference Pages

Tops


Rectangular
Modern Rectangular
Boat
Racetrack

page UN20
page UN23
page UN26
page UN29



SIN # 711-9

Rectangle Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_60240RB	\$ 5003	\$ 5045	\$ 6230	24	117	28¼
PUB_60216RB	\$ 4754	\$ 4796	\$ 5981	24	105	28¼
PUB_60192RB	\$ 4454	\$ 4496	\$ 5681	24	93	28¼
PUB_54240RB	\$ 5003	\$ 5045	\$ 6230	24	117	28¼
PUB_54216RB	\$ 4754	\$ 4796	\$ 5981	24	105	28¼
PUB_54192RB	\$ 4454	\$ 4496	\$ 5681	24	93	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL60240RB. LW7C

Square Bases

Reference Pages



Tops

Round

Square


page UN17

page UN17



SIN # 711-9

Square Base Kits




Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_6060SB	\$ 1228	\$ 1246	\$ 1432	24	24	28¼
PUB_5454SB	\$ 1228	\$ 1246	\$ 1432	24	24	28¼
PUB_4848SB	\$ 996	\$ 1011	\$ 1304	18	18	28¼
PUB_4242SB	\$ 996	\$ 1011	\$ 1304	18	18	28¼
PUB_3636SB	\$ 996	\$ 1011	\$ 1304	18	18	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Standing Height Square Base Kits



PUB_4848SSB	\$ 1196	\$ 1214	\$ 1704	18	18	40¾
PUB_4242SSB	\$ 1196	\$ 1214	\$ 1704	18	18	40¾
PUB_3636SSB	\$ 1196	\$ 1214	\$ 1704	18	18	40¾

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model


Material
& Finish
(see page UN34)

PUBL6060SB.



LW7C

Square Bases

Reference Pages
 Tops
 Rectangular page UN18



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1	depth	width	height
	PUB_4896SB	\$ 2516	\$ 2546	\$ 3132	18	60	28¼
	PUB_4296SB	\$ 2516	\$ 2546	\$ 3132	18	60	28¼
	Not all base kits available on all top sizes.						
	Specify Material & Finish						
Standing Height Square Base Kits							
	PUB_4896SSB	\$ 2559	\$ 2595	\$ 3575	18	60	40¾
	PUB_4296SSB	\$ 2559	\$ 2595	\$ 3575	18	60	40¾
	Not all base kits available on all top sizes.						
	Specify Material & Finish						


Specify selections, left to right:
 Base Model Material
 & Finish
 (see page UN34)

PUBL4896SB. LW7C

Square Bases



Reference Pages Tops

Rectangular page UN19
Modern Rectangular page UN22
Boat page UN25
Racetrack page UN28



SIN # 711-9

Square Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_60168SB	\$ 5107	\$ 5161	\$ 5719	24	132	28¼
PUB_54168SB	\$ 5107	\$ 5161	\$ 5719	24	132	28¼
PUB_60144SB	\$ 3630	\$ 3666	\$ 4038	24	108	28¼
PUB_60120SB	\$ 3330	\$ 3366	\$ 3738	24	84	28¼
PUB_60108SB	\$ 2980	\$ 3016	\$ 3388	24	72	28¼
PUB_54144SB	\$ 3630	\$ 3666	\$ 4038	24	108	28¼
PUB_54120SB	\$ 3330	\$ 3366	\$ 3738	24	84	28¼
PUB_54108SB	\$ 2980	\$ 3016	\$ 3388	24	72	28¼
PUB_48144SB	\$ 3166	\$ 3196	\$ 3782	18	108	28¼
PUB_48120SB	\$ 2866	\$ 2896	\$ 3482	18	84	28¼
PUB_48108SB	\$ 2516	\$ 2546	\$ 3132	18	72	28¼
PUB_42144SB	\$ 3166	\$ 3196	\$ 3782	18	108	28¼
PUB_42120SB	\$ 2866	\$ 2896	\$ 3482	18	84	28¼
PUB_42108SB	\$ 2516	\$ 2546	\$ 3132	18	72	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL60168SB.

LW7C




Standing Height Square Bases


Reference Pages

Tops

Rectangular page UN19
 Modern Rectangular page UN22
 Boat page UN25
 Racetrack page UN28



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1	depth	width	height
Standing Height Square Base Kits							
	PUB_54168SSB	\$ 3261	\$ 3303	\$ 4069	24	132	40¾
	PUB_54144SSB	\$ 3196	\$ 3238	\$ 4004	24	108	40¾
	PUB_54120SSB	\$ 3141	\$ 3183	\$ 3949	24	84	40¾
	PUB_54108SSB	\$ 3023	\$ 3065	\$ 3831	24	72	40¾
	PUB_48144SSB	\$ 2732	\$ 2768	\$ 3748	18	108	40¾
	PUB_48120SSB	\$ 2677	\$ 2713	\$ 3693	18	84	40¾
	PUB_48108SSB	\$ 2559	\$ 2595	\$ 3575	18	72	40¾
	PUB_42144SSB	\$ 2732	\$ 2768	\$ 3748	18	108	40¾
	PUB_42120SSB	\$ 2677	\$ 2713	\$ 3693	18	84	40¾
	PUB_42108SSB	\$ 2559	\$ 2595	\$ 3575	18	72	40¾
Not all base kits available on all top sizes.							
Specify Material & Finish							

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)



PUBL54168SSB LW7C

Square Bases

Reference Pages


Tops

Rectangular	page UN20
Modern Rectangular	page UN23
Boat	page UN26
Racetrack	page UN29



SIN # 711-9

Square Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_60240SB	\$ 5924	\$ 5978	\$ 6536	24	204	28¼
PUB_60216SB	\$ 5675	\$ 5729	\$ 6287	24	180	28¼
PUB_60192SB	\$ 5375	\$ 5429	\$ 5987	24	156	28¼
PUB_54240SB	\$ 5924	\$ 5978	\$ 6536	24	204	28¼
PUB_54216SB	\$ 5675	\$ 5729	\$ 6287	24	180	28¼
PUB_54192SB	\$ 5375	\$ 5429	\$ 5987	24	156	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL60240SB.

LW7C




Standing Height Square Bases


Reference Pages

Tops

- Rectangular
- Modern Rectangular
- Boat
- Racetrack
- page UN20
- page UN23
- page UN26
- page UN29



SIN # 711-9

Model #	L1 L	L2 L	Veneer V1	depth	width	height
Standing Height Square Base Kits						
 PUB_54240SSB	\$ 4999	\$ 5062	\$ 6211	24	204	40¾
PUB_54216SSB	\$ 4934	\$ 4997	\$ 6146	24	180	40¾
PUB_54192SSB	\$ 4879	\$ 4942	\$ 6091	24	156	40¾
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:

Base Model

Material
& Finish
(see page UN34)

PUBL54240SSB. LW7C

Drum Bases

Reference Pages



Tops

Round


Square

page UN17

page UN17



SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
Drum Base Kits 	PUB_6060DB	\$ 1673	\$ 1698	\$ 1890	24	24	28¼
	PUB_5454DB	\$ 1673	\$ 1698	\$ 1890	24	24	28¼
	PUB_4848DB	\$ 1283	\$ 1302	\$ 1675	18	18	28¼
	PUB_4242DB	\$ 1283	\$ 1302	\$ 1675	18	18	28¼
	PUB_3636DB	\$ 1283	\$ 1302	\$ 1675	18	18	28¼
Not all base kits available on all top sizes.							
Specify Material & Finish							

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH6060DB.


LW7C



Drum Bases


Reference Pages
Tops

Rectangular page UN18
Modern Rectangular page UN21
Boat page UN24
Racetrack page UN27



SIN # 711-9

Drum Base Kits



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PUB_4896DB	\$ 3090	\$ 3128	\$ 4034	18	60	28¼
PUB_4296DB	\$ 3090	\$ 3128	\$ 4034	18	60	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH4896DB.

LW7C

Drum Bases

Reference Pages

Tops

Rectangular

Modern Rectangular

Boat


Racetrack

page UN19

page UN22



page UN25

page UN28



SIN # 711-9

Drum Base Kits



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PUB_60168DB	\$ 6442	\$ 6517	\$ 7093	24	132	28¼
PUB_54168DB	\$ 6442	\$ 6517	\$ 7093	24	132	28¼
PUB_60144DB	\$ 4520	\$ 4570	\$ 4954	24	108	28¼
PUB_60120DB	\$ 4220	\$ 4270	\$ 4654	24	84	28¼
PUB_60108DB	\$ 3870	\$ 3920	\$ 4304	24	72	28¼
PUB_54144DB	\$ 4520	\$ 4570	\$ 4954	24	108	28¼
PUB_54120DB	\$ 4220	\$ 4270	\$ 4654	24	84	28¼
PUB_54108DB	\$ 3870	\$ 3920	\$ 4304	24	72	28¼
PUB_48144DB	\$ 3740	\$ 3778	\$ 4684	18	108	28¼
PUB_48120DB	\$ 3440	\$ 3478	\$ 4384	18	84	28¼
PUB_48108DB	\$ 3090	\$ 3128	\$ 4034	18	72	28¼
PUB_42144DB	\$ 3740	\$ 3778	\$ 4684	18	108	28¼
PUB_42120DB	\$ 3440	\$ 3478	\$ 4384	18	84	28¼
PUB_42108DB	\$ 3090	\$ 3128	\$ 4034	18	72	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH60168DB.



LW7C

Drum Bases

Reference Pages


Tops

Rectangular	page UN20
Modern Rectangular	page UN23
Boat	page UN26
Racetrack	page UN29



SIN # 711-9

Drum Base Kits



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PUB_60240DB	\$ 7259	\$ 7334	\$ 7910	24	204	28¼
PUB_60216DB	\$ 7010	\$ 7085	\$ 7661	24	180	28¼
PUB_60192DB	\$ 6710	\$ 6785	\$ 7361	24	156	28¼
PUB_54240DB	\$ 7259	\$ 7334	\$ 7910	24	204	28¼
PUB_54216DB	\$ 7010	\$ 7085	\$ 7661	24	180	28¼
PUB_54192DB	\$ 6710	\$ 6785	\$ 7361	24	156	28¼

Not all base kits available on all top sizes.

Specify Material & Finish

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH60240DB.


LW7C

T Leg Bases

Reference Pages
Tops


Rectangular
Modern Rectangular
Boat
Racetrack

page UN18
page UN21
page UN24
page UN27



SIN # 711-9

T Leg Base Kits



Model #	Metal <u>M</u>	depth	width	height
PUBM5496TB	\$ 813	29¾	60	28¼
PUBM5484TB	\$ 755	29¾	48	28¼
PUBM5472TB	\$ 755	29¾	48	28¼
PUBM4896TB	\$ 813	29¾	60	28¼
PUBM4884TB	\$ 755	29¾	48	28¼
PUBM4872TB	\$ 755	29¾	48	28¼
PUBM4296TB	\$ 813	29¾	60	28¼
PUBM4284TB	\$ 755	29¾	48	28¼
PUBM4272TB	\$ 755	29¾	48	28¼
PUBM3672TB	\$ 755	29¾	48	28¼
PUBM3666TB	\$ 755	29¾	42	28¼
PUBM3660TB	\$ 755	29¾	36	28¼
PUBM3072TB	\$ 755	29¾	48	28¼
PUBM3066TB	\$ 755	29¾	42	28¼
PUBM3060TB	\$ 755	29¾	36	28¼

Not all base kits available on all top sizes.

Specify Metal Finish

Specify selections, left to right:
Base Model

Metal
Finish
Silver (PR6)
Black (P71)
White (WH)

PUBM5496TB.


PR6

T Leg Bases

Reference Pages

Tops

Rectangular page UN19
 Modern Rectangular page UN22
 Boat page UN25
 Racetrack page UN28



SIN # 711-9

T Leg Base Kits




PUBM54168TB

\$ 1287

29¾

132

28¼



PUBM54144TB

\$ 928

29¾

108

28¼

PUBM54120TB

\$ 873

29¾

84

28¼

PUBM54108TB

\$ 813

29¾

72

28¼

PUBM48144TB

\$ 928

29¾

108

28¼

PUBM48120TB

\$ 873

29¾

84

28¼

PUBM48108TB

\$ 813

29¾

72

28¼

PUBM42144TB

\$ 928

29¾

108

28¼

PUBM42120TB

\$ 873

29¾

84

28¼

PUBM42108TB

\$ 813

29¾

72

28¼

Not all base kits available on all top sizes.

Specify Metal Finish

Specify selections, left to right:
 Base Model

Metal
 Finish
 Silver (PR6)
 Black (P71)
 White (WH)

PUBM54168TB.



PR6

T Leg Bases

Reference Pages


Tops

Rectangular page UN20
Modern Rectangular page UN23
Boat page UN26
Racetrack page UN29



SIN # 711-9

T Leg Base Kits



Model #	Metal M	depth	width	height
PUBM54216TB	\$ 1532	29¾	180	28¾
PUBM54192TB	\$ 1477	29¾	156	28¾
Not all base kits available on all top sizes.				
Specify Metal Finish				

Specify selections, left to right:
Base Model

**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

PUBM54216TB.

PR6



T Leg Bases

Reference Pages

Tops

- Rectangular
- Modern Rectangular
- Boat
- Racetrack
- page UN20
- page UN23
- page UN26
- page UN29



SIN # 711-9

	Model #	Metal M	depth	width	height
T Leg Base Kits	PUBM54240TB	\$ 1891	29¾	204	28¼
	Not all base kits available on all top sizes.				
	Specify Metal Finish				

Specify selections, left to right:
Base Model

Metal
Finish
Silver (PR6)
Black (P71)
White (WH)

PUBM54240TB. PR6

X Leg Bases

Reference Pages



Tops

Round

Square

page UN17

page UN17



SIN # 711-9

X Leg Base Kits



PUBM4848XB

\$ 445

35¾

35¾

28¼

PUBM4242XB

\$ 445

35¾

35¾

28¼

PUBM3636XB

\$ 445

35¾


35¾

28¼

Not all base kits available on all top sizes.

Specify Metal Finish

Standing Height X Leg Base Kits



PUBM4242SXB

\$ 555

35¾

35¾

40

PUBM3636SXB

\$ 555

35¾

35¾

40

Not all base kits available on all top sizes.

Specify Metal Finish

Specify selections, left to right:
Base Model

Metal Finish
Silver (PR6)
Black (P71)
White (WH)



PUBM4848XB.

PR6

Disc Bases


Reference Pages

Tops

Round
Squarepage UN17
page UN17

SIN # 711-9

Disc Base Kits



Model #	Metal M	depth	width	height
PUBM4848CB	\$ 585	27	22½	28¼
PUBM4242CB	\$ 585	27	19½	28¼
PUBM3636CB	\$ 585	27	16½	28¼
PUBM3030CB	\$ 585	27	13½	28¼

Not all base kits available on all top sizes.

Specify Metal Finish/Base

Standing Height Disc Base Kits



PUBM4242SCB	\$ 675	27	19½	40¾
PUBM3636SCB	\$ 675	27	16½	40¾
PUBM3030SCB	\$ 675	27	13½	40¾

Not all base kits available on all top sizes.

Specify Metal Finish/Base

Specify selections, left to right:
Base ModelMetal
Finish
Silver (PR6)
Black (P71)
White (WH)Base
Standard (STD)
Wire Manager (WM) **\$300**

PUBM4848CB.

PR6.

STD



Reference Pages

Tops

Rectangular
Modern Rectangular
Boat
Racetrack


page UN18
page UN21
page UN24
page UN27

Disc Bases



SIN # 711-9

Disc Base Kits



Model #	Metal M	depth	width	height
PUBM4896CB	\$ 1395	27	77½	28¼
PUBM4884CB	\$ 1337	27	65½	28¼
PUBM4872CB	\$ 1337	27	65½	28¼
PUBM4296CB	\$ 1395	27	77½	28¼
PUBM4284CB	\$ 1337	27	65½	28¼
PUBM4272CB	\$ 1337	27	65½	28¼
PUBM3672CB	\$ 1337	27	65½	28¼
PUBM3666CB	\$ 1337	27	59½	28¼
PUBM3660CB	\$ 1337	27	53½	28¼
PUBM3072CB	\$ 1337	27	65½	28¼
PUBM3066CB	\$ 1337	27	59½	28¼
PUBM3060CB	\$ 1337	27	53½	28¼

Not all base kits available on all top sizes.

Specify Metal Finish/Base

Specify selections, left to right:
Base Model

**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

Base
Standard (STD)
Wire Manager (WM) **\$600**

PUBM4896CB.

PR6.



STD

Standing Height Disc Bases

Reference Pages

Tops

Rectangular	page UN18
Modern Rectangular	page UN21
Boat	page UN24
Racetrack	page UN27



SIN # 711-9

		Model #	Metal M	depth	width	height
Standing Height Disc Base Kits						
		PUBM4896SCB	\$ 1575	27	77½	40¾
		PUBM4884SCB	\$ 1517	27	65½	40¾
		PUBM4872SCB	\$ 1517	27	65½	40¾
		PUBM4296SCB	\$ 1575	27	77½	40¾
		PUBM4284SCB	\$ 1517	27	65½	40¾
		PUBM4272SCB	\$ 1517	27	65½	40¾
		PUBM3672SCB	\$ 1517	27	65½	40¾
		PUBM3666SCB	\$ 1517	27	59½	40¾
		PUBM3660SCB	\$ 1517	27	53½	40¾
		PUBM3072SCB	\$ 1517	27	65½	40¾
		PUBM3066SCB	\$ 1517	27	59½	40¾
		PUBM3060SCB	\$ 1517	27	53½	40¾
		Not all base kits available on all top sizes.				
		Specify Metal Finish/Base				

Specify selections, left to right:
Base Model

Metal
Finish

Silver (PR6)
Black (P71)
White (WH)

Base

Standard (STD)
Wire Manager (WM) \$600

PUBM4896SCB.

PR6.



STD

Disc Bases



Reference Pages

Tops

Rectangular	page UN19
Modern Rectangular	page UN22
Boat	page UN25
Racetrack	page UN28



SIN # 711-9

	Model #	Metal <u>M</u>	depth	width	height
Disc Base Kits					
	PUBM48120CB	\$ 2040	27	101½	28¾
	PUBM42120CB	\$ 2040	27	101½	28¾
Not all base kits available on all top sizes.					
Specify Metal Finish/Base					
Standing Height Disc Base Kits					
	PUBM48120SCB	\$ 2310	27	101½	40¾
	PUBM42120SCB	\$ 2310	27	101½	40¾
Not all base kits available on all top sizes.					
Specify Metal Finish/Base					

Specify selections, left to right:
Base Model

**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

Base
Standard (STD)
Wire Manager (WM) **\$900**

PUBM48120CB.

PR6.


STD





Disc Bases

Reference Pages
Tops

Rectangular	page UN19
Modern Rectangular	page UN22
Boat	page UN25
Racetrack	page UN28



SIN # 711-9

			Model #	Metal M	depth	width	height
Disc Base Kits							
		PUBM48144CB	\$ 2095	27	125½	28¼	
		PUBM42144CB	\$ 2095	27	125½	28¼	
	Not all base kits available on all top sizes.						
Specify Metal Finish/Base							
Standing Height Disc Base Kits							
		PUBM48144SCB	\$ 2365	27	125¼	40¾	
		PUBM42144SCB	\$ 2365	27	125¼	40¾	
	Not all base kits available on all top sizes.						
Specify Metal Finish/Base							



Specify selections, left to right:		
Base Model	Metal Finish	Base
	Silver (PR6)	Standard (STD)
	Black (P71)	Wire Manager (WM) \$900
	White (WH)	
PUBM48144CB.	PR6.	STD

V-Top Rectangle Bases


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1		depth	width	height
V-Top Rectangle Base Kits								
	PUB_6096VRB	\$ 2238	\$ 2264	\$ 3030	\$ 3156	24	60	28¼
	PUB_5496VRB	\$ 2238	\$ 2264	\$ 3030	\$ 3156	24	60	28¼
Not all base kits available on all top sizes.								
Specify Material & Finish								

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096VRB.


LW7C




V-Top Rectangle Bases

Reference Pages
V-Top

page UN31



SIN # 711-9

	Model #	L1	L2	Veneer		depth	width	height
		L	L	V1				
	V-Top Rectangle Base Kits							
	PUB_60120VRB	\$ 2588	\$ 2614	\$ 3380		24	84	28¼
	PUB_54120VRB	\$ 2588	\$ 2614	\$ 3380		24	84	28¼
	Not all base kits available on all top sizes.							
Specify Material & Finish								

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL60120VRB.


LW7C

V-Top Square Bases

Reference Pages


V-Top

page UN30



SIN # 711-9

V-Top Square Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_6096VSB	\$ 2748	\$ 2781	\$ 3260	24	60	28¼
PUB_5496VSB	\$ 2748	\$ 2781	\$ 3260	24	60	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096VSB.


LW7C



V-Top Square Bases


Reference Pages
V-Top

page UN31



SIN # 711-9

V-Top Square Base Kits



Model #	L1 L	L2 L	Veneer V1	depth	width	height
PUB_60120VSB	\$ 3098	\$ 3131	\$ 3610	24	84	28¼
PUB_54120VSB	\$ 3098	\$ 3131	\$ 3610	24	84	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL60120VSB.


LW7C

V-Top Drum Bases

Reference Pages


V-Top

page UN30



SIN # 711-9

V-Top Drum Base Kits



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PUB_6096VDB	\$ 3480	\$ 3524	\$ 4169	24	60	28¼
PUB_5496VDB	\$ 3480	\$ 3524	\$ 4169	24	60	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096VDB.


LW7C



V-Top Drum Bases


Reference Pages
V-Top

page UN31



SIN # 711-9

V-Top Drum Base Kits



Model #	L1 H	L2 H	Veneer V1	depth	width	height
PUB_60120VDB	\$ 3830	\$ 3874	\$ 4519	24	84	28¼
PUB_54120VDB	\$ 3830	\$ 3874	\$ 4519	24	84	28¼
Not all base kits available on all top sizes.						
Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH60120VDB.


LW7C

V-Top T-Leg Bases


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	Metal <u>M</u>	depth	width	height
V-Top T-Leg Base Kits					
	PUBM5496VTB	\$ 755	29¾	57	28¼
	PUBM4896VTB	\$ 755	29¾	57	28¼
	PUBM4872VTB	\$ 755	29¾	45	28¼
Not all base kits available on all top sizes.					
Specify Metal Finish					

Specify selections, left to right:
Base Model

**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

PUBM5496VTB.


PR6



V-Top T-Leg Bases

Reference Pages
V-Top

page UN31



SIN # 711-9

	Model #	Metal M	depth	width	height
	V-Top T-Leg Base Kits				
	PUBM54120VTB	\$ 873	29¾	81	28¼
	PUBM48120VTB	\$ 873	29¾	81	28¼
	Not all base kits available on all top sizes.				
	Specify Metal Finish				

Specify selections, left to right:
Base Model

Metal
Finish
Silver (PR6)
Black (P71)
White (WH)

PUBM54120VTB.


PR6

V-Top Disc Bases


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	Metal <u>M</u>	depth	width	height
V-Top Disc Base Kits					
	PUBM4896VCB	\$ 1395	27	72½	28¼
	Not all base kits available on all top sizes.				
	Specify Metal Finish/Base				

Specify selections, left to right:
Base Model

**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

Base
Standard (STD)
Wire Manager (WM) **\$600**

PUBM4896VCB.

PR6.


STD




V-Top Disc Bases

Reference Pages
V-Top

page UN31



SIN # 711-9

	Model #	Metal M	depth	width	height
	V-Top Disc Base Kits				
	PUBM48120VCB	\$ 2040	27	96½	28¼
	Not all base kits available on all top sizes.				
	Specify Metal Finish/Base				

Specify selections, left to right:
Base Model

Metal
Finish
Silver (PR6)
Black (P71)
White (WH)

Base
Standard (STD)
Wire Manager (WM) **\$900**


PUBM48120VCB. PR6. STD

V-Top Wall Mount Rectangle Base Kits


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1	depth	width	height
V-Top Wall Mount Rectangle Base Kits							
	PUB_6096VWRB	\$ 1255	\$ 1269	\$ 1664	24	78	28¼
	PUB_5496VWRB	\$ 1127	\$ 1139	\$ 1510	18	78	28¼
Not all base kits available on all top sizes.							
Specify Material & Finish							

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096VWRB.



LW7C



V-Top Wall Mount Square Bases

Reference Pages
V-Top

page UN30



SIN # 711-9

	Model #	L1	L2	Veneer		depth	width	height
		<u>L</u>	<u>L</u>	<u>V1</u>				
V-Top Wall Mount Square Base Kits								
	PUB_4848VWSB	\$ 996	\$ 1011	\$ 1304		18	18	28¼
	Not all base kits available on all top sizes.							
	Specify Material & Finish							

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL4848VWSB.


LW7C

V-Top Wall Mount Square Base Kits


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	L1 L	L2 L	Veneer V1	depth	width	height
V-Top Wall Mount Square Base Kits							
	PUB_6096VWSB	\$ 1562	\$ 1580	\$ 1766	24	78	28¼
	PUB_5496VWSB	\$ 1330	\$ 1345	\$ 1638	18	78	28¼
Not all base kits available on all top sizes.							
Specify Material & Finish							

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBL6096VWSB.



LW7C




V-Top Wall Mount Drum Bases

Reference Pages
V-Top

page UN30



SIN # 711-9

Model #	L1 H	L2 H	Veneer V1	depth	width	height
V-Top Wall Mount Drum Base Kits						
	PUB_4848VWDB	\$ 1283	\$ 1302	\$ 1304	18	18 28¼
	Not all base kits available on all top sizes.					
	Specify Material & Finish					

Specify selections, left to right:
Base Model Material
 & Finish
 (see page UN34)



PUBH4848VWDB. LW7C

V-Top Wall Mount Drum Base Kits


Reference Pages

V-Top

page UN30



SIN # 711-9

	Model #	L1 H	L2 H	Veneer V1	depth	width	height
	V-Top Wall Mount Drum Base Kits						
	PUB_6096VWDB	\$ 2065	\$ 2090	\$ 2224	24	78	28¼
	PUB_5496VWDB	\$ 1760	\$ 1779	\$ 2009	18	78	28¼
	Not all base kits available on all top sizes.						
	Specify Material & Finish						

Specify selections, left to right:
Base Model

Material
& Finish
(see page UN34)

PUBH6096VWDB.


LW7C





V-Top Wall Mount Disc Base Kits

Reference Pages
V-Top

page UN30



SIN # 711-9

	Model #	Metal M	depth	width	height
V-Top Wall Mount Disc Base Kits					
 Standard shown	PUBM4896VWCB	\$ 919	17	88¾	28¼
	PUBM4872VWCB	\$ 919	17	70¾	28¼
	PUBM4848VWCB	\$ 919	17	46¾	28¼
Not all base kits available on all top sizes.					
 Technology base shown	Specify Metal Finish/Base				

Specify selections, left to right:
Base Model

Metal
Finish
Silver (PR6)
Black (P71)
White (WH)


Base
Standard (STD)
Wire Manager (WM) \$300

PUBM4896VWCB. PR6. STD



V-Top Wall Mount T-Leg Base Kits

Reference Pages
V-Top

page UN30



SIN # 711-9

	Model #	Metal <u>M</u>	depth	width	height
V-Top Wall Mount T-Leg Base Kits					
	PUBM4896VWTB	\$ 686	29¾	77	28¼
	PUBM4872VWTB	\$ 628	29¾	59	28¼
	PUBM4848VWTB	\$ 628	29¾	35	28¼
	Not all base kits available on all top sizes.				
Specify Metal Finish					

Specify selections, left to right:
Base Model


**Metal
Finish**
Silver (PR6)
Black (P71)
White (WH)

PUBM4896VWTB.


PR6

Wiring Examples

Top Width	60"	66"	72"	84"	96"	108"	120"	144"	168"	192"	216"	240"	Grommet Both
PX36JIQ	0	0	0	0	0	0	1	1	0	1	0	1	
PX60JIQ	0	0	0	0	0	0	0	0	1	1	2	2	
PXP1IQ	1	1	1	1	1	1	1	1	1	1	1	1	




Top Width	60"	66"	72"	84"	96"	108"	120"	144"	168"	192"	216"	240"	Grommet All
PX36JIQ	0	0	0	0	0	0	0	0	0	2	2	2	
PX60JIQ	0	0	0	0	0	0	0	0	0	0	0	0	
PXP1IQ	1	1	1	1	1	1	1	1	1	1	1	1	




PX36JIQ Jumper 36"
PX60JIQ Jumper 60"
PXP1IQ Power Infeed, Interlink IQ, 120" cord


Both



All




PXP1IQ
Power Supply




PX05_PG_
Power Data Grommet

PX_JIQ
IQ Jumper Cable

PX05_PG_
Power Data Grommet



PXP1IQ
Power Supply




PX05_PG_
Power/Data Grommet

PX_JIQ
IQ Jumper Cable

PX05_PG_
Power/Data Grommet

PX_JIQ
IQ Jumper Cable

PX05_PG_
Power/Data Grommet



SIN # 711-2

	Model #	List Price	depth	width
PX03MG Round Metal Grommet - 3" diameter cutout size*				
	PX03MG	\$ 50	3	3
	Available in Silver (PR6) or Black (P71) Fits in 3" diameter hole Includes grommet and cover Field installed			
	Specify Metal Finish			
PX03 Power Grommets - 3" diameter cutout size*				
	PX03PG1	\$ 173	3	3
	2 Power Receptacles 120" Corded, 72" Hardwired or IQ Interlink			
	PX03PG2	\$ 321	3	3
	1 Power Receptacle, 1 Dual USB Charging 120" Corded, 72" Hardwired or IQ Interlink			
	PX03PG3	\$ 170	3	3
	1 Power Receptacle, 1 Open Data Port 120" Corded, 72" Hardwired or IQ Interlink			
	Hardwired upcharge is \$25 IQ Interlink upcharge is \$35			
	Specify Metal Finish/Cord			

*Cutout size (not bezel of power units)

Specify selections, left to right:
Base Model
Metal Finish
 White (WH)
 Black (P71)
 Silver and Black (PR6)
 Polished and White (PAL)




Cord
 120" Cord (CD)
 72" Hardwired (HW) **\$25**
 Interlink IQ (IQ) **\$35**

PX03PG1.

WH.

CD




SIN # 711-2

	Model #	List Price	depth	width
PX0508				
4 Data Ports - 5" x 8" cutout size*				
	PX0508PG1	\$ 345	5	8
	2 Power Receptacles, 2 Open Data Ports 120" Corded, 72" Hardwired or IQ Interlink			
	PX0508PG2	\$ 445	5	8
	2 Power Receptacles, 1 Dual USB Charging, 1 Open Data Port 120" Corded, 72" Hardwired or IQ Interlink			
	PX0508PG3	\$ 415	5	8
	2 Power Receptacles, 1 HDMI, 1 Open Data Port 120" Corded, 72" Hardwired or IQ Interlink			
Hardwired upcharge is \$25				
IQ Interlink upcharge is \$35				
Specify Metal Finish/Cord				

*Cutout size (not bezel of power units)

Specify selections, left to right:
Base Model**Metal Finish**
Alloy and White (AL)
Black (P71)**Cord**
120" Cord (CD)
72" Hardwired (HW) **\$25**
Interlink IQ (IQ) **\$35****PX0508PG1.****P71.****HW**

SIN # 711-2

	Model #	List Price	depth	width
PX0511				
6 Data Ports - 5" x 11" cutout size*				
	PX0511PG1	\$ 365	5	11
	3 Power Receptacles, 3 Open Data Ports 120" Corded, 72" Hardwired or IQ Interlink			
	PX0511PG2	\$ 465	5	11
	3 Power Receptacles, 1 Dual USB Charging, 2 Open Data Ports 120" Corded, 72" Hardwired or IQ Interlink			
	PX0511PG3	\$ 435	5	11
	3 Power Receptacles, 1 HDMI, 2 Open Data Ports 120" Corded, 72" Hardwired or IQ Interlink			
Hardwired upcharge is \$25				
IQ Interlink upcharge is \$35				
Specify Metal Finish/Cord				

*Cutout size (not bezel of power units)

Specify selections, left to right:
Base Model
Metal Finish
 Alloy and White (AL)
 Black (P71)




Cord
 120" Cord (CD)
 72" Hardwired (HW) **\$25**
 Interlink IQ (IQ) **\$35**

PX0511PG1.






AL.

IQ

SIN # 711-2

	Model #	List Price
Power Infeed, Interlink IQ, 120" cord		
	PXPIIQ	\$ 359
	Power Infeed, Interlink IQ, 120" cord	
	PX36JIQ	\$ 61
	Power Jumper, Interlink IQ, 36" Jumper	
	PX60JIQ	\$ 75
	Power Jumper, Interlink IQ, 60" Jumper	

SIN # 711-2

	Model #	List Price
	PX01HDMI	\$ 70
	HDMI Connector	
	Specify Insert Finish	
	PX01VGA	\$ 75
	VGA Connector	
	Specify Insert Finish	
	PX01USB	\$ 85
	Retrofit USB	
	Specify Insert Finish	
	PX01Cat5	\$ 50
	RJ45 Cat5	
	Specify Insert Finish	
	PX01Cat6	\$ 70
	RJ45 Cat6	
	Specify Insert Finish	
	PX01RJ11	\$ 20
	RJ11	
	Specify Insert Finish	

Specify selections, left to right:
Base ModelInsert
Finish
Black (P71)
White (WH)

PX01HDMI.

P71

Alynn Occasional Tables Product Features

Wood Legs - Select grade solid hardwood.

Wood Rails - Select grade solid hardwood.

Wood Tops - Flat sliced, slip matched hardwood veneer on composite wood substrate.

Finish - Catalyzed varnish finish provides enhanced stain and mar resistance.

Feet - Includes nylon glides.

Meets or exceeds ANSI / BIFMA performance standards.




W-34: 27W x 23D x 20¼H
Lamp Table



W-35: 28W x 28D x 20¼H
Corner Table



W-36: 48W x 23D x 16¼H
Coffee Table



W-37: 48W x 16D x 27¼H
Sofa Table

Alynn Table

Order of options: Wood finish



Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecru	912

Model Grade / List Prices



**W-34
Lamp Table**

\$731

Shipped K/D

Dimensions

width	27	SIN #	NOC
depth	23		
height	20¼		

Specify Wood Finish



**W-35
Corner Table**

\$ 788

Shipped K/D

Dimensions

width	28	SIN #	711-8
depth	28		
height	20¼		

Specify Wood Finish



**W-36
Coffee Table**

\$840

Shipped K/D

Dimensions

width	48	SIN #	711-8
depth	23		
height	16¼		

Specify Wood Finish



**W-37
Sofa Table**

\$948

Shipped K/D

Dimensions

width	48	SIN #	711-8
depth	16		
height	27¼		

Specify Wood Finish

Specify selections, left to right:

	Base Model	Wood Finish
(Standard)	W-34.	774

Diverge Occasional Tables Product Features

Wood Legs - Select grade solid hardwood.


Wood Rails - Select grade solid hardwood.

Wood Tops - Flat sliced, slip matched hardwood veneer on composite wood substrate.

Finish - Catalyzed varnish finish provides enhanced stain and mar resistance.

Feet - Includes nylon glides.

Meets or exceeds ANSI / BIFMA performance standards



P-DV1818RDTL: 18W x 18D x 22H
Round End Table



P-DV2424RDTL: 24W x 24D x 22H
Round End Table



P-DV3636RDTL: 36W x 36D x 16H
Round Coffee Table



P-DV2242OVTL: 42W x 22D x 16H
Oval Coffee Table



P-DV2424SQTl: 24W x 24D x 22H
Square End Table



P-DV2242RCTL: 42W x 22D x 16H
Rectangular Coffee Table

Diverge Table

Order of options: Wood finish



Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecrú	912

Model	Grade / List Prices
-------	---------------------


P-DV1818RDTL
Round End Table
\$1214

Dimensions

width	18	SIN # 711-8
depth	18	
height	22	

Specify Wood Finish
P-DV2424RDTL
Round End Table
\$1435

Dimensions

width	24	SIN # 711-8
depth	24	
height	22	

Specify Wood Finish
P-DV3636RDTL
Round Coffee Table
\$1875

Dimensions

width	36	SIN # 711-8
depth	36	
height	16	

Specify Wood Finish
P-DV2242OVTL
Oval Coffee Table
\$1766

Dimensions

width	42	SIN # 711-8
depth	22	
height	16	


Specify Wood Finish

Specify selections, left to right:

	Base Model	Wood Finish
(Standard)	P-DV1818RDTL	774

Diverge Table

Order of options: Wood finish



Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecru	912

Model		Grade / List Prices	
	P-DV2424SQTL		
	Square End Table		\$993
	Dimensions		
	width 24	SIN # 711-8	
	depth 24		
	height 22		
	Specify Wood Finish		
	P-DV2242RCTL		
	Rectangular Coffee Table		\$1324
	Dimensions		
	width 42	SIN # 711-8	
	depth 22		
	height 16		
	Specify Wood Finish		

Specify selections, left to right:

	Base Model	Wood Finish
(Standard)	P-DV2424SQTL.	774

Miraval Occasional Tables Product Features

Wood Legs - Select grade solid hardwood.

Wood Rails - Select grade solid hardwood.

Wood Tops - Flat sliced, slip matched hardwood veneer on composite wood substrate.

Finish - Catalyzed varnish finish provides enhanced stain and mar resistance.

Feet - Includes nylon glides.

Meets or exceeds ANSI / BIFMA performance standards.



P-1199: 24W x 24D x 21H
Lamp Table



P-1198: 42W x 24D x 16H
Coffee Table

Miraval Table

Order of options: Wood finish



Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecrú	912

Model		Grade / List Prices	
	P-1199		
	Lamp Table		\$860
	Dimensions		
	width 24	SIN # 711-8	
	depth 24		
	height 21		
	Specify Wood Finish		
	P-1198		
	Coffee Table		\$1063
	Dimensions		
	width 42	SIN # 711-8	
	depth 24		
	height 16		
	Specify Wood Finish		

Specify selections, left to right:

	Base Model	Wood Finish
(Standard)	P-1199.	774

Tahoe Product Features

Legs - Select grade solid hardwood.

Tops (options):

When wood top option is chosen, the top wood rim finish matches the top finish.

When non-wood top option is chosen, the top wood rim matches the chassis finish.

Wood Top - Reverse diamond sketch face wood veneer on 1½" particle board with select grade solid hardwood external band edge.

Glass Top - ¾" Back painted (black or white options) on ¾" particle board with ⅝" select grade solid hardwood external band edge.

Quartz Top - ¾" (nominal) quartz stone inlay (black or white options) on ¾" particle board with ⅝" select grade solid hardwood external band edge.


Round & Square Wood Shelf - Genuine flat sliced, slip matched maple veneer each side of ¾" particle board or medium density fiber board.

Round shelf - edges are self edge profile with MDF Rim.

Square shelf - edges are self edge profile, Veneer Edge Band.

Feet - Includes nylon glides.

Meets or exceeds ANSI / BIFMA performance standards.



P-TOW1818RDTL: 19W x 19D x 24H
Round Wood Leg End Table



P-TOW2424RDTL: 24W x 24D x 24H
Round Wood Leg End Table



P-TOW1818SQTl: 18W x 18D x 24H
Square Wood Leg End Table



P-TOW2424SQTl: 25W x 25D x 24H
Square Wood Leg End Table



P-TOW4224RCTL: 43W x 25D x 16H
Rectangular Coffee Table



P-TOW3621RCTL: 37W x 25D x 16H
Rectangular Coffee Table



P-TOW3636SQTl: 37W x 37D x 16H
Square Coffee Table



P-TOW4242SQTl: 43W x 43D x 16H
Square Coffee Table




P-TOW3636RDTL: 37W x 37D x 16H
Round Coffee Table



P-TOW4242RDTL: 40W x 40D x 16H
Round Coffee Table

Tahoe Table
Order of options:
Top material/Chassis material & finish




Material Options
 Veneer top or chassis V
 Glass G
 Quartz Stone Q

Wood Finishes
Standard Palette Finishes
 Cafelle 233
 Lowell Ash 394
 Mahogany 740
 Shaker Cherry 774
 Harvest Maple 856
 Natural Maple 867
 Colombian Walnut 639
 Pinnacle Walnut 679
 Skyline Walnut 527
 Portico Teak 110
 Natural Recon 896
 Phantom Ecru 912

Glass Finishes
 Black BL
 White WH

Quartz Stone Finishes
 Black BL
 White WH

Model Grade / List Prices



veneer
top
shown

P-TOW1818RDTL
Round Wood Leg End Table

\$1017 veneer
\$1297 glass
\$1982 quartz

Dimensions

width 19
 depth 19
 height 24

SIN # 711-8

Specify Top Material/Chassis Material & Finish



inlay top
shown

P-TOW2424RDTL
Round Wood Leg End Table

\$1131 veneer
\$1646 glass
\$2175 quartz

Dimensions

width 24
 depth 24
 height 24

SIN # 711-8

Specify Top Material/Chassis Material & Finish



veneer
top
shown

P-TOW1818SQTL
Square Wood Leg End Table

\$905 veneer
\$1132 glass
\$1077 quartz

Dimensions

width 18
 depth 18
 height 24

SIN # 711-8

Specify Top Material/Chassis Material & Finish

Specify selections, left to right:

	Base Model	Top Material	Chassis Material & Finish
(Standard)	P-TOW1818RDTL	V.	V774

Tahoe Table

Order of options:

Top material/Chassis material & finish



Material Options

Veneer top or chassis	V
Glass	G
Quartz Stone	Q

Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecu	912

Glass Finishes

Black	BL
White	WH

Quartz Stone Finishes

Black	BL
White	WH

Model

Grade / List Prices

inlay top
shown

P-TOW2424SCTL

Square Wood Leg End Table

\$1017 veneer

\$1440 glass

\$1368 quartz

Dimensions


width 25

SIN # 711-8

depth 25

height 24

Specify Top Material/Chassis Material & Finish

veneer top
shown

P-TOW4224RCTL

Rectangular Coffee Table

\$1131 veneer

\$1894 glass

\$1795 quartz

Dimensions

width 43

SIN # 711-8

depth 25

height 16

Specify Top Material/Chassis Material & Finish

inlay top
shown

P-TOW3621RCTL

Rectangular Coffee Table

\$1017 veneer

\$1612 glass

\$1497 quartz

Dimensions

width 37

SIN # 711-8

depth 25

height 16

Specify Top Material/Chassis Material & Finish


Specify selections, left to right:

	Base Model	Top Material	Chassis Material & Finish
(Standard)	P-TOW2424SCTL.	V.	V774

Tahoe Table

Order of options:

Top material/Chassis material & finish



Material Options

Veneer top or chassis	V
Glass	G
Quartz Stone	Q

Wood Finishes

Standard Palette Finishes

Cafelle	233
Lowell Ash	394
Mahogany	740
Shaker Cherry	774
Harvest Maple	856
Natural Maple	867
Colombian Walnut	639
Pinnacle Walnut	679
Skyline Walnut	527
Portico Teak	110
Natural Recon	896
Phantom Ecu	912

Glass Finishes


Black	BL
White	WH

Quartz Stone Finishes

Black	BL
White	WH

Model

Grade / List Prices

veneer top
shown
P-TOW3636SQTL
Square Coffee Table

\$1245 veneer

\$2236 glass

\$2121 quartz

Dimensions

width	37
depth	37
height	16

SIN # 711-8

Specify Top Material/Chassis Material & Finish

veneer top
shown
P-TOW4242SQTL
Square Coffee Table

\$1358 veneer

\$2715 glass

\$2577 quartz

Dimensions

width	43
depth	43
height	16

SIN # 711-8

Specify Top Material/Chassis Material & Finish

veneer top
shown
P-TOW3636RDTL
Round Coffee Table

\$1472 veneer

\$2660 glass

\$2726 quartz

Dimensions

width	37
depth	37
height	16

SIN # 711-8

Specify Top Material/Chassis Material & Finish

inlay top
shown
P-TOW4242RDTL
Round Coffee Table

\$1586 veneer

\$3057 glass

\$2865 quartz

Dimensions

width	40
depth	40
height	16

SIN # 711-8

Specify Top Material/Chassis Material & Finish

Specify selections, left to right:

	Base Model	Top Material	Chassis Material & Finish
(Standard)	P-TOW3636SQTL	V.	V774

[illegible]

Tables Numerical Index

model number	weight	cubes	page	model number	weight	cubes	page
P-1198	40	3.7	OT7	PCOH4272TT	154	11.2	CO9
P-1199	28	2.2	OT7	PCOH4278RT	167	12.0	CO13
P-DV1818RDTL	22	9.3	OT4	PCOH4278TT	167	12.0	CO8
P-DV2242OVTL	35	17.1	OT4	PCOH4284RT	179	12.9	CO13
P-DV2242RCTL	41	17.1	OT5	PCOH4284TT	179	12.9	CO8
P-DV2424RDTL	28	14.6	OT4	PCOH4290RT	192	13.8	CO13
P-DV2424SQTL	32	14.6	OT5	PCOH4290TT	192	13.8	CO8
P-DV3636RDTL	43	22.4	OT4	PCOH4296RT	205	14.6	CO13
P-TOW1818RDTL	32	6.7	OT9	PCOH4296TT	205	14.6	CO8
P-TOW1818SQTL	37	6.7	OT9	PCOV3030RD	38	4.5	CO3
P-TOW2424RDTL	41	10.2	OT9	PCOV3030SQ	38	4.5	CO4
P-TOW2424SQTL	51	11.0	OT10	PCOV3054RT	82	7.3	CO10
P-TOW3621RCTL	59	9.8	OT10	PCOV3054TT	82	7.3	CO5
P-TOW3636RDTL	88	15.9	OT11	PCOV3060RT	92	8.1	CO10
P-TOW3636SQTL	68	15.1	OT11	PCOV3060TT	92	8.1	CO5
P-TOW4224RCTL	71	12.7	OT10	PCOV3066RT	101	8.8	CO10
P-TOW4242RDTL	69	18.5	OT11	PCOV3066TT	101	8.8	CO5
P-TOW4242SQTL	76	18.5	OT11	PCOV3072RT	110	9.6	CO10
PCOH3030RD	38	4.5	CO3	PCOV3072TT	110	9.6	CO5
PCOH3030SQ	38	4.5	CO4	PCOV3078RT	119	10.3	CO10
PCOH3054RT	82	7.3	CO10	PCOV3078TT	119	10.3	CO5
PCOH3054TT	82	7.3	CO5	PCOV3636RD	55	6.0	CO3
PCOH3060RT	92	8.1	CO10	PCOV3636SQ	55	6.0	CO4
PCOH3060TT	92	8.1	CO5	PCOV3654RT	99	8.6	CO12
PCOH3066RT	101	8.8	CO10	PCOV3654TT	99	8.6	CO7
PCOH3066TT	101	8.8	CO5	PCOV3660RT	110	9.4	CO12
PCOH3072RT	110	9.6	CO10	PCOV3660TT	110	9.4	CO7
PCOH3072TT	110	9.6	CO5	PCOV3666RT	121	10.3	CO12
PCOH3078RT	119	10.3	CO10	PCOV3666TT	121	10.3	CO7
PCOH3078TT	119	10.3	CO5	PCOV3672RT	132	11.2	CO12
PCOH3636RD	55	6.0	CO3	PCOV3672TT	132	11.2	CO7
PCOH3636SQ	55	6.0	CO4	PCOV3678RT	143	12.0	CO11
PCOH3654RT	99	8.6	CO12	PCOV3678TT	143	12.0	CO6
PCOH3654TT	99	8.6	CO7	PCOV3684RT	154	12.9	CO11
PCOH3660RT	110	9.4	CO12	PCOV3684TT	154	12.9	CO6
PCOH3660TT	110	9.4	CO7	PCOV3690RT	165	13.8	CO11
PCOH3666RT	121	10.3	CO12	PCOV3690TT	165	13.8	CO6
PCOH3666TT	121	10.3	CO7	PCOV3696RT	176	14.6	CO11
PCOH3672RT	132	11.2	CO12	PCOV3696TT	176	14.6	CO6
PCOH3672TT	132	11.2	CO7	PCOV4242RD	75	7.8	CO3
PCOH3678RT	143	12.0	CO11	PCOV4242SQ	75	7.8	CO4
PCOH3678TT	143	12.0	CO6	PCOV4254RT	115	8.6	CO14
PCOH3684RT	154	12.9	CO11	PCOV4254TT	115	8.6	CO9
PCOH3684TT	154	12.9	CO6	PCOV4260RT	128	9.4	CO14
PCOH3690RT	165	13.8	CO11	PCOV4260TT	128	9.4	CO9
PCOH3690TT	165	13.8	CO6	PCOV4266RT	141	10.3	CO14
PCOH3696RT	176	14.6	CO11	PCOV4266TT	141	10.3	CO9
PCOH3696TT	176	14.6	CO6	PCOV4272RT	154	11.2	CO14
PCOH4242RD	75	7.8	CO3	PCOV4272TT	154	11.2	CO9
PCOH4242SQ	75	7.8	CO4	PCOV4278RT	167	12.0	CO13
PCOH4254RT	115	8.6	CO14	PCOV4278TT	167	12.0	CO8
PCOH4254TT	115	8.6	CO9	PCOV4284RT	179	12.9	CO13
PCOH4260RT	128	9.4	CO14	PCOV4284TT	179	12.9	CO8
PCOH4260TT	128	9.4	CO9	PCOV4290RT	192	13.8	CO13
PCOH4266RT	141	10.3	CO14	PCOV4290TT	192	13.8	CO8
PCOH4266TT	141	10.3	CO9	PCOV4296RT	205	14.6	CO13
PCOH4272RT	154	11.2	CO14	PCOV4296TT	205	14.6	CO8

Tables Numerical Index

model number	weight	cubes	page
PSH_0924HMP	5	0.5	SH10
PSH_0930HMP	5	0.6	SH10
PSH_0936HMP	7	0.7	SH10
PSH_0942HMP	9	0.8	SH10
PSH_0948HMP	11	1.0	SH10
PSH_0954HMP	15	1.1	SH10
PSH_0960HMP	17	1.2	SH10
PSH_0966HMP	19	1.3	SH10
PSH_0972HMP	21	1.4	SH10
PSH_1830FLC	160	18.5	SH15
PSH_2424CT45	12	1.2	SH9
PSH_2424CT60	14	1.2	SH9
PSH_2424CT90	16	1.2	SH9
PSH_2436ST1	175	20.6	SH16
PSH_2436ST2	185	20.6	SH17
PSH_2448TP	51	4.5	SH7
PSH_2448TT	51	4.5	SH5
PSH_2448TTR	51	4.5	SH12
PSH_2454ST1	234	30.0	SH16
PSH_2454ST2	244	30.0	SH17
PSH_2454TT	55	5.0	SH5
PSH_2454TTR	55	5.1	SH12
PSH_2460TP	60	5.6	SH7
PSH_2460TT	62	5.6	SH5
PSH_2460TTR	62	5.6	SH12
PSH_2466TT	67	6.1	SH5
PSH_2466TTR	67	6.1	SH12
PSH_2472ST1	355	40.0	SH16
PSH_2472ST2	365	40.0	SH17
PSH_2472TT	73	6.7	SH5
PSH_2472TTR	73	6.7	SH12
PSH_2472WBO	360	48.0	SH15
PSH_2472WBP	390	48.0	SH15
PSH_3000CTT	43	3.6	SH13
PSH_3030CT45	20	1.8	SH9
PSH_3030CT60	22	1.8	SH9
PSH_3030CT90	24	1.8	SH9
PSH_3030CTT	45	3.6	SH13
PSH_3030RD	39	3.6	SH8
PSH_3030ST	43	3.6	SH8
PSH_3048AT	59	5.6	SH6
PSH_3048TP	60	5.6	SH7
PSH_3048TT	59	5.6	SH5
PSH_3054AT	68	6.2	SH6
PSH_3054TT	68	6.2	SH5
PSH_3060AT	74	6.9	SH6
PSH_3060TP	74	6.9	SH7
PSH_3060TT	74	6.9	SH5
PSH_3066AT	81	7.6	SH6
PSH_3066TT	81	7.6	SH5
PSH_3072AT	87	8.2	SH6
PSH_3072TT	87	8.2	SH5
PSH_3600CTT	55	5.0	SH13
PSH_3636CT45	32	2.5	SH9
PSH_3636CT60	34	2.5	SH9
PSH_3636CT90	36	2.5	SH9
PSH_3636CTT	57	5.0	SH13

model number	weight	cubes	page
PSH_3636RD	41	5.0	SH8
PSH_3636ST	55	5.0	SH8
PSH_3660TT	87	8.2	SH5
PSH_3672TP	100	9.8	SH7
PSH_3672TT	100	9.8	SH5
PSH_4200CTT	72	6.7	SH13
PSH_4242CTT	74	6.7	SH13
PSH_4242RD	53	6.7	SH8
PSH_4242ST	72	6.7	SH8
PSH_4800CTT	89	8.7	SH13
PSH_4848CTT	91	8.7	SH13
PSH_4848RD	70	8.7	SH8
PSH_4848ST	89	8.7	SH8
PSH_4848VB	139	11.6	SH14
PSHH4848WB	45	4.3	SH14
PSHH6048WB	75	6.3	SH14
PSHM0924HMP	3	0.6	SH11
PSHM0930HMP	4	0.8	SH11
PSHM0936HMP	5	0.9	SH11
PSHM0942HMP	6	1.1	SH11
PSHM0948HMP	7	1.2	SH11
PSHM0954HMP	8	1.4	SH11
PSHM0960HMP	9	1.5	SH11
PSHM0966HMP	10	1.7	SH11
PSHM0972HMP	11	1.8	SH11
PST_48108MR	329	35.7	ST30
PST_48108TT	329	35.7	ST24
PST_48120MR	350	37.2	ST30
PST_48120TT	350	37.2	ST24
PST_48144MR	390	40.1	ST30
PST_48144TT	390	40.1	ST24
PST_4848RD	172	19.0	ST20
PST_4848SQ	172	19.0	ST20
PST_4872MR	212	17.8	ST28
PST_4872TT	212	17.8	ST22
PST_4872VT	194	22.0	ST34
PST_4884MR	233	19.3	ST28
PST_4884TT	233	19.3	ST22
PST_4896MR	253	20.7	ST28
PST_4896TT	253	20.7	ST22
PST_4896VT	235	25.9	ST34
PST_54108MR	352	37.4	ST30
PST_54108TT	352	37.4	ST24
PST_54120MR	374	39.0	ST30
PST_54120TT	374	39.0	ST24
PST_54144MR	419	42.3	ST30
PST_54144TT	419	42.3	ST24
PST_54168MR	464	45.6	ST30
PST_54168TT	464	46.0	ST24
PST_54192MR	597	57.3	ST32
PST_54192TT	597	57.3	ST26
PST_54216MR	642	60.6	ST32
PST_54216TT	642	60.6	ST26
PST_54240MR	687	63.8	ST32
PST_54240TT	687	63.8	ST26
PST_5454RD	193	16.4	ST20
PST_5454SQ	193	16.4	ST20

Tables Numerical Index

model number	weight	cubes	page	model number	weight	cubes	page
PST_5472MR	227	18.9	ST28	PU_42108TT	176	12.8	UN19
PST_5472TT	227	18.9	ST22	PU_42120BT	194	14.1	UN25
PST_5484MR	250	20.5	ST28	PU_42120MR	194	14.1	UN22
PST_5484TT	250	20.5	ST22	PU_42120RT	194	14.1	UN28
PST_5496MR	272	22.1	ST28	PU_42120TT	194	14.1	UN19
PST_5496TT	272	22.1	ST22	PU_42144BT	230	16.8	UN25
PST_5496VT	254	26.3	ST34	PU_42144MR	230	16.8	UN22
PST_60108MR	375	39.0	ST30	PU_42144RT	230	16.8	UN28
PST_60108TT	374	39.0	ST24	PU_42144TT	230	16.8	UN19
PST_60120MR	399	41.0	ST30	PU_4242RD	70	5.1	UN17
PST_60120TT	399	40.8	ST24	PU_4242SQ	70	5.1	UN17
PST_60144MR	448	44.4	ST30	PU_4272BT	115	8.4	UN24
PST_60144TT	448	44.4	ST24	PU_4272MR	115	8.4	UN21
PST_60168MR	498	48.4	ST30	PU_4272RT	115	8.4	UN27
PST_60168TT	498	48.0	ST24	PU_4272TT	115	8.4	UN18
PST_60192MR	637	60.2	ST32	PU_4284BT	133	9.7	UN24
PST_60192TT	637	60.2	ST26	PU_4284MR	133	9.7	UN21
PST_60216MR	686	63.8	ST32	PU_4284RT	133	9.7	UN27
PST_60216TT	686	63.8	ST26	PU_4284TT	133	9.7	UN18
PST_60240MR	736	67.4	ST32	PU_4296BT	151	11.0	UN24
PST_60240TT	736	67.4	ST26	PU_4296MR	151	11.0	UN21
PST_6060RD	217	18.1	ST20	PU_4296RT	151	11.0	UN27
PST_6060SQ	217	18.1	ST20	PU_4296TT	151	11.0	UN18
PST_6096MR	291	23.5	ST28	PU_48108BT	198	14.5	UN25
PST_6096TT	291	23.5	ST22	PU_48108MR	198	14.5	UN22
PST_6096VT	273	27.7	ST34	PU_48108RT	198	14.5	UN28
PU_3030RD	39	2.8	UN17	PU_48108TT	198	14.5	UN19
PU_3030SQ	39	2.8	UN17	PU_48120BT	219	16.0	UN25
PU_3060BT	72	5.3	UN24	PU_48120MR	218	16.0	UN22
PU_3060MR	72	5.3	UN21	PU_48120RT	219	16.0	UN28
PU_3060RT	72	5.3	UN27	PU_48120TT	219	16.0	UN19
PU_3060TT	72	5.3	UN18	PU_48120VT	218	16.0	UN31
PU_3066BT	79	5.8	UN24	PU_48144BT	259	18.9	UN25
PU_3066MR	79	5.8	UN21	PU_48144MR	258	18.9	UN22
PU_3066RT	79	5.8	UN27	PU_48144RT	259	18.9	UN28
PU_3066TT	79	5.8	UN18	PU_48144TT	258	18.9	UN19
PU_3072BT	85	6.2	UN24	PU_4848RD	89	6.5	UN17
PU_3072MR	85	6.2	UN21	PU_4848SQ	89	6.5	UN17
PU_3072RT	85	6.2	UN27	PU_4848VT	89	6.5	UN30
PU_3072TT	85	6.2	UN18	PU_4872BT	129	9.5	UN24
PU_3636RD	53	3.9	UN17	PU_4872MR	129	9.5	UN21
PU_3636SQ	48	3.5	UN17	PU_4872RT	129	9.5	UN27
PU_3660BT	85	6.2	UN24	PU_4872TT	129	9.5	UN18
PU_3660MR	85	6.2	UN21	PU_4872VT	129	9.5	UN30
PU_3660RT	85	6.2	UN27	PU_4884BT	150	10.9	UN24
PU_3660TT	85	6.2	UN18	PU_4884MR	150	10.9	UN21
PU_3666BT	92	6.7	UN24	PU_4884RT	150	10.9	UN27
PU_3666MR	92	6.7	UN21	PU_4884TT	150	10.9	UN18
PU_3666RT	92	6.7	UN27	PU_4896BT	170	12.4	UN24
PU_3666TT	92	6.7	UN18	PU_4896MR	170	12.4	UN21
PU_3672BT	100	7.3	UN24	PU_4896RT	170	12.4	UN27
PU_3672MR	100	7.3	UN21	PU_4896TT	170	12.4	UN18
PU_3672RT	100	7.3	UN27	PU_4896VT	170	12.4	UN30
PU_3672TT	100	7.3	UN18	PU_54108BT	220	16.1	UN25
PU_42108BT	176	12.8	UN25	PU_54108MR	220	16.1	UN22
PU_42108MR	176	12.8	UN22	PU_54108RT	220	16.1	UN28
PU_42108RT	176	12.8	UN28	PU_54108TT	220	16.1	UN19

Tables Numerical Index

model number	weight	cubes	page
PU_54120BT	243	17.8	UN25
PU_54120MR	244	17.8	UN22
PU_54120RT	243	17.8	UN28
PU_54120TT	243	17.8	UN19
PU_54120VT	244	17.8	UN31
PU_54144BT	288	21.0	UN25
PU_54144MR	288	21.0	UN22
PU_54144RT	288	21.0	UN28
PU_54144TT	288	21.0	UN19
PU_54168BT	333	24.3	UN25
PU_54168MR	334	24.3	UN22
PU_54168RT	334	24.3	UN28
PU_54168TT	333	24.3	UN19
PU_54192BT	388	28.3	UN26
PU_54192MR	388	28.3	UN23
PU_54192RT	388	28.3	UN29
PU_54192TT	388	28.3	UN20
PU_54216BT	432	31.6	UN26
PU_54216MR	432	31.6	UN23
PU_54216RT	432	31.6	UN29
PU_54216TT	432	31.6	UN20
PU_54240BT	478	34.8	UN26
PU_54240MR	478	34.8	UN23
PU_54240RT	478	34.8	UN29
PU_54240TT	478	34.8	UN20
PU_5454RD	110	8.1	UN17
PU_5454SQ	110	8.1	UN17
PU_5472BT	144	10.5	UN24
PU_5472MR	144	10.5	UN21
PU_5472RT	144	10.5	UN27
PU_5472TT	144	10.5	UN18
PU_5484BT	167	12.2	UN24
PU_5484MR	167	12.2	UN21
PU_5484RT	167	12.2	UN27
PU_5484TT	167	12.2	UN18
PU_5496BT	189	13.8	UN24
PU_5496MR	189	13.8	UN21
PU_5496RT	189	13.8	UN27
PU_5496TT	189	13.8	UN18
PU_5496VT	189	13.8	UN30
PU_60108BT	244	17.8	UN25
PU_60108MR	244	17.8	UN22
PU_60108RT	244	17.8	UN28
PU_60108TT	244	17.8	UN19
PU_60120BT	268	19.6	UN25
PU_60120MR	268	19.6	UN22
PU_60120RT	268	19.6	UN28
PU_60120TT	268	19.6	UN19
PU_60120VT	268	19.6	UN31
PU_60144BT	318	23.2	UN25
PU_60144MR	318	23.2	UN22
PU_60144RT	318	23.2	UN28
PU_60144TT	318	23.2	UN19
PU_60168BT	366	26.8	UN25
PU_60168MR	366	26.8	UN22
PU_60168RT	366	26.8	UN28
PU_60168TT	366	26.8	UN19

model number	weight	cubes	page
PU_60192BT	427	31.2	UN26
PU_60192MR	427	31.2	UN23
PU_60192RT	427	31.2	UN29
PU_60192TT	427	31.2	UN20
PU_60216BT	476	34.8	UN26
PU_60216MR	476	34.8	UN23
PU_60216RT	477	34.8	UN29
PU_60216TT	477	34.8	UN20
PU_60240BT	525	38.4	UN26
PU_60240MR	525	38.4	UN23
PU_60240RT	525	38.4	UN29
PU_60240TT	525	38.4	UN20
PU_6060RD	134	9.8	UN17
PU_6060SQ	134	9.8	UN17
PU_6096BT	208	15.2	UN24
PU_6096MR	208	15.2	UN21
PU_6096RT	208	15.2	UN27
PU_6096TT	208	15.2	UN18
PU_6096VT	208	15.2	UN30
PUB_3636DB	81	9.0	UN87
PUB_3636SB	81	9.0	UN81
PUB_3636SSB	169	12.3	UN81
PUB_3660RB	109	11.7	UN78
PUB_3666RB	109	11.7	UN78
PUB_3672RB	109	11.7	UN78
PUB_42108DB	170	18.5	UN89
PUB_42108RB	112	12.0	UN79
PUB_42108SB	170	18.5	UN83
PUB_42108SSB	231	25.2	UN84
PUB_42120DB	176	18.7	UN89
PUB_42120RB	118	12.2	UN79
PUB_42120SB	176	18.7	UN83
PUB_42120SSB	237	25.4	UN84
PUB_42144DB	178	18.9	UN89
PUB_42144RB	120	12.4	UN79
PUB_42144SB	178	18.9	UN83
PUB_42144SSB	239	25.6	UN84
PUB_4242DB	81	9.0	UN87
PUB_4242SB	81	9.0	UN81
PUB_4242SSB	169	12.3	UN81
PUB_4272RB	109	11.7	UN78
PUB_4284RB	109	11.7	UN78
PUB_4296DB	170	18.5	UN88
PUB_4296RB	112	12.0	UN78
PUB_4296SB	170	18.5	UN82
PUB_4296SSB	231	25.2	UN82
PUB_48108DB	170	18.5	UN89
PUB_48108RB	112	12.0	UN79
PUB_48108SB	170	18.5	UN83
PUB_48108SSB	231	25.2	UN84
PUB_48120DB	176	18.7	UN89
PUB_48120RB	118	12.2	UN79
PUB_48120SB	176	18.7	UN83
PUB_48120SSB	237	25.4	UN84
PUB_48144DB	178	18.9	UN89
PUB_48144RB	120	12.4	UN79
PUB_48144SB	178	18.9	UN83

Tables Numerical Index

model number	weight	cubes	page	model number	weight	cubes	page
PUB_48144SSB	239	25.6	UN84	PUB_60120DB	276	29.8	UN89
PUB_4848DB	81	9.0	UN87	PUB_60120RB	146	15.3	UN79
PUB_4848SB	81	9.0	UN81	PUB_60120SB	276	29.8	UN83
PUB_4848SSB	169	12.3	UN81	PUB_60120VDB	226	24.3	UN106
PUB_4848VWDB	81	9.0	UN114	PUB_60120VRB	132	13.7	UN102
PUB_4848VWSB	81	9.0	UN112	PUB_60120VSB	226	24.3	UN104
PUB_4872RB	109	11.7	UN78	PUB_60144DB	278	30.0	UN89
PUB_4884RB	109	11.7	UN78	PUB_60144RB	148	15.5	UN79
PUB_4896DB	170	18.5	UN88	PUB_60144SB	278	30.0	UN83
PUB_4896RB	112	12.0	UN78	PUB_60168DB	411	44.8	UN89
PUB_4896SB	170	18.5	UN82	PUB_60168RB	215	23.0	UN79
PUB_4896SSB	231	25.2	UN82	PUB_60168SB	411	44.8	UN83
PUB_54108DB	270	29.6	UN89	PUB_60192DB	420	45.0	UN90
PUB_54108RB	140	15.1	UN79	PUB_60192RB	224	23.2	UN80
PUB_54108SB	270	29.6	UN83	PUB_60192SB	420	45.0	UN85
PUB_54108SSB	352	38.7	UN84	PUB_60216DB	422	45.2	UN90
PUB_54120DB	276	29.8	UN89	PUB_60216RB	226	23.5	UN80
PUB_54120RB	146	15.3	UN79	PUB_60216SB	422	45.2	UN85
PUB_54120SB	276	29.8	UN83	PUB_60240DB	424	45.5	UN90
PUB_54120SSB	358	38.9	UN84	PUB_60240RB	228	23.7	UN80
PUB_54120VDB	226	24.3	UN106	PUB_60240SB	424	45.5	UN85
PUB_54120VRB	132	13.7	UN102	PUB_6060DB	131	14.5	UN87
PUB_54120VSB	226	24.3	UN104	PUB_6060SB	131	14.5	UN81
PUB_54144DB	278	30.0	UN89	PUB_6096RB	140	15.1	UN78
PUB_54144RB	148	15.5	UN79	PUB_6096VDB	220	24.0	UN105
PUB_54144SB	278	30.0	UN83	PUB_6096VRB	126	13.5	UN101
PUB_54144SSB	360	39.1	UN84	PUB_6096VSB	220	24.0	UN103
PUB_54168DB	411	44.8	UN89	PUB_6096VWDB	146	15.4	UN115
PUB_54168RB	215	23.0	UN79	PUB_6096VWRB	80	8.1	UN111
PUB_54168SB	411	44.8	UN83	PUB_6096VWSB	146	15.4	UN113
PUB_54168SSB	362	39.3	UN84	PUBM3030CB	70	2.5	UN96
PUB_54192DB	420	45.0	UN90	PUBM3030SCB	70	3.3	UN96
PUB_54192RB	224	23.2	UN80	PUBM3060CB	146	5.2	UN97
PUB_54192SB	420	45.0	UN85	PUBM3060SCB	146	6.9	UN98
PUB_54192SSB	543	58.6	UN86	PUBM3060TB	38	4.6	UN91
PUB_54216DB	422	45.2	UN90	PUBM3066CB	146	5.2	UN97
PUB_54216RB	226	23.5	UN80	PUBM3066SCB	146	6.9	UN98
PUB_54216SB	422	45.2	UN85	PUBM3066TB	38	4.6	UN91
PUB_54216SSB	545	58.8	UN86	PUBM3072CB	146	5.2	UN97
PUB_54240DB	424	45.5	UN90	PUBM3072SCB	146	6.9	UN98
PUB_54240RB	228	23.7	UN80	PUBM3072TB	38	4.6	UN91
PUB_54240SB	424	45.5	UN85	PUBM3636CB	70	2.5	UN96
PUB_54240SSB	547	59.1	UN86	PUBM3636SCB	70	3.3	UN96
PUB_5454DB	131	14.5	UN87	PUBM3636SXB	17	2.6	UN95
PUB_5454SB	131	14.5	UN81	PUBM3636XB	16	2.6	UN95
PUB_5472RB	137	14.9	UN78	PUBM3660CB	146	5.2	UN97
PUB_5484RB	137	14.9	UN78	PUBM3660SCB	146	6.9	UN98
PUB_5496RB	140	15.1	UN78	PUBM3660TB	38	4.6	UN91
PUB_5496VDB	220	24.0	UN105	PUBM3666CB	146	5.2	UN97
PUB_5496VRB	126	13.5	UN101	PUBM3666SCB	146	6.9	UN98
PUB_5496VSB	220	24.0	UN103	PUBM3666TB	38	4.6	UN91
PUB_5496VWDB	96	9.8	UN115	PUBM3672CB	146	5.2	UN97
PUB_5496VWRB	66	6.6	UN111	PUBM3672SCB	146	6.9	UN98
PUB_5496VWSB	96	9.8	UN113	PUBM3672TB	38	4.6	UN91
PUB_60108DB	270	29.6	UN89	PUBM42108TB	41	4.8	UN92
PUB_60108RB	140	15.1	UN79	PUBM42120CB	225	8.1	UN99
PUB_60108SB	270	29.6	UN83	PUBM42120SCB	225	10.6	UN99

Tables Numerical Index

model number	weight	cubes	page
PUBM42120TB	47	5.1	UN92
PUBM42144CB	227	8.3	UN100
PUBM42144SCB	227	10.8	UN100
PUBM42144TB	49	5.3	UN92
PUBM4242CB	70	2.5	UN96
PUBM4242SCB	70	3.3	UN96
PUBM4242SXB	17	2.6	UN95
PUBM4242XB	16	2.6	UN95
PUBM4272CB	146	5.2	UN97
PUBM4272SCB	146	6.9	UN98
PUBM4272TB	38	4.6	UN91
PUBM4284CB	146	5.2	UN97
PUBM4284SCB	146	6.9	UN98
PUBM4284TB	38	4.6	UN91
PUBM4296CB	149	5.5	UN97
PUBM4296SCB	149	7.1	UN98
PUBM4296TB	41	4.8	UN91
PUBM48108TB	41	4.8	UN92
PUBM48120CB	225	8.1	UN99
PUBM48120SCB	225	10.6	UN99
PUBM48120TB	47	5.1	UN92
PUBM48120VCB	225	8.1	UN110
PUBM48120VTB	47	5.1	UN108
PUBM48144CB	227	8.3	UN100
PUBM48144SCB	227	10.8	UN100
PUBM48144TB	49	5.3	UN92
PUBM4848CB	70	2.5	UN96
PUBM4848VWCB	82	2.7	UN116
PUBM4848VWTB	28	2.8	UN117
PUBM4848XB	16	2.6	UN95
PUBM4872CB	146	5.2	UN97
PUBM4872SCB	146	6.9	UN98
PUBM4872TB	38	4.6	UN91
PUBM4872VTB	38	4.6	UN107
PUBM4872VWCB	82	2.7	UN116
PUBM4872VWTB	28	2.8	UN117
PUBM4884CB	146	5.2	UN97
PUBM4884SCB	146	6.9	UN98
PUBM4884TB	38	4.6	UN91
PUBM4896CB	149	5.5	UN97
PUBM4896SCB	149	7.1	UN98
PUBM4896TB	41	4.8	UN91
PUBM4896VCB	149	5.5	UN109
PUBM4896VTB	41	4.8	UN107
PUBM4896VWCB	85	2.9	UN116
PUBM4896VWTB	31	3.0	UN117
PUBM54108TB	41	4.8	UN92

model number	weight	cubes	page
PUBM54120TB	47	5.1	UN92
PUBM54120VTB	47	5.1	UN108
PUBM54144TB	49	5.3	UN92
PUBM54168TB	67	7.6	UN92
PUBM54192TB	76	7.9	UN93
PUBM54216TB	78	8.1	UN93
PUBM54240TB	96	10.5	UN94
PUBM5472TB	38	4.6	UN91
PUBM5484TB	41	4.8	UN91
PUBM5496TB	41	4.8	UN91
PUBM5496VTB	41	4.8	UN107
PX01Cat5	1	0.2	ST36, UN123
PX01Cat6	1	0.2	ST36, UN123
PX01HDMI	1	0.2	ST36, UN123
PX01RJ11	1	0.2	ST36, UN123
PX01USB	1	0.2	ST36, UN123
PX01VGA	1	0.2	ST36, UN123
PX03MG	1	0.1	UN119
PX03PG1	5	0.2	UN119
PX03PG2	5	0.2	UN119
PX03PG3	5	0.2	UN119
PX0405IQ	8	0.2	SH19
PX0405RP120C	8	0.2	SH18
PX0405RP72C	5	0.2	SH18
PX0408IQ	10	0.2	SH19
PX0408RP120C	8	0.2	SH18
PX0408RP72C	5	0.2	SH18
PX0408RP72H	5	0.2	SH18
PX0505GM	2.5	0.1	SH18
PX0508PG1	8	0.2	UN120
PX0508PG2	8	0.2	UN120
PX0508PG3	8	0.2	UN120
PX0511PG1	8	0.3	UN121
PX0511PG2	8	0.3	UN121
PX0511PG3	8	0.3	UN121
PX36JIQ	5	0.3	SH19, UN122
PX60JIQ	5	0.3	UN122
PXCG	1	0.8	SH19
PXCK	1	0.1	SH20
PXLC	1	0.1	SH20
PXMK	1	0.1	SH20
PXP1IQ	8	0.3	SH19, UN122
W-34	29	2.2	OT2
W-35	34	2.7	OT2
W-36	45	3.7	OT2
W-37	55	2.8	OT2

[illegible]

A full-page sheet of white graph paper featuring a light gray grid. The grid consists of small squares, with thicker vertical lines dividing the page into four equal-width columns. There are no margins or other markings on the paper.