



This price list is effective February 13, 2017 and supercedes all previously printed or electronically released versions.

➤See page



Seating and Perks:

Kwik Office seating and Perks products are available to ship within five business days upon receipt of a credit-approved order.



Casegoods, Tables, Systems, and Metal Filing:

Kwik Office Priority, Senator, Interworks EQ, Traxx, Footprint, and Metal Filing products are available to ship within ten business days upon receipt of a creditapproved order.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis.
Casegoods, Systems, and Metal Filing orders, individually, may not exceed \$100,000 list. Consult your Customer Service Team for any seating order with more than 20 of a specific model. Production schedules will be verified to ensure shipment within the time period listed above.



General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Terms and Conditions	4
Asset Tag Locations	4
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8
Casegoods	13
Priority™	13
Senator®	19
Lighting	25
Tables	26
Perks®	29
Seating	33
Systems	55
Interworks® EQ	61
Traxx® & Tiles	83
Footprint®	87
Lighting	102
Metal Filing	103
LF Series™	106
Fundamental®	110
Universal	116
Model Number Index	117
Finishes & Materials	A1



How to Use this Price List

Product Warranty ►See page 6
Operating Load Capacities 8
BIFMA Chair Testing 10

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line available for quick shipment. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials appendix to see what materials, fabrics, and finishes are available on Kwik Office products. All other finishes and materials available on Kwik Office models are listed on the individual pricing pages.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.


Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.



Pricing pages list each Kwik Office model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.





Overviews offer a quick look at the distinguishing features of the product line.



How to Specify Our Products

Product Warranty See page 6


Operating Load Capacities 8

BIFMA Chair Testing 10

Complete specifications are built by following a set of steps. These "How to Specify" steps are located on each pricing page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.


Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., 1), 2, or 3) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.



Sample Specification:

The example below shows a complete model number for an **Interworks EQ tackable acoustical panel.** >See page 61 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS collaborator™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



Terms and Conditions

Product Warranty ➤ See page 6
Operating Load Capacities 8
BIFMA Chair Testing 10

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- "Ship to" address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at www.kimballoffice.com.

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be

liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for nonstandard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for non-cataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

➤ Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective December 1, 2016, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms

Asset Tag Locations:

Bar code labels have been placed on most Kimball Office products.

Products with pedestals or lateral files

Underside of top drawer near front edge in right pedestal (if no right pedestal).

Highback organizers and overhead cabinets

Back left of tasklight facade.

Bookcases

Underside of lowest shelf (not bottom panel) on the left front edge. If glass shelves, top panel in cornice area.

Bridges and worksurfaces,

Underside of the top surface (user's side) on the front edge.

Tables

Underside of table top near the outside edge.

Metal filing

Underside of top drawer near front edge.

Seating

Underside of seat pan.



Terms and Conditions

continued

Product Warranty ➤See page 6 Operating Load Capacities 8 BIFMA Chair Testing 10

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening) minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
 Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

 Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; and
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, **the following**

steps must be taken:

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- ④ A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Contact Information:

Kimball Office

1600 Royal Street Jasper, Indiana 47549 800.482.1818 812.482.8300 (fax)

Government Sales Customer Service 800.647.2010



Product Warranty

Lifetime Assurance of Quality

Terms & Conditions ▶See page 4

Operating Load Capacities 8

BIFMA Chair Testing 10

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service. Wish seating, excluding Wish Classic, is warranted for three-shift (24/7) service and up to 400 lb. user weight.

Exception: Some products and parts have limited warranty periods.

▶See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH
ABOVE, THERE ARE NO OTHER
WARRANTIES EITHER EXPRESS OR
IMPLIED, INCLUDING BUT NOT
LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY

PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Bingo® side chairs and stools
- PolyTM seating
- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Liahtina
- Desk sets
- Monitor arms
- Kevboard kits
- Covering materials (such as foam, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie fabrics
- Itsa mesh
- Campos mesh
- Wish mesh

1-Year Warranty

JoltTM

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- · Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. Serial numbers may be required before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- 3 Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office ATTN: Customer Service 1600 Royal Street Jasper, Indiana 47549 Telephone: 800.482.1818 800.647.2010 (Gov't Sales)



Sustainability

Enhancing the Home We All Share

 Product Warranty
 ▶See page 6

 Operating Load Capacities
 8

 BIFMA Chair Testing
 10

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to stake initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example.

Throughout our more than 40 years of documented environmental actions, we have been a responsible steward of resources and have acted as an agent of sustainable change in our industry.

Design for the Environment is our approach to product development to ensure the inherent sustainability of our offerings. By considering a full continuum of environmental factors, we have greatly improved the life cycle performance of our furniture.

Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.



ANSI/BIFMA level™

We offer one of the most sustainable portfolios in the industry, which includes systems, casegoods, tables, and seating.



ecoScorecard[®]

Through this free online tool, you have 24/7 access to the environmental attributes of our products. EcoScorecard enables speed and accuracy in the calculation of environmental credits for LEED®, saving you time and ultimately, money.

➤ See how easy it is at kimballoffice.ecoscorecard.com.



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward LEED® certification. The LEED Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. Kimball Office tests and certifies many of our products to the ANSI/BIFMA e3 2014 standard credits (7.6.1, 7.6.2, 7.6.3).

pura

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broad range of products to exceed indoor air quality standards and help our customers achieve LEED credits.

FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood.

Contact **By Design** at 800.482.1616 for pricing and lead time information.



Asset Network for Education

Worldwide, Inc. (ANEW) is an effective way to responsibly disposition surplus furniture, fixtures and equipment. ANEW can repurpose your equipment to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Find more specific details regarding the environmental aspects of our product offerings at:

www.kimballoffice.com



Operating Load Capacities for Casegoods

Terms & Conditions	➤See page 4
Product Warranty	6
BIFMA Chair Testing	10

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All Casegoods components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Units Test



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURER'S ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Example	
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading		
Desk/table 45"W-72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.	
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.	
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space Note: File drawers are to support hanging files only; they are not intended for bottom loading.	24"D x 18"W x 12"H = 88 lbs.	
Transaction counter, secondary surface <16"D, or shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.	
Adjustable keyboard support <36"W	66 lbs., distributive loading		
Writing shelf	25 lbs., distributive loading		
Extendible elements (drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.	
Center/pencil drawers	5 lbs., distributive loading		
Storage or bookcase top <38"H	200 lbs. concentrated loading .20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.	
Storage or bookcase top 38"H-60"H	.20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.	
Storage or bookcase top >60"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.	
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.	

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)



Operating Load Capacities for Systems

Terms & Conditions See page 4
Product Warranty 6
BIFMA Chair Testing 10

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All Systems components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.6 2015 Panel Systems Test
- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Unit Test



Component	Operating Load Capacity (Functional Loads)	Examples
Worksurface	200 lb.s over 12" diameter area, concentrated loading; 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. t.w.
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	22"D x 30"W = 134 lbs. t.w
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 12"H metal = 163.5 lbs. t.w
Flipper door cabinet	Top shelf—NO load	
	Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"H metal = 59 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

Cubic inches should be calculated using this formula:

Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

t.w. = total weight



Chair Testing

Terms & Conditions ▶See page 4
Product Warranty 6
Operating Load Capacities 8

The following tests were developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI):

- X5.1–2011 General Purpose Office Chair Tests
- X5.4–2012 Lounge and Public Seating Tests

These performance tests determine the stamina of seating in its day to day use. Individual tests are described at right and on the next page.

Generally, Kimball Office seating products within this price list meet or exceed the applicable ANSI/BIFMA standards:

ANSI/BIFMA chair testing does not serve as a warranty or guarantee.



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURER'S ASSOCIATION



Backrest Strength Test: Type I—back tilt chair, 200 lb. force applied, 300 lb. proof load. Type II & III—back tilt chair, 150 lb. force applied, 250 lb. proof load.



Tilt Mechanism Test: 300,000 tilts with 225 lb. in seat.



Rear Stability Test: 173 lb. on seat, no less than 20 lb. of pressure should be required to tip chair back.



Base Test: Using 2500 lb. force for one minute, 2500 lb. proof load.



Drop Test: Using 225 lb. weight, 300 lb. proof load with 6" drop.



Swivel Cycle Test: 250 lb. on seat rotating base, 60,000 cycles at mid point and 60,000 lowest position.



Seat Durability Test: 125 lb. weight dropped onto seat 100,000 cycles.



Front Load Ease: 165 lb. alternating for 40,000 cycles.




Front Stability Test: Apply 135 lb. on front edge of seat while applying horizontal 4.5 lb. force at top of seat.



Arm Strength Test—Downward Application: 169 lb. force applied downward at arm's weakest point, 253 lb. proof load.



Arm Strength Test—Outward
Application: 100 lb. force applied
outward at arm's weakest point, 150
lb. proof load.



Chair/Chair Base Durability Test: 2,000 cycles over obstruction, 98,000 over smooth along a 30" distance with a 250 lb. load.



Chair Testing, continued





Backrest Durability Test:

Type **I**—with 225 lb. on seat with chair fully reclined with 100 lb. force, 80,000 cycles. Type **II** & **III**—with 225 lb. on seat and tilting with 75 lbs. force, 80,000 cycles. After 80,000 are complete, 40,000 will be off center testing.



Leg Strength Test—Front
Application: 75 lb. force applied,
113 lb. proof load.



Leg Strength Test—Side
Application: 75 lb. force applied,
113 lb. proof load.




Footrest Durability Test: 200 lb. weight applied along a 4" length of the footrest, 50,000 cycles.

Footrest Vertical Static Load Test: 200 lb. functional load, 300 lb. proof load.



Arm Durability Test: Apply 90 lb. force at 10° angle for 60,000 cycles.



Out Stop Test for Chairs with Manually Adjustable Seat Depth: 163 lb. forward force with 55 lb. downward force for 25 cycles.



Tablet Arm Test—Static: 150 lb. load level for 1 minute.



Table Arm Load Ease Test— Cyclic: 77 lb. dropped onto tablet center surface for 100,000 cycles.



Notes

Terms & Conditions	➤See page 4
Product Warranty	6
Operating Load Capac	cities 8
RIEMA Chair Testing	10



PRIORITY™

Statement of Line

Features	➤See page 14
Filing Capabilities	15
Lighting	25
Finishes & Materials	A1

Legacy Casegoods





Desks

- Single pedestal, left
- Single pedestal, right
- ➤See page 16.



Executive Returns

- File/file pedestal
- ➤See page 16.



Bridges

- With modesty panel
- ➤See page 16.



Credenzas

- Kneespace
- File/file, left or right
- ➤See page 17.



Lateral Files

- Two drawer
- ➤See page 17.



Freestanding Bookcases

- Four shelves (two adjustable)
- Five shelves (three adjustable)
- ➤See page 18.



Highback Organizers

- Solid doors
- ➤See page 18.



Tackboard

- For use with highback organizer
- ➤See page 18.



Task Lights

- 23"
- 47"
- ➤See page 25.

Features Overview

Filing Capabilities	➤See page 15
Lighting	25
Finishes & Materials	A1

Priority Laminate models offer great flexibility in finish selections. The worksurface, PVC rim, drawer/door fronts, and chassis may be specified in different colors to create a more transitional to contemporary feel.


Exterior wood surfaces on Priority

Wood models are plain-sliced, slip-matched cherry or maple. Veneers are carefully selected and matched to assure proper balance and consistency.

Rim is 1/8" thick.

Pedestals are full height and letter width on assembled units.

Drawer fronts are ³/₄"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.



Features

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Worksurfaces are 13/16"-thick, 3-ply, balanced construction and available in wood or laminate.

Laminate worksurfaces feature high-pressure laminate (HPL) and is available in all standard laminate patterns and colors; customer specified laminate is also available.



Softened rim profile (P or F) appears on all four edges of the worksurface.

Black plastic (G1) grommets are available on select models.

- ➤ See pricing pages for availability.
- See the Priority Price List for location descriptions and dimensions.



Studio (89) pulls in platinum metallic are standard.

Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB005.

Chassis and drawer/door fronts on Priority Laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box drawers are 3/4 extension. File drawers and lateral file drawers are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.

➤ See page 15 for filing capabilities.

Hinged modesty panels are standard on fully assembled bridges, returns, kneespace, and single pedestal credenzas. Panel swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.

Hinged access doors on the approach side of desks allow access to cable routing compartment.

Page 14 Casegoods

Filing Capabilities

Application Guidelines

Lighting	➤See page 25
Seating	33
Finishes & Materials	A1

		Interior I	Interior Dimensions		Standard Filing Capa	Standard Filing Capabilities		
Description	Туре	Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side		
Desks								
72"W single pedestal desks	Box	17"	111/2"	3"	_	_		
	File	25"	12"	9"	Letter	Legal, double letter, and EDP		
Returns								
File/file pedestal 24 x 48	Box	17"	111/2"	3"	_	_		
	File	17"	12"	9"	Letter	Legal, letter, and EDP		
Credenzas								
Kneespace and single pedestal	File	17"	12"	9"	Letter	Legal, letter, and EDP		
Lateral Files								
24"D x 36"W	Lateral	15"	32 ³ /8"	9"	Legal, letter, and EDP	Legal and letter		

Paper Reference:

- Legal size paper is 8½" x 14".
 Letter size paper is 8½" x 11".
- EDP size paper is 81/2" x 147/8.

Casegoods Page 15

PRIORITY™ Legacy Casegoods

Desks, Returns, and Bridges

Pricing

Lighting ▶See page 25
Seating 33
Finishes & Materials A1

GSA SIN 711-8



Single-Pedestal Desks with Pedestal on Right



Single-Pedestal Desks with Pedestal on Left



Executive Returns with Pedestal on Right



Executive Returns with Pedestal on Left



Bridges

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- · Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- Hinged modesty panel; no grommet
- G1 black plastic grommet, center

How to Specify

1 Model:

Q53K3672DRFBL101 = 36" x 72" laminate with PVC rim **Q53K3672DRFBW101** =

36" x 72" wood with wood rim

Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

Model:

Q53K3672DLFBL101 = 36" x 72" laminate with PVC rim **Q53K3672DLFBW101** =

36" x 72" wood with wood rim 2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K2448RREFL20 = 24" x 48" laminate with PVC rim **Q53K2448RREFW201** = 24" x 48" wood with wood rim

Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

Model:

Q53K2448RLEFL201 = 24" x 48" laminate with PVC rim **Q53K2448RLEFW201**= 24" x 48"

WOOD WITH WOOD REPORT OF THE PROPERTY OF THE

2 Finish designator:

CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

Model:

Q53K2442BEFL01 = 24" x 42" laminate with PVC rim

Q53K2442BEFW01 = 24" x 42" wood with wood rim

Q53K2448BEFL01 = 24" x 48" laminate with PVC rim

Q53K2448BEFW01 = 24" x 48" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry **MW** = Midtown Walnut

Pricing

Q53K3672DRFBL101 \$2407 **Q53K3672DRFBW101** \$3499

Pricing

Q53K3672DLFBL101 \$2407 **Q53K3672DLFBW101** \$3499

Pricing

Q53K2448RREFL201 Q53K2448RREFW201

Pricing

\$1396

\$2130

Q53K2448RLEFL201 Q53K2448RLEFW201

\$1396 **Q53K244**

\$2130

Q53K2442BEFL01 \$571 **Q53K2442BEFW01** \$1029 **Q53K2448BEFL01** \$593 **Q53K2448BEFW01** \$1071

Casegoods

PRIORITY[™] Legacy Casegoods

Credenzas and Lateral Files

Pricing

Lighting ▶See page 25
Seating 33
Finishes & Materials A1

GSA SIN 711-8



Kneespace Credenza



Single-Pedestal Credenza with Pedestal on Right



Single-Pedestal Credenza with Pedestal on Left



Two-Drawer Lateral Files

Standard Includes

- Softened rim profile
- Two file/file pedestals
- Hinged modesty panel
- Finished back
- One lock per pedestal, key random
- Center arommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- Finished top and back back
- Lock, key random
- Interlock mechanism
- Platinum metallic studio pulls

How to Specify

Model:

Q53K2472CKFL201 = 24" x 72" laminate with PVC rim Q53K2472CKFW201 =

24" x 72" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry **MW** = Midtown Walnut

How to Specify

1 Model:

Q53K2472CRFL201 = 24" x 72" laminate with PVC rim **Q53K2472CRFW201** =

24" x 72" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K2472CLFL201 = 24" x 72" laminate with PVC rim **Q53K2472CLFW201** =

24" x 72" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

① Model:

Q53K2436LFF2L01 = 24" x 36" laminate with PVC rim

Q53K2436LFF2W01 =

24" x 36" wood with wood rim

② Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

Pricing

Q53K2472CKFL201	\$2264
Q53K2472CKFW201	\$3319

Pricing

•	
Q53K2472CRFL201	\$2132
Q53K2472CRFW201	\$3121

Pricing

Q53K2472CLFL201	\$2132
Q53K2472CLFW201	\$3121

Pricing

Q53K2436LFF2L01	\$1470
Q53K2436LFF2W01	\$2242

Page 17 Casegoods

Bookcases and Highback Organizers


Pricing

Lighting See page 25
Seating 33
Finishes & Materials A1





Four-Shelf Freestanding Open Bookcases



Five-Shelf Freestanding Open Bookcases



Highback Organizers



Tackboards

Standard Includes

- 3/4"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

Standard Includes

- 3/4"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

Standard Includes

- Four solid doors
- Unfinished back
- Three black plastic grommets
- Fully finished top with flat edge (no rim profile)
- Non-locking

Standard Includes

• Fusion 16105 Mineral upholstery

Note: For use with 72"W highback organizer

How to Specify

Model:

Q53K3653BC0FL01 = 527/8"H laminate

Q53K3653BCOFW01 =

52⁷/8"H wood

Finish designator:CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K3667BC0FL01 = 67"H laminate

Q53K3667BCOFW01 =

67"H wood

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K7238HBHL01 =

713/4"W laminate

Q53K7238HBHW01 =

713/4"W wood

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

QKAC7016TBK16105 =

701/8"W

Pricing

Q53K3653BCOFL01 Q53K3653BCOFW01

Pricing

\$876

\$1577

Q53K3667BCOFL01 Q53K3667BCOFW01

\$1072 \$1928

Pricing

Q53K7238HBHL01 Q53K7238HBHW01

\$1374 \$2266

Pricing

QKAC7016TBK16105

\$384



SENATOR®

Statement of Line

Features ▶See page 20 Filing Capabilities 21 Lighting 25 Finishes & Materials A1

Traditional Casegoods





Desks

- Double pedestal
- Single pedestal
- ➤See page 22.




Executive Returns

- Pencil/box/file pedestal
- ➤See page 22.



Bridges

- Hinged modesty panel
- ➤See page 22.



Credenzas

- Storage
- Kneespace
- Lateral file
- ➤See page 23.



Lateral Files

- Two drawer
- Four drawer
- ➤See page 23.



Bookcases

- Open
- ➤See page 24.





Bookcase Tops and Bases

- For one unit
- ➤See page 24.



Task Lights

- 23"
- 47"
- ➤See page 25.



Features Overview

Filing Capabilities	➤See page 21
Lighting	25
Finishes & Materials	A1

Exterior surfaces are cherry (plain sliced, slip matched) or walnut (plain sliced, book matched) veneer.
Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is standard on desks, returns, bridges, and credenzas.

Leveling glides adjust for uneven floors.

Drawer fronts are ³/₄" thick 3-ply with vertically matched grain.

Tops are 13/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

٩

Base rails are solid hard-

wood for impact and wear

resistance.

Full height pedestals have one pencil drawer, one box drawer, and one file drawer. Hardwood corner post and panel construction is reinforced with tenon and groove joinery.

Writing shelf is standard on single-

and double-pedestal desks with

breakfront modesty panel.

Drawer sides and back are 1/2" thick with veneer faces. Drawer bottoms are 1/4" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal and single-pedestal desks. Bottom of drawer is lined with black leather.

Centra™ locking is featured on double and single pedestal desks, credenzas, and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory.

Details





Breakfront modestv

Flush modesty

Modesty panel on doublepedestal desk features a breakfront appearance; single-pedestal desks are available with either a breakfront or flush appearance.



Antique brass pulls (28AB) are standard. Antique brass metal grommets are standard on returns, bridges, and select desks.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements.
>See page 21 for filing capabilities.

Features	➤See page 20
Lighting	25
Finishes & Materials	A1

		Interior Dimensions			Standard Filing Capabilities	
Description	Туре	Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Desks						
Double pedestal	Pencil	17"	12"	11/2"	_	_
with flush modesty panel	Box	17"	12"	3"	_	_
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	263/8"	11/2"	_	_
Single pedestal	Pencil	17"	15"	11/2"	_	_
with breakfront modesty panel	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	181/16"	11/2"	_	_
Single pedestal	Pencil	17"	12"	11/2"	_	_
vith flush modesty panel	Box	17"	12"	3"	_	_
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	18 ¹ /16"	11/2"	_	_
Returns	Pencil	17"	15"	11/2"	_	_
	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas	Pencil	17"	15"	11/2"	_	_
	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral files	Lateral	15"	321/4"	9"	Legal, letter, and EDP	Legal and letter

- Paper Reference:
 Legal size paper is 8½" x 14".
 Letter size paper is 8½" x 11".
- EDP size paper is 81/2" x 147/8.

Casegoods Page 21



Desks, Returns and Bridges

Pricing

Features ►See page 20 Filing Capabilities 25 Lighting A1 Finishes & Materials

GSA SIN 711-8



Double-Pedestal Desks with Flush Modesty Panel



Single-Pedestal Desks with Breakfront Modesty Panel



Single-Pedestal Desks with Flush Modesty Panel



Executive Returns



Bridges

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF/PBF pedestals
- Centra locking, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Pull-out writing shelf
- Decorative molding
- Legal-width PBF pedestal
- Centra locking, key random

 $QSN3672D = 36" \times 72"$

RF = Right (shown)

Worksurface material:

MC = Amber Cherry

TW = Tribeca Walnut

WMG= Wood

4 Finish designator:

- Antique brass pulls
- Left and right grommets

How to Specify

LF = Left

Model:

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

Standard Includes

- Wood worksurface
- Full modesty panel
- · Decorative molding
- Legal width PBF pedestal
- Lock, key random
- Antique brass pulls
- Center grommet

Standard Includes

- Wood worksurface
- Hinged modesty panel
- Decorative molding
- Center grommet

How to Specify

Model:

QSN3672DDFWMX = 36" x 72"

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

 $QSN3066D = 30" \times 66"$

2 Pedestal location: 2 Pedestal location:

RF = Right (shown)

LF = Left

Worksurface material:

WMG= Wood

4 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2551R = 25" x 51"

2 Pedestal location:

REF = Right (shown)

LEF = Left

Worksurface material:

WMG = Wood

4 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2551BEFHWMG = 25" x 51"

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QSN3672DDFWMX

\$4258

Pricing

QSN3672D

\$4748

Pricing

QSN3066D \$3834

Pricing

QSN2551R

\$2752

Pricing

QSN2551BEFHWMG

\$1723

Casegoods Page 22



Credenzas and Lateral Files

Pricing

Features➤ See page 20Filing Capabilities21Lighting25Finishes & MaterialsA1

GSA SIN 711-8 † GSA SIN 711-9



Storage Credenzas



Kneespace Credenzas



Lateral File Credenzas



Two-Drawer Lateral Files



Four-Drawer Lateral Files

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Center storage area
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Two lateral file drawers
- Lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Two drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

Standard Includes

- Four drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

How to Specify

Model:

QSN2475CSFWMX = 24" x 75"

2 Finish designator:

 $\mathbf{MC} = \mathsf{Amber} \; \mathsf{Cherry}$

TW = Tribeca Walnut

How to Specify

Model:

QSN2475CKFWMX = 24" x 75"

2 Finish designator:

 $\mathbf{MC} = \mathsf{Amber} \; \mathsf{Cherry}$

TW = Tribeca Walnut

How to Specify

Model:

 $QSN2475C = 24" \times 75"$

2 Pedestal location:

RF6 = Right (shown)

LF6 = Left

3 Worksurface material:

WMX = Wood

4 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

 $QSN2439LFF2W = 24"D \times 39"W$

x 30"H

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2439LFF4W = 24"D x 39"W

x 55"H

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

Page 23

QSN2475CSFWMX †

\$3933

Pricing

QSN2475CKFWMX

\$3800

Pricing

QSN2475C

\$4115

Pricing

QSN2439LFF2W

\$2185

Pricing

QSN2439LFF4W \$3865

Casegoods



Bookcases

Pricing

GSA SIN 711-8

Features	➤See page 20
Filing Capabilities	21
Lighting	25
Finishes & Materials	A1



Open Bookcases



Bookcase Tops



Bookcase Bases

Standard Includes

- Open
- Three shelves
- Unfinished top

Note: Requires a bookcase top, specified separately.

Standard Includes

Top

Note: For use on bookcases in floor-standing applications.

Standard Includes

Base

Note: For use on bookcases in floor-standing applications.

How to Specify

- Model:
 - **QSN3648BCO** = 36"W x 48"H
- 2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

- 1 Model:
- **QSN1539CPTW** = 15"D x 39"W (top for one unit)
- 2 Finish designator:
 - MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

- 1 Model:
 - **QSN1537CPB** = 15" x 37"
- 2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QSN3648BCO

\$1324

Pricing

QSN1539CPTW

\$537

QSN1537CPB

Pricing

\$277



Task Lights

Pricing

GSA SIN 711-8

Priority	➤See page 13
Senator	19
Tables	26
Finishes & Materials	A1



Task Lights

Standard Includes

- Fixture: black
- T5 cool white single tube lamp: 14 watt on 23"W light; 28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch in center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify



QKCU25TL = 23"W **QKCU49TL** = 47"W

Pricing

QKCU25TL \$189 **QKCU49TL** \$214



TABLES

Statement of Line

Priority	➤See page 13
Senator	19
Lighting	25
Finishes & Materials	A1





Contemporary/Transitional Round Table Tops

- 42"
- 48"
- ➤See page 27.



Contemporary/Transitional Racetrack Table Tops
>See page 27.



Contemporary/Transitional Cylinder Base

➤See page 27.



Traditional Round Table Tops

- 42"
- ➤See page 28.



Traditional Queen Anne Pedestal Bases

➤See page 28.



Tops and Bases

Pricing

19 Senator 25 Lighting

GSA SIN 711-11



Round Table Tops



Racetrack Table Tops



Cylinder Base

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires one cylinder base
- Seating capabilities: 4 chairs for 41" dia. and 5 chairs for 47" diameter models

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires two cylinder bases
- Seating capabilities: 8 chair

Standard Includes

- Wood
- 271/2"H x 16" diameter

How to Specify

Model:

QCCS42RDW1JNX = 41" dia. QCCS48RDW1JNX = 47" dia.

2 Finish designator: **CC** = Cordoba Cherry MW = Midtown Walnut

How to Specify

Model:

QCCS4896RCW1JNX = 47" x 95"

2 Finish designator: **CC** = Cordoba Cherry **MW** = Midtown Walnut

How to Specify

1 Model:

QCBS2716CY

2 Material:

 $\mathbf{W} = \mathsf{Wood}$

3 Finish designator: **CC** = Cordoba Cherry MW = Midtown Walnut

Pricing

QCCS42RDW1JNX \$1044 QCCS48RDW1JNX \$1309

Pricing

QCCS4896RCW1JNX \$2341

Pricing

QCBS2716CY

\$1099

Tables Page 27

Priority ➤See page 13 Finishes & Materials Α1

TRADITIONAL Tables

Tops and Bases

Pricing

Priority

Senator 19 Lighting 25 Finishes & Materials A1

➤See page 13

GSA SIN 711-11



Round Table Tops



Queen Anne Pedestal Bases

Standard Includes

Top

• Seating capabilities: 4 chairs

Note: Requires one Queen Anne pedestal base

Standard Includes

Base

How to Specify

1 Model:

QTT2-42W = 42" diameter

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

1 Model:

QTB3-4W

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QTT2-42W

\$2604

Pricing

QTB3-4W

\$1437

Page 28



Statement of Line

Casegoods ➤See page 13 Systems 55 103 Metal Filing Finishes & Materials Α1

Accessories







Adjustable Keyboard Kits ➤See page 30.



Hanging CPU Holder ➤See page 30.



File Bars

- Front-to-Back File Bars
- Side-to-Side File Bars
- ➤See page 30.



Power or Voice/Data Modules

- Power Module
- Voice/Data Module
- ➤See page 31.



Power Outlet Strip

➤See page 31.



Freestanding LED Light

➤See page 31.



Surface-Mount LED Light

➤See page 31.



File Bars, CPU Holders, and Keyboard Kits

Pricing

GSA SIN 711-8

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1



Front-to-Back File Bars



Side-to-Side File Bars



Hanging CPU Holders



Adjustable Keyboard Kits

Standard Includes

- Black
- For use in Footprint flat profile and eclipse profile undersurface lateral files
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legalsize filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file.

Standard Includes

Black

Note: For use in Footprint flat profile metal pedestals and file centers. eclipse profile file drawers, and Hum file drawers

Standard Includes

- 4" depth adjustment
- 9³/₄" height adjustment
- 9" width adjustment
- · Attaches to underside of worksurface
- Swivels 360°
- Black

Standard Includes

- Foam gel wrist rest
- corner-mount applications.

- Keyboard arm
- High-density polyethylene tray and ABS mouse trav
- Intuitive adjustment
- Q99K2208KK1 can be used in

How to Specify



Q99KFFB = 153/4" x 11/8" x 13/4"

How to Specify



Q99KFB = 3/4" x $11^{15}/16$ " x 3/4"

How to Specify

Model:

Q99KCPUH

How to Specify

Model: $Q99K1706KK1 = 17" \times 28\frac{1}{2}"$

x 6"

Q99K2208KK1 = 22" x 28¹/₂"

Q99K2319KKS1 = $23'' \times 281/2''$

x 10³/₄"

Pricing	
Q99KFFB	\$24

Pricing	
Q99KFB	\$24

Pricing	
Q99KCPUH	\$244

Pricing	
Q99K1706KK1	\$620
Q99K2208KK1	\$682
Q99K2319KKS1	\$734

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Only keyboard kit models 99K1706KK2 and (Q)99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

Keyboard kits, when recessed, are not flush to the worksurface edge when mounted in accordance with the manufacturer's instructions.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	Keyboard Arm Mode
Priority™	Q99K2208KK1
	Q99K2319KKS1
Definition®	Q99K2208KK1
	Q99K2319KKS1
Transcend®	Q99K2208KK1
	Q99K2319KKS1
Innsbruck™	Q99K2319KKS1
Footprint®	Q99K2319KKS1

Perks




Power/Data Accessories

Pricing

Casegoods▶See page 13Systems55Metal Filing103Finishes & MaterialsA1

GSA SIN 711-8 † GSA Non-Contract







Power Outlet Strip



Surface-Mount LED Light †

Standard Includes

- Two 15-amp NEMA-rated receptacles
- 6"L 15-amp grounded cord
- Black housing and cord
- Frosted plastic cover
- Fits into worksurface wire manager
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles
- Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules

Standard Includes

- 6 outlets
- 10" cord
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles

Standard Includes

Freestanding LED Light †

- 6' cord
- 12V LED Light
- U.L. listed power supply

Standard Includes

- 6' cord
- 12V LED Light
- U.L. listed power supply

How to Specify

Model:

Q99KELPM = Power module **Q99KELDM** = Voice/data

module

How to Specify

1 Model: Q99KELPS

How to Specify

Model:
QKCUFSL

How to Specify

Model:
QKCUSML

Pricing	
Q99KELPM	\$151
Q99KELDM	\$171

Pricing	
Q99KELPS	\$74

Pricing	
QKCUFSL	\$262

Pricing	
QKCUSML	\$359

PERKS® Accessories

Notes

Page 32 Perks



SEATING

Statement of Line

Casegoods ➤See page 13 Systems 55 103 Metal Filing Finishes & Materials Α1

Desk and Task Chairs





Alumma

- High- or mid-back conference
- Black or white faux leather
- Chrome finish base
- ➤See page 36.



Campos

- Upholstered or mesh back
- 2-D or 4-D arm options
- Lumber support option
- Seat slider option
- Black or polished aluminum base
- Hard or soft caster options
- ➤See page 39.



Hero. Just for You.

- Black mesh
- Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- ➤See page 42.



Itsa

- 1.0 or 2.0
- Black mesh back
- Seat slider option
- ➤See page 43.



Joya

- Black mesh back
- Black upholstered seat
- Height-adjustable arms
- Adjustable (front-to-back) arm caps
- Synchro-tilt 1-lock
- ➤See page 44.





Muirfield

- High back or mid-back
- Vertical stitching
- ➤See page 45.





- High back or mid-back
- Wood base
- ➤See page 49.







Wish

- High-performance task chairs
- Mesh or upholstered back
- Mesh-upholstered or upholstered seat
- Height- and width-adjustable arms (2D or 4D), height-adjustable arms, or conference arms
- Plastic or aluminum wishbone
- Seat slider option
- ➤See pages 50-52.



Wish Classic

- Height-adjustable arms
- Fixed arm caps
- Seat slider option







SEATING

Statement of Line

Casegoods▶See page 13Systems55Metal Filing103Finishes & MaterialsA1

Side Chairs and Lounge Seating





Acapella

- Mid-back
- Arms
- ➤See page 35.



Alumma

- Mid-back
- Black or white faux leather
- Chrome finish base
- ➤See page 36.



Beo

- Fully upholstered back or ladderback
- ➤See page 37.





- Stacking
- With or without arms
- ➤See page 38.



Bingo Stools

- Without arms
- Sold as a pair
- ➤See page 38.



Collage

- Fully upholstered back with rolled arms or wood top rail with arched arms
- ➤See page 40.



Event

- Round back
- With or without arms
- Static or mobile
- ➤See page 41.



Hero. Just for You.

- Stacking
- Mesh back
- Black Lucia fabric
- ➤See page 42.



Muirfield

- Vertical stitching
- ➤See page 45.



Poly

- Stacking
- ➤See page 46.



Pose

- One- and two-seat lounges
- Bench and ottoman
- Freestanding tables
- ►See page 47.

Page 34



Stature

- Wood frame
- ➤See page 49.

ACAPELLA® Kimball Office Seating

securely glued to ensure maximum

strenath.


Side Chairs

Overview & Pricina

Systems 55 103 Metal Filing Α1 Finishes & Materials

➤See page 13

GSA SIN 711-18



Back and seat are fully upholstered. Cushions are high resiliency, CFC-free polyurethane foam.

Nylon glides are 7/8" in diameter and dome shaped.

Kwik Office Models



Mid-Back Side Chair (QK46AA)

- Maple hardwood frame
- Arms
- 341/4"H x 231/4"W x 231/4"D

Details

Seat suspension is constructed of 1/2"-thick, 9-ply, molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 15/8" thick.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back is constructed of heavy webbing secured to the frame with staples. 1"-thick foam is applied to the webbing. Upholstery is wrapped over the foam and secured with upholstery staples.

How to Specify

Casegoods

- Model
 - See model number at left.
- ② Upholstery grade
- 3 Upholstery number
 - ➤See page A8 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - **CC** = Cordoba
 - **MW** = Midtown
 - **TW** = Tribeca

Pricing

Gr QK46AA

- 1 \$1145
- 2 \$1187
- 6 \$1317

Seating Page 35

ALUMMA™ Kimball Office Seating

and mid-back conference models and


glides on side chairs.

Side Chairs

Overview & Pricing

GSA Pending

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1



Kwik Office Models



High-Back Conference Chair K75CSHBBSL = Black faux leather K75CSHBWSL = White faux leather

• 42"-46"H x 28"W x 27"D



Mid-Back Conference Chair **K75CSMBBSL** = Black faux leather K75CSMBWSL = White faux leather

• 35"-39"H x 28"W x 26"D



Mid-Back Side Chair K75CFMBBSL = Black faux leather **K75CFMBWSL** = White faux leather • 35"-39"H x 28"W x 26"D

Details

Alumma seating is available in highback and mid-back swivel conference models, as well as a mid-back side chair featuring fixed glides.

Back and seat are available in white or black faux leather. Contrasting faux leather is not available.



Side chair features glides on a fivestar base for stationary, non-mobile conference seating.

Alumma seating meets all applicable BIFMA and ANSI requirements

TB117 requirements are met by Alumma seating. TB133 models are not available.

How to Specify



>See model number at left.

Pricing

K75CSHBBSL or K75CSHBWSL \$715

K75CSMBBSL or K75CSMBWSL \$653

K75CFMBBSL or K75CFMBWSL \$600

Seating Page 36

Casegoods➤See page 13Systems55Metal Filing103Finishes & MaterialsA1

GSA SIN 711-18

Curved top rail is visible. It separates the front and back upholstery panels and adds to Beo's aesthetics.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.

Seat rails are reinforced with wood corner blocks and cleats attached with glue and wood screws.

Seat suspension is constructed of 9/32" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.

Steam-bent frame is constructed of kiln-dried European beech to supports the body's curves.

Decorative reveal detail at the arm/leg joint. Reveal is 2mm deep by 4mm wide.

Seat cushions are made of 11/4" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability. Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Nylon glides are 7/8" in diameter.

Kwik Office Models



Fully Upholstered Side Chair (QK58ET)

- European beech frame
- Arms
- 32³/₄ "H x 22¹/₄"W x 25⁵/₈"D



Three-Quarter Back Side Chair (QK58BT)

- European beech frame
- Arms
- 323/4 "H x 221/4"W x 255/8"D

Details

Upholstered back is constructed of two panels that are sandwiched together. Each panel features a contoured 3-ply cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Upholstery is wrapped around the inner panels and secured with upholstery staples. Both front and back upholstery panels are securely attached to the top wood rail and cleats with Christmas-tree fasteners.

How to Specify

Model

See model numbers at left.

Back:

- ② Upholstery grade
- Upholstery numberSee page A8 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number

Frame:

6 Finish type:

STD = Standard finish

Tinish designator:

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing

Gr	QK58ET	QK58BT
1	\$ 966	\$ 863
2	\$1004	\$ 895
6	\$1124	\$ 995
L7	\$1312	\$1152

Page 37 Seating

BINGO® Kimball Office Seating

Side Chairs and Stools

Overview & Pricina

Casegoods ➤See page 13 Systems 55 103 Metal Filing A1 Finishes & Materials

GSA SIN 711-19 † GSA SIN 711-18

Shell is constructed of 7/16"-thick. 8-ply, molded plywood that is cross banded for strength. Shell is attached to the frame with four countersunk wood screws threaded into two wood

Arm supports, legs, and cross members are 25/32" x 3/32" hot rolled, welded, chrome plated, tubular steel.

cleats that are glued to the shell.

Joints are welded.

Arm caps are 15/8" thick solid bentwood, finished to match the shell. Two countersunk wood screws attach each arm cap to the arm supports.

Black plastic glides fit like a cap over the ends of the tubular steel

frame.

Kwik Office Models



Side Chair with Arms (K50A)

- Stacking
- 33"H x 233/4"W x 221/2"D

Side Chair without Arms (K50N)

- Stacking
- 33"H x 233/4"W x 221/2"D



Stool without Arms (K50SN[†])

- 441/2"H x 211/2"W x 243/4"D
- Ordered in sets of two
- Shipped two per carton



Ganging Devices (K50GB†)

Package of 5 pairs

Details

Side chairs and stools are each stackable up to four high.

Rubber stack bumpers and tube closures are standard.

Side chairs are shipped four per carton when applicable.



Side chairs may be ganged with ganging devices that snap onto the legs. Armless models or alternating armless and armchair models may be connected.

Note: Two armchair models cannot be ganged side by side.

Black ganging devices, ordered separately, are sold in packages of 5 pairs. One pair is required to gang two chairs. Two pairs will gang three chairs.

How to Specify

- Model
 - See model numbers at left.
- 2 Finish designator (omit for ganging devices):

 $\mathbf{A} = Amber$

 $\mathbf{E} = \mathsf{Ebony}$

W = White

Pricing

K50N K50SN K50A \$571 \$462 \$1397 for two stools

K50GB

\$46

GSA SIN 711-18

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

Mesh-back models incorporate a mesh design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions.


Arm structure consists of a steel upright covered in black nylon.

Seat cushions are 21/8" thick—13/4" CFC- and CHC-free molded foam. over a seven-layer molded plywood shell.

Black, dual-wheel casters on desk chairs are 65mm in diameter. Specify hard casters (802) for use on carpet (standard) or soft casters (801) for use on hard floors (upcharge applies).

Upholstered-back models feature a nine-layer molded plywood shell surrounded by molded, CFC- and CHC-free foam and upholstery.

Standard five-star base is 30% glass-filled nylon, textured, black plastic. Cast aluminum base with a polished finish is available as an option (upcharge applies).



T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 41/4" range (11 positions) and horizontally within a 21/2" range. Arm caps are black polyurethane.

Seat slider is available as an option to adjust the seat depth for comfort. Seat depth is adjusted by grasping the left lever below the seat, pulling upward, and sliding forward or rearward; locks within a 2" range.

Synchro mechanism provides fully synchronized seat-to-back movement. Allows user to lock the chair in multiple positions within the range of movement using a single lever.

Seat height adjusts from 157/8"-23" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Kwik Office Models



Mid-Back with Upholstered Back and Seat (QK15C27)

• 393/4"-493/8"H x 253/4"-27"W x 25"D



Mid-Back with Mesh Back and Upholstered Seat (QK17C27)

• 401/8"-501/2"H x 26"-263/4"W x 25"D

How to Specify

Model

See model numbers at left.

Back:

- ② Upholstery grade (omit for mesh-back model)
- 3 Upholstery number or mesh designator:

8140 = Black mesh

8146 = Red mesh

8147 = Beige mesh

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Lumbar support option: **604** = Adjustable (+\$146)

X = None

② Arm style:

703 = 2D

709 = 4D (+\$59)

8 Seat slider option:

601 = Adjustable (+\$59)

X = None

Base finish designator:

532217 = Black plastic

521304 = Polished aluminum (+\$146)

(10) Casters:

802 = Hard for use on carpet

801 = Soft for hard floors (+\$28)

Pricing Gr QK15C27 QK17C27 1 \$ 988 \$1095 2 \$1042 \$1118 6 \$1211 \$1190 L7 \$1478 \$1304

Side Chairs

Overview & Pricina


GSA SIN 711-18

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.

Seat suspension is constructed of ½"-thick, 5-ply molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.



Back on wood top rail models is constructed of 1"-thick foam applied to 3/8"-thick, 5-ply contoured plywood. Back is attached to the frame with T-nuts, machine screws, and metal brackets.

Corners are reinforced with wood corner blocks and tie screws on all models.

Nylon glides are 7/8" in diameter.

Kwik Office Models



Side Chair with Wood Top Rail (Q4610)

- Maple hardwood frame
- Arched arms
- 321/4"H x 221/2"W x 241/2"D



Back (Q4620)

- Maple hardwood frame
- Rolled arms
- 313/4"H x 223/4"W x 233/4"D

How to Specify

- Model
- See model numbers at left.
- ② Upholstery grade
- 3 Upholstery number
 - ➤See page A8 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - CC = Cordoba
 - **MW** = Midtown
 - TW = Tribeca


Side Chair with Fully Upholstered

Р	ricing	
Gr	Q4620	Q4610
1	\$1172	\$1044
2	\$1217	\$1079
6	\$1357	\$1189
L7	\$1577	\$1362

Back on fully upholstered models is constructed of 1"-thick foam applied to 3/8"-thick, 5-ply contoured plywood. Back is attached to the frame with press fit fasteners.

Back upholstery is wrapped in place and secured with upholstery staples.

Outer back panel is constructed of 3/8"-thick foam applied to 3/16"-thick, 3-ply contoured plywood. Press fit fasteners attach outer back panel to the inner back.



Seat cushion is applied to the flexible webbing suspension. Foam is 13/4" thick on chairs and 21/2" thick on two-seat bench.

Seat upholsterv is wrapped over cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is attached to wood cleats on the chair frame with wood screws. Piping trims the front edge of the seat.

Side and Mobile Chairs

Overview & Pricina

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

GSA SIN 711-19 † GSA SIN 711-18

Back and seat are fully upholstered. Seat is tilted back, and the back is slightly reclined to allow the user to assume a more natural, relaxed posture.

Back upholstery, including ³/₄"-thick foam for the inside back and ¹/₄" thick foam for the outside back, is applied to the back as a slipcover and secured with upholstery staples.


Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Black nylon ball glides are standard on static 4-leg models. Hard casters are standard on mobile models.

Frames are 7/8" diameter, 14-gauge tubular steel. Cross members are 3/4" diameter, 14-gauge steel. Leg frames are joined to the cross members with metal inert gas (MIG) welds. Plastic end caps are fitted into the frames of armless models.

Legs are angled for stability and available in textured powdercoat finish or smooth platinum metallic paint.

Black, hard casters are standard on mobile models.



Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Backs are secured to the frame with 4 countersunk flat-head screws, 11-gauge steel plates, and T-nuts. Round back models are constructed using an injection molded polypropylene panel. Flair back models are constructed using 3/8"-thick, 7-ply, molded plywood.

Cushions are high resilience, CFC-free polyurethane foam. Seat cushion is 1½" thick.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the cross members. Seat pan is attached to the seat frame with four machine screws and T-nuts.

Transport dolly is available at standard lead times.

➤ See the Seating Price List.

Kwik Office Models



Side Chair with Arms (Q95-2D)

- Stacking
- 4-leg base
- 31"H x 23"W x 21"D

Side Chair without Arms (Q95-1D)

- Stacking
- 4-leg base
- 31"H x 20"W x 21"D

Mobile Chair with Arms (Q95-6D)

- 4-leg base with hard casters (C3)
- 31"H x 23"W x 21"D

Mobile Chair without Arms (Q95-7D)

- Stacking
- 4-leg base with hard casters (C3)
- 31"H x 20"W x 21"D



Ganging Devices (Q95-A[†])

- Package of 5 pairs
- 21/2"H x 53/4"W
- One pair required to gang two chairs

Details

4-leg models and mobile models without arms stack up to 6 chairs high; mobile models with arms stack up to 4 chairs high.

Chairs are shipped three to a carton when applicable.

How to Specify

Model

➤See model numbers at left.

Back:

- ② Upholstery grade
- 3 Upholstery number

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
 - See page A8 for upholstery selections.

Frame:

6 Finish type:

STD = Standard finish

① Finish designator:

462 = Cinder

8 Glides:

STD = Nylon ball glides

C3 = Hard casters

Pricing

Gr **Q95-2D Q95-1D**1 \$342 \$320
2 \$371 \$349
6 \$461 \$439

Gr **Q95-6D**

1 \$397 \$376 2 \$426 \$405

Q95-7D

\$495

6 \$516

Q95-A \$50

ΦΟΟ

Page 41 Seating

HERO. JUST FOR YOU.™

Kimball Office | interstuhl

Desk Chairs and Side Chairs

Overview & Pricing

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

GSA SIN 711-18 † GSA SIN 711-19

Mesh back incorporate a ribbed design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. The mesh is secured to a structural, black plastic frame made of glass-filled polypropylene.

Seat height adjusts from 161/4" to 227/16" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Five-star base is available in glassfilled nylon black plastic.

Black, hard, dual-wheel casters on desk chairs are 65mm in diameter.



Fabric upholstery is unglued, ensuring optimal air movement.

T-shaped arm rests are standard with 2D adjust-ability. User can adjust the arm vertically within a 4" range (11 positions); technician can adjust the arm horizontally within a 13/4" range (unlimited positions). Arm caps are black polyurethane.

Autofit synchro mechanism with automatic weight regulation and fine adjustment is standard. 126° maximum opening angle between seat and back; can be locked in four positions.

Kwik Office Models



Mid-Back Desk Chair with Arms (QK172H701)

- Adjustable seat depth

- Black mesh
- 5800 Black Lucia fabric
- 2-D arms
- Black plastic base
- 41"-471/4"H x 293/8"W x 283/8"D

Mesh-Back Stacking Side Chair (QK570H01)

- Black mesh
- 5800 Black Lucia fabric
- 2217 Black frame
- 41"-471/4"H x 293/8"W x 283/8"D

Side chairs feature a 7/8" tubular steel frame. Mesh-back construction is the same as desk chair. Seat cushions are 19/16" CFC- and CHCfree molded foam. Stackable up to 4 high.

How to Specify



Model

>See model numbers at left.

Pricing

QK172H701

\$2023

QK570H01 [†]

\$1620 for two chairs

Note: Side chairs are ordered in sets of two and shipped two per carton.

ITSA[™] Kimball Office Seating

1.0 and 2.0 Desk Chairs

Overview & Pricing

GSA SIN 711-18


Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

Mesh back, available in seven colors, is 84% texturized polyester and 16% elastin. The mesh is pulled over a metal frame and stapled into a plastic insert at the bottom.

Seat cushions feature a seamless, pull-over style upholstery. 1.0 models have 2½" of molded, CFC-free, urethane foam applied over a recycled plastic seat shell. 2.0 models (shown) have 1" slab foam with a ½" foam overlay topper and a ½" foam bottom (to give contour to seat) applied over a plywood seat shell.

5-prong base on 1.0 and 2.0 task chairs is constructed of extremely rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Black, hard dual-wheel casters are standard.



Arm caps are soft, self-skinning polyurethane foam molded over a steel core for strength.

Arms are height adjustable within a 2½" range by the push of a button. 1.0 models (shown) lock into one of 7 positions. 2.0 models lock into one of 5 positions.

Height- and width-adjustable arms on 1.0 models also have a width adjustable range of 41/4".

Contoured "sit spot" and waterfall front edge provides optimal seated support and prevents undue pressure in the lower thigh/knee area.

Kwik Office Models



Itsa 1.0

- Knee tilt (QK38AA) or synchro tilt (QK38BB)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"-43"H x 27¾"W x 25½"D



Itsa 2.0

- Knee tilt (QK38CC) or synchro tilt (QK38DD)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"-43"H x 27½"W x 26½"D

How to Specify

Model

➤See model numbers at left.

Back:

② Mesh color number:

8202 = Jet

Seat:

- ③ Upholstery grade:
 - 2 = Price Grade 2
- 4 Upholstery number:

20011 = Spectrum Sand

20020 = Spectrum Black

20022 = Spectrum Burgundy

20067 = Spectrum Navy

20081 = Spectrum Charcoal

Seat slider:

SL = Seat slider (+\$109)

 $\mathbf{X} = None$

Pricing

QK38AA or QK38CC

\$826

QK38BB or QK38DD

\$943

Page 43 Seating

JOYA™ Kimball Office Seating

High-Performance Task Chair

Overview & Pricing

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	Δ1

GSA Contract Pending



Arm caps are soft, self-skinning polyurethane foam molded over a steel core for strength. They adjust front to back.

Black height-adjustable arms with adjustable arm caps are standard.

Seat cushions have 3" of molded, CFC-free, urethane foam applied over plywood with sewn-upholstered seat and waterfall front edge.

Kwik Office Models



Joya

- High-performance task chair (QK56TMBUB)
- Black mesh back
- Black upholstered seat
- Height-adjustable arms
- Adjustable (front-to-back) arm caps
- Synchro-tilt 1-lock
- 391/4"-423/4"H x 261/4"W x 23"D

How to Specify



Model

➤See model number at left.

Pricing

QK56TMBUB

\$546

Black, hard dual-wheel casters are

standard.

MUIRFIELD™ Kimball Office Seating

Desk and Side Chairs

Overview & Pricing

Casegoods➤See page 13Systems55Metal Filing103Finishes & MaterialsA1

GSA SIN 711-18

Outer back has 1/4" foam and is fully upholstered.

Shell on desk chair is a one-piece, 9-ply molded plywood panel.

Arms have rigid, molded-urethane inserts, wrapped with ½"-thick foam (1" thick on arm tops), and secured to the seat and back with metal L-brackets, T-nuts, and machine screws.

5-prong base on desk chairs has a

rigid, steel understructure. Maple

hardwood radius-end base caps (B75) with Antique English hooded-

ball casters (C44) are standard.

Frame on side chairs is kiln-dried

maple hardwoods. Joints on back

Front legs use mortise and tenon

legs are double doweled and glued.

ioinery. Wood corner blocks, screws,

and tie screws reinforce frame corners.



Cushions are 21/4"-thick, high-resiliency, CFC-free polyurethane foam.

Upholstery is wrapped over cushions and secured with staples.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.



Back suspension on side chair is constructed of vertical and horizontal webbing stapled to the back frame.

Seat suspension on side chair is constructed of unidirectional webbing that is machine stretched across the frame and stapled to the side rails. Seat cushion is 3½" thick.

Kwik Office Models



High Back Desk Chair (Q22-2833V)

- Vertical stitching
- 42"-47"H x 261/4"W x 281/4"D

Mid-Back Desk Chair (Q22-2832V)

- Wood base and arms
- 39"-44"H x 261/4"W x 281/4"D



- 4-Leg Side Chair (Q22-5032V)
- 38½"H x 27"W x 29¾"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Controls on desk chairs are attached to the frame with T-nuts and machine screws.

How to Specify

- Model
 - See model numbers at left.
- ② Upholstery grade
- 3 Upholstery number
 - See page A8 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - **CC** = Cordoba
 - **MW** = Midtown
 - TW = Tribeca
- 6 Base number (omit for side chair):
 - **B75** = Radius end base caps
- ① Casters (omit for side chair):
 - C44 = Hooded ball casters

Pricing

Gr	Q22-2833V	Q22-2832V
1	\$1973	\$1943
2	\$2063	\$2026
6	\$2343	\$2286
L7	\$2782	\$2694

Gr **Q22-5032V**

- 1 \$1242
- 2 \$1332
- 6 \$1612
- L7 \$2051

Nickel-plated glides on side chairs are 7%" in diameter.

Page 45 Seating

POLY[™] Kimball Office Seating

and can be used to gang adjacent


chairs.

Side Chairs

Overview & Pricing

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	Δ1

GSA SIN 711-19



Kwik Office Models



Single Side Chairs

- Big Sky mesh (K95MBSB1)
- Black Tie mesh (K95MBKB1)
- Crimson mesh (K95MCRB1)
- Kiwi mesh (K95MKWB1)
- Tangerine mesh (K95MTGB1)
- Stacking up to 30 high on dolly or up to 10 high on floor
- 22"D x 195/8"W x 313/4"H

Set of Four Side Chairs

- Big Sky mesh (K95MBSB4)
- Black Tie mesh (K95MBKB4)
- Crimson mesh (K95MCRB4)
- Kiwi mesh (K95MKWB4)
- Tangerine mesh (K95MTGB4)

Chairs are shipped four to a carton when applicable.

Poly chairs accommodate up to 253 lbs.



Transport dolly is available to move up to 30 chairs. Dolly has a tubular steel frame, gray powdercoat finish, and four 8" semi-pneumatic ball-bearing wheels. Poly chairs stacked 30 high on the dolly will have an overall height of 70" and overall width of 37".

Transport Dolly (K95TD)

• 32"D x 225/8"W x 133/8"

Details

TB133 approved as standard.

Chairs are available singly or in sets of four chairs. Sets of four are available under one model number; all chairs in the set will have the same mesh color.

How to Specify



➤See model numbers at left.

Pricing

Single Chairs (all colors) \$436

Set of Four Chairs (all colors) \$1294

Transport Dolly

\$ 540

GSA SIN 711-16

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

Frame is constructed of 3/4" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Outside panels are ½"-thick, high-grade polyurethane foam. Upholstery is a sewn slipcover that is stapled into place.


Lounge units feature a wall-saver back leg.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. The base frame is then attached to the seat frame with wood screws through the corner blocks. Units over 48"L feature additional screws to provide extra support. Rails and top of the legs are accented with a decorative reveal.

Seats have a high-tension strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

All models are fully upholstered.

Bottom is finished with a black, fabric dust cover prior to the wood frame being attached.



Piping is standard around the entire edge of both the front and back of the back cushion.

Cushions are high-resiliency, CFC-free, polyurethane foam. Seat cushions, specifically, are 5"-thick, high-grade, laminated polyurethane foam that is custom shaped.

Non-skid glides are ³/₄" in diameter and adjustable.

Ottoman and bench frame are constructed of 5½"-thick, high-grade polyurethane foam applied to a 3/4" plywood frame using lap joint construction that is glued and screwed. A sewn slipcover is applied over the foam and attached with upholstery staples. Benches feature a sewn seam in the center. Leas and rails of base frames are constructed using double dowel and glue construction with corner blocks. which are also glued and screwed to the base rails. The rails feature a 1/4" set back when attached to the legs. Tops of the legs are accented with 1/4" decorative reveal. The base frame is then attached to the seat frame with wood screws through the corner blocks.

Kwik Office Models





One-Seat Lounge (QK35AA)

• 341/4"D x 293/4"W x 351/2"H

Two-Seat Lounge (QK35BB)

• 34¹/₄"D x 53³/₄"W x 35¹/₂"H





Bench (QK35KK)

• 24"D x 48"W x 171/2"H

Ottoman (QK35JJ)

• 24"D x 24"W x 171/2"H

Details

Back features a non-stretch woven suspension that is stapled to the frame, over which upholstery is placed.

Back cushions are 5½"-thick, highgrade polyurethane foam wrapped with ¾ oz. bonded polyester, which is slipcovered and closed with a zipper.

Contrasting upholstery may be selected for the back cushion; use electronic specification tool for accurate pricing

Contrasting piping may be specified in Kimball Office fabric or leather.

How to Specify

Model

See model numbers at left.

Back upholstery (include for AA and BB models only):

- ② Upholstery grade
- 3 Upholstery number

Seat upholstery:

- 4 Upholstery grade
- ⑤ Upholstery number

Piping (include for AA and BB models only):

- 6 Upholstery grade
- Upholstery numberSee page A8 for upholstery.
- 8 Finish type:

STD = Group 1

Finish designator:

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing

Gr	QK35AA	QK35BB
1	\$2082	\$2940
2	\$2229	\$3173
ŝ	\$2689	\$3903
_7	\$3412	\$5050
Gr	QK35KK	QK35JJ
	QK35KK \$1835	QK35JJ \$ 853
1		
1	\$1835	\$ 853

Note: Lounge pieces take more production time than side or guest seating. Orders of more than 5 units may experience longer lead times.

Page 47 Seating

POSE® Kimball Office Seating

Freestanding Tables

Overview & Pricing

Casegoods➤See page 13Systems55Metal Filing103Finishes & MaterialsA1

GSA SIN 711-16

Tops feature a $\frac{1}{4}$ " x $\frac{1}{4}$ " reveal and are $\frac{3}{4}$ " veneered plywood.

Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

Legs and rails of base frames are constructed using double dowel and

glue constructions with corner blocks


which are also glued and screwed to base rails. Tops of the leas and rails

feature a 1/4" decorative reveal. The

base frame is then attached to the

table frame with wood screws

through cleats.



Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

3/4" non-skid, adjustable glides are standard on all Pose tables.

Kwik Office Models



End Table (QK35T242416W)

• 24"D x 24"W x 16"H



Corner Table (QK35T303016W)

• 30"D x 30"W x 16"H



Magazine Table (QK35T244816W)

• 24"D x 48"W x 16"H

Details

End and corner tables are constructed of ³/₄" veneered plywood. Tops are attached to the table frame with metal brackets and screws.

Magazine table tops feature mitered corners with 1/4" x 1/4" reveal are 3/4" veneered plywood utilizing biscuit joinery that is glued and cleated together. End panels are 3/4" veneered plywood; attachment of bottom shelf utilizes joints which are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength. The center divider is constructed of 3/4" veneered plywood that is attached to the bottom panel with glue and screws. The side rails feature a 1/4" setback of

53/4" and are attached to the underside of the bottom shelf with screws through the corner blocks.

How to Specify

Model

➤See model numbers at left.

2 Finish designator:

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing

QK35T242416W

\$1371

QK35T303016W

\$1622

QK35T244816W

\$2122

Page 48 Seating

Desk and Side Chairs

Overview & Pricina

Casegoods ►See page 13 Systems 55 103 Metal Filing Α1 Finishes & Materials

GSA SIN 711-18

Outer back is fully upholstered. Back shell is contoured, blowmolded polyethylene with built-in stress-relieving flex.

Back cushion is high-resiliency, CFC-free, polyurethane foam and 11/2" thick. Back is upholstered using a slipcover-style upholstery technique.

Hardwood base caps are kiln-dried maple supported by a rigid steel substructure.

use on carpeted floors are standard.

Seat rails on side chairs are 3/4"

steel

outside diameter, 14-gauge, tubular



Arms on desk chairs are maple hardwoods with black urethane arm caps. Arms are attached to the seat with a metal support bracket and 1/4"diameter machine screws.

Seat cushion is CFC-free molded urethane foam and 2" thick. Seat is upholstered using a pull-around upholstery technique.

Waterfall front edge slopes forward to reduce pressure and increase circulation for the user's leas.

Hardwood-frame side chairs are kiln-dried maple. Joints are double doweled and glued to ensure maximum strength. Frame assembly is mounted in holes bored into the lea and secured with steel brackets and wood screws.

Kwik Office Models



High-Back Desk Chair (QK11AA)

- Wood base and arms
- 381/8"-431/8"H x 263/8"W x 263/8"D

Mid-Back Desk Chair (QK11CC)

- Wood base and arms
- 34³/₄"-39³/₄"H x 26³/₈"W x 25¹/₂"D

4-Leg Side Chair (QK11EE)

• 351/8"H x 263/8"W x 251/4"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

polyethylene. Channels within the seat pan fit over the metal seat rails on side chair frame and the control

How to Specify

- Model
- ▶See model numbers at left.
- ② Upholstery grade
- 3 Upholstery number
 - See page A8 for upholstery.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - CC = Cordoba
 - **MW** = Midtown
 - TW = Tribeca
- 6 Casters (omit for side chair):
 - C3 = Hard casters


Pricing

Gr	QK11AA	QK11C0
1	\$1442	\$1375
2	\$1493	\$1420
6	\$1653	\$1560
L7	\$1904	\$1780

Gr QK11EE

- 1 \$1055
- 2 \$1100
- 6 \$1240
- 17 \$1460

Glides on wood frame side chair are dome-shaped plastic and 7/8" in diameter.



Seat pan is contoured, blow-molded mechanism of desk chair.

WISH[™] Kimball Office Seating

High-Performance Task Chairs

Mesh Back | Mesh-Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 2³/₄".

Seat cushion is 21/8" thick and consists of 13/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, covered with performance mesh.

Optional lumbar support is made



5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available

(upcharge applies).

65mm hard dual-wheeled casters

(C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).

Kwik Office Models

QK20TMPMHA

- Mesh back, mesh-upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 401/4"-45"H x 271/2"W x 237/8"D

QK20TMAM2D

- Mesh back, mesh-upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

Details



Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

Inner seat panel is molded %16"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Model

Back:

Mesh color See page A9 for mesh selections.

Seat:

- 3 Mesh color
- Wishbone finish:

462 = Cinder plastic

501 = Platinum metallic plastic (+\$51)

497 = Polished aluminum

⑤ Arm upright finish (include for 2D only):

462 = Cinder

497 = Polished aluminum (+\$56)

6 Lumbar support (shown):

LUM = Adjustable lumbar (+\$56)

X = None

(7) Seat slider:

SL = Seat slider (+\$76)

X = None

® Control finish:

462 = Cinder

497 = Polished aluminum (+\$82)

Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on aluminum base (+\$71)

497 = Polished aluminum (+\$82)

10 Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$26)

Pricing

QK20TMPMHA

\$ 892

QK20TMAM2D

\$1185

Seating

skinning polyurethane foam, insert-molded over a steel core.

Arm caps are soft, black, self-

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

Page 50

High-Performance Seating

Mesh Back | Upholstered Seat

\sim		_		
1 11/0	K /IOLA/	v	Pricin	\sim
	$I \lor I \rightleftharpoons \lor \lor$	α		u
\sim \sim		\sim		\sim

GSA SIN 711-18

Casegoods▶See page 13Systems55Metal Filing103Finishes & MaterialsA1

Optional lumbar support is made of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 23/4".

Arm caps are soft, black, self-skinning polyurethane foam, insert-molded over a steel core.

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

Seat cushion is 21/8" thick and consists of 13/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.


Inner seat panel is molded %16"-thick, 7-ply, single-shell construction with a waterfall front edge.

Conference arms are available with or without armcaps.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters

(C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).



Kwik Office Models

QK20TMPUHA

- High-performance task chair
- Mesh back, upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 401/4"-45"H x 271/2"W x 237/8"D

QK20TMAU2D

- High-performance task chair
- Mesh back, upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

QK20TMPU4D

- High-performance task chair
- · Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

QK20TMAUCA

- High-performance task chair
- Mesh back, upholstered seat
- Aluminum wishbone
- Polished conference (C) arms
- 401/4"-45"H x 261/4"W x 237/8"D

QK20TMPU4DLH

- High-performance low-height task chair
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 387/8"-411/4"H x 261/4"-275/8"W x 237/8"D

QK20TMPU4DSTS

- High-performance sit-to-stand
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 437/8"-515/8"H x 261/4"-275/8"W x 237/8"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Model

Back:

② Mesh color

>See page A9 for mesh selections.

Seat:

- ③ Upholstery grade
- 4 Upholstery number
- ⑤ Wishbone finish:

462 = Cinder plastic

501 = Platinum metallic plastic (+\$51)

497 = Polished aluminum

6 Arm upright finish (include for 2D and 4D only):

462 = Cinder

497 = Polished aluminum (+\$56)

① Lumbar support (shown):

LUM = Adjustable lumbar (+\$56)

X = None

8 Seat slider:

SL = Seat slider (+\$76)

X = None

Ontrol finish:

462 = Cinder

497 = Polished aluminum (+\$82)

10 Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on aluminum base (+\$71)

497 = Polished aluminum (+\$82)

① Footring finish (include for STS model only):

462 = Cinder

12 Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$26)

Р	ricing	
Gr	QK20TMPMHA	QK20TMAU2D
1	\$ 892	\$1185
2	\$ 921	\$1214
6	\$1011	\$1304
L7	\$1152	\$1445
Gr	QK20TMPU4D	QK20TMAUCA
1	\$1083	\$1223
2	\$1112	\$1252
6	\$1202	\$1342
17		
L/	\$1343	\$1483

Gr QK20TMPU4DLH

1 \$1120

2 \$1149

6 \$1239

L7 \$1380

QK20TMPU4DSTS

1 \$1120

2 \$1149

6 \$1239

L7 \$1380

Page 51 Seating

WISH™ Kimball Office Seating

High-Performance Task Chairs

Overview & Pricina

GSA SIN 711-18

Casegoods ➤See page 13 Systems 55 103 Metal Filing Α1 Finishes & Materials

Upholstered Back | Upholstered Seat

Seat cushion is 21/8" thick and consists of 13/4" of CEC- and CHCfree molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.

Arm caps are soft, black, selfskinning polyurethane foam, insertmolded over a steel core.

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters

(C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).



Kwik Office Models

QK20TUPUHA

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 373/4"-421/2"H x 271/2"W x 25"D

QK20TUPU2D

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 373/4"-421/2"H x 261/4"-275/8"W x 25"D

QK20TUPU4D

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

QK20TUPU4DLH

- High-performance low-height task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 387/8"-411/4"H x 261/4"-275/8"W x 237/8"D

QK20TUPU4DSTS

- High-performance sit-to-stand
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 437/8"-515/8"H x 261/4"-275/8"W x 237/8"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon).

Inner seat panel is molded 9/16"thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and threeshift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Model

Back:

- ② Upholstery grade
- 3 Upholstery number
 - ➤See page A8 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Wishbone finish:
 - **462** = Cinder plastic
 - **501** = Platinum metallic plastic (+\$56)
- 7 Arm upright finish (include for 2D and 4D only):
 - **462** = Cinder
 - **497** = Polished aluminum (+\$56)

8 Seat slider:

SL = Seat slider (+\$76)

 $\mathbf{X} = None$

Ontrol finish:

462 = Cinder

497 = Polished aluminum (+\$82)

10 Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on aluminum base (+\$71)

497 = Polished aluminum (+\$82)

1 Footring finish (include for STS model only):

462 = Cinder

12 Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$26)

Pricing	

Эr	QK20TUPUHA	QK20TUPU2D
	\$ 991	\$1058
2	\$1039	\$1106
3	\$1189	\$1256
_7	\$1424	\$1491

Gr QK20TUPU4D

1 \$1105 2 \$1153 6 \$1303 L7 \$1538

Gr QK20TUPU4DLH

1 \$1205

2 \$1253 6 \$1403

L7 \$1638

QK20TUPU4DSTS

1 \$1380

2 \$1428 6 \$1578

L7 \$1813

WISH™ CLASSIC Kimball Office Seating

Task Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	A1

Lumbar support pad, made of polypropylene, moves $2\frac{1}{2}$ " for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.

Height-adjustable arms adjust with a push button to one of 5 positions within a range of 2½ and can be specified with fixed or 3-D adjustable arm caps.

Arm supports are glass filed nylon, insert molded over a steel core for superior support.

5-prong base is constructed of rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Seat slider option is available on task chairs to adjust the seat depth for comfort. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2" range. Upcharge applies. Seat slider is not available on stools.

Low seat-height option, compatible with the BIFMA recommended minimum of 15", is available. The seat height adjustment range is 3". Upcharge applies.



Contoured CFC-free polyurethane foam provides comfort consistency and proper ergonomic support.

Back cushions have 13/4" CFC-free polyurethane foam to enhance comfort and reduce fatigue. Edges of foam used on seat and back are wrapped with 3/8" of higher density foam for cleaner edges and contours.

Arm caps are soft, black, self-skinning polyurethane foam, insert molded over a steel core for strength.

Seat cushions have 2" base foam, plus a ½" soft topper pad to enhance comfort and reduce fatigue. Base foam includes ½" filler centered on the bottom of the cushion for added support. Seat cushions feature a waterfall front edge.

Hard dual-wheel casters (C1) are standard.

Kwik Office Models



Task Chair with Height-Adjustable Arms (QK20BT)

- Fixed arm caps
- 391/4"-44"H x 271/2"W x 261/2"D

Details



Wishbone back frame is injection molded, glass-filled nylon. Frame is attached with 2 high-tensile M10-1.5 x 35mm Allen-head bolts with grade 8 heavy steel flat washers.

Inner back panel is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded %16"-thick, 9-ply (1/16" poplar per ply), single-shell construction with a waterfall front edge.

Seamed slipcover-style upholstery on the back and seat accommodates a wide variety of fabrics and leather.

How to Specify

Model

▶See model number at left.

Back:

- ② Upholstery grade
- Upholstery numberSee page A8 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Back frame finish:

462 = Cinder

501 = Platinum metallic (+\$56)

⑦ Seat slider:

 $\mathbf{X} = None$

SL = With seat slider (+\$76)

8 Pneumatic cylinder:

STD = Standard

LS = Low seat (+\$28)

Base finish:

462 = Cinder

10 Casters:

C1 = Hard casters

Pricing

Gr QK20BT

1 \$1003

2 \$1041

6 \$1161

Page 53 Seating



Notes

Casegoods	➤See page 13
Systems	55
Metal Filing	103
Finishes & Materials	Λ1

Page 54 Seating



Statement of Line

Interworks® EQ



Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

Wireway Cover Options:

NP2 2 non-punched

P1 1 power punched
1 non-punched

Tackable Acoustical Panels

- 34", 42", 48", 54", 62", 66", and 80"H
- ➤See pages 61-63.



Finish Channels

- Straight/T
- Corner/L
- 4-Ways
- ➤See pages 65-68.



Trim

- Top caps
- End caps
- In-line fill caps
- In-line connector kits
- End trim
- ➤See pages 69-73.



Traxx Starter Kits

➤See page 74.



Wall-Mount Connectors

➤See page 75.



Electrical Components

- Power distribution assemblies
- Jumper cables
- Receptacles
- Power entries
- Hardwire components
- New York City retrofit kits
- ➤See pages 76-79.



Power/Data Poles

- Straight/T or 4-Way X
- Corner/L
- End
- ➤See page 80.



Data Components and Data Channels

- Data cover plates
- Tinnerman clips
- Straight/T, corner/L, and in-line data channels
- ➤See page 81-82.

	Thorr parionoa	
P2	2 power punched	
PD1	1 power & data punched 1 non-punched	
PD2	2 power & data punched	
H1	1 hardwire punched 1 non-punched	
H2	2 hardwire punched	
HD1	1 hardwire & data punched	

HD2 2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H Data: 3.00"W x 2.19"H

Page 55 Systems



Statement of Line

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

Traxx® and Tiles





Traxx Components


- Traxx
- Splice plates
- Fastener concealment

►See page 83.



Fabric Tiles

- 36"H
- ➤See page 84.



End Trim

- Full end trim
- Single end trim
- ➤See page 85.



Trim Channels

- Fabric
- Paint
- ➤See page 86.



Vertical Cable Manager

- Black
- Fabric
- ➤See page 86.

Page 56 Systems



Statement of Line

nt of Line

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

Footprint® 13/16" Worksurfaces and Support





Straight

- Wire manager
- Double rim
- ➤See page 87.



Straight Corner

- Wire manager
- Double rim
- ➤See page 88.



Curved Corner

- Wire manager
- Double rim
- ➤See page 89.



U-Top

- Wire manager
- Single rim
- ➤See page 90.



Table Tops

- Round
- Square
- Rectangular
- Racetrack
- ➤See page 91.



Brackets

- For use with Interworks EQ panels
- For use with Traxx
- For freestanding applications
- ►See page 92.



Metal Support Panels

- For Traxx and freestanding metal applications
- Corner posts
- ➤See page 93.



Metal Modesty Panels

- For use with flat profile storage
- ➤See page 94.





Column Legs and Bases

- Column legs
- X-bases
- T-bases
- ➤See page 95.

Page 57



Statement of Line

Footprint® Storage and Lighting



Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



Flat Profile Pedestals

- Suspended box/file
- Box/box/file
- File/file
- ►See page 96.



Flat Profile Lateral Files

- Two drawers
- ➤See page 97.



Flat Profile File Center

- Box/box on left, file on right, lateral file below
- Box/box on right, file on left, lateral file below
- ➤See page 97.



Flat Profile Mobile Pedestals

- Box/box/file
- File/file
- ➤See page 98.



Bevel Profile Overhead Cabinets

- Painted doors
- ➤See page 99.



Bevel Profile Overhead Shelves

- Half-height shelves
- Full-height shelves
- ➤See page 100.

Bevel Profile Overhead Brackets

- For use with Cetra panels
- For use with Traxx
- Ganging brackets
- ➤See page 101.





Task Lights

- 13"
- 23"
- 35"
- 47"
- ➤See page 102.

Systems Page 58



Overview

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

Traxx starter kits ad wall-mount

connectors are available to start a

panel run from a building wall.




Interworks EQ panels, Traxx and tiles, Footprint worksurfaces, and metal bevel and flat profile storage components are available in a wide offering to allow you to complete your office in one quick stop.

See the Systems Price List for detailed product information and application guidelines.

Interworks EQ tackable acoustical panels are available in all standard heights and widths for maximum flexibility when configuring quick set ups.

Traxx and tiles are available to coordinate with 66"H Interworks EQ panels.

Flat profile undersurface storage and metal supports are available in all non-metallic, core collection paints for consistent color palette options throughout your office setting. Pedestals, lateral files, and mobile pedestals are available for your selection.



Bevel profile overhead storage is metal and available in all non-metallic, core collection paints. Available in receding door cabinets, half-height

shelf, or full-height shelf models.

Worksurfaces are available in a variety of shapes, sizes, and profile options for your specifying convenience. They are offered in select laminates and feature coordinating PVC rims.

Page 59 Systems





Overview

Casegoods➤See page 13Seating33Metal Filing103Finishes & MaterialsA1


Thought Starters

The workstations shown at right are typical of configurations that are possible using Kwik Office systems components.






8'W x 6'D x 42"H



7'W x 7'D x 54"H



12'W x 24'D x 42"H

Page 60 Systems

Tackable Acoustical Panels

34", 42", and 48"H

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Δ1



				Powered	Panels	Non-Powe	ered Panels
			Fabric Pric	Fabric Price Grade		Fabric Price Grade	
D	W	Н	Model	Α	В	Α	В
34"	Н Ра	nels					
2"	18"	341/4"	Q11P1834A	_	_	\$389	\$417
	24"		Q11P2434A	\$560	\$588	422	450
	30"		Q11P3034A	593	629	454	482
	36"		Q11P3634A	622	674	485	537
	42"		Q11P4234A	661	713	524	576
	48"		Q11P4834A	683	735	545	597
	60"		Q11P6034A	807	859	670	722
42"	Н Ра	nels					
2"	18"	421/4"	Q11P1842A	_	_	\$441	\$441
	24"		Q11P2442A	\$643	\$679	505	541
	30"		Q11P3042A	688	716	550	586
	36"		Q11P3642A	748	810	610	672
	42"		Q11P4242A	791	863	650	722
	48"		Q11P4842A	824	890	684	750
	60"		Q11P6042A	952	1018	812	878

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for changeof-direction)

➤See page 65.

In-line connector kits (required for each in-line connection)

➤See page 70.

End trim (required for finished look at end of panel runs)

➤See page 71.

Electrical components

➤See page 76.

Page 61

Systems

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - \mathbf{H} = Hardwired (+\$61 to non-powered)
- 3 Top cap material:
 - **P** = Paint
- 4 Type of power system (omit for non-powered and hardwired):
- **84** = 8-wire, 4-circuit
- 5 Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤See page 55 for designators.
- 7 Trim finish designator
- 8 Hinge color designator
- Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- 2 Side 2 fabric number

Tackable Acoustical Panels

48" and 54"H

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



				Powered	Panels	Non-Powe	ered Panels
				Fabric Pric	e Grade	Fabric Pric	e Grade
D	W	Н	Model	Α	В	Α	В
48"	Н Ра	nels					
2"	18"	481/4"	Q11P1848A	_	_	\$511	\$553
	24"		Q11P2448A	\$717	\$759	579	621
	30"		Q11P3048A	773	815	636	678
	36"		Q11P3648A	837	899	700	678
	42"		Q11P4248A	900	972	763	835
	48"		Q11P4848A	936	1016	798	878
	60"		Q11P6048A	1085	1165	948	1028
54"	Н Ра	nels					
2"	18"	541/4"	Q11P1854A	_	_	\$528	\$572
	24"		Q11P2454A	\$726	\$770	587	631
	30"		Q11P3054A	789	833	648	692
	36"		Q11P3654A	858	920	717	779
	42"		Q11P4254A	922	994	781	853
	48"		Q11P4854A	956	1036	816	896
	60"		Q11P6054A	1102	1194	962	1054

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for changeof-direction)

➤See page 65.

In-line connector kits (required for each in-line connection)

➤See page 70.

End trim (required for finished look at end of panel runs)

➤See page 71.

Electrical components

➤See page 76.

Page 62

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - \mathbf{H} = Hardwired (+\$61 to non-powered)
- 3 Top cap material:
 - **P** = Paint
- 4 Type of power system (omit for non-powered and hardwired):
 - **84** = 8-wire, 4-circuit
- 5 Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤See page 55 for designators.
- 7 Trim finish designator
- 8 Hinge color designator Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- 2 Side 2 fabric number

Tackable Acoustical Panels

Pricing

62", 66", and 80"H GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)

➤See page 65.

In-line connector kits (required for each in-line connection)

➤See page 70.

End trim (required for finished look at end of panel runs)

➤See page 71.

Electrical components

➤See page 76.

				Powered	Powered Panels Fabric Price Grade		Non-Powered Panels Fabric Price Grade	
				Fabric Pric				
D	W	Н	Model	Α	В	Α	В	
62"	H Pai	nels						
2"	18"	621/4"	Q11P1862A	_	_	\$548	\$592	
	24"		Q11P2462A	\$738	\$782	600	644	
	30"		Q11P3062A	807	670	670	722	
	36"		Q11P3662A	888	950	748	810	
	42"		Q11P4262A	940	1012	803	875	
	48"		Q11P4862A	984	1064	844	924	
	60"		Q11P6062A	1117	1221	978	1082	
66"	H Pai	nels						
2"	18"	661/4"	Q11P1866A	_	_	\$604	\$648	
	24"		Q11P2466A	\$805	\$849	665	709	
	30"		Q11P3066A	900	952	763	815	
	36"		Q11P3666A	978	1040	841	903	
	42"		Q11P4266A	1030	1102	891	963	
	48"		Q11P4866A	1070	1150	930	1010	
	60"		Q11P6066A	1212	1316	1073	1177	
80"	H Pai	nels						
2"	18"	801/4"	Q11P1880A	_	_	\$811	\$877	
	24"		Q11P2480A	\$1014	\$1080	876	942	
	30"		Q11P3080A	1075	1141	934	1000	
	36"		Q11P3680A	1142	1274	1004	1136	
	42"		Q11P4280A	1242	1374	1103	1235	
	48"		Q11P4880A	1278	1410	1141	1273	

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - **H** = Hardwired (+\$61 to non-powered)
- 3 Top cap material:
 - **P** = Paint
- Type of power system (omit for non-powered and hardwired):
 - **84** = 8-wire, 4-circuit
- ⑤ Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤See page 55 for designators.
- 7 Trim finish designator
- Hinge color designator
- Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- 12 Side 2 fabric number

Page 63 Systems

Supplemental Brackets


Pricing

Seating 33 Metal Filing 103

➤See page 13

Α1

GSA SIN 711-1



D	W	L	Model	Price
ХВ	racke	et		
1/2"	24"	24"	Q10PSBPNCX	\$94
 Т В	racke	t		
1/2"	12"	24"	Q10PSBPNCT	\$94
L B	racke	t		
11/2"	12"	12"	Q10PSBPNCL	\$94
S B	racke	t		
1/2"	1/2"	24"	Q10PSBPNCS	\$94
Sup	plem	ental Bra	cket Spacer	
_			Q10PSBSPCR	No charge

Specify supplemental brackets for maximum stability when wing panel is not tied to worksurface at front and back.

Specify bracket spacer when using a supplemental bracket to reinforce the connection between:

- 10P tackable acoustical (monolithic) panels and 10P sectional or glass panels (old models); or
- 10P tackable acoustical (monolithic) panels and 11P sectional or glass panels.

The bracket spacer will accommodate the difference in the depth of the top channel (cable trough).

Standard Includes

Finishes & Materials

Bracket

Casegoods

Attachment screws

How to Specify



Systems


Finish Channels


For Same-Height Panel Connections

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1







T-configurations with one lower-height
in-line or perpendicular panel require
specification of additional models,
including the straight/T finish channel
shown on this page.

T configuration.

D	W	Н	Model	Price
Stra	ight/T	Same	-Height Panel Configurations	
⁷ /16"	23/8"	34"	Q10P34CNT	\$110
		42"	Q10P42CNT	110
		48"	Q10P48CNT	110
		54"	Q10P54CNT	110
		62"	Q10P62CNT	110
		66"	Q10P66CNT	110
		80"	Q10P80CNT	110
Cor	ner/L	Same-	Height Panel Configurations	
21/8"	21/8"	34"	Q10P34CNL	\$110
		42"	Q10P42CNL	110
		48"	Q10P48CNL	110
		54"	Q10P54CNL	110
		62"	Q10P62CNL	110
		66"	Q10P66CNL	110
		80"	Q10P80CNL	110
120°	V Co	nfigur	ations	
21/8"	21/8"	34"	Q10P34CNV	\$110
		42"	Q10P42CNV	110
		48"	Q10P48CNV	110
		54"	Q10P54CNV	110
		62"	Q10P62CNV	110
		66"	Q10P66CNV	110
		80"	Q10P80CNV	110

Standard Includes

- Finish channel top cap
- Fabric channel
- Metal base cover
- Alignment clip

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

See page 66 for lower-height inline

See page 68 for lower-height perpendicular T configuration.

Systems Page 65

INTERWORKS® EQ

Finish Channels

Pricing

For Varied-Height 3-Way Connections—One Lower Panel

GSA SIN 711-1

Casegoods ➤See page 13 33 Seating 103 Metal Filing Finishes & Materials Α1



D	W	Н	Model	Price
3-V	Vay w	/ith Or	ne Lower-Height Panel	
21/81	1/2"	4"	Q11P4CNHT	\$98
		6"	Q11P6CNHT	98
		8"	Q11P8CNHT	98
		12"	Q11P12CNHT	98
		14"	Q11P14CNHT	98
		18"	Q11P18CNHT	98
		20"	Q11P20CNHT	104
		24"	Q11P24CNHT	104
		26"	Q11P26CNHT	104
		28"	Q11P28CNHT	104
		32"	Q11P32CNHT	110
		38"	Q11P38CNHT	110
		46"	Q11P46CNHT	110

Select finish channel based on the difference in panel heights.

IMPORTANT: T-configurations with one lower-height inline panel (as shown on this page) require specification of an additional finish channel model and a top cap not on this page:

- Same-height straight/T finish channel the same height as the lower panel (10P**CNT); and
- -3-way/T top cap (10PCNTTC5 or 10PCNTTC6) to sit between the straight/T finish channel and the varied-height 3-way finish channel.
- >See page 68 for T-configurations with one lower-height perpendicular panel.

Straight/T finish channels

➤See page 65.

3-way/T top caps

➤See page 69.

3-Way/T ——→ Top Cap Straight/T → Finish Channel	Varied Height 3-Way Finish Channel

Standard Includes

- Fabric corner/L channel
- Top cap

How to Specify

- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

Systems Page 66


Finish Channels

Pricing

GSA SIN 711-1

Casegoods➤See page 13Seating33Metal Filing103Finishes & MaterialsA1





D W H	Model	Price
4-Way with C	ne Lower-Height Panel	
7/16" 23/8" 4	" Q10P4CNHL	\$89
6	" Q10P6CNHL	89
8	" Q10P8CNHL	89
12	" Q10P12CNHL	89
14	" Q10P14CNHL	89
18	" Q10P18CNHL	89
20	" Q10P20CNHL	89
24	" Q10P24CNHL	89
26	" Q10P26CNHL	89
28	" Q10P28CNHL	89
32	Q10P32CNHL	89
38	" Q10P38CNHL	89
46	" Q10P46CNHL	89

Standard Includes

- Finish channel top cap
- Fabric channel
- Alignment clip
- In-line fill cap

How to Specify

- Model
- 2 Top cap material:
 - $\mathbf{P} = Paint$
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

Select finish channel based on the difference in panel heights.

Page 67 Systems


Finish Channels

Pricing

GSA SIN 711-1

For Varied-Height 4-Way Connections—Two Lower Panels

Casegoods▶See page 13Seating33Metal Filing103Finishes & MaterialsA1



Select finish channel based on the difference in panel heights.



Models on this page can also be used to create T-configurations with one lower-height perpendicular panel. Specify:

- Varied-height 4-way/X with two lower-height panels finish channel (10P**CNHLL) for the side with the lower-height perpendicular panel; and
- Same-height straight/T finish channel in the appropriate height for the straight side (10P**CNT).

Note: One of the fabric channels included with the varied-height model will not be used.

Straight/T finish channels >See page 65.

W H	Model	Price
ay with Two	Lower-Height In-Line Panels	
23/8" 4"	Q10P4CNHLL	\$95
6"	Q10P6CNHLL	95
8"	Q10P8CNHLL	95
12"	Q10P12CNHLL	95
14"	Q10P14CNHLL	95
18"	Q10P18CNHLL	95
20"	Q10P20CNHLL	95
24"	Q10P24CNHLL	95
26"	Q10P26CNHLL	95
28"	Q10P28CNHLL	95
32"	Q10P32CNHLL	95
38"	Q10P38CNHLL	95
46"	Q10P46CNHLL	95
	29/8" 4" 6" 8" 12" 14" 18" 20" 24" 26" 28" 32"	## And Provided Height In-Line Panels 23/8" 4" Q10P4CNHLL 6" Q10P6CNHLL 8" Q10P8CNHLL 12" Q10P12CNHLL 14" Q10P14CNHLL 18" Q10P18CNHLL 20" Q10P20CNHLL 24" Q10P24CNHLL 26" Q10P26CNHLL 28" Q10P28CNHLL 32" Q10P32CNHLL 38" Q10P38CNHLL 38" Q10P38CNHLL

Standard Includes

- Finish channel top cap
- Two fabric channels
- Two alignment clips
- Two in-line fill caps

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator: Paint number or
 - **501** = Platinum Metallic (+10%)
- ⑤ Fabric grade
- 6 Fabric number


Page 68 Systems

Trim Top Caps

Pricing


GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



Model	Description	Price
Corner/L Top	Caps	
Q10PCNLTC1	Tops 2 varied height 90° perpendicular panels at low panels.	\$31
Q10PCNLTC2	Tops 2 varied height 90° perpendicular panels at low panels.	31
3-Way/T Top	Caps	

3-Way/T Top Caps		
Q10PCNTTC1	Tops 3 varied height panels (2 low, 1 high) at low panels.	\$31
Q10PCNTTC2	Tops 3 varied height panels (2 low, 1 high) at low panels.	31
Q10PCNTTC3	Tops 3 varied height panels (2 low, 1 high) at low panels.	31
Q10PCNTTC4	Tops 3 varied height panels (1 low, 2 high) at low panel.	31
Q10PCNTTC5	Tops 3 varied height panels (1 low, 2 high) at low panel.	31
Q10PCNTTC6	Tops 3 varied height panels (1 low, 2 high) at low panel.	31



111 (~		~
YTC1	XTO	C1	

Select appropriate top cap for your application based on drawings above.

When using a 3-way/T top cap, specify a straight finish channel that is the same height as the lower panels.

When using a 3-way varied-height finish channel, specify a 10PCNTTC5 or 10PCNTTC6 top cap, as well with a straight/T finish channel.

See page 66.

For 10PCNLTC1 and 10PCNLTC2, 10PCNTTC1, 10PCNTTC2, 10PCNTTC3, and 10PCNTTC4, specify a hi-lo end trim for the exposed edge of the higher panel. >See page 73.

3-Way/Y 120° Top Cap			
Q10PCNYTC1	Tops 3 same height panels	\$31	
4 Mov/V Ton	Oana		
4-Way/X Top	Caps		
Q10PCNXTC1	Tops 4 same height panels (4 high) at all panels. Includes two alignment clips.	\$31	

Standard Includes

Top cap

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator

Page 69 Systems

In-Line Fill Caps

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



Model	Description	Price	
In-Line Fill Cap			
Q10PCNIFC	Fills gap between two in-line panels of varied height in straight panel run. Includes straight alignment clip. For use with 10P and 11P models.	\$29	



In-Line Connector Kit			
Q10PCNIL	Set of 2; kit includes 2 in-line connectors and 2 straight alignment clips.	\$31	
	For use in same height applications. For use with 10P and 11P models.		

Standard Includes

In-Line Fill Cap

- Fill cap
- Straight alignment clip

In-Line Connector Kit

- 2 in-line connectors
- 2 straight alignment clips

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Finish designator

Full-Height End Trim

Pricing

GSA SIN 711-1

Systems

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Price
21/8" 1/2	1/2"	34"	Q10P34EC	\$78
		42"	Q10P42EC	78
		48"	Q10P48EC	78
-		54"	Q10P54EC	78
		62"	Q10P62EC	78
		66"	Q10P66EC	78
		80"	Q10P80EC	78

Standard Includes

- End trim
- End trim top cap

How to Specify


- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:C = Crowned
- 4 Trim finish designator

Hi-Lo End Trim

Pricing

For Use at In-Line Connections GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



	W	Н	Model	Price
21/8"	1/2"	4"	Q10P4HTC	\$89
		6"	Q10P6HTC	89
		8"	Q10P8HTC	89
		12"	Q10P12HTC	89
		14"	Q10P14HTC	89
		18"	Q10P18HTC	89
		20"	Q10P20HTC	94
		24"	Q10P24HTC	94
		26"	Q10P26HTC	94
		28"	Q10P28HTC	94
		32"	Q10P32HTC	94
		38"	Q10P38HTC	94
		46"	Q10P46HTC	94

Standard Includes

- Vertical end trim
- Two in-line fill caps

How to Specify

- Model
- 2 End trim material:
 - $\mathbf{P} = Paint$
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator


Page 72 Systems

Hi-Lo End Trim

Pricing

For Use at L or T Connections GSA SIN 711-1

Casegoods➤See page 13Seating33Metal Filing103Finishes & MaterialsA1



D	W	Н	Model	Price
21/8"	1/2"	4"	Q11P4HLT	\$58
		6"	Q11P6HLT	58
		8"	Q11P8HLT	58
		12"	Q11P12HLT	58
		14"	Q11P14HLT	58
		18"	Q11P18HLT	58
		20"	Q11P20HLT	64
		24"	Q11P24HLT	64
		26"	Q11P26HLT	64
		28"	Q11P28HLT	64
		32"	Q11P32HLT	64
		38"	Q11P38HLT	64
		46"	Q11P46HLT	64

Standard Includes

- Vertical end trim
- In-line fill cap

How to Specify

- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator

[•] Corner/L and 3-way/T top caps

[➤]See page 69.

Connectors


Pricing

Traxx® Starter Kits GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Description	Price	
Trax	xx Starter Kits					
1/4"	2"	297/8"	Q10P34CNS	For use with 34"H panel.	\$133	
		377/8"	Q10P42CNS	For use with 42"H panel.	133	
		437/8"	Q10P48CNS	For use with 48"H panel.	133	
		497/8"	Q10P54CNS	For use with 54"H panel.	133	
		57 ⁷ /8"	Q10P62CNS	For use with 62"H panel.	133	
		617/8"	Q10P66CNS	For use with 66"H panel.	133	
		75 ⁷ /8"	Q10P80CNS	For use with 80"H panel.	133	



Related Products:

D	W	Н	Model	Description	Price	
Trax	Traxx Panel-Height Full End Trim					
3/4"	11/2"	66"	Q10P66CNETP	For 66"H or shorter Interworks panel. Use when using Traxx Panel Starter Kit at exposed end of Traxx (full to the floor). Specify paint to match adjoining panel.	\$131	

Standard Includes

- Traxx starter
- In-line filler cap

How to Specify

Traxx Starter Kit

- Model
- 2 Top cap material (omit for end trim):
 - **P** = Paint
- ③ Trim finish designator

End Trim

- Model
- 2 Trim finish designator

Specify the starter to match the height of the panel.

Traxx Panel Starter Kit includes only the necessary hardware to attach panel perpendicular to Traxx.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using Traxx panel starter kit or panel wall mount.

Connectors

Pricing

GSA SIN 711-1

Seating
Metal Filing


Casegoods

33 103

➤See page 13

Α1

Wall-Mount



D	W	Н	Model	Description	Price		
Wal	/all-Mount Connector						
1/4"	2"	297/8"	Q10P34CNWMP	For use with 34"H panel.	\$124		
		377/8"	Q10P42CNWMP	For use with 42"H panel.	124		
		437/8"	Q10P48CNWMP	For use with 48"H panel.	124		
		497/8"	Q10P54CNWMP	For use with 54"H panel.	124		
		57 ⁷ /8"	Q10P62CNWMP	For use with 62"H panel.	124		
-		617/8"	Q10P66CNWMP	For use with 66"H panel.	124		
		75 ⁷ /8"	Q10P80CNWMP	For use with 80"H panel.	124		

Standard Includes

Finishes & Materials

• In-line fill cap

How to Specify



② Finish designator

Specify the starter to match the height of the panel.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using or panel wall mount.

Specify same height panel.

INTERWORKS® EQ

Electrical Components

Pricing

GSA SIN 711-1

Power Distribution Assemblies and Jumper Cables

Casegoods ►See page 13 Seating 33 103 Metal Filing Finishes & Materials Α1





Model	Description	Function	Price
Power Distribu	tion Assemblies		
Q10P24ED	For 24"W panel	Carries power to receptacles	\$142
Q10P30ED	For 30"W panel	Carries power to receptacles	142
Q10P36ED	For 36"W panel	Carries power to receptacles	142
Q10P42ED	For 42"W panel	Carries power to receptacles	142
Q10P48ED	For 48"W panel	Carries power to receptacles	142
Q10P60ED	For 60"W panel	Carries power to receptacles	142
Jumper Cables	5		
Q10PEJA	From panel to panel	Routes power panel to panel	\$70
Q10PEJB	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection	70
Q10PEJC	Thru 90° or 120° connection	Routes power panel to panel around a turn	70
Q10P18EPTA	Thru 18"W panel	Routes power panel to panel through 18"W panel	180
Q10P18EPTB	Thru finish channel AND 18"W panel	Routes power panel to panel straight through in-line finish channel or X connection and an 18"W panel	180

Power distribution assemblies accommodate up to 4 receptacles.

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system.

➤ See the Systems Price List.

Standard Includes

• Power distribution assembly or jumper cable

How to Specify



② Type of electrical system:

84 = 8-wire, 4-circuit

Systems

Electrical Components

Receptacles and Power Entries


Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



Model	Description	Function	Price
Duplex Recep	otacles		
For 3 + 1 Circui	it Configuration		
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$36
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	36
Q10PER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	36
Q10PER4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	36
For 2 + 2 Circui	it Configuration		
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$36
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	36
Q10PER4	Circuit 4 (designated)	Delivers power from desig. circuit 4 with shared neutral and ground	36
Q10PER5	Circuit 5 (designated)	Delivers power from desig. circuit 5 with shared neutral and ground	36
Base Power B	Entry		
Q10PEFPE1S	Straight base power entry	Provides access to power from the floor or wall	\$260
Q10PEFPE1L	Corner base power entry	Provides access to power from the floor or wall	260
Q10PEFPE1E	End base power entry	Provides access to power from the floor or wall	260
Q10PESPE1P	Side base power entry	Provides access to power from the floor or wall	260
Ceiling Powe	r Entry Assembly		
Q10PECPE1	8-wire	Provides access to power from the ceiling. Includes junction box, jumper cable, and hardware.	\$260



Receptacle

Receptacle

Base Power Entry

- Conduit is ½" trade size; actual outside diameter is 7/8"
- Cover plate for straight, end, or corner

Ceiling Power Entry Assembly


- Junction box
- Jumper cable
- Hardware

How to Specify



② Type of electrical system:

84 = 8-wire, 4-circuit




INTERWORKS® EQ

Electrical Components

Pricing

Hardwire GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



Model	Description	Function	Price
Hardwire -	Junction Box Kit		
Q10PEHJB		Required for field installation of hardwired electrical. Includes junction box and two end caps with knockouts: 462 Cinder	\$55

inishes	& Materials	

Hardwire Side Feed Plates				
Q10PEHSFP	Set of 4	For side in-feed of power using hardwire junction box	\$35	



Hardwire End Caps for Hardwire Applications			
Q10PEHEC	End	Replaces wireway end cap at in-feed; 462 Cinder	\$30
Q10PEHCC	Corner	Replaces corner finish channel cover at in-feed; 462 Cinder	30
Q10PEHSC	Straight	Replaces straight finish channel cover at in-feed; 462 Cinder	30

Raceway Re	moval Tool		
Q10PRT2R	Set of 2.	Tool is required to remove hardwire raceway covers	No charge

Standard duplex access is not available in 30"W or 36"W panels. Leviton brand or equivalent modular duplexes are required.

Junction box is required for field installation of hardwire electrical; not for use in 18"W panels.

Specify one raceway removal tool per order when specifying hardwire panels.

How to Specify

Junction Box

Model

② Width of panel

Side Feed Plates, **End Caps, and Raceway** Removal Tool

Model

Systems Page 78




Electrical Components

Pricing

New York City GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Δ1



Model	Description	Price
New York City I	Retrofit Kits	
Q10P30EHPA	For 30"W panel	\$898
Q10P36EHPA	For 36"W panel	898
Q10P42EHPA	For 42"W panel	898
Q10P48EHPA	For 48"W panel	898
Q10P60EHPA	For 60"W panel	898

Standard Includes

- Internal wireway with hardwire electrical system
- Jumper cable
- Junction box assembly
- Two end caps: 462 Cinder
- Wireway covers; one with knockouts to punch as needed, one blank.

How to Specify



② Finish designator

NYC electrical is only required in starter panels (first panel in run)

They are not for use in 18"W or 24"W panels.

Power/Data Poles

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Function	Price
Strai	ight/1	or 4	I-Way/X		
21/8"	21/8"	10'	Q10PCPDPSP	Used to run voice/data cables and/or electrical from ceiling to panel	\$147



Corr	ner/L			
21/8"	21/8" 10'	Q10PCPDPLP	Used to run voice/data cables and/or electrical from ceiling to panel	\$147



End					
21/8"	21/8"	10'	Q10PCPDPEP	Used to run voice/data cables and/or	\$147
				electrical from ceiling to panel	

Standard Includes

- Poles
- Cover
- Ceiling plate
- Appropriate base cover
- Alignment clips
- In-line fill caps

How to Specify

- Model
- ② Top cap profile:
 - **C** = Crowned
- 3 Finish designator

Poles accommodate up to two ceiling power entry assemblies, specify separately.

Ceiling power entry assembly

➤See page 77.

Data Components

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Δ1



Model	Description	Function	Price
Data Cover Pla	tes		
Q10PECP1	Painted/grommet	Used to run voice/data into panel. Set of 6.	\$45
Q10PEHRCP	Painted	Covers access windows no longer in use. Set of 6.	45



Tinnerman Clips				
Q10ATMC	Package of 100	Attaches to cutout to provide screw location for attachment of coverplates and data ports. Order additional Tinnerman clips only when using cover plates or data ports purchased commercially.	\$29	

Standard Includes

• Cover plate or clips

How to Specify

Cover Plates

Model

② Finish designator

Tinnerman Clips 1 Model


Data Channels

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1







Data channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

For 4-way/X configurations, use inline data channels plus in-line fill caps for each lower panel in the configuration.

D	W	Н	Model	Price
Strai	ght/T D	ata Char	inels	
21/8"	21/8"	42"	Q10P42EDCT	\$125
		48"	Q10P48EDCT	125
		54"	Q10P54EDCT	125
		62"	Q10P62EDCT	125
		66"	Q10P66EDCT	125
		80"	Q10P80EDCT	125
Corn	er/L Da	ata Chani	nels	
21/8"	21/8"	42"	Q10P42EDCL	\$125
		48"	Q10P48EDCL	125
		54"	Q10P54EDCL	125
		62"	Q10P62EDCL	125
		66"	Q10P66EDCL	125
		80"	Q10P80EDCL	125
In-Lir	ne Data	Channe	s	
21/8"	21/8"	4"	Q10P04EDCI	\$78
		6"	Q10P06EDCI	78
		8"	Q10P08EDCI	78
		12"	Q10P12EDCI	78
		14"	Q10P14EDCI	78
		18"	Q10P18EDCI	78
		20"	Q10P20EDCI	78
		24"	Q10P24EDCI	78
		26"	Q10P26EDCI	78
		28"	Q10P28EDCI	78
		32"	Q10P32EDCI	78
		38"	Q10P38EDCI	78
		46"	Q10P46EDCI	78

Standard Includes

- Cover
- Channel top cap
- Base cover
- Alignment clip
- In-line fill caps
- Top cap for lower height panel for in-line model

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- Width of lower height panel (include for in-line model only)
- 4 Top cap profile
 - **C** = Crowned
- ⑤ Finish designator

Page 82 Systems

TRAXX® & TILES


Traxx Components


Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1









Fastener Co				
700"	7/8"	QTTCFC	One roll; black felt	\$32







Traxx can be cut to size in the field.

IMPORTANT: Specify vinyl fastener concealment when using presentation tools. Accommodates two sets of Traxx

Four splice plates are included with each set of Traxx. Specify additional splice plates only if needed for your installation.

How to Specify

Fastener Concealment

• Roll: black vinyl or black felt

Standard Includes

Traxx

Traxx

• Set of 2 Traxx

Splice Plates • Set of 4 plates

Four splice plates

Model

② Finish price group:

STD = Group 1

3 Finish designator

Splice Plates or Fastener Concealment

Model

Systems

TRAXX® & TILES System

Fabric Tiles

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



				Fabric P	rice Grade
D	W	Н	Model	A	В
36"I	H Tiles	;			
1/2"	12"	351/2"	QHIT1236A	\$260	\$288
	18"		QHIT1836A	289	317
	24"		QHIT2436A	298	326
	30"		QHIT3036A	349	377
	36"		QHIT3636A	359	387
	42"		QHIT4236A	370	398
	48"		QHIT4836A	383	411
	54"		QHIT5436A	420	448
	60"		QHIT6036A	425	480

Standard Includes

- Fabric tile
- 2 matching trim channels

How to Specify



- ② Fabric grade
- 3 Fabric number

IMPORTANT: 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed. Additional trim channels should be specified separately if additional tiles are created.

TRAXX® & TILES System

End Trim Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Description	Price
Full	End T	rim			
For	Use with	h 36"H 7	Tiles		
11/16	11/2"	39"	QTTET39	For use on upper and lower Traxx	\$93



Single End	l Trim			
11/16" 11/2"	2"	QTTET02	For use on single Traxx	\$37

Specify end trim for finish detail when end of Traxx and tiles are exposed. Use full end trim to cover the exposed edge of tile and upper and lower Traxx Use single end trim to cover the end of a single Traxx.

Trim cap slips into the top ledge of the upper Traxx to add finishing detail for Traxx applications.

Full end trim may be used for finish detail when end of wall mounted overhead is exposed.

Standard Includes

• End trim

How to Specify

- Model
- ② Finish price group: **STD** = Group 1
- 3 Finish designator

Systems


TRAXX® & TILES System

Trim Channels and Vertical Cable Managers

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Description	Price
Trim	n Chan	nels			
For	Use wit	h 36"H Ti	les		
1/2"	3/4"	357/8"	QTTTC36N	Fabric; one trim channel	\$57
			QTTTC36P	Paint; one trim channel	46

Ver	tical C	able Maı	nager		
For	Use wit	h Curved,	, Lunar, Flat, and B	evel Profile Overheads and 36"H Tiles	
1"	1"	191/2"	QTTVCM20B	Black	\$34
			QTTVCM20N	Fabric	44

Standard Includes

• Trim channel or cable manager

How to Specify

Trim Channels

- Model
- ② If paint, finish price group: **STD** = Group 1 If fabric, fabric grade
- ③ Finish designator or fabric number

Vertical Cable Managers

- Model
- ② Fabric grade (include for fabric models only)
- 3 Fabric number (include for fabric models only)

Trim channels are provided with all tiles. Specify only if additional trim channels are required.


Vertical cable manager engages between the tile and trim channel.

Straight Laminate 13/16" Worksurfaces

Pricing

Casegoods▶See page 13Seating33Metal Filing103Finishes & MaterialsA1

GSA SIN 711-1



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	W	Н	Model	Description	Wire Manager	Double Rim
23 ⁷ /8"	237/8"	13/16"	QSS2424WSSL	Available with wire manager only.	\$250	_
	297/8"		QSS2430WSSL	Available with wire manager only.	269	_
	357/8"		QSS2436WSSL		283	\$471
	417/8"		QSS2442WSSL		305	489
	477/8"		QSS2448WSSL		337	519
	537/8"		QSS2454WSSL		390	569
	59 ⁷ /8"		QSS2460WSSL		407	586
	657/8"		QSS2466WSSL		464	640
	717/8"		QSS2472WSSL		480	654
	77 ⁷ /8"		QSS2478WSSL		564	785
	837/8"		QSS2484WSSL		608	856
	897/8"		QSS2490WSSL		644	922
	957/8"		QSS2496WSSL		686	1012
297/8"	237/8"	13/16"	QSS3024WSSL	Available with wire manager only.	256	_
	297/8"		QSS3030WSSL	Available with wire manager only.	276	_
	357/8"		QSS3036WSSL		309	493
	417/8"		QSS3042WSSL		317	503
	477/8"		QSS3048WSSL		354	534
	53 ⁷ /8"		QSS3054WSSL		427	601
	597/8"		QSS3060WSSL		439	615
	657/8"		QSS3066WSSL		499	673
	71 ⁷ /8"		QSS3072WSSL		544	705
	777/8"		QSS3078WSSL		671	761
	837/8"		QSS3084WSSL		714	819
	897/8"		QSS3090WSSL		766	863
	957/8"		QSS3096WSSL		817	921
357/8"	717/8"	13/16"	QSS3672WSSL	Available with double rim only.	_	771

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edge.

Rim Profiles:





PVC (P) on wire manager

PVC (P) on double rim

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - **3** = Wire manager
 - 2 = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- 4 Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- Wire manager finish designator (omit for double rim model)

Straight Corner Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

A DE E

Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

Α	В	С	D	Ε	Н	Model	Wire Manager	Double Rim
24"/2	24" Ret	urn Co	ombo					
357/8"	357/8"	237/8"	237/8"	171/8"	13/16"	QSS24363624WSCSL	\$460	\$634
417/8"	417/8"			255/8"		QSS24424224WSCSL	477	651
477/8"	477/8"			341/8"		QSS24484824WSCSL	517	687
30"/3	0" Ret	urn Co	ombo					
417/8"	417/8"	297/8"	297/8"	171/8"	13/16"	QSS30424230WSCSL	\$573	\$738
477/8"	477/8"			255/8"		QSS30484830WSCSL	645	807

Rim Profiles:







PVC (P) on double rim

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - 3 = Wire manager
 - **2** = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- ④ Surface finish price group:
 - **STD** = Group 1
- ⑤ Surface finish designator
- 6 PVC rim finish designator
- Wire manager finish designator (omit for double rim model)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Curved Corner Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

Α	В	С	D	Н	Model	Description	Wire Manager	Double Rim
24"/2	24" Ret	urn Co	ombos	i				
357/8"	357/8"	237/8"	237/8"	13/16"	QSS24363624WSCCL		\$491	\$662
417/8"	417/8"				QSS24424224WSCCL		511	680
477/8"	47 ⁷ /8"				QSS24484824WSCCL		550	718
597/8"	597/8"				QSS24606024WSCCL		1078	1213
30"/3	0" Ret	urn Co	ombos	i				
417/8"	417/8"	297/8"	297/8"	13/16"	QSS30424230WSCCL		\$612	\$777
477/8"	477/8"				QSS30484830WSCCL		690	851
59 ⁷ /8"	59 ⁷ /8"				QSS30606030WSCCL	Available in double rim only.	_	1260

Rim Profiles:





PVC (P) on wire manager

PVC (P) on double rim

Grain Direction:



Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - **3** = Wire manager
 - 2 = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- 4 Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- ① Wire manager finish designator (omit for double rim model)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

U-Top Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1

$\bigcup_{i=1}^{N} \bigcup_{j=1}^{N} \bigcup_{i=1}^{N} \bigcup_{j=1}^{N} \bigcup_{j=1}^{N} \bigcup_{i=1}^{N} \bigcup_{j=1}^{N} \bigcup_{j=1}^{N} \bigcup_{j=1}^{N} \bigcup_{i=1}^{N} \bigcup_{j=1}^{N} \bigcup_{j$

Wire Manager



Single Rim



Wire Manager



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

D W	Н	Model	Wire Manager	Single Rim
Radius				
297/8" 597/8"	13/16"	QSS3060WSUL	\$862	\$750
657/8"		QSS3066WSUL	903	810
71 ⁷ /8"		QSS3072WSUL	939	869
357/8" 597/8"	13/16"	QSS3660WSUL	915	854
657/8"		QSS3666WSUL	952	890
71 ⁷ /8"		QSS3672WSUL	991	926

Crowned				
297/8" 597/8"	13/16"	QSS3060WSUCL	\$862	\$750
657/8"		QSS3066WSUCL	903	810
71 ⁷ /8"		QSS3072WSUCL	939	869
357/8" 597/8"	13/16"	QSS3660WSUCL	915	854
657/8"		QSS3666WSUCL	952	890
71 ⁷ /8"		QSS3672WSUCL	991	926

Rim Profiles:





PVC (P) on wire manager

PVC (P) on single rim

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - **3** = Wire manager
 - **1** = Single rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- Wire manager finish designator (omit for single rim model)

Page 90 Systems

Laminate 13/16" Table Tops

Pricing

Casegoods▶See page 13Seating33Metal Filing103Finishes & MaterialsA1

GSA SIN 711-1









Note: Arrow on surface indicates grain direction.

D	W	Н	Model	Price
Rour	nd			
295/8"	diameter	13/16"	QSS30TTRNL	\$224
355/8"	diameter		QSS36TTRNL	330
415⁄8"	diameter		QSS42TTRNL	409
475/8"	diameter		QSS48TTRNL	454
Squa	re			
295/8"	295/8"	13/16"	QSS3030TTSQL	\$224
355/8"	355/8"		QSS3636TTSQL	330
415⁄8"	415⁄8"		QSS4242TTSQL	409
Rect	angular			
295/8"	595/8"	13/16"	QSS3060TTRTL	\$501
	715⁄8"		QSS3072TTRTL	620
355/8"	595/8"		QSS3660TTRTL	531
	71 ⁵ ⁄8"		QSS3672TTRTL	680
Race	Track			
35"	59"	13/16"	QSS3660TTRCL	\$565
	71"		QSS3672TTRCL	714
	83"		QSS3684TTRCL	750

Standard Includes

• Table top

How to Specify

- Model
- ② Rim profile:
 - **P** = PVC rim
- 3 Surface finish price group:STD = Group 1
- 4 Surface finish designator
- ⑤ Rim finish designator


One base is required for round and square tops; two bases are required for rectangular and racetrack tops.

Worksurface Support Brackets

Pricing

Casegoods▶See page 13Seating33Metal Filing103Finishes & MaterialsA1

GSA SIN 711-1



Model	Description	Price
Edge Support	t Brackets	
Right-Hand		
QIBRWSER	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$27
Left-Hand		
QIBRWSEL	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$27
Transaction C	Counter Brackets	
Right-Hand		
QIBTCBR1	For use with Interworks EQ panel-mounted transaction counters.	\$29
Left-Hand		
QIBTCBL1	For use with Interworks EQ panel-mounted transaction counters.	\$29
Drop Bracket	is a second seco	
QIB0224D	For use with 24"D worksurfaces. 2" drop. Cinder finish.	\$44
QIB0230D	For use with 30"D worksurfaces. 2" drop. Cinder finish.	\$57
Flat Bracket		
QIBF1	Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x $51/2$ "W.	\$13
Cantilever Bra	ackets	
Right-Hand		
QIB24CR	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 2134 "D x 314 "W x 20 "H.	\$105
Left-Hand		
QIB24CL	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 21% "D x 31% "W x 20 "H.	\$105
Traxx Worksu	ırface Bracket	
QIBTWS	Single bracket; Cinder finish.	\$15
Gusset Brack	ret	
QFBG	Non-handed. For use as additional support for metal support panel that is not next to component or modesty panel. 9% " x 9% ".	\$30

Standard Includes

Bracket

Note: Specify two right-hand and two left-hand transaction counter brackets for each surface.

How to Specify

Transaction Counter Bracket or Gusset Bracket

- Model
- ② Finish price group: **STD** = Group 1
- 3 Finish designator

Edge Support, Drop, Flat, or Cantilever Bracket

Model

Brackets are sold individually, unless otherwise specified.

Worksurface Support Panels

Pricing

Casegoods ➤See page 13 Seating 103 Metal Filing Finishes & Materials Α1

GSA SIN 711-1

Corner Post 611/16" 611/16"

271/4"

QIF0727CP

Gusset bracket may be specified
separately to provide additional
support when used with a return or
support panel.

D	W H		Model	Description	Price
Suppo	rt Panel	s for Use w	ith Interwork EQ App	olications	
Half En	d Panel				
16½"	11/4"	271/4"	QIB1827H	Non-handed.	\$216
Full End	d Panel				
235/8"	1 ¹ /4"	271/4"	QIB2427F	Non-handed.	\$267
295/8"			QIB3027F	Non-handed.	326
Suppo	rt Panel	s for Use w	ith Traxx or Freestan	ding Metal Applications	
Half En	d Panel				
16½"	11/4"	271/4"	QIF1827H	Non-handed. Two glides.	\$216
Full End	d Panel				
225/8"	11/4"	271/4"	QIF2427F	Non-handed. Two glides.	\$267
285⁄8"			QIF3027F	Non-handed. Two glides.	326
345/8"			QIF3627F	Non-handed. Two glides.	386
Returr	1 Suppo	rt Panels fo	r Use with Traxx or F	reestanding Metal Applications	
73/8"	1 ¹ /4"	271/4"	QIF0827RS	Non-handed. Use to create 24"D return. One glide.	\$95
12"			QIF1227RS	Non-handed. Use to create 30"D return. One glide.	130
Suppo	rt Panel		·		
12"	11/4"	271/4"	QIF1227WSP	Includes filler panel.	\$165
	1 / 7	∠ı /¬	Q1. 122, 1101	Tradeso mor parior	

Standard Includes

End Panels

- Panel
- Two floor glides (one glide on 8" return support panel)

Note: End panels, support panels and corner post are designed to secure modesty panel.

How to Specify

1 Model

\$295

- ② Surface finish price group:
 - **STD** = Group 1
- 3 Finish designator

Page 93

Systems

Creates freestanding corner.

Modesty Panels

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



IMPORTANT: All supports must be specified separately.

Modesty panels are pre-drilled and attach 4" inset from rear of pedestal or end panel only. Gap between top of modesty panel and underside of worksurface is 11½"; gap from bottom of modesty panel to floor is 3".

To determine modesty panel width required, subtract total **nominal** width of support (pedestals or end panels) from **nominal** width of worksurface. Example:

72"W worksurface

- -30"W support (Two 15"W peds)
- = 42"W modesty panel required
- See the Systems Price List for planning guideline chart.

D	W	Н	Model	Description	Price
Met	al Mode	sty Panels	for use with Flat Profi	ile Storage)	
11/2"	19½"	23"	QIF2023M		\$141
	237/8"		QIF2423M	Use with 36"W corner.	141
	251/2"		QIF2623M		153
	297/8"		QIF3023M	Use with 42"W corner.	158
	311/2"		QIF3223M		167
	331/4"		QIF3423M		167
	35 ⁷ /8"		QIF3623M	Use with 48"W corner.	167
	371/2"		QIF3823M		176
	397/8"		QIF4023M		176
	41 ⁷ /8"		QIF4223M		185
	431/2"		QIF4423M		185
	451/4"		QIF4623M		185
	47 ⁷ /8"		QIF4823M	Use with 60"W corner.	193
	491/2"		QIF5023M		193
	511/4"		QIF5223M		193
	53 ⁷ /8"		QIF5423M		193
	551/2"		QIF5623M		199
	571/4"		QIF5823M		199
	59 ⁷ /8"		QIF6023M		199
	631/4"		QIF6423M		208
	65 ⁷ /8"		QIF6623M		208
	67 ¹ /2"		QIF6823M		208
	691/4"		QIF7023M		221
	731/2"		QIF7423M		221
	791/2"		QIF8023M		228
	811/4"		QIF8223M		228
	871/4"		QIF8823M		234
	931/4"		QIF9423M		241

Standard Includes

• Modesty panel: metal

How to Specify

- Model
- ② Surface finish price group: **STD** = Group 1
- 3 Finish designator

Page 94 Systems



Legs and Bases

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Δ1







D	W	Н	Model	Description	Price
Adju	ıstable-	Height Column	Leg		
4" dia	ameter	261/2"-301/2"	QIB0427AC	For use as additional support option.	\$301
X-Ba	ases				
26"	26"	27"	QTBS2627XP	Painted. For use with 30" and 36" round and square worksurfaces.	\$584
34"	34"	27"	QTBS3427XP	Painted. For use with 42" and 48" round and 42" square worksurfaces.	613
T-Ba	ises				
	26"	27"	QTBS2627TP	Painted. For use with rectangular and racetrack	\$867

worksurfaces. Set of 2.

Standard Includes

• Base

How to Specify

- Model
- ② Surface finish price group: **STD** = Group 1
- 3 Finish designator

IMPORTANT: All brackets and supports must be specified separately.

One X-base is required for use with round or square tops.

Two T-bases are required for use with rectangular or racetrack tops.

Glides adjustable to 1/2".



Flat Profile Undersurface Storage

Pricing

Seating 33

Metal Filing 103

Finishes & Materials A1

➤See page 13

15"W Pedestals—Metal GSA SIN 711-1







D	W	Н	Model	Price
Suspe	ended	Box/File		
223/4"	15"	19 ¹ /4"	Q12S2415PUBFM	\$465
283/4"			Q12S3015PUBFM	503
Box/F	Rox/Fil	6		

Box/Box/File					
223/4"	15"	271/4"	Q12S2415PUBBFM	\$625	
283/4"			Q12S3015PUBBFM	666	

File/Fi	File/File Pedestal						
223/4"	15"	271/4"	Q12S2415PUFFM	\$573			
28¾"			Q12S3015PUFFM	612			

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$24
Change Key			
	QKSCD1CK	Removes any QKSCD lock	\$7

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers

Casegoods

- Lock, keyed randomly between 001–025: black
- Open top

How to Specify

- Model
- 2 Pull option:
 - **E** = Extended

ARC462 = Arc, cinder (+\$18)

- 3 Lock option:
 - **KRB** = Key random

KSB = Key specific (-\$24);

specify lock core separately.

- 4 Metal finish price group:
 - **STD** = Group 1

STDM = Group M (+10%)

Metal finish designator

Not for use as standalone units.

File drawers utilize drawer sides for front-to-back filing.



Flat Profile Undersurface Storage

30", 36", and 42"W Pedestals-Metal

Pricing

GSA SIN 711-1

Casegoods	See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Price
Latera	al Files	3		_
183/4"	30"	271/4"	Q12S1830LFU2M	\$825
	36"		Q12S1836LFU2M	907
-	42"		Q12S1842LFU2M	1035



File Centers								
Box/Bo	ox on L	eft, File Dr	awer on Right (shown)					
18¾"	30"	271/4"	Q12S1830FCBBLM	\$1659				
Box/Bo	ox on F	Right, File D	rawer on Left					
183/4 "	30"	271/4"	Q12S1830FCBBRM	\$1659				

Related Products:

	Model	Description	Price	
Lock Core for Key Specific Option				
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$24	
Change Key				
	QKSCD1CK	Removes any QKSCD lock	\$7	



- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001-025: black (locks all drawers)
- Open top

How to Specify

- Model
- 2 Pull option:

E = Extended

ARC462 = Arc, cinder (+\$18)

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24); specify lock core separately.

4 Metal finish price group:

STD = Group 1

STDM = Group M (+10%)

⑤ Metal finish designator

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.



Flat Profile Undersurface Storage

Pricing

GSA SIN 711-1

Casegoods➤See page 13Seating33Metal Filing103Finishes & MaterialsA1

Mobile Pedestals—Metal

Change Key





D	W	Н	Model		Price
Mobil	le Box	/Box/File)		
223/4"	15"	27"	Q12S2415PMBBFM		\$796
Mobil	le File/	/File			
223/4"	15"	27"	Q12S2415PMFFM		\$748
Relate	ed Proc	lucts:			
			Model	Description	Price
Lock	Core 1	or Key S	Specific Option		

Specify exact key number desired.

Removes any QKSCD lock

QKSCD001 to QKSCD025

QKSCD1CK

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock, keyed randomly between 001–025: black
- Four non-locking casters
- One counterweight

How to Specify

Model

\$24

\$7

- ② Pull option:
 - **E** = Extended

ARC462 = Arc, cinder (+\$18)

- 3 Lock option:
 - **KRB** = Key random
 - **KSB** = Key specific (-\$24); specify lock core separately.
- 4 Metal finish price group:
 - **STD** = Group 1
 - **STDM** = Group M (+10%)
- ⑤ Metal finish designator



Bevel Profile Overhead Storage

Pricing

Overhead Cabinets GSA SIN 711-1

Casegoods➤See page 13Seating33Metal Filing103Finishes & MaterialsA1



D	W	Н	Model	Number of Locks	Price
Overh	nead Ca	binet wit	th Painted Doors		
14 ⁷ /8"	233/4"	165/8"	QIS142416RP	1	\$560
	29¾"		QIS143016RP	1	571
	35¾"		QIS143616RP	1	608
	413⁄4"		QIS144216RP	1	623
	473/4"		QIS144816RP	1	644
	53¾"		QIS145416RP	2	809
	593/4"		QIS146016RP	2	898
	713/4"		QIS147216RP	2	1021

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$24
Change Key			
	QKSCD1CK	Removes any QKSCD lock	\$7

IMPORTANT: Brackets must be specified separately. Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.

Standard Includes

- Chassis: metal
- Receding door(s): metal;
 24"W-48"W units have one receding door and 54"W-72"W units have two individually locking doors.
- Lock(s), keyed randomly between 001–025: black
- Cutouts for cable routing

How to Specify

- Model
- ② Lock option:

KRB = Key random

KSB = Key specific (-\$24 per lock); specify lock core separately.

3 Finish price group:

STD = Group 1

4 Finish designator



Bevel Profile Overhead Storage

Overhead Shelves

713/4"

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Λ1

D	W	Н	Model	Price
Half	Height	Shelve	es	
147/8"	233/4"	87/8"	QIS142409OS	\$204
	29¾"		QIS143009OS	216
	35¾"		QIS143609OS	232
	413⁄4"		QIS144209OS	238
	473/4"		QIS144809OS	246
	53¾"		QIS145409OS	257
	593/4"		QIS146009OS	266
	713⁄4"		QIS147209OS	283
Full I	leight	Shelve	s	
147/8"	233/4"	165⁄8"	QIS142416OS	\$403
	29¾"		QIS143016OS	412
	35¾"		QIS143616OS	423
	413⁄4"		QIS144216OS	433
	47¾"		QIS144816OS	440
	53¾"		QIS145416OS	457
	593/4"		QIS146016OS	477



IMPORTANT: Brackets must be specified separately.

Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets must be specified when hanging overheads side by side.

Half-height shelves are for use with Interworks EQ panels only.

Standard Includes

- Chassis: metal
- Cutouts for cable routing

How to Specify

Model

498

- ② Finish price group:
 - **STD** = Group 1
 - **STDM** = Group M (+10%)
- 3 Finish designator

Systems Page 100

QIS147216OS



Overhead Storage Brackets

Pricing

Price

\$37

\$30

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	Δ1

How to Specify

② Finish price group: **STD** = Group 1

3 Finish designator

Ganging Brackets

Traxx Spacers

Model

Model

Overhead Brackets and

STDM = Group M (+10%)



Bevel Profile and Flat Profile Overhead Brackets For Use with Cetra Panels

Description

Set of 2; one right and one left. One set required per overhead. 2" x 3/4" x 16" \$32 **QISBRKC**



For Use with Traxx Applications

Model

QISBRKT Set of two; one set required per overhead.



Bevel Profile and Flat Profile Overhead Ganging Brackets

Set of 4; for use when mounting overheads side by side on Xsite, Cetra, **QIBSC**

Interworks EQ, or Traxx. Designed to accommodate the Cetra and Interworks EQ panel reveal. Shims (not furnished) may be required for Traxx or Xsite applications.



Traxx Spacers for Use with Bevel Profile and Flat Profile Overheads

QISBRKTSO Set of 2; one set required per overhead. ½"D x 33/8"W x 141/8"L \$74

IMPORTANT: Brackets must be specified separately.

Page 101

Ganging brackets are required when mounting bevel overheads side by side.

Systems



Task Lights

Pricing

GSA SIN 711-1

Casegoods	➤See page 13
Seating	33
Metal Filing	103
Finishes & Materials	A1



D	W	Н	Model	Description	Price
Stan	dard Ta	ask Lights			
43/8"	13"	1 ⁵ /16"	QKSU14TL	For use with 24"W units.	\$236
	231/4"	ı	QKSU25TL	For use with 30"-36"W units.	246
-	35"		QKSU37TL	For use with 42"-48"W units.	264
	467/8"	ı	QKSU49TL	For use with 54"-72"W units.	280

Standard Includes

- Fixture: black
- T5 cool white single tube lamp: 14 watt on 23"W light; 21 watt on 35"W light; 28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch; center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify



All lighting components are U.L. approved. Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

Specify quick release brackets separately as required by local codes. >See the Systems Price List



METAL FILING

Statement of Line

Overview	➤See page 106
Filing Capacities	107
Systems	55
Finishes & Materials	A1

LF Series™





Two-High Lateral Files

- Two standard-height drawers
- ➤See page 108.




Three-High Lateral Files

- Three standard-height drawers
- ➤See page 108.



Four-High Lateral Files

- Four standard-height drawers
- ➤See page 108.



Five-High Lateral Files

- Five standard-height drawers
- Four standard-height drawers and one roll-out shelf with lift door.
- ➤See page 108.



Counterweight Kits

➤See page 109.

Page 103 Metal Filing



METAL FILING

Statement of Line

Overview	➤See page 110
Filing Capacities	111
Systems	55
Finishes & Materials	A1

Fundamental®





Two-High Lateral Files

- Two drawers
- ➤See page 112.



Three-High Lateral Files

- Three drawers
- ➤See page 112.



Four-High Lateral Files

- Four drawers
- ➤See page 112.



Five-High Lateral Files

- Five drawers
- Four drawers and one fixed shelf with lift door.
- Five drawers, ADA compliant
- ➤See page 112.



Counterweight Kits

➤See page 113.



Overfiles

➤See page 114.



Storage Cabinets

- Two high
- Three high
- Four high
- Five high
- ➤See page 114.



Overfile/Storage Cabinet Shelves

➤See page 115.



Wardrobe Kits

➤See page 115.

Page 104 Metal Filing



METAL FILING

Statement of Line


LF Series➤ See page 106Fundamental110Systems55Finishes & MaterialsA1

Universal





Universal Laminate File Tops
➤See page 116.



Universal Paper Management Accessories

- Front-to-back file bars
- Side-to-side file bars
- Drawer divider
- ➤See page 116.



Lock Cores for Key Specific Option

➤See page 116.

Page 105 Metal Filing

LF SERIES™ Metal Filing **Features** Overview

Filing Capacities	➤See page 107
Lock Cores	116
Finishes & Materials	A1

Top is finished so the file can be used as a stand alone unit.

Roll-out shelf with lift door (in applicable five-high models) replaces top drawer and adds 1" to overall height of the file. Accommodates standing binders up to 12"H.

Built-in anti-rebound catch


prevents drawer from accidentally rolling open.

Heavy-gauge frame is reinforced at all corners and built into the front of the file so openings are always true and square. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide 3/4" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are pre-painted cinder.



Knockouts are standard for ganging side-by-side.

Locking is standard. Select key random or key specific.

Note: Lock cores must be specified separately for key specific option.

Two 6"H half-height drawers may replace existing drawer in any position.

Full ball-bearing, progressiveslide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Silencing bumpers ensure quiet drawer operation and are added to suspension wherever a steel-to-steel contact would otherwise be made.

Side-to-side file bar is standard; one per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard; one per drawer.

Drawer Pulls:



Drawer pull is recessed along the full front edge.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Select key random or key specific when specifying.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

►See page 116.

Page 106 Metal Filing



Filing Capacities

Application Guidelines

Overview	➤See page 106
Lock Cores	116
Finishes & Materials	A1

Description	Inside Depth	Inside Width	Height	Filing Inches and Arrangeme	ents		
18"D x 30"W lateral	147/8"	267/8"	93/s"	295/8" letter Front-to-back file bars (2) Side-to-side file bar (1)	25 ¹ / ₄ " legal Front-to-back file bar (1) Side-to-side file bar (1)	26 ¹³ / ₁₆ " letter Side-to-side file bar (1)	26 ¹³ / ₁₆ " legal Side-to-side file bar (1)
18"D x 36"W lateral	147⁄8"	327/8"	93/8"	295/8" letter Front-to-back file bars (2) Side-to-side file bar (1)	295/8" legal Front-to-back file bars (2) Side-to-side file bar (1)	32 ¹³ / _{16"} letter Side-to-side file bar (1)	32 ¹³ /16" legal Side-to-side file bar (1)
18"D x 42"W lateral	147/8"	387/8"	93/8"	44 ⁷ / ₁₆ " letter Front-to-back file bars (2) Side-to-side file bar (1)	355/8" legal Front-to-back file bars (2) Side-to-side file bar (1)	38 ¹³ / ₁₆ " letter Side-to-side file bar (1)	38 ¹³ /16" legal Side-to-side file bar (1)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.

➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.

➤See page 116.

Page 107 Metal Filing

LF SERIES™ Metal Filing

Lateral Files

Pricina

GSA SIN 711-3

Overview	➤See page 106
Filing Capacities	107
Lock Cores	116
Finishes & Materials	A1



Two-High Lateral Files



Three-High Lateral Files



Four-High Lateral Files



Five-High Lateral Files



Five-High with Lift Door

Standard Includes

- Two standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 253/4"H

Standard Includes

- Three standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 371/4"H

Model:

② Pull:

4 Base:

How to Specify

F = Full pull

3 Lock option:

QLFF18303 = 30"W

QLFF18363 = 36"W

QLFF18423 = 42"W

KRB = Kev random

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

KSB = Key specific (-\$24)

Standard Includes

- Four standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 4811/16"H

Standard Includes

- Five standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 601/8"H

Standard Includes

- Four standard-height drawers
- Roll-out shelf with lift door
- One side-to-side file bar per drawe
- 18"D x 621/8"H

How to Specify

1 Model:

QLFF18302 = 30"W QLFF18362 = 36"W QLFF18422 = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18304 = 30"W QLFF18364 = 36"W QLFF18424 = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$24)

 $\mathbf{NSD} = \text{Rey Specific } (-524)$

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18305 = 30"W QLFF18365 = 36"W QLFF18425 = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$24)

(4) Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18305LD = 30"W QLFF18365LD = 36"W QLFF18425LD = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$24)

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

Pricing	
QLFF18302	\$977
QLFF18362	\$1110
QLFF18422	\$1172

Pricing QLFF18303 \$1329 QLFF18363 \$1543 QLFF18423 \$1682

Pricing QLFF18304 \$1688 QLFF18364 \$1960 QLFF18424 \$2185

Pricing	
QLFF18305	\$2097
QLFF18365	\$2308
QLFF18425	\$2528

Pricing	
QLFF18305LD	\$2185
QLFF18365LD	\$2394
QLFF18425LD	\$2617

Metal Filing



Counterweight Kit

Pricing

GSA SIN 711-3

Overview	➤See page	106
Filing Capacities		107
Lock Cores		116
Finishes & Materials		



Counterweight Kit

Standard Includes

• Required for freestanding files

How to Specify



QLFCW30 = for 30"W files QLFCW36 = for 36"W files QLFCW42 = for 42"W files

Pricing	
QLFCW30	\$199
QLFCW36	\$199
QLFCW42	\$199

Metal Filing

Features Overview

Filing Capacities See page 111

Lock Cores 116

Finishes & Materials A1

Top is finished so the file can be used as a stand alone unit.

Knockouts are standard for ganging side-by-side or for securing to a wall.

Fixed shelf with lift door on applicable five-high lateral files replaces top drawer and accommodates standing binders up to 12"H.

Drawer fronts and lift doors in the top position on five-high lateral files are 19/16" taller than the other drawer fronts to accommodate the

receding lift-door application.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide 3/4" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are prepainted cinder. Replacement drawer fronts can be field installed.

Locking is standard. Select key random or key specific.

Note: Lock cores must be specified separately for key specific option.

Integrated drawer slide and single interlock mechanism are part of the slide design, providing for quieter drawer operation and ensuring only one drawer may be opened at a time.

Built-in anti-rebound catch prevents drawer from accidently rolling open.

Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Full ball-bearing, progressiveslide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Side-to-side file bars are standard; two per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard with extended pull; one per drawer.

Drawer Pulls:







Extended Rail

Α

Extended is recessed along the full front edge and is painted the same color as the unit. Rail pull is textured black. Arc pull is available in 462 Cinder.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Speicfy key random or key specific.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

➤See page 116.

ADA-Compliant Models:

Lock is placed at 385%"H, making it accessible from a seated position. Rail or arc pulls are available.

Page 110 Metal Filing

Filing Capacities

Application Guidelines

Overview	➤See page 110
Lock Cores	116
Finishes & Materials	A1

Description	Inside Depth	Inside Width	Height	Filing Arrangements			
18"D x 30"W lateral	147/8"	267/8"	93/8"	295/6" letter Front-to-back file bars (2) Side-to-side file bars (2)	251/4" legal Front-to-back file bar (1) Side-to-side file bars (2)	26 ¹³ / ₁₆ " letter Side-to-side file bars (2)	26 ¹³ / ₁₆ " legal Side-to-side file bars (2)
18"D x 36"W lateral	147/8"	327/8"	93/8"	295%" letter Front-to-back file bars (2) Side-to-side file bars (2))	295/8" legal Front-to-back file bars (2) Side-to-side file bars (2)	32 ¹³ / ₁₆ " letter Side-to-side file bars (2)	32 ¹³ / ₁₆ " legal Side-to-side file bars (2)
18"D x 42"W lateral	14 ⁷ /8"	387/8"	93/8"	447/16" letter Front-to-back file bar (2)	355/8" legal Front-to-back file bars (2)	38 ¹³ / ₁₆ " letter Side-to-side file bars (2)	38 ¹³ / ₁₆ " legal Side-to-side file bars (2)

Side-to-side file bars (2) Side-to-side file bars (2)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.

➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.

➤See page 116.

Page 111 Metal Filing

Lateral Files

Pricina

GSA SIN 711-3

Overview	➤See page 110
Filing Capacities	111
Lock Cores	116
Finishes & Materials	A1



Two-High Lateral Files



Three-High Lateral Files



Four-High Lateral Files



Five-High Lateral Files



Five-High with Lift Door

Standard Includes

- Two drawers
- Two side-to-side file bars per drawer
- 18"D x 271/4"H

Standard Includes

- Three drawers
- Two side-to-side file bars per drawer
- 18"D x 393/16"H

Standard Includes

- Four drawers
- Two side-to-side file bars per drawer
- 18"D x 511/8"H

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- 18"D x 641/2"H

Standard Includes

- Four drawers
- Fixed shelf and lift door
- Two side-to-side file bars per drawer
- 18"D x 641/2"H

How to Specify

Model:

QFND18302 = 30"W

QFND18362 = 36"W

QFND18422 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

5 Finish designator

QFND18422

How to Specify

QFND18303 = 30"W

QFND18363 = 36"W

QFND18423 = 42"W

② Pull:

Model:

E = Extended

How to Specify

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

⑤ Finish designator

Model:

QFND18304 = 30"W QFND18364 = 36"W

QFND18424 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

5 Finish designator

How to Specify

Model:

QFND18305 = 30"W

QFND18365 = 36"W

QFND18425 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

5 Finish designator

How to Specify

Model:

QFND18305LD = 30"W

QFND18365LD = 36"W

QFND18425LD = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

⑤ Finish designator

Pricing	
QFND18302	\$885
QFND18362	\$963

\$1037

Pricing QFND18303 \$1035 QFND18363 \$1176 QFND18423 \$1277

Pricing QFND18304 \$1257 QFND18364 \$1415 \$1596 QFND18424

Pricing	
QFND18305	\$1684
QFND18365	\$1843
QFND18425	\$2016

\$1759
\$1917
\$2088

Metal Filing Page 112

ADA Lateral Files & Counterweight Kits

Pricing

GSA SIN 711-3

Overview	➤See page 110
Filing Capacities	111
Lock Cores	116
Finishes & Materials	A



ADA-Compliant Five-High Lateral Files



Counterweight Kit

Standard Includes

• Required for freestanding files

How to Specify

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- Lock at 385/8"H
- 18"D x 641/2"H

How to Specify

Model:

QFND18305ADA = 30"W **QFND18365ADA** = 36"W **QFND18425ADA** = 42"W

② Pull:

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

4 Finish price group:

STD = Group 1

5 Finish designator

Model:

QFNDACW = for any width file

Pricing

QFND18305ADA	\$1843
QFND18365ADA	\$1999
QFND18425ADA	\$2174

Pricing

QFNDACW \$194

Page 113 Metal Filing

Overfiles and Storage Cabinets

Pricing

GSA SIN 711-3

Overview	➤See page 110
Filing Capacities	111
Lock Cores	116
Finishes & Materials	A1



Overfile



Two-High Storage Cabinets



Three-High Storage Cabinets



Four-High Storage Cabinets



Five-High Storage Cabinets

Standard Includes

- For use on top of lateral file or storage cabinet
- 18"D x 29¹/₄"H

Standard Includes

• 18"D x 271/4"H

Standard Includes

• 18"D x 393/16"H

Standard Includes

• 18"D x 511/8"H

Standard Includes

• 18"D x 641/2"H

How to Specify

Model:

QFND1830OF = 30"WQFND1836OF = 36"W

QFND18420F = 42"W

② Lock option:

KRB = Key random

KSB = Key specific (-\$24)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18302SC = 30"W

QFND18362SC = 36"W

QFND18422SC = 42"W

2 Lock option:

 $\mathbf{KRB} = \text{Key random}$

KSB = Key specific (-\$24)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18303SC = 30"W

QFND18363SC = 36"W

QFND18423SC = 42"W

2 Lock option:

KRB = Key random

KSB = Key specific (-\$24)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18304SC = 30"W

QFND18364SC = 36"W

QFND18424SC = 42"W

② Lock option:

KRB = Key random

KSB = Key specific (-\$24)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

1 Model:

QFND18305SC = 30"W

QFND18365SC = 36"W

QFND18425SC = 42"W

② Lock option:

KRB = Key random

KSB = Key specific (-\$24)

3 Finish price group:

STD = Group 1

4 Finish designator

Pricing

QFND1830OF	\$786
QFND1836OF	\$824
QFND1842OF	\$892

Pricing

_	
QFND18302SC	\$919
QFND18362SC	\$972
QFND18422SC	\$1087

Pricing

\$972
\$1019
\$1134

Pricing

\$1019
\$1079
\$1194

Pricing

QFND18305SC	\$1075
QFND18365SC	\$1142
QFND18425SC	\$1257

Page 114 Metal Filing

Shelves and Wardrobe Kits

Pricing

GSA SIN 711-3

Overview	➤See page 110
Filing Capacities	111
Lock Cores	116
Finishes & Materials	A1



Overfile/Storage Cabinet Shelves



Wardrobe Kits

Standard Includes

• Shelf is adjustable in 2" increments

Standard Includes

• For use with storage cabinets

How to Specify

1 Model:

QFND1830LFSHP = for 30"W unit

QFND1836LFSHP = for 36"W unit

QFND1842LFSHP = for 42"W unit

② Finish price group:

STD = Group 1

3 Finish designator

How to Specify

1 Model:

QFND1830WB = for 30"W unit **QFND1836WB** = for 36"W unit

QFND1842WB = for 42"W unit

Pricing \$85 QFND1830LFSHP \$88 QFND1836LFSHP \$88 QFND1842LFSHP \$92

Pricing	
QFND1830WB	\$74
QFND1836WB	\$82
QFND1842WB	\$85

Page 115 Metal Filing

UNIVERSAL Metal Filing

Tops, File Bars, Dividers, and Locks

Pricing

LF Series ➤See page 106 Fundamental 110 A1 Finishes & Materials

GSA SIN 711-3



Laminate File Tops



Front-to-Back File Bars



Side-to-Side File Bars



Drawer Dividers



Lock Cores for Key Specific Option and Change Keys

Standard Includes

- Single top may be secured to any combination of file widths to create a continuous surface
- PVC rim on front edge
- 18"D x 13/16"H

How to Specify

Model:

QSS1830LFTL = 30"W QSS1836LFTL = 36"W

QSS1842LFTL = 42"W

QSS1860LFTL = 60"W **QSS1872LFTL** = 72"W

QSS1884LFTL = 84"W

② Rim:

P = PVC

3 Finish type:

STD = Standard

4 Finish designator ⑤ Rim color

Standard Includes

- Black
- Set of two (one set required per
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legalsize filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file

How to Specify

1 Model:

Q99KFFB

Standard Includes

Galvanized metal

Standard Includes

- Hooks on back of drawer body and can be used in any file.
- Black
- 10¹1/16"D x 3¹/16"W x 7¹/₂"H

Important

- · Lock cores must be specified separately for models with key specific option (KSB)
- Change key is equired to remove QKSCD lock cores in the field: it is not required for the initial installation of lock cores

How to Specify

1 Model:

QKFD30SS = for 30"W unit QKFD36SS = for 36"W unit QKFD42SS = for 42"W unit

How to Specify

1 Model: **QKFDPM**

How to Specify

1 Model:

QKSCD = Lock core and key **QKSCD1CK** = Channge key

2 Key number (omit for change key): 001 to 025

Pricing QSS1830LFTL \$301 QSS1836LFTL \$335 QSS1842LFTL \$377 QSS1860LFTL \$512 QSS1872LFTL \$639 QSS1884LFTL \$787

Pricing	
Q99KFFB	\$24

Pricing	
QKFD30SS	\$58
QKFD36SS	\$62
QKFD42SS	\$67

Pricing	
QKFDPM	\$37

Pricing	
QKSCD	\$24
QKSCD1CK	\$7

Metal Filing



Terms & Conditions	➤See page 4
Product Warranty	6
Operating Load Capaci	ties 8

Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page
K50A	38	Q10P18HTC	72	Q10P42CNT .	65	Q10P62CNV	65	Q10PCNXTC1.	69
K50GB	38	Q10P20CNHL.	67	Q10P42CNV.	65	Q10P62CNWMF	·	Q10PCNYTC1.	69
K50N		Q10P20CNHLL	68	Q10P42CNWN	1P75		71	Q10PCPDPEP.	80
K50SN	38		82		71	Q10P62EDCL	82	Q10PCPDPLP.	80
K75CFMBBSL	36	Q10P20HTC	72	Q10P42ED	76	Q10P62EDCT	82	Q10PCPDPSP.	80
K75CFMBWSL	36	Q10P24CNHL.	67	Q10P42EDCL	82	Q10P66CNETP.	74	Q10PECP1	81
K75CSHBBSL	36	Q10P24CNHLL	68	Q10P42EDCT	82	Q10P66CNL	65	Q10PECPE1	77
K75CSHBWSL	36	Q10P24ED	76	Q10P42EHPA	79	Q10P66CNS	74	Q10PEFPE1E .	77
K75CSMBBSL	36	Q10P24EDCI	82	Q10P46CNHL			65	Q10PEFPE1L	77
K75CSMBWSL	36	Q10P24HTC	72	Q10P46CNHLI	68	Q10P66CNV	65	Q10PEFPE1S .	77
K95MBKB1	46	Q10P26CNHL.	67	Q10P46EDCI.	82	Q10P66CNWMF	·	Q10PEHCC	78
K95MBKB4	46	Q10P26CNHLL	68	Q10P46HTC .	72	Q10P66EC	71	Q10PEHEC	78
K95MBSB1	46	Q10P26EDCI	82	Q10P48CNL .	65	Q10P66EDCL	82	Q10PEHJB	78
K95MBSB4	46	Q10P26HTC	72	Q10P48CNS.	74	Q10P66EDCT	82	Q10PEHRCP	81
K95MCRB1	46	Q10P28CNHL.	67	Q10P48CNT.	65	Q10P6CNHL	67	Q10PEHSC	78
K95MCRB4	46	Q10P28CNHLL	68	Q10P48CNV .	65	Q10P6CNHLL.	68	Q10PEHSFP	78
K95MKWB1	46	Q10P28EDCI	82	Q10P48CNWN	1P75	Q10P6HTC	72	Q10PEJA	76
K95MKWB4	46	Q10P28HTC	72	Q10P48EC	71	Q10P80CNL	65	Q10PEJB	76
K95MTGB1	46	Q10P30ED	76	Q10P48ED	76	Q10P80CNS	74	Q10PEJC	76
K95MTGB4	46	Q10P30EHPA.	79	Q10P48EDCL	82	Q10P80CNT	65	Q10PER1	77
K95TD	46	Q10P32CNHL.	67	Q10P48EDCT	82	Q10P80CNV	65	Q10PER2	77
Q10ATMC	81	Q10P32CNHLL	68	Q10P48EHPA	79	Q10P80CNWMF	·	Q10PER3	77
Q10P04EDCI	82	Q10P32EDCI	82	Q10P4CNHL.	67	Q10P80EC	71	Q10PER4	77
Q10P06EDCI	82	Q10P32HTC	72	Q10P4CNHLL	68	Q10P80EDCL	82		77
Q10P08EDCI	82	Q10P34CNL	65	Q10P4HTC	72	Q10P80EDCT	82	Q10PESPE1P.	77
Q10P12CNHL	67	Q10P34CNS	74	Q10P54CNL .	65	Q10P8CNHL	67	Q10PRT2R	78
Q10P12CNHLL		Q10P34CNT	65		74	Q10P8CNHLL	68	Q10PSBPNCL.	64
Q10P12EDCI			65	Q10P54CNT.	65		72	Q10PSBPNCS.	64
Q10P12HTC	72		P75	Q10P54CNV .			70	Q10PSBPNCT.	64
Q10P14CNHL			71		1P75		70	Q10PSBPNCX.	64
Q10P14CNHLL	68	Q10P36ED	76	Q10P54EC	71	Q10PCNLTC1	69	Q10PSBSPCR.	64
Q10P14EDCI	82	Q10P36EHPA .	79	Q10P54EDCL	82	Q10PCNLTC2	69	Q11P12CNHT.	66
Q10P14HTC			67	Q10P54EDCT	82	Q10PCNTTC1	69	Q11P12HLT	73
Q10P18CNHL		Q10P38CNHLL	68	Q TOT COLD	76	Q10PCNTTC2	69	Q11P14CNHT.	66
Q10P18CNHLL			82	Q10P60EHPA	79		69	Q11P14HLT	73
			72	Q10P62CNL .	65		69		61
Q10P18EPTA	76	Q10P42CNL	65	Q10P62CNS.	74	Q10PCNTTC5	69	Q11P1842A	61
Q10P18EPTB	76	Q10P42CNS	74	Q10P62CNT.	65	Q10PCNTTC6	69	Q11P1848A	62



continued

Terms & Conditions See page 4
Product Warranty 6
Operating Load Capacities 8

Model ▶See page	Model ▶See page	e Model ▶See page	Model ►See page	Model ▶See page
Q11P1854A62	Q11P38HLT73	3 Q12S2415PUFFM96	Q95-7D 41	QFND18365SC
Q11P1862A63	Q11P4234A6	Q12S3015PUBBFM96	Q95-A 41	QFND1836LFSHP115
Q11P1866A63	Q11P4242A6	Q12S3015PUBFM96	Q99K1706KK130	QFND1836OF
Q11P1880A63	Q11P4248A62	Q12S3015PUFFM96	Q99K2208KK130	QFND1836WB115
Q11P18CNHT66	Q11P4254A62	2 Q22-2832V	Q99K2319KKS130	QFND18422
Q11P18HLT73	Q11P4262A60	3 Q22-2833V	Q99KCPUH30	QFND18422SC
Q11P20CNHT66	Q11P4266A60	3 Q22-5032V	Q99KELDM	QFND18423112
Q11P20HLT73	Q11P4280A60	3 Q461040	Q99KELPM	QFND18423SC
Q11P2434A61	Q11P46CNHT66	G Q462040	Q99KELPS31	QFND18424112
Q11P2442A61	Q11P46HLT73	3 Q53K2436LFF2L0117	Q99KFB30	QFND18424SC
Q11P2448A62	Q11P4834A6	Q53K2436LFF2W01 17	Q99KFFB30, 116	QFND18425 112
Q11P2454A62	Q11P4842A6	Q53K2442BEFL01	QCBS2716CY27	QFND18425ADA113
Q11P2462A63	Q11P4848A62	Q53K2442BEFW0116	QCCS42RDW1JNX27	QFND18425LD
Q11P2466A63	Q11P4854A62	Q53K2448BEFL01	QCCS4896RCW1JNX27	QFND18425SC
Q11P2480A63	Q11P4862A60		QCCS48RDW1JNX27	QFND1842LFSHP115
Q11P24CNHT66	Q11P4866A63	3 Q53K2448RLEFL20116	QFBG92	QFND1842OF
Q11P24HLT73	Q11P4880A63		QFND18302 112	QFND1842WB115
Q11P26CNHT66	Q11P4CNHT66	Q53K2448RREFL20116	QFND18302SC	QFNDACW 113
Q11P26HLT73	Q11P4HLT73	B Q53K2448RREFW20116	QFND18303112	QHIT1236A
Q11P28CNHT66	Q11P6034A6	Q53K2472CKFL20117	QFND18303SC	QHIT1836A
Q11P28HLT73	Q11P6042A6	Q53K2472CKFW20117	QFND18304112	QHIT2436A
Q11P3034A61	Q11P6048A62		QFND18304SC	QHIT3036A
Q11P3042A61	Q11P6054A62		QFND18305112	QHIT3636A
Q11P3048A62	Q11P6062A60		QFND18305ADA113	QHIT4236A
Q11P3054A62	Q11P6066A63		QFND18305LD	QHIT4836A
Q11P3062A63	Q11P6CNHT66		QFND18305SC	QHIT5436A
Q11P3066A63	Q11P6HLT73		QFND1830LFSHP115	QHIT6036A
Q11P3080A63	Q11P8CNHT66		QFND18300F	QIB0224D
Q11P32CNHT66	Q11P8HLT73		QFND1830WB115	QIB0230D
Q11P32HLT73	Q12S1830FCBBLM97		QFND18362112	QIB0427AC95
Q11P3634A61	Q12S1830FCBBRM97		QFND18362SC	QIB1827H
Q11P3642A61	Q12S1830LFU2M 97		QFND18363112	QIB2427F
Q11P3648A62	Q12S1836LFU2M 97		QFND18363SC	QIB24CL
Q11P3654A62	Q12S1842LFU2M 97		QFND18364112	QIB24CR92
Q11P3662A63	Q12S2415PMBBFM 98		QFND18364SC	QIB3027F
Q11P3666A63	Q12S2415PMFFM98		QFND18365112	QIBF1
Q11P3680A63	Q12S2415PUBBFM96		QFND18365ADA113	QIBRWSEL
Q11P38CNHT66	Q12S2415PUBFM96	8 Q95-6D	QFND18365LD	QIBRWSER



continued

Terms & Conditions See page 4
Product Warranty 6
Operating Load Capacities 8

Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page
QIBSC	101	QIF8823M	94	QK20TMAUC	A 51	QKSCD1CK	96, 97, 98, 99	QSS1842LF	TL116
QIBTCBL1	92	QIF9423M	94	QK20TMPMH	A 50	QKSU14TL	102	QSS1860LF	TL116
QIBTCBR1		QIS142409OS.	100	QK20TMPU4I	D 51	QKSU25TL	102	QSS1872LF	TL116
QIBTWS	92	QIS1424160S.	100	QK20TMPU4	DLH51	QKSU37TL	102	QSS1884LF	TL116
QIF0727CP	93	QIS142416RP.	99	QK20TMPU4	OSTS51	QKSU49TL	102	QSS2424WS	SSL
QIF0827RS	93	QIS143009OS.	100	QK20TMPUH	Α 51	QLFCW30	109	QSS2430WS	SSL87
QIF1227RS	93	QIS143016OS.	100	QK20TUPU2D)52	QLFCW36	109	QSS243636	24WSCCL 89
QIF1227WSP	93	QIS143016RP.	99)52	QLFCW42	109	QSS243636	24WSCSL88
QIF1827H		QIS143609OS.	100		DLH52	QLFF18302	108		SSL87
QIF2023M	94	QIS1436160S.	100	QK20TUPU4E	STS52	QLFF18303	108	QSS244242	24WSCCL
QIF2423M	94	QIS143616RP.	99		A52	QLFF18304	108	QSS244242	24WSCSL
QIF2427F		QIS144209OS.	100		47	QLFF18305	108	QSS2442WS	
QIF2623M		QIS1442160S.	100	QK35BB	47	QLFF18305LD.	108	QSS244848	24WSCCL
QIF3023M		QIS144216RP.	99	QK35JJ	47	QLFF18362	108	QSS244848	24WSCSL
QIF3027F			100		47		108		SSL87
QIF3223M			100		6W 48	QLFF18364	108		SSL87
QIF3423M			99		6W 48		108	QSS246060	24WSCCL
QIF3623M	94	QIS145409OS.	100		6W 48	QLFF18365LD.	108		SSL87
QIF3627F			100		43	QLFF18422	108	QSS2466WS	SSL87
QIF3823M			99		43		108		SSL87
QIF4023M			100		43		108		SSL87
QIF4223M			100		43		108	QSS2484WS	SSL87
QIF4423M			99				108		SSL87
QIF4623M			100		44		24		SSL87
QIF4823M			100		42		<i>V</i> 24		SSL87
QIF5023M			99				N 23		SQL 91
QIF5223M			101				N 23		SSL87
QIF5423M			101		K1610518		23		SSL87
QIF5623M			101		25		VMX 23		30WSCCL 89
QIF5823M			49		25		/MX 23		30WSCSL88
QIF6023M			49				WMG22	QSS3042WS	
QIF6423M			49				22		30WSCCL 89
QIF6623M			39				22		30WSCSL88
QIF6823M			42				24		SSL87
QIF7023M							22		SSL
QIF7423M			53				VMX		30WSCCL 89
QIF8023M			50				116		RTL
QIF8223M	94	QK201MAU2D.	51	QKSCD001	96, 97, 98, 99	QSS1836LFTL.	116	QSS3060WS	SSL87



continued

Terms & Conditions →See page 4
Product Warranty 6
Operating Load Capacities 8

Model	➤See page
QSS3060WSUCL	90
QSS3060WSUL	90
QSS3066WSSL	87
QSS3066WSUCL	90
QSS3066WSUL	90
QSS3072TTRTL	91
QSS3072WSSL	87
QSS3072WSUCL	90
QSS3072WSUL	90
QSS3078WSSL	87
QSS3084WSSL	87
QSS3090WSSL	87
QSS3096WSSL	87
QSS30TTRNL	91
QSS3636TTSQL	91
QSS3660TTRCL	91
QSS3660TTRTL	91
QSS3660WSUCL	
QSS3660WSUL	
QSS3666WSUCL	
QSS3666WSUL	90
QSS3672TTRCL	
QSS3672TTRTL	
QSS3672WSSL	
QSS3672WSUCL	
QSS3672WSUL	
QSS3684TTRCL	
QSS36TTRNL	
QSS4242TTSQL	
QSS42TTRNL	
QSS48TTRNL	
QTB3-4W	28
QTBS2627TP	
QTBS2627XP	
QTBS3427XP	
QTT2-42W	
QTTCFC	83

Model	➤See page
QTTET02	85
QTTET39	85
QTTSP04	83
QTTTC36N	86
QTTTC36P	86
QTTVCM20B	86
QTTVCM20N	86
QTTWMT144	83
QTTWMT72	83

Page 120 Model Number Index



FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	See page
Program Overview	A2
Finishes & Materials	АЗ
For Casegoods & Tables	A3
For Seating	A4
For Systems	A5
For Metal Filing	A6
Panel Fabrics	A7
Seating Fabrics	A8
Contrasting Upholstery	A9
Standard Regulation Testin	g A10



Program Overview

Finishes	➤See page A3
Panel Fabrics	A7
Seating Fabrics	A8

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:


Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.



For Casegoods and Tables



Priority and contemporary table tops and bases feature our Pura® finish, a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs).

Senator and Traditional tables feature our conventional high-quality catalyzed lacquer or catalyzed varnish finish, incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

Key:

= Available finish

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.
- See the Casegoods Price List for additional information on wood finish characteristics, care, and maintenance.



For Seating

		/,	Wood Finishes Wood Finishes Wood Finishes Wood Finishes										Paint & Non-Paint Biod Chrone Palished Humilum Biod Chrone Palished Humilum					
	Price Group	1	1	1	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					•							
Acapella		•	•	•	•													
Beo		•	•	•	•										1			
Bingo						•	•		•				•					
Campos												•		•				
Collage		•	•	•	•													
Event										•								
Itsa												•						
Joya												•						
Muirfield		•	•	•	•										1			
Poly													•		1			
Pose		•	•	•	•													
Stature		•	•	•	•													
Wish										•	•				-			

•

Key:


• = Available finish

All exterior wood surfaces feature a high quality catalyzed varnish finish incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

Xtreme



• = Available finish





For Metal Filing

Key:

• = Available finish

							ı	Paint	: & PI	astic	Colo	ors									Lar	ninat	es		
		/	iddle M	iite ois				Mite	iite	cione		\\Q\ \\Q\	Parcy V.	amit	idle	Wille Co			signal while	3raphite	Sandsic	10 / 10 / 10 / 10 / 10 / 10 / 10 / 10 /	ikon (John C	tidy distributing
	/ d'				70 / V	' ,	20 10 10 10 10 10 10 10 10 10 10 10 10 10		adrite	ideidus Sideidus		My Mic	HOMI						\$\$ ¹ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	My c	700 3000	801 S			and hide
Price Group	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1 1	1	1	1	1	1	
LF Series	•	•	•	•	•	•	•	•	•																
Fundamental	•	•	•	•	•	•	•	•	•																
Universal File Tops													•	•	•	•	•	•	• •	•	•	•	•	•	
Universal File Top Plastic Rims	•	•	•	•	•	•	•	•	•	•	•														



Panel Fabrics

Finishes ➤See page A3 Seating Fabrics Α8

Price Grade A

Crossroads

Price Grade: A

Content: 51.18% post-industrial

recycled polyester, 48.82% post-consumer

recycled polyester Light acrylic Backing: Pattern: Directional

7.5"H x 14.285"V Repeat: Cleaning: WS

Restrictions: Not available on Perks

tackboards

10303 Pewter 10307 Storm

Fusion

Price Grade: A

Content:

50.38% post-industrial recycled polyester, 49.62% post-consumer recycled polyester

Pattern: Directional 0.0" H x 1.212" V Repeat: Cleaning:

S

16105 Mineral 16106 Nickel 16110 Platinum

Tapestry

Price Grade: Α Content:

60% pre-consumer recycled polyester,

40% polypropylene Pattern: Directional Repeat: None WS Cleaning:

10241 Bark 10246 Sterling

Price Grade B

Linen

Price Grade: B

Content: 100% post-consumer recycled polyester Pattern: Directional Repeat: 16.75"H x 20"V

Cleaning: WS

2216 Paraffin 2275 Melba



Seating Fabrics

Key:

A = Heavy duty upholstery

= General contract upholstery

Price Grade 1

Disperse

Price Grade: 1

100% polyester, Content: (62% recycled) Finish: Stain repellant

Backina: Latex 54"W Width: Repeat:

A 100,000 double rubs Abrasion:

Cleaning: WS

11750 Wasabi 11751 Meadow 11752 Oceanside 11753 Aquamarine 11754 Latte 11755 Scarlet 11756 Cocoa 11757 Midnight Blue 11758 Smoke 11759 Ash 11760 Cabernet 11761 Noir

Seasons

Price Grade: 1

Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester Width: 54"W

4"H x 1.7"V Repeat:

A 50,000 double rubs Abrasion: Cleaning:

WS

10980 Almond 10981 Espresso 10982 Fern 10984 Lakeshore 10985 Nightline 10986 Ruby 10987 Slate

Soundbyte

Price Grade: 1 Content: 100% recycled polyester Finish:

Scotchquard® 54"W Width: Repeat: 7"H x 35"V

A 30,000 double rubs Abrasion: Cleaning:

WS

10900 Cactus 10901 Carbon 10902 Heatwave 10903 Lakeshore 10904 Merlot 10905 Mudbath 10906 Poppy 10907 Safari 10908 Solar 10909 Topaz

Price Grade 2

Dolce (polyurethane/rayon)

Price Grade: 2 70% polyurethane, Content: 30% rayon Finish: Superior Abrasion/ Silverguard Backing: 100% rayon 54"W Width:

Repeat: <u>None</u> Abrasion:

11900

A 100,000 double rubs WS: cleanable with diluted Cleaning: bleach solution Restrictions: Not available on tack-

boards or fabric-covered

overheads

Black

11901 Mocha 11902 Meteor 11903 Artesian 11904 Indigo 11905 Peacock 11906 Grass 11907 Citron 11908 Fuschia 11909 Poppy 11910 Tangelo 11911 Burgundy 11912 Chocolate 11913 Lion 11914 Latte 11915 Ivory 11916 White 11917 Camel 11918 Mushroom

Spectrum

Price Grade: 2 Content:

100% post-consumer recycled polyester Finish: Blockaide™ Backing: SBR latex Width: Repeat:

54"W A 100,000+ double rubs Abrasion:

Cleaning: WS

20001 Mimosa 20003 Lime 20020 Black 20022 Burgundy 20033 Pine Cornflower 20039

20040 Rubv 20045 Chocolate 20050 Camel 20062 Grev 20067 Navy 20072 Breeze 20079 Tangerine

20081 Charcoal 20095 Red

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered a normal, inherent characteristic.

Some upholsteries (i.e. Essence. leathers and some woven fabrics) may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liguids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).



Seating Fabrics

continued

Key:

A = Heavy duty upholstery

= General contract upholstery

Twilight

Finish:

Price Grade: 2 Content:

75% pre-consumer recycled polyester, 25% post-consumer recycled polyester; Green-e certified Blockaide™

54"W Width: Repeat:

A 50,000 double rubs Abrasion: Cleaning:

WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine

Price Grade 6

Essence/Ultraleather™

Price Grade: 6 100% polyurethane Content: 100% reinforced rayon Backing: 54"W Width: Repeat: None

A 400.000 double rubs Abrasion:

Cleaning:

WS/B

3611 Light Oyster 3612 Red 3614 Stone 3617 White 3636 Chamois 3640 Garnet 3647 Loden 3663 Walnut 3666 Dove Gray 3667 Taupe 3679 Raven 3683 Pecan

Papyrus

Admiral

3690

3692

Price Grade L7

Davenport

Abrasion:

Price Grade: L7 Content:

Top grain leather A 1,000+ cycles (Tabor Test)

70115 Black

Mesh

Applies to:

Wish

8150 Sand 8151 Java 8152 Raven 8153 Grev Quick Silver 8154 8155 Magenta 8156 Yellow 8157 Moss 8158 Turquoise

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:

- Beo
- Event (all models)
- Pose (lounge models)
- Wish (all models)

Select any contrasting Kimball Office. Alliance Program, COM, or COL upholstery.

IMPORTANT: When specifying contrasting fabric, use an electronic specification tools for pricing. If one is not available, you may contact Customer Service.

Special Applications:

Pose contrasting back upholstery applies to the cushion back only. Remainder of the chair (seat, arms, and outer shell) is contrasting.

Cleaning Codes:

Cleaning Code B

 Cleanable with diluted bleach solution

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Leather:

Regular Cleaning

- · Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air drv.



Seating Fabrics

Flammability Standard Regulation Testing

Key:

= Complies with standard

	California	UFAC	Port Authority
Pattern	TB117-2013 Section E	Classification 1 or A	of NY and NJ (Method 5903)
Disperse	•	•	(Welled Coop)
Dolce	•	•	
Essence/Ultraleather™	•	•	
Seasons	•	•	
Soundbyte	•	•	
Spectrum	•	•	•
Twilight	•	•	•

TB117-2013

California Flammability Regulation #117-2013 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117-2013 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC

All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor

TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133.

Double Upholstery Method

Kimball Office products are first upholstered with a fire barrier, the upholstery is then applied over the barrier. The addition of this barrier may slightly alter the comfort and/or aesthetics of the seating product.

Advisory

Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application.

Certain jurisdictions may require the use of additional fire retardants of composite flammability testing.

Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.

ACAPELLA® ALUMMA™ BEO® BINGO® CAMPOS™ COLLAGE™ EVENT™ FOOTPRINT® FUNDAMENTAL® HERO. JUST FOR YOU.™ INTERWORKS® EQ ITSA™ JOYA™ LF SERIES™ LIGHTING MUIRFIELD™ PERKS® POLY™ POSE™ PRIORITY™ SENATOR® STATURE® TABLES WISH™ TRAXX® & TILES UNIVERSAL PRODUCTS

PRICE LIST

KWIK OFFICE™

EFFECTIVE 12.1.2016



KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since August 24, 2015.

These revisions are effective November 6, 2015.

November 2015

Seating

Wish task chairs, low-height task chairs, and sit-to-stand seating with 4D arm adjustability have been added to the Kwik Office offering.

➤See pages 51-52.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since November 6, 2015.

These revisions are effective February 1, 2016.

February 2016

General Information

Casegoods and tables on the Kwik Office program are now part of the "ships in 10 days" offering.

➤See page 1.

Limited weekly order volume

applies to Kwik Office orders. This information was inadvertently left out of this current price list.

➤See page 1.

Sustainability information has

been revised.

►See page 7.

Finishes & Materials

Wood finishes on seating products features a varnish finish.
➤See page A4.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since February 1, 2016.

These revisions are effective May 2, 2016.

May 2016

Perks

Freestanding and surface-mount LED lights are now available.

See page 31.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since May 2 2016.

These revisions are effective August 23, 2016.

August 2016

Seating

Joya high-performance task chair is now available.

➤See page 44.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since May 2, 2016.

These revisions are effective December 1, 2016.

December 2016

General Information

Pricing has been updated throughout.

Bingo and Poly are covered under a 5-year warranty. ➤See page 6.

Finishes & Materials

Essence/Ultraleather colorways have been updated.

➤See page A9.

Kimball Office

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since December 1, 2016.

These revisions are effective February 13, 2017.

February 2017

General Information

Warranty periods have been updated for Bingo® and Poly™. Both are now covered under a 10-year warranty.

►See page 6.

Casegoods

Priority Legacy bridges feature a hinged modesty panel with no grommet in the modesty panel. The standard G1 grommet is in the center back of worksurface.

➤See page 16.

Senator key numbers will be arbitrarily assigned at the factory; clarification added.

➤See page 20.

Metal Filing

Lock core illustration has been updated.

➤See page 116.

Finishes & Materials

Fabric content has been updated for the following Crossroads, Fusion and Linen panel fabrics.

►See page A7.

Seating fabric revisions include updated fabric content for Dolce, Spectrum, and Twilight, and the deletion of Twilight 23120 Nude.

➤See pages A8-A9.