

PERKS® and JOLT™ Price List




This price list is effective February 13, 2017 and supercedes all previously printed or electronically released versions.

➤ See page


General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Terms and Conditions	4
Asset Tag Locations	5
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8
Accessories & Tools	9
Statement of Line	9
Features Overview	13
Pricing & How to Specify	14
Technology Management	25
Statement of Line	25
Features Overview	28
Pricing & How to Specify	30
Jolt	51
Statement of Line	51
Product Information	52
Pricing & How to Specify	54
Perks Power Systems	55
Statement of Line	55
Features Overview	56
Product Information	57
Single-Circuit Guidelines	59
Four-Circuit Guidelines	60
Hardwire Guidelines	63
Pricing & How to Specify	64
Lighting	69
Statement of Line	69
Product Information	70
Pricing & How to Specify	71
Model Number Index	73
Appendix	
Finishes and Materials	A1

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.




Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.




Overviews offer a quick look at the distinguishing features of the product line.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Look in the Finishes and Materials appendix to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.

Terms & Conditions	➤ See page 4
Sustainability	7
ANSI/BIFMA	8
Model Number Index	73

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.



Complete specifications are built by following a set of steps. These “How to Specify” steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some model numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ①, ②, or ③) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

PERKS® Accessories & Tools		Collaboration Tools	Pricing	Features Finishes & Materials	
		Mobile Screens	QSA-SM 171-4 COM QSA New Contract	47	
D	W	H	Model	Fabric Price Grade	
A	B	C	D	E	
Fabric Starter Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSSP	\$548	\$566
22 1/4"	22 1/4"	67 1/4"	99K3068MSSP	576	622
Fabric Add-On Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSAP	\$548	\$566
22 1/4"	22 1/4"	67 1/4"	99K3068MSAP	576	622
Translucent Starter Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSSST	\$662	
22 1/4"	22 1/4"	67 1/4"	99K3068MSSST	716	
Translucent Add-On Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSLAT	\$660	
22 1/4"	22 1/4"	67 1/4"	99K3068MSLAT	711	
Markerboard Starter Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSSM	\$675	
22 1/4"	22 1/4"	67 1/4"	99K3068MSSM	827	
Markerboard Add-On Screen					
17 1/4"	22 1/4"	67 1/4"	99K2468MSLAM	\$662	
22 1/4"	22 1/4"	67 1/4"	99K3068MSLAM	825	

Expo or Expo dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Page 25

Accessories & Tools

Refer to the “standard includes” list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the “How to Specify” steps.

Sample Specification:

The example below shows a complete model number for a **Fabric Mobile Screen**.

➤ See page 23 for the corresponding pricing table and How to Specify steps.

① ② ③ ④
99K2468MSSP 462 B 2216
Base Model

Terms & Conditions	➤ See page 4
Sustainability	7
ANSI/BIFMA	8
Model Number Index	73

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

Terms and Conditions

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- "Ship to" address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at www.kimballoffice.com.

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for non-standard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for non-cataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

➤Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective December 1, 2016, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms.

Product Warranty	➤See page 6
Sustainability	7
ANSI/BIFMA	8
Model Number Index	73

Contact Information:

Kimball Office

1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales Customer Service

800.647.2010

Terms and Conditions

continued

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.
➤ See at right.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening)—minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

- Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; and
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- ④ A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Product Warranty	➤ See page 6
Sustainability	7
ANSI/BIFMA	8
Model Number Index	73

Asset Tag Locations:

Bar code labels have been placed on most Kimball Office products.

Products with pedestals or lateral files

Underside of top drawer near front edge in right pedestal (if no right pedestal, left pedestal).

Highback organizers and overhead cabinets

Back left of task light facade.

Bookcases

Underside of lowest shelf (not bottom panel) on the left front edge. If glass shelves, top panel in cornice area.

Vertical storage cabinets

Underside of top drawer near front edge. If no drawers, underside of lowest shelf on left front edge.

Bridges, corner units, worksurfaces, computer support furniture, P-, U-, and keyhole-shaped desks

Underside of the top surface (user's side) on the front edge.

Component modesty panels

Center top of the panel on the inside (kneespace area).

Tables

Underside of table top near the outside edge.

Product Warranty

Lifetime Assurance of Quality

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service. Wish seating, excluding Wish Classic, is warranted for three-shift (24/7) service and up to 400 lb. user weight.

Exception: Some products and parts have limited warranty periods.

➤ See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY

PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Bingo® side chairs and stools
- Poly™ seating
- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Lighting
- Desk sets
- Monitor arms
- Keyboard kits
- Covering materials (such as foam, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie fabrics
- Itsa mesh
- Campos mesh
- Wish mesh

1-Year Warranty

- Jolt™

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

Terms & Conditions	➤ See page 4
Sustainability	7
ANSI/BIFMA	8

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. **Serial numbers may be required** before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- ③ Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

Terms & Conditions	➤ See page 4
Product Warranty	6
ANSI/BIFMA	8
Model Number Index	73

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to stake initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example.

Throughout our more than 40 years of documented environmental actions, we have been a responsible steward of resources and have acted as an agent of sustainable change in our industry.

Design for the Environment is our approach to product development to ensure the inherent sustainability of our offerings. By considering a full continuum of environmental factors, we have greatly improved the life cycle performance of our furniture.

Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.



ANSI/BIFMA level™

We offer one of the most sustainable portfolios in the industry, which includes systems, casegoods, tables, and seating.



ecoScorecard™

Through this free online tool, you have 24/7 access to the environmental attributes of our products. EcoScorecard enables speed and accuracy in the calculation of environmental credits for LEED®, saving you time and ultimately, money.

➤ See how easy it is at kimballoffice.ecoscorecard.com.



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward LEED® certification. The LEED Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. Kimball Office tests and certifies many of our products to the ANSI/BIFMA e3 2014 standard credits (7.6.1, 7.6.2, 7.6.3).



Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broad range of products to exceed indoor air quality standards and help our customers achieve LEED credits.

FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood.

➤ Contact **By Design** at 800.482.1616 for pricing and lead time information.



Asset Network for Education Worldwide, Inc. (ANEW)

ANEW is an effective way to responsibly disposition surplus furniture, fixtures and equipment. ANEW can repurpose your equipment to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

➤ Find more specific details regarding the environmental aspects of our product offerings at: www.kimballoffice.com

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.6 2015 Panel Systems Test
- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Units Test



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURERS ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Example
Center drawer	5 lbs., distributive loading	22"D x 24"W wood: 5 lbs. t.w.
Carousel center drawer	2 lbs., distributive loading	
Carousel tray, keyboard tray, Keyboard drawer	10 lb. evenly distributed cycling load	
Metal shelves (work tools)	.017 lb. per cubic inch of available space, but not to exceed 12 inches in height	24"W: 45 lbs. t.w.; 30"W: 56 lbs. t.w. 36"W: 67 lbs. t.w.; 42"W: 78 lbs. t.w. 48"W: 89 lbs. t.w.
Metal work tools	Single side tray: 40 lbs. t.w. Double side tray: 47 lbs. t.w. Pocket organizer: 4 lbs. t.w. Slant Sorter: 19 lbs. t.w. Binder shelf: 10 lbs. t.w. CD holder: 10 lbs. t.w. Hanging file folder: 5 lbs. t.w. Memo box: 10 lbs. t.w. Pencil tray: 5 lbs. t.w.	
Plastic work tools	Paper tray: 5 lbs. t.w. Slant sorter, binder shelf, and file folder hangers: 10 lbs. t.w. Phone holder and accessory tray: 5 lbs. t.w. Pencil cup and CD sorter: 4 lbs. t.w. Shelf: 15 lbs. t.w. Utility tray and accessory dish: 2.5 lbs. t.w.	
Power/data drawer	50 lbs.	
Manual and intuitive adjustment monitor arms	20 lbs. (see pricing page for application restrictions)	




Shelf

For use with:

- Metal slat tiles
- Load bars

▶ See page 14 to specify.




Side Trays

For use with:

- Metal slat tiles
- Load bars

▶ See page 14 to specify.



Pocket Organizer

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 14 to specify.



Slant Sorter

For use with:

- Metal slat tiles
- Load bars

▶ See page 14 to specify.




Binder Shelf

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 14 to specify.




CD Holder

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 15 to specify.



Hanging File Holder

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 15 to specify.




Memo Tray

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 15 to specify.




Pencil Tray

For use with:

- Metal slat tiles
- Load bars
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 15 to specify.




Note Poster

For use with:

- Metal slat tiles
- Wall-mounted Traxx
- Xsite Traxx

▶ See page 15 to specify.




Load Bars

For use with:

- Cetra or Interworks EQ panels
- Wall brackets

▶ See page 16 to specify.



Wall Brackets

For use with:

- Load bars

▶ See page 16 to specify.



Accessory Dish

For use with:

- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 17 to specify.



Utility Tray

For use with:


- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 17 to specify.



Binder Shelf

For use with:

- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 17 to specify.



Shelf

For use with:

- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 17 to specify.



Pencil Cup

For use with:


- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 17 to specify.



Phone Holder

For use with:


- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 18 to specify.



Paper Trays

For use with:


- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 18 to specify.



Slant Sorter

For use with:

- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 18 to specify.



Accessory Tray

For use with:


- Slat tiles
 - Wall-mounted Traxx
- ▶ See page 18 to specify.



File Pocket

For use with:


- Slat tiles
 - Wall-mounted Traxx
 - Xsite storage tiles
 - Xsite tip-out drawers
 - Standard file drawers
- ▶ See page 19 to specify.




Photo/Document Display

For use with:


- Slat tiles
 - Wall-mounted Traxx
 - Xsite Traxx
- ▶ See page 19 to specify.



Carousel Center Drawer
➤ See page 20 to specify.




Carousel Tray
➤ See page 20 to specify.




Center Drawer
➤ See page 20 to specify.




Wood Center Drawer
Available in paint and wood finishes.
➤ See page 20 to specify.




Pencil Tray
➤ See page 20 to specify.



Drawer Organizer
➤ See page 20 to specify.



Box Drawer Dividers
➤ See page 21 to specify.




Overhead/Shelf Dividers
➤ See page 21 to specify.




CD Holder
➤ See page 21 to specify.



Coat Hook
➤ See page 21 to specify.




Utility Hook
➤ See page 21 to specify.



Front-to-Back File Bars
➤ See page 22 to specify.




Side-to-Side File Bars
➤ See page 22 to specify.



Mobile Screens


Available in fabric, translucent, and markerboard models.

➤ See page 23 to specify.




Wall-Mount Tackboards

➤ See page 24 to specify.



Wall-Mount Markerboards

➤ See page 24 to specify.



Hanging Markerboard Tile

➤ See page 24 to specify.



Name/Sign Holder

➤ See page 24 to specify.

Name/sign holders are available for an aesthetically pleasing method of identifying and personalizing your workspace.

Coat hook helps keep your workspace clear for more usable space.

Work tools, available in metal or plastic, provide storage up off of the work surface.

Hanging markerboard tile hangs from Xsite Traxx, metal slat tiles, or lower mobile table screens. It can be moved easily around the workspace to keep the creativity flowing.



Organizational tools, such as pencil trays and drawer organizers, provide more functionality to storage units.






Technology management accessories are available to help manage computer needs.

▶ See the Technology Management chapter.

Carousel trays and center drawers provide convenient undersurface storage. Carousel trays rotate 360°.

Mobile screens provide visual privacy and divide space.





<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Shelf				
9 1/8"	24"	2 1/4"	99K0924SHM	\$122
	30"		99K0930SHM	137
	36"		99K0936SHM	156
	42"		99K0942SHM	177
	48"		99K0948SHM	201
Single Side Tray				
11 5/8"	17"	2 3/8"	99K1217SPTM	\$113
Double Side Tray				
11 5/8"	17"	5"	99K1217DPTM	\$154
Single Pocket Organizer				
1 1/8"	15 5/8"	7 1/4"	99K16POM	\$94
Slant Sorter				
11 3/4"	12"	7 3/4"	99K1212SSM	\$113
Binder Shelf				
9 1/8"	5"	8 1/16"	99K0905SHBM	\$69

Pocket organizers can be stacked vertically up to 5 units.

Recommended uses are specific for each metal work tool model; refer to the statement of line.

▶ See page 9.

Standard Includes

- Metal work tool: paint
- Dividers on slant sorter: chrome

How to Specify





- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Metal Work Tools

Pricing

continued

GSA SIN 711-8
† GSA Contract Pending



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
CD Holder				
3 ⁹ / ₁₆ "	3 ¹⁵ / ₁₆ "	8 ³ / ₄ "	99K0409CDHM	\$136
Hanging File Holder				
3 ⁵ / ₁₆ "	12 ⁷ / ₁₆ "	8 ³ / ₁₆ "	99K0312HFH	\$111
Memo Tray				
5"	7"	1"	99K0507BXB	\$79
Pencil Tray				
5"	10"	1"	99K0510PT	\$79
Note Poster				
7 ⁷ / ₈ "	18"	12 ⁷ / ₃₂ "	99K0118NP2 †	\$66

Features [▶ See page 13](#)
Finishes & Materials [A1](#)

Standard Includes

- CD Holder: paint; accommodates up to 12 CDs, DVDs, or Zip disks
- Hanging file folder: 5 paint colors (see below)
- Memo tray and pencil tray: black paint

How to Specify

CD Holder

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Hanging File Holder

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator:
405 = Designer White
462 = Cinder
480 = Antique White
501 = Platinum Metallic
514 = Carbon Metallic

Memo Tray, Pencil Tray, Note Poster

- ① Model



Recommended uses are specific for each metal work tool model; refer to the statement of line.
▶ See page 9.

Metal Work Tools

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Load Bars for Use with Metal Work Tools				
3/4"	30"	3 3/4"	99K30LBM	\$74
	36"		99K36LBM	82
	42"		99K42LBM	89
	48"		99K48LBM	108
	54"		99K54LBM	116
	60"		99K60LBM	122
Wall Brackets for Load Bars (set of 2)				
3/4"	2 1/2"	4"	99KLBBR	\$28

Load bars are for use on Cetra or Interworks EQ panels. They can also be wall mounted using wall brackets, specified separately.

Load bars can span one or more panels that equal the width of the load bar.

Features [▶ See page 13](#)
Finishes & Materials A1

Standard Includes

- Load bars or wall brackets: paint

How to Specify

Load Bars

- ① Model
- ② Application:
C = Cetra
I = Interworks EQ
- ③ Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ④ Finish designator

Wall Brackets

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Plastic Work Tools

Pricing

GSA SIN 711-8

Features [▶ See page 13](#)
Finishes & Materials [A1](#)




<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Accessory Dish				
6"	6"	1 1/8"	99K0606ADC	\$34



Utility Tray				
6 3/16"	9 1/8"	1 5/16"	99K0609UTC	\$39



Binder Shelf				
10 1/2"	5"	9"	99K1105SHB	\$50



Shelf				
7"	24"	2"	99K0724SHB	\$109



Pencil Cup				
3 1/2"	4"	4"	99KCP	\$38

Standard Includes

- Accessory dish, and utility tray: clear plastic
- Utility tray, binder shelf, and shelf: black plastic
- Pencil cup: clear or black plastic

How to Specify

Pencil cup

- 1 Model
- 2 Plastic color:
B = Black
C = Clear

All others

- 1 Model

Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx

Note: They are not recommended for use on Xsite Traxx or load bars.

Plastic Work Tools


Pricing

continued


GSA SIN 711-8




<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Phone Holder				
9½"	8½"	2"	99KPH	\$53




Letter-Size Paper Tray				
14"	9¾"	2"	99K149LTPT	\$58



Legal-Size Paper Tray				
10½"	15"	2"	99K1115LPT	\$60



Slant Sorter				
12½"	7"	7½"	99KSS	\$61



Accessory Tray				
9¾"	10½"	2"	99KAC	\$53

Features [▶ See page 13](#)
Finishes & Materials A1

Standard Includes

- Work tool: black or clear plastic

How to Specify

- 1 Model
- 2 Plastic color:
B = Black
C = Clear

Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx


Note: They are not recommended for use on Xsite Traxx or load bars.

Plastic Work Tools

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
----------	----------	----------	--------------	--------------

File Pocket

13/4"	113/4"	91/4"	99KFTP	\$21
-------	--------	-------	---------------	------

(interior dimensions)

Photo/Document Displays

8 ¹⁵ / ₁₆ "	12"	99K0912PDD	\$38
11 ⁷ / ₁₆ "	12"	99K1212PDD	38
17 ⁵ / ₈ "	12"	99K1812PDD	42

File pockets may be used with:

- Slat tiles
- Wall-mounted Traxx
- Xsite storage tiles
- Xsite tip-out drawers
- Standard letter-size file drawers

Photo/document displays may be used with:

- Metal slat tiles
- Wall-mounted Traxx
- Xsite Traxx

Features [▶ See page 13](#)
Finishes & Materials A1

Standard Includes

- File pocket: frosty white
- Photo/document display: clear acrylic

How to Specify


- 1 Model

Organizational Tools

Pricing

GSA SIN 711-8

Features [▶ See page 13](#)
Finishes & Materials [A1](#)



D	W	H	Model	Planning Factors	Price
Carousel Center Drawer					
8¼"	13⅝"	1⅜"	99K0817CDR	Rotates 360°. 8¼" front-to-back and 13⅝" side-to-side clearance required.	\$65
Carousel Tray					
15¼"	23¾"	1¾"	99K1624CT	Rotates 360°. 16" front-to-back and 24" side-to-side clearance required.	\$106
Plastic Center Drawer (non-locking)					
19¾"	22"	2"	99K1922CD	Cannot be used under a 24"D worksurface when using a recessed modesty panel.	\$66
Wood Center Drawer (non-locking)					
22⅝"	24"	2⅜"	99K2424CD	For use with Footprint components. Center drawers cannot be used under a 24"D worksurface when using a modesty panel. Interior drawer dimensions: 13⅞"D x 18¾"W.	\$242
Pencil Trays					
<i>For Use in 15"W Footprint® Pedestals and Hum. Minds at Work.® Pedestals</i>					
5½"	12"	1⅞"	99K0612PT		\$21
<i>For Use in 15"W Priority™, Transcend®, Fluent®, and Definition® Pedestals</i>					
4⅞"	11⅞"	1⅞"	99K0512PT		\$21
<i>For Use in 18"W Priority™, Transcend®, Footprint®, Fluent®, and Definition® Pedestals</i>					
5½"	15"	1⅞"	99K0515PT		\$27
Drawer Organizer					
11¾"	10½"	1⅝"	99K1211DO	Fits any letter-width box or file drawer. When expanded, organizer fits most legal-width drawers or 18"D lateral file drawers.	\$95

Standard Includes

- Carousel center drawer: clear plastic
- Carousel tray, plastic center drawer, and pencil trays: black plastic
- Wood center drawer: paint or wood finishes
- Drawer organizer includes dispensers for tape and sticky notes: black plastic

How to Specify

Wood Center Drawer

- ① Model
- ② **W** = Wood
P = Paint
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

All Others

- ① Model

▶ See the Caseloads Price List for series-specific center drawers.


Organizational Tools

Pricing

continued

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Box Drawer Dividers					
<i>For Use in Footprint® Flat Profile and Hum Box Drawers</i>					
12 ⁵ / ₈ "	3 ³ / ₁₆ "		99K1303DD		\$13
<i>For Use in Footprint Square Profile Box Drawers and Priority 18"W Pedestals</i>					
14 ¹ / ₄ "	2 ¹ / ₂ "		99K1402DD		\$13
<i>For Use in Footprint Radius Profile Box Drawers</i>					
12"	2 ¹ / ₂ "		99K1202DD		\$13
Overhead/Shelf Dividers (set of 3)					
6"	9 ¹ / ₄ "	7"	99K9SD		\$67
CD Holder					
5 ¹ / ₂ "	12 ⁵ / ₈ "	6 ¹ / ₂ "	99KFDCDH	Holds 24 cases. For use in a drawer.	\$31
Coat Hook					
1 ¹ / ₄ " dia.			99KCH	Works with Xsite® Traxx®, slat tiles, wall-mount Traxx, Cetra®, and Interworks® EQ. Use of coat hook with slat tiles requires the removal of end trim and trim channels before installation.	\$27
Utility Hook					
1 ¹ / ₂ "	3 ⁴ / ₄ "	1 ¹ / ₂ "	99KUH	Works with Cetra panels. Hook is secured in place by panel top cap.	\$24



Features [▶ See page 13](#)
Finishes & Materials [A1](#)

Standard Includes

- Box drawer dividers: black plastic
- Overhead/shelf divider, coat hook, CD holder, and utility hook: cinder

How to Specify

Coat Hook

- ① Model
- ② Application:
 - C** = Cetra
 - X** = Xsite, Traxx, or Slat Tiles
 - I** = Interworks EQ

All Others


- ① Model

Organizational Tools

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Front-to-Back File Bars					
<i>For Use in 17"D Caseloads File Drawers</i>					
17 ¹ / ₁₆ "	13 ³ / ₁₆ "		99K17FBFB3	Allows for front-to-back letter filing. Set of three. One file bar used per drawer.	\$59
<i>For Use in 25"D Caseloads File Drawers</i>					
25 ¹ / ₈ "	13 ³ / ₁₆ "		99K25FBFB6	Allows for front-to-back letter filing. Set of six. Two file bars used per drawer.	\$87
<i>For Use in LF Series™, and Fundamental™, and Footprint® Flat Profile Undersurface Lateral File Drawers</i>					
15 ³ / ₄ "	11 ¹ / ₈ "	1 ³ / ₄ "	99KFFB	Allows for front-to-back letter filing. Set of two. One set of dividers required per drawer. Front-to-back file bars provide 2 rows of letter or 1 row of legal in 30"W file, 2 rows of letter or 2 rows of legal in 36"W file, 3 rows of letter or 2 rows of legal in 42"W file.	\$24
Side-to-Side File Bars					
<i>For Use in Footprint Flat Profile Metal Pedestals and File Centers, and Hum. Minds at Work.™ File Drawers</i>					
3 ³ / ₄ "	11 ¹⁵ / ₁₆ "	3 ³ / ₄ "	99KFB	Set of two.	\$24

Features [▶ See page 13](#)
Finishes & Materials A1

Standard Includes

- File bars: black

How to Specify

- 1 Model


Collaboration Tools

Pricing

Mobile Screens

GSA SIN 711-8
COM GSA Non-Contract

D	W	H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
Fabric Starter Screen								
1¾"	23⅞"	67½"	99K2468MSSF	\$564	\$604	\$628	\$670	\$730
	29⅞"		99K3068MSSF	592	638	670	718	790
Fabric Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAF	\$564	\$604	\$628	\$670	\$730
	29⅞"		99K3068MSAF	592	638	670	718	790
D	W	H	Model	Price				
Translucent Starter Screen								
1¾"	23⅞"	67½"	99K2468MSST					\$681
	29⅞"		99K3068MSST					777
Translucent Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAT					\$678
	29⅞"		99K3068MSAT					772
Markerboard Starter Screen								
1¾"	23⅞"	67½"	99K2468MSSM					\$694
	29⅞"		99K3068MSSM					830
Markerboard Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAM					\$686
	29⅞"		99K3068MSAM					828



Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features [▶ See page 13](#)
Finishes & Materials [A1](#)

Standard Includes

- Screen: fabric, translucent plastic, or 409M Icey White markerboard
- Two casters on starter screens; one caster on add-on models

Planning Factors

A minimum of two screens are required for screens to stand. For safety and stability, the angle of screens must not exceed 115°.

Only one starter screen can be used for each grouping. Additional screens must be add-ons.

How to Specify

Fabric

- ① Model
- ② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
- ③ Fabric grade
- ④ Fabric number

Translucent and Markerboard

- ① Model
- ② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)




Collaboration Tools

Pricing

Tackboards & Markerboards

GSA SIN 711-8
COM GSA Non-Contract

Fabric Price Grade								
D	W	H	Model	A or COM	B	C	D	E
Wall-Mount Tackboards								
7⁄8"	30"	20"	99K3020TBW	\$158	\$181	\$197	\$221	\$257
	36"		99K3620TBW	181	204	220	244	280
	42"		99K4220TBW	191	214	230	254	290
	48"		99K4820TBW	204	227	243	267	303
D	W	H	Model	Price				
Wall-Mount Markerboards								
3⁄4"	29 13⁄16"	30"	99K3030MBW	\$444				
	35 13⁄16"		99K3630MBW	462				
	41 13⁄16"		99K4230MBW	515				
	47 13⁄16"		99K4830MBW	607				
	59 13⁄16"	36"	99K6036MBW	753				
Hanging Markerboard Tile								
2 3⁄4"	19"	14 3⁄4"	99K1915HMT	\$224				
Name/Sign Holder								
3⁄8"	4 3⁄8"	4 3⁄8"	99K0404NH	\$137				



Hanging markerboard tile may be used with:

- Xsite Traxx
- Metal slat tiles
- Lower mobile table screens.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features [▶ See page 13](#)
Finishes & Materials [A1](#)

Standard Includes

- Wall-mount tackboards: fabric on one side
- Wall-mount markerboards: black tray and 409M Icey White marker-board
- Mounting hardware for wall-mount models
- Hanging markerboard tile: cinder frame with porcelain markerboard surface.
- Name/sign holder: double-faced tape and blinder for hard surface applications or appropriate mounting bracket for panels or slat tiles

How to Specify

Tackboards


- ① Model
- ② Fabric grade
- ③ Fabric number

Markerboards and Markerboard Tiles

- ① Model

Name/Sign Holder


- ① Model
- ② Application:
 - H** = Hard surfaces, including Hum central and return screens
 - C** = Cetra panels
 - X** = Xsite panels or slat tiles
 - I** = Interworks EQ panels
- ③ Finish:
 - B** = Black
 - P** = Platinum



Single-Monitor Arms

Select slat, clamp, grommet/
bolt-through, or Xsede accessory rail
mount.


- See page 29 for product info.
- See page 30 to specify.



Dual-Monitor Arms with Cross Bar

Select clamp or grommet/bolt-through
mount.


- See page 29 for product info.
- See page 30 to specify.



Adjustable Keyboard Kits


Available in manual or intuitive
adjusting models.

- See page 31 to specify.



Sit-to-Stand Keyboard Kit

- See page 31 to specify.



Keyboard Adjusters

- See page 31 to specify.




Wood Keyboard Drawer

- See page 32 to specify.




Keyboard Trays

- See page 32 to specify.




Corner Sleeve

- See page 32 to specify.



Hanging CPU Holder

- See page 33 to specify.




Mobile CPU Cart

- See page 33 to specify.



Laptop/Equipment Lock


- See page 33 to specify.



Grommets

Available in metal, plastic, and
desktop through-mount models.


- See page 34 to specify.



Vertical Cable Managers


Available in expandable, flexchain,
and adhesive-style models.

- See page 36 to specify.




Horizontal Cable Managers

- See page 37 to specify.



Wire Manager Fillers

- See page 38 to specify.




Ashley Duo™ Clamp-Mount Power/USB Center
➤ See page 39 to specify.




Clamp-On Power Module
➤ See page 39 to specify.




Clamp-On Voice/Data Module
➤ See page 39 to specify.




Surface-Mount Power/USB Center
➤ See page 40 to specify.




Power Module
➤ See page 40 to specify.



Voice/Data Module
➤ See page 40 to specify.




Salt™ USB Unit
➤ See page 41 to specify.




Pepper™ Power Unit
➤ See page 41 to specify.




Node™ Power Center
➤ See page 41 to specify.




Node™ Power/USB Center
➤ See page 41 to specify.




Pull-Up Power/USB Grommet
➤ See page 42 to specify.




Retractable Power/Communication Center
➤ See page 42 to specify.



Power/Communication Grommet
➤ See page 42 to specify.




Single-Sided Pneumatic Pop-Up Power/Data Centers
➤ See page 43 to specify.




Power/Data Center
➤ See page 43 to specify.

continued




Power/Data Center

➤ See page 43 to specify.




Ashley Duo™ Power/USB Center

➤ See page 44 to specify.




Ashley Trio+™ Power/Data/USB Center

➤ See page 44 to specify.



Mho® Retractable Power/Data Center

➤ See page 45 to specify.



Mho® Retractable Power/Data/USB Center

➤ See page 45 to specify.



Pop-Up Power/Data Center

➤ See page 45 to specify.




Vault Turnbox Power/USB Center

➤ See page 46 to specify.




Vault Turnbox Power/Data/USB Center

➤ See page 46 to specify.




Double-Sided Pneumatic Pop-Up Power/Data/USB Centers

➤ See page 47 to specify.




M2X Retractable Power/Data Center and Power/Data/USB/HDMI/VGA Center

➤ See page 47 to specify.




E2X Power/Data Center

➤ See page 48 to specify.




40" Rectangular Power/Data Center

➤ See page 48 to specify.




Mini-Tap® Undersurface Power Unit

➤ See page 49 to specify.



Mini-Tap® Undersurface Power/USB Unit

➤ See page 49 to specify.




Power Outlet Strip

➤ See page 49 to specify.

Power and voice/data modules provide convenient access to power and data on the worksurface. Modules slip securely into worksurface wire manager; no field scribing is necessary and they may be relocated as needed.

Keyboard kits, adjusters, or trays attach below the surface to provide adjustability and storage for computer keyboards.

Wire manager fillers provide a finished end to wire manager at the end of a worksurface.




Monitor arms can be positioned at optimum height and distance to minimize strain and fatigue, preventing discomfort and injury.

Grommets are available for field installation to allow cords and cables to pass through the worksurface. ▶ See the applicable price list for factory-installed grommets.


Mobile CPU cart provides easy access to the back of your unit. It automatically adjusts to support CPUs up to 9"W. It adds 3¾" to the height of the installed CPU.

Flexchain Data Area




Power Area

Flexchain manages cables and power-in feeds from under the surface to the floor. Flexchain U-bracket, specified separately, mounts to a standard wall outlet to manage cords from the outlet to under the surface. Flexchain has a center area for electrical cords and power in-feeds, and two side areas for data cables.




Undersurface cable manager is available to manage cords and cables under the worksurface. Cables pressure fit between loops.



Single-sided pneumatic pop-up power/data centers provide convenient access to power and USB ports at worksurface height. Field scribing of surface is required.



Expandable cable manager provides cable management from under the worksurface to the floor. It is ideal for use with height-adjustable tables.



Wireless presentation systems are available. ▶ See the Meeting & Collaboration Price List.

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

Only keyboard kit models 99K1706KK2 and 99K1706KK1 work with Priority support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	Keyboard Arm Model
Priority™	99K2208KK1
	99K2319KKS1
Definition®	99K2208KK1
	99K2319KKS1
Transcend®	99K2208KK1
	99K2319KKS1
Footprint®	99K2319KKS1

For use in corner applications.


Monitor Arms

Product Information


Features ▶ See page 28
Finishes & Materials A1

Single and Dual

Details



Single



Dual
(with crossbar)

Monitor arms in this collection feature 4D adjustment, adjusting in and out, up and down, swiveling left and right, and tilting back and forward.


Arm with integrated cable management reach is 20" on single models and 22" on dual models. Height adjustment range is 10" on single models and 11½" on dual models.

Monitors up to 20 lbs. can be accommodated. Single-monitor arm supports one monitor between 4–20 lbs. Dual-monitor arm supports two monitors from 8–20 lbs. each and features a crossbar design with Allen head screws to keep monitors secure in public areas.


Note: Dual-arm monitors must have two monitors attached at all times for balance.

100mm x 100mm VESA plates are standard. A 75mm x 75mm plate can be accommodated. The standard VESA plates are not compatible with Apple monitors.


▶ Contact Apple Computer directly to purchase an appropriate VESA plate separately.




Slat



Clamp




Grommet




Accessory Rail

Single-monitor arms are available in slat-mount, clamp-mount, grommet/bolt-through, and Xsede accessory rail models.




Clamp



Grommet

Dual-monitor arms are available in clamp-mount and grommet/bolt-through models.

Connections




Slat-mount single-monitor arms are for use on metal slat tiles.

The number of single-monitor arms per slat tile is limited:


- Wall-mounted, full, metal slat tiles accommodate one monitor arm per tile. Trim channels included with the slat tile must be used.
- 24" or 30"W Cetra slat tiles accommodate one monitor arm per tile.
- 18", 24", or 30"W 1-high or 2-high Xsite slat tiles accommodate one monitor arm per tile. 2-high Xsite slat tiles require an extra mid-frame support for stability, specified separately. Trim channels included with the slat tile must be used.
- Xsite technology tile can hold two monitors per tile.
- Priority slat or fabric/slat tiles will accommodate two monitor arms if spaced at least 24" apart.
- Xsede slat tiles will accommodate two monitor arms if spaced at least 24" apart.

Slat-mount model cannot be used on wall-mounted Traxx, wall-mounted fabric/slat tiles, or Xsite Traxx.



Clamp-mount models must be mounted on the straight edge of a 1⅜" or 1⅞" worksurface; they are not applicable for knife, reverse knife, and sloped edge profile surfaces. When using on wire manager work-surfaces, the hard plastic underneath will have to be notched so the clamp is flush to a straight edge. The flexible topside durometer will bend.

Note: Clamp-mount models compatible with Xsede can be mounted to the back of the worksurface.



Grommet/bolt-through models can be used in holes up to 2.3" in diameter. They cannot be placed over a pedestal, modesty panel, or support panel. They can be used with 1⅜" or 1⅞" worksurfaces. Bolt-through application can utilize a hole as small as ½" in the surface.

▶ Refer to assembly instructions.

Planning Factors

IMPORTANT: Monitor mounts are specific to arm style and are not interchangeable between single and dual monitor applications.

Dual-monitor arms with cross bar can be used for a single-monitor application; however, the cross bar would be exposed.

Monitor Arms

Pricing

Single and Dual

GSA Non-Contract






Features [▶ See page 28](#)
Finishes & Materials A1

Standard Includes

- Monitor arm: silver finish with gray trim
- 100mm x 100mm VESA plate
- Slat, clamp, or grommet mounting bracket

How to Specify

- ① Model



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Single-Monitor Arms				
<i>Slat Mount</i>				
20 ⁵ / ₁₆ "	4 ¹ / ₂ "	14 ¹ / ₁₆ "	99KSMAM2SMS	\$429
<i>Clamp Mount*</i>				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2CMS	\$429
<i>Grommet/Bolt-Through Mount</i>				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2GMS	\$429
<i>Xsede Accessory-Rail Mount</i>				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2ARMS	\$416
Dual-Monitor Arms with Crossbar				
<i>Clamp Mount*</i>				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8CMS	\$857
<i>Clamp Mount for Use with Xsede Wire Gap Worksurfaces</i>				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8LCMS	\$830
<i>Grommet/Bolt-Through Mount</i>				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8GMS	\$857




*This model is not compatible with Xsede.

Keyboard Supports


Pricing

GSA SIN 711-8

Features [▶ See page 28](#)
Finishes & Materials A1



Note: Mounting slide is not shown on the illustrations above.



D	W	H	Model	Tray Tilt Adjustment	Vertical Adjustment*		Rotation	Price
					Above Surface	Below Surface		
Adjustable Keyboard Kits								
Manual Adjustment								
17"	28½"	6"	99K1706KK2	-15° to +15°	11⅜"	6⅞"	360°	\$534
22"	28½"	8"	99K2208KK2	-15° to +15°	15⅞"	7⅜"	360°	587
Intuitive Adjustment								
17"	28½"	6"	99K1706KK1	-15° to +10°	17⅞"	615⁄16"	360°	\$620
22"	28½"	8"	99K2208KK1	-15° to +10°	211⁄16"	8"	360°	682
Sit-to-Stand Adjustable Keyboard Kit								
Intuitive Adjustment								
23"	28½"	10¾"	99K2319KKS1	-10° to +15°	8"	69⁄16"	360°	\$719
Keyboard Adjusters								
For Use on 42"W Straight Adjustable Split Corner Worksurface (1⅜"); set of 2 (one required per worksurface)								
13"	8"	3"	99K42KA	-12° to +18°	1" (Lockable)	3"	—	\$648
For Use on 48"W Straight Adjustable Split Corner Worksurface (1⅜")								
25"	30¾"	61⁄8"	99K48KA	-15° to +9°	1" (Lockable)	5"	—	\$845

*Vertical adjustment dimensions are based on 1⅜"-thick worksurface; they can also be used on 1⅞"-thick worksurfaces.

Planning Factors

17"D adjustable keyboard kits are recommended for bridge applications; 22" and 23"D adjustable keyboard kits can be used in corner-mount applications.

Width of keyboard kits includes mouse tray. Keyboard tray is 20⅞"W; mouse tray is 9" in diameter and is non-handed for mounting on the left or right.

Manual and intuitive adjustable keyboard kits slide in and out under the surface.

Keyboard kits will not be flush with the worksurface edge (in the stored, recessed position) when mounted in accordance with the manufacturer's directions.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

▶ See page 28 for a cross reference chart by furniture series of keyboard kits that comply to ANSI/HFES Method 2.

Standard Includes

Adjustable Keyboard Kit

- Keyboard arm: black
- Foam gel wrist rest: black
- High-density polyethylene tray and ABS mouse tray: black

How to Specify



- 1 Model

Keyboard Support

Pricing

GSA SIN 711-8

Features [▶ See page 28](#)
Finishes & Materials A1



D	W	H	Model	Planning Factors	Price
Wood Keyboard Drawer					
17 ¹ / ₄ "	25 ⁵ / ₈ "	4 ¹ / ₈ "	99K1826KDW	For use under 29"H worksurface; 18" front-to-back and 27" side-to-side clearance required under worksurface. Locks into position when in use.	\$399
Keyboard Tray					
14"	23 ¹ / ₂ "	3"	99K1424KT	For use under 29"H worksurface; 15" front-to-back and 25 ¹ / ₂ " side-to-side clearance required. Locks into position when in use.	\$132
Keyboard Tray with Sliding Mouse Pad					
19"	24"	2 ³ / ₈ "	99K1924KTM	Features adjustable palm rest and sliding mouse pad. Height can range from 2 ¹¹ / ₃₂ " to 3 ¹¹ / ₁₆ " in ⁷ / ₃₂ " increments. 20" front-to-back and 26" side-to-side clearance required under the worksurface.	\$395
Corner Sleeve					
<i>For Use with 1³/₁₆" Worksurfaces</i>					
11 ⁹ / ₁₆ "	22"	1 ³ / ₈ "	99K1222SL2	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	\$124
<i>For Use with 1⁹/₁₆" Worksurfaces</i>					
11 ³ / ₄ "	22"	1 ³ / ₄ "	99K1222SL	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	\$124

Keyboard drawers and trays are not for use with Priority Progressive work-surfaces, as they will conflict with the undersurface support rails.

Exceptions: Due to the extra clearance afforded by the shape of corner worksurfaces, keyboard tray model 99K1424KT can be used on Priority Progressive 90° corner surfaces; all keyboard drawer and tray models on this page can be used on Priority Progressive 120° corner surfaces.

Standard Includes

Keyboard Tray

- Metal tray: Matte black
- Sliding mouse pad and adjustable palm rest on applicable model

Corner Sleeve

- Metal sleeve: Black textured finish

How to Specify

Wood Keyboard Drawer

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

All Others

- ① Model




CPU Supports

Pricing

GSA SIN 711-8
† GSA Non-Contract

Features [▶ See page 28](#)
Finishes & Materials A1

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Hanging CPU Holder					
9 ⁵ / ₈ "	6 ⁹ / ₁₆ "	18 ¹ / ₂ "	99KCPUH	7 ¹ / ₂ " depth adjustment, 5 ³ / ₄ " width adjustment, and 9" height adjustment. Black. Attaches to underside of worksurface. Swivels 360°. Hanging CPU holder is not for use with Priority Progressive undersurface support rails.	\$244
Mobile CPU Cart †					
15"	8 ¹ / ₂ "	8 ⁵ / ₁₆ "	99KCPUMCB	Black. Adjusts to support CPUs up to 9"W and 40 lbs. Adds 3 ³ / ₄ " to height of installed CPU.	\$153
Laptop/Equipment Lock System †					
39"			99KLTLC	39" long x 1/4" diameter nylon-jacketed stainless steel cable. Includes two Kimball Office lock cores (one on each end; keyed randomly between 001–005), one key, and one anchor. Locks into laptop, printer, CPU tower, or other portable electronic equipment, as well as specifically designed slots in Hum, Scenario, and Perks power/data drawers. Anchor can be field installed into any wood-based panel or worksurface.	\$71



How to Specify

- 1 Model

Cable Management

Pricing

Grommets

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Finish/Material</i>	<i>For Use With</i>	<i>Price</i>
Round Metal G7 Grommets						
2 1/2" dia.	1 1/8"		99KG7MB	Matte Black metal	Definition®, Innsbruck™, Transcend®	\$40
2 1/2" dia.	1 1/8"		99KG7PL	Platinum Metallic metal	Definition	40
2 1/2" dia.	1 1/8"		99KG7SN	Satin Nickel metal	Transcend	40
2 1/2" dia.	1 1/8"		99KG7AB	Antique Brass metal	President™, Senator®	40
Round Metal G19 (G12) Grommets with Locking Cap and Brush Access						
2 5/8" dia.	3/4"		99KG19PL	Platinum Metallic metal	Definition, Dock, Priority™, Scenario® 1 3/16", Xsede™	\$50
2 5/8" dia.	3/4"		99KG19DW	Designer White metal	Definition, Dock, Priority, Scenario 1 3/16", Xsede	50
2 5/8" dia.	3/4"		99KG19CM	Carbon Metallic metal	Definition, Dock, Priority, Scenario 1 3/16", Xsede	50
2 5/8" dia.	3/4"		99KG19490	Polished Chrome metal	Definition, Xsede, Priority	50
2 5/8" dia.	3/4"		99KG19487	Brushed Nickel metal	Definition, Xsede, Priority	50
2 5/8" dia.	3/4"		99KG19544	Silver Pearl metal	Definition, Dock, Priority, Scenario 1 3/16", Xsede	50
2 5/8" dia.	3/4"		99KG12MN	Matte Nickel metal	Hum. Minds at Work.®	50
Round Plastic G50, G60, G65, and G80 Grommets						
2 5/16"	3/4"		99KG50	Matte Black plastic	Footprint®	\$24
2 3/4"	3/4"		99KG60	Matte Black plastic	Dock, Footprint, Priority, Scenario 1 3/16"	24
2 3/4"	3/4"		99KG65	Silver plastic	Dock, Footprint, Priority, Scenario 1 3/16"	24
3 1/2"	1"		99KG80	Matte Black plastic	Footprint	26

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

How to Specify

1 Model

Note: Grommets maybe used in any worksurface, except Scenario 1/2"-thick tops.

Cable Management

Pricing

Grommets, continued

GSA SIN 711-8
† GSA Contract Pending

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Finish/Material</i>	<i>For Use With</i>	<i>Price</i>
Rectangular Plastic G90 Grommets						
4 ¹ / ₈ "	2 ⁵ / ₈ "	1 ¹ / ₈ "	99KG90	Matte Black plastic	Also compatible with power/data center model 99K0208ELPDC when a sleeve insert is desired.	\$25
Rectangular Metal G18 Grommets						
2 ³ / ₄ "	7 ¹ / ₄ "	1 ³ / ₁₆ "	99KG18SS	Silver Satin Aluminum	Fluent®	\$75
Square Metal G17 Grommets						
2 ³ / ₄ "	2 ³ / ₄ "	1 ³ / ₁₆ "	99KG17SS	Silver Satin Aluminum	Fluent	\$40
Rectangular Metal C31 Single-Sided Access Grommet						
3 ¹⁵ / ₁₆ "	9 ⁵ / ₁₆ "	9 ¹ / ₁₆ "	KCEK31SAA †	Anodized aluminum; fits 3 ²¹ / ₃₂ " x 9 ³ / ₁₆ " cut-out.		\$134
Rectangular Metal C30 Dual-Sided Access Grommet						
4 ¹¹ / ₃₂ "	12 ¹⁹ / ₃₂ "	1 ⁵ / ₁₆ "	KCEK30DAA †	Anodized aluminum; fits 4 ¹ / ₃₂ " x 12 ⁹ / ₃₂ " cut-out.		\$242

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

How to Specify

1 Model

Note: Grommets maybe used in any worksurface, except Scenario 1/2"-thick tops.


Cable Management

Pricing

Vertical Cable Managers

GSA SIN 711-8
† GSA Contract Pending

D	W	H	Model	Planning Factors	Price
Flexchain Cable Manager					
21½"	37⁄8"	363⁄8"	99K36CMFC	Connects to the underside of worksurface to route cables and power-infeeds to the floor	\$165
Flexchain U-Bracket					
			99KFCB	Connects a flexchain to wall outlet.	\$21
Expandable Cable Manager					
6"	3¾"	7–48"	99KECMB	Weighted base; ideal for height-adjustable tables.	\$158
4¾"		7–435⁄16"	KCUCMHW †	White base with neutral brushes	201
4¾"		7–435⁄16"	KCUCMHC †	Chrome base with black brushes	201
Vertical Cable Managers for Caseloads					
Black					
	17¾"		99K18WMV	For use with caseload products to manage cords on a vertical surface; attaches to surface with double-sided adhesive.	\$55
Semi-Translucent (set of 4)					
15⁄16"	9⁄16"	193⁄16"	99K19WMV	For use with Fluent highback support assembly leg to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	\$37
15⁄16"	9⁄16"	265⁄8"	99K27WMV	For use with Fluent leg assembly, Priority U-legs and open-frame legs to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	52



Systems-Specific Vertical Cable Managers
▶ See the Systems Price List.

Features ▶ See page 28
Finishes & Materials A1

Standard Includes

- Flexchain cable manager: clear
- Flexchain U-bracket: black
- Expandable cable manager: ABS black plastic; attachment hardware included
- Vertical cable managers: black or semi-translucent white polypropylene

How to Specify

- 1 Model

Cable Management

Pricing

Horizontal Cable Managers

GSA SIN 711-8
† GSA Contract Pending

D	W	H	Model	Planning Factors	Price
---	---	---	-------	------------------	-------

U-Shaped Cable Manager (set of 6)

2"	40"	2"	99K40WMHU	For use under a worksurface. Each section of 40" in length; cut to size.	\$68
----	-----	----	------------------	---	------

W-Shaped Cable Manager (set of 6)




3"	29½"	1½"	99K30WMHW	For use under a worksurface. Each section is 29½" in length; cut to size.	\$89
----	------	-----	------------------	--	------

Loop-Style Cable Manager (set of 6)

29¼"	3½"	19¼"	99KCMU	Individual loops. Openings are 1"D x 5⅝"W x 1"H and can be removed to expand individual capacity.	\$53
------	-----	------	---------------	--	------

P-Shaped Cable Managers

2⅜"	24"	1⅝"	KCE24LJWM †		\$43
2⅜"	30"	1⅝"	KCE30LJWM †		49
2⅜"	36"	1⅝"	KCE36LJWM †		55
2⅜"	48"	1⅝"	KCE48LJWM †		59



Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

- Cable manager(s): black plastic
- Dual-stick tape with P-shaped models

How to Specify

- 1 Model


Cable Management

Pricing

Wire Manager Fillers

GSA SIN 711-8

D	W	H	Model	Description	Price
Foam Wire Manager Fillers					
6"	7/8"	11/16"	99KWMF	Set of 6. For use on surfaces with square or knife rim profile.	\$39
Metal Wire Manager Filler					
3"	15/16"	11/16"	99KWMF2	For use on surfaces with knife rim profile on the side edge.	\$23



Footprint Wire Manager Filler Cap
➤See the Systems Price List.

Standard Includes

- Wire manager filler

How to Specify

Foam Wire Manager Filler

- ① Model

Metal Wire Manager Filler

- ① Model
- ② Finish designator


Power/Data/Voice Accessories

Pricing

Clamp Mount

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Ashley Duo™ Clamp-Mount Power/USB Center					
5½"	7½"		KCE0306ADCM	Clamp mount adjusts to accommodate ½" - to 1½"-thick surfaces. When installed, unit height is 3" above the surface. For use with P, J, or F rim profiles. Not for use with knife rim, reverse knife rim, sloped edge, or wire manager surfaces.	\$308
Clamp-on Power Module					
2⅝"	3⅝"	2"	99KELPM2	Clamp hand tightens and can be removed. Can be secured to worksurfaces up to 1⅞" thick.	\$164
Clamp-on Voice/Data Module					
2⅝"	3⅝"	2"	99KELDM2	Two openings. Does not include jacks; end user supplies jacks, cabling, and voice/data connection to work with standard, keystone-style CAT3, CAT5, CAT5e, and CAT6 jacks or couplers, Avaya (Lucent) proprietary jacks, Orthonics CAT5, CAT5e, and CAT6, or blanks for no opening. Clamp hand tightens and can be removed.	\$141



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Ashley Duo

- Two 15-amp receptacles
- Two 2.1 amp USB ports
- Black or white housing
- 6'L cord in matching color

Clamp-On Power Module

- Two 15-amp NEMA-rated receptacles
- 9'L grounded cord with 15-amp plug: black
- Black housing

Clamp-on Voice/Data Module

- Data jack adapter bezel tree
- Black housing

How to Specify

Ashley Duo

- 1 Model
- 2 Housing color:
WW = White
BB = Black

Clamp-On Power Module or Voice/Data Module


- 1 Model

Power/Data/Voice Accessories

Pricing

Above-Surface Mount

GSA SIN 711-8



Data modules accept CAT5 and CAT6 cabling. Siemens CAT6 jacks are recommended.

Data ports accept Amp Flex-Mode and Panduit Mod-Corn connector modules. Contact your local data communications supplier for the appropriate connector modules.

All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Surface-Mount Power/USB Center					
2¾"	7⅝"	2⅛"	99K0207PDB	Mounts on top of surface with non-skid bottom; no field scribing required.	\$589
Power Module					
2⅛"	3"	3¾" (cover open) 2" (cover closed)	99KELPM	Fits into worksurface wire manager. Not for use on Hum. Minds at Work.® or Scenario® ½" surfaces.	\$151
Voice/Data Module					
2⅛"	3"	3¾" (cover open) 2" (cover closed)	99KELDM	Two 1½"D x 1⅓"W x 2¾"H openings. Can replace fittings and cables with CAT5 or CAT6 fittings and cables; not provided. Fits into worksurface wire manager. Not for use on Hum or Scenario ½" surfaces.	\$171

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Surface-Mount Power/USB Center

- One 2-amp USB duplex for charging electronics
- Three power outlets
- 10' 15-amp power cord
- Housing: black or white high-gloss plastic

Power Module

- Two 15-amp NEMA-rated receptacles
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

Voice/Data Module

- Two CAT5e-certified RJ45 fittings (ports)
- Two 6'L CAT5e cables with jacks on either end
- Black housing with frost cover

How to Specify

Surface-Mount Power/USB Center

- 1 Model
- 2 Housing color:
W = White
B = Black

Power Module or Voice/Data Module

- 1 Model




Power/Data/Voice Accessories

Pricing

Surface Mount

GSA SIN 711-8

Diameter	H	Model	Planning Factors	Price
Salt™ USB Unit				
2"	2 1/8"	KCE02SUSM	1 3/4"-diameter surface cut-out required. Unit extends 1/8" above the surface when installed.	\$195
Pepper™ Power Center				
2"	2 1/8"	KCE02PPSM	1 3/4"-diameter surface cut-out required. Unit extends 1/8" above the surface when installed.	\$69
Node™ Power Center				
3 3/8"		KCEBN20PP		\$186
Node™ Power/USB Center				
3 3/8"		KCEBN11PU		\$287



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Salt USB Unit

- 2 two-amp USB ports
- Housing: white or black
- 6' cord in matching color

Pepper Power Unit

- 1 receptacle
- Housing: white or black
- 6' cord in matching color

Node Power Center

- 10' cord with three-prong plug
- Two power receptacles
- Metallic silver powdercoat finish
- Fits C6 cut-out

Node Power/USB Center

- 10' cord with three-prong plug
- One power receptacle
- One duplex USB
- Metallic silver powdercoat finish
- Fits C6 cut-out

How to Specify

Salt USB Unit or Pepper Power Unit

- 1 Model
- 2 Housing color:
W = White
B = Black

Node Power or Power/USB Center

- 1 Model



Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8
† GSA Non-Contract

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Pull-Up Power/USB Grommet					
2 ³ / ₈ "	1 1 ¹ / ₄ "		KCE0211PUPUGMB †	2 ³ / ₈ "-diameter surface cut-out required. In stored position, unit extends 11 ⁵ / ₈ " below the surface. Unit sits flush on surface when in use.	\$245
Retractable Power/Communication Center					
4 ¹ / ₈ "	2 ⁵ / ₈ "	10 ¹ / ₄ "	99KELPDCR	Includes one 1 ¹ / ₂ "D x 1 ³ / ₈ "W x 2 ³ / ₄ "H opening. Extends 7" above surface; for use in open kneespace only. Interior septum provides complete separation of power and communication utilities. Accepts Tyco (Amp) Flex-Mode and Panduit Mod-Com connector modules.	\$211
Power/Communication Grommet					
4 ¹ / ₄ " dia.	5 ¹ / ₄ "		99K0405ELPDG	3 ¹ / ₂ "-diameter surface cut-out required.	\$560



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Pull-Up Power/USB Grommet

- Four receptacles
- Two USB ports
- Overcurrent and voltage protection
- 10' black cord
- Finger-pull access
- Black housing

Retractable Power/Communication Center

- Two 15-amp NEMA-rated simplex receptacles (all flush)
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

Power/Communication Grommet

- Two power outlets
- One data port (RJ45)
- One voice port (RJ11)
- 6' grounded cord with 15-amp plug: black
- Plastic housing: black

How to Specify




- 1 Model

Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

D	W	H	Model	Planning Factors	Price
Single-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
47/16"	55/16"	39/16"	99KG21	Silver finish. Requires a 4" x 5" cut-out.	\$472
Power/Data					
47/16"	55/16"	39/16"	99KG22	Silver finish. Requires a 4" x 5" cut-out.	\$472
Power/USB					
47/16"	55/16"	39/16"	99KG26	Silver finish. Requires a 4" x 5" cut-out.	\$361
Power/Data Center					
55/16"	85/16"	35/8"	99KPDCAM	AV adapter kits and voice/data jacks must be provided by the customer. Extends 25/16" below the worksurface. Cannot be used in conjunction with a power/data drawer on 24" or 30"D worksurfaces. Specify a G20 cut-out on Definition®, Priority™, or Scenario® 13/16" surfaces for factory cut-out.	\$467
Hardwire					
55/16"	85/16"	35/8"	99KPDCAMH	For areas where local codes do not accept modular electrical plug-in components.	\$518
Power/Data Center					
21/4"	75/8"	23/4"	99K0208ELPDC	Mounts on top of surface; field scribing required. Extends 23/4" above surface. Compatible with rectangular plastic G90 grommet (model 99KG90) when a sleeve insert is desired.	\$266

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Single-Sided Pneumatic Pop-Up Power/Data Center

- Two power outlets on power/power model
- One power outlet and one data port on power/data model
- One power outlet and two USB ports on power/USB model
- 6' cord

Power/Data Center

- Three 15-amp, 110-volt electrical outlets
- One data port
- 10' power cord
- Housing: silver anodized aluminum

Above-Mount Power/Data Center

- Two simplex receptacles
- Two data port openings
- 6'L grounded cord with 15-amp plug: black
- Housing: black

How to Specify



- 1 Model

Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Ashley Duo™ Power/USB Center					
4"	6½"	2⅞"	KCE0307ADBSMWW	2⅜" x 6" surface cut-out required. Can mount horizontally or vertically.	\$290
Ashley Trio+™ Power/Data/USB Center					
4"	9"	2⅞"	KCE0409ATSMWW	2⅜" x 8½" surface cut-out required. Can mount horizontally or vertically.	\$333

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Ashley Duo

- Two receptacles
- Two USB ports
- Housing: white
- Bezel: white
- 6'L white cord

Ashley Trio+

- Three receptacles
- Two USB ports
- One open port for HDMI, RJ45, or VGA
- Data plate adapter kit
- Housing: white
- Bezel: white
- 6'L white cord

How to Specify

- 1 Model

All electrical accessories are available for field installation only.




U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Mho® Retractable Power/Data Center with Three-Prong Plug					
4 $\frac{3}{8}$ "	8 $\frac{3}{8}$ "		KCEB2PDPS	Fits C4 cut-out.	\$366
Mho® Retractable Power/Data/USB with Three-Prong Plug					
4 $\frac{3}{8}$ "	8 $\frac{3}{8}$ "		KCEB2PDUPS	Fits C4 cut-out.	\$472
Pop-Up Power/Data Center					
4 $\frac{3}{8}$ "	8 $\frac{3}{8}$ "		99KPC2MB	Fits C4 cut-out.	\$560

All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Mho Power/Data Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- Two blank data ports that can accommodate one of eight provided adapter plates
- Silver anodized aluminum body
- Pop-up lid that sits flush with surface when closed

Mho Power/Data/USB Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- One blank data port that can accommodate one of eight provided adapter plates
- One port with two USB charging outlets
- Silver anodized aluminum body
- Pop-up lid that sits flush with surface when closed

Pop-Up Power/Data Center

- Housing: matte black anodized aluminum
- Two simplex power outlets
- Two black voice/data ports
- Adapter kit for couplers and jacks
- 6' 15-amp power cord

How to Specify

- 1 Model

Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8

Features [▶ See page 28](#)
Finishes & Materials [A1](#)



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Vault Turnbox Power/USB Center					
11 ³ / ₄ "	4 ³ / ₈ "	4 ³ / ₈ "	KCE4124PD	Fits C8 cut-out.	\$1195
Vault Turnbox Power/Data/USB Center					
15 ⁷ / ₈ "	4 ³ / ₈ "	4 ³ / ₈ "	KCE4164PD	Fits C9 cut-out.	\$1328

Standard Includes

Power/USB Center

- 12' cord with 15-amp, three-prong plug
- Two 15-amp receptacles
- Two USB ports
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Housing: anodized aluminum finish
- Fits C8 cut-out

Power/Data/USB Center

- 12' cord with 15-amp, three-prong plug
- Three 15-amp receptacles
- One RJ45 CAT5e data port
- One USB port
- One HDMI port
- One VGA port
- Two 3.5mm audio ports
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Housing: anodized aluminum finish
- Fits C9 cut-out

How to Specify

- 1 Model

All electrical accessories are available for field installation only.



U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Double-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG23		\$944
Power/Data					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG24		\$944
Power/USB					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG25		\$1121
M2X Retractable Power/Data Center					
8"	10"	2 ¹ / ₂ "	KCU0810ELPDC	Fits C2 cut-out.	\$976
For Hardwire Application					
8"	10"	2 ¹ / ₂ "	KCU0810ELPDCH	Fits C2 cut-out.	\$1026
M2X Retractable Power/Data/USB/HDMI/VGA Center					
8"	10"	2 ¹ / ₂ "	KCE820ELPDC	Fits C2 cut-out.	\$1211
For Hardwire Application					
8"	10"	2 ¹ / ₂ "	KCE820ELPDCH	Fits C2 cut-out.	\$1211

All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Standard Includes

Double-Sided Pneumatic Pop-Up Power/Data Center

- Three power outlets on each side (six total) on power/power model
- Two power outlets (four total) and one data port on each side (two total) on power/data model
- Side 1 features two power outlets and one open data port; side 2 features one power outlet and two USB
- 6' cord
- Housing: silver anodized aluminum

M2X Power/Data Center

- Four power outlets (2 per side)
- Six blank data ports (3 per side)
- Voice/adaptor kit to accept couplers and jacks
- One touch pivot open/close
- Two 10' power cords
- Housing: silver anodized aluminum

M2X Power/Data/USB/HDMI/VGA Center

- Four power outlets (2 per side)
- Two duplex USB charging ports (1 duplex per side)
- One HDMI port
- One VGA port
- Two blank data ports (1 per side)
- Voice/adaptor kit to accept couplers and jacks
- Two touch pivot open/close
- Two 6' power cords, rated at 15 amps 120 volts (1 per side)
- Housing: silver anodized aluminum

How to Specify

- 1 Model



Power/Data/Voice Accessories

Pricing

Surface Mount, continued

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
E2X Power/Data Center					
11 $\frac{3}{8}$ "	10 $\frac{1}{8}$ "	3 $\frac{1}{2}$ "	KCE1110PDESMAA	Fits C7 cut-out (11" x 9 $\frac{13}{16}$ "). When installed, 2 $\frac{3}{8}$ " of the unit is below the surface.	\$1232
For Hardwire Application					
11 $\frac{3}{8}$ "	10 $\frac{1}{8}$ "	3 $\frac{1}{2}$ "	KCE1110PDEHWSMAA	Fits C7 cut-out (11" x 9 $\frac{13}{16}$ "). When installed, 2 $\frac{3}{8}$ " of the unit is below the surface.	\$1232
40" Rectangular Power/Data Center					
8"	40"	2 $\frac{1}{2}$ "	KCU0840ELPDC	Fits C3 cut-out.	\$2473



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

E2X Power/Data Center

Side 1:

- Three power outlets with 72" power cord
- One VGA DB15HD female with 120" cable
- One USB 2-port simplex charger
- One 3.5mm stereo jack

Side 2:

- Three power outlets with 72" power cord
- One USB 2-port simplex charger
- One HDMI coupler
- One open port
- Housing: silver anodized aluminum

40" Rectangular Power/Data Center

- Eight power receptacles (4 per side [2 left and 2 right])
- Eight blank data ports; 4 left and 4 right (2 on each side)
- Resin center section: white frost
- Voice/adaptor kit to accept couplers and jacks
- One touch pivot open/close
- Four 10' power cords
- Housing: silver anodized aluminum

How to Specify

- 1 Model


Power/Data/Voice Accessories

Pricing

Undersurface Mount

GSA SIN 711-8
† GSA Non-Contract

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Mini-Tap® Power Unit					
3⅜"	3"	1⅜"	KCE0303MTPPUSMB	Mount unit near the worksurface edge for easy access.	\$102
Mini-Tap® Power/USB Unit					
3⅜"	3"	1⅜"	KCE0303MTPUUSMB	Mount unit near the worksurface edge for easy access.	\$220
Power Outlet Strip					
1¾"	10½"	1½"	99KELPS †		\$74



All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features [▶ See page 28](#)
Finishes & Materials [A1](#)

Standard Includes

Mini-Tap Power Unit

- Two receptacles
- Slide mounting hardware
- 6' black cord

Mini-Tap Power/USB Unit


- One receptacle
- Two USB ports
- Slide mounting hardware
- 6' black cord

Power Outlet Strip

- Six outlets
- 10' power cord

How to Specify

- 1 Model



Wireless Charging Transmitter

- See page 52 for product info.
- See page 54 to specify.



Wireless Micro USB Receiver Key

- See page 52 for product info.
- See page 54 to specify.



Wireless IOS USB Receiver Key


- See page 52 for product info.
- See page 54 to specify.



USB Charging Unit

- See page 53 for product info.
- See page 54 to specify.

Details



Jolt wireless power-charging transmitter can be positioned underneath laminate, veneer, solid surface or glass tops to charge IOS and Android devices at a moment's notice.

Jolt wireless transmitter can charge up to three devices at the same time; IOS, Android or Windows.


Unit can charge devices with varying power requirements and different power states at one time. Wireless charging also works on metal encased phones.



Jolt wireless charging receiver key is required for the device you wish to charge in order to receive the signal from the transmitter; specify either a Micro USB or IOS USB based on your device.


Jolt wireless charging does not adversely impact other devices or functions. A power-save mode feature limits the power used when unit is not in use.

Connections



Jolt wireless charging can be used on non-metallic worksurfaces from 1/2" to 1 3/16" thick.

When using a 1/2"-thick worksurface, 1/4" foam tape (included) should be adhered to the underside of the worksurface and then attach the wireless transmitter; a 3/4" minimum thickness allows the transmitter and receiver keys to function properly.



UL listed power adapter with 6' cord attaches to the transmitter once in place on the underside of the worksurface.



Receiver key is then connected to your device and placed in the charging area on top of the worksurface.

Planning Factors


Charging area must be placed a minimum of 2" from all accessible edges.

Place the transmitter at least 9.8" from the user's worksurface edge if using the wireless charging unit on your immediate worksurface or where seating is possible with 8.7" vertical below the worksurface. This area becomes the "charge keep out area." ➤ See assembly instructions for proper use, device locations and installation.

IMPORTANT: Correct installation according to these guidelines is required in order to satisfy FCC RF exposure compliance.




Details



Jolt USB charger provides connectivity and functionality in a clean and flexible way. This USB charger can be adhered to underneath side of work-surfaces so it's readily accessible. Jolt USB charger is capable of charging a variety of devices including phones and tablets; IOS or Android. The front connectors are backlit (blue) indicating that the USB connectors are powered.

Unit charges up to 2 amps per port; devices must be compatible with USB 1.0, 2.0 or 3.0 (Type A).

Connections



USB charger adheres to laminate, veneer, solid surface or glass tops with acrylic foam tape, provided.

USB charger should be mounted 1/8" insert from underside of work-surfaces.



USB charger includes UL listed AC adapter with 10' cord.

Wireless and USB Charging Devices

Pricing

GSA Non-Contract

Statement of Line [▶ See page 51](#)
Finishes & Materials A1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Wireless Charging Transmitter				
9 1/8"	9 1/4"	1 3/16"	97K16WT	\$560
Wireless Micro USB Receiver Key				
2 1/16"			97KMUSBRK	\$81
Wireless IOS USB Receiver Key				
2 1/16"			97KIOSRK	\$99
USB Charging Unit				
1 1/2"	2"	3/4"	97KUSBCU	\$233

Standard Includes

Wireless Charging Transmitter

- Transmitter Device
- 100–240V wall adapter
- AC adapter with 6' cord
- Adhesive to mount unit to the underside of the worksurface

Receiver key

- Key

USB Charging Unit

- Two USB ports
- AC adapter with 10' cord

How to Specify

- 1 Model


IMPORTANT: USB receiver key is required for use with wireless charging transmitter.

All electrical accessories are available for field installation only.

U.L. listed. Any field modification of the electrical components voids the U.L. listing. The customer is responsible for the proper application of products to the local codes under which installation must be made.


▶ See assembly instructions for proper use, device locations, and installation.

and Power System Components




Power/Data Drawers

- See page 57 for product information.
- See page 64 to specify.




Single-Circuit Components

- See page 59 for product information.
- See page 65 to specify.



Four-Circuit (8-Wire) Components

- See page 60 for product information.
- See page 66 for power entries.
- See page 67 for power components.



Hardwire Components

- See page 63 for product information.
- See page 68 to specify.

Power/data drawers and electrical components are for use in open planning and freestanding applications. They are recommended for use with Priority™, Definition®, Fluent® (where modesty panel is not used), and Footprint®.

Perks power/data sliding drawer brings both power and data to the underside of the worksurface. Unlike fixed troughs or baskets, the drawer pulls out to allow routing of excess cabling once the initial connection has been made.

Mounting hardware is field installed.

Metal knock-outs in the front face and back of the drawer can be removed as needed for data or electrical outlets.

Single-circuit, four-circuit, and hardwire electrical components are for use in power/data drawers.

Cut-outs on the ends (sides) of the drawer allow jumpers to exit for connection inside the next drawer.



Large cut-outs on the bottom of the drawer allow power in-feed to enter the drawer.

Data/telecommunication modules can be used in the power/data drawer bottom cut-outs or the knock-outs on the front or back of the drawer.

Data cables can also be routed in the drawer to service the workstation.

Flexchain (shown) or expandable cable manager manages cables from under the surface to the floor.

IMPORTANT: Flexchain, expandable, vertical, and undersurface cable managers are required to protect four-circuit (8-wire) components from physical damage.



Circuitry Options:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably. Power/data drawers are U.L. listed.




Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed. ➤ See page 59 for application guidelines.


Four-circuit components combine to form an 8-wire, 4-circuit, power system. ➤ See page 60 for application guidelines.

Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes. ➤ See page 63 for application guidelines.

Details



Power/data drawer is a powder-coated metal tray that mounts to the underside of a worksurface using two bent sheet metal drawer slides.



1/2" gap between the worksurface and the front and back edges of the drawer allows cords to exit. Cut-outs in the sides allow cables to pass to adjacent drawers.

▶ See next page for knock-out and cut-out details.

Holes centered in the floor of the power/data drawer are provided to attach Perks laptop/equipment lock (model 99KLTK).

Planning Factors


Power/data drawers are for use in open plan and freestanding applications. Recommended for use with Priority, Definition, Fluent, and Footprint. They are designed to work with 24", 30" and 36"W worksurfaces in single or back-to-back configurations.

Specify drawer size based on the width of the surface to which it will attach. Specify the drawer to be 10" shorter than the worksurface width to allow for it to mount inboard of the surface support. For example, specify a 62"W drawer for a 72"W worksurface. If using a surface with storage, base your calculation on the unsupported surface dimension to determine drawer size.



90° and 120° corner worksurfaces can accommodate a power/data drawer. Specify model 99K26PDD for use with a 90° corner support frame; specify model 99K26PDD or 99K32PDD, for use with 120° corner support frame.

Power/data drawers are not intended for use against a wall or in conjunction with Systems panels.

In single worksurface applications, the power/data drawer should be inset 1" from the back of the worksurface.




Factory-installed grommets in worksurfaces are located so excess cabling will fall directly into the drawer.




On 48" and 60"D worksurfaces (depicted above), power/data drawer can be located so that when the drawer is extended, it is located on the centerline of the surfaces. Both the 10" rectangular power/data center (KCU0810ELPDC) and the 40" rectangular power/data center (KCU0840ELPDC) will work in conjunction with the power/data drawer in this application.


Note: Not applicable for all surface widths due to interference with support legs.





Depending on user electrical needs, one drawer can be shared in back-to-back configurations. Some users may require an individual drawer.




When using wire manager worksurfaces in back-to-back configurations, the power/data drawer can be shared between the users depending on user electrical needs. It should align with the wire manager. The drawer can extend forward to store the excess cabling under the wire manager.




Modesty panel must be located behind the power/data drawer to allow the drawer to extend forward toward the approach side of the worksurface for cable access.



Power/data center (99KPDCAM) may be mounted (recessed) on 36"D worksurfaces with a power/data drawer.



Use of a power/data center on a 24" or 30"D surface in conjunction with single power/data drawer is not possible due to clearance.
Note: Use two smaller power/data drawers on a single worksurface to allow power/data center, clamp-mounted accessories, or through-grommet accessories to extend below the surface between the power/data drawers.



Knock-outs in the front and back of the drawer are compatible with industry-standard data faceplates, such as Tyco/Amp, Panduit, ECA and Hubbell. Individual knockouts are 1 $\frac{3}{8}$ " x 2 $\frac{11}{16}$ ". Data and telecommunication modules are the responsibility of the user. Knock-outs are located 6" on center. Distance between knockouts is 3 $\frac{1}{4}$ ".

Pre-punched cut-outs are located in the floor of the drawer and are sized similarly to knock-outs as described above. Use these cut-outs for hardwire applications. Receptacles placed in the drawer bottom cut-outs must be installed facing the floor.

Knock-Out and Cut-Out Locations

<i>Surface Width</i>	<i>Drawer Width</i>	<i>Model Number</i>	<i>Front & Back Knock-Outs</i>	<i>Small Bottom Cut-Outs</i>	<i>Flexchain Cut-Outs</i>
36"	26"	99K26PDD	3	2	1
42"	32"	99K32PDD	5	2	3
48"	38"	99K38PDD	5	2	3
54"	44"	99K44PDD	7	4	3
60"	50"	99K50PDD	7	4	3
66"	56"	99K56PDD	9	6	3
72"	62"	99K62PDD	9	6	3
78"	68"	99K68PDD	11	8	3
84"	74"	99K74PDD	11	8	3
90"	80"	99K80PDD	13	10	3
96"	86"	99K86PDD	13	10	3

Details

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed.

The following components comprise the single-circuit system:

- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- 12", 24", 48", 74", 96" and 120" jumper cables

Power in-feed is a 10' cord with a "smart box" that monitors the number of receptacles connected. The system will automatically shut off if more than eight receptacles are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into a standard 110 volt, 15 amp wall or floor outlet.

For ease in installation, jumper cables feature a squeeze-latch connector and will only plug in one way.

Duplex receptacles snap into the power/data drawer. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable. Power is passed to adjacent components by a jumper cable, forming a daisychain.

Planning Factors

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

For jumping between receptacles inside a power/data drawer, 12" jumpers are recommended for drawers that are 50"W or smaller; 24" jumpers are for 56"W and wider drawers.

In 120° applications, 24" jumper cables can be used to jump from one power/data drawer to another.

Jumpers must be secured every 24" when spanning under the worksurfaces.

This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.


Related Products



Single-circuit mini-adapt power module features an 18" modular feed with a double-over interface. The unit contains two receptacles for power access at the worksurface. A hand-tightened clamp on the back of the unit allows flexibility for positioning it at the back of the worksurface.

48" jumper cables can be used to connect one power/data drawer to another. They can span over one 15"W pedestal with spacers.

74", 96", and 120" jumpers are for use when spanning over Priority storage with spacers.



Power in-feed sits on the bottom of a power/data drawer.

12" and 24" jumper cables connect duplex receptacles inside the power/data drawer.

Duplex receptacle

Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤ See page 64.

Approval/Compliance:

All Perks single-circuit components are U.L. 962 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. *Note: Any field modification of the electrical components voids the UL listing.*

Recommended Receptacles:

Drawer Model 99K**PDD	Recommended No. of Receptacles
26	2
32	4
38	4
44	4
50	6
56	8*
62	8*
68	8*
74	8*
80	8*
86	8*

*Limited by circuit availability.

Details

The following components combine to form an 8-wire, four-circuit system:

- Hardwire power in-feeds (two options) or ceiling power entry
- Power distribution assemblies
- Duplex receptacles
- Jumper cables

For ease in installation, the connectors will only plug in one way.

There are three ways to bring power to the system:

- 10' floor/wall power in-feed;
- Modular wall starter and modular 10' power in-feed; or
- 12' ceiling power in-feed

IMPORTANT: Power in-feeds entering the power/data drawer from the floor or wall must be secured/ protected by a flexchain, expandable cable manager, vertical cable manager, or secured to the legs.



Floor/wall power in-feed features a 10' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.



Modular wall power in-feed features a 10' modular conduit with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician.
Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.



Ceiling power in-feed features a 12' flexible, galvanized metal conduit with a pigtail on one end that must be wired by a licensed electrician to a junction box in the ceiling. The other end features a single squeeze-latch connector to attach to a power distribution assembly.




Power/data flexible ceiling pole is available to conceal ceiling power in-feed and other data cables. Pole is a flexible, metal conduit. Outer diameter of pole is 2 1/8"; inner diameter is 2".

Ceiling power pole can be field installed on Priority center-mount shelf on stanchions. Power can be routed between tiles to the bottom of the worksurface.

Jumper cable

Floor or wall power in-feed



Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.

▶ See page 64.

Approval/Compliance:

All Perks four-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.
Note: Any field modification of the electrical components voids the UL listing.


Receptacles:

Drawer Model 99K**PDD	Recommended No. of Receptacles
26	2
32	2
38	2
44	2
50	4
56	4
62	4
68	4-6
74	4-6
80	4-6
86	4-6


Four-Circuit (8-Wire) Power System

Product Information


continued



Trim plates can be specified for field installation to conceal the intersection of the flexible ceiling pole at the ceiling and worksurface.



Power distribution assembly supplies power for four duplex receptacles within a power/data drawer. Power distribution assemblies are 36" long.



Duplex receptacles feature a 12" flexible, metal conduit and a single squeeze-latch connector to attach it to the power distribution assembly.

Receptacles models are numbered 1, 2, 3, 4, or 5 to correspond to the circuit to which they will provide access.



Jumper cables feature a squeeze-latch connector on each end and are available in 24", 36", 48", 74", 96" and 120" widths. Jumpers are encased in a flexible, galvanized metal conduit.

Use 24" and 36" jumper cables inside the power/data drawer to connect power distribution assemblies and duplex receptacles.

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.




Use 48" jumper cables to connect a two power/data drawers on adjacent surfaces. 48" jumpers may also be used to span over one Priority 15"W pedestal with spacers.

78", 96", and 120" jumpers are for use when spanning over Priority storage with spacers.

Jumpers must be secured every 24" when spanning under the worksurfaces.

Wiring Schematics:

The 8-wire, multi-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208 volt service provides the best utilization.



Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

continued

Planning Factors

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.

▶ See wiring configurations at right.


Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.

▶ See page 59 for receptacle recommendations for single-circuit applications.

▶ See page 60 for receptacle recommendations for four-circuit applications.

A maximum of 13 duplex receptacles can be accommodated per circuit.

3 and 1 (8-wire):




- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Related Products

▶ See page 57 for power/data drawer details.


City of Chicago:

The City of Chicago requires that an electrician hardwire the electrical components to the furniture. The electrician can install hardwire boxes into the bottom of the power/data drawer utilizing the pre-punched rectangular cut-outs. Holes for attaching the duplex to the hardwire box are also provided.

Hardwired receptacles must be placed in the drawer bottom knockouts and be installed facing the floor.

Hardwire box (99KPBH)

Flexible galvanized metal conduit is recommended so that the power/data drawer can still be extended for excess cable storage.




City of New York:

The City of New York requires that an electrician make the connection from the floor entry to the modular electrical system. The electrician can wire the floor/wall power in-feed hardwire boxes into the bottom of the power/data drawer using the pre-punched rectangular cut-outs. Power entry for NYC (model 99KP4FPFNYC) includes a modular floor/wall power in-feed, hardwire box and lid, 2' galvanized metal conduit to encase the power in-feed (not shown), and cover plate.

New York box lid

New York box



Four-circuit snap-in duplex receptacles

New York modular power in-feed

Galvanized metal conduit provided by electrical contractor

Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.


Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes.

Power/Data Drawer

Pricing

GSA SIN 711-8

Features	➤ See page 56
Product Information	57
Finishes & Materials	A1



<i>D</i>	<i>W*</i>	<i>H</i>	<i>For Use with**</i>	<i>Model</i>	<i>Price</i>
Power/Data Drawer					
7 ³ / ₄ "	27 ⁵ / ₈ "	2 ¹ / ₂ "	36" tops	99K26PDD	\$110
7 ³ / ₄ "	33 ⁵ / ₈ "	2 ¹ / ₂ "	42" tops	99K32PDD	124
7 ³ / ₄ "	39 ¹ / ₂ "	2 ¹ / ₂ "	48" tops	99K38PDD	137
7 ³ / ₄ "	45 ¹ / ₂ "	2 ¹ / ₂ "	54" tops	99K44PDD	150
7 ³ / ₄ "	51 ¹ / ₂ "	2 ¹ / ₂ "	60" tops	99K50PDD	164
7 ³ / ₄ "	57 ¹ / ₂ "	2 ¹ / ₂ "	66" tops (shown)	99K56PDD	175
7 ³ / ₄ "	63 ¹ / ₂ "	2 ¹ / ₂ "	72" tops	99K62PDD	200
7 ³ / ₄ "	69 ¹ / ₂ "	2 ¹ / ₂ "	78" tops	99K68PDD	211
7 ³ / ₄ "	75 ³ / ₈ "	2 ¹ / ₂ "	84" tops	99K74PDD	224
7 ³ / ₄ "	81 ³ / ₈ "	2 ¹ / ₂ "	90" tops	99K80PDD	254
7 ³ / ₄ "	87 ³ / ₈ "	2 ¹ / ₂ "	96" tops	99K86PDD	283

* Width includes drawer and mounting brackets.

** For storage-supported tops, select the drawer width based on the open, unsupported kneespace.

Accepts Perks single-circuit and four-circuit (8-wire) electrical system.

For use with Priority™, Definition®, Fluent®, or Footprint® in open plan or freestanding applications.

➤ See the Priority Price List for additional information pertaining to the use of power/data drawers with Priority Progressive worksurfaces.

Not intended for use with Cetra®, Xsite®, or Interworks® EQ panels.

Standard Includes

- Cut-outs on bottom of drawer for power, data, flexchain, and power in-feeds
- Cut-outs on both sides (ends) of drawer for routing power to adjacent drawers
- Knockouts on front and back compatible with industry-standard data faceplates
- Holes in bottom of drawer for Perks laptop/equipment lock
- Attachment hardware

How to Specify




- ① Model
- ② Finish color:
 - 405** = Designer White
 - 425** = Shadow
 - 462** = Cinder
 - 501** = Platinum Metallic (+10%)
 - 514** = Carbon Metallic (+10%)
 - 544** = Silver Pearl (+10%)

Single-Circuit Power Components

Pricing

GSA SIN 711-8

Features	➤ See page 56
Product Information	59
Finishes & Materials	A1



Model	Description	Price
Power In-Feed		
99K210P1PF		\$223
Duplex Receptacle		
99K2P1RDS		\$69
Jumper Cables		
99K2P1J8	12"	\$77
99K2P1J4	24" (shown)	72
99K2P1J1	48"	93
99K2P1J5	74"	100
99K2P1J6	96"	153
99K2P1J7	120"	170
Mini-Adapt Power Module		
99K2P1PM2	2"H x 3 ⁵ / ₈ "W x 2 ⁵ / ₈ "D.	\$138

Standard Includes

Power In-Feed

- 10' black power cord with standard three-prong plug on one end and single squeeze-latch connector on the other end
- Smart box monitor

Duplex Receptacle

- Two three-prong outlets
- 12" modular feed with double-out interface

Jumper Cables

- Black cable with a squeeze-latch connector on each end

Mini-Adapt Power Module

- Two NEMA-rated 15-amp receptacles
- 18" modular feed with double-out interface; cord is black
- Housing: black textured finish

How to Specify

- 1 Model

Mini-adapt power module features a clamp that hand-tightens to secure the module to the worksurface.


Four-Circuit (8-Wire) Power Components

Pricing

Power Entries

GSA SIN 711-8

<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Modular Power In-Feed		
<i>Starter Plate</i>		
99KP4WPSM	Accepts modular power in-feed. 5 1/8" x 5 1/8".	\$110
<i>Power Harness</i>		
99K10P4FPFM	Must be used with modular starter.	\$286
Floor/Wall Power In-Feed		
99K10P4FPF		\$260
Ceiling Power In-Feed		
99K12P4CPF		\$230
Power Entry for Use in New York City		
99KP4FPFNYC		\$347
Related Products:		
Power/Data Flexible Ceiling Pole		
99K10PDPC	Used to conceal power in-feed and data cables	\$461
Metal Ceiling Trim Plates (set of 2)		
99KPCTP	Conceal intersection of the flexible ceiling pole at the worksurface and ceiling.	\$45



➤ See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Features	➤ See page 56
Product Information	60
Finishes & Materials	A1

Standard Includes

Modular Power In-Feed Starter

- Black metal wall plate

Modular Power Harness

- 10' liquid tight conduit with a squeeze-latch connector on each end

Floor/Wall Power In-Feed

- 10' liquid tight conduit with a single squeeze-latch connector on one end and pigtail on the other

Ceiling Power In-Feed

- 12' galvanized metal conduit with a single squeeze-latch connector on one end and pigtail on the other

Power Entry for Use in NYC

- Modular floor/wall power in-feed
- Hardwire box
- 2' galvanized metal
- Cover plate

Flexible Ceiling Pole

- 10' flexible conduit: stainless steel

How to Specify



- 1 Model

Four-Circuit (8-Wire) Power Components

Pricing

Modular Components

GSA SIN 711-8



Model	Description	Function	Price
-------	-------------	----------	-------

Duplex Receptacles

For 3 + 1 Circuit Configuration

99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$93
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	93
99KP4RD3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	93
99KP4RD4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	93

For 2 + 2 Circuit Configuration

99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$93
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	93
99KP4RD4	Circuit 4 (designated)	Delivers power from designated circuit 4 with shared neutral and ground	93
99KP4RD5	Circuit 5 (designated)	Delivers power from designated circuit 5 with shared neutral and ground	93

Power Distribution Assemblies

99K36P4D	36"W	\$184
----------	------	-------

Jumper Cables

99KP4J4	24"W	\$153
99KP4J2	36"W	166
99KP4J1	48"W (shown)	184
99KP4J5	74"W	247
99KP4J6	90"W	294
99KP4J7	120"W	350

➤ See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Features	➤ See page 56
Product Information	60
Finishes & Materials	A1

Standard Includes

Duplex Receptacles

- Two outlets black plastic housing
- Squeeze-latch connector on one end
- Housing: black plastic

Power Distribution Assembly

- Galvanized metal conduit with triple-out interface
- Accepts one or two receptacles

Jumper Cables

- Galvanized metal conduit
- Squeeze-latch connectors on both ends



How to Specify

- 1 Model

Hardwire Power Components

Pricing

GSA SIN 711-8



<i>Model</i>	<i>Function</i>	<i>Price</i>
Hardwire Box		
99KPBH	Accommodates junctions and receptacles	\$45
Hardwire Covers		
99KPHCB	Blank cover; use to protect the contents of the hardwire box	\$25
99KPHCD	Duplex cover plate provides an access hole, sized to fit Pass & Seymour 26242 series receptacles (or compatible size and type).	\$25
Hardwire Box Template		
99KPHT	Used for locating and drilling holes required to attach hardwire box to power/data tray.	\$25

Features	➤ See page 56
Application Guidelines	63
Finishes & Materials	A1

Standard Includes

Hardwire Box

- Steel box

Hardwire Cover

- Cover: steel

How to Specify


- 1 Model

Hardwire components must be installed by a licensed electrician.



Freestanding Light


- See page 70 for product info.
- See page 71 to specify.




Surface-Mount Light

- See page 70 for product info.
- See page 71 to specify.


Details




Freestanding LED light includes touch sensor switch on the head of the lamp. Push the red switch to turn on light. Hold the switch down and the light will dim to its lowest cycle and then start to brighten again. Release the switch when the light intensity is at the desired level.




Arm on freestanding light swivels 350°.




Hinge on freestanding light allows light to be turned straight up.



Head on freestanding light rotates 360° allowing the light to be directed to any angle.



Surface-mount LED light is field installed. Available for use with surfaces from 3/4" to 1 9/16" thick. The on/off touch switch is incorporated into the light.



Head on surface-mount light rotates 360° allowing the light to be directed to any angle.

- 3-year warranty
- 50,000 hour LED life
- U.L. listed power supply
- Mercury, lead and UV free
- Kelvin—3500K


LED Lights

Pricing

Pricing [▶ See page](#)
Finishes & Materials A1



<i>W</i>	<i>H</i>	<i>Base Diameter</i>	<i>Model</i>	<i>Price</i>
Freestanding				
16 ¹ / ₈ "	15 ¹⁵ / ₁₆ "	6 ¹ / ₈ "	KCUFSL	\$262



Surface Mount				
37 ³ / ₁₆ "	13 ⁷ / ₁₆ "		KCUSML	\$359

Standard Includes

- Power supply
- 6 foot cord

How to Specify

- ① Model

Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
97K16WT	54	99K1222SL	32	99K2P1J8	65	99K80PDD	64	99KG65	34
97KIOSRK	54	99K1222SL2	32	99K2P1PM2	65	99K86PDD	64	99KG7AB	34
97KMUSBRK	54	99K12P4CPF	66	99K2P1RDS	65	99K9SD	21	99KG7MB	34
97KUSBCU	54	99K1303DD	21	99K3020TBW	24	99KAC	18	99KG7PL	34
99K0118NP2	15	99K1402DD	21	99K3030MBW	24	99KCH	21	99KG7SN	34
99K0207PDB	40	99K1424KT	32	99K3068MSAF	23	99KCMU	37	99KG80	34
99K0208ELPDC	43	99K149LTPT	18	99K3068MSAM	23	99KCP	17	99KG90	35
99K0312HFH	15	99K1624CT	20	99K3068MSAT	23	99KCPUH	33	99KLBBR	16
99K0404NH	24	99K16POM	14	99K3068MSSF	23	99KCPUMCB	33	99KLTLC	33
99K0405ELPDG	42	99K1706KK1	31	99K3068MSSM	23	99KECMB	36	99KP4FPFNYC	66
99K0409CDHM	15	99K1706KK2	31	99K3068MSST	23	99KELDM	40	99KP4J1	67
99K0507BXB	15	99K17FBFB3	22	99K30LBM	16	99KELDM2	39	99KP4J2	67
99K0510PT	15	99K1812PDD	19	99K30WMHW	37	99KELPDCR	42	99KP4J4	67
99K0512PT	20	99K1826KDW	32	99K32PDD	64	99KELPM	40	99KP4J5	67
99K0515PT	20	99K18WMV	36	99K3620TBW	24	99KELPM2	39	99KP4J6	67
99K0606ADC	17	99K1915HMT	24	99K3630MBW	24	99KELPS	49	99KP4J7	67
99K0609UTC	17	99K1922CD	20	99K36CMFC	36	99KFB	22	99KP4RD1	67
99K0612PT	20	99K1924KTM	32	99K36LBM	16	99KFCB	36	99KP4RD2	67
99K0724SHB	17	99K19WMV	36	99K36P4D	67	99KFDCDH	21	99KP4RD3	67
99K0817CDR	20	99K210P1PF	65	99K38PDD	64	99KFFB	22	99KP4RD4	67
99K0905SHBM	14	99K2208KK1	31	99K40WMHU	37	99KFTP	19	99KP4RD5	67
99K0912PDD	19	99K2208KK2	31	99K4220TBW	24	99KG12MN	34	99KP4WPSM	66
99K0924SHM	14	99K2319KKS1	31	99K4230MBW	24	99KG17SS	35	99KPBH	68
99K0930SHM	14	99K2424CD	20	99K42KA	31	99KG18SS	35	99KPC2MB	45
99K0936SHM	14	99K2468MSAF	23	99K42LBM	16	99KG19487	34	99KPCTP	66
99K0942SHM	14	99K2468MSAM	23	99K44PDD	64	99KG19490	34	99KPDCAM	43
99K0948SHM	14	99K2468MSAT	23	99K4820TBW	24	99KG19544	34	99KPDCAMH	43
99K10P4FPF	66	99K2468MSSF	23	99K4830MBW	24	99KG19CM	34	99KPH	18
99K10P4FPFM	66	99K2468MSSM	23	99K48KA	31	99KG19DW	34	99KPHCB	68
99K10PDPC	66	99K2468MSST	23	99K48LBM	16	99KG19PL	34	99KPHCD	68
99K1105SHB	17	99K25FBFB6	22	99K50PDD	64	99KG21	43	99KPHT	68
99K1115LPT	18	99K26PDD	64	99K54LBM	16	99KG22	43	99KSMACBM8CMS	30
99K1202DD	21	99K27WMV	36	99K56PDD	64	99KG23	47	99KSMACBM8GMS	30
99K1211DO	20	99K2P1J1	65	99K6036MBW	24	99KG24	47	99KSMACBM8LCMS	30
99K1212PDD	19	99K2P1J4	65	99K60LBM	16	99KG25	47	99KSMAM2ARMS	30
99K1212SSM	14	99K2P1J5	65	99K62PDD	64	99KG26	43	99KSMAM2CMS	30
99K1217DPTM	14	99K2P1J6	65	99K68PDD	64	99KG50	34	99KSMAM2GMS	30
99K1217SPTM	14	99K2P1J7	65	99K74PDD	64	99KG60	34	99KSMAM2SMS	30

continued

Model	▶ See page
-------	------------


99KSS	18
99KUH	21
99KWMF	38
99KWMF2	38
KCE0211PUPUGMB	42
KCE02PPSM	41
KCE02SUSM	41
KCE0303MTPPUSMB	49
KCE0303MTPUUSMB	49
KCE0306ADCM	39
KCE0307ADBSMWW	44
KCE0409ATSMWW	44
KCE1110PDEHWSMAA	48
KCE1110PDESMAA	48
KCE24LJWM	37
KCE30LJWM	37
KCE36LJWM	37
KCE4124PD	46
KCE4164PD	46
KCE48LJWM	37
KCE820ELPDC	47
KCE820ELPDCH	47
KCEB2PDPS	45
KCEB2PDUPS	45
KCEBN11PU	41
KCEBN20PP	41
KCEK30DAA	35
KCEK31SAA	35
KCU0810ELPDC	47
KCU0810ELPDCH	47
KCU0840ELPDC	48
KCUCMHC	36
KCUCMHW	36
KCUFSL	71
KCUSML	71

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



▶ See page

Program Overview	A2
Wood Finishes	A3
Special Wood Finishes	A4
Characteristics & Care	A5
Paint & PVC	A6
CSP	A7
Fabrics	A8
Fabric Application	A8
Panel Fabrics	A9
COM	A12
COM Yardage Req.	A12

Program Overview

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Wood Finishes	▶ See page A3
Paints & Plastic	A6
Fabrics	A9
COM	A12

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood

Finishes

	Cherry				Maple				Oak				Walnut				Sapele
	MC Amber	CC Cordoba	MH Mocha	SC Sedona	IM Brighton	TM Huntington	CO Canyon	YO Monterey	ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban	CX Coco*	SX Sienna*		
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Keyboard Drawers	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wood Center Drawers	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

* CX Coco and SX Sienna finishes (price group 1) on wood center and keyboard drawers coordinate with finishes of the same name on sapele wood (price group 2); no upcharge applies.

Key:

• = Available color

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact **By Design** to review veneer options and discuss special quotes.

➤ See page A2 for program overview.

➤ See page A5 for wood characteristics (including descriptions for veneer cut and grain matching) care, and maintenance.

Price Group Designators:

STD = Group 1 (list price)

Wood

Special Wood Finishes

GSA Non-Contract

Kimball Office offers the following options for special wood finishes:

- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:

- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	Maple	Walnut	Sapele
Price Group	1	1	1	2
Arpeggio				
Tables	•	•		
Bloom Tables	•	•	•	•
Cetra	•	•	•	•
Contemporary	•	•	•	•
Definition	•	•	•	•
Dock	•	•	•	•
Fluent	•	•	•	•
Footprint	•	•	•	•
Innsbruck	•			
Perks				
Drawers		•		
Pose	•	•	•	•
President			•	
Priority	•	•	•	•
Scenario	•	•	•	•
Senator	•		•	
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•
Xsite	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **\$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish

Approval Process:

- ① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the \$300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied.
- ② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of \$300 will not be charged unless a custom match finish is required.

Wood Finishes	➤ See page A3
Paints & Plastic	A6
Fabrics	A9
COM	A12

How to Specify

- ① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.
- ② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).
- ③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut

Wood

Characteristics, Care, and Maintenance Tips

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.

➤ See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are plain sliced and slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are plain sliced, and applied book and center matched.

Cherry veneers are plain sliced and slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Sapele veneers are quarter sliced and slip matched.

Canyon Oak, Monterey Oak, Tuscan Walnut, and Zebrawood are quartered (straight) grain finishes.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

Wood Finishes	➤ See page A3
Paints & Plastic	A6
Fabrics	A9
COM	A12

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Key:

• = Available color

	Solid Colors																												Metallic								CSP
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	460 Fog	488 Frosty White	445 Graphite	416 Moon Beam	420 Putty	425 Sandstone	465 Shadow	460 Smoke	429 Storm	419 Tantalum	Black	Anthracite	Clear	Frosted	Silver	514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Met.	544 Silver Pearl	504 Taupe Metallic	Silver Metallic	Customer Specified				
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							M	M	M	M	M	M						
Metro Desk Access.																																					
Desk Pad or Paper Tray																						•									•						
Wastepaper Basket																						•															
Metal Work Tools																																					
Memo Box																						•															
Note Poster																						•															
Pencil Tray																						•															
Hanging File Holder	•				•		•																			•		•		•							
All other metal work tools	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•	•			•			
Plastic Work Tools																																					
Shelf and Binder Shelf																						•															
File Pocket																							•														
Photo/Document Display																								•													
Markerboard Frame				•																																	
Utility Tray																							•														
Accessory Dish																							•														
All other plastic work tools																						•		•													
Collaboration Tools																																					
Mobile Screen Frames				•																								•									
Name Sign Holder																						•						•									
Monitor Supports																						•		•													
Cable Management																																					
Metal Wire Mgr. Filler	•			•	•	•	•			•	•	•		•	•		•																				
Power/Data Drawer							•																			•		•									

Metallic:

10% upcharge applies for price group M metallic finishes.

IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

CSP:

▶ See page A7 for customer-specified paint.

Customer-Specified Paint

GSA Non-Contract

Customer-specified paint (CSP) is available on select products.
➤ See page A6.

Pricing:

A **one-time fee of \$300** (net) will be billed for the development of each new custom (customer-specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer-specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer-specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

- ① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**
- ② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

Wood Finishes	➤ See page A3
Paints & Plastic	A6
Fabrics	A9
COM	A12


How to Specify:

- ① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
- ② **Finish type:**
For the "Finish type" step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint
- ③ **Finish designator:**
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Fabric Application


Wood Finishes	➤ See page A3
Paints & Plastic	A6
Panel Fabrics	A9
COM	A12

Standard Application:



Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



All fabrics will be applied in railroad (horizontal) fashion to:

- Xsite tiles
- Xsede tiles
- Priority tiles
- Stow wallpanels
- Tackboards greater than 48"W when using a seating fabric or greater than 60"W when using a panel fabric

When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on when railroaded.

Railroad application of Kimball Office panel fabrics and COM for all products that are not listed above or do not have railroading listed as an option in the price list requires a custom quote.

➤ Please contact **By Design**.

IMPORTANT: Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect. Flip is more easily recognized on fabrics with a nap or shimmer when viewing fabrics applied in standard application and railroad application side by side.

Panel Fabrics

COM & Cut Yardage GSA Non-Contract

Price Grade A

COM (Customer's Own Material)

Compose

Price Grade: **A**
Content: 39.2% post-industrial recycled polyester, 34.2% post-consumer recycled polyester, 26.6% polyester
Pattern: Directional
Repeat: .063"H x .063"V
Cleaning: WS

10430	Bronze
10431	Sandstone
10432	Flax
10433	Shimmer
10434	Nickel
10435	Mica

Crossroads

Price Grade: **A**
Content: 51.18% post-industrial recycled polyester, 48.82% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm

10308 Tumbleweed

Fusion

Price Grade: **A**
Content: 50.38% post-industrial recycled polyester, 49.62% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 60% post-industrial recycled polyester, 40% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling

10269 Storm
10270 Titanium

Plinth

Price Grade: **A**
Content: 55.8% polyester, 28.7% post-industrial recycled polyester, 15.5% post-consumer recycled polyester
Pattern: Directional
Repeat: .063"H x .063"V
Cleaning: WS

10280	Mercury
10281	Shadow
10282	Taupe
10283	Stone
10284	Flock
10285	Verde
10286	Bronze
10287	Drift
10288	Granite
10289	Crystal

Sprite

Price Grade: **A**
Content: 95% pre-consumer recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% pre-consumer recycled polyester, 24% post-consumer recycled polyester, Directional
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone

Wood Finishes ▶ See page A3

Paints & Plastic A6

COM A12

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric	List Price
Price Grade	per yard
A	\$37
B	48
C	57
D	75
E*	115

* For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie

800.727.6770

www.carnegiefabrics.com

KnollTextiles

866.565.5858

www.knolltextiles.com

How to Specify

- Model: **KOPNLCUTYDG** = panel fabric
- Fabric grade
- Fabric number

Panel Fabrics

continued

10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Frenzied

Price Grade:	B
Content:	65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Backing:	Light acrylic
Pattern:	Directional
Repeat:	.130"H x 0"V
Cleaning:	WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade:	B
Content:	89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern:	Directional
Repeat:	14.12"H x 8.57"V
Cleaning:	WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10324	Pear
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade:	B
Content:	100% post-consumer recycled polyester
Pattern:	Directional
Repeat:	16.75"H x 20"V
Cleaning:	WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2250	Truffle
2275	Melba

Lyko

Price Grade:	B
Content:	76.5% post-industrial recycled polyester, 23.5% post-consumer recycled polyester
Pattern:	Directional
Repeat:	.125"H x .125"V
Cleaning:	WS

10630	Sandbar
10631	Cobblestone
10632	Bark
10633	Pewter
10634	Fleck
10635	Iron
10636	Tin
10637	Cliff
10638	Coal

Pact

Price Grade:	B
Content:	65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern:	Directional
Repeat:	0.125"H x 0.125"V
Cleaning:	WS
Note:	Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbour

25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Prose

Price Grade:	B
Content:	50.4% polyester, 32.2% post-industrial recycled polyester, 17.4% post-consumer recycled polyester
Pattern:	Directional
Repeat:	.063"H x .063"V
Cleaning:	WS

10520	Limestone
10521	Patina
10522	Glacier
10523	Wheat
10524	Fleck
10525	Mushroom
10526	Tinsel
10527	Zinc
10528	Slate
10529	Onyx

Wood Finishes	►See page A3
Paints & Plastic	A6
COM	A12

Rivulet

Price Grade:	B
Content:	100% post-consumer recycled polyester
Pattern:	Directional
Repeat:	16.7"H x 20.2"V
Cleaning:	WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Savile

Price Grade:	B
Content:	50.43% post-industrial recycled polyester, 27.14% post-consumer recycled polyester, 22.43% polyester
Pattern:	Directional
Repeat:	.063"H x .063"V
Cleaning:	S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Panel Fabrics

continued

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10382	Desert
10383	Mist
10384	Taupestone
10385	Timberwolf

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite

10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply.

➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie

800.727.6770
www.carnegiefabrics.com

KnollTextiles

866.565.5858
www.knolltextiles.com

Align

Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	Carnegie Number
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line

KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect

KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Wood Finishes	➤See page A3
Paints & Plastic	A6
COM	A12

Cleaning Codes:

Cleaning Code D

- Dry clean only.

Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W

- Use water-based cleaning agents or foam.

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel or tile to tile.

Customer's Own Material (COM)

GSA Non-Contract

Wood Finishes	➤ See page A3
Paints & Plastic	A6
Fabrics	A9

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on systems product for non-preapproved fabrics is required.

➤ Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:

- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed on Cetra, Xsite, and Interworks EQ panels, and Xsede and Priority tiles before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Yardage/Measurements

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

If your fabric is less than 66"W, some size restrictions may apply.

COM yardage listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Kimball Office, Jasper
COM Department—Kimball Office
Dock 20 or 21
1037 East 15th Street
Jasper, IN 47549

Applies to:

- Wall-mount tackboards
- Mobile screens

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤ Contact your Customer Service Team to obtain information on preapproved COMs.

Yardage Requirements:

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics and 54" seating fabrics for Mobile screens and tackboards.

Model	66"W	54"W	66"W
	Dir	Dir	Non
Mobile Screens			
99K2468MSSF	1.9	1.9	1.5
99K3068MMSF	1.9	3.7	1.8
99K2468MSAF	1.9	1.9	1.5
99K3068MSAF	1.9	3.7	1.8

Wall-Mounted Tackboards

99K3020TBW	0.9	0.9	0.9
99K3620TBW	0.9	0.9	0.9
99K4220TBW	0.9	0.9	0.9
99K4820TBW	0.9	0.9	0.9

Side-to-Side Dividers

(Fabric is railroaded)

99K2214SSDF	0.8	0.8	0.8
99K2221SSDF	0.8	1.6	0.8
99K2814SSDF	1.0	1.0	1.0
99K2821SSDF	1.0	2.0	1.0

If your fabric is less than 66"W, some size restrictions may apply. Additional yardage may be required if patterns require matching.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:

- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

PRICE LIST
PERKS[®] & JOLT[™]
EFFECTIVE 12.1.2016

Kimball®Office

A unit of Kimball International ©2015 Kimball International, Inc. Form No. PLPRK Ver. 1216

1600 Royal Street
Jasper, Indiana 47549

800.482.1818
kimballoffice.com

PERKS® PRICE LIST

Revision Summary

September 2015

This document provides a summary of revisions made to the price list since August 24, 2015. **These revisions are effective September 11, 2015.**

Accessories & Tools

Note poster has been added to the Metal Work Tools collection.
➤See page 15.

Technology Management

Node™ power center and power/USB center fit into a C6 factory cut-out.
➤See page 41.

E2X power/data center features one 3.5 mm stereo jack instead of one open port.
➤See page 48.

Power/Data Systems

No changes.

Model Number Index

Index has been updated to include new models.

Finishes & Materials

No changes.

PERKS® PRICE LIST

November 2015

Revision Summary

This document provides a summary of revisions made to the price list since September 11, 2015.

These revisions are effective November 6, 2015.

Accessories & Tools

Letter-size plastic paper tray is now on GSA contract.

➤ See page 18.

Technology Management

The following products are now on GSA contract.

- Round metal G19 grommet in silver pearl
 - Round plastic G80 grommet in matte black
 - Ashley Duo clamp-mount power/data center
 - Salt USB unit
 - Pepper power center
 - Node power center
 - Node power/USB center
 - Ashley Duo Power/USB center
 - Ashley Trio Power/USB center
 - Mho retractable power/data center
 - Mho retractable power/data/USB center
 - Vault turnbox power/data center
 - Vault Turnbox power/data/USB center
 - M2X retractable power/data center, hardwire
 - M2X retractable power/data/USB/HDMI/VGA center
 - M2X retractable power/data/USB/HDMI/VGA center, hardwire
 - E2X power/data center
 - E2X power/data center, hardwire
 - Mini-tap power unit
 - Mini-tap power/usb unit
- See pages 34–49.

Illustration for surface-mount

power/data center, model 99K0207PDB, has been corrected to show three power outlets and one USB duplex.

➤ See page 40.

Power outlet strip, model 99KELPS, is GSA non-contract.

➤ See page 41.

Pop-up power/data center, model 99KPC2MB, fits C4 cut-out.

➤ See page 45.

E2X power/data center features two power cords, one for each side.

➤ See page 48.

Power/Data Systems

No changes.

Model Number Index

No changes.

Finishes & Materials

No changes.

PERKS® PRICE LIST

February 2016

Revision Summary

This document provides a summary of revisions made to the price list since November 6, 2015.

These revisions are effective February 1, 2016.

General Information

Sustainability information has been revised.

➤See page 7.

Technology Management

P-shaped cable managers are now available.

➤See page 37.

Vault turnbox model KCE4124PD

features two USB ports rather than one data port. Standard includes list has been updated.

➤See page 46.

Vault turnbox model KCE4164PD

features one USB port, one data port, one HDMI port, and two 3.5mm audio ports rather than three data ports. Standard includes list has been updated.

➤See page 46.

Finishes & Materials

Wood characteristics have been clarified with regard to the cut and grain matching.

➤See page A5.

Fabric application illustrations

have been revised to more clearly show the fabric orientation for standard and railroad applications.

➤See page A8.

PERKS® PRICE LIST

Revision Summary

March 2016

This document provides a summary of revisions made to the price list since February 1, 2016.

These revisions are effective March 11, 2016.

Accessories & Tools

Side-to-side surface dividers have been added.

Technology Management

Two new rectangular anodized aluminum grommets have been added. Select from single-sided or dual-sided access.

➤ See page 35.

A new expandable vertical cable manager in two different finishes has been added.

➤ See page 36.

This document provides a summary of revisions made to the price list since March 11, 2016.
These revisions are effective April 6, 2016.

Technology Management

Weight limitations for monitor arms have been added for clarity.
➤See page 29.

Power/Data Systems

Power/data drawer is now available in 425 Shadow and 462 Cinder paint.
➤See page 64.

Finishes & Materials

Applicability chart for special wood finishes has been updated.
➤See page A4.

COM yardage requirements for side-to-side dividers has been added.
➤See page A12.

PERKS® PRICE LIST

Revision Summary

May 2016

This document provides a summary of revisions made to the price list since April 6, 2016.

These revisions are effective May 2, 2016.

Accessories & Tools

Side-to-side surface dividers are no longer available in the Perks offering.

➤ See Kore Price List.

Lighting

LED lights are now available.

➤ See page 69.

PERKS® PRICE LIST

August 2016

Revision Summary

This document provides a summary of revisions made to the price list since May 2, 2016.

These revisions are effective August 5, 2016.

Accessories & Tools

Desk accessories are no longer available .

Technology Managment

Minor revisions have been made for clarity.

Power/data configuration has changed for the double-sided pneumatic pop up power/data center.

➤See page 47.

Finishes & Materials

Panel fabric offering now includes new colorways:

Basket
10605 Key Lime
10602 Citrine
10609 Mulberry

Fuse
10324 Pear

Serengeti
10382 Desert
10384 Taupestone
10385 Timberwolf

Thicket
10655 Moss

➤See page A9.

Linen Copper panel fabric is no longer available.

PERKS® PRICE LIST

Revision Summary

December 2016

This document provides a summary of revisions made to the price list since August 5, 2016.

These revisions are effective December 1, 2016.

General Information

Pricing has been updated throughout.

Bingo and Poly are covered under a 5-year warranty.

➤See page 6.

Technology Management

Ashley Duo clamp-mount and surface-mount centers features power receptacles and USB ports. The word "data" was changed to "USB" in the product names for clarity.

➤See pages 39 and 44

Surface-mount power center features power receptacles and USB ports. The word "data" was changed to "USB" in the product name for clarity.

➤See page 40.

PERKS® and JOLT™ PRICE LIST

Revision Summary

February 2017

This document provides a summary of revisions made to the price list since December 1, 2016.

These revisions are effective February 13, 2017.

General Information

Warranty periods have been updated for Bingo® and Poly™. Both are now covered under a 10-year warranty.

➤ See page 6.

Accessories and Tools

Plastic CD holders and hanging file holders are no longer available.

Technology Management

Mini-tap power units feature the same slide mounting bracket as the mini-tap power/USB unit.

Illustration and standard include list have been updated.

➤ See page 49.

Jolt™

Jolt wireless charging pad, wireless receiver keys, and USB charger are now available.

➤ See page 51.

Finishes & Materials

Panel fabric updates include:

- Four new patterns—Compose, Lyko, Plinth, and Prose—have been added.
- Fabric content has been updated for Crossroads, Fusion, Mykel, Basket, Frenzied, Linen and Savile.
- Savile repeat dimensions have been corrected.

➤ See page A9.