



# **Product Catalog**

## **2017**

### **Sleepers Kraft, LLC**

131 Cedar Street  
Plantersville, MS, 38862  
Ph: 267-772-7554  
Fax: 662-620-0900

## Table of Contents

Warranty and Point of Production.....	3	iLuxury Ultima Plush Mattress.....	30
Sleeper Kraft 9” Dual Density Mattress.....	4	Mattress Encasements.....	31
Sleeper Kraft 8” Dual Density Mattress.....	5	Bottom Zipper Mattress Encasements.....	32
Sleeper Kraft 7” Dual Density Mattress.....	6		
Sleeper Kraft 6” Dual Density Mattress.....	7		
SleepSafeFR3 312 Inverted Seam Mattress.....	8		
SleepSafeFR2 312 Inverted Seam Mattress.....	9		
SleepSafeFR1 312 Inverted Seam Mattress. ....	10		
SleepSafeFR3 364 Inverted Seam Mattress.....	11		
SleepSafeFR2 364 Inverted Seam Mattress.....	12		
SleepSafeFR1 364 Inverted Seam Mattress.....	13		
SleepSafeFR3 312 Tape Edge Mattress.....	14		
SleepSafeFR2 312 Tape Edge Mattress.....	15		
SleepSafeFR1 312 Tape Edge Mattress.....	16		
SleepSafeFR3 364 Tape Edge Mattress.....	17		
SleepSafe FR2 364 Tape Edge Mattress.....	18		
SleepSafeFR1 364 Tape Edge Mattress.....	19		
SleepSafe 7” Dual Firmness Mattress .....	20		
SleepSafe 8’ Dual Firmness Mattress.....	21		
SleepSafe 8” HR Foam 364 Coil Mattress.....	22		
SleepSafe 6” Pressure Relief Mattress.....	23		
SleepSafe 7” Pressure Relief Mattress.....	24		
SleepSafeFR2 312 Quilted Damask Mattress.....	25		
SleepSafeFR2 364 Quilted Damask Mattress.....	26		
iLuxury 8” Cool Tranquility Gel Foam Matt.....	27		
iLuxury 10” Cool Tranquility Gel Foam Matt.....	28		
iLuxury One-Sided Hybrid Mattress.....	29		

#### Point of Production

131 Cedar Street, Plantersville, MS, 38862

Ordering Address: Sleeper Kraft, LLC

P.O.Box 7176, Tupelo, MS, 38802

Ph: 267-772-7554 Fax: 662-620-0900:

Payment Address: Sleeper Kraft, LLC

P.O.Box 7176, Tupelo, MS, 38802

Ph: 267-772-7554 Fax: 662-620-0900:

### **Sleeper Kraft Limited Warranty**

#### **Limited warranty – Please read carefully.**

**Keep a copy of your invoice:** Proof of purchase, date, location, and price are required to obtain service under warranty. No warranty will be offered without an invoice.

This warranty applies only to the original purchaser and cannot be transferred. The limited warranty is a prorated warranty, applying only to workmanship and materials.

Sleeper Kraft's limited warranty covers the cost of repair and/or replacement for any item approved for return. Sleeper Kraft reserves the right to refuse service on any item found to be unsanitary or damaged due to abuse, accident, or neglect on the part of the owner, or for any causes other than defective materials and workmanship.

If a particular model is no longer being manufactured, Sleeper Kraft will determine the current retail price from a comparable model. Sleeper Kraft reserves the right to substitute materials of equal or greater value. Any and all implied warranties shall not exceed in duration the term of this limited warranty. Sleeper Kraft shall not be liable for incidental or consequential damage arising out of the use of this product or the breach of this or any other expressed or implied warranty, including the products suitability for any person's medical problem.

During the normal course of use, body impressions will appear on your mattress/sleep set. Non-defective body impressions are not covered under this warranty. The industry standard states that the impression must be greater than 1.5" to be considered defective.

#### **Item Name Warranty Type**

SleepSafe FR3 Nylon models 5 Year Prorated

Sleep Safe FR2 Quilted Damask 5 Year Prorated

SleepSafe FR2 Nylon models 3 Year Prorated

SleepSafe FR1 Nylon models 1 Year Prorated

SleepSafe Dual Firmness—7" and 8" 5 Year Prorated

SleepSafe HR Foam/Innerspring 5 Year Prorated

SleepSafe Dual Density Foam Mattress – 6", 7", 8" and 9" 5 Years Prorated

SleepSafe Pressure Relief Mattress – 6" and 7" 3 Years Prorated

iLuxury Foam and Hybrid models 10 Years Prorated



**Sleeper Kraft 9” Dual Density 1.5 & 1.8 Foam Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly all foam mattress with a choice of 2 comfort options. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.) This mattress is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a dual density core comprised of 1.5 and 1.8

**CertiPUR-US®** pressure reducing foam to offer the end user a

softer sleep surface on one side and a firmer sleep surface on the other side – clearly marked by a label placed on the end of the mattress. The mattress construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48” locking zipper on the end.

**There are no tape edge seams anywhere on the mattress; eliminating nesting sites for bed bugs.** A warning label is attached advising that if the original cover is removed the fire-retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure also available.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



**SSDDF093675 36X75X9 Dual Density Foam Mattress**  
**SSDDF093680 36X80X9 Dual Density Foam Mattress**  
**SSDDF093875 38X75X9 Dual Density Foam Mattress**  
**SSDDF093880 38X80X9 Dual Density Foam Mattress**  
**SSDDF095375 53X75X9 Dual Density Foam Mattress**  
**SSDDF095380 53X80X9 Dual Density Foam Mattress**  
**SSDDF096080 60X80X9 Dual Density Foam Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Sleeper Kraft 8" Dual Density 1.5 & 1.8 Foam Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly all foam mattress with a choice of 2 comfort options. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.) This mattress is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a dual density core comprised of 1.5 and 1.8

**CertiPUR-US®** pressure reducing foam to offer the end user a

softer sleep surface on one side and a firmer sleep surface on the other side – clearly marked by a label placed on the end of the mattress. The mattress construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end.

**There are no tape edge seams anywhere on the mattress; eliminating nesting sites for bed bugs.** A warning label is attached advising that if the original cover is removed the fire-retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure also available.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



**SSDDF083675 36X75X8 Dual Density Foam Mattress**  
**SSDDF083680 36X80X8 Dual Density Foam Mattress**  
**SSDDF083875 38X75X8 Dual Density Foam Mattress**  
**SSDDF083880 38X80X8 Dual Density Foam Mattress**  
**SSDDF085375 53X75X8 Dual Density Foam Mattress**  
**SSDDF085380 53X80X8 Dual Density Foam Mattress**  
**SSDDF086080 60X80X8 Dual Density Foam Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Sleeper Kraft 7” Dual Density 1.5 & 1.8 Foam Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly all foam mattress with a choice of 2 comfort options. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.) This mattress is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a dual density core comprised of 1.5 and 1.8

**CertiPUR-US®** pressure reducing foam to offer the end user a

softer sleep surface on one side and a firmer sleep surface on the other side – clearly marked by a label placed on the end of the mattress. The mattress construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48” locking zipper on the end.

**There are no tape edge seams anywhere on the mattress; eliminating nesting sites for bed bugs.** A warning label is attached advising that if the original cover is removed the fire-retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure also available.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



**SSDDF073675 36X75X7 Dual Density Foam Mattress**  
**SSDDF073680 36X80X7 Dual Density Foam Mattress**  
**SSDDF073875 38X75X7 Dual Density Foam Mattress**  
**SSDDF073880 38X80X7 Dual Density Foam Mattress**  
**SSDDF075375 53X75X7 Dual Density Foam Mattress**  
**SSDDF075380 53X80X7 Dual Density Foam Mattress**  
**SSDDF076080 60X80X7 Dual Density Foam Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Sleeper Kraft 6" Dual Density 1.5 & 1.8 Foam Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly all foam mattress with a choice of 2 comfort options. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.) This mattress is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a dual density core comprised of 1.5 and 1.8 **CertiPUR-US®** pressure reducing foam to offer the end user a softer sleep surface on one side and a firmer sleep surface on the other side – clearly marked by a label placed on the end of the mattress. The mattress construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. **There are no tape edge seams anywhere on the mattress; eliminating nesting sites for bed bugs.** A warning label is attached advising that if the original cover is removed the fire-retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure also available.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



**SSDDF063675 36X75X6 Dual Density Foam Mattress**  
**SSDDF063680 36X80X6 Dual Density Foam Mattress**  
**SSDDF063875 38X75X6 Dual Density Foam Mattress**  
**SSDDF063880 38X80X6 Dual Density Foam Mattress**  
**SSDDF065375 53X75X6 Dual Density Foam Mattress**  
**SSDDF065380 53X80X6 Dual Density Foam Mattress**  
**SSDDF066080 60X80X6 Dual Density Foam Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**SleepSafeFR3 312 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress comprised of 6 layers with inverted seams and zipper closure. This 9" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.

### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lockstitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR insulator pad, a 4 lb. cotton pad along with 1/2" **CertiPUR-US®** high density sheet foam and an additional 4lbs. cotton on each side of the spring unit for supreme comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



SS3312INV093675 36X75X9 SleepSafe Inv Seam FR3  
SS3312INV093680 36X80X9 SleepSafe Inv Seam FR3  
SS3312INV093875 38X75X9 SleepSafe Inv Seam FR3  
SS3312INV093880 38X80X9 SleepSafe Inv Seam FR3  
SS3312INV095375 53X75X9 SleepSafe Inv Seam FR3  
SS3312INV095380 53X80X9 SleepSafe Inv Seam FR3  
SS3312INV096080 60X80X9 SleepSafe Inv Seam FR3

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**SleepSafeFR2 312 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with inverted seams and zipper closure. This 8" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static        ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free

### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lockstitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR Insulator pad and 8 lbs. cotton on each side of the spring unit for comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 3 years prorated



SS2312INV083675 36X75X8 SleepSafe Inv Seam FR2  
SS2312INV083680 36X80X8 SleepSafe Inv Seam FR2  
SS2312INV083875 38X75X8 SleepSafe Inv Seam FR2  
SS2312INV083880 38X80X8 SleepSafe Inv Seam FR2  
SS2312INV085375 53X75X8 SleepSafe Inv Seam FR2  
SS2312INV085380 53X80X8 SleepSafe Inv Seam FR2  
SS2312INV086080 60X80X8 SleepSafe Inv Seam FR2

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR1 312 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with inverted seams and zipper closure. This 7" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free

### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lock stitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR insulator pad along with 4 lbs. cotton on each side for comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

### **WARRANTY** 1 year prorated



SS1312INV073675 36X75X7 SleepSafe Inv Seam FR1  
 SS1312INV073680 36X80X7 SleepSafe Inv Seam FR1  
 SS1312INV073875 38X75X7 SleepSafe Inv Seam FR1  
 SS1312INV073880 38X80X7 SleepSafe Inv Seam FR1  
 SS1312INV075375 53X75X7 SleepSafe Inv Seam FR1  
 SS1312INV075380 53X80X7 SleepSafe Inv Seam FR1  
 SS1312INV076080 60X80X7 SleepSafe Inv Seam FR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR3 364 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress comprised of 6 layers with inverted seams and zipper closure. This 9" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free



### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.

### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lockstitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR insulator pad, a 4 lb. cotton pad, 1/2" **CertiPUR-US®** sheer foam along with 4 lbs. cotton on each side of the spring unit for supreme comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated



SS3364INV093675 36X75X9 SleepSafe Inv Seam FR3  
SS3364INV093680 36X80X9 SleepSafe Inv Seam FR3  
SS3364INV093875 38X75X9 SleepSafe Inv Seam FR3  
SS3364INV093880 38X80X9 SleepSafe Inv Seam FR3  
SS3364INV095375 53X75X9 SleepSafe Inv Seam FR3  
SS3364INV095380 53X80X9 SleepSafe Inv Seam FR3  
SS3364INV096080 60X80X9 SleepSafe Inv Seam FR3

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR2 364 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with inverted seams and zipper closure. This 8" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lockstitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR insulator pad along with 8 lbs. cotton on each side for comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 3 years prorated



SS2364INV083675 36X75X8 SleepSafe Inv Seam FR1  
SS2364INV083680 36X80X8 SleepSafe Inv Seam FR1  
SS2364INV083875 38X75X8 SleepSafe Inv Seam FR1  
SS2364INV083880 38X80X8 SleepSafe Inv Seam FR1  
SS2364INV085375 53X75X8 SleepSafe Inv Seam FR1  
SS2364INV085380 53X80X8 SleepSafe Inv Seam FR1  
SS2364INV086080 60X80X8 SleepSafe Inv Seam FR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR1 364 Coil Inverted Seam Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with inverted seams and zipper closure. This 7" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bedbug    ● Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static    ● Non-allergenic    ● Crack resistant
- Stain resistant    ● PDBE free

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lock stitching with FR thread and inverted seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. The mattress construction incorporates a FR insulator pad along with 4 lbs. cotton on each side for comfort and durability. Also available with lockstitch closure. Can be used with or without a box spring/foundation

### **FLAMMABILITY**

The mattress meets all the federal flammability requirements including CFR 16 part 1632 and 1633, TB 129, TB 603

**WARRANTY** 1 year prorated



SS1364INV073675 36X75X7 SleepSafe Inv Seam FR1  
SS1364INV073680 36X80X7 SleepSafe Inv Seam FR1  
SS1364INV073875 38X75X7 SleepSafe Inv Seam FR1  
SS1364INV073880 38X80X7 SleepSafe Inv Seam FR1  
SS1364INV075375 53X75X7 SleepSafe Inv Seam FR1  
SS1364INV075380 53X80X7 SleepSafe Inv Seam FR1  
SS1364INV076080 60X80X7 SleepSafe Inv Seam FR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**SleepSafeFR3 Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress comprised of 6 layers with standard 1.25" tape edge closure. This mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free    ● Anti-static
- Non-allergenic    ● Crack resistant    ● Stain resistant    ● PDBE free



### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.

### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR Insulator pad, a 4 lb. cotton pad along with ½" **CertiPUR-US®** high density sheet foam and an additional 4lbs. cotton on each side of the spring for supreme comfort and durability. FR thread and 1.25" binding tape along with 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 years prorated

SS3312TE093675 36X75X9 SleepSafeTapeEdgeFR3  
SS3312TE093680 36X80X9 SleepSafeTapeEdgeFR3  
SS3312TE093875 38X75X9 SleepSafeTapeEdgeFR3  
SS3312TE093880 38X80X9 SleepSafeTapeEdgeFR3  
SS3312TE095375 53X75X9 SleepSafeTapeEdgeFR3  
SS3312TE095380 53X80X9 SleepSafeTapeEdgeFR3  
SS3312TE096080 60X80X9 SleepSafeTapeEdgeFR3

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR2 312 Coil Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with standard 1.25" tape edge closure. This 8" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free    ● Anti-static
- Non-allergenic    ● Crack resistant    ● Stain resistant    ● PDBE free

### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR insulator pad and 8 pounds of cotton per side for comfort and durability. FR thread and 1.25" binding tape along with 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 3 years prorated

SS2312TE083675	36X75X8	SleepSafeTapeEdgeFR2
SS2312TE083680	36X80X8	SleepSafeTapeEdgeFR2
SS2312TE083875	38X75X8	SleepSafeTapeEdgeFR2
SS2312TE083880	38X80X8	SleepSafeTapeEdgeFR2
SS2312TE085375	53X75X8	SleepSafeTapeEdgeFR2
SS2312TE085380	53X80X8	SleepSafeTapeEdgeFR2
SS2312TE086080	60X80X8	SleepSafeTapeEdgeFR2

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**SleepSafeFR1 312 Coil Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with standard 1.25" tape edge closure. This 7" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free    ● Anti-static
- Non-allergenic    ● Crack resistant    ● Stain resistant    ● PDBE free

### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR insulator pad and a 4 lb. cotton pad on each side of the spring unit along with FR thread and 1.25" binding tape and 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 1 year prorated

SS1312TE073675 36X75X7 SleepSafeTapeEdgeFR1  
SS1312TE073680 36X80X7 SleepSafeTapeEdgeFR1  
SS1312TE073875 38X75X7 SleepSafeTapeEdgeFR1  
SS1312TE073880 38X80X7 SleepSafeTapeEdgeFR1  
SS1312TE075375 53X75X7 SleepSafeTapeEdgeFR1  
SS1312TE075380 53X80X7 SleepSafeTapeEdgeFR1  
SS1312TE076080 60X80X7 SleepSafeTapeEdgeFR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR3 364 Coil Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress comprised of 6 layers with standard 1.25" tape edge closure. This mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free
- Anti-static       ● Non-allergenic    ● Crack resistant
- Stain resistant   ● PDBE free

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR Insulator pad, a 4 lb. cotton pad along with 1/2" **CertiPUR-US®** high density sheet foam and an additional 4lbs. cotton on each side of the spring for supreme comfort and durability. FR thread and 1.25" binding tape along with 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633, TB 129, TB 603

**WARRANTY** 5 years prorated

SS3364TE093675 36X75X9 SleepSafeTapeEdgeFR3  
SS3364TE093680 36X80X9 SleepSafeTapeEdgeFR3  
SS3364TE093875 38X75X9 SleepSafeTapeEdgeFR3  
SS3364TE093880 38X80X9 SleepSafeTapeEdgeFR3  
SS3364TE095375 53X75X9 SleepSafeTapeEdgeFR3  
SS3364TE095380 53X80X9 SleepSafeTapeEdgeFR3  
SS3364TE096080 60X80X9 SleepSafeTapeEdgeFR3

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR2 364 Coil Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with standard 1.25" tape edge closure. This 8" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free    ● Anti-static
- Non-allergenic    ● Crack resistant    ● Stain resistant    ● PDBE free

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR insulator pad and a 4 lb. cotton pad on each side of the spring unit along with FR thread and 1.25" binding tape and 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633

### **WARRANTY** 3 year prorated

SS1312TE073675 36X75X7 SleepSafeTapeEdgeFR1  
SS1312TE073680 36X80X7 SleepSafeTapeEdgeFR1  
SS1312TE073875 38X75X7 SleepSafeTapeEdgeFR1  
SS1312TE073880 38X80X7 SleepSafeTapeEdgeFR1  
SS1312TE075375 53X75X7 SleepSafeTapeEdgeFR1  
SS1312TE075380 53X80X7 SleepSafeTapeEdgeFR1  
SS1312TE076080 60X80X7 SleepSafeTapeEdgeFR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR1 364 Coil Tape Edge Nylon Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered border rod innerspring mattress with standard 1.25" tape edge closure. This 7" mattress is reversible and constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface. Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial    ● Anti-fungal    ● Odor-free    ● Anti-static
- Non-allergenic    ● Crack resistant    ● Stain resistant    ● PDBE free

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit  
(20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod    ● Made from upcycled steel
- Also available in other coil counts on request.



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates a FR insulator pad and a 4 lb. cotton pad on each side of the spring unit along with FR thread and 1.25" binding tape and 4 corner protectors. Can be used with or without a box spring/foundation.

### **FLAMMABILITY**

The mattress meets/exceeds all federal flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 1 year prorated

SS1364TE073675 36X75X7 SleepSafeTapeEdgeFR1  
SS1364TE073680 36X80X7 SleepSafeTapeEdgeFR1  
SS1364TE073875 38X75X7 SleepSafeTapeEdgeFR1  
SS1364TE073880 38X80X7 SleepSafeTapeEdgeFR1  
SS1364TE075375 53X75X7 SleepSafeTapeEdgeFR1  
SS1364TE075380 53X80X7 SleepSafeTapeEdgeFR1  
SS1364TE076080 60X80X7 SleepSafeTapeEdgeFR1

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafe Dual Firmness Foam Encased Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered innerspring mattress with inverted seams and zipper closure. This 7" mattress is reversible – offering the end user a choice in comfort options. It is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### TICKING

- 210D polyurethane coated nylon waterproof mattress ticking with a laminated fire barrier
- Anti-bedbug      ● Anti-bacterial      ● Anti-fungal      ● Odor-free      ● Anti-static
- Non-allergenic      ● Crack resistant      ● Stain resistant      ● PDBE free
- Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### SPRING UNIT

- 312 coil, low profile spring, 13.5-gauge
- Made from upcycled steel
- The spring unit contains no border rod, allowing the mattress to be compressed and rolled without sacrificing any comfort or durability



### COMFORT/UPHOLSTERY LAYERS

The mattress construction incorporates lock stitching with FR thread and inverted seams located half way down the depth of the mattress to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. A 1.5" thick layer of premium **CertiPUR-US®** 1.8 density 36 lb. foam along with a FR insulator pad is the core of the Firm side of the mattress. A 1.5" thick layer of premium **CertiPUR-US®** 1.8 density 28 lb. foam along with a FR insulator pad comprise the Plush Firm side of the mattress. A label will be placed on the end of the mattress indicating the 2 firmness options. The perimeter of the mattress is also formed from high density **CertiPUR-US®** 1.8 b foam. Also available in 8" thickness. Also available with lockstitch closure. Can be used with or without a box spring/foundation.

**FLAMMABILITY** The mattress meets flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 year pro-rated

SSFOENC073675 36X75X7 Foam Encased Mattress  
 SSFOENC073875 38X75X7 Foam Encased Mattress  
 SSFOENC075375 53X75X7 Foam Encased Mattress

SSFOENC073680 36X80X7 Foam Encased Mattress  
 SSFOENC073880 38X80X7 Foam Encased Mattress  
 SSFOENC075380 53X80X7 Foam Encased Mattress

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafe Dual Firmness Foam Encased Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D nylon covered innerspring mattress with inverted seams and zipper closure. This 8" mattress is reversible – offering the end user a choice in comfort options. It is constructed with the nylon side of the ticking facing outwards offering the end user a cool and comfortable sleeping surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking with a laminated fire barrier
- Anti-bedbug      ● Anti-bacterial      ● Anti-fungal      ● Odor-free      ● Anti-static
- Non-allergenic      ● Crack resistant      ● Stain resistant      ● PDBE free
- Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **SPRING UNIT**

- 312 coil, low profile spring, 13.5-gauge
- Made from upcycled steel
- The spring unit contains no border rod, allowing the mattress to be compressed and rolled without sacrificing any comfort or durability



### **COMFORT/UPHOLSTERY LAYERS**

The mattress construction incorporates lock stitching with FR thread and inverted seams located half way down the depth of the mattress to prevent body fluid absorption into the mattress. Seams are on 3 sides of the mattress with a 48" locking zipper on the end. A 2" thick layer of premium **CertiPUR-US®** 1.8 density 36 lb. foam along with a FR insulator pad is the core of the Firm side of the mattress. A 2" thick layer of premium **CertiPUR-US®** 1.8 density 28 lb. foam along with a FR insulator pad comprise the Plush Firm side of the mattress. A label will be placed on the end of the mattress indicating the 2 firmness options. The perimeter of the mattress is also formed from high density **CertiPUR-US®** 1.8 lb foam. Also available in 8" thickness. Also available with lockstitch closure. Can be used with or without a box spring/foundation.

**FLAMMABILITY** The mattress meets flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 5 year pro-rated

SSFOENC083675 36X75X8 Foam Encased Mattress  
SSFOENC083875 38X75X8 Foam Encased Mattress  
SSFOENC085375 53X75X8 Foam Encased Mattress

SSFOENC083680 36X80X8 Foam Encased Mattress  
SSFOENC083880 38X80X8 Foam Encased Mattress  
SSFOENC085380 53X80X8 Foam Encased Mattress

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**SleepSafe 8" Twin XL HR Foam 364 Coil Mattress** meets/exceeds federal safety requirements while giving the end user a top quality and economical product. 210D barrier backed nylon covered border rod innerspring mattress with tape edge closure. This 38x80x8" mattress is two-sided and constructed with the nylon side of the ticking facing outwards offering the end user a cool, breathable, soft and comfortable sleeping surface. The Power Edge innerspring unit offers the end user the benefits of clipped borders which strengthen the edge further for a supportive night's sleep free of that roll-off feeling. This unit paired with **CertiPUR-US®** HR foam comfort layers provides superior comfort on a durable, long-lasting sleep surface.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking with a laminated fire barrier
- Anti-bedbug
- Anti-bacterial
- Anti-fungal
- Odor-free
- Anti-static
- Non-allergenic
- Crack resistant
- Stain resistant
- PDBE free
- Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)

### **SPRING UNIT**

- 364 coil, 13-gauge Power Edge Bonnell spring unit (20% increase in edge firmness over traditional Bonnell unit)
- 6-gauge border rod secured to the outer row of perimeter coils by helicals to protect the edges from premature breakdown, butt-welded at ends.
- 280 coil count based on twin xl
- Meets GSA standards
- Made from heat-tempered, upcycled steel

### **MATTRESS CORE/CONSTRUCTION**

This mattress is comprised of a FR insulator pad, a 1.5" thick layer of **CertiPUR-US®** High Resilience (HR) Polyurethane high density foam with an unfilled density of 1.5 pounds per cubic foot and Indentation Load Deflection (ILD) of 30 on both sides of the innerspring unit. 4 corner protectors, FR thread, and 1.25" binding tape used in a tape edge closure to resist raveling and zippering if stitches are broken or cut round out the construction of this mattress.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

### **WARRANTY** 5 Year Prorated

**SS364HRFTE083880 38x80x8" HR Foam/364 Coil Nylon Mattress**



[www.sleeperkraft.com](http://www.sleeperkraft.com)





**6" SleepSafe Pressure Relief Visco Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly pressure relieving all foam mattress. All mattresses manufactured in the United States in accordance with the best practice known to the manufacturing industry and shall be clean and free from defects in material and workmanship.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial
- Non-allergenic
- Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)
- Anti-fungal
- Crack resistant
- Anti-bedbug
- Odor-free
- Stain resistant
- Anti-static
- PDBE free

### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a **CertiPUR-US®** foam core combining the benefits of pressure relieving Visco foam and a 1.8 high density foam for added support and durability. The mattress construction incorporates lock stitching with FR thread and inverted seams with a locking zipper running the entire length of the mattress on the underside to provide maximum defense against fluid transfer. A warning label is attached advising that if the original cover is removed – the fire retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure available on request.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 3 years prorated

SS1VMED063675 36X75X6 PR Visco Foam Mattress  
SS1VMED063680 36X80X6 PR Visco Foam Mattress  
SS1VMED063875 38X75X6 PR Visco Foam Mattress  
SS1VMED063880 38X80X6 PR Visco Foam Mattress  
SS1VMED065375 53X75X6 PR Visco Foam Mattress  
SS1VMED065380 53X80X6 PR Visco Foam Mattress  
SS1VMED066080 60X80X6 PR Visco Foam Mattress



[www.sleeperkraft.com](http://www.sleeperkraft.com)



**7" SleepSafe Pressure Relief Visco Mattress** meets/exceeds federal safety requirements while giving the end user a top quality, enviro-friendly pressure relieving all foam mattress. All mattresses manufactured in the United States in accordance with the best practice known to the manufacturing industry and shall be clean and free from defects in material and workmanship.

### **TICKING**

- 210D polyurethane coated nylon waterproof mattress ticking
- Anti-bacterial
- Non-allergenic
- Easily cleaned with soap and water or a properly diluted sanitizing agent (water for the final rinse.)
- Anti-fungal
- Crack resistant
- Anti-bedbug
- Odor-free
- Stain resistant
- Anti-static
- PDBE free

### **MATTRESS CORE/CONSTRUCTION**

This mattress uses a **CertiPUR-US®** foam core combining the benefits of pressure relieving Visco foam and a 1.8 high density foam for added support and durability. The mattress construction incorporates lock stitching with FR thread and inverted seams with a locking zipper running the entire length of the mattress on the underside to provide maximum defense against fluid transfer. A warning label is attached advising that if the original cover is removed – the fire retardant barrier is taken away and only a new mattress cover with a fire retardant barrier is to be used. Custom sizes available on request. Lockstitch closure available on request.

### **FLAMMABILITY**

The mattress meets all the flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 3 years prorated

SS1VMED073675 36X75X7 PR Visco Foam Mattress  
SS1VMED073680 36X80X7 PR Visco Foam Mattress  
SS1VMED073875 38X75X7 PR Visco Foam Mattress  
SS1VMED073880 38X80X7 PR Visco Foam Mattress  
SS1VMED075375 53X75X7 PR Visco Foam Mattress  
SS1VMED075380 53X80X7 PR Visco Foam Mattress  
SS1VMED076080 60X80X7 PR Visco Foam Mattress



[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR2 312 Coil Quilted Damaks Mattress** This 9” durable mattress meets/exceeds federal safety requirements while giving the end user a top quality product at an affordable price. This mattress is reversible with an upcycled steel innerspring unit as the core.

### **TICKING**

Quilted French Blue Floral Damask – Meets GSA standards

### **SPRING UNIT**

- 312 coil, 13 gauge Power Edge Bonnell innerspring unit (20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod
- Made from upcycled steel
- Also available in other coil counts on request.

### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 16 part 1632 and 1633

### **COMFORT/UNHOLSTERY LAYERS**

- FR insulator pad (both sides of spring)
- 8 pounds cotton (both sides of spring)
- 1” **CertiPUR-US®** quilt foam (both sides of spring)
- 1.25” binding tape
- FR thread
- 4 corner protectors

**WARRANTY** 5 years prorated

SS2312QT093675 36X75X9 SleepSafeQuiltedFR2  
SS2312QT093680 36X80X9 SleepSafeQuiltedFR2  
SS2312QT093875 38X75X9 SleepSafeQuiltedFR2  
SS2312QT093880 38X80X9 SleepSafeQuiltedFR2  
SS2312QT095375 53X75X9 SleepSafeQuiltedFR2  
SS2312QT095380 53X80X9 SleepSafeQuiltedFR2  
SS2312QT096080 60X80X9 SleepSafeQuiltedFR2



[www.sleeperkraft.com](http://www.sleeperkraft.com)



**SleepSafeFR2 364 Coil Quilted Damaks Mattress** This 9” durable mattress meets/exceeds federal safety requirements while giving the end user a top quality product at an affordable price. This mattress is reversible with a recycled steel innerspring unit as the core. Manufactured in the United States in accordance with the best practice known to the manufacturing industry and shall be clean and free from defects in material and workmanship.

### **TICKING**

Quilted French Blue Floral Damask – Meets GSA standards

### **SPRING UNIT**

- 364 coil, 13 gauge Power Edge Bonnell innerspring unit (20% increase in edge firmness over traditional Bonnell unit)
- 6 gauge border rod
- Made from upcycled steel
- Also available in other coil counts on request.

### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 16 part 1632 and 1633

### **COMFORT/UNHOLSTERY LAYERS**

- FR insulator pad (both sides of spring)
- 8 pounds cotton (both sides of spring)
- 1”CertiPUR-US® quilt foam (both sides of spring)
- 1.25” binding tape
- FR thread
- 4 corner protectors

**WARRANTY** 5 year prorated

SS2364QT093675 36X75X9 SleepSafeQuiltedFR2  
SS2364QT093680 36X80X9 SleepSafeQuiltedFR2  
SS2364QT093875 38X75X9 SleepSafeQuiltedFR2  
SS2364QT093880 38X80X9 SleepSafeQuiltedFR2  
SS2364QT095375 53X75X9 SleepSafeQuiltedFR2  
SS2364QT095380 53X80X9 SleepSafeQuiltedFR2  
SS2364QT096080 60X80X9 SleepSafeQuiltedFR2



[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Sleeper Kraft Memory Foam Mattress** This 8" all-foam extraordinarily comfortable mattress topped with memory gel is strategically designed to provide the end user a relaxing and refreshing sleep surface. Memory gel helps to alleviate pressure points providing maximum overall support. Memory gel offers the end user a cooler sleeping surface by absorbing excess body heat and dispersing it. Also available in 10".

### **TICKING**

Premium Stretch Knit with contrasting border

### **COMFORT LAYERS**

5.5" of premium **CertiPUR-US®** 1.8lb density base foam to provide long-lasting durability is topped with 2.5" of **CertiPUR-US®** memory gel foam to cradle and support the body leading to deeper, sounder sleep.



### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 10 Year Prorated

### **PACKAGING**

This mattress can be compressed, rolled and vacuum sealed for shipping making it easier for installation and maneuvering. Also offers freight savings dependent upon quantity.

SSMEMGEL083675 36X75X8 SleepSafeMemoryGel  
SSMEMGEL083680 36X80X8 SleepSafeMemoryGel  
SSMEMGEL083875 38X75X8 SleepSafeMemoryGel  
SSMEMGEL083880 38X80X8 SleepSafeMemoryGel  
SSMEMGEL085375 53X75X8 SleepSafeMemoryGel  
SSMEMGEL085380 53X80X8 SleepSafeMemoryGel  
SSMEMGEL086080 60X80X8 SleepSafeMemoryGel



[www.sleeperkraft.com](http://www.sleeperkraft.com)





**Sleeper Kraft Memory Foam Mattress** This 10" all-foam extraordinarily comfortable mattress topped with memory gel is strategically designed to provide the end user a relaxing and refreshing sleep surface. Memory gel helps to alleviate pressure points providing maximum overall support. Memory gel offers the end user a cooler sleeping surface by absorbing excess body heat and dispersing it. Also available in 8".

### **TICKING**

Premium Stretch Knit with contrasting border

### **COMFORT LAYERS**

7.5" of premium **CertiPUR-US®** 1.8lb density base foam to provide long-lasting durability is topped with 2.5" of **CertiPUR-US®** memory gel to cradle and support the body leading to deeper, sounder sleep.



### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 16 part 1632 and 1633

### **WARRANTY**

### **PACKAGING**

This mattress can be compressed, rolled and vacuum sealed for shipping making it easier for installation and maneuvering. Also offers freight savings dependent upon quantity.

SSMEMGEL103675 36X75X10 SleepSafeMemoryGel  
SSMEMGEL103680 36X80X10 SleepSafeMemoryGel  
SSMEMGEL103875 38X75X10 SleepSafeMemoryGel  
SSMEMGEL103880 38X80X10 SleepSafeMemoryGel  
SSMEMGEL105375 53X75X10 SleepSafeMemoryGel  
SSMEMGEL105380 53X80X10 SleepSafeMemoryGel  
SSMEMGEL106080 60X80X10 SleepSafeMemoryGel



**FOAMS THAT FEEL GOOD  
AND YOU CAN FEEL GOOD ABOUT**  
[www.certipur.us](http://www.certipur.us)

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Sleeper Kraft iLuxury Harmony 1 Sided Hybrid Mattress** This 9.5” one-sided, pocketed coil mattress is designed to offer bi-directional support by both absorbing weight and pushing back to totally conform to the user’s body and relieve pressure across one’s entire body.

#### **TICKING**

Premium Stretch Knit with contrasting quilted border

#### **CORE AND COMFORT LAYERS**

8” quad coil pocket spring with a 13.5-gauge perimeter for side support and 15.5-gauge center for comfort. Topped with 2 layers of high density **CertiPUR-US®** quilt foam, a layer of fire barrier and an additional layer of high density **CertiPUR-US®** foam for additional comfort and support.

#### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 16 part 1632 and 1633

**WARRANTY** 10 Year Prorated

#### **PACKAGING**

This mattress can be compressed, rolled and vacuum sealed for shipping making it easier for installation and maneuvering - also offers freight savings dependent upon quantity. Please contact us for details.

Coil Counts based on size Twin = 420, Twin XL = 448, Full = 660, Full XL = 704, Queen = 768, King = 960



**SS1SDPOCOIL093875 – Twin 9” 1 Sided Hybrid Mattress**

**SS1SDPOCOIL093880 – Twin XL 9” 1 Sided Hybrid Mattress**

**SS1SDPOCOIL095375 – Full 9” 1 Sided Hybrid Mattress**

**SS1SDPOCOIL095380 – Full XL 9” 1 Sided Hybrid Mattress**

**SS1SDPOCOIL096080 – Queen 9” 1 Sided Hybrid Mattress**

**SS1SDPOCOIL097680 – King 9” 1 Sided Hybrid Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)





**Sleeper Kraft iLuxury Ultima 1 Sided Plush Euro Top Hybrid Mattress** This 11” one-sided, pocketed coil mattress is designed with 3” of plush foam layers to offer bi-directional support by both absorbing weight and pushing back to totally conform to the users body and relieve pressure across one’s entire body. The quality and comfort of the **iLuxury Ultima 1 Sided Plush Euro Top Mattress** combined with the ability to compress for shipment make this the perfect choice for the buyer that demands maximum comfort and affordability.

### **TICKING**

Premium Stretch Knit with contrasting quilted border

### **CORE AND COMFORT LAYERS**

8” quad coil with 660 individually wrapped springs (based on a full size mattress) with a 13.5 gauge perimeter for side support and 15.5 gauge center for comfort. Topped with 2½” of high density **CertiPUR-US®** foam, a layer of fire barrier and ½” **CertiPUR-US®** quilt foam, and a FR pad on each side of the spring along with 4 corner protectors.

### **FLAMMABILITY**

The mattress meets flammability requirements including CFR 1632 and 1633

**WARRANTY** 10 Year Prorated

### **PACKAGING**

This mattress can be compressed, rolled and vacuum sealed for shipping making it easier for installation and maneuvering - also offers freight savings dependent upon quantity. Please contact us for details.

Coil Counts based on size Twin = 420, TwinXL = 448, Full = 660, FullXL = 704, Queen = 768, King =960



**SS1SDEURO113875 – Twin 11” Euro Top Hybrid Mattress**

**SS1SDEURO113880 – TwinXL 11” Euro Top Hybrid Mattress**

**SS1SDEURO115375 – Full 11” Euro Top Hybrid Mattress**

**SS1SDEURO115380 – Full XL 11” Euro Top Hybrid Mattress**

**SS1SDEURO116080 – Queen 11” Euro Top Hybrid Mattress**

**SS1SDEURO117680 – King 11” Euro Top Hybrid Mattress**

[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Mattress Encasements/Replacement Covers – 210 Denier Nylon** The Sleeper Kraft Mattress Encasement is breathable, cool and comfortable providing total mattress protection against bed bugs, allergens, dust mites and pet dander and creating a hygienic sleeping surface. Sleeper Kraft Encasements can be used to prolong the life of your new or existing mattress while creating a fluid proof barrier and giving the end user a cool and comfortable sleeping surface.

### **TICKING**

The 210 Denier nylon mattress encasement is polyurethane coated nylon waterproof mattress ticking which is anti-bacterial, anti-fungal, odor-free, anti-static, crack resistant, non-allergenic, easily washable and stain resistant.

### **CONSTRUCTION**

The encasement construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. There are no tape edge seams on the mattress; eliminating nesting sites for bed bugs. The encasement closes on one end with a 48" locking zipper. *Encasements built to customer specifications to fit existing mattresses or made to fit any of our nylon dormitory mattresses offered. Thickness will be specified in part number.* Available in NonFR and FR backed nylon.

**Use of this cover does not result in 1633 compliance.**

210D3675CVR 36X75 210D NonFR Mattress Encasement  
210D3680CVR 36X80 210D NonFR Mattress Encasement  
210D3875CVR 38X75 210D NonFR Mattress Encasement  
210D3880CVR 38X80 210D NonFR Mattress Encasement  
210D5475CVR 54X75 210D NonFR Mattress Encasement  
210D5480CVR 54X80 210D NonFR Mattress Encasement  
210D6080CVR 60X80 210D NonFR Mattress Encasement

210DFR3675CVR 36X75 210D FR Mattress Encasement  
210DFR3680CVR 36X80 210D FR Mattress Encasement  
210DFR3875CVR 38X75 210D FR Mattress Encasement  
210DFR3880CVR 38X80 210D FR Mattress Encasement  
210DFR5475CVR 54X75 210D FR Mattress Encasement  
210DFR5480CVR 54X80 210D FR Mattress Encasement  
210DFR6080CVR 60X80 210D FR Mattress Encasement



[www.sleeperkraft.com](http://www.sleeperkraft.com)



**Mattress Encasements/Replacement Covers – 210 Denier Nylon** The Sleeper Kraft Mattress Encasement is breathable, cool and comfortable providing total mattress protection against bed bugs, allergens, dust mites and pet dander and creating a hygienic sleeping surface. Sleeper Kraft Encasements can be used to prolong the life of your new or existing mattress while creating a fluid proof barrier and giving the end user a cool and comfortable sleeping surface.

### **TICKING**

The 210 Denier nylon mattress encasement is polyurethane coated nylon waterproof mattress ticking which is anti-bacterial, anti-fungal, odor-free, anti-static, crack resistant, non-allergenic, easily washable and stain resistant.

### **CONSTRUCTION**

The encasement construction incorporates lock stitching with FR thread and inverted seams with the seams located half way down the depth of the mattress in order to prevent body fluid absorption into the mattress. There are no tape edge seams on the mattress; eliminating nesting sites for bed bugs. The encasement closes on the underside of the mattress with a locking zipper running the length of the mattress for maximum defense against fluid transfer. *Encasements built to customer specifications to fit existing mattresses or made to fit any of our nylon dormitory mattresses offered. Thickness will be specified in part number.* Available in NonFR and FR backed nylon.

**Use of this cover does not result in 1633 compliance.**

210D063675BZCVR 36X75X6  
210D NonFR Bottom Zipper Mattress Encasement  
210D063680BZCVR 36X80X6  
210D NonFR Bottom Zipper Mattress Encasement  
  
210D063675FRBZCVR 36x75x6  
210D FR Bottom Zipper Mattress Encasement  
210D063680FRBZCVR 36X80X6  
210D FR Bottom Zipper Mattress Encasement



[www.sleeperkraft.com](http://www.sleeperkraft.com)