SAFETY
QUALITY & DURABILITY
EASE OF OPERATION
VALUE FOR YOUR INVESTMENT



MOBILE TABLES



MOBILE TABLE CATALOG



AmTab is the best choice. We have what you need.

Quality Products

Our products are designed, manufactured and sold under AmTab's core principles:

- Safety
- 2. Quality & Durability
- 3. Ease of Operation
- 4. Value for Your Investment



Personalized Service

AmTab provides an excellent customer service experience. From Quote, to Order, to Delivery, AmTab works hand-in-hand with you each and every time to ensure that your facility is furnished, both functionally and beautifully.

Made in the USA

AmTab products are proudly manufactured and assembled in America with domestic material and labor.



MOBILE BENCH TABLE



DYNAGRIP™ Custom **Glides**

Extra-wide, high impact, non-marking, load bearing glides for floor safety

Torsion Bar & High Speed™ Gas Cylinder Stabilizer Assist

For long-lasting opening and closing functions

Heavy-duty Casters

Wide heavy-duty double ball bearing non-marking swivel casters for strength.













MBE₁₀

29"-17"

10'1"x46" EMPIRE

41"x56"x69"

365

10-14

MOBILE CONVERTIBLE BENCH

ALL-IN-ONE

















Mobile Convertible Benches

are versatile. They can be used for various activities & folds for easy storage and cleaning.



ALL-IN-ONE

Extra Benefits

Top Support Legs

Legs provide extra support, strength, and stability to table top







Shorter Caster Beam

Best solution to add capacity for seating





All-in-One design provides easy set up and compact storage

Heavy-duty Casters

3" dia. x 1 1/4" wide heavy-duty non-marking double ball bearing casters for strength and stability.







MOBILE CONVERTIBLE BENCH



Built-In Safety Feature Built-in safety feature prevents fingers from being pinched when



Steel Frame with Gussets Table top is supported with heavy duty 14 gauge steel frame reinforced with metal gussets

for extra strength and keeps table top flat



EZ-Coupling Device (CD) Table-to-table coupling (hookup)



DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety



ALL-IN-ONE MOBILE CONVERTIBLE BENCH Table Height 29" and Bench Height 17" Standard									
MODEL NUMBER	SEATS		BENCH GHTS	TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)			
ACB6	3-4	29"-17"	27"-15"	72" X 29"	72"x8"x34"	142			
ACB7	4-5	29"-17"	27"-15"	84" X 29"	84"x8"x34"	152			
ACB8	4-6	29"-17"	27"-15"	96" X 29"	96"x8"x34"	164			

MOBILE CONVERTIBLE BENCH Table Height 29" and Bench Height 17" Standard									
MODEL NUMBER	SEATS	TABLE &	BENCH SHTS	TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)			
MCB6	3-4	29"-17" 27"-15"		72" X 29"	72"x8"x34"	135			
МСВ7	4-5	29"-17"	27"-15"	84" X 29"	84"x8"x34"	145			
MCB8	4-6	29"-17"	27"-15"	96" X 29"	96"x8"x34"	150			

Flexible Design Retrofit

Retrofit kit available to convert standard unit to All-in-One








MOBILE CAFE TABLE





42"x30¹/2"x [43"/55¹/2"]

29" - 42"

50

LTSW30542 LT base with Cross

Bar and Bag Hooks,

Tubing, 42" high

• Dyna-Rock™ (DR) edge - standard

42" DIA

ROUND

CBR42

Custom Shapes AvailableCall the office for details and pricing





MOBILE ROUND TABLE



DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety

High-Powered, High-Speed™ Gas Cylinders

Four custom made, high-powered, High-Speed™ gas cylinders help for easiy opening and closing functions







*not to scale







Square steel tube columns eliminate stool spinning and easier faster seat installations









MOBILE TABLE — Table Height 29" and Bench Height 17" Standard									
MODEL NUMBER	NO. OF STOOLS OR BENCHES	TABLE & BENCH OR STOOL HEIGHTS			TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)		
MSR608	8 Stools	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"x37½"x54½"	270		
MSOC608	8 Stools	29"-17"	27"-15"	25"-13"	60" Octagonal	84½"x37½"x54½"	330		
MBR604	4 Benches	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"×37½"×54½"	290		
MBOC604	4 Benches	29"-17"	27"-15"	25"-13"	60" Octagonal	841/2"x371/2"x541/2"	290		
MSBR6042	4 Stools 2 Benches	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"x37½"x54½"	280		









MOBILE STOOL TABLES



MOBILE STOOL TABLES

DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety



EZ-Autolock™ EZ-Autolock™

automatically locks table when folded and opens from either side



Cleaning Position Intermediate locking position allows for easy cleaning, set up and reset up



















MOBILE STOOL TABLE — Table Height 29" and Bench Height 17" Standard									
MODEL NUMBER	NUMBER OF STOOLS	TABLE & STOOL HEIGHTS			TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)		
MST44	4	29"-17"	27"-15"	25"-13"	4'0"×30"		168		
MST88	8	29"-17"	27"-15"	25"-13"	8'1"x30"	60" x 33"x 56"	230		
MST1012	12	29"-17"	27"-15"	25"-13"	10'1"x30"	60" x 38" x 75"	275		
MST1212	12	29"-17"	27"-15"	25"-13"	12'1"x30"	60" x 38"x 80"	300		
MST1216	16		28"-15"	25"-13"	12'1"x30"	60" x 39"x 83"	315		
MSE610	10	29"-17"	27"-15"	25"-13"	6'I" x 54"	60" x 40" x 83"	310		
MSEI012	12	29"-17"	27"-15"	27"-15"	10'1"x46"	77" x 40" x 75"	345		

^{*} For other ADA options call us!

MOBILE EZ-TILT TABLES





Balanced Construction

A well-balanced, strong underside with 14 gauge steel construction keeps table flat and sturdy for years of service

Special High-Speed™ Gas Cylinder Stabilizer













EZ-Tilt Extra Benefits



One-Piece Top

EZ-Tilt flexible, seamless top allows for quick, easy cleaning before, during, and after dining



Spring Loaded T-Autolock

Spring loaded T-Autolock ensures top stays safely locked in ready-to-use position



Smoothly lower table from vertical storage position into flat open position until spring loaded T-Autolock firmly engages onto table with a click



Close

Simultaneously pull spring loaded T-Autolock and lift table top, then fold vertically for storage

3. Compact Storage

EZ-Tilt tables nest easily and stores compactly

EZ-TILT MOBILE TABLES - Dyna-Rock™ Edge Standard									
MODEL NUMBER	SHAPE	TABLE LxW	FOLDED WxDxH	TABLE TOP HEIGHT	SHIPPING WEIGHT				
MRZT48	ROUND	48" Dia.	48"×20 ¹ /2"×70"	29"	130				
MRZT60	ROUND	60" Dia.	60"x20 ¹ /2"x70"	29"	130				
MSQZT60	SQUARE	60"	60"x20 ¹ /2"x70"	29"	135				
MHXZT60	HEXAGON	60"	60"x20 ¹ /2"x70"	29"	132				
MOCZT60	OCTAGON	60"	60"x20 ¹ /2"x70"	29"	132				
MOVZT72	OVAL	60" x 72"	72"×20 ¹ /2"×70"	29"	138				
CB2448	RECTANGLE	24" x 48"	20"x48"x36"	29"	60				
CB2460	RECTANGLE	24" x 60"	20"x60"x36"	29"	64				
CB3072	RECTANGLE	30" x 72"	20"×72"×36"	29"	72				

MOBILE SHAPE TABLES



Round Glide

14 gauge x 11/16" dia. steel tubular legs are capped with high impact, load bearing, non-marking plastic glides



Balanced Construction

A well-balanced, strong underside with 14 gauge steel construction keeps table flat and sturdy for years of service




Lift Off Wheels

4" x I ³8" wide, heavy-duty, non-marking casters automatically lift from floor for stability when table is opened for use











MOBILE TABLES



^{* 27&}quot; table height available upon request.

MOBILE SPACE SAVER



Features & Benefits

Authorized Access

Key activated unlocking ensures limited access to table

Ease of Operation

Locking system activates and pops lower lock, which releases only bottom portion of table and benches a good distance away from pocket for easy opening

Automatic Lower Lock

Automatic lower lock latches when table and benches are in full storage position for added safety

Automatic Upper Lock

Spring loaded automatic upper lock positively engages when table and benches are folded for storage to ensure full compliancy with state laws

Pocket Safety Guides

Safety guides lead table and benches into proper locked and unfolded positions



SPACE SAVER RECESSED —Table Height 29"/Bench Height 17" Standard										
MODEL NUMBER	DESCRIPTION	TABLES PER CABINET	BENCHES PER CABINET	TABLE LXW	BENCH LXW	SHIPPING WEIGHT (lbs.)				
MSSI14	Recessed Single Pocket	I	2	14'x28"	14'x12"	576				
MSS214	Recessed Double Pocket	2	4	14'x28"	14'x12"	1152				
SPACE SAV	SPACE SAVER SURFACE MOUNTED—Table Height 29"/Bench Height 17" Standard									
MSSA114	Surface Mounted Single Pocket	I	2	14'x28"	14'x12"	576				
MSSA214	Surface Mounted Double Pocket	2	4	14'x28"	14'x12"	1152				

PRODUCT OPTIONS

AmTab ...beyond ordinary

Table Top Standard Laminate and Colors





Standard Stool Colors



METAL COLORS



Standard Metal Colors Chrome — Optional

OPTIONAL Plywood Core (P)



OPTIONAL Chrome Under Structure (C)

T-Molding Edge



Vinyl T-Molding

Tops and benches are edged with heavyduty vinyl T-molding and fastened around perimeter with staples

(Optional — other colors available)

OPTIONALDyna-Rock™(DR) Colors



Dyna-Rock™ Edge (DR)

Top and bench edges are sealed and protected with 100% solid polyurethane resin sprayed and permanently bonded to edges of plastic laminate, core, and plastic laminate backing sheet



Chrome Under Structure (C)

* For an additional cost

**Table frame under tops are powder coated on chome models

CUSTOM LOGOS

Customize with graphics and colors for your school!!!

Four E-Z Steps

- I. You provide artwork
- 2. We provide sample
- 3. You approve
- 4. We ship to you











Policy and Warranty

TO ORDER —Write the catalog number of each item. Add quantity. Include colors of table tops, metal finish and color of molding where applicable.

TERMS OF SALE — Net 30 days, for dealers who qualify for credit in AmTab's judgement. All orders are subject to acceptance by AmTab. All prices listed herein are f.o.b. factory.

ACKNOWLEDGEMENTS — Every order is acknowledged. Orders are manufactured and invoiced based upon the information in the acknowledgement. If there is any discrepancy, the dealer or customer must notify AmTab within 5 working days. Orders are accepted by AmTab per terms herein and on the acknowledgement. AmTab rejects any terms and conditions contained in any customer purchase orders or other business forms which are different from the terms stated herein and on the acknowledgement.

PHONE ORDERS — AmTab accepts phone orders as a service to meet customers' needs. However a purchase order marked: "confirmation" must follow immediately. Duplicate orders not marked "confirmation" are the responsibility of the


SHIPMENT DAMAGE CLAIMS — All shipments should be carefully inspected by the consignee before acceptance and the delivering carrier should be requested to record any damage or shortage on the delivery receipt before the consignee signs it. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise. Carrier liability ceases after 15 days. CAUTION: After obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damage or shortages.

RETURNS — Merchandise returned will not be accepted without written consent of AmTab. After approval, returned merchandise must be shipped pre-paid and subject to minimum of 15% handling charge unless it is AmTab's responsibility.

WARRANTY — AmTab warrants products purchased hereunder to be free of defects in materials and workmanship for a period of fifteen (15) years from the date of shipment. This warranty shall not apply in the event products are

damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by AmTab, where products are damaged during shipment, or where the date stamps on the products has been defaced, modified or removed. UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW.

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED.
- b. PURCHASER'S REMEDY, IF ANY, FOR ANY
 DEFECTIVE PRODUCTS SHALL BE LIMITED TO
 A REFUND, REPLACEMENT OR ADJUSTMENT
 BY AMTAB OF THE PRODUCTS AT AMTAB'S
 OPTION, AND SHALL IN NO EVENT INCLUDE
 DAMAGES OF ANY KIND, WHETHER INCIDENTAL,
 CONSEQUENTIAL OR OTHERWISE.





AmTab Manufacturing Corporation

652 N. Highland Avenue • Aurora, IL 60506

PHONE: 630 301-7600 FAX: 630 896-7945 TOLL FREE: 800 878-2257