Prices effective February 1, 2016

Published April 2016

Layout Studio®

Introduction	**page 2**
Layout Studio®	**3**
Infrastructure	5
Power & Wire Management	17
Surfaces	31
Screens	48
Hardware	65
Indices	**67**
By Name	67
By Number	69
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Customer's Own Material Order Information-Workspaces	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	

For the latest materials information, refer to the Materials pages on HermanMiller.com.

PB_LSN

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.
The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 1, 2016, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure

Power & Wire Management

Surfaces

Screens

Hardware

Engage Leg, Desk End, Single

GNLFEL
GNLFER

Product Information

Description

These single desk end legs provide support for individual tables or the ends of single-sided benches and returns. These fixed height legs provide 1¾″ of leveling adjustment.

Notes

Size of legs must match the depth of the surface being supported.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF fixed height A

Step 3. Application

EL. left hand A
ER. right hand A

Step 4. Depth

24 24″ deep A
30 30″ deep A
36 36″ deep A

Prices for Steps 1-4.

GNLFEL.	**24**	$249
	30	$253
	36	$257
GNLFER.	**24**	$249
	30	$253
	36	$257

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Desk End, Double GNLFEN

Product Information

Description

The double desk end leg provides support at either end of a back-to-back bench application, or a project table. This fixed height leg provides 1¾″ of leveling adjustment.

Notes

Size of the leg must match the combined depth of the 2 primary surfaces or 1 project table surface being supported.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF	fixed height A

Step 3. Application

EN.	desk end double A

Step 4. Depth

48	48″ deep A
60	60″ deep A
72	72″ deep A

Prices for Steps 1-4.

GNLFEN.	**48**	$330
	60	$350
	72	$370

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Intermediate Desk GNLFSN

Product Information

Description

The intermediate desk leg provides support within single-sided, back-to-back bench or project table applications. This fixed height leg provides 1³/₄″ of leveling adjustment.

Notes

Size of the leg must match the depth of the surfaces being supported.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF	fixed height A

Step 3. Application

SN.	intermediate desk A

Step 4. Depth

24	24″ deep A
30	30″ deep A
36	36″ deep A
48	48″ deep A
60	60″ deep A
72	72″ deep A

Prices for Steps 1-4.

GNLFSN.	**24**	$270
	30	$275
	36	$280
	48	$345
	60	$360
	72	$370

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Asymmetrical Desk End, Double

GNLFAL
GNLFAR

Product Information

Description

This leg supports an asymmetrical application, with a back-to-back application on 1 side of the leg and a single surface on the other side of the leg. It is fixed height, and provides 1¾" of leveling adjustment.

Notes

Size of the leg must match the depth of the surfaces being supported.

Dimensions

Left Hand

Right Hand

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF	fixed height A	

Step 3. Application

AL.	left hand A	
AR.	right hand A	

Step 4. Depth

48	48" deep A	
60	60" deep A	
72	72" deep A	

Prices for Steps 1-4.

GNLFAL.	**48**	$355
	60	$375
	72	$390
GNLFAR.	**48**	$355
	60	$375
	72	$390

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Desk End Double, Meeting End

GNLFPN

Product Information

Description

This leg supports the use of meeting end beams and surface at the end of a back-to-back bench.

Notes

Size of leg must match the combined depth of the 2 primary surfaces or 1 project table surface being supported.

Order meeting end beams (GNBM.) and surface (GNTDx.) separately.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF fixed height A

Step 3. Application

PN. meeting end A

Step 4. Depth

48 48" deep A
60 60" deep A
72 72" deep A

Prices for Steps 1-4.

GNLFPN.	**48**	$345
	60	$385
	72	$415

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Corner Leg GNLFCN

Product Information

Description

This leg provides support at the back corner of a 120° surface. It is fixed height, and provides 1 3/4″ of leveling adjustment.

Notes

Specify the leg based on the number of surfaces to be supported (GNLFCN.1 supports 1 surface, GNLFCN.2 supports 2 surfaces, and GNLFCN.3 supports 3 surfaces.).

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF	fixed height A	

Step 3. Application

CN.	corner leg A	

Step 4. Surface Quantity

1	supports one surface A	
2	supports two surfaces A	
3	supports three surfaces A	

Prices for Steps 1-4.

GNLFCN.	**1**	$105
	2	$188
	3	$250

Step 5. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Engage Leg, Back-to-Back Bracing Leg GNLFBN

Product Information

Description

This stabilizer leg provides support within a back-to-back bench or project table application, where no intermediate leg is being used. This fixed height leg provides 1¾″ of leveling adjustment.

Notes

This leg is only used with back-to-back or project table applications that have 1 beam width spanning between 2 end legs.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Leg Type

LF	fixed height A	

Step 3. Application

BN.	back-to-back bracing leg A	

Prices for Steps 1-3.

GNLFBN.		$225

Step 4. Leg Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Beams, Rectangular Primary GNBR.

Product Information

Description

This pair of beams connects to end, asymmetrical, and intermediate Engage legs, and is required for the support of rectangular primary surfaces. Beams also provide attachment and support for cable management, screens, and other elements. Attachment hardware packs ordered separately.

Notes

To connect beams to fixed surfaces and legs, order hardware pack (GNHPF.). To connect beams to sliding surfaces and legs, order hardware pack (GNHPS.).

Dimensions

Specification Information

Step 1.

GNBR. A

Step 2. Width

36	36″ wide A
42	42″ wide A
48	48″ wide A
54	54″ wide A
60	60″ wide A
66	66″ wide A
72	72″ wide A
78	78″ wide A
84	84″ wide A
96	96″ wide A

Prices for Steps 1-2.

GNBR.	**36**	$80
	42	$85
	48	$90
	54	$130
	60	$116
	66	$163
	72	$144
	78	$200
	84	$210
	96	$225

Beams, Rectangular Return

GNBA.
GNBB.
GNBC.

Product Information

Description

This pair of beams supports a return surface. It connects to a rectangular primary beam and a single desk end Engage leg. Beams also provide attachment and support for cable management, screens, and other elements. Attachment hardware packs ordered separately.

Notes

Specify beam type to match depth of primary surface to which it will be attached.

To connect beams to fixed surfaces and legs, order hardware pack (GNHSF.).

Dimensions

Specification Information

Step 1.

GNB A

Step 2. Attachment Depth

A. 24″ deep primary A
B. 30″ deep primary A
C. 36″ deep primary A

Step 3. Width

36 36″ wide A
42 42″ wide A
48 48″ wide A
60 60″ wide A
72 72″ wide A

Prices for Steps 1-3.

GNBA.	**36**	$113
	42	$145
	48	$153
	60	$170
	72	$192
GNBB.	**36**	$123
	42	$148
	48	$167
	60	$195
	72	$217
GNBC.	**36**	$132
	42	$152
	48	$180
	60	$217
	72	$242

Return Leg Beam Replacement Kit GNBD.

Product Information

Description

This kit supports the attachment of a Layout Studio Engage leg directly to the underside of a return surface without the need for beams. The kit includes 2 beam replacement brackets and ganging hardware to attach the return surface to a primary surface.

Notes

Kit should only be used to support 1 end of a return work surface.

2 kits are required to support a shared return using a double end leg.

Return surfaces 48″ wide and wider require the use of stiffeners.

Standard stiffener rules for Formcoat® surfaces apply.

Specify leg bracket finish to match finish of leg to which it will be attached.

Dimensions

Specification Information

Step 1.

GNBD. A		$45

Step 2. Leg Bracket Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Beams, Meeting End GNBM.

Product Information

Description

This pair of beams connects to a meeting end and intermediate Engage legs, and is required when specifying a meeting end surface across the end of a back-to-back configuration. Beams also provide attachment and support for cable management, screens, and other elements. Attachment hardware packs ordered separately.

Notes

Specify beam size to match the width of the adjacent rectangular primary surface.

To connect beams to fixed surfaces and legs, order hardware pack (GNHPF.). To connect beams to sliding surfaces and legs, order hardware pack (GNHPS.).

To attach meeting end surface to the meeting end beams, specify 2 hardware packs (GNHPF.).

Dimensions

Specification Information

Step 1.

GNBM. A

Step 2. Width

48	48″ wide A
54	54″ wide A
60	60″ wide A
66	66″ wide A
72	72″ wide A
78	78″ wide A
84	84″ wide A
96	96″ wide A

Prices for Steps 1-2.

GNBM.	**48**	$165
	54	$183
	60	$200
	66	$205
	72	$207
	78	$221
	84	$249
	96	$275

Beams, 120°

GNBF.
GNBG.

Product Information

Description

This set of beams connects to end or intermediate Engage legs, and a corner Engage leg, and is required for the support of a single 120° primary surface. Beams also provide attachment and support for cable management, screens, and other elements. Set includes 4 beams. Attachment hardware packs ordered separately.

Notes

Order corner leg (GNLFCN.) separately.

To connect beams to fixed surfaces and legs, order hardware pack (GNHDF.).

Dimensions

Specification Information

Step 1.

GNB A

Step 2. Depth

F. 24″ deep A
G. 30″ deep A

Step 3. Width

48 48″ wide A
54 54″ wide A
60 60″ wide A

Prices for Steps 1-3.

GNBF.	**48**	$250
	54	$275
	60	$300
GNBG.	**48**	$250
	54	$275
	60	$300

Access Pass Thru GN1420

Product Information

Description

This metal pass thru fits inside an access cutout in the back edge of a Layout Studio® work surface. It includes a 3-sided frame and pivoting door, and provides access to the center channel within a back-to-back application.

Notes

Work surfaces must be ordered with access cutout or flash gap and access cutout.

Dimensions

Specification Information

Step 1.

GN1420. A

Step 2. Configuration

X	six outlet opening A	

Prices for Steps 1-2.

GN1420. X		$160

Step 3. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Junction Block Attachment Bracket

GNPA.

Product Information

Description

This painted steel bracket provides an attachment location for 1 junction block, centered on the rear beams of a table or bench application. Finish is cool grey neutral.

Notes

For double/back-to-back applications, order a Connect™ 4-circuit double back-to-back junction block (Y1358.DBB) separately.

For single-sided applications, order a Connect 4-circuit double junction block with flat attachment (Y1358.DHA) separately.

Dimensions

For Double/Back-to-Back Applications (D)

For Single-Sided Applications (S)

Specification Information

Step 1.

GNPA. A

Step 2. Application

D	double/back-to-back applications A
S	single-sided applications A

Prices for Steps 1-2.

GNPA.	**D**	$70
	S	$140

Junction Block GN1358

Product Information

Description

This block attaches to a junction block attachment bracket and accepts 4-circuit receptacles for access and distribution of up to 4 20-amp circuits. It has connection points at both ends for attaching a power entry, a 4-circuit power jumper, or block-to-block connector. Finish is black. It is UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

For single-sided applications, specify the 2-duplex block (GN1358.2S) or the 1-duplex block (GN1358.1S).

For back-to-back applications, specify the 2-duplex block (GN1358.2B) or the 1-duplex block (GN1358.1B).

Order the following products separately:

- Duplex receptacle, 4-circuit (GN1355.)
- Junction block attachment bracket (GNPA.)

To route power from building to junction block, order 4-circuit power entry (GN1351. or GN1352.) separately.

To route power between junction blocks, order junction block to junction block jumper (GN1353.) separately.

To connect 2 junction blocks together, order a short block to block connector (GN1354.S) separately.

Dimensions

Specification Information

Step 1.

GN1358. A

Step 2. Type

1S 1 duplex, single-sided application A
1B 1 duplex, back-to-back application A
2S 2 duplexes, single-sided application A
2B 2 duplexes, back-to-back application A

Step 3. Attachment Hardware

B beam attached A

Prices for Steps 1-3.

		B
GN1358.	**1S**	$71
	1B	$76
	2S	$57
	2B	$63

Block Connector, 4-Circuit GN1354

Product Information

Description

This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

When 3 duplex receptacles are required per access point, use this connector to connect a GN1358.1S to a GN1358.2S for single-sided applications, or a GN1358.1B to a GN1358.2B for back-to-back applications.

Dimensions

Short Receptacle-to-Receptacle Block Connector

Specification Information

Step 1.

GN1354.S A $41

Junction Block to Junction Block Jumper, 4-Circuit GN1353

Product Information

Description

This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3″ when connecting to an adjacent junction block. It is UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

Finish on 5/8″ oval metallic conduit is silver.

For New York City, a harness cover (GNPH.) to span between wire management trays must be ordered separately.

Dimensions

Specification Information

Step 1.

GN1353. A

Step 2. Width

12	12″ wide A
18	18″ wide A
24	24″ wide A
30	30″ wide A
36	36″ wide A
42	42″ wide A
48	48″ wide A
54	54″ wide A
60	60″ wide A
66	66″ wide A
72	72″ wide A
78	78″ wide A
84	84″ wide A
90	90″ wide A
108	108″ wide A
120	120″ wide A
132	132″ wide A
144	144″ wide A

Step 3. Type

A	adjustable jumper A

Prices for Steps 1-3.

		A
GN1353.	**12**	$63
	18	$68
	24	$72
	30	$77
	36	$82
	42	$86
	48	$91
	54	$96
	60	$100
	66	$104
	72	$109
	78	$114
	84	$118
	90	$123
	108	$136
	120	$145
	132	$155
	144	$164

Harness Cover GNPH.

Product Information

Description

This cover provides a secure chase for the routing of a power harness between Layout Studio® wire management trays when UL1286 Listing is required.

Notes

Specify power harness separately.

Dimensions

Specification Information

Step 1.

GNPH. A		$20

Step 2. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Duplex Receptacle, 4-Circuit GN1355

Product Information

Description

This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

Receptacle is labeled as I, II, III, or IV for circuit identification.

Order junction block (GN1358.) separately.

Dimensions

Specification Information

Step 1.

GN1355. A

Step 2. Amps

15	15 amp A
20	20 amp A

Step 3. Circuit

1	circuit I A
2	circuit II A
3	circuit III A
4	circuit IV A

Prices for Steps 1-3.

		1	2	3	4
GN1355.	**15**	$19	19	19	19
	20	$23	23	23	23

Power Entry, 4-Circuit GN1351

Product Information

Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

Power entry can be field cut to the appropriate length.

For San Francisco, specify 3/8" flex metallic conduit option (C).

Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver.

To manage and/or cover power entry, order umbilical riser (GNWF.) or floor power entry cover (GNPC.) separately.

A licensed electrician must wire the power entry to the building's electrical system.

Dimensions

Specification Information

Step 1.

GN1351. A

Step 2. Length

06	6' long A
12	12' long A
18	18' long A
24	24' long A

Step 3. Conduit Type

L	liquid tight conduit A
C	3/8" flex metallic conduit A

Prices for Steps 1-3.

		L	C
GN1351.	**06**	$125	125
	12	$179	179
	18	$234	234
	24	$300	300

Power Entry, 4-Circuit, New York City GN1352

Product Information

Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Layout Studio® in the US and Canada.

Notes

Layout Studio modular power products are only compatible with other Layout Studio modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Layout Studio is no longer applicable when connecting Layout Studio power to Connect power.

Power entry comes with a 38″ festoon.

A licensed electrician must wire the power entry to the building's electrical system.

Dimensions

Specification Information

Step 1.

GN1352.38 A $201

Wire Management Tray

GNWD.
GNWS.

Product Information

Description

This painted steel tray provides a location to hold and manage power and voice/data cables within a Layout Studio® environment. Trays are available for both back-to-back and single-sided applications.

Notes

The double unit attaches directly to beams with included hardware.

The single unit attaches to beams, but also requires an additional bracket. For each single tray, order 2 generic beam clamps (GNSG.) separately. If a desk up or modesty screen is being used, the generic beam clamps are not required.

Specify tray width to match beam width.

For use with double tray, order optional cable management clips (GNWC.) separately.

To route power and/or data from the floor to a cable tray, order the umbilical riser (GNWF.T) separately.

Tray includes a knock-out on each end to allow a power jumper to pass from 1 tray to the next when UL1286 Listing is required (primarily New York City). Order harness cover (GNPH.) separately.

Dimensions

Single Tray

Double Tray

Specification Information

Step 1.

GN A

Step 2. Type

WS.	single A
WD.	double A

Step 3. Width

36	36" wide A
42	42" wide A
48	48" wide A
54	54" wide A
60	60" wide A
66	66" wide A
72	72" wide A
78	78" wide A
84	84" wide A
96	96" wide A

Prices for Steps 1-3.

GNWS.	**36**	$124
	42	$126
	48	$128
	54	$149
	60	$170
	66	$173
	72	$175
	78	$181
	84	$196
	96	$211
GNWD.	**36**	$117
	42	$121
	48	$125
	54	$142
	60	$155
	66	$158
	72	$160
	78	$165
	84	$180
	96	$193

Step 4. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Cable Management Clips - Double Tray GNWC.

Product Information

Description

These clips attach into holes in the bottom of a double cable management tray to manage voice/data cables. Package includes 10 clips.

Dimensions

Specification Information

Step 1.

GNWC. A

Step 2. Quantity

10 10 per pack A

Prices for Steps 1-2.

GNWC. 10 $12

Umbilical Riser, Fixed Height GNWF.

Product Information

Description

This umbilical riser routes power and/or data cables from the floor to the underside of a surface.

Notes

Umbilical riser finish corresponds to leg finish.

For data capacity, see Cable Capacity Chart in Omni.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

WF.	fixed height A	

Step 3. Attachment

B	beam attachment A	
T	tray attachment A	
G	generic attachment A	

Prices for Steps 1-3.

GNWF.	**B**	$71
	T	$64
	G	$77

Step 4. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$0

Floor Power Entry Cover GNPC.

Product Information

Description

This 2-piece painted metal cover encloses the open space located between the 2 legs of a Layout Studio® 48"-, 60"-, or 72"-deep intermediate desk leg. It is used to conceal a floor power entry and/or cables from the floor to a wire management tray. Attachment hardware included.

Dimensions

Specification Information

Step 1.

GNPC. A	$195

Step 2. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Primary Work Surface, Rectangular

GNTRA.
GNTRB.
GNTRF.
GNTRN.

Product Information

Description

This squared-edge surface attaches to one set of primary beams and Engage legs in either a table, single-sided bench, or back-to-back bench application. It has a laminate top with thermoplastic edge, or a veneer top and edge. Surface is 1 1/8″ thick, and has 4 back edge options depending on application and access required.

Notes

When attaching a monitor arm or other item that clamps to the back edge of a surface, specify the flash gap (F) or flash gap and access cutout (B).

The flash gap is 0.6″ deep and starts 7 5/8″ from each end.

For surfaces with access cut-out, an access pass thru (GN1420.X) must be ordered separately. For surfaces 84″ and 96″ wide, 2 access pass thru's must be ordered.

Surfaces with a flash gap and access cutout (GNTRB.) are only available 48″ wide and wider.

Order attachment hardware pack (GNHPF., GNHPS.) separately.

Sliding surfaces are available for 30″ depth and 36″ - 72″ widths only. Order a rectangular primary surface sliding hardware pack (GNHPS.) separately.

For quick release attachment, order quick release attachment hardware pack (GNHPA.) separately, in addition to the fixed attachment hardware pack (GNHPF.).

Attaching clamp-on components to the back edge of a sliding surface may result in reduced surface extension.

Dimensions

No Flash gap or Access cutout

Access cutout

Flash gap

Flash gap and Access cutout

84″, 96″ wide with Access cutout

84″, 96″ wide with Flash gap and Access cutout

Primary Work Surface, Rectangular *continued*

Specification Information

Step 1.

GN A

Step 2. Type

TR rectangular primary worksurface A

Step 3. Access Detail

N. no flash gap or access cut-out A
A. access cut-out A
F. flash gap A
B. flash gap and access cut-out A

Step 4. Depth

24 24" deep A
30 30" deep A
36 36" deep A

Step 5. Width

For no flash gap or access cut-out (N.), access cut-out (A.), or flash gap (F.)

36 36" wide A
42 42" wide A
48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A
78 78" wide A
84 84" wide A
96 96" wide A

For flash gap and access cut-out (B.)

48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A
78 78" wide A
84 84" wide A
96 96" wide A

Step 6. Attachment

For 24" deep (24) or 36" deep (36) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), or 96" wide (96)

F non-sliding A

For 30" deep (30) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), or 78" wide (78)

F non-sliding A
S sliding A

For 30" deep (30) with 84" wide (84) or 96" wide (96)

F non-sliding A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

		FL	FW	SL	SW
GNTRN.24	**36**	$116	212	—	—
	42	$130	236	—	—
	48	$144	260	—	—
	54	$161	289	—	—
	60	$178	317	—	—
	66	$198	353	—	—
	72	$217	388	—	—
	78	$253	448	—	—
	84	$289	509	—	—
	96	$317	557	—	—
30	**36**	$139	243	174	304
	42	$155	274	194	343
	48	$171	307	214	384
	54	$192	342	240	428
	60	$212	376	265	470
	66	$236	417	295	522
	72	$260	458	325	573
	78	$301	529	377	662
	84	$342	600	—	—
	96	$375	657	—	—

36	36	$164	295	—	—
	42	$183	328	—	—
	48	$202	359	—	—
	54	$225	399	—	—
	60	$248	438	—	—
	66	$273	486	—	—
	72	$303	533	—	—
	78	$351	616	—	—
	84	$399	699	—	—
	96	$437	764	—	—
GNTRA.24	36	$136	232	—	—
	42	$150	256	—	—
	48	$164	280	—	—
	54	$181	309	—	—
	60	$198	337	—	—
	66	$218	373	—	—
	72	$237	408	—	—
	78	$273	468	—	—
	84	$309	529	—	—
	96	$337	577	—	—
30	36	$159	263	199	329
	42	$175	294	219	368
	48	$191	327	239	409
	54	$212	362	265	453
	60	$232	396	290	495
	66	$256	437	320	547
	72	$280	478	350	598
	78	$321	549	402	687
	84	$362	620	—	—
	96	$395	677	—	—
36	36	$184	315	—	—
	42	$203	348	—	—
	48	$222	379	—	—
	54	$245	419	—	—
	60	$268	458	—	—
	66	$296	506	—	—
	72	$323	553	—	—
	78	$371	636	—	—
	84	$419	719	—	—
	96	$457	784	—	—

GNTRF. 24	36	$156	252	—	—
	42	$170	276	—	—
	48	$184	300	—	—
	54	$201	329	—	—
	60	$218	357	—	—
	66	$238	393	—	—
	72	$257	428	—	—
	78	$293	488	—	—
	84	$329	549	—	—
	96	$357	597	—	—
30	36	$179	283	224	354
	42	$195	314	244	393
	48	$211	347	264	434
	54	$232	382	290	478
	60	$252	416	315	520
	66	$280	457	350	572
	72	$300	498	375	623
	78	$341	569	427	712
	84	$382	640	—	—
	96	$415	697	—	—
36	36	$204	335	—	—
	42	$223	368	—	—
	48	$242	399	—	—
	54	$265	439	—	—
	60	$288	478	—	—
	66	$316	526	—	—
	72	$343	573	—	—
	78	$391	656	—	—
	84	$439	739	—	—
	96	$477	804	—	—
GNTRB.24	48	$204	320	—	—
	54	$221	349	—	—
	60	$238	377	—	—
	66	$258	413	—	—
	72	$277	448	—	—
	78	$313	508	—	—
	84	$349	569	—	—
	96	$377	617	—	—
30	48	$231	367	289	459
	54	$252	402	315	503
	60	$272	436	340	545
	66	$300	477	375	597
	72	$320	518	320	518
	78	$361	589	452	737
	84	$402	660	—	—
	96	$435	717	—	—

36	**48**	$262	419	—	—
	54	$285	459	—	—
	60	$308	498	—	—
	66	$336	546	—	—
	72	$363	593	—	—
	78	$411	676	—	—
	84	$459	759	—	—
	96	$497	824	—	—

Step 8. Surface Finish

Linen Laminate

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0

Twill Laminate

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

HM	natural maple A	+$0
HP	light anigre A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBE	medium red walnut A	+$0
LBD	dark brown walnut A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Return Work Surface, Rectangular

GNTSN.

Product Information

Description

This squared-edge surface attaches to one set of return beams and an Engage leg to create a return. It has a laminate top with thermoplastic edge, or a veneer top and edge. Surface is 1 1/8″ thick.

Notes

When using a screen along the back edge of the surface, items that clamp to the back edge of the surface cannot be used.

Order fixed attachment hardware pack (GNHSF.) separately.

For quick release attachment, order quick release attachment hardware pack (GNHPA.) separately, in addition to the fixed attachment hardware pack (GNHSF.).

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

TS rectangular return worksurface A

Step 3. Access Detail

N. no flash gap or access cut-out A

Step 4. Depth

24 24″ deep A

Step 5. Width

36 36″ wide A
42 42″ wide A
48 48″ wide A
60 60″ wide A
72 72″ wide A

Step 6. Attachment

F non-sliding A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

		FL	FW
GNTSN.24	**36**	$135	234
	42	$151	258
	48	$165	282
	60	$182	334
	72	$235	406

Step 8. Surface Finish

Linen Laminate

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Return Work Surface, Rectangular

continued

Solid-Color Laminate Top/Thermoplastic Edge		
For laminate (L)		
8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0

Twill Laminate		
For laminate (L)		
LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge		
For laminate (L)		
HM	natural maple A	+$0
HP	light anigre A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBE	medium red walnut A	+$0
LBD	dark brown walnut A	+$0

Wood Veneer		
For veneer (W)		
2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Project Table, Rectangular

GNTPA.
GNTPN.

Product Information

Description

This squared-edge surface attaches to primary beams and Engage legs to create a freestanding table. It has a laminate top with thermoplastic edge, or a veneer top and edge. Surface is 1 1/8" thick.

Notes

2 or more sets of beams (GNBR.) are required per surface. Order separately.

Tables must include at least 1 intermediate leg (GNLFSN.) or 1 bracing leg (GNLFBN.).

For surfaces with access cut-out, a 5-outlet Logic grommet mounted electrical distributor (Y1425.C or Y1425.F) or Logic grommet pass thru (Y1420.V) must be ordered separately.

For surfaces with access cutout and widths of 72", 84" or 96", 2 access cut-outs are included.

Order attachment hardware pack (GNHPF.) separately.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

TP rectangular project table A

Step 3. Access Detail

N. no access cut-out A
A. access cut-out A

Step 4. Depth

48 48" deep A
60 60" deep A

Step 5. Width

For 48" deep (48)

48 48" wide A
60 60" wide A
72 72" wide A
84 84" wide A
96 96" wide A

For 60" deep (60)

60 60" wide A
72 72" wide A
84 84" wide A
96 96" wide A

Step 6. Attachment

F non-sliding A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

		FL	FW
GNTPN.48	**48**	$302	523
	60	$360	621
	72	$437	748
	84	$545	968
	96	$621	1085

	60 60	$527	909
	72	$599	1029
	84	$774	1339
	96	$878	1429
GNTPA. 48	**48**	$342	563
	60	$400	661
	72	$477	788
	84	$625	1048
	96	$701	1165
	60 60	$567	949
	72	$639	1069
	84	$854	1419
	96	$958	1509

Step 8. Surface Finish

Linen Laminate

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0

Twill Laminate

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

HM	natural maple A	+$0
HP	light anigre A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBE	medium red walnut A	+$0
LBD	dark brown walnut A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Meeting End, Rectangular

GNTDG.
GNTDN.

Product Information

Description

This 20″-deep squared-edge surface attaches to 2 sets of meeting end beams positioned at the end of a back-to-back bench application to create a meeting space. It has a laminate top with thermoplastic edge, or a veneer top and edge. An optional grommet cut-out and grommet is available. Surface is 1⅛″ thick.

Notes

Grommet color matches the laminate color for solid color laminates, and is graphite for all other laminates and veneers.

For each meeting end surface, order 2 fixed attachment hardware packs (GNHPF.) separately.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

TD rectangular meeting end A

Step 3. Access Detail

N. no access cut-out A
G. grommet A

Step 4. Depth

20 20″ deep A

Step 5. Width

48 48″ wide A
60 60″ wide A
72 72″ wide A

Step 6. Attachment

F non-sliding A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

		FL	FW
GNTDN.20	**48**	$154	263
	60	$181	325
	72	$224	388
GNTDG.20	**48**	$172	281
	60	$199	343
	72	$242	406

Step 8. Surface Finish

Linen Laminate

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate		
For laminate (L)		
LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Solid-Color Laminate Top/Thermoplastic Edge		
For laminate (L)		
8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0

Twill Laminate		
For laminate (L)		
LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge		
For laminate (L)		
HM	natural maple A	+$0
HP	light anigre A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBE	medium red walnut A	+$0
LBD	dark brown walnut A	+$0

Wood Veneer		
For veneer (W)		
2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Primary Work Surface, 120°

GNTAA.
GNTAB.
GNTAF.
GNTAN.

Product Information

Description

This squared-edge surface attaches to one set of 120° beams and Engage legs. It has a laminate top with thermoplastic edge, or a veneer top and edge. Surface is 1 1/8″ thick, and has 4 back edge options depending on application and access required.

Notes

When attaching a monitor arm or other item that clamps to the back edge of a surface, specify the flash gap (F) or flash gap and access cutout (B).

The flash gap is 0.6″ deep and starts 7 5/8″ from each end. It is located on both wings of the surface.

Access cutout is specified on the left or right wing. For surfaces with access cut-out, an access pass thru (GN1420.X) must be ordered separately.

Order fixed attachment hardware pack (GNHDF.) separately.

For quick release attachment, order quick release attachment hardware pack (GNHDA.) separately, in addition to the fixed attachment hardware pack (GNHDF.).

Dimensions

No Flash gap or Access cutout

Flash gap

Access cutout (Left Hand Version)

Flash gap and Access cutout
(Left Hand Version)

Specification Information

Step 1.

GN A

Step 2. Type

TA 120° primary surface A

Step 3. Access Detail

N. no flash gap or access cut-out A
A. access cut-out A
F. flash gap A
B. flash gap and access cut-out A

Step 4. Depth

24 24″ deep A
30 30″ deep A

Step 5. Width

48 48″ wide A
54 54″ wide A
60 60″ wide A

Step 6. Attachment

For no flash gap or access cut-out (N.) or flash gap (F.)

F no access cutout, non-sliding A

For access cut-out (A.) or flash gap and access cut-out (B.)

L left-hand access, non-sliding A
R right-hand access, non-sliding A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

			FL	FW	LL	LW	RL	RW
GNTAN.	**24**	**48**	$418	730	—	—	—	—
		54	$441	763	—	—	—	—
		60	$545	946	—	—	—	—
	30	**48**	$428	748	—	—	—	—
		54	$451	780	—	—	—	—
		60	$557	968	—	—	—	—
GNTAA.	**24**	**48**	—	—	$438	750	438	750
		54	—	—	$461	781	461	781
		60	—	—	$569	970	569	970
	30	**48**	—	—	$448	768	448	768
		54	—	—	$471	801	471	801
		60	—	—	$581	992	581	992
GNTAF.	**24**	**48**	$458	770	—	—	—	—
		54	$477	799	—	—	—	—
		60	$593	994	—	—	—	—
	30	**48**	$468	788	—	—	—	—
		54	$486	817	—	—	—	—
		60	$605	1016	—	—	—	—
GNTAB.	**24**	**48**	—	—	$478	790	478	790
		54	—	—	$496	819	496	819
		60	—	—	$617	1018	617	1018
	30	**48**	—	—	$488	808	488	808
		54	—	—	$506	837	506	837
		60	—	—	$629	1040	629	1040

Step 8. Surface Finish

Linen Laminate

For laminate (L)

LBM crisp linen A +$0
LBN classic linen A +$0
LBP casual linen A +$0

Mesh Laminate

For laminate (L)

LBK pewter mesh A +$0
LBL steel mesh A +$0

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q folkstone grey A +$0
91 white A +$0
98 studio white A +$0

Twill Laminate

For laminate (L)

LBF neutral twill A +$0
LBG sarum twill A +$0
LBH earthen twill A +$0
LBJ graphite twill A +$0
LBQ white twill A +$0

Wood-Grain Laminate Top/Thermoplastic Edge		
For laminate (L)		
HM	natural maple A	+$0
HP	light anigre A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBE	medium red walnut A	+$0
LBD	dark brown walnut A	+$0

Wood Veneer		
For veneer (W)		
2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Hardware Pack, Fixed Surfaces

GNHDF.
GNHPF.
GNHSF.

Product Information

Description

This hardware pack is required in order to connect a set of beams to a pair of Engage legs, and to provide a fixed attachment of a surface.

Notes

1 hardware pack is required for each beam kit specified. Meeting end surfaces (GNTDG., GNTDN.) require an additional 2 rectangular primary hardware packs (GNHPF.) per surface.

For quick release attachment, a quick release hardware pack (GNHPA., GNHDA.) can be added. Specify 1 hardware pack for each beam kit.

Specification Information

Step 1.

GNH A

Step 2. Type

PF.	rectangular primary A
DF.	120° - primary A
SF.	return A

Prices for Steps 1-2.

GNHPF.	$44
GNHDF.	$100
GNHSF.	$124

Hardware Pack, Quick Release Attachment

GNHDA.
GNHPA.

Product Information

Description

This hardware pack provides for the attachment and removal of surfaces without the use of any tools.

Notes

Specify 1 quick release hardware pack for each fixed attachment hardware pack (GNHDF., GNHPF., GNHSF.) specified.

Dimensions

Specification Information

Step 1.

GNH A

Step 2. Type

PA. rectangular surface A

DA. 120° surface A

Prices for Steps 1-2.

GNHPA.	$15
GNHDA.	$23

Hardware Pack, Sliding, Rectangular Primary Surface

GNHPS.

Product Information

Description

This hardware pack attaches a 30"-deep rectangular primary surface to a set of beams and allows the surface to slide, providing access to a cable management tray.

Notes

Must be used with surfaces specified as sliding.

Specify 1 hardware pack for each sliding surface.

Attaching clamp-on components to the back edge of a sliding surface may result in reduced surface extension.

Dimensions

Specification Information

Step 1.

GNHPS. A $178

Access Pass Thru GN1420

Product Information

Description

This metal pass thru fits inside an access cutout in the back edge of a Layout Studio® work surface. It includes a 3-sided frame and pivoting door, and provides access to the center channel within a back-to-back application.

Notes

Work surfaces must be ordered with access cutout or flash gap and access cutout.

Dimensions

Specification Information

Step 1.

GN1420. A

Step 2. Configuration

X	six outlet opening A	

Prices for Steps 1-2.

GN1420. X		$160

Step 3. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Screen, Desk Up, Frameless Fabric ("Tapered Edge") GNSDXT

Product Information

Description

This frameless tackable fabric screen provides boundary above a surface at the back edge of a work surface in a back-to-back application. Attachment hardware included.

Notes

Screen width does not need to match beam width.

Extended width screens (GNSDXT.xxxxA) are available for use in 120° applications only. These screens are slightly wider than standard width screens and fill the gap created at the back corner where surfaces meet.

Screen attaches to rear beam with brackets supplied with screen. No additional hardware is needed.

Screen is shared in back-to-back applications.

Each screen ships with an alignment clip for use between screens when placed side-by-side.

All fabric is railroaded.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SD desk up A

Step 3. Configuration

X frameless A

Step 4. Material

T. tackable fabric with tapered edge A

Step 5. Height

42 42″ high A
46 46″ high A

Step 6. Width

36 36″ wide A
39 39″ wide A
42 42″ wide A
48 48″ wide A
54 54″ wide A
60 60″ wide A
66 66″ wide A
72 72″ wide A
48A 48″ wide, for use with 120-degree corner A
54A 54″ wide, for use with 120-degree corner A
60A 60″ wide, for use with 120-degree corner A

Prices for Steps 1-6.

	36	39	42	48	54	60
GNSDXT. 42	$589	625	644	673	710	750
46	$604	640	659	687	727	769

	66	72	48A	54A	60A
GNSDXT. 42	$792	823	673	710	750
46	$807	845	687	727	769

Step 7. Paint Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Screen, Desk Up, Frameless Fabric ("Tapered Edge") *continued*

Step 8. Surface Finish	
See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.	
Price Category 1	+$0
Price Category 2	+$12
Price Category 3	+$20
Price Category 4	+$32

Screen - Desk Up - Fabric

GNSDFT
GNSDNT
GNSDTT

Product Information

Description

This fabric screen provides boundary above a surface at the back edge of a work surface. It is tackable, has a painted metal frame, and provides varying levels of work tool attachment.

The screen can be placed most anywhere along the beam and does not need to match beam widths.

Notes

Screen attaches to rear beam with brackets. Order desk up attachment brackets (GNSA.) separately.

For top rail and face rail hanging screens, levelers should be applied to each work tool to ensure that the tool hangs properly. Each screen ships with enough levelers for 4 work tools. Additional levelers are available as a service part (U1BDV55).

For top rail and face rail hanging screens, a maximum of 2 work tools can be used per side.

For top rail and face rail hanging screens, see Layout Studio planning guide for work tool compatibility.

Order the following finishing hardware and connectors separately:

- Connector finishing kit (GNSE.)
- In-line connector kit (GNSH.)
- Post connector kit (GNSJ.)

When used in a back-to-back application, the screen is shared.

All fabric is railroaded.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Width—Yardage
36—1.23
42—1.41
48—1.61
54—1.80
60—1.99
66—2.18
72—2.37
78—2.55

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Non Hanging

Top Rail Hanging

Face Rail Hanging

Specification Information

Step 1.

GN A

Step 2. Type

SD	desk up A

Step 3. Configuration

N	non hanging A
T	top rail hanging A
F	face rail hanging A

Step 4. Material

T.	tackable fabric A

Step 5. Height

42	42" high A
46	46" high A

Step 6. Width

36	36" wide A
42	42" wide A
48	48" wide A
54	54" wide A
60	60" wide A
66	66" wide A
72	72" wide A
78	78" wide A

Prices for Steps 1-6.

		36	42	48	54	60	66
GNSDNT.	**42**	$365	408	430	540	488	615
	46	$377	419	441	556	504	628

		72	78
GNSDNT.	**42**	$547	674
	46	$563	698

GNSDTT.	**42**	$365	408	430	540	488	615
	46	$377	419	441	556	504	628

		72	78
GNSDTT.	**42**	$547	674
	46	$563	698

GNSDFT.	**42**	$500	563	620	648	675	750
	46	$513	579	640	665	690	766

		72	78
GNSDFT.	**42**	$825	900
	46	$843	914

Step 7. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Step 8. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0
Price Category 2	+$10
Price Category 3	+$24
Price Category 4	+$42
Price Category 5	+$70

Screen - Desk Up, Glass GNSDXG

Product Information

Description

This frameless glass screen provides boundary above a surface at the back edge of a work surface in a back-to-back application. It has a painted metal frame. Attachment hardware included.

Notes

Screen attaches to rear beam with brackets supplied with screen. No additional hardware is needed.

Screen is shared and must be used in a back-to-back application.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SD desk up A

Step 3. Configuration

X frameless A

Step 4. Material

G. glass A

Step 5. Height

42 42″ high A
46 46″ high A

Step 6. Width

36 36″ wide A
42 42″ wide A
48 48″ wide A
60 60″ wide A
72 72″ wide A
84 84″ wide A
96 96″ wide A

Step 7. Surface Finish

TR clear glass - 1/4″ thick A
5A opal etched - 1/4″ thick A
NN no glass- for customer's own glass A
C3 clear glass - 3/8″ thick A
G3 opal glass - 3/8″ thick A
N3 no glass, for customer's own 3/8″ thick glass A

Prices for Steps 1-7.

		TR	5A	NN	C3	G3	N3
GNSDXG. 42	**36**	$418	490	304	490	575	304
	42	$440	525	325	520	620	325
	48	$460	558	340	555	674	340
	60	$515	635	384	634	782	384
	72	$580	712	427	704	866	427
	84	$990	1181	731	1170	1395	731
	96	$1035	1256	765	1249	1517	765

46	**36**	$438	531	304	560	643	304
	42	$462	570	325	563	695	325
	48	$485	610	340	607	765	340
	60	$550	710	384	690	890	384
	72	$615	813	427	793	1048	427
	84	$1040	1283	731	1267	1564	731
	96	$1091	1373	765	1366	1721	765

Step 8. Trim Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Screen, Modesty, Frameless Fabric ("Tapered Edge") GNSMXT

Product Information

Description

This frameless tackable fabric screen provides boundary above and below a surface at the back edge of a work surface in a single-sided application or on a return surface. Attachment hardware included.

Notes

Screen width does not need to match beam width.

Extended width screens (GNSMXT.xxxxA) are available for use in 120° applications only. These screens are slightly wider than standard width screens and fill the gap created at the back corner where surfaces meet.

Screen attaches to rear beam with brackets that are provided; no additional attachment hardware is required.

Screen will hang approximately 9¾″ below the surface.

Each screen ships with an alignment clip for use between screens when placed side-by-side.

All fabric is railroaded.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SM modesty A

Step 3. Configuration

X frameless A

Step 4. Material

T. tackable fabric with tapered edge A

Step 5. Height

42 42″ high A
46 46″ high A

Step 6. Width

36 36″ wide A
39 39″ wide A
42 42″ wide A
48 48″ wide A
54 54″ wide A
60 60″ wide A
66 66″ wide A
72 72″ wide A
48A 48″ wide, for use with 120-degree corner A
54A 54″ wide, for use with 120-degree corner A
60A 60″ wide, for use with 120-degree corner A

Prices for Steps 1-6.

	36	39	42	48	54	60
GNSMXT. 42	$630	670	690	719	759	800
46	$646	685	705	734	778	823

	66	72	48A	54A	60A
GNSMXT. 42	$847	882	719	759	800
46	$863	904	734	778	823

Step 7. Paint Finish

91 white A +$0
G1 graphite A +$0
MS metallic silver A +$5

Screen, Modesty, Frameless Fabric ("Tapered Edge") *continued*

Step 8. Surface Finish	
See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.	
Price Category 1	+$0
Price Category 2	+$12
Price Category 3	+$20
Price Category 4	+$32

Screen - Modesty GNSMNT

Product Information

Description

This fabric screen provides boundary above and below a surface in a single-sided application or return surface, at the back edge of a work surface. It is tackable and has a painted metal frame.

The screen can be placed most anywhere along the beam and does not need to match beam widths.

Notes

Screen attaches to rear beam with brackets. Order modesty attachment brackets (GNSB.) separately.

Screen will hang approximately 9 3/4" below the surface.

Order the following finishing hardware and connectors separately:

- Connector finishing kit (GNSE.)
- In-line connector kit (GNSH.)
- Post connector kit (GNSJ.)

Not recommended for a back-to-back application.

All fabric is railroaded.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Width—Yardage

36—1.23
42—1.41
48—1.61
54—1.80
60—1.99
66—2.18
72—2.37
78—2.55

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SM modesty A

Step 3. Configuration

N non hanging A

Step 4. Material

T. tackable fabric A

Step 5. Height

42 42" high A
46 46" high A

Step 6. Width

36 36" wide A
42 42" wide A
48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A
78 78" wide A

Prices for Steps 1-6.

		36	42	48	54	60	66
GNSMNT.	**42**	$465	500	535	574	614	651
	46	$485	523	556	591	625	667

		72	78
GNSMNT.	**42**	$689	725
	46	$709	751

Step 7. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Step 8. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

	36	**42**	**48**	**54**	**60**
Price Category 1	+$0	0	0	0	0
Price Category 2	+$10	10	13	13	15
Price Category 3	+$24	24	31	31	35
Price Category 4	+$42	42	54	54	61
Price Category 5	+$70	70	91	91	103

	66	**72**	**78**
Price Category 1	+$0	0	0
Price Category 2	+$15	18	18
Price Category 3	+$35	44	44
Price Category 4	+$61	76	76
Price Category 5	+$103	127	127

Screen - Delineation GNSPNT

Product Information

Description

This fabric screen provides boundary between people seated side-by-side and attaches to the front edge of a squared-edge Layout Studio surface. It is tackable and has a painted metal frame.

Notes

Screen can be placed anywhere along front edge of a surface except on top of a desk end leg.

Screen width aligns with the depth of a work surface with flash gap.

Screen attaches to front edge of a work surface with a bracket. Order delineation screen attachment bracket (GNSC.) separately.

Order connector finishing kit (GNSE.) separately.

All fabric is railroaded.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Width—Yardage

24—0.84

30—1.00

36—1.19

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SP delineation A

Step 3. Configuration

N non hanging A

Step 4. Material

T. tackable fabric A

Step 5. Height

42 42" high A

46 46" high A

Step 6. Width

24 24" wide A

30 30" wide A

36 36" wide A

Prices for Steps 1-6.

		24	30	36
GNSPNT.	**42**	$255	298	340
	46	$266	313	353

Step 7. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$7

Step 8. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0
Price Category 2	+$8
Price Category 3	+$18
Price Category 4	+$32
Price Category 5	+$54

Screen Brackets

GNSA.
GNSB.
GNSC.

Product Information

Description

These brackets provide the attachment for the desk up, modesty, and delineation screens.

Notes

Specify 1 package for each screen.

Dimensions

Desk Up

Modesty

Delineation

Specification Information

Step 1.

GNS A

Step 2. Type

A.	desk up A	
B.	modesty A	
C.	delineation A	

Prices for Steps 1-2.

GNSA.	$96
GNSB.	$158
GNSC.	$42

Step 3. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Screen Connectors

GNSE.
GNSH.
GNSJ.

Product Information

Description

These connectors finish the exposed corners of a screen. Quantity of 2.

Notes

Specify the finishing kit (GNSE.) to finish the corner of a screen when not connecting to another screen or corner post.

Specify the in-line connector kit (GNSH.) where 2 screens meet.

Specify the post connector kit (GNSJ.) when connecting a screen to a corner post.

When using desk up screens, appropriate kits must be specified for the top of the screen only.

Modesty screens require kits for the top and bottom of the screen.

Dimensions

Finishing Kit

Post Connector Kit

Inline Connector Kit

Specification Information

Step 1.

GN A

Step 2. Type

SE.	finishing kit A	
SH.	inline connector kit A	
SJ.	post connector kit A	

Prices for Steps 1-2.

GNSE.	$12
GNSH.	$13
GNSJ.	$12

Step 3. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Corner Post

GNSND.
GNSNM.

Product Information

Description

This corner post fills the open space created when screens come together at 120°.

Notes

Specify corner post to match height of attaching screens.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SN	120° A	

Step 3. Configuration

D.	desk up A	
M.	modesty A	

Step 4. Height

42	42″ high A	
46	46″ high A	

Prices for Steps 1-4.

GNSND.	**42**	$30
	46	$36
GNSNM.	**42**	$40
	46	$46

Step 5. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Screen, Frameless Screen 120-Degree Filler

GNSX.

Product Information

Description

This trim piece fills the gap between 3 frameless glass screens in a 120° corner application.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

SX.	frameless screen filler for 120-degree applications A	

Step 3. Application

A	1/4″ glass A	
B	3/8″ glass A	

Prices for Steps 1-3.

GNSX.	**A**	$12
	B	$12

Step 4. Trim Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$2

Gallery Panel, Leg-Attached GNSTA.

Product Information

Description

This laminate or veneer panel attaches to an Engage desk end leg. Attachment hardware included.

Notes

Top of 29"-high panel aligns with top of a primary surface; top of 42"- and 46"-high panels align with top of a desk up or modesty screen.

All gallery panels are nonhanded. 24"-, 30"-, and 36"-wide panels will work on both right-hand and left-hand single desk end legs.

Grain/pattern direction is vertical for veneer, wood grain laminates, and directional laminates.

Wood grain and directional laminates are available only in 24"-60" widths.

Dimensions

Specification Information

Step 1.

GN A

Step 2. Type

ST gallery panel A

Step 3. Configuration

A. leg-attached A

Step 4. Height

29 29" high A
42 42" high A
46 46" high A

Step 5. Width

24 24" wide A
30 30" wide A
36 36" wide A
48 48" wide A
60 60" wide A
72 72" wide A

Step 6. Surface Material

L laminate A
W veneer A

Prices for Steps 1-6.

		L	W
GNSTA. 29	**24**	$217	478
	30	$239	525
	36	$260	572
	48	$339	747
	60	$420	925
	72	$501	1103
42	**24**	$256	562
	30	$274	603
	36	$302	665
	48	$408	897
	60	$506	1112
	72	$604	1328
46	**24**	$263	578
	30	$284	625
	36	$324	712
	48	$426	937
	60	$531	1168
	72	$633	1393

Step 7. Surface Finish

Solid-Color Laminate Top/Thermoplastic Edge

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60), or 72" wide (72) with laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
MT	medium tone A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60) with laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60) with laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60) with laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60) with laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$55
40	dark brown walnut A	+$55
ET	clear on ash A	+$55
EU	oak on ash A	+$55
EV	walnut on ash A	+$55

Step 8. Bracket Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Generic Beam Clamp GNSG.

Product Information

Description

These beam clamps are used to attach a single-sided cable management tray.

Notes

If screens are being used, generic beam clamps are not required.

Specified as a single clamp. Order 2 for each cable management tray.

Dimensions

Specification Information

Step 1.

GNSG. A $32

Index by Product Name

Layout Studio®	
Access Pass Thru	page(s) 17, 47
Beams, 120°	16
Beams, Meeting End	15
Beams, Rectangular Primary	12
Beams, Rectangular Return	13
Block Connector, 4-Circuit	21
Cable Management Clips - Double Tray	28
Corner Post	61
Duplex Receptacle, 4-Circuit	24
Engage Leg, Asymmetrical Desk End, Double	8
Engage Leg, Back-to-Back Bracing Leg	11
Engage Leg, Corner Leg	10
Engage Leg, Desk End Double, Meeting End	9
Engage Leg, Desk End, Double	6
Engage Leg, Desk End, Single	5
Engage Leg, Intermediate Desk	7
Floor Power Entry Cover	30
Gallery Panel, Leg-Attached	63
Generic Beam Clamp	65
Hardware Pack, Fixed Surfaces	44
Hardware Pack, Quick Release Attachment	45
Hardware Pack, Sliding, Rectangular Primary Surface	46
Harness Cover	23
Junction Block	19
Junction Block Attachment Bracket	18
Junction Block to Junction Block Jumper, 4-Circuit	22
Meeting End, Rectangular	39
Power Entry, 4-Circuit	25
Power Entry, 4-Circuit, New York City	26
Primary Work Surface, 120°	41
Primary Work Surface, Rectangular	31
Project Table, Rectangular	37
Return Leg Beam Replacement Kit	14
Return Work Surface, Rectangular	35
Screen - Delineation	58
Screen - Desk Up - Fabric	50
Screen - Desk Up, Glass	52
Screen - Modesty	56
Screen Brackets	59
Screen Connectors	60
Screen, Desk Up, Frameless Fabric ("Tapered Edge")	48
Screen, Frameless Screen 120-Degree Filler	62
Screen, Modesty, Frameless Fabric ("Tapered Edge")	54
Umbilical Riser, Fixed Height	29
Wire Management Tray	27

Index by Product Number

GN1351	Power Entry, 4-Circuit	page(s) 25
GN1352	Power Entry, 4-Circuit, New York City	26
GN1353	Junction Block to Junction Block Jumper, 4-Circuit	22
GN1354	Block Connector, 4-Circuit	21
GN1355	Duplex Receptacle, 4-Circuit	24
GN1358	Junction Block	19
GN1420	Access Pass Thru	17, 47
GNBA.	Beams, Rectangular Return	13
GNBB.		
GNBC.		
GNBD.	Return Leg Beam Replacement Kit	14
GNBF.	Beams, 120°	16
GNBG.		
GNBM.	Beams, Meeting End	15
GNBR.	Beams, Rectangular Primary	12
GNHDA.	Hardware Pack, Quick Release Attachment	45
GNHDF.	Hardware Pack, Fixed Surfaces	44
GNHPA.	Hardware Pack, Quick Release Attachment	45
GNHPF.	Hardware Pack, Fixed Surfaces	44
GNHPS.	Hardware Pack, Sliding, Rectangular Primary Surface	46
GNHSF.	Hardware Pack, Fixed Surfaces	44
GNLFAL	Engage Leg, Asymmetrical Desk End, Double	8
GNLFAR		
GNLFBN	Engage Leg, Back-to-Back Bracing Leg	11
GNLFCN	Engage Leg, Corner Leg	10
GNLFEL	Engage Leg, Desk End, Single	5
GNLFEN	Engage Leg, Desk End, Double	6
GNLFER	Engage Leg, Desk End, Single	5
GNLFPN	Engage Leg, Desk End Double, Meeting End	9
GNLFSN	Engage Leg, Intermediate Desk	7
GNPA.	Junction Block Attachment Bracket	18
GNPC.	Floor Power Entry Cover	30
GNPH.	Harness Cover	23
GNSA.	Screen Brackets	59
GNSB.		
GNSC.		
GNSDFT	Screen - Desk Up - Fabric	50
GNSDNT		
GNSDTT		
GNSDXG	Screen - Desk Up, Glass	52
GNSDXT	Screen, Desk Up, Frameless Fabric ("Tapered Edge")	48
GNSE.	Screen Connectors	60
GNSG.	Generic Beam Clamp	65
GNSH.	Screen Connectors	60
GNSJ.		
GNSMNT	Screen - Modesty	56
GNSMXT	Screen, Modesty, Frameless Fabric ("Tapered Edge")	54
GNSND.	Corner Post	61
GNSNM.		
GNSPNT	Screen - Delineation	58
GNSTA.	Gallery Panel, Leg-Attached	63
GNSX.	Screen, Frameless Screen 120-Degree Filler	62
GNTAA.	Primary Work Surface, 120°	41
GNTAB.		
GNTAF.		
GNTAN.		
GNTDG.	Meeting End, Rectangular	39
GNTDN.		
GNTPA.	Project Table, Rectangular	37
GNTPN.		
GNTRA.	Primary Work Surface, Rectangular	31
GNTRB.		
GNTRF.		
GNTRN.		
GNTSN.	Return Work Surface, Rectangular	35
GNWC.	Cable Management Clips - Double Tray	28
GNWD.	Wire Management Tray	27
GNWF.	Umbilical Riser, Fixed Height	29
GNWS.	Wire Management Tray	27

20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon [A] will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an [A] are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products: (616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.
   Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400.

   Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

   Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
   - Product number and option
   - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Proprietary Textiles Application Chart — Workspaces

• *Available*

A *Assigned lead-time textile.*

See page 3 for exception notes.

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mount/Freestanding/Surface-Attached Screens	Canvas Standing Screen and Team Wall Infill	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Tackable Boards and Stowage Tackable Backdrop	Exclave Tackable Boards and Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Personal Side Screen	Thrive Surface-Attached Screen	Tu® L-Series Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 1																															
COM Customer's Own Material A	1	1	1	1	1		1	1	1	1	1		•	1		1	1			1	1					1	1	1		3	1
8A_ _ Bubbletack™																						•									
2V_ _ Chain	•	•	•	•	•		•	22	•	•	•		•	•	•	•	•		•	•						•		•	•	3	
8T_ _ Crossing (85_ _)	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•		•	•	3	18
95_ _ Gem	2	2	2	•	•		•	•	2		•		•	•		•										•	•		•	3	•
2I_ _ Grasscloth	•	•	•	•	•		•	•	•	•	•		•		•	•	•		•	•						•	•	•	•	3	
8B_ _ Multiscrim™						•															•		•								
5T_ _ Resonance	•	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•		•		
8C_ _ Scrim Trim																							•								
22W_ _ Shade												•																			
2M_ _ Silkworm	•	•	•	•	•		•	•	•		•		•	•		•										•	•		•	3	
22F_ _ Slant	6		•		•		•	•			•		•	•		•										•			•	3	
235_ _ Tailored	•	•		•	•		•	•	•		•		•	•		•										•			•		•
Price Category 2																															
1CD_ _ Code	•	•	•	•	•		•	•	•		•		•	•		•								•		•					
3P_ _ ColorGuard		2		•																											•
51_ _ Cord	•	•	•	•	•		•	•	•		•		•	•		•										•			•	3	
92_ _ Crepe	2	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•			3	•
22Q_ _ Fish Net		2	2	•	•		•	•	2		•			•																	•
57_ _ Frost	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
84_ _ Grosgrain	4	•	•	•	•		•	•	•		•			•		19	19		19							•	19		•	3	
4N_ _ Horizon	2	2	2	•	•		•	•	•		•		•	•		•										•	•		•	3	
1LM_ _ Loom	2	2	2	•	•		•	•	•	•			•	•	•	•	•		•	•				•	8	•		•			•
1HA_ _ Medley	2	2	2	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•				•		•	•	•			•
3A_ _ Moiré		2	2	•	•		•	22	2	•	•		•	•	•	•	•		•	•								•	•	3	•
43_ _ Tape								•	•		•		•	•		•													•		
8R_ _ Twist (5S_ _)	5	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•	•	•	•	3	18
22T_ _ Well Suited		2		•	•			•	2		•																				•
Price Category 3																															
70_ _ Bento	2	2	2	•				•	2	•	•		•		•	•	•		•	•						•		•	•	3	•
8S_ _ Coil	2	2	2	•	•		•	•	•	•				•	•	•	•		•	•						•		•		3	•
1FB _ Connection	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
1FC _ Current	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
8Z_ _ Glaze	•	•	•	•	•		•	•	•		•		•	•		•				•						•	•		•	3	
47_ _ Ground Cloth®	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•				•	8	•	•	•	•	3	
5D_ _ Kira 2	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•		•	•	14					•	•	•	•	3	
22R_ _ Pins and Needles	2	2		•	•		•	•	2		•		•	•		•										•					•
8L_ _ Savannah	•	20	•	•	•		•	•	•		•		•	•		•					14								•		
8U_ _ Stitches (5Z_ _)	2	2	2	•				•	2		•		•	•												•			•	3	18
8W_ _ Strands	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
22V_ _ String Plaid	2	2	2	•	•		•	•	2		•		•	•												•					•

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mount/Freestanding/Surface-Attached Screens	Canvas Standing Screen and Team Wall Infill	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Tackable Boards and Stowage Tackable Backdrop	Exclave Tackable Boards and Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Personal Side Screen	Thrive Surface-Attached Screen	Tu® L-Series Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 4																															
2X_ _ Glisten	•	•	•	•	•		•	•	•		•		•	•		•				•						•			•	3	
22L_ _ Loft A		2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•				•	8	•	•	•	•	3	
6S_ _ Quilty	2	2	2	•	•		•	•	2					•		•										•	•			3	•
63_ _ Sironetta	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
Price Category 5																															
14A_ _Hopsak	2	2	2	•	•			•	2		•		•	•		•								•		•			•		•
Price Category 6																															
No fabrics available at this time.																															

1 *Refer to price book appendices and Omni for COM information.*
2 *Available on all products except 54" and 60" wide.*
3 *Fabric is railroaded for all widths.*
4 *Not available on Action Office (AO®) acoustical panels.*
5 *(8R_ _), (8T_ _), (85_ _), and (5S_ _) not available on AO acoustical panels and not available on 54"- or 60"-wide products.*
6 *Not available on Action Office (AO®) connectors, cable management, and spacers.*
8 *Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.*
14 *Not available on Resolve flags.*
18 *Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.*
19 *Not available in Grosgrain (84_ _) fabric colors 8401, 8405, 8407, and 8413.*
20 *Available only on Ethospace B-Style.*
22 *Not available as railroaded application option for* Chain *(2V00) and* Moiré *(3A00) on Canvas Extended Width Tiles.*
24 *Not available on Ethospace cable access tile, cable channel tile, or beltline face tile.*

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Price Category 1

Customer's Own Material
See Order Information in Appendices. Assigned lead-time textile. A

Bubbletack™	
100% polyester	
8A01	Seashell White
8A02	Pearl Grey
8A05	Dune Beige
8A07	Pebble Beige
8A09	Olive Green
8A13	Slate Purple
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A29	Tea Leaf Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A33	Caramel Beige
8A34	Kiwi Green

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T20	Brownstone
8T21	Bark
8T22	Tin
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory
8502	Oyster

Gem	
54" wide	
100% antimony-free polyester	
9501	Sesame
9502	Tangerine
9503	Red
9504	Red Violet
9505	Mulberry
9506	Java
9507	Twilight
9508	Bayou
9509	Iris
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9513	Spruce
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I10	Cayenne
2I11	Bottle Green
2I12	Surf
2I13	Gravel

Multiscrim™	
60" wide	
100% polyester	
8B01	Seashell White
8B02	Pearl Grey
8B05	Dune Beige
8B07	Pebble Beige
8B09	Olive Green
8B15	Slate Purple
8B19	Spa Blue
8B24	Sable Grey
8B27	Summer White
8B28	Moth Grey
8B29	Tea Leaf Grey
8B30	Blue Grey
8B31	Dusty Bronze
8B32	Slate Blue
8B33	Caramel Beige
8B34	Kiwi Green

Price Category 1
continued

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain *
5T06	Alabaster *
5T15	Iris
5T28	Sugar *
5T47	Tobacco
5T54	Saltbush *
5T57	Seed
5T58	Sepia
5T59	Tundra
5T60	Iceberg *
5T61	Black
5T62	Chamois *
5T63	Citrus
5T64	Tangerine
5T65	Red
5T66	Wild Berry
5T67	Boysenberry
5T68	Pistachio *
5T69	Green Apple
5T70	Forest
5T71	Jade
5T72	Blue Green
5T73	Bright Turquoise
5T74	Twilight

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Scrim Trim	
61" wide	
82% polyester	
18% spandex	
8C01	Seashell White
8C02	Pearl Grey
8C22	Winter Grey
8C24	Sable Grey

Shade	
91% polypropylene	
9% polyester	
22W01	Pearl
22W02	Tin
22W03	Graphite

Silkworm	
66" wide	
58% recycled polyester	
42% polyester	
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant	
66" wide	
51% polyester	
49% recycled polyester	
22F01	Beech Nut
22F02	Chamois
22F03	Chartreuse
22F04	Pesto
22F05	Peacock
22F06	Neptune
22F07	Blueberry
22F08	Boysenberry
22F09	Magenta
22F10	Pumpkin
22F11	Cranberry
22F12	Silver Birch
22F13	Bluestone
22F14	Truffle
22F15	Shale

Tailored	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

Price Category 2

Code	
66" wide	
100% Repreve recycled polyester	
1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

ColorGuard		
54" wide		
100% vinyl		
3P01	Grey	
3P02	Navy	
3P03	Spruce	A
3P04	Jade	A
3P05	Natural	A
3P08	Blueberry	A
3P09	Coal	A
3P12	Black Plum	A
3P14	Black	
3P15	New Burgundy	A
3P17	Burgundy	A
3P19	Slate	
3P31	Horizon Blue	A
3P33	Pumice	
3P54	Candy Apple	A
3P58	Beige	A
3P66	Deep Clay	A
3P72	Allspice	A
3P90	Green Tea	A
3P93	Camelback	A
3P96	Manzanita	A
3P97	Fudge	A
3PB2	Sea Grass	A
3PB5	Vizcaya Palm	A
3PB9	Neptune	A
3PC7	Bucksuede	A
3PD4	Otter	A

A Assigned lead-time color.

Price Category 2
continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Crepe *continued*	
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Fish Net	
55" wide	
100% recycled polyester	
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Frost	
66" wide	
100% recycled polyester	
5701	Bisque
5702	Abalone
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5707	Reed
5708	Steam Grey
5709	Gunmetal
5710	Sable Grey

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl *
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Surface-Attached Screen.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Poppy
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Price Category 2
continued

Moiré
54" wide
100% recycled polyester
3A01 Concrete
3A02 Biscotti
3A03 Rattan
3A04 Chambray
3A05 Fern
3A08 Violet
3A09 Zin
3A10 Curry
3A11 Spice
3A12 Cork

Tape
66" wide
52% polypropylene
48% recycled polyester
4301 Pearl
4302 Oyster
4303 Wicker
4304 Reed
4305 Straw
4306 Celadon
4307 Alabaster
4308 Bamboo
4309 Feather Grey
4310 Iceberg

Twist
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R04 Chamois
8R05 Wicker
8R06 Nutmeg
8R07 Squash
8R08 Copper
8R09 Cayenne
8R10 Poppy
8R11 Magenta
8R12 Garnet
8R13 Iceberg
8R14 Tin
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R19 Coffee Bean
8R20 Bayou
8R21 Periwinkle
8R22 Blueberry
8R23 Green Apple
8R24 Loden
8R25 Turquoise

Twist
For workspaces products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Well Suited
55" wide
79% polyester
21% recycled polyester
22T01 Oyster
22T02 Raffia
22T03 Peppermint
22T04 Wild Berry
22T05 Spring Green
22T06 Mint
22T07 Periwinkle
22T08 Cool Grey
22T09 Citrus
22T10 Pumpkin
22T11 Red
22T12 Fuschia
22T13 Orchid
22T14 Chartreuse
22T15 Green Apple
22T16 Jade
22T17 Peacock
22T18 Blueberry
22T19 Bluestone
22T20 Mink

Price Category 3

Bento
54" wide
100% antimony-free polyester
7001 Frost
7002 Linen
7003 Khaki
7004 Truffle
7005 Grey Black
7006 Pumpkin
7007 Cranberry
7008 Everglade
7009 Cobalt

Coil
54" wide
100% recycled polyester
8S01 Nougat
8S03 Copper
8S04 Molasses
8S05 Chutney
8S06 Claret
8S07 Plum
8S08 Olive Wood
8S09 Root
8S10 Pesto
8S11 Hemlock
8S12 Java
8S13 Bayou
8S14 Peacock
8S15 Twilight
8S16 Ink
8S17 Black

Price Category 3
continued

Connection	
66" wide	
100% antimony-free polyester	
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze	
66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Kira 2	
54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles	
58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Stitches	
54" wide	
54% polyester	
46% recycled polyester	
8U02	Rye
8U03	Khaki
8U04	Honey
8U05	Cattail
8U06	Pumpkin
8U07	Brick
8U08	Cool Grey
8U09	Slate Blue
8U10	Juniper
8U11	Evening Blue
8U12	Charcoal
8U13	Kiwi Green
8U14	Olive
8U15	Pesto
8U16	Cocoa
8U17	Seed

Stitches	
For workspaces products only.	
54" wide	
54% polyester	
46% recycled polyester	
5Z01	White Ash

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

String Plaid	
54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Price Category 4

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X01	Porcelain
2X02	Rye
2X03	Wicker
2X04	Cashew
2X05	Iceberg
2X06	Bronze
2X08	Shadow
2X09	Pewter
2X10	Ash
2X11	Truffle

Loft	
Assigned lead-time textile. A	
54" wide	
100% wool	
22L01	Heathered Light Green
22L02	Heathered Dark Green
22L03	Heathered Turquoise
22L04	Heathered Navy
22L05	Heathered Orange
22L06	Heathered Red
22L07	Heathered Tan *
22L08	Heathered Grey *
22L09	Heathered Blue *
22L10	Heathered Brown
22L11	Heathered Dark Grey
22L12	Heathered Denim

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Quilty	
56" wide	
100% antimony-free polyester	
GreenShield	
6S01	Wicker
6S02	Honey
6S03	Khaki
6S04	Straw
6S05	Squash
6S06	Cayenne
6S07	Brick
6S08	Cerulean
6S09	Blue Violet
6S10	Mink
6S11	Green Apple
6S12	Jade
6S13	Indigo

Sironetta	
66" wide	
100% recycled polyester	
6301	Acapella
6302	Sonata
6303	Interlude
6304	Legato
6305	Forte
6306	Minuet
6307	Opus
6308	Harmony
6309	Ensemble
6310	Baroque
6311	Serenade

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2016 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ☻, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Exclave, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.