Prices effective February 1, 2016

Resolve® System

Introduction	**page 2**
Resolve® System	**3**
Infrastructure	5
Work Surfaces	51
Storage	66
Display Components	93
Lighting	103
Indices	**109**
By Name	111
By Number	111
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Air Quality and Packaging Information-Resolve System	
Keyed-Alike Information	
Vary Easy Program	
Fire Retardancy-Resolve System	
Stain-to-Match Program	
Customer's Own Material Order Information-Resolve System	
Design on Textile (DOT™) and Customer's Own Image (COI) Order Information	
Design on Textile (DOT) Collection	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	

For the latest materials information, refer to the Materials pages on HermanMiller.com.

PB_RES

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.
The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective February 1, 2016, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure

Work Surfaces

Storage

Display Components

Lighting

Tall Pole R1110.

Product Information

Description

This 96"-high, 3-sided pole forms 120° connections between support arms. It attaches to trusses and allows overhead delivery of power and/or data. Each pole has 3 petals and a crown at the top and a 2" adjustable base that adjusts the pole height in ½" increments. The N, R, and P power options have 9 receptacle location covers; each side of the pole is prepunched to hold 3 duplex receptacles.

The pole is available nonpowered or powered. The powered pole has a 3-sided, 6-circuit electrical harness on the inside of the pole. The pole is UL listed; electrical components are UL listed and CSA certified.

The field-wired version of the tall pole (R1110.R) meets Chicago electrical code requirements. This version can also be used internationally and is compatible with most international electrical systems and components.

Notes

Order following products separately:

- Fixed truss (R1220.) or sliding truss (R1230.)
- Support arms (R1210.)

To manage data cables, order 1 of the following products separately:

- Cable bag (R1365.)
- Cable cover (R1361.)
- Cable management clips (R1362.)

To attach data ports to outside of pole, order data faceplate housing (R1360.) separately.

For powered pole, order 6-circuit duplex receptacle (R1311.) separately.

To add simplex receptacles to crown, order simplex receptacle (R1312.) separately.

To convert nonpowered pole with cutouts to powered pole, order tall pole power harness (R1380.) separately.

To pass power over the top of nonpowered pole, order power block (R1382.) separately.

To add duplex receptacle to field-wired pole (R1110.R), order receptacle box/cover (R1313.) separately. Receptacle box/cover accepts standard-size faceplates and duplex receptacles (supplied by electrician).

To supply power to field-wired pole (R1110.R) from the floor or wall, order power entry plate (R1325.) separately.

Nonpowered pole without cutouts (R1110.A) cannot be converted to a powered pole.

Dimensions

Specification Information		
Step 1.		
R1110.		

Step 2. Power		
A	nonpowered, no cutouts	
N	nonpowered, with cutouts	
R	nonpowered, field wired (meets Chicago electrical code requirements)	
P	powered	

Prices for Steps 1-2.		
R1110.	**A**	$628
	N	$655
	R	$882
	P	$1048

Step 3. Pole/Crown Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$30
EH	metallic bronze	+$30
MS	metallic silver	+$30

Step 4. Base/Trim Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Short Pole R1120.

Product Information

Description

This 48"- or 60"-high, 3-sided pole forms 120° connections between support arms. Each pole has a top cap and a 2" adjustable base that adjusts the pole height in ½" increments. The N, R, and P power options have 9 receptacle location covers; each side of the pole is prepunched to hold 3 duplex receptacles.

The pole is available nonpowered or powered. The powered pole has a 3-sided, 6-circuit electrical harness on the inside of the pole. The pole is UL listed; electrical components are UL listed and CSA certified.

The field-wired version of the short pole (R1120.48R and R1120.60R) meets Chicago electrical code requirements. This version can also be used internationally and is compatible with most international electrical systems and components.

Notes

Standing-height monitor pod, standing-height café table, pole accent light, and 60"- and 69"-high boundary and display screens cannot be used with 48"-high short pole.

Order support arms (R1210.) separately.

To manage data cables, order 1 of the following products separately:

- Cable bag (R1365.)
- Cable cover (R1361.)
- Cable management clips (R1362.)

To attach data ports to outside of pole, order data faceplate housing (R1360.) separately.

For powered pole, order 6-circuit duplex receptacle (R1311.) separately.

To convert nonpowered pole with cutouts to powered pole, order short pole power harness (R1381.) separately.

To add duplex receptacle to field-wired pole (R1120.60R), order receptacle box/cover (R1313.) separately. Receptacle box/cover accepts standard-size faceplates and duplex receptacles (supplied by electrician).

To supply power to field-wired pole (R1120.60R), order power entry plate (R1325.) separately.

Order optional pole lamp (R6310.) or Chicago pole lamp (R6311.) separately.

Nonpowered pole without cutouts (R1120.A) cannot be converted to a powered pole.

Dimensions

Specification Information

Step 1.

R1120.

Step 2. Height

48	48″ high
60	60″ high

Step 3. Power

A	nonpowered, no cutouts
N	nonpowered, with cutouts
R	nonpowered, field wired (meets Chicago electrical code requirements)
P	powered

Prices for Steps 1-3.

		A	N	R	P
R1120.	**48**	$348	376	495	638
	60	$411	443	546	702

Step 4. Pole Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$15
EH	metallic bronze	+$15
MS	metallic silver	+$15

Step 5. Base/Trim Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

In-Line Pole R1140.

Product Information

Description

This 2-sided pole forms a 180° connection between support arms. It is available in a 48", 60", or 72" height and has a top cap and a 2" adjustable base that adjusts the pole height in 1/2" increments. The in-line pole does not accommodate power or data cables. The pole is UL listed.

Notes

Order support arms (R1210.) separately.

Dimensions

Specification Information

Step 1.

R1140.

Step 2. Height

48	48" high
60	60" high
72	72" high

Prices for Steps 1-2.

R1140.	**48**	$305
	60	$373
	72	$400

Step 3. Pole Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$20
EH	metallic bronze	+$20
MS	metallic silver	+$20

Step 4. Base/Top Cap Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Seismic Clip R1190.

Product Information

Description

This clip secures a tall, short, or in-line pole to the floor in regions where seismic activity is a concern or where required by local code. 3 clips are required for each tall or short pole; 2 clips are required for each in-line pole. Hardware to secure the clips to the pole is included; hardware to secure the clips to the floor is not included. Package contains 6.

Notes

Seismic clips must be field installed.

Dimensions

Specification Information

Step 1.

R1190.	$89

Step 2. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$5
EH	metallic bronze	+$5
MS	metallic silver	+$5

Support Arms R1210.

Product Information

Description

These arms connect to tall, short, or in-line poles to create boundaries and hold components and accessories. They are available in 48″ or 60″ lengths as measured from the center axis of the connecting poles. Package includes an upper support arm and lower support arm. Support arms are UL listed.

Notes

Order screens separately:

- Boundary screen (R1410.)
- Boundary screen with DOT™ (R1411.)
- Display screen (R1420.)
- Marker screen (R1450.)

Order arm-attached storage separately:

- Arm-attached cabinet (R3221.)
- Ladder shelf (R3312.)
- Tool rail (R3610.)

To distribute power and data on lower support arm, order power/data channel (R1351.) separately.

Dimensions

Specification Information

Step 1.

R1210.

Step 2. Length

48	48″ long	
60	60″ long	

Prices for Steps 1-2.

R1210.	**48**	$238
	60	$279

Step 3. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$15
EH	metallic bronze	+$15
MS	metallic silver	+$15

Fixed Truss R1220.

Product Information

Description

This truss attaches to 2 tall poles and delivers overhead power and/or data, creates boundaries, and can be used over an aisle. A steel barrier separates power and data cables in the trough. The truss is available nonpowered or powered and in 5 lengths. The powered truss has a 6-circuit electrical harness on the inside of the trough. The truss is UL listed; electrical components are UL listed and CSA certified.

Notes

To convert nonpowered truss to powered truss, order fixed truss power jumper conversion kit (R1345.) separately.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Nonpowered: 48", 60"

Nonpowered: 96", 108", 120"

Powered: 48", 60"

Powered: 96", 108", 120"

Specification Information

Step 1.

R1220.

Step 2. Length

048	48" long
060	60" long
096	96" long
108	108" long
120	120" long

Step 3. Power

N	nonpowered
P	powered

Prices for Steps 1-3.

		N	P
R1220.	**048**	$345	518
	060	$398	594
	096	$608	851
	108	$663	922
	120	$716	1004

Step 4. Truss/Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 5. Trough Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Sliding Truss R1230.

Product Information

Description

This truss joins 2 tall poles and connects 2 separate constellations. It delivers overhead power and/or data, creates boundaries, and can be used over an aisle. A steel barrier separates power and data cables in the trough. The truss has 3 adjustable lengths: 9′ to 12′, 12′ to 16′, or 16′ to 20′; attachment brackets at each end rotate the truss 62° to the left and right of center.

The truss is available nonpowered or powered. The powered truss has a 6-circuit electrical harness on the inside of the trough. The truss is UL listed; electrical components are UL listed and CSA certified.

Notes

To convert nonpowered truss to powered truss, order sliding truss power jumper conversion kit (R1346.) separately.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Nonpowered

Powered

Specification Information

Step 1.

R1230.

Step 2. Length

0912	extends from 9′ to 12′
1216	extends from 12′ to 16′
1620	extends from 16′ to 20′

Step 3. Power

N	nonpowered
P	powered

Prices for Steps 1-3.

		N	P
R1230.	**0912**	$1405	1906
	1216	$1579	2082
	1620	$1755	2256

Step 4. Truss/Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$20
EH	metallic bronze	+$20
MS	metallic silver	+$20

Step 5. Trough Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Floor/Wall Power Entry R1320.

Product Information

Description

This power entry connects a building's electrical supply from a wall, floor, or column to the power harness of a tall or short pole. It distributes up to 6 20-amp circuits and is available in 4 lengths, which can be field cut to the appropriate length. The power entry plugs directly into the pole's electrical harness and uses 1 of the lowest receptacle openings. It is UL listed and CSA certified. Attachment hardware is included.

Notes

Licensed electrician must wire power entry.

Dimensions

Specification Information

Step 1.

R1320.

Step 2. Length

06	6′ long
12	12′ long
18	18′ long
24	24′ long

Prices for Steps 1-2.

R1320.	**06**	$224
	12	$288
	18	$353
	24	$418

Step 3. Receptacle Filler Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Ceiling Power/Data Entry R1332.

Product Information

Description

This power/data entry connects a ceiling's electrical supply to a power harness or power block at the top of a tall pole. It distributes up to 6 20-amp circuits. The entry is available in 3 mesh-wrap lengths and includes a ceiling bezel connector. The mesh wrap and ceiling bezel connector are off white. The entry is UL listed and CSA certified.

The entry is available nonpowered or powered. The powered entry includes a flex-conduit harness with a crown-mounting bracket and power whip that is 4′ longer than the mesh wrap to allow flexibility during installation.

Notes

A licensed electrician must wire the power entry.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Specification Information

Step 1.

R1332.

Step 2. Mesh Wrap Length

02	2′ long
04	4′ long
06	6′ long

Step 3. Power

N	nonpowered
P	powered

Prices for Steps 1-3.

		N	P
R1332.	**02**	$161	378
	04	$191	467
	06	$218	525

Floor/Wall Power Entry, New York City

R1321.

Product Information

Description

This power entry connects a building's electrical supply from a wall, floor, or column to the power harness of a tall or short pole with cutouts. It distributes up to 6 20-amp circuits. The power entry plugs directly into the pole's electrical harness and uses 1 of the lowest receptacle openings. It also includes an electrical box and cover that is connected by conduit. The power entry is UL listed. Attachment hardware is included.

Notes

Licensed electrician must wire power entry.

Dimensions

Specification Information

Step 1.

R1321.		$418

Step 2. Electrical Box/Cover Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 3. Receptacle Filler Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Ceiling Power/Data Entry, New York City

R1331.

Product Information

Description

This power/data entry connects a ceiling's electrical supply to a power harness at the top of a tall pole. It distributes up to 6 20-amp circuits. The entry includes a mesh wrap for wire/cable management, a ceiling bezel connector, and a power harness and junction box that mounts to the pole's crown. The mesh wrap is available in 3 lengths. The entry is UL listed.

Notes

Licensed electrician must wire power entry.

For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions

Ceiling Power/Data Entry, New York City *continued*

Specification Information	
Step 1.	
R1331.	

Step 2. Mesh Wrap Length	
02	2′ long
04	4′ long
06	6′ long

Prices for Steps 1-2.		
R1331.	**02**	$471
	04	$524
	06	$576

Power Entry Plate R1325.

Product Information

Description

This plate covers receptacle openings on a field-wired tall or short pole. It includes a knockout that allows conduit to be routed into the pole. Package contains 6.

Notes

Specify power entry plate for use with poles that are field wired for international use or to meet Chicago electrical codes: tall pole (R1110.R) or short pole (R1120.60R).

Dimensions

Specification Information

Step 1.

R1325.	$61

Step 2. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Receptacle Box/Cover R1313.

Product Information

Description

This product attaches to a field-wired tall or short pole. It includes an electrical junction box and cover that attach to a field-wired pole's receptacle opening. Package contains 6.

Notes

Specify receptacle box/cover for use with poles that are field wired for international use or to meet Chicago electrical codes: tall pole (R1110.R) or short pole (R1120.60R).

Dimensions

Specification Information

Step 1.

R1313.		$365

Step 2. Box Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 3. Cover Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Power/Data Channel R1351.

Product Information

Description

This channel mounts between 2 poles above the lower support arm and distributes power and data. It includes 3 channels: 1 for cables and power cords, 1 for an optional power harness, and 1 for data cables. The channel is available nonpowered or powered and in a 48″ or 60″ length. The powered center channel includes a power jumper with a flex-conduit harness; its direct connects on each end plug into the adjacent pole's electrical harness at the lowest receptacle opening. The channel is UL listed and CSA certified.

Notes

Specify length of channel to match length of support arms.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Nonpowered

Powered

Specification Information

Step 1.

R1351.

Step 2. Length

048	48″ long
060	60″ long

Step 3. Power

N	nonpowered
P	powered

Prices for Steps 1-3.

		N	P
R1351.	**048**	$151	333
	060	$166	392

Step 4. Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 5. Channel Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Power Jumper Conversion Kit, Power/Data Channel R1341.

Product Information

Description

This kit converts a nonpowered power/data channel(s) to a powered power/data channel(s). It distributes up to 6 20-amp circuits and is available in 5 lengths. The kit includes a flex-conduit harness with direct connects on each end that plug into the adjacent tall or short pole's electrical harness at the lowest receptacle opening. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match distance between the 2 connecting powered poles.

When power is routed past a nonpowered in-line pole, specify length of conversion kit to match combined length of the 2 connecting power/data channels.

Dimensions

Specification Information

Step 1.

R1341.

Step 2. Length

048	48" long
060	60" long
096	96" long
108	108" long
120	120" long

Prices for Steps 1-2.

R1341.	**048**	$184
	060	$231
	096	$328
	108	$359
	120	$392

Step 3. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Power Pass-Through Bracket R1352.

Product Information

Description

This mounting bracket fits into a nonpowered pole's receptacle location. It allows power to pass from a powered pole, through a nonpowered pole, and onto another powered pole. The bracket provides a connection point for the 2 lower arm power harnesses in the powered poles. It is UL listed and CSA certified. Package contains 6.

Notes

Power pass-through bracket can only be used with nonpowered poles with cutouts. It cannot be used with powered poles, nonpowered poles without cutouts, or power harnesses.

Use of the power pass-through bracket does not create a powered pole.

Dimensions

Specification Information

Step 1.

R1352.	$45

Power Jumper Conversion Kit, Fixed Truss R1345.

Product Information

Description

This kit converts a nonpowered fixed truss to a powered fixed truss. It distributes up to 6 20-amp circuits and is available in 5 lengths. The kit includes a flex-conduit harness with connectors on each end that plug into the top of the adjacent tall pole's power harness or power block. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match length of fixed truss.

Dimensions

Specification Information

Step 1.

R1345.

Step 2. Length

048	48″ long
060	60″ long
096	96″ long
108	108″ long
120	120″ long

Prices for Steps 1-2.

R1345.	**048**	$198
	060	$224
	096	$275
	108	$293
	120	$325

Step 3. Harness End Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Power Jumper Conversion Kit, Sliding Truss R1346.

Product Information

Description

This kit converts a nonpowered sliding truss to a powered sliding truss. It distributes up to 6 20-amp circuits and is available in 3 lengths. The kit includes a flex-conduit harness with connectors on each end that plug into the top of the adjacent tall pole's power harness or power block. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match length of sliding truss.

Dimensions

Specification Information

Step 1.

R1346.

Step 2. Length

0912	extends from 9′ to 12′
1216	extends from 12′ to 16′
1620	extends from 16′ to 20′

Prices for Steps 1-2.

R1346.	**0912**	$441
	1216	$441
	1620	$441

Step 3. Harness End Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Power Harness, Tall Pole R1380.

Product Information

Description

This harness converts a nonpowered tall pole with cutouts to a powered tall pole. It distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power harness is used with a nonpowered tall pole with cutouts (R1110.N) only.

Dimensions

Specification Information

Step 1.

R1380.	$400

Power Harness, Short Pole R1381.

Product Information

Description

This harness converts a nonpowered short pole with cutouts to a powered short pole. It distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power harness is used with a nonpowered short pole with cutouts (R1120.N) only.

Dimensions

Specification Information

Step 1.

R1381.	$265

Power Block R1382.

Product Information

Description

This power block fits into a nonpowered tall pole's crown and passes power over the top of the pole. A crown with a power block accepts up to 4 connections. The power block distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power block does not create a powered pole (receptacle locations in tall pole are not powered).

Power block cannot be used with a powered pole or power harness.

Dimensions

Specification Information

Step 1.

R1382.	$184

Duplex Receptacle R1311.

Product Information

Description

This duplex receptacle attaches to the power harness of a tall or short pole. It is UL listed and CSA certified. Attachment hardware is included. Package contains 6 duplex receptacles.

Notes

For information on receptacle types and wire usage, see Resolve Planning Guide.

Dimensions

Specification Information

Step 1.

R1311.

Step 2. Circuit Type

A	circuit a
B	circuit b
C	circuit c
CI	circuit c, isolated ground
X	circuit x
XI	circuit x, isolated ground
YI	circuit y, isolated ground
ZI	circuit z, isolated ground

Prices for Steps 1-2.

R1311.	**A**	$236
	B	$236
	C	$236
	CI	$236
	X	$236
	XI	$236
	YI	$236
	ZI	$236

Step 3. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Controlled Duplex Receptacle R1311M

Product Information

Description

This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This duplex receptacle attaches to the power harness of a tall or short pole. Package contains 6 duplex receptacles. Attachment hardware included. Receptacle is UL listed and CSA certified.

Notes

For information on receptacle types and wire usage, see Resolve® Planning Guide.

Dimensions

Specification Information

Step 1.

R1311M. A

Step 2. Circuit Type

A	circuit a A
B	circuit b A
C	circuit c A
CI	circuit c, isolated ground A
X	circuit x A
XI	circuit x, isolated ground A
YI	circuit y, isolated ground A
ZI	circuit z, isolated ground A

Prices for Steps 1-2.

R1311M.	**A**	$236
	B	$236
	C	$236
	CI	$236
	X	$236
	XI	$236
	YI	$236
	ZI	$236

Step 3. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Simplex Receptacle R1312.

Product Information

Description

This harness has 3 simplex receptacles that access circuit A. It plugs into the top of the tall pole's power harness or power block and fits into the crown. The receptacle harness is UL listed and CSA certified. Finish is black.

Dimensions

Specification Information

Step 1.

R1312.	$82

Data Faceplate Housing R1360.

Product Information

Description

This housing snaps onto the face of a tall or short pole. It provides a frame to attach a NEMA single-gang telecommunications faceplate. Package contains 6.

Dimensions

Specification Information

Step 1.

R1360.	$161

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cable Cover R1361.

Product Information

Description

This 37"-high cover snaps onto a tall or short pole and covers data cables in the concave face of the pole. Package contains 3 covers.

Notes

Cover can be field cut to the appropriate length.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Specification Information

Step 1.

R1361.37	$163

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cable Management Clip R1362.

Product Information

Description

This clip snaps onto a tall or short pole and manages data cables in the concave face of the pole. Package contains 6 clips.

Notes

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions

Specification Information

Step 1.

R1362.	$43

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cable Bag R1365.

Product Information

Description

This mesh bag hangs from a tall or short pole and holds cords, cables, a multi-outlet strip, or other items. A cable management clip holds the bag in place against the pole; the bag can be adjusted vertically in 1″ increments. The bag has a drawstring with a clear plastic cinch button that adjusts the size of the opening and secures cables entering the bag. A hook-and-loop-fastener opening in the back allows cords to enter or exit the back of the bag. Mesh color is grey. 1 cable management clip is included.

Dimensions

Specification Information

Step 1.

R1365.	$75

Step 2. Clip Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Communication Port Faceplate Extender G1189.

Product Information

Description

This faceplate fits over the communication port cutout of the following products: Action Office® Series 2 or Ethospace® cable management side cover; Action Office Series 2 cable management panel face; Ethospace cable access tile upper port; Resolve® data faceplate housing; or a Passage® voice/data outlet. It allows installation of specific cable communication modules without interfering with cable distribution capacity. Attachment hardware is included. Package contains 6.

Notes

Purchase preconfigured voice/data modules/faceplates separately from their manufacturers.

When specifying faceplate for Action Office Series 2 panel or Ethospace frame, order "J" or "G" power option with communication port locations.

When specifying faceplate for Action Office Series 2 cable management panel, order panel face side 1 (A1181.C) and side 2 (A1182.C) separately.

When specifying faceplate for Ethospace grooved face tile or frame with grooved side covers, order both reducer (G1189.A) and extender (G1189.B).

When specifying faceplate for Resolve data faceplate housing, order housing (R1360.) separately.

Dimensions

Specification Information

Step 1.

G1189.B	$60

Step 2. Surface Finish

8Q	folkstone grey	+$0
91	white	+$0
BU	black umber	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
HF	inner tone light	+$0
LU	soft white	+$0
MT	medium tone	+$0
SG	slate grey	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Boundary Screen R1410.

Product Information

Description

This fabric screen attaches to an upper and lower support arm using J-strips. It creates a boundary between workstations. The screen is available in combinations of 3 heights and 3 widths; the widths provide different degrees of enclosure. The upper and lower J-strip finish is clear. The screen is UL listed.

Notes

60"- and 69"-high screens cannot be used with 48"-high short pole.

Specify height of screen to match height of upper support arm.

Specify width of screen equal to or less than length of support arms.

For increased acoustical privacy, order acoustical insert (R1412.) separately.

For screen with images, order Boundary Screen with DOT™ (R1411.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 60"-wide fabrics.

Height—Yardage

48"—1 1/8

60"—1 1/2

69"—1 7/8

Textiles are cut parallel to the roll to match the appropriate screen height. Add 4 yards COM to total boundary screen order (required for lead-in material used in application process). For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

R1410.

Step 2. Upper Support Arm Height

48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Step 3. Screen Width

36	36″ wide
48	48″ wide
60	60″ wide

Prices for Steps 1-3.

		36	**48**	**60**
R1410.	**48**	$99	131	163
	60	$131	171	213
	69	$166	213	265

Step 4. Fabric

See DOT™ collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.

	48	**60**	**69**
Price Category 1	+$0	0	0
Price Category 3	+$25	31	37

Display Screen R1420.

Product Information

Description

This screen attaches to an upper and lower support arm using J-strips. It has a bubbletack™ surface that is tackable and displays work and personal items. The screen also creates a boundary between workstations. It is available in combinations of 3 heights and 3 widths; the widths provide different degrees of enclosure. The upper and lower J-strip finish is clear. The screen is UL listed.

Notes

60"- and 69"-high screens cannot be used with 48"-high short pole.

Specify height of screen to match height of upper support arm.

Specify width of screen equal to or less than length of support arms.

For increased acoustical privacy, order acoustical insert (R1412.) separately.

Order accessories separately:

- Document holder (R7412.)
- Ledge (R7411.)
- Mirror (R7413.)
- Picture holder (R7410.)
- Utility hook (R7414.)

Dimensions

Specification Information

Step 1.

R1420.

Step 2. Upper Support Arm Height

48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Step 3. Screen Width

36	36″ wide
48	48″ wide
60	60″ wide

Prices for Steps 1-3.

		36	**48**	**60**
R1420.	**48**	$279	364	454
	60	$364	485	604
	69	$461	604	755

Step 4. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +$0

Acoustical Insert R1412.

Product Information

Description

This sound-reducing insert is placed between 2 boundary or display screens mounted on a 4′ or 5′ support arm. It has a clear, sound-blocking Sound Transmission Class (STC) barrier that is positioned between 2 sound-absorbing Noise Reduction Coefficient (NRC) layers. The 3-piece insert is semi-translucent to light and attaches to the upper and lower support arms. The STC rating is 21; the NRC rating is .40. The insert is UL listed.

Notes

Specify height of insert to match height of support arms.

Specify width of insert to match width of corresponding boundary or display screen.

Acoustical insert is not available in 36″ width.

For boundary or display screens shipped before June 6, 2005, please contact Herman Miller Options for appropriate insert widths. Call (800) 654 3910 for more information.

Dimensions

Specification Information

Step 1.

R1412.

Step 2. Upper Support Arm Height

48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Step 3. Width

48	48″ wide
60	60″ wide

Prices for Steps 1-3.

		48	**60**
R1412.	**48**	$320	393
	60	$423	516
	69	$516	650

Marker Screen R1450.

Product Information

Description

This 48″-wide, double-sided screen attaches to an upper and lower support arm. It is available in 2 heights and has a white erasable writing surface. The screen includes 1 holder for markers and erasers; the holder attaches to the pole. Attachment hardware is included.

Notes

Marker screen cannot be used with 48″-high short pole.

Specify height of screen to match height of upper support arm.

Dimensions

Specification Information

Step 1.

R1450.

Step 2. Upper Support Arm Height

6048	60″ upper support arm height
6948	69″ upper support arm height

Prices for Steps 1-2.

R1450.	**6048**	$881
	6948	$954

Step 3. Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 4. Holder Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Rolling Screen R1441.

Product Information

Description

This screen attaches to a tall pole on one end, arcs over a workspace, and extends to the floor on the other end. It rolls left and right to allow easy positioning for individual privacy requirements. The fabric screen has a steel tube frame and color-matched wheels. It is available in 2 sizes and as a frame only or as a frame with standard fabrics. Attachment hardware is included. Shipped knocked down.

The support arm length reference (48″ or 60″) gives the specifier an idea of the arc created when the rolling screen is used with either 48″- or 60″-long support arms.

Notes

For accurate planning information, see dimensional drawing and Resolve Planning Guide.

Fabric is shipped separately from frame; fabric must be field installed on frame.

For DOT™ fabrics, specify "N" (frame only) and order DOT for rolling screen (R1443.) separately.

When replacement fabric is needed, order replacement fabric for rolling screen (R1444.) separately.

Dimensions

48″ Support Arm Length Reference

60″ Support Arm Length Reference

Specification Information	
Step 1.	
R1441.	

Step 2. Support Arm Length Reference	
48	48" support arm length reference
60	60" support arm length reference

Step 3. Assembly	
N	frame only
F	frame and screen fabric

Prices for Steps 1-3.

		N	F
R1441.	**48**	$419	674
	60	$419	674

Step 4. Bracket Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 5. Trim Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Step 6. Screen Fabric
For frame and screen fabric (F)
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Step 7. Edge Band Fabric
For frame and screen fabric (F)
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Nesting Rolling Screen R1442.

Product Information

Description

These 2 screens attach to a tall pole on one end, arc over a workspace, and extend to the floor on the other end. They nest together or roll apart and move left and right to allow easy positioning for individual privacy requirements. Each fabric screen has a steel tube frame and color-matched wheels. They are available in 2 sizes and as a frame only or as a frame with standard fabrics. Attachment hardware is included. Shipped knocked down.

The support arm length reference (48″ or 60″) gives the specifier an idea of the arc created when the rolling screen is used with either 48″- or 60″-long support arms.

Notes

For accurate planning information, see dimensional drawing and Resolve Planning Guide.

Fabric is shipped separately from frame; fabric must be field installed on frame.

For DOT™ fabrics, specify “N” (frame only) and order DOT for rolling screen (R1443.) separately.

When replacement fabric is needed, order replacement fabric for rolling screen (R1444.) separately.

Dimensions

Specification Information	
Step 1.	
R1442.	

Step 2. Support Arm Length Reference	
48	48" support arm length reference
60	60" support arm length reference

Step 3. Assembly	
N	frame only
F	frame and screen fabric

Prices for Steps 1-3.

		N	F
R1442.	**48**	$837	1319
	60	$837	1319

Step 4. Bracket Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 5. Trim Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Step 6. Screen Fabric
For frame and screen fabric (F)
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Step 7. Edge Band Fabric
For frame and screen fabric (F)
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Replacement Fabric for Rolling Screen R1444.

Product Information

Description

This screen fabric attaches to a rolling screen frame or a nesting rolling screen frame and replaces the existing fabric.

Notes

Order rolling screen frame (R1441.N) or nesting rolling screen frame (R1442.N) separately.

Specification Information

Step 1.

R1444.

Step 2. Screen Usage

A	fabric for rolling screen or outside nesting rolling screen
B	fabric for inside nesting rolling screen

Prices for Steps 1-2.

R1444.	**A**	$314
	B	$314

Step 3. Screen Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +$0

Step 4. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +$0

Canopy R1430.

Product Information

Description

This canopy attaches to a tall pole and creates an overhead boundary. It is available as a frame only or as a frame with standard fabrics. Attachment hardware is included. Shipped knocked down.

Notes

Fabric is shipped separately from frame; fabric must be field installed on frame.

For DOT™ fabrics, specify "N" (frame only) and order DOT for canopy (R1431.) separately.

When replacement fabric is needed, order replacement fabric for canopy (R1432.) separately.

Dimensions

Specification Information

Step 1.

R1430.

Step 2. Assembly

N	frame only	
F	frame and canopy fabric	

Prices for Steps 1-2.

R1430.	**N**	$272
	F	$367

Step 3. Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 4. Trim Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Step 5. Canopy Fabric

For frame and canopy fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +$0

Step 6. Edge Band Fabric

For frame and canopy fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +$0

Replacement Fabric for Canopy R1432.

Product Information

Description

This canopy fabric attaches to a canopy frame and replaces the existing fabric.

Notes

Order canopy frame (R1430.N) separately.

Specification Information

Step 1.

R1432.	$160

Step 2. Canopy Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Step 3. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Boomerang™ Work Surface R2100.

Product Information

Description

This 120° curved work surface attaches to a tall or short pole in the rear corner and has 2 pin-adjustable legs with 1″ adjustable glides on the front (user) side. It can be installed from 22″ to 32″ in height. The work surface has a laminate, formcoat®, or veneer finish. The ¾″-thick laminate surface has a square thermoplastic edge that matches the top color; the 1″-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a ⅞″-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48″-wide work surface is predrilled in the center position; the 60″-wide work surface is predrilled in the left, right, and center positions. The center of the work surface's back edge is predrilled for a cable manager. Attachment hardware is included.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

For additional support at left or right end of surface, order work surface bracket (R2190.) separately. Boomerang surface width must match adjacent support arm length (4′ boomerang surface on 4′ support arm; 5′ boomerang surface on 5′ support arm).

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions

Specification Information

Step 1.

R2100.

Step 2. Width

48	48" wide
60	60" wide

Step 3. Surface Material

L	laminate
E	formcoat®
W	veneer [A]

Prices for Steps 1-3.

		L	E	W
R2100.	**48**	$767	798	1294
	60	$924	960	1551

Step 4. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (E)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		48	60
2U	light brown walnut [A]	+$110	140
40	dark brown walnut [A]	+$110	140
ED	aged cherry [A]	+$110	140
EK	medium red walnut [A]	+$110	140
UL	natural maple [A]	+$110	140
UX	walnut on cherry [A]	+$110	140

Step 5. Bracket/Leg Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 6. Glide Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Extended Boomerang™ Work Surface

R2104.
R2105.

Product Information

Description

This 120° curved work surface attaches to 2 tall or short poles. It has 3 pin-adjustable legs with 1″ height-adjustable glides. The work surface can be installed from 22″ to 32″ in height. It has 3 sides and a laminate, formcoat®, or veneer finish. The ¾″-thick laminate surface has a square thermoplastic edge that matches the top color; the 1″-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a ⅞″-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48″-wide work surface is predrilled in the center position; the 60″-wide work surface is predrilled on the left and right sides. The center of the work surface's back edge is predrilled for a cable manager. Attachment hardware is included. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

48″-wide left × 48″-wide right work surface with 48″ center width (R2104.4848) has 2 pin-adjustable legs.

For additional support at left or right end of surface, order work surface bracket (R2190.) separately. Boomerang surface width must match adjacent support arm length (4′ boomerang surface on 4′ support arm; 5′ boomerang surface on 5′ support arm).

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions

Extended Boomerang™ Work Surface *continued*

Specification Information

Step 1.

R210

Step 2. Center Width

4.	48" center width
5.	60" center width

Step 3. Extension Widths

For 48" center width (4.)

4848	48" wide left x 48" wide right

For 60" center width (5.)

4848	48" wide left x 48" wide right
4860	48" wide left x 60" wide right
6048	60" wide left x 48" wide right
6060	60" wide left x 60" wide right

Step 4. Surface Material

L	laminate
E	formcoat®
W	veneer A

Prices for Steps 1-4.

		L	E	W
R2104.	**4848**	$1318	1359	2114
R2105.	**4848**	$1449	1462	2345
	4860	$1526	1564	2434
	6048	$1519	1564	2508
	6060	$1581	1628	2598

Step 5. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (E)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		4.	**5.4848**	**5.4860**	**5.6048**	**5.6060**
2U	light brown walnut A	+$200	220	230	230	240
40	dark brown walnut A	+$200	220	230	230	240
ED	aged cherry A	+$200	220	230	230	240
EK	medium red walnut A	+$200	220	230	230	240
UL	natural maple A	+$200	220	230	230	240
UX	walnut on cherry A	+$200	220	230	230	240

Step 6. Bracket/Leg Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 7. Glide Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Work Surface Bracket R2190.

Product Information

Description

This bracket mounts to the underside of a boomerang™ work surface and an outbound tall, short, or in-line pole. Attachment hardware is included.

Notes

Use bracket with boomerang work surface (R2100.) or extended boomerang work surface (R2104. or R2105.).

Specify left or right orientation with user facing the boomerang surface.

Boomerang surface width must match adjacent support arm length (4′ boomerang surface on 4′ support arm; 5′ boomerang surface on 5′ support arm).

Dimensions

Specification Information

Step 1.

R2190.

Step 2. Position

L	left-hand support	
R	right-hand support	

Prices for Steps 1-2.

R2190.	**L**	$29
	R	$29

Step 3. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$5
EH	metallic bronze	+$5
MS	metallic silver	+$5

Freestanding Boomerang™ Work Surface R2650.

Product Information

Description

This freestanding 120° curved work surface has 5 pin-adjustable legs with adjustable glides. It can be installed from 22″ to 32″ in height. The work surface has a laminate, formcoat®, or veneer finish. The 3/4″-thick laminate surface has a square thermoplastic edge that matches the top color; the 1″-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8″-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48″-wide work surface is predrilled in the center position; the 60″-wide work surface is predrilled in the left, right, and center positions. The center of the work surface's back edge is predrilled for a cable manager.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions

Freestanding Boomerang™ Work Surface *continued*

Specification Information

Step 1.

R2650.

Step 2. Width

48	48" wide
60	60" wide

Step 3. Surface Material

L	laminate
E	formcoat®
W	veneer A

Prices for Steps 1-3.

		L	E	W
R2650.	**48**	$915	952	1270
	60	$1068	1108	1572

Step 4. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (E)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		48	60
2U	light brown walnut	+$140	160
40	dark brown walnut	+$140	160
ED	aged cherry A	+$140	160
EK	medium red walnut	+$140	160
UL	natural maple A	+$140	160
UX	walnut on cherry	+$140	160

Step 5. Leg Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 6. Glide Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Freestanding Extended Boomerang™ Work Surface

R2654.
R2655.

Product Information

Description

This freestanding, 120° curved work surface has 6 pin-adjustable legs with 1″ height-adjustable glides. It can be installed from 22″ to 32″ in height. The work surface has 3 sides and a laminate, formcoat®, or veneer finish. The 3/4″-thick laminate surface has a square thermoplastic edge that matches the top color; the 1″-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8″-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48″-wide work surface is predrilled in the center position; the 60″-wide work surface is predrilled on the left and right sides. The center of the work surface's back edge is predrilled for a cable manager. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions

Freestanding Extended Boomerang™ Work Surface *continued*

Specification Information

Step 1.

R265

Step 2. Center Width

4.	48" center width
5.	60" center width

Step 3. Extension Widths

For 48" center width (4.)

4848	48" wide left x 48" wide right

For 60" center width (5.)

4848	48" wide left x 48" wide right
4860	48" wide left x 60" wide right
6048	60" wide left x 48" wide right
6060	60" wide left x 60" wide right

Step 4. Surface Material

L	laminate
E	formcoat®
W	veneer A

Prices for Steps 1-4.

		L	E	W
R2654.	**4848**	$1470	1529	2141
R2655.	**4848**	$1595	1609	2358
	4860	$1648	1731	2442
	6048	$1665	1680	2442
	6060	$1709	1794	2527

Step 5. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (E)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		4.	**5.4848**	**5.4860**	**5.6048**	**5.6060**
2U	light brown walnut	+$200	220	230	230	240
40	dark brown walnut	+$200	220	230	230	240
ED	aged cherry A	+$200	220	230	230	240
EK	medium red walnut	+$200	220	230	230	240
UL	natural maple A	+$200	220	230	230	240
UX	walnut on cherry	+$200	220	230	230	240

Step 6. Leg Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 7. Glide Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Input Table R2600.

Product Information

Description

This mobile table holds a keyboard, mouse, or other work items. It has 2 locking casters in the front (user side) and 2 nonlocking casters in the rear. The seated-height table has pin-adjustable legs that adjust from 22″ to 32″ high. The table holds up to 25 pounds and has a laminate, formcoat®, or veneer finish. The laminate surface has a square thermoplastic edge that matches the top color; the formcoat surface has an eased front edge; the veneer surface has a 7/8″-thick, 15-ply Baltic birch core and edge. Casters are black.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

Order optional swivel tray set (R3620.) separately.

Dimensions

Specification Information

Step 1.

R2600.

Step 2. Height

A	seated height

Step 3. Surface Material

L	laminate
E	formcoat®
W	veneer A

Prices for Steps 1-3.

	L	E	W
R2600. A	$595	607	914

Step 4. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (E)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Step 5. Leg Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Equipment Table R2720.

Product Information

Description

This 28″-high rectangular table holds a printer, scanner, fax machine, or other work items, and includes a secondary shelf for additional storage. The tabletop and shelf are 22″ deep × 31″ wide. The table has 4 legs with glides or casters and a laminate, formcoat®, or veneer finish. The laminate surface has a square thermoplastic edge that matches the top color; the formcoat surface has a square front edge; the veneer surface has a 7/8″-thick, 15-ply Baltic birch core and edge. Glide finishes accent the leg finish; casters are black. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

Order optional swivel tray set (R3620.) separately.

Order optional cable management products separately:

- Cable bag (R1365.)
- Cable manager (R1364.)
- Cord holder (R1366.)

Dimensions

Specification Information

Step 1.

R2720.

Step 2. Casters/Glides

A	glides
B	casters

Step 3. Surface Material

L	laminate
T	formcoat®
W	veneer A

Prices for Steps 1-3.

		L	T	W
R2720.	**A**	$662	676	999
	B	$662	676	999

Step 4. Top/Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (T)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

For veneer (W)

2U	light brown walnut	+$100
40	dark brown walnut	+$100
ED	aged cherry A	+$100
EK	medium red walnut	+$100
UL	natural maple A	+$100
UX	walnut on cherry	+$100

Step 5. Leg Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Step 6. Glide Finish		
For glides (A)		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cable Manager R1364.

Product Information

Description

This 18″-wide cable manager hangs from the underside of a work surface. It holds and routes cords and cables and can hold a multi-outlet strip or other items. 2 metal brackets provide support to the mesh holder. Mesh color and brackets are grey. Attachment hardware is included.

Dimensions

Specification Information

Step 1.

R1364.	$87

Cord Holder R1366.

Product Information

Description

This plastic holder attaches to the underside of a work surface to manage cords and cables. It attaches with heavy-duty double-sided tape. Color is folkstone grey. Package contains 6.

Dimensions

Specification Information

Step 1.

R1366.	$26

Cabinet, Pole Attached R3211.

Product Information

Description

This 48"- or 60"-high cabinet attaches to a tall or short pole. It has 4 legs with 1" height-adjustable glides and several interior components including shelves, 6"-deep drawers, and file frames for letter-size hanging files. The interior components are available in prearranged configurations or can be ordered separately. The top of the cabinet includes a lockable lid for secured storage of personal items. The cabinet has a lockable, steel door. Attachment hardware is included.

48" cabinet attaches to a tall or short pole. 60" cabinet attaches to a 60"-high short pole or to a tall pole (60" cabinet cannot attach to a 48"-high short pole). Cabinet must attach to pole for stability; it cannot be used as a freestanding unit.

Notes

To order individual components, specify N for interior configuration and order components separately:

- Cabinet drawer (R3232.)
- Cabinet file frame (R3231.)
- Cabinet shelf (R3230.)

To convert pole-attached cabinet to arm-attached cabinet, order cabinet arm attachment bracket (R3294.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions

Specification Information

Step 1.

R3211.

Step 2. Cabinet Height

48	48"-high cabinet
60	60"-high cabinet

Step 3. Door

L	left-hinged door
R	right-hinged door

Step 4. Interior Configuration

For 48"-high cabinet (48)

N	no interior components
A	2 shelves
B	4 file frames
C	2 file frames, 1 shelf, 1 drawer
D	2 file frames, 1 shelf, 2 drawers

For 60"-high cabinet (60)

N	no interior components
A	3 shelves
B	5 file frames
C	4 file frames, 1 shelf, 1 drawer
D	3 file frames, 1 shelf, 3 drawers
E	2 file frames, 1 shelf, 3 drawers
F	2 file frames, 1 shelf, 1 drawer

Prices for Steps 1-4.

		N	A	B	C	D	E
R3211. 48	**L**	$826	884	1059	1029	1088	—
	R	$826	884	1059	1029	1088	—
60	**L**	$918	1005	1210	1237	1297	1237
	R	$918	1005	1210	1237	1297	1237

		F
R3211. 60	**L**	$1121
	R	$1121

Step 5. Cabinet/Door Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$50
EH	metallic bronze	+$50
MS	metallic silver	+$50

Step 6. Lid/Top/Interior/Base Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Step 7. Lock Option		
KA	keyed alike	+$0
KD	keyed differently	+$0

Cabinet, Arm Attached

R3221.
R3222.

Product Information

Description

This 48"- or 60"-high cabinet has 4 legs with 1" height-adjustable glides and attaches to an upper support arm. It has several interior components including shelves, 6"-deep drawers, and file frames for letter-size hanging files. The interior components are available in prearranged configurations or can be ordered separately. The top of the cabinet includes a lockable lid for secured storage of personal items. The cabinet has a lockable, steel door. Attachment hardware is included.

48" cabinet attaches to a 48" upper support arm height; 60" cabinet attaches to a 48", 60", or 69" upper support arm height. Cabinet must attach to support arm for stability; it cannot be used as a freestanding unit.

Notes

Specify height of cabinet's attachment bracket to match height of upper support arm.

To order individual components, specify N for interior configuration and order components separately:

- Cabinet drawer (R3232.)
- Cabinet file frame (R3231.)
- Cabinet shelf (R3230.)

When placing 2 cabinets back to back, specify N (no attachment bracket) for attachment bracket. Order cabinet back-to-back attachment bracket (R3291.) separately.

To convert arm-attached cabinet to pole-attached cabinet, order cabinet pole attachment bracket (R3293.) separately.

To attach cabinet to different upper support arm height, order cabinet arm attachment bracket (R3294.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions

48" Upper Support Arm Height

48" Upper Support Arm Height

60" Upper Support Arm Height

69" Upper Support Arm Height

Specification Information

Step 1.

R322

Step 2. Cabinet Height

1.	48"-high cabinet
2.	60"-high cabinet

Step 3. Upper Support Arm Height

For 48"-high cabinet (1.)

48	48" upper support arm height

For 60"-high cabinet (2.)

48	48" upper support arm height
60	60" upper support arm height
69	69" upper support arm height

Step 4. Attachment Bracket

S	single bracket
N	no attachment bracket

Step 5. Door

L	left-hinged door
R	right-hinged door

Step 6. Interior Configuration

For 48"-high cabinet (1.)

N	no interior components
A	2 shelves
B	4 file frames
C	2 file frames, 1 shelf, 1 drawer
D	2 file frames, 1 shelf, 2 drawers

For 60"-high cabinet (2.)

N	no interior components
A	3 shelves
B	5 file frames
C	4 file frames, 1 shelf, 1 drawer
D	3 file frames, 1 shelf, 3 drawers
E	2 file frames, 1 shelf, 3 drawers
F	2 file frames, 1 shelf, 1 drawer

Prices for Steps 1-6.

		LN	LA	LB	LC	LD	LE
R3221. 48	**S**	$826	884	1059	1029	1088	—
	N	$791	849	1024	995	1053	—

		LF	RN	RA	RB	RC	RD
R3221. 48	**S**	—	$826	884	1059	1029	1088
	N	—	$791	849	1024	995	1053

		LN	LA	LB	LC	LD	LE
R3222. 48	**S**	$918	1005	1210	1237	1297	1237
	N	$884	971	1174	1204	1261	1204
60	**S**	$918	1005	1210	1237	1297	1237
	N	$884	971	1174	1204	1261	1204
69	**S**	$918	1005	1210	1237	1297	1237
	N	$884	971	1174	1204	1261	1204

		LF	RN	RA	RB	RC	RD
R3222. 48	**S**	$1121	918	1005	1210	1237	1297
	N	$1088	884	971	1174	1204	1261
60	**S**	$1121	918	1005	1210	1237	1297
	N	$1088	884	971	1174	1204	1261
69	**S**	$1121	918	1005	1210	1237	1297
	N	$1088	884	971	1174	1204	1261

		RE	RF
R3222. 48	**S**	$1237	1121
	N	$1204	1088
60	**S**	$1237	1121
	N	$1204	1088
69	**S**	$1237	1121
	N	$1204	1088

Step 7. Cabinet/Door Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$50
EH	metallic bronze	+$50
MS	metallic silver	+$50

Step 8. Lid/Top/Interior/Base Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Step 9. Lock Option		
KA	keyed alike	+$0
KD	keyed differently	+$0

Cabinet Shelf R3230.

Product Information

Description

This shelf fits inside a pole- or arm-attached cabinet and stores books, binders, and other items. It adjusts vertically in 2″ increments.

Dimensions

Specification Information

Step 1.

R3230.	$52

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cabinet File Frame R3231.

Product Information

Description

This file frame fits inside a pole- or arm-attached cabinet and holds letter-size hanging files. It adjusts vertically in 2″ increments.

Dimensions

Specification Information

Step 1.

R3231.	$130

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Cabinet Drawer R3232.

Product Information

Description

This 6"-high drawer fits inside a pole- or arm-attached cabinet and holds papers, supplies, and other small items. It adjusts vertically in 2" increments.

Dimensions

Specification Information

Step 1.

R3232.	$156

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Back-to-Back Attachment Bracket, Cabinets R3291.

Product Information

Description

This bracket attaches 2 arm-attached cabinets back to back. 1 bracket is required for each application.

Dimensions

Specification Information

Step 1.

R3291.	$69

Step 2. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Pole Attachment Bracket, Cabinet R3293.

Product Information

Description

This bracket converts an arm-attached cabinet to a pole-attached cabinet.

Dimensions

Specification Information

Step 1.

R3293.60	$93

Step 2. Finish

8Q	folkstone grey	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
LU	soft white	+$0
MS	metallic silver	+$0

Arm Attachment Bracket, Cabinet R3294.

Product Information

Description

This bracket converts a pole-attached cabinet to an arm-attached cabinet. It also can change an existing arm-attached cabinet's attachment height.

Dimensions

48″ Upper Support Arm Height

60″ Upper Support Arm Height

69″ Upper Support Arm Height

Arm Attachment Bracket, Cabinet

continued

Specification Information	
Step 1.	
R3294.	

Step 2. Upper Support Arm Height	
48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Prices for Steps 1-2.		
R3294.	**48**	$93
	60	$93
	69	$90

Step 3. Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Ladder Shelf R3312.

Product Information

Description

This storage unit has adjustable, open shelves and attaches to an upper support arm. It holds binders, books, reference materials, and other items. The ladder shelf has two 2½" height-adjustable glides. Attachment hardware is included.

The 48"-high unit includes 3 shelves; the 60"-high unit includes 4 shelves; and the 69"-high unit includes 5 shelves. The shelves adjust vertically in 1" increments and can be specified with 3½"- or 6"-high shelf sides.

Notes

Specify height of ladder shelf's attachment bracket to match height of upper support arm.

When placing 2 ladder shelves back to back, specify N (no attachment bracket) for attachment bracket. Order ladder shelf back-to-back attachment bracket (R3391.) separately.

Order optional add-on ladder shelves (R3320.) separately.

Dimensions

Specification Information
Step 1.
R3312.

Step 2. Upper Support Arm Height	
48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Step 3. Shelf Height	
3	3½″-high shelf
6	6″-high shelf

Step 4. Attachment Bracket	
S	single bracket
N	no attachment bracket

Prices for Steps 1-4.

			S	N
R3312.	**48**	**3**	$466	414
		6	$578	525
	60	**3**	$548	494
		6	$688	637
	69	**3**	$629	578
		6	$778	726

Step 5. Frame/Shelf Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$40
EH	metallic bronze	+$40
MS	metallic silver	+$40

Step 6. Base/Glide Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Add-On Ladder Shelf R3320.

Product Information

Description

This shelf can be added to a ladder shelf for additional shelving. It adjusts vertically in 1″ increments and can be specified with 3½″- or 6″-high shelf sides.

Dimensions

Specification Information

Step 1.

R3320.

Step 2. Shelf Height

3	3½″-high shelf
6	6″-high shelf

Prices for Steps 1-2.

R3320.	**3**	$70
	6	$93

Step 3. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Ladder Shelf Divider R3390.

Product Information

Description

This shelf divider attaches to a ladder shelf or add-on ladder shelf to separate or support binders, books, reference materials, and other items. Package contains 6.

Dimensions

Specification Information

Step 1.

R3390.	$260

Step 2. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Back-to-Back Attachment Brackets, Ladder Shelves

R3391.

Product Information

Description

This bracket attaches 2 ladder shelves back to back. 2 brackets are required for each application. Package contains 2.

Dimensions

Specification Information

Step 1.

R3391.	$82

Step 2. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Pole Shelf R7310.

Product Information

Description

This shelf attaches to a tall or short pole and holds display items, small electronics, and other items. It is available in 2 sizes: the 9"-deep shelf holds 25 pounds; the 13"-deep shelf holds up to 50 pounds. The shelf has a laminate, formcoat®, or veneer finish. Attachment brackets are included.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks. The veneer shelf has a 1/2"-thick, 9-ply Baltic birch core and edge.

Notes

Order optional bud vase (R7421.) separately.

Dimensions

Specification Information

Step 1.

R7310.

Step 2. Depth

09	9" deep
13	13" deep

Step 3. Surface Material

L	laminate
T	formcoat®
W	veneer A

Prices for Steps 1-3.

		L	T	W
R7310.	**09**	$189	173	289
	13	$209	189	317

Step 4. Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (T)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		09	13
2U	light brown walnut	+$25	30
40	dark brown walnut	+$25	30
ED	aged cherry A	+$25	30
EK	medium red walnut	+$25	30
UL	natural maple A	+$25	30
UX	walnut on cherry	+$25	30

Step 5. Bracket Finish

		L	T	W
8Q	folkstone grey	+$0	0	0
LU	soft white	+$0	0	0
CN	metallic champagne	+$0	0	10
EH	metallic bronze	+$0	0	10
MS	metallic silver	+$0	0	10

Bookshelf G7314.

Product Information

Description

This shelf attaches to the back edge of a work surface and holds binders, books, files, small electronics, and personal items. It is available in 2 sizes: the 18"-wide shelf holds up to 54 pounds; the 30"-wide shelf holds up to 90 pounds. Each shelf has a raised back edge to prevent items from sliding off the back. The shelf has a laminate, formcoat®, or veneer surface finish. Attachment hardware adjusts to fit surfaces 3/4" to 1 1/4" thick. Attachment hardware requires at least 1 1/2" of clearance behind the back edge of the surface.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks. The veneer shelf has a 1/2"-thick, 9-ply Baltic birch core and edge.

Back edge colors are predetermined:

- Laminate shelves have a folkstone grey (8Q) edge, except for WL. Sandstone laminate (WL) has a sandstone (WL) edge.
- Opaque formcoat shelves have a folkstone grey (8Q) edge, except for WL. Sandstone opaque formcoat (WL) has a sandstone (WL) edge.
- Fleck formcoat shelves have a sandstone (WL) edge.
- Veneer shelves have a sandstone (WL) edge.

Notes

Order bookshelf dividers (G7332.) separately; dividers can only be used on formcoat bookshelves (G7314.T).

Dimensions

Specification Information

Step 1.

G7314.

Step 2. Width

18	18" wide
30	30" wide

Step 3. Surface Material

L	laminate
T	formcoat®
W	veneer

Prices for Steps 1-3.

		L	T	W
G7314.	**18**	$202	214	320
	30	$235	250	370

Step 4. Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Opaque Formcoat®

For formcoat® (T)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0
X1	chalk white	+$0

Wood Veneer

For veneer (W)

		18	30
2U	light brown walnut A	+$25	30
40	dark brown walnut A	+$25	30
ED	aged cherry A	+$25	30
EK	medium red walnut A	+$25	30
UL	natural maple A	+$25	30
UX	walnut on cherry A	+$25	30

Step 5. Bracket Finish

		L	T	W
8Q	folkstone grey	+$0	0	0
LU	soft white	+$0	0	0
CN	metallic champagne	+$0	0	10
EH	metallic bronze	+$0	0	10
MS	metallic silver	+$0	0	10

Bookshelf Divider G7332.

Product Information

Description

This divider fits on a formcoat® bookshelf and secures binders, books, and other items. Package contains 2.

Notes

Dividers cannot be used on laminate version of bookshelf; use on formcoat version only (G7314.T).

Dimensions

Specification Information

Step 1.

G7332.	$24

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Tool Rail R3610.

Product Information

Description

This tool rail hangs from an upper support arm and rests against the lower support arm. It holds work tools.

Notes

Specify height of tool rail to match height of upper support arm.

Tool rails cannot be located back to back; units must be horizontally offset by 1″.

Dimensions

48″ Upper Support Arm Height

60″ Upper Support Arm Height

69″ Upper Support Arm Height

Specification Information		
Step 1.		
R3610.		

Step 2. Upper Support Arm Height	
48	48″ upper support arm height
60	60″ upper support arm height
69	69″ upper support arm height

Prices for Steps 1-2.		
R3610.	**48**	$170
	60	$237
	69	$300

Step 3. Finish		
8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$15
EH	metallic bronze	+$15
MS	metallic silver	+$15

Swivel Tray Set R3620.

Product Information

Description

This set of storage components attaches to the leg of an input table or equipment table, or to the underside of a work surface, input table, or equipment table. It includes a 9″ diameter café tray, pencil tray, and storage tray. The trays swivel to accommodate various work needs and swivel under the table or work surface for storage. Attachment hardware is included.

Dimensions

Input Table Leg Attachment

Underside of Work Surface or Input Table Attachment

Specification Information		
Step 1.		
R3620.		
Step 2. Attachment		
1	input table leg attachment	
2	underside of work surface attachment	
Prices for Steps 1-2.		
R3620.	**1**	$131
	2	$131
Step 3. Finish		
3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Coat Hook R7420.

Product Information

Description

This hook attaches to a tall or short pole and holds coats, hats, and umbrellas. Package contains 6.

Dimensions

Specification Information

Step 1.

R7420.	$66

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Bud Vase R7421.

Product Information

Description

This vase attaches to a tall or short pole, bookshelf, or pole shelf. It is clear plastic and is top-shelf dishwasher safe. Package contains 6. Attachment bracket is included.

Dimensions

Specification Information

Step 1.

R7421.	$181

Step 2. Bracket Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Product Information

Description

This 6"-diameter disk attaches to a tall, short, or in-line pole and provides workstation identification or displays messages on 1 side. Package contains 6 disks and 12 perforated sheets to create your own signage.

Notes

Additional perforated sheets for creating signage are available through Sales Source.

Dimensions

Specification Information

Step 1.

R7422.	$181

Step 2. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Marker Board R7424.

Product Information

Description

This 24″ high × 24″ wide double-sided marker board attaches to a tall or short pole. It has a white erasable writing surface and a tray along the bottom of each side for markers and erasers. The marker board swivels for proper positioning.

Notes

Markers and erasers are not included.

Dimensions

Specification Information

Step 1.

R7424.2424		$390

Step 2. Bracket Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 3. Tray/Trim Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Flag Arm R7423.

Product Information

Description

This 1″-diameter arm attaches to a tall pole and holds a flag. Attachment hardware is included.

Notes

Order flag separately:

- Flag (R7100.)
- Flag with DOT™ (R7101.)

Dimensions

Specification Information

Step 1.

R7423.	$162

Step 2. Arm Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
MS	metallic silver	+$0

Step 3. Cap Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Flag R7100.

Product Information

Description

This fabric flag hangs on a flag arm. It is 35″ wide × 75″ long and includes a weight in the bottom hem. Attachment hardware is included.

Notes

Order flag arm (R7423.) separately.

Flag accepts Customer's Own Material (COM). For nondirectional fabrics, order minimum of 2¼ yards. For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

R7100.3575	$150

Step 2. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0

Picture Holder R7410.

Product Information

Description

This holder attaches to a display screen. It has 1 sleeve that holds two 5″ × 7″ pictures or photographs weighing up to 3 pounds. The holder has locators for easy attachment to and removal from the bubbletack™ display screen. Finish is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions

Specification Information

Step 1.

R7410.	$338

Ledge R7411.

Product Information

Description

This 1"-deep ledge attaches to a display screen and holds disks, CDs, small note pads, pictures, and other lightweight items weighing up to 3 pounds. It has locators for easy attachment to and removal from the bubbletack™ display screen. The ledge is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions

Specification Information

Step 1.

R7411.	$332

Document Holder R7412.

Product Information

Description

This holder attaches to a display screen and holds lightweight papers and folders weighing up to 3 pounds. It has locators for easy attachment to and removal from the bubbletack™ display screen. The holder is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions

Specification Information

Step 1.

R7412.	$338

Mirror R7413.

Product Information

Description

This 6"-diameter mirror attaches to a display screen. It has locators for easy attachment to and removal from the bubbletack™ display screen. Frame is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions

Specification Information

Step 1.

R7413.	$290

Utility Hook R7414.

Product Information

Description

This hook attaches to a display screen and holds lightweight items like keys, headphones, or ID tags weighing up to 1 pound. It has 1 locator for easy attachment to and removal from the bubbletack™ display screen. The hook is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions

Specification Information

Step 1.

R7414.	$284

Support Arm Task Light

R6140.
R6141.

Product Information

Description

This light mounts on an upper support arm and provides overhead task lighting to 1 side of a boomerang™ work surface. The light has a rapid-start shielded electronic ballast, T5 fluorescent lamp with a 3500° Kelvin color temperature, and 9′ cord. The light cord and switch are located on the right side. The lamp has a refractive Holophane™ lens and the lamp's housing tilts from a level position to 45° backward. The 30″-wide light has a 14-watt lamp; the 42″-wide light has a 21-watt lamp. It is UL listed and UL Canada listed. Mounting hardware and 2 cord management clips are included.

Notes

42″-wide lights cannot be used back to back on 48″-long support arm.

Dimensions

Specification Information

Step 1.

R614

Step 2. Code Requirements

0.	meets local codes including Canada and New York City
1.	meets Chicago codes

Step 3. Width

30	30″ wide
42	42″ wide

Prices for Steps 1-3.

R6140.	**30**	$604
	42	$644
R6141.	**30**	$707
	42	$754

Step 4. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Truss Light

R6210.
R6211.

Product Information

Description

This light attaches to a truss and provides indirect/direct overhead lighting. It has a rapid-start shielded electronic ballast; 39-watt, T5 high-output fluorescent lamp with a 3500° Kelvin color temperature; white reflector; and 9′ cord. The light rotates up to 35°. Perforations on the bottom of the light's housing provide accent lighting to the area below. It is UL listed and UL Canada listed. Mounting hardware and 3 cord management clips are included.

Notes

Truss light attachment information:

- Mount light at least 18″ away from ceiling
- Fixed truss: mount 81″ to 97″ from floor
- Sliding truss: mount 89″ to 105″ from floor
- Light has a 16″ height-adjustment range once mounted

To attach truss light to 96″-, 108″-, or 120″-long fixed truss or any length sliding truss, order truss light attachment brackets (R6290.) separately. For additional information, see Resolve Planning Guide.

Dimensions

Specification Information

Step 1.

R621

Step 2. Code Requirements

0.	meets local codes including Canada and New York City
1.	meets Chicago codes

Prices for Steps 1-2.

R6210.	$724
R6211.	$838

Step 3. Finish

8Q	folkstone grey	+$0
LU	soft white	+$0
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Truss Light Attachment Brackets R6290.

Product Information

Description

This bracket mounts a truss light onto a 96"-, 108"-, or 120"-long fixed truss or any length sliding truss. Package includes 1 pair to mount 1 light. Attachment hardware is included.

Notes

Order truss light (G6210.) separately.

Dimensions

Specification Information

Step 1.

R6290.	$141

Pole Lamp

R6310.
R6311.

Product Information

Description

This lamp mounts on top of a short pole and provides indirect lighting. It has an energy-efficient 13-watt compact fluorescent lamp with a 3000° Kelvin color temperature. The lamp has an on/off switch in the base, a 9′ electrical cord, a 120-volt magnetic ballast with a disconnect plug next to the ballast, and a white lampshade. The lamp replaces the top cap on the short pole. It is UL listed and UL Canada listed. Attachment hardware is included.

Notes

Lamp has a .3-amp draw.

Lamp for Chicago codes (R6311.) has a reset, circuit-breaker plug.

To manage cords down face of short pole, order 1 of the following separately:

- Cable cover (R1361.)
- Cable management clips (R1362.)

When using lamp on nonpowered short pole, order nonpowered power/data channel (R1351.) separately to route cable to adjacent powered pole.

Dimensions

Specification Information

Step 1.

R631

Step 2. Code Requirements

0.	meets local codes including New York City
1.	meets Chicago codes

Prices for Steps 1-2.

R6310.	$584
R6311.	$578

Step 3. Post Finish

8Q	folkstone grey	+$0
CN	metallic champagne	+$0
EH	metallic bronze	+$0
LU	soft white	+$0
MS	metallic silver	+$0

Step 4. Top Cap Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Pole Accent Light

R6314.
R6315.

Product Information

Description

This vertical light attaches to the face of a tall or short pole and provides accent lighting, signage, or way finding. It has a shielded magnetic ballast, 32-watt T8 fluorescent lamp, top cap, and 9′ cord. The light's switch is located on the top cap; the cord exits at the bottom. The outside clear sleeve is shipped with a white film diffuser. The clear sleeve can accept an insert for signage or to display images. It is UL listed and UL Canada listed. Mounting hardware is included.

Notes

Light cannot be used with 48″-high short pole.

For signage or image for insert, contact a third-party graphic services resource.

Dimensions

Specification Information

Step 1.

R631

Step 2. Code Requirements

4.	meets local codes including Canada and New York City
5.	meets Chicago codes

Prices for Steps 1-2.

R6314.	$396
R6315.	$490

Step 3. Finish

3G	brownstone	+$0
8Q	folkstone grey	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Index by Product Name

Resolve® System	
Acoustical Insert	page(s) 42
Add-On Ladder Shelf	80
Arm Attachment Bracket, Cabinet	76
Back-to-Back Attachment Bracket, Cabinets	74
Back-to-Back Attachment Brackets, Ladder Shelves	82
Bookshelf	85
Bookshelf Divider	87
Boomerang™ Work Surface	51
Boundary Screen	38
Bud Vase	93
Cabinet Drawer	73
Cabinet File Frame	72
Cabinet Shelf	71
Cabinet, Arm Attached	68
Cabinet, Pole Attached	66
Cable Bag	36
Cable Cover	34
Cable Management Clip	35
Cable Manager	64
Canopy	49
Ceiling Power/Data Entry	15
Ceiling Power/Data Entry, New York City	18
Coat Hook	92
Communication Port Faceplate Extender	37
Controlled Duplex Receptacle	31
Cord Holder	65
Data Faceplate Housing	33
Display Screen	40
Document Holder	100
Duplex Receptacle	30
Equipment Table	62
Extended Boomerang™ Work Surface	53
Fixed Truss	12
Flag	97
Flag Arm	96
Floor/Wall Power Entry	14
Floor/Wall Power Entry, New York City	17
Freestanding Boomerang™ Work Surface	56
Freestanding Extended Boomerang™ Work Surface	58
In-Line Pole	9
Input Table	60
Ladder Shelf	78
Ladder Shelf Divider	81
Ledge	99
Marker Board	95
Marker Screen	43
Mirror	101
Nesting Rolling Screen	46
Picture Holder	98
Pole Accent Light	107
Pole Attachment Bracket, Cabinet	75
Pole Lamp	106
Pole Shelf	83
Power Block	29
Power Entry Plate	20
Power Harness, Short Pole	28
Power Harness, Tall Pole	27
Power Jumper Conversion Kit, Fixed Truss	25
Power Jumper Conversion Kit, Power/Data Channel	23
Power Jumper Conversion Kit, Sliding Truss	26
Power Pass-Through Bracket	24
Power/Data Channel	22
Receptacle Box/Cover	21
Replacement Fabric for Canopy	50
Replacement Fabric for Rolling Screen	48
Rolling Screen	44
Seismic Clip	10
Short Pole	7
Signage	94
Simplex Receptacle	32
Sliding Truss	13
Support Arm Task Light	103
Support Arms	11
Swivel Tray Set	90
Tall Pole	5
Tool Rail	88
Truss Light	104
Truss Light Attachment Brackets	105
Utility Hook	102
Work Surface Bracket	55

Index by Product Number

G1189.	Communication Port Faceplate Extender	page(s) 37
G7314.	Bookshelf	85
G7332.	Bookshelf Divider	87
R1110.	Tall Pole	5
R1120.	Short Pole	7
R1140.	In-Line Pole	9
R1190.	Seismic Clip	10
R1210.	Support Arms	11
R1220.	Fixed Truss	12
R1230.	Sliding Truss	13
R1311.	Duplex Receptacle	30
R1311M	Controlled Duplex Receptacle	31
R1312.	Simplex Receptacle	32
R1313.	Receptacle Box/Cover	21
R1320.	Floor/Wall Power Entry	14
R1321.	Floor/Wall Power Entry, New York City	17
R1325.	Power Entry Plate	20
R1331.	Ceiling Power/Data Entry, New York City	18
R1332.	Ceiling Power/Data Entry	15
R1341.	Power Jumper Conversion Kit, Power/Data Channel	23
R1345.	Power Jumper Conversion Kit, Fixed Truss	25
R1346.	Power Jumper Conversion Kit, Sliding Truss	26
R1351.	Power/Data Channel	22
R1352.	Power Pass-Through Bracket	24
R1360.	Data Faceplate Housing	33
R1361.	Cable Cover	34
R1362.	Cable Management Clip	35
R1364.	Cable Manager	64
R1365.	Cable Bag	36
R1366.	Cord Holder	65
R1380.	Power Harness, Tall Pole	27
R1381.	Power Harness, Short Pole	28
R1382.	Power Block	29
R1410.	Boundary Screen	38
R1412.	Acoustical Insert	42
R1420.	Display Screen	40
R1430.	Canopy	49
R1432.	Replacement Fabric for Canopy	50
R1441.	Rolling Screen	44
R1442.	Nesting Rolling Screen	46
R1444.	Replacement Fabric for Rolling Screen	48
R1450.	Marker Screen	43
R2100.	Boomerang™ Work Surface	51
R2104.	Extended Boomerang™ Work Surface	53
R2105.		
R2190.	Work Surface Bracket	55
R2600.	Input Table	60
R2650.	Freestanding Boomerang™ Work Surface	56
R2654.	Freestanding Extended Boomerang™ Work Surface	58
R2655.		
R2720.	Equipment Table	62
R3211.	Cabinet, Pole Attached	66
R3221.	Cabinet, Arm Attached	68
R3222.		
R3230.	Cabinet Shelf	71
R3231.	Cabinet File Frame	72
R3232.	Cabinet Drawer	73
R3291.	Back-to-Back Attachment Bracket, Cabinets	74
R3293.	Pole Attachment Bracket, Cabinet	75
R3294.	Arm Attachment Bracket, Cabinet	76
R3312.	Ladder Shelf	78
R3320.	Add-On Ladder Shelf	80
R3390.	Ladder Shelf Divider	81
R3391.	Back-to-Back Attachment Brackets, Ladder Shelves	82
R3610.	Tool Rail	88
R3620.	Swivel Tray Set	90
R6140.	Support Arm Task Light	103
R6141.		
R6210.	Truss Light	104
R6211.		
R6290.	Truss Light Attachment Brackets	105
R6310.	Pole Lamp	106
R6311.		
R6314.	Pole Accent Light	107
R6315.		
R7100.	Flag	97
R7310.	Pole Shelf	83
R7410.	Picture Holder	98
R7411.	Ledge	99
R7412.	Document Holder	100
R7413.	Mirror	101
R7414.	Utility Hook	102
R7420.	Coat Hook	92
R7421.	Bud Vase	93
R7422.	Signage	94
R7423.	Flag Arm	96
R7424.	Marker Board	95

20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon [A] will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an [A] are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products: (616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Air Quality and Packaging Information — Resolve® System

Air Quality

The Resolve product line was tested for its indoor air quality emissions according to test protocol defined by the United States Environmental Protection Agency (USEPA). The Resolve workstation qualified as low-emitting and is considered an environmentally preferred product. The test method meets the requirements of ASTM Standard D5116, the State of Washington's IAQ Specification of January 1994, and the USEPA's Emissions Testing Requirements for Furniture Procurement, 1996.

For further information, contact the Herman Miller, Inc. Codes and Standards Department.

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Passage®, Quadrant®, Resolve®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number. Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

A3013.
A3053.
G5180.
G5181.
G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu® Storage, Canvas Office Landscape®, 5000 Series, and Meridian® Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series
KA	1B2JK7-XXX[1]	chrome	UM series 226 - 427

For Canvas Metal Storage, Meridian Storage, Tu Storage, and 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX[1]	black	UM series 226 - 427
KA	1B2JK7-XXX[1]	chrome	UM series 226 - 427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX[1]	black	UM series 226 - 427

Key Number:
XXX[1] = a key number between 226 and 427 (excluding 408 and 412)

Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

Fire Retardancy for Resolve Products

The products listed below, when covered with the textiles identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2009 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with energy distribution components (listed by UL under Office Furnishings 1286).

Product	Textile
Boundary Screen	Multiscrim™
	DOT® Collection
Display Screen	Bubbletack™

The fabrics listed below, when used on the products identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2009 Life Safety Code No. 101.

Product	Textile
Rolling Screen	Multiscrim and Scrim Trim
	DOT Collection
Canopy	Multiscrim and Scrim?Trim
	DOT Collection
Flag	Multiscrim
	DOT Collection

Custom Stain-to-Match Program

Program Overview

The Stain-to-Match Program gives you the option of using veneer finishes other than those listed. Herman Miller will match a customer's recut or natural veneer sample. This increases the capability of matching an existing finish or creating a finish that is unique to an installation. Currently, stain-to-match is offered on the following veneers:

STA: Stain-to-match on Recut Ash
STB: Stain-to-match on Beech
STC: Stain-to-match on Cherry
STD: Stain-to-match on Oak
STK: Stain-to-match on Reltech Anigre
STM: Stain-to-match on Recut Mahogany
STP: Stain-to-match on Maple
STU: Stain-to-match on Walnut

Stain-to-Match Process

1. Identify the product line that will be specified with a stain-to-match veneer finish. *Note: Passage® products require a wood sample that includes the wood composite edge*.
2. Send a color sample (2" x 3" minimum) to Herman Miller Options® at:
   Herman Miller, Inc.
   855 East Main Avenue
   Attn: Options MS 0161
   Zeeland, MI 49464-0302
3. Within 7 to 10 working days, Herman Miller Options provides a stain on Herman Miller veneer to match the requested color and returns one sample to the requester for the customer's signed approval.
4. If the sample meets the client's approval, have them sign the back of the sample and fax a copy of the signature to (616) 654 8241.
5. After the stain has been approved, a stain number is assigned. The assigned stain number must be included in the purchase order.

Contact Herman Miller Options at (800) 654 3910 with any questions.

Customer's Own Material Order Information — Resolve® System

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

COM Testing Guidelines

Herman Miller uses an automated process to cut the fabric for use on the Resolve® Boundary Screens (R1410.). To determine whether COM textiles will withstand this, we must subject them to the cutting process. In addition, since the design of the Resolve Boundary Screen is highly demanding with regard to the physical properties of the fabric used, the COM must pass our fabric qualification tests before it is approved. *Note: Within the Resolve product line, COM may be applied only to the Boundary Screens and flags.*

Test Prioritization, Response Time, and Capacity Limits

- pending orders will receive priority over general submittals for COM approval
- customers are to be notified of test results within 10 business days
- COM testing has a capacity of 10 fabrics per week; if the number of requests exceeds this capacity, lead time for notification of test results may be extended beyond the normal 10 business days

Test Sample Specifications

- sample must be a minimum of 14 yards of **machine rolled** fabric that represents the width and tension the fabric will have when coming directly from the manufacturer
- roll must have as little damage as possible: a damaged roll can increase the likelihood of a fabric not passing the testing process
- "telescoping"– the degree to which the fabric creeps down the roll, creating a telescope look – is not to exceed one half inch
- linear patterns (defined as a fabric that requires alignment across the screen) are not recommended and alignment of the pattern will not be guaranteed

Include with the Sample Roll

- 12-inch memo sample from the fabric supplier
- material content specifications for process safety reasons

Fabric Parameters

The following known parameters automatically disqualify COM fabrics from use on Boundary Screens:

- vinyl content
- greater than 20 percent nylon content
- rayon and nylon blends
- greater than 10 percent wool content

Note: When combining standard Herman Miller Boundary Screens with COM Boundary Screens, it is suggested that the COM screens be placed back-to-back with another Resolve screen of the same size. This hides a one-sided fabric or a larger fold near the stitching. This isn't necessary when the back of the screen is hidden by architecture or other objects.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400 or (866) 854-3048 ext3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, roll width, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 10 business days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 ext 3400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.
   Note: Yardage requirements are based on nondirectional, 60"-wide textiles. See the boundary screen product information for yardage requirements for each height. 3 additional yards of textile are required per order when applying COM?to boundary screens (required for lead-in material used in application process).
   ***Example:** When ordering 20 60"-high boundary screens with COM, order 30 yards COM + 3 additional yards = 33 yards COM for application on 20 boundary screens.*
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854-3048 ext3400.

   Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

   Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 10 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
   - Product number and option
   - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Design on Textile (DOT™) and Customer's Own Image (COI) Order Information

Design on Textile and Customer's Own Image

Program Overview

The Design on Textile (DOT) program gives you the option of selecting unique images from various designers and having the images digitally printed on a textile, or creating new designs through Customer's Own Image (COI). The program is available for Resolve® components only: boundary screens, rolling screens, canopies, and flags. Herman Miller will process orders only for images within the DOT Collection.

A complete documentation of the collection images and examples of COI design applications is available through your Herman Miller dealer or salesperson, the DOT brochure, HermanMiller.com, or Kiosk. The DOT Collection in the appendices has a list of images, their order numbers, and specification notes.

Specific information on the terms and conditions, warranties, and order processes for DOT is listed below.

Textile

The textile is 100% polyester. The base fabric color is white. Canopy and rolling screen products have a pearl grey (8C02) edge banding. Images are not applied to Resolve standard-colored fabrics.

Warranty

Herman Miller warrants the base textile for a period of one year. DOT textiles are not warranted for color consistency. Consistency will be maintained within commercial tolerance, UV stability, and resistance to soiling.

Visual color range is determined by multiple factors including lighting, application process, and image files.

Application Note

Herman Miller does not guarantee that images will be positioned the same across multiple screens, canopies, or flags. We also do not guarantee that patterns will align from one boundary screen to the next.

Material Pricing

DOT is a Category 1 fabric. COI has an upcharge. Pricing of DOT Resolve products and COI upcharges are listed with each product.

Customer's Own Images (COI)

For COI information, contact the Herman Miller COM Department at (866) 854 3048 EXT 3400. COI design specifications and ordering information can be found on HermanMiller.com or Kiosk. Orders are processed through Vary Easy®. See Vary Easy Program in Appendices.

Price Category 1

Boundary Screen DOT - Nature Collection	
100% polyester	
9GA1	Field Caramel
9GA2	Field Kiwi
9GA3	Field Blue
9GA4	Field Bronze
9GAY	Field Warm
9GAZ	Field Cool
9GA0	Water Blue
9GA5	Water Warm
9GA6	Water Cool
9GA7	Water Caramel
9GA8	Water Olive
9GA9	Water Spa
9GAA	Shadow Warm
9GAB	Shadow Cool
9GAC	Shadow Caramel
9GAD	Shadow Kiwi
9GAE	Shadow Spa
9GAF	Shadow Blue
9GAG	Shadow Purple
9GAH	Stems Warm
9GAJ	Stems Cool
9GAK	Stems Olive
9GAL	Stems Spa
9GAM	Stems Blue
9GAN	Sea Plant White
9GAP	Sea Plant Warm
9GAR	Sea Plant Cool
9GAS	Sea Plant Caramel
9GAT	Sea Plant Olive
9GAU	Sea Plant Spa
9GAV	Sea Plant Blue
9GAW	Sea Plant Purple
9GAX	Sea Plant Bronze
9GB1	Branch Warm Left
9GB2	Branch Warm Right
9GB3	Branch Cool Left
9GB4	Branch Cool Right
9GB5	Branch Kiwi Left
9GB6	Branch Kiwi Right
9GB7	Branch Spa Left
9GB8	Branch Spa Right
9GBA	Strawflower Warm
9GBB	Strawflower Cool
9GBC	Seascape Warm Left
9GBD	Seascape Warm Right
9GBE	Seascape Cool Left
9GBF	Seascape Cool Right
9GBG	Fossil Warm
9GBH	Fossil Cool
9GBJ	Fossil Caramel
9GBK	Fossil Kiwi
9GBL	Fossil Spa
9GBM	Fossil Blue
9GBN	Fossil Bronze
9GBP	Canal Warm Left
9GBR	Canal Warm Right
9GBS	Canal Cool Left
9GBT	Canal Cool Right
9GBU	Canal Blue Left
9GBV	Canal Blue Right
9GBW	Trees Warm Left
9GBX	Trees Warm Right
9GBY	Trees Cool Left
9GBZ	Trees Cool Right

Boundary Screen DOT	
100% polyester	
9GB0	Girard International Love Heart
9GB9	Girard Daisy Face
9GCA	Girard Old Sun
9GCB	Girard Palace
9GCC	Girard Black & White
9GDA	Ocean Series A
9GDB	Ocean Series B
9GDC	Ocean Series C
9GDD	Ocean Series D
9GDE	Ocean Series E
9GDF	Waterlines Series F
9GDG	Waterlines Series G
9GDH	Waterlines Series H
9GDJ	Reflections Series J
9GDK	Reflections Series K
9GDM	Reflections Series M
9GDP	Reflections Series P
9GE1	Orange Series 1
9GE2	Orange Series 2
9GE3	Orange Series 3
9GEA	Waffle Series A
9GEB	Waffle Series B
9GEC	Waffle Series C
9GH1	Red Sherbet 1
9GH2	Green Sherbet 2
9GH3	Blue Sherbet 3
9GHA	Green Swirl A
9GHB	Red Swirl B
9GHC	Blue Swirl C
9GHD	Suds D
9GHE	Hexagons E
9GHF	Seedburst F
9GHG	Pond View G
9GHH	Refractions H
9GHJ	Fronds J
9GHK	Dandelion K
9GHM	Pods M
9GHR	Workday 1 R
9GHS	Workday 2 S
9GHT	Workday 3 T
9GHU	Tulips U
9GHV	E-Smile V
9GHW	Brackets W
9GHX	Asterisk X
9GHZ	Address Z
9GJ1	Mosaic Series 1
9GJ2	Mosaic Series 2
9GJ3	Mosaic Series 3
9GJ4	Mosaic Series 4
9GJ5	Mosaic Series 5
9GJ6	Mosaic Series 6
9GJ7	Mosaic Series 7
9GJA	Dunes Series A
9GJB	Dunes Series B
9GJC	Dunes Series C
9GJD	Dunes Series D
9GJE	Dunes Series E
9GJF	Dunes Series F
9GJG	Dunes Series G
9GJH	Dunes Series H
9GJJ	Dunes Series J
9GJK	Dunes Series K
9GJM	Dunes Series M
9GM1	Peering Series 1
9GM2	Peering Series 2
9GM3	Peering Series 3
9GMA	Hatch Series A
9GMB	Hatch Series B
9GMC	Hatch Series C
9GMD	Hatch Series D
9GME	Hatch Series E
9GMF	Hatch Series F
9GMG	Hatch Series G
9GMH	Hatch Series H
9GMJ	Hatch Series J
9GMK	Hatch Series K

Price Category 1
continued

Canopy DOT	
100% polyester	
9JDA	Waterlines Series A
9JDB	Reflections Series B
9JE1	Orange Series 1
9JEA	Waffle Series A
9JEB	Waffle Series B
9JH1	Day Sky 1
9JH2	Petals 2
9JH3	Green Sherbet 3
9JH4	Blue Sherbet 4
9JH5	Red Sherbet 5
9JJ1	Mosaic Series 1
9JJ2	Mosaic Series 2
9JJ3	Mosaic Series 3
9JJA	Dunes Series A
9JM1	Peering Series 1
9JMA	Hatch Series A
9JMB	Hatch Series B

Flag DOT	
100% polyester	
9KB0	Girard International Love Heart
9KB9	Girard Daisy Face
9KCA	Girard Old Sun
9KCB	Girard Palace
9KCC	Girard Black & White
9KDA	Waterlines Series A
9KDB	Reflections Series B
9KE1	Orange Series 1
9KE2	Orange Series 2
9KEA	Waffle Series A
9KH1	N-Scape 1
9KH2	S-Scape 2
9KH3	E-Scape 3
9KH4	W-Scape 4
9KJ1	Mosaic Series 1
9KJ2	Mosaic Series 2
9KJA	Dunes Series A
9KM1	Peering Series 1
9KMA	Hatch Series A
9KMB	Hatch Series B

Rolling Screen DOT	
100% polyester	
9HDA	Reflections Series A
9HDB	Waterlines Series B
9HE1	Orange Series 1
9HE2	Orange Series 2
9HEA	Waffle Series A
9HEB	Waffle Series B
9HH1	Blue Sherbet 1
9HH2	Green Sherbet 2
9HH3	Red Sherbet 3
9HJ1	Mosaic Series 1
9HJ2	Mosaic Series 2
9HJA	Dunes Series A
9HM1	Peering Series 1
9HMA	Hatch Series A
9HMB	Hatch Series B

Notes regarding DOT images:

- To view DOT images and cropping guides, see the DOT brochure or HermanMiller.com.
- 69″ x 60″ screens will display the full DOT image. Smaller screens, canopies, and flags will display a percentage of the full image based on the size chosen. The cropped versions retain the essence of the full image for most applications, but images should be reviewed in their specified size to assure customers are satisfied.
- All images are cropped from the center/bottom except those noted:
  - 9GHR, 9GHS, and 9GHT have the bottom gray ban removed and are cropped from the center/top.
  - 9GMH is cropped from the center/top.
  - 9GJG is cropped from the upper/left.
  - 9GJH is cropped from the lower/left.
  - 9GJK is cropped from the lower/right.
  - 9GJM is cropped from the upper/right.
- DOT name and images are protected under trademark and copyright laws.
- Copyright in the artwork presented is owned by Herman Miller, Inc., and/or the artist/photographer or other copyright owner. All rights reserved.

Proprietary Textiles Application Chart — Workspaces

• *Available*

A *Assigned lead-time textile.*

See page 3 for exception notes.

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mounted Screens	Canvas Freestanding and Surface Attached Screens	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Stowage Tackable Backdrop	Exclave Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Surface-Attached Screen	5000 Series Storage and Tackboards	Seating
Price Category 1																													
COM Customer's Own Material A	1	1	1	1	1		1	1	1	1	1		•	1		1	1			1	1					1	1	3	1
8A_ _ Bubbletack™																						•							
2V_ _ Chain	•	•	•	•	•		•	22	•	•	22		•	•	•	•	•		•	•						•	•	3	
8T_ _ Crossing (85_ _)	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•	•	3	18
95_ _ Gem	2	2	2	•	•		•	•	2		•		•	•		•										•	•	3	•
2I_ _ Grasscloth	•	•	•	•	•		•	•	•	•	•		•		•	•	•		•	•						•	•	3	
8B_ _ Multiscrim™						•															•		•						
5T_ _ Resonance	•	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•	3	
8C_ _ Scrim Trim																							•						
22W_ _ Shade											26	•																	
2M_ _ Silkworm	•	•	•	•	•		•	•	•		•		•	•		•										•	•	3	
22F_ _ Slant	6		•		•		•	•			•		•	•		•										•		3	
235_ _ Tailored	•	•		•	•			•	•				•													•			•
Price Category 2																													
1CD_ _ Code	•	•	•	•	•		•	•	•		•		•	•		•								•		•			
3P_ _ ColorGuard		2		•																									•
51_ _ Cord	•	•	•	•	•		•	•	•		•		•	•		•										•		3	
92_ _ Crepe	2	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•	3	•
22Q_ _ Fish Net		2	2	•	•		•	•	2		•																		•
57_ _ Frost	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	3	
84_ _ Grosgrain	4	•	•	•	•		•	•	•	19	•			•	•	19	19		19	19						•	19	3	
4N_ _ Horizon	2	2	2	•	•		•	•	•		•		•	•		•										•	•	3	
1LM_ _ Loom	2	2	2	•	•		•	•	•	•	•		•	•	•	•	•		•	•				•	8	•	•		•
1HA_ _ Medley	2	2	2	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•				•		•	•		•
3A_ _ Moiré		2	2	•	•		•	22	2	•	22		•	•	•	•	•		•	•							•	3	•
43_ _ Tape								•	•				•	•		•													
8R_ _ Twist (5S_ _)	5	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•	•	3	18
22T_ _ Well Suited		2		•	•			•	2		•																		•
Price Category 3																													
70_ _ Bento	2	2	2	•				•	2	•	•		•		•	•	•		•	•						•	•	3	•
8S_ _ Coil	2	2	2	•	•		•	•	•	•	•			•	•	•	•		•	•						•	•	3	•
1FB _ Connection	•	•	•	•	•		•	•	•	•	•		•	•		•	•		•	•						•	•	3	
1FC _ Current	•	•	•	•	•		•	•	•	•	•		•	•		•	•		•	•						•	•	3	
8Z_ _ Glaze	•	•	•	•	•		•	•	•		•		•	•		•				•						•	•	3	
47_ _ Ground Cloth®	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•				•	8	•	•	3	
5D_ _ Kira 2	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•		•	•	14					•	•	3	
22R_ _ Pins and Needles	2	2		•	•		•	•	2		•		•													•			•
8L_ _ Savannah	•	20	•	•	•		•	•	•		•		•	•		•					14								
8U_ _ Stitches (5Z_ _)	2	2	2	•				•	2		•		•	•												•		3	18
8W_ _ Strands	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	3	
22V_ _ String Plaid	2	2	2	•	•		•	•	2		•		•																•

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mounted Screens	Canvas Freestanding and Surface Attached Screens	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Stowage Tackable Backdrop	Exclave Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Surface-Attached Screen	5000 Series Storage and Tackboards	Seating
Price Category 4																													
2X_ _ Glisten	•	•	•	•	•		•	•	•		•		•	•		•				•						•		3	
22L_ _ Loft [A]		2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•				•	8	•	•	3	
6S_ _ Quilty	2	2	2	•	•		•	•	2		•			•		•										•		3	•
63_ _ Sironetta	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	3	
Price Category 5																													
14A_ _Hopsak	2	2	2	•	•			•	2		•		•			•								•		•			•
Price Category 6																													
No fabrics available at this time.																													

1 *Refer to price book appendices and Omni for COM information.*
2 *Available on all products except 54" and 60" wide.*
3 *Fabric is railroaded for all widths.*
4 *Not available on Action Office (AO®) acoustical panels.*
5 *(8R_ _), (8T_ _), (85_ _), and (5S_ _) not available on AO acoustical panels and not available on 54"- or 60"-wide products.*
6 *Not available on Action Office (AO®) connectors, cable management, and spacers.*
8 *Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.*
14 *Not available on Resolve flags.*
18 *Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.*
19 *Not available in Grosgrain (84_ _) fabric colors 8401, 8405, 8407, and 8413.*
20 *Available only on Ethospace B-Style.*
22 *Not available as railroaded application option for* Chain *(2V00) and* Moiré *(3A00).*
24 *Not available on Ethospace cable access tile, cable channel tile, or beltline face tile.*
26 *Available only on Canvas Freestanding Screen.*

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Price Category 1

Customer's Own Material
See Order Information in Appendices. Assigned lead-time textile. A

Bubbletack™	
100% polyester	
8A01	Seashell White
8A02	Pearl Grey
8A05	Dune Beige
8A07	Pebble Beige
8A09	Olive Green
8A13	Slate Purple
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A29	Tea Leaf Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A33	Caramel Beige
8A34	Kiwi Green

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T20	Brownstone
8T21	Bark
8T22	Tin
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory
8502	Oyster

Gem	
54" wide	
100% antimony-free polyester	
9501	Sesame
9502	Tangerine
9503	Red
9504	Red Violet
9505	Mulberry
9506	Java
9507	Twilight
9508	Bayou
9509	Iris
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9513	Spruce
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I10	Cayenne
2I11	Bottle Green
2I12	Surf
2I13	Gravel

Multiscrim™	
60" wide	
100% polyester	
8B01	Seashell White
8B02	Pearl Grey
8B05	Dune Beige
8B07	Pebble Beige
8B09	Olive Green
8B15	Slate Purple
8B19	Spa Blue
8B24	Sable Grey
8B27	Summer White
8B28	Moth Grey
8B29	Tea Leaf Grey
8B30	Blue Grey
8B31	Dusty Bronze
8B32	Slate Blue
8B33	Caramel Beige
8B34	Kiwi Green

Price Category 1
continued

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain *
5T06	Alabaster *
5T15	Iris
5T28	Sugar *
5T47	Tobacco
5T54	Saltbush *
5T57	Seed
5T58	Sepia
5T59	Tundra
5T60	Iceberg *
5T61	Black
5T62	Chamois *
5T63	Citrus
5T64	Tangerine
5T65	Red
5T66	Wild Berry
5T67	Boysenberry
5T68	Pistachio *
5T69	Green Apple
5T70	Forest
5T71	Jade
5T72	Blue Green
5T73	Bright Turquoise
5T74	Twilight

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Scrim Trim	
61" wide	
82% polyester	
18% spandex	
8C01	Seashell White
8C02	Pearl Grey
8C22	Winter Grey
8C24	Sable Grey

Shade	
91% polypropylene	
9% polyester	
22W01	Pearl
22W02	Tin
22W03	Graphite

Silkworm	
66" wide	
58% recycled polyester	
42% polyester	
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant	
66" wide	
51% polyester	
49% recycled polyester	
22F01	Beech Nut
22F02	Chamois
22F03	Chartreuse
22F04	Pesto
22F05	Peacock
22F06	Neptune
22F07	Blueberry
22F08	Boysenberry
22F09	Magenta
22F10	Pumpkin
22F11	Cranberry
22F12	Silver Birch
22F13	Bluestone
22F14	Truffle
22F15	Shale

Tailored	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

Price Category 2

Code	
66" wide	
100% Repreve recycled polyester	
1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

ColorGuard		
54" wide		
100% vinyl		
3P01	Grey	
3P02	Navy	
3P03	Spruce	A
3P04	Jade	A
3P05	Natural	A
3P08	Blueberry	A
3P09	Coal	A
3P12	Black Plum	A
3P14	Black	
3P15	New Burgundy	A
3P17	Burgundy	A
3P19	Slate	
3P31	Horizon Blue	A
3P33	Pumice	
3P54	Candy Apple	A
3P58	Beige	A
3P66	Deep Clay	A
3P72	Allspice	A
3P90	Green Tea	A
3P93	Camelback	A
3P96	Manzanita	A
3P97	Fudge	A
3PB2	Sea Grass	A
3PB5	Vizcaya Palm	A
3PB9	Neptune	A
3PC7	Bucksuede	A
3PD4	Otter	A

A Assigned lead-time color.

Price Category 2
continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Crepe *continued*	
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Fish Net	
55" wide	
100% recycled polyester	
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Frost	
66" wide	
100% recycled polyester	
5701	Bisque
5702	Abalone
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5707	Reed
5708	Steam Grey
5709	Gunmetal
5710	Sable Grey

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl *
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Surface-Attached Screen.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Poppy
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Price Category 2
continued

Moiré
54" wide
100% recycled polyester
3A01 Concrete
3A02 Biscotti
3A03 Rattan
3A04 Chambray
3A05 Fern
3A08 Violet
3A09 Zin
3A10 Curry
3A11 Spice
3A12 Cork

Tape
66" wide
52% polypropylene
48% recycled polyester
4301 Pearl
4302 Oyster
4303 Wicker
4304 Reed
4305 Straw
4306 Celadon
4307 Alabaster
4308 Bamboo
4309 Feather Grey
4310 Iceberg

Twist
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R04 Chamois
8R05 Wicker
8R06 Nutmeg
8R07 Squash
8R08 Copper
8R09 Cayenne
8R10 Poppy
8R11 Magenta
8R12 Garnet
8R13 Iceberg
8R14 Tin
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R19 Coffee Bean
8R20 Bayou
8R21 Periwinkle
8R22 Blueberry
8R23 Green Apple
8R24 Loden
8R25 Turquoise

Twist
For workspaces products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Well Suited
55" wide
79% polyester
21% recycled polyester
22T01 Oyster
22T02 Raffia
22T03 Peppermint
22T04 Wild Berry
22T05 Spring Green
22T06 Mint
22T07 Periwinkle
22T08 Cool Grey
22T09 Citrus
22T10 Pumpkin
22T11 Red
22T12 Fuschia
22T13 Orchid
22T14 Chartreuse
22T15 Green Apple
22T16 Jade
22T17 Peacock
22T18 Blueberry
22T19 Bluestone
22T20 Mink

Price Category 3

Bento
54" wide
100% antimony-free polyester
7001 Frost
7002 Linen
7003 Khaki
7004 Truffle
7005 Grey Black
7006 Pumpkin
7007 Cranberry
7008 Everglade
7009 Cobalt

Coil
54" wide
100% recycled polyester
8S01 Nougat
8S03 Copper
8S04 Molasses
8S05 Chutney
8S06 Claret
8S07 Plum
8S08 Olive Wood
8S09 Root
8S10 Pesto
8S11 Hemlock
8S12 Java
8S13 Bayou
8S14 Peacock
8S15 Twilight
8S16 Ink
8S17 Black

Price Category 3
continued

Connection	
66" wide	
100% antimony-free polyester	
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze	
66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Kira 2	
54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles	
58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Stitches	
54" wide	
54% polyester	
46% recycled polyester	
8U02	Rye
8U03	Khaki
8U04	Honey
8U05	Cattail
8U06	Pumpkin
8U07	Brick
8U08	Cool Grey
8U09	Slate Blue
8U10	Juniper
8U11	Evening Blue
8U12	Charcoal
8U13	Kiwi Green
8U14	Olive
8U15	Pesto
8U16	Cocoa
8U17	Seed

Stitches	
For workspaces products only.	
54" wide	
54% polyester	
46% recycled polyester	
5Z01	White Ash

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

String Plaid	
54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Price Category 4

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X01	Porcelain
2X02	Rye
2X03	Wicker
2X04	Cashew
2X05	Iceberg
2X06	Bronze
2X08	Shadow
2X09	Pewter
2X10	Ash
2X11	Truffle

Loft	
Assigned lead-time textile. A	
54" wide	
100% wool	
22L01	Heathered Light Green
22L02	Heathered Dark Green
22L03	Heathered Turquoise
22L04	Heathered Navy
22L05	Heathered Orange
22L06	Heathered Red
22L07	Heathered Tan *
22L08	Heathered Grey *
22L09	Heathered Blue *
22L10	Heathered Brown
22L11	Heathered Dark Grey
22L12	Heathered Denim

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Quilty	
56" wide	
100% antimony-free polyester	
GreenShield	
6S01	Wicker
6S02	Honey
6S03	Khaki
6S04	Straw
6S05	Squash
6S06	Cayenne
6S07	Brick
6S08	Cerulean
6S09	Blue Violet
6S10	Mink
6S11	Green Apple
6S12	Jade
6S13	Indigo

Sironetta	
66" wide	
100% recycled polyester	
6301	Acapella
6302	Sonata
6303	Interlude
6304	Legato
6305	Forte
6306	Minuet
6307	Opus
6308	Harmony
6309	Ensemble
6310	Baroque
6311	Serenade

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2016 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ☻, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Exclave, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.