Prices effective February 1, 2016

Published May 2016

Canvas Office Landscape®

Dock-Based

Introduction	**page 2**
Canvas Office Landscape® Dock-Based	**3**
Infrastructure	5
Energy Distribution	15
Work Surfaces	38
Storage	70
Screens	77
Indices	**99**
By Name	99
By Number	101
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Customer's Own Material Order Information-Workspaces	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	

For the latest materials information, refer to the Materials pages on HermanMiller.com.

PB_CDB

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.
The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective February 1, 2016, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure

Energy Distribution

Work Surfaces

Storage

Screens

Dock Structure FD110.

Product Information

Description

This structural steel wall defines space and channels power and data to the user. Includes 18 1/8″-high frame and top rail. Top rail finish is clear anodized aluminum.

Notes

When finished with cladding, dock structure is 3″ thick.

Dock is raised 4″ from the floor.

Power can enter from bottom opening using floor power entry (FD144.) or from end of dock with ceiling power entry (FD142.), ordered separately.

Order the following products separately:

- Lower cladding (FD170.)
- Dock foot (FD117.)
- Dock foot, structural (FD119.)
- Dock-to-dock connector (FD128.)
- Dock power harness (FD151.)
- Finished end, architectural, dock (FD16A.)

Dimensions

Specification Information

Step 1.

FD110. A

Step 2. Width

42	42″ wide A	
48	48″ wide A	
60	60″ wide A	
72	72″ wide A	
84	84″ wide A	
96	96″ wide A	

Prices for Steps 1-2.

FD110.	**42**	$550
	48	$600
	60	$675
	72	$750
	84	$825
	96	$900

Step 3. Top Rail Finish

AN	clear anodized aluminum A	+$0

Dock Foot, Structural (Support Foot) FD119.

Product Information

Description

This painted metal individual structural foot supports 1 end of a dock or the attachment point of 2 adjacent docks, and can support a dock wall run. It adjusts up to 1½″ for leveling. Attachment hardware included.

Notes

This foot is used in place of the dock foot (FD117.).

Order service kit (U1BDWGL) for additional leveling spacers.

See planning guide for length of run and proper support information.

Dimensions

Specification Information

Step 1.

FD119. A		$240

Step 2. Surface Finish

Bright Sand Texture Paint		
91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0
Metallic Paint		
CN	metallic champagne A	+$25
EH	metallic bronze A	+$25
MS	metallic silver A	+$25

Dock Foot FD117.

Product Information

Description

This painted metal individual foot attaches at 1 end of a dock or at the attachment point of 2 adjacent docks. It adjusts up to 2″ for leveling. Attachment hardware included.

Notes

Specify configuration (1A) for end-of-dock applications.

Specify shared configuration (1B) for use where 2 docks come together.

See planning guide for length of run and proper support information.

Dimensions

Specification Information

Step 1.

FD117. A

Step 2. Configuration

1A	end-of-dock A	
1B	shared A	

Prices for Steps 1-2.

FD117.	**1A**	$105
	1B	$110

Step 3. Surface Finish

Bright Sand Texture Paint

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint

CN	metallic champagne A	+$10
EH	metallic bronze A	+$10
MS	metallic silver A	+$10

Dock-to-Dock Connector FD128.

Product Information

Description

This connecting hardware joins 2 docks together in-line.

Notes

Requires 1 dock foot (FD117.1B) or 1 structural foot (FD119.), ordered separately.

Dimensions

Specification Information

Step 1.

FD128. A

Step 2. Configuration

1 in-line connection A

Prices for Steps 1-2.

FD128. 1 $35

Low Storage to Dock Bracket FD292.

Product Information

Description

This bracket attaches a Canvas wood or metal low credenza with 4″ foot and thin top and provides structural support to the dock wall run. It allows the credenza unit to be positioned parallel or perpendicular to the dock. Includes 1 bracket and attachment hardware.

Notes

For use with low credenza with 4″ foot and thin top.

Bracket attaches with a 1″ cable management gap.

2 brackets required for each credenza unit.

For information about properly supporting the dock, see Canvas Dock-Based planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions

Specification Information

Step 1.

FD292. A

Step 2. Storage Type

M for use with metal low credenza with 4″ high foot A

W for use with wood low credenza with 4″ high foot A

Step 3. Storage Attachment Position

G 1″ gap, for cord drop A

Prices for Steps 1-3.

		G
FD292.	**M**	$120
	W	$120

Step 4. Surface Finish

MS metallic silver A +$10

Low Storage to Dock Spacer FD293.

Product Information

Description

This spacer attaches a Canvas wood or metal low credenza with 4″ foot and thin top to the dock. It creates a uniform 1″ cable management gap between the dock and credenza when the low storage to dock bracket is being used to support a dock wall run. Includes 1 spacer.

Notes

2 spacers required for each low credenza.

Spacer does not provide structural support to the dock wall.

For information about properly supporting the dock, see Canvas Dock-Based planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions

Specification Information

Step 1.

FD293. A

Step 2. Storage Attachment Position

G	1″ gap, for cord drop A	

Prices for Steps 1-2.

FD293. G	$20

Step 3. Surface Finish

MS	metallic silver A	+$5

Lower Cladding FD170.

Product Information

Description

This one-piece painted metal cladding finishes 1 side of a dock. Optional cord knockouts are located along the top of the cladding 13″ from each end. Includes cladding and attachment hardware for 1 side of frame.

Notes

Can be specified with knockouts (K) for power/data or without knockouts (N).

For power access below the surface, specify undersurface power module (FD152.) and cable manager dock to surface (FD199.) separately.

Specify cladding to match width of dock structure.

Dimensions

Specification Information

Step 1.

FD170. A

Step 2. Width

42	42″ wide A
48	48″ wide A
60	60″ wide A
72	72″ wide A
84	84″ wide A
96	96″ wide A

Step 3. Surface Material

P	painted A

Step 4. Cord Knockouts

K	knockouts A
N	no knockouts A

Prices for Steps 1-4.

	K	N
FD170. 42 P	$187	187
48 P	$191	191
60 P	$194	194
72 P	$204	204
84 P	$238	238
96 P	$266	266

Step 5. Surface Finish

Bright Sand Texture Paint

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint

CN	metallic champagne A	+$10
EH	metallic bronze A	+$10
MS	metallic silver A	+$10

Lower Data Cladding FD172.

Product Information

Description

This one-piece painted metal cladding finishes 1 side of a dock. It includes cladding and attachment hardware for 1 side of frame. Includes 2 data face plate perforated knockouts, 1 for each end of the cladding, and knockouts to route power conduit out of the dock to the underside of a work surface when the undersurface power module is used.

Notes

For power access below the surface, specify undersurface power module (FD152.) and cable manager dock to surface (FD199.) separately.

Specify cladding to match width of dock structure.

Knockouts are for NEMA data face plates.

Data face plates are field supplied.

Dimensions

Specification Information

Step 1.

FD172. A

Step 2. Width

42	42″ wide A
48	48″ wide A
60	60″ wide A
72	72″ wide A
84	84″ wide A
96	96″ wide A

Step 3. Surface Material

P	painted A

Step 4. Cord Knockouts

K	knockouts A

Prices for Steps 1-4.

	K
FD172. 42 P	$187
48 P	$191
60 P	$194
72 P	$204
84 P	$238
96 P	$266

Step 5. Surface Finish

Bright Sand Texture Paint		
91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint		
CN	metallic champagne A	+$10
EH	metallic bronze A	+$10
MS	metallic silver A	+$10

Finished End, Architectural, Dock FD16A.

Product Information

Description

This 18¼"-high painted metal cover finishes 1 end of a single dock. Attachment hardware included.

Dimensions

Specification Information

Step 1.

FD16A. A

Step 2. Height

22	22" high A	

Step 3. Surface Material

P	painted A	

Prices for Steps 1-3.

		P
FD16A. 22		$170

Step 4. Surface Finish

Bright Sand Texture Paint		
91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0
Metallic Paint		
CN	metallic champagne A	+$7
EH	metallic bronze A	+$7
MS	metallic silver A	+$7

Bottom of Dock, Data Housing FD159.

Product Information

Description

This housing mounts on the bottom of the dock or under a work surface and supports face plates with voice/data ports. Attachment hardware included.

Notes

Housing accepts a NEMA data faceplate.

Dimensions

Specification Information

Step 1.

FD159. A

Step 2. Application

01	bottom of the dock A	
02	under work surface A	

Prices for Steps 1-2.

FD159. 01		$170
02		$170

Step 3. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$0

Dock Power Harness FD151.

Product Information

Description

This power harness distributes power within a dock. It has 2 power blocks with connecting conduit and is suspended from the dock top rail within the interior of the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Each power block has 3 additional modular connection locations to connect power entries, block to block jumpers, and power modules. Harness is UL listed.

Notes

Specify width of power harness to match width of dock structure.

Dimensions

Specification Information

Step 1.

FD151. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Width

42 42″ wide A

48 48″ wide A

60 60″ wide A

72 72″ wide A

84 84″ wide A

96 96″ wide A

Prices for Steps 1-3.

		42	48	60	72	84	96
FD151.	**08**	$175	200	250	300	350	400
	10	$175	200	250	300	350	400

Power, Block to Block Jumper FD154.

Product Information

Description

This power jumper routes power from a dock power harness to an adjacent dock power harness in an in-line connection. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is UL listed and Canadian UL listed.

Notes

Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dimensions

Specification Information

Step 1.

FD154. A

Step 2. Configuration

08	8-wire, 4-circuit, shared neutral A
10	10-wire, 4-circuit, separate neutrals A

Step 3. Jumper Application

S	for straight dock to dock connections A

Step 4. Length

20	20" long A

Prices for Steps 1-4.

		20
FD154. 08	**S**	$110
10	**S**	$110

Power Module - Bottom of Dock FD150.

Product Information

Description

This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Dimensions

Specification Information

Step 1.

FD150. A

Step 2. Type

AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, separate neutrals, isolated ground, circuit C A
4N	10 wire, separate neutrals, circuit D A
4G	10 wire, separate neutrals, isolated ground, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Prices for Steps 1-2.

FD150.	**AN**	$350
	BN	$350
	CN	$350
	DN	$350
	BG	$350
	CG	$350
	DG	$350
	ADN	$350
	BCI	$350
	1N	$350
	2N	$350
	3N	$350
	3G	$350
	4N	$350
	4G	$350
	1N4N	$350
	2N3G	$350

Power Module - Bottom of Dock

continued

Step 3. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Under Surface Power Module FD152.

Product Information

Description

This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Specify cladding (FD170.) with knockouts (K).

To cover conduit, data cables, and cladding knockout, specify cable manager dock to surface (FD199.).

Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dimensions

Specification Information

Step 1.

FD152. A

Step 2. Type

AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, separate neutrals, isolated ground, circuit C A
4N	10 wire, separate neutrals, circuit D A
4G	10 wire, separate neutrals, isolated ground, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Step 3. Cord/Conduit Length

03	3′ cord/conduit A

Prices for Steps 1-3.

		03
FD152.	**AN**	$350
	BN	$350
	CN	$350
	DN	$350
	BG	$350
	CG	$350
	DG	$350
	ADN	$350
	BCI	$350
	1N	$350
	2N	$350
	3N	$350
	3G	$350
	4N	$350
	4G	$350
	1N4N	$350
	2N3G	$350

Under Surface Power Module

continued

Step 4. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Power Module-Top of Dock FD158.

Product Information

Description

This power module attaches to the Canvas dock top rail. The unit has a modular connection end that attaches to 1 connection point of the internal dock power harness. It has 3 power outlets, 2 USB charging ports, an opening for data module terminations, and an integrated cable manager. Mounting hardware included. Product is UL listed.

Notes

Power unit is plastic; vertical wire chase is painted metal. When specifying white (91) or graphite (G1) paint, plastic housing color matches specified painted surface finish. When specifying metallic silver (MS) paint, plastic housing color is cool grey neutral (CL).

USB ports will charge most small electronic devices. Software in each device controls the ability to accept charge via USB. Each USB port supplies 10 watts of power.

When attached to Canvas dock top rail, top of power unit is 25 1/4″ above the floor.

Dimensions

Specification Information

Step 1.

FD158. A

Step 2. Configuration

H	3 simplex receptables, 2 powered USB, 1 Data Opening A

Step 3. Circuit Type

A	8 wire, circuit A, shared neurtral A
B	8 wire, circuit B, shared neurtral A
C	8 wire, circuit C, shared neurtral A
D	8 wire, circuit D, shared neurtral A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
4N	10 wire, separate neutrals, circuit D A
H	for hardwiring-chicago code-conduit with open end A

Prices for Steps 1-3.

	A	B	C	D	1N	2N
FD158. H	$560	560	560	560	580	580

	3N	4N	H
FD158. H	$580	580	580

Step 4. Surface Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$10

Controlled Power Module - Bottom of Dock

FD150M

Product Information

Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions

Specification Information

Step 1.

FD150M. A

Step 2. Type

AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
ADNA	8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on A circuit A
BCIB	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on B circuit A
ADND	8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on D circuit A
BCIC	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on C circuit A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, separate neutrals, isolated ground, circuit C A
4G	10 wire, separate neutrals, isolated ground, circuit D A
4N	10 wire, separate neutrals, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Controlled Power Module - Bottom of Dock *continued*

Prices for Steps 1-2.		
FD150M.	**AN**	$350
	BN	$350
	CN	$350
	DN	$350
	BG	$350
	CG	$350
	DG	$350
	ADN	$350
	BCI	$350
	ADNA	$350
	BCIB	$350
	ADND	$350
	BCIC	$350
	1N	$350
	2N	$350
	3N	$350
	3G	$350
	4G	$350
	4N	$350
	1N4N	$350
	2N3G	$350

Step 3. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Under Surface Controlled Power Module FD152M

Product Information

Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions

Specification Information

Step 1.

FD152M. A

Step 2. Type

AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
ADNA	8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on A circuit A
BCIB	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on B circuit A
ADND	8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on D circuit A
BCIC	8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on C circuit A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, separate neutrals, isolated ground, circuit C A
4N	10 wire, separate neutrals, circuit D A
4G	10 wire, separate neutrals, isolated ground, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Step 3. Cord/Conduit Length

03	3′ cord/conduit A

Under Surface Controlled Power Module *continued*

Prices for Steps 1-3.		
		03
FD152M.	**AN**	$350
	BN	$350
	CN	$350
	DN	$350
	BG	$350
	CG	$350
	DG	$350
	ADN	$350
	BCI	$350
	ADNA	$350
	BCIB	$350
	ADND	$350
	BCIC	$350
	1N	$350
	2N	$350
	3N	$350
	3G	$350
	4N	$350
	4G	$350
	1N4N	$350
	2N3G	$350

Step 4. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Power Module - Bottom of Dock - 20 amp FD156.

Product Information

Description

This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Receptacles in this module are rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Receptacles are black. Metal housing is painted.

Dimensions

Specification Information

Step 1.

FD156. A

Step 2. Type

AN	8 wire, shared neutral, circuit A A
BN	8 wire, shared neutral, circuit B A
CN	8 wire, shared neutral, circuit C A
DN	8 wire, shared neutral, circuit D A
BG	8 wire, shared neutral, circuit B, isolated ground A
CG	8 wire, shared neutral, circuit C isolated ground A
DG	8 wire, shared neutral, circuit D, isolated ground A
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated ground on each side A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, seperate neutrals, circuit C, isolated ground A
4N	10 wire, separate neutrals, circuit D A
4G	10 wire, separate neutrals, isolated ground, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Prices for Steps 1-2.

FD156.	**AN**	$400
	BN	$400
	CN	$400
	DN	$400
	BG	$400
	CG	$400
	DG	$400
	ADN	$400
	BCI	$400
	1N	$400
	2N	$400
	3N	$400
	3G	$400
	4N	$400
	4G	$400
	1N4N	$400
	2N3G	$400

Power Module - Bottom of Dock - 20 amp *continued*

Step 3. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.

Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible; factory cutouts are recommended.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20′ cord/conduit length (20) is recommended for Exclave™ applications.

Dimensions

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. A

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A

Step 3. Power Type

A	power cord with plug end A
B	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3′ cord/conduit A
06	6′ cord/conduit A
10	10′ cord/conduit A
20	20′ cord/conduit A

For conduit with open end, for hard-wiring (B)

03	3′ cord/conduit A
06	6′ cord/conduit A
10	10′ cord/conduit A

For IEC connector for Renew Tables (C)

03	3′ cord/conduit A

Prices for Steps 1-4.

			03	06	10	20
Y1425. A		**A**	$623	623	633	643
		B	$671	671	681	—
		C	$633	—	—	—
	C	**A**	$723	723	733	743
		B	$771	771	781	—
		C	$733	—	—	—
	D	**A**	$787	787	797	807
		B	$835	835	845	—
		C	$797	—	—	—
	E	**A**	$479	479	489	499
		B	$527	527	537	—
		C	$489	—	—	—
	F	**A**	$579	579	589	599
		B	$627	627	637	—
		C	$589	—	—	—
	G	**A**	$643	643	653	663
		B	$691	691	701	—
		C	$653	—	—	—

Step 5. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$0

Under Surface Power Module - FD157.

Product Information

Description

This power module attaches to the underside of a dock-supported work surface or storage unit. The modular plug end connects to a dock power harness. This power module includes 4 simplex receptacles, rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Receptacles are black. Metal housing is painted.

Dimensions

Specification Information

Step 1.

FD157. A

Step 2. Type

AN	8 wire, shared neutral, circuit A A
BN	8 wire, shared neutral, circuit B A
CN	8 wire, shared neutral, circuit C A
DN	8 wire, shared neutral, circuit D A
BG	8 wire, shared neutral, circuit B, isolated ground A
CG	8 wire, shared neutral, circuit C isolated ground A
DG	8 wire, shared neutral, circuit D, isolated ground A
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated ground on each side A
1N	10 wire, separate neutrals, circuit A A
2N	10 wire, separate neutrals, circuit B A
3N	10 wire, separate neutrals, circuit C A
3G	10 wire, seperate neutrals, circuit C, isolated ground A
4N	10 wire, separate neutrals, circuit D A
4G	10 wire, separate neutrals, isolated ground, circuit D A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Step 3. Cord/Conduit Length

03	3′ cord/conduit A

Under Surface Power Module -

continued

Prices for Steps 1-3.		
		03
FD157.	**AN**	$400
	BN	$400
	CN	$400
	DN	$400
	BG	$400
	CG	$400
	DG	$400
	ADN	$400
	BCI	$400
	1N	$400
	2N	$400
	3N	$400
	3G	$400
	4N	$400
	4G	$400
	1N4N	$400
	2N3G	$400

Step 4. Finish		
91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$5

Power Entry, Internal Direct Connect - Floor

FD144.

Product Information

Description

This power entry connects a building's electrical supply from a wall, floor or column to the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It connects to the modular connection location on the end of a dock power harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions

Specification Information

Step 1.

FD144. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length

06 6′ long A

12 12′ long A

18 18′ long A

24 24′ long A

Prices for Steps 1-3.

		06	12	18	24
FD144.	**08**	$190	263	320	377
	10	$190	263	320	377

Controlled Receptacle Decal (20 per sheet) G9999.

Product Information

Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 20 clear decals with white or black print.

Dimensions

Specification Information

Step 1.

G9999. A

Step 2. Color

B	black print A
W	white print A

Prices for Steps 1-2.

G9999.	**B**	$6
	W	$6

Power Entry, New York - Floor Power Entry

FD141.

Product Information

Description

This floor power entry connects a building's electrical supply from a wall, floor or column to the dock power harness. It connects to the modular connection location on the end of a dock power harness, and includes a junction box. Power entry is UL listed and Canadian UL listed.

Notes

Licensed electrician must wire power entry.

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dock power harness, internal (FD151.) is required. Order separately.

Dimensions

Specification Information

Step 1.

FD141. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length

30 30″ long A

Prices for Steps 1-3.

		30
FD141.	**08**	$373
	10	$373

Ceiling Power Entry FD142.

Product Information

Description

This power entry connects a ceiling electrical supply to the end of a dock run. It distributes up to 4 20-amp circuits. The power entry comes with a 10'-high pole that can be field cut to the appropriate length, ceiling trim, connecting hardware conduit, and factory supplied electrical harness. The power entry plugs into the end of the harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions

Specification Information

Step 1.

FD142. A

Step 2. Dock Height

22	22″ high dock A

Step 3. Power Configuration

08	8-wire, 4-circuit, shared neutral A
10	10-wire, 4-circuit, separate neutrals A
N	nonpowered A

Prices for Steps 1-3.

	08	10	N
FD142. 22	$660	660	369

Step 4. Finish

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Cable Clips FD198.

Product Information

Description

These optional cable clips are used to route wires and cables in the 1″ cable gap between the face of the dock cladding and the back of a Canvas low credenza with 4″ feet and thin top. Clip color is black. Package of 4.

Dimensions

Specification Information

Step 1.

FD198. A	$65

Step 2. Finish

BK	black A	+$0

Cable Manager - Dock to Surface FD199.

Product Information

Description

This optional cable manager routes power and data from the dock to the underside of a dock-supported work surface. Attachment hardware included.

Notes

Manages data cables and covers conduit, cables and knockout in cladding.

Specify undersurface power module (FD152.) separately.

Specify undersurface data module (FD159.02) separately.

Dimensions

Specification Information

Step 1.

FD199. A

Step 2. Height

10	10″ high A	

Prices for Steps 1-2.

FD199. 10		$120

Step 3. Finish

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0

Rectangular Surface

FTE10.
FTS10.
FTT10.

Product Information

Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding rectangular desk. It has a laminate top and thermoplastic edge, or a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1¼″ thick. Painted Formcoat® surfaces are 1″ thick. When hanging from a frame or wall strips there is a 1″ gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For surface attachment bracket (D) option:

- Ganging brackets are included for using the surface as a bridge.
- Surface will only attach to front edge of squared-edge surfaces or the transition portion of the thin-edge or eased-edge surfaces.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
  - Open support, tapered foot, frame attached (FT294.)
  - Open support, architectural foot, frame attached (FT2A1.)
  - Support panel, tapered foot, frame attached (FT291.)
  - Support panel, frame attached (FT2E2.)
  - Universal post leg, frame attached (FT2B1.)
  - Surface cantilever (FT290.)
  - Surface support rail (FT295.)
  - Support pedestal
- Center supports are included for surfaces 54″ wide and wider.

For no brackets, for freestanding or use with low credenza (S) option:

- Order the following support products separately:
  - Closed support leg (FV2E2.)
  - Open support leg, architectural foot (FV2A2.)
  - Square open support leg (FV2D2.)
  - Support leg, post (FV689.)
  - Universal post leg (FT2B2.)
  - Surface ganging bracket (FT29B.)
  - Surface support, low credenza, adjustable height (FT299.)
  - Surface support, low credenza, fixed height (FT298.)
  - Surface-attached pedestal
- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Thin-edge surfaces do not work with the following:

- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54″ wide or wider and painted formcoat surfaces 48″ wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions

Specification Information

Step 1.

FT

Step 2. Edge

S10. squared-edge
T10. thin-edge
E10. eased-edge

Step 3. Depth

For squared-edge (S10.)

20 20" deep
24 24" deep
30 30" deep
36 36" deep

For thin-edge (T10.) or eased-edge (E10.)

24 24" deep
30 30" deep
36 36" deep

Step 4. Width

For 20" deep (20), 24" deep (24), or 30" deep (30)

24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide
78 78" wide
84 84" wide
90 90" wide
96 96" wide

For 36" deep (36)

60 60" wide A
66 66" wide A
72 72" wide A
78 78" wide A
84 84" wide A
90 90" wide A
96 96" wide A

Step 5. Surface Material

For squared-edge (S10.)

L laminate top/thermoplastic edge
W veneer top/veneer edge A
P painted Formcoat® top/edge

For thin-edge (T10.)

L laminate top/thermoplastic edge
W veneer top/veneer edge A
P painted Formcoat® top/edge

For eased-edge (E10.)

P painted Formcoat® top/edge

Step 6. Attachment Bracket

For 20" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

F Canvas frame attached surface

For 20" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

D surface attachment bracket
F Canvas frame attached surface

For 24" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30)

F Canvas frame attached surface
S no brackets, for freestanding or use with low credenza

For 24" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), 48" wide (48), or 54" wide (54)

D surface attachment bracket
F Canvas frame attached surface
S no brackets, for freestanding or use with low credenza

For 24" deep (24) or 30" deep (30) with 60" wide (60)

D surface attachment bracket
F Canvas frame attached surface
S no brackets, for freestanding or use with low credenza

For 24" deep (24) or 30" deep (30) with 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

F Canvas frame attached surface
S no brackets, for freestanding or use with low credenza

For 36" deep (36) with 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

S no brackets, for freestanding or use with low credenza

Prices for Steps 1-6.

			LD	LF	LS	WD	WF	WS
FTS10.	**20**	**24**	—	$171	—	—	402	—
		30	—	$193	—	—	451	—
		36	$208	218	—	489	500	—
		42	$231	241	—	538	550	—
		48	$255	265	—	579	591	—
		54	$302	312	—	666	678	—
		60	$340	350	—	750	762	—
		66	—	$390	—	—	849	—
		72	—	$431	—	—	934	—
		78	—	$470	—	—	1012	—
		84	—	$523	—	—	1090	—
		90	—	$538	—	—	1140	—
		96	—	$561	—	—	1172	—
	24	**24**	—	$171	130	—	402	356
		30	—	$193	153	—	451	406
		36	$208	218	177	489	500	454
		42	$231	241	200	538	550	504
		48	$255	265	225	579	591	545
		54	$302	312	272	666	678	633
		60	$340	350	299	750	762	705
		66	—	$390	340	—	849	792
		72	—	$431	380	—	934	877
		78	—	$470	430	—	1012	966
		84	—	$523	483	—	1090	1012
		90	—	$538	488	—	1140	1053
		96	—	$561	490	—	1172	1094
	30	**24**	—	$188	148	—	446	401
		30	—	$236	195	—	544	499
		36	$262	273	232	599	609	564
		42	$298	308	267	664	676	630
		48	$334	345	304	738	749	704
		54	$396	406	366	849	860	815
		60	$440	450	399	948	970	913
		66	—	$508	457	—	1086	1029
		72	—	$564	513	—	1200	1143
		78	—	$602	562	—	1273	1228
		84	—	$649	598	—	1347	1301
		90	—	$686	623	—	1413	1351
		96	—	$718	647	—	1479	1399
	36	**60**	—	—	$500	—	—	1120
		66	—	—	$575	—	—	1267
		72	—	—	$646	—	—	1409
		78	—	—	$653	—	—	1448
		84	—	—	$661	—	—	1487
		90	—	—	$704	—	—	1568
		96	—	—	$747	—	—	1648

			PD	PF	PS
FTS10.	**20**	**24**	—	$197	—
		30	—	$223	—
		36	$292	251	—
		42	$318	278	—
		48	$347	306	—
		54	$400	360	—
		60	$443	402	—
		66	—	$449	—
		72	—	$496	—
		78	—	$541	—
		84	—	$602	—
		90	—	$620	—
		96	—	$645	—
	24	**24**	—	$197	157
		30	—	$223	182
		36	$292	251	211
		42	$318	278	237
		48	$347	306	265
		54	$400	360	319
		60	$443	402	362
		66	—	$449	409
		72	—	$496	455
		78	—	$541	501
		84	—	$602	562
		90	—	$620	579
		96	—	$645	604

30	**24**	—	$217	176		
	30	—	$272	231		
	36	$355	314	274		
	42	$395	355	314		
	48	$437	396	356		
	54	$508	467	427		
	60	$559	518	478		
	66	—	$584	544		
	72	—	$649	608		
	78	—	$693	652		
	84	—	$747	706		
	90	—	$789	749		
	96	—	$827	786		
36	**60**	—	—	$598		
	66	—	—	$685		
	72	—	—	$767		
	78	—	—	$799		
	84	—	—	$831		
	90	—	—	$879		
	96	—	—	$929		

30	**24**	—	$263	223	—	535	490
	30	—	$331	291	—	653	607
	36	$423	382	342	777	732	687
	42	$472	432	391	856	811	765
	48	$523	483	442	944	899	854
	54	$609	569	528	1078	1033	987
	60	$670	630	589	1209	1163	1118
	66	—	$710	669	—	1304	1258
	72	—	$788	748	—	1440	1395
	78	—	$843	802	—	1528	1483
	84	—	$908	867	—	1616	1571
	90	—	$959	918	—	1695	1650
	96	—	$1005	965	—	1775	1729
36	**60**	—	—	$625	—	—	1372
	66	—	—	$715	—	—	1548
	72	—	—	$800	—	—	1718
	78	—	—	$834	—	—	1793
	84	—	—	$867	—	—	1867
	90	—	—	$918	—	—	1963
	96	—	—	$969	—	—	2060

		LD	LF	LS	WD	WF	WS
FTT10. 24	**24**	—	$240	199	—	481	436
	30	—	$270	230	—	542	496
	36	$346	305	264	645	600	555
	42	$379	338	298	705	660	615
	48	$413	372	331	754	708	663
	54	$478	437	396	859	814	769
	60	$530	490	449	960	915	870
	66	—	$547	506	—	1019	974
	72	—	$602	562	—	1122	1076
	78	—	$658	618	—	1214	1169
	84	—	$731	691	—	1310	1265
	90	—	$753	712	—	1368	1322
	96	—	$785	744	—	1407	1361

		PD	PF	PS
FTT10. 24	**24**	—	$211	170
	30	—	$237	196
	36	$308	267	227
	42	$336	296	255
	48	$367	326	286
	54	$424	383	343
	60	$469	429	388
	66	—	$479	438
	72	—	$528	488
	78	—	$577	536
	84	—	$641	600
	90	—	$659	619
	96	—	$688	647

30	**24**	—	$231	190
	30	—	$290	249
	36	$375	334	294
	42	$419	378	337
	48	$463	423	382
	54	$538	498	457
	60	$592	552	511
	66	—	$622	581
	72	—	$691	650
	78	—	$738	698
	84	—	$795	755
	90	—	$840	799
	96	—	$879	839
36	**60**	—	—	$638
	66	—	—	$729
	72	—	—	$817
	78	—	—	$851
	84	—	—	$885
	90	—	—	$937
	96	—	—	$989

30	**24**	—	$239	197
	30	—	$300	258
	36	$388	346	304
	42	$433	391	349
	48	$479	437	395
	54	$557	515	473
	60	$613	571	529
	66	—	$643	601
	72	—	$714	672
	78	—	$764	722
	84	—	$823	781
	90	—	$869	827
	96	—	$910	868
36	**60**	—	—	$660
	66	—	—	$754
	72	—	—	$845
	78	—	—	$880
	84	—	—	$915
	90	—	—	$970
	96	—	—	$1023

		PD	**PF**	**PS**
FTE10. 24	**24**	—	$218	176
	30	—	$245	203
	36	$319	277	235
	42	$348	306	264
	48	$380	338	296
	54	$438	396	354
	60	$486	444	402
	66	—	$495	453
	72	—	$546	504
	78	—	$597	555
	84	—	$663	621
	90	—	$682	640
	96	—	$711	669

Step 7. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

8Q	folkstone grey	+$0
91	white	+$0
98	studio white	+$0
CL	cool grey neutral	+$0
HF	inner tone light A	+$0
HT	inner tone A	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

76	light brown walnut	+$0
HM	natural maple	+$0
HP	light anigre	+$0
HX	aged cherry	+$0
HY	walnut on cherry	+$0
LA	light ash A	+$0
LBA	clear on ash	+$0
LBB	oak on ash	+$0
LBC	walnut on ash	+$0
LBD	dark brown walnut	+$0
LBE	medium red walnut	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

28	canyon	+$0
29	misted	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

LBM	crisp linen	+$0
LBN	classic linen	+$0
LBP	casual linen	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

LBK	pewter mesh	+$0
LBL	steel mesh	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate top/thermoplastic edge (L)

LBF	neutral twill	+$0
LBG	sarum twill	+$0
LBH	earthen twill	+$0
LBJ	graphite twill	+$0
LBQ	white twill	+$0

Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+$0
91	white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Individual Bridge

FDE17.
FDS17.
FDT17.

Product Information

Description

This surface spans the dock and lower storage on 1 side of the dock. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1¼″ thick. Painted Formcoat surfaces are 1″ thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4″ foot and thin top on one side of dock wall. Specify the following products separately, 1 for each side of the individual bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions

Specification Information

Step 1.

FD A

Step 2. Edge

S17. squared_edge A
T17. thin-edge A
E17. eased-edge A

Step 3. Depth

24 24″ deep A
30 30″ deep A

Step 4. Width

20 20″ wide A

Step 5. Surface Material

For squared_edge (S17.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For thin-edge (T17.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For eased-edge (E17.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

		L	W	P
FDS17.	**24 20**	$240	440	450
	30 20	$275	490	471
FDT17.	**24 20**	$320	520	450
	30 20	$355	555	471
FDE17.	**24 20**	—	—	$450
	30 20	—	—	$471

Step 6. Power Access Cutout

NNN no cutout A +$0
CAC center cutout A +$75

Step 7. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
HF	inner tone light A	+$0
HT	inner tone A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LA	light ash A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon A	+$0
29	misted A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Half Bridge

FDE15.
FDS15.
FDT15.

Product Information

Description

This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1¼″ thick. Painted Formcoat surfaces are 1″ thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4″ foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the half bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions

Specification Information

Step 1.

FD A

Step 2. Edge

S15. squared-edge A
T15. thin-edge A
E15. eased-edge A

Step 3. Depth

24 24″ deep A
30 30″ deep A

Step 4. Width

45 45″ wide A

Step 5. Surface Material

For squared-edge (S15.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For thin-edge (T15.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For eased-edge (E15.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

		L	W	P
FDS15.	**24 45**	$410	680	507
	30 45	$415	740	577
FDT15.	**24 45**	$510	710	507
	30 45	$560	770	577
FDE15.	**24 45**	—	—	$507
	30 45	—	—	$577

Step 6. Power Access Cutout

NNN	no cutout A	+$0
CAC	center cutout A	+$75

Step 7. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
HF	inner tone light A	+$0
HT	inner tone A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LA	light ash A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon A	+$0
29	misted A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Team Bridge

FDE16.
FDS16.
FDT16.

Product Information

Description

This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1¼″ thick. Painted Formcoat surfaces are 1″ thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4″ foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the team bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Dimensions

Specification Information

Step 1.

FD A

Step 2. Edge

S16. squared_edge A
T16. thin-edge A
E16. eased-edge A

Step 3. Depth

45 45″ deep A

Step 4. Width

45 45″ wide A

Step 5. Surface Material

For squared_edge (S16.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For thin-edge (T16.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For eased-edge (E16.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

	L	W	P
FDS16. 45 45	$550	915	821
FDT16. 45 45	$550	915	821
FDE16. 45 45	—	—	$821

Step 6. Power Access Cutout

NNN no cutout A +$0

Step 7. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
HF	inner tone light A	+$0
HT	inner tone A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LA	light ash A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon A	+$0
29	misted A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Secondary Surface

FDE10.
FDS10.
FDT10.

Product Information

Description

This surface spans and is supported by Canvas low storage. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1¼″ thick. Painted Formcoat surfaces are 1″ thick.

Notes

Surface is supported by a low credenza with 4″ foot and thin top. Specify 2 surface support, low credenza, adjustable height (FT299.), or 2 surface support, low credenza, fixed height (FT298.), 1 for each end of the secondary surface.

Power access cutout options (CAC, LAC, RAC) accept the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions

Specification Information

Step 1.

FD A

Step 2. Edge

S10. squared-edge A
T10. thin-edge A
E10. eased-edge A

Step 3. Depth

20 20" deep A

Step 4. Width

36 36" wide A
72 72" wide A

Step 5. Surface Material

For squared-edge (S10.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For thin-edge (T10.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For eased-edge (E10.)

P painted Formcoat® top/edge A

Step 6. Attachment

S for use with low storage A

Prices for Steps 1-6.

		LS	WS	PS
FDS10. 20	**36**	$214	484	468
	72	$424	951	808
FDT10. 20	**36**	$300	512	488
	72	$553	1037	888
FDE10. 20	**36**	—	—	$488
	72	—	—	$888

Step 7. Power Access Cutout

For 36" wide (36)

NNN	no cutout A	+$0
CAC	center cutout A	+$75

For 72" wide (72)

NNN	no cutout A	+$0
CAC	center cutout A	+$75
LAC	left cutout A	+$75
RAC	right cutout A	+$75

Step 8. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
HF	inner tone light A	+$0
HT	inner tone A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LA	light ash A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon A	+$0
29	misted A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$85
40	dark brown walnut A	+$85
ED	aged cherry A	+$85
EK	medium red walnut A	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry A	+$85

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Peninsula Surface

FDE60.
FDS60.
FDT60.

Product Information

Description

This peninsula surface attaches to the dock top rail or is supported by Canvas low storage. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1¼″ thick. Painted Formcoat surfaces are 1″ thick. A technology well with urethane edge provides access to power and data.

Notes

When peninsula is supported by the dock top rail, specify dock to surface tethers (FD290.) separately.

When peninsula is supported by the low credenza, specify surface support, low credenza, adjustable height (FT299.), or surface support, low credenza, fixed height (FT298.), separately.

Specify column kit (FD600.) separately.

Dimensions

Specification Information

Step 1.

FD A

Step 2. Edge

S60. squared-edge A
T60. thin-edge A
E60. eased-edge A

Step 3. Depth

46 46″ deep A

Step 4. Width

72 72″ wide A

Step 5. Position

S seated height A

Step 6. Power/Data Access

A modular power cord w/ plug end A

Step 7. Surface Material

For squared-edge (S60.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For thin-edge (T60.)

L laminate A
W veneer A
P painted Formcoat® top/edge A

For eased-edge (E60.)

P painted Formcoat® top/edge A

Prices for Steps 1-7.

	SAL	SAW	SAP
FDS60. 46 72	$1100	2530	2398
FDT60. 46 72	$1265	2695	2398
FDE60. 46 72	—	—	$2398

Step 8. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

HM	natural maple A	+$0
HP	light anigre A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0
76	light brown walnut A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon A	+$0
29	misted A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$0
40	dark brown walnut A	+$0
ED	aged cherry A	+$0
EK	medium red walnut A	+$0
ET	clear on ash A	+$0
EU	oak on ash A	+$0
EV	walnut on ash A	+$0
UL	natural maple A	+$0
UX	walnut on cherry A	+$0

Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Step 9. Urethane Edge on Access Zone Cutout

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
G2	graphite satin A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Dock to Surface Tethers FD290.

Product Information

Description

This bracket supports and attaches a work surface to the dock and positions the surface at 28½″ high. Surfaces can be placed parallel or perpendicular to the dock. Includes 1 tether and attachment hardware.

Notes

For surfaces up to and including 48″ wide, 2 tethers are required.

For surfaces 54″ wide and wider, 3 tethers are required.

Dock to surface tethers are always used in conjunction with floor supports such as the universal post leg (FT2B2., FD2B2.), ordered separately.

Dimensions

Specification Information

Step 1.

FD290. A		$100

Step 2. Surface Finish

Bright Sand Texture Paint

91	white A	+$0
G1	graphite A	+$0

Metallic Paint

MS	metallic silver A	+$5

Surface Support, Low Credenza, Fixed Height FT298.

Product Information

Description

This support allows a low credenza to support 1 end of a surface and places the surface at 28½" high. Attachment hardware included.

Notes

Support heights are:

- 5⅛" high for storage type (M)
- 6⅞" high for storage type (S)
- 6" high for storage type (R)
- 4¼" high for storage type (W)

Dimensions

Specification Information

Step 1.

FT298.

Step 2. Storage Type

M	for use with thin top low credenza with 4" high foot
S	for use with thin top low credenza with 2¼" high base
R	for use with 1¼" top low credenza with 2¼" high base
W	for use with 1¼" top low credenza with 4" high foot

Prices for Steps 1-2.

FT298.	**M**	$185
	S	$185
	R	$185
	W	$185

Step 3. Surface Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Surface Support, Low Credenza, Adjustable Height FT299.

Product Information

Description

This height-adjustable support allows a low credenza to support 1 end of a surface, and provides 3″ of height adjustment for the surface. Attachment hardware included.

Notes

In lowest position, the height of supports is as follows:

- 3⅝″ high for storage type (M)
- 5⅜″ high for storage type (S)

When used with low credenza with ⅜″ thin top, surface adjustment height range is 27″ - 30″.

When used with low credenza with 1¼″ thick top, surface adjustment height range is 27⅝″ - 30⅝″.

Dimensions

Specification Information

Step 1.

FT299.

Step 2. Storage Type

M	for use with low credenza with 4″ high foot
S	for use with low credenza with 2¼″ high base

Prices for Steps 1-2.

FT299.	**M**	$310
	S	$310

Step 3. Surface Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Stiffener FV696.

Product Information

Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.

Notes

Canvas and Ethospace laminate or veneer surfaces 54″ wide or wider and painted formcoat surfaces 48″ wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is 1¼″ high.

Dimensions

Specification Information

Step 1.

FV696.

Step 2. Width

34	33⅞″ wide
39	38⅝″ wide
43	43¼″ wide
48	48″ wide
57	57⅜″ wide
62	62⅛″ wide
67	66¾″ wide
71	71½″ wide
81	80⅞″ wide

Prices for Steps 1-2.

FV696.	**34**	$68
	39	$70
	43	$70
	48	$70
	57	$70
	62	$70
	67	$70
	71	$70
	81	$70

Universal Post Leg FT2B2.

Product Information

Description

This leg is available as a single leg to support 1 corner of a surface, or as a pair to support 1 end of a surface. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Dimensions

Fixed Height

Adjustable Height

Specification Information

Step 1.

FT2B2.

Step 2. Leg Type

F	fixed height
A	adjustable height

Step 3. Position

L	left-hand, single leg
R	right-hand, single leg
P	left-hand & right-hand, pair

Prices for Steps 1-3.

		L	R	P
FT2B2.	**F**	$369	369	735
	A	$395	395	789

Step 4. Leg Body Finish

Bright Sand Texture Paint

		L	R	P
91	white	+$0	0	0
G1	graphite	+$0	0	0

Metallic Paint

		L	R	P
MS	metallic silver	+$5	5	10

Step 5. Leg Face Finish

Smooth Paint

		L	R	P
91	white	+$0	0	0
G2	graphite satin	+$0	0	0

Metallic Paint

		L	R	P
MS	metallic silver	+$5	5	10

Anodized

		L	R	P
AN	clear anodized aluminum	+$10	10	20

Universal Post Leg, Shared FD2B2.

Product Information

Description

This single leg supports the front corner edges of 2 adjacent surfaces. It has 2″ of leveling adjustment. Attachment hardware included.

Dimensions

Specification Information

Step 1.

FD2B2. A

Step 2. Leg Type

F	fixed height A	

Step 3. Position

S	shared, single leg A	

Prices for Steps 1-3.

		S
FD2B2. F		$465

Step 4. Leg Body Finish

Bright Sand Texture Paint

91	white A	+$0
G1	graphite A	+$0

Metallic Paint

MS	metallic silver A	+$5

Step 5. Leg Face Finish

Smooth Paint

91	white A	+$0
G2	graphite satin A	+$0

Metallic Paint

MS	metallic silver A	+$5

Anodized

AN	clear anodized aluminum A	+$10

Support Leg, Post FV689.

Product Information

Description

This single painted leg supports a desk or return and includes a glide with 1½″ leveling range. Specify 2 legs to support one end of a surface. Attachment hardware included.

Dimensions

Specification Information

Step 1.

FV689.P	$150

Step 2. Surface Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Square Open Support Leg FV2D2.

Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It has leveling glides with 1 1/2″ of adjustment. Attachment hardware included.

Notes

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth
24″ deep surface—12″ deep leg
30″ deep surface—24″ deep leg
36″ deep surface—24″ deep leg

Dimensions

Specification Information

Step 1.

FV2D2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

2A 12″ deep, shared
2B 24″ deep, shared
24 24″ deep
30 30″ deep
36 36″ deep

Step 4. Leg Type

F fixed height

Step 5. Position

For 12″ deep, shared (2A) or 24″ deep, shared (2B)

S shared

For 24″ deep (24), 30″ deep (30), or 36″ deep (36)

L left
R right

Prices for Steps 1-5.

		FL	FS	FR
FV2D2. S	**2A**	—	$215	—
	2B	—	$333	—
	24	$333	—	333
	30	$342	—	342
	36	$352	—	352

Step 6. Surface Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached

FT2A2.

Product Information

Description

This support leg attaches to 1 end of a peninsula or D-shaped surface. It can be also be used to create a freestanding peninsula desk. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Notes

For D-shaped surface, specify support leg with inset option (A).

For peninsula surface attached to a frame or wall strips, specify support leg with inset option (A) or outbound option (B).

For peninsula supported by a low credenza, specify support leg with outbound option (B).

To create a freestanding peninsula desk, specify 2 support legs; 1 with inset option (A) and 1 with outbound option (B).

Dimensions

Specification Information

Step 1.

FT2A2.

Step 2. Leg Position

A inset

B outbound

Step 3. Surface Dimension

For inset (A)

24 for 24"-deep peninsula

30 for 30"-deep peninsula

36 for 36"-deep peninsula

51 for 51"-wide d-shaped

63 for 63"-wide d-shaped

For outbound (B)

24 for 24"-deep peninsula

30 for 30"-deep peninsula

36 for 36"-deep peninsula

Step 4. Leg Type

F fixed height

A adjustable height

Step 5. Position

For inset (A)

S non-handed support

For outbound (B)

L left-hand support

R right-hand support

Prices for Steps 1-5.

			FL	FS	FR	AL	AS	AR
FT2A2.	**A**	**24**	—	$392	—	—	469	—
		30	—	$412	—	—	490	—
		36	—	$433	—	—	510	—
		51	—	$392	—	—	469	—
		63	—	$412	—	—	490	—
	B	**24**	$392	—	392	469	—	469
		30	$412	—	412	490	—	490
		36	$433	—	433	510	—	510

Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached *continued*

Step 6. Surface Finish

Bright Sand Texture Paint		
91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint		
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Column Kit FD600.

Product Information

Description

This column kit attaches to and supports the end of a peninsula surface (FDE60., FDS60., FDT60.). It has a 10′ power cord with 3-prong plug end. Column kit includes a technology well that has 2 power receptacles and 2 data openings. Glides allow 2″ of leveling adjustment.

Notes

Order peninsula surface (FDx60.) separately.

Access zone cover finish matches specified column surface finish.

Dimensions

Specification Information

Step 1.

FD600. A

Step 2. Height

29	seated height A	

Step 3. Application

SS	storage supported - Canvas credenza A	
DS	dock supported - Canvas dock A	

Prices for Steps 1-3.

		SS	DS
FD600. 29		$2200	2200

Step 4. Tech Lid Finish

8Q	folkstone grey A	+$0
91	white A	+$0
CL	cool grey neutral A	+$0
G2	graphite satin A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

Step 5. Column/Bin Finish

Bright Sand Texture Paint

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint

CN	metallic champagne A	+$5
EH	metallic bronze A	+$5
MS	metallic silver A	+$5

Cable Manager FV695.

Product Information

Description

This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.

Notes

When using cable manager with privacy panel or screen, specify cable manager width 12″ less than privacy panel or screen width.

Dimensions

Specification Information

Step 1.

FV695.

Step 2. Width

18	18″ wide
24	24″ wide
30	30″ wide
36	36″ wide
42	42″ wide
48	48″ wide

Prices for Steps 1-2.

FV695.	**18**	$61
	24	$67
	30	$73
	36	$78
	42	$84
	48	$92

Step 3. Surface Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Cable Management Trough FT199.

Product Information

Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.

Dimensions

Specification Information

Step 1.

FT199.	$66

Cable Management Channel FT19C.

Product Information

Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions

Specification Information

Step 1.

FT19C. A

Step 2. Width

08	8″ wide A
40	40″ wide A

Prices for Steps 1-2.

FT19C.	**08**	$39
	40	$72

Cord Cleat G1331.

Product Information

Description

This cleat attaches to the underside of a work surface or table to manage cords and cables. Finish is cool grey neutral. Package contains 2.

Dimensions

Specification Information

Step 1.

G1331.	$19

Storage Cabinet, Dock Mounted, Open FD415.

Product Information

Description

This cabinet has a laminate or veneer surface and mounts to the top rail of a Canvas dock to provide storage on 1 or both sides.

Notes

Double-sided (D) provides storage access on both sides of the cabinet, allowing half of the storage to be accessed from each side of the dock wall.

Single-sided (S) provides storage access on 1 side only.

Order stanchion support for center mount (FD417.) or offset mount (FD419.) separately.

Order optional accessories separately:

- Marker board (FT492.)
- Tackboard (FT491.)

Dimensions

Specification Information

Step 1.

FD415. A

Step 2. Height

15 15″ high A

Step 3. Width

36 36″ wide A
42 42″ wide A
48 48″ wide A
60 60″ wide A
72 72″ wide A

Step 4. Attachment

C center mount A
F offset A

Step 5. Storage Type

For center mount (C)

D double-sided A
S single-sided A

For offset (F)

S single-sided A

Step 6. Position

For double-sided (D)

L opening left A
R opening right A

For single-sided (S)

S opening left and right A

Step 7. Surface Material

L laminate A
W veneer A

Prices for Steps 1-7.

		CDLL	CDLW	CDRL	CDRW	CSSL	CSSW
FD415. 15	**36**	$850	2000	850	2000	850	2000
	42	$935	2200	935	2200	935	2200
	48	$1020	2655	1020	2655	1020	2655
	60	$1148	2855	1148	2855	1148	2855
	72	$1275	3155	1275	3155	1275	3155

Storage Cabinet, Dock Mounted, Open *continued*

		FSSL	FSSW
FD415. 15	**36**	$850	2000
	42	$935	2200
	48	$1020	2655
	60	$1148	2855
	72	$1275	3155

Step 8. Top/Edge Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey A	+$0
91	white A	+$0
98	studio white A	+$0
CL	cool grey neutral A	+$0
LU	soft white A	+$0
WL	sandstone A	+$0
WN	warm grey neutral A	+$0

For laminate (L)

LBM	crisp linen A	+$0
LBN	classic linen A	+$0
LBP	casual linen A	+$0

For laminate (L)

LBK	pewter mesh A	+$0
LBL	steel mesh A	+$0

For laminate (L)

LBF	neutral twill A	+$0
LBG	sarum twill A	+$0
LBH	earthen twill A	+$0
LBJ	graphite twill A	+$0
LBQ	white twill A	+$0

Wood-Grain Laminate

For laminate (L)

76	light brown walnut A	+$0
HM	natural maple A	+$0
HP	light anigre A	+$0
HX	aged cherry A	+$0
HY	walnut on cherry A	+$0
LBA	clear on ash A	+$0
LBB	oak on ash A	+$0
LBC	walnut on ash A	+$0
LBD	dark brown walnut A	+$0
LBE	medium red walnut A	+$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+$0
40	dark brown walnut A	+$0
ED	aged cherry A	+$0
EK	medium red walnut A	+$0
ET	clear on ash A	+$0
EU	oak on ash A	+$0
EV	walnut on ash A	+$0
UL	natural maple A	+$0
UX	walnut on cherry A	+$0

Tackboard, Storage Cabinet, Frame Top Mounted FT491.

Product Information

Description

This tackboard attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width 1/2 the width of the storage cabinet.

Attaches to back of unit or to interior of open storage cabinet (FT415.).

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Width—Yardage

All widths—.61

For tackable fabric, horizontal (R)

Width—Yardage

18—.72

21—.80

24—.88

30—1.05

36—1.22

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

FT491. A

Step 2. Width

36	16 3/4" for 36"-wide cabinet A
42	19 3/4" for 42" -wide cabinet A
48	22 3/4" for 48" -wide cabinet A
60	28 3/4" for 60" -wide cabinet A
72	34 3/4" for 72" -wide cabinet A
84	20" for 84" -wide cabinet A
96	23" for 96" -wide cabinet A

Step 3. Surface Material

T	tackable fabric A
R	tackable fabric, horizontal A

Prices for Steps 1-3.

		T	R
FT491.	**36**	$123	126
	42	$140	144
	48	$158	162
	60	$183	188
	72	$209	215
	84	$140	144
	96	$158	162

Step 4. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+$0
Price Category 2	+$19
Price Category 3	+$33
Price Category 4	+$51
Price Category 5	+$103
Price Category B	+$37
Price Category C	+$51
Price Category D	+$64
Price Category E	+$78
Price Category F	+$100
Price Category G	+$130

Markerboard, Storage Cabinet, Frame Top Mounted FT492.

Product Information

Description

This marker board attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a writing surface for dry-erase markers. Attachment hardware included.

Notes

Specify marker board width 1/2 the width of the storage cabinet.

Attaches to back of storage unit (FT415.).

Dimensions

Specification Information

Step 1.

FT492. A

Step 2. Width

36	16 3/4″ for 36″-wide cabinet A
42	19 3/4″ for 42″ -wide cabinet A
48	22 3/4″ for 48″ -wide cabinet A
60	28 3/4″ for 60″ -wide cabinet A
72	34 3/4″ for 72″ -wide cabinet A
84	20″ for 84″ -wide cabinet A
96	23″ for 96″ -wide cabinet A

Prices for Steps 1-2.

FT492.	**36**	$118
	42	$124
	48	$130
	60	$145
	72	$159
	84	$124
	96	$130

Upper Storage Stanchion - Center Mount FD417.

Product Information

Description

This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in a center mounting position. It can be attached anywhere along the top rail. Package contains 1 stanchion. Attachment hardware included.

Notes

Specify shared stanchion (T) to support 2 adjacent cabinet ends.

Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions

Specification Information

Step 1.

FD417. A

Step 2. Attachment

D	dock A

Step 3. Height

09	9" high A
16	16" high A
20	20" high A

Step 4. Grouping/Quantity

S	single A
T	shared A

Prices for Steps 1-4.

		S	T
FD417. D	**09**	$247	247
	16	$255	255
	20	$264	264

Step 5. Surface Finish

Bright Sand Texture Paint

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint

CN	metallic champagne A	+$10
EH	metallic bronze A	+$10
MS	metallic silver A	+$10

Upper Storage Stanchion - Offset Mount FD419.

Product Information

Description

This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in an offset mounting position. It can be attached anywhere along the top rail, and is handed. Package contains 1 stanchion. Attachment hardware included.

Notes

Specify single-shared stanchion (T) to support 2 adjacent cabinet ends.

Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions

Specification Information

Step 1.

FD419. A

Step 2. Attachment

D	dock A

Step 3. Height

09	9″ high A
16	16″ high A
20	20″ high A

Step 4. Grouping/Quantity

L	single left A
R	single right A
T	single - shared A

Prices for Steps 1-4.

		L	R	T
FD419. D	**09**	$247	247	247
	16	$255	255	255
	20	$264	264	264

Step 5. Surface Finish

Bright Sand Texture Paint

91	white A	+$0
CL	cool grey neutral A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0

Metallic Paint

CN	metallic champagne A	+$10
EH	metallic bronze A	+$10
MS	metallic silver A	+$10

Stanchion Infill FD430.

Product Information

Description

This acrylic infill fits between 2 stanchions below a dock mounted storage cabinet.

Notes

Infill is used between single or shared stanchions.

Specify infill width to match the width of storage cabinet (FD415.).

An opening is created between infill and stanchion at each end of infill.

- Single stanchion at each end, openings are 3/4"
- Single stanchion at 1 end and shared stanchion at 1 end, openings are 1 1/4"
- Shared stanchion at each end, openings are 1 3/4"

Dimensions

Specification Information

Step 1.

FD430. A

Step 2. Type

A acrylic A

Step 3. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 4. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Prices for Steps 1-4.

		36	42	48	60	72
FD430. A	**16**	$400	417	434	459	502
	20	$408	425	442	468	510

Step 5. Infill Finish

TR	clear A	+$0
J9	opal frosted A	+$50

Step 6. Attachment Bracket Finish

MS	metallic silver A	+$5

Screens, Dock Mounted FD115.

Product Information

Description

This tackable fabric screen attaches anywhere along the top rail of the 22″ high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Order screen attached marker board (FD125.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54″-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

20—1.58

24—1.84

31—2.27

35—2.53

For horizontal fabric direction (R), for 20″ high and 24″ high:

Width—Yardage

24—0.95

36—1.32

42—1.51

48—1.71

60—2.07

72—2.46

For horizontal fabric direction (R), for 31″ high and 35″ high:

Width—Yardage

24—1.90

36—2.66

42—3.02

48—3.41

60—4.17

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

FD115. A

Step 2. Type

F fabric A

Step 3. Height

20 20″ high (to reach datum of 42″H) A
24 24″ high (to reach datum of 46″H) A
31 31″ high (to reach datum of 53″H) A
35 35″ high (to reach datum of 57″H) A

Step 4. Width

24 24″ wide A
36 36″ wide A
42 42″ wide A
48 48″ wide A
60 60″ wide A
72 72″ wide A

Step 5. Surface Material

For 24" wide (24), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric A
R tackable fabric, horizontal A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

		24T	24R	36T	36R	42T	42R
FD115. F	**20**	$675	675	765	765	855	855
	24	$720	720	810	810	900	900
	31	$900	900	990	990	1080	1080
	35	$990	990	1080	1080	1170	1170

		48T	48R	60R	72R
FD115. F	**20**	$945	945	1080	1170
	24	$990	990	1125	1215
	31	$1170	1170	1305	1395
	35	$1260	1260	1395	1485

Step 6. Fabric

	2024	2036	2042	2048	2060
Price Category 1	+$0	0	0	0	0
Price Category 2	+$13	13	18	18	20
Price Category 3	+$31	31	43	43	49
Price Category 4	+$53	53	74	74	85

	2072	2424	2436	2442	2448
Price Category 1	+$0	0	0	0	0
Price Category 2	+$20	23	23	28	28
Price Category 3	+$49	55	55	67	67
Price Category 4	+$85	96	96	117	117

	2460	2472	3124	3136	3142
Price Category 1	+$0	0	0	0	0
Price Category 2	+$33	33	26	26	36
Price Category 3	+$80	80	61	61	86
Price Category 4	+$138	138	107	107	150

	3148	3160	3172	3524	3536
Price Category 1	+$0	0	0	0	0
Price Category 2	+$36	41	41	46	46
Price Category 3	+$86	98	98	110	110
Price Category 4	+$150	170	170	192	192

	3542	3548	3560	3572
Price Category 1	+$0	0	0	0
Price Category 2	+$57	57	67	67
Price Category 3	+$135	135	159	159
Price Category 4	+$235	235	277	277

Screens, Freestanding/Surface Attached FD300.

Product Information

Description

This tackable fabric screen is 42″ or 46″ high. It has an all fabric surface and a frameless edge. Includes 2 adjustable glides for leveling.

Notes

Screen can be freestanding when connected in 90° or 120° configurations. See planning guide for more information.

Screen can be connected inline (180°). See planning guide for connection rules.

Screen can be attached to:

- Canvas dock
- Table or surface
- Canvas low storage

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54″-wide fabrics.

For vertical fabric direction (T), for 42″ high:
Width—Yardage
15, 20—1.49
24, 30, 36, 42, 48—2.96

For vertical fabric direction (T), for 46″ high:
Width—Yardage
15, 20—1.60
24, 30, 36, 42, 48—3.22

For horizontal fabric direction (R), for 42″ high and 46″ high:
Width—Yardage
15—1.32
20—1.64
24—1.90
30—2.27
36—2.66
42—3.02

For horizontal fabric direction (R), for 42″ high:
Width—Yardage
48—3.41
54—3.78
60—4.17
66—4.54
72—4.92

For horizontal fabric direction (R), for 46″ high:
Width—Yardage
48—3.41
60—4.17
72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

FD300. A

Step 2. Type

F fabric/fabric A

Step 3. Height

42 42" high A
46 46" high A

Step 4. Width

For 42" high (42)

15 15" wide A
20 20" wide A
24 24" wide A
30 30" wide A
36 36" wide A
42 42" wide A
48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A

For 46" high (46)

15 15" wide A
20 20" wide A
24 24" wide A
30 30" wide A
36 36" wide A
42 42" wide A
48 48" wide A
60 60" wide A
72 72" wide A

Step 5. Surface Material

For 15" wide (15), 20" wide (20), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric A
R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

		15T	15R	20T	20R	24T	24R
FD300. F	**42**	$800	800	850	850	1000	1000
	46	$860	860	920	920	1050	1050

		30T	30R	36T	36R	42T	42R
FD300. F	**42**	$1050	1050	1100	1100	1150	1150
	46	$1125	1125	1200	1200	1275	1275

		48T	48R	54R	60R	66R	72R
FD300. F	**42**	$1200	1200	1275	1350	1500	1600
	46	$1275	1500	—	1725	—	1850

Step 6. Fabric

	4215	4220	4224	4230	4236
Price Category 1	+$0	0	0	0	0
Price Category 2	+$24	24	24	38	38
Price Category 3	+$57	57	57	90	90
Price Category 4	+$99	99	99	156	156

	4242	4248	4254	4260	4272
Price Category 1	+$0	0	0	0	0
Price Category 2	+$38	52	52	52	52
Price Category 3	+$90	124	124	124	124
Price Category 4	+$156	215	215	215	215

	4266	4615	4620	4624	4630
Price Category 1					+$0
Price Category 2					+$52
Price Category 3					+$124
Price Category 4					+$215

Pari Screen, Stanchion Infill Fabric FD435.

Product Information

Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD415.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.). When installed, there is a 3/4" gap around all edges of fabric infill.

Dimensions

Specification Information

Step 1.

FD435. A

Step 2. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 4. Surface Material

For 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.

			R	T
FD435.	**16**	**36**	$720	720
		42	$810	810
		48	$900	900
		60	$945	—
		72	$990	—
	20	**36**	$765	765
		42	$855	855
		48	$945	945
		60	$1080	—
		72	$1125	—

Step 5. Fabric

Price Category 1	+$0
Price Category 2	+$38
Price Category 3	+$90
Price Category 4	+$156

Connection Hardware, Screens FD311.

Product Information

Description

This painted metal hardware connects multiple freestanding screens in 90°, 120°, and 180° configurations.

Notes

Order freestanding screen (FD300.) separately.

See planning guide for planning rules.

Dimensions

90 Degree 2 way

180 Degree 2 way

120 Degree 2 way

90 Degree 3 way

90 Degree 4 way

Specification Information
Step 1.
FD311. A

Step 2. Configuration	
1	90° connection - 2 screens A
2	120° connection - 2 screens A
3	3-way connection - 90° A
4	4-way connection - 90° A
5	180° connection - inline - 2 screens A

Step 3. Height	
42	42″ high A
46	46″ high A

Prices for Steps 1-3.

		42	**46**
FD311.	**1**	$40	50
	2	$40	50
	3	$100	110
	4	$130	140
	5	$70	80

Step 4. Finish		
91	white A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0
MS	metallic silver A	+$5

Bracket Hardware, Work Surface/Low Storage

FD312.

Product Information

Description

This metal hardware attaches Canvas freestanding screens to a work surface or Canvas low storage. Package of 2 brackets.

Notes

Used with fixed height surfaces.

Provides 1" cable management gap between screen and back of surface or storage.

See planning guide for connection and support rules.

Dimensions

Specification Information

Step 1.

FD312. A

Step 2. Configuration

1	connection hardware to surface - pair A	
3	connection hardware to low storage A	

Prices for Steps 1-2.

FD312.	**1**	$140
	3	$140

Step 3. Finish

91	white A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0
MS	metallic silver A	+$5

Dock to Screen Bracket, Screens FD313.

Product Information

Description

This bracket connects the Canvas freestanding screen to a Canvas dock wall run.

Notes

See planning guide for planning rules.

Dimensions

Specification Information

Step 1.

FD313. A

Step 2. Configuration

1	connection hardware to Canvas Dock A

Step 3. Position

L	left A
R	right A

Prices for Steps 1-3.

	L	R
FD313. 1	$70	70

Step 4. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$0
WN	warm grey neutral A	+$0

Bracket Hardware, Screens to Renew Table

FD314.

Product Information

Description

This pair of metal brackets attaches a Canvas freestanding/surface attached screen to the legs of a Renew™ table. Attachment hardware included.

Notes

Compatible with Renew table legs only.

Specify size to match depth of Renew table.

Dimensions

Specification Information

Step 1.

FD314. A

Step 2. Configuration

1	connection hardware to Renew table leg - pair A

Step 3. Size

24C	24″ deep renew table - C Foot A
30C	30″ deep renew table - C Foot A
30T	30″ deep renew table - T Foot A

Prices for Steps 1-3.

	24C	30C	30T
FD314. 1	$170	170	170

Step 4. Finish

91	white A	+$0
G1	graphite A	+$0
WN	warm grey neutral A	+$0
MS	metallic silver A	+$5

Surface-Attached Screen Y1116.

Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has an all-fabric surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2″ less than specified width.

Privacy screen (A) top edge is 13″ above top of work surface; bottom edge is 3¾″ below work surface.

Privacy & modesty screen (B) top edge is 13″ above top of work surface; bottom edge is 10″ below work surface.

Screens 54″ wide and wider include an additional 1″-wide center mounting bracket.

Recommended mounting creates a 1″ gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8″ and require 2½″ of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54″-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.84

For horizontal fabric direction (R):

Width—Yardage

24—0.89

30—1.08

36—1.25

42—1.45

48—1.64

54—1.84

60—2.01

66—2.20

72—2.40

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

Y1116. A

Step 2. Height

A privacy (13 1/2" from worksurface) A

B privacy & modesty (24 5/8") A

Step 3. Width

24 24" wide A

30 30" wide A

36 36" wide A

42 42" wide A

48 48" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.

			R	T
Y1116.	**A**	**24**	$347	347
		30	$403	403
		36	$453	453
		42	$498	498
		48	$541	541
		54	$578	—
		60	$665	—
		66	$697	—
		72	$727	—
	B	**24**	$437	437
		30	$499	499
		36	$551	551
		42	$596	596
		48	$634	634
		54	$667	—
		60	$741	—
		66	$765	—
		72	$785	—

Step 5. Cable Trough

For privacy & modesty (24 5/8") (B)

NC	no cable way A	+$0
CW	cable way A	+$25

Step 6. Fabric

Price Category 1	+$0
Price Category 2	+$19
Price Category 3	+$41
Price Category 4	+$80

Bracket Hardware, Pari Freestanding Screen/Low Credenza

FD315.

Product Information

Description

This metal hardware attaches Canvas freestanding screens perpendicularly to Canvas low storage.

Notes

See planning guide for connection and support rules.

Dimensions

Wooden Attachments

Metal Attachments

Specification Information

Step 1.

FD315. A

Step 2. Storage Type

W	for use with wood low credenza with 4″ high foot A	
M	for use with metal low credenza with 4″ high foot A	

Step 3. Credenza Attachment Location

L	left end of credenza A	
R	right end of credenza A	

Step 4. Finish

91	white A	+$0
G1	graphite A	+$0
MS	metallic silver A	+$0

Marker Board - Screen Attached FD125.

Product Information

Description

This marker board attaches to a dock mounted fabric screen.

Notes

Order dock mounted screen (FD115.) separately.

Marker board hangs on the top edge of the fabric screen.

Marker board is not magnetic.

Dimensions

Specification Information

Step 1.

FD125. A

Step 2. Type

M marker board A

Step 3. Height

15 15" high A

Step 4. Width

24 24" wide A

30 30" wide A

Prices for Steps 1-4.

	24	30
FD125. M 15	$420	450

Step 5. Trim Finish

8Q folkstone grey A +$0

Signature Screen, Surface-Attached

FT350.

Product Information

Description

This screen attaches to a surface to provide visual privacy. It is designed to match the height of a 42"-high frame, but can be adjusted to provide varying privacy above and below the surface. The screen has an aluminum frame with a textile surface and is available in 2 heights.

Notes

When top of screen matches the height of a 42"-high frame, the 18"-high screen extends approximately 4" below the surface and the 23"-high screen extends approximately 9" below the surface.

When attached to a surface, there is a 1/2" gap between the back edge and the screen.

Dimensions

Specification Information

Step 1.

FT350. A

Step 2. Attachment Type

A surface attached A

Step 3. Configuration

SS straight A

CC corner wrap A

Step 4. Height

18 18" high A

23 23" high A

Step 5. Depth

For straight (SS)

NN none A

For corner wrap (CC)

20 20" deep A

Step 6. Width

40 39 1/2" wide A

46 45 1/2" wide A

52 51 1/2" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 7. Surface Material

S woven screen A

Prices for Steps 1-7.

	182040S	182046S	182052S	182060S	182066S	182072S
FT350. A CC	$984	1011	1035	1213	1238	1277

	18NN40S	18NN46S	18NN52S	18NN60S	18NN66S	18NN72S
FT350. A SS	$656	686	716	910	940	979

	232040S	232046S	232052S	232060S	232066S	232072S
FT350. A CC	$1012	1037	1063	1247	1274	1313

	23NN40S	23NN46S	23NN52S	23NN60S	23NN66S	23NN72S
FT350. A SS	$686	717	746	952	981	1023

Signature Screen, Surface-Attached *continued*

Step 8. Surface Finish	
See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.	
Price Category 1	+$0

Step 9. Frame Finish		
MS	metallic silver A	+$10

Screen FV694.

Product Information

Description

This screen attaches to a desk or return. It has a 1″-thick frame with a 1/4″-thick translucent or painted surface. Attachment hardware included.

Notes

When attaching the 12″-high screen to a basic desk or return, specify screen width 6″ less than surface width.

When attaching a screen of any height to a single pedestal desk or pedestal return, specify screen width 18″ less than surface width. When attaching to a double pedestal desk, specify screen width 30″ less than surface width.

When attached to surface, there is a 1 1/2″ gap between the back edge and the screen.

For translucent plastic (A) surface material, screen frame finish is metallic silver (MS). For painted (P) surface material, screen frame finish will match bracket finish (Step 6.).

For cable management between screen and back edge of surface, specify cable manager (FV695.) separately.

Dimensions

Specification Information

Step 1.

FV694.

Step 2. Surface Material

A	translucent plastic
P	painted

Step 3. Height

For painted (P)

12A	12" below work surface

For translucent plastic (A)

12A	12" below work surface
18A	6" above/12" below work surface
18B	12" above/6" below work surface
24A	12" above/12" below work surface

Step 4. Width

For 12" below work surface (12A)

30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For 6" above/12" below work surface (18A), 12" above/6" below work surface (18B), or 12" above/12" below work surface (24A)

30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide

Prices for Steps 1-4.

			30	36	42	48	54	60
FV694.	**A**	**12A**	$685	713	740	767	795	822
		18A	$720	750	778	807	834	—
		18B	$720	750	778	807	834	—
		24A	$822	856	889	921	954	—
	P	**12A**	$623	647	672	698	722	747

			66	72
FV694.	**A**	**12A**	$850	876
	P	**12A**	$773	796

Step 5. Surface Finish

Bright Sand Texture Paint

For painted (P)

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

For painted (P)

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Translucent Plastic

For translucent plastic (A)

J9	opal frosted	+$0

Step 6. Bracket Finish

Bright Sand Texture Paint

91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint

CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Privacy Panel FV693.

Product Information

Description

This panel stands on the floor and attaches to a desk or return to provide partial- or full-width privacy. It is 3/4" thick, has a laminate or veneer surface, and includes leveling glides. Attachment hardware included.

Notes

For additional product options, see Vary Easy Program in Appendices.

Grain direction is vertical on veneer and wood-grain laminate panel.

29"-high panel provides modesty from the floor to the surface. 42"- and 46"-high panels rise above the surface for visual privacy.

When attached to surface, there is a 1 1/2" gap between the back edge and the panel.

Wood-grain laminate option is only available in 33" - 60" widths. Specify 2 panels to match the width of surfaces wider than 60".

For cable management between privacy panel and back edge of surface, specify cable manager (FV695.) separately.

Dimensions

Specification Information

Step 1.

FV693.

Step 2. Height

29	29" high
42	42" high
46	46" high

Step 3. Width

For 29" high (29)

33	33" wide
36	36" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide

For 42" high (42) or 46" high (46)

48	48" wide
54	54" wide
60	60" wide
72	72" wide

Step 4. Surface Material

L	laminate
W	veneer A

Prices for Steps 1-4.

			L	W
FV693.	**29**	**33**	$273	598
		36	$298	652
		48	$395	868
		54	$445	975
		60	$494	1085
		66	$543	1189
		72	$593	1302
		84	$690	1518
	42	**48**	$479	1146
		54	$538	1288
		60	$598	1435
		72	$717	1723
	46	**48**	$501	1200
		54	$566	1354
		60	$628	1502
		72	$753	1801

Step 5. Surface Finish

Solid-Color Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), 60" wide (60), 72" wide (72), 66" wide (66), or 84" wide (84) with laminate (L)

8Q	folkstone grey	+$0
91	white	+$0
98	studio white	+$0
CL	cool grey neutral	+$0
LU	soft white	+$0
WL	sandstone	+$0
WN	warm grey neutral	+$0

Linen Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBM	crisp linen	+$0
LBN	classic linen	+$0
LBP	casual linen	+$0

Mesh Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBK	pewter mesh	+$0
LBL	steel mesh	+$0

Twill Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBF	neutral twill	+$0
LBG	sarum twill	+$0
LBH	earthen twill	+$0
LBJ	graphite twill	+$0
LBQ	white twill	+$0

Wood-Grain Laminate		
For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)		
76	light brown walnut	+$0
HM	natural maple	+$0
HP	light anigre	+$0
HX	aged cherry	+$0
HY	walnut on cherry	+$0
LBA	clear on ash	+$0
LBB	oak on ash	+$0
LBC	walnut on ash	+$0
LBD	dark brown walnut	+$0
LBE	medium red walnut	+$0

Wood Veneer		
For veneer (W)		
2U	light brown walnut A	+$85
40	dark brown walnut	+$85
ED	aged cherry A	+$85
EK	medium red walnut	+$85
ET	clear on ash A	+$85
EU	oak on ash A	+$85
EV	walnut on ash A	+$85
UL	natural maple A	+$85
UX	walnut on cherry	+$85

Step 6. Support Finish

Bright Sand Texture Paint		
91	white	+$0
CL	cool grey neutral	+$0
G1	graphite	+$0
WN	warm grey neutral	+$0

Metallic Paint		
CN	metallic champagne	+$10
EH	metallic bronze	+$10
MS	metallic silver	+$10

Index by Product Name

Canvas Office Landscape® Dock-Based	
Bottom of Dock, Data Housing	page(s) 14
Bracket Hardware, Pari Freestanding Screen/Low Credenza	89
Bracket Hardware, Screens to Renew Table	86
Bracket Hardware, Work Surface/Low Storage	84
Cable Clips	36
Cable Management Channel	68
Cable Management Trough	67
Cable Manager	66
Cable Manager - Dock to Surface	37
Ceiling Power Entry	35
Column Kit	65
Connection Hardware, Screens	82
Controlled Power Module - Bottom of Dock	22
Controlled Receptacle Decal (20 per sheet)	33
Cord Cleat	69
Dock-to-Dock Connector	8
Dock Foot	7
Dock Foot, Structural (Support Foot)	6
Dock Power Harness	15
Dock Structure	5
Dock to Screen Bracket, Screens	85
Dock to Surface Tethers	55
Finished End, Architectural, Dock	13
Half Bridge	46
Individual Bridge	44
Logic G1000 Grommet Mounted Electrical Distributor	28
Low Storage to Dock Bracket	9
Low Storage to Dock Spacer	10
Lower Cladding	11
Lower Data Cladding	12
Marker Board - Screen Attached	90
Markerboard, Storage Cabinet, Frame Top Mounted	73
Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	63
Pari Screen, Stanchion Infill Fabric	81
Peninsula Surface	53
Power Entry, Internal Direct Connect - Floor	32
Power Entry, New York - Floor Power Entry	34
Power Module - Bottom of Dock	17
Power Module - Bottom of Dock - 20 amp	26
Power Module-Top of Dock	21
Power, Block to Block Jumper	16
Privacy Panel	95
Rectangular Surface	38
Screen	93
Screens, Dock Mounted	77
Screens, Freestanding/Surface Attached	79
Secondary Surface	50
Signature Screen, Surface-Attached	91
Square Open Support Leg	62
Stanchion Infill	76
Stiffener	58
Storage Cabinet, Dock Mounted, Open	70
Support Leg, Post	61
Surface-Attached Screen	87
Surface Support, Low Credenza, Adjustable Height	57
Surface Support, Low Credenza, Fixed Height	56
Tackboard, Storage Cabinet, Frame Top Mounted	72
Team Bridge	48
Under Surface Controlled Power Module	24
Under Surface Power Module	19
Under Surface Power Module -	30
Universal Post Leg	59
Universal Post Leg, Shared	60
Upper Storage Stanchion - Center Mount	74
Upper Storage Stanchion - Offset Mount	75

Index by Product Number

FD110.	Dock Structure	page(s) 5
FD115.	Screens, Dock Mounted	77
FD117.	Dock Foot	7
FD119.	Dock Foot, Structural (Support Foot)	6
FD125.	Marker Board - Screen Attached	90
FD128.	Dock-to-Dock Connector	8
FD141.	Power Entry, New York - Floor Power Entry	34
FD142.	Ceiling Power Entry	35
FD144.	Power Entry, Internal Direct Connect - Floor	32
FD150.	Power Module - Bottom of Dock	17
FD150M	Controlled Power Module - Bottom of Dock	22
FD151.	Dock Power Harness	15
FD152.	Under Surface Power Module	19
FD152M	Under Surface Controlled Power Module	24
FD154.	Power, Block to Block Jumper	16
FD156.	Power Module - Bottom of Dock - 20 amp	26
FD157.	Under Surface Power Module -	30
FD158.	Power Module-Top of Dock	21
FD159.	Bottom of Dock, Data Housing	14
FD16A.	Finished End, Architectural, Dock	13
FD170.	Lower Cladding	11
FD172.	Lower Data Cladding	12
FD198.	Cable Clips	36
FD199.	Cable Manager - Dock to Surface	37
FD290.	Dock to Surface Tethers	55
FD292.	Low Storage to Dock Bracket	9
FD293.	Low Storage to Dock Spacer	10
FD2B2.	Universal Post Leg, Shared	60
FD300.	Screens, Freestanding/Surface Attached	79
FD311.	Connection Hardware, Screens	82
FD312.	Bracket Hardware, Work Surface/Low Storage	84
FD313.	Dock to Screen Bracket, Screens	85
FD314.	Bracket Hardware, Screens to Renew Table	86
FD315.	Bracket Hardware, Pari Freestanding Screen/Low Credenza	89
FD415.	Storage Cabinet, Dock Mounted, Open	70
FD417.	Upper Storage Stanchion - Center Mount	74
FD419.	Upper Storage Stanchion - Offset Mount	75
FD430.	Stanchion Infill	76
FD435.	Pari Screen, Stanchion Infill Fabric	81
FD600.	Column Kit	65
FDE10.	Secondary Surface	50
FDE15.	Half Bridge	46
FDE16.	Team Bridge	48
FDE17.	Individual Bridge	44
FDE60.	Peninsula Surface	53
FDS10.	Secondary Surface	50
FDS15.	Half Bridge	46
FDS16.	Team Bridge	48
FDS17.	Individual Bridge	44
FDS60.	Peninsula Surface	53
FDT10.	Secondary Surface	50
FDT15.	Half Bridge	46
FDT16.	Team Bridge	48
FDT17.	Individual Bridge	44
FDT60.	Peninsula Surface	53
FT199.	Cable Management Trough	67
FT19C.	Cable Management Channel	68
FT298.	Surface Support, Low Credenza, Fixed Height	56
FT299.	Surface Support, Low Credenza, Adjustable Height	57
FT2A2.	Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	63
FT2B2.	Universal Post Leg	59
FT350.	Signature Screen, Surface-Attached	91
FT491.	Tackboard, Storage Cabinet, Frame Top Mounted	72
FT492.	Markerboard, Storage Cabinet, Frame Top Mounted	73
FTE10.	Rectangular Surface	38
FTS10.		
FTT10.		
FV2D2.	Square Open Support Leg	62
FV689.	Support Leg, Post	61
FV693.	Privacy Panel	95
FV694.	Screen	93
FV695.	Cable Manager	66
FV696.	Stiffener	58
G1331.	Cord Cleat	69
G9999.	Controlled Receptacle Decal (20 per sheet)	33
Y1116.	Surface-Attached Screen	87
Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	28

20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon A will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an A are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian®
Filing and Storage: (616) 846 9236.
Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.
   Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400.

   Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

   Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 3400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
   - Product number and option
   - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Proprietary Textiles Application Chart — Workspaces

• *Available*

A *Assigned lead-time textile.*

See page 3 for exception notes.

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mount/Freestanding/Surface-Attached Screens	Canvas Standing Screen and Team Wall Infill	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Tackable Boards and Stowage Tackable Backdrop	Exclave Tackable Boards and Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Personal Side Screen	Thrive Surface-Attached Screen	Tu® L-Series Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 1																															
COM Customer's Own Material A	1	1	1	1	1		1	1	1	1	1		•	1		1	1			1	1					1	1	1		3	1
8A_ _ Bubbletack™																						•									
2V_ _ Chain	•	•	•	•	•		•	22	•	•	•		•	•	•	•	•		•	•						•		•	•	3	
8T_ _ Crossing (85_ _)	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•		•	•	3	18
95_ _ Gem	2	2	2	•	•		•	•	2		•		•	•		•										•	•		•	3	•
2I_ _ Grasscloth	•	•	•	•	•		•	•	•	•	•		•		•	•	•		•	•						•	•	•	•	3	
8B_ _ Multiscrim™						•															•		•								
5T_ _ Resonance	•	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•		•		
8C_ _ Scrim Trim																							•								
22W_ _ Shade												•																			
2M_ _ Silkworm	•	•	•	•	•		•	•	•		•		•	•		•										•	•		•	3	
22F_ _ Slant	6		•		•		•	•			•		•	•		•										•			•	3	
235_ _ Tailored	•	•		•	•		•	•	•		•		•	•		•										•			•		•
Price Category 2																															
1CD_ _ Code	•	•	•	•	•		•	•	•		•		•	•		•								•		•					
3P_ _ ColorGuard		2		•																											•
51_ _ Cord	•	•	•	•	•		•	•	•		•		•	•		•										•			•	3	
92_ _ Crepe	2	•	•	•	•		•	•	•		•		•	•		•								•	8	•	•			3	•
22Q_ _ Fish Net		2	2	•	•		•	•	2		•			•																	•
57_ _ Frost	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
84_ _ Grosgrain	4	•	•	•	•		•	•	•		•			•		19	19		19							•	19		•	3	
4N_ _ Horizon	2	2	2	•	•		•	•	•		•		•	•		•										•	•		•	3	
1LM_ _ Loom	2	2	2	•	•		•	•	•	•			•	•	•	•	•		•	•				•	8	•		•			•
1HA_ _ Medley	2	2	2	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•				•		•	•	•			•
3A_ _ Moiré		2	2	•	•		•	22	2	•	•		•	•	•	•	•		•	•								•	•	3	•
43_ _ Tape								•	•		•		•	•		•													•		
8R_ _ Twist (5S_ _)	5	2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•						•	•	•	•	3	18
22T_ _ Well Suited		2		•	•			•	2		•																				•
Price Category 3																															
70_ _ Bento	2	2	2	•				•	2	•	•		•		•	•	•		•	•						•		•	•	3	•
8S_ _ Coil	2	2	2	•	•		•	•	•	•				•	•	•	•		•	•						•		•		3	•
1FB _ Connection	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
1FC _ Current	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
8Z_ _ Glaze	•	•	•	•	•		•	•	•		•		•	•		•				•						•	•		•	3	
47_ _ Ground Cloth®	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•				•	8	•	•	•	•	3	
5D_ _ Kira 2	2	2	2	•	•		•	•	2	•	•		•	•	•	•	•		•	•	14					•	•	•	•	3	
22R_ _ Pins and Needles	2	2		•	•		•	•	2		•		•	•		•										•					•
8L_ _ Savannah	•	20	•	•	•		•	•	•		•		•	•		•					14								•		
8U_ _ Stitches (5Z_ _)	2	2	2	•				•	2		•		•	•												•			•	3	18
8W_ _ Strands	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
22V_ _ String Plaid	2	2	2	•	•		•	•	2		•		•	•												•					•

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Dock Mount/Freestanding/Surface-Attached Screens	Canvas Standing Screen and Team Wall Infill	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Layout Studio Frameless Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave™ Tackable Boards and Stowage Tackable Backdrop	Exclave Tackable Boards and Stowage Video-Friendly Tackable Backdrop	Intersect® Screens	Thrive® Personal Side Screen	Thrive Surface-Attached Screen	Tu® L-Series Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 4																															
2X_ _ Glisten	•	•	•	•	•		•	•	•		•		•	•		•				•						•			•	3	
22L_ _ Loft A		2	2	•	•		•	•	2	•	•		•	•	•	•	•	•	•	•				•	8	•	•	•	•	3	
6S_ _ Quilty	2	2	2	•	•		•	•	2					•		•										•	•			3	•
63_ _ Sironetta	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•		•	•						•	•	•	•	3	
Price Category 5																															
14A_ _Hopsak	2	2	2	•	•			•	2		•		•	•		•								•		•			•		•
Price Category 6																															
No fabrics available at this time.																															

1 *Refer to price book appendices and Omni for COM information.*
2 *Available on all products except 54" and 60" wide.*
3 *Fabric is railroaded for all widths.*
4 *Not available on Action Office (AO®) acoustical panels.*
5 *(8R_ _), (8T_ _), (85_ _), and (5S_ _) not available on AO acoustical panels and not available on 54"- or 60"-wide products.*
6 *Not available on Action Office (AO®) connectors, cable management, and spacers.*
8 *Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.*
14 *Not available on Resolve flags.*
18 *Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.*
19 *Not available in Grosgrain (84_ _) fabric colors 8401, 8405, and 8413.*
20 *Available only on Ethospace B-Style.*
22 *Not available as railroaded application option for* Chain *(2V00) and* Moiré *(3A00) on Canvas Extended Width Tiles.*
24 *Not available on Ethospace cable access tile, cable channel tile, or beltline face tile.*

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Price Category 1

Customer's Own Material
See Order Information in Appendices. Assigned lead-time textile. A

Bubbletack™	
100% polyester	
8A01	Seashell White
8A02	Pearl Grey
8A05	Dune Beige
8A07	Pebble Beige
8A09	Olive Green
8A13	Slate Purple
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A29	Tea Leaf Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A33	Caramel Beige
8A34	Kiwi Green

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T20	Brownstone
8T21	Bark
8T22	Tin
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory
8502	Oyster

Gem	
54" wide	
100% antimony-free polyester	
9501	Sesame
9502	Tangerine
9503	Red
9504	Red Violet
9505	Mulberry
9506	Java
9507	Twilight
9508	Bayou
9509	Iris
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9513	Spruce
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I10	Cayenne
2I11	Bottle Green
2I12	Surf
2I13	Gravel

Multiscrim™	
60" wide	
100% polyester	
8B01	Seashell White
8B02	Pearl Grey
8B05	Dune Beige
8B07	Pebble Beige
8B09	Olive Green
8B15	Slate Purple
8B19	Spa Blue
8B24	Sable Grey
8B27	Summer White
8B28	Moth Grey
8B29	Tea Leaf Grey
8B30	Blue Grey
8B31	Dusty Bronze
8B32	Slate Blue
8B33	Caramel Beige
8B34	Kiwi Green

Price Category 1
continued

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain *
5T06	Alabaster *
5T15	Iris
5T28	Sugar *
5T47	Tobacco
5T54	Saltbush *
5T57	Seed
5T58	Sepia
5T59	Tundra
5T60	Iceberg *
5T61	Black
5T62	Chamois *
5T63	Citrus
5T64	Tangerine
5T65	Red
5T66	Wild Berry
5T67	Boysenberry
5T68	Pistachio *
5T69	Green Apple
5T70	Forest
5T71	Jade
5T72	Blue Green
5T73	Bright Turquoise
5T74	Twilight

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Scrim Trim	
61" wide	
82% polyester	
18% spandex	
8C01	Seashell White
8C02	Pearl Grey
8C22	Winter Grey
8C24	Sable Grey

Shade	
91% polypropylene	
9% polyester	
22W01	Pearl
22W02	Tin
22W03	Graphite

Silkworm	
66" wide	
58% recycled polyester	
42% polyester	
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant	
66" wide	
51% polyester	
49% recycled polyester	
22F01	Beech Nut
22F02	Chamois
22F03	Chartreuse
22F04	Pesto
22F05	Peacock
22F06	Neptune
22F07	Blueberry
22F08	Boysenberry
22F09	Magenta
22F10	Pumpkin
22F11	Cranberry
22F12	Silver Birch
22F13	Bluestone
22F14	Truffle
22F15	Shale

Tailored	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

Price Category 2

Code	
66" wide	
100% Repreve recycled polyester	
1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

ColorGuard		
54" wide		
100% vinyl		
3P01	Grey	
3P02	Navy	
3P03	Spruce	A
3P04	Jade	A
3P05	Natural	A
3P08	Blueberry	A
3P09	Coal	A
3P12	Black Plum	A
3P14	Black	
3P15	New Burgundy	A
3P17	Burgundy	A
3P19	Slate	
3P31	Horizon Blue	A
3P33	Pumice	
3P54	Candy Apple	A
3P58	Beige	A
3P66	Deep Clay	A
3P72	Allspice	A
3P90	Green Tea	A
3P93	Camelback	A
3P96	Manzanita	A
3P97	Fudge	A
3PB2	Sea Grass	A
3PB5	Vizcaya Palm	A
3PB9	Neptune	A
3PC7	Bucksuede	A
3PD4	Otter	A

A Assigned lead-time color.

Price Category 2
continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Crepe *continued*	
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Fish Net	
55" wide	
100% recycled polyester	
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Frost	
66" wide	
100% recycled polyester	
5701	Bisque
5702	Abalone
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5707	Reed
5708	Steam Grey
5709	Gunmetal
5710	Sable Grey

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl *
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Surface-Attached Screen.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Poppy
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Price Category 2
continued

Moiré
54" wide
100% recycled polyester
3A01 Concrete
3A02 Biscotti
3A03 Rattan
3A04 Chambray
3A05 Fern
3A08 Violet
3A09 Zin
3A10 Curry
3A11 Spice
3A12 Cork

Tape
66" wide
52% polypropylene
48% recycled polyester
4301 Pearl
4302 Oyster
4303 Wicker
4304 Reed
4305 Straw
4306 Celadon
4307 Alabaster
4308 Bamboo
4309 Feather Grey
4310 Iceberg

Twist
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R04 Chamois
8R05 Wicker
8R06 Nutmeg
8R07 Squash
8R08 Copper
8R09 Cayenne
8R10 Poppy
8R11 Magenta
8R12 Garnet
8R13 Iceberg
8R14 Tin
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R19 Coffee Bean
8R20 Bayou
8R21 Periwinkle
8R22 Blueberry
8R23 Green Apple
8R24 Loden
8R25 Turquoise

Twist
For workspaces products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Well Suited
55" wide
79% polyester
21% recycled polyester
22T01 Oyster
22T02 Raffia
22T03 Peppermint
22T04 Wild Berry
22T05 Spring Green
22T06 Mint
22T07 Periwinkle
22T08 Cool Grey
22T09 Citrus
22T10 Pumpkin
22T11 Red
22T12 Fuschia
22T13 Orchid
22T14 Chartreuse
22T15 Green Apple
22T16 Jade
22T17 Peacock
22T18 Blueberry
22T19 Bluestone
22T20 Mink

Price Category 3

Bento
54" wide
100% antimony-free polyester
7001 Frost
7002 Linen
7003 Khaki
7004 Truffle
7005 Grey Black
7006 Pumpkin
7007 Cranberry
7008 Everglade
7009 Cobalt

Coil
54" wide
100% recycled polyester
8S01 Nougat
8S03 Copper
8S04 Molasses
8S05 Chutney
8S06 Claret
8S07 Plum
8S08 Olive Wood
8S09 Root
8S10 Pesto
8S11 Hemlock
8S12 Java
8S13 Bayou
8S14 Peacock
8S15 Twilight
8S16 Ink
8S17 Black

Price Category 3
continued

Connection	
66" wide	
100% antimony-free polyester	
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze	
66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Kira 2	
54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles	
58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Stitches	
54" wide	
54% polyester	
46% recycled polyester	
8U02	Rye
8U03	Khaki
8U04	Honey
8U05	Cattail
8U06	Pumpkin
8U07	Brick
8U08	Cool Grey
8U09	Slate Blue
8U10	Juniper
8U11	Evening Blue
8U12	Charcoal
8U13	Kiwi Green
8U14	Olive
8U15	Pesto
8U16	Cocoa
8U17	Seed

Stitches	
For workspaces products only.	
54" wide	
54% polyester	
46% recycled polyester	
5Z01	White Ash

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

String Plaid	
54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Price Category 4

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X01	Porcelain
2X02	Rye
2X03	Wicker
2X04	Cashew
2X05	Iceberg
2X06	Bronze
2X08	Shadow
2X09	Pewter
2X10	Ash
2X11	Truffle

Loft	
Assigned lead-time textile. A	
54" wide	
100% wool	
22L01	Heathered Light Green
22L02	Heathered Dark Green
22L03	Heathered Turquoise
22L04	Heathered Navy
22L05	Heathered Orange
22L06	Heathered Red
22L07	Heathered Tan *
22L08	Heathered Grey *
22L09	Heathered Blue *
22L10	Heathered Brown
22L11	Heathered Dark Grey
22L12	Heathered Denim

* Colors available on Exclave™ Stowage Video-friendly Tackable Backdrop

Quilty	
56" wide	
100% antimony-free polyester	
GreenShield	
6S01	Wicker
6S02	Honey
6S03	Khaki
6S04	Straw
6S05	Squash
6S06	Cayenne
6S07	Brick
6S08	Cerulean
6S09	Blue Violet
6S10	Mink
6S11	Green Apple
6S12	Jade
6S13	Indigo

Sironetta	
66" wide	
100% recycled polyester	
6301	Acapella
6302	Sonata
6303	Interlude
6304	Legato
6305	Forte
6306	Minuet
6307	Opus
6308	Harmony
6309	Ensemble
6310	Baroque
6311	Serenade

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2016 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ☻, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Exclave, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.