

Specifying Privacy Wall


Specifying

Solid Wall Panels	108
All-Glass Wall Panels	114
Glass Wall Panels with Three Equal Divided Lites	118
Glass Wall Panels with Four Equal Divided Lites	122
Glass Wall Panels with Four Divided Lites	126
Glass Wall Panels with Two Divided Lites	130
Clerestory Wall Panels	134
Power Options	139
Butt-Hinged Door Frames	140
Pivot-Hinged Door Frames	142
Pivot-Hinged Door Frames with Switch Cutout	146
Full-Height Butt-Hinged Door Leaves	148
Transom-Height Butt-Hinged Door Leaves	150
Full-Height Pivot-Hinged Door Leaves	152
Transom-Height Pivot-Hinged Door Leaves	154
Full-Height Pivot-Hinged Door Leaves for Use with Switch Cutout	156
Transom-Height Pivot-Hinged Door Leaves for Use with Switch Cutout	158
Hardware and Accessories for Swing Doors	160
Privacy Wall Slider Doors with Tubular Pull	166
Back-to-Back Cover	176
Mini Ends	177
Wall Channels	179
Adapters	182
Posts	184
I-Line Interface Post	186
Glass Selections All-Glass Wall Panels	188
Glass Selections All-Glass Frame Kits	190
Glass Selections All-Glass Glass Kits	192
Glass Selections Wall Panels with Two Divided Lites	194
Glass Selections Two Divided Lite Frame Kits	198
Glass Selections Two Divided Lite Glass Kits	200
Glass Selections Clerestory Wall Panels	202

Specifying, continued

Glass Selections Pivot-Hinged Door Frames	206
Glass Selections Full-Height Pivot-Hinged Door Leaves	208
Glass Selections Transom-Height Pivot-Hinged Door Leaves	210
Glass Selections Full-Height Pivot-Hinged Door Leaves for Use with Switch Cutout	212
Glass Selections Transom-Height Pivot-Hinged Door Leaves for Use with Switch Cutout	214
Glass Selections Full-Height Polished Edge Slider Doors	216
Glass Selections Transom-Height Polished Edge Slider Doors	218
Glass Selections Polished Edge Slider Door Vertical Seal	220
Glass Selections Mini Ends	221
Glass Selections Adapters	222
Glass Selections Posts	223
Glass Selections Transitions	224
Ceiling Tracks	230
Cornice Track and Brackets	235
Trim and Accessories	236
Post and Beam Attachment Kit	245
Accessories	246
Wiring and Cabling	247

Solid Wall Panels with Hollow Core



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Paint price group 2 is only available on panels 36"W or smaller.

Tip: Vinyl is not available on panels wider than 48"W.

Tip: Panels that are wider than 48" may not be suitable for application in certain areas where local building codes have specific provisions for seismic activity. For more information regarding seismic applications, visit the Architectural Solutions Web site at village.steelcase.com/SalesGuides and more.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Standard Includes		Required to Specify
► Need help? Product details, page 18		1 Style number 2 Ceiling height 3 Paint color number for side 1 4 Paint color number for side 2 5 Post extension 6 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.
- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel surfaces: paint - Integral slotted verticals - Hollow core panel for cable and power routing - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		
Options	U.S. Price	Required to Specify
Surface Materials	Panel surfaces 8'0"H through 10'0"H (per side) 6"W to 30"W	
• Paint price group 1	No cost	Specify paint color number for side 1 and/or side 2.
• Paint price group 2	+\$ 17	Specify paint color number for side 1 and/or side 2.
• Paint price group 3	+\$ 29	Specify paint color number for side 1 and/or side 2.
• Fabric price group 1	+\$165	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 2	+\$223	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 3	+\$283	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 5	+\$349	Specify fabric color number for side 1 and/or side 2.
• Vinyl price group A	+\$320	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group B	+\$452	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group C	+\$477	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group D	+\$500	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group E	+\$540	Specify vinyl color number for side 1 and/or side 2.
• Customer's Own Material/ Vinyl (COM)	+\$161	► See <i>Surface Materials Reference Manual</i> .
	Panel surfaces 8'0"H through 10'0"H (per side) 36"W to 60"W	
• Paint price group 1	No cost	Specify paint color number for side 1 and/or side 2.
• Paint price group 2	+\$ 29	Specify paint color number for side 1 and/or side 2.
• Paint price group 3	+\$ 44	Specify paint color number for side 1 and/or side 2.
• Fabric price group 1	+\$221	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 2	+\$326	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 3	+\$477	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 5	+\$609	Specify fabric color number for side 1 and/or side 2.
• Vinyl price group A	+\$417	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group B	+\$630	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group C	+\$668	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group D	+\$714	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group E	+\$783	Specify vinyl color number for side 1 and/or side 2.
• Customer's Own Material/ Vinyl (COM)	+\$208	► See <i>Surface Materials Reference Manual</i> .

► Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	• 8'0" through 9'0" • 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power (for panels 30"W through 60"W)	Power block locations		
	• Base	+\$196	Specify with power block location at base.
	• ADA height	+\$715	Specify with power block location at ADA height.
	• Desk height	+\$715	Specify with power block location at desk height.
	New York City/Chicago Power Prep		
	• NYC/CHI side 1	+\$ 24	Specify with NYC/CHI side 1.
	• NYC/CHI side 2	+\$ 24	Specify with NYC/CHI side 2.
	• NYC/CHI sides 1 and 2	+\$ 48	Specify with NYC/CHI sides 1 and 2.
	Receptacle cutouts		
	• Power side 1	No cost	Specify with power side 1.
• Power side 2	No cost	Specify with power side 2.	
• Power sides 1 and 2	+\$ 24	Specify with power sides 1 and 2.	
• Power/comm side 1	No cost	Specify with power/comm side 1.	
• Power/comm side 2	No cost	Specify with power/comm side 2.	
• Power/comm sides 1 and 2	+\$ 24	Specify with power/comm sides 1 and 2.	
Power schematic			
• 3+1	No cost	Specify with 3+1 power.	
• 2+2	No cost	Specify with 2+2 power.	
• 3SN	No cost	Specify with 3SN power.	
Ceiling infeeds			
• Top left hardwire	No cost	Specify with top left hardwire.	
• Top left modular	+\$ 91	Specify with top left modular.	
Floor infeeds			
• Bottom left hardwire	No cost	Specify with bottom left hardwire.	
• Bottom left modular	+\$ 91	Specify with bottom left modular.	
Related Products	• Ceiling tracks • Continuous base trim • Feature strips • Acoustic packing • Power receptacles • Power and communication cover plates • Infeeds • Modular harnesses • Field-installed powerkits • Cornice track		▶ Page 230 ▶ Page 236 ▶ Page 240 ▶ Page 244 ▶ Page 247 ▶ Page 249 ▶ Page 250 ▶ Page 252 ▶ Page 254 ▶ Page 235

► Options, continued on next page

Tip: To price power in two locations, add the upcharges together.

Tip: Infeed is included in price of ADA- or desk-height receptacle power location option. Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: NYC/CHI prices replace the receptacle power location option prices when selected.

Tip: Order power and communication and power-only cover plates separately.

Tip: Panels that are less than 24"W are not factory punched for infeeds.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Solid Wall Panels with Hollow Core, continued

Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Markerboard surface cannot exceed 48"W or 120" in height.


Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
7610 White Markerboard Surface	6"W through 24"W 25"W through 36"W 37"W through 48"W	+\$475 +\$510 +\$545	Specify with markerboard. Specify with markerboard. Specify with markerboard.
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" 10'1" through 11'0"	No cost +\$159	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	- Non standard widths - Non standard modular widths	+\$ 37 (Add to U.S. Base Price of next larger width) +\$ 37 (Add to U.S. Base Price of next larger width)	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	4"H base	+\$ 61	Specify to accept 4"H base.


Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Solid Wall Panels			Modular Solid Wall Panels			
6"	GPSS06	\$ 869				
8"	GPSS08	\$ 869	8"	6 ¹¹ / ₁₆ "	GPSM08	\$ 869
18"	GPSS18	\$ 934	18"	16 ¹¹ / ₁₆ "	GPSM18	\$ 934
20"	GPSS20	\$ 934	20"	18 ¹¹ / ₁₆ "	GPSM20	\$ 934
24"	GPSS24	\$ 994	24"	22 ¹¹ / ₁₆ "	GPSM24	\$ 994
30"	GPSS30	\$1042	30"	28 ¹¹ / ₁₆ "	GPSM30	\$1042
36"	GPSS36	\$1073	36"	34 ¹¹ / ₁₆ "	GPSM36	\$1073
40"	GPSS40	\$1115	40"	38 ¹¹ / ₁₆ "	GPSM40	\$1115
42"	GPSS42	\$1115	42"	40 ¹¹ / ₁₆ "	GPSM42	\$1115
48"	GPSS48	\$1150	48"	46 ¹¹ / ₁₆ "	GPSM48	\$1150
60"	GPSS60	\$1494	60"	58 ¹¹ / ₁₆ "	GPSM60	\$1494
:	:	:	:	:	:	:



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Solid Wall Panels with Enhanced Core



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Paint price group 2 is only available on panels 36"W or smaller.

Tip: Enhanced core panels are intended for use with overlapping ceiling track in order to maximize their acoustical properties.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 18	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel surfaces: paint - Integral slotted verticals - Insulated core for improved acoustical performance - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately) - Post extension for overlapping ceiling track	1 Style number 2 Ceiling height 3 Paint color number for side 1 4 Paint color number for side 2 5 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Panel surfaces 8'0"H through 10'0"H (per side) 6"W to 30"W	
• Paint price group 1	No cost	Specify paint color number for side 1 and/or side 2.
• Paint price group 2	+\$ 17	Specify paint color number for side 1 and/or side 2.
• Paint price group 3	+\$ 29	Specify paint color number for side 1 and/or side 2.
• Fabric price group 1	+\$165	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 2	+\$223	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 3	+\$283	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 5	+\$349	Specify fabric color number for side 1 and/or side 2.
• Vinyl price group A	+\$320	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group B	+\$452	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group C	+\$477	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group D	+\$500	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group E	+\$540	Specify vinyl color number for side 1 and/or side 2.
• Customer's Own Material/ Vinyl (COM)	+\$161	▶ See <i>Surface Materials Reference Manual</i> .
	Panel surfaces 8'0"H through 10'0"H (per side) 36"W to 48"W	
• Paint price group 1	No cost	Specify paint color number for side 1 and/or side 2.
• Paint price group 2	+\$ 29	Specify paint color number for side 1 and/or side 2.
• Paint price group 3	+\$ 44	Specify paint color number for side 1 and/or side 2.
• Fabric price group 1	+\$221	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 2	+\$326	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 3	+\$477	Specify fabric color number for side 1 and/or side 2.
• Fabric price group 5	+\$609	Specify fabric color number for side 1 and/or side 2.
• Vinyl price group A	+\$417	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group B	+\$630	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group C	+\$668	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group D	+\$714	Specify vinyl color number for side 1 and/or side 2.
• Vinyl price group E	+\$783	Specify vinyl color number for side 1 and/or side 2.
• Customer's Own Material/ Vinyl (COM)	+\$208	▶ See <i>Surface Materials Reference Manual</i> .
▶ Options, continued on next page		

► Options, continued from previous page

Options		U.S. Price	Required to Specify
Ceiling Height	• 8'0" through 9'0" • 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power (for panels 30"W through 60"W)	Power block locations • Base	+\$196	Specify <i>with power block location at base.</i>
	Power schematic • 3+1 • 2+2 • 3SN	No cost No cost No cost	Specify <i>with 3+1 power.</i> Specify <i>with 2+2 power.</i> Specify <i>with 3SN power.</i>
	Related Products • Ceiling tracks • Continuous base trim • Feature strips • Power receptacles • Infeeds • Modular harnesses • Powerkits • Cornice track		▶ Page 230 ▶ Page 236 ▶ Page 240 ▶ Page 247 ▶ Page 250 ▶ Page 252 ▶ Page 254 ▶ Page 235

Tip: Multipurpose infeeds are ordered separately, and route through the floor, adjacent posts, mini ends, or door frames.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Markerboard surface cannot exceed 48"W or 120" in height.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
7610 White Markerboard Surface	• 6"W through 24"W • 25"W through 36"W • 37"W through 48"W	+\$475 +\$510 +\$545	- Specify <i>with markerboard.</i> - Specify <i>with markerboard.</i> - Specify <i>with markerboard.</i>
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" • 10'1" through 11'0"	- No cost +\$159	- Specify ceiling height in 1" increments. - Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths • Non standard modular widths	+\$ 37 (Add to U.S. Base Price of next larger width) +\$ 37 (Add to U.S. Base Price of next larger width)	- Specify panel widths in 1" increments. - Specify panel widths in 1" increments.
Base	• 4"H base	+\$ 61	Specify to accept 4"H base.

Specification Information


Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
-------	--------------	-----------------	---------------	---------------	--------------	-----------------

Solid Wall Panels
with Enhanced Core

6"	GPSAS06	\$ 900
8"	GPSAS08	\$ 900
18"	GPSAS18	\$ 966
20"	GPSAS20	\$1027
24"	GPSAS24	\$1027
30"	GPSAS30	\$1078
36"	GPSAS36	\$1112
40"	GPSAS40	\$1153
42"	GPSAS42	\$1153
48"	GPSAS48	\$1191


Modular Solid Wall Panels
with Enhanced Core

8"	6 ¹¹ / ₁₆ "	GPSAM08	\$ 900
18"	16 ¹¹ / ₁₆ "	GPSAM18	\$ 966
20"	18 ¹¹ / ₁₆ "	GPSAM20	\$1027
24"	22 ¹¹ / ₁₆ "	GPSAM24	\$1027
30"	28 ¹¹ / ₁₆ "	GPSAM30	\$1078
36"	34 ¹¹ / ₁₆ "	GPSAM36	\$1112
40"	38 ¹¹ / ₁₆ "	GPSAM40	\$1153
42"	40 ¹¹ / ₁₆ "	GPSAM42	\$1153
48"	46 ¹¹ / ₁₆ "	GPSAM48	\$1191



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

All-Glass Wall Panels



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 24	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel frame: paint 1/4"-thick factory-installed lite: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Paint color number for frame 4 Glass number for lite 5 Post extension 6 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.	
Surface Materials	Options	U.S. Price	Required to Specify
	Glass frame surface		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 27 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.
Panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W			
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 98 +\$ 119 +\$ 190 N.A. +\$ 372	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .			
Panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W			
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 296 +\$ 353 +\$ 566 N.A. +\$1113	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .			
Panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W			
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 443 +\$ 528 +\$ 846 N.A. +\$1668	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .			
Panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W			
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 591 +\$ 702 +\$1130 N.A. +\$2225	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .			
Panel surfaces 8'0"H through 10'0"H (per lite), 60"W			
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 739 +\$ 878 +\$1409 N.A. +\$2781	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .			
Post Extension	Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.

▶ Options, continued on next page



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic 3+1 2+2 3SN	+\$ 196 +\$ 196 +\$ 196	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products	- Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing - Power receptacles - Power and communication cover plates - Infeeds - Modular harnesses - Field-installed powerkits - Cornice track		► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254 ► Page 235

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface, veneer (flat-cut open-pore finish) 6"W through 20"W 21"W through 40"W 41"W through 60"W - Customiz stain	+\$1191 +\$1363 +\$1497 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with Customiz stain. ► See Surface Materials Reference Manual.
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" 10'1" through 11'0"	Use 8'0" price +\$ 159	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	- Non standard widths - Non standard modular widths	No cost No cost	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	4"H base	+\$ 222	Specify to accept 4"H base.

► Specification Information, on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

All-Glass Wall Panels, continued

► Options, on previous page

Specification Information


Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
All-Glass Wall Panels			Modular All-Glass Wall Panels			
6"	GPGS06	\$ 593				
8"	GPGS08	\$ 593	8"	6 ¹ / ₁₆ "	GPGM08	\$ 593
18"	GPGS18	\$ 657	18"	16 ¹ / ₁₆ "	GPGM18	\$ 657
20"	GPGS20	\$ 657	20"	18 ¹ / ₁₆ "	GPGM20	\$ 657
24"	GPGS24	\$ 720	24"	22 ¹ / ₁₆ "	GPGM24	\$ 720
30"	GPGS30	\$ 733	30"	28 ¹ / ₁₆ "	GPGM30	\$ 733
36"	GPGS36	\$ 827	36"	34 ¹ / ₁₆ "	GPGM36	\$ 827
40"	GPGS40	\$ 838	40"	38 ¹ / ₁₆ "	GPGM40	\$ 838
42"	GPGS42	\$ 838	42"	40 ¹ / ₁₆ "	GPGM42	\$ 838
48"	GPGS48	\$ 936	48"	46 ¹ / ₁₆ "	GPGM48	\$ 936
60"	GPGS60	\$1202	60"	58 ¹ / ₁₆ "	GPGM60	\$1202
:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Three Equal Divided Lites



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel frame: paint - Three, 1/4"-thick factory-installed lites: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		1 Style number 2 Ceiling height 3 Paint color number for frame and muntin 4 Glass number for lite 1 (from top) 5 Glass number for lite 2 6 Glass number for lite 3 7 Post extension 8 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Surface Materials	Options	U.S. Price	Required to Specify
	Glass frame surface - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 27 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.
	Panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		
		No cost +\$ 33 +\$ 42 +\$ 63 N.A. +\$126	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		
		No cost +\$ 98 +\$119 +\$190 N.A. +\$372	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		
		No cost +\$148 +\$175 +\$282 N.A. +\$557	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		
		No cost +\$198 +\$236 +\$376 N.A. +\$741	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Panel surfaces 8'0"H through 10'0"H (per lite), 60"W - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		
		No cost +\$246 +\$294 +\$469 N.A. +\$927	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Post Extension - Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)		
		No cost No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.

▶ Options, continued on next page



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic 3+1 2+2 3SN	+\$ 196 +\$ 196 +\$ 196	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products	- Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing - Power receptacles - Power and communication cover plates - Infeeds - Modular harnesses - Field-installed powerkits - Cornice track		► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254 ► Page 235

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface, veneer (flat-cut open-pore finish) 6"W through 20"W 21"W through 40"W 41"W through 60"W - Customiz stain	+\$1420 +\$1767 +\$2036 No cost	Specify wood veneer color number. Specify wood veneer color number. Specify wood veneer color number. Specify with Customiz Stain. ► See Surface Materials Reference Manual.
Muntin	Change muntin size - Change to 1½"W or 2¼"W Change muntin location - Change muntin location	No cost No cost	Specify muntin size. Specify muntin location.
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" 10'1" through 11'0"	Use 8'0" price +\$ 159	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	- Non standard widths - Non standard modular widths	No cost No cost	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	4"H base	+\$ 222	Specify to accept 4"H base.

► Specification Information, on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Glass Wall Panels with Three Equal Divided Lites, continued

► Options, on previous page

Specification Information


Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			Modular Glass Wall Panels			
6"	GPGS3E06	\$ 903				
8"	GPGS3E08	\$ 903	8"	6 ¹¹ / ₁₆ "	GPGM3E08	\$ 903
18"	GPGS3E18	\$ 950	18"	16 ¹¹ / ₁₆ "	GPGM3E18	\$ 950
20"	GPGS3E20	\$ 950	20"	18 ¹¹ / ₁₆ "	GPGM3E20	\$ 950
24"	GPGS3E24	\$ 995	24"	22 ¹¹ / ₁₆ "	GPGM3E24	\$ 995
30"	GPGS3E30	\$1004	30"	28 ¹¹ / ₁₆ "	GPGM3E30	\$1004
36"	GPGS3E36	\$1068	36"	34 ¹¹ / ₁₆ "	GPGM3E36	\$1068
40"	GPGS3E40	\$1078	40"	38 ¹¹ / ₁₆ "	GPGM3E40	\$1078
42"	GPGS3E42	\$1078	42"	40 ¹¹ / ₁₆ "	GPGM3E42	\$1078
48"	GPGS3E48	\$1143	48"	46 ¹¹ / ₁₆ "	GPGM3E48	\$1143
60"	GPGS3E60	\$1403	60"	58 ¹¹ / ₁₆ "	GPGM3E60	\$1403
:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Four Equal Divided Lites



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify
► Need help? Product details, page 24	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel frame: paint - Four, 1/4"-thick factory-installed lites: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Paint color number for frame and muntin 4 Glass number for lite 1 (from top) 5 Glass number for lite 2 6 Glass number for lite 3 7 Glass number for lite 4 8 Post extension 9 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
Panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 24	Specify glass number for lite.
• Glass price group 3	+\$ 31	Specify glass number for lite.
• Glass price group 4	+\$ 48	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 93	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .		
Panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 74	Specify glass number for lite.
• Glass price group 3	+\$ 89	Specify glass number for lite.
• Glass price group 4	+\$141	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$280	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .		
Panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$113	Specify glass number for lite.
• Glass price group 3	+\$133	Specify glass number for lite.
• Glass price group 4	+\$213	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$419	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .		
Panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$148	Specify glass number for lite.
• Glass price group 3	+\$175	Specify glass number for lite.
• Glass price group 4	+\$282	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$557	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .		
Panel surfaces 8'0"H through 10'0"H (per lite), 60"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$186	Specify glass number for lite.
• Glass price group 3	+\$219	Specify glass number for lite.
• Glass price group 4	+\$355	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$696	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .		

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify <i>with post extensions for recessed ceiling track interface.</i>
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify <i>with post extensions for overlapping ceiling track interface.</i>
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic		
	• 3+1	+\$ 196	Specify <i>with 3+1 power.</i>
	• 2+2	+\$ 196	Specify <i>with 2+2 power.</i>
	• 3SN	+\$ 196	Specify <i>with 3SN power.</i>
Related Products	• Ceiling tracks		▶ Page 230
	• Continuous base trim		▶ Page 236
	• Feature strips		▶ Page 240
	• Acoustic packing		▶ Page 244
	• Power receptacles		▶ Page 247
	• Power and communication cover plates		▶ Page 249
	• Infeeds		▶ Page 250
	• Modular harnesses		▶ Page 252
	• Field-installed powerkits		▶ Page 254
	• Cornice track		▶ Page 235

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Specify additional muntin(s) for use in five- or six-lite assembly applications. Maximum of six lites.
► See Understanding page 25.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

SmartTools Options		U.S. Price	Required to Specify
Surface Materials	Glass wall panel frame surface, veneer (flat-cut open-pore finish)		
	• 6"W through 20"W • 21"W through 40"W • 41"W through 60"W • Customiz stain	+\$1534 +\$1969 +\$2305 - No cost	- Specify wood veneer color number. - Specify wood veneer color number. - Specify wood veneer color number. - Specify <i>with Customiz stain</i>. ▶ See <i>Surface Materials Reference Manual</i>.
	Glass for 5th and 6th lite opening		
	• See standard options for glass price group above		Specify glass number for lite 5 or 6.
Muntin	Additional muntin		
	• Muntin	+\$ 173	Specify <i>with muntin</i> .
	Veneer on additional muntin (by width)		
	• 6"W through 20"W • 21"W through 40"W • 41"W through 60"W • Customiz Stain	+\$ 114 +\$ 202 +\$ 269 - No cost	- Specify wood veneer color number. - Specify wood veneer color number. - Specify wood veneer color number. - Specify wood veneer color number. ▶ See <i>Surface Materials Reference Manual</i>.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" • 10'1" through 11'0"	- Use 8'0" price +\$ 159	- Specify ceiling height in 1" increments. - Specify ceiling height in 1" increments.
	Parametric Panel Widths (Available in 1" increments)	• Non standard widths • Non standard modular widths	- No cost - No cost
Base	• 4"H base	+\$ 222	Specify to accept 4"H base.


► Specification Information, on next page

Glass Wall Panels with Four Equal Divided Lites, continued

► Options, on previous page

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			Modular Glass Wall Panels			
6"	GPGS4E06	\$ 969				
8"	GPGS4E08	\$ 969	8"	6 ¹¹ / ₁₆ "	GPGM4E08	\$ 969
18"	GPGS4E18	\$1019	18"	16 ¹¹ / ₁₆ "	GPGM4E18	\$1019
20"	GPGS4E20	\$1019	20"	18 ¹¹ / ₁₆ "	GPGM4E20	\$1019
24"	GPGS4E24	\$1067	24"	22 ¹¹ / ₁₆ "	GPGM4E24	\$1067
30"	GPGS4E30	\$1077	30"	28 ¹¹ / ₁₆ "	GPGM4E30	\$1077
36"	GPGS4E36	\$1146	36"	34 ¹¹ / ₁₆ "	GPGM4E36	\$1146
40"	GPGS4E40	\$1157	40"	38 ¹¹ / ₁₆ "	GPGM4E40	\$1157
42"	GPGS4E42	\$1157	42"	40 ¹¹ / ₁₆ "	GPGM4E42	\$1157
48"	GPGS4E48	\$1228	48"	46 ¹¹ / ₁₆ "	GPGM4E48	\$1228
60"	GPGS4E60	\$1506	60"	58 ¹¹ / ₁₆ "	GPGM4E60	\$1506
:	:	:	:	:	:	:


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Four Divided Lites

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel frame: paint - Four, 1/4"-thick factory-installed lites—top lite is transom aligned, bottom three are of equal height: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		1 Style number 2 Ceiling height 3 Paint color number for frame and muntin 4 Glass number for lite 1 (from top) 5 Glass number for lite 2 6 Glass number for lite 3 7 Glass number for lite 4 8 Post extension 9 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.	
Surface Materials	Options	U.S. Price	Required to Specify
	Glass frame surface		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 27	Specify paint color number.
	• Paint price group 3	+\$ 46	Specify paint color number.
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 17	Specify glass number for lite.
	• Glass price group 3	+\$ 22	Specify glass number for lite.
	• Glass price group 4	+\$ 33	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$ 67	Specify glass number for lite.
			▶ See <i>Surface Materials Reference Manual</i> .
	Lower three lites glass panels surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 27	Specify glass number for lite.
	• Glass price group 3	+\$ 33	Specify glass number for lite.
	• Glass price group 4	+\$ 52	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$100	Specify glass number for lite.
			▶ See <i>Surface Materials Reference Manual</i> .
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 54	Specify glass number for lite.
	• Glass price group 3	+\$ 63	Specify glass number for lite.
	• Glass price group 4	+\$100	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$198	Specify glass number for lite.
			▶ See <i>Surface Materials Reference Manual</i> .
	Lower three lites glass panels surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 81	Specify glass number for lite.
	• Glass price group 3	+\$ 96	Specify glass number for lite.
	• Glass price group 4	+\$153	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$300	Specify glass number for lite.
			▶ See <i>Surface Materials Reference Manual</i> .

▶ Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 79 - Glass price group 3 +\$ 93 - Glass price group 4 +\$151 - Glass price group 5 N.A. - Glass price group 6 +\$296	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower three lites glass panels surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W	
	- Glass price group 1 No cost - Glass price group 2 +\$121 - Glass price group 3 +\$144 - Glass price group 4 +\$228 - Glass price group 5 N.A. - Glass price group 6 +\$451	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W	
	- Glass price group 1 No cost - Glass price group 2 +\$105 - Glass price group 3 +\$126 - Glass price group 4 +\$200 - Glass price group 5 N.A. - Glass price group 6 +\$394	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower three lites glass panels surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W	
	- Glass price group 1 No cost - Glass price group 2 +\$159 - Glass price group 3 +\$192 - Glass price group 4 +\$304 - Glass price group 5 N.A. - Glass price group 6 +\$600	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 60"W	
	- Glass price group 1 No cost - Glass price group 2 +\$133 - Glass price group 3 +\$157 - Glass price group 4 +\$248 - Glass price group 5 N.A. - Glass price group 6 +\$493	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower three lites glass panels surfaces 8'0"H through 10'0"H (per lite), 60"W	
	- Glass price group 1 No cost - Glass price group 2 +\$200 - Glass price group 3 +\$238 - Glass price group 4 +\$380 - Glass price group 5 N.A. - Glass price group 6 +\$750	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
Post Extension	Post extensions modified to accommodate recessed ceiling track (ordered separately) No cost	Specify with post extensions for recessed ceiling track interface.
	Post extensions modified to accommodate overlapping ceiling track (ordered separately) No cost	Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	8'0" through 9'0" No cost	Specify ceiling height in 1" increments.
	9'1" through 10'0" +\$ 91	Specify ceiling height in 1" increments.

► Options, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Four Divided Lites Transom-Aligned Top Lite, continued

► Options, continued from previous page

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

	Options	U.S. Price	Required to Specify
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic		
	• 3+1 • 2+2 • 3SN	+\$ 196 +\$ 196 +\$ 196	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products	• Ceiling tracks • Continuous base trim • Feature strips • Acoustic packing • Power receptacles • Power and communication cover plates • Infeeds • Modular harnesses • Field-installed powerkits • Cornice track		► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254 ► Page 235

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass wall panel frame surface, veneer (flat-cut open-pore finish)		
	• 6"W through 20"W • 21"W through 40"W • 41"W through 60"W • Customiz stain	+\$1534 +\$1969 +\$2305 No cost	Specify wood veneer color number. Specify wood veneer color number. Specify wood veneer color number. Specify with customiz stain.
	Glass for 5th and 6th lite opening		
	• See standard options for lower three lites glass price group above		Specify glass number for lite 5 or 6.
Muntin	Additional muntin		
	• Muntin	+\$ 173	Specify with muntin.
	Veneer on additional muntin (by width)		
	• 6"W through 20"W • 21"W through 40"W • 41"W through 60"W	+\$ 114 +\$ 202 +\$ 269	Specify wood veneer color number. Specify wood veneer color number. Specify wood veneer color number.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" • 10'1" through 11'0"	Use 8'0" price +\$ 159	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths • Non standard modular widths	No cost No cost	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	• 4"H base	+\$ 222	Specify to accept 4"H base.

Tip: Specify additional muntin(s) for use in five- or six-lite assembly applications. Maximum of six lites.
► See Understanding page 25.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".


Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			Modular Glass Wall Panels			
6"	GPGS4L06	\$ 912				
8"	GPGS4L08	\$ 912	8"	6 ¹ / ₁₆ "	GPGM4L08	\$ 912
18"	GPGS4L18	\$ 959	18"	16 ¹ / ₁₆ "	GPGM4L18	\$ 959
20"	GPGS4L20	\$ 959	20"	18 ¹ / ₁₆ "	GPGM4L20	\$ 959
24"	GPGS4L24	\$1005	24"	22 ¹ / ₁₆ "	GPGM4L24	\$1005
30"	GPGS4L30	\$1014	30"	28 ¹ / ₁₆ "	GPGM4L30	\$1014
36"	GPGS4L36	\$1079	36"	34 ¹ / ₁₆ "	GPGM4L36	\$1079
40"	GPGS4L40	\$1088	40"	38 ¹ / ₁₆ "	GPGM4L40	\$1088
42"	GPGS4L42	\$1088	42"	40 ¹ / ₁₆ "	GPGM4L42	\$1088
48"	GPGS4L48	\$1156	48"	46 ¹ / ₁₆ "	GPGM4L48	\$1156
60"	GPGS4L60	\$1418	60"	58 ¹ / ₁₆ "	GPGM4L60	\$1418
:	:	:	:	:	:	:


**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Two Divided Lites

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with steel frame: paint - Two, 1/4"-thick factory-installed lites—top lite is transom aligned: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		1 Style number 2 Ceiling height 3 Paint color number for frame and muntin 4 Glass number for lite 1 (from top) 5 Glass number for lite 2 6 Post extension 7 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface	
- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 27 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.
Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W		
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 17 +\$ 22 +\$ 33 N.A. +\$ 67	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ▶ See <i>Surface Materials Reference Manual</i> .
Lower lite glass panel surfaces 8'0"H through 10'0"H (per lite), 6"W to 8"W		
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 81 +\$ 96 +\$153 N.A. +\$300	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ▶ See <i>Surface Materials Reference Manual</i> .
Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W		
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 54 +\$ 63 +\$100 N.A. +\$198	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ▶ See <i>Surface Materials Reference Manual</i> .
Lower lite glass panel surfaces 8'0"H through 10'0"H (per lite), 18"W to 24"W		
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$240 +\$284 +\$457 N.A. +\$900	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ▶ See <i>Surface Materials Reference Manual</i> .

▶ Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 79 - Glass price group 3 +\$ 93 - Glass price group 4 +\$ 151 - Glass price group 5 N.A. - Glass price group 6 +\$ 296	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Lower lite glass panel surfaces 8'0"H through 10'0"H (per lite), 30"W to 36"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 359 - Glass price group 3 +\$ 428 - Glass price group 4 +\$ 683 - Glass price group 5 N.A. - Glass price group 6 +\$1349	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 105 - Glass price group 3 +\$ 126 - Glass price group 4 +\$ 200 - Glass price group 5 N.A. - Glass price group 6 +\$ 394	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Lower lite glass panel surfaces 8'0"H through 10'0"H (per lite), 40"W to 48"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 477 - Glass price group 3 +\$ 570 - Glass price group 4 +\$ 911 - Glass price group 5 N.A. - Glass price group 6 +\$1798	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Top lite glass panel surfaces 8'0"H through 10'0"H (per lite), 60"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 133 - Glass price group 3 +\$ 157 - Glass price group 4 +\$ 248 - Glass price group 5 N.A. - Glass price group 6 +\$ 493	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Lower lite glass panel surfaces 8'0"H through 10'0"H (per lite), 60"W	
	- Glass price group 1 No cost - Glass price group 2 +\$ 596 - Glass price group 3 +\$ 711 - Glass price group 4 +\$1140 - Glass price group 5 N.A. - Glass price group 6 +\$2249	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
Post Extension	Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost
	Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost
		Specify with post extensions for recessed ceiling track interface.
		Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	8'0" through 9'0"	No cost
	9'1" through 10'0"	+\$ 91
		Specify ceiling height in 1" increments.
		Specify ceiling height in 1" increments.

► Options, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Wall Panels with Two Divided Lites Transom-Aligned Top Lite, continued

► Options, continued from previous page

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

	Options	U.S. Price	Required to Specify
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic		
	• 3+1 • 2+2 • 3SN	+\$ 196 +\$ 196 +\$ 196	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products	• Ceiling tracks • Continuous base trim • Feature strips • Acoustic packing • Power receptacles • Power and communication cover plates • Infeeds • Modular harnesses • Field-installed powerkits • Cornice track		► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254 ► Page 235

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11' are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass wall panel frame surface, veneer (flat-cut open-pore finish)		
	• 6"W through 20"W • 21"W through 40"W • 41"W through 60"W • Customiz stain	+\$1306 +\$1565 +\$1767 No cost	Specify wood veneer color number. Specify wood veneer color number. Specify wood veneer color number. Specify with Customiz stain.
Muntin	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" • 10'1" through 11'0"	Use 8'0" price +\$ 159	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths • Non standard modular widths	No cost No cost	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	• 4"H base	+\$ 222	Specify to accept 4"H base.


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			Modular Glass Wall Panels			
6"	GPGS2L06	\$ 712				
8"	GPGS2L08	\$ 712	8"	6 ¹ / ₁₆ "	GPGM2L08	\$ 712
18"	GPGS2L18	\$ 768	18"	16 ¹ / ₁₆ "	GPGM2L18	\$ 768
20"	GPGS2L20	\$ 768	20"	18 ¹ / ₁₆ "	GPGM2L20	\$ 768
24"	GPGS2L24	\$ 823	24"	22 ¹ / ₁₆ "	GPGM2L24	\$ 823
30"	GPGS2L30	\$ 838	30"	28 ¹ / ₁₆ "	GPGM2L30	\$ 838
36"	GPGS2L36	\$ 915	36"	34 ¹ / ₁₆ "	GPGM2L36	\$ 915
40"	GPGS2L40	\$ 925	40"	38 ¹ / ₁₆ "	GPGM2L40	\$ 925
42"	GPGS2L42	\$ 925	42"	40 ¹ / ₁₆ "	GPGM2L42	\$ 925
48"	GPGS2L48	\$1007	48"	46 ¹ / ₁₆ "	GPGM2L48	\$1007
60"	GPGS2L60	\$1271	60"	58 ¹ / ₁₆ "	GPGM2L60	\$1271
:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Clerestory Wall Panels

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Paint price group 2 is only available on panels 36"W or smaller.

Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96.

Tip: Customer's Own Glass is available as a special at this time.

Standard Includes

► Need help?
Product details,
page 24

- Frame: paint
- Ceiling height from 8'0"H to 10'0"H, in one-inch increments
- 2³/₈"-thick panel with steel surfaces: paint
- 1/4"-thick factory-installed Clerestory lite: glass
- Integral slotted verticals
- Hollow core panel for cable and power routing
- Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)

Required to Specify

- 1 Style number
 - 2 Paint color number for frame
 - 3 Ceiling height
 - 4 Paint color number for side 1
 - 5 Paint color number for side 2
 - 6 Glass number for Clerestory lite
 - 7 Post extension
 - 8 Options, if selected (see below)
- See *Surface Materials*, page 338.

	Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface		
	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 12 +\$ 22	Specify paint color number. Specify paint color number. Specify paint color number.
	Lower panel solid surfaces 8'0"H through 10'0"H (per side), 18"W to 24"W		
	• Paint price group 1 • Paint price group 2 • Paint price group 3 • Fabric price group 1	No cost +\$ 17 +\$ 31 +\$135	Specify paint color number. Specify paint color number. Specify paint color number. Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 2	+\$190	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 3	+\$250	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 5	+\$316	Specify fabric color number for side 1 and/or side 2.
	• Vinyl price group A	+\$260	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group B	+\$379	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group C	+\$394	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group D	+\$411	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group E	+\$436	Specify vinyl color number for side 1 and/or side 2.
	• Customer's Own Material/Vinyl (COM)	+\$130	► See <i>Surface Materials Reference Manual</i> .
	Clerestory Lite Glass Panels 8'0"H through 10'0"H		
	• Glass price group 1 • Glass price group 2 • Glass price group 3 • Glass price group 4 • Glass price group 5 • Glass price group 6	No cost +\$ 54 +\$ 63 +\$100 N.A. +\$198	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials	Lower panel surfaces 8'0"H through 10'0"H (per side), 30"W to 36"W		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 35	Specify paint color number.
	• Paint price group 3	+\$ 54	Specify paint color number.
	• Fabric price group 1	+\$206	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 2	+\$305	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 3	+\$452	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 5	+\$588	Specify fabric color number for side 1 and/or side 2.
	• Vinyl price group A	+\$379	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group B	+\$585	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group C	+\$611	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group D	+\$646	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group E	+\$695	Specify vinyl color number for side 1 and/or side 2.
	• Customer's Own Material/Vinyl (COM)	+\$190	► See <i>Surface Materials Reference Manual</i> .
	Clerestory Lite Glass Panels 8'0"H through 10'0"H		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 79	Specify glass number for lite.
	• Glass price group 3	+\$ 93	Specify glass number for lite.
	• Glass price group 4	+\$151	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$296	Specify glass number for lite.
	Lower panel surfaces 8'0"H through 10'0"H (per side), 40"W to 48"W		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 3	+\$ 54	Specify paint color number.
	• Fabric price group 1	+\$206	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 2	+\$305	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 3	+\$452	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 5	+\$588	Specify fabric color number for side 1 and/or side 2.
	• Vinyl price group A	+\$379	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group B	+\$585	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group C	+\$611	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group D	+\$646	Specify vinyl color number for side 1 and/or side 2.
	• Vinyl price group E	+\$695	Specify vinyl color number for side 1 and/or side 2.
	• Customer's Own Material/Vinyl (COM)	+\$190	► See <i>Surface Materials Reference Manual</i> .
	Clerestory Lite Glass Panels 8'0"H through 10'0"H		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$105	Specify glass number for lite.
	• Glass price group 3	+\$126	Specify glass number for lite.
	• Glass price group 4	+\$200	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$394	Specify glass number for lite.

Tip: Vinyl is not available on 60"W panels.

Tip: Customer's Own Glass is available as a special at this time.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued on next page

Clerestory Wall Panels Transom-Aligned Top Lite, continued

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials	Lower panel surfaces 8'0"H through 10'0"H (per side) 60"W		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 3	+\$ 54	Specify paint color number.
	• Fabric price group 1	+\$206	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 2	+\$305	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 3	+\$452	Specify fabric color number for side 1 and/or side 2.
	• Fabric price group 5	+\$588	Specify fabric color number for side 1 and/or side 2.
	• Customer's Own Material/Vinyl (COM)	+\$190	► See <i>Surface Materials Reference Manual</i> .
	Clerestory Lite Glass Panels 8'0"H through 10'0"H		
	• Glass price group 1	No cost	Specify glass number for lite.
Post Extension	• Glass price group 2	+\$133	Specify glass number for lite.
	• Glass price group 3	+\$157	Specify glass number for lite.
	• Glass price group 4	+\$248	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$493	Specify glass number for lite.
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	Power block location		
	• Base	+\$196	Specify with power block location at base.
	• ADA height	+\$715	Specify with power block location at ADA height.
	• Desk height	+\$715	Specify with power block location at desk height.
	Power schematic		
	• 3+1	No cost	Specify with 3+1 power.
	• 2+2	No cost	Specify with 2+2 power.
	• 3SN	No cost	Specify with 3SN power.
	New York City/Chicago power prep		
	• NYC/CHI at base	N.A.	Specify with NYC/CHI at base.
Receptacle cutouts	• NYC/CHI at ADA or desk height side 1	+\$ 24	Specify with NYC/CHI at ADA or desk height side 1.
	• NYC/CHI at ADA or desk height side 2	+\$ 24	Specify with NYC/CHI at ADA or desk height side 2.
	• NYC/CHI at ADA or desk height sides 1 and 2	+\$ 48	Specify with NYC/CHI at ADA or desk height sides 1 and 2.
	Floor infeeds		
	• Bottom left hardwire	No cost	Specify with bottom left hardwire.
	• Bottom left modular	+\$ 91	Specify with bottom left modular.

Tip: To price power in two locations, add the upcharges together.

Tip: Infeed is included in the price of ADA- or desk-height receptacle power location option. Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: NYC/CHI prices replace the receptacle power location option prices when selected.

Tip: Order power and communication and power-only cover plates separately.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

► Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Related Products	• Ceiling tracks		► Page 230
	• Continuous base trim		► Page 236
	• Feature strips		► Page 240
	• Acoustic packing		► Page 244
	• Power receptacles		► Page 247
	• Power and communication cover plates		► Page 249
	• Infeeds		► Page 250
	• Modular harnesses		► Page 252
	• Field-installed powerkits		► Page 254
	• Cornice track		► Page 235

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Markerboard surface cannot exceed 48"W.

Tip: Maximum of two lites. See Understanding page 30.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
7610 White Markerboard Surface	• 6"W through 24"W	+\$ 475	Specify with markerboard.
	• 25"W through 36"W	+\$ 510	Specify with markerboard.
	• 37"W through 48"W	+\$ 545	Specify with markerboard.
Surface Materials	Glass Clerestory frame surface, veneer (flat-cut open-pore finish)		
	• 6"W through 20"W	+\$ 706	Specify wood veneer color number.
	• 21"W through 40"W	+\$ 881	Specify wood veneer color number.
	• 41"W through 60"W	+\$1016	Specify wood veneer color number.
	• Customiz stain	No cost	Specify with Customiz stain.
Muntin	Additional muntin		
	• Muntin	+\$ 204	Specify with muntin.
	Veneer on additional muntin (by width)		
	• 6"W through 20"W	+\$ 114	Specify wood veneer color number.
	• 21"W through 40"W	+\$ 202	Specify wood veneer color number.
	• 41"W through 60"W	+\$ 269	Specify wood veneer color number.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
Parametric Ceiling Height (Available in 1" increments)	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Panel Widths (Available in 1" increments)	• 7'11"	Use 8'0" price	Specify ceiling height in 1" increments.
	• 10'1" through 11'0"	+\$ 159	Specify ceiling height in 1" increments.
Base	• Non standard widths	+\$ 37 (Add to U.S. Base Price of next larger width)	Specify panel widths in 1" increments.
	• Non standard modular widths	+\$ 37 (Add to U.S. Base Price of next larger width)	Specify panel widths in 1" increments.
Base	• 4"H base	+\$ 61	Specify to accept 4"H base.

► Specification Information, on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Clerestory Wall Panels Transom-Aligned Top Lite, continued

► Options, on previous page

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Clerestory Panels			Modular Clerestory Panels			
18"	GPGSC18	\$1123	18"	16 ¹¹ / ₁₆ "	GPGMC18	\$1123
20"	GPGSC20	\$1123	20"	18 ¹¹ / ₁₆ "	GPGMC20	\$1123
24"	GPGSC24	\$1184	24"	22 ¹¹ / ₁₆ "	GPGMC24	\$1184
30"	GPGSC30	\$1246	30"	28 ¹¹ / ₁₆ "	GPGMC30	\$1246
36"	GPGSC36	\$1287	36"	34 ¹¹ / ₁₆ "	GPGMC36	\$1287
40"	GPGSC40	\$1327	40"	38 ¹¹ / ₁₆ "	GPGMC40	\$1327
42"	GPGSC42	\$1327	42"	40 ¹¹ / ₁₆ "	GPGMC42	\$1327
48"	GPGSC48	\$1372	48"	46 ¹¹ / ₁₆ "	GPGMC48	\$1372
60"	GPGSC60	\$1774	60"	58 ¹¹ / ₁₆ "	GPGMC60	\$1774
:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Power Options

This page guides you through specifying Privacy Wall panels. Use these steps to specify factory-installed power components or communication openings in panels, or to have the factory alter panels to accommodate field-installed power.

Tip: Chicago and New York City electrical code requires field-supplied components to be field installed.

Factory-installed power components are available in all Privacy Wall panels. Use the options on this page to tell the factory how to assemble your panels so they include the power components you want.

Field-installed power components are required in New York City and Chicago. To streamline installation, use the options on this page to tell the factory how to modify the panels so they are ready to accept the power components you must order or supply separately. For details about how power is accommodated in Privacy Wall panels, see:

- ▶ *How to Power a Panel*, page 98
- ▶ *Overview of Powered Panels*, page 102

Specifying

Panels

1 Choose appropriate panel width to accommodate power and communication receptacles. See the table below for minimum widths.

Power and Communication

Desk height and ADA height

- 30"W standard panel
- 30"W (nominal) modular panel

At base

- 30"W standard panel
- 30"W (nominal) modular panel

2 Power schematic

Specify the power schematic:

- 4-circuit, 3+1
- 4-circuit, 2+2
- 3-circuit, separate neutrals (3SN)
- Chicago and New York City power and communication power prep

3 Power locations

Specify one or more of the following power locations that is available on the panel type you have chosen:

- Desk height
- ADA height
- Base
- Base and desk height
- Base and ADA height
- Desk and ADA
- Desk, ADA, and base

4 Utility choices by locations

Cutouts are only available in the positions you specified for power locations in step 3. See the table below for utility choices and designate side 1, side 2, or both side 1 and side 2.

Tip: For New York City and Chicago power prep options, no specification for utility choice at base height is needed because you add components in the field.

Desk height

- Power only
- Power and communication

ADA height

- Power only
- Power and communication

Base height

- Power only
- Power and communication
- Communication only

5 Remember to specify receptacles, cover plates, and power and communication base trim to finish your panel.

Tip: For Chicago and New York City installations, electrician must supply conduit, receptacles, and junction boxes for base of panel. Junction box for desk or ADA height is available from Steelcase and is required when using Privacy Wall power and communication cover plates.

▶ Page 254

Infeeds

6 Power infeeds

Panels with factory-installed power blocks at desk or ADA height can have a factory-installed power infeed harness to supply power from the ceiling or floor. Factory-installed infeeds extend a minimum of 12' from the panel. Specify one of the following:

- Hardwire ceiling infeed
- Modular ceiling infeed
- Hardwire floor infeed
- Modular floor infeed

Tip: If you do not specify one of the above infeeds, a hardwire infeed, located top left in a solid panel and bottom left in a Clerestory panel, will be provided.

When ADA- and/or desk-height power is specified, a factory-installed jumper is included to link the two locations. When ADA-, desk-, ADA- and desk-, and base-height power is specified, a factory-installed jumper is included to link ADA/desk to base.

▶ Multipurpose power infeeds, page 250


Tip: Infeeds are not required on panels with the Chicago or New York City power prep option.

Example

- One GPSS60
- 9'0" ceiling height
- 4843 Linen side 1
- 4844 Glacier side 2
- 4750 Champagne Metallic floor track
- 2+2 wiring schematic
- Power base height
- Power only side 1 ADA height
- Power and communication side 2 ADA height
- Modular ceiling infeed

Order receptacles, cover plates, and power and communication base trim separately.

Butt-Hinged Door Frames



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96

Tip: Recommended for use with Privacy Wall only. Not for use with Glass Selections.

Tip: Door frame glass option is available on transom door frames only.

Tip: Remember to specify switch cutout option if you want a butt-hinged door frame with a switch.

Tip: Switch cutout is located in strike jamb of single door frame and not available in pair frames. Order switch separately.
▶ Page 164

Tip: Cutout option is not available on pair door frames.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 34	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Factory prep for butt hinges <i>Tip: Order door hardware separately.</i> - Hardware cutout for strike plate - Transom, if selected: glass - Plinths: paint	1 Style number 2 Ceiling height 3 Swing orientation 4 Paint color number for frame and plinths 5 Glass number for transom, if selected 6 Post extension 7 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 No cost - Paint price group 2 +\$ 27 - Paint price group 3 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.
Single door frames with transom 8'0"H through 10'0"H		
- Glass price group 1 No cost - Glass price group 2 +\$ 87 - Glass price group 3 +\$105 - Glass price group 4 +\$165 - Glass price group 5 N.A. - Glass price group 6 +\$328		Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom.
Pair door frames with transom 8'0"H through 10'0"H		
- Glass price group 1 No cost - Glass price group 2 +\$173 - Glass price group 3 +\$211 - Glass price group 4 +\$330 - Glass price group 5 N.A. - Glass price group 6 +\$659		Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom. Specify glass number for transom.
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) No cost - Post extensions modified to accommodate overlapping ceiling track (ordered separately) No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	Single door frames with transom 8'0" through 9'0" No cost 9'1" through 10'0" +\$ 48 Pair door frames with transom 8'0" through 9'0" No cost 9'1" through 10'0" +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments. Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Swing Orientation	- Left-hand door frame No cost - Right-hand door frame No cost	Specify with left-hand door frame. Specify with right-hand door frame.
Switch Cutout	- Without cutout No cost - With low-voltage switch cutout +\$ 35 - With high-voltage switch cutout +\$ 35	Specify without cutout. Specify with low-voltage switch cutout. Specify with high-voltage switch cutout.
Related Products	- Door leaves - Passage sets and locksets - Hinges - Stops - Switches - Ceiling tracks - Feature strips	▶ Page 148 ▶ Page 160 ▶ Page 162 ▶ Page 162 ▶ Page 164 ▶ Page 230 ▶ Page 240

▶ Options, continued on next page

► Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Tip: Panels for ceiling height of 10'1" to 11'0" are available in width up to 48"W only.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Door frame surface, veneer (flat-cut open-pore finish)		
	Single door frame, 40"W		
	• Full height	+\$1304	Specify wood veneer color number.
	• With transom	+\$1506	Specify wood veneer color number.
Muntin (Transom only)	Pair frames, 76"W		
	• Full height	+\$1371	Specify wood veneer color number.
	• With transom	+\$1640	Specify wood veneer color number.
	Additional muntin		
Parametric Ceiling Height (Transom only)	• Muntin	+\$ 204	Specify with muntin.
	Veneer on additional muntin		
	• Single door	+\$ 202	Specify wood veneer color number.
	• Double door	+\$ 269	Specify wood veneer color number.
Base	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Base	• 10'1" through 11'0" (Available in 1" increments)	+\$ 159	Specify ceiling height in 1" increments.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Base	• 4"H base	+\$ 61	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price

Single Door Frames

Full-Height

40"	GPDSBF	\$ 957
-----	--------	--------

With Transom

40"	GPDSBT	\$1479
:	:	:



Pair Frames

Full-Height


76"	GPDPBF	\$ 977
-----	--------	--------

With Transom

76"	GPDPBT	\$1569
:	:	:



Pivot-Hinged Door Frames



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: Privacy Wall pivot-hinged frames work with Privacy Wall door leaves only.

Tip: Strike plate finish is available on single frames only.

Tip: Door frame glass option is available on transom door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96

Tip: Cutout option is not available on pair door frames.

Tip: Swing orientation is available on single pivot-hinged door frame with transom only to properly orient etched and patterned glass.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 40	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Reversible, pivot-hinged door frame with plinths: paint - Factory prep for pivot hinges <i>Tip: Order door hardware separately.</i> - Transom, if selected: glass - Strike plate	- Style number - Ceiling height - Swing orientation - Paint color number for frame and plinths - Glass number for transom, if selected - Metal color number for strike plate: 9200 Satin Chrome 9201 Polished Chrome - Post extension - Factory prep for cylindrical or mortise passage set or lockset, if selected - Options, if selected (see below)	▶ See Surface Materials, page 338.

Options	U.S. Price	Required to Specify	
Surface Materials	Door frame		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost	Specify paint color number.
		+\$ 27	Specify paint color number.
		+\$ 46	Specify paint color number.
	Strike plate		
	- Satin chrome - Polished chrome	No cost	Specify with 9200 Satin Chrome.
		+\$ 24	Specify with 9201 Polished Chrome.
	Single door frames with transom 8'0"H through 10'0"H		
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost	Specify glass number for transom.
		+\$ 87	Specify glass number for transom.
		+\$105	Specify glass number for transom.
		+\$165	Specify glass number for transom.
		N.A.	Specify glass number for transom.
		+\$328	Specify glass number for transom.
	Pair door frames with transom 8'0"H through 10'0"H		
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost	Specify glass number for transom.
		+\$173	Specify glass number for transom.
		+\$211	Specify glass number for transom.
		+\$330	Specify glass number for transom.
		N.A.	Specify glass number for transom.
		+\$659	Specify glass number for transom.
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
		No cost	Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	Single door frames		
	8'0" through 9'0" 9'1" through 10'0"	No cost	Specify ceiling height in 1" increments.
		+\$ 48	Specify ceiling height in 1" increments.
	Pair door frames		
	8'0" through 9'0" 9'1" through 10'0"	No cost	Specify ceiling height in 1" increments.
		+\$ 91	Specify ceiling height in 1" increments.
Swing Orientation	For single pivot-hinged door frame with transom		
▶ Page 46	- Left-hand door frame - Right-hand door frame	No cost	Specify with left-hand door frame.
		No cost	Specify with right-hand door frame.
Lock Prep	- Strike plate and factory prep for cylindrical passage set or lockset - Strike plate and factory prep for mortise passage set or lockset	No cost	Specify with cylindrical prep.
▶ Page 42		+\$ 68	Specify with mortise prep.

▶ Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Related Products	• Door leaves		► Page 152
	• Passage sets and locksets		► Page 160
	• Hinges		► Page 162
	• Stops		► Page 162
	• Ceiling tracks		► Page 230
	• Feature strips		► Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Door frame surface, veneer (flat-cut open-pore finish)		
	Single door frame, 40"W		
	• Full height	+\$1304	Specify wood veneer color number.
	• With transom	+\$1506	Specify wood veneer color number.
	Pair frames, 80"W		
	• Full height	+\$1371	Specify wood veneer color number.
	• With transom	+\$1640	Specify wood veneer color number.
Muntin (Transom only)	Additional muntin		
	• Muntin	+\$ 204	Specify with muntin.
	Veneer on additional muntin		
	• Single door	+\$ 202	Specify wood veneer color number.
	• Double door	+\$ 269	Specify wood veneer color number.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Transom only)	• 10'1" through 11'0" (Available in 1" increments)	+\$ 159	Specify ceiling height in 1" increments.
Base	• 4"H base	+\$ 61	Specify to accept 4"H base.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•

Single Door Frames


Full-Height

40"	GPDSPF	\$ 605
-----	---------------	--------

With Transom

40"	GPDSPT	\$1210
-----	---------------	--------

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Pivot-Hinged Door Frames, continued

► **Specification Information, continued from previous page**

Specification Information

• Width	• Style Number	• U.S. Base Price
•	•	•


Pair Door Frames

Full-Height

80"	GPDPFF	\$ 622
-----	---------------	--------

With Transom

80"	GPDPPT	\$1495
•	•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Pivot-Hinged Door Frames with Switch Cutout



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: Privacy Wall pivot-hinged frames work with Privacy Wall door leaves only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96

Tip: Glass surface option for transom door frames only.

Tip: Order switch separately.

Tip: As an alternative to a 42"W frame with switch cutout, you can position a low-voltage switch in an in-line feature strip adjacent to a door frame.
▶ Page 43

Tip: Door frame glass surface option is available on transom door frames only.

Tip: Swing orientation is available on single pivot-hinged door frame with transom only to properly orient etched and patterned glass.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 40	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Left-hand reversible, pivot-hinged door frame with plinths: paint - Factory prep for pivot hinges <i>Tip: Order door hardware separately.</i> - Transom, if selected: glass - Strike plate	1 Style number 2 Ceiling height 3 Swing orientation 4 Paint color number for frame and plinths 5 Glass number for transom, if selected 6 Metal color number for strike plate: 9200 Satin Chrome 9201 Polished Chrome 7 Post extension 8 Factory prep for cylindrical or mortise passage set or lockset, if selected 9 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.	
Options	U.S. Price	Required to Specify	
Surface Materials	Door frame - Paint price group 1 No cost - Paint price group 2 +\$ 27 - Paint price group 3 +\$ 46 Strike plate - Satin chrome No cost - Polished chrome +\$ 24 Single door frames with transom 8'0"H through 10'0"H - Glass price group 1 No cost - Glass price group 2 +\$ 87 - Glass price group 3 +\$105 - Glass price group 4 +\$165 - Glass price group 5 N.A. - Glass price group 6 +\$328	Specify paint color number. Specify paint color number. Specify paint color number. Specify with 9200 satin chrome. Specify with 9201 polished chrome.	
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) No cost - Post extensions modified to accommodate overlapping ceiling track (ordered separately) No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.	
Ceiling Height	Single door frames with transom 8'0" through 9'0" No cost 9'1" through 10'0" +\$ 48	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.	
Swing Orientation ▶ Page 46	- Left-hand door frame No cost - Right-hand door frame No cost	Specify with left-hand door frame. Specify with right-hand door frame.	
Switch Cutout ▶ Page 37	- With low-voltage switch cutout No cost - With high-voltage switch cutout No cost	Specify with low-voltage switch cutout. Specify with high-voltage switch cutout.	
Lock Prep ▶ Page 42	- Strike plate and factory prep for cylindrical passage set or lockset No cost - Strike plate and factory prep for mortise passage set or lockset +\$ 68	Specify with cylindrical prep. Specify with mortise prep.	
Related Products	- Door leaves - Passage sets and locksets - Hinges - Stops - Ceiling tracks - Feature strips	▶ Page 152 ▶ Page 160 ▶ Page 162 ▶ Page 162 ▶ Page 230 ▶ Page 240	

▶ Options, continued on next page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

► Options, continued from previous page

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Door frame surface, veneer (flat-cut open-pore finish) Single door frame, 42"W		
	• Full height	+\$1371	Specify wood veneer color number.
	• With transom	+\$1640	Specify wood veneer color number.
Muntin (Transom only)	Additional muntin		
	• Muntin	+\$ 204	Specify with muntin.
	Veneer on additional muntin		
	• Single door	+\$ 202	Specify wood veneer color number.
	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Transom only)	• 10'1" through 11'0" (Available in 1" increments)	+\$ 159	Specify ceiling height in 1" increments.
Base	• 4"H base	+\$ 61	Specify to accept 4"H base.

Tip: Standard Privacy Wall ceiling heights are 8'0" through 10'0".

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•
•	•	•

Single Door Frames


Full-Height

42"	GPDSPFS	\$1236
-----	----------------	--------

With Transom

42"	GPDSPTS	\$1678
-----	----------------	--------

• • •




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Full-Height Butt-Hinged Door Leaves



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96

Standard Includes	Required to Specify
▶ Need help? Product details, page 34 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments <i>Exception: Maximum ceiling height of glass doors is 9'0"H.</i> - Butt-hinged door: paint, glass, or flat-cut veneer - Factory prep for butt hinges	- Style number - Ceiling height - Swing orientation - Paint color number for door, if solid door selected - Glass number for glass door, if glass door selected - Paint color number for glass door, if glass door selected - Wood veneer color number, if selected - Factory prep for cylindrical or mortise passage set or lockset, if selected - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Glass door surface		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
36"W solid single door leaves 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 173	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
72"W solid pair door leaves 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 215	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 349	Specify with <i>Quarter-cut open pore veneer</i> .
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door 8'0"H through 10'0"H		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 386	Specify glass number for lite.
• Glass price group 3	+\$ 461	Specify glass number for lite.
• Glass price group 4	+\$ 741	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1466	Specify glass number for lite.
Ceiling Height		
36"W solid single door leaves butt-hinged 8'0"H through 10'0"H		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 281	Specify ceiling height in 1" increments.
72"W solid pair door leaves butt-hinged 8'0"H through 10'0"H		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 561	Specify ceiling height in 1" increments.
Swing Orientation		
• Left-hand door frame	No cost	Specify with <i>left-hand door frame</i> .
• Right-hand door frame	No cost	Specify with <i>right-hand door frame</i> .
Lock Prep		
• Strike plate and factory prep for cylindrical passage set or lockset	No cost	Specify with <i>cylindrical prep</i> .
• Strike plate and factory prep for mortise passage set or lockset	+\$ 44	Specify with <i>mortise prep</i> .
Related Products		
• Door frames		▶ Page 140
• Passage sets and locksets		▶ Page 160
• Hinges		▶ Page 162
• Stops		▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Width	Corresponding Frame Width	Style Number	U.S. Base Price
-------	------------------------------	-----------------	-----------------------


Solid Single Door

35 ¹³ / ₁₆ "	40"	GPLSSBF40	\$1748
------------------------------------	-----	-----------	--------



Glass Single Door with 5"H Bottom Rail


35 ¹³ / ₁₆ "	40"	GPLGSBF40	\$4339
------------------------------------	-----	-----------	--------



5"H

Glass Single Door with 12"H Bottom Rail


35 ¹³ / ₁₆ "	40"	GPLGSBF40B	\$4339
------------------------------------	-----	------------	--------



12"H


Solid Pair Door

71 ⁵ / ₈ "	76"	GPLSPBF76	\$3572
----------------------------------	-----	-----------	--------



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Transom-Height Butt-Hinged Door Leaves



Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96.

Tip: Door frame glass surface option is available on transom door frames only.

Standard Includes		Required to Specify
► Need help? Product details, page 34	• 7'0"H	1 Style number
	• Butt-hinged door: paint, glass, or flat-cut veneer	2 Paint color number for door, if solid door selected
	• Factory prep for butt hinges	3 Swing orientation
		4 Glass number for glass door, if glass door selected
		5 Paint color number for glass door, if glass door selected
		6 Wood veneer color number, if selected
		7 Factory prep for cylindrical or mortise passage set or lockset, if selected
		8 Options, if selected (see below)
		► See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Glass door surface	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
	36"W solid single door leaves 7'0"H	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 157	Specify with <i>Quarter-cut open pore veneer</i> .
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
	72"W solid pair door leaves 7'0"H	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 215	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 314	Specify with <i>Quarter-cut open pore veneer</i> .
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
	Glass single door 7'0"H	
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 386	Specify glass number for lite.
• Glass price group 3	+\$ 461	Specify glass number for lite.
• Glass price group 4	+\$ 741	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1466	Specify glass number for lite.
Swing Orientation	• Left-hand door frame	Specify with <i>left-hand door frame</i> .
► Page 46	• Right-hand door frame	Specify with <i>right-hand door frame</i> .
Lock Prep	• Strike plate and factory prep for cylindrical passage set or lockset	Specify with <i>cylindrical prep</i> .
► Page 42	• Strike plate and factory prep for mortise passage set or lockset	Specify with <i>mortise prep</i> .
Related Products	• Door frames	► Page 140
	• Passage sets and locksets	► Page 160
	• Hinges	► Page 162
	• Stops	► Page 162



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

• Width	• Corresponding Frame Width	• Style Number	• U.S. Base Price
•	•	•	•
•	•	•	•

Solid Single Door

35 ¹³ / ₁₆ "	40"	GPLSSBT40	\$1548
•	•	•	•



Glass Single Door with 5"H Bottom Rail


35 ¹³ / ₁₆ "	40"	GPLGSBT40	\$4226
•	•	•	•



5"H

Glass Single Door with 12"H Bottom Rail


35 ¹³ / ₁₆ "	40"	GPLGSBT40B	\$4226
•	•	•	•



12"H

Solid Pair Door

71 ⁵ / ₈ "	76"	GPLSPBT76	\$3172
•	•	•	•




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Full-Height Pivot-Hinged Door Leaves



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: Privacy Wall pivot-hinged door leaves work with Privacy Wall door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
► Page 96.

Tip: Door frame glass surface option is available on transom door frames only.

Tip: Ceiling height option is available on solid door leaves only.

Tip: Swing orientation is available on single pivot-hinged door frame with transom only.

Standard Includes		Required to Specify
► Need help? Product details, page 40	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments <i>Exception: Maximum ceiling height of glass doors is 9'0"H.</i> - Reversible pivot-hinged door: paint, glass, or flat-cut veneer - Factory prep for pivot hinges	1 Style number 2 Ceiling height 3 Paint color number for door, if solid door selected 4 Glass number for glass door, if glass door selected 5 Paint color number for glass door, if glass door selected 6 Wood veneer color number, if selected 7 Factory prep for cylindrical or mortise passage set or lockset, if selected 8 Options, if selected (see below) ► See Surface Materials, page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Glass door surface	
	- Paint price group 1 No cost - Paint price group 2 +\$ 27 - Paint price group 3 +\$ 46	Specify paint color number.
	37³/₁₆"W solid single door leaf 8'0"H through 10'0"H	
	- Paint price group 1 No cost - Paint price group 3 +\$ 109 - Wood veneer (flat cut) No cost - Quarter-cut wood veneer +\$ 173	Specify paint color number.
	Customiz stain No cost	Specify with Quarter-cut open pore veneer.
	77¹/₂"W solid pair door leaves 8'0"H through 10'0"H	
	- Paint price group 1 No cost - Paint price group 3 +\$ 215 - Wood veneer (flat cut) No cost - Quarter-cut wood veneer +\$ 349 - Customiz stain No cost	Specify paint color number.
	Glass single door 8'0"H through 9'0"H	
	- Glass price group 1 No cost - Glass price group 2 +\$ 386 - Glass price group 3 +\$ 461 - Glass price group 4 +\$ 741 - Glass price group 5 N.A. - Glass price group 6 +\$1466	Specify glass number for lite.
	Ceiling Height	
	Solid single door leaves	
	8'0" through 9'0" No cost 9'1" through 10'0" +\$ 281	Specify ceiling height in 1" increments.
	Solid pair door leaves	
	8'0" through 9'0" No cost 9'1" through 10'0" +\$ 561	Specify ceiling height in 1" increments.
Lock Prep		
► Page 42	- Strike plate and factory prep for cylindrical passage set or lockset No cost - Strike plate and factory prep for mortise passage set or lockset +\$ 44	Specify with cylindrical prep.
Related Products	- Door frames - Passage sets and locksets - Hinges - Stops	► Page 142 ► Page 160 ► Page 162 ► Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Specification Information

• Width	• Corresponding Frame Width	• Style Number	• U.S. Base Price
---------	--------------------------------	-------------------	-------------------------

Solid Single Door

37 ³ / ₁₆ "	40"	GPLSSPF40	\$2133
-----------------------------------	-----	------------------	--------




Glass Single Door with 5"H Bottom Rail

37 ³ / ₁₆ "	40"	GPLGSPF40	\$4339
-----------------------------------	-----	------------------	--------




Glass Single Door with 12"H Bottom Rail

37 ³ / ₁₆ "	40"	GPLGSPF40B	\$4339
-----------------------------------	-----	-------------------	--------



Solid Pair Door

77 ¹ / ₂ "	80"	GPLSPPF80	\$4343
----------------------------------	-----	------------------	--------

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Transom-Height Pivot-Hinged Door Leaves



Tip: Privacy Wall pivot-hinged door leaves work with Privacy Wall door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96.

Standard Includes		Required to Specify
► Need help? Product details, page 40	• 7'0"H • Reversible pivot-hinged door: paint, glass, or flat-cut veneer • Factory prep for pivot hinges	1 Style number 2 Paint color number for door, if solid door selected 3 Glass number for glass door, if glass door selected 4 Paint color number for glass door, if glass door selected 5 Wood veneer color number, if selected 6 Factory prep for cylindrical or mortise passage set or lockset, if selected 7 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Transom-height glass door leaves	
	• Paint price group 1	No cost
	• Paint price group 2	+\$ 27
	• Paint price group 3	+\$ 46
	37³/₁₆"W solid single door leaves 7'0"H	
	• Paint price group 1	No cost
	• Paint price group 3	+\$ 109
	• Wood veneer (flat cut)	No cost
	• Quarter-cut wood veneer	+\$ 157
	• Customiz stain	No cost
	77¹/₂"W solid pair door leaves 7'0"H	
	• Paint price group 1	No cost
	• Paint price group 3	+\$ 215
	• Wood veneer (flat cut)	No cost
	• Quarter-cut wood veneer	+\$ 314
	• Customiz stain	No cost
	Glass single door 7'0"H	
	• Glass price group 1	No cost
	• Glass price group 2	+\$ 386
	• Glass price group 3	+\$ 461
	• Glass price group 4	+\$ 741
	• Glass price group 5	N.A.
	• Glass price group 6	+\$1466
Lock Prep ► Page 42	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
Related Products	• Door frames	► Page 142
	• Passage sets and locksets	► Page 160
	• Hinges	► Page 162
	• Stops	► Page 162



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Specification Information

• Width	• Corresponding Frame Width	• Style Number	• U.S. Base Price
---------	--------------------------------	-------------------	-------------------------


Solid Single Door

37 ³ / ₁₆ "	40"	GPLSSPT40	\$1887
-----------------------------------	-----	------------------	--------




Glass Single Door with 5"H Bottom Rail

37 ³ / ₁₆ "	40"	GPLGSPT40	\$4226
-----------------------------------	-----	------------------	--------




Glass Single Door with 12"H Bottom Rail

37 ³ / ₁₆ "	40"	GPLGSPT40B	\$4226
-----------------------------------	-----	-------------------	--------



Solid Pair Door

77 ¹ / ₂ "	80"	GPLSPPT80	\$3851
----------------------------------	-----	------------------	--------



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Full-Height Pivot-Hinged Door Leaves for Use with Switch Cutout



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: Privacy Wall pivot-hinged door leaves work with Privacy Wall door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Ceiling height option is available on solid door leaves only.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments <i>Exception: Maximum ceiling height of glass doors is 9'0"H.</i> - Reversible pivot-hinged door: paint, glass, or flat-cut veneer - Factory prep for pivot hinges	1 Style number 2 Ceiling height 3 Paint color number for door, if solid door selected 4 Glass number for glass door, if glass door selected 5 Paint color number for glass door, if glass door selected 6 Wood veneer color number, if selected 7 Factory prep for cylindrical or mortise passage set or lockset, if selected 8 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Full-height glass door leaves surface options	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
36³/₈"W solid door leaves 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 173	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 386	Specify glass number for lite.
• Glass price group 3	+\$ 461	Specify glass number for lite.
• Glass price group 4	+\$ 741	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1466	Specify glass number for lite.
Ceiling Height	Solid single door leaves	
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 281	Specify ceiling height in 1" increments.
Lock Prep ▶ Page 42	- Strike plate and factory prep for cylindrical passage set or lockset - Strike plate and factory prep for mortise passage set or lockset	No cost +\$ 44 Specify with <i>cylindrical prep.</i> Specify with <i>mortise prep.</i>
Related Products	- Door frames - Passage sets and locksets - Hinges - Stops	▶ Page 146 ▶ Page 160 ▶ Page 162 ▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Full-Height Pivot-Hinged
Door Leaves for Use with
Switch Cutout

Specification Information

• Width	• Corresponding Frame Width	• Style Number	• U.S. Base Price
---------	--------------------------------	-------------------	-------------------------


Solid Single Door

36 ³ / ₈ "	42"	GPLSSPF42	\$2133
----------------------------------	-----	------------------	--------



Glass Single Door with 5"H Bottom Rail


36 ³ / ₈ "	42"	GPLGSPF42	\$4339
----------------------------------	-----	------------------	--------



5"H

Glass Single Door with 12"H Bottom Rail

36 ³ / ₈ "	42"	GPLGSPF42B	\$4339
----------------------------------	-----	-------------------	--------



12"H

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Transom-Height Pivot-Hinged Door Leaves for Use with Switch Cutout



Tip: Privacy Wall pivot-hinged door leaves work with Privacy Wall door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Door frame glass surface option is available on transom door frames only.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	• 7'0"H	1 Style number
	• Reversible pivot-hinged door: paint, glass, or flat-cut veneer	2 Paint color number for door, if solid door selected
	• Factory prep for pivot hinges	3 Glass number for glass door, if glass door selected
		4 Paint color number for glass door, if glass door selected
		5 Wood veneer color number, if selected
		6 Factory prep for cylindrical or mortise passage set or lockset, if selected
		7 Options, if selected (see below)
		▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Transom-height glass door leaves surface options		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
36³/₈"W solid door leaves 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 157	Specify wood veneer color number
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door 7'0"H		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 386	Specify glass number for lite.
• Glass price group 3	+\$ 461	Specify glass number for lite.
• Glass price group 4	+\$ 741	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1466	Specify glass number for lite.
Lock Prep		
▶ Page 42	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
		Specify with <i>cylindrical prep</i> .
		Specify with <i>mortise prep</i> .
Related Products		
• Door frames		▶ Page 146
• Passage sets and locksets		▶ Page 160
• Hinges		▶ Page 162
• Stops		▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Transom-Height Pivot-
Hinged Door Leaves for Use
with Switch Cutout

Specification Information

• Width	• Corresponding Frame Width	• Style Number	• U.S. Base Price
---------	--------------------------------	-------------------	-------------------------


Solid Single Door

36 ³ / ₈ "	42"	GPLSSPT42	\$1887
----------------------------------	-----	------------------	--------



Glass Single Door with 5"H Bottom Rail


36 ³ / ₈ "	42"	GPLGSPT42	\$4226
----------------------------------	-----	------------------	--------



5"H

Glass Single Door with 12"H Bottom Rail

36 ³ / ₈ "	42"	GPLGSPT42B	\$4226
----------------------------------	-----	-------------------	--------




12"H

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Hardware and Accessories for Swing Doors

Cylindrical Passage Set and Lockset



Standard Includes	Required to Specify
▶ Need help? Product details, page 36 • Cylindrical passage set or lockset, keyed randomly • Strike plate	1 Style number 2 Metal color number for passage set or lockset and strike plate: 9200 Satin Chrome 9201 Polished Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Surface Materials • 9200 Satin Chrome • 9201 Polished Chrome	No cost +\$24	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .

Specification Information

Style Number	U.S. Base Price
...	...


Cylindrical Passage Set

GPDCLA	\$608
...	...

Cylindrical Lockset

GPDCLO	\$830
...	...

Mortise Passage Set and Lockset



Tip: Door frame glass surface option is available on transom door frames only.

Tip: Ceiling height option is available on solid door leaves only.

Tip: Swing orientation is available on single-pivot-hinged door frame with transom only.

Standard Includes	Required to Specify
▶ Need help? Product details, page 36 • Mortise passage set or lockset, keyed randomly • Strike plate	1 Style number 2 Metal color number for passage set or lockset and strike plate: 9200 Satin Chrome 9201 Polished Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Surface Materials • 9200 Satin Chrome • 9201 Polished Chrome	No cost +\$35	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .

Specification Information

Style Number	U.S. Base Price
...	...

Mortise Passage Set

GPDMLA	\$1028
...	...

Mortise Lockset

GPDMLO	\$1228
...	...



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Butt Hinge Kits



Standard Includes	Required to Specify
- Set of butt hinges - Hinge kits for pair doors include flush bolts for inactive doors	1 Style number 2 Metal color number for set of hinges and flush bolts: 9200 Satin Chrome 9201 Polished Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Surface Materials Three hinges 9200 Satin Chrome 9201 Polished Chrome	No cost +\$33	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .
Four hinges 9200 Satin Chrome 9201 Polished Chrome	No cost +\$44	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .
Six or eight hinges 9200 Satin Chrome 9201 Polished Chrome	No cost +\$65	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .

Specification Information

Number of Hinges	Style Number	U.S. Base Price
:	:	:
:	:	:
:	:	:

Butt Hinges for Single Doors and Frames

For Use with 84"H Door

3	GPDBH3	\$147
---	---------------	-------

For Use with Full-Height Door

4	GPDBH4	\$196
---	---------------	-------

Butt Hinges for Pair Doors and Frames

For Use with 84"H Door

6	GPDBH3P	\$435
---	----------------	-------

For Use with Full-Height Door

8	GPDBH4P	\$485
---	----------------	-------




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Hardware and Accessories for Swing Doors, continued

Pivot Hinge Kits



Standard Includes	Required to Specify
▶ Need help? Product details, page 40 • Set of pivot hinges: 9200 Satin Chrome • Hinge kits for pair doors include flush bolts for inactive doors	1 Style number 2 Metal color number for flush bolts: 9200 Satin Chrome 9201 Polished Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Surface Materials • 9200 Satin Chrome • 9201 Polished Chrome	No cost +\$31	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .

Specification Information

• Style Number	• U.S. Base Price
•	•
•	•
•	•

Pivot Hinges for Single Doors and Frames

GPDPHS	\$299
•	•
•	•

Pivot Hinges for Pair Doors and Frames

GPDPHSP	\$995
•	•
•	•

Magnetic Wall Stop



Tip: For use with painted solid or Clerestory panels only.

Standard Includes	Required to Specify
▶ Need help? Product details, page 36 • Magnetic wall stop	1 Style number 2 Metal color number: 9200 Satin Chrome 9201 Polished Chrome 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Surface Materials • 9200 Satin Chrome • 9201 Polished Chrome	No cost +\$24	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .

Specification Information

• Style Number	• U.S. Base Price
•	•
•	•
•	•

GPDMWS	\$40
•	•
•	•




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Dome-Style Floor Stop



Standard Includes		Required to Specify	
▶ Need help? Product details, page 36	• Dome-style floor stop	1 Style number	
		2 Metal color number: 9200 Satin Chrome 9201 Polished Chrome	
		3 Options, if selected (see below)	
Options		U.S. Price	Required to Specify
Surface Materials	• 9200 Satin Chrome	No cost	Specify <i>with satin chrome</i> .
	• 9201 Polished Chrome	+\$24	Specify <i>with polished chrome</i> .
Specification Information			
Style Number	U.S. Base Price		
GPDDFS	\$19		

Screw-In Base Stop




Standard Includes		Required to Specify	
▶ Need help? Product details, page 36	• Screw-in base stop	1 Style number	
		2 Metal color number: 9200 Satin Chrome 9201 Polished Chrome	
		3 Options, if selected (see below)	
Options		U.S. Price	Required to Specify
Surface Materials	• 9200 Satin Chrome	No cost	Specify <i>with satin chrome</i> .
	• 9201 Polished Chrome	+\$24	Specify <i>with polished chrome</i> .
Specification Information			
Style Number	U.S. Base Price		
GPDSBS	\$66		



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Hardware and Accessories for Swing Doors, continued

Low-Voltage Switches




Tip: Switches are UL- and CSA-rated.

Tip: Low-voltage switch assemblies are specified by voltage rating to correspond to the voltage of the lighting system. This ensures that the transformer will be compatible with the lighting system.

Standard Includes		Required to Specify
► Need help? Product details, page 37	• Switch: black • 18-gauge wire • Switch plate: black • Transformer	Style number
Specification Information		
• Style • Number	• U.S. • Price	
Low-Voltage Switch (24V) with 120V Transformer		
GPDS120	\$299	
Low-Voltage Switch (24V) with 277V Transformer		
GPDS277	\$310	
Low-Voltage Switch (24V) with 347V Transformer		
GPDS347	\$369	

High-Voltage Switches



Tip: Switches are UL- and CSA-rated.

Standard Includes		Required to Specify
► Need help? Product details, page 37	• Switch: ivory • Electrical box and related hardware • Switch plate: clear anodized satin	Style number
Specification Information		
• Style • Number	• U.S. • Price	
Single Pole Single Switch		
GPDSS1	\$189	
Single Pole Double Switch		
GPDS1	\$287	


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Privacy Wall Slider Doors with Tubular Pull

All Glass



Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Upcharge per lite includes the glass in the door and the side panel.

Standard Includes		Required to Specify
▶ Need help? Product details, page 48	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Slider door: glass 1/4"-thick clear tempered glass - Door frame: paint - Side panel - Slide hardware - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint - Low-voltage knockout for door switch	- Style number - Ceiling height - Paint for frame and muntins - Glass color number for full glass, if selected - Glass color number(s) for three or four equal divided lites, if selected - Glass color number(s) for two or four transom-aligned lites, if selected - Paint color number for floor track - Post extension - Slide orientation - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 50	Specify paint color number.
• Paint price group 3	+\$ 91	Specify paint color number.
80"W doors 96"H through 120"H		
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$ 985	Specify glass number for door.
• Glass price group 3	+\$1174	Specify glass number for door.
• Glass price group 4	+\$1881	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$3709	Specify glass number for door.
96"W doors 96"H through 120"H		
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$1184	Specify glass number for door.
• Glass price group 3	+\$1407	Specify glass number for door.
• Glass price group 4	+\$2257	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$4450	Specify glass number for door.
Ceiling Height	8'0" through 9'0" No cost 9'1" through 10'0" +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Pull	• No pull and no door prep for pull - \$ 93	Specify <i>with no pull</i> .
Lock	• Door lock with interior thumb latch +\$ 428	Specify <i>with lock</i> .
Slide Orientation	- Left-hand slider door No cost - Right-hand slider door No cost	Specify <i>with left-hand slider door</i> . Specify <i>with right-hand slider door</i> .
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) No cost - Post extensions modified to accommodate overlapping ceiling track (ordered separately) No cost	Specify <i>with post extensions for recessed ceiling track interface</i> . Specify <i>with post extensions for overlapping ceiling track interface</i> .
Related Products	- Switches - Ceiling tracks - Continuous base trim - Feature strips	▶ Page 164 ▶ Page 230 ▶ Page 236 ▶ Page 240

▶ Options, continued on next page



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

► Options, continued from previous page


	SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5"H through 7'11"H	+\$173	Specify ceiling height in 1" increments.
Parametric Width Slider Door Assembly with Equal Width Door and Side Panel	• 76"W through 79"W and 81"W through 95"W • 97"W through 113"W	+\$347 +\$520	Specify slider door assembly widths in 1" increments. Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel	• 40"W doors: 81"W through 103"W • 48"W doors: 97"W through 111"W	+\$520 +\$520	Specify slider door assembly widths in 1" increments. Specify slider door assembly widths in 1" increments.
Base	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•

All Glass

80"	GPDSSTF80	\$3475
96"	GPDSSTF96	\$3604
•	•	•


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Privacy Wall Slider Doors with Tubular Pull

Two Transom-Aligned Lites



Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Upcharge per lite includes the glass in the door and the side panel.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 48	• Ceiling height from 8'0"H to 120"H, in one-inch increments • Slider door: glass • 1/4"-thick clear tempered glass • Door frame: paint • Side panel • Slide hardware • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint • Tubular door pull: brushed stainless • Low-voltage knockout for door switch		1 Style number 2 Ceiling height 3 Paint for frame and muntins 4 Glass color number for full glass, if selected 5 Glass color number(s) for three or four equal divided lites, if selected 6 Glass color number(s) for two or four transom-aligned lites, if selected 7 Paint color number for floor track 8 Post extension 9 Slide orientation 10 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify	
Surface Materials	Glass frame surface		
• Paint price group 1 • Paint price group 2 • Paint price group 3	- No cost +\$ 50 +\$ 91	- Specify paint color number. - Specify paint color number. - Specify paint color number.	
80"W doors 96"H through 120"H (per top lite row of glass)			
• Glass price group 1 • Glass price group 2 • Glass price group 3 • Glass price group 4 • Glass price group 5 • Glass price group 6	- No cost +\$ 183 +\$ 219 +\$ 351 - N.A. +\$ 689	- Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door.	
80"W doors 96"H through 120"H (per lower lite row of glass)			
• Glass price group 1 • Glass price group 2 • Glass price group 3 • Glass price group 4 • Glass price group 5 • Glass price group 6	- No cost +\$ 837 +\$ 994 +\$1595 - N.A. +\$3149	- Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door.	
96"W doors 96"H through 120"H (per top lite row of glass)			
• Glass price group 1 • Glass price group 2 • Glass price group 3 • Glass price group 4 • Glass price group 5 • Glass price group 6	- No cost +\$ 211 +\$ 250 +\$ 399 - N.A. +\$ 789	- Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door.	
96"W doors 96"H through 120"H (per lower lite row of glass)			
• Glass price group 1 • Glass price group 2 • Glass price group 3 • Glass price group 4 • Glass price group 5 • Glass price group 6	- No cost +\$ 954 +\$1138 +\$1822 - N.A. +\$3597	- Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door. - Specify glass number for door.	
Ceiling Height	• 8'0" through 9'0" • 9'1" through 10'0"	- No cost +\$ 91	- Specify ceiling height in 1" increments. - Specify ceiling height in 1" increments.
Pull	• No pull and no door prep for pull	–\$ 93	Specify <i>with no pull</i>.
Lock	• Door lock with interior thumb latch	+\$ 428	Specify <i>with lock</i>.
Slide Orientation	• Left-hand slider door • Right-hand slider door	- No cost - No cost	- Specify <i>with left-hand slider door</i>. - Specify <i>with right-hand slider door</i>.

▶ Page 49

▶ Options, continued on next page



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Related Products	• Switches • Ceiling tracks • Continuous base trim • Feature strips		► Page 164 ► Page 230 ► Page 236 ► Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.


	SmartTools Options	U.S. Price	Required to Specify
Muntin	Change muntin size		
	• Change to 1½"W or 2¼"W	No cost	Specify change muntin size.
	Change muntin location		
	• Change muntin location	No cost	Specify change muntin location.
Parametric Width Slider Door Assembly with Equal Width Door and Side Panel	• 76"W through 79"W and 81"W through 95"W	+\$347	Specify slider door assembly widths in 1" increments.
	• 97"W through 113"W	+\$520	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel	• 40"W doors: 81"W through 103"W	+\$520	Specify slider door assembly widths in 1" increments.
	• 48"W doors: 97"W through 111"W	+\$520	Specify slider door assembly widths in 1" increments.
Base	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•
•	•	•

Two Transom-Aligned Lites


80"	GPDSST2L80	\$3522
96"	GPDSST2L96	\$3676
•	•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Privacy Wall Slider Doors with Tubular Pull

Three Equal Divided Lites



Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96.

Tip: Upcharge per lite includes the glass in the door and the side panel.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 48	• Ceiling height from 8'0"H to 120"H, in one-inch increments • Slider door: glass • 1/4"-thick clear tempered glass • Door frame: paint • Side panel • Slide hardware • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint • Tubular door pull: brushed stainless • Low-voltage knockout for door switch	1 Style number 2 Ceiling height 3 Paint for frame and muntins 4 Glass color number for full glass, if selected 5 Glass color number(s) for three or four equal divided lites, if selected 6 Glass color number(s) for two or four transom-aligned lites, if selected 7 Paint color number for floor track 8 Post extension 9 Slide orientation 10 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.	

Options	U.S. Price	Required to Specify
Surface Materials	Glass frame surface	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 50	Specify paint color number.
• Paint price group 3	+\$ 91	Specify paint color number.
80"W doors 8'0"H through 10'0"H (per row of glass)		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 328	Specify glass number for lite.
• Glass price group 3	+\$ 391	Specify glass number for lite.
• Glass price group 4	+\$ 626	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1235	Specify glass number for lite.
96"W doors 8'0"H through 10'0"H (per row of glass)		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 394	Specify glass number for lite.
• Glass price group 3	+\$ 472	Specify glass number for lite.
• Glass price group 4	+\$ 754	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1487	Specify glass number for lite.
Ceiling Height	• 8'0" through 9'0" • 9'1" through 10'0"	- No cost +\$ 91 Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Pull	• No pull	–\$ 93 Specify <i>with no pull</i>.
Lock	• Door lock with interior thumb latch	+\$ 428 Specify <i>with lock</i>.
Slide Orientation	• Left-hand slider door • Right-hand slider door	- No cost - No cost Specify <i>with left-hand slider door</i>. Specify <i>with right-hand slider door</i>.
▶ Page 49		
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately) • Post extensions modified to accommodate overlapping ceiling track (ordered separately)	- No cost - No cost Specify <i>with post extensions for recessed ceiling track interface</i>. Specify <i>with post extensions for overlapping ceiling track interface</i>.
Related Products	• Switches • Ceiling tracks • Continuous base trim • Feature strips	▶ Page 164 ▶ Page 230 ▶ Page 236 ▶ Page 240

▶ Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: Muntin quantity and location must match door assembly and side panel. See Privacy Wall Slider Doors.

► Page 49.


	SmartTools Options	U.S. Price	Required to Specify
Muntin	Change muntin size • Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location • Change muntin location	No cost	Specify muntin location.
Parametric Ceiling Height (Available in 1" increments)	• 7'5"W through 7'11"H	+\$173	Specify ceiling height in 1" increments.
Parametric Width Slider Door Assembly with Equal Width Door and Side Panel	• 76"W through 79"W and 81"W through 95"W	+\$347	Specify slider door assembly widths in 1" increments.
	• 97"W through 113"W	+\$520	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel	• 40"W doors: 81"W through 103"W	+\$520	Specify slider door assembly widths in 1" increments.
	• 48"W doors: 97"W through 111"W	+\$520	Specify slider door assembly widths in 1" increments.
Base	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•
•	•	•

Three Equal Divided Lites

80"	GPDSST3E80	\$3579
96"	GPDSST3E96	\$3736
•	•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Privacy Wall Slider Doors with Tubular Pull

Four Equal Divided Lites



Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96.

Tip: Upcharge per lite includes the glass in the door and the side panel.

Standard Includes		Required to Specify	
► Need help? Product details, page 48	- Ceiling height from 8'0"H to 120"H, in one-inch increments - Slider door: glass 1/4"-thick clear tempered glass - Door frame: paint - Side panel - Slide hardware - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint - Tubular door pull: brushed stainless - Low-voltage knockout for door switch	- Style number - Ceiling height - Paint for frame and muntins - Glass color number for full glass, if selected - Glass color number(s) for three or four equal divided lites, if selected - Glass color number(s) for two or four transom-aligned lites, if selected - Paint color number for floor track - Post extension - Slide orientation - Options, if selected (see below) ► See <i>Surface Materials</i>, page 338.	

Options	U.S. Price	Required to Specify	
Surface Materials	Glass frame surface		
• Paint price group 1	No cost	Specify paint color number.	
• Paint price group 2	+\$ 50	Specify paint color number.	
• Paint price group 3	+\$ 91	Specify paint color number.	
80"W doors 8'0"H through 10'0"H (per row of glass)			
• Glass price group 1	No cost	Specify glass number for lite.	
• Glass price group 2	+\$ 246	Specify glass number for lite.	
• Glass price group 3	+\$ 296	Specify glass number for lite.	
• Glass price group 4	+\$ 469	Specify glass number for lite.	
• Glass price group 5	N.A.	Specify glass number for lite.	
• Glass price group 6	+\$ 927	Specify glass number for lite.	
96"W doors 8'0"H through 10'0"H (per row of glass)			
• Glass price group 1	No cost	Specify glass number for lite.	
• Glass price group 2	+\$ 296	Specify glass number for lite.	
• Glass price group 3	+\$ 355	Specify glass number for lite.	
• Glass price group 4	+\$ 566	Specify glass number for lite.	
• Glass price group 5	N.A.	Specify glass number for lite.	
• Glass price group 6	+\$1115	Specify glass number for lite.	
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Pull	• No pull	–\$ 93	Specify <i>with no pull</i> .
Lock	• Door lock with interior thumb latch	+\$ 428	Specify <i>with lock</i> .
Slide Orientation	- Left-hand slider door - Right-hand slider door	No cost No cost	Specify <i>with left-hand slider door</i> . Specify <i>with right-hand slider door</i> .
► Page 49			
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost No cost	Specify <i>with post extensions for recessed ceiling track interface</i> . Specify <i>with post extensions for overlapping ceiling track interface</i> .
Related Products	- Switches - Ceiling tracks - Continuous base trim - Feature strips		► Page 164 ► Page 230 ► Page 236 ► Page 240

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Specify additional muntin(s) for use in five- or six-lite assembly applications. Maximum of six lites. See Privacy Wall Slider Doors.

► Page 49.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.


	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass for 5th and 6th lite opening • See standard options for glass price group above		Specify glass number for lite 5 or 6.
Muntin	Change muntin size • Change to 1½"W or 2¼"W	No cost	Specify muntin size.
	Change muntin location • Change muntin location	No cost	Specify muntin location.
	Additional muntin • Muntin	+\$173	Specify with muntin.
Parametric Ceiling Height (Available in 1" increments)	• 7½"W through 7'11"H	+\$173	Specify ceiling height in 1" increments.
Parametric Width Slider Door Assembly with Equal Width Door and Side Panel	• 76"W through 79"W and 81"W through 95"W • 97"W through 113"W	+\$347 +\$520	Specify slider door assembly widths in 1" increments. Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel	• 40"W doors: 81"W through 103"W • 48"W doors: 97"W through 111"W	+\$520 +\$520	Specify slider door assembly widths in 1" increments. Specify slider door assembly widths in 1" increments.
Base	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
80"	GPDSST4E80	\$3635
96"	GPDSST4E96	\$3796

Four Equal Divided Lites

80"	GPDSST4E80	\$3635
96"	GPDSST4E96	\$3796


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Privacy Wall Slider Doors with Tubular Pull

Four Transom-Aligned Lites



Tip: For information regarding Etched and Pattern Glass Planning.

► Page 96

Tip: Upcharge per lite includes the glass in the door and the side panel.

Standard Includes		Required to Specify	
► Need help? Product details, page 48	- Ceiling height from 8'0"H to 120"H, in one-inch increments - Slider door: glass 1/4"-thick clear tempered glass - Door frame: paint - Side panel - Slide hardware - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint - Tubular door pull: brushed stainless - Low-voltage knockout for door switch	- Style number - Ceiling height - Paint for frame and muntins - Glass color number for full glass, if selected - Glass color number(s) for three or four equal divided lites, if selected - Glass color number(s) for two or four transom-aligned lites, if selected - Paint color number for floor track - Post extension - Slide orientation - Options, if selected (see below)	
		► See <i>Surface Materials</i> , page 338.	

Options		U.S. Price	Required to Specify
Surface Materials	Glass frame surface		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 50 +\$ 91	Specify paint color number. Specify paint color number. Specify paint color number.
80"W doors 96"H through 120"H (per top lite row of glass)			
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		No cost +\$ 183 +\$ 219 +\$ 351 N.A. +\$ 689	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
80"W doors 96"H through 120"H (per top lite row of glass)			
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		No cost +\$ 265 +\$ 320 +\$ 507 N.A. +\$ 998	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
96"W doors 96"H through 120"H (per top lite row of glass)			
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		No cost +\$ 211 +\$ 250 +\$ 399 N.A. +\$ 789	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
96"W doors 96"H through 120"H (per lower lite row of glass)			
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6		No cost +\$ 318 +\$ 382 +\$ 609 N.A. +\$1200	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Pull	No pull	-\$ 93	Specify <i>with no pull</i> .
Lock	Door lock with interior thumb latch	+\$ 428	Specify <i>with lock</i> .
Slide Orientation	- Left-hand slider door - Right-hand slider door	No cost No cost	Specify <i>with left-hand slider door</i> . Specify <i>with right-hand slider door</i> .
► Options, continued on next page			



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Related Products	• Switches • Ceiling tracks • Continuous base trim • Feature strips		► Page 164 ► Page 230 ► Page 236 ► Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: Specify additional muntin(s) for use in five- or six-lite assembly applications. Maximum of six lites. ► See Understanding page 49.

Tip: Muntin quantity and location must match door assembly and side panel. ► See Understanding page 49.


	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Glass for 5th and 6th lite opening • See standard options for lower lite row glass price group above		Specify glass number for lite 5 or 6.
Muntin	Change muntin size • Change to 1½"W or 2¼"W	No cost	Specify change muntin size.
	Change muntin location • Change muntin location	No cost	Specify change muntin location.
	Additional muntin • Muntin	+\$173	Specify with muntin.
Parametric Width Slider Door Assembly with Equal Width Door and Side Panel	• 76"W through 79"W and 81"W through 95"W	+\$347	Specify slider door assembly widths in 1" increments.
	• 97"W through 113"W	+\$520	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel	• 40"W doors: 81"W through 103"W	+\$520	Specify slider door assembly widths in 1" increments.
	• 48"W doors: 97"W through 111"W	+\$520	Specify slider door assembly widths in 1" increments.
Base	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
80"	GPDSST4L80	\$3635
96"	GPDSST4L96	\$3796


Four Transom-Aligned Lites

80"	GPDSST4L80	\$3635
96"	GPDSST4L96	\$3796



Back-to-Back Cover

For Privacy Wall Slider Doors



Standard Includes		Required to Specify	
► Need help? Product details, page 50	- Back-to-back cover: paint price group 1 - Plinth: paint	- Style number - Paint color number for cover and plinth - Options, if selected (see below) ► See <i>Surface Materials</i>, page 338.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$15	Specify paint color number.
Specification Information			
Style Number	U.S. Base Price		
GPDSCB	\$167		




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Mini Ends



Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Veneer (flat-cut open-pore finish) • Mini end	+\$961	Specify wood veneer color number.
Parametric Ceiling Height	• 7'5" through 7'11" • 10'1" through 11'0"	+\$ 18 +\$ 18	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Modified Angle (45° to 135° in 5° increments)	• For GPMES • For GPMEM • For GPMEL	+\$163 +\$173 +\$186	Specify <i>with modified angle</i> . Specify <i>with modified angle</i> . Specify <i>with modified angle</i> .
Base	• 4"H base	+\$ 18	Specify to accept 4"H base.

Specification Information


• Size	• Style Number	• U.S. Base Price
1 1/2" to 2 1/8"	GPMES	\$259
2 1/8" to 3 1/2"	GPMEM	\$259
3 1/2" to 6"	GPMEL	\$335



▶ See page 1 for details.

Mini Ends, continued

Mini Ends to the Floor



Tip: Mini ends should be specified to the floor when positioned next to a door frame. Mini ends will be field-cut by installer to final length.

► Page 68

Standard Includes		Required to Specify	
► Need help? Product details, page 68	- Mini end: 10'1"H - Telescoping mini end: paint	1 Style number 2 Paint color number for mini end 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.	

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	• Vinyl price group A	+\$ 83	Specify vinyl color number.
	• Vinyl price group B	+\$108	Specify vinyl color number.
	• Vinyl price group C	+\$121	Specify vinyl color number.
	• Vinyl price group D	+\$161	Specify vinyl color number.
	• Vinyl price group E	+\$180	Specify vinyl color number.
	• Customer's Own Material/ Vinyl (COM)	+\$ 83	► See <i>Surface Materials Reference Manual</i> .
Related Product	• Wall panels		► Page 108

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Veneer (flat-cut open-pore finish)		
	• Mini end	+\$961	Specify wood veneer color number.
Parametric Ceiling Height	• 10'1" through 11'0"	+\$ 18	Specify ceiling height in 1" increments.
Modified Angle (45° to 135° in 5° increments)	• For GPMESF	+\$163	Specify <i>with modified angle</i> .
	• For GPMEMF	+\$173	Specify <i>with modified angle</i> .
	• For GPMELF	+\$186	Specify <i>with modified angle</i> .

Specification Information

• Size	• Style Number	• U.S. Base Price
1 1/2" to 2 1/8"	GPMESF	\$259
2 1/8" to 3 1/2"	GPMEMF	\$259
3 1/2" to 6"	GPMELF	\$335
•	•	•


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wall Channels

Wall Channels



Tip: Wall channels are cut to size in the field.

Tip: Specify an end filler cut kit when cutting a panel into a wall channel. The end filler cut kit includes a wall channel and spreader.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes		Required to Specify	
Need help? Product details, page 72	• Wall channel, 10'0": paint	1 Style number	
		2 Paint color number for wall channel	
		3 Options, if selected (see below)	
		▶ See <i>Surface Materials</i> , page 338.	

Surface Materials	Options	U.S. Price	Required to Specify
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	• Vinyl price group A	+\$ 83	Specify vinyl color number.
	• Vinyl price group B	+\$108	Specify vinyl color number.
	• Vinyl price group C	+\$121	Specify vinyl color number.
	• Vinyl price group D	+\$161	Specify vinyl color number.
	• Vinyl price group E	+\$180	Specify vinyl color number.
	• Customer's Own Material/ Vinyl (COM)	+\$ 83	Specify vinyl color number.
			▶ See <i>Surface Materials Reference Manual</i> .

Ceiling Height	Options	U.S. Price	Required to Specify
	• 8'0" through 10'0"	No cost	Specify ceiling height in 1" increments.

Surface Materials	SmartTools Options	U.S. Price	Required to Specify
	Veneer (flat-cut open-pore finish)		
	• Wall channel	+\$477	Specify wood veneer color number.
Parametric Ceiling Height (Available in 1" increments)	• 10'1" through 11'0"	+\$ 18	Specify ceiling height in 1" increments.

Specification Information			
Size	Length	Style Number	U.S. Base Price
1"	10'	GPWC1	\$136
2 1/4"	10'	GPWC2	\$136
4"	10'	GPWC4	\$160
:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Panel End Cut Kit



Tip: Slider door assembly widths are displayed in nominal sizes. Actual sizes vary in height and width.

Standard Includes		Required to Specify	
► Need help? Product details, page 76	- Panel spreader - Leveler for 5" base - Leveler reinforcement - Finished end: paint	1 Style number 2 Paint color number 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.	
Surface Materials	Options	U.S. Price	Required to Specify
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	• Vinyl price group A	+\$ 83	Specify vinyl color number.
	• Vinyl price group B	+\$108	Specify vinyl color number.
	• Vinyl price group C	+\$121	Specify vinyl color number.
	• Vinyl price group D	+\$161	Specify vinyl color number.
	• Vinyl price group E	+\$180	Specify vinyl color number.
	• Customer's Own Material/ Vinyl (COM)	+\$ 83	Specify vinyl color number. ► See <i>Surface Materials Reference Manual</i> .
Related Product	• Wall panels		► Page 108

Specification Information

Height	Style Number	U.S. Base Price
10'	GPWCCP	\$164
.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

End Filler Cut Kit



Standard Includes		Required to Specify	
► Need help? Product details, page 76	• Panel spreader • Leveler for 5" base • Leveler reinforcement • Wall channel: paint	1 Style number 2 Paint color number 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	• Vinyl price group A	+\$ 83	Specify vinyl color number.
	• Vinyl price group B	+\$108	Specify vinyl color number.
	• Vinyl price group C	+\$121	Specify vinyl color number.
	• Vinyl price group D	+\$161	Specify vinyl color number.
	• Vinyl price group E	+\$180	Specify vinyl color number.
• Customer's Own Material/Vinyl (COM)	+\$ 83	► See <i>Surface Materials Reference Manual</i> .	
Related Product	• Wall panels		► Page 108

Specification Information

Style Number	U.S. Base Price
GPWCCPSK	\$114




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Adapters



Tip: T- and X-adapter do not require finishes as those are not visible.

Tip: Panel end aligns to top of 5"H base.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes		Required to Specify
► Need help? Product details, page 78	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Finished-end adapter or L-adapter: paint - Plinth for finished-edge: paint	1 Style number 2 Ceiling height on adapters 3 Paint color number for finished-end and L-adapter, if selected 4 Paint color number for plinths 5 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Finished-end and L-adapters	
	- Paint price group 1 - Paint price group 2 - Paint price group 3 - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 5 - Vinyl price group A - Vinyl price group B - Vinyl price group C - Vinyl price group D - Vinyl price group E - Customer's Own Material/Vinyl (COM)	No cost +\$ 4 +\$ 8 +\$ 37 +\$ 53 +\$ 66 +\$ 83 +\$ 37 +\$ 53 +\$ 55 +\$ 83 +\$ 94 +\$ 37
	Finished-end base plinth 96"W doors 96"H through 120"H	
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 2 +\$ 4
Ceiling Height for L-, T-, and X-adapters	8'1" through 10'0"	No cost
Related Products	- Continuous base trim - Feature strips	► Page 236 ► Page 240
SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Veneer (flat-cut open-pore finish)	
	Finished-end adapter and L-adapter only	+\$477
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" 10'1" through 11'0"	+\$ 18 +\$ 18
		Specify paint color number. Specify paint color number. Specify paint color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. ► See <i>Surface Materials Reference Manual</i> .
		Specify paint color number. Specify paint color number. Specify paint color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number. Specify vinyl color number.
		Specify ceiling height in 1" increments.
		Specify wood veneer color number.
		Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.







For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information


• Style • Number	• U.S. • Base • Price
Finished-End Adapter with Base	
GPAFEB	\$152
:	:
L-Adapter	
GPAL	\$152
:	:
T-Adapter	
GPAT	\$ 80
:	:
X-Adapter	
GPAX	\$112
:	:

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Posts



Tip: X-post does not require a finish since the post is not visible.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes		Required to Specify	
► Need help? Product details, page 82	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Post: paint (except X-post)	1 Style number 2 Ceiling height 3 Paint color number for post 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.	

Options	U.S. Price	Required to Specify	
Surface Materials	Post (except X-post)		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	• Vinyl price group A	+\$ 83	Specify vinyl color number.
	• Vinyl price group B	+\$108	Specify vinyl color number.
	• Vinyl price group C	+\$121	Specify vinyl color number.
	• Vinyl price group D	+\$161	Specify vinyl color number.
	• Vinyl price group E	+\$180	Specify vinyl color number.
	• Customer's Own Material/Vinyl (COM)	+\$ 83	► See <i>Surface Materials Reference Manual</i> .
Ceiling Height	• 8'0" through 10'0"	No cost	Specify ceiling height in 1" increments.


SmartTools Options	U.S. Price	Required to Specify	
Surface Materials	Post, veneer (flat-cut open-pore finish)		
	• Posts (except X-post)	+\$477	Specify wood veneer color number.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" • 10'1" through 11'0"	+\$ 18 +\$ 18	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Base	• 4"H base	+\$ 18	Specify to accept 4"H base.
Modified Angle (70° to 175° in 5° increments)	• For GPP120V 70°-85° • For GPP120V 95°-115° • For GPP135V 125°-175°	+\$459 +\$406 +\$406	Specify <i>with modified angle</i> . Specify <i>with modified angle</i> . Specify <i>with modified angle</i> .



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Specification Information

L-Post




• Style
Number

• U.S.
Base
Price

GPPL \$162

T-Post




• Style
Number

• U.S.
Base
Price

GPPT \$192

X-Post




• Style
Number

• U.S.
Base
Price

GPPX \$218

In-Line Post




• Style
Number

• U.S.
Base
Price

GPPI \$162

V-Posts



• Configuration


• Style
Number

• U.S.
Base
Price

120° V-Post **GPP120V** \$192

135° V-Post **GPP135V** \$192

135° Y-Post



• Style
Number

• U.S.
Base
Price


GPP135Y \$218

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

I-Line Interface Post



Standard Includes		Required to Specify
► Need help? Product details, page 20	• Interface post: paint	1 Style number 2 Paint color number 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	I-Line post	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 8	Specify paint color number.
• Paint price group 3	+\$ 15	Specify paint color number.
• Fabric price group 1	+\$ 83	Specify fabric color number.
• Fabric price group 2	+\$108	Specify fabric color number.
• Fabric price group 3	+\$142	Specify fabric color number.
• Fabric price group 5	+\$175	Specify fabric color number.
• Vinyl price group A	+\$ 83	Specify vinyl color number.
• Vinyl price group B	+\$108	Specify vinyl color number.
• Vinyl price group C	+\$121	Specify vinyl color number.
• Vinyl price group D	+\$161	Specify vinyl color number.
• Vinyl price group E	+\$180	Specify vinyl color number.
• Customer's Own Material/Vinyl (COM)	+\$ 83	► See <i>Surface Materials Reference Manual</i> .
Related Products	• Feature strips	► Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Post, veneer (flat-cut open-pore finish)		
	• I-line post	+\$477	Specify wood veneer color number.
Parametric Ceiling Height (Available in 1" increments)	• 10'1" through 11'0"	+\$ 18	Specify ceiling height in 1" increments.

Specification Information		
Length	Style Number	U.S. Base Price
10'	GPIA	\$138



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Glass Selections All-Glass Wall Panels



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with clear anodized aluminum frame 1/4"-thick factory-installed lite: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		1 Style number 2 Ceiling height 3 Glass number for lite 4 Post extension 5 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials		
Panels 96"H through 120"H, 6"W to 8"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 98	Specify glass number for lite.
• Glass price group 3	+\$ 119	Specify glass number for lite.
• Glass price group 4	+\$ 190	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 372	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Panels 96"H through 120"H, 18"W to 24"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 296	Specify glass number for lite.
• Glass price group 3	+\$ 353	Specify glass number for lite.
• Glass price group 4	+\$ 566	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1113	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Panels 96"H through 120"H, 30"W to 36"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 443	Specify glass number for lite.
• Glass price group 3	+\$ 528	Specify glass number for lite.
• Glass price group 4	+\$ 846	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1668	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Panels 96"H through 120"H, 40"W to 48"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 591	Specify glass number for lite.
• Glass price group 3	+\$ 702	Specify glass number for lite.
• Glass price group 4	+\$1130	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$2225	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Panels 96"H through 120"H, 60"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 739	Specify glass number for lite.
• Glass price group 3	+\$ 878	Specify glass number for lite.
• Glass price group 4	+\$1409	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$2781	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Post Extension		
• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Ceiling Height		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.
▶ Options, continued on next page		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

► Options, continued from previous page

Tip: Base power block location does not include infeed. Infeed must be ordered separately, if needed.

Options	U.S. Price	Required to Specify
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic • 3+1 +\$196 • 2+2 +\$196 • 3SN +\$196	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products • Power options • Ceiling tracks • Continuous base trim • Feature strips • Acoustic packing • Power receptacles • Power and communication cover plates • Infeeds • Modular harnesses • Field-installed powerkits		► Page 139 ► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

SmartTools Options	U.S. Price	Required to Specify
Surface Materials • 6"W through 18"W +\$186 • 19"W through 36"W +\$214 • 37"W through 48"W +\$255 • 49"W through 60"W +\$286		Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" Use 8'0" price	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths Use U.S. Base Price of next larger width • Non standard modular widths Use U.S. Base Price of next larger width	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base • 2½"H base +\$ 90 • 4"H base +\$222		Specify to accept 2½"H base. Specify to accept 4"H base.


Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
-------	--------------	-----------------	---------------	---------------	--------------	-----------------

All-Glass Wall Panels

Modular All-Glass Wall Panels

6"	GPGSSG06	\$ 761				
8"	GPGSSG08	\$ 761	8"	61¼"	GPGSMG08	\$ 761
18"	GPGSSG18	\$ 844	18"	161¼"	GPGSMG18	\$ 844
20"	GPGSSG20	\$ 844	20"	181¼"	GPGSMG20	\$ 844
24"	GPGSSG24	\$ 937	24"	221¼"	GPGSMG24	\$ 937
30"	GPGSSG30	\$ 990	30"	281¼"	GPGSMG30	\$ 990
36"	GPGSSG36	\$1101	36"	341¼"	GPGSMG36	\$1101
40"	GPGSSG40	\$1157	40"	381¼"	GPGSMG40	\$1157
42"	GPGSSG42	\$1157	42"	401¼"	GPGSMG42	\$1157
48"	GPGSSG48	\$1300	48"	461¼"	GPGSMG48	\$1300
60"	GPGSSG60	\$1561	60"	581¼"	GPGSMG60	\$1561




Tip: Ceiling height panels from 10'0"H through 11'0"H are available in widths up to 48" only.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Glass Selections All-Glass Frame Kits



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: When power option is specified, connector harness is included to join power blocks with frame kit.

Tip: Frame kits include two power blocks per kit.

Tip: Frame kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes	Required to Specify
► Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with clear anodized aluminum frame - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	- Style number - Ceiling height - Post extension - Options, if selected (see below) ► See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify												
Post Extension - Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.												
Ceiling Height 8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 48	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.												
Electrical Power <table border="1"> <thead> <tr> <th>Base power</th> <th>Block power</th> <th>Schematic</th> </tr> </thead> <tbody> <tr> <td>• 3+1</td> <td></td> <td>+\$478</td> </tr> <tr> <td>• 2+2</td> <td></td> <td>+\$478</td> </tr> <tr> <td>• 3SN</td> <td></td> <td>+\$478</td> </tr> </tbody> </table>	Base power	Block power	Schematic	• 3+1		+\$478	• 2+2		+\$478	• 3SN		+\$478		Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Base power	Block power	Schematic												
• 3+1		+\$478												
• 2+2		+\$478												
• 3SN		+\$478												
Related Products - Power options - Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing - Power receptacles - Power and communication cover plates - Infeeds - Modular harnesses - Field-installed powerkits		► Page 139 ► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254												


	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Painted Glass Selections	frame	
	• 61"W through 71"W	+\$286	Specify paint color number.
	• 72"W through 80"W	+\$326	Specify paint color number.
	• 81"W through 96"W	+\$367	Specify paint color number.
	• 97"W through 120"W	+\$408	Specify paint color number.
	• 121"W through 144"W	+\$449	Specify paint color number.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11"	Use 8'0" price	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
	• Non standard modular widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
Base	• 2½"H base	+\$182	Specify to accept 2½"H base.
	• 4"H base	+\$335	Specify to accept 4"H base.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Specification Information


Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
All-Glass Frame Kits			Modular All-Glass Frame Kits			
72"	GPSSGFK72	\$1087	72"	70 ¹¹ / ₁₆ "	GPSSMGFK72	\$1087
80"	GPSSGFK80	\$1165	80"	78 ¹¹ / ₁₆ "	GPSSMGFK80	\$1165
84"	GPSSGFK84	\$1249	84"	82 ¹¹ / ₁₆ "	GPSSMGFK84	\$1249
96"	GPSSGFK96	\$1338	96"	94 ¹¹ / ₁₆ "	GPSSMGFK96	\$1338
108"	GPSSGFK108	\$1426	108"	106 ¹¹ / ₁₆ "	GPSSMGFK108	\$1426
120"	GPSSGFK120	\$1530	120"	118 ¹¹ / ₁₆ "	GPSSMGFK120	\$1530
144"	GPSSGFK144	\$1637	144"	142 ¹¹ / ₁₆ "	GPSSMGFK144	\$1637
.	.	.	.	.	.	.

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Glass Selections All-Glass Glass Kits



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: Glass kits 72"W to 96"W have two pieces of glass. Kits 108"W to 144"W have three pieces of glass.

Standard Includes		Required to Specify
► Need help? Product details, page 24	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 3/8"-thick clear tempered glass	1 Style number 2 Ceiling height 3 Glass number for lite 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.
Options		Required to Specify
Surface Materials	Glass Panels 8'0" through 10'0" for 72"W and 80"W Kits	
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$1867 +\$2263 +\$2581 N.A. +\$5030
		Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Glass Panels 8'0" through 10'0" for 84"W and 96"W Kits	
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$2240 +\$2718 +\$3097 N.A. +\$6039
		Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
	Glass Panels 8'0" through 10'0" for 108"W, 120"W, and 144"W Kits	
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$2801 +\$3399 +\$3872 N.A. +\$7550
		Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
		► See <i>Surface Materials Reference Manual</i> .
Ceiling Height	8'0"H through 9'0"H 9'1"H through 10'0"H	No cost +\$ 48 Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Related Products	- Power options - Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing - Power receptacles - Power and communication cover plates - Infeeds - Modular harnesses - Field-installed powerkits	► Page 139 ► Page 230 ► Page 236 ► Page 240 ► Page 244 ► Page 247 ► Page 249 ► Page 250 ► Page 252 ► Page 254

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

► Options, continued from previous page

	SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5"H through 7'11"H (for widths 96" or less)	+\$ 71	Specify ceiling height in 1" increments.
	• 7'5"H through 7'11"H (for widths 97"W and greater)	+\$112	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	Overall unit widths • 61"W through 97"W (excludes standard widths)	+\$ 71	Specify panel widths in 1" increments.
	• 97"W through 143"W (excludes standard widths)	+\$112	Specify panel widths in 1" increments.
Base	2½"H base		
	• 61"W through 96"W	+\$ 20	Specify to accept 2½"H base.
	• 97"W through 144"W	+\$ 30	Specify to accept 2½"H base.
	4"H base		
	• 4"H base	No cost	Specify to accept 4"H base.


Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
72"	GPSSSGK72	\$1724	72"	70 ¹¹ / ₁₆ "	GPSSSGK72	\$1724
80"	GPSSSGK80	\$1918	80"	78 ¹¹ / ₁₆ "	GPSSSGK80	\$1918
84"	GPSSSGK84	\$2014	84"	82 ¹¹ / ₁₆ "	GPSSSGK84	\$2014
96"	GPSSSGK96	\$2303	96"	94 ¹¹ / ₁₆ "	GPSSSGK96	\$2303
108"	GPSSSGK108	\$2590	108"	106 ¹¹ / ₁₆ "	GPSSSGK108	\$2590
120"	GPSSSGK120	\$2878	120"	118 ¹¹ / ₁₆ "	GPSSSGK120	\$2878
144"	GPSSSGK144	\$3347	144"	142 ¹¹ / ₁₆ "	GPSSSGK144	\$3347

All-Glass Glass Kits

Modular All-Glass Glass Kits

72"	GPSSSGK72	\$1724	72"	70 ¹¹ / ₁₆ "	GPSSSGK72	\$1724
80"	GPSSSGK80	\$1918	80"	78 ¹¹ / ₁₆ "	GPSSSGK80	\$1918
84"	GPSSSGK84	\$2014	84"	82 ¹¹ / ₁₆ "	GPSSSGK84	\$2014
96"	GPSSSGK96	\$2303	96"	94 ¹¹ / ₁₆ "	GPSSSGK96	\$2303
108"	GPSSSGK108	\$2590	108"	106 ¹¹ / ₁₆ "	GPSSSGK108	\$2590
120"	GPSSSGK120	\$2878	120"	118 ¹¹ / ₁₆ "	GPSSSGK120	\$2878
144"	GPSSSGK144	\$3347	144"	142 ¹¹ / ₁₆ "	GPSSSGK144	\$3347

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Wall Panels with Two Divided Lites

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2³/₈"-thick panel with clear anodized aluminum frame - Two, 1/4"-thick factory-installed lites—top lite is transom aligned: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)		1 Style number 2 Ceiling height 3 Glass number for lite 1 (from top) 4 Glass number for lite 2 5 Post extension 6 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Top Lite Glass Panels 8'0" through 10'0", 6"W through 8"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 17	Specify glass number for lite.
• Glass price group 3	+\$ 22	Specify glass number for lite.
• Glass price group 4	+\$ 33	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 67	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Lower Lite Glass Panels 8'0" through 10'0" (per lite), 6"W through 8"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 81	Specify glass number for lite.
• Glass price group 3	+\$ 96	Specify glass number for lite.
• Glass price group 4	+\$ 153	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 300	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Top Lite Glass Panels 8'0" through 10'0", 18"W through 24"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 54	Specify glass number for lite.
• Glass price group 3	+\$ 63	Specify glass number for lite.
• Glass price group 4	+\$ 100	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 198	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Lower Lite Glass Panels 8'0" through 10'0" (per lite), 18"W through 24"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 240	Specify glass number for lite.
• Glass price group 3	+\$ 284	Specify glass number for lite.
• Glass price group 4	+\$ 457	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 900	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Top Lite Glass Panels 8'0" through 10'0", 30"W through 36"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 79	Specify glass number for lite.
• Glass price group 3	+\$ 93	Specify glass number for lite.
• Glass price group 4	+\$ 151	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$ 296	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		
Lower Lite Glass Panels 8'0" through 10'0" (per lite), 30"W through 36"W		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$ 359	Specify glass number for lite.
• Glass price group 3	+\$ 428	Specify glass number for lite.
• Glass price group 4	+\$ 683	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$1349	Specify glass number for lite.
▶ See <i>Surface Materials Reference Manual</i> .		

▶ Options, continued on next page



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials	Top Lite Glass Panels 8'0" through 10'0", 40"W through 48"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 105	Specify glass number for lite.
	• Glass price group 3	+\$ 126	Specify glass number for lite.
	• Glass price group 4	+\$ 200	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$ 394	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .			
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 40"W through 48"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 477	Specify glass number for lite.
	• Glass price group 3	+\$ 570	Specify glass number for lite.
	• Glass price group 4	+\$ 911	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$1798	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .			
	Top Lite Glass Panels 8'0" through 10'0", 60"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 133	Specify glass number for lite.
	• Glass price group 3	+\$ 157	Specify glass number for lite.
	• Glass price group 4	+\$ 248	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$ 493	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .			
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 60"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+\$ 596	Specify glass number for lite.
	• Glass price group 3	+\$ 711	Specify glass number for lite.
	• Glass price group 4	+\$1140	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+\$2249	Specify glass number for lite.
► See <i>Surface Materials Reference Manual</i> .			
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	Base power block power schematic		
	• 3+1	+\$ 196	Specify with 3+1 power.
	• 2+2	+\$ 196	Specify with 2+2 power.
	• 3SN	+\$ 196	Specify with 3SN power.
Related Products	• Power options		► Page 139
	• Ceiling tracks		► Page 230
	• Continuous base trim		► Page 236
	• Feature strips		► Page 240
	• Acoustic packing		► Page 244
	• Power receptacles		► Page 247
	• Power and communication cover plates		► Page 249
	• Infeeds		► Page 250
	• Modular harnesses		► Page 252
	• Field-installed powerkits		► Page 254

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

► Options, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Wall Panels with Two Divided Lites Transom-Aligned Top Lite, continued


Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

► Options, continued from previous page

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Painted Glass Selections frame		
	• 6"W through 18"W	+\$186	Specify with painted frame.
	• 19"W through 36"W	+\$214	Specify with painted frame.
	• 37"W through 48"W	+\$255	Specify with painted frame.
	• 49"W through 60"W	+\$286	Specify with painted frame.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths	Use U.S. Base Price of next larger standard width	Specify panel widths in 1" increments.
	• Non standard modular widths	Use U.S. Base Price of next larger standard width	Specify panel widths in 1" increments.
Base	• 2½"H base	+\$ 90	Specify to accept 2½"H base.
	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			Modular Glass Wall Panels			
6"	GPGSS2L06	\$ 868				
8"	GPGSS2L08	\$ 868	8"	6 ¹¹ / ₁₆ "	GPGSM2L08	\$ 868
18"	GPGSS2L18	\$ 941	18"	18 ¹¹ / ₁₆ "	GPGSM2L18	\$ 941
20"	GPGSS2L20	\$ 941	20"	18 ¹¹ / ₁₆ "	GPGSM2L20	\$ 941
24"	GPGSS2L24	\$1002	24"	22 ¹¹ / ₁₆ "	GPGSM2L24	\$1002
30"	GPGSS2L30	\$1024	30"	28 ¹¹ / ₁₆ "	GPGSM2L30	\$1024
36"	GPGSS2L36	\$1120	36"	34 ¹¹ / ₁₆ "	GPGSM2L36	\$1120
40"	GPGSS2L40	\$1124	40"	38 ¹¹ / ₁₆ "	GPGSM2L40	\$1124
42"	GPGSS2L42	\$1124	42"	40 ¹¹ / ₁₆ "	GPGSM2L42	\$1124
48"	GPGSS2L48	\$1227	48"	46 ¹¹ / ₁₆ "	GPGSM2L48	\$1227
60"	GPGSS2L60	\$1544	60"	58 ¹¹ / ₁₆ "	GPGSM2L60	\$1544
•	•	•	•	•	•	•

**For Canadian Pricing**


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections
Wall Panels with
Two Divided Lites

Glass Selections Two Divided Lite Frame Kits

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Frame kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: Frame kits include two power blocks per kit.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.


Standard Includes	Required to Specify
▶ Need help? Product details, page 24 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2 3/8"-thick panel with clear anodized aluminum frame - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Post extension 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Post Extension - Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.
Ceiling Height 8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 48	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power	Base power block power schematic 3+1 +\$478 2+2 +\$478 3SN +\$478	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
Related Products - Power options - Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing - Power receptacles - Power and communication cover plates - Infeeds - Modular harnesses - Field-installed powerkits		▶ Page 139 ▶ Page 230 ▶ Page 236 ▶ Page 240 ▶ Page 244 ▶ Page 247 ▶ Page 249 ▶ Page 250 ▶ Page 252 ▶ Page 254

SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Painted Glass Selections frame 61"W through 71"W +\$286 72"W through 80"W +\$326 81"W through 96"W +\$367 97"W through 120"W +\$408 121"W through 144"W +\$449	Specify with painted frame. Specify with painted frame. Specify with painted frame. Specify with painted frame. Specify with painted frame.
Parametric Panel Widths (Available in 1" increments)	- Non standard widths Use U.S. Base Price of next larger standard width - Non standard modular widths Use U.S. Base Price of next larger standard width	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base 2 1/2"H base 4"H base	+\$182 +\$330	Specify to accept 2 1/2"H base. Specify to accept 4"H base.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.



Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Two Divided Lite Frame Kits			Modular Two Divided Lite Frame Kits			
72"	GPGSS2FK72	\$1242	72"	70 ¹¹ / ₁₆ "	GPGSM2FK72	\$1242
80"	GPGSS2FK80	\$1328	80"	78 ¹¹ / ₁₆ "	GPGSM2FK80	\$1328
84"	GPGSS2FK84	\$1422	84"	82 ¹¹ / ₁₆ "	GPGSM2FK84	\$1422
96"	GPGSS2FK96	\$1522	96"	94 ¹¹ / ₁₆ "	GPGSM2FK96	\$1522
108"	GPGSS2FK108	\$1628	108"	106 ¹¹ / ₁₆ "	GPGSM2FK108	\$1628
120"	GPGSS2FK120	\$1744	120"	118 ¹¹ / ₁₆ "	GPGSM2FK120	\$1744
144"	GPGSS2FK144	\$1864	144"	142 ¹¹ / ₁₆ "	GPGSM2FK144	\$1864


**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Glass Selections Two Divided Lite Glass Kits

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: Glass kits 72"W to 96"W have two pieces of glass. Kits 108"W to 144"W have three pieces of glass.

Standard Includes		Required to Specify
► Need help? Product details, page 24	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 3/8"-thick clear tempered glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Glass number for lite 1 (from top) 4 Glass number for lite 2 5 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Top Lite Glass Panels 8'0" through 10'0", 72"W through 80"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 455 +\$ 572 +\$ 661 N.A. +\$1363	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 72"W through 80"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$1377 +\$1675 +\$1914 N.A. +\$3747	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Top Lite Glass Panels 8'0" through 10'0", 84"W through 96"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 572 +\$ 707 +\$ 818 N.A. +\$1659	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 84"W through 96"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$1589 +\$1933 +\$2201 N.A. +\$4301	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Top Lite Glass Panels 8'0" through 10'0", 108"W through 144"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 741 +\$ 913 +\$1051 N.A. +\$2104	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 108"W through 144"W	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$2018 +\$2445 +\$2781 N.A. +\$5404	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. ► See <i>Surface Materials Reference Manual</i> .
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 48 Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.

► Options, continued on next page



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

► Options, continued from previous page


	Options	U.S. Price	Required to Specify
Related Products	• Power options		► Page 139
	• Ceiling tracks		► Page 230
	• Continuous base trim		► Page 236
	• Feature strips		► Page 240
	• Acoustic packing		► Page 244
	• Power receptacles		► Page 247
	• Power and communication cover plates		► Page 249
	• Infeeds		► Page 250
	• Modular harnesses		► Page 252
	• Field-installed powerkits		► Page 254

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Parametric Panel Widths (Available in 1" increments)	Overall unit widths		
	• 61"W through 95"W (excludes standard widths)	+\$ 71	Specify panel widths in 1" increments.
	• 97"W through 143"W (excludes standard widths)	+\$112	Specify panel widths in 1" increments.
Base	2 1/2"H base		
	• 61"W through 96"W	+\$ 20	Specify to accept 2 1/2"H base.
	• 97"W through 144"W	+\$ 30	Specify to accept 2 1/2"H base.
	4"H base		
	• 4"H base	No cost	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Two Divided Lite Glass Kits			Modular Two Divided Lite Glass Kits			
72"	GPGSS2GK72	\$1792	72"	70 11/16"	GPGSM2GK72	\$1792
80"	GPGSS2GK80	\$1960	80"	78 11/16"	GPGSM2GK80	\$1960
84"	GPGSS2GK84	\$2044	84"	82 11/16"	GPGSM2GK84	\$2044
96"	GPGSS2GK96	\$2292	96"	94 11/16"	GPGSM2GK96	\$2292
108"	GPGSS2GK108	\$2542	108"	106 11/16"	GPGSM2GK108	\$2542
120"	GPGSS2GK120	\$2792	120"	118 11/16"	GPGSM2GK120	\$2792
144"	GPGSS2GK144	\$3290	144"	142 11/16"	GPGSM2GK144	\$3290

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Clerestory Wall Panels

Transom-Aligned Top Lite



Tip: Order ceiling track feature strip, and continuous base trim separately.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Metallic paint is available on panel skins that are 36" wide or less.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24	• Frame: clear anodized aluminum • Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 2³/₈"-thick panel with steel surfaces: paint • Factory-installed Clerestory lite: glass • Integral slotted verticals • Hollow core panel for cable and panel routing • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Paint color number for side 1 4 Paint color number for side 2 5 Glass number for Clerestory lite 6 Post extension 7 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options		Required to Specify
Surface Materials	Lower panel surfaces 8'0"H through 10'0"H (per side), 18"W to 24"W	
	• Paint price group 1 No cost • Paint price group 2 +\$ 17 • Paint price group 3 +\$ 31 • Fabric price group 1 +\$135 • Fabric price group 2 +\$190 • Fabric price group 3 +\$250 • Fabric price group 5 +\$316 • Vinyl price group A +\$260 • Vinyl price group B +\$379 • Vinyl price group C +\$394 • Vinyl price group D +\$411 • Vinyl price group E +\$436 • Customer's Own Material/Vinyl (COM) +\$130	Specify paint color number. Specify paint color number. Specify paint color number. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. ▶ See <i>Surface Materials Reference Manual</i> .
Clerestory lite glass panels 8'0"H through 10'0"H		
	• Glass price group 1 No cost • Glass price group 2 +\$ 54 • Glass price group 3 +\$ 63 • Glass price group 4 +\$100 • Glass price group 5 N.A. • Glass price group 6 +\$198	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
Lower panel surfaces 8'0"H through 10'0"H (per side), 30"W to 36"W		
	• Paint price group 1 No cost • Paint price group 2 +\$ 35 • Paint price group 3 +\$ 54 • Fabric price group 1 +\$206 • Fabric price group 2 +\$305 • Fabric price group 3 +\$452 • Fabric price group 5 +\$588 • Vinyl price group A +\$379 • Vinyl price group B +\$585 • Vinyl price group C +\$611 • Vinyl price group D +\$646 • Vinyl price group E +\$695 • Customer's Own Material/Vinyl (COM) +\$190	Specify paint color number. Specify paint color number. Specify paint color number. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify fabric color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. Specify vinyl color number for side 1 and/or side 2. ▶ See <i>Surface Materials Reference Manual</i> .



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

▶ Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Surface Materials	Clerestory lite glass panels 8'0"H through 10'0"H		
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	- No cost +\$ 79 +\$ 93 +\$151 - N.A. +\$296	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
	Lower panel surfaces 8'0"H through 10'0"H (per side) 40"W to 48"W		
	- Paint price group 1 - Paint price group 3 - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 5 - Vinyl price group A - Vinyl price group B - Vinyl price group C - Vinyl price group D - Vinyl price group E - Customer's Own Material/Vinyl (COM)	- No cost +\$ 54 +\$206 +\$305 +\$452 +\$588 +\$379 +\$585 +\$611 +\$646 +\$695 +\$190	- Specify paint color number. - Specify paint color number. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - Specify vinyl color number for side 1 and/or side 2. - Specify vinyl color number for side 1 and/or side 2. - Specify vinyl color number for side 1 and/or side 2. - Specify vinyl color number for side 1 and/or side 2. - Specify vinyl color number for side 1 and/or side 2. - See Surface Materials Reference Manual.
	Clerestory lite glass panels 8'0"H through 10'0"H		
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	- No cost +\$105 +\$126 +\$200 - N.A. +\$394	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
	Lower panel surfaces 8'0"H through 10'0"H (per side) 60"W		
	- Paint price group 1 - Paint price group 3 - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 5 - Customer's Own Material/Vinyl (COM)	- No cost +\$ 54 +\$206 +\$305 +\$452 +\$588 +\$190	- Specify paint color number. - Specify paint color number. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - Specify fabric color number for side 1 and/or side 2. - See Surface Materials Reference Manual.
	Clerestory lite glass panels 8'0"H through 10'0"H		
	- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	- No cost +\$133 +\$157 +\$248 - N.A. +\$493	- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
Post Extension	- Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	- No cost - No cost	- Specify with post extensions for recessed ceiling track interface. - Specify with post extensions for overlapping ceiling track interface.

Tip: Vinyl is not available on 60"W panels.

Tip: Customer's Own Glass is available as a special at this time.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued on next page

Glass Selections Clerestory Wall Panels Transom-Aligned Top Lite, continued

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 91	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Electrical Power (30"W through 60"W)	Power block location - Base - ADA height - Desk height	+\$196 +\$715 +\$715	Specify with power block location at base. Specify with power block location at ADA height. Specify with power block location at desk height.
	Power schematic 3+1 2+2 3SN	No cost No cost No cost	Specify with 3+1 power. Specify with 2+2 power. Specify with 3SN power.
	New York City/Chicago power prep - NYC/CHI at base - NYC/CHI at ADA or desk height side 1 - NYC/CHI at ADA or desk height side 2 - NYC/CHI at ADA or desk height sides 1 and 2	N.A. +\$ 24 +\$ 24 +\$ 48	Specify with NYC/CHI at base. Specify with NYC/CHI at ADA or desk height side 1. Specify with NYC/CHI at ADA or desk height side 2. Specify with NYC/CHI at ADA or desk height sides 1 and 2.
	Receptacle cutouts - Power side 1 - Power side 2 - Power sides 1 and 2 - Power/comm side 1 - Power/comm side 2 - Power/comm sides 1 and 2	No cost No cost +\$ 24 No cost No cost +\$ 24	Specify with power side 1. Specify with power side 2. Specify with power sides 1 and 2. Specify with power/comm side 1. Specify with power/comm side 2. Specify with power/comm sides 1 and 2.
	Floor Infeeds - Bottom left hardwire - Bottom left modular	No cost +\$ 91	Specify with bottom left hardwire. Specify with bottom left modular.

Tip: To price power in two locations, add the upcharges together.

Tip: Infeed is included in the price of ADA- or desk-height receptacle power location option. Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

Tip: NYC/CHI prices replace the receptacle power location option prices when selected.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Markerboard surface cannot exceed 48"W.

	SmartTools Options	U.S. Price	Required to Specify
7610 White Markerboard Surface	6"W through 24"W 25"W through 36"W 37"W through 48"W	+\$475 +\$510 +\$545	Specify with markerboard. Specify with markerboard. Specify with markerboard.
Surface Materials	Painted Glass Selections frame 6"W through 18"W 19"W through 36"W 37"W through 48"W 49"W through 60"W	+\$ 92 +\$106 +\$129 +\$143	Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number.
Parametric Panel Widths (Available in 1" increments)	- Non standard widths - Non standard modular widths	+\$ 37 (Add to U.S. Base Price of next larger width) +\$ 37 (Add to U.S. Base Price of next larger width)	Specify panel widths in 1" increments. Specify panel widths in 1" increments.
Base	2 1/2"H base 4"H base	+\$ 82 +\$ 61	Specify to accept 2 1/2"H base. Specify to accept 4"H base.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



Specification Information


Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Clerestory Panels			Modular Clerestory Panels			
18"	GPSSC18	\$1142	18"	16 ¹¹ / ₁₆ "	GPSSMC18	\$1142
20"	GPSSC20	\$1142	20"	18 ¹¹ / ₁₆ "	GPSSMC20	\$1142
24"	GPSSC24	\$1208	24"	22 ¹¹ / ₁₆ "	GPSSMC24	\$1208
30"	GPSSC30	\$1268	30"	28 ¹¹ / ₁₆ "	GPSSMC30	\$1268
36"	GPSSC36	\$1309	36"	34 ¹¹ / ₁₆ "	GPSSMC36	\$1309
40"	GPSSC40	\$1349	40"	38 ¹¹ / ₁₆ "	GPSSMC40	\$1349
42"	GPSSC42	\$1349	42"	40 ¹¹ / ₁₆ "	GPSSMC42	\$1349
48"	GPSSC48	\$1396	48"	46 ¹¹ / ₁₆ "	GPSSMC48	\$1396
60"	GPSSC60	\$1798	60"	58 ¹¹ / ₁₆ "	GPSSMC60	\$1798
:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Pivot-Hinged Door Frames



Tip: Glass door is available up to 9'0"H ceiling height.

Tip: Recommended for use with Glass Selections panels only.

Tip: Glass Selections pivot-hinged door frames work with Glass Selections door leaves only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Order switch separately.

Tip: Swing orientation is available on single pivot-hinged door frame with transom only to properly orient etched and patterned glass.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify		
▶ Need help? Product details, page 40	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments		1 Style number	
	• Reversible, pivot-hinged door frame with plinths: clear anodized aluminum only		2 Ceiling height	
	• Factory prep for pivot hinges		3 Swing orientation	
	Tip: Order door hardware separately.		4 Glass number for transom, if selected	
	• Transom, if selected: glass		5 Metal color number for strike plate, if selected:	
			9200 Satin Chrome	
			9201 Polished Chrome	
			6 Post extension	
			7 Factory prep for cylindrical or mortise passage set or lockset, if selected	
			8 Options, if selected (see below)	
		▶ See Surface Materials, page 338.		
Options	U.S. Price	Required to Specify		
Surface Materials	Strike plate			
	• Satin chrome	No cost	Specify with 9200 Satin Chrome.	
	• Polished chrome	+\$ 24	Specify with 9201 Polished Chrome.	
	Single door frames with transom 8'0"H through 10'0"H			
	• Glass price group 1	No cost	Specify glass number for transom.	
	• Glass price group 2	+\$ 87	Specify glass number for transom.	
	• Glass price group 3	+\$105	Specify glass number for transom.	
	• Glass price group 4	+\$165	Specify glass number for transom.	
	• Glass price group 5	N.A.	Specify glass number for transom.	
	• Glass price group 6	+\$328	Specify glass number for transom.	
Pair door frames with transom 8'0"H through 10'0"H				
	• Glass price group 1	No cost	Specify glass number for transom.	
	• Glass price group 2	+\$173	Specify glass number for transom.	
	• Glass price group 3	+\$211	Specify glass number for transom.	
	• Glass price group 4	+\$330	Specify glass number for transom.	
	• Glass price group 5	N.A.	Specify glass number for transom.	
	• Glass price group 6	+\$659	Specify glass number for transom.	
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.	
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.	
Ceiling Height	Single door frames			
	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.	
	• 9'1" through 10'0"	+\$ 48	Specify ceiling height in 1" increments.	
	Pair door frames			
	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.	
	• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.	
Swing Orientation	For single pivot-hinged door frame with transom			
	• Left-hand door frame	No cost	Specify with left-hand door frame.	
▶ Page 46	• Right-hand door frame	No cost	Specify with right-hand door frame.	
Lock Prep	• Strike plate and factory prep for cylindrical passage set or lockset	No cost	Specify with cylindrical prep.	
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 68	Specify with mortise prep.	
▶ Page 42				
Related Products	• Door leaves		▶ Page 240	
	• Passage sets and locksets		▶ Page 160	
	• Hinges		▶ Page 162	
	• Stops		▶ Page 162	
	• Ceiling tracks		▶ Page 230	
	• Feature strips		▶ Page 250	
▶ Options, continued on next page				

► Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Surface Materials	SmartTools Options	U.S. Price	Required to Specify
	Glass Selections painted frame		
	• Painted frame	+\$286	Specify paint color number.
Base	• 2½"H base	+\$ 57	Specify to accept 2½"H base.
	• 4"H base	+\$ 61	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•
•	•	•

Single Door Frames

Full-Height

40"	GPGSDSPF	\$ 738
-----	-----------------	--------

With Transom

40"	GPGSDSPT	\$1475
-----	-----------------	--------

:	:	:
---	---	---

Pair Frames

Full-Height

80"	GPGSDPPF	\$ 789
-----	-----------------	--------

With Transom

80"	GPGSDPPT	\$1574
-----	-----------------	--------

:	:	:
---	---	---

Single Door Frames for Use with Switch Cutout




Full-Height

42"	GPGSDSPFS	\$1309
-----	------------------	--------

With Transom


42"	GPGSDSPTS	\$2041
-----	------------------	--------

:	:	:
---	---	---



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Glass Selections Full-Height Pivot-Hinged Door Leaves



Tip: Glass Selections pivot-hinged door leaves work with Glass Selections door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Ceiling height option is available on solid door leaves only.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments <i>Exception: Maximum ceiling height of glass doors is 9'0"H.</i>	1 Style number
	• Reversible pivot-hinged door: paint, glass, flat-cut veneer, or anodized aluminum	2 Ceiling height
	• Factory prep for pivot hinges	3 Paint color number for door, if solid door selected
		4 Glass number for glass door, if glass door selected
		5 Paint color number for glass door, if glass door selected
		6 Wood veneer color number, if selected
		7 Factory prep for cylindrical or mortise passage set or lockset, if selected
		8 Options, if selected (see below)
		▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Glass door frame surface		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
• Anodized aluminum	+\$ 223	Specify anodized aluminum.
37³/₁₆"W solid single door leaf 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 173	Specify with <i>Quarter-cut open pore veneer</i> .
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
77¹/₂"W solid pair door leaves 8'0"H through 10'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 215	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 349	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door 8'0"H through 9'0"H		
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$ 386	Specify glass number for door.
• Glass price group 3	+\$ 461	Specify glass number for door.
• Glass price group 4	+\$ 741	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$1466	Specify glass number for door.
Ceiling Height		
Solid single door leaves		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 281	Specify ceiling height in 1" increments.
Solid pair door leaves		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 561	Specify ceiling height in 1" increments.
Lock Prep		
▶ Page 42	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
		Specify with <i>cylindrical prep</i> .
		Specify with <i>mortise prep</i> .
Related Products		
	• Door frames	▶ Page 142
	• Passage sets and locksets	▶ Page 160
	• Hinges	▶ Page 162
	• Stops	▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Width	Corresponding Frame Width	Style Number	U.S. Base Price
-------	------------------------------	-----------------	-----------------------

Solid Single Door

37 ³ / ₁₆ "	40"	GPGSLSPF40	\$2091
-----------------------------------	-----	-------------------	--------



Glass Single Door with 5"H Bottom Rail


37 ³ / ₁₆ "	40"	GPGSLGSPF40	\$4467
-----------------------------------	-----	--------------------	--------



5"H

Glass Single Door with 12"H Bottom Rail


37 ³ / ₁₆ "	40"	GPGSLGSPF40B	\$4339
-----------------------------------	-----	---------------------	--------



12"H

Solid Pair Door

77 ¹ / ₂ "	80"	GPGSLSPPF80	\$4258
----------------------------------	-----	--------------------	--------



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Glass Selections Transom-Height Pivot-Hinged Door Leaves



Tip: Glass Selections pivot-hinged door leaves work with Glass Selections door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	• 7'0"H	1 Style number
	• Reversible pivot-hinged door: paint, glass, flat-cut veneer, or anodized aluminum	2 Paint color number for door, if solid door selected
	• Factory prep for pivot hinges	3 Glass number for glass door, if glass door selected
		4 Paint color number for glass door, if glass door selected
		5 Wood veneer color number, if selected
		6 Factory prep for cylindrical or mortise passage set or lockset, if selected
		7 Options, if selected (see below)
		▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Transom-height glass door frame leaves		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
• Anodized aluminum	+\$ 223	Specify anodized aluminum.
37³/₁₆"W solid single door leave 7'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 157	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
77¹/₂"W solid pair door leaves 7'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 215	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 314	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door 7'0"H		
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$ 386	Specify glass number for door.
• Glass price group 3	+\$ 461	Specify glass number for door.
• Glass price group 4	+\$ 741	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$1466	Specify glass number for door.
Lock Prep		
▶ Page 42	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
		Specify with <i>cylindrical prep</i> .
		Specify with <i>mortise prep</i> .
Related Products		
• Door frames		▶ Page 142
• Passage sets and locksets		▶ Page 160
• Hinges		▶ Page 162
• Stops		▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

Width	Corresponding Frame Width	Style Number	U.S. Base Price
-------	------------------------------	-----------------	-----------------------


Solid Single Door

37 ³ / ₁₆ "	40"	GPGSLSSPT40	\$1850
-----------------------------------	-----	--------------------	--------



Glass Single Door with 5"H Bottom Rail


37 ³ / ₁₆ "	40"	GPGSLGSPT40	\$3954
-----------------------------------	-----	--------------------	--------



5"H

Glass Single Door with 12"H Bottom Rail


37 ³ / ₁₆ "	40"	GPGSLGSPT40B	\$4226
-----------------------------------	-----	---------------------	--------



12"H


Solid Pair Door

75 ⁵ / ₈ "	80"	GPGSLSPPT80	\$3775
----------------------------------	-----	--------------------	--------



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Glass Selections Full-Height Pivot-Hinged Door Leaves for Use with Switch Cutout



Tip: Glass Selections pivot-hinged door leaves work with Glass Selections door frames only.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: Ceiling height option is available on solid door leaves only.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments <i>Exception: Maximum ceiling height of glass doors is 9'0"H.</i> - Reversible pivot-hinged door: paint, glass, flat-cut veneer, or anodized aluminum - Factory prep for pivot hinges	- Style number - Ceiling height - Swing orientation - Paint color number for door, if solid door selected - Glass number for glass door, if glass door selected - Paint color number for glass door, if glass door selected - Wood veneer color number, if selected - Factory prep for cylindrical or mortise passage set or lockset, if selected - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials	Full-height glass door frame leaves surface options	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 98	Specify paint color number.
• Paint price group 3	+\$ 178	Specify paint color number.
• Anodized aluminum	+\$ 223	Specify paint color number.
	36³/₈"W solid door leaves 8'0"H through 10'0"H	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 173	Specify wood veneer color number.
• Customiz stain	No cost	Specify <i>with Customiz stain</i> .
	Glass single door 8'0"H through 9'0"H	
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$ 386	Specify glass number for door.
• Glass price group 3	+\$ 461	Specify glass number for door.
• Glass price group 4	+\$ 741	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$1466	Specify glass number for door.
Ceiling Height	Solid single door leaves	
	• 8'0" through 9'0"	No cost
	• 9'1" through 10'0"	+\$ 281
		Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Swing Orientation	For single pivot-hinged door frame	
▶ Page 46	• Left-hand door frame	No cost
	• Right-hand door frame	No cost
		Specify <i>with left-hand door frame</i> . Specify <i>with right-hand door frame</i> .
Lock Prep	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
▶ Page 42	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
		Specify <i>with cylindrical prep</i> . Specify <i>with mortise prep</i> .
Related Products	- Door frames - Passage sets and locksets - Hinges - Stops	▶ Page 146 ▶ Page 160 ▶ Page 162 ▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height
Pivot-Hinged Door Leaves for
Use with Switch Cutout

Specification Information

Width	Corresponding Frame Width	Style Number	U.S. Base Price
:	:	:	:

Solid Single Door

36 ³ / ₈ "	42"	GPGSLSPF42	\$2091
:	:	:	:



Glass Single Door with 5"H Bottom Rail

36 ³ / ₈ "	42"	GPGSLGSPF42	\$4467
:	:	:	:



5"H

Glass Single Door with 12"H Bottom Rail

36 ³ / ₈ "	42"	GPGSLGSPF42B	\$4339
:	:	:	:



12"H




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Glass Selections Transom-Height Pivot-Hinged Door Leaves for Use with Switch Cutout



Tip: Glass Selections pivot-hinged door leaves work with Glass Selections door frames only.

Tip: In a Glass Selections door frame with glass transom, switch wiring must run down through the floor only. Wiring cannot run up to the ceiling.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Standard Includes		Required to Specify
▶ Need help? Product details, page 40	• 7'0"H	1 Style number
	• Reversible pivot-hinged door: paint, glass, flat-cut veneer, or anodized aluminum	2 Swing orientation
	• Factory prep for pivot hinges	3 Paint color number for door, if solid door selected
		4 Glass number for glass door, if glass door selected
		5 Paint color number for glass door, if glass door selected
		6 Wood veneer color number, if selected
		7 Factory prep for cylindrical or mortise passage set or lockset, if selected
		8 Options, if selected (see below)
		▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials		
Transom-height glass frame door leaves surface options		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 27	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.
• Anodized aluminum	+\$ 223	Specify anodized aluminum.
36³/₈"W solid door leaves 7'0"H		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 3	+\$ 109	Specify paint color number.
• Wood veneer (flat cut)	No cost	Specify wood veneer color number.
• Quarter-cut wood veneer	+\$ 157	Specify wood veneer color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
Glass single door 7'0"H		
• Glass price group 1	No cost	Specify glass number for door.
• Glass price group 2	+\$ 386	Specify glass number for door.
• Glass price group 3	+\$ 461	Specify glass number for door.
• Glass price group 4	+\$ 741	Specify glass number for door.
• Glass price group 5	N.A.	Specify glass number for door.
• Glass price group 6	+\$1466	Specify glass number for door.
Lock Prep		
▶ Page 42	• Strike plate and factory prep for cylindrical passage set or lockset	No cost
	• Strike plate and factory prep for mortise passage set or lockset	+\$ 44
		Specify with <i>cylindrical prep</i> .
		Specify with <i>mortise prep</i> .
Related Products		
• Door frames		▶ Page 146
• Passage sets and locksets		▶ Page 160
• Hinges		▶ Page 162
• Stops		▶ Page 162



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections
Transom-Height Pivot-Hinged
Door Leaves for Use
with Switch Cutout

Specification Information

Width	Corresponding Frame Width	Style Number	U.S. Base Price
-------	------------------------------	-----------------	-----------------------


Solid Single Door

36 ³ / ₈ "	42"	GPGSLSSPT42	\$1850
----------------------------------	-----	--------------------	--------



Glass Single Door with 5"H Bottom Rail


36 ³ / ₈ "	42"	GPGSLGSPT42	\$3954
----------------------------------	-----	--------------------	--------



5"H

Glass Single Door with 12"H Bottom Rail


36 ³ / ₈ "	42"	GPGSLGSPT42B	\$4226
----------------------------------	-----	---------------------	--------



12"H

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Doors



Tip: Full-height doors less than 108" ceiling height are standard with 3/8" thick glass. 1/2" thick glass can be selected for enhanced rigidity. Doors that are higher than 108" ceiling height are standard with 1/2" thick glass.

Tip: High-voltage switch is not available on Glass Selections slider door.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Tip: All locks are random keyed.

Tip: High-voltage switch is not available for Glass Selections slider door.

Standard Includes	Required to Specify
▶ Need help? Product details, page 54 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Slider door: glass with polished edges - Frame: clear anodized aluminum - Side panel - Door base: paint - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately) - Slide hardware - Door pull: satin chrome - Door: 3/8" thick for full-height doors 9'-0" and less	- Style number - Ceiling height - Glass thickness for door (if less than 108") - Glass number for slider door - Glass number for all-glass side panel - Paint color number for door base - Post extension - Slide orientation - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials - Base - Paint price group 1: No cost - Paint price group 2: +\$ 15 - Paint price group 3: +\$ 24 - Full-height slider doors - Glass price group 1: No cost - Glass price group 2: N.A. - Glass price group 3: +\$1361 - Glass price group 4: N.A. - Glass price group 5: N.A. - Glass price group 6: N.A. - Full-height slider door panels - Glass price group 1: No cost - Glass price group 2: +\$ 574 - Glass price group 3: +\$ 683 - Glass price group 4: +\$1096 - Glass price group 5: N.A. - Glass price group 6: +\$2159		Specify paint color number. Specify paint color number. Specify paint color number. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door.
Glass Thickness 3/8"-thick glass: No cost 1/2"-thick glass: +\$ 267		Specify with 3/8". Specify with 1/2".
Post Extension - Post extensions modified to accommodate recessed ceiling track (ordered separately): No cost - Post extensions modified to accommodate overlapping ceiling track (ordered separately): No cost		Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.
Ceiling Height 8'0" through 9'0": No cost 9'1" through 10'0": +\$ 195		Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Slide Orientation - Left-hand door frame: No cost - Right-hand door frame: No cost		Specify with left-hand door frame. Specify with right-hand door frame.
Switch Cutout - Without cutout: No cost - With low-voltage switch cutout: +\$ 35		Specify without cutout. Specify with low-voltage switch cutout.
Lock Door lock with interior thumb latch: +\$1162		Specify with lock.
Related Products - Switches - Ceiling tracks - Continuous base trim - Feature strips		▶ Page 164 ▶ Page 230 ▶ Page 236 ▶ Page 240

▶ Options, continued on next page

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

► Options, continued from previous page

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: For slider with frame kit as side panel, glass kit is ordered separately.


SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" +\$306	Specify ceiling height in 1" increments.
Parametric Width Slider Door Assembly with Equal Width Door and Slide Panel (Available in 1" increments)	• 78"W through 95"W (excludes standard widths) +\$338	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel (Available in 1" increments)	• 81"W through 108"W (excludes standard widths) +\$490	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Variable Width Frame Kit (Available in 1" increments)	With 40" doors	
	• 112"W through 136"W +\$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 184"W +\$398	Specify slider door assembly widths in 1" increments.
	With 42" doors	
	• 114"W through 136"W +\$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 186"W +\$398	Specify slider door assembly widths in 1" increments.
	With 48" doors	
	• 120"W through 136"W +\$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 192"W +\$398	Specify slider door assembly widths in 1" increments.
Painted Glass Selections Frame	• Painted glass frame +\$510	Specify paint color number.
Base	• 2½"H base No cost	Specify to accept 2½"H base.
	• 4"H base +\$222	Specify to accept 4"H base.

Specification Information


Width	Style Number	U.S. Base Price
:	:	:
:	:	:
:	:	:

Full-Height Slider Doors

80"	GPGSDFFS80	\$5692
84"	GPGSDFFS84	\$5804
96"	GPGSDFFS96	\$6213
:	:	:



Glass Selections Transom-Height Polished Edge Slider Doors



Tip: Door height is always 7'. Transom height varies depending on ceiling height.

Tip: Transom-height doors are standard with 3/8" thick glass. 1/2" thick glass can be selected for enhanced rigidity.

Tip: High-voltage switch is not available on Glass Selections slider door.

Tip: All locks are random keyed.

Tip: For information regarding Etched and Pattern Glass Planning.
▶ Page 96.

Standard Includes	Required to Specify
▶ Need help? Product details, page 54 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Slider door: glass with polished edges - Frame: clear anodized aluminum - Side panel - Door base: paint - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately) - Slide hardware - Door pull: satin chrome - Door: 3/8" thick	- Style number - Ceiling height - Glass thickness for door - Glass number for door frame top lite (door 1) - Glass number for slider door (door 2) - Glass number for side panel top lite (glass 1) - Glass number for side panel (glass 2) - Paint color number for door base - Post extension - Slide orientation - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 15 +\$ 24	Specify paint color number. Specify paint color number. Specify paint color number.
Transom-height slider door - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost N.A. +\$1233 N.A. N.A. N.A.	Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door.
Transom-height side panel - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 479 +\$ 570 +\$ 913 N.A. +\$1800	Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door. Specify glass number for door.
Transom aligned top lites (per lite) - Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 107 +\$ 126 +\$ 200 N.A. +\$ 397	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
Glass Thickness 3/8"-thick glass 1/2"-thick glass	No cost +\$ 226	Specify with 3/8". Specify with 1/2".
Post Extension - Post extensions modified to accommodate recessed ceiling track (ordered separately) - Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost No cost	Specify with post extensions for recessed ceiling track interface. Specify with post extensions for overlapping ceiling track interface.
Ceiling Height 8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 112	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Slide Orientation - Left-hand door frame - Right-hand door frame	No cost No cost	Specify with left-hand door frame. Specify with right-hand door frame.
Switch Cutout - Without cutout - With low-voltage switch cutout	No cost +\$ 35	Specify without cutout. Specify with low-voltage switch cutout.
Lock Door lock with interior thumb latch	+\$1162	Specify with lock.

▶ Options, continued on next page



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Related Products	• Switches • Ceiling tracks • Continuous base trim • Feature strips		► Page 164 ► Page 230 ► Page 236 ► Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: For slider with frame kit as side panel, glass kit is ordered separately.


	SmartTools Options	U.S. Price	Required to Specify
Parametric Width Slider Door Assembly with Equal Width Door and Slide Panel (Available in 1" increments)	• 78"W through 95"W (excludes standard widths)	+\$340	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel (Available in 1" increments)	• 81"W through 108"W (excludes standard widths)	+\$510	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Variable Width Frame Kit (Available in 1" increments)	With 40" doors		
	• 112"W through 136"W	+\$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 184"W	+\$586	Specify slider door assembly widths in 1" increments.
	With 42" doors		
	• 114"W through 136"W	+\$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 186"W	+\$586	Specify slider door assembly widths in 1" increments.
	With 48" doors		
	• 120"W through 136"W	+\$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 192"W	+\$586	Specify slider door assembly widths in 1" increments..
Painted Glass Selections Frame	• Painted glass frame	+\$510	Specify paint color number.
Base	• 2½"H base	No cost	Specify to accept 2½"H base.
	• 4"H base	+\$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•

Transom-Height Slider Doors

80"	GPGSDFTS80	\$5711
84"	GPGSDFTS84	\$5798
96"	GPGSDFTS96	\$6244
•	•	•



Glass Selections Polished Edge Slider Door Vertical Seal



Tip: Vertical seal assemblies are 120" long and are cut to the appropriate height during installation.

Standard Includes		Required to Specify
▶ Need help? Product details, page 56	• Vertical seal	Style number
Specification Information		
• Style • Number	• U.S. • Price	
GPGSDFSVS	\$57	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Glass Selections Mini Ends

Glass Selections Mini Ends to the Floor



Tip: Mini ends should be specified to the floor when positioned next to a door frame. Mini ends will be field-cut by installer to final length.

Tip: For painted mini ends, use Privacy Wall mini ends.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.


Standard Includes	Required to Specify
▶ Need help? Product details, page 68 • Mini end: 10'1"H • Outer channel: clear anodized aluminum • Inner channel: platinum paint	1 Style number 2 Options, if selected (see below)

SmartTools Options	U.S. Price	Required to Specify
Modified Angle (45° to 135° in 5° increments)	• For GPGSMESEF +\$163 • For GPGSMEMF +\$173 • For GPGSMELEF +\$186	Specify with modified angle. Specify with modified angle. Specify with modified angle.

Specification Information

Size	Style Number	U.S. Base Price
1 1/2" to 2 1/8"	GPGSMESEF	\$256
2 1/8" to 3 1/2"	GPGSMEMF	\$285
3 1/2" to 6"	GPGSMELEF	\$342

Glass Selections Mini Ends



Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: For painted mini ends, use Privacy Wall mini ends.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.


Standard Includes	Required to Specify
▶ Need help? Product details, page 68 • Ceiling height from 8'0"H to 10'0"H, in one-inch increments • Telescoping mini end: clear anodized aluminum • Aligns to top of 5"H base	1 Style number 2 Ceiling height 3 Options, if selected (see below)

SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11" +\$ 20	Specify ceiling height in 1" increments.
Modified Angle (45° to 135° in 5° increments)	• For GPGSMESE +\$163 • For GPGSMEM +\$173 • For GPGSMELE +\$186	Specify with modified angle. Specify with modified angle. Specify with modified angle.
Base	• 2 1/2"H base No cost • 4"H base +\$ 18	Specify to accept 2 1/2"H base. Specify to accept 4"H base.

Specification Information

Size	Style Number	U.S. Base Price
1 1/2" to 2 1/8"	GPGSMESE	\$256
2 1/8" to 3 1/2"	GPGSMEM	\$285
3 1/2" to 6"	GPGSMELE	\$342



Glass Selections Adapters



Tip: There are no T-adapters for Glass Selections, since all surfaces are concealed. For T-adapters, see Privacy Wall adapters.
▶ Page 182

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: For painted adapters, use Privacy Wall adapters.



Standard Includes		Required to Specify
▶ Need help? Product details, page 78	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Adapter: clear anodized aluminum - Plinth for finish-end: paint	1 Style number 2 Ceiling height 3 Paint color number for plinths 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.

Options	U.S. Price	Required to Specify
Surface Materials Finished-end base plinth - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 2 +\$ 4	Specify paint color number. Specify paint color number. Specify paint color number.

SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments) 7'5" through 7'11"	+\$20	Specify ceiling height in 1" increments.
Base 2½"H base 4"H base	No cost +\$18	Specify to accept 2½"H base. Specify to accept 4"H base.

Specification Information

• Style Number	• U.S. Base Price
•	•
•	•
•	•

Finished-End Adapter with Base

GPGSAFEB	\$177
•	•


L-Adapter

GPGSAL	\$155
•	•



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Glass Selections Posts



Tip: There are no X-posts for Glass Selections, since all surfaces are concealed. For X-posts, see Privacy Wall Posts.

► Page 184

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.


Tip: For painted posts, use Privacy Wall posts.

Standard Includes	Required to Specify
- Need help? Product details, page 82 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments - Post: clear anodized aluminum	1 Style number 2 Ceiling height on L-post 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 338.

SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" +\$20	Specify ceiling height in 1" increments.
Base	2½"H base No cost 4"H base +\$18	Specify to accept 2½"H base. Specify to accept 4"H base.


Specification Information

L-Post




Style Number	U.S. Base Price
GP GSPL	\$217

T-Post




Style Number	U.S. Base Price
GP GSPT	\$252

In-Line Post



Style Number	U.S. Base Price
GP GSPI	\$217

V-Posts




Configuration
120° V-Post
135° V-Post

Style Number
GP GSP120V
GP GSP135V

U.S. Base Price
\$241
\$241

135° Y-Post



Style Number
GP GSP135Y

U.S. Base Price
\$304




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Transitions

All-Glass L-Corner Units and All-Glass L-Corner Units with Two Transom-Aligned Lites



Tip: L-corner units are factory-assembled. Glass joint is silicone-glazed as part of the installation process.

Tip: L-corner units plan dimensionally in the same manner as individual panels that are joined by a post.

Standard Includes		Required to Specify
► Need help? Product details, page 26 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2 3/8"-thick panel with anodized aluminum frame: paint - All glass, if selected - Two factory-installed lites—top lite is transom aligned: glass - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint		- Style number - Ceiling height - Glass finish - Options, if selected (see below) ► See <i>Surface Materials</i>, page 338.


Options	U.S. Price	Required to Specify
Surface Materials		
L-corner unit glass panels 8'0" through 10'0"		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$426	Specify glass number for lite.
• Glass price group 3	+\$489	Specify glass number for lite.
• Glass price group 4	+\$552	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$685	Specify glass number for lite.
L-corner unit with two transom-aligned lites, top lite glass panels 8'0" through 10'0"		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$100	Specify glass number for lite.
• Glass price group 3	+\$115	Specify glass number for lite.
• Glass price group 4	+\$133	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$161	Specify glass number for lite.
L-corner unit with two transom-aligned lites, lower lite glass panels 8'0" through 10'0"		
• Glass price group 1	No cost	Specify glass number for lite.
• Glass price group 2	+\$324	Specify glass number for lite.
• Glass price group 3	+\$374	Specify glass number for lite.
• Glass price group 4	+\$424	Specify glass number for lite.
• Glass price group 5	N.A.	Specify glass number for lite.
• Glass price group 6	+\$522	Specify glass number for lite.
Ceiling Height		
• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
• 9'1" through 10'0"	+\$ 91	Specify ceiling height in 1" increments.
Related Products		
- Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing		► Page 230 ► Page 236 ► Page 240 ► Page 244

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal *Specials RFQ (Request For Quote)* process.

SmartTools Options	U.S. Price	Required to Specify
Painted Glass Selections Frame		
• Painted glass frame	+\$214	Specify paint color number.
Parametric Ceiling Height (All glass L-corner units only)		
• 7'5" through 7'11"	Use 8'0" price	Specify ceiling height in 1" increments.
Base		
• 2 1/2"H base	+\$167	Specify to accept 2 1/2"H base.
• 4"H base	+\$335	Specify to accept 4"H base.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.



Specification Information

• Width	• Style Number	• U.S. Base Price	• Nominal Width	• Modular Width	• Style Number	• U.S. Base Price
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•</		


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections Transitions, continued

Glass Selections T-Corner Unit All-Glass Frame Kits



Tip: Frame and glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: T-corner frame kits plan dimensionally in the same manner as individual 18" panels that are joined by a post.

Tip: Due to the process steps involved in installation of glass, T-corner frame kits can be placed no closer than 20" to a single mini end or wall channel.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes	Required to Specify
► Need help? Product details, page 26 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2 3/8"-thick panel with clear anodized aluminum frame: paint - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint	1 Style number 2 Ceiling height 3 Glass number for lite ► See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Ceiling Height	8'0" through 9'0" No cost 9'1" through 10'0" +\$ 48	Specify ceiling height in 1" increments.
Related Products	- Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing	► Page 230 ► Page 236 ► Page 240 ► Page 244

SmartTools Options	U.S. Price	Required to Specify
Painted Glass Selections Frame	Painted glass frame +\$286	Specify paint color number.
Parametric Ceiling Height (Available in 1" increments)	7'5" through 7'11" Use 8'0" price	Specify ceiling height in 1" increments.
Base	2 1/2"H base +\$167 4"H base +\$335	Specify to accept 2 1/2"H base. Specify to accept 4"H base.

Specification Information						
Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•

All-Glass Frame Kits

18" x 18" x 18"	GPGSSGFKT	\$1349
•	•	•

Modular All-Glass Frame Kits

18" x 18" x 18"	16 3/4" x 16 3/4" x 16 3/4"	GPGSMGFKT	\$1349
•	•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections T-Corner Units All-Glass Kits



Tip: Frame and glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: T-corner frame kits plan dimensionally in the same manner as individual 18" panels that are joined by a post.

Tip: T-corner glass kits include three pieces of glass.

Tip: Due to the process steps involved in installation of glass, T-corner frame kits can be placed no closer than 20" to a single mini-end or wall channel.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes	Required to Specify
► Need help? Product details, page 26 - Ceiling height from 8'0"H to 10'0"H, in one-inch increments 2$\frac{3}{8}$"-thick panel with clear anodized aluminum frame: paint - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint	1 Style number 2 Ceiling height 3 Glass number for lite ► See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials - Top lite glass panels 8'0" through 10'0" - Glass price group 1: No cost - Glass price group 2: +\$ 795 - Glass price group 3: +\$1440 - Glass price group 4: +\$2082 - Glass price group 5: N.A. - Glass price group 6: +\$3735		- Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite. - Specify glass number for lite.
Ceiling Height 8'0" through 9'0": No cost 9'1" through 10'0": +\$ 48		- Specify ceiling height in 1" increments. - Specify ceiling height in 1" increments.
Related Products - Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing		► Page 230 ► Page 236 ► Page 240 ► Page 244

SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments) 7'5" through 7'11": Use 8'0" price		Specify ceiling height in 1" increments.
Base 2$\frac{1}{2}$"H base: +\$ 39 4"H base: No cost		- Specify to accept 2$\frac{1}{2}$"H base. - Specify to accept 4"H base.

Specification Information						
Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
.	.	.	.	.	.	.
.	.	.	.	.	.	.
.	.	.	.	.	.	.

All-Glass Glass Kits			Modular All-Glass Glass Kits			
18" x 18" x 18"	GP GSSGGKT	\$506	18" x 18" x 18"	16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ "	GP GSMGGKT	\$506
.	.	.	.	.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Glass Selections T-Corner Units Two Divided Lite Frame Kits



Tip: Frame and glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: T-corner frame kits plan dimensionally in the same manner as individual 18" panels that are joined by a post.

Tip: Due to the process steps involved in installation of glass, T-corner frame kits can be placed no closer than 20" to a mini end or wall channel.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes	Required to Specify
▶ Need help? Product details, page 26 • Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 2$\frac{3}{8}$"-thick panel with clear anodized aluminum frame: paint • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint	1 Style number 2 Ceiling height 3 Glass number for lite 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Ceiling Height • 8'0" through 9'0" • 9'1" through 10'0"	No cost +\$ 48	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Related Products • Ceiling tracks • Continuous base trim • Feature strips • Acoustic packing		▶ Page 230 ▶ Page 236 ▶ Page 240 ▶ Page 244

SmartTools Options	U.S. Price	Required to Specify
Surface Materials • Painted glass frame	+\$286	Specify paint color number.
Base • 2$\frac{1}{2}$"H base • 4"H base	+\$167 +\$335	Specify to accept 2 $\frac{1}{2}$ "H base. Specify to accept 4"H base.

Specification Information						
Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
...	...	...	...	...	...	...

Two Divided Lite Frame Kits			Modular Two Divided Lite Frame Kits			
18" x 18" x 18"	GPGSS2FKT	\$1420	18" x 18" x 18"	16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ "	GPGSM2FKT	\$1420
...	...	...	...	...	...	...




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Glass Selections T-Corner Units Two Divided Lite Glass Kits



Tip: Frame and glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: T-corner frame kits plan dimensionally in the same manner as individual 18" panels that are joined by a post.

Tip: T-corner glass kits include three pieces of glass.

Tip: Due to the process steps involved in installation of glass, T-corner frame kits can be placed no closer than 20" to a single mini-end or wall channel.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes		Required to Specify
▶ Need help? Product details, page 26	- Ceiling height from 8'0"H to 10'0"H, in one-inch increments 23⁄8"-thick panel with clear anodized aluminum frame: paint - Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately): paint	1 Style number 2 Ceiling height 3 Glass number for lite 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 338.
Options	U.S. Price	Required to Specify
Surface Materials	Top Lite Glass Panels 8'0" through 10'0"	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 240 +\$ 433 +\$ 620 N.A. +\$1109	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
	Lower Lite Glass Panels 8'0" through 10'0"	
- Glass price group 1 - Glass price group 2 - Glass price group 3 - Glass price group 4 - Glass price group 5 - Glass price group 6	No cost +\$ 572 +\$1033 +\$1490 N.A. +\$2670	Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite. Specify glass number for lite.
Ceiling Height	8'0" through 9'0" 9'1" through 10'0"	No cost +\$ 48 Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Related Products	- Ceiling tracks - Continuous base trim - Feature strips - Acoustic packing	▶ Page 230 ▶ Page 236 ▶ Page 240 ▶ Page 244

	SmartTools Options	U.S. Price	Required to Specify
Base	• 2½"H base • 4"H base	+\$ 39 No cost	Specify to accept 2½"H base. Specify to accept 4"H base.

Specification Information						
Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
...	...	...	...	...	...	...


Two Divided Lite Glass Kits			Modular Two Divided Lite Glass Kits			
18" x 18" x 18"	GPGSS2GKT	\$499	18" x 18" x 18"	16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ " x 16 $\frac{3}{4}$ "	GPGSM2GKT	\$499
...	...	...	...	...	...	...




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Ceiling Tracks

Ceiling Tracks



Recessed



Overlapping




Tip: No ceiling clip is included unless selected as an option.

Tip: For finished end ceiling track.
► See page 60.

Tip: Ceiling clip option is on straight and finished-end ceiling tracks only.

Tip: When required by the local seismic design criteria, additional ceiling fasteners and/or structural bracing may be required. For more information regarding seismic applications, visit the Architectural Solutions web site at village.steelcase.com.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.



Standard Includes	Required to Specify
► Need help? Product details, page 60 Ceiling track: paint	1 Style number 2 Ceiling track 3 Paint color number for ceiling track 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 338.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 15	Specify paint color number.
	• Paint price group 3	+\$ 24	Specify paint color number.
Ceiling Track	• Recessed ceiling track	No cost	Specify <i>with recessed ceiling track</i> .
	• Overlapping ceiling track	No cost	Specify <i>with overlapping ceiling track</i> .
Ceiling Clips	• No fastener	No cost	Specify <i>with no fastener</i> .
	• 1" x 1/4"D tegular	No cost	Specify <i>with 1" x 1/4"D tegular clip</i> .
	• 1" x 3/8"D tegular	No cost	Specify <i>with 1" x 3/8"D tegular clip</i> .
	• 1" x 1/2"D tegular	No cost	Specify <i>with 1" x 1/2"D tegular clip</i> .
	• 1" x 5/8"D tegular	No cost	Specify <i>with 1" x 5/8"D tegular clip</i> .
	• Donn Fineline 1/4" slot	No cost	Specify <i>with Donn Fineline with 1/4" slot clip</i> .
	• Donn Fineline 1/8" slot	No cost	Specify <i>with Donn Fineline with 1/8" slot clip</i> .
	• 1"W exposed T	No cost	Specify <i>with 1"W exposed T clip</i> .
	• 1" fluted runner 1/4" – 20"	No cost	Specify <i>with 1" fluted runner 1/4" – 20"clip</i> .
	• 1" tee quick clip	No cost	Specify <i>with 1" tee quick clip</i> .
	• 9/16"W exposed tee	No cost	Specify <i>with 9/16"W exposed tee clip</i> .
	• 9/16" x 1/4"D tegular	No cost	Specify <i>with 9/16" x 1/4"D tegular clip</i> .
	• 9/16" x 5/16"D tegular	No cost	Specify <i>with 9/16" x 5/16"D tegular clip</i> .

SmartTools Options	U.S. Price	Required to Specify
Surface Materials	Ceiling track, Veneer (flat-cut open-pore finish)	+\$445 Specify wood veneer color number.
Modified Angle (70° to 175° in 5° increments)	- For GPCT120V 70°-115° - For GPCT135V 125°-175°	+\$ 35 +\$ 35 Specify <i>with modified angle</i> . Specify <i>with modified angle</i> .

Specification Information

Width	Style Number	U.S. Base Price
120"	GPCTS	\$152

Straight Ceiling Track

120"	GPCTS	\$152
------	-------	-------

Finished-End Ceiling Track

120"	GPCTFE	\$177
------	--------	-------

Corner L Ceiling Track

24"	GPCTLS	\$149
-----	--------	-------

► Specification Information, continued on next page

► Specification Information, continued from previous page

Specification Information



• Width	• Style • Number	• U.S. • Base • Price
---------	---------------------	-----------------------------

120° Corner V Ceiling Track

24"	GPCT120V	\$149
:	:	:

135° Corner V Ceiling Track

24"	GPCT135V	\$149
:	:	:


**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Ceiling Tracks, continued

Ceiling Track Clip Kits



Tip: Ceiling clip attachment hardware is included with ceiling track. Additional ceiling clip kits can be ordered separately for inventory or changes.

Standard Includes		Required to Specify	
► Need help? Product details, page 61	• Quantity of 200 ceiling track clips and necessary attachment hardware	1 Style number 2 Options, if selected (see below)	
Options		U.S. Price	Required to Specify
Post Extensions	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.

Specification Information

• Style Number	• U.S. Price
----------------	--------------

1" x 1/4"D Tegal

GPCFKT	\$1715
---------------	--------

1" x 3/8"D Tegal

GPCFKX	\$1715
---------------	--------

1" x 1/2"D Tegal

GPCFKY	\$2067
---------------	--------

1" x 5/8"D Tegal

GPCFKZ	\$2067
---------------	--------

Donn Fineline 1/4" Slot

GPCFKM	\$ 314
---------------	--------

Donn Fineline 1/8" Slot

GPCFKU	\$ 785
---------------	--------

1"W Exposed T

GPCFKA	\$ 536
---------------	--------

1" Fluted Runner 1/4"-20"

GPCFKP	\$ 27
---------------	-------

1" Tee Quick Clip

GPCFKQ	\$ 997
---------------	--------

► Specification Information, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

• Style Number	• U.S. Price
-------------------	-----------------

9/16"W Exposed Tee


GPCFKR	\$ 536
---------------	--------

9/16" x 1/4"D Tegular

GPCFKT5	\$1865
----------------	--------

9/16" x 5/16"D Tegular

GPCFKX5	\$1865
----------------	--------

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Ceiling Tracks, continued

Ceiling Track T-Clip




T-clip for recessed ceiling track



T-clip for overlapping ceiling track

Standard Includes		Required to Specify	
▶ Need help? Product details, page 61	• T-clip for ceiling track: black paint only	1 Style number	2 Options, if selected (see below)
Options		U.S. Price	Required to Specify
Post Extensions	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify with post extensions for recessed ceiling track interface.
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify with post extensions for overlapping ceiling track interface.
Specification Information			
• Style Number	• U.S. Price		
GPCTT	\$6		

Ceiling Track Bypass Cover



Tip: Bypass cover is required if you are using a recessed ceiling track and the track is on the ceiling grid.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 61	• Bypass cover: paint	1 Style number	2 Paint color number for bypass cover
		3 Options, if selected (see below)	▶ See <i>Surface Materials</i> , page 338.
Options		U.S. Price	Required to Specify
Surface Materials	Bypass cover surface options		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$4	Specify paint color number.
	• Paint price group 3	+\$6	Specify paint color number.
Specification Information			
• Style Number	• U.S. Base Price		
GPCTB	\$180		

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Cornice Track and Brackets

Tip: When required by the local seismic design criteria, structural bracing may be required. For more information regarding seismic applications, visit the Architectural Solutions web site at village.steelcase.com.

► Need help?
Product details,
page 64

Standard Includes

- Cornice track: paint

Required to Specify

- 1 Style number
 - 2 Paint color number for cornice track
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 338.

	Options	U.S. Price	Required to Specify
Surface Materials	L, T, and X Cornice Brackets		
	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 4 +\$ 6	Specify paint color number. Specify paint color number. Specify paint color number.
	Straight Cornice Track		
	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$15 +\$24	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Length	Style Number	U.S. Base Price
:	:	:
:	:	:
:	:	:

Straight Cornice Track

120"	GPRTS	\$242
:	:	:

L Cornice Bracket



	GPRTL	\$ 47
:	:	:

T Cornice Bracket

	GPRTT	\$ 47
:	:	:

X Cornice Bracket


	GPRTX	\$ 47
:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Trim and Accessories

Continuous Base Trim



Standard Includes	Required to Specify
▶ Need help? Product details, page 19 • 5"H base trim: paint	1 Style number 2 Paint color number for base trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials Base trim surface options • Paint price group 1 • Paint price group 2 • Paint price group 3	- No cost +\$ 15 +\$ 24	- Specify paint color number. - Specify paint color number. - Specify paint color number.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

SmartTools Options	U.S. Price	Required to Specify
Surface Materials Base trim, veneer (flat-cut open-pore finish) • 5"H base only	+\$445	Specify wood veneer color number.
Base • 2½"H base • 4"H base	+\$ 10 +\$ 39	- Specify 2½"H base. - Specify 4"H base.

Specification Information		
• Width	• Style Number	• U.S. Base Price
120"	GPBTC	\$89
•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Corner Base Trim

Standard Includes	Required to Specify
- Need help? Product details, page 82 5"H base trim: paint	1 Style number 2 Paint color number for base trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials Base trim surface options - Paint price group 1 - Paint price group 2 - Paint price group 3	- No cost +\$ 15 +\$ 24	- Specify paint color number. - Specify paint color number. - Specify paint color number.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.


SmartTools Options	U.S. Price	Required to Specify
Surface Materials Corner base trim, veneer (flat-cut open-pore finish) 5"H base only	+\$239	Specify wood veneer color number.
Base 2½"H base 4"H base	+\$ 39 +\$ 39	- Specify 2½"H base. - Specify 4"H base.
Modified Angle (70° to 175° in 5° increments) - For GPCNRBT120 70°-85° - For GPCNRBT120 95°-115° - For GPCNRBT135 125°-175°	+\$100 +\$ 50 +\$ 50	- Specify <i>with modified angle</i>. - Specify <i>with modified angle</i>. - Specify <i>with modified angle</i>.

Specification Information


Width	Style Number	U.S. Base Price
90° Corner Base Trim		
18"	GPCNRBT90	\$89
120° Corner Base Trim		
18"	GPCNRBT120	\$89
135° Corner Base Trim		
18"	GPCNRBT135	\$89
:	:	:



90° corner



120° corner



135° corner




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Trim and Accessories, continued

Power and Communication Base Trim



Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Standard Includes	Required to Specify
▶ Need help? Product details, page 21 • 5"H base trim with cutouts: paint	1 Style number 2 Paint color number for base trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials • Base trim surface options • Paint price group 1 • Paint price group 2 • Paint price group 3	- No cost +\$ 15 +\$ 24	- Specify paint color number. - Specify paint color number. - Specify paint color number.
Related Products • Acoustic packing		▶ Page 244

SmartTools Options	U.S. Price	Required to Specify
Surface Materials • Base trim, veneer (flat-cut open-pore finish) • 5"H base only	+\$208	Specify wood veneer color number.

Specification Information		
• Width	• Style Number	• U.S. Base Price
•	•	•
•	•	•
•	•	•

Power and Communication Base Trim

Power Only

59"	GPBTTP	\$26
-----	---------------	------

Power and Communication

59"	GPBTTPC	\$26
-----	----------------	------

Communication Only

59"	GPBTCC	\$26
-----	---------------	------

Chicago Base Trim

Power Only

59"	GPBTCHIP	\$26
-----	-----------------	------

Power and Communication

59"	GPBTCHIPC	\$26
-----	------------------	------

Communication Only

59"	GPBTCC	\$26
-----	---------------	------



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Feature Strips

In-line
feature
stripHalf
feature
strip

Tip: Single feature strips are 120" long and are cut to size in the field. They are required when joining door frames to other components.

Tip: To determine quantity and length of feature strips, see Feature Strip Application.
▶ Page 86.

Tip: Feature strip(s) may be shipped slightly longer than needed. Excess will be concealed behind base trim and no cutting is required.

Tip: Half feature strips are used in combination with in-line feature strips for inside corner applications.

Tip: For correct fit of feature strips, you must specify type of components that will be used in conjunction with feature strips. Example: One painted component and one upholstered component.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 18	• Feature strip(s): paint	1 Style number	
	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments, if package of 25 selected	2 Paint color number for feature strip(s)	
		3 Ceiling height, if package of 25 selected	
		4 Wall application	
		5 Options, if selected (see below)	
		▶ See <i>Surface Materials</i> , page 338.	

Surface Materials	Options	U.S. Price	Required to Specify
	Single feature strips		
	Paint		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 4	Specify paint color number.
	• Paint price group 3	+\$ 8	Specify paint color number.
	Fabric		
	• Fabric price group 1	+\$ 37	Specify fabric color number.
	• Fabric price group 2	+\$ 53	Specify fabric color number.
	• Fabric price group 3	+\$ 66	Specify fabric color number.
	• Fabric price group 5	+\$ 83	Specify fabric color number.
	Vinyl		
	• Vinyl price group 1	+\$ 37	Specify vinyl color number.
	• Vinyl price group 2	+\$ 53	Specify vinyl color number.
	• Customer's Own Material/Vinyl (COM)	+\$ 37	▶ See <i>Surface Materials Reference Manual</i> .
	Package of 25 feature strips		
	Paint		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$ 15	Specify paint color number.
	Fabric		
	• Fabric price group 1	+\$ 83	Specify fabric color number.
	• Fabric price group 2	+\$108	Specify fabric color number.
	• Fabric price group 3	+\$142	Specify fabric color number.
	• Fabric price group 5	+\$175	Specify fabric color number.
	Vinyl		
	• Vinyl price group 1	+\$ 83	Specify vinyl color number.
	• Vinyl price group 2	+\$108	Specify vinyl color number.
	• Customer's Own Material/Vinyl (COM)	+\$ 83	▶ See <i>Surface Materials Reference Manual</i> .
Wall Application	• For use with two painted components	No cost	Specify with two painted components.
	• For use with two upholstered components	No cost	Specify with two upholstered components.
	• For use with one painted and one upholstered component	No cost	Specify with one painted and one upholstered component.
Ceiling Height	• 8'0" through 10'0"	No cost	Specify ceiling height in 1" increments.

▶ Options, continued on next page

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

► Options, continued from previous page

	SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5"H through 7'11"H (for GPFS and GPFSH only)	Use 8'0" price	Specify ceiling height in 1" increments.
	• 10'1"H through 11'0"H	No cost	Specify ceiling height in 1" increments.
Full Feature Strip, Veneer (Flat-cut open-pore finish)	• Full feature strip (for GPFS1 only)	+\$180	Specify wood veneer color number.
	• Half feature strip (for GPFSH1 only)	+\$224	Specify wood veneer color number.
Base	• 2½"H base (for GPFS and GPFSH only)	No cost	Specify to accept 2½"H base.
	• 4"H base (for GPFS and GPFSH only)	No cost	Specify to accept 4"H base.

Specification Information

Height	Style Number	U.S. Base Price
.	.	.
.	.	.
.	.	.

Package of 25 Feature Strips

In-Line

8'0"–10'0"	GPFS	\$521
------------	-------------	-------

Half

8'0"–10'0"	GPFSH	\$521
------------	--------------	-------


Package of 1 Feature Strip

In-Line

120"	GPFS1	\$ 26
------	--------------	-------

Half

120"	GPFSH1	\$ 26
------	---------------	-------




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Trim and Accessories, continued

Anodized Feature Strips



Tip: Single feature strips are 120" long and are cut to size in the field. They are required when joining door frames to other components.

Tip: To determine quantity and length of feature strips, see Feature Strip Application.
▶ Page 86.

Tip: Feature strip(s) may be shipped slightly longer than needed. Excess will be concealed behind base trim and no cutting is required.

Tip: Half feature strips are used in combination with in-line feature strips for inside corner applications.

Tip: Anodized feature strips are designed for use with Glass Selection anodized door and glass frames. They are not compatible with upholstered panels.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: For painted feature strips, use Privacy Wall feature strips.

Standard Includes	Required to Specify
▶ Need help? Product details, page 18 • Feature strip(s): anodized aluminum • Ceiling height from 8'0"H to 10'0"H, in one-inch increments, if package of 25 selected	1 Style number 2 Ceiling height, if package of 25 selected 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Ceiling Height on Half Feature Strips • 8'0" through 10'0"	No cost	Specify ceiling height in 1" increments.

SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments) • 7'5"H through 7'11"H (for GPFSA and GPFSHA only)	No cost	Specify ceiling height in 1" increments.
Base • 2½"H base (for GPFSA and GPFSHA only) • 4"H base (for GPFSA and GPFSHA only)	No cost No cost	Specify to accept 2½"H base. Specify to accept 4"H base.

Specification Information

Height	Style Number	U.S. Price
•	•	•

Package of 25 Feature Strips

In-Line

8'0"–10'0"	GPFS A	\$757
------------	---------------	-------

Half

8'0"–10'0"	GPFS HA	\$757
------------	----------------	-------

Package of 1 Feature Strip

In-Line

120"	GPFS 1A	\$ 38
------	----------------	-------

Half

120"	GPFS H1A	\$ 38
------	-----------------	-------



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Furniture Reveal Strips

Tip: Furniture reveal strips are used when hanging components on Privacy Wall panels. The furniture reveal strip finishes off one half of an in-line panel joint, while allowing access to panel slots. They are cut to size from a 34" length as part of the installation process. Typically, one 34" strip is adequate to trim out both edges of a worksurface or storage cabinet.

Standard Includes	Required to Specify
▶ Need help? Product details, page 19 • Furniture reveal strip(s): paint	1 Style number 2 Paint color number 3 Wall application 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 338.

Options	U.S. Price	Required to Specify
Surface Materials • Package of 25 furniture reveal strips • Paint price group 1 No cost • Paint price group 2 +\$ 8 • Paint price group 3 +\$15 • Package of 4 furniture reveal strips • Paint price group 1 No cost • Paint price group 2 +\$ 4 • Paint price group 3 +\$ 8		- Specify paint color number. - Specify paint color number. - Specify paint color number.
Wall Application • For use with two painted components No cost • For use with two upholstered components No cost • For use with one painted and one upholstered component No cost		- Specify <i>with two painted components</i>. - Specify <i>with two upholstered components</i>. - Specify <i>with one painted and one upholstered component</i>.

Specification Information

Height	Style Number	U.S. Base Price
34"	GPFRS	\$237
:	:	:

Package of 25 Furniture Reveal Strips

34"	GPFRS	\$237
:	:	:

Package of 4 Furniture Reveal Strips

34"	GPFRS4	\$ 47
:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Trim and Accessories, continued

Acoustic Packing



Standard Includes		Required to Specify
► Need help? Product details, page 19	• 120" of acoustic packing for mini ends or wall channels to help improve acoustic performance	Style number
Specification Information		
• Style • Number	• U.S. • Price	
GPACoust	\$34	

Acoustic Seals



Standard Includes		Required to Specify
► Need help? Product details, page 87	• Acoustic seal: black • Package of 10	Style number
Specification Information		
• Height	• Style • Number	• U.S. • Price
18"	GPAS	\$82

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Post and Beam Attachment Kit

Post and Beam
Attachment Kit



Tip: The Post and Beam attachment kit is designed for use in overhead applications only. It should not be used in fence application.


Standard Includes		Required to Specify
▶ Need help? Product details, page 20	• Attachment kit: anodized aluminum	Style number
Specification Information		
• Style • Number	• U.S. • Price	

GPPBKIT	\$231

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.


Accessories

Universal Floor Gripper



Standard Includes		Required to Specify
► Need help? Product details, page 20	- Floor gripper - Double-sided hook and eye tape - Double-sided adhesive tape	Style number
Specification Information		
• Height	• Style Number	• U.S. Price
16 ¹ / ₈ "	GPUFG	\$24

Wall-Lifting Tools



Standard Includes		Required to Specify
- Wall-lifting tool - Package quantity: 2		Style number
Specification Information		
• Style Number	• U.S. Price	
GPWT	\$109	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Receptacles



Standard Includes

► Need help?
Product details,
page 99

- Receptacle: plastic

Required to Specify

- 1 Style number
- 2 Plastic color number for receptacle
- See *Surface Materials*, page 338.

Specification Information

15-Amp Receptacles

Line	Style Number	U.S. Price	Style Number	U.S. Price
------	--------------	------------	--------------	------------

20-Amp Receptacles

Style Number	U.S. Price	Style Number	U.S. Price
--------------	------------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	GP1R1SGX	\$32	GP1R1IGX	\$32	GP1R1SGHX	\$49	GP1R1IGHX	\$49
Line 2	GP1R2SGX	\$32	GP1R2IGX	\$32	GP1R2SGHX	\$49	GP1R2IGHX	\$49
Line 3	GP1R3SGX	\$32	GP1R3IGX	\$32	GP1R3SGHX	\$49	GP1R3IGHX	\$49
Line 4	GP1R4SGX	\$32	GP1R4IGX	\$32	GP1R4SGHX	\$49	GP1R4IGHX	\$49

4-Circuit, 2+2 Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	GP2R1SGY	\$32	GP2R1IGY	\$32	GP2R1SGHY	\$49	GP2R1IGHY	\$49
Line 2	GP2R2SGY	\$32	GP2R2IGY	\$32	GP2R2SGHY	\$49	GP2R2IGHY	\$49
Line 3	GP2R3SGY	\$32	GP2R3IGY	\$32	GP2R3SGHY	\$49	GP2R3IGHY	\$49
Line 4	GP2R4SGY	\$32	GP2R4IGY	\$32	GP2R4SGHY	\$49	GP2R4IGHY	\$49
.	.	.	.	.	.	.	.	.

3-Circuit, Separate Neutrals Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	GP3R1SGZ	\$32	GP3R1IGZ	\$32	GP3R1SGHZ	\$49	GP3R1IGHZ	\$49
Line 2	GP3R2SGZ	\$32	GP3R2IGZ	\$32	GP3R2SGHZ	\$49	GP3R2IGHZ	\$49
Line 3	GP3R3SGZ	\$32	GP3R3IGZ	\$32	GP3R3SGHZ	\$49	GP3R3IGHZ	\$49




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

USB Receptacles



Standard Includes		Required to Specify
► Need help? Product details, page 99	• Receptacle: plastic	1 Style number 2 Plastic color number for receptacle ► See <i>Surface Materials</i> , page 338.

Specification Information

Line	Style Number	U.S. Price
------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

Line 1	GPR1USBX	\$77
Line 2	GPR2USBX	\$77
Line 3	GPR3USBX	\$77
Line 4	GPR4USBX	\$77
:	:	:

4-Circuit, 2+2 Wiring Schematic

Line 1	GPR1USBY	\$77
Line 2	GPR2USBY	\$77
Line 3	GPR3USBY	\$77
Line 4	GPR4USBY	\$77
:	:	:

3-Circuit, Separate Neutrals Wiring Schematic

Line 1	GPR1USBZ	\$77
Line 2	GPR2USBZ	\$77
Line 3	GPR3USBZ	\$77
:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Cover Plates



Standard Includes	Required to Specify
- Need help? Product details, page 99 - Cover plate: plastic	1 Style number 2 Plastic color number for cover plate - See <i>Surface Materials</i>, page 338.

Specification Information

Style Number	U.S. Price

Power and Communication

GPPDC	\$49

Power Only

GPPC	\$45

Power and Communication Fillers



Tip: This filler is not designed for use with the base communication cutout. Fillers for this NEMA-size cutout should be sourced locally.

Standard Includes	Required to Specify
- Need help? Product details, page 100 - Package of 20	1 Style number 2 Plastic color number for filler - See <i>Surface Materials</i>, page 338.

Specification Information


Style Number	U.S. Price

GPRCE	\$93




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Multipurpose Power Infeeds



Hardwire



Modular

Tip: If an infeed is needed, it must be ordered separately when you order a panel with base power option. When you order a panel with ADA- or desk-height power option, a factory-installed hardwire infeed is included.

Tip: Infeed is included in the price of ADA- or desk-height receptacle power location option. Base receptacle power location does not include infeed. It must be ordered separately, if needed.

	Standard Includes	Required to Specify
► Need help? Product details, pages 98, 139	• Hardwire infeed — Junction box fittings — Conduit: metal • Modular infeed — Conduit: metal • Modular infeed cover	Style number

Specification Information

Length and Connection	Style Number	U.S. Price
-----------------------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

24' Hardwire	GP1PIH24X	\$469
24' Modular	GP1PIM24X	\$566
:	:	:

4-Circuit, 2+2 Wiring Schematic

24' Hardwire	GP2PIH24Y	\$469
24' Modular	GP2PIM24Y	\$566
:	:	:

3-Circuit, Separate Neutrals Wiring Schematic

24' Hardwire	GP3PIH24Z	\$469
24' Modular	GP3PIM24Z	\$566
:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Base Power Infeeds



Tip: For base power infeeds for use in San Francisco, see below.

Standard Includes		Required to Specify
► Need help? Product details, pages 98, 139	• Junction box fittings for hardwired connection • Liquid-tight flexible conduit: black plastic	Style number
Specification Information		
Length	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
12'	GP1BPI12X	\$273
4-Circuit, 2+2 Wiring Schematic		
12'	GP2BPI12Y	\$273
3-Circuit, Separate Neutrals Wiring Schematic		
12'	GP3BPI12Z	\$273

Base Power Infeeds for Use in San Francisco




Standard Includes		Required to Specify
► Need help? Product details, page 101	• Junction box fittings for hardwired connection • Metallic liquid-tight flexible conduit: black plastic	Style number
Specification Information		
Length	Style Number	U.S. Price
4-Circuit, 3+1 Wiring Schematic		
16"	GP1BPISF12X	\$273
4-Circuit, 2+2 Wiring Schematic		
16"	GP2BPISF12Y	\$273
3-Circuit, Separate Neutrals Wiring Schematic		
16"	GP3BPISF12Z	\$273



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Modular Harnesses



Tip: For field-installed jumpers, order a 29" harness for desk to ADA height, order a 64" harness for ADA to base height, and order a 76" harness for desk to base height.

Tip: Harnesses stretch 3". For example, a 33" harness will allow for a 33" to 36" connection.

Standard Includes	Required to Specify
- Need help? Product details, page 100 - Harness	1 Style number 2 Harness length (see below) 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Harness Length - Page 106 - Harness length from 18" to 50" - Harness length from 54" to 103" - Harness length from 107" to 196" - Harness length 288"	- No cost +\$ 54 +\$157 +\$424	- Specify <i>harness length of xx"</i> (designate length of 18", 21", 25", 29", 33", 37", 41", 46", or 50"). - Specify <i>harness length of xx"</i> (designate length of 54", 58", 62", 66", 70", 74", 78", 82", 90", 94", 99", or 103"). - Specify <i>harness length of xx"</i> (designate length of 107", 111", 115", 120", 124", 128", 132", 136", 140", 144", 148", 152", 156", 160", 166", 171", 175", 180", 184", 190", or 196"). - Specify <i>harness length of 288"</i>.

Specification Information

Length	Style Number	U.S. Base Price
.	.	.
.	.	.
.	.	.

4-Circuit, 3+1 Wiring Schematic

18" to 50"	GP1MHAX	\$126
.	.	.

4-Circuit, 2+2 Wiring Schematic

18" to 50"	GP2MHAY	\$126
.	.	.

3-Circuit, Separate Neutrals Wiring Schematic

18" to 50"	GP3MHAZ	\$126
.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Harness-to-Harness Connectors



Standard Includes	Required to Specify
► Need help? Product details, page 100 Connector: black plastic only	Style number

Specification Information

Description	Style Number	U.S. Price
.	.	.

4-Circuit, 3+1 Wiring Schematic

Harness-to-harness	GP1HHX	\$32
Branching harness-to-harness	GP1BHX	\$32
.	.	.

4-Circuit, 2+2 Wiring Schematic

Harness-to-harness	GP2HHY	\$32
Branching harness-to-harness	GP2BHY	\$32
.	.	.

3-Circuit, Separate Neutrals Wiring Schematic

Harness-to-harness	GP3HHZ	\$32
Branching harness-to-harness	GP3BHZ	\$32
.	.	.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

Field-Installed Powerkits

Tip: These powerkits are suitable for use in New York City.

Tip: Power and communication cover plate and base trim are ordered separately.
▶ Pages 238 and 249

Tip: Power and communication can be field installed in panel face. Power only cannot be field installed in panel face.

Tip: Powerkits can be installed in hollow core panels only.


Standard Includes	Required to Specify
▶ Need help? Product details, page 99 • Power block • Mounting bracket	Style number

Related Products

• Power and communication base trim	▶ Page 238
• Cover plates	▶ Page 249
• Multipurpose power infeeds	▶ Page 250
• Base power infeeds	▶ Page 251
• Harness-to-harness connectors	▶ Page 253


Specification Information

Base Powerkit




• Style Number
• U.S. Price

ADA/Desk Single Powerkit



• Style Number
• U.S. Price

ADA/Desk Double Powerkit



• Style Number
• U.S. Price

4-Circuit, 3+1 Wiring Schematic

GP1PKBX	\$170	GP1PKPSX	\$200	GP1PKPX	\$200
•	•	•	•	•	•


4-Circuit, 2+2 Wiring Schematic

GP2PKBY	\$170	GP2PKPSY	\$200	GP2PKPY	\$200
•	•	•	•	•	•

3-Circuit, Separate Neutrals Wiring Schematic

GP3PKBZ	\$170	GP3PKPSZ	\$200	GP3PKPZ	\$200
•	•	•	•	•	•

Chicago & NYC Junction Box



Tip: Junction boxes for base power are provided by the electrician.

Tip: Powerkits can be installed in hollow core panels only.

Standard Includes	Required to Specify
▶ Need help? Product details, pages 101, 139 • Field-installed junction box for panel	Style number

Specification Information

Dimensions	Style Number	U.S. Price
D W H		
7 ²³ / ₃₂ " 5 ³ / ₄ " 1 ³ / ₃₂ "	GPJCH	\$205
•	•	•