

# V.I.A.



## Specification Guide

### Availability

**Electronic price list updated** with release 182.H (U.S.) and 147.H (Canada), dated June 20, 2016.

Spec News is available on [village.steelcase.com](http://village.steelcase.com). Search AdStock and download the current release's Spec News.

View or download Steelcase Specification Guides at <http://www.steelcase.com/en/resources/design/spec-guides/pages/specguides.aspx>.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

### Surface Materials

**The surface materials team** has announced the launch of the Finish Library, found at <http://finishlibrary.steelcase.com>.

### Prices

Contact Scott Alberty ([salberty@steelcase.com](mailto:salberty@steelcase.com)) for current prices.

► For a list of all trademarks, refer to the last page of this specification guide.

### Working With This Specification Guide

Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4

### Statement of Line

### Understanding

Structural Frame Components	20
Captured Glass Frames	26
Skins	30
Reversible Swing Doors	34
Slider Doors	40
Intersections—Junctions and Adapters	54
Mini Ends	60
Cutable Ends	62
Electrical Components	64
Electrical Wiring Schematics	70
How to Calculate Power Needs	71
Technology Components	72
Hang-On Components	78
V.I.A. Planning Dimensions	87
Planning with Solid Skins and Landscape Oriented Components	88
Acoustic Planning Considerations	94
Lighting	98

### Specifying

Structural Frame Components	103
Captured Glass Frames	117
Skins	127
Reversible Swing Doors	143
Slider Doors	151
Intersections—Junctions and Adapters	157
Mini Ends	171
Cutable Ends	175
Electrical Components	179
Technology Components	189
Hang-On Components	197
Lighting	197

### Surface Materials

### Resources

199

205

---

# Specifying Structural Frame Components

<b>Post</b>	<b>104</b>
<b>Structural Horizontal and Intermediate Horizontal</b>	<b>105</b>
<b>Ceiling Tracks</b>	<b>106</b>
<b>Ceiling Fastener and T/X Ceiling Track Bracket</b>	<b>108</b>
<b>Base Trims</b>	<b>109</b>
<b>Floor Track and Floor Track Spring</b>	<b>111</b>
<b>Floor Guide</b>	<b>112</b>
<b>Short Post Leveler Bracket</b>	<b>113</b>
<b>Post and Beam Attachment Kit and Intermediate Framing Screw Package</b>	<b>114</b>
<b>Acoustic Seals</b>	<b>115</b>
<b>Structural Beam</b>	<b>116</b>

# Post



Standard Includes		Required to Specify
► Need help? Product details, page 20	<ul style="list-style-type: none"> <li>• Post</li> <li>• Height: 15"–144"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Height 3 Plastic color number for seal 4 Top mount type (see below under Required Selections) 5 Horizontal hole count (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.


Required Selections		Required to Specify
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>• Ceiling</li> <li>• Intermediate</li> </ul>	Specify <i>with ceiling mount</i> . Specify <i>with intermediate mount</i> .
<b>Horizontal Hole Count</b>	<b>Horizontal Holes</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify <i>with no holes</i> . Specify <i>Y dimension for hole 1</i> . Specify <i>Y dimension for hole 2</i> . Specify <i>Y dimension for hole 3</i> . Specify <i>Y dimension for hole 4</i> . Specify <i>Y dimension for hole 5</i> . Specify <i>Y dimension for hole 6</i> . Specify <i>Y dimension for hole 7</i> . Specify <i>Y dimension for hole 8</i> . Specify <i>Y dimension for hole 9</i> . Specify <i>Y dimension for hole 10</i> . Specify <i>Y dimension for hole 11</i> .

## Specification Information

• **Style Number**


**FEPVS**

## Structural Horizontal



Standard Includes		Required to Specify
► Need help? Product details, page 20	<ul style="list-style-type: none"> <li>• Post</li> <li>• Width: 6"–120"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Width 3 Plastic color number for seal 4 Cut-out configuration (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Cut-out Configuration</b>	<ul style="list-style-type: none"> <li>• Cutable</li> <li>• Non-cut</li> </ul>	Specify <i>with cutable</i> . Specify <i>with non-cut</i> .
Specification Information		
<b>Style Number</b> : : :		
<b>FERHS</b> : :		


## Intermediate Horizontal



Standard Includes		Required to Specify
► Need help? Product details, page 20	<ul style="list-style-type: none"> <li>• Horizontal</li> <li>• Width: 6"–120"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Width 3 Plastic color number for seal 4 Vertical hole count (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Vertical Hole Count</b>	<b>Vertical Holes</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify <i>with no holes</i> . Specify <i>X dimension for hole 1</i> . Specify <i>X dimension for hole 2</i> . Specify <i>X dimension for hole 3</i> . Specify <i>X dimension for hole 4</i> . Specify <i>X dimension for hole 5</i> . Specify <i>X dimension for hole 6</i> . Specify <i>X dimension for hole 7</i> . Specify <i>X dimension for hole 8</i> . Specify <i>X dimension for hole 9</i> . Specify <i>X dimension for hole 10</i> . Specify <i>X dimension for hole 11</i> .
Specification Information		
<b>Style Number</b> : : :		
<b>FERHI</b> : :		


# Ceiling Tracks

## Straight Ceiling Track



Standard Includes		Required to Specify
<p>► Need help? Product details, page 20</p>	<ul style="list-style-type: none"> <li>Ceiling track: paint</li> <li>Seal to match paint color, when applicable:                             <ul style="list-style-type: none"> <li>- 7190 Platinum Solid paint will default 6249 Platinum Solid plastic</li> <li>- 7241 Arctic White paint will default 6009 Arctic White plastic</li> <li>- 7360 Merle paint will receive 6527 Merle plastic</li> <li>- All other paint selections require a plastic to be specified</li> </ul> </li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint color number for ceiling track</li> <li>Plastic color number for seal, if required</li> <li>Length (See below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>
Required Selections		Required to Specify
<b>Length</b>	<ul style="list-style-type: none"> <li>120"</li> <li>144"</li> </ul>	Specify 120". Specify 144".
Specification Information		
<p>• <b>Style Number</b></p>		
<p>• <b>FACTS</b></p>		

## Corner Fixed Angle Ceiling Track



Standard Includes		Required to Specify
<p>► Need help? Product details, page 20</p>	<ul style="list-style-type: none"> <li>Ceiling track: paint</li> <li>Seal to match paint color, when applicable:                             <ul style="list-style-type: none"> <li>- 7190 Platinum Solid paint will default 6249 Platinum Solid plastic</li> <li>- 7241 Arctic White paint will default 6009 Arctic White plastic</li> <li>- 7360 Merle paint will receive 6527 Merle plastic</li> <li>- All other paint selections require a plastic to be specified</li> </ul> </li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint color number for ceiling track</li> <li>Plastic color number for seal, if required</li> <li>Angle (See below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>
Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>90°</li> <li>120°</li> <li>135°</li> </ul>	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle.
Specification Information		
<p>• <b>Style Number</b></p>		
<p>• <b>FACTS</b></p>		

	Standard Includes	Required to Specify
<p>► Need help? Product details, page 20</p>	<ul style="list-style-type: none"> <li>• Ceiling track: paint</li> <li>• Seal to match paint color, when applicable:               <ul style="list-style-type: none"> <li>- 7190 Platinum Solid paint will default</li> <li>6249 Platinum Solid plastic</li> <li>- 7241 Arctic White paint will default</li> <li>6009 Arctic White plastic</li> <li>- 7360 Merle paint will receive 6527 Merle plastic</li> <li>- All other paint selections require a plastic to be specified</li> </ul> </li> </ul>	<p>1 Style number</p> <p>2 Paint color number for ceiling track</p> <p>3 Plastic color number for seal, if required</p> <p>4 Angle (See below under Required Selections)</p> <p>► See <i>Surface Materials</i>, page 200.</p>
	Required Selections	Required to Specify
<p><b>Angle</b></p>	<ul style="list-style-type: none"> <li>• 91°–119°</li> <li>• 121°– 134°</li> <li>• 136°–179°</li> </ul>	<p>Specify angle in 1° increment.</p> <p>Specify angle in 1° increment.</p> <p>Specify angle in 1° increment.</p>
Specification Information		
<p>• <b>Style</b></p> <p>• <b>Number</b></p> <p>•</p> <p>•</p>		
<p><b>FECTV</b></p> <p>•</p>		

# Ceiling Fastener and T/X Ceiling Track Bracket

## Ceiling Fastener



*Tip: Order one ceiling fastener package per 10' of ceiling track.*

*Tip: Spacers are included with fasteners for regular ceiling tiles that allow adjustment for different tile edge depths.*

Standard Includes		Required to Specify
► Need help? Product details, page 22	<ul style="list-style-type: none"> <li>Fastener package</li> </ul>	1 Style number 2 Fastener type (see below under Required Selections)
Required Selections		Required to Specify
<b>Fastener Type</b>	<ul style="list-style-type: none"> <li>1"W exposed T</li> <li>9/16"W exposed T</li> <li>1/4"W Donn Finline</li> <li>1/8"W Donn Finline</li> <li>1"W fluted runner 1/4–20</li> <li>1"W tegular</li> <li>9/16" tegular</li> </ul>	Specify with 1"W exposed T. Specify with 9/16"W exposed T. Specify with 1/4"W Donn Finline. Specify with 1/8"W Donn Finline. Specify with 1"W fluted runner 1/4–20. Specify with 1" tegular. Specify with 9/16" tegular.
Specification Information		
<b>Style</b> <b>Number</b> : : :		
<b>FECF</b> : : :		


## T/X Ceiling Track Bracket



*Tip: For T application specify one bracket. For X application, specify two brackets.*


Standard Includes		Required to Specify
► Need help? Product details, page 22	<ul style="list-style-type: none"> <li>Bracket</li> </ul>	Style number
Specification Information		
<b>Style</b> <b>Number</b> : : :		
<b>FECTB</b> : : :		

## Straight Base Trim



Standard Includes		Required to Specify
▶ Need help? Product details, page 22	• Base trim: paint	1 Style number 2 Paint color number for trim 3 Length (See below under Required Selections) ▶ See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Length</b>	• 120" • 144"	Specify 120". Specify 144".
Specification Information		
• <b>Style Number</b>		
• <b>FEBTS</b>		


## Corner Fixed Angle Base Trim



Standard Includes		Required to Specify
▶ Need help? Product details, page 22	• Base trim: paint	1 Style number 2 Paint color number for trim 3 Angle (see below under Required Selections) 4 Corner type (see below under Required Selections) ▶ See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Fixed Angles</b>	• 90° • 120° • 135°	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle.
<b>Corner Type</b>	• Inner • Outer	Specify with inner corner. Specify with outer corner.
Specification Information		
• <b>Style Number</b>		
• <b>FEBTF</b>		



Corner Variable Angle Base Trim



Standard Includes	Required to Specify
-------------------	---------------------

<div>▶ Need help? Product details, page 22</div> <div><ul style="list-style-type: none"><li>• Base trim: paint</li></ul></div>	<div><div>1 Style number</div><div>2 Paint color number for trim</div><div>3 Angle (see below under Required Selections)</div><div>4 Corner type (see below under Required Selections)</div><div>▶ See <i>Surface Materials</i>, page 200.</div></div>
--	--

Required Selections	Required to Specify
---------------------	---------------------

<div>Angle</div> <div><ul style="list-style-type: none"><li>• 91°–119°</li><li>• 121°– 134°</li><li>• 136°–179°</li></ul></div>	<div>Specify angle in 1° increment.</div> <div>Specify angle in 1° increment.</div> <div>Specify angle in 1° increment.</div>
<div>Corner Type</div> <div><ul style="list-style-type: none"><li>• Inner</li><li>• Outer</li></ul></div>	<div>Specify <i>with inner corner</i>.</div> <div>Specify <i>with outer corner</i>.</div>


Specification Information
---------------------------

<div>• Style Number</div>
<div>FEBTV</div>

# Floor Track and Floor Track Spring

Floor Track and Floor  
Track Spring

## Floor Track



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Need help? Product details, page 20</li> <li>Floor track: paint</li> <li>Width: 6"–120"</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for floor track</li> <li>3 Width</li> <li>See <i>Surface Materials</i>, page 200.</li> </ul>

Specification Information
<ul style="list-style-type: none"> <li>Style</li> <li>Number</li> </ul>
FEFT

## Floor Track Spring




Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Need help? Product details, page 21</li> <li>Floor track spring</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Specification Information
<ul style="list-style-type: none"> <li>Style</li> <li>Number</li> </ul>
FEFTS

Structural Frame  
Components

# Floor Guide



Standard Includes	Required to Specify
-------------------	---------------------

► Need help? Product details, page 22	1 Style number 2 Gripper type (see below under Required Selections)
---	---

Required Selections	Required to Specify
---------------------	---------------------

<b>Gripper</b> <ul style="list-style-type: none"><li>• Simple</li><li>• Seismic</li></ul>	Specify <i>with simple</i> . Specify <i>with seismic</i> .
---	---

Specification Information
---------------------------

• <b>Style</b> • <b>Number</b> : : :
<b>FEFG</b> : :



Standard Includes		Required to Specify
► Need help? Product details, page 20	• Bracket	Style number

Specification Information
• <b>Style</b>
• <b>Number</b>
•
•
<b>FEPLBS</b>
•
•

# Post and Beam Attachment Kit and Intermediate Framing Screw Package

## Post and Beam Attachment Kit





Standard Includes		Required to Specify
► Need help? Product details, page 81	• Attachment kit	Style number
Specification Information		
• <b>Style Number</b>		
FEPBK		

## Intermediate Framing Screw Package

Standard Includes		Required to Specify
► Need help? Product details, page 20	• Screw package	Style number
Specification Information		
• <b>Style Number</b>		
FEPF01		

*Tip: When different seal colors are desired on opposite sides of a wall, order additional seals in the appropriate colors for field retrofit.*



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Need help? Product details, page 20</li> <li>Acoustic seal: plastic</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Plastic color number for seal</li> <li>See <i>Surface Materials</i>, page 200.</li> </ul>

## Specification Information

Description	Style Number	For Use With

## Post Acoustic Seal Packages

145"H full-height post package	<b>FEPVSS</b>	FEPVS
or 72½"H partial-height post package		


## Intermediate Horizontal Acoustic Seals

24"W, 48"W, 72"W, 96"W, or 120"W	<b>FERHIS</b>	FERHI

## Structural Horizontal Acoustic Seals

24"W, 48"W, 72"W, 96"W, or 120"W	<b>FERHSS</b>	FERHS

# Structural Beam



	Standard Includes	Required to Specify
--	-------------------	---------------------

- |   |  |  |
|---|--|--|
| ► Need help?<br>Product details,<br>page 80 | <ul style="list-style-type: none"><li>• Beam</li><li>• Width: 12" – 120"</li></ul> | <ul style="list-style-type: none"><li>1 Style number</li><li>2 Width</li></ul> |
|---|--|--|

<b>Specification Information</b>
----------------------------------

• <b>Style</b>
• <b>Number</b>
•
•

<b>FEBSTR</b>
•


---

# Specifying Captured Glass Frames

<b>Single Glazed Captured Glass Frame</b>	<b>118</b>
<b>Double Glazed Captured Glass Frame</b>	<b>120</b>
<b>Single Side Captured Glass Frames—Side A and Side C</b>	<b>122</b>
<b>Single Side Captured Glass Frames—Side B and Side D</b>	<b>123</b>
<b>Acoustic Seal for Captured Glass</b>	<b>124</b>
<b>Brackets and T Nuts</b>	<b>125</b>



# Single Glazed Captured Glass Frame



Standard Includes		Required to Specify
► Need help? Product details, page 26	<ul style="list-style-type: none"> <li>• Frame: paint or 8043 Clear Anodized Aluminum</li> <li>• Height: 12"–141.71654"</li> <li>• Width: 12"–120"</li> <li>• Glass: 1/4" thick</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Height</li> <li>3 Width</li> <li>4 Paint or anodized aluminum color number for frame side A</li> <li>5 Paint or anodized aluminum color number for frame side B</li> <li>6 Glass color number</li> <li>7 Glass thickness (see below under Required Selections)</li> <li>8 Glass linear orientation, if 6558 Bamboo selected (see below under Required Selections)</li> <li>9 Glass surface orientation, if 6542 Satin or 6558 Bamboo selected (see below under Required Selections)</li> <li>10 Top mount type (see below under Required Selections)</li> <li>11 Bottom mount type (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

*Tip: 6555 Ice and 6558 Bamboo cannot be specified with a 3/8" glass thickness.*

*Tip: Glass linear orientation only required when 6558 Bamboo is selected.*

*Tip: Glass surface orientation only required when 6542 Satin or 6558 Bamboo are selected.*

Required Selections		Required to Specify
<b>Glass Thickness (if glass selected)</b>	<ul style="list-style-type: none"> <li>• 1/4" thick glass</li> <li>• 3/8" thick glass</li> </ul>	Specify with 1/4" thick glass. Specify with 3/8" thick glass.
<b>Glass Linear Orientation (if 6558 Bamboo selected)</b>	<ul style="list-style-type: none"> <li>• Horizontal</li> <li>• Vertical</li> </ul>	Specify with horizontal. Specify with vertical.
<b>Glass Surface Orientation (if 6542 Satin or 6558 Bamboo selected)</b>	<ul style="list-style-type: none"> <li>• Polished to flush</li> <li>• Polished to sill</li> </ul>	Specify with polished to flush. Specify with polished to sill.
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>• Ceiling</li> <li>• Intermediate</li> </ul>	Specify with ceiling mount. Specify with intermediate mount.
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>• Floor</li> <li>• Intermediate</li> </ul>	Specify with floor mount. Specify with intermediate mount.


## Specification Information

• **Style Number**

FEFRCGS



# Double Glazed Captured Glass Frame



Standard Includes		Required to Specify
► Need help? Product details, page 26	• Frame: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Height: 12"–141.71654"	2 Height
	• Width: 12"–120"	3 Width
	• Glass: 1/4" thick	4 Paint or anodized aluminum color number for frame side A
		5 Paint or anodized aluminum color number for frame side C
		6 Glass color number for side A
		7 Glass color number for side C
		8 Glass thickness for side A (see below under Required Selections)
		9 Glass thickness for side C (see below under Required Selections)
		10 Glass linear orientation for side A, if 6558 Bamboo selected (see below under Required Selections)
		11 Glass linear orientation for side C, if 6558 Bamboo selected (see below under Required Selections)
		12 Glass surface orientation for side A, if 6542 Satin or 6558 Bamboo selected (see below under Required Selections)
		13 Glass surface orientation for side C, if 6542 Satin or 6558 Bamboo selected (see below under Required Selections)
		14 Top mount type (see below under Required Selections)
		15 Bottom mount type (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

Tip: 6555 Ice and 6558 Bamboo cannot be specified with a 3/8" glass thickness.

Required Selections	Required to Specify
<b>Glass Thickness for Side A (if glass selected)</b> <ul style="list-style-type: none"> <li>• 1/4" thick glass</li> <li>• 3/8" thick glass</li> </ul>	Specify with glass A 1/4" thick glass. Specify with glass A 3/8" thick glass.
<b>Glass Thickness for Side C (if glass selected)</b> <ul style="list-style-type: none"> <li>• 1/4" thick glass</li> <li>• 3/8" thick glass</li> </ul>	Specify with glass C 1/4" thick glass. Specify with glass C 3/8" thick glass.
<b>Glass Linear Orientation for Side A (if 6558 Bamboo selected)</b> <ul style="list-style-type: none"> <li>• Horizontal</li> <li>• Vertical</li> </ul>	Specify with glass A horizontal. Specify with glass A vertical.
<b>Glass Linear Orientation for Side C (if 6558 Bamboo selected)</b> <ul style="list-style-type: none"> <li>• Horizontal</li> <li>• Vertical</li> </ul>	Specify with glass C horizontal. Specify with glass C vertical.

Tip: Glass linear orientation only required when 6558 Bamboo is selected.

► Required Selections, continued on next page

► Required Selections, continued from previous page


*Tip: Glass surface orientation only required when 6542 Satin or 6558 Bamboo is selected.*

Required Selections		Required to Specify
<b>Glass Surface Orientation for Side A</b> (if 6542 Satin or 6558 Bamboo selected)	<ul style="list-style-type: none"> <li>Polished to flush</li> <li>Polished to sill</li> </ul>	Specify with glass A polished to flush. Specify with glass A polished to sill.
<b>Glass Surface Orientation for Side C</b> (if 6542 Satin or 6558 Bamboo selected)	<ul style="list-style-type: none"> <li>Polished to flush</li> <li>Polished to sill</li> </ul>	Specify with glass C polished to flush. Specify with glass C polished to sill.
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify with ceiling mount. Specify with intermediate mount.
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>Floor</li> <li>Intermediate</li> </ul>	Specify with floor mount. Specify with intermediate mount.


Specification Information

Style  
Number

FEFRCGD



# Single Side Captured Glass Frames—Side A and Side C



Standard Includes		Required to Specify
► Need help? Product details, page 26	• Frame: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Height: 12"–141.71654"	2 Height
	• Width: 12"–120"	3 Width
	• Glass: 1/4" thick	4 Paint or anodized aluminum color number for frame
		5 Glass color number
		6 Glass thickness (see below under Required Selections)
		7 Glass linear orientation, if 6558 Bamboo selected (see below under Required Selections)
		8 Glass surface orientation, if 6542 Satin or 6558 Bamboo selected (see below under Required Selections)
		9 Top mount type (see below under Required Selections)
		10 Bottom mount type (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

*Tip: 6555 Ice and 6558 Bamboo cannot be specified with a 3/8" glass thickness.*

*Tip: Glass linear orientation only required when 6558 Bamboo is selected.*

*Tip: Glass surface orientation only required when 6542 Satin or 6558 Bamboo is selected.*

Required Selections		Required to Specify
<b>Glass Thickness</b>	• 1/4" thick glass • 3/8" thick glass	Specify <i>with 1/4" thick glass.</i> Specify <i>with 3/8" thick glass.</i>
<b>Glass Linear Orientation (if 6558 Bamboo selected)</b>	• Horizontal • Vertical	Specify <i>with horizontal.</i> Specify <i>with vertical.</i>
<b>Glass Surface Orientation (if 6542 Satin or 6558 Bamboo selected)</b>	• Polished to flush • Polished to sill	Specify <i>with polished to flush.</i> Specify <i>with polished to sill.</i>
<b>Top Mount Type</b>	• Ceiling • Intermediate	Specify <i>with ceiling mount.</i> Specify <i>with intermediate mount.</i>
<b>Bottom Mount Type</b>	• Floor • Intermediate	Specify <i>with floor mount.</i> Specify <i>with intermediate mount.</i>

## Specification Information

• **Style Number**

### Side A Single Captured Glass Frame

FEFRCGA


### Side C Single Captured Glass Frame

FEFRCGC

# Single Side Captured Glass Frames—Side B and Side D

Single Side Captured  
Glass Frames—  
Side B and Side D

## Single Side Captured Glass Frame—Side B



Standard Includes		Required to Specify
<p>► Need help? Product details, page 26</p>	• Frame: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Height: 12"–141.71654"	2 Height
	• Width: 12"–120"	3 Width
	• Glass: 1/4" thick	4 Paint or anodized aluminum color number for frame
		5 Top mount type (see below under Required Selections)
		6 Bottom mount type (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.


Required Selections		Required to Specify
<b>Top Mount Type</b>	• Ceiling	Specify <i>with ceiling mount</i> .
	• Intermediate	Specify <i>with intermediate mount</i> .
<b>Bottom Mount Type</b>	• Floor	Specify <i>with floor mount</i> .
	• Intermediate	Specify <i>with intermediate mount</i> .

### Specification Information

• Style  
Number

FEFRCGB

## Single Side Captured Glass Frame—Side D



Standard Includes		Required to Specify
<p>► Need help? Product details, page 26</p>	• Frame: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Back-painted glass	2 Height
	• Height: 12"–120"	3 Width
	• Width: 12"–120"	4 Paint or anodized aluminum color number for frame
	• Glass: 1/4" thick	5 Back-painted glass color number
		6 Top mount type (see below under Required Selections)
		7 Bottom mount type (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Top Mount Type</b>	• Ceiling	Specify <i>with ceiling mount</i> .
	• Intermediate	Specify <i>with intermediate mount</i> .
<b>Bottom Mount Type</b>	• Floor	Specify <i>with floor mount</i> .
	• Intermediate	Specify <i>with intermediate mount</i> .


### Specification Information

• Style  
Number

FEFRCGBP

Captured Glass  
Frames

# Acoustic Seal for Captured Glass



*Tip: Seals are ordered to the next largest size depending on frame width, and cut to exact length during installation.*


Standard Includes		Required to Specify
► Need help? Product details, page 26	• Seal	1 Style number 2 Seal length (see below under Required Selections)
Required Selections		Required to Specify
<b>Seal Length</b>	<ul style="list-style-type: none"> <li>• 24" long seal</li> <li>• 48" long seal</li> <li>• 72" long seal</li> <li>• 96" long seal</li> <li>• 120" long seal</li> </ul>	Specify 24" seal. Specify 48" seal. Specify 72" seal. Specify 96" seal. Specify 120" seal.
Specification Information		
• <b>Style Number</b>		
•		
•		
<b>FEFRCGSA</b>		
•		

# Brackets and T Nuts

For Use with Captured Glass Frames


Brackets and T Nuts

## Locking Bracket



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Locking bracket</li> </ul>	Style number
<b>Specification Information</b>	
<b>Style Number</b>	
<b>FEFHCGL</b>	

## Non-Locking Bracket



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Non-locking bracket</li> </ul>	Style number
<b>Specification Information</b>	
<b>Style Number</b>	
<b>FEFHCGL</b>	

Captured Glass Frames

## Load Bracket



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Load bracket</li> </ul>	Style number
<b>Specification Information</b>	
<b>Style Number</b>	
<b>FEFHCGLB</b>	



T Nuts



Standard Includes	Required to Specify
• T Nuts: package of 25	Style number


Specification Information
• Style Number
FEFHCGT

---

# Specifying Skins


<b>Solid Steel Skin</b>	<b>128</b>
<b>Solid Veneer Skin</b>	<b>130</b>
<b>Solid Veneer Skin Set</b>	<b>132</b>
<b>Solid Laminate Skin</b>	<b>134</b>
<b>Solid Laminate Skin Set</b>	<b>136</b>
<b>Ceramic Skin</b>	<b>138</b>
<b>Slatwall Skin and Hardware</b>	<b>139</b>
<b>Acoustic Products</b>	<b>141</b>

# Solid Steel Skin



	Standard Includes	Required to Specify
► Need help? Product details, page 30	<ul style="list-style-type: none"> <li>Height: 6"–141.71654"</li> <li>Width: 6"–120"</li> <li>Skin: paint or fabric</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Height</li> <li>Width</li> <li>Paint or fabric color number for skin</li> <li>Top mount type (see below under Required Selections)</li> <li>Bottom mount type (see below under Required Selections)</li> <li>Cable management cut-out and cut-out type (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

	Required Selections	Required to Specify
<b>Surface Materials</b>	<b>Skin surface</b> <ul style="list-style-type: none"> <li>Paint</li> <li>Fabric</li> </ul> <b>Fabric direction for fabric skins</b> <ul style="list-style-type: none"> <li>Horizontal application</li> <li>Vertical application</li> </ul>	Specify paint color number. Specify fabric color number.  Specify <i>with horizontal application</i> . Specify <i>with vertical application</i> .
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling top mount</i> . Specify <i>with intermediate top mount</i> .
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>Floor</li> <li>Intermediate</li> </ul>	Specify <i>with floor bottom mount</i> . Specify <i>with intermediate bottom mount</i> .
<b>Cable Management</b>	<b>Cut-out count</b> <ul style="list-style-type: none"> <li>No holes</li> <li>One hole</li> <li>Two holes</li> <li>Three holes</li> <li>Four holes</li> <li>Five holes</li> <li>Six holes</li> <li>Seven holes</li> <li>Eight holes</li> <li>Nine holes</li> </ul> <b>Cut-out position, if cut-out(s) selected</b> <ul style="list-style-type: none"> <li>No holes</li> <li>Cut-out 1 location</li> <li>Cut-out 2 location</li> <li>Cut-out 3 location</li> <li>Cut-out 4 location</li> <li>Cut-out 5 location</li> <li>Cut-out 6 location</li> <li>Cut-out 7 location</li> <li>Cut-out 8 location</li> <li>Cut-out 9 location</li> </ul> <b>Cut-out type, if cut-out(s) selected</b> <ul style="list-style-type: none"> <li>Hardwire single</li> <li>Hardwire double</li> <li>Hardwire triple</li> <li>Hardwire fourplex</li> <li>Modular double</li> <li>Communication only – modular</li> <li>Communication only – no box</li> </ul>	Specify <i>with no holes</i> . Specify <i>with one hole</i> . Specify <i>with two holes</i> . Specify <i>with three holes</i> . Specify <i>with four holes</i> . Specify <i>with five holes</i> . Specify <i>with six holes</i> . Specify <i>with seven holes</i> . Specify <i>with eight holes</i> . Specify <i>with nine holes</i> .  Specify <i>with no holes</i> . Specify X and Y dimensions for cut-out 1. Specify X and Y dimensions for cut-out 2. Specify X and Y dimensions for cut-out 3. Specify X and Y dimensions for cut-out 4. Specify X and Y dimensions for cut-out 5. Specify X and Y dimensions for cut-out 6. Specify X and Y dimensions for cut-out 7. Specify X and Y dimensions for cut-out 8. Specify X and Y dimensions for cut-out 9.  Specify <i>with hardwire single cut-out type for each applicable location</i> . Specify <i>with hardwire double cut-out type for each applicable location</i> . Specify <i>with hardwire triple cut-out type for each applicable location</i> . Specify <i>with hardwire fourplex cut-out type for each applicable location</i> . Specify <i>with modular double cut-out type for each applicable location</i> . Specify <i>with communication only – modular cut-out type for each applicable location</i> . Specify <i>with communication only – no box cut-out type for each applicable location</i> .




Specification Information

• Style  
• Number

FESSS

# Solid Veneer Skin



Standard Includes		Required to Specify
► Need help? Product details, page 30	• Height: 6"–120"	1 Style number
	• Width: 6"–120"	2 Height
	• Skin: wood veneer	3 Width
		4 Wood veneer color number for skin
		5 Wood grain direction for skins (see below under Required Selections)
		6 Top mount type (see below under Required Selections)
		7 Bottom mount type (see below under Required Selections)
		8 Cable management cut-out type and location, if selected (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

	Required Selections	Required to Specify
<b>Surface Materials</b>	<b>Wood veneer</b>	
	• Wood veneer	Specify with <i>wood veneer</i> and indicate wood color number.
	• Customiz stain	Specify with <i>Customiz stain</i> .
	<b>Wood grain direction for skins</b>	
	• Horizontal application	Specify with <i>horizontal application</i> .
	• Vertical application	Specify with <i>vertical application</i> .
<b>Top Mount Type</b>	• Ceiling • Intermediate	Specify with <i>ceiling top mount</i> . Specify with <i>intermediate top mount</i> .
<b>Bottom Mount Type</b>	• Floor • Intermediate	Specify with <i>floor bottom mount</i> . Specify with <i>intermediate bottom mount</i> .
<b>Cable Management</b>	<b>Cut-out count</b>	
	• No holes • One hole • Two holes • Three holes • Four holes • Five holes • Six holes • Seven holes • Eight holes • Nine holes	Specify with <i>no holes</i> . Specify with <i>one hole</i> . Specify with <i>two holes</i> . Specify with <i>three holes</i> . Specify with <i>four holes</i> . Specify with <i>five holes</i> . Specify with <i>six holes</i> . Specify with <i>seven holes</i> . Specify with <i>eight holes</i> . Specify with <i>nine holes</i> .
	<b>Cut-out position, if cut-out(s) selected</b>	
	• No holes • Cut-out 1 location • Cut-out 2 location • Cut-out 3 location • Cut-out 4 location • Cut-out 5 location • Cut-out 6 location • Cut-out 7 location • Cut-out 8 location • Cut-out 9 location	Specify with <i>no holes</i> . Specify <i>X and Y dimensions</i> for cut-out 1. Specify <i>X and Y dimensions</i> for cut-out 2. Specify <i>X and Y dimensions</i> for cut-out 3. Specify <i>X and Y dimensions</i> for cut-out 4. Specify <i>X and Y dimensions</i> for cut-out 5. Specify <i>X and Y dimensions</i> for cut-out 6. Specify <i>X and Y dimensions</i> for cut-out 7. Specify <i>X and Y dimensions</i> for cut-out 8. Specify <i>X and Y dimensions</i> for cut-out 9.

► Required Selections, continued on next page


► Required Selections, continued from previous page

	Required Selections	Required to Specify
Cable Management, continued	<b>Cut-out type, if cut-out(s) selected</b>	
	• Hardwire single	Specify with <i>hardwire single cut-out type</i> for each applicable location.
	• Hardwire double	Specify with <i>hardwire double cut-out type</i> for each applicable location.
	• Hardwire triple	Specify with <i>hardwire triple cut-out type</i> for each applicable location.
	• Hardwire fourplex	Specify with <i>hardwire fourplex cut-out type</i> for each applicable location.
	• Modular double	Specify with <i>modular double cut-out type</i> for each applicable location.
	• Communication only – modular	Specify with <i>communication only – modular cut-out type</i> for each applicable location.
	• Communication only – no box	Specify with <i>communication only – no box cut-out type</i> for each applicable location.


Specification Information

• Style  
Number

FESSV



# Solid Veneer Skin Set



	Standard Includes	Required to Specify
► Need help? Product details, page 30	<ul style="list-style-type: none"> <li>Two to five skins per skin set</li> <li>Height of each skin: 12"–118"</li> <li>Width of each skin: 12"–118"</li> <li>Skin: wood veneer</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Overall skin set height</li> <li>Overall skin set width</li> <li>Wood veneer color for skin set</li> <li>Wood grain direction for skin sets (see below under Required Selections)</li> <li>Skin count</li> <li>Skin height for each skin in set</li> <li>Skin width for each skin in set</li> <li>Top mount type for each skin (see below under Required Selections)</li> <li>Bottom mount type for each skin (see below under Required Selections)</li> <li>Cut-out count (see below under Required Selections)</li> <li>Cut-out placement for each skin, if selected (see below under Required Selections)</li> <li>Cut-out type for each cut-out, if selected (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

	Required Selections	Required to Specify
<b>Surface Materials</b>	<b>Wood veneer</b> <ul style="list-style-type: none"> <li>Wood veneer</li> <li>Customiz stain</li> </ul> <b>Wood grain direction for skin sets</b> <ul style="list-style-type: none"> <li>Horizontal application (left to right)</li> <li>Vertical application (top to bottom)</li> </ul>	Specify with <i>wood veneer</i> and indicate wood color number. Specify with <i>Customiz stain</i> .
<b>Skin Count</b>	<ul style="list-style-type: none"> <li>2 Skins</li> <li>3 Skins</li> <li>4 Skins</li> <li>5 Skins</li> </ul>	Specify with <i>2 skins</i> . Specify with <i>3 skins</i> . Specify with <i>4 skins</i> . Specify with <i>5 skins</i> .
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify with <i>ceiling top mount</i> . Specify with <i>intermediate top mount</i> .
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>Floor</li> <li>Intermediate</li> </ul>	Specify with <i>floor bottom mount</i> . Specify with <i>intermediate bottom mount</i> .
<b>Cable Management</b>	<b>Cut-out count</b> <ul style="list-style-type: none"> <li>No holes</li> <li>One hole</li> <li>Two holes</li> </ul> <b>Cut-out count placement, if cut-out(s) selected</b> <ul style="list-style-type: none"> <li>Skin 1</li> <li>Skin 2</li> <li>Skin 3</li> <li>Skin 4</li> <li>Skin 5</li> </ul> <b>Cut-out position for each skin, if selected</b> <ul style="list-style-type: none"> <li>Cut-out 1 location</li> <li>Cut-out 2 location</li> </ul>	Specify with <i>no holes</i> . Specify with <i>one hole</i> . Specify with <i>two holes</i> .  Specify <i>skin 1</i> . Specify <i>skin 2</i> . Specify <i>skin 3</i> . Specify <i>skin 4</i> . Specify <i>skin 5</i> .  Specify X and Y dimensions for cut-out 1. Specify X and Y dimensions for cut-out 2.

► Required Selections, continued on next page


► Required Selections, continued from previous page

	Required Selections	Required to Specify
<b>Cable Management continued</b>	<b>Cut-out type for each skin, if selected</b> <ul style="list-style-type: none"><li>• Hardwire single</li><li>• Hardwire double</li><li>• Hardwire triple</li><li>• Hardwire fourplex</li><li>• Modular double</li><li>• Communication only – modular</li><li>• Communication only – no box</li></ul>	<p>Specify with <i>hardwire single cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire double cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire triple cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire fourplex cut-out type</i> for each applicable location.</p> <p>Specify with <i>modular double cut-out type</i> for each applicable location.</p> <p>Specify with <i>communication only – modular cut-out type</i> for each applicable location.</p> <p>Specify with <i>communication only – no box cut-out type</i> for each applicable location.</p>

Specification Information


• Style  
Number

FESSVS





# Solid Laminate Skin



Standard Includes		Required to Specify
► Need help? Product details, page 30	<ul style="list-style-type: none"> <li>Height: 6"–120"</li> <li>Width: 6"–120"</li> <li>Skin: Low-Pressure Laminate (LPL) or High-Pressure Laminate (HPL)</li> </ul>	1 Style number 2 Height 3 Width 4 Laminate color number for skin 5 Top mount type (see below under Required Selections) 6 Bottom mount type (see below under Required Selections) 7 Cable management cut-out and cut-out type (see below under Required Selections) ► See Surface Materials, page 200.

Required Selections	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li><b>Skin surface</b> <ul style="list-style-type: none"> <li>Laminate (Low-Pressure Laminate or High-Pressure Laminate)</li> <li>Open Line laminate</li> </ul> </li> <li><b>Wood grain direction for wood grain laminates</b> <ul style="list-style-type: none"> <li>Horizontal application</li> <li>Vertical application</li> </ul> </li> </ul>	Specify laminate color number. ► See <i>Surface Materials Reference Manual</i> .
<b>Top Mount Type</b> <ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling top mount</i> . Specify <i>with intermediate top mount</i> .
<b>Bottom Mount Type</b> <ul style="list-style-type: none"> <li>Floor</li> <li>Intermediate</li> </ul>	Specify <i>with floor bottom mount</i> . Specify <i>with intermediate bottom mount</i> .
<b>Cable Management</b> <ul style="list-style-type: none"> <li><b>Cut-out count</b> <ul style="list-style-type: none"> <li>No holes</li> <li>One hole</li> <li>Two holes</li> <li>Three holes</li> <li>Four holes</li> <li>Five holes</li> <li>Six holes</li> <li>Seven holes</li> <li>Eight holes</li> <li>Nine holes</li> </ul> </li> <li><b>Cut-out position, if cut-out(s) selected</b> <ul style="list-style-type: none"> <li>Cut-out 1 location</li> <li>Cut-out 2 location</li> <li>Cut-out 3 location</li> <li>Cut-out 4 location</li> <li>Cut-out 5 location</li> <li>Cut-out 6 location</li> <li>Cut-out 7 location</li> <li>Cut-out 8 location</li> <li>Cut-out 9 location</li> </ul> </li> </ul>	Specify <i>with no holes</i> . Specify <i>with one hole</i> . Specify <i>with two holes</i> . Specify <i>with three holes</i> . Specify <i>with four holes</i> . Specify <i>with five holes</i> . Specify <i>with six holes</i> . Specify <i>with seven holes</i> . Specify <i>with eight holes</i> . Specify <i>with nine holes</i> .  Specify X and Y dimensions for cut-out 1. Specify X and Y dimensions for cut-out 2. Specify X and Y dimensions for cut-out 3. Specify X and Y dimensions for cut-out 4. Specify X and Y dimensions for cut-out 5. Specify X and Y dimensions for cut-out 6. Specify X and Y dimensions for cut-out 7. Specify X and Y dimensions for cut-out 8. Specify X and Y dimensions for cut-out 9.

► Required Selections, continued on next page


► Required Selections, continued from previous page

	Required Selections	Required to Specify
Cable Management, continued	<b>Cut-out type, if cut-out(s) selected</b>	
	• Hardwire single	Specify with <i>hardwire single cut-out type</i> for each applicable location.
	• Hardwire double	Specify with <i>hardwire double cut-out type</i> for each applicable location.
	• Hardwire triple	Specify with <i>hardwire triple cut-out type</i> for each applicable location.
	• Hardwire fourplex	Specify with <i>hardwire fourplex cut-out type</i> for each applicable location.
	• Modular double	Specify with <i>modular double cut-out type</i> for each applicable location.
	• Communication only – modular	Specify with <i>communication only – modular cut-out type</i> for each applicable location.
	• Communication only – no box	Specify with <i>communication only – no box cut-out type</i> for each applicable location.


Specification Information

• Style  
Number

FESSL



# Solid Laminate Skin Set



Standard Includes		Required to Specify
► Need help? Product details, page 30	• Two to five skins per skin set	1 Style number
	• Height of each skin: 12"–118"	2 Overall skin set height
	• Width of each skin: 12"–118"	3 Overall skin set width
	• Skin: Low-Pressure Laminate (LPL)	4 Laminate color for skin set
		5 Wood grain direction for skin sets (see below under Required Selections)
		6 Skin count
		7 Skin height for each skin in set
		8 Skin width for each skin in set
		9 Top mount type for each skin (see below under Required Selections)
		10 Bottom mount type for each skin (see below under Required Selections)
		11 Cut-out count (see below under Required Selections)
		12 Cut-out placement for each skin, if selected (see below under Required Selections)
		13 Cut-out type for each cut-out, if selected (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Surface Materials</b>	<b>Wood grain direction for skin sets</b> <ul style="list-style-type: none"> <li>• Horizontal application (left to right)</li> <li>• Vertical application (top to bottom)</li> </ul>	Specify with <i>horizontal application</i> . Specify with <i>vertical application</i> .
<b>Skin Count</b>	<ul style="list-style-type: none"> <li>• 2 Skins</li> <li>• 3 Skins</li> <li>• 4 Skins</li> <li>• 5 Skins</li> </ul>	Specify with <i>2 skins</i> . Specify with <i>3 skins</i> . Specify with <i>4 skins</i> . Specify with <i>5 skins</i> .
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>• Ceiling</li> <li>• Intermediate</li> </ul>	Specify with <i>ceiling top mount</i> . Specify with <i>intermediate top mount</i> .
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>• Floor</li> <li>• Intermediate</li> </ul>	Specify with <i>floor bottom mount</i> . Specify with <i>intermediate bottom mount</i> .
<b>Cable Management</b>	<b>Cut-out count</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• One hole</li> <li>• Two holes</li> </ul>	Specify with <i>no holes</i> . Specify with <i>one hole</i> . Specify with <i>two holes</i> .
	<b>Cut-out count placement, if cut-out(s) selected</b> <ul style="list-style-type: none"> <li>• Skin 1</li> <li>• Skin 2</li> <li>• Skin 3</li> <li>• Skin 4</li> <li>• Skin 5</li> </ul>	Specify <i>skin 1</i> . Specify <i>skin 2</i> . Specify <i>skin 3</i> . Specify <i>skin 4</i> . Specify <i>skin 5</i> .
	<b>Cut-out position for each skin, if selected</b> <ul style="list-style-type: none"> <li>• Cut-out 1 location</li> <li>• Cut-out 2 location</li> </ul>	Specify X and Y dimensions for cut-out 1. Specify X and Y dimensions for cut-out 2.

► Required Selections, continued on next page


► Required Selections, continued from previous page

	Required Selections	Required to Specify
<b>Cable Management continued</b>	<b>Cut-out type for each skin, if selected</b> <ul style="list-style-type: none"><li>• Hardwire single</li><li>• Hardwire double</li><li>• Hardwire triple</li><li>• Hardwire fourplex</li><li>• Modular double</li><li>• Communication only – modular</li><li>• Communication only – no box</li></ul>	<p>Specify with <i>hardwire single cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire double cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire triple cut-out type</i> for each applicable location.</p> <p>Specify with <i>hardwire fourplex cut-out type</i> for each applicable location.</p> <p>Specify with <i>modular double cut-out type</i> for each applicable location.</p> <p>Specify with <i>communication only – modular cut-out type</i> for each applicable location.</p> <p>Specify with <i>communication only – no box cut-out type</i> for each applicable location.</p>


Specification Information

• Style  
Number

FESSLS



# Ceramic Skin



	Standard Includes	Required to Specify
► Need help? Product details, page 30	<ul style="list-style-type: none"> <li>• Height: 24"–120"</li> <li>• Width: 24"–120"</li> <li>• Skin with ceramic markerboard surface</li> <li>• Trim: 4145 Milk Gloss paint only</li> </ul>	1 Style number 2 Height 3 Width 4 Top mount type (see below under Required Selections) 5 Bottom mount type (see below under Required Selections)


	Required Selections	Required to Specify
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>• Ceiling</li> <li>• Intermediate</li> </ul>	Specify <i>with ceiling top mount</i> . Specify <i>with intermediate top mount</i> .
<b>Bottom Mount Type</b>	<ul style="list-style-type: none"> <li>• Floor</li> <li>• Intermediate</li> </ul>	Specify <i>with floor bottom mount</i> . Specify <i>with intermediate bottom mount</i> .

## Specification Information

• **Style Number**


**FESC**

## Slatwall Skin




Standard Includes		Required to Specify
► Need help? Product details, page 33	<ul style="list-style-type: none"> <li>Width: 24"–60"</li> <li>Slatwall skin: paint</li> <li>Top mount: intermediate only</li> <li>Bottom mount: intermediate only</li> </ul>	1 Style number 2 Height (see below under Required Selections) 3 Width 4 Paint color number for skin ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Height</b>	<ul style="list-style-type: none"> <li>6"</li> <li>12"</li> <li>18"</li> <li>24"</li> </ul>	Specify 6"H. Specify 12"H. Specify 18"H. Specify 24"H.
Specification Information		
• <b>Style Number</b> .....		
<b>FESW</b> .....		

## Double Slatwall Skin Hardware



Standard Includes		Required to Specify
► Need help? Product details, page 33	<ul style="list-style-type: none"> <li>Hardware package for mounting back-to-back slatwall skins to internal framing components</li> <li>Width: 24"–60"</li> </ul>	1 Style number 2 Height (see below under Required Selections) 3 Width
Required Selections		Required to Specify
<b>Height</b>	<ul style="list-style-type: none"> <li>6"</li> <li>12"</li> <li>18"</li> <li>24"</li> </ul>	Specify 6"H. Specify 12"H. Specify 18"H. Specify 24"H.
Specification Information		
• <b>Style Number</b> .....		
<b>FESHSD</b> .....		

Single Slatwall Skin Hardware



Standard Includes	Required to Specify
-------------------	---------------------

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>▶ Need help? Product details, page 33</li></ul> | <ul style="list-style-type: none"><li>• Hardware package for mounting slatwall skin to internal framing components</li><li>• Width: 24"–60"</li></ul> |
|   | <ul style="list-style-type: none"><li>1 Style number</li><li>2 Height (see below under Required Selections)</li><li>3 Width</li></ul>                 |


Required Selections	Required to Specify
---------------------	---------------------

- |  |  |
|--|--|
| <b>Height</b> <ul style="list-style-type: none"><li>• 6"</li><li>• 12"</li><li>• 18"</li><li>• 24"</li></ul> | <ul style="list-style-type: none"><li>Specify 6"H.</li><li>Specify 12"H.</li><li>Specify 18"H.</li><li>Specify 24"H.</li></ul> |
|--|--|

Specification Information
---------------------------


- |   |
|---|
| <ul style="list-style-type: none"><li>• <b>Style Number</b></li></ul> |
| <b>FESHSS</b>   |
| <ul style="list-style-type: none"><li>•</li></ul>                     |

Acoustic Insulation



Standard Includes		Required to Specify
► Need help? Product details, page 33	• One roll – 48" wide x 87 feet long x 2 layers (696 square feet)	Style number
Specification Information		
• Style Number		
FESIA		

Acoustic Skin Seal



Standard Includes		Required to Specify
► Need help? Product details, page 30	• Seal	1 Style number 2 Seal length (see below under Required Selections)
Required Selections		Required to Specify
Seal Length	• 24" long seal • 48" long seal • 72" long seal • 96" long seal • 120" long seal	Specify 24" seal. Specify 48" seal. Specify 72" seal. Specify 96" seal. Specify 120" seal.
Specification Information		
• Style Number		
FESSA		





---

# Specifying Reversible Swing Doors

<b>Single Reversible Swing Door Frame</b>	<b>144</b>
<b>Single Reversible Solid Swing Door Leaf</b>	<b>145</b>
<b>Single Reversible Polished Edge Swing Door Leaf</b>	<b>146</b>
<b>Door Hardware</b>	<b>147</b>

# Single Reversible Swing Door Frame



	Standard Includes	Required to Specify
► Need help? Product details, page 34	<ul style="list-style-type: none"> <li>Door frame: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 82.44100"–123.71627"</li> <li>Width: 28"–44.445"</li> <li>Hinges: 8031 Satin Stainless or 9201 Polished Chrome</li> <li>Strike plate</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Height</li> <li>Width</li> <li>Paint or anodized aluminum or paint color number for frame</li> <li>Satin stainless or polished chrome for hinges</li> <li>Top mount type (see below under Required Selections)</li> <li>Handedness (see below under Required Selections)</li> <li>Door type (see below under Required Selections)</li> <li>Roller latch (see below under Required Selections)</li> <li>Door hardware (see below under Required Selections)</li> <li>Strike plate (see below under Required Selections)</li> <li>Electrification (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>


	Required Selections	Required to Specify
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify with <i>ceiling mount</i> . Specify with <i>intermediate mount</i> .
<b>Handedness</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	Specify with <i>right hand</i> . Specify with <i>left hand</i> .
<b>Door Type</b>	<ul style="list-style-type: none"> <li>Solid</li> <li>Polished edge</li> </ul>	Specify with <i>solid</i> . Specify with <i>polished edge</i> .
<b>Latch Prep</b>	<ul style="list-style-type: none"> <li>Cylindrical</li> <li>Mortise</li> <li>Push/pull handles</li> </ul>	Specify with <i>cylindrical</i> . Specify with <i>mortise</i> . Specify with <i>push/pull handles</i> .
<b>Roller Latch (only if push/pull handles)</b>	<ul style="list-style-type: none"> <li>No roller latch</li> <li>Roller latch</li> </ul>	Specify with <i>no roller latch</i> . Specify with <i>roller latch</i> .
<b>Door Hardware (only if cylindrical or mortise)</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	Specify with <i>satin chrome</i> . Specify with <i>polished chrome</i> .
<b>Strike Plate (if latch prep is mortise)</b>	<ul style="list-style-type: none"> <li>Type 1</li> <li>Type 2</li> <li>No strike plate</li> </ul>	Specify with <i>type 1</i> . Specify with <i>type 2</i> . Specify with <i>no strike plate</i> .
<b>Electrification</b>	<ul style="list-style-type: none"> <li>No electric hinge</li> <li>For use with electric hinge</li> </ul>	Specify <i>no electrification</i> . Specify with <i>electrification</i> .

*Tip: Electrification option is only available when cylindrical or mortise latch prep is selected. Electrification is not available when push/pull handles are selected.*

Specification Information
• <b>Style Number</b>
<b>FEDFSWSR</b>

# Single Reversible Solid Swing Door Leaf

Single Reversible Solid  
Swing Door Leaf



Standard Includes		Required to Specify
► Need help? Product details, page 34	• Door leaf: paint or veneer	1 Style number
	• Height: 82.44100"–123.71627"	2 Height
	• Width: 28"–44.445"	3 Width
		4 Paint or veneer color number for door leaf
		5 Acoustic seal (see below under Required Selections)
		6 Top mount type (see below under Required Selections)
		7 Latch prep (see below under Required Selections)
		8 Roller latch (see below under Required Selections)
		9 Door closer (see below under Required Selections)
		10 Door hardware (see below under Required Selections)
		11 Electrification (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

	Required Selections	Required to Specify
<b>Acoustic Seal</b>	<ul style="list-style-type: none"> <li>No seal</li> <li>Drop seal</li> </ul>	Specify <i>with no seal</i> . Specify <i>with drop seal</i> .
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling mount</i> . Specify <i>with intermediate mount</i> .
<b>Latch Prep</b>	<ul style="list-style-type: none"> <li>Cylindrical</li> <li>Mortise</li> <li>Push/pull handles</li> </ul>	Specify <i>with cylindrical</i> . Specify <i>with mortise</i> . Specify <i>with push/pull handles</i> .
<b>Roller Latch (only if push/pull handles)</b>	<ul style="list-style-type: none"> <li>No roller latch (surface mounted door closer)</li> <li>Roller latch (no door closer)</li> </ul>	Specify <i>with no roller latch</i> . Specify <i>with roller latch</i> .
<b>Door Closer (only if mortise or cylindrical)</b>	<ul style="list-style-type: none"> <li>No door closer</li> <li>Surface mounted door closer</li> </ul>	Specify <i>with no door closer</i> . Specify <i>with surface mounted door closer</i> .
<b>Door Hardware (only if cylindrical or mortise)</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .
<b>Electrification</b>	<ul style="list-style-type: none"> <li>No electric hinge</li> <li>For use with electric hinge</li> </ul>	Specify <i>no electrification</i> . Specify <i>with electrification</i> .

*Tip: Electrification option is only available when cylindrical or mortise latch prep is selected. Electrification is not available when push/pull handles are selected.*

Specification Information
• Style
• Number
•
•
<b>FEDLSWSSR</b>
•
•

Reversible Swing  
Doors

# Single Reversible Polished Edge Swing Door Leaf



Standard Includes		Required to Specify
► Need help? Product details, page 34	<ul style="list-style-type: none"> <li>Door leaf: polished edge glass</li> <li>Height: 82.44100"–123.71627"</li> <li>Width: 28"–44.445"</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Height</li> <li>Width</li> <li>Glass number for door leaf</li> <li>Glass orientation (see below under Required Selections)</li> <li>Top mount type (see below under Required Selections)</li> <li>Handedness (see below under Required Selections)</li> <li>Latch prep (see below under Required Selections)</li> <li>Frame prep (see below under Required Selections)</li> <li>Door closer (see below under Required Selections)</li> <li>Door hardware (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

*Tip: Glass orientation applies only when 6542 Satin or 6588 Bamboo glass finishes specified.*


	Required Selections	Required to Specify
<b>Glass Orientation</b>	<ul style="list-style-type: none"> <li>Polished to inside</li> <li>Polished to outside</li> </ul>	<p>Specify <i>with polished to inside.</i></p> <p>Specify <i>with polished to outside.</i></p>
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	<p>Specify <i>with ceiling mount.</i></p> <p>Specify <i>with intermediate mount.</i></p>
<b>Handedness</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	<p>Specify <i>with right hand.</i></p> <p>Specify <i>with left hand.</i></p>
<b>Latch Prep</b>	<ul style="list-style-type: none"> <li>Cylindrical</li> <li>Mortise</li> <li>Push/pull handles</li> </ul>	<p>Specify <i>with cylindrical.</i></p> <p>Specify <i>with mortise.</i></p> <p>Specify <i>with push/pull handles.</i></p>
<b>Frame Prep (only if push/pull handles)</b>	<ul style="list-style-type: none"> <li>No roller latch (surface mounted door closer)</li> <li>Roller latch (no door closer)</li> </ul>	<p>Specify <i>with no roller latch.</i></p> <p>Specify <i>with roller latch.</i></p>
<b>Door Closer (only if mortise or cylindrical)</b>	<ul style="list-style-type: none"> <li>No door closer</li> <li>Surface mounted door closer</li> </ul>	<p>Specify <i>with no door closer.</i></p> <p>Specify <i>with surface mounted door closer.</i></p>
<b>Door Hardware (only if mortise or cylindrical)</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	<p>Specify <i>with satin chrome.</i></p> <p>Specify <i>with polished chrome.</i></p>

## Specification Information

Style  
Number

FEDLSWPSR

## Cylindrical Latch Set



Standard Includes	Required to Specify
<p>► Need help? Product details, page 35</p> <ul style="list-style-type: none"> <li>Cylindrical latch set</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Hardware finish (see below under Required Selections)</li> <li>Latch Prep (see below under Required Selections)</li> <li>Keying (see below under Required Selections)</li> </ol>


	Required Selections	Required to Specify
<b>Hardware Finish</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	<p>Specify <i>with satin chrome</i>.</p> <p>Specify <i>with polished chrome</i>.</p>
<b>Latch Prep</b>	<ul style="list-style-type: none"> <li>Passage</li> <li>Lockset</li> </ul>	<p>Specify <i>with passage</i>.</p> <p>Specify <i>with lockset</i>.</p>
<b>Keying</b>	<ul style="list-style-type: none"> <li>Core, keyed random</li> <li>No core</li> <li>No key</li> </ul>	<p>Specify <i>with core</i>.</p> <p>Specify <i>no core</i>.</p> <p>Specify <i>with no key</i>.</p>

### Specification Information

• **Style Number**

**FEDCLO**

## Mortise Latch Set



Standard Includes	Required to Specify
<p>► Need help? Product details, page 35</p> <ul style="list-style-type: none"> <li>Mortise latch set</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Hardware finish (see below under Required Selections)</li> <li>Latch Prep (see below under Required Selections)</li> <li>Keying (see below under Required Selections)</li> </ol>

	Required Selections	Required to Specify
<b>Hardware Finish</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	<p>Specify <i>with satin chrome</i>.</p> <p>Specify <i>with polished chrome</i>.</p>
<b>Latch Prep</b>	<ul style="list-style-type: none"> <li>Passage</li> <li>Lockset</li> </ul>	<p>Specify <i>with passage</i>.</p> <p>Specify <i>with lockset</i>.</p>
<b>Keying</b>	<ul style="list-style-type: none"> <li>Core, keyed random</li> <li>No cylinder</li> <li>No key</li> </ul>	<p>Specify <i>with core</i>.</p> <p>Specify <i>with no cylinder</i>.</p> <p>Specify <i>with no key</i>.</p>


### Specification Information

• **Style Number**

**FEDMLO**


Reversible Swing  
Doors

## Push/Pull Handle



Standard Includes		Required to Specify
► Need help? Product details, page 35	• Push/pull handle: 8031 Satin Stainless	Style number
Specification Information		
• <b>Style Number</b>		
FEDPPH		

## Door Closer




Standard Includes		Required to Specify
► Need help? Product details, page 36	• Surface mounted door closer: 4799 Platinum	1 Style number 2 Door type (see below under Required Selections)
Required Selections		Required to Specify
<b>Door Type</b>	• Solid • Polished edge	Specify <i>with solid</i> . Specify <i>with polished edge</i> .
Specification Information		
• <b>Style Number</b>		
FEDCLS		

## Roller Latch



Standard Includes		Required to Specify
► Need help? Product details, page 35	• Roller latch: 8031 Satin Stainless	Style number
Specification Information		
• <b>Style Number</b>		
FEDRL		

## Door Drop Seal



Standard Includes		Required to Specify
► Need help? Product details, page 36	<ul style="list-style-type: none"> <li>Drop seal for reversible swing door</li> <li>Width: 28"–44.445"</li> </ul>	1 Style number 2 Width 3 Door Type (See below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Door Type</b>	<ul style="list-style-type: none"> <li>Solid</li> <li>Polished edge</li> </ul>	Specify <i>with solid</i> . Specify <i>with polished edge</i> .
Specification Information		
• <b>Style Number</b> ..... ..... .....		
<b>FEDDS</b>		

## Electric Hinge



Standard Includes		Required to Specify
► Need help? Product details, page 36	<ul style="list-style-type: none"> <li>One electric hinge with wire conductors</li> </ul>	1 Style number 2 Hardware finish (see below under Required Selections)
Required Selections		Required to Specify
<b>Hardware Finish</b>	<ul style="list-style-type: none"> <li>Satin chrome</li> <li>Polished chrome</li> </ul>	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> .
Specification Information		
• <b>Style Number</b> ..... ..... .....		
<b>FEDHE</b>		






---

# Specifying Slider Doors

<b>Single Surface Mounted Slider Door Frame</b>	<b>152</b>
<b>Single Surface Mounted Polished Edge Slider Door Leaf</b>	<b>153</b>
<b>Basic Single Surface Mounted Slider Door Track</b>	<b>154</b>
<b>Reinforced Single Surface Mounted Slider Door Track</b>	<b>155</b>
<b>Slider Door Track Bracket</b>	<b>156</b>

# Single Surface Mounted Slider Door Frame



	Standard Includes	Required to Specify
► Need help? Product details, page 40	<ul style="list-style-type: none"> <li>Door frame: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 80.984"–120"</li> <li>Width: 38"–48"</li> <li>Door type: polished edge</li> <li>Tubular door pull</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Height</li> <li>Width</li> <li>Paint or anodized aluminum color number for frame</li> <li>Top mount type (see below under Required Selections)</li> <li>Handedness (see below under Required Selections)</li> <li>Lock (see below under Required Selections)</li> <li>Keying (see below under Required Selections)</li> <li>Lever (see below under Required Selections)</li> <li>Cylinder orientation (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

	Required Selections	Required to Specify
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling mount</i> . Specify <i>with intermediate mount</i> .
<b>Handedness</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
<b>Lock</b>	<ul style="list-style-type: none"> <li>No lock</li> <li>Lever lock</li> </ul>	Specify <i>with no lock</i> . Specify <i>with lever lock</i> .
<b>Keying</b>	<ul style="list-style-type: none"> <li>No cylinder</li> <li>Core, keyed random</li> </ul>	Specify <i>with no cylinder</i> . Specify <i>with core</i> .
<b>Lever</b>	<ul style="list-style-type: none"> <li>No lever</li> <li>Lever one</li> </ul>	Specify <i>with no lever</i> . Specify <i>with lever one</i> .
<b>Cylinder Orientation</b>	<ul style="list-style-type: none"> <li>Key inside</li> <li>Key outside</li> </ul>	Specify <i>with key inside</i> . Specify <i>with key outside</i> .


## Specification Information

• **Style Number**

**FEDFSLSM**

# Single Surface Mounted Polished Edge Slider Door Leaf

Single Surface Mounted  
Polished Edge Slider  
Door Leaf



Standard Includes		Required to Specify
► Need help? Product details, page 40	<ul style="list-style-type: none"> <li>Door leaf: 1/2" thick polished edge glass</li> <li>Bottom trim: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 80.984"–120"</li> <li>Width: 38"–48"</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Height</li> <li>Width</li> <li>Glass color number for door leaf</li> <li>Paint or anodized aluminum color number for bottom trim</li> <li>Glass surface orientation (see below for Required Selections)</li> <li>Top mount type (see below for Required Selections)</li> <li>Handedness (see below for Required Selections)</li> <li>Lock (see below for Required Selections)</li> <li>Acoustic seal (see below for Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>


Required Selections		Required to Specify
<b>Glass Surface Orientation</b>	<ul style="list-style-type: none"> <li>Polished to inside</li> <li>Polished to outside</li> </ul>	Specify <i>with polished to inside</i> . Specify <i>with polished to outside</i> .
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling mount</i> . Specify <i>with intermediate mount</i> .
<b>Handedness</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
<b>Lock</b>	<ul style="list-style-type: none"> <li>No lock</li> <li>Lever lock</li> </ul>	Specify <i>with no lock</i> . Specify <i>with lever lock</i> .
<b>Acoustic Seal</b>	<ul style="list-style-type: none"> <li>No seal</li> <li>Drop seal</li> </ul>	Specify <i>with no seal</i> . Specify <i>with drop seal</i> .

## Specification Information

• **Style  
Number**

**FEDLSLPSM**

# Basic Single Surface Mounted Slider Door Track



Tip: Minimum slider door track width with hardware is 69.337"W.

Standard Includes		Required to Specify
► Need help? Product details, page 40	• Door track: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Width: 6"-144"	2 Width
	• Door type: polished edge	3 Paint or anodized aluminum color number for door track
		4 Hardware (see below under Required Selections)
		5 Handedness (see below under Required Selections)
		6 End configuration left (see below under Required Selections)
		7 End configuration right (see below under Required Selections)
		8 Utility panel configuration (see below under Required Selections)
		9 End notch (see below under Required Selections)
		10 Bracket hole count (see below under Required Selections)
		11 Bracket hole location (see below under Required Selections)
		► See <i>Surface Materials</i> , page 200.

Tip: Handedness, bracket hole count, and bracket hole location only required if hardware is selected.

Required Selections		Required to Specify
<b>Hardware</b>	<ul style="list-style-type: none"> <li>• No hardware</li> <li>• Hardware</li> </ul>	Specify <i>with no hardware</i> . Specify <i>with hardware</i> .
<b>Handedness</b>	<ul style="list-style-type: none"> <li>• Right hand</li> <li>• Left hand</li> </ul>	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
<b>End Configuration, Left</b>	<ul style="list-style-type: none"> <li>• Actual</li> <li>• At adapter</li> <li>• L junction</li> <li>• Support junction</li> <li>• At junction</li> <li>• At bypass</li> <li>• Support bypass</li> <li>• Cut</li> </ul>	Specify actual. Specify at adapter. Specify at L junction. Specify at support junction. Specify at junction. Specify at bypass. Specify at support bypass. Specify cut.
<b>End Configuration, Right</b>	<ul style="list-style-type: none"> <li>• Actual</li> <li>• At adapter</li> <li>• L junction</li> <li>• Support junction</li> <li>• At junction</li> <li>• At bypass</li> <li>• Support bypass</li> <li>• Cut</li> </ul>	Specify actual. Specify at adapter. Specify at L junction. Specify at support junction. Specify at junction. Specify at bypass. Specify at support bypass. Specify cut.
<b>Utility Panel</b>	<ul style="list-style-type: none"> <li>• No utility panel</li> <li>• Utility panel</li> </ul>	Specify <i>with no utility panel</i> . Specify <i>with utility panel</i> .
<b>End Notch</b>	<ul style="list-style-type: none"> <li>• No notch</li> <li>• Left notch</li> <li>• Right notch</li> <li>• Both notch</li> </ul>	Specify no notch. Specify left notch. Specify right notch. Specify both notch.
<b>Bracket Hole Count</b>	<ul style="list-style-type: none"> <li>• One hole</li> <li>• Two holes</li> </ul>	Specify <i>with one hole</i> . Specify <i>with two holes</i> .
<b>Bracket Hole Location</b>	<ul style="list-style-type: none"> <li>• Hole one location</li> <li>• Hole two location, if selected</li> </ul>	Specify X dimension for hole one. Specify X dimension for hole two, if selected.

## Specification Information

### • Style Number


:

FEDTSLSMB

:

# Reinforced Single Surface Mounted Slider Door Track

Reinforced Single Surface  
Mounted Slider Door Track



	Standard Includes	Required to Specify
► Need help? Product details, page 40	<ul style="list-style-type: none"> <li>Door track: paint or 8043 Clear Anodized Aluminum</li> <li>Width: 98.00001"–168"</li> <li>Door type: polished edge</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Width</li> <li>Paint or anodized aluminum color number for door track</li> <li>Handedness (see below under Required Selections)</li> <li>End configuration left (see below under Required Selections)</li> <li>End configuration right (see below under Required Selections)</li> <li>Utility panel configuration (see below under Required Selections)</li> <li>Bracket hole location (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>

	Required Selections	Required to Specify
<b>Handedness</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
<b>End Configuration, Left</b>	<ul style="list-style-type: none"> <li>Actual</li> </ul>	Specify actual.
<b>End Configuration, Right</b>	<ul style="list-style-type: none"> <li>Actual</li> </ul>	Specify actual.
<b>Utility Panel</b>	<ul style="list-style-type: none"> <li>No utility panel</li> <li>Utility panel</li> </ul>	Specify <i>with no utility panel</i> . Specify <i>with utility panel</i> .
<b>Bracket Hole Location</b>	<ul style="list-style-type: none"> <li>Hole one location</li> </ul>	Specify X dimension for hole one.

## Specification Information

• **Style**  
• **Number**

**FEDTSLSMR**

# Slider Door Track Bracket

	Standard Includes	Required to Specify
► Need help? Product details, page 42	<ul style="list-style-type: none"> <li>Bracket: paint</li> <li>Height: 80.984"-120"</li> </ul>	1 Style number 2 Paint color number for bracket 3 Height 4 Top mount type (see below under Required Selections) 5 Bracket type (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

	Required Selections	Required to Specify
<b>Top Mount Type</b>	<ul style="list-style-type: none"> <li>Ceiling</li> <li>Intermediate</li> </ul>	Specify <i>with ceiling mount</i> . Specify <i>with intermediate mount</i> .
<b>Bracket Type</b>	<ul style="list-style-type: none"> <li>L at left</li> <li>L at right</li> <li>T at center</li> </ul>	Specify <i>with L at left</i> . Specify <i>with L at right</i> . Specify <i>with T at center</i> .

## Specification Information

• **Style Number**


**FEDTSLB**

# Specifying Intersections—Junctions and Adapters

Two-Way Fixed Angle Junction Assembly	158
Two-Way Variable Angle Junction Assembly	159
Three-Way Junction Assembly	160
Four-Way Junction Assembly	161
Junction Covers, Trim, Hardware, and Seals	162
90° T/X Adapter and Finished End	169



# Two-Way Fixed Angle Junction Assembly



Standard Includes		Required to Specify
► Need help? Product details, page 55	<ul style="list-style-type: none"> <li>• Junction assembly</li> <li>• Height: 80"-144"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Height 3 Plastic color number for seal 4 Angle (see below under Required Selections) 5 Horizontal hole cut-out (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>• 90°</li> <li>• 120°</li> <li>• 135°</li> <li>• 180°</li> </ul>	Specify <i>with 90° angle.</i> Specify <i>with 120° angle.</i> Specify <i>with 135° angle.</i> Specify <i>with 180° angle.</i>
<b>Horizontal Hole Cut-Out</b>	<b>Horizontal Hole</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify <i>with no holes.</i> Specify <i>Y dimension for hole 1.</i> Specify <i>Y dimension for hole 2.</i> Specify <i>Y dimension for hole 3.</i> Specify <i>Y dimension for hole 4.</i> Specify <i>Y dimension for hole 5.</i> Specify <i>Y dimension for hole 6.</i> Specify <i>Y dimension for hole 7.</i> Specify <i>Y dimension for hole 8.</i> Specify <i>Y dimension for hole 9.</i> Specify <i>Y dimension for hole 10.</i> Specify <i>Y dimension for hole 11.</i>


## Specification Information

• **Style Number**

**FEIJA2F**

# Two-Way Variable Angle Junction Assembly

Two-Way Variable Angle  
Junction Assembly



Intersections

Standard Includes		Required to Specify
► Need help? Product details, page 55	<ul style="list-style-type: none"> <li>• Junction assembly</li> <li>• Height: 80"-144"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Height 3 Plastic color number for seal 4 Angle (see below under Required Selections) 5 Horizontal hole cut-out (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Angle</b>	<ul style="list-style-type: none"> <li>• 91°–119°</li> <li>• 121°–134°</li> <li>• 136°–179°</li> </ul>	Specify angle in 1° increment. Specify angle in 1° increment. Specify angle in 1° increment.
<b>Horizontal Hole Cut-Out</b>	<b>Horizontal Hole</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify <i>with no holes</i> . Specify <i>Y dimension for hole 1</i> . Specify <i>Y dimension for hole 2</i> . Specify <i>Y dimension for hole 3</i> . Specify <i>Y dimension for hole 4</i> . Specify <i>Y dimension for hole 5</i> . Specify <i>Y dimension for hole 6</i> . Specify <i>Y dimension for hole 7</i> . Specify <i>Y dimension for hole 8</i> . Specify <i>Y dimension for hole 9</i> . Specify <i>Y dimension for hole 10</i> . Specify <i>Y dimension for hole 11</i> .

## Specification Information

• **Style**  
• **Number**

**FEIJA2V**

# Three-Way Junction Assembly



Standard Includes		Required to Specify
► Need help? Product details, page 55	<ul style="list-style-type: none"> <li>• Junction assembly</li> <li>• Height: 80"-144"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Height 3 Plastic color number for seal 4 Angle (see below under Required Selections) 5 Horizontal hole cut-out (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Angle</b>	<ul style="list-style-type: none"> <li>• 90°</li> <li>• 120°</li> <li>• 135°</li> </ul>	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle.
<b>Horizontal Hole Cut-Out</b>	<b>Horizontal Hole</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify with no holes. Specify Y dimension for hole 1. Specify Y dimension for hole 2. Specify Y dimension for hole 3. Specify Y dimension for hole 4. Specify Y dimension for hole 5. Specify Y dimension for hole 6. Specify Y dimension for hole 7. Specify Y dimension for hole 8. Specify Y dimension for hole 9. Specify Y dimension for hole 10. Specify Y dimension for hole 11.

## Specification Information


• **Style Number**

**FEIJA3**

# Four-Way Junction Assembly

Four-Way Junction  
Assembly

Intersections



Standard Includes		Required to Specify
► Need help? Product details, page 55	<ul style="list-style-type: none"> <li>• Junction assembly</li> <li>• Height: 80"–144"</li> <li>• Seal: plastic</li> </ul>	1 Style number 2 Height 3 Plastic color number for seal 4 Horizontal hole cut-out (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Horizontal Hole Cut-Out</b>	<b>Horizontal Hole</b> <ul style="list-style-type: none"> <li>• No holes</li> <li>• Hole 1 location</li> <li>• Hole 2 location</li> <li>• Hole 3 location</li> <li>• Hole 4 location</li> <li>• Hole 5 location</li> <li>• Hole 6 location</li> <li>• Hole 7 location</li> <li>• Hole 8 location</li> <li>• Hole 9 location</li> <li>• Hole 10 location</li> <li>• Hole 11 location</li> </ul>	Specify <i>with no holes</i> . Specify <i>Y dimension for hole 1</i> . Specify <i>Y dimension for hole 2</i> . Specify <i>Y dimension for hole 3</i> . Specify <i>Y dimension for hole 4</i> . Specify <i>Y dimension for hole 5</i> . Specify <i>Y dimension for hole 6</i> . Specify <i>Y dimension for hole 7</i> . Specify <i>Y dimension for hole 8</i> . Specify <i>Y dimension for hole 9</i> . Specify <i>Y dimension for hole 10</i> . Specify <i>Y dimension for hole 11</i> .

Specification Information	
• <b>Style Number</b>	
<b>FEIJA4</b>	

# Junction Covers, Trim, Hardware, and Seals

## Inner Junction Cover



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>Junction cover: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 77.71654"–141.71654"</li> <li>Seal</li> </ul>	1 Style number 2 Paint or anodized aluminum color number for cover 3 Height 4 Angle (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>120°</li> <li>135°</li> </ul>	Specify with 120° angle. Specify with 135° angle.
Specification Information		
• <b>Style Number</b> ..... <b>FEIJCI</b> .....		

## Variable Angle Inner Junction Cover



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>Junction cover: paint</li> <li>Height: 77.71654"–141.71654"</li> </ul>	1 Style number 2 Paint color number for cover 3 Height 4 Angle (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Variable Angles</b>	<ul style="list-style-type: none"> <li>91°–119°</li> <li>121°–134°</li> <li>136°–179°</li> </ul>	Specify angle in 1° increment. Specify angle in 1° increment. Specify angle in 1° increment.
Specification Information		
• <b>Style Number</b> ..... <b>FEIJCIV</b> .....		

## 90° Inner Junction Trim



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>Junction trim: paint</li> <li>Height: 77.71654"–141.71654"</li> </ul>	1 Style number 2 Paint color number for trim 3 Height ► See <i>Surface Materials</i> , page 200.
Specification Information		
• <b>Style Number</b>		
FEI90T		
:		

## Outer Junction Cover



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>Junction cover: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 77.71654"–141.71654"</li> </ul>	1 Style number 2 Paint or anodized aluminum color number for cover 3 Height 4 Angle (see below under Required Selections) 5 Bottom alignment (for 180° cover) (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>90°</li> <li>120°</li> <li>135°</li> <li>180°</li> </ul>	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle. Specify with 180° angle.
<b>Bottom Alignment (for 180° cover)</b>	<ul style="list-style-type: none"> <li>To the skin</li> <li>To the floor</li> </ul>	Specify with to the skin. Specify with to the floor.
Specification Information		
• <b>Style Number</b>		
FEIJCO		
:		

## Variable Angle Outer Junction Cover



Standard Includes		Required to Specify
► Need help? Product details, page 56	<ul style="list-style-type: none"> <li>• Junction cover: paint</li> <li>• Height: 77.71654"–141.71654"</li> <li>• Seal</li> </ul>	1 Style number 2 Paint color number for cover 3 Height 4 Angle (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Variable Angles</b>	<ul style="list-style-type: none"> <li>• 91°–119°</li> <li>• 121°–134°</li> <li>• 136°–179°</li> </ul>	Specify angle in 1° increment. Specify angle in 1° increment. Specify angle in 1° increment.
Specification Information		
<b>Style Number</b> ..... <b>FEIJCOV</b> .....		

## Bypass Outer Junction Cover



Standard Includes		Required to Specify
► Need help? Product details, page 58	<ul style="list-style-type: none"> <li>• Junction cover: paint or 8043 Clear Anodized Aluminum</li> <li>• Height: 77.71654"–141.71654"</li> <li>• Bottom alignment: to the skin</li> </ul>	1 Style number 2 Paint or anodized aluminum color number for cover 3 Height ► See <i>Surface Materials</i> , page 200.
Specification Information		
<b>Style Number</b> ..... <b>FEIJCOB</b> .....		

## Two-Way Junction Hardware



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Hardware</li> <li>• Height: 80"–144"</li> </ul>	1 Style number 2 Height 3 Angle (see below under Required Selections)
Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>• 90°</li> <li>• 120°</li> <li>• 135°</li> <li>• 180°</li> </ul>	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle. Specify with 180° angle.
Specification Information		
• <b>Style</b>		
• <b>Number</b>		
FEIJH2		

## Two-Way Variable Angle Junction Hardware



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Hardware</li> <li>• Height: 80"–144"</li> </ul>	1 Style number 2 Height 3 Angle (see below under Required Selections)
Required Selections		Required to Specify
<b>Variable Angles</b>	<ul style="list-style-type: none"> <li>• 91°–119°</li> <li>• 121°–134°</li> <li>• 136°–179°</li> </ul>	Specify angle in 1° increment. Specify angle in 1° increment. Specify angle in 1° increment.
Specification Information		
• <b>Style</b>		
• <b>Number</b>		
FEIJH2V		



## Three-Way Junction Hardware



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Hardware</li> <li>• Height: 80"–144"</li> </ul>	1 Style number 2 Height 3 Angle (see below under Required Selections)
Required Selections		Required to Specify
<b>Fixed Angles</b>	<ul style="list-style-type: none"> <li>• 90°</li> <li>• 120°</li> <li>• 135°</li> </ul>	Specify with 90° angle. Specify with 120° angle. Specify with 135° angle.
Specification Information		
• <b>Style Number</b> .....		
<b>FEIJH3</b> .....		

## Four-Way Junction Hardware



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Hardware</li> <li>• Height: 80"–144"</li> </ul>	1 Style number 2 Height
Specification Information		
• <b>Style Number</b> .....		
<b>FEIJH4</b> .....		

## Two-Way Bypass Junction Hardware




Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 54</li> <li>• Hardware</li> <li>• Height: 80"–144"</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Height</li> </ul>

### Specification Information

• **Style Number**

**FEIJHB**

## Junction Nut Plate





Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 54</li> <li>• Nut plate</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

### Specification Information

• **Style Number**

**FEIJNP**

Junction Seals

	Standard Includes	Required to Specify
	<div><div>► Need help?</div><div>Product details, page 54</div></div> <div><div>• Junction seal</div></div>	<div>Style number</div>
	Specification Information	
	<div><div>• Style</div><div>Number</div><div></div></div>	
	Junction Cover Seal	
	<div>FEIJS</div> <div></div>	
	Bottom Junction Seal	
	<div>FEIJBS</div> <div></div>	

# 90° T/X Adapter and Finished End

90° T/X Adapter and  
Finished End

## 90° T/X Adapter



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Adapter: paint or 8043 Clear Anodized Aluminum</li> <li>• Height: 77.71654"–141.71654"</li> </ul>	1 Style number 2 Paint or anodized aluminum color number for adapter 3 Height 4 Bottom alignment (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Bottom Alignment</b>	<ul style="list-style-type: none"> <li>• To the skin</li> <li>• To the floor</li> </ul>	Specify <i>with to the skin</i> . Specify <i>with to the floor</i> .

Specification Information	
• <b>Style Number</b>	
• <b>FEIA</b>	

## Finished End



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> <li>• Cover: paint or 8043 Clear Anodized Aluminum</li> <li>• Top trim: paint</li> <li>• Bottom trim: paint</li> <li>• Height: 77.71654"–141.71654"</li> </ul>	1 Style number 2 Height 3 Paint or anodized aluminum color number for cover 4 Paint color number for top trim 5 Paint color number for bottom trim ► See <i>Surface Materials</i> , page 200.

Specification Information	
• <b>Style Number</b>	
• <b>FEIFE</b>	



---

# Specifying Mini Ends

<b>90° Adjustable Mini End and Mini End Cover</b>	<b>172</b>
<b>Door Frame/Mini End Hardware Kit</b>	<b>173</b>

# 90° Adjustable Mini End and Mini End Cover

## 90° Adjustable Mini End



Standard Includes		Required to Specify
► Need help? Product details, page 60	<ul style="list-style-type: none"> <li>Telescoping mini end: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 80"–144"</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint or anodized aluminum color number for mini end</li> <li>Height</li> <li>Width (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>
Required Selections		Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>Small (2¼"– &lt; 3" range)</li> <li>Medium (3"– &lt; 4½" range)</li> <li>Large (4½"–6¾" range)</li> </ul>	<p>Specify <i>with small width</i>.</p> <p>Specify <i>with medium width</i>.</p> <p>Specify <i>with large width</i>.</p>
Specification Information		
<b>Style Number</b> : : :		
<b>FEEAM</b> : :		

## Mini End Cover



Standard Includes		Required to Specify
► Need help? Product details, page 60	<ul style="list-style-type: none"> <li>Cover: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 77.71654"–141.71654"</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint or anodized aluminum color number for cover</li> <li>Height</li> <li>Width (see below under Required Selections)</li> <li>Bottom alignment (see below under Required Selections)</li> </ol> <p>► See <i>Surface Materials</i>, page 200.</p>
Required Selections		Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>Small (2¼"– &lt; 3" range)</li> <li>Medium (3"– &lt; 4½" range)</li> <li>Large (4½"–6¾" range)</li> </ul>	<p>Specify <i>with small width</i>.</p> <p>Specify <i>with medium width</i>.</p> <p>Specify <i>with large width</i>.</p>
<b>Bottom Alignment</b>	<ul style="list-style-type: none"> <li>To the skin</li> <li>To the floor</li> </ul>	<p>Specify <i>with to the skin</i>.</p> <p>Specify <i>with to the floor</i>.</p>
Specification Information		
<b>Style Number</b> : : :		
<b>FEEAMC</b> : :		

Standard Includes		Required to Specify
▶ Need help? Product details, page 60	• Hardware kit: paint	1 Style number 2 Paint color number for kit ▶ See <i>Surface Materials</i> , page 200.
Specification Information		
• <b>Style</b>		
• <b>Number</b>		
:		
:		
<b>FEEHDM</b>		
:		
:		






---

# Specifying Cutable Ends

<b>90° Cutable End Assembly</b>	<b>176</b>
<b>90° Cutable End Inner Channel</b>	<b>176</b>
<b>90° Cutable End Outer Channel</b>	<b>177</b>
<b>Cutable End Capture Trim</b>	<b>177</b>
<b>Cutable End Corner Angle</b>	<b>178</b>
<b>Cutable End Elbow</b>	<b>178</b>

# Cutable Ends

## 90° Cutable End Assembly



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 63</li> <li>• Cutable end assembly: paint</li> <li>• Height: 80"–144"</li> <li>• Seal: plastic</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for cutable end assembly</li> <li>3 Plastic color number for seal</li> <li>4 Height</li> <li>▶ See <i>Surface Materials</i>, page 200.</li> </ul>

### Specification Information

• **Style Number**

**FEECEA**

## 90° Cutable End Inner Channel



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 62</li> <li>• Cutable end inner channel: paint</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for cutable end assembly</li> <li>3 Length (see below under Required Selections)</li> <li>▶ See <i>Surface Materials</i>, page 200.</li> </ul>


Required Selections	Required to Specify
<b>Length</b> <ul style="list-style-type: none"> <li>• 48"</li> <li>• 120"</li> <li>• 144"</li> </ul>	<ul style="list-style-type: none"> <li>Specify 48" long.</li> <li>Specify 120" long.</li> <li>Specify 144" long.</li> </ul>

### Specification Information

• **Style Number**

**FEECEI**

## 90° Cutable End Outer Channel



Standard Includes		Required to Specify
► Need help? Product details, page 62	<ul style="list-style-type: none"> <li>Cutable end outer channel</li> <li>Seal: plastic</li> </ul>	1 Style number 2 Length (see below under Required Selections) 3 Plastic color number for seal
Required Selections		Required to Specify
<b>Length</b>	<ul style="list-style-type: none"> <li>48"</li> <li>120"</li> <li>144"</li> </ul>	Specify 48" long. Specify 120" long. Specify 144" long.
Specification Information		
• <b>Style Number</b> . . .		
<b>FEECEO</b> . .		

Cutable Ends

## Cutable End Capture Trim



Standard Includes		Required to Specify
► Need help? Product details, page 62	<ul style="list-style-type: none"> <li>Cutable end capture trim: paint</li> <li>Height: 12.1"–144"</li> </ul>	1 Style number 2 Paint color number for capture trim 3 Height ► See <i>Surface Materials</i> , page 200.
Specification Information		
• <b>Style Number</b> . . .		
<b>FEECECT</b> . .		

## Cutable End Corner Angle



Standard Includes		Required to Specify
► Need help? Product details, page 62	• Cutable end corner angle	Style number
Specification Information		
• <b>Style Number</b>		
FEECEAI		

## Cutable End Elbow



Standard Includes		Required to Specify
► Need help? Product details, page 62	• Cutable end elbow	1 Style number 2 Miter configuration (see below under Required Selections)
Required Selections		Required to Specify
<b>Miter Configuration</b>	• Inside corner • Outside corner	Specify <i>with inside corner</i> . Specify <i>with outside corner</i> .
Specification Information		
• <b>Style Number</b>		
FEECEEEO		

---

# Specifying Electrical Components

<b>Receptacles and Power Block</b>	<b>180</b>
<b>Power/Communication Receptacle Trim, Blank</b>	
<b>Cut-Out Cover, and Modular Communication Faceplate</b>	<b>182</b>
<b>Multipurpose Infeed and Power Block Connector</b>	<b>184</b>
<b>Modular Harness and Harness-to-Harness</b>	
<b>Branching Connector</b>	<b>185</b>
<b>Electrical Mounting Brackets</b>	<b>186</b>
<b>Utility Panel Cover</b>	<b>187</b>

# Receptacles and Power Block

## Receptacle



15 amp



20 amp

► Need help?  
Product details,  
page 66

### Standard Includes

- Receptacle: plastic

### Required to Specify

- 1 Style number
  - 2 Plastic color number for receptacle
  - 3 Wiring schematic (see below under Required Selections)
  - 4 Line (see below under Required Selections)
  - 5 Ground type (see below under Required Selections)
  - 6 Amp type (see below under Required Selections)
- See *Surface Materials*, page 200.

### Required Selections

### Required to Specify

#### Wiring Schematic

- 3+1
- 2+2
- 3SN

Specify *with 3+1*.  
Specify *with 2+2*.  
Specify *with 3SN*.

#### Line

- Line 1
- Line 2
- Line 3
- Line 4

Specify *with line 1*.  
Specify *with line 2*.  
Specify *with line 3*.  
Specify *with line 4*.

#### Ground Type

- System
- Isolated

Specify *with system ground*.  
Specify *with isolated ground*.

#### Amp Type

- 15 amp
- 20 amp

Specify *with 15 amp*.  
Specify *with 20 amp*.

### Specification Information

#### Style Number

#### FEPRC

## USB Receptacle



Standard Includes		Required to Specify
▶ Need help? Product details, page 66	• USB receptacle: plastic	1 Style number
		2 Plastic color number for receptacle
		3 Wiring schematic (see below under Required Selections)
		4 Line (see below under Required Selections)
		▶ See <i>Surface Materials</i> , page 200.


	Required Selections	Required to Specify
<b>Wiring Schematic</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
<b>Line</b>	<ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> <li>• Line 4</li> </ul>	Specify <i>with line 1</i> . Specify <i>with line 2</i> . Specify <i>with line 3</i> . Specify <i>with line 4</i> .

### Specification Information

• **Style Number**

**FEPRCUSB**

## Power Block



Standard Includes		Required to Specify
▶ Need help? Product details, page 66	• Power block	1 Style number
		2 Wire schematic (see below under Required Selections)

	Required Selections	Required to Specify
<b>Wiring Schematic</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .

### Specification Information

• **Style Number**

**FEPB**



# Power/Communication Receptacle Trim, Blank Cut-Out Cover, and Modular Communication Faceplate

## Power/Communication Receptacle Trim



Standard Includes		Required to Specify
► Need help? Product details, page 66	<ul style="list-style-type: none"> <li>Receptacle trim: plastic</li> </ul>	1 Style number 2 Plastic color number for receptacle trim 3 Cut-out type (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Cut-out Type</b>	<ul style="list-style-type: none"> <li>Power</li> <li>Communications</li> </ul>	Specify <i>with power cut-out</i> . Specify <i>with communications cut-out</i> .
Specification Information		
<b>Style Number</b> .....		
<b>FEPRCT</b> .....		


## Blank Cut-Out Cover



Standard Includes		Required to Specify
► Need help? Product details, page 66	<ul style="list-style-type: none"> <li>Cover cut-out: plastic</li> </ul>	1 Style number 2 Plastic color number for cut-out cover 3 Cut-out type (see below under Required Selections) 4 Wiring schematic, if selected (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.
Required Selections		Required to Specify
<b>Cut-Out Type</b>	<ul style="list-style-type: none"> <li>Power</li> <li>Communications</li> </ul>	Specify <i>with power cut-out</i> . Specify <i>with communications cut-out</i> .
<b>Wiring Schematic</b>	<ul style="list-style-type: none"> <li>3+1</li> <li>2+2</li> <li>3SN</li> <li>No wiring configuration</li> </ul>	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> . Specify <i>with no wiring configuration</i> .
Specification Information		
<b>Style Number</b> .....		
<b>FEPCCB</b> .....		

Tip: Wiring schematic specification only required if cut-out type is power.

Modular Communication Faceplate




Standard Includes		Required to Specify
▶ Need help? Product details, page 64	• Modular communication faceplate: plastic	1 Style number 2 Plastic color number for modular communication faceplate 3 Faceplate configuration type (see below under Required Selections) ▶ See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Faceplate Configuration Type</b>	• RJ45 x 3 • RJ45 + VGA	Specify with <i>RJ45 x 3</i> . Specify with <i>RJ45 + VGA</i> .


Specification Information	
• <b>Style Number</b>	
• <b>FEPFPC</b>	

# Multipurpose Infeed and Power Block Connector

## Multipurpose Infeed



Hardwire



Modular

► Need help?  
Product details,  
page 65

### Standard Includes

- 24' long infeed
- Junction box fittings
- Conduit: metal

### Required to Specify

- 1 Style number
- 2 Wiring schematic type (see below under Required Selections)
- 3 Building connection type (see below under Required Selections)

### Required Selections

#### Wiring Schematic

- 3+1
- 2+2
- 3SN

### Required to Specify

Specify *with 3+1*.  
Specify *with 2+2*.  
Specify *with 3SN*.

#### Building Connection Type

- Hardwire
- Modular

Specify *with hardwire*.  
Specify *with modular infeed*.

### Specification Information

• Style  
Number

FEPIMP

## Power Block Connector



► Need help?  
Product details,  
page 67

### Standard Includes

- Power block connector

### Required to Specify

- 1 Style number
- 2 Wiring schematic (see below under Required Selections)

### Required Selections

#### Wiring Schematic

- 3+1
- 2+2
- 3SN

### Required to Specify

Specify *with 3+1*.  
Specify *with 2+2*.  
Specify *with 3SN*.

### Specification Information


• Style  
Number

FEPBC

# Modular Harness and Harness-to-Harness Branching Connector

Modular Harness and  
Harness-to-Harness  
Branching Connector

## Modular Harness



Standard Includes		Required to Specify
► Need help? Product details, page 64	<ul style="list-style-type: none"><li>Modular harness</li></ul>	1 Style number 2 Harness length (see below under Required Selections) 3 Wiring schematic (see below under Required Selections)
Required Selections		Required to Specify
<b>Harness Length</b>	<ul style="list-style-type: none"><li>36" long</li><li>72" long</li><li>144" long</li></ul>	Specify <i>with 36" harness.</i> Specify <i>with 72" harness.</i> Specify <i>with 144" harness.</i>
<b>Wiring Schematic</b>	<ul style="list-style-type: none"><li>3+1</li><li>2+2</li><li>3SN</li></ul>	Specify <i>with 3+1.</i> Specify <i>with 2+2.</i> Specify <i>with 3SN.</i>
Specification Information		
• <b>Style Number</b>		
.		
.		
<b>FEPHN</b>		
.		

## Harness-to-Harness Branching Connector




Standard Includes		Required to Specify
► Need help? Product details, page 64	<ul style="list-style-type: none"><li>Connector</li></ul>	1 Style number 2 Wiring schematic (see below under Required Selections)
Required Selections		Required to Specify
<b>Wiring Schematic</b>	<ul style="list-style-type: none"><li>3+1</li><li>2+2</li><li>3SN</li></ul>	Specify <i>with 3+1.</i> Specify <i>with 2+2.</i> Specify <i>with 3SN.</i>
Specification Information		
• <b>Style Number</b>		
.		
.		
<b>FEPHNC</b>		
.		


Electrical  
Components

# Electrical Mounting Brackets


## Electrical Mounting Bracket – Skin



Data



Modular



Hardwire

*Tip: Hardwire boxes are not included with bracket.*

► See page 67 for a list of compatible electrical boxes.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 64</p> <ul style="list-style-type: none"> <li>Bracket</li> </ul>	<p>1 Style number 2 Device type (see below under Required Selections)</p>


Required Selections	Required to Specify
<p><b>Device Type</b></p> <ul style="list-style-type: none"> <li>Hardwire</li> <li>ADA hardwire</li> <li>Modular</li> <li>Modular hardwire</li> <li>Modular communication</li> <li>ADA modular communication</li> </ul>	<p>Specify <i>with hardwire</i>. Specify <i>with ADA hardwire</i>. Specify <i>with modular</i>. Specify <i>with modular hardwire</i>. Specify <i>with communication</i>. Specify <i>with ADA modular communication</i>.</p>

### Specification Information


• **Style Number**

**FEPMBES**

## Electrical Mounting Bracket – Utility Panel



Hardwire box



Modular power block

*Tip: Hardwire boxes are not included with bracket.*

► See page 67 for a list of compatible electrical boxes.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 64</p> <ul style="list-style-type: none"> <li>Bracket</li> </ul>	<p>1 Style number 2 Device type (see below under Required Selections)</p>

Required Selections	Required to Specify
<p><b>Device Type</b></p> <ul style="list-style-type: none"> <li>Hardwire shallow</li> <li>Hardwire deep</li> <li>Modular</li> </ul>	<p>Specify <i>with hardwire shallow</i>. Specify <i>with hardwire deep</i>. Specify <i>with modular</i>.</p>

### Specification Information

• **Style Number**

**FEPMBEU**



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>► Need help? Product details, page 67</li> <li>Cover: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 77.71654"–141.71654"</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint or anodized aluminum color number for cover</li> <li>Height</li> <li>Bottom alignment type (see below under Required Selections)</li> <li>Cut-outs (see below under Required Selections)</li> <li>Cut-out type (see below under Required Selections)</li> </ol> <ul style="list-style-type: none"> <li>► See <i>Surface Materials</i>, page 200.</li> </ul>

	Required Selections	Required to Specify
<b>Bottom Alignment Type</b>	<ul style="list-style-type: none"> <li>To the skin</li> <li>To the floor</li> </ul>	<p>Specify <i>with to the skin</i>.</p> <p>Specify <i>with to the floor</i>.</p>
<b>Cable Management</b>	<p><b>Cut-out count</b></p> <ul style="list-style-type: none"> <li>No holes</li> <li>One hole</li> <li>Two holes</li> <li>Three holes</li> </ul> <p><b>Cut-out position, if cut-out(s) selected</b></p> <ul style="list-style-type: none"> <li>No cut-outs</li> <li>Cut-out 1 location</li> <li>Cut-out 2 location</li> <li>Cut-out 3 location</li> </ul> <p><b>Cut-out type (for each cut-out specified)</b></p> <ul style="list-style-type: none"> <li>Clearance notch</li> <li>Hardwire—2x4 rectangular</li> <li>Modular power</li> </ul>	<p>Specify <i>with no holes</i>.</p> <p>Specify <i>with one hole</i>.</p> <p>Specify <i>with two holes</i>.</p> <p>Specify <i>with three holes</i>.</p> <p>Specify <i>with no cut-outs</i>.</p> <p>Specify Y dimensions for cut-out 1.</p> <p>Specify Y dimensions for cut-out 2.</p> <p>Specify Y dimensions for cut-out 3.</p> <p>Specify <i>with clearance notch cut-out type for each applicable location</i>.</p> <p>Specify <i>with hardwire—2x4 rectangular cut-out type for each applicable location</i>.</p> <p>Specify <i>with modular power cut-out type for each applicable location</i>.</p>

## Specification Information

• **Style Number**

FEUPC




---

# Specifying Technology Components

<b>Single Monitor Shroud</b>	<b>190</b>
<b>Double Monitor Shroud</b>	<b>191</b>
<b>Camera Shelf for Monitor Shroud</b>	<b>192</b>
<b>Ceramic Skin with ēno</b>	<b>193</b>



# Single Monitor Shroud




	Standard Includes	Required to Specify
► Need help? Product details, page 72	<ul style="list-style-type: none"> <li>• Frame: paint or 8043 Clear Anodized Aluminum</li> <li>• Seal: plastic</li> <li>• Power assembly</li> </ul>	1 Style number 2 Width (see below under Required Selections) 3 Paint or anodized aluminum color number for frame 4 Plastic color number for seal 5 Building connection type (see below under Required Selections) 6 Wiring schematic, if modular connection type selected (see below under Required Selections) ► See <i>Surface Materials</i> , page 200.

	Required Selections	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>• 34.5"</li> <li>• 42"</li> <li>• 48"</li> <li>• 54"</li> <li>• 60"</li> <li>• 63.5"</li> <li>• 70"</li> <li>• 80"</li> <li>• 89"</li> </ul>	Specify 34.5". Specify 42". Specify 48". Specify 54". Specify 60". Specify 63.5". Specify 70". Specify 80". Specify 89".
<b>Building Connection Type</b>	<ul style="list-style-type: none"> <li>• Hardwire</li> <li>• Modular</li> </ul>	Specify <i>with hardwire</i> . Specify <i>with modular</i> .
<b>Wiring Schematic</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .

*Tip: Wiring schematic only required when building connection type is modular.*

*Tip: The power assembly connector is configured to connect to circuit 1.*

Specification Information
<b>Style Number</b> : : : <b>FEMSS</b> : :



Standard Includes		Required to Specify
▶ Need help? Product details, page 73	• Frame: paint or 8043 Clear Anodized Aluminum	1 Style number
	• Seal: plastic	2 Width (see below under Required Selections)
	• Power assembly	3 Paint or anodized aluminum color number for frame
		4 Plastic color number for seal
		5 Building connection type (see below under Required Selections)
		6 Wiring schematic, if modular connection type selected (see below under Required Selections)
		▶ See <i>Surface Materials</i> , page 200.

Required Selections		Required to Specify
<b>Width</b>	• 96"	Specify 96".
	• 103"	Specify 103".
	• 120"	Specify 120".
<b>Building Connection Type</b>	• Hardwire	Specify <i>with hardwire</i> .
	• Modular	Specify <i>with modular</i> .
<b>Wiring Schematic</b>	• 3+1	Specify <i>with 3+1</i> .
	• 2+2	Specify <i>with 2+2</i> .
	• 3SN	Specify <i>with 3SN</i> .

Tip: Wiring schematic only required when building connection type is modular.

Tip: The power assembly connector is configured to connect to circuit 1.

Tip: A second power assembly can be ordered separately when required to power two monitors and a camera.

Specification Information	
• Style	
• Number	
•	
•	
•	
<b>FEMSD</b>	
•	
•	
•	

## Camera Shelf for Monitor Shroud



Standard Includes		Required to Specify
<p>► Need help? Product details, page 72</p>	<ul style="list-style-type: none"> <li>• Frame: paint</li> </ul>	<p>1 Style number 2 Paint color number for frame ► See <i>Surface Materials</i>, page 200.</p>
<h3>Specification Information</h3>		
<p>• <b>Style</b> • <b>Number</b> • •</p>		
<p><b>FEMSCS</b> • •</p>		



Standard Includes		Required to Specify
► Need help? Product details, page 74	<ul style="list-style-type: none"><li>• 47¼": ceramic markerboard</li><li>• Trim: 4145 Milk Gloss paint only</li></ul>	1 Style number 2 Width (see below under Required Selections)
Required Selections		Required to Specify
<b>Width</b>	<ul style="list-style-type: none"><li>• 72" wide skin</li><li>• 96" wide skin</li></ul>	Specify 72" skin. Specify 96" skin.
Specification Information		
• <b>Style</b>		
• <b>Number</b>		
•		
<b>FESCE</b>		
•		



---

# Specifying Hang-On Components


**Universal Systems Worksurface Supports**

**198**

# Universal Systems Worksurface Supports

For Use with V.I.A.

## On-Module Cantilever



*Tip: 30"D straight and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.*

Standard Includes		Required to Specify
► Need help? Product details, page 81	<ul style="list-style-type: none"> <li>• One cantilever: paint</li> <li>• Tie plate</li> <li>• Attachment hardware</li> </ul>	1 Style number 2 Paint color number for cantilever ► See <i>Surface Materials</i> , page 200.
Specification Information		
• <b>Style Number</b> : : <b>VUCANT</b> : :		

## Side Support Brackets



*Tip: Side support bracket includes a pair of handed brackets, only one of which is required for rear corner support of panel-mounted corner worksurfaces. Specify one for every two corner worksurfaces in on-module applications.*

Standard Includes		Required to Specify
► Need help? Product details, page 81	<ul style="list-style-type: none"> <li>• Pair of handed side support brackets: black paint only</li> <li>• Attachment hardware</li> </ul>	Style number
Specification Information		
• <b>Style Number</b> : : <b>VUSSBR</b> : :		

---

# Specifying Lighting


**Ambient LED Light and LED Driver**

**198**



# Ambient LED Light and LED Driver

## Ambient LED Light



	Standard Includes	Required to Specify
► Need help? Product details, page 98	<ul style="list-style-type: none"> <li>Ambient LED Light: paint or 8043 Clear Anodized Aluminum</li> <li>Height: 7.875"</li> <li>Width: 12"–120"</li> </ul>	1 Style number 2 Width 3 Paint or anodized aluminum color number for light ► See <i>Surface Materials</i> , page 200.

### Specification Information

• **Style Number**

**FELLA**

## LED Driver



	Standard Includes	Required to Specify
► Need help? Product details, page 99	<ul style="list-style-type: none"> <li>LED driver</li> </ul>	Style number

### Specification Information

• **Style Number**

**FELPS**