



january.2016

teknion boulevard

price guide

# introduction

## index – by section

Section Contents	Product Code	Page No.
<b>General Information A</b>		
Product Overview		A.1
Cost Savings		A.3
Where to Find Information		A.4
Grain Direction		A.6
Introduction - Configurations		A.7
System Configurations		A.7-13

### Boulevard 1 B

Acoustical Raceway Panel	BPRA	B.4
Partly Glazed Raceway Panel	BPRG	B.5
Raceway Panel Electrical	BPRAE	B.6
Raceway Panel Filler	BPRA	B.7
Air Flow Panel	BPRF	B.7
Pass-Thru Raceway Panel	BPRP	B.8
Pass-Thru Sliding Door Kit	BPRPSD	B.9
Accessory Rail Panel	BPAR	B.9
Acoustical Fabric Panel	BPFA	B.10
Glazed Panel	BPFG	B.11
Curved Fabric Panel	BPFAR	B.11
Curved Fabric Raceway Panel	BPRAR	B.12
Curved Partly Glazed Raceway Panel	BPRGR	B.12
Curved Fully Glazed Panel	BPGFR	B.12
Fabric Over Panel	BPOF	B.13
Glazed Over Panel	BPOG	B.14
Curved Fabric Over Panel	BPOFR	B.15
Curved Glazed Over Panel	BPOGR	B.15
Solid Door Panel	BPDS	B.16
Half Glazed Door Panel	BPDH	B.16
Privacy Screen	BPDSL	B.17
Privacy Screen Lock	BPDSLLOCK	B.17
90 Degree Post	BHP	B.18
45 Degree Post	BHP45	B.18
60 Degree Post	BHP60	B.18
Wall Adapter	BHWA	B.19
High Profile Foot	BHHF	B.19
Low Profile Foot	BHLF	B.19
Panel to Panel Adapter	BHPA	B.20
Capture Strip Slot Cover	BHCS	B.20
End Strip Slot Cover	BHCE	B.20
Raceway End Cap	BHRC	B.20
Vertical End PVC Trim	BVTE	B.21
Vertical Step Down PVC Trim	BVTS	B.21
Vertical Step Down PVC Trim for 37" High Panels	BVTS	B.21
Aluminum Raceway Cover	BARC	B.22
Aluminum Vertical End Trim	BAVTE	B.23
Aluminum Vertical End Trim - Standard Step Down	BAVTS	B.23
Aluminum Vertical End Trim - Step Down for 37" High Panels	BAVTSF	B.23

Section Contents	Product Code	Page No.
Raceway Cover Wood Trim	BTRC	B.24
Horizontal Top Wood Trim	BTH	B.24
Curved Horizontal Top Wood Trim	BTH	B.24
Post Cap Wood Trim	BTPC	B.25
Post Cap Wood Trim (Intermediary)	BTPC1	B.25
Vertical End Wood Trim	BTVE	B.25
Vertical End Flush Top Wood Trim	BTVF	B.25
Ceiling Filler	BPXCF	B.26
Vertical Step Down Wood Trim	BTVS	B.26
Vertical Step Down Wood Trim for 37" High Panels	BTVSF	B.26
Raceway Cover Caps	1001/RCC	B.27
Safety Lock	BHSL	B.27
Component Wall Adapter- Single and Double	BHV	B.27
PVC Facemount Raceway Cover	RCWD	B.28
Fabric Covered Facemount Raceway	FCRD	B.28
Aluminum Raceway Cover for Face Mounted	RCAD	B.28
Aluminum Vertical End Trim	BA1VTFE	B.29
Aluminum Vertical End Trim - Standard Step Down	BA1VTFE	B.29
Aluminum Vertical End Trim - Standard Step Down 37" High Panels	BA1VTFE	B.30
Aluminum Top Cap	BA1TTRF	B.30
Post Cap	BA1PCF	B.30
Transaction Bracket for 37" Panels with Flat Trim	BHBT37FT	B.31
Transaction Bracket for 42" Panels with Flat Trim	BHBT02FT	B.31
<b>System 3 C</b>		
Monolithic Acoustical Panel	BPX3MA	C.4
Monolithic Acoustical Panel with Vertical Wire Channel	BPX3MV	C.5
Monolithic Glazed Panel	BPX3MG	C.5
Pass-Thru Panel - Fabric Base	BPX3PT	C.6
Pass-Thru Panel - Fabric Base with Vertical Wire Channel	BPX3PV	C.7
Pass-Thru Panel - Air Flow Base	BPX3PF	C.8
Over Panel Frame	BPX3OP	C.8
Monolithic Acoustical Panel with Embedded Glass	BPX3GMA	C.9
Monolithic Glazed Panel with Embedded Glass	BPX3GMG	C.10
Pass-Thru Panel with Embedded Glass - Fabric Base	BPX3GPT	C.11
Pass-Thru Panel with Vertical Wire Channel-Embedded Glass-Fabric Base	BPX3GPV	C.12
Pass-Thru Panel with Embedded Glass - Air Flow Base	BPX3GPF	C.13
Solid Door Panel	BP3DS	C.9
Half Glazed Door Panel	BP3DH	C.9
Removable Face Tile - Electrical Tile Kit	BPX3ET	C.10
Removable Face Tile - Glazed	BP3GT	C.10

# introduction

## index – by section

Section Contents	Product Code	Page No.
Removable Face Tile - Open Pass-Thru Kit	BP3OT	C.11
Removable Face Tile - Accessory	BP3AT	C.11
Removable Face Tile - Fabric	BP3FT	C.12
Fabric Over Panel	BP3OPFA	C.13
Fabric Over Panel with Vertical Wire Channel	BP30PFV	C.13
Over Panel Frame with Embedded Glass	BPX3GOP	C.14
Solid Door Panel	BP3DS	C.15
Half Glazed Door Panel	BP3DH	C.15
Removable Face Tile-Electrical Tile Kit	BPX3NETXXXX	C.16
Removable Face Tile-Glazed	BP3GT	C.16
Removable Face Tile-Open Pass Thru Kit	BP30T	C.17
Removable Face Tile-Accessory	BP3AT	C.17
Removable Face Tile-Glazed	BP3FT	C.18
Fabric Over Panel	BP30PFA	C.19
Fabric Over Panel with Vertical Wire Channel	BP30PFV	C.19
Raceway Cover for use with 2008 Electrical Components	BCX3WM	C.20
90 Degree Post	BH3PS	C.21
45 Degree Post	BH3PS45	C.21
60 Degree Post	BH3PS60	C.21
Post Extension for Over Panels	BH3PE	C.21
Off-Module Connector (Panel to Panel Adapter)	BH3PA	C.22
Wall Adapter	B3HWA	C.22
Vertical Aluminum End Trim	BA3VTR	C.22
Vertical Aluminum End Trim Standard Step Down	BA3VTS	C.22
Vertical PVC End Trim	BA3VTR	C.23
Vertical PVC End Trim Standard Step Down	BA3VTS	C.23
Vertical Aluminum Flat End Trim	BA3VTRF	C.23
Vertical Aluminum Flat End Trim Standard Step Down	BA3VTSF	C.23
<b>Diet D</b>		
Fabric Bottom and Fabric Top Panel	DPFF	D.3
Open Bottom and Fabric Top Panel	DPOF	D.3
Fabric Bottom, Middle and Top Panel	DPFRF	D.4
Open Bottom Fabric Middle and Top Panel	DPORF	D.4
Fabric Bottom, Middle and Glazed Top Panel	DPFFG	D.5
Open Bottom, Middle Fabric and Glazed Top Panel	DPOFG	D.5
Fabric Bottom and Glazed Top Panel	DPFG	D.6
Fabric Bottom, Slat Middle and Glazed Top Panel	DPFSG	D.6
Fabric Bottom Slat Top Panel	DPFS	D.7
Fabric Bottom, Slat Middle and Fabric Top Panel	DPFSF	D.7

Section Contents	Product Code	Page No.
Open Bottom, Slat Middle Panel	DPOSF	D.7
Open Bottom, Slat Middle and Fabric Top Panel	DPOSF	D.8
Open Bottom, Slat Middle and Glazed Top Panel	DPOSG	D.8
Diet Over Panel	DPOPF	D.9
Glass Over Panel	BAPAS	D.9
Table Mounted Diet Panel	DTMPP	D.9
Panel Cable Manager	DPCBM	D.10
Off Module Panel Connector	DPOFM	D.10
Wall Adapter	DPPWA	D.10
Casters	DPCSTR	D.10
Diet Freestanding Panel Mobile Kit	DHCFA	D.11
Diet to Boulevard Slot Connector	DBSCB	D.11
Diet Gap Filler	DAPPF	D.11
Diet to Boulevard Slim Connector in “X” Configuration	DBPX	D.12
Diet to Boulevard Slim Connector in “T” Configuration	DBXPT	D.13
<b>Electrical E</b>		
“T” Connector	BE8CI1	E.6
Duplex Receptacles	BE8D	E.6
Reversible Base Feed (Boulevard System 3 only)	BE83BF	E.6
Raceway Entry Base Feed (Boulevard System 3 only)	BE83BFR72	E.6
Ceiling Feed - Single	BE8CF1	E.6
Ceiling Feed - Double	BE8CF2	E.7
Base Feed - Single (Boulevard 1 only)	BE81BFxx1	E.7
Base Feed - Single (Boulevard 1 only)	BE81BFxx1FL	E.7
Base Feed - Double (Boulevard 1 only)	BE81BFxx2	E.7
Base Feed - Single (Boulevard 1 only)	BE81BF601	E.8
Base Feed - Double (Boulevard 1 only)	BE81BF602	E.8
Jumper Cable	BE8JC	E.9
Jumper Cable Mesh	BE8JM19	E.9
Base-to-Tile Cable	BE83BTXX	E.9
Housing-to-Housing Pass-Thru Cable	BE8CPHH	E.9
Jumper-to-Jumper Pass-Thru Cable	BE8CPJJ	E.10
Housing-to-Jumper Pass-Thru Cable	BE8CPHJ	E.10
Transaction Jumper Cable	BEJCT39	E.10
Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)	BE81D	E.11
Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only)	BE81DxxCM	E.11
Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)	BE82D	E.11
Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)	BE83D	E.11
Power Distribution Housing Kit - Face Mount System (Boulevard System 3 only)	BE83FM1	E.12
Post Extension	BEPE	E.12

# introduction

## index – by section

Section Contents	Product Code	Page No.
Ceiling Feed Base Post	BHPOST	E.12
Panel Ceiling Post	BE2PE	E.13
Jumper Harness	DEK	E.13
Diet Pass-Thru Kit	DEJH	E.14
Diet Base Feed	DEBF	E.14
Diet Ceiling Feed	DECF	E.14
Diet Post Extension	DEPE	E.14
Raceway Junction Cover	DERJC	E.15
<b>Worksurfaces F</b>		
Straight Rectangular Worksurface	BWS	F.4
Straight Rectangular Worksurface to span a Post	BWSP	F.5
Straight Rectangular Worksurface	BWS-SCP	F.6
Straight Rectangular Worksurface to span a Post	BWSP-SCP	F.7
Straight Rectangular Worksurface without Flex Lip or Scoops	BWS-NFL	F.8
Wedge Worksurface	BWSW-SCP	F.9
Wedge Worksurface Without Scoop	BWSW	F.10
Arc Front Edge Worksurface	BWSAC	F.10
Curvilinear Front Edge Worksurface	BWSC	F.11
Curvilinear Front Edge Worksurface	BWSC-SCP	F.12
Keyboard Worksurface	BWK + BWK-SCP	F.13
Curved Corner Worksurface	BWCC + BWCC-SCP	F.14
Five Sided Corner Worksurface	BWCF + BWCF-SCP	F.15
“L” Corner Worksurface	BWCL + BWCL-SCP	F.16
Keyboard Corner Worksurface	BWCK + BWCK-SCP	F.17
Corner Worksurface with Curved Keyboard Support	BWCCK + BWCCK-SCP	F.18
Curved Corner Worksurface for 45 Degree Angle	BWAC45 + BWAC45-SCP	F.19
Curved Corner Worksurface for 60 Degree Angle	BWAC60 + BWAC60-SCP	F.20
Extended Curved Corner Worksurface	BWCE	F.21
Extended Curved Corner Worksurface	BWCE-SCP	F.22
Extended Curvilinear Corner Worksurface	BWCEC-SCP	F.23
Bow Tie Worksurface	BWBT	F.23
Radius Worksurface	BWR	F.24
Teardrop Worksurface	BWRTD	F.24
Curved Panel Worksurface	BWSR	F.24
Corner Radius Worksurface with Cutout	BWRP	F.25
Extended “D” Worksurface	BWC60	F.25
Curvilinear Arc Worksurface	BWSL	F.25
Curvilinear Arc Worksurface	BWSL	F.26
“D” Worksurface	BWD	F.26
“P” Worksurface	BWP	F.27
“D” and “P” Worksurface Modesty Panel	BWMP	F.27
Transaction Worksurface	BWT	F.28
Transaction Corner Worksurface	BWTC	F.28
Transaction “T” Worksurface	BWTT27	F.28
Transaction Worksurface for 45 Degree Corner Worksurface	BWTAC	F.29

Section Contents	Product Code	Page No.
Transaction Worksurface for 60 Degree Corner Worksurface	BWTAC	F.29
Transaction Top for Curved Panel	BWTR	F.29
Transaction “D” Worksurface	BWTD	F.30
Transaction Double “D” Worksurface	BWTDD	F.30
Elliptical Transaction Worksurface	BWTE	F.30
Round Transaction Worksurface	BWTP	F.31
Round Table	BWCD	F.31
Square Table	BWSQ	F.31
“C” Leg	BHCL	F.32
Corner Leg	BKC	F.32
Modesty Panel	BKMP	F.32
Modesty Panel Extension Bracket	BHMEB	F.32
Full Gable - Self Edged	BHFG	F.33
Full Gable - 3mm PVC Edged	BHFGP	F.33
“P” Shaped Full Gable - PVC Edged	BHPG	F.33
Gable Leg	BHLEG	F.34
Monoleg	BHML	F.34
Tapered Leg	LATBL	F.34
Cantilever	BHC	F.34
Corner End Bracket	BHBC	F.35
Flat Bracket	BHBF	F.35
Transaction Bracket	BHBT	F.35
Transaction Bracket for 37” High Boulevard 1 Panels	BHBT	F.35
“Z” Bracket	BHBZ	F.35
Worksurface for Diet Panels	DWS	F.36
Diet Gabel Leg	DHLEG	F.36
Fixed Height Leg	VVLEGF	F.36
Diet/Boulevard Worksurface Cantilever Support	BHC	F.37
Diet Worksurface Bracket	DHBRKT	F.37
Diet Transaction Bracket	DHTBRKT	F.37
Diet Support Bar	DWSCSB	F.37
Diet Off-Module Cantilever	DHOMC	F.37
<b>Storage G</b>		
KD Low Profile Shelf	BSOL	G.4
KD Corner Shelf Kit	BSOC	G.4
High Profile Shelf	BSOH	G.4
KD Overhead Flipper Door Storage Unit	BSOF	G.4
KD Overhead Flipper Door Conversion Kit	BSFC	G.5
KD Back Wall Conversion Kit	BSBC	G.5
Shelf Dividers for KD Storage	BASD	G.5
Shelf Dividers for KD Storage	BSOFDIV	G.5
Lock for Overhead Flipper Door Storage Unit BSO12	BALK12	G.5
Upmount KD Open Shelf	BSOLC	G.5
High Profile Shelf	BSOH	G.6
Open Overhead Storage	BS00	G.6
Flipper Door and Track Assembly Retrofit Kit	BAFD	G.6

# introduction

## index – by section

<b>Product</b>	<b>Page</b>	<b>No.</b>
<b>Section Contents</b>	<b>Code</b>	
Overhead Flipper Door Storage Unit	BSOF	G.6
Upmount Cantilever	BHOC	G.6
Up Mount Back Panel	BHOBP	G.7
16" Welded Overhead with Hinged Doors and Radius Handles	BSOFD	G.7
Radius Low Profile Shelf	BSOL	G.7
Radius High Profile Shelf	BSOH	G.7
Radius Overhead Storage Unit	BSKD	G.8
Glazing Door Option for Above	BSKD-GD	G.8
Radius Flipper Door Conversion Kit	BSFC	G.8
Radius Up Mount Overhead Storage Unit	BSKDC	G.8
Panel Mounted Overhead Storage Unit - ADA Compliant	BSADAPM	G.9
Up-Mount Overhead Storage Unit - ADA Compliant	BSADAUM	G.9
Up-Mount Conversion Kit	BSADAKIT	G.9
Panel Mount Conversion Kit	BSADAKIT	G.9
Overhead Divider	BSOFD	G.9
Wood Low Profile Shelf	BSOHW	G.10
Wood High Profile Shelf	BSOLW	G.10
Wood Open Overhead Storage Unit	BSOO	G.10
Wood Flipper Door Overhead Storage Unit	BSOFW	G.10
Wood Hinged Door Overhead Storage Unit	BSOHDW	G.10
Lock for Wood Storage	LO	G.10
Radius Front Worksurface Supporting Pedestal Double wall drawer construction	BP	G.11
Radius Front Mobile Pedestal Double wall drawer construction	BPM	G.11
Radius Hinged Door Pedestal	BPSD	G.11
One and 1/2 Height BP Pedestal	BS12BF	G.11
12" Series BBF Pedestal Worksurface Supporting	BS12BBF	G.11
12" Series FF Pedestal Worksurface Supporting	BS12FF	G.12
12" Combination Pedestal	BS1230DP	G.12
12" BF Mobile Pedestal	BS12BFM	G.12
12" BBF Mobile Pedestal	BS12BBFM	G.12
12" FF Mobile Pedestal	BS12FFM	G.12
Pedestal Bracket Kit for Diet Panels	DHPEDB	G.13
One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	BS12X1HF	G.13
One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File	BS12X1S1F	G.13
One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	BS12X1SND	G.13
One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors	BS12X1S	G.13
Pedestal/Lateral Seat Cushion	BSTC	G.13
12" BBF Storage Tower 50" High	BS12T502B1F	G.14

<b>Product</b>	<b>Page</b>	<b>No.</b>
<b>Section Contents</b>	<b>Code</b>	
12" FF Storage Tower 50" High	BS12T502F	G.14
12" BBF Storage Tower 54" High	BS12T542B1F	G.14
12" FF Storage Tower 54" High	BS12T542F	G.14
12" BBF Storage Tower 65 7/8" High	BS12T662B1F	G.15
12" FF Storage Tower 65 7/8" High	BS12T662F	G.15
12" Side Opening FF Storage Tower 50" High	BS12TSO502F	G.15
12" Series Side Opening BBF Storage Tower 50" High	BS12TSO502B1F	G.15
12" Side Opening FF Storage Tower 54" High	BS12TSO542F	G.15
12" Side Opening BBF Storage Tower 54" High	BS12TSO542B1F	G.16
12" Side Opening BBF Storage Tower 65 7/8" High	BS12T662B1F	G.16
12" Side Opening FF Storage Tower 65 7/8" High	BS12T662F	G.16
Five High Radius Storage Tower FF	BRT5	G.16
Five High Radius Storage Tower BBF	BRT5	G.16
Five High Radius Storage Tower FFF	BRT5	G.17
Five High Radius Storage Tower FFF	BRT5	G.17
12" Opening Lateral File Fixed Front Drawers	BS12F	G.17
12" Receding Door and Roll-Out Shelves	BS12R1F	G.18
12" Receding Door and Fixed Shelves	BS12SWS	G.18
12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves	BS12B3F	G.18
C Series "B" Opening Receding Door and Fixed Shelves	CF-RB	G.19
Radius "B" Opening Receding Door and Fixed Shelves	BF-RB	G.19
12" Opening Multi Storage Unit	BS12S2F	G.20
12" Storage Cabinet with Hinged Door 2 High	BS12S	G.20
Open Storage Cabinet 2 High (WS Supporting)	BS12ND	G.21
1212 Drawer Conversion Kit	BS12FKIT	G.21
6612 Drawer Conversion Kit	BS12BKIT	G.21
Fixed Front Door Conversion Kit	BS12FFKIT	G.21
Receding Door w Fixed Slotted Shelf Conversion Kit	BS12RDKIT	G.21
Half Height Door Conversion Kit	BS12BHHKIT	G.21
Hanging File Bars	BAHFB	G.22
Front to Back Bars	BAFBB	G.22
Legal to Letter Adapter	BALAB	G.22
Divider Plates	BAPD	G.22
Pedestal Divider Plates	BAPD	G.22
Pedestal Hanging File Bar	BAPEDBAR	G.22
Full Flat Shelf	BAFFS	G.22
Full Fixed Slotted Shelf	BAFS	G.22
Half Fixed Flat Shelf	BAHFFS	G.22
EDP Adapter	BAEDPS	G.23

# introduction

## index – by section

Product Section Contents	Page Code	No.
Max-Stor Module	BAMS	G.23
Max-Stor Trays	BAMST	G.23
Pencil Tray	BTLP	G.23
Organizer Tray	BTRP	G.23
Shoe/Boot Tray	BTST	G.23
CD Holder	BTCD	G.23
Letter Width Vertical Storage	C28	G.24
Legal Width Vertical Storage	C28	G.24
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP0R	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP0L	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12L	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12LOR	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12LOL	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDPL	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDPR	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDP0RL	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LL	G.27
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LR	G.27
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LORL	G.27
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LORR	G.27
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDP	G.27
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDP0R	G.28
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDP0L	G.28
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12L	G.28
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12LOR	G.28
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12LOL	G.28
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPL	G.29
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPR	G.29
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDP0RL	G.29
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDP0RR	G.29

Product Section Contents	Page Code	No.
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LL	G.29
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LR	G.30
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LORL	G.30
B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LORR	G.30
Diet Off Module 24" Shelf	DSOMSHLF	G.31
Diet Table Shelf	DSTBSHLF	G.31
Diet Panel Mounted Overhead	DSOH	G.31
Diet Panel Mounted Shelf	DSOS	G.31
Diet Overhead Support	DOHLS	G.32
Counterweight Balance	BACWB	G.32
Keys	BA	G.32
Lock and Key	LO	G.32
Easy-Up Diet Overhead	DSADA	G.32
<b>Accessories H</b>		
Keyboard Support Mechanism	GAKSM01	H.2
Lift-N-Lock Keyboard Support Mechanism	GAKSM02	H.2
Lift-N-Lock Keyboard Support Mechanism	GAKSM03	H.2
Tray with Sliding Mouse Support	GATM01	H.3
27" HDPE Tray with Two Mousing Surfaces	GATM02	H.3
Phenolic Tray with Height Adjustable Mouse Support	GATM03	H.3
HDPE Tray with Height Adjustable Mouse Support	GATM04	H.3
Glide Tray Adapter (set of 2)	GAGTA01	H.3
Keyboard Combination Chart Package Codes and Pricing		H.4
Fixed Mount CPU Holder	GACPU01	H.4
CPU Holder on Glide Track	GACPU02	H.4
Woof CPU Holder	GACPUH	H.4
Laptop Support with Integrated 4 port USB hub	GALTS01	H.5
Desktop Document Holder	GADDH01	H.5
Adjustable Foot Rest	GAAFR01	H.5
CRT Corner Plate	GAAKS1818	H.5
Double Extension Monitor Arm for Single Screen	GAMCSSDE	H.5
Double Extension with Height Adjustable Monitor Arm for Single Screen	GAMCSSDEH	H.6
Monitor Arms for Dual Screens	GAMCDSDE	H.6
Double Extension with Height Adjustable Monitor Arms for Dual Screens	GAMCDSDEH	H.6
Dual Extension Height Adjustable Slat Wall Monitor Arm	GAMCSSDEHS	H.6
T5 Under Storage Task Light	BLUC	H.7
Panel Mounted Task Light	BLPM	H.7

# introduction

## index – by section

<b>Product</b>	<b>Page</b>	
<b>Section Contents</b>	<b>Code</b>	<b>No.</b>
PL Magnetic Task Light	BLUSPL	H.7
LED Under Shelf Task Light	BLEDLS	H.7
Vertical Wire Channel	BAVC	H.8
Mini-Adapt Power Module	BEMAE	H.8
Mini-Adapt Data Module	BEMAD1	H.8
Desktop Data/Power Receptacle	BEAXX	H.8
Power Bar	BEPB12	H.8
Power Bar	DABAR	H.9
Power Bar with Mounting Bracket	DABARB	H.9
Wire Manager	BABC	H.9
Cable Snake	VVACS	H.9
Panel Mounted Slotted Accessory Rail	BAR	H.9
Panel Mounted Load Bar	BALB	H.10
Binder Bin	BABB01	H.10
Flip Sorter	BAFS01	H.10
Slant Sorter	BASS01	H.10
Letter Tray	BALT01	H.10
Media Bin	BAMB01	H.10
Utility Tray	BAUT01	H.10
Mail Box	BAPP01	H.10
Telephone Holder	BVATH01	H.10
Printer Paper Slot	BAP	H.11
Pencil Drawer	BAPD	H.11
Coat Hook	BAHO	H.11
Coat Hook for Diet	DAHOCH	H.11
Coat Hook	BAHP	H.11
Name Plate	BHNP	H.11
Coat Hook for System 3	BAHB3CH	H.11
Write Board	BAWB	H.11
Fabric Tackboard	BATB	H.12
Marker Tray	BAMT12	H.12
Touch Up Paint Kit	BATP	H.12
<b>Height Adjustable Tables I</b>		
Fixed Height Rectangular Table	BWA-A2	I.3
Top Surface Crank Rectangular Height Adjustable Table	BWA-A5	I.3
Fixed Height Corner Table Straight Front	BWA-HS2	I.3
Top Surface Crank Corner Height Adjustable Table Straight Front	BWA-HS5	I.4
<b>Viceversa® J</b>		
Rectangular Tables with 4 Legs	VVRT-4	J.4
Rectangular Tables with 2 Legs	VVRT-2	J.4
Wing Tables with 4 Legs	VVW-4	J.5
Wing Tables with 2 Legs	VVW-2	J.5
Oval Tables with 4 Legs	VVO-4	J.5
Oval tables with 2 Legs	VVO-2	J.5
Dogbone Tables	VVDB	J.5
Cloud Tables	VVCT	J.6
Square Tables with 4 Legs	VVS	J.6

<b>Product</b>	<b>Page</b>	
<b>Section Contents</b>	<b>Code</b>	<b>No.</b>
Round Tables with 4 Legs	VVR	J.6
Round Tables with 3 Legs and Pivoting Clamp	VVRP	J.6
Half Moon Tables with 3 Legs	VVHM	J.6
Half Moon Tables with 3 Legs Center Radius Cut-Out	VVHM	J.7
Half Ellipse Tables with 4 Legs	VVHE	J.7
Gobie Tables	VV24GOBE	J.7
Viceversa Occasional Tables with Wood Veneer Tops	VVOC	J.7
Viceversa Occasional Tables with Wood Veneer Tops, Waterfall Edge	VVOC	J.8
Leg with Leveler	VVLEGLV	J.8
Leg with Caster	VVLEGLC	J.8
Fixed Height Leg	VVLEGF	J.8
Wire Manager	VVCM	J.8
Toto	VV18TOTOP	J.9

# introduction

## index – by product

Product Name	Product Code	Page No.	Product Name	Product Code	Page No.
1212 Drawer Conversion Kit	BS12FKIT	G.21	Aluminum Raceway Cover for Face Mounted	RCAD	B.28
12" BBF Mobile Pedestal	BS12BBFM	G.12	Aluminum Top Cap	BA1TTRF	B.30
12" BBF Storage Tower 50" High	BS12T502B1F	G.14	Aluminum Vertical End Trim - Standard Step Down 37" High Panels	BA1VTFS	B.30
12" BBF Storage Tower 54" High	BS12T542B1F	G.14	Aluminum Vertical End Trim - Standard Step Down	BA1VTFS	B.29
12" BBF Storage Tower 65 7/8" High	BS12T662B1F	G.15	Aluminum Vertical End Trim - Standard Step Down	BAVTS	B.23
12" BF Mobile Pedestal	BS12BFM	G.12	Aluminum Vertical End Trim - Step Down for 37" High Panels	BAVTSF	B.23
12" Combination Pedestal	BS1230DP	G.12	Aluminum Vertical End Trim	BA1VTFE	B.29
12" FF Mobile Pedestal	BS12FFM	G.12	Aluminum Vertical End Trim	BAVTE	B.23
12" FF Storage Tower 50" High	BS12T502F	G.14	Arc Front Edge Worksurface	BWSAC	F.10
12" FF Storage Tower 54" High	BS12T542F	G.14	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDP	G.27
12" FF Storage Tower 65 7/8" High	BS12T662F	G.15	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDPOL	G.28
12" Opening Lateral File Fixed Front Drawers	BS12F	G.17	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3050MDPOR	G.28
12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves	BS12B3F	G.18	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LL	G.29
12" Opening Multi Storage Unit	BS12S2F	G.20	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LORL	G.30
12" Receding Door and Fixed Shelves	BS12SWS	G.18	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LORR	G.30
12" Receding Door and Roll-Out Shelves	BS12R1F	G.18	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650M12LR	G.30
12" Series BBF Pedestal Worksurface Supporting	BS12BBF	G.11	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPL	G.29
12" Series FF Pedestal Worksurface Supporting	BS12FF	G.12	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPORN	G.29
12" Series Side Opening BBF Storage Tower 50" High	BS12TSO502B1F	G.15	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPORR	G.29
12" Side Opening BBF Storage Tower 54" High	BS12TSO542B1F	G.16	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPR	G.29
12" Side Opening BBF Storage Tower 65 7/8" High	BS12T662B1F	G.16	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3650MDPR	G.29
12" Side Opening FF Storage Tower 50" High	BS12TSO502F	G.15	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12L	G.28
12" Side Opening FF Storage Tower 54" High	BS12TSO542F	G.15	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12LOL	G.28
12" Side Opening FF Storage Tower 65 7/8" High	BS12T662F	G.16	B-STOR Four High Multi Storage Pass Through Cabinet	BLW3x50M12LOR	G.28
12" Storage Cabinet with Hinged Door 2 High	BS12S	G.20	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP0L	G.25
16" Welded Overhead with Hinged Doors and Radius Handles	BSOFD	G.7	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP0R	G.25
27" HDPE Tray with Two Mousing Surfaces	GATM02	H.3	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3050MDP	G.25
45 Degree Post	BH3PS45	C.21	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LL	G.27
45 Degree Post	BHP45	B.18	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LORL	G.27
60 Degree Post	BH3PS60	C.21	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LORR	G.27
60 Degree Post	BHP60	B.18	B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650M12LR	G.27
6612 Drawer Conversion Kit	BS12BKIT	G.21			
90 Degree Post	BH3PS	C.21			
90 Degree Post	BHP	B.18			
Accessory Rail Panel	BPAR	B.9			
Acoustical Fabric Panel	BPFA	B.10			
Acoustical Raceway Panel	BPRA	B.4			
Adjustable Foot Rest	GAAFR01	H.5			
Air Flow Panel	BPRF	B.7			
Aluminum Raceway Cover	BARC	B.22			

# introduction

## index – by product

Product Name	Product Code	Page No.
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDPL	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDPORA	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3650MDPR	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12L	G.25
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12LOL	G.26
B-STOR Four High Multi Storage Pass Through Cabinet	CFW3x50M12LOR	G.25
Base-to-Tile Cable	BE83BTXX	E.9
Base Feed - Double (Boulevard 1 only)	BE81BF602	E.8
Base Feed - Double (Boulevard 1 only)	BE81BFxx2	E.7
Base Feed - Single (Boulevard 1 only)	BE81BF601	E.8
Base Feed - Single (Boulevard 1 only)	BE81BFxx1	E.7
Base Feed - Single (Boulevard 1 only)	BE81BFxx1FL	E.7
Binder Bin	BABB01	H.10
Bow Tie Worksurface	BWBT	F.23
“C” Leg	BHCL	F.32
Cable Snake	VVACS	H.9
Cantilever	BHC	F.34
Capture Strip Slot Cover	BHCS	B.20
Casters	DPCSTR	D.10
CD Holder	BTCD	G.23
Ceiling Feed - Double	BE8CF2	E.7
Ceiling Feed - Single	BE8CF1	E.6
Ceiling Feed Base Post	BHPOST	E.12
Ceiling Filler	BPXCF	B.26
Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only)	BE81DxxCM	E.11
Cloud Tables	VVCT	J.6
Coat Hook	BAHO	H.11
Coat Hook	BAHP	H.11
Coat Hook for Diet	DAHOCH	H.11
Coat Hook for System 3	BAHB3CH	H.11
Component Wall Adapter-Single and Double	BHV	B.27
Corner End Bracket	BHBC	F.35
Corner Leg	BKC	F.32
Corner Radius Worksurface with Cutout	BWRP	F.25
Corner Worksurface with Curved Keyboard Support	BWCCK + BWCCK-SCP	F.18
Counterweight Balance	BACWB	G.32
CPU Holder on Glide Track	GACPU02	H.4
CRT Corner Plate	GAAKS1818	H.5
C Series “B” Opening Receding Door and Fixed Shelves	CF-RB	G.19
Curved Corner Worksurface	BWCC + BWCC-SCP	F.14

Product Name	Product Code	Page No.
Curved Corner Worksurface for 45 Degree Angle	BWAC45 + BWAC45-SCP	F.19
Curved Corner Worksurface for 60 Degree Angle	BWAC60 + BWAC60-SCP	F.20
Curved Fabric Over Panel	BPOFR	B.15
Curved Fabric Panel	BPFAR	B.11
Curved Fabric Raceway Panel	BPRAR	B.12
Curved Fully Glazed Panel	BPGFR	B.12
Curved Glazed Over Panel	BPOGR	B.15
Curved Horizontal Top Wood Trim	BTH	B.24
Curved Panel Worksurface	BWSR	F.24
Curved Partly Glazed Raceway Panel	BPRGR	B.12
Curvilinear Arc Worksurface	BWSL	F.25
Curvilinear Arc Worksurface	BWSL	F.26
Curvilinear Front Edge Worksurface	BWSC-SCP	F.12
Curvilinear Front Edge Worksurface	BWSC	F.11
“D” and “P” Worksurface Modesty Panel	BWMP	F.27
“D” Worksurface	BWD	F.26
Desktop Data/Power Receptacle	BEAXX	H.8
Desktop Document Holder	GADDH01	H.5
Diet/Boulevard Worksurface Cantilever Support	BHC	F.37
Diet Base Feed	DEBF	E.14
Diet Ceiling Feed	DECF	E.14
Diet Freestanding Panel Mobile Kit	DHCFA	D.11
Diet Gabel Leg	DHLEG	F.36
Diet Gap Filler	DAPPF	D.11
Diet Off-Module Cantilever	DHOMC	F.37
Diet Off Module 24” Shelf	DSOMSHLF	G.31
Diet Overhead Support	DOHLS	G.32
Diet Over Panel	DPOPF	D.9
Diet Panel Mounted Overhead	DSOH	G.31
Diet Panel Mounted Shelf	DSOS	G.31
Diet Pass-Thru Kit	DEJH	E.14
Diet Post Extension	DEPE	E.14
Diet Support Bar	DWSCSB	F.37
Diet Table Shelf	DSTBSHLF	G.31
Diet to Boulevard Slim Connector in “T” Configuration	DBXPT	D.13
Diet to Boulevard Slim Connector in “X” Configuration	DBPX	D.12
Diet to Boulevard Slot Connector	DBSCB	D.11
Diet Transaction Bracket	DHTBRKT	F.37
Diet Worksurface Bracket	DHBRKT	F.37
Divider Plates	BAPD	G.22
Dogbone Tables	VVDB	J.5
Double Extension Monitor Arm for Single Screen	GAMCSSDE	H.5
Double Extension with Height Adjustable Monitor Arm for Single Screen	GAMCSSDEH	H.6
Double Extension with Height Adjustable Monitor Arms for Dual Screens	GAMCDSDEH	H.6

# introduction

## index – by product

Product Name	Product Code	Page No.
Dual Extension Height Adjustable Slat Wall Monitor Arm	GAMCSSDEHS	H.6
Duplex Receptacles	BE8D	E.6
Easy-Up Diet Overhead	DSADA	G.32
EDP Adapter	BAEDPS	G.23
Elliptical Transaction Worksurface	BWTE	F.30
End Strip Slot Cover	BHCE	B.20
Extended Curved Corner Worksurface	BWCE-SCP	F.22
Extended Curved Corner Worksurface	BWCE	F.21
Extended Curvilinear Corner Worksurface	BWCEC-SCP	F.23
Extended “D” Worksurface	BWC60	F.25
Fabric Bottom, Middle and Glazed Top Panel	DPFFG	D.5
Fabric Bottom, Middle and Top Panel	DPFRF	D.4
Fabric Bottom, Slat Middle and Fabric Top Panel	DPFSF	D.7
Fabric Bottom, Slat Middle and Glazed Top Panel	DPFSG	D.6
Fabric Bottom and Fabric Top Panel	DPFF	D.3
Fabric Bottom and Glazed Top Panel	DPFG	D.6
Fabric Bottom Slat Top Panel	DPFS	D.7
Fabric Covered Facemount Raceway	FCRD	B.28
Fabric Over Panel	BP30PFA	C.19
Fabric Over Panel	BP3OPFA	C.13
Fabric Over Panel	BPOF	B.13
Fabric Over Panel with Vertical Wire Channel	BP30PFV	C.13
Fabric Over Panel with Vertical Wire Channel	BP30PFV	C.19
Fabric Tackboard	BATB	H.12
Five High Radius Storage Tower BBF	BRT5	G.16
Five High Radius Storage Tower FF	BRT5	G.16
Five High Radius Storage Tower FFF	BRT5	G.17
Five High Radius Storage Tower FFF	BRT5	G.17
Five Sided Corner Worksurface	BWCF + BWCF-SCP	F.15
Fixed Front Door Conversion Kit	BS12FFKIT	G.21
Fixed Height Corner Table Straight Front	BWA-HS2	I.3
Fixed Height Leg	VVLEGF	F.36
Fixed Height Leg	VVLEGF	J.8
Fixed Height Rectangular Table	BWA-A2	I.3
Fixed Mount CPU Holder	GACPU01	H.4
Flat Bracket	BHBF	F.35
Flipper Door and Track Assembly Retrofit Kit	BAFD	G.6
Flip Sorter	BAFS01	H.10
Front to Back Bars	BAFBB	G.22
Full Fixed Slotted Shelf	BAFS	G.22
Full Flat Shelf	BAFFS	G.22
Full Gable - 3mm PVC Edged	BHFGP	F.33
Full Gable - Self Edged	BHFG	F.33

Product Name	Product Code	Page No.
Gable Leg	BHLEG	F.34
Glass Over Panel	BAPAS	D.9
Glazed Over Panel	BPOG	B.14
Glazed Panel	BPFG	B.11
Glazing Door Option for Above	BSKD-GD	G.8
Glide Tray Adapter (set of 2)	GAGTA01	H.3
Gobie Tables	VV24GOBE	J.7
Half Ellipse Tables with 4 Legs	VVHE	J.7
Half Fixed Flat Shelf	BAHFFS	G.22
Half Glazed Door Panel	BP3DH	C.15
Half Glazed Door Panel	BP3DH	C.9
Half Glazed Door Panel	BPDH	B.16
Half Height Door Conversion Kit	BS12BHHKIT	G.21
Half Moon Tables with 3 Legs	VVHM	J.6
Half Moon Tables with 3 Legs Center Radius Cut-Out	VVHM	J.7
Hanging File Bars	BAHFB	G.22
HDPE Tray with Height Adjustable Mouse Support	GATM04	H.3
High Profile Foot	BHHF	B.19
High Profile Shelf	BSOH	G.4
High Profile Shelf	BSOH	G.6
Horizontal Top Wood Trim	BTH	B.24
Housing-to-Housing Pass-Thru Cable	BE8CPHH	E.9
Housing-to-Jumper Pass-Thru Cable	BE8CPHJ	E.10
“T” Connector	BE8CI1	E.6
Jumper-to-Jumper Pass-Thru Cable	BE8CPJJ	E.10
Jumper Cable	BE8JC	E.9
Jumper Cable Mesh	BE8JM19	E.9
Jumper Harness	DEK	E.13
KD Back Wall Conversion Kit	BSBC	G.5
KD Corner Shelf Kit	BSOC	G.4
KD Low Profile Shelf	BSOL	G.4
KD Overhead Flipper Door Conversion Kit	BSFC	G.5
KD Overhead Flipper Door Storage Unit	BSOF	G.4
Keyboard Corner Worksurface	BWCK + BWCK-SCP	F.17
Keyboard Support Mechanism	GAKSM01	H.2
Keyboard Worksurface	BWK + BWK-SCP	F.13
Keys	BA	G.32
“L” Corner Worksurface	BWCL + BWCL-SCP	F.16
Laptop Support with Integrated 4 port USB hub	GALTS01	H.5
LED Under Shelf Task Light	BLEDLS	H.7
Legal to Letter Adapter	BALAB	G.22
Legal Width Vertical Storage	C28	G.24
Leg with Caster	VVLEGLC	J.8
Leg with Leveler	VVLEGLV	J.8
Letter Tray	BALT01	H.10
Letter Width Vertical Storage	C28	G.24

# introduction

## index – by product

Product Name	Product Code	Page No.
Lift-N-Lock Keyboard Support Mechanism	GAKSM02	H.2
Lift-N-Lock Keyboard Support Mechanism	GAKSM03	H.2
Lock and Key	LO	G.32
Lock for Overhead Flipper Door Storage Unit BSOF12	BALK12	G.5
Lock for Wood Storage	LO	G.10
Low Profile Foot	BHLF	B.19
Mail Box	BAPP01	H.10
Marker Tray	BAMT12	H.12
Max-Stor Module	BAMS	G.23
Max-Stor Trays	BAMST	G.23
Media Bin	BAMB01	H.10
Mini-Adapt Data Module	BEMAD1	H.8
Mini-Adapt Power Module	BEMAE	H.8
Modesty Panel	BKMP	F.32
Modesty Panel Extension Bracket	BHMEB	F.32
Monitor Arms for Dual Screens	GAMCDSDE	H.6
Monoleg	BHML	F.34
Monolithic Acoustical Panel	BPX3MA	C.4
Monolithic Acoustical Panel with Embedded Glass	BPX3GMA	C.9
Monolithic Acoustical Panel with Vertical Wire Channel	BPX3MV	C.5
Monolithic Glazed Panel	BPX3MG	C.5
Monolithic Glazed Panel with Embedded Glass	BPX3GMG	C.10
Name Plate	BHNP	H.11
Off-Module Connector (Panel to Panel Adapter)	BH3PA	C.22
Off Module Panel Connector	DPOFM	D.10
One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File	BS12X1S1F	G.13
One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	BS12X1SND	G.13
One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors	BS12X1S	G.13
One and 1/2 Height BP Pedestal	BS12BF	G.11
One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	BS12X1HF	G.13
Open Bottom, Middle Fabric and Glazed Top Panel	DPOFG	D.5
Open Bottom, Slat Middle and Fabric Top Panel	DPOSF	D.8
Open Bottom, Slat Middle and Glazed Top Panel	DPOSG	D.8
Open Bottom, Slat Middle Panel	DPOSF	D.7
Open Bottom and Fabric Top Panel	DPOF	D.3
Open Bottom Fabric Middle and Top Panel	DPORF	D.4
Open Overhead Storage	BS00	G.6

Product Name	Product Code	Page No.
Open Storage Cabinet 2 High (WS Supporting)	BS12ND	G.21
Organizer Tray	BTRP	G.23
Oval tables with 2 Legs	VVO-2	J.5
Oval Tables with 4 Legs	VVO-4	J.5
Overhead Divider	BSOFD	G.9
Overhead Flipper Door Storage Unit	BSOF	G.6
Over Panel Frame	BPX3OP	C.8
Over Panel Frame with Embedded Glass	BPX3GOP	C.14
"P" Shaped Full Gable - PVC Edged	BHPG	F.33
"P" Worksurface	BWP	F.27
Panel Cable Manager	DPCBM	D.10
Panel Ceiling Post	BE2PE	E.13
Panel Mount Conversion Kit	BSADAKIT	G.9
Panel Mounted Load Bar	BALB	H.10
Panel Mounted Overhead Storage Unit - ADA Compliant	BSADAPM	G.9
Panel Mounted Slotted Accessory Rail	BAR	H.9
Panel Mounted Task Light	BLPM	H.7
Panel to Panel Adapter	BHPA	B.20
Partly Glazed Raceway Panel	BPRG	B.5
Pass-Thru Panel - Air Flow Base	BPX3PF	C.8
Pass-Thru Panel - Fabric Base	BPX3PT	C.6
Pass-Thru Panel - Fabric Base with Vertical Wire Channel	BPX3PV	C.7
Pass-Thru Panel with Embedded Glass - Air Flow Base	BPX3GPF	C.13
Pass-Thru Panel with Embedded Glass - Fabric Base	BPX3GPT	C.11
Pass-Thru Panel with Vertical Wire Channel-Embedded Glass-Fabric Base	BPX3GPV	C.12
Pass-Thru Raceway Panel	BPRP	B.8
Pass-Thru Sliding Door Kit	BPRPSD	B.9
Pedestal/Lateral Seat Cushion	BSTC	G.13
Pedestal Bracket Kit for Diet Panels	DHPEDB	G.13
Pedestal Divider Plates	BAPD	G.22
Pedestal Hanging File Bar	BAPEDBAR	G.22
Pencil Drawer	BAPD	H.11
Pencil Tray	BTLP	G.23
Phenolic Tray with Height Adjustable Mouse Support	GATM03	H.3
PL Magnetic Task Light	BLUSPL	H.7
Post Cap	BA1PCF	B.30
Post Cap Wood Trim (Intermediary)	BTPC1	B.25
Post Cap Wood Trim	BTPC	B.25
Post Extension	BEPE	E.12
Post Extension for Over Panels	BH3PE	C.21
Power Bar	BEPB12	H.8
Power Bar	DABAR	H.9

# introduction

## index – by product

Product Name	Product Code	Page No.
Power Bar with Mounting Bracket	DABARB	H.9
Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)	BE83D	E.11
Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)	BE81D	E.11
Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)	BE82D	E.11
Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)	BE83FM1	E.12
Printer Paper Slot	BAP	H.11
Privacy Screen	BPDSL	B.17
Privacy Screen Lock	BPDSLLOCK	B.17
PVC Facemount Raceway Cover	RCWD	B.28
Raceway Cover Caps	1001/RCC	B.27
Raceway Cover for use with 2008 Electrical Components	BCX3WM	C.20
Raceway Cover Wood Trim	BTRC	B.24
Raceway End Cap	BHRC	B.20
Raceway Entry Base Feed (Boulevard System 3 only)	BE83BFR72	E.6
Raceway Junction Cover	DERJC	E.15
Raceway Panel Electrical	BPRAE	B.6
Raceway Panel Filler	BPRA	B.7
Radius Flipper Door Conversion Kit	BSFC	G.8
Radius Front Mobile Pedestal Double wall drawer construction	BPM	G.11
Radius Front Worksurface Supporting Pedestal Double wall drawer construction	BP	G.11
Radius High Profile Shelf	BSOH	G.7
Radius Hinged Door Pedestal	BPSD	G.11
Radius Low Profile Shelf	BSOL	G.7
Radius Overhead Storage Unit	BSKD	G.8
Radius Up Mount Overhead Storage Unit	BSKDC	G.8
Radius Worksurface	BWR	F.24
Radius "B" Opening Receding Door and Fixed Shelves	BF-RB	G.19
Receding Door w Fixed Slotted Shelf Conversion Kit	BS12RDKIT	G.21
Rectangular Tables with 2 Legs	VVRT-2	J.4
Rectangular Tables with 4 Legs	VVRT-4	J.4
Removable Face Tile - Accessory	BP3AT	C.11
Removable Face Tile-Accessory	BP3AT	C.17
Removable Face Tile - Electrical Tile Kit	BPX3ET	C.10
Removable Face Tile- Electrical Tile Kit	BPX3NETXXXX	C.16
Removable Face Tile - Fabric	BP3FT	C.12

Product Name	Product Code	Page No.
Removable Face Tile-Glazed	BP3FT	C.18
Removable Face Tile - Glazed	BP3GT	C.10
Removable Face Tile-Glazed	BP3GT	C.16
Removable Face Tile - Open Pass-Thru Kit	BP3OT	C.11
Removable Face Tile- Open Pass Thru Kit	BP30T	C.17
Reversible Base Feed (Boulevard System 3 only)	BE83BF	E.6
Round Table	BWCD	F.31
Round Tables with 3 Legs and Pivoting Clamp	VVRP	J.6
Round Tables with 4 Legs	VVR	J.6
Round Transaction Worksurface	BWTP	F.31
Safety Lock	BHSL	B.27
Shelf Dividers for KD Storage	BASD	G.5
Shelf Dividers for KD Storage	BSOFDIV	G.5
Shoe/Boot Tray	BTST	G.23
Slant Sorter	BASS01	H.10
Solid Door Panel	BP3DS	C.15
Solid Door Panel	BP3DS	C.9
Solid Door Panel	BPDS	B.16
Square Table	BWSQ	F.31
Square Tables with 4 Legs	VVS	J.6
Straight Rectangular Worksurface	BWS-SCP	F.6
Straight Rectangular Worksurface	BWS	F.4
Straight Rectangular Worksurface to span a Post	BWSP-SCP	F.7
Straight Rectangular Worksurface to span a Post	BWSP	F.5
Straight Rectangular Worksurface without Flex Lip or Scoops	BWS-NFL	F.8
T5 Under Storage Task Light	BLUC	H.7
Table Mounted Diet Panel	DTMPP	D.9
Tapered Leg	LATBL	F.34
Teardrop Worksurface	BWRTD	F.24
Telephone Holder	BVATH01	H.10
Top Surface Crank Corner Height Adjustable Table Straight Front	BWA-HS5	I.4
Top Surface Crank Rectangular Height Adjustable Table	BWA-A5	I.3
Toto	VV18TOTOP	J.9
Touch Up Paint Kit	BATP	H.12
Transaction Bracket	BHBT	F.35
Transaction Bracket for 37" High Boulevard 1 Panels	BHBT	F.35
Transaction Bracket for 37" Panels with Flat Trim	BHBT37FT	B.31
Transaction Bracket for 42" Panels with Flat Trim	BHBT02FT	B.31
Transaction Corner Worksurface	BWTC	F.28

# introduction

## index – by product

Product Name	Product Code	Page No.
Transaction Double “D” Worksurface E.30	BWTDD	
Transaction Jumper Cable	BEJCT39	E.10
Transaction Top for Curved Panel E.29	BWTR	
Transaction Worksurface	BWT	F.28
Transaction Worksurface for 45 Degree Corner Worksurface	BWTAC	F.29
Transaction Worksurface for 60 Degree Corner Worksurface	BWTAC	F.29
Transaction “D” Worksurface	BWTD	F.30
Transaction “T” Worksurface	BWTT27	F.28
Tray with Sliding Mouse Support	GATM01	H.3
Up-Mount Conversion Kit	BSADAKIT	G.9
Up-Mount Overhead Storage Unit - ADA Compliant	BSADAUM	G.9
Up Mount Back Panel	BHOBP	G.7
Upmount Cantilever	BHOC	G.6
Upmount KD Open Shelf	BSOLC	G.5
Utility Tray	BAUT01	H.10
Vertical Aluminum End Trim	BA3VTR	C.22
Vertical Aluminum End Trim Standard Step Down	BA3VTS	C.22
Vertical Aluminum Flat End Trim	BA3VTRF	C.23
Vertical Aluminum Flat End Trim Standard Step Down	BA3VTSF	C.23
Vertical End Flush Top Wood Trim	BTVF	B.25
Vertical End PVC Trim	BVTE	B.21
Vertical End Wood Trim	BTVE	B.25
Vertical PVC End Trim	BA3VTR	C.23
Vertical PVC End Trim Standard Step Down	BA3VTS	C.23
Vertical Step Down PVC Trim	BVTS	B.21
Vertical Step Down PVC Trim for 37” High Panels	BVTS	B.21
Vertical Step Down Wood Trim	BTVS	B.26
Vertical Step Down Wood Trim for 37” High Panels	BTVSF	B.26
Vertical Wire Channel	BAVC	H.8
Viceversa Occasional Tables with Wood Veneer Tops, Waterfall Edge	VVOC	J.8
Viceversa Occasional Tables with Wood Veneer Tops	VVOC	J.7
Wall Adapter	B3HWA	C.22
Wall Adapter	BHWA	B.19
Wall Adapter	DPPWA	D.10
Wedge Worksurface	BWSW-SCP	F.9
Wedge Worksurface Without Scoop	BWSW	F.10
Wing Tables with 2 Legs	VVW-2	J.5
Wing Tables with 4 Legs	VVW-4	J.5
Wire Manager	BABC	H.9
Wire Manager	VVCM	J.8
Wood Flipper Door Overhead Storage Unit	BSOFW	G.10

Product Name	Product Code	Page No.
Wood High Profile Shelf	BSOLW	G.10
Wood Hinged Door Overhead Storage Unit	BSOHDW	G.10
Wood Low Profile Shelf	BSOHW	G.10
Wood Open Overhead Storage Unit	BSOO	G.10
Wood CPU Holder	GACPUH	H.4
Worksurface for Diet Panels	DWS	F.36
Write Board	BAWB	H.11
“Z” Bracket	BHBZ	F.35

# PRODUCT OVERVIEW

## BOULEVARD 1 PANELS

Features:

- Desk height power and data management
- Patented “Knuckle-Loc”, rigid connection, prevents light and sound transmission
- Built-in acoustical/tackable properties
- Sectional multi-accent design options
- Fabric surfaces are able to be replaced on-site
- Frame incorporates 1” centred slots for component adjustability
- Requires no top caps, end caps, trim caps, hinges, kick plates or clips
- Simple to specify
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend to 10 feet to enclose an office in fabric and glazed options
- Patented Raceway cover easily removed
- Raceway panels top and bottom portion semi tackable

Construction:

- Rigid extruded aluminum, finished frame, self-leveling 2 5/8” thick panel
- 1 1/8” sound absorbent Mineral Wool each side of hardboard septum

Sizes:

- 8 Heights: 29”, 37”, 42”, 50”, 58”, 66” 74” and 82”
- 9 Widths: 6”, 18” to 60” in 6” increments, 72” wide in selected panel configurations

Adjustability:

- 3” glide stem permits 2 1/2” height adjustment
- Slotted at 1” increments
- Over panels, 8”, 16”, 24”, 37” and 42” for enclosed offices (Non-slotted)

Acoustic Rating

- .80NRC/26STC

Door:

- 2 door panel widths, glazed/unglazed, lockable, reversible
- 2 sliding door widths, non-lockable

Flexibility:

- Universal connector

Panel Finishes:

- 2 grades of fabric, air flow grill, glaze, tempered glass, laminate & COM

Electrical:

- Desk height 8 wire/4 circuit - 1 dedicated

Communication:

- Desk height data channel
- Raceway cover easily removed
- Fabric covered raceways available

## SYSTEM 3 PANELS

Features:

- Base power and data lay-in
- Desk height power and data feed thru
- Top data lay-in
- Patented “Knuckle-Loc”, rigid connection, prevents light and sound transmission
- Removable multi-functional tile design options
- Fabric surfaces are able to be replaced on-site
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend height to enclose an office in fabric, glazed or laminate options
- Raceway cover easily removed

Construction:

- Rigid extruded aluminum

Sizes:

- 4 Heights: 34”, 42”, 50”, 66”
- 8 Widths: 18” to 60”

Adjustability:

- 3” glide stem permits 2 1/2” height adjustment
- Slotted at 1” centres
- Over panels, 8” and 16” (Non-slotted)

Door:

- 2 widths, glazed/solid, lockable, reversible
- 2 sliding door widths, non-lockable

Flexibility:

- Universal connector

Panel Finishes:

- Fabric, air flow accessory, tempered glass, laminate, whiteboard, corkboard (at base only)

## ELECTRICAL FOR BOULEVARD 1 PANELS

Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in electrical
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit or 4 wire with 2 regular 15 amp circuits
- Snap-in installation - harnesses, junction boxes, duplexes
- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel: choice of circuits for each duplex; choice of quantity of duplexes (1 or 2 duplexes per panel)

- Electrical cords are concealed
- Separate large channel for data
- Change electrical without moving pedestals
- Lower installation/reconfiguration costs
- Data terminals snap into cable holder
- Floor or ceiling feed
- Duplexes accessible from both sides

## ELECTRICAL FOR SYSTEM 3 PANELS

Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in duplex receptacles
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit
- Snap-in installation - harnesses, junction boxes, duplexes

- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel
- Data terminals snap into base raceway cover and mid panel electrical tile
- Floor or ceiling feed
- Duplexes accessible from both sides

# OVERVIEW

## WORKSURFACES / HARDWARE

Features:

- One universal cantilever support
- Pedestal eliminates need for end panel/cantilever
- Grommets are not needed
- Continuous cable accessibility across back
- Adjustable to any height
- Flush abutment side edge minimize seam crevice
- Metal-to-metal connections (Metal Inserts)
- Additional cable manager under worksurface

Construction:

- Medium-density particle board 1 1/16" thick

Sizes:

- 3 Depths: 18", 24" and 30"
- 12 Widths: 18" to 84" in 6" increments

Finishes:

- Tops: HP, LP or Wood
- Edges: PVC or Wood

Types:

- Transaction, keyboard, rectangular worksurface, corner, curved, D-top, P-top, Arc-top and freestanding

## OVERHEAD STORAGE

Features:

- Completely enclosed unit for 16" overheads
- Shipped fully assembled or KD
- 13.5" inside height for oversized binders
- Metal-to-metal connection
- Lock secures into bottom shelf
- Doors operate smoothly
- Flipper door retrofittable on site
- Safety bracket used for extra support
- Reinforcement built in for larger unit
- Can be removed and reconfigured without disassembly

Fronts:

- Open or closed fronts

Sizes:

- Overheads - 6 widths in 6" increments
- Shelves - 7 widths in 6" increments
- 16" deep welded overhead for EDP, ring binder, letter/legal
- 12" deep KD overhead
- 15" deep KD overhead with "Soft-to-the-touch" handles

Paint:

- Dry epoxy powder coating

## PEDESTALS

Features:

- Double wall construction on all drawer fronts
- Fully progressive suspension system
- Full-width pull, "Hytrel™" or "Soft-to-the-touch" handles on drawer fronts
- Worksurface supporting option
- Full extension roller bearing glides on all file drawers
- Rubber bumpers for quietness
- Moveable drawer divider/pencil tray 5 1/2" deep
- 25" filing capacity for file drawers (only in 30" pedestal)
- Durable epoxy finish
- Keyed alike options
- Box/Box/File standard with pencil tray

Construction:

- Double wall drawer fronts
- 18-20 gauge steel

Sizes:

- 18", 24", 30" depth

Types:

- Worksurface Supporting, Mobile, Freestanding

Paint:

- Dry epoxy powder coating

# COST SAVINGS

## HOW BOULEVARD 1 CAN REDUCE YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, trim caps, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

### Desk Height Electric:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfiguration costs.
- Can customize power in each panel, pay only for what is required.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Replaceable Panels:

- Panels can be re-upholstered on site.

### Communications/Data Channel:

- Desk height data channel reduces time to install and change cables.

### Floor to Ceiling Enclosed Office:

- Re-usable enclosed offices with doors eliminate future costs for drywall demolition, new construction, mess and extensive cash flow.
- Depreciation expense indirectly increases cash flow.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

### Product:

- Priced less than most other "A" Grade panel systems.

## HOW BOULEVARD SYSTEM 3 REDUCES YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

### Base Panel Electric System:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfigurations costs.
- Can customize power in each panel, pay only for what is required.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Replaceable Panel Tiles:

- Over Panels and face tiles can be added and interchanged as needs change.

### Communications/Data Channel:

- Base and top lay-in communications channel reduces time to install and change cables.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

### Product:

- Priced less than most other "A" Grade panel systems.

## HOW DIET REDUCES YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.
- Open bottom panels can reduce cost and improve circulation within the office.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Communications Channel:

- Base communication channel reduces time to install and change cables.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

# where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it. The following is a directory of available resources:

<p><b>Product Pricing</b></p>  	<p><b>Web Pricing</b> access to all up-to-date pricing, as well as partially updated and complete Price Guides in PDF format can be found at <a href="http://www.teknion.com/products/default.asp">www.teknion.com/products/default.asp</a> and selecting the <b>pricing</b> tab.</p> <p><b>Printed Price Guides</b> by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through the <b>order literature</b> link at <a href="http://teknion.com">teknion.com</a> or by contacting your local Teknion Representative.</p> <p><b>Xpress</b> The Xpress symbol is displayed in the Price Guide beside products that are offered in Teknion's Xpress Program. A printed Xpress Guide can be ordered online through the <b>order literature</b> link at <a href="http://teknion.com">teknion.com</a> or by contacting your local Teknion Representative.</p> <p><b>Web Access</b> to the online Xpress Guide can be found at <a href="http://www.teknion.com/products/default.asp">www.teknion.com/products/default.asp</a>.</p>
<p> <b>Please review the online guides for the most up-to-date information prior to placing your order.</b></p>	
<p><b>Planning Ideas</b></p> 	<p><b>Web Planning Tool</b> Select and view typicals of our products by solution, size or price with a click of your mouse. Get great ideas and save time!</p> <p><b>Web Access</b> is available by selecting the <b>tool kit</b> link found on the top navigation bar of <a href="http://teknion.com">teknion.com</a>.</p>
<p><b>Weights &amp; Volumes</b></p> 	<p><b>Web Access</b> to Weights &amp; Volumes can be found by selecting the <b>additional information</b> link at <a href="http://teknion.com">teknion.com</a> on specific product pages within the pricing sections.</p>
<p><b>Fabrics &amp; Finishes</b></p>  	<p>Teknion's fabrics and finishes offering includes the following programs; Standard Panel and Seating Fabrics &amp; Finishes, Graded-In Panel and Seating Fabrics.</p> <p><b>Web Access</b> is available by selecting the <b>Fabrics &amp; Finishes</b> link at <a href="http://teknion.com">teknion.com</a> within each product line home page.</p> <p><b>Printed Fabrics &amp; Finishes Guides</b> can be ordered online through the <b>order literature</b> link at <a href="http://teknion.com">teknion.com</a> or by contacting your local Teknion Representative.</p>
<p><b>Product Photos &amp; Drawings</b></p> 	<p><b>Web Access</b> to all photos, line drawings and renderings are available by selecting the <b>Photo Bank link</b> at <a href="http://teknion.com">teknion.com</a>.</p> <p>Image CDs are also available upon request. Contact your Teknion Customer Service Representative</p>
<p><b>Order Forms</b></p> 	<p>All forms, from COM Forms to Key Charts.</p> <p><b>Web Access</b> is available by selecting the <b>additional information</b> link at <a href="http://teknion.com">teknion.com</a> on specific product pages within the pricing sections.</p>
<p><b>Warranty/Terms &amp; Conditions of Sale</b></p> 	<p><b>Web Access</b> is available by selecting the <b>legal</b> link found on the top navigating bar at <a href="http://teknion.com">teknion.com</a>.</p>
<p><b>Installation Guides</b></p> 	<p>Installation Guides are available on CDs or at <a href="http://Tekniontips.com">Tekniontips.com</a>(Canada) or <a href="http://Teknioninfo.com">Teknioninfo.com</a>(U.S.A.).</p>
<p><b>User Feedback</b></p> 	<p>How is our marketing material working for you?</p> <p>Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you please email us at <a href="mailto:pricebookchanges@teknion.com">pricebookchanges@teknion.com</a>.</p>



Available in Printed Format




Available Electronically



# GRAIN DIRECTION

## WOOD GRAIN (WG) LAMINATE DIRECTION




\* Panel general direction will default to vertical if monolithic panel and raceway panels are on same order.


All Panels  
With Exception of 66" or higher panels, the grain is vertical.




BPD  
Doors.




BWS  
Worksurfaces.




BWSC  
Worksurfaces.




BWK  
Worksurfaces.




BWCF  
Corner Worksurfaces.




BWCL  
Corner Worksurfaces.




BWCK  
Corner Worksurfaces.




BWCKC  
Corner Worksurfaces.




BWAC Angled Corner  
Worksurfaces




BWCE  
Extended Worksurfaces.




BWCEC  
Extended Worksurfaces.




BWBT  
Bow Tie Worksurfaces.



BWR  
Radius Worksurfaces.




BWRTD  
Teardrop Worksurfaces.




BWSR  
Curved Panel  
Worksurfaces.




BWC  
Extended "D"  
Worksurfaces.




BWSL  
Curvilinear  
Worksurfaces.




BWD  
Worksurfaces.




BWP  
Worksurfaces.




BWT  
Transaction  
Worksurfaces.




BWTC  
Corner Transaction  
Worksurfaces.



BWTT  
Transaction  
Worksurfaces.




BWTAC  
Transaction  
Worksurfaces.




BWTR  
Curved Transaction  
Worksurfaces




BWTD "D"  
Transaction  
Worksurfaces.




BWTD "D"  
Transaction  
Worksurfaces.




BWTE  
Ellipse Transaction  
Worksurfaces




BWTP  
Round Transaction  
Worksurfaces.




BWCD  
Round Tables.



BWSQ  
Square Tables.



BK  
Desking Worksurfaces.



BHFG  
Full Gable.

# CONFIGURATIONS

## INTRODUCTION

On the following pages, we selected a grouping of Boulevard 1, System 3 and Diet configurations, some with electrical components and task lights, to give you a better understanding of our product's specifications as they relate to workstations. Our objective is to not only illustrate applications using panels and components, but also to have this serve as a pricing exercise.

All of the value-added benefits of the Boulevard 1 are standard as follows:

- Desk height power and data capabilities.
- Finished panel including top, corner and end caps.
- Sectional panel with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

All of the value-added benefits of the Boulevard System 3 are standard as follows:

- Base power and data capabilities.
- Finished panel including top and corner.

- Monolithic or Pass-Thru panels with multiple fabric options.
- Ease of installation and reconfiguration.
- Removable fabric tiles in Pass-Thru Panels for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.



All of the value-added benefits of the Diet System are standard as follows:

- Finished panel including top, corner and end caps.
- Sectional panels with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

When specifying Boulevard 1, Boulevard System 3 or Diet, you benefit from the ability to:

- Customize the energy management.
- Minimize the number of necessary parts.



## SAMPLE #1 Boulevard 1 • 4 POD



QUANTITY	CODE	DESCRIPTION
4	BPRA5036	Acoustic Raceway Panel, 50"h x 36" w
8	BPRA6636	Acoustic Raceway Panel, 66"h x 36" w
2	BHP066	90 Degree Post, 66"h
2	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l x 36"d
2	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l x 36"d
2	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l x 24" d
2	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l x 24" d
8	BHC18	Cantilever, 17" d
2	BHBC02	Corner End Brackets, set
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24" d
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24" d
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36"w x 15" d
4	BLUC24	Under Storage Task Light, 24" w
		Subtotal Pricing (without electrical)
1	BEPE81	Post Extension, 81" h
1	BE8CF1201	Ceiling Feed, Single
4	BE81D36	Power Distribution Housing
2	BE8D1	Duplex Receptacle, Circuit #1
2	BE8D2	Duplex Receptacle, Circuit #2
2	BE8D3	Duplex Receptacle, Circuit #3
2	BE8DA	Duplex Receptacle, Circuit #A (isolated)
2	BE8JC16	Power Distribution Harness, Male/Male, 24.5" w
1	BE8JC20	Jumper Cable
		Total Pricing (all inclusive)



# CONFIGURATIONS

## SAMPLE #2 Boulevard 1 • Teaming



QUANTITY	CODE	DESCRIPTION
1	BPRA4236	Acoustic Raceway Panel, 42”h x 36” w
1	BPRA5036	Acoustic Raceway Panel, 50”h x 36” w
4	BPRA6636	Acoustic Raceway Panel, 66”h x 36” w
2	BPRG5042	Partly Glazed Raceway Panel, 50”h x 42” w
3	BHP066	90 Degree Post, 66”h
1	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72”l x 36”d
1	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72”l x 36”d
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36”l x 24” d
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36”l x 24” d
1	BWR24HP	Radius Worksurface, 24” d
1	BWTD1536	Transaction “D” Worksurface, 36” w
4	BHC18	Cantilever, 17” d
2	BHC24	Cantilever, 23” d
1	BHBC02	Corner End Brackets, set
2	BHBT02	Transaction Brackets, set
2	BSOL1536	Radius Low Profile Shelf, 36” w
2	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24” d


## SAMPLE #3 Boulevard 1 • Manager



QUAN-	CODE	DESCRIPTION
2	BPRA4236	Acoustic Raceway Panel, 42”h x 36” w
2	BPRA5054	Acoustic Raceway Panel, 50”h x 54” w
2	BPRA6624	Acoustic Raceway Panel, 66”h x 24” w
1	BPRA6660	Acoustic Raceway Panel, 66”h x 60” w
2	BPOG1636	Glazed Oval Panel, 16” h x 36” w
2	BPOG1654	Glazed Over Panel, 16” h x 54” w
2	BHP066	90 Degree Post, 66”h
2	BVTE58	Vertical End PVC Trim, 58” h
4	BVTE66	Vertical End PVC Trim, 66” h
2	BVTS08	Vertical Step Down PVC Trim, 8” h
1	BWS2454SCPHP	Rectangular Worksurface, 24” d x 54” w
1	BWS2460SCPHP	Rectangular Worksurface, 24” d x 60” w
1	BWSL3672LHP	Curvilinear Island Top, 36” x 72”, Left
2	BHC24	Cantilever, 23” d
1	BHBC02	Corner End Brackets, set
1	BRT52FL	Radius Tower, Five High, 2 File Drawers, Left
1	BPBBF24	Radius Worksurface Support Pedestal, Box, Box, File,
1	BSKD1560	Radius Flipper Door Unit, Field Assembled, 15” x 60” w

# CONFIGURATIONS



## SAMPLE #6 Boulevard System 3 • 4 POD Pass-Thru



QUANTITY	CODE	DESCRIPTION
4	BPX3MA5036	Monolithic Acoustical Panel, 50" h x 36" w
4	BPX3MA6636	Monolithic Acoustical Panel, 66" h x 36" w
3	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66" h x 36" w
1	BPX3PV6636	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 66" h x 36" w
4	BPX3ET1636	Removable Electrical Tile, 36" w
12	BPX3FT1636	Removable Fabric Tile, 36" w
2	BH3PS066	90 Degree Corner Post, 66" h
4	BA3VTR50	Vertical Aluminum End Trim, 50" h
2	BA3VTR66	Vertical Aluminum End Trim, 66" h
4	BA3VTS16	Vertical Aluminum Step Trim, 16" h
4	BWCC3618SCPHP	Five Sided Corner Worksurface with Curved Front Edge
4	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l x 24" d
4	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l x 24" d
8	BHC18	Cantilever, 17" d
2	BHBC02	Corner End Brackets, set
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24" d
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24" d
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36" w x 15" d
1	BE83BFR72	Single Base Feed
8	BE83D36	Double Junction Box Power Distribution Housing - Base Raceway
4	BE8D1	Duplex Receptacle, Circuit #1
4	BE8DA	Duplex Receptacle, Circuit #A (isolated)
2	BE8JC16	Jumper Cable
1	BE8JC20	Jumper Cable



# CONFIGURATIONS

## SAMPLE #7 Boulevard System 3 • Supervisor



QUANTITY	CODE	DESCRIPTION
2	BPX3MA3442	Monolithic Acoustical Panel, 34" h x 42" w
4	BPX3MA5042	Monolithic Acoustical Panel, 50" h x 42" w
2	BH3PS050	90 Degree Corner Post, 50" h
2	BA3VTR34	Vertical Aluminum End Trim, 34" h
4	BA3VTR50	Vertical Aluminum End Trim, 50" h
2	BA3VTS16	Vertical Aluminum Step Trim, 16" h
1	BWCC4224SCPHP	Curved Corner Worksurface
1	BWC60244242SCPRHP	"D" Extended Worksurface
1	BWS2442SCPHP	Rectangular Worksurface, 24" d x 42" w
2	BHC24	Cantilever, 23" d
1	BHBC02	Corner End Brackets, set
1	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24" d
1	BSKDC1542	Radius Upmount Flipper Door Overhead, Field Installed, 42" w x 15" d
1	BLUC24	Task Light, 24" w


## SAMPLE #8 Boulevard System 3 • Supervisor




QUANTITY	CODE	DESCRIPTION
1	BPX3PT5030	Pass-Thru Panel - Fabric Base, 50" h x 30" w
2	BPX3PT6618	Pass-Thru Panel - Fabric Base, 66" h x 18" w
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66" h x 36" w
1	BPX3PV5042	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 50" h x 42" w
2	BP3AT1636	Removable Accessory Tile, 36" w
1	BPX3ET1642	Removable Electrical Tile, 42" w
8	BP3FT1618	Removable Fabric Tile, 18" w
6	BP3FT1636	Removable Fabric Tile, 36" w
1	BP3FT1642	Removable Fabric Tile, 42" w
1	BP3GT1630	Removable Glazed Tile, 30" w
2	BH3PS066	90 Degree Corner Post, Boulevard System 3
1	BA3VTR50	Vertical Aluminum End Trim
5	BA3VTR66	Vertical Aluminum End Trim
1	BA3VTS16	Vertical Aluminum Step Trim
1	BWD3072HP	"D" Worksurface, 30" d x 72" w
1	BWS1872SCPHP	Rectangular Worksurface, 18" d x 72" w
1	BWS2442SCPHP	Rectangular Worksurface, 24" d x 42" w
1	BHC18	Cantilever, 17" d
2	BHC24	Cantilever, 23" d
2	BHBC02	Corner End Brackets, set
1	BS1230DPLL	Linear Double Wide Pedestal, 30" w, Left
2	BSKD1536	Radius Overhead Flipper Door Unit, Field Assembled, 36" w
2	BLUC24	Under Storage Task Light, 24" w

# CONFIGURATIONS

## SAMPLE #9 Boulevard System 3 • 2 POD




← 146.5" →




↑ 74.5" ↓

QUANTITY	CODE	DESCRIPTION
2	BPX3MA3436	Monolithic Acoustical Panel, 34" h x 36" w
1	BPX3PT5024	Pass-Thru Panel - Fabric Base, 50" h x 24" w
4	BPX3PT5036	Pass-Thru Panel - Fabric Base, 50" h x 36" w
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66" h x 36" w
2	BP3GT1636	Removable Glazed Tile, 36" w
2	BP3FT1624	Removable Fabric Tile, 24" w
10	BP3FT1636	Removable Fabric Tile, 36" w
2	BP3AT1636	Accessory Tile, 36" w
1	BH3PS034	90 Degree Corner Post, 34" h
1	BH3PS050	90 Degree Corner Post, 50" h
1	BH3PS066	90 Degree Corner Post, 66" h
3	BA3VTR34	Vertical Aluminum End Trim, 34" h
4	BA3VTR50	Vertical Aluminum End Trim, 50" h
1	BA3VTR66	Vertical Aluminum End Trim, 66" h
4	BA3VTS16	Vertical Aluminum Step Trim, 16" h
1	BWCEC367224SCPHP	Extended Corner Worksurface, 36" d x 72" w
1	BWCEC723624SCPHP	Extended Corner Worksurface, 36" d x 72" w
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36" l x 24" d
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36" l x 24" d
4	BHC18	Cantilever, 17" d
3	BHBC02	Corner End Brackets, set
2	L2PBBF24	Licence Worksurface Support Pedestal, Box, Box, File, 24" d
2	BSKD1536GD	Radius Flipper Door Overhead, Field Installed, 36" w x 15" d, Glazed Door

## SAMPLE #10 Diet • Single



← 62.6" →





↑ 73.3" ↓

QUANTITY	CODE	DESCRIPTION
1	DPOF4230	Open Bottom and Fabric Top Diet Panel, 42" h x 30" w
1	DPOF4236	Open Bottom and Fabric Top Diet Panel, 42" h x 36" w
1	DPPF4224	Fabric Bottom and Fabric Top Diet Panel, 42" h x 24" w
1	DPPF4260	Fabric Bottom and Fabric Top Diet Panel, 42" h x 60" w
1	DPCBM60	Diet Panel Cable Manager, 60" w
1	DWS2436SCPHP	Rectangular Worksurface, 24" d x 36" w (includes brackets)
1	DWS2466SCPHP	Rectangular Worksurface, 24" d x 66" w (includes brackets)
1	BHBF01	Flat Bracket
1	DHOMC	Diet Off-Module Cantilever
1	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24" d
1	DHPEDB	Pedestal Bracket Kit
1	DSADA60PM	Panel Mounted Overhead, 60" w
1	GAKS1818	CRT Corner Plate



# CONFIGURATIONS

## SAMPLE #11 Diet • 4 POD



QUANTITY	CODE	DESCRIPTION
2	DPPF5436	Fabric Bottom and Fabric Top Diet Panel, 54" h x 36" w
2	DPPF5448	Fabric Bottom and Fabric Top Diet Panel, 54" h x 48" w
2	DPFSF5436	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54" h x 36" w
2	DPFSF5448	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54" h x 36" w
2	DPCBM36	Diet Panel Cable Manager, 36" w
2	DPCBM48	Diet Panel Cable Manager, 48" w
4	DWS2436SCPHP	Rectangular Worksurface, 24" d x 36" w (includes brackets)
4	DWS2448SCPHP	Rectangular Worksurface, 24" d x 48" w (includes brackets)
4	DWS2460SCPHP	Rectangular Worksurface, 24" d x 60" w (includes brackets)
16	BHBF01	Flat Bracket
4	DHLEG	Diet Gable Leg
8	DHOMC	Diet Off-Modular Cantilever
4	BPBBF24	Radius Worksurface Supporting Pedestal, Box/Box/File, 24" d
4	DHPEDB	Pedestal Bracket Kit
4	GAKS1818	CRT Corner Plate


## SAMPLE #12 Diet • Call Center



QUANTITY	CODE	DESCRIPTION
3	DPOF5442	Open Bottom and Fabric Top Diet Panel, 54" h x 42" w
4	DPFRF5448	Fabric Bottom, Fabric Top Diet Panel with Additional Rail
6	DPOFM	Diet Off Module Panel Connector
8	DWS2448SCPHP	Rectangular Diet Worksurface, 24" d x 48" w (includes brackets)
4	DHLEG	Diet Gable Leg


# CONFIGURATIONS

## SAMPLE #13 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION
3	BPRA5060	Acoustical Raceway Panel, 50" h x 60" w, Boulevard 1
4	DPFF4236	Fabric Bottom and Fabric Top Diet Panel, 42" h x 36" w
4	DPOF4236	Open Bottom and Fabric Top Diet Panel, 42" h x 36" w
1	BHP050	90 Degree Post, 50" h, Boulevard 1
4	DB1P4250X	Boulevard/Diet "X" Post Connector, 50" Boulevard, 42" Diet
4	BAVTE50	Aluminum End Trim, 50" h, Boulevard 1
6	BWBT3660SCPHP	Bow Tie Worksurface, 36" d x 60" w
24	DHBRKT	Diet Worksurface Bracket
6	VV18TOTOP	Toto Mobile Pedestal
1	BE81BF721	Single Base Feed
3	BE82D60	Double Junction Box
6	BE8D1	Duplex Receptacle, Circuit #1
6	BE8DA	Duplex Receptacle, Circuit #4 (isolated)
2	BE8CP40HH	Power Distribution Harness, Male/Male, 54.5" w
6	RCW60D	PVC Raceway Cover, Right, for Facemount Application

## SAMPLE #14 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION
4	BPRA6636	Acoustical Raceway Panel, 66" h x 36" w, Boulevard 1
2	DPFF4260	Fabric Bottom and Fabric Top Diet Panel, 42" h x 60" w
2	DB1P4266T	Diet/Boulevard 1 Thin Post "X" Connector, 42" Diet, 66" Boulevard 1
2	BVTE66	PVC Vertical End Trim, 66" h
2	BWS2472SCPHP	Rectangular Worksurfaces, 24" d x 72" w
2	DWS2436SCPHP	Diet Rectangular Worksurfaces, 24" d x 36" w
2	DHOMC	Diet Off Module Cantilever
1	BHBC02	Corner End Bracket, set
2	BHBF01	Flat Bracket
1	BHCL2924	"C"Leg, 29"hx24" d
2	BHC24	Cantilever, 23" d
2	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24" d
2	DHPEDB	Diet Pedestal Bracket
2	BSOF1236	KD Overhead Storage, Flipper Door, 36" w
2	BSOL1236	KD Low Profile Shelf, 36" w
1	VVO2448HP4	Viceversa® Oval Table, 24" d x 48" w

# boulevard 1 panels

## Boulevard 1 Panel System

The Boulevard philosophy is based on simplicity. A product that is simple to install... simple to reconfigure... and simple to specify, without sacrificing delivery time or quality.

Technically superb and exceptionally precise aluminum extrusion and die-cast fitments achieve exact levels of consistency, panel after panel; everything fits, aligns, and assembles, first time, every time. Most of all it requires very few of the “small parts” associated with most systems. This cross-market integration is celebrated in Boulevard.

Truly a system of broad application, whether installed in a high-tech environment, factory application or executive office, Boulevard will perform! We invite you to share with us a product designed, built and marketed for a global economy.

### Our Mission

Our mission is to continue to develop and offer innovative, quality office furniture to value-oriented customers, through a dealer network that provides consistent, high quality service. Our approach in the contract furniture industry is to focus on customer concerns and needs to develop products that minimize your costs of

ownership. It represents the culmination of creativity, industry expertise, specialists, and integrity to help you achieve cost-effective solutions to problems. Our vision is to create a company-wide environment that supports constant improvement and promotes customer satisfaction. We believe that as good as we are today, we must be better tomorrow. Thus, our desire to improve is both continuous and tireless.

### Environmental Commitment

At Teknion, protecting the next generations' environment is of paramount concern. Teknion believes that it is our responsibility to help protect the environment for future generations. We continue to operate with the environment in mind, making wise business decisions that help protect the earth and its precious natural resources. Our manufacturing procedure incorporates the latest technology for painting products, using a dry epoxy powder or gel paint. This process produces no toxic residue, and therefore is environmentally safe, while other manufacturers still use the wet paint process. Our packaging, veneer selections, and reduction in waste programs all contribute to a better environment. In addition, our concern for the reduction of finishing emissions and wood dust has resulted in a healthier work environment in many ways, including this price book, printed on recycled paper.

## Technical Information

### Panels

- All panels are 2 5/8" thick.
- Lightweight aluminum box frame construction creates superior panel rigidity.
- Panel frame finish is durable epoxy powder coated.
- Hang-on capabilities at 1" increments.
- Patented “Knuckle-Loc” design provides solid panel-to-panel connection for fast installation and reconfiguration.
- Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- Panel sizes are actual, eliminating creepage.
- Panels come complete, eliminating need for separate top, corner end trim and clips.
- Fabric is replaceable on site.
- All panels include 2 “Capture Strip” panel connectors.
- Fabric retainer is clear.
- Panels are UL listed and CSA approved and have a Class “A” fire rating except when Customer's Own Material (COM) is used.
- Glazing available in acrylic or tempered glass for straight panels, and acrylic only for curved panels.
- Center septum above raceway overlaid on either side with tackable, 1 1/8" “Sound Absorbent Mineral board”.
- For glazing - Smoke developed index 500.
- For tempered glass, add “TG” to the end of the product code and add 20% to the price regardless of fabric grade.
- Tempered glass is not available for curved panels.

### Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, not raceways, see “OPT” column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame color and can be retrofitted on site.
- Laminate, whiteboard and corkboard options reduce the acoustical value of the panel.

### Raceway Options

- Raceways are standard in PVC matching the panel frame finish.
- Fabric Covered Raceway (FRC) available. Aluminum raceway available.
- Wood veneer raceway available.
- Face mount electrical raceway available.
- Face mount openings are 1.5x2.85 for electrical and 1.37x2.755 for data.
- Cable capacity in raceways is 83 - 0.220" dia.cables (cat.6).

### Desk Height Management

- Desk height electrical and communication raceway system.
- State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, junction boxes, duplexes and circuit designations.
- All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- Optional facemount electrical with 2 duplexes per panel side.
- Outlet and circuit changes accomplished without disruption to workstation.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of 1, 2 or 4 duplexes per panel; choice of circuitry in each duplex .
- Unique design of fire retardant PVC raceway cover permits access to raceway without disruption to equipment on worksurfaces.
- Clip-on communication management channel (BECC01) included with each panel.
- Communication management channel accepts modular Data/Comm terminals(not supplied by Teknion).

### Posts


- Enables connection for multiple panel runs such as 90°, 45° or 60° angles and 2 way, 3 way or 4 way.
- Provides route for base, ceiling, and worksurface cable entry to a panel.
- Self levelling feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique “Knuckle-Loc” design providing rigid post-to-panel connection.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- Posts are 1/8" oversized to allow for “panel wrap around” of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.

## PANELS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


Example of Panel: BPR6636 CHR CHR



### How to Specify

- Specify Boulevard 1 panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify PVC raceway finish - ie. CHR (Charcoal). If PVC raceway color not specified at time of order, default will be the panel frame color.
- Specify all four panel fabric options if necessary.
- Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider than 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.

Example of Post: BHP066 CHR



### How to Specify

- Specify Boulevard 1 post by code.
- Specify frame color - ie. CHR (Charcoal).

### Raceways

PVC:

- Standard, at time of order, includes 2 covers.
- Standard, when ordering individuals: RCSxxCOL.
- Curved, when ordering individuals: 10065IRS24COL for inside and 10065ORS-24COL for outside.
- Facemount raceways: RCWxxD.
- Curved Facemount raceways are not available.

**Fabric:**

- Standard, at time of order: RCWxxFAB, \$24 per side, sold as pair, panel mounted.
- Standard, when ordering individuals: 1006FRCxx, shipped separately.
- Curved raceways: RCR24IFAB for inside and RCR24OFAB for outside.
- Facemount raceways: FCRxxD.
- Curved Facemount raceways are not available.

**Aluminum:**

- Standard, when ordering individuals: BARCxx,
- Facemount raceways: RACxxD.
- Curved raceways not available in aluminum.
- Curved Facemount raceways are not available.

**Wood:**

- Standard, when ordering individuals: BTRCxx.
- Curved Facemount raceways are not available.
- COL = Finish color, xx = Size
- Curved wood raceways and top trim not available.



BPRA

DESCRIPTION

FINISHES

**Acoustical Raceway Panel** • Fabric above the raceway provides visual and acoustic privacy.



- Center septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Center septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT\* = Laminate or Whiteboard.



PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPRA3718	354	362	373	37	18	18	1.580
BPRA3724	393	402	414	37	24	21	2.054
BPRA3730	431	440	451	37	30	25	2.528
BPRA3736	469	502	537	37	36	28	3.002
BPRA3742	510	544	579	37	42	32	3.476
BPRA3748	548	581	615	37	48	35	3.950
BPRA3754	588	621	656	37	54	39	4.424
BPRA3760	625	660	694	37	60	44	4.898
BPRA3772	1039	1079	-	37	72	56	6.000
BPRA4218	354	362	392	42	18	22	1.782
BPRA4224	393	412	433	42	24	28	2.317
BPRA4230	431	450	470	42	30	32	2.852
BPRA4236	469	507	548	42	36	36	3.387
BPRA4242	510	549	588	42	42	40	3.921
BPRA4248	550	591	625	42	48	44	4.456
BPRA4254	588	648	667	42	54	48	4.991
BPRA4260	625	664	704	42	60	52	5.525
BPRA4272	1173	1252		42	72	72	6.770
BPRA5018	402	442	470	50	18	25	2.106
BPRA5024	442	470	501	50	24	30	2.738
BPRA5030	485	513	545	50	30	35	3.370
BPRA5036	528	575	625	50	36	40	4.002
BPRA5042	568	615	667	50	42	45	4.634
BPRA5048	612	659	709	50	48	50	5.266
BPRA5054	651	699	750	150	54	55	5.898
BPRA5060	696	742	793	50	60	60	6.530
BPRA5072	1208	1287		50	72	80	8.000
BPRA5418	436	454	475	54	18	26	2.431
BPRA5424	480	508	539	54	24	31	3.160
BPRA5430	521	549	580	54	30	36	3.889
BPRA5436	564	621	681	54	36	41	4.618
BPRA5442	610	667	727	54	42	46	5.347
BPRA5448	650	707	768	54	48	51	6.076
BPRA5454	696	752	812	54	54	56	6.806
BPRA5460	736	793	854	54	60	61	7.535
BPRA5818	436	454	475	58	18	28	2.431
BPRA5824	480	508	539	58	24	33	3.160
BPRA5830	521	549	580	58	30	38	3.889
BPRA5836	564	621	681	58	36	43	4.618
BPRA5842	610	667	727	58	42	48	5.347
BPRA5848	650	707	768	58	48	53	6.076
BPRA5854	696	752	812	58	54	58	6.806
BPRA5860	736	793	854	58	60	63	7.535
BPRA6618	468	496	527	66	18	32	2.755
BPRA6624	513	552	591	66	24	37	3.581
BPRA6630	559	596	638	66	30	42	4.407
BPRA6636	602	668	739	66	36	48	5.234
BPRA6642	647	713	785	66	42	53	6.060
BPRA6648	694	760	827	66	48	58	6.887
BPRA6654	735	801	871	66	54	63	7.713
BPRA6660	779	846	917	66	60	68	8.539

BPRA	DESCRIPTION					FINISHES		
Acoustical Raceway Panel ...cont'd.	PRODUCT CODE	PRICE		OPT*	SIZE/INCHES		WEIGHT	VOL
		GR1	GR2		H	W	LBS	FT <sup>3</sup>
	BPRA7418	507	534	565	74	18	34	3.079
	BPRA7424	551	588	629	74	24	39	4.002
	BPRA7430	596	635	675	74	30	45	4.926
	BPRA7436	644	720	800	74	36	50	5.850
	BPRA7442	691	767	847	74	42	55	6.773
	BPRA7448	733	808	889	74	48	60	7.697
	BPRA7454	779	856	937	74	54	65	8.620
	BPRA7460	827	901	982	74	60	70	9.544
	BPRA8218	548	575	607	82	18	36	3.403
	BPRA8224	595	643	694	82	24	42	4.424
	BPRA8230	644	691	742	82	30	48	5.444
	BPRA8236	692	776	867	82	36	54	6.465
	BPRA8242	736	821	913	82	42	60	7.486
	BPRA8248	785	868	959	82	48	66	8.507
	BPRA8254	832	917	1008	82	54	72	9.528
	BPRA8260	881	966	1057	82	60	78	10.549

BPRG	DESCRIPTION					FINISHES		
Partly Glazed Raceway Panel	<b>Glazing above the raceway provides visual accessibility.</b>					<b>Panel frame finish.</b>		
	<ul style="list-style-type: none"> <li>Center septum below raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".</li> <li>Glazing replaceable on site.</li> <li>Standard glaze is acrylic.</li> <li>OPT* = Laminate or Whiteboard.</li> </ul>					<b>Class "A" Fire rated fabric.</b>  <b>PVC cover standard in corresponding frame color.</b>  <b>Tempered Glass or Acrylic finish.</b>		



PRODUCT CODE	PRICE		OPT*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2		H	W		
BPRG4218	475	483	495	42	18	22	1.782
BPRG4224	519	537	557	142	24	28	2.317
BPRG4230	563	583	603	42	30	32	2.852
BPRG4236	610	647	687	42	36	36	3.387
BPRG4242	651	690	730	42	42	40	3.921
BPRG4248	698	735	775	42	48	44	4.456
BPRG4254	742	779	820	42	54	48	4.991
BPRG4260	786	824	863	42	60	52	5.525
BPRG4272	1288	1328		42	72	72	6.770
BPRG5018	526	534	546	50	18	24	2.106
BPRG5024	570	589	610	50	24	29	2.738
BPRG5030	617	637	656	50	30	34	3.370
BPRG5036	664	702	742	50	36	39	4.002
BPRG5042	707	745	786	50	42	44	4.634
BPRG5048	755	793	832	50	48	48	5.266
BPRG5054	801	838	880	50	54	54	5.898
BPRG5060	846	884	923	50	60	59	6.530
BPRG5072	1322	1362		50	72	78	8.000
BPRG5818	583	591	603	58	18	26	2.431
BPRG5824	628	646	667	58	24	31	3.160
BPRG5830	675	694	714	58	30	36	3.889
BPRG5836	723	761	801	58	36	41	4.618
BPRG5842	770	807	848	58	42	46	5.347
BPRG5848	817	855	894	58	48	51	6.076
BPRG5854	863	900	942	58	54	56	6.806
BPRG5860	912	949	989	58	60	61	7.535


Continued on next page.

BPRG

Partly Glazed Raceway Panel ...cont'd.	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		GR1	GR2	OPT*	H	W		
	BPRG6618	631	640	650	66	18	29	2.755
	BPRG6624	680	700	720	66	24	34	3.581
	BPRG6630	731	750	770	66	30	39	4.407
	BPRG6636	781	819	859	66	36	45	5.234
	BPRG6642	832	869	911	66	42	50	6.060
	BPRG6648	883	920	959	66	48	55	6.887
	BPRG6654	930	970	1009	66	54	60	7.713
	BPRG6660	984	1023	1063	66	60	65	8.539
	BPRG7418	681	691	702	42	18	30	3.079
	BPRG7424	735	755	774	42	24	35	4.002
	BPRG7430	788	826	865	42	30	41	4.926
	BPRG7436	839	879	918	42	36	46	5.850
	BPRG7442	893	930	972	42	42	51	6.773
	BPRG7448	947	984	1025	42	48	56	7.697
	BPRG7454	1000	1037	1077	42	54	61	8.620
	BPRG7460	1061	1098	1139	42	60	66	9.544
	BPRG8218	721	730	741	42	18	31	3.403
	BPRG8224	778	798	818	42	24	36	4.424
	BPRG8230	837	857	877	42	30	43	5.444
	BPRG8236	896	936	975	42	36	49	6.465
	BPRG8242	956	996	1035	42	42	55	7.486
	BPRG8248	1017	1055	1095	42	48	61	8.507
	BPRG8254	1076	1114	1154	42	54	67	9.528
	BPRG8260	1142	1180	1220	42	60	73	10.549

BPRAE

Raceway Panel - Electrical



DESCRIPTION


A 6" raceway panel allows power and communication/data entry along a straight run of panels where a standard post entry cannot be utilized.


- Sections above and below the raceway are upholstered in fabric.
- Inner lower raceway area allows for single or double power feed entry and provides 1.3" x 2.9" aperture for communication/data cables.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRAE6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.

FINISHES

Panel frame finish.  
Class "A" Fire rated fabric.  
PVC cover standard in corresponding frame color.

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPRAE3706	393	403	414	37	6	24	0.6
BPRAE4206	393	412	434	42	6	26	0.7
BPRAE5006	442	471	501	50	6	29	0.8
BPRAE5806	480	509	539	58	6	32	0.9
BPRAE6606	513	550	590	66	6	35	1.0
BPRAE7406	551	588	630	74	6	37	1.1
BPRAE8206	595	644	694	82	6	41	1.2


BPRA	DESCRIPTION	FINISHES																																																																					
<b>Raceway Panel - Filler</b>	<p>A 6" (BPRA) raceway panel for use as a filler panel.</p> <ul style="list-style-type: none"> <li>Sections above and below the raceway are upholstered in fabric.</li> <li>All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRA6606 + BPRA6618 is equivalent to BPRA6624.</li> <li>6" panels are not to be used as a stability panel in a panel run.</li> </ul>	<p>Panel frame finish.</p> <p>Class "A" Fire rated fabric.</p> <p>PVC cover standard in corresponding frame color.</p>																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>BPRA3706</td><td>393</td><td>402</td><td>414</td><td>37</td><td>6</td><td>24</td><td>0.6</td></tr> <tr><td>BPRA4206</td><td>393</td><td>412</td><td>433</td><td>42</td><td>6</td><td>26</td><td>0.7</td></tr> <tr><td>BPRA5006</td><td>442</td><td>470</td><td>501</td><td>50</td><td>6</td><td>29</td><td>0.8</td></tr> <tr><td>BPRA5806</td><td>480</td><td>508</td><td>539</td><td>58</td><td>6</td><td>32</td><td>0.9</td></tr> <tr><td>BPRA6606</td><td>513</td><td>550</td><td>590</td><td>66</td><td>6</td><td>35</td><td>1.0</td></tr> <tr><td>BPRA7406</td><td>551</td><td>588</td><td>629</td><td>74</td><td>6</td><td>37</td><td>1.1</td></tr> <tr><td>BPRA8206</td><td>595</td><td>643</td><td>694</td><td>82</td><td>6</td><td>41</td><td>1.2</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	BPRA3706	393	402	414	37	6	24	0.6	BPRA4206	393	412	433	42	6	26	0.7	BPRA5006	442	470	501	50	6	29	0.8	BPRA5806	480	508	539	58	6	32	0.9	BPRA6606	513	550	590	66	6	35	1.0	BPRA7406	551	588	629	74	6	37	1.1	BPRA8206	595	643	694	82	6	41	1.2	
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																
	GR1	GR2	OPT*	H	W																																																																		
BPRA3706	393	402	414	37	6	24	0.6																																																																
BPRA4206	393	412	433	42	6	26	0.7																																																																
BPRA5006	442	470	501	50	6	29	0.8																																																																
BPRA5806	480	508	539	58	6	32	0.9																																																																
BPRA6606	513	550	590	66	6	35	1.0																																																																
BPRA7406	551	588	629	74	6	37	1.1																																																																
BPRA8206	595	643	694	82	6	41	1.2																																																																

BPRF	DESCRIPTION	FINISHES																																																																																																																																																																																																																																																																																																					
<b>Air Flow Panel</b>	<p>Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.</p> <ul style="list-style-type: none"> <li>Center septum above raceway overlaid on either side with tackable, 1 1/8" "Acousti-Glass" sound absorbent.</li> </ul>	<p>Panel frame finish.</p> <p>Class "A" Fire rated fabric.</p> <p>PVC cover standard in corresponding frame color.</p>																																																																																																																																																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>BPRF3718</td><td>395</td><td>-</td><td>-</td><td>37</td><td>18</td><td>18</td><td>1.580</td></tr> <tr><td>BPRF3724</td><td>448</td><td>-</td><td>-</td><td>37</td><td>24</td><td>21</td><td>2.054</td></tr> <tr><td>BPRF3730</td><td>502</td><td>-</td><td>-</td><td>37</td><td>30</td><td>25</td><td>2.528</td></tr> <tr><td>BPRF3736</td><td>557</td><td>-</td><td>-</td><td>37</td><td>36</td><td>28</td><td>3.002</td></tr> <tr><td>BPRF3742</td><td>611</td><td>-</td><td>-</td><td>37</td><td>42</td><td>32</td><td>3.476</td></tr> <tr><td>BPRF3748</td><td>664</td><td>-</td><td>-</td><td>37</td><td>48</td><td>35</td><td>3.950</td></tr> <tr><td>BPRF3754</td><td>718</td><td>-</td><td>-</td><td>37</td><td>54</td><td>39</td><td>4.424</td></tr> <tr><td>BPRF3760</td><td>770</td><td>-</td><td>-</td><td>37</td><td>60</td><td>44</td><td>4.898</td></tr> <tr><td>BPRF3772</td><td>1306</td><td>-</td><td>-</td><td>37</td><td>72</td><td>56</td><td>6.000</td></tr> <tr><td>BPRF4218</td><td>408</td><td>412</td><td>418</td><td>42</td><td>18</td><td>22</td><td>1.782</td></tr> <tr><td>BPRF4224</td><td>464</td><td>468</td><td>473</td><td>42</td><td>24</td><td>28</td><td>2.317</td></tr> <tr><td>BPRF4230</td><td>519</td><td>523</td><td>528</td><td>42</td><td>30</td><td>32</td><td>2.852</td></tr> <tr><td>BPRF4236</td><td>574</td><td>583</td><td>593</td><td>42</td><td>36</td><td>36</td><td>3.387</td></tr> <tr><td>BPRF4242</td><td>629</td><td>638</td><td>648</td><td>42</td><td>42</td><td>40</td><td>3.921</td></tr> <tr><td>BPRF4248</td><td>683</td><td>692</td><td>703</td><td>42</td><td>48</td><td>44</td><td>4.456</td></tr> <tr><td>BPRF4254</td><td>740</td><td>748</td><td>760</td><td>42</td><td>54</td><td>48</td><td>4.991</td></tr> <tr><td>BPRF4260</td><td>796</td><td>804</td><td>816</td><td>42</td><td>60</td><td>52</td><td>5.525</td></tr> <tr><td>BPRF4272</td><td>1444</td><td>-</td><td>1484</td><td>42</td><td>72</td><td>72</td><td>6.770</td></tr> <tr><td>BPRF5018</td><td>457</td><td>467</td><td>478</td><td>50</td><td>18</td><td>25</td><td>2.106</td></tr> <tr><td>BPRF5024</td><td>514</td><td>524</td><td>534</td><td>50</td><td>24</td><td>30</td><td>2.738</td></tr> <tr><td>BPRF5030</td><td>573</td><td>582</td><td>592</td><td>50</td><td>30</td><td>35</td><td>3.370</td></tr> <tr><td>BPRF5036</td><td>630</td><td>648</td><td>669</td><td>50</td><td>36</td><td>40</td><td>4.002</td></tr> <tr><td>BPRF5042</td><td>691</td><td>709</td><td>730</td><td>50</td><td>42</td><td>45</td><td>4.634</td></tr> <tr><td>BPRF5048</td><td>747</td><td>767</td><td>787</td><td>50</td><td>48</td><td>50</td><td>5.266</td></tr> <tr><td>BPRF5054</td><td>804</td><td>824</td><td>844</td><td>50</td><td>54</td><td>55</td><td>5.898</td></tr> <tr><td>BPRF5060</td><td>862</td><td>882</td><td>900</td><td>50</td><td>60</td><td>60</td><td>6.530</td></tr> <tr><td>BPRF5072</td><td>1521</td><td>-</td><td>1561</td><td>50</td><td>72</td><td>80</td><td>8.000</td></tr> <tr><td>BPRF5818</td><td>491</td><td>504</td><td>520</td><td>58</td><td>18</td><td>28</td><td>2.431</td></tr> <tr><td>BPRF5824</td><td>550</td><td>563</td><td>579</td><td>58</td><td>24</td><td>33</td><td>3.160</td></tr> <tr><td>BPRF5830</td><td>611</td><td>624</td><td>640</td><td>58</td><td>30</td><td>38</td><td>3.889</td></tr> <tr><td>BPRF5836</td><td>670</td><td>698</td><td>729</td><td>58</td><td>36</td><td>43</td><td>4.618</td></tr> <tr><td>BPRF5842</td><td>728</td><td>756</td><td>787</td><td>58</td><td>42</td><td>48</td><td>5.347</td></tr> <tr><td>BPRF5848</td><td>787</td><td>817</td><td>847</td><td>58</td><td>48</td><td>53</td><td>6.076</td></tr> <tr><td>BPRF5854</td><td>846</td><td>874</td><td>905</td><td>58</td><td>54</td><td>58</td><td>6.806</td></tr> <tr><td>BPRF5860</td><td>908</td><td>936</td><td>967</td><td>58</td><td>60</td><td>63</td><td>7.535</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	BPRF3718	395	-	-	37	18	18	1.580	BPRF3724	448	-	-	37	24	21	2.054	BPRF3730	502	-	-	37	30	25	2.528	BPRF3736	557	-	-	37	36	28	3.002	BPRF3742	611	-	-	37	42	32	3.476	BPRF3748	664	-	-	37	48	35	3.950	BPRF3754	718	-	-	37	54	39	4.424	BPRF3760	770	-	-	37	60	44	4.898	BPRF3772	1306	-	-	37	72	56	6.000	BPRF4218	408	412	418	42	18	22	1.782	BPRF4224	464	468	473	42	24	28	2.317	BPRF4230	519	523	528	42	30	32	2.852	BPRF4236	574	583	593	42	36	36	3.387	BPRF4242	629	638	648	42	42	40	3.921	BPRF4248	683	692	703	42	48	44	4.456	BPRF4254	740	748	760	42	54	48	4.991	BPRF4260	796	804	816	42	60	52	5.525	BPRF4272	1444	-	1484	42	72	72	6.770	BPRF5018	457	467	478	50	18	25	2.106	BPRF5024	514	524	534	50	24	30	2.738	BPRF5030	573	582	592	50	30	35	3.370	BPRF5036	630	648	669	50	36	40	4.002	BPRF5042	691	709	730	50	42	45	4.634	BPRF5048	747	767	787	50	48	50	5.266	BPRF5054	804	824	844	50	54	55	5.898	BPRF5060	862	882	900	50	60	60	6.530	BPRF5072	1521	-	1561	50	72	80	8.000	BPRF5818	491	504	520	58	18	28	2.431	BPRF5824	550	563	579	58	24	33	3.160	BPRF5830	611	624	640	58	30	38	3.889	BPRF5836	670	698	729	58	36	43	4.618	BPRF5842	728	756	787	58	42	48	5.347	BPRF5848	787	817	847	58	48	53	6.076	BPRF5854	846	874	905	58	54	58	6.806	BPRF5860	908	936	967	58	60	63	7.535	
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																																																																																																																																
	GR1	GR2	OPT*	H	W																																																																																																																																																																																																																																																																																																		
BPRF3718	395	-	-	37	18	18	1.580																																																																																																																																																																																																																																																																																																
BPRF3724	448	-	-	37	24	21	2.054																																																																																																																																																																																																																																																																																																
BPRF3730	502	-	-	37	30	25	2.528																																																																																																																																																																																																																																																																																																
BPRF3736	557	-	-	37	36	28	3.002																																																																																																																																																																																																																																																																																																
BPRF3742	611	-	-	37	42	32	3.476																																																																																																																																																																																																																																																																																																
BPRF3748	664	-	-	37	48	35	3.950																																																																																																																																																																																																																																																																																																
BPRF3754	718	-	-	37	54	39	4.424																																																																																																																																																																																																																																																																																																
BPRF3760	770	-	-	37	60	44	4.898																																																																																																																																																																																																																																																																																																
BPRF3772	1306	-	-	37	72	56	6.000																																																																																																																																																																																																																																																																																																
BPRF4218	408	412	418	42	18	22	1.782																																																																																																																																																																																																																																																																																																
BPRF4224	464	468	473	42	24	28	2.317																																																																																																																																																																																																																																																																																																
BPRF4230	519	523	528	42	30	32	2.852																																																																																																																																																																																																																																																																																																
BPRF4236	574	583	593	42	36	36	3.387																																																																																																																																																																																																																																																																																																
BPRF4242	629	638	648	42	42	40	3.921																																																																																																																																																																																																																																																																																																
BPRF4248	683	692	703	42	48	44	4.456																																																																																																																																																																																																																																																																																																
BPRF4254	740	748	760	42	54	48	4.991																																																																																																																																																																																																																																																																																																
BPRF4260	796	804	816	42	60	52	5.525																																																																																																																																																																																																																																																																																																
BPRF4272	1444	-	1484	42	72	72	6.770																																																																																																																																																																																																																																																																																																
BPRF5018	457	467	478	50	18	25	2.106																																																																																																																																																																																																																																																																																																
BPRF5024	514	524	534	50	24	30	2.738																																																																																																																																																																																																																																																																																																
BPRF5030	573	582	592	50	30	35	3.370																																																																																																																																																																																																																																																																																																
BPRF5036	630	648	669	50	36	40	4.002																																																																																																																																																																																																																																																																																																
BPRF5042	691	709	730	50	42	45	4.634																																																																																																																																																																																																																																																																																																
BPRF5048	747	767	787	50	48	50	5.266																																																																																																																																																																																																																																																																																																
BPRF5054	804	824	844	50	54	55	5.898																																																																																																																																																																																																																																																																																																
BPRF5060	862	882	900	50	60	60	6.530																																																																																																																																																																																																																																																																																																
BPRF5072	1521	-	1561	50	72	80	8.000																																																																																																																																																																																																																																																																																																
BPRF5818	491	504	520	58	18	28	2.431																																																																																																																																																																																																																																																																																																
BPRF5824	550	563	579	58	24	33	3.160																																																																																																																																																																																																																																																																																																
BPRF5830	611	624	640	58	30	38	3.889																																																																																																																																																																																																																																																																																																
BPRF5836	670	698	729	58	36	43	4.618																																																																																																																																																																																																																																																																																																
BPRF5842	728	756	787	58	42	48	5.347																																																																																																																																																																																																																																																																																																
BPRF5848	787	817	847	58	48	53	6.076																																																																																																																																																																																																																																																																																																
BPRF5854	846	874	905	58	54	58	6.806																																																																																																																																																																																																																																																																																																
BPRF5860	908	936	967	58	60	63	7.535																																																																																																																																																																																																																																																																																																


Continued on next page.


Air Flow Panel ...cont'd.	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		GR1	GR2	OPT*	H	W		
	BPRF6618	523	541	561	66	18	32	2.755
	BPRF6624	586	605	624	66	24	37	3.581
	BPRF6630	646	666	685	66	30	42	4.407
	BPRF6636	705	739	773	66	36	48	5.234
	BPRF6642	808	842	877	66	42	53	6.060
	BPRF6648	858	891	925	66	48	58	6.887
	BPRF6654	929	965	999	66	54	63	7.713
	BPRF6660	956	990	1025	66	60	68	8.539
	BPRF7418	561	581	601	74	18	34	3.079
	BPRF7424	622	642	662	74	24	39	4.002
	BPRF7430	683	702	722	74	30	45	4.926
	BPRF7436	747	795	846	74	36	50	5.850
	BPRF7442	862	910	959	74	42	55	6.773
	BPRF7448	889	937	986	74	48	60	7.697
	BPRF7454	935	980	1032	74	54	65	8.620
	BPRF7460	996	1041	1093	74	60	70	9.544
	BPRF8218	603	631	662	82	18	36	3.403
	BPRF8224	669	697	728	82	24	42	4.424
	BPRF8230	730	758	789	82	30	48	5.444
	BPRF8236	802	855	910	82	36	54	6.465
	BPRF8242	889	942	997	82	42	60	7.486
	BPRF8248	929	982	1037	82	48	66	8.507
	BPRF8254	1031	1083	1137	82	54	72	9.528
	BPRF8260	1052	1104	1159	82	60	78	10.549

BPRP	DESCRIPTION	FINISHES
------	-------------	----------

	<b>Pass-Thru Raceway Panel</b> 12" Open cavity allows accessibility between workstations. <ul style="list-style-type: none"> <li>Center septum above 12" opening overlaid on either side with tackable, 1 1/8"</li> <li>"Acousti-Glass" sound absorbent.</li> <li>Center septum below raceway overlaid on either side with 1" fiberglass sound absorbent.</li> <li>Pass-thru opening is 12" high starting above the raceway.</li> <li>Panel height to top of opening is fixed.</li> </ul>	Panel frame finish.  Class "A" Fire rated fabric.  PVC cover standard in corresponding frame color.
---	--	---



PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPRP6618	631	640	650	66	18	32	2.755
BPRP6624	680	700	720	66	24	33	3.581
BPRP6630	731	750	770	66	30	38	4.407
BPRP6636	781	819	859	66	36	44	5.234
BPRP6642	832	869	911	66	42	49	6.060
BPRP6648	883	920	959	66	48	54	6.887
BPRP6654	930	970	1009	66	54	59	7.713
BPRP6660	984	1023	1063	66	60	64	8.539
BPRP7418	681	705	730	74	18	31	3.079
BPRP7424	735	773	814	74	24	36	4.002
BPRP7430	788	826	865	74	30	42	4.926
BPRP7436	839	886	937	74	36	47	5.850
BPRP7442	893	930	972	74	42	52	6.773
BPRP7448	944	984	1028	74	48	57	7.697
BPRP7454	1000	1062	1129	74	54	62	8.620
BPRP7460	1061	1098	1139	74	60	67	9.544
BPRP8218	721	747	777	82	18	34	3.403
BPRP8224	778	816	855	82	24	40	4.424
BPRP8230	837	875	914	82	30	46	5.444
BPRP8236	896	963	1034	82	36	52	6.465
BPRP8242	956	1033	1113	82	42	58	7.486
BPRP8248	1017	1093	1173	82	48	64	8.507
BPRP8254	1076	1152	1232	82	54	70	9.528
BPRP8260	1142	1218	1298	82	60	76	10.549

BPRPSD	DESCRIPTION	FINISHES																																												
<b>Pass-Thru Sliding Door Kit</b>  	<b>To close the opening in a Boulevard 1 Pass-Thru Panel.</b>  <ul style="list-style-type: none"> <li>Sliding frosted tempered glass doors.</li> </ul>	Panel frame finish.																																												
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th colspan="2">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> <tr> <th></th> <th></th> <th>H</th> <th>W</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>BPRPSD36</td><td>256</td><td>12</td><td>36</td><td>13</td><td>1.2</td></tr> <tr><td>BPRPSD42</td><td>288</td><td>12</td><td>42</td><td>16</td><td>1.4</td></tr> <tr><td>BPRPSD48</td><td>322</td><td>12</td><td>48</td><td>18</td><td>1.5</td></tr> <tr><td>BPRPSD54</td><td>354</td><td>12</td><td>54</td><td>20</td><td>1.7</td></tr> <tr><td>BPRPSD60</td><td>386</td><td>12</td><td>60</td><td>22</td><td>2.0</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>			H	W			BPRPSD36	256	12	36	13	1.2	BPRPSD42	288	12	42	16	1.4	BPRPSD48	322	12	48	18	1.5	BPRPSD54	354	12	54	20	1.7	BPRPSD60	386	12	60	22	2.0			
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																									
		H	W																																											
BPRPSD36	256	12	36	13	1.2																																									
BPRPSD42	288	12	42	16	1.4																																									
BPRPSD48	322	12	48	18	1.5																																									
BPRPSD54	354	12	54	20	1.7																																									
BPRPSD60	386	12	60	22	2.0																																									

BPAR	DESCRIPTION	FINISHES																																																																																																																																																																																																																																		
<b>Accessory Rail Panel</b>  	<b>12" Accessory rail covers the standard pass-thru opening and allows users to hang accessories.</b>  <ul style="list-style-type: none"> <li>Center septum above 12" opening overlaid on either side with tackable, 1 1/8" "Acousti-Glass" sound absorbent.</li> <li>Center septum below raceway overlaid on either side with 1" fiberglass sound absorbent.</li> <li>Accessory rail is 12" high starting above the raceway.</li> <li>Panel height to top of opening is fixed.</li> </ul>	Panel frame finish.																																																																																																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> <tr> <th></th> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>BPAR6618</td><td>775</td><td>785</td><td>796</td><td>66</td><td>18</td><td>35</td><td>2.755</td></tr> <tr><td>BPAR6624</td><td>842</td><td>861</td><td>882</td><td>66</td><td>24</td><td>42</td><td>3.581</td></tr> <tr><td>BPAR6630</td><td>923</td><td>943</td><td>963</td><td>66</td><td>30</td><td>49</td><td>4.407</td></tr> <tr><td>BPAR6636</td><td>1010</td><td>1048</td><td>1089</td><td>66</td><td>36</td><td>57</td><td>5.234</td></tr> <tr><td>BPAR6642</td><td>1116</td><td>1154</td><td>1194</td><td>66</td><td>42</td><td>65</td><td>6.060</td></tr> <tr><td>BPAR6648</td><td>1199</td><td>1236</td><td>1277</td><td>66</td><td>48</td><td>72</td><td>6.887</td></tr> <tr><td>BPAR6654</td><td>1287</td><td>1325</td><td>1365</td><td>66</td><td>54</td><td>79</td><td>7.713</td></tr> <tr><td>BPAR6660</td><td>1368</td><td>1406</td><td>1446</td><td>66</td><td>60</td><td>86</td><td>8.539</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>BPAR7418</td><td>827</td><td>851</td><td>875</td><td>74</td><td>18</td><td>38</td><td>3.079</td></tr> <tr><td>BPAR7424</td><td>895</td><td>935</td><td>974</td><td>74</td><td>24</td><td>45</td><td>4.002</td></tr> <tr><td>BPAR7430</td><td>979</td><td>1017</td><td>1058</td><td>74</td><td>30</td><td>53</td><td>4.926</td></tr> <tr><td>BPAR7436</td><td>1070</td><td>1116</td><td>1166</td><td>74</td><td>36</td><td>60</td><td>5.850</td></tr> <tr><td>BPAR7442</td><td>1179</td><td>1217</td><td>1256</td><td>74</td><td>42</td><td>68</td><td>6.773</td></tr> <tr><td>BPAR7448</td><td>1264</td><td>1329</td><td>1399</td><td>74</td><td>48</td><td>75</td><td>7.697</td></tr> <tr><td>BPAR7454</td><td>1353</td><td>1390</td><td>1430</td><td>74</td><td>54</td><td>82</td><td>8.620</td></tr> <tr><td>BPAR7460</td><td>1443</td><td>1480</td><td>1521</td><td>74</td><td>60</td><td>89</td><td>9.544</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>BPAR8218</td><td>863</td><td>890</td><td>920</td><td>82</td><td>18</td><td>41</td><td>3.403</td></tr> <tr><td>BPAR8224</td><td>940</td><td>976</td><td>1014</td><td>82</td><td>24</td><td>49</td><td>4.424</td></tr> <tr><td>BPAR8230</td><td>1030</td><td>1066</td><td>1105</td><td>82</td><td>30</td><td>57</td><td>5.444</td></tr> <tr><td>BPAR8236</td><td>1127</td><td>1193</td><td>1264</td><td>82</td><td>36</td><td>65</td><td>6.465</td></tr> <tr><td>BPAR8242</td><td>1243</td><td>1318</td><td>1398</td><td>82</td><td>42</td><td>74</td><td>7.486</td></tr> <tr><td>BPAR8248</td><td>1335</td><td>1411</td><td>1491</td><td>82</td><td>48</td><td>82</td><td>8.507</td></tr> <tr><td>BPAR8254</td><td>1429</td><td>1505</td><td>1586</td><td>82</td><td>54</td><td>90</td><td>9.528</td></tr> <tr><td>BPAR8260</td><td>1524</td><td>1598</td><td>1679</td><td>82</td><td>60</td><td>98</td><td>10.549</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>		GR1	GR2	OPT*	H	W			BPAR6618	775	785	796	66	18	35	2.755	BPAR6624	842	861	882	66	24	42	3.581	BPAR6630	923	943	963	66	30	49	4.407	BPAR6636	1010	1048	1089	66	36	57	5.234	BPAR6642	1116	1154	1194	66	42	65	6.060	BPAR6648	1199	1236	1277	66	48	72	6.887	BPAR6654	1287	1325	1365	66	54	79	7.713	BPAR6660	1368	1406	1446	66	60	86	8.539									BPAR7418	827	851	875	74	18	38	3.079	BPAR7424	895	935	974	74	24	45	4.002	BPAR7430	979	1017	1058	74	30	53	4.926	BPAR7436	1070	1116	1166	74	36	60	5.850	BPAR7442	1179	1217	1256	74	42	68	6.773	BPAR7448	1264	1329	1399	74	48	75	7.697	BPAR7454	1353	1390	1430	74	54	82	8.620	BPAR7460	1443	1480	1521	74	60	89	9.544									BPAR8218	863	890	920	82	18	41	3.403	BPAR8224	940	976	1014	82	24	49	4.424	BPAR8230	1030	1066	1105	82	30	57	5.444	BPAR8236	1127	1193	1264	82	36	65	6.465	BPAR8242	1243	1318	1398	82	42	74	7.486	BPAR8248	1335	1411	1491	82	48	82	8.507	BPAR8254	1429	1505	1586	82	54	90	9.528	BPAR8260	1524	1598	1679	82	60	98	10.549			
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																																																													
	GR1	GR2	OPT*	H	W																																																																																																																																																																																																																															
BPAR6618	775	785	796	66	18	35	2.755																																																																																																																																																																																																																													
BPAR6624	842	861	882	66	24	42	3.581																																																																																																																																																																																																																													
BPAR6630	923	943	963	66	30	49	4.407																																																																																																																																																																																																																													
BPAR6636	1010	1048	1089	66	36	57	5.234																																																																																																																																																																																																																													
BPAR6642	1116	1154	1194	66	42	65	6.060																																																																																																																																																																																																																													
BPAR6648	1199	1236	1277	66	48	72	6.887																																																																																																																																																																																																																													
BPAR6654	1287	1325	1365	66	54	79	7.713																																																																																																																																																																																																																													
BPAR6660	1368	1406	1446	66	60	86	8.539																																																																																																																																																																																																																													
BPAR7418	827	851	875	74	18	38	3.079																																																																																																																																																																																																																													
BPAR7424	895	935	974	74	24	45	4.002																																																																																																																																																																																																																													
BPAR7430	979	1017	1058	74	30	53	4.926																																																																																																																																																																																																																													
BPAR7436	1070	1116	1166	74	36	60	5.850																																																																																																																																																																																																																													
BPAR7442	1179	1217	1256	74	42	68	6.773																																																																																																																																																																																																																													
BPAR7448	1264	1329	1399	74	48	75	7.697																																																																																																																																																																																																																													
BPAR7454	1353	1390	1430	74	54	82	8.620																																																																																																																																																																																																																													
BPAR7460	1443	1480	1521	74	60	89	9.544																																																																																																																																																																																																																													
BPAR8218	863	890	920	82	18	41	3.403																																																																																																																																																																																																																													
BPAR8224	940	976	1014	82	24	49	4.424																																																																																																																																																																																																																													
BPAR8230	1030	1066	1105	82	30	57	5.444																																																																																																																																																																																																																													
BPAR8236	1127	1193	1264	82	36	65	6.465																																																																																																																																																																																																																													
BPAR8242	1243	1318	1398	82	42	74	7.486																																																																																																																																																																																																																													
BPAR8248	1335	1411	1491	82	48	82	8.507																																																																																																																																																																																																																													
BPAR8254	1429	1505	1586	82	54	90	9.528																																																																																																																																																																																																																													
BPAR8260	1524	1598	1679	82	60	98	10.549																																																																																																																																																																																																																													

**BPFA DESCRIPTION FINISHES**  
**Acoustical Fabric Panel Complete fabric panel without raceway. Panel frame finish.**


- Acoustical rating of .80 NRC and 27 STC.
  - Center septum overlaid on either side with 1" fiberglass sound absorbent, non tackable.
- Class "A" Fire rated fabric.





PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPFA2918	242	261	280	29	18	15	1.256
BPFA2924	262	283	305	29	24	17	1.633
BPFA2930	279	299	318	29	30	19	2.009
BPFA2936	300	337	378	29	36	21	2.386
BPFA2942	318	357	396	29	42	23	2.763
BPFA2948	336	374	415	29	48	25	3.139
BPFA2954	356	394	434	29	54	27	3.513
BPFA2960	374	412	452	29	60	29	3.893
BPFA2972	592	632	-	29	72	42	4.770
BPFA4218	318	337	358	42	18	18	1.782
BPFA4224	339	378	418	42	24	21	2.317
BPFA4230	358	395	436	42	30	24	2.852
BPFA4236	379	425	477	42	36	27	3.387
BPFA4242	398	446	497	42	42	30	3.921
BPFA4248	420	467	519	42	48	33	4.456
BPFA4254	439	485	537	42	54	36	4.991
BPFA4260	461	507	558	42	60	39	5.525
BPFA4272	850	930	-	42	72	54	6.770
BPFA5018	359	378	397	50	18	22	2.106
BPFA5024	381	409	440	50	24	25	2.738
BPFA5030	403	431	463	50	30	28	3.370
BPFA5036	424	481	541	50	36	31	4.002
BPFA5042	447	503	563	50	42	34	4.634
BPFA5048	467	524	584	50	48	38	5.266
BPFA5054	490	546	607	50	54	41	5.898
BPFA5060	511	568	629	50	60	43	6.530
BPFA5072	903	982	-	50	72	62	8.000
BPFA5818	400	427	459	58	18	24	2.431
BPFA5824	423	462	501	58	24	27	3.160
BPFA5830	447	484	525	58	30	31	3.889
BPFA5836	468	533	605	58	36	35	4.618
BPFA5842	492	557	629	58	42	39	5.347
BPFA5848	514	581	651	58	48	42	6.076
BPFA5854	538	604	675	58	54	46	6.806
BPFA5860	562	629	700	58	60	50	7.535
BPFA6618	437	465	496	66	18	26	2.755
BPFA6624	463	500	540	66	24	29	3.581
BPFA6630	489	526	565	66	30	34	4.407
BPFA6636	513	589	670	66	36	39	5.234
BPFA6642	539	615	696	66	42	43	6.060
BPFA6648	564	640	722	66	48	47	6.887
BPFA6654	590	667	746	66	54	51	7.713
BPFA6660	615	691	771	66	60	55	8.539
BPFA7418	477	504	536	74	18	28	3.079
BPFA7424	506	553	604	74	24	32	4.002
BPFA7430	532	580	631	74	30	37	4.926
BPFA7436	559	644	735	74	36	42	5.850
BPFA7442	586	671	762	74	42	47	6.773
BPFA7448	613	698	789	74	48	51	7.697
BPFA7454	640	725	816	74	54	55	8.620
BPFA7460	668	752	844	74	60	60	9.544


Continued on next page.


Acoustical Fabric Panel ...cont'd.	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		GR1	GR2	OPT*	H	W		
	BPFA8218	519	556	595	82	18	30	3.403
	BPFA8224	546	592	644	82	24	35	4.424
	BPFA8230	575	621	673	82	30	40	5.444
	BPFA8236	603	698	798	82	36	45	6.465
	BPFA8242	631	726	826	82	42	50	7.486
	BPFA8248	662	757	857	82	48	55	8.507
	BPFA8254	693	788	888	82	54	60	9.528
	BPFA8260	722	817	917	82	60	65	10.549

BPFG	DESCRIPTION	FINISHES						
Glazed Panel	Full-height glazing provides visual accessibility.	Panel frame finish.						
	• Glazing is replaceable on site.	Tempered Glass or Acrylic Glass finish.						
	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		GR1	GR2	OPT*	H	W		
	BPFG5824	558			58	24	21	3.160
	BPFG5830	613			58	30	24	3.889
	BPFG5836	669			58	36	27	4.618
	BPFG5842	723			58	42	30	5.347
	BPFG5848	777			58	48	33	6.076
	BPFG6624	671			66	24	25	3.581
	BPFG6630	728			66	30	28	4.407
	BPFG6636	786			66	36	31	5.234
	BPFG6642	844			66	42	34	6.060
	BPFG6648	900			66	48	37	6.887
	BPFG7424	702			74	24	28	4.002
	BPFG7430	762			74	30	31	4.926
	BPFG7436	824			74	36	34	5.850
	BPFG7442	885			74	42	37	6.773
	BPFG7448	944			74	48	40	7.697
	BPFG8224	767			82	24	31	4.424
	BPFG8230	834			82	30	34	5.444
	BPFG8236	900			82	36	37	6.465
	BPFG8242	970			82	42	40	7.486
	BPFG8248	1035			82	48	43	8.507

BPFAR	DESCRIPTION	FINISHES						
Curved Fabric Panel	24" radius Curved Fabric Panel.	Panel frame finish.						
	• Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.	Class "A" Fire rated fabric.						
	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		GR1	GR2	OPT*	H	W		
	BPFAR3724	676	720	767	37	24 RA	35	11.664
	BPFAR4224	717	764	816	42	24 RA	40	13.241
	BPFAR5024	760	817	877	50	24 RA	46	15.648
	BPFAR5824	806	871	944	58	24 RA	53	18.056
	BPFAR6624	851	925	1006	66	24 RA	60	20.463
	BPFAR7424	894	979	1070	74	24 RA	67	22.870
	BPFAR8224	940	1034	1134	82	24 RA	74	25.278

BPRAR	DESCRIPTION	FINISHES																																																																					
	<b>24" radius Curved Fabric Raceway Panel.</b> <ul style="list-style-type: none"> <li>Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.</li> <li>Electrical pass-thru only in this panel.</li> <li>Fabric Covered Raceway (FCR) available.</li> </ul>	<b>Panel frame finish.</b>  Class "A" Fire rated fabric.  PVC cover standard in corresponding frame color.																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr> <td>BPRAR3724</td> <td>884</td> <td>928</td> <td>980</td> <td>37</td> <td>24 RA</td> <td>37</td> <td>11.664</td> </tr> <tr> <td>BPRAR4224</td> <td>893</td> <td>941</td> <td>992</td> <td>42</td> <td>24 RA</td> <td>45</td> <td>13.241</td> </tr> <tr> <td>BPRAR5024</td> <td>954</td> <td>1011</td> <td>1071</td> <td>50</td> <td>24 RA</td> <td>52</td> <td>15.648</td> </tr> <tr> <td>BPRAR5824</td> <td>1002</td> <td>1067</td> <td>1139</td> <td>58</td> <td>24 RA</td> <td>59</td> <td>18.056</td> </tr> <tr> <td>BPRAR6624</td> <td>1057</td> <td>1132</td> <td>1213</td> <td>66</td> <td>24 RA</td> <td>66</td> <td>20.463</td> </tr> <tr> <td>BPRAR7424</td> <td>1102</td> <td>1187</td> <td>1278</td> <td>74</td> <td>24 RA</td> <td>73</td> <td>22.870</td> </tr> <tr> <td>BPRAR8224</td> <td>1190</td> <td>1284</td> <td>1385</td> <td>82</td> <td>24 RA</td> <td>80</td> <td>25.278</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	BPRAR3724	884	928	980	37	24 RA	37	11.664	BPRAR4224	893	941	992	42	24 RA	45	13.241	BPRAR5024	954	1011	1071	50	24 RA	52	15.648	BPRAR5824	1002	1067	1139	58	24 RA	59	18.056	BPRAR6624	1057	1132	1213	66	24 RA	66	20.463	BPRAR7424	1102	1187	1278	74	24 RA	73	22.870	BPRAR8224	1190	1284	1385	82	24 RA	80	25.278	
	PRODUCT CODE		PRICE			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																																																												
		GR1	GR2	OPT*	H	W																																																																	
BPRAR3724	884	928	980	37	24 RA	37	11.664																																																																
BPRAR4224	893	941	992	42	24 RA	45	13.241																																																																
BPRAR5024	954	1011	1071	50	24 RA	52	15.648																																																																
BPRAR5824	1002	1067	1139	58	24 RA	59	18.056																																																																
BPRAR6624	1057	1132	1213	66	24 RA	66	20.463																																																																
BPRAR7424	1102	1187	1278	74	24 RA	73	22.870																																																																
BPRAR8224	1190	1284	1385	82	24 RA	80	25.278																																																																

BPRGR	DESCRIPTION	FINISHES																																																													
	<b>24" radius Curved Partly Glazed Raceway Panel with acrylic at the top portion.</b> <ul style="list-style-type: none"> <li>Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.</li> <li>Electrical pass-thru only in this panel.</li> <li>Fabric Covered Raceway (FCR) available.</li> </ul>	<b>Panel frame finish.</b>  Class "A" Fire rated fabric.  PVC cover standard in corresponding frame color.  Acrylic Glass finish.																																																													
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr> <td>BPRGR4224</td> <td>983</td> <td>1022</td> <td>1062</td> <td>42</td> <td>24 RA</td> <td>45</td> <td>13.241</td> </tr> <tr> <td>BPRGR5024</td> <td>1084</td> <td>1122</td> <td>1162</td> <td>50</td> <td>24 RA</td> <td>48</td> <td>15.648</td> </tr> <tr> <td>BPRGR5824</td> <td>1169</td> <td>1206</td> <td>1247</td> <td>58</td> <td>24 RA</td> <td>51</td> <td>18.056</td> </tr> <tr> <td>BPRGR6624</td> <td>1263</td> <td>1302</td> <td>1343</td> <td>66</td> <td>24 RA</td> <td>54</td> <td>20.463</td> </tr> <tr> <td>BPRGR7424</td> <td>1348</td> <td>1386</td> <td>1426</td> <td>74</td> <td>24 RA</td> <td>57</td> <td>22.870</td> </tr> <tr> <td>BPRGR8224</td> <td>1476</td> <td>1513</td> <td>1555</td> <td>82</td> <td>24 RA</td> <td>60</td> <td>25.278</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	BPRGR4224	983	1022	1062	42	24 RA	45	13.241	BPRGR5024	1084	1122	1162	50	24 RA	48	15.648	BPRGR5824	1169	1206	1247	58	24 RA	51	18.056	BPRGR6624	1263	1302	1343	66	24 RA	54	20.463	BPRGR7424	1348	1386	1426	74	24 RA	57	22.870	BPRGR8224	1476	1513	1555	82	24 RA	60	25.278	
	PRODUCT CODE		PRICE			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																																																				
		GR1	GR2	OPT*	H	W																																																									
BPRGR4224	983	1022	1062	42	24 RA	45	13.241																																																								
BPRGR5024	1084	1122	1162	50	24 RA	48	15.648																																																								
BPRGR5824	1169	1206	1247	58	24 RA	51	18.056																																																								
BPRGR6624	1263	1302	1343	66	24 RA	54	20.463																																																								
BPRGR7424	1348	1386	1426	74	24 RA	57	22.870																																																								
BPRGR8224	1476	1513	1555	82	24 RA	60	25.278																																																								



BPGFR	DESCRIPTION	FINISHES																																																																					
	<b>24" radius Curved Fully Glazed Panel in acrylic.</b> <ul style="list-style-type: none"> <li>Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.</li> </ul>	<b>Panel frame finish.</b>  Acrylic Glass finish.																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr> <td>BPGFR3724</td> <td>895</td> <td></td> <td></td> <td>37</td> <td>24 RA</td> <td>35</td> <td>11.664</td> </tr> <tr> <td>BPGFR4224</td> <td>975</td> <td></td> <td></td> <td>42</td> <td>24 RA</td> <td>40</td> <td>13.241</td> </tr> <tr> <td>BPGFR5024</td> <td>1058</td> <td></td> <td></td> <td>50</td> <td>24 RA</td> <td>46</td> <td>15.648</td> </tr> <tr> <td>BPGFR5824</td> <td>1141</td> <td></td> <td></td> <td>58</td> <td>24 RA</td> <td>53</td> <td>18.056</td> </tr> <tr> <td>BPGFR6624</td> <td>1223</td> <td></td> <td></td> <td>66</td> <td>24 RA</td> <td>60</td> <td>20.463</td> </tr> <tr> <td>BPGFR7424</td> <td>1309</td> <td></td> <td></td> <td>74</td> <td>24 RA</td> <td>67</td> <td>22.870</td> </tr> <tr> <td>BPGFR8224</td> <td>1395</td> <td></td> <td></td> <td>82</td> <td>24 RA</td> <td>74</td> <td>25.278</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	BPGFR3724	895			37	24 RA	35	11.664	BPGFR4224	975			42	24 RA	40	13.241	BPGFR5024	1058			50	24 RA	46	15.648	BPGFR5824	1141			58	24 RA	53	18.056	BPGFR6624	1223			66	24 RA	60	20.463	BPGFR7424	1309			74	24 RA	67	22.870	BPGFR8224	1395			82	24 RA	74	25.278	
	PRODUCT CODE		PRICE			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																																																												
		GR1	GR2	OPT*	H	W																																																																	
BPGFR3724	895			37	24 RA	35	11.664																																																																
BPGFR4224	975			42	24 RA	40	13.241																																																																
BPGFR5024	1058			50	24 RA	46	15.648																																																																
BPGFR5824	1141			58	24 RA	53	18.056																																																																
BPGFR6624	1223			66	24 RA	60	20.463																																																																
BPGFR7424	1309			74	24 RA	67	22.870																																																																
BPGFR8224	1395			82	24 RA	74	25.278																																																																

BPOF

DESCRIPTION

FINISHES

Fabric Over Panel



Attaches to top of a panel to create floor-to-ceiling wall.

- Center septum overlaid on either side with 1" fiberglass sound absorbent.
- Non-slotted.
- Factory installed PVC snap attaches and aligns over panel to top of base panel.
- PVC snap runs entire width eliminating light seepage.
- For custom heights and widths, please order size required and price as next size up.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOF2418 stacked on BPRA4218 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.

Panel frame finish.

Class "A" Fire rated fabric.

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPOF0818	122	131	143	8	18	6	0.351
BPOF0824	141	159	179	8	24	6	0.468
BPOF0830	167	186	206	8	30	8	0.730
BPOF0836	195	214	234	8	36	10	0.912
BPOF0842	215	234	254	8	42	10	0.912
BPOF0848	242	261	280	8	48	12	1.094
BPOF0854	270	288	308	8	54	12	1.094
BPOF0860	289	308	329	8	60	14	1.277
BPOF0872	499	539	-	8	72	20	1.820
BPOF1618	161	171	182	16	18	8	0.730
BPOF1624	183	202	221	16	24	8	0.730
BPOF1630	210	228	248	16	30	10	0.912
BPOF1636	236	255	275	16	36	12	1.094
BPOF1642	256	275	296	16	42	12	1.094
BPOF1648	282	303	325	16	48	14	1.277
BPOF1654	309	329	349	16	54	14	1.277
BPOF1660	330	349	368	16	60	15	1.368
BPOF1672	562	602	-	16	72	24	2.180
BPOF2418	220	229	241	24	18	12	1.094
BPOF2424	240	258	278	24	24	14	1.422
BPOF2430	259	278	299	24	30	17	1.750
BPOF2436	277	305	336	24	36	18	2.078
BPOF2442	297	325	356	24	42	21	2.406
BPOF2448	316	344	375	24	48	22	2.734
BPOF2454	333	353	372	24	54	24	3.063
BPOF2460	354	381	412	24	60	27	3.391
BPOF2472	595	635	-	24	72	36	4.140
BPOF3718	253	272	292	37	18	17	1.580
BPOF3724	274	294	313	37	24	19	2.054
BPOF3730	295	323	354	37	30	22	2.528
BPOF3736	314	361	412	37	36	24	3.006
BPOF3742	333	380	431	37	42	28	3.476
BPOF3748	355	401	452	37	48	30	3.950
BPOF3754	374	421	472	37	54	32	4.424
BPOF3760	395	442	494	37	60	34	4.898
BPOF3772	719	798	-	37	72	48	6.000
BPOF4218	318	337	358	42	18	18	1.780
BPOF4224	339	378	418	42	24	21	2.310
BPOF4230	358	395	436	42	30	24	2.850
BPOF4236	379	425	477	42	36	27	3.390
BPOF4242	398	446	497	42	42	30	3.920
BPOF4248	420	467	522	42	48	33	4.460
BPOF4254	439	485	537	42	54	36	4.990
BPOF4260	461	507	558	42	60	39	5.250
BPOF4272	837	916	-	42	72	54	6.780

BPOG


DESCRIPTION

FINISHES

Glazed Over Panel

Attaches to top of a panel to create floor-to-ceiling wall.

Panel frame finish.



- Non-slotted.
- Factory installed PVC snap attaches and aligns over panel to top of base panel.
- PVC snap runs entire width eliminating light seepage.
- For custom heights and widths, order size required and price as next size up.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOG2418 stacked on BPRA4218 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.

Acrylic finish.


PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPOG0818	81	8	18	6	0.351
BPOG0824	101	8	24	6	0.468
BPOG0830	122	8	30	8	0.730
BPOG0836	141	8	36	10	0.912
BPOG0842	161	8	42	10	0.912
BPOG0848	183	8	48	12	1.094
BPOG0854	204	8	54	12	1.094
BPOG0860	223	8	60	14	1.277
BPOG0872	368	8	72	20	1.820
BPOG1618	129	16	18	8	0.730
BPOG1624	156	16	24	8	0.730
BPOG1630	183	16	30	10	0.912
BPOG1636	215	16	36	12	1.094
BPOG1642	236	16	42	12	1.094
BPOG1648	263	16	48	14	1.277
BPOG1654	289	16	54	14	1.277
BPOG1660	317	16	60	15	1.368
BPOG1672	506	16	72	24	2.180
BPOG2418	232	24	18	12	1.094
BPOG2424	259	24	24	14	1.422
BPOG2430	287	24	30	17	1.750
BPOG2436	316	24	36	18	2.078
BPOG2442	344	24	42	21	2.406
BPOG2448	372	24	48	22	2.734
BPOG2454	400	24	54	24	3.063
BPOG2460	428	24	60	27	3.391
BPOG2472	747	24	72	36	4.140
BPOG3718	330	37	18	17	1.580
BPOG3724	362	37	24	19	2.054
BPOG3730	395	37	30	22	2.528
BPOG3736	427	37	36	24	3.006
BPOG3742	461	37	42	28	3.476
BPOG3748	492	37	48	30	3.950
BPOG3754	523	37	54	32	4.424
BPOG3760	558	37	60	34	4.898
BPOG3772	894	37	72	48	6.000
BPOG4218	350	42	18	18	1.780
BPOG4224	384	42	24	21	2.310
BPOG4230	420	42	30	24	2.850
BPOG4236	453	42	36	27	3.390
BPOG4242	492	42	42	30	3.920
BPOG4248	523	42	48	33	4.460
BPOG4254	558	42	54	36	4.990
BPOG4260	591	42	60	39	5.250
BPOG4272	958	42	72	54	6.780

BPOFR

DESCRIPTION

FINISHES

**Curved Fabric Over Panel**



- Attaches to top of a panel to create floor-to-ceiling wall.
- Center septum overlaid on either side with 1" fiberglass sound absorbent.
  - Non-slotted.
  - Factory installed PVC snap attaches and aligns over panel to top of base panel.
  - PVC snap runs entire width eliminating light seepage.
  - For custom heights, please order size required and price as next size up.
  - Custom heights over 42" must be quoted separately.
  - Over panels can be stacked on any panel, excluding 37" high panels.
- Example: BPOFR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
  - When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.

- Panel frame finish.  
Class "A" Fire rated fabric.


PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPOFR2424	701	729	760	24	24 RA	29	8.125
BPOFR3724	709	752	799	37	24 RA	38	11.736
BPOFR4224	717	756	796	42	24 RA	39	12.000

BPOGR

DESCRIPTION

FINISHES


**Curved Glazed Over Panel**




- Attaches to top of a panel to create floor-to-ceiling wall.
- Non-slotted.
  - Factory installed PVC snap attaches and aligns over panel to top of base panel.
  - PVC snap runs entire width eliminating light seepage.
  - For custom heights, please order size required and price as next size up.
  - Custom heights over 42" must be quoted separately.
  - Over panels can be stacked on any panel, excluding 37" high panels.
- Example: BPOGR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
  - When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.


- Panel frame finish.  
Acrylic finish.

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPOGR2424	943			24	24 RA	20	8.125
BPOGR3724	965			37	24 RA	22	11.736
BPOGR4224	975			42	24 RA	23	12.000

BPDS	DESCRIPTION	FINISHES																																			
<b>Solid Door Panel</b>	<p>Aluminum frame with either high pressure laminate or wood veneer door.</p> <ul style="list-style-type: none"> <li>• 1 3/8" thick hollow core door.</li> <li>• Actual door size: 80" x 32 1/2" in 82" x 36" frame 80" x 38 1/2" in 82" x 42" frame</li> <li>• 42" wide Door Panel permits wheelchair accessibility.</li> <li>• No hang-on capabilities.</li> <li>• 180 degree swing.</li> <li>• Specify Door Knob (DL01) or Door Lever (DL02).</li> <li>• Lock standard.</li> <li>• Handedness can be changed on site.</li> <li>• Please specify Right hand (R) or Left hand (L) hung.</li> </ul>	<p>Panel frame finish.</p> <p>High Pressure Laminate finish.</p> <p>Wood Veneer finish.</p>																																			
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE HP*</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr> <td>BPDS8236R</td> <td>1557</td> <td>82</td> <td>36</td> <td>61</td> <td>6.465</td> </tr> <tr> <td>BPDS8242R</td> <td>1696</td> <td>82</td> <td>42</td> <td>68</td> <td>7.486</td> </tr> <tr> <td>BPDS8236L</td> <td>1557</td> <td>82</td> <td>36</td> <td>61</td> <td>6.465</td> </tr> <tr> <td>BPDS8242L</td> <td>1696</td> <td>82</td> <td>42</td> <td>68</td> <td>7.486</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE HP*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	H	W	BPDS8236R	1557	82	36	61	6.465	BPDS8242R	1696	82	42	68	7.486	BPDS8236L	1557	82	36	61	6.465	BPDS8242L	1696	82	42	68	7.486				
PRODUCT CODE	PRICE HP*			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																												
		H	W																																		
BPDS8236R	1557	82	36	61	6.465																																
BPDS8242R	1696	82	42	68	7.486																																
BPDS8236L	1557	82	36	61	6.465																																
BPDS8242L	1696	82	42	68	7.486																																

BPDH	DESCRIPTION	FINISHES																																			
<b>Half Glazed Door Panel</b>	<p>Aluminum frame with either high pressure laminate or wood veneer door and window.</p> <ul style="list-style-type: none"> <li>• 1 3/8" thick hollow core door.</li> <li>• Actual door size: 80" x 32 1/2" in 82" x 36" frame 80" x 38 1/2" in 82" x 42" frame</li> <li>• 42" wide Door Panel permits wheelchair accessibility.</li> <li>• No hang-on capabilities.</li> <li>• 180 degree swing.</li> <li>• Specify Door Knob (DL01) or Door Lever (DL02).</li> <li>• Lock standard.</li> <li>• Handedness can be changed on site.</li> <li>• Please specify Right hand (R) or Left hand (L) hung.</li> <li>• Fortemperedglassoptionaddanupchargeof\$86for36"wide doors and \$114 for 42" wide doors.</li> </ul>	<p>Panel frame finish.</p> <p>High Pressure Laminate finish.</p> <p>Wood Veneer finish.</p> <p>Tempered Glass or Acrylic finish.</p>																																			
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE HP*</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr> <td>BPDH8236R</td> <td>1928</td> <td>82</td> <td>36</td> <td>53</td> <td>6.465</td> </tr> <tr> <td>BPDH8242R</td> <td>2108</td> <td>82</td> <td>42</td> <td>59</td> <td>7.486</td> </tr> <tr> <td>BPDH8236L</td> <td>1928</td> <td>82</td> <td>36</td> <td>53</td> <td>6.465</td> </tr> <tr> <td>BPDH8242L</td> <td>2108</td> <td>82</td> <td>42</td> <td>59</td> <td>7.486</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE HP*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	H	W	BPDH8236R	1928	82	36	53	6.465	BPDH8242R	2108	82	42	59	7.486	BPDH8236L	1928	82	36	53	6.465	BPDH8242L	2108	82	42	59	7.486				
PRODUCT CODE	PRICE HP*			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																												
		H	W																																		
BPDH8236R	1928	82	36	53	6.465																																
BPDH8242R	2108	82	42	59	7.486																																
BPDH8236L	1928	82	36	53	6.465																																
BPDH8242L	2108	82	42	59	7.486																																

**Door Hanging Directions**



**Note:**

- Door can be converted on site from left to right, or right to left, without additional components.

**Door Handle or Lever Option**


- Door Knob - DL01
- Lock standard.




- Door Lever - DL02
- Lock standard.
  - Lever complies with all handicap codes.



BPDSL	DESCRIPTION	FINISHES
<b>Privacy Screen</b>	<p>Provides territorial privacy in an open plan environment.</p> <ul style="list-style-type: none"> <li>• Lightweight, panel mounted sliding partition.</li> <li>• Consists of translucent polycarbonate.</li> <li>• Must be mounted to a straight panel of the same size.</li> <li>• The face of the Privacy Screen sits 3" away from the face of the panel to which it is attached.</li> <li>• Cable lay-in modules, wood trim and non-load bearing panels may be applied to the top of a panel to which the screen is attached, but not the screen itself.</li> <li>• When open, the screen may interfere with access doors that open on the outside of an adjacent panel.</li> <li>• Must specify left or right for the direction in which the door will slide once installed.</li> <li>• Caps located on the end of the frame default to the panel frame color.</li> <li>• All hardware included.</li> <li>• Can be mounted on Boulevard 1 or Boulevard System 3 panels of the same width as the Sliding Door.</li> </ul>	Panel frame finish.



PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPDSL6636R	1554	66	36	35	5.98
BPDSL6642R	1674	66	42	42	6.93
BPDSL8136R	1865	81	36	43	7.30
BPDSL8142R	2002	81	42	50	8.45
BPDSL6636L	1554	66	36	35	5.98
BPDSL6642L	1674	66	42	42	6.93
BPDSL8136L	1865	81	36	43	7.30
BPDSL8142L	2002	81	42	50	8.45




Note:


- Specify left or right for the direction in which the door will slide as per examples above.


BPDSLLOCK	DESCRIPTION
<b>Privacy Screen Lock</b>	<ul style="list-style-type: none"> <li>• Lock bracket attaches to Privacy Screen with screws</li> <li>• Includes strike plate bracket which attaches to slots in connector.</li> <li>• Lock included.</li> <li>• Available in tungsten only.</li> <li>• Requires on site installation, drilling into the Privacy Screen aluminum frame.</li> </ul>



PRODUCT CODE	PRICE	SIZE/ INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BPDSLLOCKR	240	2.65	1.2	0.9	1	0.2
BPDSLLOCKL	240	2.65	1.2	0.9	1	0.2


BHP	DESCRIPTION	FINISHES		
<b>90 Degree Post</b>	<p>Enables connection for multiple panel runs such as 90 degree, 3 way and 4 way.</p> <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors, 4 end strips, 4 pairs of raceway end caps, and 1 post cap.</li> <li>Posts are designed to accept the following:                             <ul style="list-style-type: none"> <li>80 cables 5 mm (0.200") diameter</li> <li>65 cables 5 mm (0.200") diameter with 1 power feed</li> <li>50 cables 5 mm (0.200") diameter with 2 power feeds</li> </ul> </li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BHP029	53	29	4	0.154
BHP037	83	37	5	0.195
BHP042	92	42	5	0.221
BHP050	104	50	6	0.263
BHP054	114	154	6	0.278
BHP058	114	58	7	0.305
BHP066	124	66	8	0.346
BHP074	135	74	9	0.388
BHP082	145	82	9	0.430
BHP106	173	106	12	0.560
BHP119	187	119	13	0.622


BHP45	DESCRIPTION	FINISHES		
<b>45 Degree Post</b>	<p>Enables connection for two panels at 45 degrees.</p> <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.</li> <li>45 degree post does not accept PVC or Wood End Trim.</li> <li>No power infeed/post extension capabilities.</li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BHP4529	53	29	4	0.154
BHP4537	83	37	5	0.195
BHP4542	92	42	5	0.221
BHP4550	104	50	6	0.263
BHP4554	114	54	6	0.278
BHP4558	114	58	7	0.305
BHP4566	124	66	8	0.346
BHP4574	135	74	9	0.388
BHP4582	145	82	9	0.430
BHP45106	173	106	12	0.560
BHP45119	187	119	13	0.622


BHP60	DESCRIPTION	FINISHES		
<b>60 Degree Post</b>	<p>Enables connection for multiple panel runs such as 120 degrees and 3 way.</p> <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors, 4 end strips, 3 pair of raceway end caps, and 1 post cap.</li> <li>No power infeed/post extension capabilities.</li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BHP6029	53	29	4	0.154
BHP6037	83	37	5	0.195
BHP6042	92	42	5	0.221
BHP6050	104	50	6	0.263
BHP6054	114	54	6	0.278
BHP6058	114	58	7	0.305
BHP6066	124	66	8	0.346
BHP6074	135	74	9	0.388
BHP6082	145	82	9	0.430
BHP60106	173	106	12	0.560
BHP60119	187	119	13	0.622

BHWA	DESCRIPTION	FINISHES				
<b>Wall Adapter</b>	Starts a run of panels off an existing wall.	Panel frame finish.				
	<ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.</li> <li>Mounting hardware not included. The mounting hardware selected must be based on the wall or wall stud material.</li> <li>Wall adapter adds 5/16" to a panel run.</li> </ul>					
	PRODUCT CODE	PRICE	SIZE/INCHES H		WEIGHT LBS	VOL FT <sup>3</sup>
	BHWA029	35	29		2	0.010
	BHWA037	37	37		3	0.013
	BHWA042	43	42		3	0.015
	BHWA050	48	50		3	0.018
	BHWA058	51	58		4	0.021
	BHWA066	54	66		4	0.024
	BHWA074	57	74		4	0.027
	BHWA082	61	82		5	0.030
	BHWA106	75	106		6	0.039
	BHWA119	81	119		7	0.043

BHWASLXX	DESCRIPTION	FINISHES					
<b>Adapter Sleeve</b>	<ul style="list-style-type: none"> <li>Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.</li> <li>As opposed to the BH3WA wall adapter, which connects to the panels securely to a wall, B1 and B3 Boulevard panels rest inside the vertical "U" channel, providing up to 3.5" of flexible adjustment.</li> <li>For panel runs taller than 66" order two Wall Adapter Sleeve and either have them cut short on site below the ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 50" and 42" high B1 and B3 panels.</li> <li>Powder coated steel; specify metal finish.</li> </ul>	Panel frame finish.					
 <p>Note: the Wall Adapter Sleeve provides flexible, connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.</p> <p>Note: No fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally wall type.</p>	PRODUCT CODE	PRICE	SIZE/INCHES H W D			WEIGHT LBS	VOL FT <sup>3</sup>
	BHWASL42	150	34.7	4	2	2.5	0.161
	BHWASL50	162	42.7	4	2	3.6	0.198
	BHWASL58	174	52.7	4	2	5.1	0.244
	BHWASL66	186	58.7	4	2	6.0	0.272

BHHF	DESCRIPTION	FINISHES				
<b>High Profile Foot</b>	Provides added support to panel under load.	Panel frame finish.				
	<ul style="list-style-type: none"> <li>Adjustable glides included.</li> <li>Made of cast aluminum and cold rolled steel.</li> </ul>					
	PRODUCT CODE	PRICE	SIZE/INCHES D W		WEIGHT LBS	VOL FT <sup>3</sup>
	BHHF01	236	12	1	4	0.130

BHLF	DESCRIPTION	FINISHES				
<b>Low Profile Foot</b>	Stabilizes a run of panels.	Panel frame finish.				
	<ul style="list-style-type: none"> <li>Attaches with supplied connectors to an end of a panel.</li> <li>Made of cold rolled steel.</li> </ul>					
	PRODUCT CODE	PRICE	SIZE/INCHES D W		WEIGHT LBS	VOL FT <sup>3</sup>
	BHLF01	32	2.5	9	7	0.230


BHPA	DESCRIPTION	FINISHES			
<b>Panel-to-Panel Adapter</b>	<p>Enables mid panel, off-module connection.</p> <ul style="list-style-type: none"> <li>• Slim profile.</li> <li>• Formed steel construction.</li> <li>• Permanent clamps fit around base channel and fits to top rail.</li> <li>• Priced as a complete kit.</li> <li>• Designed for use with Boulevard 1 panels of the same height only.</li> <li>• Not to be specified on panel seam or with over panels.</li> </ul>	Panel frame finish.			
					
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
BHPA02	32	2	2.5	0.25	0.120

BHCS	DESCRIPTION	FINISHES			
<b>Capture Strip Slot Cover</b>	<p>An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.</p> <ul style="list-style-type: none"> <li>• Priced per pair.</li> <li>• Pliable side membranes cover panel slots.</li> <li>• Included with panel components.</li> <li>• Only to be ordered separately if required.</li> </ul>	Panel frame finish.			
					
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	
BHCS29	5	29		0.21	
BHCS37	6	37		0.24	
BHCS42	6	42		0.28	
BHCS50	7	50		0.33	
BHCS58	8	58		0.63	
BHCS66	9	66		0.40	
BHCS74	10	74		0.43	
BHCS82	12	82		0.47	


BHCE	DESCRIPTION	FINISHES			
<b>End Strip Slot Cover</b>	<p>End strips with pliable side membrane covers panel slots at end of run.</p> <ul style="list-style-type: none"> <li>• Priced per pair.</li> <li>• Included with panel components.</li> <li>• Only to be ordered separately if required.</li> </ul>	Panel frame finish.			
					
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	
BHCE29	3	29		0.10	
BHCE37	4	37		0.12	
BHCE42	4	42		0.14	
BHCE50	5	50		0.16	
BHCE58	5	58		0.18	
BHCE66	6	66		0.20	
BHCE74	7	74		0.22	
BHCE82	8	82		0.23	


BHRC	DESCRIPTION	FINISHES			
<b>Raceway End Caps</b>	<p>Provides clean detail at the end of a panel run or post. End caps fit flush into communication and power channel entry.</p> <ul style="list-style-type: none"> <li>• Priced per pair.</li> <li>• Made of injection molded ABS.</li> <li>• Included with panel components. Only to be ordered separately if required.</li> </ul>	Panel frame finish.			
					
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
BHRC02	2	3		0.04	0.02


BVTE	DESCRIPTION	FINISHES			
<b>Vertical End PVC Trim</b>	Provides a rounded finished detail to the end of the panel run, or a post. <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The PVC end trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> </ul>	<b>Panel frame finish.</b>			
					
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	
BVTE37	20	37	0.41	0.065	
BVTE42	22	42	0.48	0.074	
BVTE50	25	50	0.57	0.088	
BVTE54	26	54	0.61	0.095	
BVTE58	28	58	0.66	0.102	
BVTE66	31	66	0.75	0.115	
BVTE74	35	74	0.84	0.013	
BVTE82	42	82	0.93	0.143	


BVTS	DESCRIPTION	FINISHES			
<b>Vertical Step Down PVC Trim</b>	Provides a rounded finished detail to the end of the panel run where two different height panels are specified. <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The PVC end trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> <li>Please specify panels to be used when ordering a 29" step (BVTS29).</li> </ul>	<b>Panel frame finish.</b>			
					
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	
BVTS08	6	8	0.09	0.015	
BVTS16	10	16	0.18	0.029	
BVTS24	9	24	0.27	0.043	
BVTS32	19	32	0.36	0.056	
BVTS38	20	38	0.45	0.067	
BVTS40	21	40	0.45	0.070	
BVTS48	23	48	0.54	0.084	
BVTS56	24	56	0.63	0.098	


BVTS	DESCRIPTION	FINISHES			
<b>Vertical Step Down PVC Trim for 37" High Panels</b>	Provides a finished detail to the end of the panel run that sits next to a 37" high panel. This PVC trim will bridge the distance between the 37" and higher panel. <ul style="list-style-type: none"> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The PVC end trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> </ul>	<b>Panel frame finish.</b>			
					
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	
BVTS05	6	5	0.06	0.015	
BVTS13	8	13	0.15	0.029	
BVTS21	9	21	0.24	0.043	
BVTS29	18	29	0.33	0.051	
BVTS37	20	37	0.41	0.067	
BVTS45	22	45	0.51	0.084	

BARC	DESCRIPTION	FINISHES																																																				
<b>Aluminum Raceway Cover</b>	<p>Offers an alternative to the existing raceway options.</p> <ul style="list-style-type: none"> <li>Cover hinges upward for easy access to power and data/communication terminals.</li> <li>Cover may be removed for installation and reconfiguration.</li> <li>May not be used with Boulevard System 3 panels.</li> </ul>	<b>Panel frame finish.</b>																																																				
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr><td>BARC06</td><td>23</td><td>5</td><td>0.3</td><td>0.01</td></tr> <tr><td>BARC18</td><td>26</td><td>17</td><td>1.1</td><td>0.03</td></tr> <tr><td>BARC24</td><td>31</td><td>23</td><td>1.4</td><td>0.04</td></tr> <tr><td>BARC30</td><td>34</td><td>29</td><td>1.8</td><td>0.06</td></tr> <tr><td>BARC36</td><td>37</td><td>35</td><td>2.2</td><td>0.07</td></tr> <tr><td>BARC42</td><td>40</td><td>41</td><td>2.5</td><td>0.08</td></tr> <tr><td>BARC48</td><td>43</td><td>47</td><td>2.9</td><td>0.09</td></tr> <tr><td>BARC54</td><td>48</td><td>53</td><td>3.2</td><td>0.10</td></tr> <tr><td>BARC60</td><td>55</td><td>59</td><td>3.7</td><td>0.11</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	BARC06	23	5	0.3	0.01	BARC18	26	17	1.1	0.03	BARC24	31	23	1.4	0.04	BARC30	34	29	1.8	0.06	BARC36	37	35	2.2	0.07	BARC42	40	41	2.5	0.08	BARC48	43	47	2.9	0.09	BARC54	48	53	3.2	0.10	BARC60	55	59	3.7	0.11			
PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>																																																		
BARC06	23	5	0.3	0.01																																																		
BARC18	26	17	1.1	0.03																																																		
BARC24	31	23	1.4	0.04																																																		
BARC30	34	29	1.8	0.06																																																		
BARC36	37	35	2.2	0.07																																																		
BARC42	40	41	2.5	0.08																																																		
BARC48	43	47	2.9	0.09																																																		
BARC54	48	53	3.2	0.10																																																		
BARC60	55	59	3.7	0.11																																																		

BAVTE	DESCRIPTION	FINISHES				
<b>Aluminum Vertical End Trim</b>	Provides a finished detail to the end of a panel run. <ul style="list-style-type: none"> <li>Aluminum radiused front section and injection molded top cap.</li> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The Aluminum End Trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> </ul>	Panel frame finish.				
		<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT<sup>3</sup></b>
		BAVTE37	56	37	1.2	0.03
		BAVTE42	63	42	1.4	0.03
		BAVTE50	75	50	1.7	0.04
		BAVTE58	86	58	1.9	0.04
		BAVTE66	99	66	2.2	0.05
		BAVTE74	115	74	2.4	0.05
		BAVTE82	122	82	2.7	0.06

BAVTS	DESCRIPTION	FINISHES				
<b>Aluminum Vertical End Trim - Standard Step Down</b>	Provides a finished detail to the end of a panel run where two different height panels are specified. <ul style="list-style-type: none"> <li>Aluminum radiused front section and injection molded top cap.</li> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The Aluminum End Trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> <li>Specify panels to be used when ordering a 29" step.</li> </ul>	Panel frame finish.				
		<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT<sup>3</sup></b>
		BAVTS08	19	8	0.3	0.02
		BAVTS16	29	16	0.5	0.03
		BAVTS24	45	24	0.8	0.04
		BAVTS32	56	32	1.1	0.06
		BAVTS38	66	38	1.3	0.07
		BAVTS40	70	40	1.3	0.07
		BAVTS48	83	48	1.6	0.08
		BAVTS56	95	56	1.8	0.10


BAVTSF	DESCRIPTION	FINISHES				
<b>Aluminum Vertical End Trim - Step Down for 37" High Panels</b>	Provides a finished detail to the end of a panel run adjacent to a 37" high panel. <ul style="list-style-type: none"> <li>Aluminum radiused front section and injection molded top cap.</li> <li>Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.</li> <li>The Aluminum End Trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> </ul>	Panel frame finish.				
		<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT<sup>3</sup></b>
		BAVTSF05	19	5	0.2	0.02
		BAVTSF13	29	13	0.4	0.03
		BAVTSF21	45	21	0.7	0.04
		BAVTSF29	56	29	1.0	0.05
		BAVTSF37	66	37	1.2	0.07
		BAVTSF45	83	45	1.5	0.08

BTRC	DESCRIPTION	FINISHES																																																					
<b>Raceway Cover Wood Trim</b> 	<b>Offers a wood aesthetic alternative to existing options.</b> <ul style="list-style-type: none"> <li>• Cover hinges upward for easy access to power and data communication terminals.</li> <li>• Cover may be removed for installation and reconfiguration.</li> <li>• May not be used with Boulevard System 3 panels.</li> <li>• Priced per side.</li> </ul>	<b>Panel frame finish.</b>  <b>Wood Veneer finish.</b>																																																					
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr><td>BTRC06</td><td>147</td><td>6</td><td>1</td><td>0.070</td></tr> <tr><td>BTRC18</td><td>156</td><td>18</td><td>3</td><td>0.193</td></tr> <tr><td>BTRC24</td><td>166</td><td>24</td><td>4</td><td>0.255</td></tr> <tr><td>BTRC30</td><td>176</td><td>30</td><td>4</td><td>0.318</td></tr> <tr><td>BTRC36</td><td>206</td><td>36</td><td>5</td><td>0.380</td></tr> <tr><td>BTRC42</td><td>215</td><td>42</td><td>5</td><td>0.443</td></tr> <tr><td>BTRC48</td><td>225</td><td>48</td><td>5</td><td>0.505</td></tr> <tr><td>BTRC54</td><td>235</td><td>54</td><td>6</td><td>0.568</td></tr> <tr><td>BTRC60</td><td>266</td><td>60</td><td>7</td><td>0.630</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	BTRC06	147	6	1	0.070	BTRC18	156	18	3	0.193	BTRC24	166	24	4	0.255	BTRC30	176	30	4	0.318	BTRC36	206	36	5	0.380	BTRC42	215	42	5	0.443	BTRC48	225	48	5	0.505	BTRC54	235	54	6	0.568	BTRC60	266	60	7	0.630				
	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>																																																		
	BTRC06	147	6	1	0.070																																																		
	BTRC18	156	18	3	0.193																																																		
	BTRC24	166	24	4	0.255																																																		
	BTRC30	176	30	4	0.318																																																		
	BTRC36	206	36	5	0.380																																																		
	BTRC42	215	42	5	0.443																																																		
	BTRC48	225	48	5	0.505																																																		
BTRC54	235	54	6	0.568																																																			
BTRC60	266	60	7	0.630																																																			

BTH	DESCRIPTION	FINISHES																																																					
<b>Horizontal Top Wood Trim</b> 	<b>Provides a finished detail to the top of the panel.</b> <ul style="list-style-type: none"> <li>• Snaps to the top of panel.</li> <li>• Site installed. On-site adjustment may be necessary for use with 37" high panels.</li> <li>• Can only be used for Boulevard 1 panels.</li> </ul>	<b>Panel frame finish.</b>  <b>Wood Veneer finish.</b>																																																					
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr><td>BTH06</td><td>129</td><td>6</td><td>1</td><td>0.010</td></tr> <tr><td>BTH18</td><td>135</td><td>18</td><td>1</td><td>0.024</td></tr> <tr><td>BTH24</td><td>142</td><td>24</td><td>1</td><td>0.032</td></tr> <tr><td>BTH30</td><td>147</td><td>30</td><td>1</td><td>0.040</td></tr> <tr><td>BTH36</td><td>171</td><td>36</td><td>1</td><td>0.048</td></tr> <tr><td>BTH42</td><td>176</td><td>42</td><td>2</td><td>0.055</td></tr> <tr><td>BTH48</td><td>183</td><td>48</td><td>2</td><td>0.063</td></tr> <tr><td>BTH54</td><td>188</td><td>54</td><td>2</td><td>0.071</td></tr> <tr><td>BTH60</td><td>212</td><td>60</td><td>2</td><td>0.079</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	BTH06	129	6	1	0.010	BTH18	135	18	1	0.024	BTH24	142	24	1	0.032	BTH30	147	30	1	0.040	BTH36	171	36	1	0.048	BTH42	176	42	2	0.055	BTH48	183	48	2	0.063	BTH54	188	54	2	0.071	BTH60	212	60	2	0.079				
	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>																																																		
	BTH06	129	6	1	0.010																																																		
	BTH18	135	18	1	0.024																																																		
	BTH24	142	24	1	0.032																																																		
	BTH30	147	30	1	0.040																																																		
	BTH36	171	36	1	0.048																																																		
	BTH42	176	42	2	0.055																																																		
	BTH48	183	48	2	0.063																																																		
BTH54	188	54	2	0.071																																																			
BTH60	212	60	2	0.079																																																			


BTH	DESCRIPTION	FINISHES												
<b>Curved Horizontal Top Wood Trim</b> 	<b>Provides a finished detail to the top of a curved panel.</b> <ul style="list-style-type: none"> <li>• Snaps to the top of panel.</li> <li>• Site installed. On-site adjustment may be necessary for use with 37" high panels.</li> <li>• Can only be used for Boulevard 1 panels.</li> </ul>	<b>Panel frame finish.</b>  <b>Wood Veneer finish.</b>												
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>BTH24R</td> <td>769</td> <td>2.5 24 RA</td> <td>1</td> <td>0.065</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H W	WEIGHT LBS	VOL FT <sup>3</sup>	BTH24R	769	2.5 24 RA	1	0.065			
PRODUCT CODE	PRICE	SIZE/INCHES H W	WEIGHT LBS	VOL FT <sup>3</sup>										
BTH24R	769	2.5 24 RA	1	0.065										


BTPC	DESCRIPTION	FINISHES			
<b>Post Cap Wood Trim</b>	Provides a finished detail to the top of a corner post.  • Can only be used for Boulevard 1 panels.	<b>Panel frame finish.</b>		<b>Wood Veneer finish.</b>	
 90 DEGREE	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
 45 DEGREE	BTPC90	204	2.5	0.06	0.005
 60 DEGREE	BTPC45	200	2.5	0.04	0.005
	BTPC60	200	2.5	0.04	0.005

BTPC-I	DESCRIPTION	FINISHES			
<b>Post Cap Wood Trim (Intermediary)</b>	Provides a finished detail where two different height panels are specified.  • Must specify left or right. • The cut out abuts to the higher panel. Handing is determined by the higher panel. • Can only be used for Boulevard 1 panels.	<b>Panel frame finish.</b>		<b>Wood Veneer finish.</b>	
 L	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
 R	BTPC90I	224	2.5	0.06	0.005
 L	BTPC45I	224	2.5	0.04	0.005
 R	BTPC60I	224	2.5	0.04	0.005

BTVE	DESCRIPTION	FINISHES			
<b>Vertical End Wood Trim</b>	Provides a finished detail to the end of the panel run where Horizontal Top Trim (BTH) is required.  • Integrated slot cover snaps to the end of the panel • Included 2 "Capture Strip" panel connectors. • Can only be used for Boulevard 1 panels.	<b>Panel frame finish.</b>		<b>Wood Veneer finish.</b>	
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	BTVE24	161	24	1	0.043
	BTVE29	167	29	1	0.051
	BTVE42	198	42	1	0.07
	BTVE50	212	50	2	0.088
	BTVE58	212	58	2	0.102
	BTVE66	241	66	2	0.115
	BTVE74	258	74	2	0.129
	BTVE82	270	82	2	0.143

BTVF	DESCRIPTION	FINISHES			
<b>Vertical End Flush Top Wood Trim</b>	Provides a finished detail to the end of the panel run where Horizontal Top Trim (BTH) is not required.  • Integrated slot cover snaps to the end of the panel • Included 2 "Capture Strip" panel connectors.	<b>Panel frame finish.</b>		<b>Wood Veneer finish.</b>	
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	BTVF24	142	24	1	0.043
	BTVF29	171	29	1	0.051
	BTVF37	176	37	1	0.065
	BTVF42	176	42	1	0.074
	BTVF50	188	50	2	0.088
	BTVF58	188	58	2	0.102
	BTVF66	217	66	2	0.115
	BTVF74	217	74	2	0.129
	BTVF82	223	82	2	0.143

BPXCF	DESCRIPTION	FINISHES												
<b>Ceiling Filler</b>	<p>Durable flexible PVC designed to seal a gap between ceiling and Over Panel.</p> <ul style="list-style-type: none"> <li>Available in lengths of 124" to be pressed into over-panel's horizontal profile</li> <li>Can be applied during installation or retrofitted later</li> </ul>	Available in corresponding frame color												
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>BPXCF124</td> <td>45</td> <td>3.25</td> <td>1</td> <td>1.2</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	BPXCF124	45	3.25	1	1.2			
PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>										
BPXCF124	45	3.25	1	1.2										

BTVS	DESCRIPTION	FINISHES																																																				
<b>Vertical Step Down Wood Trim</b>	<p>Provides a finished detail to the end of the panel run where two different height panels are specified and where an over panel or post extension is used.</p> <ul style="list-style-type: none"> <li>Integrated slot cover snaps to the end of the panel</li> <li>Included 2 "Capture Strip" panel connectors.</li> <li>Please specify panels to be used when ordering a 29" step (BTVS29).</li> <li>Can only be used for Boulevard 1 panels.</li> </ul>	<p>Panel frame finish.</p> <p>Wood Veneer finish.</p>																																																				
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr><td>BTVS08</td><td>149</td><td>8</td><td>1</td><td>0.015</td></tr> <tr><td>BTVS16</td><td>156</td><td>16</td><td>1</td><td>0.029</td></tr> <tr><td>BTVS24</td><td>161</td><td>24</td><td>1</td><td>0.043</td></tr> <tr><td>BTVS29</td><td>167</td><td>29</td><td>1</td><td>0.051</td></tr> <tr><td>BTVS32</td><td>193</td><td>32</td><td>1</td><td>0.056</td></tr> <tr><td>BTVS38</td><td>198</td><td>38</td><td>1</td><td>0.067</td></tr> <tr><td>BTVS40</td><td>198</td><td>40</td><td>1</td><td>0.070</td></tr> <tr><td>BTVS48</td><td>204</td><td>48</td><td>2</td><td>0.084</td></tr> <tr><td>BTVS56</td><td>212</td><td>56</td><td>2</td><td>0.098</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	BTVS08	149	8	1	0.015	BTVS16	156	16	1	0.029	BTVS24	161	24	1	0.043	BTVS29	167	29	1	0.051	BTVS32	193	32	1	0.056	BTVS38	198	38	1	0.067	BTVS40	198	40	1	0.070	BTVS48	204	48	2	0.084	BTVS56	212	56	2	0.098			
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>																																																		
BTVS08	149	8	1	0.015																																																		
BTVS16	156	16	1	0.029																																																		
BTVS24	161	24	1	0.043																																																		
BTVS29	167	29	1	0.051																																																		
BTVS32	193	32	1	0.056																																																		
BTVS38	198	38	1	0.067																																																		
BTVS40	198	40	1	0.070																																																		
BTVS48	204	48	2	0.084																																																		
BTVS56	212	56	2	0.098																																																		

BTVSF	DESCRIPTION	FINISHES																																					
<b>Vertical Step Down Wood Trim for 37" High Panels</b>	<p>Provides a finished detail to the end of the panel that sits next to a 37" high panel. This wood trim will bridge the distance between the 37" high panel without a horizontal top trim and a higher panel.</p> <ul style="list-style-type: none"> <li>Integrated slot cover snaps to the end of the panel.</li> <li>Included 2 "Capture Strip" panel connectors.</li> <li>Flush bottom with rounded top.</li> <li>Please specify panels to be used when ordering a 29" step (BTVS29).</li> <li>Can only be used for Boulevard 1 panels.</li> </ul>	<p>Panel frame finish.</p> <p>Wood Veneer finish.</p>																																					
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr><td>BTVSF05</td><td>149</td><td>5</td><td>0.3</td><td>0.015</td></tr> <tr><td>BTVSF13</td><td>156</td><td>13</td><td>0.6</td><td>0.029</td></tr> <tr><td>BTVSF21</td><td>161</td><td>21</td><td>0.9</td><td>0.043</td></tr> <tr><td>BTVSF29</td><td>193</td><td>29</td><td>1.0</td><td>0.051</td></tr> <tr><td>BTVSF37</td><td>198</td><td>37</td><td>1.5</td><td>0.067</td></tr> <tr><td>BTVSF45</td><td>204</td><td>45</td><td>1.8</td><td>0.084</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	BTVSF05	149	5	0.3	0.015	BTVSF13	156	13	0.6	0.029	BTVSF21	161	21	0.9	0.043	BTVSF29	193	29	1.0	0.051	BTVSF37	198	37	1.5	0.067	BTVSF45	204	45	1.8	0.084			
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>																																			
BTVSF05	149	5	0.3	0.015																																			
BTVSF13	156	13	0.6	0.029																																			
BTVSF21	161	21	0.9	0.043																																			
BTVSF29	193	29	1.0	0.051																																			
BTVSF37	198	37	1.5	0.067																																			
BTVSF45	204	45	1.8	0.084																																			


1001/RCC

DESCRIPTION

**Raceway Cover Caps**

To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.  
 • Made of injection molded ABS.

Available in black only.



	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>
DATA COVER:	100138003BLK	6	3	0.04	0.02
ELECTRICAL COVER:	100138120BLK	2	3	0.04	0.02
TRIM PLATE:	RCC01BLK	2	3	0.04	0.02

BHSL


DESCRIPTION

FINISHES

**Safety Lock**

Provides customers a higher degree of privacy.

Available in chrome only.



- Safety Lock is a set of two ready made brackets and four screws.
- It is installed from the inside of a panel adjacent to a door in a private office and prevents opening the door through the raceway.
- To be used for PVC raceways only.

PRODUCT CODE	PRICE
BHSL02	22

BHV


DESCRIPTION

FINISHES

**Component Wall Adapter - Single and Double**

Used to attach system components to fixed wall.


Panel frame finish.





- The vertical wall adapter is a "U" shaped channel with a vertical row of slots with 1" centers.
- The double Component Wall Adapter has a double row of slots with 1" centers.
- Comes in 60" length only.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Sold in pairs.
- Care should be taken to mount adapters only to wall studs using correct fasteners.

Failure to do this may result in collapse of the unit and subsequent possible personal injury.


PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	D		
BHV01	56	60	0.5	4	0.009
BHV02	68	60	0.5	5	0.026

RCW-D	DESCRIPTION	FINISHES																																	
<b>PVC Facemount Raceway Cover for use with 2008 Electrical Components</b>  	<b>PVC raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.</b> <ul style="list-style-type: none"> <li>• Data punch-out accepts industry standard terminal faceplates (not supplied by TEKNION).</li> <li>• Electrical cut-outs have black PVC trim.</li> <li>• May not be used with Boulevard System 3 Panels.</li> <li>• Cover hinges upward for easy access to power and data/ communication terminals.</li> </ul>	Panel frame finish.																																	
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>RCW36D</td> <td>34</td> <td>36</td> <td>4</td> <td>0.07</td> </tr> <tr> <td>RCW42D</td> <td>34</td> <td>42</td> <td>5</td> <td>0.08</td> </tr> <tr> <td>RCW48D</td> <td>34</td> <td>48</td> <td>5</td> <td>0.09</td> </tr> <tr> <td>RCW54D</td> <td>34</td> <td>54</td> <td>6</td> <td>0.10</td> </tr> <tr> <td>RCW60D</td> <td>34</td> <td>60</td> <td>7</td> <td>0.11</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	RCW36D	34	36	4	0.07	RCW42D	34	42	5	0.08	RCW48D	34	48	5	0.09	RCW54D	34	54	6	0.10	RCW60D	34	60	7	0.11				
	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>																														
	RCW36D	34	36	4	0.07																														
	RCW42D	34	42	5	0.08																														
	RCW48D	34	48	5	0.09																														
	RCW54D	34	54	6	0.10																														
RCW60D	34	60	7	0.11																															

FCR-D	DESCRIPTION	FINISHES																																	
<b>Fabric Covered Facemount Raceway Cover for use with 2008 Electrical Components</b>  	<b>Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.</b> <ul style="list-style-type: none"> <li>• Data punch-out accepts industry standard terminal faceplates (not supplied by TEKNION).</li> <li>• Electrical cut-outs have black PVC trim.</li> <li>• May not be used with Boulevard System 3 Panels.</li> <li>• Cover hinges upward for easy access to power and data/ communication terminals.</li> </ul>	Panel frame finish. Class "A" Fire rated fabric.																																	
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES L</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>FCR36D</td> <td>57</td> <td>36</td> <td>4</td> <td>0.07</td> </tr> <tr> <td>FCR42D</td> <td>57</td> <td>42</td> <td>5</td> <td>0.08</td> </tr> <tr> <td>FCR48D</td> <td>57</td> <td>48</td> <td>5</td> <td>0.09</td> </tr> <tr> <td>FCR54D</td> <td>57</td> <td>54</td> <td>6</td> <td>0.10</td> </tr> <tr> <td>FCR60D</td> <td>57</td> <td>60</td> <td>7</td> <td>0.11</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>	FCR36D	57	36	4	0.07	FCR42D	57	42	5	0.08	FCR48D	57	48	5	0.09	FCR54D	57	54	6	0.10	FCR60D	57	60	7	0.11				
	PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>																														
	FCR36D	57	36	4	0.07																														
	FCR42D	57	42	5	0.08																														
	FCR48D	57	48	5	0.09																														
	FCR54D	57	54	6	0.10																														
FCR60D	57	60	7	0.11																															

RCA-D	DESCRIPTION	FINISHES																																	
<b>Aluminum Raceway Cover for Face Mounted Electrical for use with 2008 Electrical Components</b>  	<b>Aluminum raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.</b> <ul style="list-style-type: none"> <li>• Data punch-out accepts industry standard terminal faceplates (not supplied by TEKNION).</li> <li>• May not be used with Boulevard System 3 Panels.</li> <li>• Cover hinges upward for easy access to power and data/ communication terminals.</li> <li>• Cover may be removed for installation and reconfiguration.</li> </ul>	Panel frame finish.																																	
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES W</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>RCA36D</td> <td>46</td> <td>36</td> <td>2.2</td> <td>0.07</td> </tr> <tr> <td>RCA42D</td> <td>48</td> <td>42</td> <td>2.5</td> <td>0.08</td> </tr> <tr> <td>RCA48D</td> <td>50</td> <td>48</td> <td>2.9</td> <td>0.09</td> </tr> <tr> <td>RCA54D</td> <td>53</td> <td>54</td> <td>3.2</td> <td>0.10</td> </tr> <tr> <td>RCA60D</td> <td>55</td> <td>60</td> <td>3.7</td> <td>0.11</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>	RCA36D	46	36	2.2	0.07	RCA42D	48	42	2.5	0.08	RCA48D	50	48	2.9	0.09	RCA54D	53	54	3.2	0.10	RCA60D	55	60	3.7	0.11				
	PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>																														
	RCA36D	46	36	2.2	0.07																														
	RCA42D	48	42	2.5	0.08																														
	RCA48D	50	48	2.9	0.09																														
	RCA54D	53	54	3.2	0.10																														
RCA60D	55	60	3.7	0.11																															

**Boulevard 1 Flat Trims**




Flat Aluminum Trims For Boulevard 1:


Designed to use top and vertical trims together on the panel


\* Specifying vertical trims only will make them too long and will not fit correctly.


You must specify vertical trims as a special if you are NOT using top trims.


Post caps BA1PCF must be specified separately when using trims.


BA1VTFE	DESCRIPTION	FINISHES		
<b>Aluminum Vertical End Trim</b>	Provides a finish detail to the end of a panel run. <ul style="list-style-type: none"> <li>Aluminum flat profile with injection molded top cap.</li> <li>Included: 2 "capture strip" panel connectors and 1 injection molded top cap.</li> <li>The Aluminum End Trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> <li>For use with aluminum top cap.</li> </ul>	Panel frame finish		
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>WEIGHT H</b>	<b>VOL FT<sup>3</sup></b>
			<b>LBS</b>	
	BA1VTFE29	24	29	0.7
	BA1VTFE37	40	37	1.0
	BA1VTFE42	45	42	1.2
	BA1VTFE50	52	50	1.5
	BA1VTFE58	60	58	1.7
	BA1VTFE66	69	66	2.0
	BA1VTFE74	78	74	2.2
	BA1VTFE82	86	82	2.4


BA1VTFS	DESCRIPTION	FINISHES		
<b>Aluminum Vertical End Trim - Standard Step Down</b>	Provides a finish detail to the end of a panel run where 2 different height panels are specified. <ul style="list-style-type: none"> <li>Aluminum flat profile with injection molded top cap.</li> <li>Included: 2 "capture strip" panel connectors and 1 injection molded top cap.</li> <li>The aluminum end trim is designed to snap at the end of the panel or post.</li> <li>Site installed.</li> <li>For use with aluminum top cap.</li> </ul>	Panel frame finish		
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>VOL FT<sup>3</sup></b>
			<b>WEIGHT LBS</b>	
	BA1VTFS08	12	8	0.2
	BA1VTFS16	22	16	0.6
	BA1VTFS24	31	24	0.7
	BA1VTFS32	38	32	0.9
	BA1VTFS38	43	38	1.1
	BA1VTFS40	45	40	1.1
	BA1VTFS48	49	48	1.3
	BA1VTFS56	57	56	1.6

BA1VTFS	DESCRIPTION	FINISHES																																						
<b>Aluminum Vertical End Trim - Standard Step Down 37" High Panels</b>	<p>Provides a finish detail to the end of a panel run adjacent to a 37" high panel.</p> <ul style="list-style-type: none"> <li>Aluminum flat profile with injection molded top cap</li> <li>Included 2 "capture strip" panel connectors and 1 injection molded top cap</li> <li>The aluminum end trim is designed to snap at the end of the panel or post</li> <li>Site installed</li> <li>Specify panels to be used when ordering a 29" step down trim.</li> <li>For use with aluminum top cap.</li> </ul>	<b>Panel frame finish</b>																																						
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>BA1VTFS05</td> <td>11</td> <td>5</td> <td>0.2</td> <td>0.01</td> </tr> <tr> <td>BA1VTFS13</td> <td>19</td> <td>13</td> <td>0.4</td> <td>0.01</td> </tr> <tr> <td>BA1VTFS21</td> <td>29</td> <td>21</td> <td>0.6</td> <td>0.02</td> </tr> <tr> <td>BA1VTFS29</td> <td>34</td> <td>29</td> <td>0.7</td> <td>0.03</td> </tr> <tr> <td>BA1VTFS37</td> <td>41</td> <td>37</td> <td>1.1</td> <td>0.03</td> </tr> <tr> <td>BA1VTFS45</td> <td>48</td> <td>45</td> <td>1.3</td> <td>0.04</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	BA1VTFS05	11	5	0.2	0.01	BA1VTFS13	19	13	0.4	0.01	BA1VTFS21	29	21	0.6	0.02	BA1VTFS29	34	29	0.7	0.03	BA1VTFS37	41	37	1.1	0.03	BA1VTFS45	48	45	1.3	0.04				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>																																				
BA1VTFS05	11	5	0.2	0.01																																				
BA1VTFS13	19	13	0.4	0.01																																				
BA1VTFS21	29	21	0.6	0.02																																				
BA1VTFS29	34	29	0.7	0.03																																				
BA1VTFS37	41	37	1.1	0.03																																				
BA1VTFS45	48	45	1.3	0.04																																				

BA1TTRF	DESCRIPTION	FINISHES																																																					
<b>Aluminum Top Cap</b>	<p>Provides a finish detail to the top of a Boulevard 1 panel.</p> <ul style="list-style-type: none"> <li>Designed to snap to the top of a panel rail.</li> <li>Must be used on panels of corresponding width.</li> <li>Site installed.</li> <li>For applications using transaction tops and top mounted storage, please use BHBT02FT bracket</li> <li>To be used with vertical flat trim.</li> </ul>	<b>Panel frame finish</b>																																																					
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>BA1TTRF06</td> <td>11</td> <td>6</td> <td>0.2</td> <td>0.01</td> </tr> <tr> <td>BA1TTRF18</td> <td>12</td> <td>18</td> <td>0.6</td> <td>0.02</td> </tr> <tr> <td>BA1TTRF24</td> <td>12</td> <td>24</td> <td>0.7</td> <td>0.03</td> </tr> <tr> <td>BA1TTRF30</td> <td>17</td> <td>30</td> <td>0.9</td> <td>0.04</td> </tr> <tr> <td>BA1TTRF36</td> <td>20</td> <td>36</td> <td>1.1</td> <td>0.05</td> </tr> <tr> <td>BA1TTRF42</td> <td>25</td> <td>42</td> <td>1.3</td> <td>0.06</td> </tr> <tr> <td>BA1TTRF48</td> <td>29</td> <td>48</td> <td>1.5</td> <td>0.06</td> </tr> <tr> <td>BA1TTRF54</td> <td>34</td> <td>54</td> <td>1.6</td> <td>0.07</td> </tr> <tr> <td>BA1TTRF60</td> <td>38</td> <td>60</td> <td>1.8</td> <td>0.08</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	BA1TTRF06	11	6	0.2	0.01	BA1TTRF18	12	18	0.6	0.02	BA1TTRF24	12	24	0.7	0.03	BA1TTRF30	17	30	0.9	0.04	BA1TTRF36	20	36	1.1	0.05	BA1TTRF42	25	42	1.3	0.06	BA1TTRF48	29	48	1.5	0.06	BA1TTRF54	34	54	1.6	0.07	BA1TTRF60	38	60	1.8	0.08				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>																																																			
BA1TTRF06	11	6	0.2	0.01																																																			
BA1TTRF18	12	18	0.6	0.02																																																			
BA1TTRF24	12	24	0.7	0.03																																																			
BA1TTRF30	17	30	0.9	0.04																																																			
BA1TTRF36	20	36	1.1	0.05																																																			
BA1TTRF42	25	42	1.3	0.06																																																			
BA1TTRF48	29	48	1.5	0.06																																																			
BA1TTRF54	34	54	1.6	0.07																																																			
BA1TTRF60	38	60	1.8	0.08																																																			

BA1PCF	DESCRIPTION	FINISHES													
<b>Post Cap</b>	<p>Bridges the height difference when using Boulevard 1 panels only with Aluminum Horizontal Top Trims.</p> <ul style="list-style-type: none"> <li>Injection molded post cap to fit on top of 90 degree corner post.</li> <li>Extends post's overall height to the level corresponding with the height of aluminum horizontal top trim installed on standard Boulevard 2 panel.</li> <li>Site installed.</li> <li>Used for Boulevard 1 panels when top aluminum horizontal trim is used.</li> </ul>	<b>Panel frame finish</b>													
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th>SIZE/INCHES H</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>BA1PCF</td> <td>6</td> <td>2.5</td> <td>0.05</td> <td>0.03</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>	BA1PCF	6	2.5	0.05	0.03				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>											
BA1PCF	6	2.5	0.05	0.03											

BHBT37FT	DESCRIPTION	FINISHES					
<b>Transaction Bracket for 37" Panels with flat Trim</b>	Provides a secure attachment of a transaction worksurface for a 37" high panel with top trim.	<b>Panel frame finish</b>					
	<ul style="list-style-type: none"> <li>Includes a left and right bracket and bracket retainer clips.</li> </ul>						
	<b>PRODUCT</b>	<b>PRICE</b>	<b>SIZE/INCHES</b>			<b>WEIGHT</b>	
	<b>VOL CODE</b>		<b>H</b>	<b>W</b>	<b>D</b>	<b>LBS</b>	<b>FT<sup>3</sup></b>
	BHBT37FT	23	3.3	1.5	2.3	2.0	0.010

BHBT02FT	DESCRIPTION	FINISHES					
<b>Transaction Bracket for 42" Panels with Flat Trim.</b>	Provides a secure attachment of a transaction worksurface for 42" high Boulevard panels with flat trim.	<b>Panel frame finish</b>					
	<ul style="list-style-type: none"> <li>Includes a left and right bracket and bracket retainer clips.</li> </ul>						
	<b>PRODUCT</b>	<b>PRICE</b>	<b>SIZE/INCHES</b>			<b>WEIGHT</b>	
	<b>VOL CODE</b>		<b>H</b>	<b>W</b>	<b>D</b>	<b>LBS</b>	<b>FT<sup>3</sup></b>
	BHBT02FT	19	4	1	3	0.5	0.007



# boulevard 3 panels

## BOULEVARD SYSTEM 3 PANELS - TECHNICAL INFORMATION

Panels	<ul style="list-style-type: none"> <li>• All panels are 2 5/8" thick.</li> <li>• Lightweight aluminum box frame construction creates superior panel rigidity.</li> <li>• Panel frame finish is durable epoxy powder coated.</li> <li>• Hang-on capabilities at 1" increments.</li> <li>• Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.</li> <li>• Self levellers ensure even panel heights throughout installation.</li> <li>• 3" glide stem permits 2 1/2" height adjustment.</li> <li>• Panel sizes are actual, eliminating creepage.</li> <li>• Vertical end trims must be specified to give the panel a finished appearance.</li> <li>• Horizontal top trims are included with all panels.</li> <li>• All panels include 2 "Capture Strip" panel connectors.</li> <li>• Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.</li> </ul>
Panel Options	<ul style="list-style-type: none"> <li>• All panels accept Over Panels.</li> <li>• Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, see "OPT" column.</li> <li>• Laminate and whiteboard are held in place with a PVC retainer matching the frame color and can be retrofitted on site.</li> <li>• Laminate, whiteboard and corkboard options reduce the acoustical value of the panel.</li> </ul>
Monolithic Panels	<ul style="list-style-type: none"> <li>• Fabric on Monolithic Panels can be re-upholstered on site.</li> </ul>
Pass Thru Panels	<ul style="list-style-type: none"> <li>• Fabric at base of Pass-Thru Panels can be re-upholstered on site.</li> </ul>
Bottom Lay-in Raceway	<ul style="list-style-type: none"> <li>• Bottom raceway snaps to the bottom of the panel and can be completely removed for unobstructed cable lay-in installation.</li> <li>• Bottom lay-in raceway is 60 mm (2.380") wide x 141 mm (5.560") high.</li> <li>• Maximum capacity: 70 cables 5 mm (0.200) diameter, 2 parallel 8 wire, 4 circuit power distribution.</li> <li>• State-of-the-art engineering.</li> <li>• Snap-in modularity of all electrical components including harnesses, junction boxes, duplexes and circuit designations.</li> <li>• All power and data outlets are easily accessible from both sides of panel.</li> <li>• 8 wire system with 4, 15-amp circuits (including 1 dedicated circuit).</li> <li>• Facemount electrical with 2 duplexes per panel side.</li> <li>• Included is 1 data/communication terminal bracket per side.</li> <li>• Raceway cover openings of 2.800" x 1.345" can accommodate a single modular Data/Comm terminal plate per side (not supplied by TEKNION).</li> <li>• Outlet and circuit changes accomplished without disruption to work station.</li> <li>• Large raceway cavity permits storage of excess cables and equipment cords.</li> <li>• Total flexibility for 8 wire system: choice of up to 4 duplexes per panel; choice of circuitry in each duplex.</li> <li>• Unique design of fire retardant metal raceway cover permits access to raceway without disruption to equipment.</li> </ul>
Horizontal Lay-in Channel	<ul style="list-style-type: none"> <li>• Integrated horizontal lay-in channel 33.5 mm (1.320") wide and 38 mm (1.500") high at the top of panels and on top of the door frame.</li> <li>• Maximum capacity: 36 cables 5 mm (0.200") in diameter.</li> <li>• Maximum cable bending radius between two perpendicular panels: 141.2 mm (5.560") [5 mm (0.200") in diameter cables].</li> </ul>
Vertical Wire Channel	<ul style="list-style-type: none"> <li>• Where applicable, the vertical wire channel connects horizontal channel above desk height with floor level raceway.</li> <li>• Opening in horizontal channel allows for vertical cable passage from top lay-in channel to base raceway.</li> <li>• Integrated vertical channel 76 mm (2.990") x 27 mm (1.060").</li> <li>• Maximum capacity: 60 cables 5 mm (0.200") in diameter.</li> <li>• Maximum cable bending radius: 141.2 mm (5.560").</li> </ul>
Posts	<ul style="list-style-type: none"> <li>• Enables connection for multiple panel runs such as 90°, 45° or 60° angle and 2 way, 3 way or 4 way.</li> <li>• Starts at the top of the bottom lay-in raceway.</li> <li>• 90 degree post provides route for ceiling power and data entry to a panel raceway.</li> <li>• Self levelling feature maintains even height of all connected panels.</li> <li>• Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.</li> <li>• Post has punch-outs at the top to allow for unobstructed horizontal cable passage between adjacent panels.</li> <li>• Includes all required panel connectors and caps.</li> <li>• Posts add 2 5/8" to a panel run.</li> <li>• Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.</li> <li>• For all panel runs with multiple posts, this 1/8" must be allotted for.</li> <li>• Maximum capacity:             <ul style="list-style-type: none"> <li>• 80 cables 5 mm (0.200") diameter</li> <li>• 65 cables 5 mm (0.200") diameter with 1 power feed</li> <li>• 50 cables 5 mm (0.200") diameter with 2 power feeds</li> </ul> </li> </ul>



BPX3MA

DESCRIPTION

FINISHES

**Monolithic Acoustical Panel for use with 2008 Electrical Components**



Provides visual and acoustic privacy.

- Center septum above raceway overlaid on either side with 1" fiberglass sound absorbent.
- Acoustic rating of .70 NRC and 25 STC.

Panel frame finish.



Class "A" Fire rated fabric.

Metal raceway cover standard in corresponding frame color.




PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3MA3418	235	249	264	34	18	11	1.337
BPX3MA3424	262	278	294	34	24	12	1.738
BPX3MA3430	287	302	316	34	30	13	2.139
BPX3MA3436	313	341	372	34	36	15	2.540
BPX3MA3442	339	367	398	34	42	16	2.941
BPX3MA3448	365	393	424	34	48	18	3.342
BPX3MA3454	392	420	451	34	54	20	3.743
BPX3MA3460	418	444	476	34	60	22	4.144
BPX3MA3472	723	763	NA	34	72	30	5.080
BPX3MA4218	253	272	292	42	18	12	1.782
BPX3MA4224	280	300	319	42	24	13	2.317
BPX3MA4230	308	328	347	42	30	15	2.852
BPX3MA4236	335	379	419	42	36	17	3.387
BPX3MA4242	364	402	442	42	42	19	3.921
BPX3MA4248	391	428	469	42	48	21	4.456
BPX3MA4254	420	458	494	42	54	23	4.991
BPX3MA4260	447	484	525	42	60	25	5.525
BPX3MA4272	823	904	NA	42	72	34	6.770
BPX3MA5018	326	354	385	50	18	13	2.106
BPX3MA5024	359	387	418	50	24	15	2.738
BPX3MA5030	392	420	451	50	30	17	3.370
BPX3MA5036	427	484	545	50	36	20	4.002
BPX3MA5042	461	518	578	50	42	23	4.634
BPX3MA5048	495	559	619	50	48	24	5.266
BPX3MA5054	527	584	644	50	54	25	5.898
BPX3MA5060	562	619	679	50	60	27	6.530
BPX3MA5072	1009	1087	NA	50	72	40	8.000
BPX3MA6618	380	426	478	66	18	14	2.755
BPX3MA6624	416	463	513	66	24	17	3.581
BPX3MA6630	451	498	550	66	30	20	4.407
BPX3MA6636	489	563	644	66	36	24	5.234
BPX3MA6642	524	600	679	66	42	26	6.060
BPX3MA6648	560	637	716	66	48	28	6.887
BPX3MA6654	594	671	751	66	60	32	8.539

BPX3MV	DESCRIPTION	FINISHES		
<b>Monolithic Acoustical Panel with Vertical Wire Channel for use with 2008 Electrical Components</b>	<b>Provides visual and acoustic privacy and allows for vertical cable passage from top lay-in channel to bottom raceway within panel.</b>	<b>Panel frame finish.</b>		
	<ul style="list-style-type: none"> <li>• Center septum above raceway overlaid on either side with 1" fiberglass sound absorbent.</li> <li>• Acoustic rating of .70 NRC and 25 STC.</li> <li>• Includes integrated vertical wire channel.</li> </ul>	<b>Class "A" Fire rated fabric.</b>		
		<b>Metal raceway cover standard in corresponding frame color.</b>		
PRODUCT CODE	PRICE GR1 GR2 OPT*	SIZE/INCHES H W	WEIGHT LBS	VOL FT <sup>3</sup>
BPX3MV3430	309 325 338	34 30	15	2.139
BPX3MV3436	335 367 397	34 36	17	2.540
BPX3MV3442	361 389 420	34 42	18	2.941
BPX3MV3448	388 416 447	34 48	20	3.342
BPX3MV3454	414 441 472	34 54	22	3.743
BPX3MV3460	439 467 498	34 60	24	4.144
BPX3MV3472	770 810 NA	34 72	34	5.080
BPX3MV4230	337 357 377	42 30	17	2.852
BPX3MV4236	364 402 442	42 36	19	3.387
BPX3MV4242	393 437 477	42 42	21	3.921
BPX3MV4248	420 457 498	42 48	23	4.456
BPX3MV4254	449 486 527	42 54	25	4.991
BPX3MV4260	476 513 554	42 60	27	5.525
BPX3MV4272	884 961 NA	42 72	38	6.770
BPX3MV5030	428 456 489	50 30	19	3.370
BPX3MV5036	464 521 581	50 36	22	4.002
BPX3MV5042	496 553 613	50 42	25	4.634
BPX3MV5048	531 594 655	50 48	26	5.266
BPX3MV5054	563 620 680	50 54	27	5.898
BPX3MV5060	598 655 715	50 60	29	6.530
BPX3MA5072	1087 1164 NA	50 72	40	8.000
BPX3MV6630	501 549 600	66 30	22	4.407
BPX3MV6636	537 613 693	66 36	26	5.234
BPX3MV6642	574 649 730	66 42	28	6.060
BPX3MV6648	611 686 767	66 48	30	6.887
BPX3MV6654	645 721 801	66 54	32	7.713
BPX3MV6660	681 769 849	66 60	34	8.539



BPX3MG	DESCRIPTION	FINISHES		
<b>Monolithic Glazed Panel for use with 2008 Electrical Components</b>	<b>Full-height glazing provides visual accessibility.</b>	<b>Panel frame finish.</b>		
	<ul style="list-style-type: none"> <li>• Glazing is replaceable on site.</li> <li>• Tempered glass standard.</li> </ul>	<b>Metal raceway cover standard in corresponding frame color.</b>		
PRODUCT CODE	PRICE	SIZE/INCHES H W	WEIGHT LBS	VOL FT <sup>3</sup>
BPX3MG5024	572	50 24	25	2.738
BPX3MG5030	726	50 30	29	3.370
BPX3MG5036	769	50 36	33	4.002
BPX3MG5042	810	50 42	36	4.634
BPX3MG5048	854	50 48	41	5.266
BPX3MG6624	711	66 24	33	3.581
BPX3MG6630	773	66 30	39	4.407
BPX3MG6636	835	66 36	44	5.234
BPX3MG6642	896	66 42	49	6.060
BPX3MG6648	956	66 48	54	6.887



ABPX3PT

DESCRIPTION

FINISHES

**Pass-Thru Panel - Fabric Base for use with 2008 Electrical Components**


**Opening allows choice of tile above desk height.**

**Panel frame finish.**


- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Need to specify one tile for glass and two tiles for all other applications.

**Class "A" Fire rated fabric.**

**Metal raceway cover standard in corresponding frame color.**



42" High



50" High



66" High

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3PT4218	242	261	282	42	18	14	1.689
BPX3PT4224	273	292	313	42	24	16	2.233
BPX3PT4230	302	322	342	42	30	17	2.792
BPX3PT4236	331	350	371	42	36	19	3.351
BPX3PT4242	360	379	400	42	42	21	3.908
BPX3PT4248	390	409	430	42	48	23	4.466
BPX3PT4254	419	438	459	42	54	26	5.025
BPX3PT4260	448	467	489	42	60	27	5.592
BPX3PT4272	786	826	NA	42	72	38	6.700
BPX3PT5018	242	261	282	50	18	15	2.106
BPX3PT5024	273	292	313	50	24	17	2.738
BPX3PT5030	302	322	342	50	30	18	3.370
BPX3PT5036	331	350	371	50	36	20	4.002
BPX3PT5042	359	381	396	50	42	22	4.634
BPX3PT5048	390	409	430	50	48	24	5.266
BPX3PT5054	419	438	459	50	54	27	5.898
BPX3PT5060	448	467	489	50	60	29	6.530
BPX3PT5072	786	826	NA	50	72	40	8.000
BPX3PT6618	301	322	341	66	18	19	2.755
BPX3PT6624	335	356	375	66	24	21	3.581
BPX3PT6630	371	391	411	66	30	23	4.407
BPX3PT6636	407	426	447	66	36	25	5.234
BPX3PT6642	441	462	481	66	42	27	6.060
BPX3PT6648	477	497	518	66	48	30	6.887
BPX3PT6654	512	532	553	66	54	33	7.713
BPX3PT6660	549	570	584	66	60	36	8.539

BPX3PV

DESCRIPTION

FINISHES

**Pass-Thru Panel - Fabric Base with Vertical Wire Channel for use with 2008 Electrical Components**


Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from top lay-in channel to bottom raceway within panel.

Panel frame finish.

Class "A" Fire rated fabric.

- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Need to specify one tile for glass and two tiles for all other applications.


Metal raceway cover standard in corresponding frame color.



42" High



50" High



66" High

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3PV4230	331	350	371	42	30	19	2.792
BPX3PV4236	360	379	400	42	36	21	3.351
BPX3PV4242	390	409	430	42	42	23	3.908
BPX3PV4248	419	438	459	42	48	23	4.466
BPX3PV4254	448	467	489	42	54	28	5.025
BPX3PV4260	478	497	519	42	60	30	5.592
BPX3PV4272	816	856	NA	42	72	42	6.700
BPX3PV5030	331	350	371	50	30	20	3.370
BPX3PV5036	360	379	400	50	36	22	4.002
BPX3PV5042	390	409	430	50	42	24	4.634
BPX3PV5048	419	438	459	50	48	26	5.266
BPX3PV5054	448	470	485	50	54	29	5.898
BPX3PV5060	478	497	519	50	60	31	6.530
BPX3PV5072	816	856	NA	50	72	44	8.000
BPX3PV6630	400	420	440	66	30	25	4.407
BPX3PV6636	435	456	472	66	36	27	5.234
BPX3PV6642	471	492	511	66	42	29	6.060
BPX3PV6648	507	527	548	66	48	32	6.887
BPX3PV6654	541	561	582	66	54	35	7.713
BPX3PV6660	576	595	616	66	60	38	8.539

BPX3PF

DESCRIPTION

FINISHES


Pass-Thru Panel -  
Air Flow Base for use  
with 2008 Electrical  
Components

Allows air to flow freely through the bottom of the panel.

Panel frame finish.

- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Need to specify one tile for glass and two tiles for all other applications.

Metal raceway cover  
standard in corresponding  
frame color.



PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPX3PF5018	338	50	18	17	2.106
BPX3PF5024	385	50	24	18	2.738
BPX3PF5030	430	50	30	20	3.370
BPX3PF5036	476	50	36	22	4.002
BPX3PF5042	523	50	42	23	4.634
BPX3PF5048	569	50	48	26	5.266
BPX3PF5054	615	50	54	28	5.898
BPX3PF5060	661	50	60	31	6.530
BPX3PF6618	395	66	18	21	2.755
BPX3PF6624	448	66	24	23	3.581
BPX3PF6630	501	66	30	25	4.407
BPX3PF6636	555	66	36	27	5.234
BPX3PF6642	611	66	42	29	6.060
BPX3PF6648	664	66	48	32	6.887
BPX3PF6654	717	66	54	35	7.713
BPX3PF6660	771	66	60	37	8.539

BPX3OP


DESCRIPTION

FINISHES

Over Panel Frame  
for use with 2008  
Electrical Components

Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall. **Panel frame finish.**

- Any tile can be attached to either side to enclose the frame. For tile selection, see page D.9 and D.10.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Openings in horizontal channels allow for vertical cable passage from top lay-in channel and behind the cover tiles.
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 and Boulevard 2 panels.
- When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.
- Need to specify one tile for glass and two tiles for all other applications.




PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPX3OP0818	58	8	18	3.0	0.383
BPX3OP0824	63	8	24	4.0	0.438
BPX3OP0830	70	8	30	4.0	0.656
BPX3OP0836	76	8	36	4.0	0.712
BPX3OP0842	82	8	42	5.0	0.875
BPX3OP0848	87	8	48	5.0	0.930
BPX3OP0854	93	8	54	6.0	1.040
BPX3OP0860	99	8	60	6.0	1.204
BPX3OP0872	186	08	72	8.0	1.42
BPX3OP1618	58	16	18	4.0	0.638
BPX3OP1624	63	16	24	5.0	0.730
BPX3OP1630	70	16	30	5.0	1.094
BPX3OP1636	76	16	36	5.0	1.186
BPX3OP1642	82	16	42	6.0	1.459
BPX3OP1648	87	16	48	6.0	1.550
BPX3OP1654	93	16	54	7.0	1.733
BPX3OP1660	99	16	60	7.0	2.006
BPX3OP1672	186	16	72	10.0	2.37

BPX3GMA

DESCRIPTION

FINISHES

**Monolithic Acoustical Panel with Embedded Glass**



Provides visual and acoustic privacy.

- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT\* = Laminate or Whiteboard
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1" gap between two adjacent glass panes.
- Glass shipped seperately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3GMA3418	792	806	821	34	18	14	1.627
BPX3GMA3424	837	851	866	34	24	17	2.178
BPX3GMA3430	882	896	911	34	30	20	2.729
BPX3GMA3436	927	955	986	34	36	23	3.270
BPX3GMA3442	983	1011	1042	34	42	25	3.791
BPX3GMA3448	1043	1071	1102	34	48	29	4.302
BPX3GMA3454	1121	1149	1180	34	54	32	4.853
BPX3GMA3460	1185	1213	1244	34	60	35	5.404
BPX3GMA3472	1329	1369	1411	34	72	46	6.640
BPX3GMA4218	819	838	858	42	18	15	2.072
BPX3GMA4224	867	886	906	42	24	18	2.757
BPX3GMA4230	915	934	954	42	30	22	3.442
BPX3GMA4236	962	1000	1040	42	36	25	4.117
BPX3GMA4242	1020	1058	1098	42	42	28	4.771
BPX3GMA4248	1085	1123	1163	42	48	32	5.416
BPX3GMA4254	1163	1201	1241	42	54	35	6.101
BPX3GMA4260	1229	1267	1307	42	60	38	6.785
BPX3GMA4272	1431	1508	1591	42	72	50	8.330
BPX3GMA5018	932	960	991	50	18	16	2.396
BPX3GMA5024	989	1017	1048	50	24	20	3.178
BPX3GMA5030	1049	1077	1108	50	30	24	3.960
BPX3GMA5036	1104	1161	1221	50	36	28	4.732
BPX3GMA5042	1172	1229	1289	50	42	32	5.484
BPX3GMA5048	1244	1301	1361	50	48	35	6.226
BPX3GMA5054	1331	1388	1448	50	54	37	7.008
BPX3GMA5060	1410	1467	1527	50	60	40	7.790
BPX3GMA5072	1620	1697	1780	50	72	56	9.560
BPX3GMA6618	1017	1064	1115	66	18	17	3.045
BPX3GMA6624	1080	1127	1178	66	24	22	4.021
BPX3GMA6630	1137	1184	1235	66	30	27	4.997
BPX3GMA6636	1200	1276	1356	66	36	32	5.964
BPX3GMA6642	1272	1348	1428	66	42	35	6.910
BPX3GMA6648	1347	1423	1503	66	48	39	7.847
BPX3GMA6654	1437	1513	1593	66	54	42	8.823
BPX3GMA6660	1520	1596	1676	66	60	45	9.799

BPX3GMG

DESCRIPTION

FINISHES

**Monolithic Glazed Panel with Embedded Glass**

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
  - B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
  - There is 1" gap between two adjacent glass panes.
  - Glass shipped seperately, Allen key to set the glass pane plumb is provided with each panel.
  - 5mm tempered glass, acid etched on one side.
  - Square corners on glass.
  - Integrated adjustable brackets and extruded aluminum trim.
  - Not retrofitable on-site.

Panel frame finish




PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPX3GMG5024	1323	50	24	30	3.178
BPX3GMG5030	1568	50	30	36	3.960
BPX3GMG5036	1640	50	36	41	4.732
BPX3GMG5042	1721	50	42	45	5.484
BPX3GMG5048	1536	50	48	52	6.226
BPX3GMG6624	1542	66	24	38	4.021
BPX3GMG6630	1643	66	30	46	4.997
BPX3GMG6636	1748	66	36	52	5.964
BPX3GMG6642	1854	66	42	58	6.910
BPX3GMG6648	1968	66	48	65	7.847

BPX3GPT


DESCRIPTION

FINISHES


Pass-Thru Panel with Embedded Glass - Fabric Base



42" High



50" High



66" High

Opening allows choice of tile above desk height.

Panel frame finish

- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1" gap between two adjacent glass panes.
- Glass shipped seperately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3GPT4218	801	820	841	42	18	17	1.979
BPX3GPT4224	855	874	895	42	24	21	2.673
BPX3GPT4230	905	924	945	42	30	24	3.382
BPX3GPT4236	954	973	994	42	36	27	4.081
BPX3GPT4242	1013	1032	1053	42	42	30	4.758
BPX3GPT4248	1082	1101	1122	42	48	34	5.426
BPX3GPT4254	1161	1180	1201	42	54	38	6.135
BPX3GPT4260	1230	1249	1270	42	60	40	6.852
BPX3GPT4272	1392	1432	1474	42	72	54	8.260
BPX3GPT5018	801	820	841	50	18	18	2.396
BPX3GPT5024	855	874	895	50	24	22	3.178
BPX3GPT5030	905	924	945	50	30	25	3.960
BPX3GPT5036	954	973	994	50	36	28	4.732
BPX3GPT5042	1013	1032	1053	50	42	31	5.484
BPX3GPT5048	1082	1101	1122	50	48	35	6.226
BPX3GPT5054	1161	1180	1201	50	54	39	7.008
BPX3GPT5060	1230	1249	1270	50	60	42	7.790
BPX3GPT5072	1392	1432	1474	50	72	56	9.560
BPX3GPT6618	894	914	935	66	18	22	3.045
BPX3GPT6624	953	972	994	66	24	26	4.021
BPX3GPT6630	1016	1036	1057	66	30	30	4.997
BPX3GPT6636	1071	1091	1112	66	36	33	5.964
BPX3GPT6642	1142	1162	1183	66	42	36	6.910
BPX3GPT6648	1220	1240	1261	66	48	41	7.847
BPX3GPT6654	1305	1325	1346	66	54	45	8.823
BPX3GPT6660	1388	1408	1429	66	60	49	9.799

BPX3GPV


DESCRIPTION

FINISHES



Pass-Thru Panel with Vertical Wire Channel and Embedded Glass-Fabric Base

Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from lay-in channel to bottom raceway within panel.

Panel frame finish



- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.



PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BPX3GPV4230	950	969	990	42	30	26	3.382
BPX3GPV4236	999	1018	1039	42	36	29	4.081
BPX3GPV4242	1062	1081	1102	42	42	32	4.758
BPX3GPV4248	1127	1146	1167	42	48	37	5.426
BPX3GPV4254	1205	1224	1245	42	54	40	6.135
BPX3GPV4260	1231	1300	1321	42	60	43	6.852
BPX3GPV4272	1422	1462	1504	42	72	58	8.260
BPX3GPV5030	950	969	990	50	30	27	3.960
BPX3GPV5036	999	1018	1039	50	36	30	4.732
BPX3GPV5042	1062	1081	1102	50	42	33	5.484
BPX3GPV5048	1127	1146	1167	50	48	37	6.226
BPX3GPV5054	1205	1224	1245	50	54	41	7.008
BPX3GPV5060	1281	1300	1321	50	60	44	7.790
BPX3GPV5072	1422	1462	1504	50	72	60	9.560
BPX3GPV6630	1059	1079	1100	66	30	32	4.997
BPX3GPV6636	1121	1141	1162	66	36	35	5.964
BPX3GPV6642	1187	1207	1228	66	42	38	6.910
BPX3GPV6648	1263	1283	1304	66	48	43	7.847
BPX3GPV6654	1352	1372	1393	66	54	47	8.823
BPX3GPV6660	1433	1453	1474	66	60	51	9.799

BPX3GPF


DESCRIPTION

FINISHES

**Pass-Thru Panel with Embedded Glass - Air Flow Base**


Allows air to flow freely through the bottom of the panel.

Panel frame finish



50" High

- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1" gap between two adjacent glass panes.
- Glass shipped seperately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.




66" High

PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BPX3GPF5018	954	50	18	20	2.396
BPX3GPF5024	1029	50	24	23	3.178
BPX3GPF5030	1103	50	30	27	3.960
BPX3GPF5036	1182	50	36	30	4.732
BPX3GPF5042	1269	50	42	32	5.484
BPX3GPF5048	1361	50	48	37	6.226
BPX3GPF5054	1467	50	54	40	7.008
BPX3GPF5060	1563	50	60	44	7.790
BPX3GPF6618	1044	66	18	24	3.045
BPX3GPF6624	1128	66	24	28	4.021
BPX3GPF6630	1220	66	30	32	4.997
BPX3GPF6636	1307	66	36	35	5.964
BPX3GPF6642	1406	66	42	38	6.910
BPX3GPF6648	1509	66	48	43	7.847
BPX3GPF6654	1628	66	54	47	8.823
BPX3GPF6660	1737	66	60	50	9.799

BPX3GOP	DESCRIPTION	FINISHES
---------	-------------	----------

**Over Panel Frame with Embedded Glass**



Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.


- Any tile can be attached to either side to enclose the frame.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofittable on-site.

Panel frame finish

PRODUCT CODE	PRICE GR1	SIZE/INCHES H W		WEIGHT LBS	VOL FT <sup>3</sup>
BPX3GOP0818	516	8	18	6	0.673
BPX3GOP0824	528	8	24	9	0.878
BPX3GOP0830	540	8	30	11	1.246
BPX3GOP0836	555	8	36	12	1.442
BPX3GOP0842	579	8	42	14	1.725
BPX3GOP0848	606	8	48	16	1.890
BPX3GOP0854	650	8	54	18	2.150
BPX3GOP0860	684	8	60	19	2.464
BPX3GOP0872	785	8	72	24	2.980
BPX3GOP1618	516	16	18	7	0.928
BPX3GOP1624	528	16	24	10	1.170
BPX3GOP1630	540	16	30	12	1.684
BPX3GOP1636	555	16	36	13	1.916
BPX3GOP1642	579	16	42	15	2.309
BPX3GOP1648	606	16	48	17	2.510
BPX3GOP1654	650	16	54	19	2.843
BPX3GOP1660	684	16	60	20	3.266
BPX3GOP1672	785	16	72	26	3.930

**BP3DS DESCRIPTION FINISHES**

**Solid Door Panel**



Aluminum frame with either high pressure laminate or wood veneer door.


- 1 3/8" thick hollow core door.
- Actual door size: 78.3" x 32 1/2" in 82" x 36" frame  
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- Includes a Horizontal Lay-in Channel.

- Panel frame finish.
- High Pressure Laminate finish.
- Wood Veneer finish.

PRODUCT CODE	PRICE HP*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BP3DS8236R	1557	82	36	61	6.465
BP3DS8242R	1696	82	42	68	7.486
BP3DS8236L	1557	82	36	61	6.465
BP3DS8242L	1696	82	42	68	7.486

**BP3DH DESCRIPTION FINISHES**

**Half Glazed Door Panel**



Aluminum frame with either high pressure laminate or wood veneer door and window.

- 1 3/8" thick hollow core door.
- Actual door size: 78.3" x 32 1/2" in 82" x 36" frame  
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness cannot be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option add an upcharge of \$86 for 36" wide doors and \$114 for 42" wide doors.
- Includes a Horizontal Lay-in Channel.

- Panel frame finish.
- High Pressure Laminate finish.
- Wood Veneer finish.
- Tempered Glass or Acrylic finish.

PRODUCT CODE	PRICE HP*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		H	W		
BP3DH8236R	1928	82	36	53	6.465
BP3DH8242R	2108	82	42	59	7.486
BP3DH8236L	1928	82	36	53	6.465
BP3DH8242L	2108	82	42	59	7.486

**Door Hanging Directions**



- Note:
- Door can be converted on site from left to right, or right to left, without additional components.

**Door Handle or Lever Option**

- Door Knob - DL01
- Lock standard.



- Door Lever - DL02
- Lock standard.
  - Lever complies with all handicap codes.





**BPX3NETXXXX DESCRIPTION FINISHES**

**Removable Face Tile - Electrical Tile Kit**

Attaches to an 8" or 16" opening in a Pass-Thru Panel.

- Fabric covered tile with knock-out for power and data. (Data Comm blank covers included).
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two duplex and two data/comm openings.
- Easily interchangeable on site.
- Provides access to electrical and data at a required location.
- Specify Tile Electrical Kit separately.
- Duplexes and covers must be specified separately.
- For power outlets on both sides of the panel, specify two Electrical Tiles per panel. For power outlets on one side only, specify one Electrical Tile and a Fabric Tile for the opposite side.
- OPT\* = Laminate or Whiteboard.
- For use on panels manufactured after November 1, 2014





PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W	D		
BPX3NET0824	88	93	98	8	24	0.125	2.0	0.170
BPX3NET0830	141	150	161	8	30	0.125	2.5	0.200
BPX3NET0836	158	167	178	8	36	0.125	2.5	0.250
BPX3NET0842	164	173	184	8	42	0.125	2.5	0.292
BPX3NET0848	168	177	188	8	48	0.125	3.0	0.333
BPX3NET0854	174	183	194	8	54	0.125	3.0	0.375
BPX3NET0860	178	187	198	8	60	0.125	4.5	0.417
BPX3NET0872	329	369	411	8	72	0.125	5.0	0.500
BPX3NET1624	88	93	98	16	24	0.125	2.5	3.400
BPX3NET1630	141	146	151	16	30	0.125	3.0	0.416
BPX3NET1636	158	167	178	16	36	0.125	3.0	0.500
BPX3NET1642	164	173	184	16	42	0.125	3.0	0.583
BPX3NET1648	168	177	188	16	48	0.125	4.0	0.666
BPX3NET1654	174	183	194	16	54	0.125	4.0	0.750
BPX3NET1660	178	187	198	16	60	0.125	5.0	0.833
BPX3NET1672	329	369	411	16	72	0.125	6.0	1.000

**BP3GT DESCRIPTION FINISHES**

**Removable Face Tile - Glazed**


- Attaches to any opening in a Pass-Thru Panel.
- 8" or 16" high glazing provides visual accessibility and light transfer.
  - Easily interchangeable on site.
  - Specify one Glazed Tile for panel opening of corresponding width.
  - Clear tempered glass standard.

Panel frame finish.



PRODUCT CODE	PRICE		SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
			H	W		
BP3GT0818	54		8	18	3.0	0.146
BP3GT0824	72		8	24	4.0	0.165
BP3GT0830	91		8	30	5.2	0.200
BP3GT0836	111		8	36	6.0	0.250
BP3GT0842	129		8	42	8.0	0.292
BP3GT0848	149		8	48	9.0	0.333
BP3GT0854	167		8	54	10.5	0.375
BP3GT0860	187		8	60	12.0	0.417
BP3GT0872	347		8	72	12.0	0.500
BP3GT1618	54		16	18	4.0	0.292
BP3GT1624	72		16	24	5.3	0.333
BP3GT1630	91		16	30	6.7	0.416
BP3GT1636	111		16	36	8.0	0.500
BP3GT1642	129		16	42	9.3	0.583
BP3GT1648	149		16	48	10.7	0.666
BP3GT1654	167		16	54	12.0	0.750
BP3GT1660	187		16	60	13.3	0.833
BP3GT1672	347		16	72	16.0	1.000

BP3OT	DESCRIPTION	FINISHES																																																																		
<b>Removable Face Tile - Open Pass-Thru Kit</b>	<b>Attaches to any opening in a Pass-Thru Panel.</b>	<b>Panel frame finish.</b>																																																																		
	<ul style="list-style-type: none"> <li>• Trims and internal corners included to create an opening.</li> <li>• Easily interchangeable on site.</li> <li>• Specify one Pass-Thru Kit for panel opening of corresponding width.</li> </ul>																																																																			
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>BP3OT1618</td><td>6</td><td>16</td><td>18</td><td>0.4</td><td>0.292</td></tr> <tr><td>BP3OT1624</td><td>9</td><td>16</td><td>24</td><td>0.6</td><td>0.333</td></tr> <tr><td>BP3OT1630</td><td>11</td><td>16</td><td>30</td><td>0.8</td><td>0.416</td></tr> <tr><td>BP3OT1636</td><td>18</td><td>16</td><td>36</td><td>1.0</td><td>0.500</td></tr> <tr><td>BP3OT1642</td><td>20</td><td>16</td><td>42</td><td>1.1</td><td>0.583</td></tr> <tr><td>BP3OT1648</td><td>23</td><td>16</td><td>48</td><td>1.3</td><td>0.666</td></tr> <tr><td>BP3OT1654</td><td>25</td><td>16</td><td>54</td><td>1.5</td><td>0.750</td></tr> <tr><td>BP3OT1660</td><td>28</td><td>16</td><td>60</td><td>1.7</td><td>0.833</td></tr> <tr><td>BP3OT1672</td><td>52</td><td>16</td><td>72</td><td>2.0</td><td>1.000</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	H	W	BP3OT1618	6	16	18	0.4	0.292	BP3OT1624	9	16	24	0.6	0.333	BP3OT1630	11	16	30	0.8	0.416	BP3OT1636	18	16	36	1.0	0.500	BP3OT1642	20	16	42	1.1	0.583	BP3OT1648	23	16	48	1.3	0.666	BP3OT1654	25	16	54	1.5	0.750	BP3OT1660	28	16	60	1.7	0.833	BP3OT1672	52	16	72	2.0	1.000					
	PRODUCT CODE			PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																																																											
		H	W																																																																	
	BP3OT1618	6	16	18	0.4	0.292																																																														
	BP3OT1624	9	16	24	0.6	0.333																																																														
	BP3OT1630	11	16	30	0.8	0.416																																																														
	BP3OT1636	18	16	36	1.0	0.500																																																														
	BP3OT1642	20	16	42	1.1	0.583																																																														
	BP3OT1648	23	16	48	1.3	0.666																																																														
	BP3OT1654	25	16	54	1.5	0.750																																																														
	BP3OT1660	28	16	60	1.7	0.833																																																														
BP3OT1672	52	16	72	2.0	1.000																																																															

BP3AT	DESCRIPTION	FINISHES																																																																		
<b>Removable Face Tile - Accessory</b>	<b>Attaches to any opening in a Pass-Thru Panel.</b>	<b>Panel frame finish.</b>																																																																		
	<ul style="list-style-type: none"> <li>• Provides support for accessories.</li> <li>• Easily interchangeable on site.</li> <li>• Two tile clips included.</li> <li>• Specify two tiles per panel opening of corresponding width. Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.</li> </ul>																																																																			
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>BP3AT1618</td><td>73</td><td>16</td><td>18</td><td>3.5</td><td>0.292</td></tr> <tr><td>BP3AT1624</td><td>87</td><td>16</td><td>24</td><td>4.7</td><td>0.333</td></tr> <tr><td>BP3AT1630</td><td>94</td><td>16</td><td>30</td><td>5.7</td><td>0.416</td></tr> <tr><td>BP3AT1636</td><td>113</td><td>16</td><td>36</td><td>7.0</td><td>0.500</td></tr> <tr><td>BP3AT1642</td><td>134</td><td>16</td><td>42</td><td>8.2</td><td>0.583</td></tr> <tr><td>BP3AT1648</td><td>155</td><td>16</td><td>48</td><td>9.4</td><td>0.666</td></tr> <tr><td>BP3AT1654</td><td>170</td><td>16</td><td>54</td><td>10.6</td><td>0.750</td></tr> <tr><td>BP3AT1660</td><td>191</td><td>16</td><td>60</td><td>11.9</td><td>0.833</td></tr> <tr><td>BP3AT1672</td><td>357</td><td>16</td><td>72</td><td>14.0</td><td>1.000</td></tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	H	W	BP3AT1618	73	16	18	3.5	0.292	BP3AT1624	87	16	24	4.7	0.333	BP3AT1630	94	16	30	5.7	0.416	BP3AT1636	113	16	36	7.0	0.500	BP3AT1642	134	16	42	8.2	0.583	BP3AT1648	155	16	48	9.4	0.666	BP3AT1654	170	16	54	10.6	0.750	BP3AT1660	191	16	60	11.9	0.833	BP3AT1672	357	16	72	14.0	1.000					
	PRODUCT CODE			PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																																																											
		H	W																																																																	
	BP3AT1618	73	16	18	3.5	0.292																																																														
	BP3AT1624	87	16	24	4.7	0.333																																																														
	BP3AT1630	94	16	30	5.7	0.416																																																														
	BP3AT1636	113	16	36	7.0	0.500																																																														
	BP3AT1642	134	16	42	8.2	0.583																																																														
	BP3AT1648	155	16	48	9.4	0.666																																																														
	BP3AT1654	170	16	54	10.6	0.750																																																														
	BP3AT1660	191	16	60	11.9	0.833																																																														
BP3AT1672	357	16	72	14.0	1.000																																																															

BP3FT

DESCRIPTION

FINISHES



Removable Face Tile -  
Fabric

Attaches to any opening in a Pass-Thru Panel.

Panel frame finish.

- Tile clips included.
  - Easily interchangeable on site.
  - Specify two tiles per panel opening of corresponding width
- Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.

Class "A" Fire rated fabric.




PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	OPT*	H	W		
BP3FT0818	65	70	76	8	18	1.0	0.146
BP3FT0824	70	75	81	8	24	1.0	0.165
BP3FT0830	75	84	94	8	30	2.0	0.200
BP3FT0836	91	100	112	8	36	2.0	0.250
BP3FT0842	98	108	118	8	42	2.0	0.292
BP3FT0848	102	112	122	8	48	3.0	0.333
BP3FT0854	108	116	127	8	54	3.0	0.375
BP3FT0860	112	120	131	8	60	4.0	0.417
BP3FT0872	230	270	NA	8	72	4.0	0.500
BP3FT1618	65	70	76	16	18	2.0	0.292
BP3FT1624	70	75	81	16	24	2.0	0.333
BP3FT1630	75	84	94	16	30	3.0	0.416
BP3FT1636	91	100	112	16	36	3.0	0.500
BP3FT1642	98	108	117	16	42	3.0	0.583
BP3FT1648	102	112	122	16	48	4.0	0.666
BP3FT1654	108	116	127	16	54	4.0	0.750
BP3FT1660	112	120	131	16	60	5.0	0.833
BP3FT1672	230	270	NA	16	72	6.0	1.000

BP3OPFA

DESCRIPTION

FINISHES

Fabric Over Panel



Attaches to top of a panel to create floor-to-ceiling wall.

- Center septum overlaid on either side with 1" fiberglass sound absorbent.
- Non-slotted.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag exact height required.
- Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.

Panel frame finish.  
Class "A" Fire rated fabric.


PRODUCT CODE	PRICE		SIZE/INCHES(MAX.)		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	H	W		
BP3OPFA18XX	161	171	16	18	8	0.730
BP3OPFA24XX	182	190	16	24	8	0.730
BP3OPFA30XX	210	218	16	30	10	0.912
BP3OPFA36XX	236	245	16	36	12	1.094
BP3OPFA42XX	257	267	16	42	12	1.094
BP3OPFA48XX	284	296	16	48	14	1.277
BP3OPFA54XX	311	319	16	54	14	1.277
BP3OPFA60XX	331	339	16	60	15	1.368

BP3OPFV

DESCRIPTION

FINISHES

Fabric Over Panel with Vertical Wire Channel



Attaches to top of a panel to create floor-to-ceiling wall.

- Center septum overlaid on either side with 1" fiberglass sound absorbent.
- Non-slotted.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag exact height required.
- Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- When stacking on a 29" high panel please specify application for special height over-panel to match standard panel heights.

Panel frame finish.  
Class "A" Fire rated fabric.


PRODUCT CODE	PRICE		SIZE/INCHES(MAX.)		WEIGHT LBS	VOL FT <sup>3</sup>
	GR1	GR2	H	W		
BP3OPFV18XX	190	200	16	18	8	0.730
BP3OPFV24XX	211	227	16	24	8	0.730
BP3OPFV30XX	239	247	16	30	10	0.912
BP3OPFV36XX	266	274	16	36	12	1.094
BP3OPFV42XX	286	296	16	42	12	1.094
BP3OPFV48XX	313	323	16	48	14	1.277
BP3OPFV54XX	339	349	16	54	14	1.277
BP3OPFV60XX	360	368	16	60	15	1.368

RCX3WM

DESCRIPTION

FINISHES

**Raceway Cover for use with 2008 Electrical Components**



Metal raceway organizes cables at the base.


- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" and 24" Raceway Covers do not have power and data/communication punch-outs.
- Data opening sizing is as follows: 1.345" x 2.85".

Panel frame finish.

PRODUCT CODE	PRICE	SIZE/INCHES W	WEIGHT LBS	VOL FT <sup>3</sup>
RCX3WM18	34	18	2.4	0.160
RCX3WM24	40	24	3.3	0.210
RCX3WM30	48	30	4.1	0.260
RCX3WM36	53	36	4.9	0.310
RCX3WM42	58	42	5.7	0.360
RCX3WM48	63	48	6.6	0.420
RCX3WM54	70	54	7.4	0.470
RCX3WM60	76	60	8.3	0.520
RCX3WM72	124	72	9.8	0.620

**BH3PS** DESCRIPTION FINISHES

**90 Degree Post**



Enables connection for multiple panel runs such as 90°, 3 way and 4 way.


Panel frame finish.

- Includes 2 “Capture Strip” panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
  - 80 cables 5 mm (0.200”) diameter
  - 65 cables 5 mm (0.200”) diameter with 1 power feed
  - 50 cables 5 mm (0.200”) diameter with 2 power feeds

PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS034	51	27	4	0.140
BH3PS042	79	35	5	0.180
BH3PS050	89	43	7	0.220
BH3PS066	109	59	8	0.310

**BH3PS45** DESCRIPTION FINISHES

**45 Degree Post**



Enables connection for two panels at 45°.


Panel frame finish.

- Includes 2 “Capture Strip” panel connectors and 1 post cap.
- 45 degree post does not accept End Trim.
- No power infeed capabilities.
- Posts are designed to accept the following:
  - 35 cables 5 mm (0.200”) diameter

PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS45034	51	27	4	0.140
BH3PS45042	79	35	5	0.180
BH3PS45050	89	43	7	0.220
BH3PS45066	111	59	8	0.310

**BH3PS60** DESCRIPTION FINISHES

**60 Degree Post**



Enables connection for multiple panel runs such as 120° and 3 way.


Panel frame finish.

- Includes 2 “Capture Strip” panel connectors and 1 post cap.
- No power infeed capabilities.
- Posts are designed to accept the following:
  - 35 cables 5 mm (0.200”) diameter

PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS60034	51	27	4	0.140
BH3PS60042	79	35	5	0.180
BH3PS60050	89	43	7	0.220
BH3PS60066	111	59	8	0.310

**BH3PE** DESCRIPTION FINISHES

**Post Extension for Over Panels**




Provides route for ceiling data or electrical cables through the post to the panel.

Panel frame finish.


- Includes 2 “Capture Strip” panel connectors.

PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
90° POST: BH3PE016	29	16	2	0.070
BH3PE032	51	32	4	0.140
45° POST: BH3PE45016	29	16	2	0.070
BH3PE45032	51	32	4	0.140
60° POST: BH3PE60016	29	16	2	0.070
BH3PE60032	52	32	4	0.140

BH3PA	DESCRIPTION	FINISHES		
<b>Off-Module Connector (Panel to Panel Adapter)</b>	Connects Boulevard System 3 panel to another perpendicular Boulevard System 3 Monolithic Panel off-module. <ul style="list-style-type: none"> <li>• Top and bottom brackets bolt to panel vertical of one panel and engage to top and bottom “fabric” edges of adjacent, perpendicular Monolithic Panel of even height.</li> <li>• While connecting tile panel to Monolithic Panel is possible, never attempt to secure Off-Module Connectors to a tile panel.</li> <li>• Once an off-module panel is secured to Monolithic Panel spine with Off-Module Connecting Kit, the raceway on the spine panel cannot be accessed and can only be opened from the opposite side.</li> <li>• Special top trim required, provide application to your Customer Service Representative.</li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT³
BH3PA02	58	3.5	0.5	0.035


B3HWA	DESCRIPTION	FINISHES		
<b>Wall Adapter</b>	Starts a run of panels off an existing wall. <ul style="list-style-type: none"> <li>• B3 Wall Adapter designed to work with B3 Post and sits 6” off the floor.</li> <li>• Includes 2 “Capture Strip” panel connectors and 1 pair of raceway end caps.</li> <li>• Mounting hardware not included.</li> <li>• Mounting hardware selection should be based on wall or wall stud material.</li> <li>• Wall Adapter add 5/16” to a panels run.</li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT³
B3HWA034	36	28	2	0.011
B3HWA042	43	36	3	0.015
B3HWA050	48	44	3	0.018
B3HWA066	54	60	4	0.021


BA3VTR	DESCRIPTION	FINISHES				
<b>Vertical Aluminum End Trim</b>	Finishes the vertical edges of panels and posts (90 and 60 degree). <ul style="list-style-type: none"> <li>• In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.</li> <li>• In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.</li> </ul>	Panel frame finish.				
						
		PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT³
REGULAR PANELS:		BA3VTR34	54	34	1.1	0.030
		BA3VTR42	61	42	1.4	0.030
		BA3VTR50	71	50	1.7	0.040
OVER PANELS:		BA3VTR66	94	66	2.2	0.050
		BA3VTE16	28	16	0.5	0.030
		BA3VTE32	54	32	1.1	0.060

BA3VTS	DESCRIPTION	FINISHES		
<b>Vertical Aluminum End Trim Standard Step Down</b>	Finishes the vertical edges of panels and posts (90 and 60 degree). <ul style="list-style-type: none"> <li>• Trim runs from the top of one panel to the top of lower panel enclosing the horizontal channel opening.</li> </ul>	Panel frame finish.		
				
PRODUCT CODE	PRICE	SIZE/INCHES H	WEIGHT LBS	VOL FT³
BA3VTS08	19	8	0.3	0.015
BA3VTS16	28	16	0.5	0.030
BA3VTS24	40	24	0.9	0.045
BA3VTS32	54	32	1.1	0.060

BA3VTRF	DESCRIPTION	FINISHES			
<b>Vertical Aluminum Flat End Trim</b>	Finishes the vertical edges of panels and posts (90 and 60 degree).	<b>Panel frame finish.</b>			
	<ul style="list-style-type: none"> <li>In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.</li> <li>In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.</li> </ul>				
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	REGULAR PANELS: BA3VTRF34	54	34	1.1	0.030
	BA3VTRF42	61	42	1.4	0.030
	BA3VTRF50	71	50	1.7	0.040
	BA3VTRF66	94	66	2.2	0.050
	OVER PANELS: BA3VTEF16	28	16	0.5	0.030
	BA3VTEF32	54	32	1.1	0.060

BA3VTSF	DESCRIPTION	FINISHES			
<b>Vertical Aluminum Flat End Trim Standard Step Down</b>	Finishes the vertical edges of panels and posts (90 and 60 degree).	<b>Panel frame finish.</b>			
	<ul style="list-style-type: none"> <li>Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.</li> </ul>				
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	BA3VTSF08	19	8	0.3	0.015
	BA3VTSF16	28	16	0.5	0.030
	BA3VTSF24	40	24	0.9	0.045
	BA3VTSF32	54	32	1.1	0.060

BV3VTR	DESCRIPTION	FINISHES			
<b>Vertical PVC End Trim</b>	Finishes the vertical edges of panels and posts (90 and 60 degree).	<b>Panel frame finish.</b>			
	<ul style="list-style-type: none"> <li>In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.</li> <li>In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.</li> </ul>				
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	REGULAR PANELS: BV3VTR34	36	34	0.6	0.030
	BV3VTR42	39	42	0.7	0.030
	BV3VTR50	48	50	0.9	0.040
	BV3VTR66	60	66	1.1	0.050
	OVER PANELS: BV3VTE16	24	16	0.3	0.030
	BV3VTE32	36	32	0.6	0.060

BV3VTS	DESCRIPTION	FINISHES			
<b>Vertical PVC End Trim Standard Step Down</b>	Finishes the vertical edges of panels and posts (90 and 60 degree).	<b>Panel frame finish.</b>			
	<ul style="list-style-type: none"> <li>Trim runs from the top of one panel to the top of lower panel enclosing the horizontal channel opening.</li> </ul>				
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES H</b>	<b>WEIGHT LBS</b>	<b>VOL FT³</b>
	BV3VTS08	11	8	0.1	0.015
	BV3VTS16	24	16	0.3	0.030
	BV3VTS24	30	24	0.4	0.045
	BV3VTS32	36	32	0.6	0.060



**diet**

**DIET PANELS - TECHNICAL INFORMATION**

**Panels**

- Panels are 1.3” thick.
- Width ranges from 24” to 60” at 6” increments.
- Heights include 42”, 54” and 66” (nominal).
- The actual height of the Diet 42” panel is 41.25.” If you need this to align with a 42” Boulevard panel, please contact Technical Services for special.
- Extruded aluminum frame surrounds a fabric wrapped interior with a 7/8” particle board frame, sandwiched between 2 pieces of 1/8” masonite.
- Panel frame finish is durable epoxy powder coated.
- Fabric is replaceable on site.
- Finished panel includes top, corner and end caps.
- For glazing - Smoke developed index 500.
- For tempered glass, add “TG” to the end of the product code and add 20% to the price regardless of fabric grade.
- Top rail accepts Boulevard accessories, monitor arm supports, off-module shelves, and Viceversa task light brackets.
- Top rail on Glazed Top Panels is not intended for use with panel mounted shelf and panel mounted overhead.
- Middle rail accepts bracket for off-module worksurface support, Boulevard accessories, off-module shelves and power bar.
- Bottom rail accepts brackets for off-module worksurface support, Boulevard accessories, off-module shelves and optional cable manager and power bar.
- Optional PVC cable manager friction fits into bottom rail.
- Two levellers are included with a 1.75” leveling range.
- Vertical frame members have integrated grooves for additional components.
- Charcoal covers are provided at front of vertical members where connectors attach.
- Panels include 3 sets of hinge connectors, 1 set of spacers and 6 pins.
- Connecting method is simple, accommodating typical configuration, as well as connection of panels at any angle, regardless of height.

**Panel Options**


- Laminate or whiteboard may be substituted for fabric on panels only, see “OPT” column.
- Steel facing available, contact your customer service representative.

**DIET PANELS - GUIDELINES FOR ORDERING PRODUCT**

**Codes**


The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


**Example of Panel**





**How to Specify**

- Specify Diet Panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify all six panel fabric options if necessary.

DFFF	DESCRIPTION	FINISHES						
Fabric Bottom and Fabric Top Panel	Fabric above and below the middle rail provides visual privacy.	Panel frame finish.						
	• Full panel with top, middle and bottom rail.	Class "A" Fire rated fabric.						
	<b>PRODUCT CODE</b>	<b>PRICE</b>		<b>OPT*</b>	<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>
		<b>GR1</b>	<b>GR2</b>		<b>H</b>	<b>W</b>	<b>LBS</b>	<b>FT³</b>
	DFFF4224	271	302	335	41.25	24	16	1.32
	DFFF4230	286	317	351	41.25	30	19	1.62
	DFFF4236	303	360	420	41.25	36	23	1.94
	DFFF4242	319	378	439	41.25	42	27	2.24
	DFFF4248	335	392	452	41.25	48	31	2.55
	DFFF4254	353	409	469	41.25	54	35	2.85
	DFFF4260	367	424	484	41.25	60	39	3.16
	DFFF5024	339	371	405	50	24	18	1.62
	DFFF5030	357	388	421	50	30	23	2.08
	DFFF5036	374	450	530	50	36	27	2.47
	DFFF5042	393	469	550	50	42	32	2.85
	DFFF5048	412	490	570	50	48	37	3.25
	DFFF5054	430	506	586	50	54	42	3.63
	DFFF5060	449	525	605	50	60	47	4.02
	DFFF5424	339	371	405	54	24	18	1.62
	DFFF5430	357	388	421	54	30	23	2.08
	DFFF5436	374	450	530	54	36	27	2.47
	DFFF5442	393	469	550	54	42	32	2.85
	DFFF5448	412	490	570	54	48	37	3.25
	DFFF5454	430	506	586	54	54	42	3.63
	DFFF5460	449	525	605	54	60	47	4.02
	DFFF6624	369	420	473	66	24	23	2.04
	DFFF6630	390	440	494	66	30	29	2.52
	DFFF6636	411	486	455	66	36	35	3.00
	DFFF6642	431	507	587	66	42	41	3.46
	DFFF6648	451	527	608	66	48	47	3.93
	DFFF6654	471	548	628	66	54	53	4.40
	DFFF6660	492	568	650	66	60	59	4.90


DPOF	DESCRIPTION	FINISHES						
Open Bottom and Fabric Top Panel	Fabric above the middle rail provides visual privacy.	Panel frame finish.						
	• Panel with top and middle rail only.	Class "A" Fire rated fabric.						
	• Open bottom reduces cost and improves air circulation within the office.	Class "A" Fire rated fabric.						
	<b>PRODUCT CODE</b>	<b>PRICE</b>		<b>OPT*</b>	<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>
		<b>GR1</b>	<b>GR2</b>		<b>H</b>	<b>W</b>	<b>LBS</b>	<b>FT³</b>
	DPOF4224	179	188	200	41.25	24	9	1.32
	DPOF4230	189	198	210	41.25	30	12	1.62
	DPOF4236	218	238	257	41.25	36	15	1.94
	DPOF4242	231	249	270	41.25	42	17	2.24
	DPOF4248	241	259	279	41.25	48	19	2.55
	DPOF4254	252	271	290	41.25	54	22	2.85
	DPOF4260	262	280	301	41.25	60	24	3.16
	DPOF5024	224	242	262	50	24	10	1.62
	DPOF5030	238	256	276	50	30	13	2.08
	DPOF5036	283	321	357	50	36	16	2.47
	DPOF5042	299	337	373	50	42	19	2.85
	DPOF5048	312	350	388	50	48	21	3.25
	DPOF5054	326	364	400	50	54	25	3.63
	DPOF5460	339	377	413	50	60	28	4.02
	DPOF5424	224	243	263	54	24	12	1.62
	DPOF5430	238	256	276	54	30	15	2.08
	DPOF5436	283	322	361	54	36	18	2.47
	DPOF5442	299	336	377	54	42	21	2.85
	DPOF5448	312	351	391	54	48	24	3.25
	DPOF5454	326	363	403	54	54	27	3.63
	DPOF5460	339	378	418	54	60	30	4.02
	DPOF6624	273	311	351	66	24	17	2.04
	DPOF6630	289	329	369	66	30	21	2.52
	DPOF6636	341	379	419	66	36	25	3.00
	DPOF6642	373	411	451	66	42	29	3.46
	DPOF6648	391	428	469	66	48	33	3.93
	DPOF6654	408	446	485	66	54	37	4.40
DPOF6660	424	463	502	66	60	41	4.90	


DPFRF	DESCRIPTION	FINISHES																																																																																																																																																																																						
<b>Fabric Bottom, Middle and Top Panel</b>	<b>Fabric above, below and between the middle rails provides visual privacy.</b>	<b>Panel frame finish.</b>																																																																																																																																																																																						
		<b>Class "A" Fire rated fabric.</b>																																																																																																																																																																																						
	<ul style="list-style-type: none"> <li>• Full panel with additional rail at 42" high.</li> <li>• Upper middle rail accepts Boulevard Accessories, Monitor Arm Support and Off-Module Shelves.</li> </ul>																																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPFRF5024</td><td>356</td><td>381</td><td>401</td><td>50</td><td>24</td><td>16</td><td>1.62</td></tr> <tr><td>DPFRF5030</td><td>374</td><td>404</td><td>434</td><td>50</td><td>30</td><td>21</td><td>2.08</td></tr> <tr><td>DPFRF5036</td><td>394</td><td>448</td><td>508</td><td>50</td><td>36</td><td>25</td><td>2.47</td></tr> <tr><td>DPFRF5042</td><td>414</td><td>462</td><td>528</td><td>50</td><td>42</td><td>30</td><td>2.85</td></tr> <tr><td>DPFRF5048</td><td>434</td><td>482</td><td>554</td><td>50</td><td>48</td><td>35</td><td>3.25</td></tr> <tr><td>DPFRF5054</td><td>451</td><td>511</td><td>561</td><td>50</td><td>54</td><td>40</td><td>3.63</td></tr> <tr><td>DPFRF5060</td><td>471</td><td>531</td><td>603</td><td>50</td><td>60</td><td>45</td><td>4.02</td></tr> <tr><td>DPFRF5424</td><td>356</td><td>387</td><td>420</td><td>54</td><td>24</td><td>18</td><td>1.62</td></tr> <tr><td>DPFRF5430</td><td>374</td><td>406</td><td>439</td><td>54</td><td>30</td><td>23</td><td>2.08</td></tr> <tr><td>DPFRF5436</td><td>394</td><td>451</td><td>511</td><td>54</td><td>36</td><td>27</td><td>2.47</td></tr> <tr><td>DPFRF5442</td><td>414</td><td>468</td><td>527</td><td>54</td><td>42</td><td>32</td><td>2.85</td></tr> <tr><td>DPFRF5448</td><td>435</td><td>489</td><td>555</td><td>54</td><td>48</td><td>37</td><td>3.25</td></tr> <tr><td>DPFRF5454</td><td>451</td><td>518</td><td>588</td><td>54</td><td>54</td><td>42</td><td>3.63</td></tr> <tr><td>DPFRF5460</td><td>471</td><td>537</td><td>609</td><td>54</td><td>60</td><td>47</td><td>4.02</td></tr> <tr><td>DPFRF6624</td><td>388</td><td>431</td><td>478</td><td>66</td><td>24</td><td>23</td><td>2.04</td></tr> <tr><td>DPFRF6630</td><td>410</td><td>453</td><td>500</td><td>66</td><td>30</td><td>29</td><td>2.52</td></tr> <tr><td>DPFRF6636</td><td>431</td><td>497</td><td>568</td><td>66</td><td>36</td><td>35</td><td>3.00</td></tr> <tr><td>DPFRF6642</td><td>453</td><td>527</td><td>607</td><td>66</td><td>42</td><td>41</td><td>3.46</td></tr> <tr><td>DPFRF6648</td><td>475</td><td>549</td><td>628</td><td>66</td><td>48</td><td>47</td><td>3.93</td></tr> <tr><td>DPFRF6654</td><td>495</td><td>575</td><td>655</td><td>66</td><td>54</td><td>53</td><td>4.40</td></tr> <tr><td>DPFRF6660</td><td>516</td><td>601</td><td>692</td><td>66</td><td>60</td><td>59</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPFRF5024	356	381	401	50	24	16	1.62	DPFRF5030	374	404	434	50	30	21	2.08	DPFRF5036	394	448	508	50	36	25	2.47	DPFRF5042	414	462	528	50	42	30	2.85	DPFRF5048	434	482	554	50	48	35	3.25	DPFRF5054	451	511	561	50	54	40	3.63	DPFRF5060	471	531	603	50	60	45	4.02	DPFRF5424	356	387	420	54	24	18	1.62	DPFRF5430	374	406	439	54	30	23	2.08	DPFRF5436	394	451	511	54	36	27	2.47	DPFRF5442	414	468	527	54	42	32	2.85	DPFRF5448	435	489	555	54	48	37	3.25	DPFRF5454	451	518	588	54	54	42	3.63	DPFRF5460	471	537	609	54	60	47	4.02	DPFRF6624	388	431	478	66	24	23	2.04	DPFRF6630	410	453	500	66	30	29	2.52	DPFRF6636	431	497	568	66	36	35	3.00	DPFRF6642	453	527	607	66	42	41	3.46	DPFRF6648	475	549	628	66	48	47	3.93	DPFRF6654	495	575	655	66	54	53	4.40	DPFRF6660	516	601	692	66	60	59	4.90		
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																	
	GR1	GR2	OPT*	H	W																																																																																																																																																																																			
DPFRF5024	356	381	401	50	24	16	1.62																																																																																																																																																																																	
DPFRF5030	374	404	434	50	30	21	2.08																																																																																																																																																																																	
DPFRF5036	394	448	508	50	36	25	2.47																																																																																																																																																																																	
DPFRF5042	414	462	528	50	42	30	2.85																																																																																																																																																																																	
DPFRF5048	434	482	554	50	48	35	3.25																																																																																																																																																																																	
DPFRF5054	451	511	561	50	54	40	3.63																																																																																																																																																																																	
DPFRF5060	471	531	603	50	60	45	4.02																																																																																																																																																																																	
DPFRF5424	356	387	420	54	24	18	1.62																																																																																																																																																																																	
DPFRF5430	374	406	439	54	30	23	2.08																																																																																																																																																																																	
DPFRF5436	394	451	511	54	36	27	2.47																																																																																																																																																																																	
DPFRF5442	414	468	527	54	42	32	2.85																																																																																																																																																																																	
DPFRF5448	435	489	555	54	48	37	3.25																																																																																																																																																																																	
DPFRF5454	451	518	588	54	54	42	3.63																																																																																																																																																																																	
DPFRF5460	471	537	609	54	60	47	4.02																																																																																																																																																																																	
DPFRF6624	388	431	478	66	24	23	2.04																																																																																																																																																																																	
DPFRF6630	410	453	500	66	30	29	2.52																																																																																																																																																																																	
DPFRF6636	431	497	568	66	36	35	3.00																																																																																																																																																																																	
DPFRF6642	453	527	607	66	42	41	3.46																																																																																																																																																																																	
DPFRF6648	475	549	628	66	48	47	3.93																																																																																																																																																																																	
DPFRF6654	495	575	655	66	54	53	4.40																																																																																																																																																																																	
DPFRF6660	516	601	692	66	60	59	4.90																																																																																																																																																																																	


DPORF	DESCRIPTION	FINISHES																																																																																																																																																																																						
<b>Open Bottom, Fabric Middle and Top Panel</b>	<b>Fabric above the middle rail provides visual privacy.</b>	<b>Panel frame finish.</b>																																																																																																																																																																																						
		<b>Class "A" Fire rated fabric.</b>																																																																																																																																																																																						
	<ul style="list-style-type: none"> <li>• Open bottom panel with additional rail at 42" high.</li> <li>• Upper middle rail accepts Boulevard Accessories, Monitor Arm Support and Off-Module Shelves.</li> <li>• Open bottom reduces cost and improves air circulation within the office.</li> </ul>																																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPORF5024</td><td>234</td><td>254</td><td>278</td><td>50</td><td>24</td><td>10</td><td>1.62</td></tr> <tr><td>DPORF5030</td><td>249</td><td>265</td><td>285</td><td>50</td><td>30</td><td>13</td><td>2.08</td></tr> <tr><td>DPORF5036</td><td>299</td><td>319</td><td>343</td><td>50</td><td>36</td><td>16</td><td>2.47</td></tr> <tr><td>DPORF5042</td><td>312</td><td>340</td><td>376</td><td>50</td><td>42</td><td>19</td><td>2.85</td></tr> <tr><td>DPORF5048</td><td>328</td><td>356</td><td>392</td><td>50</td><td>48</td><td>21</td><td>3.25</td></tr> <tr><td>DPORF5054</td><td>342</td><td>374</td><td>410</td><td>50</td><td>54</td><td>25</td><td>3.63</td></tr> <tr><td>DPORF5060</td><td>356</td><td>388</td><td>424</td><td>50</td><td>60</td><td>28</td><td>4.02</td></tr> <tr><td>DPORF5424</td><td>234</td><td>256</td><td>279</td><td>54</td><td>24</td><td>12</td><td>1.62</td></tr> <tr><td>DPORF5430</td><td>249</td><td>268</td><td>288</td><td>54</td><td>30</td><td>15</td><td>2.08</td></tr> <tr><td>DPORF5436</td><td>299</td><td>322</td><td>345</td><td>54</td><td>36</td><td>18</td><td>2.47</td></tr> <tr><td>DPORF5442</td><td>312</td><td>342</td><td>374</td><td>54</td><td>42</td><td>21</td><td>2.85</td></tr> <tr><td>DPORF5448</td><td>328</td><td>358</td><td>390</td><td>54</td><td>48</td><td>24</td><td>3.25</td></tr> <tr><td>DPORF5454</td><td>342</td><td>375</td><td>412</td><td>54</td><td>54</td><td>27</td><td>3.63</td></tr> <tr><td>DPORF5460</td><td>356</td><td>389</td><td>425</td><td>54</td><td>60</td><td>30</td><td>4.02</td></tr> <tr><td>DPORF6624</td><td>286</td><td>316</td><td>349</td><td>66</td><td>24</td><td>17</td><td>2.04</td></tr> <tr><td>DPORF6630</td><td>304</td><td>334</td><td>366</td><td>66</td><td>30</td><td>21</td><td>2.52</td></tr> <tr><td>DPORF6636</td><td>358</td><td>407</td><td>459</td><td>66</td><td>36</td><td>25</td><td>3.00</td></tr> <tr><td>DPORF6642</td><td>393</td><td>441</td><td>493</td><td>66</td><td>42</td><td>29</td><td>3.46</td></tr> <tr><td>DPORF6648</td><td>411</td><td>461</td><td>512</td><td>66</td><td>48</td><td>33</td><td>3.93</td></tr> <tr><td>DPORF6654</td><td>428</td><td>481</td><td>538</td><td>66</td><td>54</td><td>37</td><td>4.40</td></tr> <tr><td>DPORF6660</td><td>447</td><td>496</td><td>549</td><td>66</td><td>60</td><td>41</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPORF5024	234	254	278	50	24	10	1.62	DPORF5030	249	265	285	50	30	13	2.08	DPORF5036	299	319	343	50	36	16	2.47	DPORF5042	312	340	376	50	42	19	2.85	DPORF5048	328	356	392	50	48	21	3.25	DPORF5054	342	374	410	50	54	25	3.63	DPORF5060	356	388	424	50	60	28	4.02	DPORF5424	234	256	279	54	24	12	1.62	DPORF5430	249	268	288	54	30	15	2.08	DPORF5436	299	322	345	54	36	18	2.47	DPORF5442	312	342	374	54	42	21	2.85	DPORF5448	328	358	390	54	48	24	3.25	DPORF5454	342	375	412	54	54	27	3.63	DPORF5460	356	389	425	54	60	30	4.02	DPORF6624	286	316	349	66	24	17	2.04	DPORF6630	304	334	366	66	30	21	2.52	DPORF6636	358	407	459	66	36	25	3.00	DPORF6642	393	441	493	66	42	29	3.46	DPORF6648	411	461	512	66	48	33	3.93	DPORF6654	428	481	538	66	54	37	4.40	DPORF6660	447	496	549	66	60	41	4.90		
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																	
	GR1	GR2	OPT*	H	W																																																																																																																																																																																			
DPORF5024	234	254	278	50	24	10	1.62																																																																																																																																																																																	
DPORF5030	249	265	285	50	30	13	2.08																																																																																																																																																																																	
DPORF5036	299	319	343	50	36	16	2.47																																																																																																																																																																																	
DPORF5042	312	340	376	50	42	19	2.85																																																																																																																																																																																	
DPORF5048	328	356	392	50	48	21	3.25																																																																																																																																																																																	
DPORF5054	342	374	410	50	54	25	3.63																																																																																																																																																																																	
DPORF5060	356	388	424	50	60	28	4.02																																																																																																																																																																																	
DPORF5424	234	256	279	54	24	12	1.62																																																																																																																																																																																	
DPORF5430	249	268	288	54	30	15	2.08																																																																																																																																																																																	
DPORF5436	299	322	345	54	36	18	2.47																																																																																																																																																																																	
DPORF5442	312	342	374	54	42	21	2.85																																																																																																																																																																																	
DPORF5448	328	358	390	54	48	24	3.25																																																																																																																																																																																	
DPORF5454	342	375	412	54	54	27	3.63																																																																																																																																																																																	
DPORF5460	356	389	425	54	60	30	4.02																																																																																																																																																																																	
DPORF6624	286	316	349	66	24	17	2.04																																																																																																																																																																																	
DPORF6630	304	334	366	66	30	21	2.52																																																																																																																																																																																	
DPORF6636	358	407	459	66	36	25	3.00																																																																																																																																																																																	
DPORF6642	393	441	493	66	42	29	3.46																																																																																																																																																																																	
DPORF6648	411	461	512	66	48	33	3.93																																																																																																																																																																																	
DPORF6654	428	481	538	66	54	37	4.40																																																																																																																																																																																	
DPORF6660	447	496	549	66	60	41	4.90																																																																																																																																																																																	


DPPFG	DESCRIPTION	FINISHES																																																																																																																																																																																																			
<b>Fabric Bottom, Middle and Glazed Top Panel</b>	<p>Fabric below and between the middle rails provides visual privacy.</p> <ul style="list-style-type: none"> <li>• Full panel with additional rail at 42" high and glazing above.</li> <li>• Upper middle rail accepts Boulevard Accessories, Monitor Arm Support and Off-Module Shelves.</li> <li>• Extruded aluminum frame surrounds acrylic glazing at top.</li> <li>• For tempered glass add 20% to the price regardless of fabric grade.</li> </ul>	<p>Panel frame finish.</p> <p>Class "A" Fire rated fabric.</p> <p>Tempered Glass or Acrylic finish.</p>																																																																																																																																																																																																			
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPPFG5024</td><td>359</td><td>387</td><td>415</td><td>50</td><td>24</td><td>12</td><td>1.62</td></tr> <tr><td>DPPFG5030</td><td>393</td><td>408</td><td>437</td><td>50</td><td>30</td><td>15</td><td>2.08</td></tr> <tr><td>DPPFG5036</td><td>427</td><td>471</td><td>523</td><td>50</td><td>36</td><td>18</td><td>2.47</td></tr> <tr><td>DPPFG5042</td><td>463</td><td>507</td><td>559</td><td>50</td><td>42</td><td>21</td><td>2.85</td></tr> <tr><td>DPPFG5048</td><td>496</td><td>540</td><td>592</td><td>50</td><td>48</td><td>24</td><td>3.25</td></tr> <tr><td>DPPFG5054</td><td>532</td><td>576</td><td>628</td><td>50</td><td>54</td><td>27</td><td>3.63</td></tr> <tr><td>DPPFG5060</td><td>576</td><td>620</td><td>672</td><td>50</td><td>60</td><td>30</td><td>4.02</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>DPPFG5424</td><td>359</td><td>389</td><td>420</td><td>54</td><td>24</td><td>17</td><td>1.62</td></tr> <tr><td>DPPFG5430</td><td>393</td><td>416</td><td>439</td><td>54</td><td>30</td><td>21</td><td>2.08</td></tr> <tr><td>DPPFG5436</td><td>427</td><td>475</td><td>526</td><td>54</td><td>36</td><td>25</td><td>2.47</td></tr> <tr><td>DPPFG5442</td><td>463</td><td>509</td><td>560</td><td>54</td><td>42</td><td>29</td><td>2.85</td></tr> <tr><td>DPPFG5448</td><td>496</td><td>542</td><td>593</td><td>54</td><td>48</td><td>33</td><td>3.25</td></tr> <tr><td>DPPFG5454</td><td>532</td><td>580</td><td>631</td><td>54</td><td>54</td><td>37</td><td>3.63</td></tr> <tr><td>DPPFG5460</td><td>576</td><td>622</td><td>674</td><td>54</td><td>60</td><td>41</td><td>4.02</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>DPPFG6624</td><td>425</td><td>464</td><td>503</td><td>66</td><td>24</td><td>20</td><td>2.04</td></tr> <tr><td>DPPFG6630</td><td>473</td><td>511</td><td>552</td><td>66</td><td>30</td><td>25</td><td>2.52</td></tr> <tr><td>DPPFG6636</td><td>520</td><td>568</td><td>620</td><td>66</td><td>36</td><td>30</td><td>3.00</td></tr> <tr><td>DPPFG6642</td><td>565</td><td>615</td><td>668</td><td>66</td><td>42</td><td>35</td><td>3.46</td></tr> <tr><td>DPPFG6648</td><td>614</td><td>663</td><td>715</td><td>66</td><td>48</td><td>40</td><td>3.93</td></tr> <tr><td>DPPFG6654</td><td>659</td><td>707</td><td>760</td><td>66</td><td>54</td><td>45</td><td>4.40</td></tr> <tr><td>DPPFG6660</td><td>718</td><td>756</td><td>797</td><td>66</td><td>60</td><td>50</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPPFG5024	359	387	415	50	24	12	1.62	DPPFG5030	393	408	437	50	30	15	2.08	DPPFG5036	427	471	523	50	36	18	2.47	DPPFG5042	463	507	559	50	42	21	2.85	DPPFG5048	496	540	592	50	48	24	3.25	DPPFG5054	532	576	628	50	54	27	3.63	DPPFG5060	576	620	672	50	60	30	4.02									DPPFG5424	359	389	420	54	24	17	1.62	DPPFG5430	393	416	439	54	30	21	2.08	DPPFG5436	427	475	526	54	36	25	2.47	DPPFG5442	463	509	560	54	42	29	2.85	DPPFG5448	496	542	593	54	48	33	3.25	DPPFG5454	532	580	631	54	54	37	3.63	DPPFG5460	576	622	674	54	60	41	4.02									DPPFG6624	425	464	503	66	24	20	2.04	DPPFG6630	473	511	552	66	30	25	2.52	DPPFG6636	520	568	620	66	36	30	3.00	DPPFG6642	565	615	668	66	42	35	3.46	DPPFG6648	614	663	715	66	48	40	3.93	DPPFG6654	659	707	760	66	54	45	4.40	DPPFG6660	718	756	797	66	60
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																														
	GR1	GR2	OPT*	H	W																																																																																																																																																																																																
DPPFG5024	359	387	415	50	24	12	1.62																																																																																																																																																																																														
DPPFG5030	393	408	437	50	30	15	2.08																																																																																																																																																																																														
DPPFG5036	427	471	523	50	36	18	2.47																																																																																																																																																																																														
DPPFG5042	463	507	559	50	42	21	2.85																																																																																																																																																																																														
DPPFG5048	496	540	592	50	48	24	3.25																																																																																																																																																																																														
DPPFG5054	532	576	628	50	54	27	3.63																																																																																																																																																																																														
DPPFG5060	576	620	672	50	60	30	4.02																																																																																																																																																																																														
DPPFG5424	359	389	420	54	24	17	1.62																																																																																																																																																																																														
DPPFG5430	393	416	439	54	30	21	2.08																																																																																																																																																																																														
DPPFG5436	427	475	526	54	36	25	2.47																																																																																																																																																																																														
DPPFG5442	463	509	560	54	42	29	2.85																																																																																																																																																																																														
DPPFG5448	496	542	593	54	48	33	3.25																																																																																																																																																																																														
DPPFG5454	532	580	631	54	54	37	3.63																																																																																																																																																																																														
DPPFG5460	576	622	674	54	60	41	4.02																																																																																																																																																																																														
DPPFG6624	425	464	503	66	24	20	2.04																																																																																																																																																																																														
DPPFG6630	473	511	552	66	30	25	2.52																																																																																																																																																																																														
DPPFG6636	520	568	620	66	36	30	3.00																																																																																																																																																																																														
DPPFG6642	565	615	668	66	42	35	3.46																																																																																																																																																																																														
DPPFG6648	614	663	715	66	48	40	3.93																																																																																																																																																																																														
DPPFG6654	659	707	760	66	54	45	4.40																																																																																																																																																																																														
DPPFG6660	718	756	797	66	60	50	4.90																																																																																																																																																																																														


DPOFG	DESCRIPTION	FINISHES																																																																																																																																																																																																			
<b>Open Bottom, Middle Fabric and Glazed Top Panel</b>	<p>Fabric between the middle rails.</p> <ul style="list-style-type: none"> <li>• Open bottom panel with additional rail at 42" high.</li> <li>• Upper middle rail accepts Boulevard Accessories, Monitor Arm Support and Off-Module Shelves.</li> <li>• Open bottom reduces cost and improves air circulation within the office.</li> <li>• Extruded aluminum frame surrounds acrylic glazing at top.</li> <li>• For tempered glass add 20% to the price regardless of fabric grade.</li> </ul>	<p>Panel frame finish.</p> <p>Class "A" Fire rated fabric.</p> <p>Tempered Glass or Acrylic finish.</p>																																																																																																																																																																																																			
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPOFG5024</td><td>282</td><td>290</td><td>300</td><td>50</td><td>24</td><td>14</td><td>1.62</td></tr> <tr><td>DPOFG5030</td><td>308</td><td>318</td><td>328</td><td>50</td><td>30</td><td>17</td><td>2.08</td></tr> <tr><td>DPOFG5036</td><td>334</td><td>342</td><td>352</td><td>50</td><td>36</td><td>20</td><td>2.47</td></tr> <tr><td>DPOFG5042</td><td>362</td><td>370</td><td>380</td><td>50</td><td>42</td><td>24</td><td>2.85</td></tr> <tr><td>DPOFG5048</td><td>388</td><td>396</td><td>406</td><td>50</td><td>48</td><td>27</td><td>3.25</td></tr> <tr><td>DPOFG5054</td><td>415</td><td>433</td><td>453</td><td>50</td><td>54</td><td>30</td><td>3.63</td></tr> <tr><td>DPOFG5060</td><td>447</td><td>465</td><td>485</td><td>50</td><td>60</td><td>34</td><td>4.02</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>DPOFG5424</td><td>282</td><td>377</td><td>388</td><td>54</td><td>24</td><td>14</td><td>1.62</td></tr> <tr><td>DPOFG5430</td><td>308</td><td>416</td><td>427</td><td>54</td><td>30</td><td>17</td><td>2.08</td></tr> <tr><td>DPOFG5436</td><td>448</td><td>468</td><td>490</td><td>54</td><td>36</td><td>20</td><td>2.47</td></tr> <tr><td>DPOFG5442</td><td>334</td><td>500</td><td>522</td><td>54</td><td>42</td><td>24</td><td>2.85</td></tr> <tr><td>DPOFG5448</td><td>362</td><td>396</td><td>408</td><td>54</td><td>48</td><td>27</td><td>3.25</td></tr> <tr><td>DPOFG5454</td><td>415</td><td>434</td><td>453</td><td>54</td><td>54</td><td>30</td><td>3.63</td></tr> <tr><td>DPOFG5460</td><td>447</td><td>466</td><td>485</td><td>54</td><td>60</td><td>34</td><td>4.02</td></tr> <tr><td colspan="8"> </td></tr> <tr><td>DPOFG6624</td><td>354</td><td>362</td><td>373</td><td>66</td><td>24</td><td>17</td><td>2.04</td></tr> <tr><td>DPOFG6630</td><td>391</td><td>400</td><td>411</td><td>66</td><td>30</td><td>21</td><td>2.52</td></tr> <tr><td>DPOFG6636</td><td>431</td><td>450</td><td>470</td><td>66</td><td>36</td><td>25</td><td>3.00</td></tr> <tr><td>DPOFG6642</td><td>463</td><td>481</td><td>501</td><td>66</td><td>42</td><td>29</td><td>3.46</td></tr> <tr><td>DPOFG6648</td><td>499</td><td>519</td><td>538</td><td>66</td><td>48</td><td>33</td><td>3.93</td></tr> <tr><td>DPOFG6654</td><td>540</td><td>560</td><td>580</td><td>66</td><td>54</td><td>37</td><td>4.40</td></tr> <tr><td>DPOFG6660</td><td>585</td><td>604</td><td>623</td><td>66</td><td>60</td><td>41</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPOFG5024	282	290	300	50	24	14	1.62	DPOFG5030	308	318	328	50	30	17	2.08	DPOFG5036	334	342	352	50	36	20	2.47	DPOFG5042	362	370	380	50	42	24	2.85	DPOFG5048	388	396	406	50	48	27	3.25	DPOFG5054	415	433	453	50	54	30	3.63	DPOFG5060	447	465	485	50	60	34	4.02									DPOFG5424	282	377	388	54	24	14	1.62	DPOFG5430	308	416	427	54	30	17	2.08	DPOFG5436	448	468	490	54	36	20	2.47	DPOFG5442	334	500	522	54	42	24	2.85	DPOFG5448	362	396	408	54	48	27	3.25	DPOFG5454	415	434	453	54	54	30	3.63	DPOFG5460	447	466	485	54	60	34	4.02									DPOFG6624	354	362	373	66	24	17	2.04	DPOFG6630	391	400	411	66	30	21	2.52	DPOFG6636	431	450	470	66	36	25	3.00	DPOFG6642	463	481	501	66	42	29	3.46	DPOFG6648	499	519	538	66	48	33	3.93	DPOFG6654	540	560	580	66	54	37	4.40	DPOFG6660	585	604	623	66	60
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																														
	GR1	GR2	OPT*	H	W																																																																																																																																																																																																
DPOFG5024	282	290	300	50	24	14	1.62																																																																																																																																																																																														
DPOFG5030	308	318	328	50	30	17	2.08																																																																																																																																																																																														
DPOFG5036	334	342	352	50	36	20	2.47																																																																																																																																																																																														
DPOFG5042	362	370	380	50	42	24	2.85																																																																																																																																																																																														
DPOFG5048	388	396	406	50	48	27	3.25																																																																																																																																																																																														
DPOFG5054	415	433	453	50	54	30	3.63																																																																																																																																																																																														
DPOFG5060	447	465	485	50	60	34	4.02																																																																																																																																																																																														
DPOFG5424	282	377	388	54	24	14	1.62																																																																																																																																																																																														
DPOFG5430	308	416	427	54	30	17	2.08																																																																																																																																																																																														
DPOFG5436	448	468	490	54	36	20	2.47																																																																																																																																																																																														
DPOFG5442	334	500	522	54	42	24	2.85																																																																																																																																																																																														
DPOFG5448	362	396	408	54	48	27	3.25																																																																																																																																																																																														
DPOFG5454	415	434	453	54	54	30	3.63																																																																																																																																																																																														
DPOFG5460	447	466	485	54	60	34	4.02																																																																																																																																																																																														
DPOFG6624	354	362	373	66	24	17	2.04																																																																																																																																																																																														
DPOFG6630	391	400	411	66	30	21	2.52																																																																																																																																																																																														
DPOFG6636	431	450	470	66	36	25	3.00																																																																																																																																																																																														
DPOFG6642	463	481	501	66	42	29	3.46																																																																																																																																																																																														
DPOFG6648	499	519	538	66	48	33	3.93																																																																																																																																																																																														
DPOFG6654	540	560	580	66	54	37	4.40																																																																																																																																																																																														
DPOFG6660	585	604	623	66	60	41	4.90																																																																																																																																																																																														


DPFG	DESCRIPTION	FINISHES																																																																																																																																																																																																																																												
<b>Fabric Bottom and Glazed Top Panel</b>	<p>Fabric below and glazing above middle rail.</p> <ul style="list-style-type: none"> <li>• Full panel with middle rail at 29" high and glazing above.</li> <li>• Extruded aluminum frame surrounds acrylic glazing at top.</li> <li>• For tempered glass add 20% to the price regardless of fabric grade.</li> </ul>	<p>Panel frame finish. Class "A" Fire rated fabric. Tempered Glass or Acrylic finish.</p>																																																																																																																																																																																																																																												
			<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPFG4224</td><td>470</td><td>482</td><td>494</td><td>42</td><td>24</td><td>11</td><td>1.32</td></tr> <tr><td>DPFG4230</td><td>508</td><td>520</td><td>532</td><td>42</td><td>30</td><td>14</td><td>1.62</td></tr> <tr><td>DPFG4236</td><td>541</td><td>553</td><td>565</td><td>42</td><td>36</td><td>16</td><td>1.94</td></tr> <tr><td>DPFG4242</td><td>578</td><td>616</td><td>652</td><td>42</td><td>42</td><td>18</td><td>2.24</td></tr> <tr><td>DPFG4248</td><td>613</td><td>651</td><td>687</td><td>42</td><td>48</td><td>21</td><td>2.55</td></tr> <tr><td>DPFG4254</td><td>648</td><td>686</td><td>722</td><td>42</td><td>54</td><td>23</td><td>2.85</td></tr> <tr><td>DPFG4260</td><td>683</td><td>721</td><td>757</td><td>42</td><td>60</td><td>26</td><td>3.16</td></tr> <tr><td>DPFG5024</td><td>470</td><td>482</td><td>494</td><td>50</td><td>24</td><td>12</td><td>1.62</td></tr> <tr><td>DPFG5030</td><td>508</td><td>520</td><td>532</td><td>50</td><td>30</td><td>15</td><td>2.08</td></tr> <tr><td>DPFG5036</td><td>541</td><td>553</td><td>565</td><td>50</td><td>36</td><td>18</td><td>2.47</td></tr> <tr><td>DPFG5042</td><td>578</td><td>616</td><td>652</td><td>50</td><td>42</td><td>21</td><td>2.85</td></tr> <tr><td>DPFG5048</td><td>613</td><td>651</td><td>687</td><td>50</td><td>48</td><td>24</td><td>3.25</td></tr> <tr><td>DPFG5054</td><td>648</td><td>686</td><td>722</td><td>50</td><td>54</td><td>27</td><td>3.63</td></tr> <tr><td>DPFG5060</td><td>683</td><td>721</td><td>757</td><td>50</td><td>60</td><td>29</td><td>4.02</td></tr> <tr><td>DPFG5424</td><td>470</td><td>482</td><td>496</td><td>54</td><td>24</td><td>13</td><td>1.62</td></tr> <tr><td>DPFG5430</td><td>508</td><td>521</td><td>533</td><td>54</td><td>30</td><td>16</td><td>2.08</td></tr> <tr><td>DPFG5436</td><td>541</td><td>554</td><td>567</td><td>54</td><td>36</td><td>20</td><td>2.47</td></tr> <tr><td>DPFG5442</td><td>578</td><td>615</td><td>655</td><td>54</td><td>42</td><td>23</td><td>2.85</td></tr> <tr><td>DPFG5448</td><td>613</td><td>650</td><td>693</td><td>54</td><td>48</td><td>26</td><td>3.25</td></tr> <tr><td>DPFG5454</td><td>648</td><td>686</td><td>727</td><td>54</td><td>54</td><td>29</td><td>3.63</td></tr> <tr><td>DPFG5460</td><td>683</td><td>721</td><td>761</td><td>54</td><td>60</td><td>32</td><td>4.02</td></tr> <tr><td>DPFG6624</td><td>511</td><td>524</td><td>537</td><td>66</td><td>24</td><td>17</td><td>2.04</td></tr> <tr><td>DPFG6630</td><td>550</td><td>561</td><td>575</td><td>66</td><td>30</td><td>21</td><td>2.52</td></tr> <tr><td>DPFG6636</td><td>587</td><td>624</td><td>666</td><td>66</td><td>36</td><td>24</td><td>3.00</td></tr> <tr><td>DPFG6642</td><td>623</td><td>662</td><td>703</td><td>66</td><td>42</td><td>28</td><td>3.46</td></tr> <tr><td>DPFG6648</td><td>661</td><td>699</td><td>739</td><td>66</td><td>48</td><td>32</td><td>3.93</td></tr> <tr><td>DPFG6654</td><td>700</td><td>737</td><td>777</td><td>66</td><td>54</td><td>36</td><td>4.40</td></tr> <tr><td>DPFG6660</td><td>740</td><td>777</td><td>818</td><td>66</td><td>60</td><td>40</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPFG4224	470	482	494	42	24	11	1.32	DPFG4230	508	520	532	42	30	14	1.62	DPFG4236	541	553	565	42	36	16	1.94	DPFG4242	578	616	652	42	42	18	2.24	DPFG4248	613	651	687	42	48	21	2.55	DPFG4254	648	686	722	42	54	23	2.85	DPFG4260	683	721	757	42	60	26	3.16	DPFG5024	470	482	494	50	24	12	1.62	DPFG5030	508	520	532	50	30	15	2.08	DPFG5036	541	553	565	50	36	18	2.47	DPFG5042	578	616	652	50	42	21	2.85	DPFG5048	613	651	687	50	48	24	3.25	DPFG5054	648	686	722	50	54	27	3.63	DPFG5060	683	721	757	50	60	29	4.02	DPFG5424	470	482	496	54	24	13	1.62	DPFG5430	508	521	533	54	30	16	2.08	DPFG5436	541	554	567	54	36	20	2.47	DPFG5442	578	615	655	54	42	23	2.85	DPFG5448	613	650	693	54	48	26	3.25	DPFG5454	648	686	727	54	54	29	3.63	DPFG5460	683	721	761	54	60	32	4.02	DPFG6624	511	524	537	66	24	17	2.04	DPFG6630	550	561	575	66	30	21	2.52	DPFG6636	587	624	666	66	36	24	3.00	DPFG6642	623	662	703	66	42	28	3.46	DPFG6648	661	699	739	66	48	32	3.93	DPFG6654	700	737	777	66	54	36	4.40	DPFG6660	740	777	818	66	60
PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																																																																																						
	GR1	GR2	OPT*	H	W																																																																																																																																																																																																																																									
DPFG4224	470	482	494	42	24	11	1.32																																																																																																																																																																																																																																							
DPFG4230	508	520	532	42	30	14	1.62																																																																																																																																																																																																																																							
DPFG4236	541	553	565	42	36	16	1.94																																																																																																																																																																																																																																							
DPFG4242	578	616	652	42	42	18	2.24																																																																																																																																																																																																																																							
DPFG4248	613	651	687	42	48	21	2.55																																																																																																																																																																																																																																							
DPFG4254	648	686	722	42	54	23	2.85																																																																																																																																																																																																																																							
DPFG4260	683	721	757	42	60	26	3.16																																																																																																																																																																																																																																							
DPFG5024	470	482	494	50	24	12	1.62																																																																																																																																																																																																																																							
DPFG5030	508	520	532	50	30	15	2.08																																																																																																																																																																																																																																							
DPFG5036	541	553	565	50	36	18	2.47																																																																																																																																																																																																																																							
DPFG5042	578	616	652	50	42	21	2.85																																																																																																																																																																																																																																							
DPFG5048	613	651	687	50	48	24	3.25																																																																																																																																																																																																																																							
DPFG5054	648	686	722	50	54	27	3.63																																																																																																																																																																																																																																							
DPFG5060	683	721	757	50	60	29	4.02																																																																																																																																																																																																																																							
DPFG5424	470	482	496	54	24	13	1.62																																																																																																																																																																																																																																							
DPFG5430	508	521	533	54	30	16	2.08																																																																																																																																																																																																																																							
DPFG5436	541	554	567	54	36	20	2.47																																																																																																																																																																																																																																							
DPFG5442	578	615	655	54	42	23	2.85																																																																																																																																																																																																																																							
DPFG5448	613	650	693	54	48	26	3.25																																																																																																																																																																																																																																							
DPFG5454	648	686	727	54	54	29	3.63																																																																																																																																																																																																																																							
DPFG5460	683	721	761	54	60	32	4.02																																																																																																																																																																																																																																							
DPFG6624	511	524	537	66	24	17	2.04																																																																																																																																																																																																																																							
DPFG6630	550	561	575	66	30	21	2.52																																																																																																																																																																																																																																							
DPFG6636	587	624	666	66	36	24	3.00																																																																																																																																																																																																																																							
DPFG6642	623	662	703	66	42	28	3.46																																																																																																																																																																																																																																							
DPFG6648	661	699	739	66	48	32	3.93																																																																																																																																																																																																																																							
DPFG6654	700	737	777	66	54	36	4.40																																																																																																																																																																																																																																							
DPFG6660	740	777	818	66	60	40	4.90																																																																																																																																																																																																																																							


DPFSG	DESCRIPTION	FINISHES																																																																																																																																																																																				
<b>Fabric Bottom, Slat Middle and Glazed Top Panel</b>	<p>Integrated 6" slat rail provides flexibility of use.</p> <ul style="list-style-type: none"> <li>• Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> <li>• Extruded aluminum frame surrounds acrylic glazing at top.</li> <li>• For tempered glass add 20% to the price regardless of fabric grade.</li> </ul>	<p>Panel frame finish. Class "A" Fire rated fabric. Tempered Glass or Acrylic finish.</p>																																																																																																																																																																																				
			<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPFSG5024</td><td>541</td><td>557</td><td>573</td><td>50</td><td>24</td><td>15</td><td>1.62</td></tr> <tr><td>DPFSG5030</td><td>584</td><td>600</td><td>620</td><td>50</td><td>30</td><td>19</td><td>2.08</td></tr> <tr><td>DPFSG5036</td><td>623</td><td>656</td><td>719</td><td>50</td><td>36</td><td>23</td><td>2.47</td></tr> <tr><td>DPFSG5042</td><td>666</td><td>710</td><td>762</td><td>50</td><td>42</td><td>27</td><td>2.85</td></tr> <tr><td>DPFSG5048</td><td>704</td><td>748</td><td>800</td><td>50</td><td>48</td><td>31</td><td>3.25</td></tr> <tr><td>DPFSG5054</td><td>745</td><td>789</td><td>841</td><td>50</td><td>54</td><td>35</td><td>3.63</td></tr> <tr><td>DPFSG5060</td><td>786</td><td>830</td><td>882</td><td>50</td><td>60</td><td>39</td><td>4.02</td></tr> <tr><td>DPFSG5424</td><td>541</td><td>558</td><td>578</td><td>54</td><td>24</td><td>17</td><td>1.62</td></tr> <tr><td>DPFSG5430</td><td>584</td><td>602</td><td>622</td><td>54</td><td>30</td><td>21</td><td>2.08</td></tr> <tr><td>DPFSG5436</td><td>623</td><td>671</td><td>722</td><td>54</td><td>36</td><td>25</td><td>2.47</td></tr> <tr><td>DPFSG5442</td><td>666</td><td>712</td><td>763</td><td>54</td><td>42</td><td>29</td><td>2.85</td></tr> <tr><td>DPFSG5448</td><td>704</td><td>751</td><td>802</td><td>54</td><td>48</td><td>33</td><td>3.25</td></tr> <tr><td>DPFSG5454</td><td>745</td><td>792</td><td>844</td><td>54</td><td>54</td><td>37</td><td>3.63</td></tr> <tr><td>DPFSG5460</td><td>786</td><td>832</td><td>884</td><td>54</td><td>60</td><td>41</td><td>4.02</td></tr> <tr><td>DPFSG6624</td><td>588</td><td>605</td><td>623</td><td>66</td><td>24</td><td>20</td><td>2.04</td></tr> <tr><td>DPFSG6630</td><td>631</td><td>647</td><td>667</td><td>66</td><td>30</td><td>25</td><td>2.52</td></tr> <tr><td>DPFSG6636</td><td>674</td><td>721</td><td>772</td><td>66</td><td>36</td><td>30</td><td>3.00</td></tr> <tr><td>DPFSG6642</td><td>718</td><td>765</td><td>817</td><td>66</td><td>42</td><td>35</td><td>3.46</td></tr> <tr><td>DPFSG6648</td><td>761</td><td>809</td><td>861</td><td>66</td><td>48</td><td>40</td><td>3.93</td></tr> <tr><td>DPFSG6654</td><td>803</td><td>851</td><td>900</td><td>66</td><td>54</td><td>45</td><td>4.40</td></tr> <tr><td>DPFSG6660</td><td>849</td><td>895</td><td>947</td><td>66</td><td>60</td><td>50</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPFSG5024	541	557	573	50	24	15	1.62	DPFSG5030	584	600	620	50	30	19	2.08	DPFSG5036	623	656	719	50	36	23	2.47	DPFSG5042	666	710	762	50	42	27	2.85	DPFSG5048	704	748	800	50	48	31	3.25	DPFSG5054	745	789	841	50	54	35	3.63	DPFSG5060	786	830	882	50	60	39	4.02	DPFSG5424	541	558	578	54	24	17	1.62	DPFSG5430	584	602	622	54	30	21	2.08	DPFSG5436	623	671	722	54	36	25	2.47	DPFSG5442	666	712	763	54	42	29	2.85	DPFSG5448	704	751	802	54	48	33	3.25	DPFSG5454	745	792	844	54	54	37	3.63	DPFSG5460	786	832	884	54	60	41	4.02	DPFSG6624	588	605	623	66	24	20	2.04	DPFSG6630	631	647	667	66	30	25	2.52	DPFSG6636	674	721	772	66	36	30	3.00	DPFSG6642	718	765	817	66	42	35	3.46	DPFSG6648	761	809	861	66	48	40	3.93	DPFSG6654	803	851	900	66	54	45	4.40	DPFSG6660	849	895	947	66	60
PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																														
	GR1	GR2	OPT*	H	W																																																																																																																																																																																	
DPFSG5024	541	557	573	50	24	15	1.62																																																																																																																																																																															
DPFSG5030	584	600	620	50	30	19	2.08																																																																																																																																																																															
DPFSG5036	623	656	719	50	36	23	2.47																																																																																																																																																																															
DPFSG5042	666	710	762	50	42	27	2.85																																																																																																																																																																															
DPFSG5048	704	748	800	50	48	31	3.25																																																																																																																																																																															
DPFSG5054	745	789	841	50	54	35	3.63																																																																																																																																																																															
DPFSG5060	786	830	882	50	60	39	4.02																																																																																																																																																																															
DPFSG5424	541	558	578	54	24	17	1.62																																																																																																																																																																															
DPFSG5430	584	602	622	54	30	21	2.08																																																																																																																																																																															
DPFSG5436	623	671	722	54	36	25	2.47																																																																																																																																																																															
DPFSG5442	666	712	763	54	42	29	2.85																																																																																																																																																																															
DPFSG5448	704	751	802	54	48	33	3.25																																																																																																																																																																															
DPFSG5454	745	792	844	54	54	37	3.63																																																																																																																																																																															
DPFSG5460	786	832	884	54	60	41	4.02																																																																																																																																																																															
DPFSG6624	588	605	623	66	24	20	2.04																																																																																																																																																																															
DPFSG6630	631	647	667	66	30	25	2.52																																																																																																																																																																															
DPFSG6636	674	721	772	66	36	30	3.00																																																																																																																																																																															
DPFSG6642	718	765	817	66	42	35	3.46																																																																																																																																																																															
DPFSG6648	761	809	861	66	48	40	3.93																																																																																																																																																																															
DPFSG6654	803	851	900	66	54	45	4.40																																																																																																																																																																															
DPFSG6660	849	895	947	66	60	50	4.90																																																																																																																																																																															


DPFS	DESCRIPTION	FINISHES																																																																				
<b>Fabric Bottom, Slat Top Panel</b> 	<b>Integrated 6" slat rail provides flexibility of use.</b> <ul style="list-style-type: none"> <li>Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> </ul>	<b>Panel frame finish.</b>  <b>Class "A" Fire rated fabric.</b>																																																																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPFS4224</td><td>277</td><td>295</td><td>313</td><td>41.25</td><td>24</td><td>19</td><td>1.32</td></tr> <tr><td>DPFS4230</td><td>339</td><td>357</td><td>375</td><td>41.25</td><td>30</td><td>23</td><td>1.62</td></tr> <tr><td>DPFS4236</td><td>378</td><td>424</td><td>476</td><td>41.25</td><td>36</td><td>28</td><td>1.94</td></tr> <tr><td>DPFS4242</td><td>411</td><td>461</td><td>511</td><td>41.25</td><td>42</td><td>33</td><td>2.24</td></tr> <tr><td>DPFS4248</td><td>445</td><td>492</td><td>542</td><td>41.25</td><td>48</td><td>37</td><td>2.55</td></tr> <tr><td>DPFS4254</td><td>480</td><td>527</td><td>579</td><td>41.25</td><td>54</td><td>42</td><td>2.85</td></tr> <tr><td>DPFS4260</td><td>513</td><td>560</td><td>612</td><td>41.25</td><td>60</td><td>47</td><td>3.16</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPFS4224	277	295	313	41.25	24	19	1.32	DPFS4230	339	357	375	41.25	30	23	1.62	DPFS4236	378	424	476	41.25	36	28	1.94	DPFS4242	411	461	511	41.25	42	33	2.24	DPFS4248	445	492	542	41.25	48	37	2.55	DPFS4254	480	527	579	41.25	54	42	2.85	DPFS4260	513	560	612	41.25	60	47	3.16
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																															
	GR1	GR2	OPT*	H	W																																																																	
DPFS4224	277	295	313	41.25	24	19	1.32																																																															
DPFS4230	339	357	375	41.25	30	23	1.62																																																															
DPFS4236	378	424	476	41.25	36	28	1.94																																																															
DPFS4242	411	461	511	41.25	42	33	2.24																																																															
DPFS4248	445	492	542	41.25	48	37	2.55																																																															
DPFS4254	480	527	579	41.25	54	42	2.85																																																															
DPFS4260	513	560	612	41.25	60	47	3.16																																																															


DPFSF	DESCRIPTION	FINISHES																																																																																																																																																																																				
<b>Fabric Bottom, Slat Middle and Fabric Top Panel</b> 	<b>Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric at the top provides visual privacy.</b> <ul style="list-style-type: none"> <li>Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> </ul>	<b>Panel frame finish.</b>  <b>Class "A" Fire rated fabric.</b>																																																																																																																																																																																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPFSF5024</td><td>387</td><td>411</td><td>435</td><td>50</td><td>24</td><td>21</td><td>1.62</td></tr> <tr><td>DPFSF5030</td><td>427</td><td>451</td><td>475</td><td>50</td><td>30</td><td>28</td><td>2.08</td></tr> <tr><td>DPFSF5036</td><td>470</td><td>536</td><td>614</td><td>50</td><td>36</td><td>34</td><td>2.47</td></tr> <tr><td>DPFSF5042</td><td>511</td><td>577</td><td>655</td><td>50</td><td>42</td><td>40</td><td>2.85</td></tr> <tr><td>DPFSF5048</td><td>552</td><td>618</td><td>696</td><td>50</td><td>48</td><td>46</td><td>3.25</td></tr> <tr><td>DPFSF5054</td><td>591</td><td>657</td><td>735</td><td>50</td><td>54</td><td>52</td><td>3.63</td></tr> <tr><td>DPFSF5060</td><td>631</td><td>697</td><td>775</td><td>50</td><td>60</td><td>58</td><td>4.02</td></tr> <tr><td>DPFSF5424</td><td>387</td><td>403</td><td>422</td><td>54</td><td>24</td><td>23</td><td>1.62</td></tr> <tr><td>DPFSF5430</td><td>427</td><td>445</td><td>464</td><td>54</td><td>30</td><td>30</td><td>2.08</td></tr> <tr><td>DPFSF5436</td><td>470</td><td>518</td><td>568</td><td>54</td><td>36</td><td>36</td><td>2.47</td></tr> <tr><td>DPFSF5442</td><td>511</td><td>558</td><td>610</td><td>54</td><td>42</td><td>42</td><td>2.85</td></tr> <tr><td>DPFSF5448</td><td>552</td><td>601</td><td>651</td><td>54</td><td>48</td><td>48</td><td>3.25</td></tr> <tr><td>DPFSF5454</td><td>591</td><td>639</td><td>690</td><td>54</td><td>54</td><td>54</td><td>3.63</td></tr> <tr><td>DPFSF5460</td><td>631</td><td>677</td><td>729</td><td>54</td><td>60</td><td>60</td><td>4.02</td></tr> <tr><td>DPFSF6624</td><td>443</td><td>475</td><td>508</td><td>66</td><td>24</td><td>28</td><td>2.04</td></tr> <tr><td>DPFSF6630</td><td>489</td><td>520</td><td>553</td><td>66</td><td>30</td><td>35</td><td>2.52</td></tr> <tr><td>DPFSF6636</td><td>536</td><td>613</td><td>696</td><td>66</td><td>36</td><td>42</td><td>3.00</td></tr> <tr><td>DPFSF6642</td><td>578</td><td>652</td><td>733</td><td>66</td><td>42</td><td>49</td><td>3.46</td></tr> <tr><td>DPFSF6648</td><td>622</td><td>699</td><td>778</td><td>66</td><td>48</td><td>56</td><td>3.93</td></tr> <tr><td>DPFSF6654</td><td>666</td><td>741</td><td>821</td><td>66</td><td>54</td><td>63</td><td>4.40</td></tr> <tr><td>DPFSF6660</td><td>706</td><td>782</td><td>862</td><td>66</td><td>60</td><td>70</td><td>4.90</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPFSF5024	387	411	435	50	24	21	1.62	DPFSF5030	427	451	475	50	30	28	2.08	DPFSF5036	470	536	614	50	36	34	2.47	DPFSF5042	511	577	655	50	42	40	2.85	DPFSF5048	552	618	696	50	48	46	3.25	DPFSF5054	591	657	735	50	54	52	3.63	DPFSF5060	631	697	775	50	60	58	4.02	DPFSF5424	387	403	422	54	24	23	1.62	DPFSF5430	427	445	464	54	30	30	2.08	DPFSF5436	470	518	568	54	36	36	2.47	DPFSF5442	511	558	610	54	42	42	2.85	DPFSF5448	552	601	651	54	48	48	3.25	DPFSF5454	591	639	690	54	54	54	3.63	DPFSF5460	631	677	729	54	60	60	4.02	DPFSF6624	443	475	508	66	24	28	2.04	DPFSF6630	489	520	553	66	30	35	2.52	DPFSF6636	536	613	696	66	36	42	3.00	DPFSF6642	578	652	733	66	42	49	3.46	DPFSF6648	622	699	778	66	48	56	3.93	DPFSF6654	666	741	821	66	54	63	4.40	DPFSF6660	706	782	862	66	60	70	4.90
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																																																																																																																																															
	GR1	GR2	OPT*	H	W																																																																																																																																																																																	
DPFSF5024	387	411	435	50	24	21	1.62																																																																																																																																																																															
DPFSF5030	427	451	475	50	30	28	2.08																																																																																																																																																																															
DPFSF5036	470	536	614	50	36	34	2.47																																																																																																																																																																															
DPFSF5042	511	577	655	50	42	40	2.85																																																																																																																																																																															
DPFSF5048	552	618	696	50	48	46	3.25																																																																																																																																																																															
DPFSF5054	591	657	735	50	54	52	3.63																																																																																																																																																																															
DPFSF5060	631	697	775	50	60	58	4.02																																																																																																																																																																															
DPFSF5424	387	403	422	54	24	23	1.62																																																																																																																																																																															
DPFSF5430	427	445	464	54	30	30	2.08																																																																																																																																																																															
DPFSF5436	470	518	568	54	36	36	2.47																																																																																																																																																																															
DPFSF5442	511	558	610	54	42	42	2.85																																																																																																																																																																															
DPFSF5448	552	601	651	54	48	48	3.25																																																																																																																																																																															
DPFSF5454	591	639	690	54	54	54	3.63																																																																																																																																																																															
DPFSF5460	631	677	729	54	60	60	4.02																																																																																																																																																																															
DPFSF6624	443	475	508	66	24	28	2.04																																																																																																																																																																															
DPFSF6630	489	520	553	66	30	35	2.52																																																																																																																																																																															
DPFSF6636	536	613	696	66	36	42	3.00																																																																																																																																																																															
DPFSF6642	578	652	733	66	42	49	3.46																																																																																																																																																																															
DPFSF6648	622	699	778	66	48	56	3.93																																																																																																																																																																															
DPFSF6654	666	741	821	66	54	63	4.40																																																																																																																																																																															
DPFSF6660	706	782	862	66	60	70	4.90																																																																																																																																																																															


DPOSF	DESCRIPTION	FINISHES																																																																				
<b>Open Bottom, Slat Middle Panel</b> 	<b>Integrated 6" slat rail between the middle rails provides flexibility of use.</b> <ul style="list-style-type: none"> <li>Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> </ul>	<b>Panel frame finish.</b>  <b>Class "A" Fire rated fabric.</b>																																																																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th colspan="3">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>GR1</th> <th>GR2</th> <th>OPT*</th> <th>H</th> <th>W</th> </tr> </thead> <tbody> <tr><td>DPOSF4224</td><td>250</td><td>255</td><td>259</td><td>41.25</td><td>24</td><td>12</td><td>1.32</td></tr> <tr><td>DPOSF4230</td><td>278</td><td>283</td><td>287</td><td>41.25</td><td>30</td><td>17</td><td>1.62</td></tr> <tr><td>DPOSF4236</td><td>307</td><td>316</td><td>328</td><td>41.25</td><td>36</td><td>24</td><td>1.94</td></tr> <tr><td>DPOSF4242</td><td>335</td><td>344</td><td>356</td><td>41.25</td><td>42</td><td>28</td><td>2.24</td></tr> <tr><td>DPOSF4248</td><td>366</td><td>375</td><td>387</td><td>41.25</td><td>48</td><td>36</td><td>2.55</td></tr> <tr><td>DPOSF4254</td><td>394</td><td>405</td><td>415</td><td>41.25</td><td>54</td><td>40</td><td>2.85</td></tr> <tr><td>DPOSF4260</td><td>422</td><td>319</td><td>442</td><td>41.25</td><td>60</td><td>44</td><td>3.16</td></tr> </tbody> </table>	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	GR1	GR2	OPT*	H	W	DPOSF4224	250	255	259	41.25	24	12	1.32	DPOSF4230	278	283	287	41.25	30	17	1.62	DPOSF4236	307	316	328	41.25	36	24	1.94	DPOSF4242	335	344	356	41.25	42	28	2.24	DPOSF4248	366	375	387	41.25	48	36	2.55	DPOSF4254	394	405	415	41.25	54	40	2.85	DPOSF4260	422	319	442	41.25	60	44	3.16
PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>																																																															
	GR1	GR2	OPT*	H	W																																																																	
DPOSF4224	250	255	259	41.25	24	12	1.32																																																															
DPOSF4230	278	283	287	41.25	30	17	1.62																																																															
DPOSF4236	307	316	328	41.25	36	24	1.94																																																															
DPOSF4242	335	344	356	41.25	42	28	2.24																																																															
DPOSF4248	366	375	387	41.25	48	36	2.55																																																															
DPOSF4254	394	405	415	41.25	54	40	2.85																																																															
DPOSF4260	422	319	442	41.25	60	44	3.16																																																															


DPOSF	DESCRIPTION	FINISHES						
<b>Open Bottom, Slat Middle and Fabric Top Panel</b> 	Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric above middle rail provides privacy.	Panel frame finish.						
	<ul style="list-style-type: none"> <li>Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> <li>Open bottom reduces cost and improves air circulation within the office.</li> </ul>	Class "A" Fire rated fabric.						
	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT	VOL
		GR1	GR2	OPT*	H	W	LBS	FT <sup>3</sup>
	DPOSF5024	331	343	359	50	24	13	1.62
	DPOSF5030	367	383	403	50	30	14	2.08
	DPOSF5036	402	426	458	50	36	21	2.47
	DPOSF5042	437	461	493	50	42	25	2.85
	DPOSF5048	471	495	527	50	48	29	3.25
	DPOSF5054	508	532	564	50	54	31	3.63
DPOSF5060	541	565	597	50	60	35	4.02	
DPOSF5424	331	345	360	54	24	15	1.62	
DPOSF5430	367	387	407	54	30	19	2.08	
DPOSF5436	402	430	462	54	36	23	2.47	
DPOSF5442	437	465	496	54	42	27	2.85	
DPOSF5448	471	499	530	54	48	31	3.25	
DPOSF5454	508	536	567	54	54	34	3.63	
DPOSF5460	541	569	601	54	60	38	4.02	
DPOSF6624	390	414	439	66	24	18	2.04	
DPOSF6630	428	452	478	66	30	23	2.52	
DPOSF6636	466	512	563	66	36	28	3.00	
DPOSF6642	503	551	602	66	42	33	3.46	
DPOSF6648	542	601	662	66	48	38	3.93	
DPOSF6654	580	637	697	66	54	43	4.40	
DPOSF6660	617	674	734	66	60	47	4.90	

DPOSG	DESCRIPTION	FINISHES						
<b>Open Bottom, Slat Middle and Glazed Top Panel</b> 	Integrated 6" slat rail between the middle rails provides flexibility of use.	Panel frame finish.						
	<ul style="list-style-type: none"> <li>Panel integrated slat rail accepts Boulevard Accessories, Monitor Arm Support, Off-Module Shelves, Viceversa Task Light Bracket and Power Bar.</li> <li>Open bottom reduces cost and improves air circulation within the office.</li> <li>Extruded aluminum frame surrounds acrylic glazing at top.</li> <li>For tempered glass add 20% to the price regardless of fabric grade.</li> </ul>	Class "A" Fire rated fabric.						
	Tempered Glass or Acrylic finish.							
	PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT	VOL
		GR1	GR2	OPT*	H	W	LBS	FT <sup>3</sup>
	DPOSG5024	494	498	502	50	24	12	1.62
	DPOSG5030	532	536	540	50	30	15	2.08
	DPOSG5036	568	580	590	50	36	18	2.47
	DPOSG5042	607	615	625	50	42	22	2.85
	DPOSG5048	644	652	662	50	48	25	3.25
DPOSG5054	679	687	697	50	54	28	3.63	
DPOSG5060	718	726	736	50	60	32	4.02	
DPOSG5424	494	498	502	54	24	14	1.62	
DPOSG5430	532	537	541	54	30	17	2.08	
DPOSG5436	568	582	591	54	36	20	2.47	
DPOSG5442	607	615	625	54	42	24	2.85	
DPOSG5448	644	652	664	54	48	27	3.25	
DPOSG5454	679	689	700	54	54	30	3.63	
DPOSG5460	718	728	739	54	60	34	4.02	
DPOSG6624	537	541	546	66	24	17	2.04	
DPOSG6630	576	581	585	66	30	21	2.52	
DPOSG6636	616	624	637	66	36	25	3.00	
DPOSG6642	653	669	678	66	42	29	3.46	
DPOSG6648	696	704	715	66	48	33	3.93	
DPOSG6654	733	742	753	66	54	37	4.40	
DPOSG6660	776	786	797	66	60	41	4.90	

DPOPF	DESCRIPTION	FINISHES						
<b>Diet Over Panel</b>	Over Panels attach to regular Diet Panels to provide additional visual privacy.	<b>Panel frame finish.</b>						
	<ul style="list-style-type: none"> <li>Over Panel is secured to regular Diet Panels with 4 brackets and set screws.</li> <li>Accessory loading capabilities only.</li> <li>Not for use with overhead storage.</li> </ul>	<b>Class "A" Fire rated fabric.</b>						
	<b>PRODUCT CODE</b>	<b>PRICE</b>		<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>	
		<b>GR1</b>	<b>GR2</b>	<b>OPT*</b>	<b>H</b>	<b>W</b>	<b>LBS</b>	<b>FT<sup>3</sup></b>
	DPOPF1224	146	155	166	12	24	5	0.30
	DPOPF1230	166	175	186	12	30	7	0.60
	DPOPF1236	188	207	227	12	36	8	0.75
	DPOPF1242	206	226	248	12	42	9	0.88
	DPOPF1248	227	246	267	12	48	11	1.00
	DPOPF1254	249	269	288	12	54	12	1.13
	DPOPF1260	264	283	303	12	60	13	1.25

BAPAS	DESCRIPTION	FINISHES					
<b>Glass Over Panel</b>	Glass Over Panel creates division.	<b>Clear or Frosted Tempered Glass only.</b>					
	<ul style="list-style-type: none"> <li>Glass Over Panel with no frame sits on top of a Diet or Boulevard 1 Panel with clamps that are secured to the top of the panel.</li> <li>Tempered glass is 16" high.</li> <li>Custom sizes available, contact your Customer Service Representative.</li> </ul>						
	<b>PRODUCT CODE</b>	<b>PRICE</b>		<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>
		<b>CLR*FRST*</b>		<b>H</b>	<b>W</b>	<b>LBS</b>	<b>FT<sup>3</sup></b>
	BAPAS24	140	159	16	24	8	0.44
	BAPAS30	154	175	16	30	10	0.59
	BAPAS36	164	189	16	36	12	0.73
	BAPAS42	174	198	16	42	14	0.85
	BAPAS48	180	206	16	48	16	0.96


DTMPP	DESCRIPTION	FINISHES						
<b>Table Mounted Diet Panel</b>	Creates privacy and flexibility for Viceversa Tables or end of worksurfaces.	<b>Panel frame finish.</b>						
	<ul style="list-style-type: none"> <li>Side Panels for sides of Viceversa Tables or sides of worksurfaces available 24", 30" and 36" widths (nominal width).</li> <li>Back Panels for sides of Viceversa Tables available 48", 54" and 60" widths.</li> <li>Attaches with similar clamp to other clamp on accessories.</li> <li>Non tackable, non load-bearing, no hang on capabilities and not for use with transaction tops.</li> <li>Not for use with Licence product due to interference of gables and flush modesties.</li> </ul>	<b>Class "A" Fire rated fabric.</b>						
	<b>PRODUCT CODE</b>	<b>PRICE</b>		<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>	
		<b>GR1</b>	<b>GR2</b>	<b>OPT*</b>	<b>H</b>	<b>W</b>	<b>LBS</b>	<b>FT<sup>3</sup></b>
	SIDE PANELS:							
	DTMPP24	160	170	180	16.5	21	7	0.75
	DTMPP30	173	191	214	16.5	27	8	0.94
	DTMPP36	186	205	225	16.5	33	10	1.13
	BACK PANELS:							
	DTMPP48	206	225	245	16.5	48	15	1.53
	DTMPP54	225	244	264	16.5	54	17	1.72
	DTMPP60	243	262	282	16.5	60	18	1.91


DPCBM	DESCRIPTION	FINISHES																																																																		
<b>Panel Cable Manager</b>	Provides wire management for the Diet Panels.	<b>Charcoal only.</b>																																																																		
	<ul style="list-style-type: none"> <li>Extruded, dual durometer "U" channel organizes cables below panels.</li> <li>Snaps into bottom rail and into mid rail on open bottom panels.</li> <li>One data partial knock-out (2.67" wide x 1.36" high) provided on either side of the Raceway Cover accommodates terminal plates from various vendors.</li> </ul>																																																																			
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th colspan="3">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> <tr> <th></th> <th></th> <th>H</th> <th>W</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DPCBM24</td> <td>7</td> <td>4</td> <td>18</td> <td></td> <td>1.3</td> <td>0.07</td> </tr> <tr> <td>DPCBM30</td> <td>11</td> <td>4</td> <td>24</td> <td></td> <td>1.4</td> <td>0.08</td> </tr> <tr> <td>DPCBM36</td> <td>18</td> <td>4</td> <td>30</td> <td></td> <td>1.5</td> <td>0.10</td> </tr> <tr> <td>DPCBM42</td> <td>20</td> <td>4</td> <td>36</td> <td></td> <td>1.6</td> <td>0.13</td> </tr> <tr> <td>DPCBM48</td> <td>22</td> <td>4</td> <td>42</td> <td></td> <td>1.7</td> <td>0.15</td> </tr> <tr> <td>DPCBM54</td> <td>24</td> <td>4</td> <td>48</td> <td></td> <td>1.8</td> <td>0.16</td> </tr> <tr> <td>DPCBM60</td> <td>26</td> <td>4</td> <td>54</td> <td></td> <td>1.9</td> <td>0.19</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>			H	W			DPCBM24	7	4	18		1.3	0.07	DPCBM30	11	4	24		1.4	0.08	DPCBM36	18	4	30		1.5	0.10	DPCBM42	20	4	36		1.6	0.13	DPCBM48	22	4	42		1.7	0.15	DPCBM54	24	4	48		1.8	0.16	DPCBM60	26	4	54		1.9	0.19					
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																																																													
			H	W																																																																
	DPCBM24	7	4	18		1.3	0.07																																																													
	DPCBM30	11	4	24		1.4	0.08																																																													
	DPCBM36	18	4	30		1.5	0.10																																																													
DPCBM42	20	4	36		1.6	0.13																																																														
DPCBM48	22	4	42		1.7	0.15																																																														
DPCBM54	24	4	48		1.8	0.16																																																														
DPCBM60	26	4	54		1.9	0.19																																																														


DPOFM	DESCRIPTION	FINISHES																								
<b>Off Module Panel Connector</b>	Connects two perpendicular Diet Panels Off-Module.	<b>Panel frame finish.</b>																								
	<ul style="list-style-type: none"> <li>Top and bottom brackets bolt to Diet Panel verticals and engage to top and bottom rails of adjacent, perpendicular panel of even or lower height.</li> <li>Connectors can also be used to connect a panel in the middle of perpendicular DPFRF, DPORF, DPFFG, DPFSG and DPFSF at their 42" height secondary middle rail.</li> <li>Top and bottom brackets fit in place of standard hinge connectors.</li> <li>All fasteners included.</li> </ul>																									
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th colspan="3">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> <tr> <th></th> <th></th> <th>H</th> <th>D</th> <th>W</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DPOFM</td> <td>31</td> <td>4</td> <td>2</td> <td>3</td> <td>1</td> <td>0.08</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>			H	D	W			DPOFM	31	4	2	3	1	0.08				
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																				
		H	D	W																						
DPOFM	31	4	2	3	1	0.08																				

DPPWA	DESCRIPTION	FINISHES																								
<b>Wall Adapter</b>	Connects Diet Panels to walls.	<b>Panel frame finish.</b>																								
	<ul style="list-style-type: none"> <li>Bolts to Diet Panel vertical in place of the standard hinge connectors.</li> <li>Keyhole openings in Diet adapter slide over fasteners pre-installed to the wall.</li> <li>All fasteners included, however, the mounting hardware to affix adapter to wall not included, they will be based on type of wall material.</li> </ul>																									
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th colspan="3">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3A</sup></th> </tr> <tr> <th></th> <th></th> <th>H</th> <th>W</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DPPWA</td> <td>31</td> <td>40</td> <td>2.5</td> <td></td> <td>1</td> <td>0.08</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3A</sup>			H	W				DPPWA	31	40	2.5		1	0.08				
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3A</sup>																				
		H	W																							
DPPWA	31	40	2.5		1	0.08																				

DPCSTR	DESCRIPTION	FINISHES																								
<b>Casters</b>	Changes a freestanding Diet Panel to mobile.	<b>Panel frame finish.</b>																								
	<ul style="list-style-type: none"> <li>Must be used on two panels or more.</li> <li>Order 1 caster more than the number of panels. For example, 3 panels, 4 casters or 2 panels, 3 casters.</li> <li>Casters raise Diet Panels by a height of 1.1".</li> </ul>																									
	<table border="1"> <thead> <tr> <th>PRODUCT CODE</th> <th>PRICE</th> <th colspan="3">SIZE/INCHES</th> <th>WEIGHT LBS</th> <th>VOL FT<sup>3</sup></th> </tr> <tr> <th></th> <th></th> <th>H</th> <th>D</th> <th>W</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DPCSTR</td> <td>5</td> <td>1.5</td> <td>1.5</td> <td>1.5</td> <td>0.25</td> <td>1.02</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>			H	D	W			DPCSTR	5	1.5	1.5	1.5	0.25	1.02				
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																				
		H	D	W																						
DPCSTR	5	1.5	1.5	1.5	0.25	1.02																				

DHCFA	DESCRIPTION	FINISHES					
<b>Diet Freestanding Panel Mobile Kit</b>	Used to change a freestanding Diet Panel to mobile.  <ul style="list-style-type: none"> <li>No load capabilities.</li> <li>Can be retrofit on site to existing Diet Panels.</li> <li>Diet Panels must have a full fabric bottom.</li> <li>Sold as a pair.</li> </ul>	Panel frame finish.					
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES</b>			<b>WEIGHT</b>	<b>VOL</b>
	DHCFA02	202	H	W	D	LBS	FT <sup>3</sup>
			6	3	19	3	1



DBSCB	DESCRIPTION	FINISHES				
<b>Diet to Boulevard Slot Connector</b>	Connects a Diet Panel to a Boulevard Panel via slots eliminating the need for the Boulevard Post and reducing the overall length and cost of a panel run.  <ul style="list-style-type: none"> <li>Connector can be installed in left or right configuration.</li> <li>Comes as a pair.</li> <li>Worksurfaces should be ordered based on application keeping in mind that this connector will align to the left or right of the end of the Boulevard Panel.</li> <li>Application drawings and layout must be provided for specials.</li> </ul>	Panel frame finish.				
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES</b>		<b>WEIGHT</b>	<b>VOL</b>
	DBSCB02	37	H	W	LBS	FT <sup>3</sup>
			3	0.5	1	0.05

DAPPF	DESCRIPTION	FINISHES	
<b>Diet Gap Filler</b>	Closes the gap between panels.  <ul style="list-style-type: none"> <li>Must be used on two or more panels.</li> <li>Order 1 DAPPF36 for a 42" high panel, 1 DAPPF36 and 1 DAPPF12 for a 54" high panel, or 1 DAPPF36 and 2 DAPPF12 for 66" high panel.</li> </ul>	Charcoal only.	
	<b>PRODUCT CODE</b>	<b>PRICE</b>	<b>SIZE/INCHES</b>
	DAPPF12	4	H
	DAPPF36	12	H
			11.55
			36.33

DB-P-X DESCRIPTION FINISHES

**Diet to Boulevard Slim Connector in "X" Configuration**

Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces. Panel frame finish.



Diet to Boulevard 1 "X" configuration

Boulevard 1 panel HEIGHT	Diet Panels Height	54"	66"
42"	DB1P4242X		
50"	DB1P4250X		
58"	DB1P4258X	DB1P5458X	
66"	DB1P4266X	DB1P5466X	DB1P6666X
74"	DB1P4274X	DB1P5474X	DB1P6674X
82"	DB1P4282X	DB1P5482X	DB1P6682X

Diet to Boulevard 3 "X" configuration

Boulevard 1 panel HEIGHT	Diet Panels Height	54"	66"
42"	DB3P4242X		
50"	DB3P4250X		
66"	DB3P4266X	DB3P5466X	DB3P6666X

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DB1P4242X	92	1067	33	66	4.0	0.207
DB1P4250X	104	1270	33	66	5.0	0.245
DB1P4258X	114	1473	33	66	6.0	0.283
DB1P4266X	124	1676	33	66	7.0	0.322
DB1P4274X	135	1880	33	66	8.0	0.360
DB1P4282X	146	2083	33	66	9.0	0.399
DB1P5458X	114	1473	33	66	6.0	0.283
DB1P5466X	124	1676	33	66	7.0	0.322
DB1P5474X	135	1880	33	66	8.0	0.360
DB1P5482X	146	2083	33	66	9.0	0.399
DB1P6666X	124	1676	33	66	7.0	0.322
DB1P6674X	135	1880	33	66	8.0	0.360
DB1P6682X	146	2083	33	66	9.0	0.399
DB3P4242X	92	1067	33	66	4.0	0.207
DB3P4250X	104	1270	33	66	5.0	0.245
DB3P4266X	124	1676	33	66	7.0	0.322
DB3P5466X	124	1676	33	66	7.0	0.322
DB3P6666X	124	1676	33	66	7.0	0.322

Diet to Boulevard 1 Overpanel height

8"	DB1OPPC08X
16"	DB1OPPC16X
24"	DB1OPPC24X
37"	DB1OPPC37X
42"	DB1OPPC42X

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DB1OPPC08X	38	203	33	66	0.8	0.043
DB1OPPC16X	42	406	33	66	1.6	0.082
DB1OPPC24X	45	610	33	66	2.5	0.120
DB1OPPC37X	51	940	33	66	3.5	0.183
DB1OPPC42X	56	1067	33	66	4.0	0.207





**electrical**

**STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD 1 AND RACEWAY PANELS**

**STEP 1:** Determine the location of the source power entry entering the panel through a post.

- a) From the floor:
  - i) Choose from a selection of single or double Base Feeds (BE81BF721, BE81BF722, BE81BF1441, BE81BF1442) to bring the power from the floor to the raceway channel.
  - ii) Select a post adjacent to the panel (or panels if using a Double Base Feed) to which the end of the Base Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Base Feed is entering.

**Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Base Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Base Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).**

- b) From the Ceiling:
  - i) Choose from a selection of single or double Ceiling Feeds (BE81CF1201, BE81CF120-2, BE81CF1441, BE81CF1442) to bring the power from the ceiling to the raceway.
  - ii) Select a post adjacent to the panel (or panels if using a Double Ceiling Feed) to which the Ceiling Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Ceiling Feed is entering.

**STEP 2:** Determine which panels are to be powered.

- a) Use a BE81D Concealed Desk Height Power Distribution Housing or a BE82D Face Mount Desk Height Power Distribution Housing that corresponds with the width of each panel selected to be powered.

**Note: Specify Face Mount Raceway Covers for panels that contain BE82D Face Mount Desk Height Power Distribution Housings.**

**STEP 3:** Connect power to the panels.

- a) Use a BE8JC16 Jumper between two adjacent powered panels.
- b) Use a BE8JC20 Jumper between two powered panels separated by a post.
- c) **Use a BE8JM19 Shielded Mesh Jumper between two powered panels separated by a post.**
- d) Use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to electrically connect a BE8JM19 Shielded Mesh Jumper and a powered panel when the two are separated by one or more non-powered panels in a straight line application only.
  - i) The length of the BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable will equal the combined width of the non-powered panel(s).
- e) Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to electrically connect two powered panel separated by one or more non-powered panels in a straight line application only.
  - i) The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel), plus 4" for each post.
- f) Use a BE8CPxxJJ Jumper-to-Jumper Pass-Thru Cable to electrically connect two BE8JM19 Shielded Mesh Jumpers when the two are separated by one or more non-powered panels in a straight line application only.
  - i) The length of the BE8CPxxJJ Jumper-to-Jumper Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate the two BE8JM19 Shielded Mesh Jumpers less 16" plus 4" for each post.


**STEP 4:** Designate which circuit each duplex is to tap into.

- a) Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- b) At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


**Circuit Selections : Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.**

SPECIFICATION APPLICATIONS

**Boulevard 1 Jumper Applications**



**Boulevard 1 Pass-Through Applications**



**STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD SYSTEM 3 BASE RACEWAY**

**STEP 1:** Determine the location of the source power entry entering the panel.

- a. At the base of a panel:
  - i. Use a BE8BFxx Base Feed.
  - ii. Select the panel to which the Base Feed will be attached. This panel requires a BE83D Power Distribution Housing.
  - iii. Select the side of the panel and the receptacle outlet to which the Base Feed is to be attached.
- b. From the ceiling:
  - i. Use a BE8CFxx-1or -2 (single or double).
  - ii. Select the post through which to feed the Ceiling Feed.
  - iii. One panel adjacent to the selected post requires a BE83D Power Distribution Housing. Attach the Ceiling Feed to the nearest end of the Power Distribution Housing.

**Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Ceiling Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Ceiling Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).**

- c. At the base of an adjoining panel:
  - i. Use a BE83BFR72 Raceway Entry Base Feed
  - ii. Select a non-powered panel adjacent to the panel with a Power Distribution Housing.
  - iii. Choose a duplex opening on either side of the panel to insert and attach the Raceway Entry Base Feed at that point.
  - iv. The Raceway Entry Base Feed will attach to the nearest end of the Power Distribution Housing (similar to the Ceiling Feed attachment).

**STEP 2:** Determine which panels are to be powered.

- a. Use a BE83D Power Distribution Housing that corresponds with the width of the selected panel.

**STEP 3:** Connect power to the panels.

- a. Use a BE8JC16 Jumper between two adjacent powered panels.
- b. Use a BE8JC20 Jumper between two powered panels separated by a post.
- c. Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to connect two powered panels separated by one or more non-powered panels.
  - i. The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel plus 4" for each post).


**STEP 4:** Designate which circuit each duplex is to tap into.

- a. Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- b. At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


**Circuit Selections : Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.**

SPECIFICATION APPLICATIONS


**Boulevard System 3 Jumper Applications**





**Boulevard System 3 Jumper Applications**





**Boulevard System 3 Tile Position Application**



BE8CI-1	DESCRIPTION					
<b>I Connector</b>	<b>Connects two Pass Thru Cables.</b>					
	<ul style="list-style-type: none"> <li>• Inline coupler used to connect two BE8CPxxHH Pass-Thru Cables.</li> </ul>					
	PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT	VOL
			H	W	LBS	FT <sup>3</sup>
	BE8CI-1	52	1.5	1.5	0.06	0.20

BE8D	DESCRIPTION						
<b>Duplex Receptacles</b>	<b>Snaps into Power Distribution Housing.</b>						
	<ul style="list-style-type: none"> <li>• Up to 13 duplex receptacles per circuit.</li> <li>• BE8D1 = Circuit #1 (utility circuit)</li> <li>• BE8D2 = Circuit #2 (utility circuit)</li> <li>• BE8D3 = Circuit #3 (utility circuit)</li> <li>• BE8D4IG - Circuit #4IG (dedicated circuit)</li> </ul>						
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT	VOL
			H	W	D	LBS	FT <sup>3</sup>
	BE8D1	23	2	4.625	1.25	0.10	0.01
	BE8D2	23	2	4.625	1.25	0.10	0.01
	BE8D3	23	2	4.625	1.25	0.10	0.01
	BE8D4IG	23	2	4.625	1.25	0.10	0.01

BE83BF	DESCRIPTION						
<b>Reversible Base Feed (Boulevard System 3 only)</b>	<b>Provides single power entry from floor to raceway.</b>						
	<ul style="list-style-type: none"> <li>• Takes the place of a duplex receptacle by connecting to the base raceway channel of a Boulevard System 3 panel.</li> <li>• BE83BF72 includes 72" long liquitite conduit, BE83BF144 includes 144" long liquitite conduit.</li> <li>• Must be hard wired to power source by a licensed electrician.</li> </ul>						
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT	VOL
			L			LBS	FT <sup>3</sup>
	BE83BF72	236	72			3.82	2.00
	BE83BF144	316	144			6.98	2.00


BE83BFR72	DESCRIPTION						
<b>Raceway Entry Base Feed (Boulevard System 3 only)</b>	<b>Brings power to an adjacent panel by entering a non-powered raceway of a Boulevard System 3 panel through a duplex opening.</b>						
	<ul style="list-style-type: none"> <li>• Includes 72" long liquitite conduit.</li> <li>• Must be hard wired to power source by a licensed electrician.</li> </ul>						
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT	VOL
			L			LBS	FT <sup>3</sup>
	BE83BFR72	334	88			4.82	2.00

BE8CF-1	DESCRIPTION						
<b>Ceiling Feed - Single</b>	<b>Provides single power entry from ceiling, through post and into raceway channel.</b>						
	<ul style="list-style-type: none"> <li>• Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or BE8CPxxHJ Pass-Thru Harness.</li> <li>• Specify Post Extension separately.</li> <li>• Must be hard wired to power source by a licensed electrician.</li> </ul>						
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT	VOL
			L			LBS	FT <sup>3</sup>
	BE8CF120-1	231	120			5.24	2.00
	BE8CF144-1	261	144			5.96	2.00

BE8CF-2

DESCRIPTION

**Ceiling Feed - Double**



Provides dual power entry from ceiling, through post and into raceway channel.


- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use
  1. In middle of run to distribute power in two directions.
  2. At beginning of run where second Ceiling Feed harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CF120-2	473	120	5.24	2.00
BE8CF144-2	534	144	5.96	2.00

BE81BFxx-1

DESCRIPTION

**Base Feed - Single (Boulevard 1 only)**



Provides single power entry from floor, through post and into Boulevard 1 raceway channel.


- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry dome available in black only, but "Capture Strip" connector will match the post color as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquitite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF72-1	268	107	3.82	2.00
BE81BF144-1	356	179	3.82	2.00

BE81BFxx-1-FL

DESCRIPTION

**Base Feed - Single (Boulevard 1 only)**



Provides single power entry from floor, through post and into Boulevard 1 raceway channel.


- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry cover available in black only, but "Capture Strip" connector will match the post color as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquitite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF72-1-FL	268	107	3.82	2.00
BE81BF144-1-FL	356	179	3.82	2.00

BE81BFxx-2

DESCRIPTION

**Base Feed - Double (Boulevard 1 only)**



Provides dual power entry from floor, through post and into Boulevard 1 raceway channel.

- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use
  1. In middle of run to distribute power in two directions.
  2. At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Liquitite whip 72" and 144".
- Power entry box available in black only, but "Capture Strip" connector will match the post color as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" Harness attached.
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF72-2	567	107	6.98	2.00
BE81BF144-2	752	179	6.98	2.00


BE81BF601

DESCRIPTION

**Base Feed - Single  
(Boulevard 1 only)**

Provides single power entry from floor, through 6" panel and into Boulevard 1 raceway channel.

- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- For 6" Power/Cable Access Panel only.
- Comes with 32" harness attached.
- Liquitite whip 72".
- Must be hard wired to power source by a licensed electrician.



PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF601	289	107	4.90	0.062


BE81BF602

DESCRIPTION


**Base Feed - Double  
(Boulevard 1 only)**


Provides dual power entry from floor, through 6" panel and into Boulevard 1 raceway channel.


- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use
  1. In middle of run to distribute power in two directions.
  2. At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- For 6" Power/Cable Access Panel only.
- Comes with 2 32" harness attached.
- Liquitite whip 72".
- Must be hard wired to power source by a licensed electrician.




PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF602	580	107	5.30	0.071

BE8JC	DESCRIPTION					
<b>Jumper Cable</b> 	Electrically connects two Power Distribution Housings.					
	<ul style="list-style-type: none"> <li>• The BE8JC16 electrically connects two powered panels positioned side by side.</li> <li>• The BE8JC20 electrically connects two powered panels separated by a post.</li> <li>• Wires are concealed in a flexible metal conduit.</li> <li>• Cannot go through a Boulevard 1 post in a 90° configuration.</li> </ul>					
PRODUCT CODE	PRICE	SIZE/INCHES L			WEIGHT LBS	VOL FT <sup>3</sup>
BE8JC16	98	16.75			0.66	1.17
BE8JC20	102	20.75			0.78	1.17

BE8JM19	DESCRIPTION					
<b>Jumper Cable - Mesh</b> 	Electrically connects two Power Distribution Housings in Boulevard 1 panels that are separated by a post in a 90° configuration.					
	<ul style="list-style-type: none"> <li>• BE8JM19 - Wires are covered with a durable nylon mesh.</li> <li>• BE8JMS19 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.</li> </ul>					
PRODUCT CODE	PRICE	SIZE/INCHES L			WEIGHT LBS	VOL FT <sup>3</sup>
BE8JM19	81	19			0.75	1.17
BE8JMS19	105	19			0.75	1.17

BE83BTXX	DESCRIPTION						
<b>Base-to-Tile Cable</b> 	Electrically connects a Base Raceway Power Distribution Housing to a Face Mount Tile Power Distribution Housing within a System 3 PV panel.						
	<ul style="list-style-type: none"> <li>• Wires are concealed in a flexible metal conduit.</li> <li>• BE83BT82 to be used on panels manufactured before November 1st, 2014 and BE83BT40 after.</li> </ul>						
PRODUCT CODE	PRICE	SIZE/INCHES H L D			WEIGHT LBS	VOL FT <sup>3</sup>	
BE83BT82	148	2	82.5	0.5	3.05	1.38	
BE83BT40	135	2	40.5	0.5	1.44	1.17	

BE8CP-HH	DESCRIPTION					
<b>Housing-to-Housing Pass-Thru Cable</b> 	Electrically connects two Power Distribution Housings in panels separated by one or more non-powered panels.					
	<ul style="list-style-type: none"> <li>• Wires are concealed in a flexible metal conduit.</li> </ul> <p><b>NOTE :</b> Housing-to-Housing Pass-Thru Cables cannot go through a Boulevard 1 post in a 90° configuration. Therefore, in Boulevard 1 applications, the Housing-to-Housing Pass-Thru Cables can only be used in a straight run.</p>					
PRODUCT CODE	PRICE	SIZE/INCHES L			WEIGHT LBS	VOL FT <sup>3</sup>
BE8CP40HH	122	40.5			1.44	1.17
BE8CP46HH	128	46.5			1.71	1.17
BE8CP52HH	134	52.5			1.95	1.17
BE8CP58HH	140	58.5			2.21	1.17
BE8CP64HH	145	64.5			2.37	1.17
BE8CP70HH	150	70.5			2.60	1.17
BE8CP76HH	156	76.5			2.81	1.17
BE8CP82HH	161	82.5			3.03	1.17
BE8CP88HH	167	88.5			3.05	1.17
BE8CP94HH	173	94.5			3.30	1.17
BE8CP100HH	178	100.5			3.47	1.17
BE8CP106HH	184	106.5			3.87	1.17
BE8CP118HH	195	118.5			4.08	1.17
BE8CP130HH	206	130.5			4.73	1.17
BE8CP142HH	217	142.5			4.59	1.17


BE8CP-JJ

DESCRIPTION

**Jumper-to-Jumper Pass-Thru Cable**

Electrically connects two Shielded Mesh Jumper Cables in a Boulevard 1 application.

- Wires are concealed in a flexible metal conduit.



**NOTE :** Jumper-to-Jumper Pass-Thru Cables cannot go through a Boulevard 1 post in a 90° configuration. Therefore, in Boulevard 1 applications, the Jumper-to-Jumper Pass-Thru Cables can only be used in a straight run.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CP26JJ	100	26	0.90	1.17
BE8CP32JJ	106	32	1.30	1.17
BE8CP38JJ	112	38	1.44	1.17
BE8CP44JJ	117	44	1.71	1.17
BE8CP56JJ	128	56	2.21	1.17
BE8CP86JJ	150	86	3.05	1.17
BE8CP128JJ	184	128	4.73	1.17


BE8CP-HJ

DESCRIPTION

**Housing-to-Jumper Pass-Thru Cable**

Electrically connects a Power Distribution Housing in a panel to a Shielded Mesh Jumper Cable in a 90° corner post in a Boulevard 1 application, separated by one or more non-powered panels.

- Wires are concealed in a flexible metal conduit.



**NOTE :** Housing-to-Jumper Pass-Thru Cables cannot go through a Boulevard 1 post in a 90° configuration. Therefore, in Boulevard 1 applications, the Housing-to-Jumper Pass-Thru Cables can only be used in a straight run.

PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CP24HJ	94	24	0.90	1.17
BE8CP30HJ	100	30	1.30	1.17
BE8CP36HJ	105	36	1.44	1.17
BE8CP42HJ	110	42	1.71	1.17
BE8CP48HJ	114	48	1.95	1.17
BE8CP54HJ	118	54	2.21	1.17
BE8CP60HJ	122	60	2.37	1.17
BE8CP72HJ	131	72	2.81	1.17
BE8CP84HJ	142	84	3.05	1.17
BE8CP96HJ	151	96	3.30	1.17
BE8CP108HJ	161	108	3.87	1.17
BE8CP120HJ	172	120	4.08	1.17
BE8CP144HJ	180	144	4.59	1.17


BEJCT39

DESCRIPTION

**Transition Jumper Cable**


Electrically connects BE2JB Junction Box to a BE81D, BE82D or BE83D Power Distribution Housing when connecting powered panels that are positioned side-by-side.


- Wires are concealed in a flexible metal conduit.





**NOTE :** If one or more non-powered panels separate the panel containing the Junction Box from the panel containing the Power Distribution Housing, add a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to the BEJCT39 Transition Cable.


PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
BEJCT39	127	991	39	1.44 1.17


BE81D	DESCRIPTION	PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
<b>Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)</b> 	Provides two duplex receptacles per panel for all panel widths above 24" wide.	BE81D24	100	9.25	0.83	1.17
	• Power Distribution Housing is specified per panel size. eg. BE81D36 is for use with a 36" panel.	BE81D30	124	15.25	1.28	1.17
	• 24" wide panel allows for only one (1) duplex receptacle per panel.	BE81D36	131	21.25	1.62	1.65
		BE81D42	141	27.25	2.00	2.00
		BE81D48	147	33.25	2.32	2.54
		BE81D54	155	39.25	2.66	3.20
		BE81D60	159	45.25	3.04	3.20


BE81Dxx-CM	DESCRIPTION	PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
<b>Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (Boulevard 1 and Boulevard 2 only)</b> 	Provides four duplex receptacles per panel for widths 36" and above.	BE81D36-CM	218	21.99	1.62	1.65
	• Centermount Distribution Housing is specified per panel size. ie. BE81D36-CM is for 36" panel.	BE81D42-CM	264	27.99	2.00	2.00
	• Not available for panels less than 36" wide.	BE81D48-CM	276	33.99	2.32	2.54
		BE81D54-CM	288	39.99	2.66	3.20
		BE81D60-CM	301	45.99	3.04	3.20

BE8U2D	DESCRIPTION	PRODUCT CODE	PRICE	SIZE/INCHES H L D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)</b> 	Provides two duplex receptacles per panel side for all panel widths above 24" wide.	BE8U2D24	119	2 9.25 2.61	0.83	1.17
	• Power Distribution Housing is specified per panel size. eg. BE8U2D36 is for use with a 36" panel.	BE8U2D30	143	2 15.25 2.61	1.28	1.17
	• 24" wide panel allows for only one (1) duplex receptacle per panel side.	BE8U2D36	150	2 21.25 2.61	1.62	1.65
	• Note: Not compatible with panels built prior November 1st, 2014.	BE8U2D42	159	2 27.25 2.61	2.00	2.00
		BE8U2D48	166	2 33.25 2.61	2.32	2.54
		BE8U2D54	174	2 39.25 2.61	2.66	3.20
		BE8U2D60	178	2 45.25 2.61	3.04	3.20
		BE8U2D72	276	2 57.2 2.61	3.76	3.30


BE83D	DESCRIPTION	PRODUCT CODE	PRICE	SIZE/INCHES L	WEIGHT LBS	VOL FT <sup>3</sup>
<b>Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)</b> 	Provides two duplex receptacles per panel side for all panel widths above 24" wide.	BE83D24	119	9.25	0.83	1.17
	• Power Distribution Housing is specified per panel size. eg. BE83D36 is for use with a 36" panel.	BE83D30	143	15.25	1.28	1.17
	• 24" wide panel allows for only one (1) duplex receptacle per panel side.	BE83D36	150	21.25	1.62	1.65
		BE83D42	159	27.25	2.00	2.00
		BE83D48	166	33.25	2.32	2.54
		BE83D54	172	39.25	2.66	3.20
		BE83D60	178	45.25	3.04	3.20

BE8U3FM	DESCRIPTION		FINISHES				
 <p><b>Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)</b></p>	<p>Provides two duplex receptacles for all tile widths above 24". 24" wide tile allows for one (1) duplex receptacle.</p> <ul style="list-style-type: none"> <li>Housing and mounting hardware included.</li> <li>Specify duplexes, cables and tiles separately.</li> <li>BE83BT40 Base-to-Tile Cable is used to connect the tile mounted housing to the Power Distribution Housing tile in the base of the same "PV" panel.</li> <li>24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two data/comm openings.</li> </ul>		Panel frame finish				
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	L	D		
	BE8U3FM24	119	2	9.25	2.61	0.83	1.17
	BE8U3FM30	143	2	15.25	2.61	1.28	1.17
	BE8U3FM36	150	2	21.25	2.61	1.62	1.65
	BE8U3FM42	159	2	27.25	2.61	2.00	2.00
	BE8U3FM48	166	2	33.25	2.61	2.32	2.54
	BE8U3FM54	174	2	39.25	2.61	2.66	3.20
	BE8U3FM60	178	2	45.25	2.61	3.04	3.20
BE8U3FM72	252	2	9.25	2.61	3.76	3.30	


BEPE	DESCRIPTION		FINISHES			
 <p><b>Post Extension</b></p>	<p>Lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel through a post.</p> <ul style="list-style-type: none"> <li>Attaches to ceiling and post.</li> <li>Includes connectors and ceiling trim plate and screws.</li> <li>Post extension will accept:                             <ul style="list-style-type: none"> <li>80 0.200 dia. data cables</li> <li>65 0.200 dia. data cables with 1 power feed</li> <li>50 0.200 dia. data cables with 2 power feeds.</li> </ul> </li> </ul>		Panel frame finish			
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS
		H				
BEPE49	71	49			5	0.258
BEPE81	108	81			9	0.424


BHPOST	DESCRIPTION		FINISHES			
 <p><b>Ceiling Feed Base Post</b></p>	<p>Three sided lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel. True lay-in application use.</p> <ul style="list-style-type: none"> <li>Attaches to ceiling and post.</li> <li>Includes connectors and ceiling trim plate and screws.</li> <li>Requires vertical end trim to enclose when used in 2 way and 3 way panel run application.</li> <li>Trim encloses lay-in cable post extension.</li> </ul>		Panel frame finish.			
	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS
		H				
Base Post: BHPOST66	156	66			8	0.346
Post Extension: BHPOSTE30	53	30			5	0.195
BHPOSTE78	135	78			9	0.430
Vertical Aluminum Trim only for above:						
BA3VTR30	48	30			2.5	0.098
BA3VTR78	111	78			4.5	0.215

W (All Wood) WHP (Wood Front HP Chassy) HP (High pressure laminate) ML (Melamine) HPML (HP Front Melamine Chassy) WML (Wood Front Melamine Chassy)


BE2PE	DESCRIPTION	FINISHES			
<b>Panel Ceiling Post</b>	<p>An alternative to the existing Ceiling Post, allows for an off-module Ceiling Feed location.</p> <ul style="list-style-type: none"> <li>Attaches to the top of horizontal trim.</li> <li>Panel ceiling post consists of two aluminum extrusions for a true lay-in application.</li> <li>Includes brackets, hardware and ceiling trim plate and screws.</li> <li>Harness length will vary in length depending on post location along the panel.</li> <li>Can only be used with Boulevard System 3 Panels.</li> </ul>	<b>Panel frame finish.</b>			
					
PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT	VOL
		H		LBS	FT <sup>3</sup>
BE2PE49	160	49		5	0.258
BE2PE81	238	81		9	0.424

DEK	DESCRIPTION	FINISHES				
<b>Jumper Harness</b>	<p>Kit includes all components to add power to Diet Panels.</p> <ul style="list-style-type: none"> <li>Typical kit includes: 2 Duplex Receptacle Blocks (either circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.</li> <li>The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.</li> <li>Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.</li> <li>Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.</li> <li>Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").</li> <li>24" wide panels have a single Duplex Receptacle Block only.</li> <li>30" wide panels have 2 Duplex Receptacle Blocks, however they must be facing the same direction.</li> <li>24" and 30" wide panels are not pre-punched for data.</li> <li>36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.</li> </ul>					
	DEK24xx					
	DEK30xx					
	DEK36-60xx					
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT	VOL
		H	W	D	LBS	FT <sup>3</sup>
DEK2401	200	4	18	1.3	4.90	0.07
DEK3001	292	4	24	1.3	5.25	0.08
DEK3601	305	4	30	1.3	5.70	0.10
DEK4201	316	4	36	1.3	6.00	0.13
DEK4801	331	4	42	1.3	6.40	0.15
DEK5401	346	4	48	1.3	7.10	0.16
DEK6001	361	4	54	1.3	7.60	0.19
DEK2402	200	4	18	1.3	4.90	0.07
DEK3002	292	4	24	1.3	5.25	0.08
DEK3602	305	4	30	1.3	5.70	0.10
DEK4202	316	4	36	1.3	6.00	0.13
DEK4802	331	4	42	1.3	6.40	0.15
DEK5402	346	4	48	1.3	7.10	0.16
DEK6002	361	4	54	1.3	7.60	0.19

DEJH	DESCRIPTION	FINISHES				
<b>Diet Pass-Thru Kit</b>	<p>Kit allows electrical to pass through a Diet Panel.</p> <ul style="list-style-type: none"> <li>• Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.</li> <li>• Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.</li> <li>• Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.</li> </ul>					
						
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	L	D		
DEJH24	137	2	42	1	1.81	0.025
DEJH30	155	2	48	1	2.07	0.028
DEJH36	170	2	54	1	2.12	0.032
DEJH42	183	2	60	1	2.60	0.035
DEJH48	197	2	66	1	2.86	0.038
DEJH54	212	2	72	1	3.13	0.041
DEJH60	225	2	78	1	3.39	0.044

DEBF	DESCRIPTION	FINISHES				
<b>Diet Base Feed</b>	<p>Provides single power entry from floor into raceway.</p> <ul style="list-style-type: none"> <li>• Single Ceiling Feed has a 6' whip, liquid tight.</li> <li>• Raceway connection replaces one Duplex Receptacle Block in a standard kit.</li> </ul>					
						
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	L	D		
DEBF01	172	2	72	2	5.6	0.06

DECF	DESCRIPTION	FINISHES				
<b>Diet Ceiling Feed</b>	<p>Provides single power entry from ceiling through a post into raceway.</p> <ul style="list-style-type: none"> <li>• Raceway connection replaces one Duplex Receptacle Block in a standard kit.</li> </ul>					
						
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	L	D		
DECF01	277	2	144	2	5.6	0.06


DEPE	DESCRIPTION	FINISHES				
<b>Diet Post Extension</b>	<p>Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.</p> <ul style="list-style-type: none"> <li>• Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.</li> <li>• Includes all hardware and bezel.</li> <li>• Intended for use on Diet panels with fabric bottoms.</li> </ul>					
						
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3A</sup>
		H	L	D		
DEPE116	191	116	4.5	1	7	0.82

DERJC

DESCRIPTION

FINISHES

**Raceway Junction  
Cover**



Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).

- Aluminum, powder coated finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	L	D		
DERJC	18	4.3	10	1	0.5	0.1



**worksurfaces**

## WORKSURFACES - TECHNICAL INFORMATION

### Worksurfaces

- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.
- Back edge features scoop detail.
- Worksurfaces 48" or less have one scoop while those that are 54" or more have a double scoop feature with a 1/2" wire passage trough between the scoops.
- LP and HP worksurfaces are 3.5 mm edge banded.
- LP worksurfaces are 1" thick particle board with laminate finish.
- HP worksurfaces are 1 1/16" thick particle board with laminate finish.
- T worksurfaces are 1 1/16" thick particle board with laminate finish and wood trim.
- W worksurfaces are 1 3/16" thick particle board with wood veneer finish. Edge is solid wood edge banded.
- One universal cantilever supports two abutting worksurfaces.
- 20" deep worksurfaces available at same price as 24" deep worksurfaces.
- Support hardware must be ordered separately.
- Painted (P) worksurfaces are 1" thick MDF and have a radius waterfall edge on user side, contact your Customer Service Representative.
- Textured (UV) worksurfaces are 1" thick MDF and have a radius waterfall edge on user side, contact your Customer Service Representative.
- Flex lip available for LP, HP, and T worksurfaces only, contact your Customer Service Representative.
- Edge banded worksurfaces without scoops available, substitute "NFL" for "SCP" at the end of the code.

### Transaction Worksurfaces


- To install transaction worksurfaces to a 42" high panel, use BHBT02 bracket.
- To install transaction worksurfaces to a 37" high panel, use BHBT37 bracket.

**WORKSURFACES - GUIDELINE FOR ORDERING PRODUCT**

**Codes**

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


**Example of Worksurface**



**How to Specify**

- Specify Boulevard worksurface type and size by code.
- Specify scoops option by adding "SCP" at end of code or old style Flexlip by leaving blank.
- Specify type of finish.
- Specify High Pressure Laminate Color.
- Specify PVC edge color.


**Example of Hardware**



**How to Specify**



- Specify Boulevard hardware type and size by code.
- Specify type of finish.

BWS	DESCRIPTION	FINISHES
<b>Straight Rectangular Worksurface</b>	<ul style="list-style-type: none"> <li>• Straight rectangular worksurfaces are non-handed and can be interchanged on site.</li> </ul>	<p>Low pressure finish.</p> <p>High pressure finish.</p> <p>Wood veneer finish.</p> <p>PVC edge finish.</p>



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWS1818	89	113	164	248	18	18	9	0.29
BWS1824	98	122	182	306	24	18	12	0.39
BWS1830	104	130	193	374	30	18	15	0.49
BWS1836	117	146	216	439	36	18	18	0.59
BWS1842	156	193	270	529	42	18	21	0.68
BWS1848	184	231	309	555	48	18	24	0.78
BWS1854	215	270	356	565	54	18	27	0.88
BWS1860	238	297	388	583	60	18	30	1.00
BWS1866	254	317	414	601	66	18	32	1.10
BWS1872	268	334	440	619	72	18	35	1.20
BWS1878	282	353	465	673	78	18	38	1.30
BWS1884	306	382	506	701	84	18	41	1.40
BWS2418	92	115	182	286	18	24	12	0.40
BWS2424	100	124	193	354	24	24	16	0.52
BWS2430	106	132	208	434	30	24	20	0.65
BWS2436	120	150	234	506	36	24	23	0.78
BWS2442	157	196	283	607	42	24	28	0.90
BWS2448	188	236	328	673	48	24	31	1.03
BWS2454	220	276	377	692	54	24	35	1.20
BWS2460	249	309	415	709	60	24	39	1.30
BWS2466	259	325	435	739	66	24	43	1.41
BWS2472	271	339	454	765	72	24	47	1.54
BWS2478	288	360	489	842	78	24	51	1.70
BWS2484	309	388	522	908	84	24	55	1.80
BWS3018	108	134	210	356	18	30	15	0.50
BWS3024	115	145	226	445	24	30	20	0.70
BWS3030	126	158	247	526	30	30	25	0.97
BWS3036	147	185	278	622	36	30	30	1.06
BWS3042	210	262	358	652	42	30	34	1.12
BWS3048	220	276	381	703	48	30	39	1.30
BWS3054	242	303	414	731	54	30	44	1.44
BWS3060	259	325	439	760	60	30	49	1.60
BWS3066	270	336	459	819	66	30	54	1.80
BWS3072	285	357	486	881	72	30	59	2.00
BWS3078	302	378	514	972	78	30	64	2.10
BWS3084	334	418	563	1048	84	30	69	2.24


BWSP	DESCRIPTION	FINISHES
<b>Straight Rectangular Worksurface to span a Post</b>	<ul style="list-style-type: none"> <li>• Straight rectangular worksurfaces are non-handed and can be interchanged on site.</li> <li>• Worksurface will span the width of a post eliminating a gap between standard sizes.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.




Application of Worksurface

PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSP1821	98	122	180	305	20.6	18	10	0.34
BWSP1827	104	129	193	373	26.6	18	13	0.44
BWSP1833	117	146	215	437	32.6	18	16	0.53
BWSP1839	155	193	269	526	38.6	18	19	0.63
BWSP1845	183	228	308	552	44.6	18	22	0.72
BWSP1851	214	269	355	563	50.6	18	25	0.82
BWSP1857	238	297	388	583	56.6	18	28	0.92
BWSP1863	253	315	411	596	62.6	18	31	1.01
BWSP1869	267	333	438	616	68.6	18	34	1.11
BWSP1875	289	351	463	670	74.6	18	37	1.21
BWSP1881	304	381	502	698	80.6	18	40	1.30
BWSP1887	329	410	570	778	86.6	18	43	1.40
BWSP2421	100	124	193	354	20.6	24	14	0.45
BWSP2427	106	132	208	434	26.6	24	17	0.60
BWSP2433	120	150	234	506	32.6	24	21	0.70
BWSP2439	157	196	283	607	38.6	24	25	0.83
BWSP2445	188	236	328	673	44.6	24	29	1.00
BWSP2451	220	276	377	692	50.6	24	33	1.10
BWSP2457	249	309	415	709	56.6	24	37	1.22
BWSP2463	259	325	435	739	62.6	24	41	1.34
BWSP2469	271	339	454	765	68.6	24	45	1.47
BWSP2475	288	360	489	842	74.6	24	49	1.60
BWSP2481	309	388	522	908	80.6	24	53	1.73
BWSP2487	391	490	588	970	86.6	24	57	1.90
BWSP3021	115	145	226	445	20.6	30	17	0.56
BWSP3027	126	158	247	526	26.6	30	22	0.72
BWSP3033	147	185	278	622	32.6	30	27	0.88
BWSP3039	210	262	358	652	38.6	30	32	1.04
BWSP3045	220	276	381	703	44.6	30	37	1.20
BWSP3051	242	303	414	731	50.6	30	41	1.40
BWSP3057	259	325	439	760	56.6	30	46	1.51
BWSP3063	270	336	459	819	62.6	30	51	1.67
BWSP3069	285	357	486	881	68.6	30	56	1.83
BWSP3075	302	378	514	972	74.6	30	61	2.00
BWSP3081	334	418	563	1048	80.6	30	66	2.20
BWSP3087	448	560	709	1124	86.6	30	70	2.30

BWS-SCP	DESCRIPTION	FINISHES
<b>Straight Rectangular Worksurface</b>	<ul style="list-style-type: none"> <li>• Straight rectangular worksurfaces are non-handed and can be interchanged on site.</li> </ul>	<p>Low pressure finish.</p> <p>High pressure finish.</p> <p>Wood veneer finish.</p> <p>PVC edge finish.</p>



Worksurfaces 48" or less



Worksurfaces 54" or longer

PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWS1818SCP	89	113	164	248	18	18	9	0.29
BWS1824SCP	98	122	182	306	24	18	12	0.39
BWS1830SCP	104	130	193	374	30	18	15	0.49
BWS1836SCP	117	146	216	439	36	18	18	0.59
BWS1842SCP	156	193	270	529	42	18	21	0.68
BWS1848SCP	184	231	309	555	48	18	24	0.78
BWS1854SCP	215	270	356	565	54	18	27	0.88
BWS1860SCP	238	297	388	583	60	18	30	1.00
BWS1866SCP	254	317	414	601	66	18	32	1.10
BWS1872SCP	268	334	440	619	72	18	35	1.20
BWS1878SCP	282	353	465	673	78	18	38	1.30
BWS1884SCP	306	382	506	701	84	18	41	1.40
BWS2418SCP	92	115	182	286	18	24	12	0.40
BWS2424SCP	100	124	193	354	24	24	16	0.52
BWS2430SCP	106	132	208	434	30	24	20	0.65
BWS2436SCP	120	150	234	506	36	24	23	0.78
BWS2442SCP	157	196	283	607	42	24	28	0.90
BWS2448SCP	188	236	328	673	48	24	31	1.03
BWS2454SCP	220	276	377	692	54	24	35	1.20
BWS2460SCP	249	309	415	709	60	24	39	1.30
BWS2466SCP	259	325	435	739	66	24	43	1.41
BWS2472SCP	271	339	454	765	72	24	47	1.54
BWS2478SCP	288	360	489	842	78	24	51	1.70
BWS2484SCP	309	388	522	908	84	24	55	1.80
BWS3018SCP	108	134	210	356	18	30	15	0.50
BWS3024SCP	115	145	226	445	24	30	20	0.70
BWS3030SCP	126	158	247	526	30	30	25	0.97
BWS3036SCP	147	185	278	622	36	30	30	1.06
BWS3042SCP	210	262	358	652	42	30	34	1.12
BWS3048SCP	220	276	381	703	48	30	39	1.30
BWS3054SCP	242	303	414	731	54	30	44	1.44
BWS3060SCP	259	325	439	760	60	30	49	1.60
BWS3066SCP	270	336	459	819	66	30	54	1.80
BWS3072SCP	285	357	486	881	72	30	59	2.00
BWS3078SCP	302	378	514	972	78	30	64	2.10
BWS3084SCP	334	418	563	1048	84	30	69	2.24

**BWSP-SCP DESCRIPTION FINISHES**

**Straight Rectangular Worksurface to span a Post**


- Straight rectangular worksurfaces are non-handed and can be interchanged on site.
- Worksurface will span the width of a post eliminating a gap between standard sizes

Low pressure finish.



High pressure finish.

Wood veneer finish.

PVC edge finish.



**Worksurfaces 48" or less**



**Application of Worksurface**

**Worksurfaces 50" or longer**

PRODUCT CODE	PRICE			SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W D		
BWSP1821SCP	98	122	180	305	20.6 18	10	0.34
BWSP1827SCP	104	129	193	373	26.6 18	13	0.44
BWSP1833SCP	117	146	215	437	32.6 18	16	0.53
BWSP1839SCP	155	193	269	526	38.6 18	19	0.63
BWSP1845SCP	183	228	308	552	44.6 18	22	0.72
BWSP1851SCP	214	269	355	563	50.6 18	25	0.82
BWSP1857SCP	238	297	388	583	56.6 18	28	0.92
BWSP1863SCP	253	315	411	596	62.6 18	31	1.01
BWSP1869SCP	267	333	438	616	68.6 18	34	1.11
BWSP1875SCP	282	351	463	670	74.6 18	37	1.21
BWSP1881SCP	306	381	502	698	80.6 18	40	1.30
BWSP1887SCP	329	410	570	778	86.6 18	43	1.40
BWSP2421SCP	100	124	193	354	20.6 24	14	0.45
BWSP2427SCP	106	132	208	434	26.6 24	17	0.60
BWSP2433SCP	120	150	234	506	32.6 24	21	0.70
BWSP2439SCP	157	196	283	607	38.6 24	25	0.83
BWSP2445SCP	188	236	328	673	44.6 24	29	1.00
BWSP2451SCP	220	276	377	692	50.6 24	33	1.10
BWSP2457SCP	249	309	415	709	56.8 24	37	1.22
BWSP2463SCP	259	325	435	739	62.6 24	41	1.34
BWSP2469SCP	271	339	454	765	68.6 24	45	1.47
BWSP2475SCP	288	360	489	842	74.6 24	49	1.60
BWSP2481SCP	309	388	522	908	80.6 24	53	1.73
BWSP2487SCP	391	490	588	970	86.6 24	57	1.90
BWSP3021SCP	115	145	226	445	20.6 30	17	0.56
BWSP3027SCP	126	158	247	526	26.6 30	22	0.72
BWSP3033SCP	147	185	278	622	32.6 30	27	0.88
BWSP3039SCP	210	262	358	652	38.6 30	32	1.04
BWSP3045SCP	220	276	381	703	44.6 30	37	1.20
BWSP3051SCP	242	303	414	731	50.6 30	41	1.40
BWSP3057SCP	259	325	439	760	56.6 30	46	1.51
BWSP3063SCP	270	336	459	819	62.6 30	51	1.67
BWSP3069SCP	285	357	486	881	68.6 30	56	1.83
BWSP3075SCP	302	378	514	972	74.6 30	61	2.00
BWSP3081SCP	334	418	563	1048	80.6 30	66	2.20
BWSP3087SCP	448	560	709	1124	86.6 30	70	2.30

BWS-NFL


DESCRIPTION

FINISHES

Worksurface without  
Flex Lip or Scoops

- Straight rectangular worksurfaces are non-handed and can be interchanged on site.
- Worksurface features no scoop or flex lip.
- To be used as lateral file common top.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.



PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWS1818NFL	89	113	164	248	18	18	9	0.28
BWS1824NFL	98	122	206	306	24	18	12	0.40
BWS1830NFL	104	130	193	374	30	18	15	0.50
BWS1836NFL	117	146	216	439	36	18	18	0.59
BWS1842NFL	156	193	270	529	42	18	21	0.68
BWS1848NFL	184	231	309	555	48	18	24	0.78
BWS1854NFL	215	270	356	565	54	18	27	0.88
BWS1860NFL	238	297	388	583	60	18	29	0.97
BWS1866NFL	254	317	414	601	66	18	32	1.10
BWS1872NFL	268	334	440	619	72	18	35	1.20
BWS1878NFL	282	353	465	673	78	18	38	1.30
BWS1884NFL	306	382	506	701	84	18	41	1.40
BWS2418NFL	92	115	182	286	18	24	12	0.40
BWS2424NFL	100	124	193	354	24	24	16	0.52
BWS2430NFL	106	132	208	434	30	24	20	0.65
BWS2436NFL	120	150	234	506	36	24	24	0.78
BWS2442NFL	157	196	322	607	42	24	28	0.90
BWS2448NFL	188	236	328	673	48	24	31	1.03
BWS2454NFL	220	276	377	692	54	24	35	1.20
BWS2460NFL	249	309	415	709	60	24	39	1.30
BWS2466NFL	259	325	435	739	66	24	43	1.41
BWS2472NFL	271	339	454	765	72	24	47	1.54
BWS2478NFL	288	360	489	842	78	24	51	1.70
BWS2484NFL	309	388	522	908	84	24	55	1.80
BWS3018NFL	108	134	210	356	18	30	15	0.50
BWS3024NFL	115	145	226	445	24	30	20	0.65
BWS3030NFL	126	158	247	526	30	30	25	0.81
BWS3036NFL	147	185	278	622	36	30	29	1.00
BWS3042NFL	210	262	358	652	42	30	34	1.13
BWS3048NFL	220	276	381	703	48	30	39	1.30
BWS3054NFL	242	303	414	731	54	30	44	1.44
BWS3060NFL	259	325	439	760	60	30	49	1.60
BWS3066NFL	270	336	519	819	66	30	54	1.76
BWS3072NFL	285	357	486	881	72	30	59	1.91
BWS3078NFL	302	378	514	972	78	30	64	2.10
BWS3084NFL	334	418	563	1048	84	30	69	2.24

BWSW-SCP

DESCRIPTION

FINISHES

Wedge Worksurface


- Wedge worksurface.

Low pressure finish.

High pressure finish.


Wood veneer finish.

PVC edge finish.




PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSW182448SCP	264	328	603	1182	48	24	30	0.58
BWSW182454SCP	296	369	845	1346	54	24	34	0.65
BWSW182460SCP	328	411	851	1372	60	24	38	0.73
BWSW182466SCP	362	452	889	1417	66	24	42	0.80
BWSW182472SCP	394	493	899	1451	72	24	46	0.88
BWSW241848SCP	264	328	603	1182	48	24	30	0.58
BWSW241854SCP	296	369	845	1346	54	24	34	0.65
BWSW241860SCP	328	411	851	1372	60	24	38	0.73
BWSW241866SCP	362	452	889	1417	66	24	42	0.80
BWSW241872SCP	394	493	899	1451	72	24	46	0.88
BWSW243048SCP	328	411	715	1237	48	30	38	0.73
BWSW243054SCP	369	462	918	1407	54	30	42	0.84
BWSW243060SCP	411	406	922	1446	60	30	47	0.94
BWSW243066SCP	452	564	951	1548	66	30	51	1.03
BWSW243072SCP	494	616	1002	1643	72	30	56	1.13
BWSW302448SCP	328	411	715	1237	48	30	38	0.73
BWSW302454SCP	369	462	918	1407	54	30	42	0.84
BWSW302460SCP	411	513	922	1446	60	30	47	0.94
BWSW302466SCP	452	564	951	1548	66	30	51	1.03
BWSW302472SCP	494	616	1002	1643	72	30	56	1.13

BWSW	DESCRIPTION	FINISHES
<b>Wedge Worksurface without Scoop</b>	• <b>Wedge worksurface without scoop.</b>	<b>Low pressure finish.</b>
		<b>High pressure finish.</b>
		<b>Wood veneer finish.</b>
		<b>PVC edge finish.</b>



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSW182448	264	328	603	1182	48	24	30	0.58
BWSW182454	296	369	845	1346	54	24	34	0.65
BWSW182460	328	411	851	1372	60	24	38	0.73
BWSW182466	362	452	889	1417	66	24	42	0.80
BWSW182472	394	494	899	1451	72	24	46	0.88
BWSW241848	264	328	603	1182	48	24	30	0.58
BWSW241854	296	369	845	1346	54	24	34	0.65
BWSW241860	328	411	851	1372	60	24	38	0.73
BWSW241866	362	452	889	1417	66	24	42	0.80
BWSW241872	394	494	899	1451	172	24	46	0.88
BWSW243048	328	411	715	1237	48	30	38	0.75
BWSW243054	369	462	918	1407	54	30	42	0.84
BWSW243060	411	513	922	1446	60	30	47	0.73
BWSW243066	452	564	951	1548	66	30	51	1.03
BWSW243072	494	616	1002	1643	72	30	56	1.13
BWSW302448	328	411	715	1237	48	30	38	0.75
BWSW302454	369	462	918	1407	54	30	42	0.84
BWSW302460	411	513	922	1446	60	30	47	0.73
BWSW302466	452	564	951	1548	66	30	51	1.03
BWSW302472	494	616	1002	1643	72	30	56	1.13

BWSAC	DESCRIPTION	FINISHES
<b>Arc Front Edge Worksurface</b>	• <b>Arc Front Edge worksurface.</b>	<b>Low pressure finish.</b>
		<b>High pressure finish.</b>
		<b>Wood veneer finish.</b>
		<b>PVC edge finish.</b>



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSAC122430SCP	167	221	472	866	30	24	18	0.65
BWSAC122436SCP	200	268	569	1046	36	24	22	0.78
BWSAC122442SCP	234	311	664	1221	42	24	26	0.90
BWSAC122448SCP	268	356	715	1260	48	24	30	1.03
BWSAC122454SCP	301	398	912	1649	54	24	34	1.20
BWSAC122460SCP	328	443	956	1867	60	24	38	1.30
BWSAC241230SCP	167	221	472	866	30	24	18	0.65
BWSAC241236SCP	200	268	569	1046	36	24	22	0.78
BWSAC241242SCP	234	311	664	1221	42	24	26	0.90
BWSAC241248SCP	268	356	715	1260	48	24	30	1.03
BWSAC241254SCP	301	398	912	1649	54	24	34	1.20
BWSAC241260SCP	328	443	956	1867	60	24	38	1.30

BWSC18  
BWSC24  
BWSC30



DESCRIPTION

FINISHES

**Curvilinear Front Edge Worksurface**


- Curvilinear front edge worksurface.
- Allows efficient use of a small footprint.
- The curve on the 30" and 36" wide worksurfaces have been modified to allow a pedestal to fit.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSC182430					30	24	18	0.65
BWSC182436	135	167	266	533	36	24	22	0.78
BWSC182442	161	204	302	591	42	24	26	0.90
BWSC182448	188	236	342	673	48	24	30	1.03
BWSC182454	215	270	380	727	54	24	34	1.20
BWSC182460	242	303	420	775	60	24	38	1.30
	270	336	462	810				
BWSC241830					30	24	18	0.65
BWSC241836	135	167	266	533	36	24	22	0.78
BWSC241842	161	204	302	591	42	24	26	0.90
BWSC241848	188	236	342	673	48	24	30	1.03
BWSC241854	215	270	380	727	54	24	34	1.20
BWSC241860	242	303	420	775	60	24	38	1.30
	270	336	462	810				
BWSC243030	141	177	275	601	30	30	23	0.81
BWSC243036	161	204	305	650	36	30	28	1.00
BWSC243042	233	289	405	757	42	30	33	1.13
BWSC243048	242	303	428	810	48	30	38	1.30
BWSC243054	270	335	469	885	54	30	42	1.44
BWSC243060	295	371	510	920	60	30	47	1.60
BWSC302430	141	177	275	601	30	30	23	0.81
BWSC302436	161	204	305	650	36	30	28	1.00
BWSC302442	233	289	405	757	42	30	33	1.13
BWSC302448	242	303	428	810	48	30	38	1.30
BWSC302454	270	335	469	885	54	30	42	1.44
BWSC302460	295	368	510	919	60	30	47	1.60

BWSC-SCP	DESCRIPTION	FINISHES
<b>Curvilinear Front Edge Worksurface</b>	<ul style="list-style-type: none"> <li>• Curvilinear front edge worksurface.</li> <li>• Allows efficient use of a small footprint.</li> <li>• The curve on the 30" and 36" wide worksurfaces have been modified to allow a pedestal to fit.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.




PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWSC182430SCP	135	167	266	533	30	24	18	0.65
BWSC182436SCP	161	204	302	591	36	24	22	0.78
BWSC182442SCP	188	236	342	673	42	24	26	0.90
BWSC182448SCP	215	270	380	727	48	24	30	1.03
BWSC182454SCP	242	303	420	775	54	24	34	1.20
BWSC182460SCP	270	336	462	810	60	24	38	1.30
BWSC241830SCP	135	167	266	533	30	24	18	0.65
BWSC241836SCP	161	204	302	591	36	24	22	0.78
BWSC241842SCP	188	236	342	673	42	24	26	0.90
BWSC241848SCP	215	270	380	727	48	24	30	1.03
BWSC241854SCP	242	303	420	775	54	24	34	1.20
BWSC241860SCP	270	336	462	810	60	24	38	1.30
BWSC243030SCP	141	177	275	601	30	30	23	0.81
BWSC243036SCP	161	204	305	650	36	30	28	1.00
BWSC243042SCP	233	289	405	757	42	30	33	1.13
BWSC243048SCP	242	303	428	810	48	30	38	1.30
BWSC243054SCP	270	335	469	885	54	30	42	1.44
BWSC243060SCP	297	371	510	920	60	30	47	1.60
BWSC302430SCP	141	177	275	601	30	30	23	0.81
BWSC302436SCP	161	204	305	650	36	30	28	1.00
BWSC302442SCP	233	289	405	757	42	30	33	1.13
BWSC302448SCP	242	303	428	810	48	30	38	1.30
BWSC302454SCP	270	335	469	885	54	30	42	1.44
BWSC302460SCP	295	368	510	919	60	30	47	1.60

**BWK DESCRIPTION FINISHES**

**Keyboard Worksurface**

- Incorporates keyboard cut-out with keyboard clamp and pliable molded wrist support.
- Keyboard support adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
With BAKC02 keyboard clamp:								
BWK2436	465	580	672	968	36	24	30	1.80
BWK2442	469	588	683	1070	42	24	34	1.90
BWK3036	522	652	770	1084	36	30	36	2.00
BWK3042	528	657	783	1115	42	30	34	2.10
Without keyboard clamp:								
BWKN2436	302	378	468	756	36	24	20	0.78
BWKN2442	307	386	483	857	42	24	24	0.90
BWKN3036	362	451	567	871	36	30	26	1.00
BWKN3042	366	457	583	905	42	30	31	1.13

**BWK-SCP DESCRIPTION FINISHES**

**Keyboard Worksurface**

- Incorporates keyboard cut-out with keyboard clamp and pliable molded wrist support.
- Keyboard support adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.



PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
With BAKC02 keyboard clamp:								
BWK2436SCP	465	580	672	968	36	24	30	1.80
BWK2442SCP	469	588	683	1070	42	24	34	1.90
BWK3036SCP	522	652	770	1084	36	30	36	2.00
BWK3042SCP	528	657	783	1115	42	30	34	2.10
Without keyboard clamp:								
BWKN2436SCP	302	378	468	756	36	24	20	0.78
BWKN2442SCP	307	386	483	857	42	24	24	0.90
BWKN3036SCP	362	451	567	871	36	30	26	1.00
BWKN3042SCP	366	457	583	905	42	30	31	1.13

BWCC	DESCRIPTION	FINISHES																					
<b>Curved Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Allows efficient use of corner space for computer or printer applications.</li> <li>BWCC3624 has a front radius of 12". It is not usable for keyboard support.</li> </ul>	Low pressure finish.																					
		High pressure finish.																					
		Wood veneer finish.																					
		PVC edge finish.																					
	NOTE: BWCC36 18 																						
	<table border="1"> <thead> <tr> <th></th> <th>WIDTH</th> <th>DEPTH</th> </tr> </thead> <tbody> <tr> <td>BWCC3618</td> <td>18"</td> <td>25.5"</td> </tr> <tr> <td>BWCC3624</td> <td>12"</td> <td>16.9"</td> </tr> <tr> <td>BWCC4224</td> <td>18"</td> <td>25.5"</td> </tr> <tr> <td>BWCC4230</td> <td>12"</td> <td>16.9"</td> </tr> <tr> <td>BWCC4824</td> <td>24"</td> <td>33.9"</td> </tr> <tr> <td>BWCC4830</td> <td>18"</td> <td>25.5"</td> </tr> </tbody> </table>		WIDTH	DEPTH	BWCC3618	18"	25.5"	BWCC3624	12"	16.9"	BWCC4224	18"	25.5"	BWCC4230	12"	16.9"	BWCC4824	24"	33.9"	BWCC4830	18"	25.5"	
	WIDTH	DEPTH																					
BWCC3618	18"	25.5"																					
BWCC3624	12"	16.9"																					
BWCC4224	18"	25.5"																					
BWCC4230	12"	16.9"																					
BWCC4824	24"	33.9"																					
BWCC4830	18"	25.5"																					


Note: 12" radius not recommended for keyboards.


PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWCC3618	264	330	466	898	36	36	29	1.20
BWCC3624	290	363	593	1000	36	36	32	1.20
BWCC4224	394	492	641	1055	42	42	41	1.60
BWCC4230	403	503	639	1086	42	42	45	1.60
BWCC4824	459	573	764	1413	48	48	50	2.00
BWCC4830	459	573	764	1413	48	48	56	2.00

BWCC-SCP	DESCRIPTION	FINISHES																					
<b>Curved Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Allows efficient use of corner space for computer or printer applications.</li> <li>BWCC3624 has a front radius of 12". It is not usable for keyboard support.</li> </ul>	Low pressure finish.																					
		High pressure finish.																					
		Wood veneer finish.																					
		PVC edge finish.																					
	NOTE: BWCC36 18 																						
	<table border="1"> <thead> <tr> <th></th> <th>WIDTH</th> <th>DEPTH</th> </tr> </thead> <tbody> <tr> <td>BWCC3618SCP</td> <td>18"</td> <td>25.5"</td> </tr> <tr> <td>BWCC3624SCP</td> <td>12"</td> <td>16.9"</td> </tr> <tr> <td>BWCC4224SCP</td> <td>18"</td> <td>25.5"</td> </tr> <tr> <td>BWCC4230SCP</td> <td>12"</td> <td>16.9"</td> </tr> <tr> <td>BWCC4824SCP</td> <td>24"</td> <td>33.9"</td> </tr> <tr> <td>BWCC4830SCP</td> <td>18"</td> <td>25.5"</td> </tr> </tbody> </table>		WIDTH	DEPTH	BWCC3618SCP	18"	25.5"	BWCC3624SCP	12"	16.9"	BWCC4224SCP	18"	25.5"	BWCC4230SCP	12"	16.9"	BWCC4824SCP	24"	33.9"	BWCC4830SCP	18"	25.5"	
	WIDTH	DEPTH																					
BWCC3618SCP	18"	25.5"																					
BWCC3624SCP	12"	16.9"																					
BWCC4224SCP	18"	25.5"																					
BWCC4230SCP	12"	16.9"																					
BWCC4824SCP	24"	33.9"																					
BWCC4830SCP	18"	25.5"																					

Note: 12" radius not recommended for keyboards.

PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWCC3618SCP	264	330	466	898	36	36	29	1.20
BWCC3624SCP	290	363	593	1000	36	36	32	1.20
BWCC4224SCP	394	492	641	1055	42	42	41	1.60
BWCC4230SCP	403	503	639	1086	42	42	45	1.60
BWCC4824SCP	459	573	764	1413	48	48	50	2.00
BWCC4830SCP	459	573	764	1413	48	48	56	2.00


BWCF	DESCRIPTION					FINISHES			
<b>Five Sided Corner Worksurface</b> 	<ul style="list-style-type: none"> <li>Creates efficient use of corner space for computer or printer applications.</li> </ul>					Low pressure finish.  High pressure finish.  Wood veneer finish.  PVC edge finish.			
	Panel Sizes:		Adjoined Worksurface Depth:			A	B		
	BWCF3618	36	18	25.5	37.9				
	BWCF3624	36	24	17.0	42.1				
	BWCF3630	36	30	8.5	46.4				
	BWCF4218	42	18	33.9	42.1				
	BWCF4224	42	24	25.5	46.4				
	BWCF4230	42	30	17.0	50.6				
	BWCF4818	48	18	42.4	46.4				
	BWCF4824	48	24	33.9	50.6				
BWCF4830	48	30	25.5	54.8					
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>	
BWCF3618	227	283	365	801	36	36	31	1.20	
BWCF3624	238	297	378	801	36	36	33	1.20	
BWCF3630	249	309	391	801	36	36	35	1.20	
BWCF4218	325	405	498	954	42	42	40	1.60	
BWCF4224	334	418	512	954	42	42	45	1.60	
BWCF4230	345	431	526	954	42	42	47	1.60	
BWCF4818	367	459	580	1104	48	48	40	1.60	
BWCF4824	379	471	592	1104	48	48	45	1.60	
BWCF4830	400	498	620	1104	48	48	47	1.60	

BWCF-SCP	DESCRIPTION					FINISHES			
<b>Five Sided Corner Worksurface</b> 	<ul style="list-style-type: none"> <li>Creates efficient use of corner space for computer or printer applications.</li> </ul>					Low pressure finish.  High pressure finish.  Wood veneer finish.  PVC edge finish.			
	Panel Sizes:		Adjoined Worksurface Depth:			A	B		
	BWCF3618SCP	36	18	25.5	37.9				
	BWCF3624SCP	36	24	17.0	42.1				
	BWCF3630SCP	36	30	8.5	46.4				
	BWCF4218SCP	42	18	33.9	42.1				
	BWCF4224SCP	42	24	25.5	46.4				
	BWCF4230SCP	42	30	17.0	50.6				
	BWCF4818SCP	48	18	42.4	46.4				
	BWCF4824SCP	48	24	33.9	50.6				
BWCF4830SCP	48	30	25.5	54.8					
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>	
BWCF3618SCP	227	283	365	801	36	36	31	1.20	
BWCF3624SCP	238	297	378	801	36	36	33	1.20	
BWCF3630SCP	249	309	391	801	36	36	35	1.20	
BWCF4218SCP	325	405	498	954	42	42	40	1.60	
BWCF4224SCP	334	418	512	954	42	42	45	1.60	
BWCF4230SCP	345	431	526	954	42	42	47	1.60	
BWCF4818SCP	367	459	580	1104	48	48	40	1.60	
BWCF4824SCP	379	471	592	1104	48	48	45	1.60	
BWCF4830SCP	400	498	620	1104	48	48	47	1.60	

**BWCL DESCRIPTION FINISHES**

**“L” Corner Worksurface** • Creates efficient use of corner space for computer or printer applications.

**Low pressure finish.**  
**High pressure finish.**  
**Wood veneer finish.**  
**PVC edge finish.**




Note: 5" radius not recommended for keyboards.

PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWCL3018	164	203	278	928	30	30	20	0.80
BWCL3024	161	204	275	893	30	30	23	0.80
BWCL3618	238	297	380	898	36	36	27	1.20
BWCL3624	249	309	394	898	36	36	31	1.20
BWCL3630	259	325	407	898	36	36	34	1.20
BWCL4218	345	431	526	1055	42	42	32	1.60
BWCL4224	357	445	539	1055	42	42	39	1.60
BWCL4230	367	459	553	1055	42	42	44	1.60
BWCL4818	378	471	592	1205	48	48	38	2.00
BWCL4824	388	485	607	1205	48	48	47	2.00
BWCL4830	398	498	620	1205	48	48	54	2.00

**BWCL-SCP DESCRIPTION FINISHES**


**“L” Corner Worksurface** • Creates efficient use of corner space for computer or printer applications.


**Low pressure finish.**  
**High pressure finish.**  
**Wood veneer finish.**  
**PVC edge finish.**





Note: 5" radius not recommended for keyboards.

PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWCL3018SCP	157	195	268	893	30	30	20	0.80
BWCL3024SCP	161	204	275	893	30	30	23	0.80
BWCL3618SCP	238	297	380	898	36	36	27	1.20
BWCL3624SCP	249	309	394	898	36	36	31	1.20
BWCL3630SCP	259	325	407	898	36	36	34	1.20
BWCL4218SCP	345	431	526	1055	42	42	32	1.60
BWCL4224SCP	357	445	539	1055	42	42	39	1.60
BWCL4230SCP	367	459	553	1055	42	42	44	1.60
BWCL4818SCP	378	471	592	1205	48	48	38	2.00
BWCL4824SCP	388	485	607	1205	48	48	47	2.00
BWCL4830SCP	398	498	620	1205	48	48	54	2.00

BWCK	DESCRIPTION	FINISHES									
<b>Keyboard Corner Worksurface</b> 	<ul style="list-style-type: none"> <li>Corner keyboard unit includes: 22.4" keyboard cut out and clamp with pliable wrist support (BAKC02), 4" height adjustment, 12" horizontal (in/out) adjustment, swivel, with a positive/negative tilt (+15 degree to -15 degree).</li> </ul>	<b>Low pressure finish.</b> <b>High pressure finish.</b> <b>Wood veneer finish.</b> <b>PVC edge finish.</b>									
		Panel Sizes:		Adjoined Worksurface Depth:							
		BWCK4224	42			24					
		BWCK4824	48			24					
BWCK4830	48			30							
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>			
With BACK02 keyboard clamp:											
BWCK4224	591	740	861	1353	42	42	49	2.60			
BWCK4824	736	921	1024	1444	48	48	58	3.04			
BWCK4830	842	1052	1214	1486	48	48	62	3.04			
Without keyboard clamp:											
BWCKN4224	431	538	657	1140	42	42	49	2.60			
BWCKN4824	576	721	867	1233	48	48	58	3.04			
BWCKN4830	679	849	1010	1274	48	48	62	3.04			

BWCK-SCP	DESCRIPTION	FINISHES									
<b>Keyboard Corner Worksurface</b> 	<ul style="list-style-type: none"> <li>Corner keyboard unit includes: 22.4" keyboard cut out and clamp with pliable wrist support (BAKC02), 4" height adjustment, 12" horizontal (in/out) adjustment, swivel, with a positive/negative tilt (+15 degree to -15 degree).</li> </ul>	<b>Low pressure finish.</b> <b>High pressure finish.</b> <b>Wood veneer finish.</b> <b>PVC edge finish.</b>									
		Panel Sizes:		Adjoined Worksurface Depth:							
		BWCK4224SCP	42			24					
		BWCK4824SCP	48			24					
BWCK4830SCP	48			30							
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>			
With BACK02 keyboard clamp:											
BWCK4224SCP	591	740	861	1353	42	42	49	2.60			
BWCK4824SCP	736	921	1024	1444	48	48	58	3.04			
BWCK4830SCP	842	1052	1214	1486	48	48	62	3.04			
Without keyboard clamp:											
BWCKN4224SCP	431	538	657	1140	42	42	49	2.60			
BWCKN4824SCP	576	721	867	1233	48	48	58	3.04			
BWCKN4830SCP	679	849	1010	1274	48	48	62	3.04			

BWCKK	DESCRIPTION	FINISHES							
<b>Corner Worksurface with Curved Keyboard Support</b>	<ul style="list-style-type: none"> <li>• Five sided panel hung fixed height corner unit with a curved keyboard support.</li> <li>• Keyboard support is 11" deep, adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).</li> <li>• KBL mechanism included.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.							
		Radius: "R"      Distance: "X"							
				BWCKK3624    12"      17.0" BWCKK4224    18"      25.5" BWCKK4230    12"      17.0" BWCKK4824    18"      25.5" BWCKK4830    18"      25.5"					
Note: 12" radius not recommended for keyboards.									
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>	
BWCKK3624	720	898	1157	1670	36	36	47	2.60	
BWCKK4224	770	963	1380	1862	42	42	59	3.10	
BWCKK4230	821	1028	1444	1925	42	42	59	3.10	
BWCKK4824	871	1091	1611	2297	48	48	68	3.20	
BWCKK4830	898	1123	1670	2375	48	48	74	3.20	

BWCKK-SCP	DESCRIPTION	FINISHES							
<b>Corner Worksurface with Curved Keyboard Support</b>	<ul style="list-style-type: none"> <li>• Five sided panel hung fixed height corner unit with a curved keyboard support.</li> <li>• Keyboard support is 11" deep, adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).</li> <li>• KBL mechanism included.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.							
		Radius: "R"      Distance: "X"							
				BWCKK3624SCP12"      17.0" BWCKK4224SCP18"      25.5" BWCKK4230SCP12"      17.0" BWCKK4824SCP18"      25.5" BWCKK4830SCP18"      25.5"					
Note: 12" radius not recommended for keyboards.									
PRODUCT CODE	PRICE LP*	HP*	T*	W*	SIZE/INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>	
BWCKK3624SCP	720	898	1157	1670	36	36	47	2.60	
BWCKK4224SCP	770	963	1380	1862	42	42	59	3.10	
BWCKK4230SCP	821	1028	1444	1925	42	42	59	3.10	
BWCKK4824SCP	871	1091	1611	2297	48	48	68	3.20	
BWCKK4830SCP	898	1123	1670	2375	48	48	74	3.20	

BWAC45



DESCRIPTION

FINISHES

**Curved Corner  
Worksurface for 45  
Degree Angle**

- Five sided corner unit for 45 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.



PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWAC452418	264	330	471	849	24	18	38	1.14
BWAC452424	275	344	580	1048	24	24	42	1.29
BWAC452430	286	357	742	1346	24	30	48	1.45
BWAC453018	339	424	1017	1357	30	18	53	1.61
BWAC453024	384	480	1213	1616	30	24	60	1.8
BWAC453030	425	533	1548	2063	30	30	66	2.01
BWAC453618	476	594	1183	1571	36	18	66	2.01
BWAC453624	529	662	1455	1938	36	24	71	2.16
BWAC453630	583	727	1831	2438	36	30	76	2.3

BWAC45-SCP



DESCRIPTION

FINISHES

**Curved Corner  
Worksurface for 45  
Degree Angle**

- Five sided corner unit for 45 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.





PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWAC452418SCP	264	330	471	849	24	18	38	1.14
BWAC452424SCP	275	344	580	1048	24	24	42	1.29
BWAC452430SCP	286	357	742	1346	24	30	48	1.45
BWAC453018SCP	339	424	1017	1357	30	18	53	1.61
BWAC453024SCP	384	480	1213	1616	30	24	60	1.8
BWAC453030SCP	425	533	1548	2063	30	30	66	2.01
BWAC453618SCP	476	594	1183	1571	36	18	66	2.01
BWAC453624SCP	529	662	1455	1938	36	24	71	2.16
BWAC453630SCP	583	727	1831	2438	36	30	76	2.3

**BWAC60 DESCRIPTION FINISHES**

**Curved Corner  
Worksurface for 60  
Degree Angle**

- Five sided corner unit for 60 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.





PRODUCT CODE	PRICE		T*		SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWAC602418	227	283	378	678	24	18	33	0.99
BWAC602424	238	297	471	849	24	24	36	1.09
BWAC602430	249	309	512	920	24	30	39	1.19
BWAC603018	308	386	857	1139	30	18	48	1.46
BWAC603024	335	420	1007	1343	30	24	52	1.58
BWAC603030	361	451	1095	1459	30	30	56	1.71
BWAC603618	440	550	999	1324	36	18	66	2.01
BWAC603624	473	591	1179	1571	36	24	71	2.16
BWAC603630	507	632	1285	1712	36	30	76	2.31

**BWAC60-SCP DESCRIPTION FINISHES**

**Curved Corner  
Worksurface for 60  
Degree Angle**



- Five sided corner unit for 60 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.



PRODUCT CODE	PRICE		T*		SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWAC602418SCP	227	283	378	678	24	18	33	0.99
BWAC602424SCP	238	297	471	849	24	24	36	1.09
BWAC602430SCP	249	309	512	920	24	30	39	1.19
BWAC603018SCP	308	386	857	1139	30	18	48	1.46
BWAC603024SCP	335	420	1007	1343	30	24	52	1.58
BWAC603030SCP	361	451	1095	1459	30	30	56	1.71
BWAC603618SCP	440	550	999	1324	36	18	66	2.01
BWAC603624SCP	473	591	1179	1571	36	24	71	2.16
BWAC603630SCP	507	632	1285	1712	36	30	76	2.31

BWCE	DESCRIPTION	FINISHES
<b>Extended Curved Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Extended curved corner unit with a radius user edge.</li> <li>Creates efficient use of a corner unit.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.



PRODUCT CODE	PRICE		SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*		
BWCE426024	471	590	898	1476	24	512.2
BWCE426624	520	649	963	1540	24	552.5
BWCE427224	575	757	1059	1733	24	592.7
BWCE427824	614	768	1123	1862	24	632.9
BWCE428424	661	827	1219	1989	24	673.1
BWCE486024	539	674	1123	1862	24	552.5
BWCE486624	592	742	1188	1925	24	592.8
BWCE487224	647	808	1219	1989	24	633.1
BWCE487824	701	877	1315	2182	24	673.3
BWCE488424	755	943	1413	2309	24	703.6
BWCE486030	592	742	1219	1989	30	642.5
BWCE486630	647	808	1283	2086	30	692.8
BWCE487230	701	877	1315	2150	30	743.1
BWCE487830	755	943	1413	2278	30	793.3
BWCE488430	796	996	1476	2375	30	843.6
BWCE604224	471	590	898	1476	24	512.2
BWCE604824	539	674	1123	1862	24	552.6
BWCE604830	592	742	1219	1989	30	642.6
BWCE664224	520	649	963	1540	24	552.5
BWCE664824	592	742	1188	1925	24	592.8
BWCE664830	647	808	1283	2086	30	692.8
BWCE724224	575	757	1059	1733	24	592.7
BWCE724824	647	808	1219	1989	24	633.1
BWCE724830	701	877	1315	2150	30	473.1
BWCE784224	614	768	1123	1862	24	632.9
BWCE784824	701	877	1315	2182	24	673.3
BWCE784830	755	943	1413	2278	30	793.3
BWCE844224	661	827	1219	1989	24	673.1
BWCE844824	755	943	1413	2309	24	713.6
BWCE844830	796	996	1476	2375	30	933.6

BWCE-SCP


DESCRIPTION

FINISHES

**Extended Curved Corner Worksurface**


- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.

- Low pressure finish.
- High pressure finish.
- Wood veneer finish.
- PVC edge finish.




PRODUCT CODE	PRICE				SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	A	B	C		
BWCE426024SCP	471	590	898	1476	42	60	24	51	2.2
BWCE426624SCP	520	696	963	1540	42	66	24	55	2.5
BWCE427224SCP	575	757	1059	1733	42	72	24	59	2.7
BWCE427824SCP	614	768	1123	1862	42	78	24	63	2.9
BWCE428424SCP	661	827	1219	1989	42	84	24	67	3.1
BWCE486024SCP	539	674	1123	1862	48	60	24	55	2.5
BWCE486624SCP	592	742	1188	1925	48	66	24	59	2.8
BWCE487224SCP	647	808	1219	1989	48	72	24	63	3.1
BWCE487824SCP	701	877	1315	2182	48	78	24	67	3.3
BWCE488424SCP	755	943	1413	2309	48	84	24	70	3.6
BWCE486030SCP	592	742	1219	1989	48	60	30	64	2.5
BWCE486630SCP	647	808	1283	2086	48	66	30	69	2.8
BWCE487230SCP	701	877	1315	2150	48	72	30	74	3.1
BWCE487830SCP	755	943	1413	2278	48	78	30	79	3.3
BWCE488430SCP	796	996	1476	2375	48	84	30	84	3.6
BWCE604224SCP	471	590	898	1476	60	42	24	51	2.2
BWCE604824SCP	539	674	1123	1862	60	48	24	55	2.6
BWCE604830SCP	592	742	1219	1989	60	48	30	64	2.6
BWCE664224SCP	520	649	963	1540	66	42	24	55	2.5
BWCE664824SCP	592	742	1188	1925	66	48	24	59	2.8
BWCE664830SCP	647	808	1283	2086	66	48	30	69	2.8
BWCE724224SCP	575	757	1059	1733	72	42	24	59	2.7
BWCE724824SCP	647	808	1219	1989	72	48	24	63	3.1
BWCE724830SCP	701	877	1315	2150	72	48	30	47	3.1
BWCE784224SCP	614	768	1123	1862	78	42	24	63	2.9
BWCE784824SCP	701	877	1315	2182	78	48	24	67	3.3
BWCE784830SCP	755	943	1413	2278	78	48	30	79	3.3
BWCE844224SCP	661	827	1219	1989	84	42	24	67	3.1
BWCE844824SCP	755	943	1413	2309	84	48	24	71	3.6
BWCE844830SCP	796	996	1476	2375	84	48	30	93	3.6

BWCEC-SCP	DESCRIPTION	FINISHES
<b>Extended Curvilinear Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Extended curvilinear front edge unit.</li> <li>Creates efficient use of corner space for computer or printer application.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.





PRODUCT CODE	PRICE				SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	A	B	C		
BWCEC366024SCP	428	536	767	1277	36	60	24	59	1.9
BWCEC366624SCP	450	562	846	1404	36	66	24	65	2.1
BWCEC367224SCP	491	614	920	1533	36	72	24	71	2.3
BWCEC367824SCP	532	666	999	1660	36	78	24	77	2.5
BWCEC368424SCP	592	741	1073	1787	36	84	24	83	2.7
BWCEC426624SCP	518	646	957	1533	42	66	24	76	2.5
BWCEC427224SCP	572	715	1054	1725	42	72	24	83	2.7
BWCEC427824SCP	612	764	1118	1855	42	78	24	90	2.9
BWCEC428424SCP	657	823	1215	1981	42	84	24	96	3.1
BWCEC487230SCP	699	871	1309	2140	48	72	30	94	3.1
BWCEC487830SCP	752	940	1404	2268	48	78	30	102	3.3
BWCEC488430SCP	792	990	1470	2363	48	84	30	110	4.0
BWCEC603624SCP	428	536	767	1277	60	36	24	59	1.9
BWCEC663624SCP	450	562	846	1404	66	36	24	65	2.1
BWCEC664224SCP	518	646	957	1533	66	42	24	76	2.5
BWCEC723624SCP	491	614	920	1533	72	36	24	71	2.3
BWCEC724224SCP	572	715	1054	1725	72	42	24	83	2.7
BWCEC724830SCP	699	871	1309	2140	72	48	30	94	3.1
BWCEC783624SCP	532	666	999	1660	78	36	24	77	2.5
BWCEC784224SCP	612	764	1118	1855	78	42	24	89	2.9
BWCEC784830SCP	752	940	1404	2268	78	48	30	102	3.3
BWCEC844224SCP	592	741	1073	1787	84	42	24	96	3.1
BWCEC844824SCP	657	823	1215	1981	84	48	24	110	3.6
BWCEC844830SCP	792	990	1470	2363	84	48	30	110	3.6


BWBT-SCP	DESCRIPTION	FINISHES
<b>Bow Tie Worksurface</b>	<ul style="list-style-type: none"> <li>Designed to work as a universal non-handed "corner" surface.</li> <li>Creates flexible use of corner space for computer.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.




PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWBT3660SCP	428	536	548	899	36	60	60	1.9
BWBT3672SCP	491	614	773	1027	36	72	71	2.3
BWBT3684SCP	592	741	760	1251	36	84	83	2.7

BWR	DESCRIPTION	FINISHES		
<b>Radius Worksurface</b>	<ul style="list-style-type: none"> <li>• Rounded worksurface for conferencing provides a radius corner from a worksurface to worksurface.</li> <li>• 18" and 24" come with 1 BHML03 Monoleg and 30" comes with 2.</li> <li>• Radius cut out on the straight edge allows space for aluminum trims.</li> </ul>	Low pressure finish.		
		High pressure finish.		
		Wood veneer finish.		
		PVC edge finish.		
		Panel frame finish.		
PRODUCT CODE	PRICE LP* HP* T* W*	SIZE/INCHES W D	WEIGHT LBS	VOL FT <sup>3</sup>
BWR18	323 405 502 774	38.5 18	27	1.7
BWR24	374 468 595 942	50.5 24	41	2.2
BWR30	677 846 1003 1376	62.5 30	59	2.7


BWRTD	DESCRIPTION	FINISHES		
<b>Teardrop Worksurface</b>	<ul style="list-style-type: none"> <li>• Rounded worksurface for conferencing provides a radius corner from a worksurface to worksurface.</li> <li>• 1 BHML03 Monoleg included.</li> </ul>	Low pressure finish.		
		High pressure finish.		
		Wood veneer finish.		
		PVC edge finish.		
		Panel frame finish.		
PRODUCT CODE	PRICE LP* HP* T* W*	SIZE/INCHES W D	WEIGHT LBS	VOL FT <sup>3</sup>
BWRTD18	195 212 266 334	18 18	24	1.6
BWRTD24	245 275 372 495	24 24	33	1.9
BWRTD30	312 359 513 708	30 30	43	2.2

BWSR	DESCRIPTION	FINISHES		
<b>Curved Panel Worksurface</b>	<ul style="list-style-type: none"> <li>• Encloses a space.</li> <li>• BWSR2424 provides enclosed corner when using curved panel.</li> </ul>	Low pressure finish.		
		High pressure finish.		
		Wood veneer finish.		
		PVC edge finish.		
PRODUCT CODE	PRICE LP* HP* T* W*	SIZE/INCHES W D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSR1818	98 122 212 302	18 18	9	0.30
BWSR2424	139 173 241 374	24 24	16	0.52
BWSR3030	180 225 354 482	30 30	25	0.81


BWRP	DESCRIPTION	FINISHES			
<b>Corner Radius Worksurface with Cut-Out</b> 	<ul style="list-style-type: none"> <li>• Corner Radius Worksurface with Cut-Out allows worksurface to be used around a post.</li> <li>• Cut out fits snug to the post, if trim is attached to the post, the worksurface may need to be cut on site to fit.</li> </ul>	Low pressure finish.			
		High pressure finish.			
		Wood veneer finish.			
		PVC edge finish.			
PRODUCT CODE	PRICE LP* HP* T* W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>
BWRP1818	114 141 356 479	21	21	12	0.40
BWRP2424	164 206 366 499	27	27	19	0.64
BWPR3030	203 254 456 629	33	33	29	1.00

BWC60	DESCRIPTION	FINISHES			
<b>Extended "D" Worksurface</b> 	<ul style="list-style-type: none"> <li>• Creates efficient use of corner space for computer or printer application.</li> <li>• Simplifies specification and installation by combining a typical corner worksurface with a "wing" worksurface adjacent into one unit.</li> <li>• 1 BHML03 Monoleg included.</li> </ul>	Low pressure finish.			
		High pressure finish.			
		Wood veneer finish.			
		PVC edge finish.			
		Panel frame finish.			
PRODUCT CODE	PRICE LP* HP* T W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>
BWC60244242SCPL	656 821 1831 2427	44	59	80	4.50
BWC60244242SCPR	656 821 1831 2427		44	59	804.50

RIGHT HAND SHOWN


BWSL	DESCRIPTION	FINISHES			
<b>Curvilinear Arc Worksurface</b> 	<ul style="list-style-type: none"> <li>• Arc shaped worksurface provides an extended conferencing area.</li> <li>• 1 BHML03 Monoleg included.</li> <li>• Not recommended for use with BWMP modesty panel due to knee swing interference.</li> </ul>	Low pressure finish.			
		High pressure finish.			
		Wood veneer finish.			
		PVC edge finish.			
		Panel frame finish.			
PRODUCT CODE	PRICE LP* HP* T* W*	SIZE/INCHES W D		WEIGHT LBS	VOL FT <sup>3</sup>
BWSL3060L	565 706 823 1449	8	60	30	481.69
BWSL3066L	592 742 916 1618	10	66	30	531.85
BWSL3072L	617 775 1010 1818	12	72	30	582.01
BWSL3060R	565 706 823 1449	8	60	30	481.69
BWSL3066R	592 742 916 1618	10	66	30	531.85
BWSL3072R	617 775 1010 1818	12	72	30	582.01

RIGHT HAND SHOWN  
MONOLEG MOUNTED ON THE RIGHT USER SIDE.


BWSL	DESCRIPTION	FINISHES
<b>Curvilinear Arc Worksurface</b>  	<ul style="list-style-type: none"> <li>Arc shaped worksurface provides an extended conferencing area.</li> <li>1 BHML03 Monoleg included.</li> </ul>	<b>Low pressure finish.</b>  <b>High pressure finish.</b>  <b>Wood veneer finish.</b>  <b>PVC edge finish.</b>  <b>Panel frame finish.</b>
	<p>B = 33" for 60", 66" worksurfaces B = 32.5" for 72" worksurfaces</p>	

RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

PRODUCT CODE	PRICE		T*	W*	"R" INCHES	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*				W	D		
BWSL3660L	644	808	943	1651	8	60	36	57	2.07
BWSL3666L	686	877	1052	1855	10	66	36	64	2.26
BWSL3672L	751	943	1160	2054	12	72	36	71	2.45
BWSL3660R	644	808	943	1651	8	60	36	57	2.07
BWSL3666R	686	877	1052	1855	10	66	36	64	2.26
BWSL3672R	751	943	1160	2054	12	72	36	71	2.45


BWD	DESCRIPTION	FINISHES
<b>"D" Worksurface</b>  	<ul style="list-style-type: none"> <li>Rounded worksurface for conferencing.</li> <li>Supported by Monoleg at one end and panel at the opposite end.</li> <li>1 BHML03 Monoleg included.</li> <li>Modesty panel available, see BWMP (not included).</li> </ul>	<b>Low pressure finish.</b>  <b>High pressure finish.</b>  <b>Wood veneer finish.</b>  <b>PVC edge finish.</b>  <b>Panel frame finish.</b>

PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWD2442	369	463	611	694	42	24	27	0.97
BWD2448	388	485	617	706	48	24	31	1.11
BWD2454	400	498	641	870	54	24	35	1.24
BWD2460	407	509	657	1042	60	24	39	1.36
BWD2466	418	526	676	1078	66	24	43	1.52
BWD2472	437	545	705	1182	72	24	47	1.66
BWD3048	388	489	643	1123	48	30	38	1.38
BWD3054	409	513	674	1140	54	30	43	1.56
BWD3060	438	546	705	1157	60	30	48	1.69
BWD3066	459	573	739	1220	66	30	53	1.82
BWD3072	484	604	788	1288	72	30	58	2.01
BWD3078	511	643	819	1540	78	30	63	2.25
BWD3084	558	700	898	1670	84	30	68	2.42

BWP	DESCRIPTION	FINISHES
<b>"P" Worksurface</b>  	<ul style="list-style-type: none"> <li>• Rounded worksurface provides an extended conferencing area.</li> <li>• 36" diameter end.</li> <li>• Supported by monoleg at one end and panel at the opposite end.</li> <li>• 1 BHML03 Monoleg included.</li> <li>• Modesty Panel available, see BWMP (not included).</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.
		Panel frame finish.


LEFT HAND SHOWN

PRODUCT CODE	PRICE		SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>		
	LP*	HP*	T*	W*				
BWPL3054	555	693	865	1376	54	36	51	1.87
BWPL3060	580	726	896	1597	60	36	58	2.03
BWPL3066	629	790	972	1818	66	36	65	2.24
BWPL3072	656	826	1023	2043	72	36	70	2.41
BWPL3084	849	916	1135	2436	84	36	81	2.79
BWPR3054	555	693	865	1376	54	36	51	1.87
BWPR3060	580	726	896	1597	60	36	58	2.03
BWPR3066	629	790	972	1818	66	36	65	2.24
BWPR3072	656	826	1023	2043	72	36	70	2.41
BWPR3084	849	916	1135	2436	84	36	81	2.79

BWMP	DESCRIPTION	FINISHES
<b>"D" and "P" Worksurface Modesty Panel</b>  	<ul style="list-style-type: none"> <li>• Made of cold rolled steel, fastens to the worksurface and Monoleg for additional privacy.</li> </ul>	Panel frame finish.


PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
		W	D		
BWMP1248	88	32	12	12	0.40
BWMP1254	105	38	12	15	0.47
BWMP1260	122	44	12	17	0.53
BWMP1266	141	50	12	20	0.61
BWMP1272	158	56	12	22	0.66
BWMP1278	170	62	12	25	0.71
BWMP1284	182	68	12	27	0.79

BWT	DESCRIPTION	FINISHES
<b>Transaction Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.</li> </ul>	Low pressure finish.  High pressure finish.  Wood veneer finish.  PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWT1512	48	54	106	160	12	15	5	0.22
BWT1518	56	71	135	180	18	15	7	0.30
BWT1524	71	86	161	242	24	15	10	0.38
BWT1530	83	102	188	286	30	15	12	0.46
BWT1536	95	118	215	313	36	15	14	0.54
BWT1542	110	135	245	360	42	15	17	0.62
BWT1548	120	151	273	391	48	15	19	0.70
BWT1554	134	166	300	408	54	15	22	0.78
BWT1560	147	184	327	427	60	15	24	0.86
BWT1566	159	200	356	469	66	15	28	0.94
BWT1572	173	215	382	588	72	15	29	1.02
BWT1578	186	233	412	652	78	15	31	1.10
BWT1584	200	248	445	723	84	15	34	1.18

BWTC	DESCRIPTION	FINISHES
<b>Transaction Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a corner transaction worksurface.</li> <li>Covers 12" of a panel.</li> </ul>	Low pressure finish.  High pressure finish.  Wood veneer finish.  PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTC90	108	132	213	477	20.7	20.7	11	0.49
BWTC45	130	161	250	495	21.5	21.5	12	0.53
BWTC60	129	161	250	495	22.5	22.5	14	0.60

BWTT27	DESCRIPTION	FINISHES
<b>Transaction "T" Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a "T" corner transaction worksurface.</li> <li>Covers 12" of a panel.</li> </ul>	Low pressure finish.  High pressure finish.  Wood veneer finish.  PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTT2721	113	141	234	495	21.5	26.5	15	0.60

BWTAC	DESCRIPTION	FINISHES
<b>Transaction Worksurface for 45 Degree Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of 37" or 42" high panel to form a 45 degree corner transaction worksurface.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTAC452415	471	590	616	865	47	15	39	1.38

BWTAC	DESCRIPTION	FINISHES
<b>Transaction Worksurface for 60 Degree Corner Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of 42" high panel to form a 60 degree corner transaction worksurface.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTAC602415	509	640	674	891	44	15	38	1.32

BWTR	DESCRIPTION	FINISHES
<b>Transaction Top for Curved Panel</b>	<ul style="list-style-type: none"> <li>Attaches to the top of 37" or 42" high panel to form a curved transaction worksurface.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTR1524	226	280	381	624	33	33	11	1.08

BWTD	DESCRIPTION	FINISHES
<b>Transaction "D" Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with a radiused end.</li> <li>Surface overhangs the panel by 7 1/2" on one side.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.




PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWTD1530	108	132	245	400	37.5	15	17	0.65
BWTD1536	115	142	259	424	43.5	15	19	0.69
BWTD1542	129	159	283	456	49.5	15	22	0.74
BWTD1548	141	177	309	499	55.5	15	25	0.77
BWTD1554	152	190	336	518	61.5	15	27	0.85
BWTD1560	170	211	369	536	67.5	15	30	0.94
BWTD1566	180	226	396	613	73.5	15	33	1.02
BWTD1572	200	245	425	684	79.5	15	35	1.10

BWTDD	DESCRIPTION	FINISHES
<b>Transaction Double "D" Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with 2 radius ends.</li> <li>Surface overhangs the panel by 7 1/2" on both sides.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWTDD1548	158	200	367	613	63	15	28	1.00
BWTDD1554	172	215	402	645	69	15	31	1.01
BWTDD1560	185	233	423	662	75	15	33	1.04
BWTDD1566	200	250	453	759	81	15	35	1.13
BWTDD1572	215	270	481	851	87	15	38	1.21


BWTE	DESCRIPTION	FINISHES
<b>Elliptical Transaction Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.</li> </ul>	Low pressure finish.
		High pressure finish.
		Wood veneer finish.
		PVC edge finish.



PRODUCT CODE	PRICE				SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*	T*	W*	W	D		
BWTE36	226	283	728	1048	52	18	22	0.78
BWTE42	259	325	808	1133	58	19	24	0.81

\*LP = Thermally Fused Laminate, HP = High Pressure Laminate, T = High Pressure Laminate with Wood Trim, W = Wood Veneer

BWTP	DESCRIPTION	FINISHES
<b>Round Transaction Worksurface</b>	<ul style="list-style-type: none"> <li>Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			W	D		
BWTP1518	162	204	330	520	15	18	10	0.35

BWCD	DESCRIPTION	FINISHES
<b>Round Table</b>	<ul style="list-style-type: none"> <li>Freestanding round meeting table with 4 prong tubular base.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish. Panel frame finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			H	D		
BWCD30	336	371	620	807	29	30 DIA	35	10.00
BWCD36	346	428	742	926	29	36 DIA	42	10.00
BWCD42	430	538	916	1245	29	42 DIA	52	11.00


BWSQ	DESCRIPTION	FINISHES
<b>Square Table</b>	<ul style="list-style-type: none"> <li>Freestanding square meeting table with 4 prong tubular base.</li> </ul>	Low pressure finish. High pressure finish. Wood veneer finish. PVC edge finish. Panel frame finish.




PRODUCT CODE	PRICE		T*	W*	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	LP*	HP*			H	D	W		
BWSQ24	338	354	526	739	29	24	24	34	10
BWSQ30	336	371	620	807	29	30	30	38	10
BWSQ36	343	428	753	926	29	36	36	46	11
BWSQ42	494	538	916	1245	29	42	42	57	12


BHCL	DESCRIPTION	FINISHES																																				
<b>"C" Leg</b> 	<ul style="list-style-type: none"> <li>Attaches to panel support worksurface or to provide freestanding table support.</li> <li>Steel structure , PVC cover.</li> <li>Universal non-handed.</li> <li>For a single rectangular worksurface, specify two "C" Legs and one Modesty Panel of corresponding width.</li> <li>May be used as a shared leg between two adjoining worksurfaces.</li> </ul> <p>Specify one "C" Leg, one Modesty Panel of corresponding width, plus one Modesty Panel Extension Bracket.</p> <ul style="list-style-type: none"> <li>For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides of the corner worksurface.</li> <li>Includes worksurface mounting brackets with screws, Bracket Retainer Clip and panel bracket. Accommodates 15" knee space.</li> </ul>	<b>Panel frame finish.</b>																																				
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHCL2618</td> <td>158</td> <td>26</td> <td>1</td> <td>18</td> <td>7</td> <td>0.27</td> </tr> <tr> <td>BHCL2624</td> <td>164</td> <td>26</td> <td>1</td> <td>24</td> <td>8</td> <td>0.36</td> </tr> <tr> <td>BHCL2918</td> <td>171</td> <td>29</td> <td>1</td> <td>18</td> <td>8</td> <td>0.30</td> </tr> <tr> <td>BHCL2924</td> <td>179</td> <td>29</td> <td>1</td> <td>24</td> <td>9</td> <td>0.40</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHCL2618	158	26	1	18	7	0.27	BHCL2624	164	26	1	24	8	0.36	BHCL2918	171	29	1	18	8	0.30	BHCL2924	179	29	1	24
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																																
		H	W	D																																		
BHCL2618	158	26	1	18	7	0.27																																
BHCL2624	164	26	1	24	8	0.36																																
BHCL2918	171	29	1	18	8	0.30																																
BHCL2924	179	29	1	24	9	0.40																																


BKC	DESCRIPTION	FINISHES																						
<b>Corner Leg</b> 	<ul style="list-style-type: none"> <li>Five sided worksurface support.</li> <li>Steel construction.</li> <li>Non handed.</li> <li>Includes bolts for modesty panel attachment.</li> <li>For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides of the corner worksurface.</li> </ul>	<b>Panel frame finish.</b>																						
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BKC26</td> <td>95</td> <td>24.5</td> <td>7</td> <td>7</td> <td>6.6</td> <td>0.77</td> </tr> <tr> <td>BKC29</td> <td>109</td> <td>27.5</td> <td>7</td> <td>7</td> <td>7.2</td> <td>0.77</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BKC26	95	24.5	7	7	6.6	0.77	BKC29	109	27.5	7	7
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																		
		H	W	D																				
BKC26	95	24.5	7	7	6.6	0.77																		
BKC29	109	27.5	7	7	7.2	0.77																		

BKMP	DESCRIPTION	FINISHES																																																									
<b>Modesty Panel</b> 	<ul style="list-style-type: none"> <li>For rectangular worksurfaces, specify Modesty Panel of corresponding width. For corner worksurfaces, specify two Modesty Panels 6" shorter than rear side of corner worksurface.</li> <li>Attaches between two "C" Legs, or between one "C" Leg and a Corner Leg, or a shared "C" Leg and "C" Leg at the end of a run.</li> <li>Includes brackets and screws to attach Modesty Panel to worksurface.</li> <li>For use with flex lip worksurfaces only.</li> <li>To install on "SCP" or "NFL" worksurface, modesty panel must be inverted.</li> </ul>	<b>Panel frame finish.</b>																																																									
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BKMP1224</td> <td>109</td> <td>11</td> <td>24</td> <td></td> <td>2.75</td> <td>0.17</td> </tr> <tr> <td>BKMP1230</td> <td>114</td> <td>11</td> <td>30</td> <td></td> <td>2.75</td> <td>0.21</td> </tr> <tr> <td>BKMP1236</td> <td>122</td> <td>11</td> <td>36</td> <td></td> <td>3.00</td> <td>0.25</td> </tr> <tr> <td>BKMP1242</td> <td>129</td> <td>11</td> <td>42</td> <td></td> <td>4.0</td> <td>0.29</td> </tr> <tr> <td>BKMP1248</td> <td>135</td> <td>11</td> <td>48</td> <td></td> <td>4.5</td> <td>0.33</td> </tr> <tr> <td>BKMP1254</td> <td>141</td> <td>11</td> <td>54</td> <td></td> <td>5.0</td> <td>0.38</td> </tr> <tr> <td>BKMP1260</td> <td>148</td> <td>11</td> <td>60</td> <td></td> <td>5.5</td> <td>0.42</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BKMP1224	109	11	24		2.75	0.17	BKMP1230	114	11	30		2.75	0.21	BKMP1236	122	11	36		3.00	0.25	BKMP1242	129	11	42		4.0	0.29	BKMP1248	135	11	48		4.5	0.33	BKMP1254	141	11	54		5.0	0.38	BKMP1260	148	11	60	
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>																																																					
		H	W	D																																																							
BKMP1224	109	11	24		2.75	0.17																																																					
BKMP1230	114	11	30		2.75	0.21																																																					
BKMP1236	122	11	36		3.00	0.25																																																					
BKMP1242	129	11	42		4.0	0.29																																																					
BKMP1248	135	11	48		4.5	0.33																																																					
BKMP1254	141	11	54		5.0	0.38																																																					
BKMP1260	148	11	60		5.5	0.42																																																					


BHMEB	DESCRIPTION	FINISHES															
<b>Modesty Panel Extension Bracket</b> 	<ul style="list-style-type: none"> <li>Modesty Panel Extension Bracket made of cold rolled steel.</li> <li>Attaches the Modesty Panel of an adjoining worksurface to a shared "C" Leg.</li> <li>Includes all attachment hardware.</li> </ul>	<b>Panel frame finish.</b>															
		<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHMEB01</td> <td>17</td> <td>10</td> <td>1.5</td> <td></td> <td>0.5</td> <td>0.01</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHMEB01	17	10	1.5	
PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>											
		H	W	D													
BHMEB01	17	10	1.5		0.5	0.01											

BHFG	DESCRIPTION	FINISHES						
<b>Full Gable - Self Edged</b>	<ul style="list-style-type: none"> <li>Provides floor standing support while enclosing an end of a run of worksurfaces.</li> <li>Includes attachment hardware, Bracket Retainer Clip and levelling glides.</li> <li>Non-handed.</li> </ul>	Low pressure finish.						
		Wood veneer finish.						
		Panel frame finish.						
		PRODUCT CODE	PRICE LP*	HP*	W*	SIZE/INCHES H D		WEIGHT LBS
	BHFG2608	98	122	508	26	8	7	0.14
	BHFG2612	124	156	545	26	12	13	0.21
	BHFG2618	151	189	545	26	18	13	0.27
	BHFG2624	167	210	588	26	24	19	0.36
	BHFG2630	225	280	701	26	30	23	0.45
	BHFG2636	283	354	739	26	36	24	0.57
	BHFG2908	98	122	508	29	8	7	0.16
	BHFG2912	124	156	545	29	12	14	0.30
	BHFG2918	151	189	545	29	18	14	0.30
	BHFG2924	167	210	588	29	24	17	0.40
	BHFG2930	225	280	701	29	30	21	0.50
	BHFG2936	283	354	739	29	36	26	0.65

BHFGP	DESCRIPTION	FINISHES						
<b>Full Gable - PVC Edged</b>	<ul style="list-style-type: none"> <li>Provides floor standing support while enclosing an end of a run of worksurfaces.</li> <li>Includes attachment hardware, Bracket Retainer Clip and levelling glides.</li> <li>Provides consistent edging matching the worksurface.</li> <li>Handed once installed.</li> </ul>	Low pressure finish.						
		Wood veneer finish.						
		PVC edge finish.						
		Panel frame finish.						
	PRODUCT CODE	PRICE LP*	HP*	W*	SIZE/INCHES H D		WEIGHT LBS	VOL FT <sup>3</sup>
	BHFGP2608	98	122	508	26	8	7	0.14
	BHFGP2612	124	156	545	26	12	13	0.21
	BHFGP2618	151	189	545	26	18	13	0.27
	BHFGP2624	167	210	588	26	24	19	0.36
	BHFGP2630	225	280	701	26	30	23	0.45
	BHFGP2636	283	354	739	26	36	24	0.57
	BHFGP2908	98	122	508	29	8	7	0.16
	BHFGP2912	124	156	545	29	12	14	0.30
	BHFGP2918	151	189	545	29	18	14	0.30
	BHFGP2924	167	210	588	29	24	17	0.40
	BHFGP2930	225	280	701	29	30	21	0.50
	BHFGP2936	283	354	739	29	36	26	0.65


BHPG	DESCRIPTION	FINISHES						
<b>"P" Shaped Full Gable - PVC Edged</b>	<ul style="list-style-type: none"> <li>Provides floor standing support while enclosing an end of a run of worksurfaces.</li> <li>Includes attachment hardware, Bracket Retainer Clip and levelling glides.</li> <li>Provides consistent edging matching the worksurface.</li> <li>Handed.</li> </ul>	Low pressure finish.						
		Wood veneer finish.						
		PVC edge finish.						
		Panel frame finish.						
	PRODUCT CODE	PRICE LP*	HP*	W*	SIZE/INCHES H D		WEIGHT LBS	VOL FT <sup>3</sup>
	BHPG2624L	167	210	590	26	24	19	0.36
	BHPG2924L	167	210	590	29	24	17	0.40
	BHPG2624R	167	210	590	26	24	19	0.36
	BHPG2924R	167	210	590	29	24	17	0.40

BHLEG	DESCRIPTION	FINISHES		
<b>Gable Leg</b>	<ul style="list-style-type: none"> <li>Support the worksurface and enhances the stability of connected panels.</li> <li>Universal leg plate bolts to the underside of the worksurface.</li> <li>Can be configured on-site for left, right or shared worksurface support application.</li> <li>Tubular leg section adjusts in 1" increments, the leveller can be used for fine adjustment.</li> <li>1" increment leg adjustment and 1" increment panel slots allow the leg of installed worksurface to be supported from 26" to 32".</li> <li>Side plate is secured to the slots in the vertical of the Boulevard 1 or System 3 panels and the leg plate bolts to underside of the worksurface.</li> <li>Made of extruded aluminum and steel.</li> <li>Includes all mounting hardware to connect to panel and worksurface.</li> </ul>	<b>Panel frame finish.</b>		




PRODUCT CODE	PRICE	SIZE/INCHES H / W / D	WEIGHT LBS	VOL FT <sup>3</sup>
BHLEG	141	28 / 6 / 23	12	2.0

BHML	DESCRIPTION	FINISHES		
<b>Monoleg</b>	<ul style="list-style-type: none"> <li>3" diameter Monoleg provides support for worksurfaces.</li> <li>Top plate welded to leg.</li> <li>8" x 8" plated attached with #10 3/4" wood screws, included.</li> <li>1" height adjustment range.</li> </ul>	<b>Panel frame finish.</b>		




PRODUCT CODE	PRICE	SIZE/INCHES H / W / D	WEIGHT LBS	VOL FT <sup>3</sup>
BHML03	142	28 / 3 / 3	8	0.15

LATBL	DESCRIPTION	FINISHES		
<b>Tapered Leg</b>	<ul style="list-style-type: none"> <li>Tapered leg provides support for worksurfaces.</li> <li>Top plate welded to leg.</li> <li>8" x 8" plated attached with #10 3/4" wood screws, included.</li> <li>1" height adjustment range.</li> </ul>	<b>Panel frame finish.</b>		







PRODUCT CODE	PRICE	SIZE/INCHES H / W / D	WEIGHT LBS	VOL FT <sup>3</sup>
LATBL28	171	28 / 3 / 3	8	0.15





BHC	DESCRIPTION	FINISHES		
<b>Cantilever</b>	<ul style="list-style-type: none"> <li>Universal cantilever with steel attachment bracket constructed of cast aluminum to provide support for worksurfaces.</li> <li>Attaches a worksurface to a panel.</li> <li>May be used for shared worksurface support.</li> <li>Interchangeable in the field for left or right positioning.</li> <li>Includes Bracket Retainer Clip.</li> </ul>	<b>Panel frame finish.</b>		



PRODUCT CODE	PRICE	SIZE/INCHES L D	WEIGHT LBS	VOL FT <sup>3</sup>
BHC18	58	17 2.5	17	0.04
BHC24	58	23 2.5	23	0.05

BHBC	DESCRIPTION	FINISHES																				
<b>Corner End Bracket</b>	<ul style="list-style-type: none"> <li>Formed steel bracket for a corner worksurface or a straight worksurface.</li> <li>Attaches a corner of any worksurface to a panel through the panel vertical slots.</li> <li>Priced one left and one right per package.</li> <li>Includes Bracket Retainer Clip.</li> </ul>	<b>Panel frame finish.</b>																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHBC02</td> <td>19</td> <td>3.3</td> <td>1.5</td> <td>2.3</td> <td>2</td> <td>0.007</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHBC02	19	3.3	1.5	2.3	2	0.007				
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>												
		H	W	D																		
BHBC02	19	3.3	1.5	2.3	2	0.007																
BHBF	DESCRIPTION	FINISHES																				
<b>Flat Bracket</b>	<ul style="list-style-type: none"> <li>Flat Bracket made of cold rolled steel.</li> <li>May be used to ensure alignment of neighboring worksurfaces.</li> </ul>	<b>Black only.</b>																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHBF01</td> <td>14</td> <td>0.1</td> <td>3.0</td> <td>4.0</td> <td>0.5</td> <td>0.007</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHBF01	14	0.1	3.0	4.0	0.5	0.007				
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>												
		H	W	D																		
BHBF01	14	0.1	3.0	4.0	0.5	0.007																
BHBT	DESCRIPTION	FINISHES																				
<b>Transaction Bracket</b>	<ul style="list-style-type: none"> <li>For use on 42", 50", 58", 66", 74" and 82" high Boulevard panels.</li> <li>Transaction Bracket made of cold rolled steel.</li> <li>To provide a secure attachment of a transaction worksurface.</li> <li>Priced one left and one right per package.</li> <li>Includes Bracket Retainer Clip.</li> </ul>	<b>Panel frame finish.</b>																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHBT02</td> <td>19</td> <td>3.3</td> <td>1.5</td> <td>2.3</td> <td>2.0</td> <td>0.010</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHBT02	19	3.3	1.5	2.3	2.0	0.010				
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>												
		H	W	D																		
BHBT02	19	3.3	1.5	2.3	2.0	0.010																
BHBT	DESCRIPTION	FINISHES																				
<b>Transaction Bracket for 37" high Panels</b>	<ul style="list-style-type: none"> <li>Transaction Bracket made of cold rolled steel.</li> <li>To provide a secure attachment of a transaction worksurface for a 37" high panel only.</li> <li>Transaction Bracket engages with the top slots in the 37" high panel to supported for the transaction worksurface.</li> <li>Priced one left and one right per package.</li> <li>Includes Bracket Retainer Clip.</li> </ul>	<b>Panel frame finish.</b>																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHBT37</td> <td>23</td> <td>4</td> <td>1</td> <td>3</td> <td>0.5</td> <td>0.007</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHBT37	23	4	1	3	0.5	0.007				
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>												
		H	W	D																		
BHBT37	23	4	1	3	0.5	0.007																
BHBZ	DESCRIPTION	FINISHES																				
<b>"Z" Bracket</b>	<ul style="list-style-type: none"> <li>Attaches two different heights of worksurfaces.</li> <li>To be used in conjunction with a cantilever.</li> </ul>	<b>Panel frame finish.</b>																				
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHBZ03</td> <td>56</td> <td>4</td> <td>21</td> <td>4</td> <td>2.0</td> <td>0.19</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHBZ03	56	4	21	4	2.0	0.19				
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>												
		H	W	D																		
BHBZ03	56	4	21	4	2.0	0.19																



BHC	DESCRIPTION	FINISHES																																										
<b>Diet/Boulevard Worksurface Cantilever Support</b>	<ul style="list-style-type: none"> <li>An economical way to connect rear part of the side edge of a worksurface to the Boulevard Panel.</li> <li>Front part of the side edge of the worksurface must be supported by an off-module Diet Worksurface Bracket and locked into the adjacent Diet Panel.</li> </ul>	Panel frame finish.																																										
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>BHC12L</td> <td>30</td> <td>6</td> <td>2</td> <td>12</td> <td>2</td> <td>0.03</td> </tr> <tr> <td>BHC12R</td> <td>30</td> <td>6</td> <td>2</td> <td>12</td> <td>2</td> <td>0.03</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	BHC12L	30	6	2	12	2	0.03	BHC12R	30	6	2	12	2	0.03																			
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>																																		
		H	W	D																																								
BHC12L	30	6	2	12	2	0.03																																						
BHC12R	30	6	2	12	2	0.03																																						
<b>DHBRKT</b>	DESCRIPTION	FINISHES																																										
<b>Diet Worksurface Bracket</b>	<ul style="list-style-type: none"> <li>Extruded aluminum bracket that is bolted to the underside of the worksurface.</li> <li>Bracket supports worksurface at any location along the mid rail of panel.</li> <li>Includes mounting hardware.</li> <li>Brackets are included for all worksurfaces DWS, 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".</li> </ul>	Panel frame finish.																																										
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="2">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>DHBRKT</td> <td>4</td> <td>2.25</td> <td>3.25</td> <td>0.1</td> <td>0.05</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>	W	D	DHBRKT	4	2.25	3.25	0.1	0.05																													
PRODUCT CODE	PRICE			SIZE/INCHES				WEIGHT LBS	VOL FT <sup>3</sup>																																			
		W	D																																									
DHBRKT	4	2.25	3.25	0.1	0.05																																							
<b>DHTBRKT</b>	DESCRIPTION	FINISHES																																										
<b>Diet Transaction Bracket</b>	<ul style="list-style-type: none"> <li>Connects transaction tops to Diet Panels.</li> <li>Includes 1 set of two brackets and all hardware.</li> </ul>	Panel frame finish.																																										
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>DHTBRKT</td> <td>30</td> <td>2.5</td> <td>1.2</td> <td>2.5</td> <td>3</td> <td>0.01</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	DHTBRKT	30	2.5	1.2	2.5	3	0.01																										
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>																																		
		H	W	D																																								
DHTBRKT	30	2.5	1.2	2.5	3	0.01																																						
<b>DWSCSB</b>	DESCRIPTION	FINISHES																																										
<b>Diet Support Bar</b>	<ul style="list-style-type: none"> <li>Supports worksurface in 90 degree corner application and eliminates the need for a leg.</li> <li>Diagonally installed.</li> <li>If using a keyboard, spacers will be required.</li> </ul>	Panel frame finish.																																										
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td colspan="7">For corner application where 24" deep or smaller adjoining worksurface:</td> </tr> <tr> <td>DWSCSB46</td> <td>78</td> <td>1</td> <td>46</td> <td>1</td> <td>7</td> <td>0.116</td> </tr> <tr> <td colspan="7">For corner application where adjoining worksurface is larger than 24":</td> </tr> <tr> <td>DWSCSB80</td> <td>110</td> <td>1</td> <td>80</td> <td>1</td> <td>12</td> <td>0.189</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	For corner application where 24" deep or smaller adjoining worksurface:							DWSCSB46	78	1	46	1	7	0.116	For corner application where adjoining worksurface is larger than 24":							DWSCSB80	110	1	80	1	12	0.189					
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>																																		
		H	W	D																																								
For corner application where 24" deep or smaller adjoining worksurface:																																												
DWSCSB46	78	1	46	1	7	0.116																																						
For corner application where adjoining worksurface is larger than 24":																																												
DWSCSB80	110	1	80	1	12	0.189																																						
<b>DHOMC</b>	DESCRIPTION	FINISHES																																										
<b>Diet Off-Module Cantilever</b>	<ul style="list-style-type: none"> <li>To be used with Diet Panels that have a fabric bottom.</li> <li>Installs on horizontal rails of panels to provide worksurface support.</li> <li>Frees up space under the worksurface.</li> </ul>	Panel frame finish.																																										
	<table border="1"> <thead> <tr> <th rowspan="2">PRODUCT CODE</th> <th rowspan="2">PRICE</th> <th colspan="3">SIZE/INCHES</th> <th rowspan="2">WEIGHT LBS</th> <th rowspan="2">VOL FT<sup>3</sup></th> </tr> <tr> <th>H</th> <th>W</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>DHOMC</td> <td>78</td> <td>21</td> <td>3</td> <td>12</td> <td>4</td> <td>0.42</td> </tr> </tbody> </table>	PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT <sup>3</sup>	H	W	D	DHOMC	78	21	3	12	4	0.42																										
PRODUCT CODE	PRICE			SIZE/INCHES					WEIGHT LBS	VOL FT <sup>3</sup>																																		
		H	W	D																																								
DHOMC	78	21	3	12	4	0.42																																						

**storage**

## LATERAL FILE FEATURES • TECHNICAL INFORMATION

### Pedestals

- Quality steel construction.
- For Linear, Radius and C series, the pedestal drawer suspension is as follows:
  - Box drawers have 3/4 extension ball bearing slides.
  - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes lock with 2 keys.
- Can be keyed alike to other metal storage components.
- Cannot be field converted into mobile units.
- Drawer configuration can be converted in the field.
- Interior drawer depth for radius pedestals is as follows: 19.75" for 24" deep and 24.75" for 30" deep.
- Interiors of drawer bodies are finished Recycled Grey.
- Levelers provide 1" height adjustment.

### Overhead Storage

- Overhead storage comes in a variety of styles and materials.
- Styles include shelves, open overhead, closed overhead with flipper or hinged door.
- Materials include metal and wood.

### Filing

- A variety of heights in 30", 36" and 42" widths available.
- Slots for letter, legal and "A4" metric size material.
- "B" receding opening accommodates ring binders and fixed front opening will accommodate 14 7/8" x 11" EDP binders.
- Receding doors slide into the cabinet.
- Pull-out shelves have a rolled front edge.
- Fixed drawers are flat for easy material retrieval.
- Locks are standard with removable cores.
- All cabinets are of welded construction using 18 to 22 gauge cold rolled steel.
- Front corners are mig-welded and ground smooth where the case meets the top and bottom.
- Interiors are finished in black.
- Positive interlocking system is integrated into each drawer for safety.
- File bars are Recycled Grey and pre-installed in drawers.
- Three stage, full progressive, ball bearing suspension.
- Epoxy powder coated .2 mm thick for durability.
- Drawer fronts come with double wall construction and full pulls.
- Drawer mechanism includes an anti-bounce-back device.
- All four leveling glides can be accessed from the interior of the cabinet.
- Changes to fixed or receding fronts are special order.
- Master key available.
- Counterweight not included. In order to meet ANSI/BIFMA X5.2-1997, Counterweight must be specified separately.

- All filing can be purchased in custom colors at no charge with the exception of metallic colors. If a color sample has to be made, this could add to your delivery time, please check with your Customer Service Representative.

### Storage Cabinet

- Comes complete with adjustable non-slotted shelves.
- Quality steel construction.
- Include hinged doors, lock with two keys and leveling glides.
- Can be keyed alike to other metal storage components.

### Multi Storage Cabinets

- Provides hinged door storage over a 12" Series opening combination lateral file for multi-functional storage of material.
- Includes side to side file bars, leveling glides and lock with two keys.
- Counterweight not included. In order to meet ANSI/BIFMA X5.2-1997, Counterweight must be specified separately.
- Can be keyed alike to other metal storage components.
- Drawer interiors are finished in Recycled Grey.

### Towers

- Quality steel construction.
- The tower drawer suspension is as follows:
  - Box drawers have 3/4 extension ball bearing slides.
  - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes 2 locks with 2 keys each for side open towers and 3 locks with 2 keys each for standard towers.
- Can be keyed alike to other metal storage components.
- Materials include metal and wood.
- Master key available.
- Individual lock for drawers and doors.

### Vertical Filing


- Recessed full pulls.
- Includes lock and leveling glides.
- Full side walls for suspended folders.
- Follower back.
- Full progressive suspension.
- Double wall fronts.
- Interior paint matches exterior paint.

## STORAGE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

### Example of Pedestal BS1218BBFCCHR




### How to Specify

- Specify storage pedestal type and size by code, including depth.
- Specify metal color - ie. CHR (Charcoal).
- Specify handle color if pedestal is "Radius" or "Linear" series.


"C" Series  
Drawer



"L" Linear  
Drawer



### Example of Overhead BSOF1636CHR



### How to Specify

- Specify overhead storage type and size by code.
- Specify metal color - ie. CHR (Charcoal).
- Specify handle color if pedestal is "Radius" series.

# FILE DRAWER OPENING CAPACITY


## 30" WIDE UNITS

### MEDIA TYPE:

Letter  
All Openings  
Fixed Front Drawers and Roll-Out Shelves


### SIDE TO SIDE

Capacity - 26 9/16"  
Accessories required HFB30




### FRONT TO BACK

Capacity - 31 1/2"  
Accessories required HFB30 and one pair of FBB




Legal  
All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 26 9/16"  
Accessories required HFB30




Capacity - 26 5/16"  
Accessories required HFB30 and one pair of FBB



EDP  
"B" Opening  
Fixed Front Drawers Only

Capacity - 26 9/16"  
Accessories required HFB30  
and one pair of EDPS




## 36" WIDE UNITS

### MEDIA TYPE:

Letter  
All Openings  
Fixed Front Drawers and Roll-Out Shelves


### SIDE TO SIDE

Capacity - 32 9/16"  
Accessories required HFB36




### FRONT TO BACK

Capacity - 31 1/2"  
Accessories required HFB36 and one pair of FBB




Legal  
All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 32 9/16"  
Accessories required HFB36




Capacity - 31 1/2"  
Accessories required HFB36 and one pair of FBB



EDP  
"B" Opening  
Fixed Front Drawers Only

Capacity - 32 9/16"  
Accessories required HFB36  
and one pair EDPS




## 42" WIDE UNIT

### MEDIA TYPE:

Letter  
All Openings  
Fixed Front Drawers and Roll-Out Shelves

### SIDE TO SIDE

Capacity - 38 9/16"  
Accessories required HFB42




### FRONT TO BACK

Capacity - 47 1/4"  
Accessories required HFB42 and two pair of FBB




Legal  
All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 38 9/16"  
Accessories required HFB42




Capacity - 40 1/16"  
Accessories required HFB42 and one pair of FBB



EDP  
"B" Opening  
Fixed Front Drawers Only

Capacity - 38 9/16"  
Accessories required HFB42  
and one pair EDPS



## OPENING DIMENSIONS

Interior Clear Opening  
Height Dimensions

### SIDE TO SIDE

All Opening  
Fixed Front Drawer 13"  
Receding Door and Roll-Out Shelf 12 1/8"  
Receding Door and Fixed Shelf 12"  
Fixed Shelf and no Receding Door 12 3/4"

### FRONT TO BACK

All Opening  
Fixed Front Drawer 11 5/8"  
Receding Door and Roll-Out Shelf 10 3/4"  
Receding Door and Fixed Shelf 10 5/8"  
Fixed Shelf and no Receding Door 11 3/8"


Interior Clear Opening  
Width Dimensions and  
Filing Capacities

All Opening  
Drawer - Depth 15 3/4"  
Roll-Out Shelf - Depth 15 3/4"  
Fixed Shelf - Depth 15 3/4"  
30" Wide Cabinets  
Fixed Front Drawer 26 9/16"  
Receding Door and Roll-Out Shelf 26 9/16"  
Receding Door and Fixed Shelf 28 5/16"

42" Wide Cabinets  
Fixed Front Drawer 38 9/16"  
Receding Door and Roll-Out Shelf 38 9/16"  
Receding Door and Fixed Shelf 40 5/16"

36" Wide Cabinets  
Fixed Front Drawer 32 9/16"  
Receding Door and Roll-Out Shelf 32 9/16"  
Receding Door and Fixed Shelf 34 1/16"


### BSOL • KD Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOL1224	86	5	24	12.5	8	0.16
BSOL1230	92	5	30	12.5	10	0.20
BSOL1236	100	5	36	12.5	12	0.25
BSOL1242	102	5	42	12.5	13	0.29
BSOL1248	110	5	48	12.5	15	0.33
BSOL1254	116	5	54	12.5	17	0.37
BSOL1260	118	5	60	12.5	18	0.41

- 12" deep panel-mounted storage shelf with back lip that protects fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Sides are 5" high.
- Shipped KD.


### BSOC • KD Corner Shelf Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOC1236L	86	5	24	12.5	8	0.16
BSOC1242L	92	5	30	12.5	10	0.20
BSOC1248L	100	5	36	12.5	12	0.25
BSOC1254L	102	5	42	12.5	13	0.29
BSOC1260L	110	5	48	12.5	15	0.33
BSOC1266L	116	5	54	12.5	17	0.37
BSOC1272L	118	5	60	12.5	18	0.41
BSOC1236R	86	5	24	12.5	8	0.16
BSOC1242R	92	5	30	12.5	10	0.20
BSOC1248R	100	5	36	12.5	12	0.25
BSOC1254R	102	5	42	12.5	13	0.29
BSOC1260R	110	5	48	12.5	15	0.33
BSOC1266R	116	5	54	12.5	17	0.37
BSOC1272R	118	5	60	12.5	18	0.41

- The corner shelf kit must be used in conjunction with a Low Profile Shelf (BSOL). The Corner Shelf Kit reflects the panel width, the actual size is actual 12" smaller.
- Includes handed corner side end gable, flat bracket, black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.


### BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOH1224	151	14.6	24	13.5	14	0.18
BSOH1230	156	14.6	30	13.5	16	0.22
BSOH1236	166	14.6	36	13.5	17	0.26
BSOH1242	169	14.6	42	13.5	19	0.31
BSOH1248	174	14.6	48	13.5	21	0.35
BSOH1254	181	14.6	54	13.5	23	0.40
BSOH1260	184	14.6	60	13.5	24	0.44

- 12" deep panel mounted shelf with back lip to protect fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.


### BSOF • KD Overhead Flipper Door Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOF1224	322	14.6	24	13.5	27	0.79
BSOF1230	331	14.6	30	13.5	31	0.83
BSOF1236	371	14.6	36	13.5	36	0.99
BSOF1242	407	14.6	42	13.5	41	1.16
BSOF1248	444	14.6	48	13.5	46	1.32
BSOF1254	479	14.6	54	13.5	51	1.49
BSOF1260	516	14.6	60	13.5	56	1.66

- 12" Deep units accept BAPD03 binder plate dividers.
- Door retracts up and over the cabinet.
- Inside dimensions: 12" high x 11 3/4" deep.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Includes mounting brackets, black lock hole plug with Boulevard logo and attachment hardware.
- Lock not included, specify BALK12 if required.
- Shipped KD.
- Not Recommended for use with wall rails.


**BSFC • KD Overhead Flipper Door Conversion Kit**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSFC1224	247	14.5	24	12	4	0.42
BSFC1230	259	14.5	30	12	5	0.48
BSFC1236	294	14.5	36	12	7	0.57
BSFC1242	331	14.5	42	12	9	0.67
BSFC1248	371	14.5	48	12	10	0.77
BSFC1254	407	14.5	54	12	12	0.86
BSFC1260	444	14.5	60	12	13	0.96

- Converts a BSOH12xx unit into a flipper door storage unit on site.
- Includes gables, top, door and conversion hardware.
- Lock not included, order BALK12 if lock is required.
- Shipped KD.

**BSBC • KD Back Wall Conversion Kit**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSBC1224	75	14.5	24	12	4	0.42
BSBC1230	79	14.5	30	12	5	0.48
BSBC1236	82	14.5	36	12	7	0.57
BSBC1242	85	14.5	42	12	9	0.67
BSBC1248	87	14.5	48	12	10	0.77
BSBC1254	92	14.5	54	12	12	0.86
BSBC1260	97	14.5	60	12	13	0.96

- Encloses the back of the overhead BSOF12xx for security.


**BASD • Shelf Dividers for KD Storage**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BASD12	36	4.5	4.5	4.5	0.6	0.03

- Supports books on all types of storage shelves.
- Two dividers per package.

**BSOF-DIV • Shelf Dividers for KD Storage**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOF12DIV	106					

- Supports book on BSOL12xx and BSOF12xx.
- Installs over front edge of shelf and backlip


**BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BALK12	36				0.13	0.001

- Includes lock and two keys for BSOF12.
- Site installed.


**BSOLC • Upmount KD Open Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOLC1230	206	10	30	12	12	0.24
BSOLC1236	213	10	36	12	14	0.29
BSOLC1242	221	10	42	12	15	0.34
BSOLC1248	231	10	48	12	17	0.37
BSOLC1254	239	10	54	12	19	0.41
BSOLC1260	248	10	60	12	20	0.45

- 12" deep panel mounted shelf.
- Includes back shelf lip and rod that act as bookstops.
- Shipped KD.


### BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOH1624	235	17.55	24	15.765	18	0.21
BSOH1630	247	17.55	30	15.765	21	0.26
BSOH1636	265	17.55	36	15.765	22	0.32
BSOH1642	278	17.55	42	15.765	25	0.37
BSOH1648	294	17.55	48	15.765	27	0.43
BSOH1654	311	17.55	54	15.765	30	0.48
BSOH1660	342	17.55	60	15.765	31	0.53

- 16" deep panel mounted storage shelf with back lip to protect fabric.
- Shipped KD.
- Includes attachment hardware.


### BSOO • Open Overhead Storage



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOO1624	358	17.55	24	15.765	29	3.85
BSOO1630	375	17.55	30	15.765	35	4.86
BSOO1636	397	17.55	36	15.765	47	5.83
BSOO1642	426	17.55	42	15.765	54	6.81
BSOO1648	453	17.55	48	15.765	59	7.78
BSOO1654	481	17.55	54	15.765	64	8.75
BSOO1660	494	17.55	60	15.765	65	9.72

- 16" deep panel mounted storage open overhead built with metal sides and back.
- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution. Includes mounting brackets.
- Includes mounting brackets.
- Accepts BAPD03 Plate dividers.
- Flipper door and track assembly (BAFD) can be field retrofitted.
- Shipped assembled.


### BAFD • Flipper Door and Track Assembly Retrofit Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAFD24	211	15	24	1	9	0.21
BAFD30	224	15	30	1	10	0.26
BAFD36	236	15	36	1	12	0.31
BAFD42	245	15	42	1	13	0.36
BAFD48	256	15	48	1	14	0.42
BAFD54	268	15	54	1	15	0.47
BAFD60	287	15	60	1	17	0.52

- Converts an open overhead storage unit into a flipper door storage unit on site.
- Includes conversion hardware and lock.


### BSOF • Overhead Flipper Door Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOF1624	572	17.5	24	16	29	3.95
BSOF1630	589	17.5	30	16	49	4.86
BSOF1636	619	17.5	36	16	56	5.83
BSOF1642	659	17.5	42	16	64	6.81
BSOF1648	701	17.5	48	16	75	7.78
BSOF1654	740	17.5	54	16	86	8.75
BSOF1660	772	17.5	60	16	98	9.72

- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution.
- Includes mounting brackets and lock with two keys.
- Accepts BAPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 12.75" high by 14.9" deep.


### BHOC • Upmount Cantilever



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BHOC	92	10	1	8	3	0.09

- Cantilevers mount a BSOF16xx


**BHOBP • Up Mount Back Panel**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BHOBP30	155	17.55	30	1	3	0.320
BHOBP36	161	17.55	36	1	4	0.375
BHOBP42	179	17.55	42	1	5	0.438
BHOBP48	244	17.55	48	1	6	0.500
BHOBP54	259	17.55	54	1	7	0.563
BHOBP60	279	17.55	60	1	8	0.018

- Optional back panel aesthetically covers the back of the overhead when you mount a BSOF16xx and BS0016xx overhead on top of lower panel.


**BSOF-D • 16" Welded Overhead with Hinged Doors and Radius Handles**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOF1624D	780	17.55	24	15.75	29	3.95
BSOF1630D	879	17.55	30	15.75	49	4.86
BSOF1636D	944	17.55	36	15.75	56	5.83
BSOF1642D	995	17.55	42	15.75	64	6.81
BSOF1648D	1055	17.55	48	15.75	75	7.78
BSOF1654D	1116	17.55	54	15.75	86	8.75
BSOF1660D	1152	17.55	60	15.75	98	9.72

- Includes attachment hardware, lock for each set of doors and mounting brackets.
- 16" deep unit accommodates letter, legal and tab binder, EDP and A4 metric filing.
- All cabinets 36" and longer are reinforced for paper weight distribution.
- Accept BAPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 14.75" high by 14.98" deep.
- Cannot be up-mounted.


**BSOL • Radius Low Profile Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOL1530	149	6	30	14	15	1.8
BSOL1536	155	6	36	14	17	1.8
BSOL1542	161	6	42	14	19	1.8
BSOL1548	169	6	48	14	21	1.8
BSOL1554	179	6	54	14	23	3.1
BSOL1560	184	6	60	14	25	3.1

- 15" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 6" high and shelf depth is 13.5 deep.


**BSOH • Radius High Profile Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOH1530	169	16.5	30	14.75	25	2.2
BSOH1536	179	16.5	36	14.75	27	2.2
BSOH1542	184	16.5	42	14.75	29	2.2
BSOH1548	190	16.5	48	14.75	31	2.2
BSOH1554	199	16.5	54	14.75	43	2.2
BSOH1560	207	16.5	60	14.75	45	2.2

- 15" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 16.5" high and shelf depth is 13.5" deep.


### BSKD • Radius Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSKD1530	479	16.5	30	14.75	39	2.2
BSKD1536	516	16.5	36	14.75	44	2.2
BSKD1542	555	16.5	42	14.75	49	2.2
BSKD1548	585	16.5	48	14.75	55	2.2
BSKD1554	627	16.5	54	14.75	60	2.2
BSKD1560	664	16.5	60	14.75	66	2.2

- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.


### BSKD-GD • Glazing Door Option for Above



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSKD1530GD	1308	15.5	30	0.75	4	0.28
BSKD1536GD	1449	15.5	36	0.75	5	0.33
BSKD1542GD	1580	15.5	42	0.75	6	0.44
BSKD1548GD	1712	15.5	48	0.75	7	0.50
BSKD1554GD	1843	15.5	54	0.75	8	0.56
BSKD1560GD	1965	15.5	60	0.75	9	0.63

- Frosted acrylic glazing available.
- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.


### BSFC • Radius Flipper Door Conversion Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSFC1530	444	14.5	30		5	0.48
BSFC1536	479	14.5	36		7	0.57
BSFC1542	516	14.5	42		9	0.67
BSFC1548	555	14.5	48		10	0.77
BSFC1554	590	14.5	54		12	0.86
BSFC1560	627	14.5	60		13	0.96

- To convert BSOH15xx unit into a flipper door storage unit on site.
- Includes conversion hardware.
- Shipped KD.


### BSKDC • Radius Up Mount Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSKDC1530	1071	16.5	30	14.75	43	19
BSKDC1536	1156	16.5	36	14.75	49	22
BSKDC1542	1238	16.5	42	14.75	54	24
BSKDC1548	1319	16.5	48	14.75	60	27
BSKDC1554	1403	16.5	54	14.75	66	30
BSKDC1560	1489	16.5	60	14.75	72	32

- Up mounted radius overhead retracting flipper door unit on top of lower panel adds privacy without the expense of an over panel.
- 15" deep units accepts BAPD03 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions: 12" high x 14 3/4" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails, must be used attached to panels by the cantilevers provided.
- Features a completely finished back.
- Shipped KD

**BSADA-PM • Panel Mounted Overhead Storage Unit - ADA Compliant**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSADA30PM	696	16	30	14.2	27	5.3
BSADA36PM	747	16	36	14.2	32	6.3
BSADA42PM	801	16	42	14.2	37	7.3
BSADA48PM	855	16	48	14.2	42	8.3
BSADA54PM	908	16	54	14.2	47	9.3
BSADA60PM	960	16	60	14.2	53	10.3

- Unit can be converted to Up-Mount Overhead Storage Unit in the field by adding BSADAxKxKxKIT.
- Shipped partially assembled.

- Panel mounted metal overhead storage with opaque acrylic door. The mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall rails.

**BSADA-UM • Up-Mount Overhead Storage Unit - ADA Compliant**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSADA30UM	825	16	30	14.2	33	5.3
BSADA36UM	994	16	36	14.2	40	6.3
BSADA42UM	1047	16	42	14.2	46	7.3
BSADA48UM	1103	16	48	14.2	53	8.3
BSADA54UM	1159	16	54	14.2	59	9.3
BSADA60UM	1225	16	60	14.2	66	10.3

- Unit can be converted to a Panel Mounted Overhead Storage Unit in the field by adding BSADAPMxKxKxKIT.
- Shipped partially assembled.

- Up mounted storage can reduce furniture costs by reducing the height of all panels to 50". Complete 50" panel installations simplify cable routing at one level, within the top lay-in channel. Up-mounted cantilevers maintain accessibility and functionality of the panels' top lay-in channel.
- Meets CSA B651 Barrier Free Design & ADA
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a finished back.


**BSADA-KIT • Up-Mount Conversion Kit**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSADA30KIT	166	16	30	2	8	0.6
BSADA36KIT	175	16	36	2	10	0.7
BSADA42KIT	184	16	42	2	11	0.8
BSADA48KIT	196	16	48	2	13	0.9
BSADA54KIT	204	16	54	2	14	1.0
BSADA60KIT	213	16	60	2	15	1.1

- Converts an existing Panel Mounted Overhead Storage Unit BSADA-PM to an Up-Mounted Overhead Storage unit BSADA-UM.
- When used on a 50" high panel, the top of the overhead will match the height of 66" high panels.
- Kit includes a back panel for the Overhead and Up-Mount Cantilevers.


**BSADAxKxKxOMKIT • Off-Module Conversion Kit**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSADA30OMKIT	153	16	30	2	8	0.6
BSADA36OMKIT	161	16	36	2	10	0.7
BSADA42OMKIT	170	16	42	2	11	0.8
BSADA48OMKIT	179	16	48	2	13	0.9
BSADA54OMKIT	188	16	54	2	14	1.0
BSADA60OMKIT	197	16	60	2	15	1.1

- Converts an existing Panel Mounted Storage Unit BSADA-PM to Off-Module Overhead Storage unit BSADA-OMKIT.
- Kit includes a back panel with integrated hanging bracket and an extruded bottom bracket.
- IMPORTANT: BSADA Overhead with Off-Module Conversion kit can only be installed on B3 fabric tile. Tiles below the overhead can be fabric, laminate and accessory tile. However, the tile the overhead is hanging on must be fabric.
- BSADA Overhead with Off-Module Conversion Kit can be suspended off of a single fabric tile, or can span two fabric tiles on two adjacent, directly interconnected panels.
- BSADA Overhead with Off-Module Conversion Kit CAN-NOT be suspended off of two panels separated by a post.

**BSADA-KIT • Panel Mount Conversion Kit**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSADAPMKIT	66	16	0.5	2	2	0.009

- Converts an existing Up-Mount Overhead Storage Unit BSADA-UM to a Panel Mounted Overhead Storage Unit BSADA-PM.
- Kit includes panel mounting brackets.


**BSOFD • Overhead Divider**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOFD01	45	10	0.875	0.5	0.10	

- Attaches to the inside top of the overhead top shelf.
- Provides a rigid division for books and binders.
- Sold 2 per package.


### BSOH-W • Wood Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOH1224W	383	5	24	12	8	0.16
BSOH1230W	423	5	30	12	10	0.20
BSOH1236W	446	5	36	12	12	0.25
BSOH1242W	486	5	42	12	13	0.29
BSOH1248W	515	5	48	12	15	0.33
BSOH1254W	532	5	54	12	17	0.37
BSOH1260W	548	5	60	12	18	0.41

- 12" deep panel mounted storage shelf with back lip to protect panel fabric.
- All wood construction, metal sides.
- Includes attachment hardware.
- Shipped KD.


### BSOL-W • Wood High Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BS0H1224W	471	14.5	24	12	14	0.18
BS0H1230W	512	14.5	30	12	16	0.22
BS0H1236W	533	14.5	36	12	17	0.26
BS0H1242W	573	14.5	42	12	19	0.31
BS0H1248W	600	14.5	48	12	21	0.35
BS0H1254W	618	14.5	54	12	23	0.40
BS0H1260W	633	14.5	60	12	24	0.44

- 12" deep panel mounted storage shelf with back lip to protect panel fabric.
- All wood construction, metal sides.
- Includes attachment hardware.
- Shipped KD.


### BSOO • Wood Open Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BS0030W	1095	16.5	30	15	36	5.0
BS0036W	1116	16.5	36	15	40	6.5
BS0042W	1132	16.5	42	15	43	7.5
BS0048W	1224	16.5	48	15	46	8.5

- Panel mounted open overhead storage unit.
- 16" deep panel mounted unit accommodates letter, legal end tab binder, EDP, and A4 metric filing
- All wood construction.
- Includes mounting brackets.
- Shipped assembled.


### BSOF-W • Wood Flipper Door Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOF30W	1466	16.5	30	15	45	5
BSOF36W	1484	16.5	36	15	50	6.5
BSOF42W	1512	16.5	42	15	55	7.5
BSOF48W	1631	16.5	48	15	60	8.5

- Wood Overhead Storage Unit comes completely enclosed with a flipper door.
- 16" deep panel mounted unit accommodates letter, legal end tab binder, EDP, and A4 metric filing
- All wood construction.
- Includes mounting brackets.
- Shipped assembled.
- Lock not included, order LO if lock required.


### BSOHD-W • Wood Hinged Door Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BSOHD30W	1334	16.5	30	15	45	5
BSOHD36W	1358	16.5	36	15	50	6.5
BSOHD42W	1384	16.5	42	15	55	7.5
BSOHD48W	1507	16.5	48	15	60	8.5

- Wood Overhead Storage Unit comes completely enclosed with a hinged door.
- 16" deep panel mounted unit accommodates letter, legal end tab binder, EDP, and A4 metric filing
- All wood construction.
- Includes mounting brackets.
- Shipped assembled.
- Lock not included, order LO if lock required.


### LO • Lock for Wood Storage



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
LO	111				0.13	

- Includes two keys.
- If ordering for units larger than 48", order 2 LO.
- Locks for wood storage units are not compatible with locks for metal units.


**BP • Radius Front Worksurface Supporting Pedestal  
Double wall drawer construction**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPBBF18	516	27.75	16.35	18.125	70	4.29
BPBBF24	516	27.75	16.35	23.750	84	5.62
BPBBF30	590	27.75	16.35	29.750	94	7.03
BPFF18	516	27.75	16.35	18.125	70	4.29
BPFF24	516	27.75	16.35	23.750	84	5.62
BPFF30	590	27.75	16.35	29.750	94	7.03

- Eliminates the need for end panel or support hardware, reducing costs.
- Lock is positioned on the front face, center.
- Includes oversized pencil tray, panel mounting bracket, bracket retainer clip and leveling glides.
- “Soft-to-the-touch” Handles may be different color than chassis. Please specify handle color, otherwise handle will revert to chassis color as standard.
- Tops can be ordered separately. Contact CSR.


**BPM • Radius Front Mobile Pedestal Double wall drawer construction**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPMBBF18	626	27.875	15.35	18.125	70	4.29
BPMBBF24	664	27.875	15.35	23.750	84	5.62
BPMBBF30	739	27.875	15.35	29.750	94	7.03
BPMFF18	626	27.875	15.35	18.125	70	4.29
BPMFF24	664	27.875	15.35	23.750	84	5.62
BPMFF30	739	27.875	15.35	29.750	94	7.03

- Includes 4 casters, oversized pencil tray and 1 counterweight balance.
- Lock is positioned on the front face, center.
- Includes panel mounting bracket, bracket retainer clip and leveling glides.
- “Soft-to-the-touch” Handles may be different color than chassis. Please specify handle color, otherwise handle will revert to chassis color as standard.
- Pedestal will fit under 29” high worksurface.


**BPSD • Radius Hinged Door Pedestal**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPSD24L	723	27.625	15.35	23.75	60	5.62
BPSD24R	723	27.625	15.35	23.75	60	5.62

- Worksurface supporting locker style pedestal with radius front can be used to store personal items or office supplies.
- Eliminates the need for end panels or support hardware, reducing costs.
- Lock is positioned on the front face, center.
- Includes 1 adjustable shelf, panel mounting bracket, bracket retainer.
- “Soft-to-the-touch” Handles may be different color than chassis. Please specify handle color, otherwise handle will revert to chassis color as standard.
- Tops can be ordered separately. Contact CSR.

**BS12BF • One and 1/2 Height BP Pedestal**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL		
		“C”	“L”	H W D	LBS	FT <sup>3</sup>	
BS1218BF	425	457	21	15	19	50	4.65
BS1223BF	431	463	21	15	23	54	5.52
BS1229BF	487	521	21	15	29	60	6.80

- Freestanding Pedestal with long pull offers finished top and back.
- Non worksurface supporting.
- Steel top features folded corner construction.
- Lock positioned on the front face, right side.
- Drawer configuration cannot be changed on site.

Note: “C” Indicates “C” Series featuring a full width pull. “L” indicates “Linear” Series featuring a “Soft-to-the-touch” handles.

**BS12BBF • 12” Series BBF Pedestal Worksurface Supporting**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL		
		“C”	“L”	H W D	LBS	FT <sup>3</sup>	
BS1218BBF	473	522	27.65	15	18	70	4.29
BS1223BBF	480	528	27.65	15	23	84	5.62
BS1224BBF	480	528	27.65	15	24	84	5.62
BS1229BBF	529	578	27.65	15	29	94	7.03
BS1230BBF	529	578	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.

Note: “C” Indicates “C” Series featuring a full width pull. “L” indicates “Linear” Series featuring a “Soft-to-the-touch” handles.

### BS12FF • 12" Series FF Pedestal Worksurface Supporting




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218FF	473	506	27.65	15	18	70	4.29
BS1223FF	480	512	27.65	15	23	84	5.62
BS1224FF	480	512	27.65	15	24	84	5.62
BS1229FF	529	561	27.65	15	29	94	7.03
BS1230FF	529	561	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, center.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS1230DP • 12" Combination Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1230DPL	1196	1261	27.875	30	18	108	11
BS1230DPR	1196	1261	27.875	30	18	108	11

- Fits under standard 29" worksurface and can be supporting.
- Includes leveling glides.
- Lock is positioned on the front face, center.
- Interiors are finished in black.
- No handle or casters.

- Business Lateral File Taxi with two box drawers on right with one pencil tray and one divider plate. Efficient, stationary storage and additional work space.
- 12" legal file drawer on left with full suspension and hanging bars.
- Receding door with fixed shelf and three divider plates. Receding door accommodates upright letter size binder storage.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS12BFM • 12" BF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218BFM	562	594	25	15	18	80	5.71
BS1223BFM	568	600	25	15	23	83	6.25
BS1229BFM	653	685	25	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the-touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high work-surface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS12BBFM • 12" BBF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218BBFM	592	641	27.875	15	18	70	4.29
BS1223BBFM	602	650	27.875	15	23	84	5.62
BS1229BBFM	610	657	27.875	15	29	94	7.03

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the-touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high work-surface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS12FFM • 12" FF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218FFM	592	624	27.875	15	18	80	5.71
BS1223FFM	602	634	27.875	15	23	83	6.25
BS1229FFM	610	642	27.875	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the-touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high work-surface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


**DHPEDB • Pedestal Bracket Kit for Diet Panels**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL		
		H	W	D	LBS	FT <sup>3</sup>	
DHPEDB	24	8	1	1	0.5	0.001	

- Attaches to a metal Worksurface Supporting Pedestal at the back and connects the pedestal to the Diet Panel vertical.

**BS12X1HF • One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File**




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL		
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>	
BS1230X1HF	943	975	21.75	30	18	137	11	
BS1236X1HF	980	1012	21.75	36	18	164	13	
BS1242X1HF	1014	1046	21.75	42	18	189	15	

- One and half height storage module with long pull handles.
- Top opening is a 1/2 height box drawer.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

**BS12X1S1F • One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File**




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL		
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>	
BS1230X1S1F	913	928	21.75	30	18	127	11	
BS1236X1S1F	929	946	21.75	36	18	150	13	
BS1242X1S1F	952	969	21.75	42	18	174	15	

- One and half height storage module with long pull handles.
- Top opening is a half height open shelf.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


**BS12X1SND • One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL		
		H	W	D	LBS	FT <sup>3</sup>	
BS1230X1SND	736	21.75	30	18	107	11	
BS1236X1SND	801	21.75	36	18	130	13	
BS1242X1SND	858	21.75	42	18	154	15	

- One and half height storage module with long pull handles.
- Top opening is a half height open shelf.
- Bottom opening is an open shelf.

**BS12X1S • One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors**




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL		
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>	
BS1230X1S	840	874	21.75	30	18	117	6.80	
BS1236X1S	862	894	21.75	36	18	140	8.15	
BS1242X1S	940	972	21.75	42	18	164	9.50	

- One and half height storage module with long pull handles.
- Storage cabinet with doors.


Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

**BSTC • Pedestal/Lateral Seat Cushion**




PRODUCT CODE	YRDS	SIZE / INCHES			WEIGHT VOL		
		H	W	D	LBS	FT <sup>3</sup>	
BSTCP1518	.75	2	15	18	2	0.41	
BSTCP1519	.75	2	15	19	2	0.42	
BSTCP1523	.75	2	15	23	2.5	0.5	
BSTCP1524	.75	2	15	24	2.5	0.52	
BSTCP1529	1	2	15	29	3	0.63	
BSTCP1530	1	2	15	30	3	0.75	
BSTCL1830	1	2	18	30	4	0.33	
BSTCL1836	1.25	2	18	36	5	0.4	

**BSTC • Pedestal/Lateral Seat Cushion, cont'd.**



PRODUCT CODE	GR1	GR2/COM	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10/LTHR
BSTCP1518	174	195	220	258	295	332	365	403	441	493
BSTCP1519	166	186	212	249	287	324	357	394	433	484
BSTCP1523	213	234	260	297	334	372	405	442	480	532
BSTCP1524	225	245	271	308	346	383	416	453	492	543
BSTCP1529	265	292	326	377	425	475	519	569	621	689
BSTCP1530	290	316	350	402	449	499	542	594	645	713
BSTCP1830	290	316	350	402	449	499	542	594	645	713
BSTCP1836	298	331	375	438	499	561	615	679	742	828

**BS12T502B1F • 12" BBF Storage Tower 50" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES		WEIGHT VOL	
	"C"	"L"	H	W	D LBS	FT <sup>3</sup>
BS12T502B1FL	2098	2178	50	24	24	158 20
BS12T502B1FR	2098	2178	50	24	24	158 20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.

**BS12T502F • 12" FF Storage Tower 50" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES		WEIGHT VOL	
	"C"	"L"	H	W	D LBS	FT <sup>3</sup>
BS12T502FL	2098	2162	50	24	24	158 20
BS12T502FR	2098	2162	50	24	24	158 20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.

**BS12T542B1F • 12" BBF Storage Tower 54" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES		WEIGHT VOL	
	"C"	"L"	H	W	D LBS	FT <sup>3</sup>
BS12T542B1FL	2112	2193	54	24	24	163 22
BS12T542B1FR	2112	2193	54	24	24	163 22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.

**BS12T542F • 12" FF Storage Tower 54" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES		WEIGHT VOL	
	"C"	"L"	H	W	D LBS	FT <sup>3</sup>
BS12T542FL	2112	2177	54	24	24	163 22
BS12T542FR	2112	2177	54	24	24	163 22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.

**BS12T662B1F • 12" BBF Storage Tower 65 7/8" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12T662B1FL	2207	2289	65.875	24	24	177	26
BS12T662B1FR	2207	2289	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36" high door.
- Includes an organizer tray in the top drawer and 1 CD rack in the second drawer.

**BS12T662F • 12" FF Storage Tower 65 7/8" High**




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12T662FL	2207	2180	65.875	24	24	177	26
BS12T662FR	2207	2180	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer or box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36" high door.
- Includes a magnetic mirror and shoe/boot tray.

**BS12TSO502F • 12" Side Opening FF Storage Tower 50" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO502FL	2319	2271	50	24	24	158	20
BS12TSO502FR	2319	2271	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BS12TSO502B1F • 12" Series Side Opening BBF Storage Tower 50" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / IN			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO502B1FL	2319	2367	50	24	24	158	20
BS12TSO502B1FR	2319	2367	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BS12TSO542F • 12" Side Opening FF Storage Tower 54" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / IN			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO542FL	2333	2384	54	24	24	163	22
BS12TSO542FR	2333	2384	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BS12TSO542B1F • 12" Side Opening BBF Storage Tower 54" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / IN			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO542B1FL	2333	2382	54	24	24	163	22
BS12TSO542B1FR	2333	2382	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BS12T662B1F • 12" Side Opening BBF Storage Tower 65 7/8" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / IN			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO662B1FL	2370	2397	65.875	24	24	177	26
BS12TSO662B1FR	2370	2397	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BS12T662F • 12" Side Opening FF Storage Tower 65 7/8" High**




Right Shown

PRODUCT CODE	PRICE		SIZE / IN			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS12TSO662FL	2370	2435	65.875	24	24	177	26
BS12TSO662FR	2370	2435	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

**BRT5 • Five High Radius Storage Tower FF**




Left Shown

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BRT52FL	2806	65	24	24	177	26
BRT52FR	2806	65	24	24	177	26

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.

- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer has 2 adjustable shelves and 1 fixed shelf and a 36" high door.
- Storage towers with 2 or 3 file drawers include a magnetic mirror and shoe/boot tray.

**BRT5 • Five High Radius Storage Tower BBF**




Right Shown

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BRT52BFL	2806	65	24	24	177	26
BRT52BFR	2806	65	24	24	177	26

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.

- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36" high door.
- Storage towers with box drawers include an organizer tray in the top drawer and 1 CD rack in the second drawer.

**BRT5 • Five High Radius Storage Tower FFF**




Left Shown

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BRT53FL	2841	65	24	24	177	26
BRT53FR	2841	65	24	24	177	26

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.

- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file, file drawers has 2 adjustable shelves and 1 fixed shelf and a 24" high door.
- Storage towers with 3 file drawers include a magnetic mirror and shoe/boot tray.
- Storage towers with box drawers include an organizer tray in the top drawer and 1 CD rack in the second drawer.

**BRT5 • Five High Radius Storage Tower FFF**




Right Shown

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BRT52B2FL	2841	65	24	24	177	26
BRT52B2FR	2841	65	24	24	177	26


- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.

- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer or box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36" high door.
- Storage towers with 3 file drawer or box, box, file, file drawers has 2 adjustable shelves and 1 fixed shelf and a 24" high door.
- Storage towers with 2 or 3 file drawers include a magnetic mirror and shoe/boot tray.
- Storage towers with box drawers include an organizer tray in the top drawer and 1 CD rack in the second drawer.


**BS12F • 12" Opening Lateral File Fixed Front Drawers**




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
<b>2 High</b>							
BS123022FWS	943	975	27.75	30	18	103	8.60
BS123622FWS	986	1018	27.75	36	18	110	10.41
BS124222FWS	1041	1073	27.75	42	18	117	12.14
<b>3 High</b>							
BS123033F	1237	1285	40.5	30	18	136	12.66
BS123633F	1300	1349	40.5	36	18	150	15.19
BS124233F	1376	1424	40.5	42	18	164	17.72
<b>4 High</b>							
BS123041R3F	1570	1634	54	30	18	169	16.88
BS123641R3F	1655	1719	54	36	18	190	20.25
BS124241R3F	1751	1815	54	42	18	211	23.63
<b>5 High</b>							
BS123052R3F	1942	2022	65.88	30	18	202	20.59
BS123652R3F	2022	2103	65.88	36	18	230	27.02
BS124252R3F	2134	2214	65.88	42	18	258	28.82

- 12" Opening Lateral File.
- Two High: - All openings are Fixed Front Drawer.
- Three High: - All openings are Fixed Front Drawer.
- Four High: - All openings are Fixed Front Drawer.
- Five High: - Top 2 openings are receding door and roll out shelf. Remaining 3 drawers are fixed front.
- Side-to-Side Bars and Lock included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS12R1F • 12" Receding Door and Roll-Out Shelves




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
<b>2 High</b>							
BS123021R1FWS	930	963	27.75	30	18	103	8.60
BS123621R1FWS	973	1005	27.75	36	18	110	10.41
BS124221R1FWS	1027	1059	27.75	42	18	117	12.14
<b>3 High</b>							
BS123032R1F	1290	1338	40.5	30	18	136	12.66
BS123632R1F	1354	1402	40.5	36	18	150	15.19
BS124232R1F	1428	1476	40.5	42	18	164	17.72
<b>4 High</b>							
BS123043R1F	1651	1715	54	30	18	169	16.88
BS123643R1F	1737	1801	54	36	18	190	20.25
BS124243R1F	1831	1895	54	42	18	211	23.63
<b>5 High</b>							
BS123054R1F	2010	2090	65.88	30	18	202	20.59
BS123654R1F	2117	2197	65.88	36	18	230	27.02
BS124254R1F	2231	2312	65.88	42	18	258	28.82

- 12" Opening Lateral File.
- Two High: - Top opening is Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Three High: - Top 2 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Four High: - Top 3 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Five High: - Top 4 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Side-to-Side Bars and Lock included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

### BS12SWS • 12" Receding Door and Fixed Shelves




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
<b>2 High</b>							
BS123022SWS	943	975	27.75	30	18	103	8.60
BS123622SWS	986	1018	27.75	36	18	110	10.41
BS124222SWS	1041	1073	27.75	42	18	117	12.14
<b>3 High</b>							
BS123033S	1237	1285	40.5	30	18	136	12.66
BS123633S	1300	1349	40.5	36	18	150	15.19
BS124233S	1376	1424	40.5	42	18	164	17.72
<b>4 High</b>							
BS123044S	1570	1634	54	30	18	169	16.88
BS123644S	1656	1719	54	36	18	190	20.25
BS124244S	1750	1815	54	42	18	211	23.63
<b>5 High</b>							
BS123055S	1942	2022	65.88	30	18	202	20.59
BS123655S	2022	2103	65.88	36	18	230	27.02
BS124255S	2133	2214	65.88	42	18	258	28.82

- "C" Series 12" Opening Lateral File.
- Two High: - All openings are Receding Doors and Fixed Shelves.
- Three High: - All openings are Receding Doors and Fixed Shelves.
- Four High: - All openings are Receding Doors and Fixed Shelves.
- Five High: - All openings are Receding Doors and Fixed Shelves.
- 3 Plate Dividers and Lock are included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


### BS12B3F • 12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves



PRODUCT CODE	PRICE		SIZE / IN			WEIGHT VOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
<b>4 High</b>							
BS123041B3F	1699	1764	54	30	18	103	16.88
BS123641B3F	1765	1829	54	36	18	110	20.25
BS124241B3F	1832	1896	54	42	18	117	23.63
<b>5 High</b>							
BS123051B1R3F	2046	2126	67	30	18	136	20.59
BS123651B1R3F	2155	2236	67	36	18	150	27.02
BS124251B1R3F	2276	2357	67	42	18	164	28.82

- 12" Opening Lateral File.
- Four High: - Top opening is "B: size with Receding Door, Fixed Shelf and 3 Plate Dividers.
- Five High: - Top opening is "B: size with Receding Door, Fixed Shelf and 3 Plate Dividers.
- Lock is included.


• CF-RB C Series “B” Opening Receding Door and Fixed Shelves



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
<b>2 High</b>						
CF2030RB	1093	29.25	30	18	111	8.48
CF2036RB	1143	29.25	36	18	110	10.17
CF2042RB	1211	29.25	42	18	127	11.87
<b>3 High</b>						
CF3030RB	1355	42.625	30	18	150	12.66
CF3036RB	1418	42.625	36	18	167	15.19
CF3042RB	1497	42.625	42	18	187	17.72
<b>4 High</b>						
CF4030RB	1617	56.125	30	18	191	16.88
CF4036RB	1692	56.125	36	18	214	20.25
CF4042RB	1782	56.125	42	18	238	23.63
<b>5 High</b>						
CF5030RB	1986	69.5	30	18	235	20.39
CF5036RB	2082	69.5	36	18	266	24.47
CF5042RB	2200	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with Full Pull handles.
- Two high: 2 receding doors and fixed shelves.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.
- Two high unit will not fit under standard height worksurfaces.


• BF-RB Linear “B” Opening Receding Door and Fixed Shelves



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
<b>2 High</b>						
BF2030RB	1093	29.25	30	18	111	8.48
BF2036RB	1143	29.25	36	18	110	10.17
BF2042RB	1211	29.25	42	18	127	11.87
<b>3 High</b>						
BF3030RB	1355	42.625	30	18	150	12.66
BF3036RB	1418	42.625	36	18	167	15.19
BF3042RB	1497	42.625	42	18	187	17.72
<b>4 High</b>						
BF4030RB	1617	56.125	30	18	191	16.88
BF4036RB	1692	56.125	36	18	214	20.25
BF4042RB	1782	56.125	42	18	238	23.63
<b>5 High</b>						
BF5030RB	1986	69.5	30	18	235	20.39
BF5036RB	2082	69.5	36	18	266	24.47
BF5042RB	2200	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with handles.
- Two high: 2 receding doors and fixed shelves.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.
- Two high unit will not fit under standard height worksurfaces.

### BS12S2F • 12" Opening Multi Storage Unit




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
4 High (50" High)							
BS1230M502S2F	1983	2047	50	30	18	185	18.66
BS1236M502S2F	2120	2184	50	36	18	209	18.75
BS1242M502S2F	2286	2350	50	42	18	233	21.88
4 High (54" High)							
BS1230M542S2F	2081	2146	54	30	18	191	16.88
BS1236M542S2F	2226	2290	54	36	18	215	20.25
BS1242M542S2F	2399	2464	54	42	18	238	23.63
5 High (2 Lateral)							
BS1230M662S2F	2283	2347	65.88	30	18	235	19.45
BS1236M662S2F	2409	2474	65.88	36	18	266	23.34
BS1242M662S2F	2533	2597	65.88	42	18	297	27.23
5 High (3 Lateral)							
BS1230M662S3F	2294	2374	65.88	30	18	235	19.45
BS1236M662S3F	2458	2539	65.88	36	18	266	23.34
BS1242M662S3F	2581	2662	65.88	42	18	297	27.23

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2 lateral file drawers and closed cupboard with door height of 24.531".
- Includes 1 fully adjustable shelf.
- Lateral file drawers are same depth for 18" and 24" deep cabinets.

### BS12S • 12" Storage Cabinet with Hinged Door 2 High




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
2 High (WS Supporting)							
BS12302SWS	773	805	27.75	30	18	74	8.47
BS12362SWS	862	894	27.75	36	18	82	10.17
BS12422SWS	940	972	27.75	42	18	91	11.87
3 High							
BS12303S	986	1018	40.5	30	18	100	12.66
BS12363S	1083	1115	40.5	36	18	113	15.19
BS12423S	1199	1231	40.5	42	18	126	17.72
4 High							
BS12304S	1231	1263	54	30	18	130	16.88
BS12364S	1290	1322	54	36	18	147	20.25
BS12424S	1427	1459	54	42	18	163	23.63
5 High							
BS12305S	1378	1410	65.88	30	18	155	20.59
BS12365S	1460	1492	65.88	36	18	177	27.02
BS12425S	1619	1651	65.88	42	18	195	28.82
5 High Wardrobe							
BS12305W	1332	1364	65.88	30	18	136	20.59
BS12365W	1487	1520	65.88	36	18	168	27.02
BS12425W	1634	1666	65.88	42	18	183	28.82

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2S - 27 3/4" high with 1 shelf.
- 3S - 40 1/2" high with 2 shelves.
- 4S - 54" high with 3 shelves.
- 5S - 65 7/8" high with 4 shelves.
- 5W - 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.

**BS12ND • Open Storage Cabinet 2 High (WS Supporting)**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
<b>2 High (WS Supporting)</b>						
BS1230SF2SNDWS	736	27.75	30	18	61	8.47
BS1236SF2SNDWS	801	27.75	36	18	74	10.17
BS1242SF2SNDWS	855	27.75	42	18	76	11.87
<b>3 High</b>						
BS1230SF3SND	847	40.5	30	18	39	12.66
BS1236SF3SND	915	40.5	36	18	44	15.19
BS1242SF3SND	1002	40.5	42	18	48	17.72
<b>4 High</b>						
BS1230SF4SND	1063	54	30	18	50	16.88
BS1236SF4SND	1160	54	36	18	58	20.25
BS1242SF4SND	1224	54	42	18	61	23.63
<b>5 High</b>						
BS1230SF5SND	1245	65.88	30	18	62	20.59
BS1236SF5SND	1313	65.88	36	18	69	27.02
BS1242SF5SND	1364	65.88	42	18	76	28.82

Storage Cabinet with no doors.

- 2SIND - 27 3/4" high with 1 shelf.
- 3SIND - 40 1/2" high with 2 shelves.
- 4SIND - 54" high with 3 shelves.
- 5SIND - 65 7/8" high with 4 shelves.

**BS12FKIT • 1212 Drawer Conversion Kit**



PRODUCT CODE	PRICE		SIZE / IN			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218FKIT	178	194	15	15	18	20	2
BS1223FKIT	178	194	15	15	23	22	3
BS1224FKIT	178	194	15	15	24	24	3
BS1229FKIT	178	194	15	15	29	24	3
BS1230FKIT	178	194	15	15	30	24	3

- Converts an existing box, box, file (6612) Pedestal into a file, file (1212).
- Kit includes 1-12" high drawer front, 1-12" high drawer body, set of slides and 1212 lock bar.
- Specify the type of conversion kit, color of front, color of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle color.


**BS12BKIT • 6612 Drawer Conversion Kit**



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1218BKIT	254	286	15	15	18	20	2
BS1223BKIT	254	286	15	15	23	22	3
BS1224BKIT	254	286	15	15	24	24	3
BS1229BKIT	254	286	15	15	29	24	3
BS1230BKIT	254	286	15	15	30	24	3

- Converts an existing file, file (1212) Pedestal into a box, box, file (6612).
- Kit includes 2-6" high drawer front, 2-6" high drawer body, 2 sets of slides and 6612 lock bar.
- Specify the type of conversion kit, color of front, color of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle color.


**BS12FFKIT • Fixed Front Door Conversion Kit**



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1230FFKIT	204	219	13.5	30	17	14	3.73
BS1236FFKIT	204	219	13.5	36	17	16	4.52
BS1242FFKIT	204	219	13.5	42	17	18	5.30

- Fixed front drawer conversion, receding door roll-out drawer.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

**BS12RDKIT • Receding Door w Fixed Slotted Shelf Conversion Kit**




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1230RDKIT	204	219	9.1	30	16.5	14	2.48
BS1236RDKIT	204	219	9.1	36	16.5	16	3.00
BS1242RDKIT	204	219	9.1	42	16.5	18	3.53

• Receding door and fixed slotted shelf conversion from a fixed front drawer.

- Fixed drawer can be substituted for a roll-out drawer in a receding opening at no extra charge at time of order.
- Add list price to each opening being converted at time of order.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.


**BS12BHHKIT • Half Height Door Conversion Kit**



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHTVOL	
	"C"	"L"	H	W	D	LBS	FT <sup>3</sup>
BS1230BHHKIT	214	246	6.75	30	17	9	1.61
BS1236BHHKIT	214	246	6.75	36	17	10	1.95
BS1242BHHKIT	214	246	6.75	42	17	11	2.29

- Converts a standard drawer opening to 2 half height openings.
- Comes as a pair.
- Not retrofittable on site, must be specified at time of order.
- Drawer interiors are finished in black.


### BAHFB • Hanging File Bars



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAHFB30	32		30		4	0.017
BAHFB36	32		36		4	0.020
BAHFB42	32		42		4	0.024

• Used in lateral files only.


### BAFBB • Front to Back Bars



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAFBB	19		15.25		1	0.03

• Used in lateral files only.  
• Shipped in pairs.


### BALAB • Legal to Letter Adapter



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BALAB30	19		30		2	0.001
BALAB36	19		36		2	0.002
BALAB42	19		42		2	0.003

• Used in lateral files only.

### BAPD • Divider Plates



PRODUCT CODE	PRICE		SIZE / IN			WEIGHTVOL	
			H	W	D	LBS	FT <sup>3</sup>
BAPD03	36	Full Height	4	00.0	13.25	4	0.017
BAHPD03	31	Half Height	7	00.0	13.25	3	0.017

• Used in full-height shelves and lateral file drawers only.  
• Three plates per package.


### BAPD • Pedestal Divider Plates



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAPDIV	22		3.5		12.625	

• Priced and shipped individually.


### BAPED-BAR • Pedestal Hanging File Bar



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAPED-BAR	19		15.6		0.5	0.01

• Priced and shipped individually.


### BAFFS • Full Flat Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAFFS30	90	1	30	16	6	0.29
BAFFS36	95	1	36	16	7	0.34
BAFFS42	100	1	42	16	8	0.40

• For use in SI series storage cabinets (non-slotted).


### BAFS • Full Fixed Slotted Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAFS30	98	6	30	16	9	1.72
BAFS36	102	6	36	16	11	2.06
BAFS42	111	6	42	16	13	2.41

• For use in SI series storage cabinets.


### BAHFFS • Half Fixed Flat Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAHFFS12	95	12	5	16	3	0.55

• For use in WI series wardrobe cabinets (non-slotted).


**BAEDPS • EDP Adapter**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAEDPS	33	3	16.5	4	0.01	

- EDP adapters (EDPS) for use in “L” openings only. Not for use in receding front drawers.


**BAMS • Max-Stor Module**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAMS3624	556	24	34.25	14.5	50	6.84

- The module can be freestanding or installed in any of the empty 36” width storage cabinets at either the top, middle or bottom location. Specify location at time of order.
- Includes 3 vertical sections and 12 adjustable trays


**BAMST • Max-Stor Trays**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAMST18	173	1	1.187	14.5		

- Package of 12 trays for the BAMS3624 Max-Stor Module.


**BTLP • Pencil Tray**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BTLPTRAY	32	1	13	5.5	1	0.08

- Plastic molded pen/pencil tray fits into the drawer of 12 Series pedestals or towers.
- Compartments organize your writing instruments and paper clips.


**BTRP • Organizer Tray**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BTRPTRAY	42	4.5	13.5	7.5	1	0.33

- Plastic molded organizer tray fits into the drawer of Radius pedestals or towers.
- Compartments organize your writing instruments and paper clips, business cards, and other small office supplies.


**BTST • Shoe/Boot Tray**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BTSTRAY	149	1.125	22.5	6.75	1	0.26

- Shoe or boot tray fits into bottom of coat closet in any personal storage tower with a coat closet and pulls out for easy access. Keeps closet floor clean.
- Black metal tray has glides on bottom.


**BTCD • CD Holder**




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BTCDHLDR	42	1	6	14	1	0.09

- Two joiners included.
- Radius towers and pedestals can take 2 CD racks, all other towers can take only 1.
- Plastic CD rack will hold up to 20 CD's or DVD's
- Join several racks together and place in half height file or media drawers.


### C28 • Letter Width Vertical Storage




2 High



3 High



4 High




5 High


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
2 High						
C28202	621	28	15	28	82	8
3 High						
C28302	815	40.375	15	28	13	13
4 High						
C28402	1018	52.25	15	28	151	16
5 High						
C28502	1229	62.75	15	28	186	21

- C28 series letter vertical filing.
- Leveler height adjustment range is 3/4".


### C28 • Legal Width Vertical Storage




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
2 High						
C28252	621	28	18	28	90	
3 High						
C28352	815	40.375	18	28	127	
4 High						
C28452	1018	52.25	18	28	167	
5 High						
C28552	1229	62.75	18	28	200	

- C28 series legal vertical filing.
- Leveler height adjustment range is 3/4".


**CFW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050MDP	3107	50	30	18	235	15

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


**CFW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050MDP0R	3022	50	30	18	235	15

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


**CFW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050MDP0L	3022	50	30	18	235	15

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


**CFW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050M12L	3082	50	30	18	235	15
CFW3650M12L	3381	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**CFW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050M12LOR	2868	50	30	18	235	15
CFW3650M12LOR	3154	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**CFW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3050M12LOL	2982	50	30	18	235	15
CFW3650M12LOL	3279	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**CFW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650MDPL	3419	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**CFW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650MDPR	3419	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**CFW3650MDPORA • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650MDPORA	3333	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**CFW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650M12LL	3393	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


**CFW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650M12LR	3393	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

**CFW3650M12LORL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650M12LORL	3308	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

**CFW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
CFW3650M12LORR	3308	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050MDP	3161	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

**BLW3050MDPOR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050MDPOR	3068	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


**BLW3050MDPOL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050MDPOL	3068	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


**BLW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050M12L	3118	50	36	18	235	15
BLW3650M12L	3417	50	30	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**BLW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050M12LOR	3024	50	30	18	235	15
BLW3650M12LOR	3323	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**BLW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3050M12LOL	3024	50	30	18	235	15
BLW3650M12LOL	3323	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


**BLW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650MDPL	3481	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.

**BLW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650MDPR	3481	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3650MDPORA • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650MDPORA3387		50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3650MDPORR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650MDPORR3387		50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LL	3437	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LR	3437	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


**BLW3650M12LORL • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LORL	3343	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

**BLW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LORR	3343	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


**DSOMSHLF • Diet Off Module 24" Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
DSOMSHLF	126	11.5	24	12	4	1.00

- Shelf hangs anywhere along Diet panel rails or Boulevard System 3 panel accessory tile.
- Can create a supplementary surface at worksurface level when suspended from a 42" high Diet panel.
- Shelves may be stacked, one hanging above the other from a higher rail.
- Shelf made of formed steel and includes suspended arms made of steel.


**DSTBSHLF • Diet Table Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
DSTBSHLF	179	12	22.75	12	5	1

- Shelf hangs anywhere along Diet 42" panel top rail and secondary mid rail of on DPFRE, DPORE, DPFFG, DPOFG, DPFGS and DPFE.
- Shelf made of formed steel.
- Front feet with protective suction cups rest on adjacent worksurface. If the adjacent worksurface is a freestanding table, you must adjust the levellers on the table to ensure proper alignment.


**DSOH • Diet Panel Mounted Overhead**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
DSOH48	664	15	48	13.5	40	5.60
DSOH60	810	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" Diet panels.
- Finished back provides additional privacy and a magnetic board surface to opposite workstation by increasing partition height from 42" to 57" and from 54" to 69" (nominal).
- Steel back and sides, charcoal melamine top, bottom and center divide.
- Anodized aluminum tracks with extruded plastic lining for textured, tempered glass
- sliding doors.
- Includes steel charcoal mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U", or "L" shape (with leg support) "H" panel configuration. Due to structural issues, this product may not be used on top of glazed or partially glazed panels.


**DSOS • Diet Panel Mounted Shelf**



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
DSOS48	199	15	48	13.5	40	5.60
DSOS60	214	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" high Diet panels.
- Made of formed steel and includes steel charcoal mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U" or "H" panel configuration.
- Due to structural issues, this product may not be used on top of glazed or partially glazed panels.


### DOHLS • Diet Overhead Support



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
DOHLS42	149	12	2	3.5	4	0.139
DOHLS54	149	24	2	3.5	6	0.278

- To be used with Diet back panel and Diet wing panel either left or right. The support leg will support only one side and eliminate the need for a third panel. No longer restricted to predetermined size and shape of workstation.
- To be used and supported on worksurface installed at standard height. Ensure the worksurface that the leg sits on is properly supported.


### BACWB • Counterweight Balance



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BACWBLAT302H	231				51	
BACWBLAT362H	298				66	
BACWBLAT422H	365				72	
BACWBLAT303H	189				42	
BACWBLAT363H	256				56	
BACWBLAT423H	256				56	
BACWBLAT304H	189				42	
BACWBLAT364H	216				48	
BACWBLAT424H	231				51	
BACWBLAT305H	109				24	
BACWBLAT365H	126				27	
BACWBLAT425H	126				27	
BACWBLATMLT	191				80	
BACWBVER	93				25	
BACWBPED	79				25	
BACWBPEDF	149				25	

- Recommended for use in all laterals, verticals, pedestals and free standing files of all widths and heights.
- Sold per pair
- Can be factory installed or added on site.


### BA • Keys



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAAK91	7					
Master key:						
BAMK91	25					
Extra key for existing cabinet:						
BAEK91	7					
Core key:						
BACK91	8					
Core & Key:						
BALOCKKEY	29					

- Additional key (specify at time of order)
- Key # must be specified at time of order.

### DSADA • Easy-Up Diet Overhead



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
DSADA30PM	628	16	30	14.4	33	5.3
DSADA36PM	653	16	36	14.4	38	6.3
DSADA42PM	684	16	42	14.4	43	7.3
DSADA48PM	716	16	48	14.4	48	8.3
DSADA54PM	748	16	54	14.4	53	9.3
DSADA60PM	788	16	60	14.4	59	10.3

- Diet Panel mounted overhead storage with opaque crystal door. The Metal finish (pA29) mechanism lifts the door up and stores in out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14375" high x 12" deep
- Unit includes back, support cantilevers, attachment hardware, and lock.
- Shipped partially assembled.


**accessories**

## Fitable Ergonomic Solutions

Helping Office Inhabitants be Healthy and Efficient


- Ergonomic Computer Accessories
- Energy Efficient Lighting and Power Accessories
- Paper Management Accessories
- Workstation Enhancement Accessories

### GAKSM01 • Keyboard Support Mechanism




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT/VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAKSM01	221	4.3	9	23.8	9.2	0.533

- Height Range 6" (+1.0"/-5.5")
- Soft Touch Knob tilt adjustable range +15°/-15°
- 360° base swivel




- Soft Touch Knob for simultaneous height & tilt adjustment.
- Spring-assist mechanism helps counter balance weight of keyboard & tray.
- Low-profile design for maximum leg room
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0112)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0118)
- Available in Black Only
- To with keyboard trays, sold separately

### GAKSM02 • Lift-N-Lock Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT/VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAKSM02	292	4.3	9	23.8	9.7	0.533


- Height Range 8.38" (+2.25"/-6.13")
- Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
- 360° base swivel



- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0212)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0218)
- Available in Black Only


NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.  
 • Patented Lift-N-Lock™ height adjustment without knobs or levelers automatically locks into position with release of tray for greater ADA/Barrier Free compliance.

### GAKSM03 • Lift-N-Lock Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT/VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAKSM03	469	5.8	9	23.8	11.3	0.719


- Height Range 14.13" (+8.25"/-5.88")
- Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
- 360° base swivel



- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0312)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0318)
- Available in Black Only

NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.  
 • Maximizes ergonomic support for both seated and standing positions  
 Patented Lift-N-Lock™ height adjustment without knobs or levers automatically locks into position with release of tray for greater ADA/Barrier Free compliance

### GATM01 • Tray with Sliding Mouse Support



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GATM01	224	2	21.3	10.5	7	0.259


**MDF Tray:**

- Formed MDF with Textured Finish.
- Foam Anti-skid mat.

**Sliding Retractable Mouse Support:**

- ABS Tray
- Sliding Retractable Mouse Support slides below the tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the Keyboard Tray.
  - 33% recycled content by weight content) and 92.64% recyclable.
- Available in Black Only

### GATM02 • 27" HDPE Tray with Two Mousing Surfaces



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GATM02	288	1	27.8	11.1	6	0.179


**HDPE Tray:**

- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- Anti-skid strips.

**Mousing Surface:**

- Keyboard and Mouse can be set up left or right.
- Includes Mouse Fence with Cable Manager.
  - 45% recycled content by weight
- Available in Black Only

### GATM03 • Phenolic Tray with Height Adjustable Mouse Support



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GATM03	311	2.8	23	11.5	5.8	0.429


**Phenolic Tray:**

- Solid low profile keyboard tray.
- Graphite finish helps hide fingerprints and smudges.
- Includes removable plug-in, gel-free foam palm rest.
- Includes foam Anti-skid strips.

**Height Adjustable Mouse Support:**

- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
- Available in Black Only

### GATM04 • HDPE Tray with Height Adjustable Mouse Support



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GATM04	347	3.2	23.5	11.5	6	0.5


**HDPE Tray:**

- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- Includes foam anti-skid strips.
- 45% recycled content by weight (45%Post Industrial content) and 99.97% recyclable.

**Height Adjustable Mouse Support:**

- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
  - 24% recycled content by weight and 92.64% recyclable.
- Available in Black Only

### GAGTA01 • Glide Tray Adapter (set of 2)



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
GAGTA01	92	2.5	9	2	0.5	0.025


- Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of a Bridges and Floorplay tables.
- Attaches to Glide Tracks of all Keyboard Mechanisms and Sliding CPU Holders found within this price list.
- Mounting hardware included.
- Available in Black Only

## Keyboard Combination Chart • Package Codes and Pricing



 GAKSM01	GAKSP0101 \$446	GAKSP0102 \$510	GAKSP0103 \$532	GAKSP0104 \$569
 GAKSM02	GAKSP0201 \$514	GAKSP0202 \$579	GAKSP0203 \$601	GAKSP0204 \$639
 GAKSM03	GAKSP0301 \$693	GAKSP0302 \$758	GAKSP0303 \$779	GAKSP0304 \$817


### GACPU01 • Fixed mount CPU Holder



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GACPU01	183	18.5	11.7	9.2	9	1.152

- Fully adjustable clamping mechanism to accept tower CPU's with a wide range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- Directly mounts to underside of desk surface.
- CPU Holder can also be mounted directly to an upright desk leg surface or wall, via side mounting holes.
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only


### GACPU02 • CPU Holder on Glide Track



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GACPU02	264	18.5	11.7	9.2	12.6	1.152

- Accepts tower CPU's with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" Glide Track mounted and 360° swivel for easy access for rear of CPU
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only


### GACPUH • Woof CPU Holder



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GACPUH	141	11	16	7-10	5	1.0

- Provides convenience access to front and back of CPU.
- Expandable width accommodates various sizes of CPU's. Adjusts from 7" to 10".
- Includes 4 locking casters and 4 protective "O" rings.
- Available in Tungsten Only


### GALTS01 • Laptop Support with Integrated 4 port USB hub



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GALTS01	137	3.2	23.5	11.5	6	0.5

- 5 adjustment angles for ergonomic viewing.
- Adjustment arm allows for unrestricted air flow.
- 4 Port USB Hub powered by computer, no external power required.
- Fully compliant with universal serial bus specifications 2.0
- Over current protection for downstream port.
- Compatible with Windows 7, XP, 98, ME, 2000, VISTA
- Compatible with MAC OS 8x, 9x & 10.
- CE/UL/FCC approved and RoHS compliant.
- Available in Black and Grey


### GADDH01 • Desktop Document Holder



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GADDH01	137	10	16.5	8	4.3	0.253

- Dimensions 16 1/2" wide x 10" high x 8" deep
- Heavy duty steel easel support.
- Magnetic line guide.
- Available in Black Only


### GAAFR01 • Adjustable Foot Rest



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAAFR01	137	3.5	14	16	3.7	0.454

- Provides support for the 5th percentile female when chair adjustment is not adequate.
- Easily adjustable to angles of 6°, 12°, 16° and 25°
- Footrest surface covered with anti-fatigue rubber mat.
- Available in Black/Grey Combination Only

### GAAKS1818 • CRT Corner Plate




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAAKS1818	102	1.25	18	18	3.7	0.454

- Converts two abutting worksurfaces in a 90o corner into a 45o angle keyboard worksurface.
- Keyboard mechanism not included.
- Fits worksurfaces 1" thick.
- Available in Panel Frame Finish

### Monitor Arm Specs

- VESA Mounting plate contains 75 mm & 100 mm mounting configuration
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing
- Keyhole slots in VESA Plate for quick mounting of Display Screen
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage)
- Cable Management provided on arm swivel joints
- Arm components manufactured from 100% recyclable Aluminum Die cast material, providing stability and durability
- 13" Arm height adjustment on 11" Stainless Steel Pole
- Pole Support Ring doubles as cable manager
- 360° of arm swivel around pole
- Desk Clamp and Grommet Mounting options standard on pole applications
- Monitor arms available in Silver (SIL), Black (BLK), or White (WHT).

### GAMCSSDE • Double Extension Monitor Arm for Single Screen




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
GAMCSSDE	462	29.3	6.8	9.5	7.5	1.095

- Monitor Arm Single Screen Dual Arm Extension.
- 9 1/2" reach from center of pole to front of VESA Plate
  - Display Viewing - 180° of tilt, 180° of swivel and 360° of rotation
  - Quick Mount Versa Plate
  - 12" Pole Adjustment
  - 9" Chrome Pole Adjustment

Available in Silver (SIL), Black (BLK) or White (WHT).

Post is chromed.

## GAMCSSDEH • Double Extension with Height Adjustable Monitor Arm for Single Screen



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCSSDEH	555	29.3	6.8	9.5	8.2	1.095


Double extension with height adjustable monitor arm for single screen frees up worksurface space and supports a sit/stand working posture.

- Attaches to any standard worksurface with flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.

- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.

Available in Silver (SIL), Black (BLK) or White (WHT).  
Post is chromed.

## GAMCDSDE • Monitor Arms for Dual Screens




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCDSDE	817	29.3	6.8	9.5	10.7	1.095

Double extension monitor arms for dual screens frees up worksurface space.

- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.

Available in Silver (SIL), Black (BLK) or White (WHT).  
Post is chromed.

## GAMCDSDEH • Double Extension with Height Adjustable Monitor Arms for Dual Screen



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCDSDEH	1012	29.3	6.8	9.5	12.2	1.095


Double extension with height adjustable monitor arms for dual screens frees up the worksurface space and supports a sit/stand working posture.

- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.

- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.

Available in Silver (SIL), Black (BLK) or White (WHT).  
Post is chromed.

## GAMCSSDEHS • Dual Extension Height Adjustable Slat Wall Monitor Arm




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCSSDEHS	579	23	10.3	8.6	5.3	1.179

- Spring Counterbalanced Ht. Adj. Arm Extension, provides free floating vertical range of movement through 13" of travel.
- VESA Mounting plates contain 75mm & 100mm mounting configuration.
- 180° of arm swivel around Slat Wall Mounting Bracket pivot point.
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.

- Keyhole slots in VESA Plate for quick mounting of Display Screen.
- Slat wall Bracket clamps to Slat Wall via adjustable brackets allowing for easy installation and removal (installation tools provided).
- Cable Management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable Aluminum Die cast material, providing stability and durability.
- Friction screw adjustment on arm segments for touch screen applications.

Available in Silver (SIL), Black (BLK) or White (WHT).  
Post is chromed.

### BLUC • T5 Under Storage Task Light



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BLUC20	142	1.25	19.5	4.25	3	0.123
BLUC24	150	1.25	24	4.25	4	0.145
BLUC36	160	1.25	36	4.25	6	0.214
BLUC48	177	1.25	48	4.25	8	0.284

- T5 rapid start florescent lamp provides energy efficient illumination.
- Slim, low profile metal chassis.
- Electronic ballast.
- Prismatic acrylic lens included.
- 9' black cord with two cord management clips.
- Task light must be specified at least 6" shorter than the storage component to which it will be installed.
- Includes all mounting hardware and 1 Vertical Wire Channel (BAVC016).
- Available in Black (BLK) Only

### BLUSPL • PL Magnetic Task Light




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BLUSPL	324	12	12	5	7	0.18
BLUSPLS	491	12	12	5	7	0.18

Designed to provide high quality light while using a low voltage bulb.

- Shell is injection molded plastic and has an adjustable lens cover to increase or decrease light intensity on worksurface.
- Can be fixed into position or located along underside of metal shelf or overhead using magnetic attachment included.
- Comes complete with 2, 8" pieces of vertical wire channels in corresponding frame color.
- Model #BLUSPLS includes motion sensor.
- Bulb - 13 watts (Available through your local hardware store)
- Panel frame finish
- Not available in Tungsten (TUN)

### BLEDLS • LED Under Shelf Task Light




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
Light Only:						
BLEDLS16	331	1	16	1	0.4	0.003
BLEDLS26	349	1	26	1	0.7	0.004
BLEDLS32	372	1	32	1	0.8	0.005
BLEDLS36	405	1	36	1	1.0	0.006

LED Under Shelf Light Strip. Contributes to LEED Energy and Atmosphere credit


- Linear array LED technology
- Slim design with concealed magnetic mount

Single Light Power Supply



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BLSPS	70	2	5.5	3	0.296	0.0128


Daisy Chain Power Supply



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BLDCPS	145					

- Non-handed toggle switch location
- 4, 7, 10 & 11 watts power consumption per light
- 50,000 hour average life span
- Colour temperature:3300 K
- Post-consumer content used in packaging and aluminum components.
- Add choice of power supply
- Daisy chain up to three lights (requires daisy chain power supply)
- UL listed 120V, 60 Hz transformer
- Can attach to either metal or wood (wood screws) storage unit


### BTLPM • Panel Mounted Task Light



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BTLPM36	419	1.25	36	6.25		
BTLPM42	441	1.25	42	6.25		
BTLPM48	463	1.25	48	6.25		

- Provides high-quality illumination for the work area without having to purchase a shelf or overhead.
- Features energy efficient T-5 lamp and electronic ballast.
- Can be mounted to any panel of the same size or smaller and can be mounted off module by sliding the back brackets.
- Includes sliding panel mount brackets and 9" cord.
- Available in Black (BLK) only.

### BAVC • Vertical Wire Channel




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAVCO16	40	16			0.5	0.018
BAVCO32	81	32			1.0	0.036

PVC extrusion attaches to panel vertical to provide enclosure for a power or light cord.

- Available in 16" and 32" lengths, six per package.
- Can be cut to required lengths on site.
- Panel frame finish

### BEMAE • Mini-Adapt Power Module




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BEMAE1	191	2	3.625	3	2.5	0.149
BEMAE2	211	2	3.625	3	3.0	0.159

Accessory Data/Power House.

- Attaches to scoop at the back of a worksurface.
- BEMAE1 includes 2 simplex outlets, 6' power cord.
- BEMAE2 includes 2 simplex outlets, 8' power cord.
- Available in Black Only

### BEMAD1 • Mini-Adapt Data Module




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BEMAD1	153	2	3.625	3	2.5	0.149

Accessory Data/Power House.

- Attaches to scoop at the back of a worksurface.
- Includes 2 voice/data ports, voice/data adapter kit.
- Accepts Category 3, 5, 5e, and 6 jacks.
- Available in Black Only

### BEAXX • Desktop Data/Power Receptacle




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BEA54	356	2.63	7.5	3	2.25	0.149
BEA44	328	2.63	7.5	3	2.25	0.149

Accessory Data/Power House.

- Attaches to scoop at the back of a worksurface.
- Includes 2 simplex, 2 voice/data ports, voice/data adapter kit, 6' power cord.
- Available in Black Only

### BEPB12 • Power Bar




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BEPB12	48			12	2	0.02

Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.

- Fits within power channel of panels with raceways.

- Standard with 2' cord.

### DABAR • Power Bar




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
DABAR	63			12	2	0.02

Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.

- Standard with 10' cord.
- Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.

### DABARB • Power Bar with Mounting Bracket




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
DABARB	93			12	2	0.02

Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch. This bar hangs on Diet Panel Rails or Slat Wall and Boulevard accessory rails.

- Standard with 10' cord.

- Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.
- Black bracket included.


### BABC • Wire Manager



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BABC04	29	2	4	2	2	0.14

Attaches to the underside of the worksurface with a peel and stick adhesive that is located on the top of the wire manager. Comes 10 per package.


### VVACS • Cable Snake



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
VVACS	114	30	8		3	0.19

- Flexible cable management trough.
- Two pathways within the snake, one for data/communication and one for routing power cables

### BAR • Panel Mounted Slotted Accessory Rail




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAR18	101	10	18	0.5	3	0.12
BAR24	112	10	24	0.5	4	0.17
BAR30	123	10	30	0.5	5	0.22
BAR36	134	10	36	0.5	6	0.26
BAR42	145	10	42	0.5	7	0.31
BAR48	156	10	48	0.5	8	0.35
BAR54	166	10	54	0.5	9	0.43
BAR60	178	10	60	0.5	10	0.49

Hangs on standard Boulevard panels and accepts standard accessories.

- Includes 10 horizontal slats for hanging capacity.
- Includes mounting hardware.
- Panel frame finish


### BALB • Panel Mounted Load Bar



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BALB18	81	3.5	18	0.75	2	0.031
BALB24	88	3.5	24	0.75	2	0.038
BALB30	98	3.5	30	0.75	3	0.048
BALB36	109	3.5	36	0.75	3	0.057
BALB42	124	3.5	42	0.75	4	0.067
BALB48	142	3.5	48	0.75	4	0.076
BALB54	156	3.5	54	0.75	5	0.086
BALB60	165	3.5	60	0.75	5	0.096

- Can be panel mounted or wall mounted on rail (BHV01 or BHV02).
- Includes mounting brackets and end caps.
- Panel frame finish

### BABB01 • Binder Bin



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BABB01	70	9	4	10.25	1.85	0.21

Load bar/accessory rail mounted metal binder bin.

- Panel frame finish

### BAFS01 • Flip Sorter



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAFS01	66	9.25	2.75	9.25	0.6	0.14

Load bar/accessory rail mounted metal flip sorter. Comes with chome wire.

- Panel frame finish

### BASS01 • Slant Sorter




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BASS01R	45	9.5	5	10.25	1	0.28
BASS01L	45	9.5	5	10.25	1	0.28

Load bar/accessory rail mounted metal slant sorter.

- Panel frame finish

### BALT01 • Letter Tray




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BALT01	50	2	13.5	9.25	0.5	0.15

Load bar/accessory rail mounted metal letter tray.

- Panel frame finish

### BAMB01 • Media Bin




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAMB01	61	3	5.75	5.25	0.8	0.05

Load bar/accessory rail mounted metal media bin.

- Panel frame finish

### BAUT01 • Utility Tray




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAUT01	45	1	8.5	3.75	0.5	0.02

Load bar/accessory rail mounted metal utility tray.

- Panel frame finish

### BAPP01 • Mail Box




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAPP01	67	9	16	2.75	2	0.25

Freestanding unit or load bar/accessory rail mounted.

- Panel frame finish

### BATH01 • Telephone Holder




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BATH01	99	2	9	10	2	0.26

Load bar/rail mounted telephone.

- Panel frame finish

### BAP • Printer Paper Slot




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAPR	60	1.0	17.5	1.5	0.2	0.020
BAPL	60	1.0	17.5	1.5	0.2	0.020
BAPC	60	1.0	17.5	1.5	0.2	0.020

17 1/2" printer paper slot, factory installed.

- A drawing must be provided to show location. BAPC on corner worksurfaces is only available in one corner location.
- Available in Black PVC Only

### BAPD • Pencil Drawer



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAPD2015	88	1.5	22.5	17.75	2	0.300

Provides accommodation for writing instruments and small items at the workspace.

- Attaches to the underside of worksurface with drawer slides.
- Available in Black ABS Only

### BAHO • Coat Hook




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAH03080	42	3	1	3	0.2	0.001

Over the panel mounted coat hook for Boulevard 1 panels only (not including 37" high). Priced six per package.

- Panel Frame Finish

### DAHOCH • Coat Hook for Diet




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
DAHOCH	20	3	0.75	3	0.2	0.001

Panel mounted coat hook Diet Panels.

- Panel Frame Finish

### BAHP • Coat Hook



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAHP3069	34	3	0.75	3	0.2	0.001

Panel mounted coat hook Boulevard or System 3 Panels.

- Panel Frame Finish

### BPNP • Name Plate



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BPNP01	83	3.3	5.3	1.25	0.3	0.013

Over the panel mounted coat hook for Boulevard, System 3 panels only. Priced six per package.

- Name plate attaches to 1" increment slots of Boulevard. It can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for isle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included
- Includes two slide-in name cards.

### BAHB3CH • Coat Hook for System 3




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAHB3CH	78	3	1	3	0.2	0.001

Over the panel mounted coat hook for Boulevard, System 3 panels only. Priced six per package.

- Panel Frame Finish

### BAWB • Write Board




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHTVOL	
		H	W	D	LBS	FT <sup>3</sup>
BAWB2436	305	24	36		13	0.500
BAWB2442	352	24	42		15	0.583
BAWB2448	404	24	48		18	0.666

To provide a writing surface in a work area. Panel mounted.

- Includes mounting brackets.
- Black Trim Only


### BATB • Fabric Tackboard



PRODUCT CODE	PRICE			SIZE / IN			WEIGHT VOL		• Includes mounting brackets. • Class "A" Fire Rated Fabric.
	GR1	GR2	OPT	H	W	D	LBS	FT <sup>3</sup>	
BATB2430	188	197	208	24	30	3		0.416	
BATB2436	215	224	235	24	36	4		0.500	
BATB2442	245	254	266	24	42	4		0.583	
BATB2448	275	295	314	24	48	5		0.666	
BATB2454	304	324	343	24	54	5		0.750	
BATB2460	333	354	373	24	60	6		0.833	
BATB1830	188	197	208	18	30	3		0.416	
BATB1836	215	224	235	18	36	4		0.500	
BATB1842	245	254	266	18	42	4		0.583	
BATB1848	275	295	314	18	48	5		0.666	
BATB1854	304	324	343	18	54	5		0.750	
BATB1860	333	354	373	18	60	6		0.833	

To provide a tackable surface for notes and memos in a work area. Panel mounted.

### BAMT12 • Marker Tray



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL		• Panel frame finish
		H	W	D	LBS	FT <sup>3</sup>	
BAMT12	68		12		0.5	0.01	

Paint to match for easy touch ups. 1/2o. (15ml) bottle

### BATP • Touch Up Paint Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL		• Panel frame finish
		H	W	D	LBS	FT <sup>3</sup>	
BATP91	37				0.41	0.1	

Paint to match for easy touch ups. 1/2o. (15ml) bottle

**height adjustable**



BWA-A2	DESCRIPTION	FINISHES					
<b>Fixed Height Rectangular Table</b> 	<ul style="list-style-type: none"> <li>• Fixed height freestanding rectangular table.</li> <li>• Height fixed at 29".</li> <li>• Under desk clearance for 24" desk is 17".</li> <li>• Under desk clearance for 30" desk is 22".</li> </ul>	<b>High pressure finish.</b>  <b>PVC edge finish.</b>  <b>Panel frame finish.</b>					
		PRODUCT CODE	PRICE HP*	HEIGHT RANGE	SIZE/INCHES D W	WEIGHT LBS	VOL FT <sup>3</sup>
		BWA2436A2	1511	29	23 34	91	3.60
		BWA3036A2	1575	29	29 34	91	3.90
		BWA2472A2	1794	29	24 72	91	29.0
BWA3072A2	1852	29	30 72	102	36.3		

BWA-A5	DESCRIPTION	FINISHES					
<b>Top Surface Crank Rectangular Height Adjustable Table</b> 	<ul style="list-style-type: none"> <li>• Crank adjustable freestanding rectangular table.</li> <li>• Manual height adjustment from 22" to 34" with infinite adjustments.</li> <li>• The crank can be left hand or right hand use.</li> <li>• Under desk clearance for 24" desk is 17".</li> <li>• Under desk clearance for 30" desk is 22".</li> </ul>	<b>High pressure finish.</b>  <b>PVC edge finish.</b>  <b>Panel frame finish.</b>					
		PRODUCT CODE	PRICE HP*	HEIGHT RANGE	SIZE/INCHES D W	WEIGHT LBS	VOL FT <sup>3</sup>
		BWA2436A5	2558	22-34	24 36	62	14.5
		BWA2472A5	2859	22-34	24 72	91	29.0
		BWA3036A5	2624	22-34	29 34	104	3.90
BWA3072A5	2901	22-34	30 72	102	36.0		

BWA-HS2	DESCRIPTION	FINISHES					
<b>Fixed Height Corner Table Straight Front</b> 	<ul style="list-style-type: none"> <li>• Fixed height five sided corner table.</li> <li>• Straight front edge.</li> <li>• Height fixed at 29".</li> </ul>	<b>High pressure finish.</b>  <b>PVC edge finish.</b>  <b>Panel frame finish.</b>					
		PRODUCT CODE	PRICE HP*	HEIGHT RANGE	SIZE/INCHES D W	WEIGHT LBS	VOL FT <sup>3</sup>
		BWA3624HS2	1791	29	24 36	74	20.3
BWA4830HS2	1966	29	30 48	101	36.0		

HEIGHT ADJUSTABLE TABLES

BWA-HS5

DESCRIPTION

FINISHES

**Top Surface Crank  
Corner Height  
Adjustable Table  
Straight Front**

- Crank adjustable freestanding five sided corner table.
- Straight front edge.
- Manual height adjustment from 22" to 34" with infinite adjustments.
- The crank can be left hand or right hand use.

**High pressure finish.**  
**PVC edge finish.**  
**Panel frame finish.**



PRODUCT CODE	PRICE HP*	HEIGHT RANGE	SIZE/INCHES		WEIGHT LBS	VOL FT <sup>3</sup>
			D	W		
BWA3624HS5	2768	22-34	24	36	74	20.3
BWA4224HS5	2939	22-34	24	42	84	27.6
BWA4824HS5	3015	22-34	24	48	98	36.0
BWA4830HS5	3052	22-34	30	48	101	36.0

**teknion corporation**

in the usa:

350 fellowship road  
mt laurel, new jersey

08054 usa

tel 877.teknion

877.835.6466

fax 856.608.0393

e-mail: [info.us@teknion.com](mailto:info.us@teknion.com)

in canada:

1150 flint road  
toronto, ontario

m3j 2j5 canada

tel 866.teknion

866.835.6466

fax 416.661.4586

e-mail: [info.can@teknion.com](mailto:info.can@teknion.com)

other offices located in:

europa

south and central america

middle east

asia

russia

for regional contact

information go to

[www.teknion.com](http://www.teknion.com)

teknion embraces change and its innate possibilities. our culture is one of innovation. in that spirit, we have stepped forward to integrate sustainable principles and practices into the design, manufacturing and marketing of our products.

teknion products perform independently and in concert combining in virtually unlimited configurations. our philosophy embraces design as one of the best tools we have for realizing the benefits of business, while also striving to reach sustainable goals.

we have learned from design that changing a single detail alters the whole. every inch makes a difference. every leap is the sum of many small steps.

teknion creates furniture that connects people, technology and spaces; integrated design with new possibilities for a healthy, productive world tomorrow and the day after.